

1-to-1 archive report

This PDF is a one-to-one readable report of the uploaded archive. It includes archive metadata, full ZIP inventory, full printable text contents, full .c file contents, and PBO internal inventories/extracted text when PBOs were present and readable.

Important: line numbers are added by this report for reference. The SHA-256 hashes identify the original bytes. Binary files are not printed as raw binary inside the PDF; they are documented with size, CRC/metadata, and SHA-256. PBO script/text files are extracted and printed when readable.

Source archive

Archive path: /mnt/data/ai c files expantion(11)(2).zip

Archive filename: ai c files expantion(11)(2).zip

Archive size bytes: 43042427

Archive SHA-256: 13bbblcfd80ff46b0270eeead670cac54825631f4165f5bf90823d4bd07ebb26

Report generated: 2026-05-14

Counts

ZIP entries: 489

ZIP files: 384

ZIP directories: 105

Printable ZIP text files included in full: 325

ZIP .c files included in full: 264

PBO files found: 29

PBO internal entries listed: 1033

Printable PBO internal text files included in full: 669

PBO internal .c files included in full: 376

PBO parse errors: 0

ZIP extension counts

.c: 264

.pbo: 29

.ogg: 21

.txt: 19

<none>: 9

.cpp: 9

.agr: 9

.paa: 6

.layout: 5

.xml: 5

.rvmat: 3

.edds: 1

.meta: 1

.ptc: 1

.roads: 1

.csv: 1

PBO internal extension counts

.c: 376

.meta: 203

.edds: 201

.paa: 62

.bin: 34

<none>: 29

.layout: 27

.ptc: 22

.emat: 21

.p3d: 19

.ogg: 17

.rvmat: 9

.imageset: 7

.otf: 1
.xml: 1
.fnt: 1
.styles: 1
.json: 1
.csv: 1

C/source file index

[0001] PBO | core pbo files expan/0_core_preload.pbo :: 3_Game\DayZGame.c | bytes=1104 | lines=34 | sha256=04634ec2fc8eb8265567d03c2605c8ee23bc998919892bd6edf40ec32b103428
[0002] PBO | core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase.c | bytes=7227 | lines=213 | sha256=9f324aaf0fd808be86a6941a1fea285828271ed52b9425cb712080
754e51df9e
[0003] PBO | core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase\Clothing.c | bytes=1469 | lines=43 | sha256=91b46d570e9ee8e7acd2fdace3d46b164088c10819c58a
c710d013b22e198e5c
[0004] PBO | core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ManBase\PlayerBase.c | bytes=1511 | lines=38 | sha256=cdb2fcd72413cb442a2f0e5ce0ad57b2bbb7a3caee647
a2e1399655d5627fc95
[0005] PBO | core pbo files expan/0_core_preload.pbo :: Common\DayZExpansion_Core_Defines.c | bytes=2883 | lines=101 | sha256=34025e280ad057b5c12c7eb9bbf0030e42d6d66553568a
acec109e1e5b3c5bc8
[0006] PBO | core pbo files expan/0_modstorage_preload.pbo :: Common\DayZExpansion_ModStorage_Defines.c | bytes=484 | lines=16 | sha256=9afe547eb953a88faafa40403dda3facd725
35555b2edf09908d91b6c302c5e9
[0007] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Log.c | bytes=3158 | lines=67 | sha256=daddab39dc064859122d42b196eb929b3155a669c2e5bf782c
b623e8f977916b
[0008] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Trace.c | bytes=1960 | lines=53 | sha256=9a4ab1da29f1fd7b5da14dadf097a00447eb06c6e0790229
e8c264fd085d2df6
[0009] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionInhibitor.c | bytes=934 | lines=42 | sha256=beffd853c113c4962985e8929a9504e80cdb857
78fa050a5fbceed54770c5a61
[0010] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionStaticCore.c | bytes=502 | lines=25 | sha256=03d66367ea17a0856a0985b256de7733cdf0e9
fd3175b9d0407e1f88d2891a32
[0011] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionString.c | bytes=12972 | lines=626 | sha256=30b1531e842892127ba3b6d2ee6a450e51b69c5
3532d9230b9e4847c963cb7b9
[0012] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionType.c | bytes=1207 | lines=75 | sha256=e64b9fc15f3a37666d843da4f1f5a5e9670b2016186
ddd75facf521e2e44cb23
[0013] PBO | core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionUtil.c | bytes=323 | lines=23 | sha256=1321c9ddd81d6ee55811962d52b63a9e6a064da45b8a
62fc8dff25b0a278df39
[0014] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Analytics\ExpansionAnalyticsManagerServer.c | bytes=2910 | lines=104 | sha256=171f4b4df2de10
d57951a2525339e8b3ce971f4b8e8d14aed534c390a58473a0
[0015] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCE.c | bytes=5065 | lines=221 | sha256=80fda075e2250a53c24c035b9ba71082bd2c6edda
e7bca65fe9b2e884559ed73
[0016] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEEvents.c | bytes=6444 | lines=240 | sha256=ed68648ec8072d16400b0d2af61679287bf
ea15e60627c241ade95991ed7f040
[0017] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEPlayerSpawnPoints.c | bytes=5696 | lines=177 | sha256=7387c17f5fca7a0fc913226f
1cead979121a806cf6228a4648f67d242a4de1ed
[0018] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCESpawnableTypes.c | bytes=3430 | lines=130 | sha256=906b5ef3d226bcc75fa8e8a43a5
a8e14a8b00e973f55741c4e2353a88cbaf3ef
[0019] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETerritory.c | bytes=2672 | lines=105 | sha256=b73c477e1c842684da694105800a6e25
1f4da9b335c1b5a5403525e9ebd9b266
[0020] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEType.c | bytes=5619 | lines=209 | sha256=32feda7557ce855f27d4993e8bfd1263de9a3
52ac401e0fed6f807a816993ef
[0021] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionEconomyCore.c | bytes=5473 | lines=240 | sha256=766febe864d925f2a3deacae5490a895
36f3f5d86b9aa5826f44ea4d57683048
[0022] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Date.c | bytes=1682 | lines=77 | sha256=b569ae39e17a45dcb1753540912d7bff429827b1d004ca3ab
a2fe42094f5a077
[0023] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Localiser.c | bytes=1145 | lines=46 | sha256=2ea53779088a009008033ee062dd60d24fe232e31a45
58f93035d08ecba4fa95
[0024] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_ModuleGame.c | bytes=3204 | lines=104 | sha256=ef8ed4022af4e6c546edad5f543d2c4d4e08896a04
167319a890bbe6936f1f41
[0025] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\ClientData.c | bytes=866 | lines=32 | sha256=c6b3e06e31711e8817d051bf200de6c184d03737
a900e3f2ad496a3f7f8608b8
[0026] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\ExpansionNotificationSystem.c | bytes=6820 | lines=187 | sha256=72d5e36
95acb929e51f2eda7b09a189eb3672a78349b7dd0a8ea264d68c82ed9
[0027] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationRuntimeData.c | bytes=1169 | lines=61 | sha256=25457e23cb89

13f4fffc642d8f0d1910e318958e92aed86d05a6264f05e1176a
[0028] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationSystem.c | bytes=8243 | lines=271 | sha256=096494a1caf8ab8b
eeb350c382d88cfea994871802a97b92b43a25d3a9525369
[0029] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationUI.c | bytes=740 | lines=27 | sha256=0221e364c1706effb64a5a
2be2209857060c476d0d3563021aa84f691de4ad7f
[0030] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\SyncPlayer.c | bytes=2395 | lines=102 | sha256=3d251151ed2f9ce2f849c3216dff09cdaf4a04
f538900d4ee7460320e4736b7e
[0031] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettingCategory.c | bytes=631 | lines=24 | sha256=5e07ccff2480
0520b3bdaf0ae1471c41d3b6f59cddd321650da581d8b5c5e37d
[0032] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettings.c | bytes=51798 | lines=1516 | sha256=6561d0be96f23e1
7754654998381498f67cb44653a82f1279b9b28485a86d21b
[0033] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\NotificationClientSettingsEnum.c | bytes=424 | lines=18 | sha256=97730861e44c
a552981a77f0d7d3f1bd95f58e7967fddcb4aa561bfef09f7ff8
[0034] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DayZGame.c | bytes=8961 | lines=318 | sha256=a941eefc09b45fd22eb9a9750f4b19d4596bba3fe922f1f
1a9c7f5329bec98b4
[0035] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DZ_Expansion_Core.c | bytes=509 | lines=24 | sha256=488411318d2dcff4f27383477ce8ed3376f638ac
5692ee97c4a5d4e432c9a0e7
[0036] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\EffectManager.c | bytes=1424 | lines=39 | sha256=730fabdf369518f34f731e932edb1c4e6e5f527563a
505d55154605f2767d1a2
[0037] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionParticle.c | bytes=5738 | lines=240 | sha256=a679ff7994ab88546712a95d
a9571acblb9ce45d5ae66e09c87787aa47728176
[0038] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionSmoke.c | bytes=710 | lines=33 | sha256=026075432f975dd1406e7fac7731b
00dc1542cb1f8381e14a8952fa07a57fd57
[0039] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectSound.c | bytes=896 | lines=41 | sha256=7e1b34d047a201cf2322908cbb0ab8210be964
7a73cc9e79d12541e1c9b88354
[0040] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatChannel.c | bytes=423 | lines=17 | sha256=5e9d17fd30e8e56db68558d
2f095c68dd73ae86f2c4cea31e9f5a4394dbeb888
[0041] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatSize.c | bytes=447 | lines=20 | sha256=f9e3806c70aab67bab49424ff8
7d4b5cec81207c39b491b2278c83d21a3551fd
[0042] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMarkerSize.c | bytes=438 | lines=19 | sha256=b0bd5029a54f3f38cacf56f4
ce03058b063d4f7c7fc91c212a93ae895487383c
[0043] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMemberMarkerType.c | bytes=531 | lines=26 | sha256=9b8dc16452c543b461
da03d9e6a3792412c97d598d6f0471adfb8f8b5740e74c
[0044] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIPlayerArrowColor.c | bytes=525 | lines=29 | sha256=027ee857e55ee2340b
2a9b6ac699db0dd44b4719db6d20ff919db416b60d25f5
[0045] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionFireMode.c | bytes=98 | lines=10 | sha256=f1d9365eeceb8ac33f94b009e426a23a0d4
596b6d63e7eba38e864da0113a312
[0046] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionRPC.c | bytes=639 | lines=28 | sha256=25027caacf2b9cf701e799bc43d61d8681602bf
9dfbcc1021d27bf90db3d0e68
[0047] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleKeyStartMode.c | bytes=454 | lines=19 | sha256=a75ff367063c94f6f66519c
bb90787163e912bba68f655e249cedf89a1cfad23
[0048] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleLockState.c | bytes=567 | lines=25 | sha256=a422e76e163a588e3807622c40
c47c3d745182ffff1e19b00f9dc7e1a260c69be
[0049] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleNetworkMode.c | bytes=425 | lines=19 | sha256=26567dbbc1648d6363fef819
d07905f8e4a17f40b98a2a33130132e0c544fddd
[0050] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleType.c | bytes=82 | lines=9 | sha256=d5ee0ef9873df0effe4d707daff1c13eb
03263f1cc7db49abcef7cd5f31fec71
[0051] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\NotificationRuntimeEnum.c | bytes=533 | lines=31 | sha256=a4491fae2b2824063f5194dea297
10d71466141ec38ceb99af9f847615d4835f
[0052] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionArray.c | bytes=3842 | lines=183 | sha256=12af0c557e1ab8b2254abc2909a779211a94ff366
b6e07febe03cbfdffb91376
[0053] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionBitStream.c | bytes=32494 | lines=1494 | sha256=22f5c959a4d603de8fd1fa68154568773a0
6e512463519cd977f1bf6cfffadd7
[0054] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionColor.c | bytes=3042 | lines=126 | sha256=f64937a2f33d40255fa8fa189b86d3267155b4baa
fbf2944b2eb6e69bda15ad0
[0055] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionConstants.c | bytes=10465 | lines=235 | sha256=ac7870d76811f0f4215d78a6362aa8c9a9ee
417902cca155cf18b8f62a3c80bc
[0056] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionEntity.c | bytes=3835 | lines=192 | sha256=0f46d7c6abf53a30979b82547c77320ac05a4880
2fd5077b3031cdd36ec96dd1
[0057] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGame.c | bytes=6264 | lines=253 | sha256=977aed890b1e1f4e6b158cb8eeb44284ef723c7054
1879cc6ddcecc3286e6896
[0058] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGlobalID.c | bytes=3405 | lines=206 | sha256=64d2258bbd92543b85bc9ce3c952f2282a740a

0320ce3690573cdd1026bba29e
[0059] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionHash.c | bytes=1155 | lines=68 | sha256=e6828302fbb484bb3a7af393e8766f982ab1d60be52a29d8fd352075f1ef9303
[0060] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcon.c | bytes=583 | lines=25 | sha256=2e525e2984b7612df80cc1659d7b5181e8b245d45ac2ee7ca4323789c07a5131
[0061] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcons.c | bytes=19923 | lines=350 | sha256=3b9b71c511a363293de712c3ebf7290ff9f136b1b1b1906f0db363d927c19441
[0062] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionMath.c | bytes=24855 | lines=883 | sha256=8b22cb4e22f4bf9eb94f50b969bc477984bb39ef9b2fe846a1a0a2daf8f369e
[0063] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionRPCManager.c | bytes=14545 | lines=594 | sha256=3592002d1274661dc07749201eb75774ea3b11f542d338d3334fe90e944714cd
[0064] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionScriptRPC.c | bytes=4374 | lines=164 | sha256=a59109057bce93f207342b1a84524aee652eb1a75d83633c384c415042c82e9e
[0065] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionSHA256.c | bytes=5829 | lines=250 | sha256=8371ef4c9516aab6195ce388094aea914c36385b32d76ba9a0f046f282b2d578
[0066] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionStatic.c | bytes=80641 | lines=2926 | sha256=eb74fc1276fb382e784a69d827ef8e7a021c0a4030faae4f4cc2d45d0056d344
[0067] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionTracing.c | bytes=20427 | lines=770 | sha256=30fe84a8009fe5a84216cacc8cca5dd09a25c61a0c65e4337cc478331051fd2d
[0068] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionUIManager.c | bytes=3286 | lines=145 | sha256=d8249dd22bf16cade14d6161f15e6865045cc5ce06320c53748940a204140376
[0069] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionWeaponUtils.c | bytes=2738 | lines=85 | sha256=9d871c4030784809de3470209b866dff607fc391bbd5d77e4e085bfca79fb3eb
[0070] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Hud.c | bytes=496 | lines=24 | sha256=912254a796ed585329b896d45dbcd6f056f133d4f847a96e6d214f9156eeffb2
[0071] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocation.c | bytes=5376 | lines=178 | sha256=d4138992befe6c763e16b68395700034eca45c01c2e6489a30df281997d2b140
[0072] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocationType.c | bytes=532 | lines=26 | sha256=986cea5d0c2b3771324a93dac6dc0eef8292e9724a47b21b1364963fc5a947e2
[0073] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLoot.c | bytes=2778 | lines=109 | sha256=3309b7cd781b6a292f606e0088773cb8ef6f0985c70d1dda62d13b05c66205c7
[0074] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLootDefaults.c | bytes=382 | lines=14 | sha256=b6c9d4e9e0b4577e44834923576a6d6975ab114e53f582e0ba54f717d99a59b1
[0075] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMapMarkerType.c | bytes=574 | lines=22 | sha256=29d0ee735c6012b70e018c6d698a28eea7100ea57a171abe351cbc97a95868a1
[0076] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMarkerData.c | bytes=8401 | lines=429 | sha256=7d7980fd3ad137e9d8c608f1ad4dc89f61ee60e27806db4f6adfb75d501b2328
[0077] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyMarkerData.c | bytes=539 | lines=21 | sha256=02976c6bb6ab0df050a67c335e9bec5ed83d2697b8abfbb1a4c03fabbd291b29
[0078] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyQuickMarkerData.c | bytes=853 | lines=39 | sha256=3312a918bcac5bafbf59bf71bcde35f0f5e0c4d6720a14982f85b07b595afbbc
[0079] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPersonalMarkerData.c | bytes=924 | lines=37 | sha256=045940f6e9667309d8e987acba5b3062e3ca05aecbf445f1c59e0a075bclcae0
[0080] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPlayerMarkerData.c | bytes=1283 | lines=61 | sha256=d662a3dec8230cd77700cf64b3de2192c29311df06c3e3594f274cd46a98f9c4
[0081] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionServerMarkerData.c | bytes=507 | lines=19 | sha256=7ed2ac911831b94385360c9bff7e633ab51e455be84191f9121284298310e1b6
[0082] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Matrix3.c | bytes=6904 | lines=339 | sha256=f359090426e370f54a0a856f5f2518198756e553e2c48333342058fa251a67e
[0083] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Quaternion.c | bytes=2208 | lines=109 | sha256=d453214066caff3a15e43acd44e45a8c70c8e46728d555daa076ee4e4607a09b
[0084] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Transform.c | bytes=4914 | lines=270 | sha256=489facc0c87d79a2b63f7ba58b38e0824e838608c06f49fd562098b906799102
[0085] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Vector.c | bytes=2857 | lines=125 | sha256=8e06c80e4a953ca40e5805b41fc2a512781834e6a38237dcb1ef838eae944952
[0086] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | bytes=2258 | lines=122 | sha256=dcfa50127b6f68715deafc5ce637ea7baa7194569001710bdf1f470ab4bb57f9
[0087] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewFadeTimer.c | bytes=2664 | lines=134 | sha256=5efa3c2998a27c711c2ebe36fb16aed3a51001dea16982ef42c2ba4f2183492
[0088] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenuBase.c | bytes=880 | lines=38 | sha256=f9480f1c383ec8733df375ac4b03342d9e0b6db90da35fb223db84be584217e6
[0089] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ScriptedViewBase.c | bytes=578 | lines=27 | sha256=43b51ce6c124c514b27

4b85f4bf2990c1e9da655f8a3e875f1d29c30ad76d859
[0090] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Particles\ParticleList.c | bytes=3328 | lines=52 | sha256=e3b8d3afbbfa2284faaa15b9de4e61ade8988463af9ba39ae8fce2dd22be3d84
[0091] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\PlayerIdentity.c | bytes=4344 | lines=196 | sha256=a3da38bf54acc509a5b848331d90e1927e32e71ae69e1183814644f4901bf627
[0092] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Prefab\ExpansionMinMax.c | bytes=597 | lines=46 | sha256=44bf73260dfe0423c9d7bf947b6b3b68ffcbe59a7bc4409b270182dd22be3d92
[0093] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Renders\ExpansionRenders.c | bytes=3382 | lines=123 | sha256=72932e2c0a8e640b503608e1182672d6c5af9a453f94deaed7f99515f15cd6cc
[0094] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationBase.c | bytes=1475 | lines=72 | sha256=90a1919684d75795b0e044183587d9adcba3b4766b28ad50bfeeadad2d501ee1
[0095] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationEnum.c | bytes=1058 | lines=50 | sha256=beb7297d31cfe14e077e409a4948c713ff17d15c1641elc0ab107d9639bad8e5
[0096] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationInt.c | bytes=1054 | lines=46 | sha256=47a4286fec8b43ee09f2fc00520a01cc93c8760cbf2daf0fc0fbfd077ecb340
[0097] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationSlider.c | bytes=1987 | lines=94 | sha256=6f344ea7771ea16a1a45b1fa251d9a4765f3ad844cfda1c60e2753b21d78879e
[0098] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationString.c | bytes=1079 | lines=46 | sha256=21e830ecd1847279cc28abf2cd5aa45910aa35759986953baa178e7808c4ce3
[0099] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationToggle.c | bytes=1069 | lines=46 | sha256=a7570b48673a986fe73366553e5e72121b7279e11dbaaec026662da4d5b22a2a
[0100] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Core\ExpansionCoreSettings.c | bytes=5734 | lines=216 | sha256=b4f2340add1e85a52b93f543548ba6d37db1d662d6a7ee462e492519fad9649e
[0101] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\DamageSystem\DamageSystemSettings.c | bytes=3002 | lines=135 | sha256=ab50c85bc42d1989e2484795c7fafc3e6e5c73f8476d3a22ce02e3e5d849ff63
[0102] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionColorSettingsBase.c | bytes=2079 | lines=98 | sha256=11eb2b7f01c66915525eeb0f180a67df9b9d03a931d3ad1ddc08f6be250495dac
[0103] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettingBase.c | bytes=3676 | lines=184 | sha256=5a7a4ba7157e9ec8f49efb00b74e995ec59ac5319eabcb3d2c9ebdddeaeef65d
[0104] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettings.c | bytes=8877 | lines=333 | sha256=4d3e1c782dd21407cd8417d2b144cedde50be2d803867bbda6812cd28a6690f4
[0105] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Logging\ExpansionLogSettings.c | bytes=10666 | lines=392 | sha256=31ed08d491b222e60793939d15780a18592ba44dfd4def5b5522b7fd566b348b
[0106] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Monitoring\ExpansionMonitoringSettings.c | bytes=3513 | lines=159 | sha256=1dcc8b0bc0c3b1042ba5db8295e8d3cab8132fe13bfaa79c14b836ef6e9ad821
[0107] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionAnnouncementType.c | bytes=438 | lines=18 | sha256=148b35bdf2f23256f80c9b856661542190fb108cec0435001dcc410d3a87b81e
[0108] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionNotificationSettings.c | bytes=11824 | lines=407 | sha256=bd6c69b3b8a8d3939427d7a9fcd2759c1fc151192d6d27e0eedfef41099eb702
[0109] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCircle.c | bytes=742 | lines=32 | sha256=5819d3bab6d5266d5a424b283ca30b9f6e586d8e9495ef80a6398598625947de
[0110] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCylinder.c | bytes=798 | lines=34 | sha256=f58423573f8a8b4157a866bd60cbcb1808da9e564c4a46d8de159a14ee00fae4
[0111] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneElement.c | bytes=504 | lines=23 | sha256=6788342003437795d11136fc0b0ffdd582ecfcce0665e19b9bbbd4894b46acb99
[0112] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZonePolygon.c | bytes=713 | lines=30 | sha256=62cc49079ee6a9df40f54ef5e8dc58954575de5286d74fd712e9f6e10a3df282
[0113] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneSettings.c | bytes=9690 | lines=336 | sha256=7e738722bbffbf99c29b99c8c0aa0a2813923f6f33899e51d37bc9c0baf8cb18
[0114] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSound.c | bytes=10136 | lines=407 | sha256=7b4e06c8a9f2eeda418cee90ac301cbebaea607a593af3ac11d76cf8b5071ddd
[0115] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundModule.c | bytes=3467 | lines=128 | sha256=1db38065397785ea881f7bf23d92d37648c3893e944885a058b37442e9f9d0c4
[0116] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundSet.c | bytes=4682 | lines=208 | sha256=a3d08fe72cf2ed7cce8d750f8e0e07e9ce3ff29e21372caea23e63c37a85d9d9
[0117] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\SyncEvents.c | bytes=944 | lines=34 | sha256=62a021056dc367e3cb4c0223ccfd15205b22da60fe0ac52ble6e42be3004333e
[0118] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionItemNameTable.c | bytes=5951 | lines=241 | sha256=fc6244b32c04bfd47c14cf523b3690e512687f5036cf6ea7ac65db5eccf3ec4b
[0119] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonFileParser.c | bytes=36820 | lines=1966 | sha256=7497128fc237bb6fdd82facbd03e875c37b647a2081ec2d5faf70db0da2d6658
[0120] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonSchemaExporter.c | bytes=8999 | lines=368 | sha256=e03f1a4f53c336163c26cc

1673dba37bc9d2ddb35462a048a09cde2da28b75fc
[0121] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionUIScriptedMenu.c | bytes=1292 | lines=52 | sha256=84f1fe162bcd68596231181d5b2ec49c9697b00d8997f9d9cb63640259c02e89
[0122] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML.c | bytes=348 | lines=19 | sha256=2465f00c8a24260a9ee71d7b0c258198c39ed5ad4ace352d7cd51ed360469c1f
[0123] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML_Element.c | bytes=154 | lines=11 | sha256=84f32720210d9de7acdb419a00eae1849ca98d4493a9a9fbf817cd667c329055
[0124] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\ExpansionXML.c | bytes=2199 | lines=90 | sha256=b63244d388ca2c584427263409c3fb76d48199e68d5e99adbf53fb9d3fb56c8
[0125] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZone.c | bytes=1091 | lines=70 | sha256=9b8859d883e241c56d094d72ea5279860954026dc6e0dc3f47b41cbbd558d77a
[0126] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneActor.c | bytes=4515 | lines=235 | sha256=118e25670d2310cbc37a2a5f1599bf294ff10b399c40347108a29666810f16c4
[0127] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCircle.c | bytes=1159 | lines=50 | sha256=2c8849ba5b83a173763636721378f9041aff6b6ae90855469333674e317ed7a
[0128] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCylinder.c | bytes=1332 | lines=57 | sha256=86568227fa551e92a60829dbc1842fa905d42241dddf807d0285aa1136a922d21
[0129] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZonePolygon.c | bytes=2950 | lines=123 | sha256=f60d4a717a1d092169d652087a129406b7986aeaf14ae9565712a3bbca042f62
[0130] PBO | core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneType.c | bytes=77 | lines=8 | sha256=aa7670e5ab3680b69768cefe51f1420e5cd33712859611ff08b5d5482c1ca4e6
[0131] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ArrowManager\ArrowManagerPlayer.c | bytes=2340 | lines=127 | sha256=e4262aedc4088e191550899f1f6342816502058a6f7eb6e6deaba2e59ab892ed
[0132] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BaseBuilding\Construction.c | bytes=4106 | lines=138 | sha256=2c7275ab28104276cbc9aaf514fc26888fb1762119672edf649ba30c29ad7df1
[0133] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerBase.c | bytes=571 | lines=23 | sha256=ebbf1ff32550d20e0c79486bfb6dbec2da8a7bb04ee1fa494d9085e85a2b8a57
[0134] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerServer.c | bytes=1301 | lines=68 | sha256=d4b37a787d66c19b1df7646f46273d74e8bc01724fd5d62f68d9c3f36f1305b7
[0135] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommand.c | bytes=5429 | lines=237 | sha256=119a88192c7ae90f3d5ce520014f0ff247571b50bdc94df529aad72cd8b1817e
[0136] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandScript.c | bytes=5328 | lines=223 | sha256=43e16c39dcea385efb90d4ffb1a904aab2a73da91a3f3ccf58c13820dc9175d6
[0137] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandVehicle.c | bytes=1351 | lines=89 | sha256=8e79e347d29a259be6c0540e304a06d757319953de2f2a23e659fa2951bbb47a
[0138] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanST.c | bytes=15617 | lines=540 | sha256=d005447634fc05147bf84e50f9e1d98902a8573855cdf1570fc65499252011ba
[0139] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Environment\Environment.c | bytes=8656 | lines=251 | sha256=299e397f7bda7b852945ed9b66aa9700b15aba7726f2db54e2bca2f17bee4622
[0140] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionAttachmentHelper.c | bytes=2753 | lines=137 | sha256=756560a9c85b97582b6b02dc96f77106f3636c806dfe696275193501f1118fb6
[0141] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEmoteManager.c | bytes=1069 | lines=53 | sha256=d3ab69619f713e4a29d6bcff91c22bade6d933656e9dafb1d34062098ed926b6
[0142] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEntityStorage.c | bytes=40841 | lines=1331 | sha256=ebb2173a30356ccc250aaae4ea0cbb441ae7f898c9ce89fef62c172ba073303
[0143] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionNetsyncData.c | bytes=4242 | lines=154 | sha256=a1d7f94d6e64a310f46881cf694fed2d165ffbb782a13e40e7bf4064c1684f1d
[0144] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionShape.c | bytes=5691 | lines=256 | sha256=33a9d20ad70a7c20acbc26d85f3f71df12e1b7ed3eeca7e140a1f8af45d48259
[0145] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehicle.c | bytes=39309 | lines=1730 | sha256=e11c6f337a7ae0b054fc09000f36ecd2811c6bdeff3ae91922f162c5e2aff35e
[0146] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehiclesStatic.c | bytes=1133 | lines=41 | sha256=bfa3ae4e33f447f11bc095cb3f7a084e0cf6611e3f342e1687b03344cff2b924
[0147] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSM.c | bytes=8075 | lines=352 | sha256=56b261522af58a1802d89bb537a39c0c53da9b46e31ebc7dfab5405ccla04ac4
[0148] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSMType.c | bytes=8282 | lines=283 | sha256=3e650fba8c3d04b39de16c71bd938ddeeb9fe923948779c8e66739bb94fb41d3
[0149] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionState.c | bytes=1324 | lines=75 | sha256=079f6aceec58cd0fceb705234197ec32e69573e4772f95cd0738f7ad5c3c85a3
[0150] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionStateType.c | bytes=8020 | lines=257 | sha256=3b14c2b993fcdca197503abe66e0e4c80936f10f735cdb01500dea7494c0fa917
[0151] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransition.c | bytes=681 | lines=46 | sha256=d29b1cdd58cd629219a54a0e0

1f75cffc4e32116b8d0b618cd2b03615580dfae
[0152] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransitionType.c | bytes=5458 | lines=185 | sha256=273afaf3620644ea6b6
426be248db11dc15a027f2b298e90ab1b9933b37f10ccd
[0153] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\JMAAnimRegister.c | bytes=1933 | lines=39 | sha256=395e7c0a3546ba9eecd8b6c1bbc5b825f
6b6b410274d9497c6f89ebb585350f9
[0154] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Loadout\ExpansionLoadout.c | bytes=114731 | lines=3220 | sha256=2a377ed1139d2114069
2b7472a8d2feadb39fe6e4965d1d8bf41098e9ad71dfd
[0155] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\MissionBaseWorld.c | bytes=573 | lines=21 | sha256=a52eb6feb66b45ea71c05c0fe27a9b24
d6ded072a628c6d4299166a5df0db82c
[0156] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Permissions\PermissionsManager.c | bytes=2753 | lines=118 | sha256=d18cbd44b3a8b8ea
14469b0efc9f4f718c50cc4d29e5a8e3da74c657d1b9e7cb
[0157] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\Modifiers\Conditions\AreaExposure.c | bytes=721 | lines=28 | sha256
=930f6c3a871dbf3620a0fd57c09efbe972f55a15a2f52b6561ab3fb3c525e027
[0158] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\ModifiersManager.c | bytes=5508 | lines=221 | sha256=a642d8d0f5f158
f810d774942312cedccf25b02c8fc3a3ee0bff39b4f218509e
[0159] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatBase.c | bytes=297 | lines=21 | sha256=549950898ab3a40e1b34ca
19d9f6f4e615de13ae67fb0afa9fe5871d7ad0f4b7
[0160] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStats.c | bytes=445 | lines=23 | sha256=f346539c6d2aba60057331409
9f84c893a6ca7e5bf0e05b338b07f714be00425
[0161] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatsPC0.c | bytes=855 | lines=39 | sha256=e070a4606334fa2d419981
410033bc840c47768333d7666e52b2b17544ab4473
[0162] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStomach\PlayerStomach.c | bytes=1593 | lines=63 | sha256=0c15a1988fd5638d9fa3
9abedb7e7298ad5417118ed0bf643b05a279bb54e70e
[0163] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerSymptoms\SymptomManager.c | bytes=1005 | lines=51 | sha256=e88a0258d6c54b3940
fdeabb05749d922a2bc7df218ad10520e3d5e9abda93a9
[0164] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefab.c | bytes=2169 | lines=99 | sha256=75580e28d7ef6cf9499e6027f
bce727f720f406ec2dc9454992b2ca3dff6c84f
[0165] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefabObject.c | bytes=15392 | lines=541 | sha256=4d61dccbf9d75efdb
ed0537fa2ed9fa0457a96ad14cleb497677f82ba8d68416
[0166] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionScene.c | bytes=114 | lines=6 | sha256=0e6b12c6e3195b1b7016d7e6817c0
f956d261d70a862a2cf8f59ebc48d7a4025
[0167] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionSceneObject.c | bytes=270 | lines=10 | sha256=fe39e9a8e57de6bdc061a6
98bbc3b9d8357b9389b605f8b1c7ae141aa4cd33f5
[0168] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionDamageSystem.c | bytes=15846 | lines=441 | sha256=efd59a5b5a61f682
45318d1d4d12955543e071fbca0e06d682c7f69d23a1525f
[0169] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionItemBaseModule.c | bytes=7597 | lines=280 | sha256=86ffd30601db2bc
9dc0c500fcf14fc8794915ab1069c21ea845de65d53f40da1
[0170] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Locator\ExpansionLocatorDeprecated.c | bytes=1464 | lines=65 | sha256=db250
fb8a6ed28985ed08234b3e433d7e1531f9ee1bae4ca97e4ca97bc0a4f82
[0171] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionMonitorModule.c | bytes=32872 | lines=1012 | sha256=2d492d
231f532538ff6b9e2ea88558c9295d6b6f1236612621dfa4ee0aa32d6b8
[0172] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionSyncedPlayerStats.c | bytes=4085 | lines=201 | sha256=9d36
7c9ffcf0112613114349ef82037f8d7b5ce33063ce4c4480151896ca9c7
[0173] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkin.c | bytes=703 | lines=26 | sha256=d6d33e11f5e389f65e0aa
bcd6c9b2aabbdb4451f1faa307ad7f810dcabfba2833
[0174] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinDamageZone.c | bytes=662 | lines=25 | sha256=97e16cb7392
580011f8fc926bf8d404b458d481842b996ec168dffa7a162aa16
[0175] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHealthLevel.c | bytes=441 | lines=17 | sha256=bf8f50c369
1694823c9f655a944245e720c8946ea398cc34dbdf5270e44d14de
[0176] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHiddenSelection.c | bytes=475 | lines=18 | sha256=af3692
ed1d961de97a8d57e68eebe48e9f27240ca130e68a79f56d271e39fbca
[0177] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinModule.c | bytes=10179 | lines=380 | sha256=a2d2b82a6ba2
a549db0f0b7259477f61f2b1ec63fabb487dda9b5f2b2c952eb8
[0178] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkins.c | bytes=2996 | lines=105 | sha256=5791d35f19bb0c9c7f
6500fbc67df1087445b738184e62a786a716c139030939
[0179] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Zone\ExpansionZoneModule.c | bytes=3456 | lines=164 | sha256=80053ebe2339e6
7e605584631a5026bcbf5114bf1f622d5f44ecc447f6f59704
[0180] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\TransmissionAgents\PlayerAgentPool.c | bytes=1510 | lines=62 | sha256=3a70a4f73fbcf
fb940bca800b224a451fd33c0dccc9fd8e30b492c732ac8a95db
[0181] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionConstructor.c | bytes=968 | lines=34 | sha256=fe415886b2
f7143690e5dddb0b8cf88941f664c15cb87ca0ced26ea6df99132e
[0182] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionBase.c | bytes=1438 | lines=60 | sha256=eb3a6fc9

ff2824ab91fbacd9063b71f2f7953001879b50e93bad1352e215e11f
[0183] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionContinuousBase.c | bytes=1070 | lines=39 | sha256=c68860058d8cf40dead80339447122c6f94d9809362105c692ba2447d1dc662f2
[0184] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\AnimatedActionBase.c | bytes=605 | lines=23 | sha256=5ebb1c0d7ea9c85c9f85ba89e4d9b12d851cd9e8359bea329e04cd1778584a09
[0185] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionActivateTrap.c | bytes=602 | lines=23 | sha256=ebd2c03019cddadfbf80f409aa1a41a0ef7f639098cf779f7d96c93cf999f188
[0186] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionArmExplosive.c | bytes=600 | lines=22 | sha256=a1fbc7bb0d19ad1e42695989fcc6eae7886cc1ff96a5352c2f7a012a971297c
[0187] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionAttachExplosivesTrigger.c | bytes=622 | lines=22 | sha256=eel179a4dffe2270f6ca92b7356633479b1a81fcd23e35e2c5012e4f21cdd055
[0188] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionBuildPart.c | bytes=594 | lines=22 | sha256=e284631f376b2f31cd88552e0000ce81d04c32984d1a48abf64e71532db9469e
[0189] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionCoverHeadTarget.c | bytes=606 | lines=22 | sha256=d30e9f6af1ed2d7eef45a130256c76594686c751458b20edb6962c1860b80549
[0190] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDigInStash.c | bytes=598 | lines=23 | sha256=7ff6d7f058d0d901310b5454e042cd3b3476fc97fb2dc1466767acf6484cb4b4
[0191] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDismantlePart.c | bytes=651 | lines=22 | sha256=b52738649f5a25053874476f99c997a564c9afeddf840bdec595adfcf8fce042
[0192] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionFoldBaseBuildingObject.c | bytes=620 | lines=22 | sha256=c302e05c914a29e20e64c5ef9be4974bdf29393e648859a926c2ffaab11d8571
[0193] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionForceConsume.c | bytes=726 | lines=26 | sha256=cee0f413b62e5c2aed16ee5cb26dc7306d43ec823f3e7925095d207e1dcf46a2
[0194] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionGagTarget.c | bytes=594 | lines=22 | sha256=ab54af0864f2d83f829ec9f0c15e637124e81b7f2a74345567ddfbdd147ecf419
[0195] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionLockDoors.c | bytes=593 | lines=22 | sha256=8a2ab8b4ddf081a328052a46f9a0f54097f90a8e4c5e10e75a5af731571e52a6
[0196] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineBush.c | bytes=601 | lines=24 | sha256=8eda787e0f4afdde2fe582c921a22ead0736890a26c4d176d139c7a0b9b8e993
[0197] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineRock.c | bytes=601 | lines=24 | sha256=e2841bc6454caa6230fb8793b8cf11a6db12ada33102edd6a7c31152b97b344f
[0198] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineTree.c | bytes=592 | lines=22 | sha256=52429cb63a190e37085414308edd3214a5d871811e2f4063975fbdd3a7b68d7f
[0199] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPackTent.c | bytes=595 | lines=22 | sha256=342a5e846c351cdf1cf336a9b7afe84d229e24e9bacc4777b7941933565e4871
[0200] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPushObject.c | bytes=605 | lines=23 | sha256=28449ef4c73fd046534a679ef750b65a904194f71432641310bae43alee749ad
[0201] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainSelf.c | bytes=601 | lines=23 | sha256=5afb966f9fc6055ae39226525c6ce21093ed19072b6a36965b650a20ea0113d7
[0202] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainTarget.c | bytes=678 | lines=25 | sha256=131a3c578be571cd39ec2b3c349609ae043aebcf7529a0904f7d98efcdff0225
[0203] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionShaveTarget.c | bytes=597 | lines=22 | sha256=d7b1040526a850c068462e58639dbcd91c3932f2189c1caeee51f9c8ff7f66ff
[0204] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnlockDoors.c | bytes=595 | lines=22 | sha256=78da30ea06dc3d182e392db9b034a099a8fed8889aedc699c3e547e12586b426
[0205] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnMountBarbedWire.c | bytes=609 | lines=22 | sha256=5de90c04f5d40c6c312946d1d2ef6abb54df5b3b413650ea44a936e4f99b29d2
[0206] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | bytes=620 | lines=22 | sha256=a59a54c530eb3c030668c26d562ae0a3b7ba25c66d0c852a84455a391b228dac
[0207] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugLobotomize.c | bytes=3894 | lines=143 | sha256=b45bcc3141f144a515acb68549b75f6208cc15e1654c0e9c06633e3fe3127cb9
[0208] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugStoreEntity.c | bytes=372 | lines=127 | sha256=c2c624215315f3172b6e12863c449e79f22ea3901658a94b3733816cbc3f619f
[0209] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPaint.c | bytes=3298 | lines=122 | sha256=baf047be6bd200f7a95351b9548e3f598384b3594e4ec3a8a0ef7243786e2802
[0210] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPlaceDebugGoat.c | bytes=1109 | lines=33 | sha256=e7663d2f6667f6cb9d8eede6793b6054fe3dd4bf199c479173b8e51c6022eb33
[0211] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionRestoreEntity.c | bytes=5897 | lines=173 | sha256=7eb7e408775dc841317e8c68dda0417fb9f0ff26154bbbcdfeea06b8e7eda636
[0212] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCheckPulseTarget.c | bytes=776 | lines=27 | sha256=681c6b6d180aa8ee72a43ee4e935c723ebbb9af423d559564c3343ba31b263b2
[0213] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectBloodTarget.c | bytes=

740 | lines=27 | sha256=080c7927095b4621e30160be9def27c763a079e88ac8fb33f0c9ddde12deb935
[0214] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectSampleTarget.c | bytes=740 | lines=26 | sha256=217e25120a3cbc55db4957353eb129ffe8984b0d93256eb9d566542f5e612261
[0215] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionDefibrilateTarget.c | bytes=736 | lines=26 | sha256=fd5f524658bfc815f1e0c2c37c286a1f18e8d8f4876554a738e27a44f32d9c067
[0216] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionGiveBloodTarget.c | bytes=732 | lines=26 | sha256=929f2226992c535d131497aa63ebdb3b2da32f6bba63005c6e887cab001a41db
[0217] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ExpansionActionToolBase.c | bytes=5954 | lines=196 | sha256=cfc0135edfb7eb2aef72d6d618506852bf8cf41bac01cdaf47fd01f4d3678170
[0218] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Interact\ActionFoldObject.c | bytes=598 | lines=23 | sha256=1f3003cc806e29a427d8b9850ab8802bfdfdd51677868eb6580fce4f3fe1874d
[0219] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionForceConsumeSingle.c | bytes=736 | lines=26 | sha256=6d920eb50931d5557e024dd50de9c30766e9b8a66b85ab3eb3e700cc5f5842ac
[0220] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionHandcuffTarget.c | bytes=602 | lines=22 | sha256=485b647e39009c6304c32d3269e1e426ce5815bf5edac3fd5f388f2ce49404de
[0221] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTogglePlaceObject.c | bytes=611 | lines=23 | sha256=18f49926d2e84c4d7669ffc2cfecce99cf21b6833af8b1464d61e9663cf39207
[0222] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTriggerRemotely.c | bytes=605 | lines=22 | sha256=cbe38bf75b966fe995870469a607b498ae8flac39af856f247ce0848bc62027c
[0223] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionUnpin.c | bytes=584 | lines=22 | sha256=108847838c79925ab4c880aedb0353284f541112a28a21d9f20fd8f47e28a5b4
[0224] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\Medical\ActionInjectTarget.c | bytes=726 | lines=26 | sha256=bd3d4046a4021e6ae276584dbf006810d6c6a7ac5ccdc1443afb16f18faeca5
[0225] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionTargets.c | bytes=840 | lines=36 | sha256=09c9d114587d6f0dba0455c977fccc70e0205cbe6d70680384625107a11e0722
[0226] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Animals\AnimalBase.c | bytes=6313 | lines=223 | sha256=a3cb59a53efd82a8ada709fc04691c8e0cbfdb72539f443f957a977bbe1800ea
[0227] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Infected\ZombieBase.c | bytes=6455 | lines=228 | sha256=98c371721ac287dbf9a97c2a43ee07954e6f2ba4a8d9626079f4a8f7141fc882
[0228] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Buildings\BuildingBase.c | bytes=2068 | lines=63 | sha256=77678c66a886ab3ced8c6d58ed7f3bc9969a510077f80679b4b165dcc368409a
[0229] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionBakedMapObject.c | bytes=688 | lines=34 | sha256=9d556dc37cbdd4a2ec23651ef9bcd17fb5ea9dca8f82de88cb2blefdcc158b91
[0230] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionLampLightBase.c | bytes=66 | lines=5 | sha256=72c0054b8d570895c4001538d8ed7401fba2d3c813bcb70e0aa520efd27fb9cf
[0231] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionNavmeshCarver.c | bytes=2029 | lines=69 | sha256=2a94704a12235e224360c419e940466adbe4a83252e0ed639ea20c3fae92488b
[0232] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionPhysicsStructure.c | bytes=3496 | lines=157 | sha256=20711bcf06245967968f626a91d6e79898a5782665b2b7569096e24fa05f84ea
[0233] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionStaticMapObject.c | bytes=691 | lines=34 | sha256=83ef91db2d649afd0ddd93182234c503c6ebe6504d67a6786e923912782c4238
[0234] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\DayZPlayerImplementFallDamage.c | bytes=425 | lines=16 | sha256=70669e0875887cb00de688b77a4073c1683e840e4824e4be5a2c84f8f9fbde33
[0235] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionBaseBuilding.c | bytes=399 | lines=13 | sha256=6ec255c6aee2e2cce5ea04802183f95e593ac4500fab967f4441a947da761f5e
[0236] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionDebugObjects.c | bytes=3015 | lines=118 | sha256=1b247830ac3950959721e3966528ec0ebb16769c0dac0314c21c7da89535804
[0237] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionEntityStoragePlaceholder.c | bytes=9401 | lines=358 | sha256=dd79b78cc575556a7b66ba446af8bb6b72341b36985664b0f9ba07c146a384f8a
[0238] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExplosivesBase.c | bytes=301 | lines=21 | sha256=f25a4648537aadf8182de2fc5c81fc05da5fa187d95eac9d8f51a05a06aa208a
[0239] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\ExpansionLobotomyDartGun.c | bytes=1458 | lines=61 | sha256=1b009c07fcfa1ccd192a06945f4393b7494310cbcdf4e9e6227a2c1ae71f4064
[0240] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\FSM\States\WeaponStableState.c | bytes=1459 | lines=37 | sha256=1be78f37812e23682b2629ea52708a46f2d1557c6434c92c8830127a3794c04d
[0241] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Weapon_Base.c | bytes=14677 | lines=539 | sha256=74a7680803674315d8d90d63ee29e98f71075f4573b365e72621895213e05c98
[0242] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\WeaponFSM.c | bytes=4728 | lines=138 | sha256=dc0d5d97890259c5c556c197cee66304105a277cee62c088319d54e706038d76
[0243] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Grenade_Base\SmokeGrenadeBase.c | bytes=412 | lines=24 | sha256=c39c93c0ff130e9d937449f7678319fbc46a94e84e98f5530cf70eef2b59efcf
[0244] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase.c | bytes=49239 | lines=1862 | sha256=aee226cf58b160133225dcc48e314e99b51

3a006bc33b3a1f1d9a675b85bf999
[0245] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase.c | bytes=985 | lines=31 | sha256=5a93497fa73cd512e3075b181bcd8ecb46eee721a3d71a1f6236e3159586c48b
[0246] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase\Fence.c | bytes=315 | lines=14 | sha256=4cc9865125f11017646b35564c86e890188a499de4bace4d63f72b1923d3f258
[0247] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BatteryCharger.c | bytes=339 | lines=19 | sha256=47edf8c1750027bfe70b2e7de385dd975a13e7e5a1cebfc3904a661e8fbdbe2
[0248] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Blowtorch.c | bytes=174 | lines=11 | sha256=4449bbcd107e642824aac3cfff63f0a84154a480db555924bed565c4694217a5
[0249] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\CattleProd.c | bytes=327 | lines=19 | sha256=2074499066df925996d1092b9baf6145b598a5524b522d61478adf006faae6af
[0250] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ChemLight.c | bytes=354 | lines=19 | sha256=d782128eee3d011e6a9a9c4c6f8180c27721b9067b885cbecaafe9c2ed31e352
[0251] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing\Armband_ColorBase.c | bytes=2047 | lines=66 | sha256=4b04ac3ce2b0ac785921bab9336a2327891f231f7306aed41239ada096a94476
[0252] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing_Base.c | bytes=1037 | lines=36 | sha256=36c1bc223097f4f7a4b7693daa056fbc0e2f07b62belac27ff00b1417d2a4929
[0253] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Defibrillator.c | bytes=336 | lines=19 | sha256=664778b0a1a58651494accf3ff13ea81348962e591d8164dd293eacfb361e44
[0254] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Edible_Base.c | bytes=6041 | lines=177 | sha256=c732a9d624e04ee83000b83ddb56d0fcf8d4865c52d3a27cb46d54618e54bcc9
[0255] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionAdminChest.c | bytes=2384 | lines=103 | sha256=2ec0b049d3edd8e17dc2dc13baf438a25482bea1b2a45e1aca757b8ba9bfdd44
[0256] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionBriefcase.c | bytes=823 | lines=35 | sha256=ad327ca3a599e3a14c9617f754b60c1f325ea38fdb5c3a7363250696f77fb706
[0257] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionCircuitBoardBase.c | bytes=820 | lines=41 | sha256=d16e61bf0d9bd56ff600df248b7ba9efdf318cccd949de6cale87724c4f2e008
[0258] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionOwnedContainer.c | bytes=12666 | lines=478 | sha256=26d88799dc939aab96f674df8a972ab342c99ed3c30805f9134df58d0b12c1ce
[0259] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionSpraycanBase.c | bytes=1638 | lines=52 | sha256=e9d6fe58d73f66939c84a3d233588d95145c7c06b66b2d6b99b0ae34c1bccf2a
[0260] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Flashlight.c | bytes=327 | lines=19 | sha256=7ea6b692b9a633a11e3b3041058f0ca92855d361dea0fe1e454b94e0483cb2e
[0261] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Gear\Navigation\GPSReceiver.c | bytes=330 | lines=19 | sha256=2e3310cf43f1325a9861d0bd54be0b283c9626be556e53b1ba2b5cbea9424a51
[0262] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Grenade_Base.c | bytes=172 | lines=11 | sha256=0db4c940f985f8d3a358e17c38462d4e054f3af060ea357f0a9e16ea3221b40e
[0263] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Heatpack.c | bytes=321 | lines=19 | sha256=4e3cb36ad7ca57d182dae8a18f1981f80893cdf23c78e7e013c37f5a68a655b1
[0264] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\AmmunitionPiles.c | bytes=733 | lines=18 | sha256=08ed7873a6eeb0bf824821631c0e384a74d6e522edb5a2b4ed52eb55cce50791
[0265] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\Magazine.c | bytes=720 | lines=18 | sha256=8a5f5bd46c8563ce019b98cbb2c871eb0dc131788e1550711cbb21cf586159a2
[0266] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Megaphone.c | bytes=324 | lines=19 | sha256=edcbf10b3634aec1c8f01bceb7ee37413f638c4e6d69312ad32450cf53c753e2
[0267] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasLamp.c | bytes=342 | lines=19 | sha256=7c17f3da25fd5d2d96c9c43033fd4866661f3488e7588c830b61a8408548ff2b
[0268] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasStove.c | bytes=188 | lines=11 | sha256=e96ecdf5dca65ec525419175907deb339182f2fc22dce9623dbaa2157899b32
[0269] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PoweredOptic_Base.c | bytes=374 | lines=19 | sha256=d1814973ff2cbe650aefe395ba394ac221e973ee53a4f360d87a4e000e4554c2
[0270] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PowerGenerator.c | bytes=351 | lines=19 | sha256=f69f9d19a004a1873f3f9d5acf080da271b0f9c4b1c3efccb078749a0780bff1
[0271] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Radio.c | bytes=166 | lines=11 | sha256=5a23f1316cecb3dfe1051678c8c07795051ac1a8394f925e7dd8774a60b5b8c6
[0272] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Rangefinder.c | bytes=330 | lines=19 | sha256=5753b1299fe2aa160dbfb54b20ca10baa2332f2a8b9777f31263cfc3492818f4
[0273] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Raycaster.c | bytes=324 | lines=19 | sha256=f6018d217f481ea24454b4e735b5f17bdbd5154eecf0d69038d11cf5b7bc1042
[0274] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Refridgerator.c | bytes=336 | lines=19 | sha256=004b2b82478b9535d9c6bdc703f1a7c16373e0cb02a9da1873ec60ad8ba2bf99
[0275] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Roadflare.c | bytes=324 | lines=19 | sha256=693854d7c72ecaa4e17d63bab9c922

9819b412fc3f0aa920b21a567610fd2647a
[0276] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Spotlight.c | bytes=324 | lines=19 | sha256=b544af9e2d85249714daf5dec18f3c4a6fb507990b93586915b8c90f8c3820da
[0277] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\StunBaton.c | bytes=324 | lines=19 | sha256=7dca289059b271a650ebd719299501189d0bb7a38d855d3ad435db3a50f3c7be
[0278] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\TLRLight.c | bytes=321 | lines=19 | sha256=922dc6ff0bc994e64cab3b54d2124163538a044e346cec56e8cbd14cc1e4a5dc
[0279] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\UniversalLight.c | bytes=339 | lines=19 | sha256=950fa02b733c8b5b11f21275d7210876a54acbbb51f7e238cc4946958253340a
[0280] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Torch.c | bytes=312 | lines=19 | sha256=11a3a9659c2929bc5b366454d38962f6cae3c5b583c2942dc3764eb05d6ae398
[0281] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\TransmitterBase.c | bytes=342 | lines=19 | sha256=4eb1a0372e98f73b9b276bdad30644102af40d46f1e5c4432ed446212cc2a025
[0282] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\XmasLights.c | bytes=327 | lines=19 | sha256=927b5003989d7016bab67e7910a10b36d4d020b0ab2ea7a0b36a6ed809f8a34e
[0283] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayer\DayZPlayerMeleeFightLogic_LightHeavy.c | bytes=1031 | lines=32 | sha256=fd2c496140ddc0d85e9f32e75641991c0ab12f4a8963383ff44461c3daf49749
[0284] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplement.c | bytes=17975 | lines=684 | sha256=a0e3466a7ee7699259b87d892f526edacaa4cb17958e21354bbccd57f782cdaa
[0285] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementJumpClimb.c | bytes=1167 | lines=43 | sha256=0ed9alcc7114c17652053a615c1b5d1675d76bc771cc29f484b7375d925f1a81
[0286] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementThrowing.c | bytes=1024 | lines=39 | sha256=607407f9b15551fb8cee51101e41e8169c52bfcca2dedd6d9fe2204e38cdb2c5
[0287] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerSyncJunctures.c | bytes=1446 | lines=53 | sha256=34826a30329450114435715c7d67daf75539f446008932b247623d18a364fb4a
[0288] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNotPlayerBase.c | bytes=18694 | lines=692 | sha256=b61fe123b9fcdc82a401c048ff99279e87d19971490977c6187891887325830c
[0289] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNPCBase.c | bytes=2751 | lines=90 | sha256=3f45ceebb22f8c927eb7511856f6f73c46c95d1ce4cda30718f6cf104bd58103
[0290] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\PlayerBase.c | bytes=38620 | lines=1334 | sha256=ecb3b940a9908792d436ad6649ed7d0db7c92083eb887248850148949balbecd
[0291] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCamera3rdPerson.c | bytes=851 | lines=29 | sha256=46107fbf10cc43f017c4fe1ffa5c710734f4c8d7176ba27db0222cfa523487c
[0292] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayzPlayerCameraBase.c | bytes=1307 | lines=46 | sha256=3719aa1197f81410bc4a5d035f21510f85a1c37e02418b7579d2cfeb29dd5b7aa
[0293] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase.c | bytes=97 | lines=8 | sha256=111bfb284ae398c146e4b887ebe7cf7e38fa5e11540ec41e2f2c9425b30c722e
[0294] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Bear.c | bytes=184 | lines=13 | sha256=5aa0924d4345a7ec01b41c8c72140742bbee7d155e6b566c3b044abc2e44f6606
[0295] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_LandMine.c | bytes=153 | lines=9 | sha256=2a82ffd869e40cc8ee42dd40c9851e74abe05f91fb825c243bb6ba12c5ea987b
[0296] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Tripwire.c | bytes=1085 | lines=44 | sha256=88375a116d8cfe97cad2170aa282dcc105e98fa9b2c4dad35cc0324fbc313042
[0297] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\BoatScript.c | bytes=7186 | lines=337 | sha256=4be2e307fa01cc028512b98ae6e25c9fb0a07b9df63dee34dd1bbf5d8e99bafa
[0298] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\CarScript.c | bytes=12388 | lines=533 | sha256=6adc5b803558049e14413752f077a45ca5968854cbf50fe22544adfe83b6af8c
[0299] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionObjectSet.c | bytes=1326 | lines=62 | sha256=c5d3e07e88a177019eef09ad2d6210c2c556197b95a1599085207cd3ef753b76
[0300] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionStaticObjectBase.c | bytes=605 | lines=24 | sha256=e7684b9e6bf04d87a6648eff3d69c2d7a4880aa08de54ec83f460cfcf0d3e5c
[0301] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorld.c | bytes=13398 | lines=469 | sha256=354ce679084fd4c24af17ef8269b20de8d8455625d503d77165d514422288
[0302] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorldObjectsModule.c | bytes=27526 | lines=997 | sha256=f34df624638b42470a964fe47a843d3f67ed1b822ea74d3099ed0acceai9a290
[0303] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionBlinkLight.c | bytes=519 | lines=23 | sha256=7aab194218ecdd772c5849c0eae4ef9ae3f9c47218276e70f85fb96004d7f6d6
[0304] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionLighthouseLampLight.c | bytes=1417 | lines=63 | sha256=3e8ebd067287adc1be7059d49c642786a34567fa3ab78c840cd783b2516f2f62
[0305] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionPointLight.c | bytes=1563 | lines=65 | sha256=ef226b528cf0e1522e9bda217bb09beb096981a53d9d0e23f6d63a79225ca6b0
[0306] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionStreetLight.c | bytes=1457 | lines=56 | sha256=6ed799d8ae14bb4f194b8f95fe16

0d5601678b5dc63b965ea452256b01314aa0
[0307] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionItemSpawnHelper.c | bytes=26147 | lines=766 | sha256=095c97a6a4ebc121cdb89d8048233a8c3d34cd447fb4d4ef896a1012126fd6a2
[0308] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionTransferInventory.c | bytes=4483 | lines=161 | sha256=333420fa48aacd016057e7c0d74c30518257341d7bdb237b7199808a39d61eb6
[0309] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\MiscGameplayFunctions.c | bytes=9515 | lines=342 | sha256=6ca457bc22dc6c7ccb1c7c463cc0d00d345fb6f42e4491f7e7ce2efb22066a6
[0310] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\ExpansionInventoryTools.c | bytes=13241 | lines=514 | sha256=f97b7b8ae1ecf33cc9de688990dc29b2a9860707ca7482a155e837165cc3eb60
[0311] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Loot\ExpansionLootSpawner.c | bytes=8235 | lines=274 | sha256=9315a215b3cb9dccd40c87974f2886a7a1fb68aa42b0f45dd2d5a5bf2903fa3c
[0312] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationHUD.c | bytes=6738 | lines=214 | sha256=c8e7f099bd326d6a5348c3bd1b2b409905d903dc3860950ad40a3ece9c0737a9
[0313] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationModule.c | bytes=8214 | lines=273 | sha256=6724c60e6a6e814c2805973464092f29001f481d01bf059e4c536bed000089f6
[0314] PBO | core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationView.c | bytes=9777 | lines=357 | sha256=14248a86ea8271bbae6d9d1fe8a07ff241596904fbf9fe65b76ef5c3d62a8c16
[0315] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ESP\ExpansionESPModificationModule.c | bytes=1008 | lines=45 | sha256=blfd2f815738076f75d8b426bde1619ec31eb810c6459d047192330f4fce8359
[0316] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ExpansionClientSettingsModule.c | bytes=992 | lines=46 | sha256=3acbe5f5bd3bb622228c7e713ac36de51869ee4d8effcfa9a8e6bbc06cf8c9c
[0317] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\JMModuleConstructor.c | bytes=612 | lines=26 | sha256=03d63e7cd42a5698a79fa5d8571805faa24d314b45423f15882234295a1f5a16
[0318] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\DayZExpansion.c | bytes=3226 | lines=136 | sha256=3c2970b9cb757e77a2ad6434676f6a68805aad643456c44994b6a5e3180eda12
[0319] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapMarkerPlayerArrow.c | bytes=2520 | lines=92 | sha256=4a97500c27b306d389fc4e5ab828e9d3fd7aed05641ce6053e03740828b1e9fa
[0320] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapWidgetBase.c | bytes=7192 | lines=352 | sha256=491a7c32cab429c7c3c846c78a7a97b5a8f4f5f7e6bd96a6106d95fc85b45960
[0321] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ActionTargetsCursor.c | bytes=994 | lines=41 | sha256=1840790fe85488acfa72a65e43d32aa76f837b56e8589fc8e62251a8ff6b02c5
[0322] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\CharacterCreation\CharacterCreationMenu.c | bytes=507 | lines=22 | sha256=f59148368764d2637249d96a42240d396d93153886213e2cc627c318019c9d5d
[0323] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\DebugMonitor.c | bytes=461 | lines=22 | sha256=d4fd62dac9505661a561621a3aa42ca9529851d5aa7786e61866f813c04e0bb7
[0324] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHud.c | bytes=1988 | lines=70 | sha256=e5a14780fa01396c38c4b25b4bd119699c5f182527c2f8063559393922475637
[0325] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHudVisibility.c | bytes=138 | lines=8 | sha256=2716c15c3134db24a2c30ffadc122e6d7c1e56563b58053702736736157aa900
[0326] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameMenu.c | bytes=1421 | lines=59 | sha256=e0825c9067a9f9e71e7a79dcb695a30cceb32534b4ff3649e5da9c64a35eb552
[0327] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InspectMenuNew.c | bytes=3325 | lines=110 | sha256=5fa6046ade62a54a3cb13a3d1b67bf3bc76d2cc507a406f43f700abff15501c8
[0328] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\ExpansionTidyPanel.c | bytes=4510 | lines=204 | sha256=cb05d4084c7ebf322cedf12856ea5cf8181899ffa788cf529f2c58444b2e8713
[0329] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\Inherited\ContainerWithCargoAndAttachments.c | bytes=996 | lines=37 | sha256=057c27145c87acb1c5485494e5131a2f569cc2b67734f0a175bd638dbf795aa7
[0330] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ItemActionsWidget.c | bytes=291 | lines=15 | sha256=cf6c8e4182919709dcccdb1e75a759ef35948b14f4409efbc0e7255e4c75bc9
[0331] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\KeybindingsMenu\KeybindingsMenu.c | bytes=627 | lines=29 | sha256=1bf3403a97d3b5b3cc04dadd76c61400f3481d0bba64f4f9043ead1d089a41b
[0332] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\MainMenu\MainMenu.c | bytes=624 | lines=28 | sha256=df2b47b6b4f3d1c8291353ec373fafecbafb120b8d8e5bb784132767ad21ccf0
[0333] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\ExpansionOptionSettingWidget.c | bytes=8303 | lines=250 | sha256=83dfa5e7fc7151c97e11910b9392220ac508edc0fce382a019569a4c73fa7369
[0334] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionSelectorSlider.c | bytes=106 | lines=8 | sha256=11cf75cc4630c363d3750e7e35ee5c74d24fdf8b4fa772717cd0a70abe5feffb
[0335] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenu.c | bytes=1251 | lines=59 | sha256=3112edb6fefcee8eebc84c1616a5a598df0a9a4598e65792315abacb2966388a
[0336] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenuExpansion.c | bytes=6712 | lines=227 | sha256=7064ee40caddff686318c61d55cb47d5d7ea75c7e59812da8d1414030d03bcc9
[0337] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\OptionSelectorMultistate.c | bytes=468 | lines=19 | sha256=5bf446437db38fb19f0108651e

5267ce963c3c1771e210fbc24fdbf16d19ce23
[0338] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\TabberPrefab\TabberUI.c | bytes=1099 | lines=28 | sha256=3fc46185982f532fc5f9b79bf82e3637bc9b86868ae5b95a9ab2a05003de113f
[0339] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionBase.c | bytes=1581 | lines=69 | sha256=32573fcc48f6635cdb9c5a9ca5344702cc8b5dedbf7580a13650b465974e814f
[0340] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionGameplay.c | bytes=8917 | lines=321 | sha256=4645c12a821f16ac3745609ac05b6e51bd9866a83ad848f8cd972e4ad1db8588
[0341] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionMainMenu.c | bytes=450 | lines=20 | sha256=08f6fc8db015e041c30207ebd73a64a8e216c5171e71d92612c4bb9783e71672
[0342] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionServer.c | bytes=9222 | lines=290 | sha256=32c1a6fbed8f912e239daff0f3860da2943b627523764d39e23caaca25f58eec
[0343] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | bytes=1303 | lines=74 | sha256=25e480844dcd6f0f643ea706eaa98f40091b564f54d2aeb9b89f280659b25eca
[0344] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenu.c | bytes=3899 | lines=205 | sha256=69621093c9cfd79c92ada50a743e6833c2d32c7ecb9ad0c3ce0063dd2ce0abe8
[0345] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Buttons\ExpansionDialogButton_Text.c | bytes=1580 | lines=77 | sha256=246b71640c96ba6f66903df756a8c2f2c6e05cac7bf36162bfe7d9546df7ea06
[0346] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Editbox.c | bytes=1324 | lines=59 | sha256=190e07c31c348947d71b09f8fe4c00ea0e995aaab8a387413ccf7e3d8ba2fca
[0347] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Text.c | bytes=1451 | lines=70 | sha256=dee27a2f7d3481b7e6836122a526cd70e7696908a5ece4162dac2d52b16025e0
[0348] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_WrapSpacer.c | bytes=2584 | lines=98 | sha256=127ecfef43111c62c323617fdcca54a96723953e122a6fee8a72fd09fd0eae0ba
[0349] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\ExpansionDialogBase.c | bytes=3406 | lines=155 | sha256=cd3fc7e6d0ea9ded53bf21566eb474aabfbfd69c9841e1fb7ddacaa0aa649243e
[0350] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemInspection.c | bytes=21205 | lines=809 | sha256=aelce527f4b19363a078063cc079934d6f4b49e866c6635cfa80038elf02e904
[0351] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemTooltip.c | bytes=6321 | lines=277 | sha256=fa6936853938724dd75049dbbe820998f67861alc1a7bfff90769f8f593a55872
[0352] PBO | core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionPlayerPreview.c | bytes=9689 | lines=300 | sha256=786eb07111d9eaeac1186a35f41aed8bf7c1e1b7161dcfaf4674fc87511460e6
[0353] PBO | core pbo files expan/definetest.pbo :: 5_Mission\Mission.c | bytes=3376 | lines=153 | sha256=9db26514b34ee9be28d6d29a4a573181d01caaa06451132d05ba3c5214ef523f
[0354] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\Expansion_NotificationScheduler_Constants.c | bytes=497 | lines=13 | sha256=09fe8a913bbdd1904f4cc05b2ded057bf9f5dee244ce53db3eb61ec4332ce9f5
[0355] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerModule.c | bytes=2810 | lines=100 | sha256=ed6dcd26af2312807789e00973f78158991f86b8a0d2f13a8c32f12c6299983f
[0356] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerSettings.c | bytes=4724 | lines=206 | sha256=afe3cf6540c548019b31af2b407bb09155ff4a6a25b091eae6686fd42233f840
[0357] PBO | core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionSettings.c | bytes=877 | lines=33 | sha256=fa7ce8092f254e62b1bf4139270bcf20c9ab5fdff919fb6043ea6b6805341fb
[0358] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 3_Game\DayZExpansion_VanillaFixes\DayZGame.c | bytes=4833 | lines=171 | sha256=adcc16c4dff05005601413fc6e840e2c97c39b7b1952419b888c6306591d5232
[0359] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\EmoteManager.c | bytes=404 | lines=22 | sha256=bdcca9259939a7428d6d257e7d479b0743bad20d4666891c8431566c87136fe5
[0360] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\SoundEvents\InfectedSoundEvents\InfectedSoundEventBase.c | bytes=586 | lines=21 | sha256=750fc507f84473a6bfe5afb77b67e1a6141886ab21c914ec4dcb6d4f0e032c31
[0361] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionDigOutStash.c | bytes=612 | lines=25 | sha256=ff1993b12e7fd50c46f912d518f60d3fe55f96fdfe5828e4971a08be66b625f3
[0362] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionRepairPart.c | bytes=1230 | lines=38 | sha256=db01d137c10b8ec7de18f43effc399a8c8277c7816a4d165d522b937528b0c8a
[0363] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | bytes=1153 | lines=32 | sha256=27aa989428a6b94061e753ea4293bca88dba8327a3a2b0a9a59a079132e576df
[0364] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Creatures\Animals\AnimalBase.c | bytes=4994 | lines=155 | sha256=dee3f800d40ab206e28cf96d9350e37a36e5c514ba330c468e97a7c958291c00
[0365] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Grenade_Base\SmokeGrenadeBase.c | bytes=930 | lines=33 | sha256=a48bb91a7707dd8a0fb8009eabb4d72b54e7fcfaa6af2835af5f9d6848b56104
[0366] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase.c | bytes=1811 | lines=57 | sha256=c12ca86cb99f18b0b9f93247838ffae8941f5a90bd3b5b5543647f4870a92b6c
[0367] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\EasterEgg.c | bytes=449 | lines=21 | sha256=6954543e9c737b8f3e7ba5f8a5076f7e7ffa4a8e578a7fc47f3b6cecd883d4d15
[0368] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\FireworksBase.c | bytes=244 | lines=12 | sha256=08807e83727b500dd1c249b4f3faf3eef39bc9a26df202884dea4614fed30920

[0369] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\Trap_TripWire.c | bytes=243 | lines=12 | sha256=1f8fc1e1cd56c924b6feee6fb95524b14e346700a8d59dbd03845beaf672aaa4

[0370] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ManBase\PlayerBase.c | bytes=1416 | lines=46 | sha256=8fc3ad9f984f0fc987749130e2ad0f031e9b2dcd7b41aa08bb53ce91598da79b

[0371] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Vehicles\CarScript.c | bytes=3062 | lines=96 | sha256=29ad4063e0204d7aabd7f81ad54c1c9d555081e73ebfa175268b4ba966878alca

[0372] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Plugins\PluginManager.c | bytes=631 | lines=18 | sha256=800c2c56fd6068539f6f672fc434e4ed93f431327b32dabfc60b98418161888f

[0373] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\DebugMonitor.c | bytes=116 | lines=8 | sha256=500a90799647ea18c949ef50ae423a581912c0c62cefa0d8098ba38a730d075d

[0374] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\IngameHUD.c | bytes=964 | lines=27 | sha256=9c70f1e659c5c4643999a95038e39edb2250b0d5a48aa98bf683c6f3455ab91e

[0375] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\InventoryNew\VicinityItemManager.c | bytes=254 | lines=15 | sha256=fb15ebe76fd0f8b4e56a5a0a6761c2365b8af636143852099f4fe4808b69cbf0

[0376] PBO | core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\NewUI\Keybindings\KeybindingElementNew.c | bytes=718 | lines=22 | sha256=ef57538a4eb72f9b706e0d8ecd7929ce14d8d1598f17375a3ee52547436effd6

[0377] ZIP | ai c files expantion/0_DayZExpansion_AI_Preload/4_world/classes/playermodifiers/modifiersmanager.c | bytes=2313 | lines=79 | sha256=5dc9b052e6f7710bf0159eaff6d81cbbd007a1436e9baefc89aa9dcdf879a3533

[0378] ZIP | ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/firearms/fsm/states/weaponfire.c | bytes=2919 | lines=129 | sha256=f2092fa7605723f84c76f4063e225176f6b6fab3bd5286696e03f0d9392d1d0e

[0379] ZIP | ai c files expantion/0_DayZExpansion_AI_Preload/5_mission/missionserver.c | bytes=1292 | lines=40 | sha256=bd4ac1a26adb330ce5297972fa96d6328cb18888617fdfdb429786bed497cc9a

[0380] ZIP | ai c files expantion/0_DayZExpansion_AI_Preload/common/dayzexpansion_ai_defines.c | bytes=279 | lines=14 | sha256=10c9c3feb2ed23796a83e430e5c55c3be0cc5b6890332753b1e6089a3ecc266e

[0381] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/eaiattribute.c | bytes=1064 | lines=51 | sha256=63aa35c60fa0ed66b83c9d4137c9ef891519c28c4952667c2807122082295096

[0382] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/eairegisterdynamicpatrolspawner.c | bytes=196 | lines=10 | sha256=caaa955a79a7139e2aece986879aa74e82a4ba6282455bcbafeb02686c6f1f599

[0383] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/eairegisterfaction.c | bytes=642 | lines=24 | sha256=85ed9d7821d10b2662d670fa710064da40e9c97f764ba8794d02f8889eb86c3e

[0384] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/expansionrollingaverage.c | bytes=2950 | lines=182 | sha256=75754105ebd30be86fa5461b580b0e56508e68ec7e110fa7fd564075206c853

[0385] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/proto/enmath.c | bytes=1546 | lines=45 | sha256=b2a8a1e1624a2e0c30fa51ef3be6ac9415c0682c2367c83c0577b79d6af28363

[0386] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/constants.c | bytes=90 | lines=2 | sha256=e0c01956475ea91c9ca446bd5d5f1d00a392caf0fe43ac6261blecfbfad347b

[0387] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/dayzgame.c | bytes=3892 | lines=113 | sha256=f29ae5a15c379e696591cd262d62e47ca56656963f254c9d4593f0a8e796a554

[0388] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/eainoisiesystem.c | bytes=3064 | lines=115 | sha256=4bd24313ee8fe87356aba6310731cdf368e34c2f314763ab6d537b57633f7ed7

[0389] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/enums/aienums.c | bytes=1759 | lines=83 | sha256=5c3f8cb1fc1ddc1822491f381455a76769318927d9059af1e157d5bcdeea7580

[0390] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansiongame.c | bytes=1336 | lines=62 | sha256=b5282e1ca9e376d01cc500e20272e1558176fbc310792bd6a614b98f99bcdf82

[0391] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansioninfectedtype.c | bytes=5133 | lines=156 | sha256=d37598e1b72029b5c29bb8a6b3e224ad70bf0d7a62f891a0026f5e8bb6a01e36

[0392] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansionstatic.c | bytes=1059 | lines=39 | sha256=a0e7d2919cf5691a89d5bddbeef87abed52da45b8b9c122f278fd01be4f8f044

[0393] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifaction.c | bytes=3779 | lines=186 | sha256=ea8a4bfffcc2c1468277567a33efb29caa57743albb411f0fdf5a007920da05b5

[0394] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionbrawlers.c | bytes=456 | lines=19 | sha256=50f1632dbab83562fd359971d4bc30291ale47c67b8358867eadcf6a0e149827

[0395] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactioncivilian.c | bytes=235 | lines=13 | sha256=e748dff3f06b03bce1653996252c4aa0a16996e3ed8865587f8adbb3bd17101a

[0396] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactioneast.c | bytes=336 | lines=16 | sha256=10c63cec4dba427a9d1fecdc079fb6380574af90d27c914dd1fd7d8ea00936d8

[0397] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionguards.c | bytes=600 | lines=31 | sha256=e8f82d118c785b7e72061170cf1a0cb783c8cd72fd0de83b33b83742f798e91a

[0398] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionmercenaries.c | bytes=342 | lines=15 | sha256=f3fc4b8f97cd2ccef16682fb549b56272d440ee8e6eaf03981cb9b04503f5e2a

[0399] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionobservers.c | bytes=722 | lines=35 | sha256=ed49e992fe527a8daa032ba7d1f5d556723786ac34d0bd8dc4dad39cad304848

[0400] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionpassive.c | bytes=289 | lines=14 | sha256=8dfbbc4e21706d6bd261712b6e6d725c3faa82955eaa91c637aa7018f134d291

[0401] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionraiders.c | bytes=270 | lines=14 | sha256=3791039b6c045915cefc81161ebe5f0f8af77a17639383049abeb610549f86cc

[0402] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionshamans.c | bytes=463 | lines=20 | sha256=3994a0848a0701eb51f87550ebf35cb5ea09779e4c0a8a3f621256151b04c695

[0403] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionwest.c | bytes=336 | lines=16 | sha256=eca3a0712772f3e534ae9614583b2fd3fb2993bbd27b15f021d4c9052b9abd1e

[0404] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionyeetbrigade.c | bytes=797 | lines=35 | sha256=3a02a6c6f41e4989ce56916fee70b4266d80806321ef56913b12bd9ea3c901e0

[0405] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eaicommandmanager.c | bytes=71 | lines=5 | sha256=721461f0c9886c2962705b044cb1804e931edfd3a60e52e1d5ab9502b885102b

[0406] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eaicommands.c | bytes=1785 | lines=98 | sha256=1947b6750949f4686829a9ad6b10d23ab7ff40860c128688b52b77a0b522d9c1

[0407] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eairadialmenu.c | bytes=189 | lines=9 | sha256=594ad506c8e9083b83016e78a2462ccb62900a66333e17388bb672a9bbb6f612d

[0408] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/hive.c | bytes=139 | lines=9 | sha256=1192176c2c0efaa8a55a6b6ab23f079e1b74ee485b078f5fe8a3e251a6ed04f2

[0409] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/particles/particlelist.c | bytes=148 | lines=5 | sha256=98403261ec65ab2e0066bacfc03e3b6f80bd46a4cd5bd048fec69d6a23dd610

[0410] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/expansionaisettings.c | bytes=13507 | lines=522 | sha256=0812aed3d7bc57771ada24d5744873bb3826fd7a7ab0d3ac75174ed6682a4533

[0411] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/expansionaisettings.c | bytes=1495 | lines=60 | sha256=9911548a34103dd4483d237b09dd5000976a53628d986f2a86a772f6562b0e66

[0412] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/locations/expansionailocationsettings.c | bytes=5866 | lines=201 | sha256=488d2374cbac96a4ca799f9662a61bbea83618ee59c0c946bebef374dad9850

[0413] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaiobjectpatrol.c | bytes=928 | lines=29 | sha256=7c1ff93d29b7e142c74c053121dffa439b0bb6b23c603a753bd2e3bc59f53cfe8

[0414] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrol.c | bytes=1034 | lines=31 | sha256=d7fa5a18d24ab87ecf195d168f310d1401e0804bc99114b804517d16ead5e214

[0415] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolbase.c | bytes=12856 | lines=430 | sha256=6ba0e53c931a011a19ed08a61345b75b34df47ab93a37cbe36b2172edfef6c86

[0416] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolloadbalancing.c | bytes=365 | lines=17 | sha256=546e8a2bed7d2fed7dd60e4bb50b37c6c3142d9f80ebd0c34e8eb0897060e172

[0417] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolloadbalancingtracker.c | bytes=68 | lines=5 | sha256=08d81359943d7e543b7ae0b3cc01dd0f1blc0d56a4dacc28724eb714ddb39661

[0418] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolsettings.c | bytes=33985 | lines=1039 | sha256=fe60edf4a7326ae2b9a878135f0f8d2a4a47697da0def9504564c097863fe7c3

[0419] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/static/easing.c | bytes=495 | lines=18 | sha256=9de0d51d785ed1e4c6d6d3ee9794b2a375311d36677980eaf4482f4b3e7a48b5

[0420] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/worlddata.c | bytes=1104 | lines=34 | sha256=e2e43f6ce3ad663d66e61288dcb70b757f2ea60cc04d821a85dalc5e89715e74

[0421] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/actionconstructor.c | bytes=577 | lines=20 | sha256=6dbf7bac4e29263b7db4fb4931961cc371d586f141b43e61d8ce2bd0586c103e

[0422] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/actioninput.c | bytes=120 | lines=8 | sha256=aaa9338a0a6ccd05ed4571bb9335263461841082e8a5f97b04b86e89a11e7fd7

[0423] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionmanager.c | bytes=9413 | lines=324 | sha256=6e7e31a9adf69dedea9d4819e87c74e2d3bce42baa3350990173a7c0ded3a844

[0424] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionweaponcontrol.c | bytes=1202 | lines=64 | sha256=20cbc617b324a6d47fb17a86e0a252275d64063aedfb3e912e8f3d9672c98ad3

[0425] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionweaponunjam.c | bytes=203 | lines=10 | sha256=d5b05acead2b11ece8b8df59164645005f9f8b2c30ade67bb9d12c6e87b2e201

[0426] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiinventoryactionhandler.c | bytes=3060 | lines=142 | sha256=d7c3134600ffa6bd8717531e41549f6fe6dc40fb16065f9cb105e7f3c1c447a1

[0427] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actiondeployobject.c | bytes=427 | lines=11 | sha256=89d80b72c80165e3c2e0b65fd5c8d279f8ff13d7dce45cfd65168b425ce010c2

[0428] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionrestrainttarget.c | bytes=2435 | lines=87 | sha256=d9c20ff086828b0c9ee5c92a4c0e2b114b748bf13e82cd7ecf998e878c387240

[0429] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionunrestrainttarget.c | bytes=2303 | lines=80 | sha256=1371fc652ad3774d93ebfe4dc6980c425b7eccee94fefc956d94f1e280ccbd8

[0430] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionunrestrainttargethands.c | bytes=972 | lines=38 | sha256=ea4d8272eb65c79cdce9657f431e754525257ae6d05fc9cc10b5e6260cc6857e

[0431] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionworldcraft.c | bytes=376 | lines=13 | sha256=be8d3222f5d5d4b539d7abe8da095bc3bbe16bf1900688ade80079bf0e44c4ca

[0432] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/eaiactionskinning.c | bytes=657 | lines=27 | sha256=18b791c3694d32980707d98234326eeef92f4a0255d5520b550851c8863ef4b6

[0433] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actioncollectbloodtarget.c | bytes=1141 | lines=39 | sha256=6b97fc70349e88bfa402f8abfb510e42c5bf20038aeaf37b853d20f22ee4a556

[0434] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actioncollectsamplarget.c | bytes=1143 | lines=39 | sha256=3636e823b23337ee80fd0968b175786fb9bf0244f136e3ae7cdf029e54c88715

[0435] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actiondefibrilatetarget.c | bytes=1139 | lines=39 | sha256=5b6c31281604e61b002af0672ale31b957f6cd7ddfb9e3bcdad8cad3e9e2e694

[0436] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actiongivebloodtarget.c | bytes=1401 | lines=45 | sha256=0624a113641c91674e5fdffb5567ee7f65bc9c8b6e62ec4fed2099d596224c09e

[0437] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/actioncloseddoors.c | bytes=1324 | lines=47 | sha256=065055c8f4571981fae3c9d368181f28cff5d3ca678608a1363df31a9d7a9a01

[0438] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiondoorsdummy.c | bytes=536 | lines=25 | sha256=efb4bb129f1e2fa0dde71733bcf2de61c7061dda7de909171867d00fa41e5880

[0439] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiondropitem.c | bytes=1152 | lines=57 | sha256=4b88ee49e529bc76786d27f541d9d5f59af872fc8a56b72f94b68e8aabdcd976a

[0440] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiontakeitem.c | bytes=2167 | lines=88 | sha256=f9123e5925f6e3647dc821d34c164a66190505714145c8b0595c0f90e3335af8

[0441] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiontakeitemtohands.c | bytes=2623 | lines=99 | sha256=de3a968f021b5800ad1f8bd16e0d9b684e956d32020e65113acf75c54788d8f7

[0442] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactiondismissai.c | bytes=1961 | lines=72 | sha256=1a10139ad3f6c19a5910159aeed39bf814783fc1f38775719268d5639ba761a7

[0443] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactionopenainventory.c | bytes=1494 | lines=59 | sha256=83ec3a67ad175b92373364715f7099456fdefd205f1211166eelfcf0ad4551ca

[0444] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactionrecruitai.c | bytes=3008 | lines=108 | sha256=4dd3aa2e87d7d086891da2081adfcf03b3831a21841f47eea85999cf84f5a48b

[0445] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/vehicles/actiongetouttransport.c | bytes=1210 | lines=38 | sha256=03f4daa22c127cd398b9032f4f8e18ae3cf57caaf69e9f80026d3580fe9a6b37

[0446] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/singleuse/actionunpin.c | bytes=331 | lines=11 | sha256=71126db80d4c609d16947c6c9337ac60afd24765888be3060fc404483fffd238a

[0447] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/bleedingsources/bleedingsourcesmanagerserver.c | bytes=2228 | lines=67 | sha256=d329baffc0209aab7a8974db607ab6354c7116d4e940e23962ca6f0b9214b411

[0448] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/eaicommandmove.c | bytes=83745 | lines=2501 | sha256=ee2751ad7245474d79b4b6800d3fbdd1e9a99413435b3c5973a4996calc69f0a

[0449] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/eaicommandvehicle.c | bytes=62 | lines=4 | sha256=214ed4133728aa92f20db c93626edaf23bd4f2a31418b2be82a0fb8675c97cc4

[0450] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/contaminatedarea.c | bytes=372 | lines=12 | sha256=70a1d625892 5a08cb8072c5cd368d29376e56300deb48fc0c5992fc5ac4a26f

[0451] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/effectarea.c | bytes=4922 | lines=170 | sha256=1445bfe021d57e8e 5e9fff7d38a9cab3c4cc7d7eede28de5ef12fa3bdd55766a

[0452] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/expansionainogoarea.c | bytes=2211 | lines=103 | sha256=e9d4cdc ccb00e72aa73ba31fd0db42ae8df2e27cbd0ce942a85d30ffcbdc8ff8

[0453] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/expansioneffectareacluster.c | bytes=22155 | lines=902 | sha256=1e191e0381bc2cae21c1383ea373fa3efe6c3e8b036a820d34392c311b7e0890

[0454] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/spookyarea.c | bytes=104 | lines=8 | sha256=9fc0a99de0983b0e5a6 c95e3a6d0e8fbb625ffa834da195f6e2afbb007548fb8

[0455] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/cot/jmplayerinstance.c | bytes=895 | lines=47 | sha256=9ce6674b35d76408cbf063c64 15f879f748a04e3986ada5fe99e2602d7470495

[0456] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaicallbacks.c | bytes=1431 | lines=71 | sha256=e67a011f01de14777b1c3e3a926612a5 e9c832963e8fd86eefc4f6b1b9be86a9

[0457] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaicommandmanagerclient.c | bytes=3646 | lines=94 | sha256=1420e280e60be5a2f7cbc 296f9612da0a94dae7b67b3b27993e26d138e801e20

[0458] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaidamagehandler.c | bytes=23114 | lines=666 | sha256=a3e0c799e79b743ecf3f32a534 2d772c7f498f67bb9243f4f01fded7d259ff75

[0459] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaigoal.c | bytes=1203 | lines=52 | sha256=c6ee249c3eccacc6ca2854c3e267719186156 ac6acf7a2bea4717fb0942d44f9

[0460] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaignroup.c | bytes=41105 | lines=1574 | sha256=703ffa7882f9332e55a2328092254b5f3 f21c50c14c8ce164e8160447d4680cb

[0461] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaishockhandler.c | bytes=322 | lines=15 | sha256=c357236dc0c2ebfc90b0d220cf911e b7f0aa98bddd9722e18d10f2b2af8abac3

[0462] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaitarget.c | bytes=7605 | lines=392 | sha256=38800d6b6fe6fad5da7c9306f2d53e80ebbe1799c42e14fca55a0988c1b874cc

[0463] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/environment.c | bytes=1007 | lines=42 | sha256=9ea955fe28ed032300174cbd30cd6f378a226a35fa27f08ecd101e8b1d69e7d

[0464] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionclimb.c | bytes=13537 | lines=469 | sha256=5dc4b2c684dac63843bac360d7db405e9fab8e7672a183d1d18644a7b7234117

[0465] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionfsmhelper.c | bytes=490 | lines=20 | sha256=28df61658b8e21a7ebbb689b5b2bc161968dfd4b532015b8cf239f2781919a180

[0466] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionhumanloadout.c | bytes=3937 | lines=111 | sha256=48f4b040d8c0656257cdac6d90056660b28a41d5f85d200e79ce32c7692c158

[0467] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionmodelinfo.c | bytes=1782 | lines=85 | sha256=5520bcf197d43f36d075c9a47604702b35ede3a756eb5f72e1c66d68a9cdaf11

[0468] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionvehicle.c | bytes=434 | lines=20 | sha256=8a530c5116e5163f7187db124dbaa2b4153134a6e88b687b64dec56240c40528

[0469] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionworld.c | bytes=18861 | lines=653 | sha256=0bd865914a1c8480202b0c1f0ae99687b5b0bdb14970ade78006970fb3809e59

[0470] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformation.c | bytes=3763 | lines=149 | sha256=e0c9c2c2cd4578a5ed828686e2fd7be8adaa36306f91635ec4acae377e4f9ba4

[0471] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationcircle.c | bytes=445 | lines=18 | sha256=38b3e81448518c6476535ac14cece0df6a10f1c92002b6e9f18b3ae60800593b

[0472] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationcircledot.c | bytes=900 | lines=40 | sha256=cc009ba5b961e81e74286cc9dbb4145b66576f39680e8ald21lee61ae0d8d125

[0473] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationcolumn.c | bytes=332 | lines=11 | sha256=75ec29563614ac0f8347dad90424da95c760b79d269981fae3a58d4e33c36028

[0474] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationfile.c | bytes=152 | lines=8 | sha256=d125f231505b01a1c615463c82845a01fafcbb166662097de379d1157ecaa732

[0475] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvcolumn.c | bytes=333 | lines=11 | sha256=453d7ebdb0a23d036a85f3361ec39c96d82ad11f523fc711b2b07f3552606b66

[0476] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvfile.c | bytes=154 | lines=8 | sha256=b8ab65d36ffdd66b52ba40efedf97122a3efd863b400adfb4de29025a561b42c

[0477] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvvee.c | bytes=354 | lines=11 | sha256=02ac8b716af7f097fb108000a1673c4dec4034b14f87b6653d45e1fd697dfbbc

[0478] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationstar.c | bytes=656 | lines=28 | sha256=ba54fa847255b2b4dc20ac983ae247ffc576d4b43bfae773d4a92598fd80c48

[0479] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationstardot.c | bytes=1111 | lines=50 | sha256=99062fcc0a2429bel2ff39a17fb6a74d32d2795443b670bff0717d5045b0706e

[0480] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationvee.c | bytes=353 | lines=11 | sha256=7ca27e38d6680b5e32e159ebfc7908d3c523cebfde300226025fbc3a4fab2c30

[0481] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationwall.c | bytes=328 | lines=11 | sha256=80b22e0bba902a469342d1284856e861f553484118bdd87ca520a2798eac9814

[0482] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaifsm.c | bytes=243 | lines=19 | sha256=2c74ea20fd890a105ecae473586c25e6766355409bd7952f96b7e65eaceb978be

[0483] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaistate.c | bytes=141 | lines=10 | sha256=a646974a0404a4aa0b6097e04159fb55e827f6daae1f2f92263f073e45436a38

[0484] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaitransition.c | bytes=156 | lines=10 | sha256=b088b2daff9abb637005bb03cc96751318b26c26b83b389e1a2517083ce187aa

[0485] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_bandaging.c | bytes=2987 | lines=117 | sha256=219e3b797878e825fa91b77d89c628ce252167fdc9877d09fb78a088cfc5092b

[0486] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_craft.c | bytes=2454 | lines=101 | sha256=78be0943509f31e449b3a0520ac726dd5e1bbe4e2b2b6a216595e7c3fld515e5

[0487] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_dormant.c | bytes=2190 | lines=88 | sha256=fa0c49ecc313e1a627759da571497aa8103c7868d517ca8903123ad64ec1183a

[0488] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_dropitem.c | bytes=1545 | lines=65 | sha256=b6127ddbc3233b50783a88a6f9a89849f36fd3b6bea4e39e09fec5af8f5a285

[0489] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_fighting.c | bytes=975 | lines=40 | sha256=a6edaadfbaa722cfb7a9933384c539d6fd4a89491e6a8634327cc387b824bbf4

[0490] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_flank.c | bytes=1563 | lines=54 | sha256=bce0ecc54ac1947f88ecf213a2d3987c9cd94de17a5b310e74ababaea9fc4018

[0491] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_followformation.c | bytes=1990 | lines=71 | sha256=d25d98e3701721625518c301016cb1887e7de5045c0bb6ba80136411da7da06f2

[0492] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_idle.c | bytes=1035 | lines=36 | sha256=b50c077acbd072af41f9a4c47c036a795cdf157b97d5aa6196de6dcf9c6bd9dd

[0493] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_interacting.c | bytes=772 | lines=35 | sha256=39e7aaf0c385d74f4cf22371d65d7ef4530695166c2e856102cb0ae33a70f50b

[0494] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_leave.c | bytes=2161 | lines=106 | sha256=00891929ecfb597a69505bfb1567a3ecee570465d6a9e6995b2046095ee33c6f

[0495] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_playemote.c | bytes=1362 | lines=39 | sha256=410b68383897b9723f11le1ff103c4d1df159ad8b3a3761cf4e7bd53551fe233

[0496] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_repair.c | bytes=1542 | lines=62 | sha256=313874589022e1a23ca8452a09ca13e218701ad7cfec2f1f12eb42c15e99ce01

[0497] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_skinning.c | bytes=2731 | lines=105 | sha256=c0cc0b2ed140fb5f1c2f00f843dd94446a65206a01e1e3edc554875ca729e6aa

[0498] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_struggle.c | bytes=559 | lines=22 | sha256=e54eda9f3fced0f2cb31314bae91313416a19bc8bd74e7a7730e2380639ab8a

[0499] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitem_base.c | bytes=3044 | lines=136 | sha256=acc5ec326686e374c40d1e3040a2679bc2211c3c3715943bcd6cb341ac02ba73

[0500] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitemtohands.c | bytes=6733 | lines=234 | sha256=828426a81849f2606574d0fffc29da361289d686bdf7555b3c02a42dfa91570ae

[0501] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitemtoinventory.c | bytes=3283 | lines=105 | sha256=f16633b2e44a397163aa6b58ef00383e8c067360e0e04ce0e18a39f8d40b5633

[0502] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_tidycargo.c | bytes=2250 | lines=88 | sha256=a783f630c9e6a70cee452f889a0d73eb5b5a6d760cc7c9d9e2bf81dfab2bed83

[0503] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_traversingwaypoints.c | bytes=8184 | lines=274 | sha256=82bfb58627cd3b910ef7949818fa19b9c3b7b79253a32db2cef259d6f74dd82d

[0504] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_unconscious.c | bytes=989 | lines=48 | sha256=bfb2f507d0fb67ab3ec0a7e6f6288b2250dd39e33fe41cb783c2d8a021af9bb6

[0505] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_vehicles.c | bytes=2140 | lines=68 | sha256=6b3f3d6e24754fa142bd294ec4e7707c9ea180342e7873c231b17a64e3cc57e1

[0506] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_weapon_reloading.c | bytes=2913 | lines=85 | sha256=cec4f91e33e9f04a6c3f959257ff115c72eabf9ad101b7ddba81b8d6e3d533ca

[0507] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_weapon_unjamming.c | bytes=3123 | lines=114 | sha256=f1aa15d6ba5979574a3b1a453ca33bac87fc91d6fd5234c9e9a05ac6eab12485

[0508] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_evade.c | bytes=2071 | lines=60 | sha256=f9ec42c5af0d69a8911cfbdfa6bb11acde45f46a60db608bddf0b63f8519dd3

[0509] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_fireweapon.c | bytes=4491 | lines=167 | sha256=a256=898b68c6f1a13b174034ac956de9dfb7884b4e46c9608658659a61d4557d3030

[0510] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_melee.c | bytes=3702 | lines=145 | sha256=6b9ea7292ee9f8142c2b19c4b78d39ba8aaa989f6fad222a938f3d41d73e2fd

[0511] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_positioning.c | bytes=5580 | lines=182 | sha256=c8ec228c252aaf0e415ed77565a415046c7c1d877456032f832e1ca3fa9ea52b

[0512] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_fail.c | bytes=419 | lines=23 | sha256=ba557358466dlead4d3d45ea443765cfa00bad45a01973fe9b6c59f2023f4179

[0513] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_reloading.c | bytes=4203 | lines=150 | sha256=67c67dc0612f1b869b4c4503278c0e9045dbbelc4a1e934fdb3932daaa94b3ce

[0514] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_removing.c | bytes=461 | lines=17 | sha256=3997c132bb042ac088354c5fb01dc2ed77b0fa6ad9fa62367cfc45d5fffbea9e

[0515] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_start.c | bytes=315 | lines=15 | sha256=c23e3764d964eabe78f2963057e9ce08290ef8a0b6be721614d849849d204655

[0516] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_closevehicledoor.c | bytes=660 | lines=35 | sha256=4033312c4cab4c69c4aa9436369eda95a967775b79a7fc14c2796a65b784c474

[0517] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_findvehicle.c | bytes=921 | lines=44 | sha256=b876aa4193184a5a6db3fcc76f2e8a71dc5f701d033cf4fd3c3e46ac72b2fled

[0518] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_getinvehicle.c | bytes=905 | lines=41 | sha256=0a2581f627063a9bd3ea6fce7652da708f4cc5c0ae7f7bc19e94739843650b6f

[0519] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_getoutvehicle.c | bytes=900 | lines=38 | sha256=3877c0df17024ee30ed1c8d74abfc810e9a5bcb6b45a31e88c72ad866f4cf14c8

[0520] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_gotovehicle.c | bytes=1186 | lines=60 | sha256=6455059b508a5cad003d403bed36elc2f0dff3ed0af6e6980c987c675eedbb27

[0521] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_openvehicledoor.c | bytes=673 | lines=35 | sha256=90b735ceb8c95c2b48f72fb3b949c58f9ed12f892425cd6c533951da0259b532

[0522] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/dayzplayermeleefightlogic_lighthouse.c | bytes=1281 | lines=52 | sha256=4d6dbb974173628bacd46ad89e2dd0bbcb148ff51c62ebbf045a9d9b73b09

[0523] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/eaimleecombat.c | bytes=9483 | lines=348 | sha256=8adde38f4ee256a4f51025c441eda11b94ee7d74837af32f748fea3c6aca5570

[0524] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/eaimeleefightlogic_lightheavy.c | bytes=11928 | lines=388 | sha256=7140024743915e7bda162a3037ab6e0e780ebc852bd1c54809703deae78d9c4b

[0525] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/missionbaseworld.c | bytes=62 | lines=5 | sha256=6f504dd99c5ed4919f5a00050242d04e7aacdc860a9e83baf9d2fed4828dbd0

[0526] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmesh.c | bytes=8158 | lines=324 | sha256=abc2e8323e3b375e0e09c35b7e2e2907a9b4cbbc9d8947de8492a1362ea0901

[0527] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmeshes.c | bytes=205 | lines=13 | sha256=92a09068645f0eae618e24d6cdf0d6e33cbfc7027d5f61d21bb20d51ac056b6

[0528] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmeshpolygon.c | bytes=9290 | lines=376 | sha256=c69b75841a8e3d87ff7c211472cf4fcc7b6d075137644e15ec38cf79bc755d15

[0529] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/astar.c | bytes=1647 | lines=80 | sha256=1a5b061f74e2fd45a1f93b1cf9887192981e89f52a23c3aef0c5f5c65c4de15f

[0530] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathfilters.c | bytes=8550 | lines=186 | sha256=28fe9f3b73b0a0eb20294873ef46edc6761c0bc4fdff0cdfbe16453f4bce1dc5

[0531] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathhandler.c | bytes=34162 | lines=1276 | sha256=123477b652c49bffc0e3925b2cfe593314273aab8d3de94dcdb09ed7608d39a9

[0532] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathpoint.c | bytes=13123 | lines=446 | sha256=95ea54e938d1805ff97cde728407b46cc7b26841ce80f4752202e29d53dbd5ba

[0533] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpolyflags.c | bytes=628 | lines=37 | sha256=7a990ce79a0a506346cbc29fb5b8254e0708d58fla853c62ecb9329818e40aac

[0534] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpriorityqueue.c | bytes=688 | lines=42 | sha256=c5e3ea1accaedada5501481a0b80a4b44a79760f280d0dc6b8106c5d2c62d795

[0535] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/pathnode.c | bytes=863 | lines=49 | sha256=557768dbdfcd3313f1114ab51fd343c0cbe45b24b5d06b1fb6779e36bec255c

[0536] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrol.c | bytes=26773 | lines=963 | sha256=e6e58a707d68c7a26685714851cb147456c9446fea8f2937b6195c447a0904

[0537] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrolspawner.c | bytes=3317 | lines=136 | sha256=e8e21f9fe39974fdbe84dc05fecc801f623da06bf24218551f39104cc88a315a

[0538] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrolspheretrigger.c | bytes=4656 | lines=150 | sha256=de901b750114b58c82dc0871ba94507d2907106f8a4ee5003523a5a76b2e0293

[0539] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaipatrol.c | bytes=3436 | lines=163 | sha256=a517e49e5998931e9442ed0b3f127759cc469b153dd5c352ac66dad11fb9795f

[0540] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/patrolmanager.c | bytes=1462 | lines=55 | sha256=4ca40110668c013f6783d5cb63266525b42a6f357963b5939c4781641cdc65a2

[0541] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playermodifiers/modifierbase.c | bytes=1077 | lines=50 | sha256=9fd1b2ef66cb676777da903cc658e83ef4a4c5a405c79e1708d8e4347982af0e

[0542] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/coughstate.c | bytes=317 | lines=11 | sha256=e8f25dd727187894d2ff77b4fa02935f152ab82345df528bdf09e5ff0ee82982

[0543] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/vomitstate.c | bytes=424 | lines=13 | sha256=186525139f650e2a913a65f72a73996a3ee45f32217d656e855116c41facc340

[0544] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/bloodloss.c | bytes=217 | lines=10 | sha256=e028f269b6ed2d233da42f8884f5ed9fe7fc3f6a9b55123f03593895ec1f8209

[0545] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/deafnesscompletesymptom.c | bytes=352 | lines=16 | sha256=5a5ede38852be23641dfa5792a0c2e79013b8f6217ecf6e0e5bclbaf5d405d20

[0546] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/feverblursymptom.c | bytes=361 | lines=16 | sha256=62bf3541fc87116ac281546700a7cb38a2c8c5b94962072b85ceab722eaeff8b

[0547] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/hmp3symptom.c | bytes=489 | lines=22 | sha256=0aef59d25d4faa976111696186b7a9fec2cfc40821c838bc24a95866b8d9d20a

[0548] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/plugindiagmenu.c | bytes=1234 | lines=36 | sha256=ef82d320f033a9c046780eb5d9adcef5c9d031e45cadd21a92f3f0c735c4334

[0549] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/plugindiagmenuclient.c | bytes=1064 | lines=38 | sha256=16b82f5549d4705b2e6851e49a431c3d0f6ba6b8ea8a1898625a192098767415

[0550] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/propertymodifiers.c | bytes=863 | lines=34 | sha256=5da19f287a01a707e7631387b0eb5cdalc98ef2e77c248c447de673609272824

[0551] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnetwork.c | bytes=19832 | lines=820 | sha256=154282ee778801a9bf2069e534dabf48dd64f92a4981820d8e529f3e5e547c8c

[0552] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnode.c | bytes=8941 | lines=338 | sha256=2e6df22ba442e5c52de5fcfb7ce8c9d88f5105972c82da145757d7c1354a0410

[0553] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodebase.c | bytes=113 | lines=4 | sha256=b00ca89e96ac643ec6bcfd051fcb9fc968f0ccca291e469d49ff6af2623715bb

[0554] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodejoinmap.c | bytes=251 | lines=17 | sha256=d6bb1f617c660edc1319992866cd0de3767562382c239b03323beecf36756b72

[0555] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodesection.c | bytes=443 | lines=23 | sha256=def4d863ea8eb60a992480042c22d5a3783a0b3f94c17fb20128e15e6bda0081

[0556] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadsection.c | bytes=3614 | lines=147 | sha256=808739f97ee8d23b25ef53277b26c2a15a32f7b3bab8958b0adfff4e34336694b

[0557] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/staminahandler.c | bytes=5243 | lines=176 | sha256=9acfe98558b46e6b639186e1d5a111656180c29b18cddd164d82b535efffa2d

[0558] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/static/miscgameplayfunctions.c | bytes=1266 | lines=28 | sha256=ce9933f42c6302bd c8704afdc8dd75369189bc814d369200d33f6b1931d5f0c1

[0559] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicreaturetargetinformation.c | bytes=4535 | lines=183 | sha256=4291eeb c9396d433f47328474c4f4cec8e389eef8637c4cf04ffec3fae37dff0

[0560] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicustomcreaturetargetinformation.c | bytes=3661 | lines=145 | sha256=1 fcbblde7f4cb77e791c43ebd20e3e66283e82728067a699bbd70bfd5c2a2f14

[0561] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicustominfectedtargetinformation.c | bytes=340 | lines=18 | sha256=166 86a4a0d0409b2693921f88d9a5a74c5eb376c2012abfffb81732855b9ffff11

[0562] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaidoortargetinformation.c | bytes=2085 | lines=90 | sha256=3454cc44ff32 0412a065a54e27377400dec016558fb973fa6e136faee44aaf51

[0563] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaientitytargetinformation.c | bytes=4331 | lines=191 | sha256=972efdfab ldcbbd6498eflaa0b9108516elaf57e51bc2f19807816d386c483ee4

[0564] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaigrouptargetinformation.c | bytes=499 | lines=28 | sha256=a574807e879a 4e6d04cd26c040f8a5e536bfd838b88371fd30f6b18c169ca31b

[0565] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitemhazardtargetinformation.c | bytes=2489 | lines=107 | sha256=f2a6f 330610f9746ae94f7bf0bc5897d6c684abdb0fb47713e2e91beb81a9ce4

[0566] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitemtargetinformation.c | bytes=9255 | lines=304 | sha256=aedf1c76aac ce9b92334bd53a46b18057466d508975b9cc88274f161f49ef3bb

[0567] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eainoisetargetinformation.c | bytes=2496 | lines=115 | sha256=28152a172f 2dde81e4abc8a0a09f5bf4aeb5a67ac5b69cada49b4f15ad841a9

[0568] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaiplyertargetinformation.c | bytes=13636 | lines=434 | sha256=9d17fe2d 75644d7912f99031f62fe6b81e7f9e7cec5eb1406b7dc2c0334ccdaf

[0569] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitargetinformation.c | bytes=15753 | lines=711 | sha256=ce2c5700115093 cd71274e082af358c9161b01686c1bff65594821a6c3c60a23

[0570] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitargetinformationstate.c | bytes=6192 | lines=181 | sha256=18d749bfc6 ea163573d1b80ac70ad3a30185220a1bdf929c5185aec58dcf31ac

[0571] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaivehicletargetinformation.c | bytes=7112 | lines=211 | sha256=199ad1db dacf080b120ad6c6fb1ac0d6cd9214d587ee98ac7ce99bdf178bd1020

[0572] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaizombietargetinformation.c | bytes=5193 | lines=208 | sha256=af1e7e7be 18333b03ed921c02489c8f8597dddb8e0delcbb08c538caee45da03

[0573] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/eaiaimingprofile.c | bytes=3948 | lines=115 | sha256=df1c6c23aa3ad4694c8 5c45b600b097d60c77d86de7f36145a4e650c2e5be2dd

[0574] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/eaiweaponmanager.c | bytes=9731 | lines=377 | sha256=eaebf16c51af72bc1da f823c90ba720395dccb9fc73c833f56edbb0a2b7251422

[0575] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eaibase.c | bytes=363889 | lines=11788 | sha256=af4794589765486eba8089bd073d 826a080aa236364b0845d7b625b54dccldef

[0576] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eainpcbase.c | bytes=361 | lines=18 | sha256=c89e151e43157d5afe0ff8a0dd9ce1b 8d94caa803cbc7293d08e1e3c752f1764

[0577] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eaisurvivor.c | bytes=2947 | lines=110 | sha256=6a9f678bc00008e6475d09db4012 93123d195f5bc63bbe18abe9e10490d4f72d

[0578] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/animalbase.c | bytes=4330 | lines=139 | sha256=c38d165cee046c19b180bf7c0dd7d1f 885124f02ed99c6281602c47bb868a43

[0579] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/buildingbase.c | bytes=12230 | lines=443 | sha256=3de4e56f5710b4b7d48 96bb8d03a6d0e72c1547a113fc336304f9971269cf20e

[0580] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/crashbase.c | bytes=221 | lines=7 | sha256=8d56311a31750416bb864734dc 31660bfb3dfc25bb3387cceff779ab12fe8a3e4

[0581] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/underground/land_underground_entrancebase.c | bytes=124 | lines=8 | s ha256=7a1cac7a282c62a02e5cb300a227110fbf725af228fcc28d33d7ae9f07f14cf9

[0582] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_mi8.c | bytes=478 | lines=28 | sha256=e34da9867316b1bbd8 473733b7b568201d0d28cb7a0d7852c268e185321788ff

[0583] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_santassleigh.c | bytes=480 | lines=28 | sha256=28b2b192a 48fd92e2b326bde1392babe11f93fb43db8cb6074cafab5f49b4901

[0584] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_uhly.c | bytes=464 | lines=28 | sha256=ee94a825b82d6767a c9eb9f343cd9e78b140e27d1030e7d12104ae823d085ae0

[0585] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/carscript.c | bytes=3341 | lines=116 | sha256=55c75e8c445c9806c40dfe3e72ebce310 e32820395aa08f9da585037f081e781

[0586] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/carscript_zombietargeting.c | bytes=732 | lines=30 | sha256=bcbaee762ef6401eb1e
a055c5e4b3d5efaf09fc80a5b733b0a2a03197044e94d

[0587] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/dayzplayerimplement.c | bytes=19168 | lines=694 | sha256=0c64d5549c281a2705e9b2
13f483e6b53ffed641694df0df00bef661ada645d0

[0588] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/eaidummy.c | bytes=145 | lines=10 | sha256=30fd362c99efb920b494a51da2329b5260e9
7a5f0c56e4a1db5e36792d1d51f3

[0589] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/eaiimplementswimming.c | bytes=261 | lines=10 | sha256=95f40f5d9bbd30c4f82892e7
6bdd68bd20ea016a02f67cblf5f927dcc5a334fe

[0590] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/edible_base.c | bytes=313 | lines=15 | sha256=615a087c6ecfde4a4443ad987ca93336e
6a8e3309166cbce0bb1615826ce3a79

[0591] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/expansionbarbedwire.c | bytes=327 | lines=17 | sha256=8040b129eaa64a9aa56cf853a
bbf1bf6c8537db381f92912cf80847462464927

[0592] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/explosivesbase.c | bytes=626 | lines=24 | sha256=0a8a3e264877f259ccaef89862b9ed
6d976d3bb79e40e7ba9be825491b181084

[0593] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase.c | bytes=11755 | lines=464 | sha256=2091117599b982f7897283e6d1ce89146
6fb5032a46d0a334deec0de011ab58d

[0594] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/chemlight.c | bytes=199 | lines=11 | sha256=b0fe441aec15b75a7e92268e40
5db35b5ab2ff2f778fa5249d7013359a3f5438

[0595] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/expansion_pressvest_blue_yeet.c | bytes=816 | lines=31 | sha2
56=93ea8cac848991b824b4440ee0d185d67cdc280d3740f8ce060d96d5f006b452

[0596] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/headtorch_colorbase.c | bytes=199 | lines=11 | sha256=cd36b5a
c8cbc7c061936967707620b34e0b94aca9241c76aad1687484af925fb

[0597] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/maskbase.c | bytes=261 | lines=11 | sha256=b96783f35ed0d4a686
f4d1a023227691443ce0cb4dc86045a3651e8bf08a07d4

[0598] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing_base.c | bytes=755 | lines=39 | sha256=41291c32876339b44410a6
67f8c827088e12e65dccc0d757da164d79f518e847

[0599] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/flammablebase.c | bytes=436 | lines=27 | sha256=546447ce99b23a4572eeb9
474367157e292dffe6d891e08e9ee4f1fe501d60e1

[0600] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/flashlight.c | bytes=190 | lines=11 | sha256=f0bd943b4ea438b0853a24ba3
179b446336eff5b3225b074c21240a91f8f322

[0601] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/gear/tools/alarmclock.c | bytes=476 | lines=26 | sha256=da4d613fc1bc7f
944848b18a5baf1833d70d600058ef0e6e78a800bf87cb8fa6

[0602] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/magazine/ammunitionpiles.c | bytes=844 | lines=29 | sha256=47fbad56679
3293642e26f58683743ae6c63f094bc114935d1e05d3f1facacb4

[0603] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/meleeefox.c | bytes=104 | lines=9 | sha256=b1681abc7620c3010bda23d02e01
5dbcff1b52ebbb4909543f087229e6861e7d

[0604] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/nvgoggles.c | bytes=600 | lines=31 | sha256=be3504ab7073d9f8c84f4df900
03bad143e568bcc5043f8b9e3c5696a6020bb0

[0605] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/roadflare.c | bytes=187 | lines=11 | sha256=0e730b91d6493465e99d3022ba
bc3f413ae577650695c32294af431e048bef61

[0606] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/tlrlight.c | bytes=188 | lines=11 | sha256=451523c5148
4b8d318ef9d825dced6d8f4d3508472867c7ab415f81d0bcc592d

[0607] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/universallight.c | bytes=503 | lines=19 | sha256=bf956
ab7233ae7aac7bd25ffc79f658f13007990a652ec3fb1e2f6bffbff6dd0

[0608] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/playerbase.c | bytes=14568 | lines=555 | sha256=a094053f5ce3d11c9152f39fa6854b2
28dc8e712bc10ad12006b3d4b37a8e205

[0609] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/playerbase_zombietargeting.c | bytes=745 | lines=34 | sha256=6692a527ac50aa06e3
392776be697edcba803a345bd4e6a2fbb1b671ad3d276dd

[0610] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/scriptedlightbase.c | bytes=4179 | lines=161 | sha256=e18e2b23863f4dfe6ad839334
0fe024b201650e0580cd3b7a94c404c3f239c34

[0611] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase.c | bytes=1144 | lines=34 | sha256=683fbe1360cefc8c811d82bda209df904e5
0ae575178af43ef8d1e5c06ab63ae

[0612] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase/trap_tripwire.c | bytes=545 | lines=20 | sha256=478d5d75a52fc2b51afe7d
88864f16cc1183f4b6d2044c9be3d6503da85d3237

[0613] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/vehicles/carscript.c | bytes=648 | lines=33 | sha256=7b8ae50892109a03951829ad22
e85987858c31c3963a0e19cfbd33632b662829

[0614] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/akm_eai_debug.c | bytes=1537 | lines=58 | sha256=30c1588427eca
094f4db1bdbcaa9d13e0f59ae8a9340ab6c44656793628431ec

[0615] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponattachmagazine.c | bytes=5549 | lines=124 | s
ha256=5bec76b69fe060c1f585e958b5390e99095527531dff73baa02316d2fa137440

[0616] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponfireandchambernext.c | bytes=675 | lines=27 |
sha256=8500bf67f8bab87a94ef100155d5e89231b775c9887af675b7ceae7c7c45cd5d

[0617] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponreplacingmagandchambernext.c | bytes=9647 | lines=246 | sha256=986fc0bc33552105950d5e5078fed58ae8d28c8b3a5a24531475a82f899e515d

[0618] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponstartaction.c | bytes=1429 | lines=36 | sha256=eld2854cbaf877b8b29b14ccb5a71dea414037ed0da5d69a2b1f32469ec48e04

[0619] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponstatebase.c | bytes=1077 | lines=45 | sha256=fddc0ea988d4e1cb898fd8af68e8c911987692330b56903da77806cf52d24c6

[0620] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponunjamming_start.c | bytes=641 | lines=26 | sha256=5e4149d7e897befac1555ff8ceb6314b1d4418962b4776c1ec550f0b1424ea89

[0621] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/weapon_base.c | bytes=24869 | lines=782 | sha256=325cf79a6c1e039db86a748d881ddfe0fda44bb8f8056e7cb41f60dbb6cc6f66

[0622] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zmbm_gamedev_base.c | bytes=1066 | lines=42 | sha256=9ce106ed91ccd96f8bb63f5317641e8d7acdd627ccf5c07bdc77a04294f4e07

[0623] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiebase.c | bytes=3409 | lines=109 | sha256=47a2a97f287715b60bff4013e42c128021ea0ba1958152cc6bffe14fee2c5687

[0624] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiebase_fightlogic.c | bytes=3419 | lines=91 | sha256=58222666bfalaf760ab5457b3b228e857cea45fcb58aaea7237d46efe980b784

[0625] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiefightlogic.c | bytes=20516 | lines=637 | sha256=1249a7e3647a3abdd60ffe43fec8b82albcb933bb20ea685578e44ce6f45a8d

[0626] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/eaifactioninfected.c | bytes=505 | lines=22 | sha256=ffb5ce81dee1clbab3b71619a432f8965bf31dc24a00296d06f628ea5ac33db5

[0627] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/eaifactionlunatics.c | bytes=192 | lines=10 | sha256=15629ec2c081109da2314ac27d6cf5d687b0cfc682d7d07f69f9189cd6b4c0f9

[0628] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/plugins/pluginadminlog.c | bytes=1908 | lines=70 | sha256=562e0f4553ee076500c9117164ac8360d26e8f727f54cleae4078e5aae6a4118

[0629] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/static/miscgameplayfunctions.c | bytes=286 | lines=13 | sha256=b39b7c2f4b2ee7b43e3bbe4bc5ccad396e8dc1908claf89520c4949e0f8eac1c

[0630] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/jmplayerform.c | bytes=2868 | lines=115 | sha256=94f0a235c2e21cc08d8cbb09c0a3999a4b3fbd677876dc266595c2edd5a7ed00

[0631] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/jmplayermodule.c | bytes=6083 | lines=225 | sha256=faf4d46e6f86c880a0b40e2f481f799deac0c077665dbf7145a26d0895b771442

[0632] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/dayzexpansion.c | bytes=1811 | lines=77 | sha256=beaba90818fba4d5b1e5b3941c7adee32412dce810fa65dcdc4e46e88f667864

[0633] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/eaicommandmanagerimpl.c | bytes=43869 | lines=1557 | sha256=25dccb16221f12e20b7c6ae6db830321515ca28175bcc4ec8416d38ec512896f

[0634] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/expansioncooldownindicator.c | bytes=1267 | lines=53 | sha256=3c8e5b07d432aed70ada7f65adc4c76bc7c16bf571956c16d11c53cc9ac8a2e1

[0635] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/debugmonitor.c | bytes=4627 | lines=140 | sha256=ac90212f2c5385f54ffe200ccb76180a7970c67d0f6c13ac8ff2c0c337e613e1

[0636] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/eaicommandmenu.c | bytes=32737 | lines=870 | sha256=5dfdc2bf7b257c47a8c424508885376c1d16ddfef66802fa708e8eda5f08ad2f

[0637] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/ingamehud.c | bytes=1181 | lines=49 | sha256=be634b5a8617c114d529800b19d221735739868132bb7770d74e876790d5765e

[0638] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/missiongameplay.c | bytes=4485 | lines=156 | sha256=1a3f6127aa9f02fa923f63622caf40fd01b6ceb127e07cf9148b8bad84420054

[0639] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/missionserver.c | bytes=4447 | lines=164 | sha256=b7cf0d159659d0b9727226dd927b6181e998a43a46e4b9e7felf8bbeb6d69928

[0640] ZIP | ai c files expantion/DayZExpansion/AI/Scripts/common/dayzexpansion_ai_deferreddefines.c | bytes=182 | lines=8 | sha256=0cad9bad734a18f252746f8e93763e47596e5c38140da8a0dde9bc1e419ad05e

PBO summary

[001] core pbo files expan/0_core_preload.pbo | size=15813 | entries=7 | sha256=fc8e69d951af5b41d8204102e131d2238dc37b6d2adc4e5ccd9dd67fda34a497 | props=prefix=0_DayZExpansion_Core_Preload

[002] core pbo files expan/0_modstorage_preload.pbo | size=2078 | entries=3 | sha256=8781687a7677677b803aa1414f1613fd4c16e0fdbdc9d227fc05a95e772d48d7 | props=prefix=0_DayZExpansion_ModStorage_Preload

[003] core pbo files expan/core_gui.pbo | size=9839906 | entries=430 | sha256=575838b391596a0607baed803b1fb7f859e1de2e075f78bd8ecb3b651a19eb43 | props=prefix=DayZExpansion\Core\GUI

[004] core pbo files expan/core_objects_bases.pbo | size=454 | entries=2 | sha256=a706ec6414431c07d26b6e3882c2cc5a6aa6f91ece8a2385d807d58c2abe1e1f | props=prefix=DayZExpansion\Core\Objects\Bases

[005] core pbo files expan/core_objects_briefcase.pbo | size=8981444 | entries=8 | sha256=a0e903d7b254805edad8538e17fc8ce36a17b3278c32cde0dbe4d83f915952ed | props=prefix=DayZExpansion\Core\Objects\Briefcase

[006] core pbo files expan/core_objects_circuitboard.pbo | size=9560406 | entries=11 | sha256=02f519a2b946a4b7bf6f4ba80923fd723b19f1044496b38e5e216b3c2bb60de7 | props=prefi
x=DayZExpansion\Core\Objects\CircuitBoard
[007] core pbo files expan/core_objects_currencies.pbo | size=8301075 | entries=27 | sha256=c319373ad6f7ad7063237ffa6124e31e70b63399991f091f81496ef86f876c33 | props=prefix=
DayZExpansion\Core\Objects\Currencies
[008] core pbo files expan/core_objects_navmeshcarvers.pbo | size=2089 | entries=3 | sha256=0a32ef8fecae753a305c8de5c90551495a5fa72aa9af8004995eed9ca925193e | props=prefix=
DayZExpansion\Core\Objects\NavmeshCarvers
[009] core pbo files expan/core_objects_temporaryownedcontainer.pbo | size=1514 | entries=3 | sha256=bfafb6bb21a767651d8e5683899456012e27113246b49b6107d04794396393bb | prop
s=prefix=DayZExpansion\Core\Objects\TemporaryOwnedContainer; Mikero=DePbo.dll.7.92; version=22092320
[010] core pbo files expan/core_scripts.pbo | size=1620597 | entries=349 | sha256=08222afd61fb65035f30bc99e4ba744a9fa6f349a3faf5849c6a7fe2cd9a6093 | props=prefix=DayZExpans
ion\Core\Scripts
[011] core pbo files expan/core_stub.pbo | size=595 | entries=3 | sha256=cd1c352eae9cbb5cf69c44491d7978077fa7d273507f6c3987ba8b230e76f8e0 | props=prefix=DayZExpansion\Core\
Stub; Mikero=DePbo.dll.7.92; version=22092320
[012] core pbo files expan/definetest.pbo | size=4353 | entries=3 | sha256=e5d3087fe31ba7984a87567bf835614cf7b4f40598cc8adacb0897030b768193 | props=prefix=DayZExpansion\Def
ineTest
[013] core pbo files expan/dta_core.pbo | size=18205 | entries=4 | sha256=f0edab085b47912c043a7d70090ae3710e136ccb1465cdc5a4d95b3f87689ea3 | props=prefix=DayZExpansion\Dta\
Core
[014] core pbo files expan/dta_game.pbo | size=1719 | entries=2 | sha256=49341bd6d1431296f91d664ff0329a48a64e0aldeaaaf78cd068865f8f61adc | props=prefix=DayZExpansion\Dta\G
ame
[015] core pbo files expan/languagecore_core.pbo | size=203899 | entries=3 | sha256=e861233cae97b9d30819658e05f7ea1d5130c70dd3159ad283522c3a1158c69c | props=prefix=DayZExpa
nsion\languagecore\Core
[016] core pbo files expan/modstorage_scripts.pbo | size=1380 | entries=2 | sha256=30a121df45b4b752c32e1dcc539a8d29047166b26b02e405ad5906068b1e0aa7 | props=prefix=DayZExpan
sion\ModStorage\Scripts
[017] core pbo files expan/notificationscheduler_scripts.pbo | size=11141 | entries=6 | sha256=1dc24652f093760a904ce96fdb007ceebebc33a95e511ceb0f7e3f19c093c7cc | props=pref
ix=DayZExpansion\NotificationScheduler\Scripts
[018] core pbo files expan/objects_gear_spraycans.pbo | size=6027042 | entries=13 | sha256=f68401556f35c7cb2b545e04c396eabc8a9a10098bbb6cef69881580854745fa | props=prefix=D
ayZExpansion\Objects\Gear\Spraycans
[019] core pbo files expan/objects_structures_debug.pbo | size=40398 | entries=12 | sha256=f1e0ab5e2dc1642b88a105c2fb48ed2a86af3f9803861bc09cf4c9a015ee5cb0 | props=prefix=D
ayZExpansion\Objects\Structures\Debug
[020] core pbo files expan/particles.pbo | size=6743324 | entries=84 | sha256=a60c6c8a0b547b671aaa51f9fffe6fe81939a238dea2baaa788b4a24e397dac8 | props=prefix=DayZExpansion\
Particles
[021] core pbo files expan/sounds_items_spraycan.pbo | size=18317 | entries=4 | sha256=f68504740d3f3cab41517c20fcfa8f03730b9f17bc207b9d2b9b0c402849c6eb | props=prefix=DayZE
xpansion\Sounds\Items\SprayCan; Mikero=DePbo.dll.7.92; version=22092320
[022] core pbo files expan/sounds_ui.pbo | size=264518 | entries=19 | sha256=983ac81eb7e3e7c1ae887516624621a902ac2c2c1a8a41d2a625fa7a64230dd5 | props=prefix=DayZExpansion\S
ounds\UI; Mikero=DePbo.dll.7.92; version=22092320
[023] core pbo files expan/structures_industrial_misc.pbo | size=525 | entries=2 | sha256=a16a094542e58637115f74668eaadcdf7ad261cdf932081378da6d69eb9dba7b | props=prefix=Da
yZExpansion\Structures\Industrial\Misc
[024] core pbo files expan/structures_industrial_power.pbo | size=826 | entries=2 | sha256=121d87b9633d4f0c1cea92e25e8cab313f88a4b53a7c27d727247f32d6ff1a48 | props=prefix=D
ayZExpansion\Structures\Industrial\Power
[025] core pbo files expan/structures_residential_misc.pbo | size=695 | entries=2 | sha256=3d9d2916a0c93da6df411c329a29624608f522b34879804866b5187c70fd8d45 | props=prefix=D
ayZExpansion\Structures\Residential\Misc
[026] core pbo files expan/vanillafixes_animals.pbo | size=741 | entries=2 | sha256=629263eae555836063b20669fc3362acb5f1b490f04f1811b501449ffbc59388 | props=prefix=DayZExpa
nsion\VanillaFixes\Animals
[027] core pbo files expan/vanillafixes_gui.pbo | size=4204 | entries=4 | sha256=1f645725b92299342f3d5ba614e0fc71743a9048fc2a00b33816bcbec2316933 | props=prefix=DayZExpansi
on\VanillaFixes\GUI; Mikero=DePbo.dll.7.92; version=22092320
[028] core pbo files expan/vanillafixes_scripts.pbo | size=27985 | entries=21 | sha256=c9799aa488b1a869eb925f62f2566b56f63a67f589f95051f501db8f858fe39f | props=prefix=DayZE
xpansion\VanillaFixes\Scripts
[029] core pbo files expan/vanillafixes_sounds.pbo | size=479 | entries=2 | sha256=39fcd9b19b1a18ec8e8c2d1dc1d5d7d5113288249a46a04a0243370c000dcfc5 | props=prefix=DayZExpan
sion\VanillaFixes\Sounds

Full ZIP inventory

[0001] ai c files expantion/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0002] ai c files expantion/0_ai_preload.txt | text/utf-8-sig | size=36 | compressed=38 | modified=2026-05-13 19:03:16 | crc=909ECA03 | sha256=28ae1e8ce85060d8692d4a233a54e
3f6331b5a463c0ea03b9647c6f87f023a18
[0003] ai c files expantion/0_DayZExpansion_AI_Preload/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0004] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0005] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/classes/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0006] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/classes/playermodifiers/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0007] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/classes/playermodifiers/modifiersmanager.c | text/utf-8-sig | size=2313 | compressed=919 | modified=2026-05-1
3 19:03:16 | crc=BF4EE2FD | sha256=5dc9b052e6f7710bf0159eaff6d81cbd007a1436e9baefc89aa9dcdf879a3533
[0008] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=

[0009] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0010] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/firearms/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0011] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/firearms/fsm/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0012] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/firearms/fsm/states/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0013] ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/firearms/fsm/states/weaponfire.c | text/utf-8-sig | size=2919 | compressed=615 | modified=2026-05-13 19:03:16 | crc=D8E4EBB | sha256=f2092fa7605723f84c76f4063e225176f6b6fab3bd5286696e03f0d9392d1d0e
[0014] ai c files expantion/0_DayZExpansion_AI_Preload/5_mission/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0015] ai c files expantion/0_DayZExpansion_AI_Preload/5_mission/missionserver.c | text/utf-8-sig | size=1292 | compressed=613 | modified=2026-05-13 19:03:16 | crc=0D405DC3 | sha256=bd4ac1a26adb330ce5297972fa96d6328cb18888617fdfdb429786bed497cc9a
[0016] ai c files expantion/0_DayZExpansion_AI_Preload/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:16 | crc=00000000 | sha256=e3b0c44298fc1c149afbfc8996fb92427ae41e4649b934ca495991b7852b855
[0017] ai c files expantion/0_DayZExpansion_AI_Preload/common/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:16 | crc= | sha256=
[0018] ai c files expantion/0_DayZExpansion_AI_Preload/common/dayzexpansion_ai_defines.c | text/utf-8-sig | size=279 | compressed=160 | modified=2026-05-13 19:03:16 | crc=576070D8 | sha256=10c9c3feb2ed23796a83e430e5c55c3be0cc5b6890332753ble6089a3ecc266e
[0019] ai c files expantion/0_DayZExpansion_AI_Preload/config.cpp | text/utf-8-sig | size=1542 | compressed=316 | modified=2026-05-13 19:03:16 | crc=FEA92573 | sha256=c8c4c2f4c3f8388a78209db8d247b662ef29f1d21eab0732046df8dee95e08c4
[0020] ai c files expantion/0_DayZExpansion_AI_Preload/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:16 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
[0021] ai c files expantion/ai_animations.txt | text/utf-8-sig | size=37 | compressed=37 | modified=2026-05-13 19:03:18 | crc=900D9EBA | sha256=5d8cd8914d3b336022fae9c5aee0637e066395561c23b7f21a42bc0a6f126a43
[0022] ai c files expantion/ai_debugweapons.txt | text/utf-8-sig | size=39 | compressed=41 | modified=2026-05-13 19:03:18 | crc=48F99499 | sha256=7a5492bf2fc056e7ef3f737afe25811515bf24a26cf3d51534d44ed1acdfe49
[0023] ai c files expantion/ai_gear.txt | text/utf-8-sig | size=31 | compressed=33 | modified=2026-05-13 19:03:18 | crc=A9A8DAC5 | sha256=a70d21c9bd6439b6bc4788cfc41907a9d43775fb1fcd31e8cf789ec50dc89d64
[0024] ai c files expantion/ai_gui.txt | text/utf-8-sig | size=30 | compressed=32 | modified=2026-05-13 19:03:18 | crc=D0AE4BCB | sha256=0c9c188bfa88d38f363bb066206a6a8e1f83bcla42e0c9f0bb73f22b0c639606
[0025] ai c files expantion/ai_particles.txt | text/utf-8-sig | size=36 | compressed=38 | modified=2026-05-13 19:03:20 | crc=A1C6C78D | sha256=65fb7a791e86fafdbb1c62d265826220ebf99a943fb75336da984a730cf3db9f
[0026] ai c files expantion/ai_scripts.txt | text/utf-8-sig | size=34 | compressed=36 | modified=2026-05-13 19:03:20 | crc=A30BC5D9 | sha256=4e411cd2c22346717a4eb7042f833636e6bbae2be458e897f4504fad8a638fda
[0027] ai c files expantion/ai_sounds.txt | text/utf-8-sig | size=33 | compressed=35 | modified=2026-05-13 19:03:20 | crc=31C037A7 | sha256=1e698b6f7131f45d2bb141a8c254b5c547f61ce5a20e7ec7a3538b3d680c2006
[0028] ai c files expantion/DayZExpansion/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0029] ai c files expantion/DayZExpansion/AI/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0030] ai c files expantion/DayZExpansion/AI/Animations/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=
[0031] ai c files expantion/DayZExpansion/AI/Animations/actions.agr | text/utf-8-sig | size=224628 | compressed=23352 | modified=2026-05-13 19:03:18 | crc=F4B439D3 | sha256=7fa33f10014a7a23f5a5fa400c58e5c551c26d49da2f0182ac0c57865b2dfde3
[0032] ai c files expantion/DayZExpansion/AI/Animations/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:18 | crc=00000000 | sha256=e3b0c44298fc1c149afbfc8996fb92427ae41e4649b934ca495991b7852b855
[0033] ai c files expantion/DayZExpansion/AI/Animations/combat.agr | text/utf-8-sig | size=29045 | compressed=3523 | modified=2026-05-13 19:03:18 | crc=48171D12 | sha256=3d425a70fcfb6674cd47938156df6a4eeab8bde7e7d9a8479d658c8045505c18
[0034] ai c files expantion/DayZExpansion/AI/Animations/config.cpp | text/utf-8-sig | size=5923 | compressed=631 | modified=2026-05-13 19:03:18 | crc=3D878781 | sha256=cba08553e96d0f52ac74779899d7bbe80e9d2c3176d776f8d92e356e5e899d89
[0035] ai c files expantion/DayZExpansion/AI/Animations/gestures.agr | text/utf-8-sig | size=17249 | compressed=2606 | modified=2026-05-13 19:03:18 | crc=60BFDC92 | sha256=d4481b2222e7704535fd2731502218deecc914155a738ff8ce0d3df9d7cd8526
[0036] ai c files expantion/DayZExpansion/AI/Animations/locomotion.agr | text/utf-8-sig | size=242958 | compressed=27007 | modified=2026-05-13 19:03:18 | crc=A88E56FE | sha256=7d3e18cb760f53ee3a3ad85bf57b669620bb462177c48041c3571614e660698b
[0037] ai c files expantion/DayZExpansion/AI/Animations/master.agr | text/utf-8-sig | size=18557 | compressed=2992 | modified=2026-05-13 19:03:18 | crc=7412A11B | sha256=f0218860aldbcf4d20d49e3baabc83b3b8e69155dde769ceb6199ec7e2e427a
[0038] ai c files expantion/DayZExpansion/AI/Animations/player_main.agr | text/utf-8-sig | size=20024 | compressed=3377 | modified=2026-05-13 19:03:18 | crc=C6B8F7B0 | sha256=3518ca967499d01dba89a4f6b56537af45d5142b52733cb96d381925860a18ec
[0039] ai c files expantion/DayZExpansion/AI/Animations/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:18 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
[0040] ai c files expantion/DayZExpansion/AI/Animations/tests.agr | text/utf-8-sig | size=5691 | compressed=1214 | modified=2026-05-13 19:03:18 | crc=2BFFE3CC | sha256=2bbe8f4be7e31467f0093ef1580be776ad0c90cce0ac57a09055b6a975a9dd96
[0041] ai c files expantion/DayZExpansion/AI/Animations/vehicles.agr | text/utf-8-sig | size=56019 | compressed=6152 | modified=2026-05-13 19:03:18 | crc=B0378F03 | sha256=237e0cf724b3dfb66a2bacc1626b28bdaa4457720b16cbb78f16ce66102ce4f
[0042] ai c files expantion/DayZExpansion/AI/Animations/weapons.agr | text/utf-8-sig | size=61268 | compressed=5406 | modified=2026-05-13 19:03:18 | crc=FAA41462 | sha256=f3083d8e22eb8662d788c4b4610755a7f8663c0c29a93bdaa8b6c33263f006b0

[0043] ai c files expantion/DayZExpansion/AI/DebugWeapons/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0044] ai c files expantion/DayZExpansion/AI/DebugWeapons/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:18 | crc=00000000 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0045] ai c files expantion/DayZExpansion/AI/DebugWeapons/config.cpp | text/utf-8-sig | size=5074 | compressed=1248 | modified=2026-05-13 19:03:18 | crc=3E4C093A | sha256=c44e124fc87147e0f58b179b5f07d0a334def891a29219d6b7d707903329869b

[0046] ai c files expantion/DayZExpansion/AI/DebugWeapons/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:18 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f

[0047] ai c files expantion/DayZExpansion/AI/Gear/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0048] ai c files expantion/DayZExpansion/AI/Gear/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:18 | crc=00000000 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0049] ai c files expantion/DayZExpansion/AI/Gear/config.cpp | text/utf-8-sig | size=2491 | compressed=557 | modified=2026-05-13 19:03:18 | crc=06723069 | sha256=7f9f3d75da2e285cac582e6cb51513bb2b8f7c4a0877e67f0b434c21adb34f2d

[0050] ai c files expantion/DayZExpansion/AI/Gear/data/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0051] ai c files expantion/DayZExpansion/AI/Gear/data/ballisticvest_yeet_co.paa | binary | size=1272456 | compressed=1178234 | modified=2026-05-13 19:03:18 | crc=5ABB42B6 | sha256=828269e99dc03f59e767c52731c056a4b6dc2e49d5501ee9a510140b73d7aabe

[0052] ai c files expantion/DayZExpansion/AI/Gear/data/maska_yeet_co.paa | binary | size=540879 | compressed=504443 | modified=2026-05-13 19:03:18 | crc=AC57A65E | sha256=29dccb6acbd4b60cc98c5a030a5df7abde592fbae584e9fd7b90a9b835e24580

[0053] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_blue_yeet_co.paa | binary | size=563360 | compressed=523818 | modified=2026-05-13 19:03:18 | crc=D885B5F1 | sha256=a76b1c8d467fb61e901715b343cd08be56897b16e68b9ba8c4ea39ccf08ce051

[0054] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_plain_smdi.paa | binary | size=145343 | compressed=126969 | modified=2026-05-13 19:03:18 | crc=37BC1426 | sha256=64ecf2bcb45652879504333bcd874ea2c548ead5ef97ebef5ac0bca37506bd8b

[0055] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_plain_ti_ca.paa | binary | size=62433 | compressed=49131 | modified=2026-05-13 19:03:18 | crc=A31A2B8F | sha256=df42a89703a2f45181b351a88639b85a3aa645be2b9a4f1e9d3267147c6ae5c9

[0056] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet.rvmat | text/utf-8-sig | size=1540 | compressed=385 | modified=2026-05-13 19:03:18 | crc=2D5F3619 | sha256=68b68075064e0995f8b8af302689ed39c60c8067962e01f550d8bff872fed31e

[0057] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet_damage.rvmat | text/utf-8-sig | size=1554 | compressed=400 | modified=2026-05-13 19:03:18 | crc=6DE64F A4 | sha256=366420578db2daeab939878e6e3c33d14172e1ee46319a665826b8bfbdb5e8333

[0058] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet_destruct.rvmat | text/utf-8-sig | size=1539 | compressed=404 | modified=2026-05-13 19:03:18 | crc=8E49 2D27 | sha256=b699099e07c03634d6a2a59d4f60e6c4c76efd3d2923302ed438fe8b9a4a27e6

[0059] ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet_nohq.paa | binary | size=1267840 | compressed=1220749 | modified=2026-05-13 19:03:18 | crc=D28B7FA8 | sha256=3c3113f51867dad209d41926c1ff6b8a6bc41d92162f5015895d7999bd3f3a75

[0060] ai c files expantion/DayZExpansion/AI/Gear/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:18 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f

[0061] ai c files expantion/DayZExpansion/AI/GUI/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0062] ai c files expantion/DayZExpansion/AI/GUI/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:18 | crc=00000000 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0063] ai c files expantion/DayZExpansion/AI/GUI/config.cpp | text/utf-8-sig | size=165 | compressed=117 | modified=2026-05-13 19:03:18 | crc=51A82934 | sha256=4eff5bf18c41 26a8de389402f386a6bf6735fc7d2e837dd81eab42d2c96a21cf

[0064] ai c files expantion/DayZExpansion/AI/GUI/eai_goal_debug.layout | text/utf-8-sig | size=593 | compressed=156 | modified=2026-05-13 19:03:18 | crc=02AF5DB3 | sha256=a0cfd9bde6fa698d61c12c06c33f9d6b4e52e8bc2fb94d7fbfc039505f8a94ef

[0065] ai c files expantion/DayZExpansion/AI/GUI/layouts/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0066] ai c files expantion/DayZExpansion/AI/GUI/layouts/expansion_cooldown_indicator.layout | text/utf-8-sig | size=1527 | compressed=504 | modified=2026-05-13 19:03:18 | crc=36DCE84E | sha256=4e6d1dcea68227f88023ea8a5680316cb8b06b8e416022e77a2f7bf28f541482

[0067] ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0068] ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/delimiter.layout | text/utf-8-sig | size=576 | compressed=264 | modified=2026-05-13 19:03:18 | crc=4CA7 7C6F | sha256=f745abe7696ba0cdf7b412035ba16df4b5fac582437488c258ca9a01b7609497

[0069] ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/item_card.layout | text/utf-8-sig | size=1037 | compressed=361 | modified=2026-05-13 19:03:18 | crc=C29 4DA79 | sha256=6a6a630b8263b2aaf611e9008db036912bbe6e69d8747f26828cf8599b7a00fc

[0070] ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/menu.layout | text/utf-8-sig | size=7439 | compressed=1372 | modified=2026-05-13 19:03:18 | crc=40F599C 6 | sha256=cca75ea9a2d2bea25731715b03ddd2c7c0b58577ee5422b419ce8d6b6f2547c6

[0071] ai c files expantion/DayZExpansion/AI/GUI/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:18 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f

[0072] ai c files expantion/DayZExpansion/AI/GUI/textures/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:18 | crc= | sha256=

[0073] ai c files expantion/DayZExpansion/AI/GUI/textures/radial-inner.edds | binary | size=10015 | compressed=5013 | modified=2026-05-13 19:03:18 | crc=4BA3736E | sha256=a450937a5f278eadcd1dbe9c8ba158fa2bde31954e2a4137d154e3d9f8d5b259

[0074] ai c files expantion/DayZExpansion/AI/GUI/textures/radial-inner.edds.meta | text/utf-8-sig | size=338 | compressed=204 | modified=2026-05-13 19:03:18 | crc=709AC751 | sha256=f7982e60b0f038ee2d46ed5dd1b1a03a5cf79e804c272ffcl1a4d49aada7d345

[0075] ai c files expantion/DayZExpansion/AI/Particles/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0076] ai c files expantion/DayZExpansion/AI/Particles/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:20 | crc=00000000 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0077] ai c files expantion/DayZExpansion/AI/Particles/config.cpp | text/utf-8-sig | size=149 | compressed=105 | modified=2026-05-13 19:03:20 | crc=F57A9C69 | sha256=929ad6 343f5470e780190665884cb6fbc2c813f55d1d35d6539e2783f04fd04b

[0078] ai c files expantion/DayZExpansion/AI/Particles/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:20 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f

[0079] ai c files expantion/DayZExpansion/AI/Particles/shoryukenfire.ptc | binary | size=3849 | compressed=998 | modified=2026-05-13 19:03:20 | crc=A3281883 | sha256=ea9921c117c52155a8726b58982452bdae315a0e6bab4f7234cbb270a98f73c3

[0080] ai c files expantion/DayZExpansion/AI/Scripts/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0081] ai c files expantion/DayZExpansion/AI/Scripts/l_core/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0082] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0083] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/eaiattribute.c | text/utf-8-sig | size=1064 | compressed=460 | modified=2026-05-13 19:03:20 | crc=A454B421 | sha256=63aa35c60fa0ed66b83c9d4137c9ef891519c28c4952667c2807122082295096

[0084] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/eairegisterdynamicpatrolspawner.c | text/utf-8-sig | size=196 | compressed=128 | modified=2026-05-13 19:03:20 | crc=C9E768E5 | sha256=caaa955a79a7139e2aece986879aa74e82a4ba6282455bcbaf02686c6f1f599

[0085] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/eairegisterfaction.c | text/utf-8-sig | size=642 | compressed=294 | modified=2026-05-13 19:03:20 | crc=F08079D1 | sha256=85ed9d7821d10b2662d670fa710064da40e9c97f764ba8794d02f8889eb86c3e

[0086] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/expansionrollingaverage.c | text/utf-8-sig | size=2950 | compressed=784 | modified=2026-05-13 19:03:20 | crc=14B36109 | sha256=75754105ebd30be86fa5461b580b0e56508e68ec7e110fa7f6d564075206c853

[0087] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/proto/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0088] ai c files expantion/DayZExpansion/AI/Scripts/l_core/dayzexpansion_ai/proto/enmath.c | text/utf-8-sig | size=1546 | compressed=579 | modified=2026-05-13 19:03:20 | crc=5EBC2871 | sha256=b2a8a1e1624a2e0c30fa51ef3be6ac9415c0682c2367c83c0577b79d6af28363

[0089] ai c files expantion/DayZExpansion/AI/Scripts/3_game/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0090] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0091] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/constants.c | text/utf-8-sig | size=90 | compressed=75 | modified=2026-05-13 19:03:20 | crc=340B1B73 | sha256=e0c01956475ea91c9ca446bd5d5f1d00a392caf0fe43ac6261b1ecffbfad347b

[0092] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/dayzgame.c | text/utf-8-sig | size=3892 | compressed=1299 | modified=2026-05-13 19:03:20 | crc=AFE2D61F | sha256=f29ae5a15c379e696591cd262d62e47ca56656963f254c9d4593f0a8e796a554

[0093] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/eainoisiesystem.c | text/utf-8-sig | size=3064 | compressed=827 | modified=2026-05-13 19:03:20 | crc=9C8710B9 | sha256=4bd24313ee8fe87356aba6310731cdf368e34c2f314763ab6d537b57633f7ed7

[0094] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/enums/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0095] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/enums/aenums.c | text/utf-8-sig | size=1759 | compressed=737 | modified=2026-05-13 19:03:20 | crc=4E01770B | sha256=5c3f8cb1fcd1ddc1822491f381455a76769318927d9059af1e157d5bcedea7580

[0096] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansiongame.c | text/utf-8-sig | size=1336 | compressed=552 | modified=2026-05-13 19:03:20 | crc=5F2C6679 | sha256=b5282e1ca9e376d01cc500e20272e1558176fbc310792bd6a614b98f99bcdff82

[0097] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansioninfectedtype.c | text/utf-8-sig | size=5133 | compressed=1419 | modified=2026-05-13 19:03:20 | crc=D3C2962E | sha256=d37598e1b72029b5c29bb8a6b3e224ad70bf0d7a62f891a0026f5e8b6ba01e36

[0098] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansionstatic.c | text/utf-8-sig | size=1059 | compressed=341 | modified=2026-05-13 19:03:20 | crc=495B074C | sha256=a0e7d2919c5f5691a89d5bddbeef87abed52da45b8b9c122f278fd01be4f8f044

[0099] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0100] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifaction.c | text/utf-8-sig | size=3779 | compressed=1217 | modified=2026-05-13 19:03:20 | crc=2006244C | sha256=ea8a4bfffcc2c1468277567a33efb29caa57743a1bb411f0fdd5a007920da05b5

[0101] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionbrawlers.c | text/utf-8-sig | size=456 | compressed=235 | modified=2026-05-13 19:03:20 | crc=72B3FE2A | sha256=50f1632dbab83562fd359971d4bc30291a1e47c67b8358867eadcf6a0e149827

[0102] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactioncivilian.c | text/utf-8-sig | size=235 | compressed=149 | modified=2026-05-13 19:03:20 | crc=65F5E85E | sha256=e748dff3f06b03bce1653996252c4aa0a16996e3ed8865587f8adbb3bd17101a

[0103] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactioneast.c | text/utf-8-sig | size=336 | compressed=178 | modified=2026-05-13 19:03:20 | crc=9E3D9926 | sha256=10c63cec4dba427a9d1fecdc079fb6380574af90d27c914dd1fd7d8ea00936d8

[0104] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionguards.c | text/utf-8-sig | size=600 | compressed=270 | modified=2026-05-13 19:03:20 | crc=530D212F | sha256=e8f82d118c785b7e72061170cf1a0cb783c8cd72fd0de83b33b83742f798e91a

[0105] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionmercenaries.c | text/utf-8-sig | size=342 | compressed=181 | modified=2026-05-13 19:03:20 | crc=5165A5F9 | sha256=f3fc4b8f97cd2ccfef16682fb549b56272d440ee8e6eaf03981cb9b04503f5e2a

[0106] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionobservers.c | text/utf-8-sig | size=722 | compressed=321 | modified=2026-05-13 19:03:20 | crc=EE35B56E | sha256=ed49e992fe527a8daa032ba7d1f5d556723786ac34d0bd8dc4dad39cad304848

[0107] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionpassive.c | text/utf-8-sig | size=289 | compressed=184 | modified=2026-05-13 19:03:20 | crc=F5B53E3A | sha256=8dfbbc4e21706d6bd261712b6e6d725c3faa82955eaa91c637aa7018f134d291

[0108] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionraiders.c | text/utf-8-sig | size=270 | compressed=170 | modified=2026-05-13 19:03:20 | crc=A3DF9FD8 | sha256=3791039b6c045915cefc81161ebe5f0f8af77a17639383049abeb610549f86cc

[0109] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionshamans.c | text/utf-8-sig | size=463 | compressed=233 | modified=2026-05-13 19:03:20 | crc=892B7E53 | sha256=3994a0848a0701eb51f87550ebf35cb5ea09779e4c0a8a3f621256151b04c695

[0110] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionwest.c | text/utf-8-sig | size=336 | compressed=178 | modified=2026-05-13 19:03:20 | crc=4355EE22 | sha256=eca3a0712772f3e534ae9614583b2fd3fb2993bbd27b15f021d4c9052b9abd1e

[0111] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionyeetbrigade.c | text/utf-8-sig | size=797 | compressed=355 | modified=2026-05-13 19:03:20 | crc=BB9CF7D5 | sha256=3a02a6c6f41e4989ce56916fee70b4266d80806321ef56913b12bd9ea3c901e0

[0112] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0113] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eaicommandmanager.c | text/utf-8-sig | size=71 | compressed=67 | modified=2026-05-13 19:03:20 | crc= | sha256=

20 | crc=492769AC | sha256=721461f0c9886c2962705b044cb1804e931edfd3a60e52e1d5ab9502b885102b
[0114] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eaicommands.c | text/utf-8-sig | size=1785 | compressed=711 | modified=2026-05-13 19:03:20 | crc=829ED00D | sha256=1947b65750b949f4686829a9ad6b10d23ab7ff40806c128688b52b77a0b522d9c1
[0115] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eairadialmenu.c | text/utf-8-sig | size=189 | compressed=118 | modified=2026-05-13 19:03:20 | crc=CAF1942A | sha256=594ad506c8e9083b83016e78a2462ccbb2900a66333e17388bb672a9bbb612d
[0116] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/hive.c | text/utf-8-sig | size=139 | compressed=117 | modified=2026-05-13 19:03:20 | crc=9FF32912 | sha256=1192176c2c0efaa8a5a6b6ab23f079e1b74ee485b078f5fe8a3e251a6ed04f2
[0117] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/particles/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0118] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/particles/particulist.c | text/utf-8-sig | size=148 | compressed=136 | modified=2026-05-13 19:03:20 | crc=539A1EA8 | sha256=98403261ec65ab2e0066bacfc03e3b6f80bd46a4cd5bd04f8fec69d6a23dd610
[0119] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0120] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/expansionaisettings.c | text/utf-8-sig | size=13507 | compressed=3184 | modified=2026-05-13 19:03:20 | crc=E1FB2458 | sha256=0812aed3d7bc57771ada24d5744873bb3826fd7a7ab0d3ac75174ed6682a4533
[0121] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/expansionsettings.c | text/utf-8-sig | size=1495 | compressed=555 | modified=2026-05-13 19:03:20 | crc=F639706C | sha256=9911548a34103dd4483d237b09dd5000976a53628d986f2a86a772f6562b0e66
[0122] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/locations/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0123] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/locations/expansionailocationsettings.c | text/utf-8-sig | size=5866 | compressed=2189 | modified=2026-05-13 19:03:20 | crc=3753D0E1 | sha256=488d2374cbac96a4ca799f9662a61bbae83618ee59c0c946bebef374dad9850
[0124] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0125] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaiobjectpatrol.c | text/utf-8-sig | size=928 | compressed=505 | modified=2026-05-13 19:03:20 | crc=6E85D3F8 | sha256=7c1ff93d29b7e142c74c053121dfa439b0bbeb23c603a753bd2e3bc59f53cfe8
[0126] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrol.c | text/utf-8-sig | size=1034 | compressed=551 | modified=2026-05-13 19:03:20 | crc=B3EBF0AE | sha256=d7fa5a18d24ab87ecf195d168f310d1401e0804bc99114b804517d16ead5e214
[0127] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolbase.c | text/utf-8-sig | size=12856 | compressed=4141 | modified=2026-05-13 19:03:20 | crc=239D4B7E | sha256=6ba0e53c931a011a19ed08a61345b75b34df47ab93a37cbe36b2172edfef6c86
[0128] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolloadbalancing.c | text/utf-8-sig | size=365 | compressed=178 | modified=2026-05-13 19:03:20 | crc=06C48252 | sha256=546e8a2bed7d2fed7dd60e4bb50b37c6c3142d9f80ebd0c34e8eb0897060e172
[0129] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolloadbalancingtracker.c | text/utf-8-sig | size=68 | compressed=66 | modified=2026-05-13 19:03:20 | crc=47B9E1B0 | sha256=08d81359943d7e543b7ae0b3cc01dd0f1blc0d56a4dacc28724eb714ddb39661
[0130] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolsettings.c | text/utf-8-sig | size=33985 | compressed=6915 | modified=2026-05-13 19:03:20 | crc=CDB247A4 | sha256=fe60edf4a7326ae2b9a878135f0f8d2a4a47697da0def9504564c097863fe7c3
[0131] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/static/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0132] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/static/easing.c | text/utf-8-sig | size=495 | compressed=290 | modified=2026-05-13 19:03:20 | crc=2CD78D9C | sha256=9de0d51d785ed1e4c6d6d3ee9794b2a375311d36677980eaf4482f4b3e7a48b5
[0133] ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/worlddata.c | text/utf-8-sig | size=1104 | compressed=455 | modified=2026-05-13 19:03:20 | crc=B337BB29 | sha256=e2e43f6ce3ad663d66e61288dcb70b757f2ea60cc04d821a85dalce5e89715e74
[0134] ai c files expantion/DayZExpansion/AI/Scripts/4_world/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0135] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0136] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0137] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0138] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/actionconstructor.c | text/utf-8-sig | size=577 | compressed=216 | modified=2026-05-13 19:03:20 | crc=4A9BADA0 | sha256=6dbf7bac4e29263b7db4fb4931961cc371d586f141b43e61d8ce2bd0586c103e
[0139] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/actioninput.c | text/utf-8-sig | size=120 | compressed=98 | modified=2026-05-13 19:03:20 | crc=88E79B65 | sha256=eaa9338a0a6ccd05ed4571bb9335263461841082e8a5f97b04b86e89a11e7fd7
[0140] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionmanager.c | text/utf-8-sig | size=9413 | compressed=2285 | modified=2026-05-13 19:03:20 | crc=4D1B02E2 | sha256=6e7e31a9adf69dedea9d4819e87c74e2d3bce42baa3350990173a7c0ded3a844
[0141] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionweaponcontrol.c | text/utf-8-sig | size=1202 | compressed=477 | modified=2026-05-13 19:03:20 | crc=950904E1 | sha256=20cbc617b324a6d47fb17a86e0a252275d64063aedfb3e912e8f3d9672c98ad3
[0142] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionweaponunjam.c | text/utf-8-sig | size=203 | compressed=140 | modified=2026-05-13 19:03:20 | crc=DA40DA36 | sha256=d5b05acead2b11ece8b8df59164645005f9f8b2c30ade67bb9d12c6e87b2e201
[0143] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiinventoryactionhandler.c | text/utf-8-sig | size=3060 | compressed=1108 | modified=2026-05-13 19:03:20 | crc=7FCDD565 | sha256=d7c3134600ffa6bd8717531e41549f6fe6dc40fb16065f9cb105e7f3c1c447a1
[0144] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0145] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0146] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0147] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actiondeployobject.c | text/utf-8-sig

| size=427 | compressed=243 | modified=2026-05-13 19:03:20 | crc=55A11493 | sha256=89d80b72c80165e3c2e0b65fd5c8d279f8ff13d7dce45cfd65168b425ce010c2
[0148] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionrestrainttarget.c | text/utf-8-sig | size=2435 | compressed=971 | modified=2026-05-13 19:03:20 | crc=E463C019 | sha256=d9c20ff086828b0c9ee5c92a4c0e2b14b748bf13e82cd7ecf998e878c387240
[0149] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionunrestrainttarget.c | text/utf-8-sig | size=2303 | compressed=992 | modified=2026-05-13 19:03:20 | crc=D8055198 | sha256=1371fc652adaa3774d93ebfe4dc6980c425b7ecce94fec956d94f1e280ccbd8
[0150] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionunrestraintgethands.c | text/utf-8-sig | size=972 | compressed=517 | modified=2026-05-13 19:03:20 | crc=B4EAC865 | sha256=ea4d8d272eb65c79cdce9657f431e754525257ae6d05fc9cc10b5e6260cc6857e
[0151] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionworldcraft.c | text/utf-8-sig | size=376 | compressed=195 | modified=2026-05-13 19:03:20 | crc=01FA8163 | sha256=be8d3222f5d5d4b539d7abe8da095bc3bbe16fb1900688ade80079bf0e44c4ca
[0152] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/eaiactionskinning.c | text/utf-8-sig | size=657 | compressed=241 | modified=2026-05-13 19:03:20 | crc=777B6FCD | sha256=18b791c3694d32980707d98234326eeef92f4a0255d5520b550851c8863ef4b6
[0153] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0154] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actioncollectbloodtarget.c | text/utf-8-sig | size=1141 | compressed=562 | modified=2026-05-13 19:03:20 | crc=371279F8 | sha256=6b97fc70349e88bfa402f8abfb510e42c5bf20038aeaf37b853d20f22ee4a556
[0155] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actioncollectsampletarget.c | text/utf-8-sig | size=1143 | compressed=563 | modified=2026-05-13 19:03:20 | crc=AC6C78B5 | sha256=3636e823b23337ee80fd0968b175786fb9bf0244f136e3ae7cdf029e54c88715
[0156] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actiondefibrilatetarget.c | text/utf-8-sig | size=1139 | compressed=562 | modified=2026-05-13 19:03:20 | crc=8A8B2C40 | sha256=5b6c31281604e61b002af0672a1e31b957f6cd7ddfb9e3bcdad8cad3e9e2e694
[0157] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actiongivebloodtarget.c | text/utf-8-sig | size=1401 | compressed=656 | modified=2026-05-13 19:03:20 | crc=CE30DE51 | sha256=0624a113641c91674e5fdfb5567ee7f65bc9c8b6e2ec4fed2099d596224c09e
[0158] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0159] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/actioncloseddoors.c | text/utf-8-sig | size=1324 | compressed=289 | modified=2026-05-13 19:03:20 | crc=DCDC1F82 | sha256=065055c8f4571981fae3c9d368181f28cff5d3ca678608a1363df31a9d7a9a01
[0160] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiondoorsdummy.c | text/utf-8-sig | size=536 | compressed=195 | modified=2026-05-13 19:03:20 | crc=31A893AC | sha256=efb4bb129f1e2fa0dde71733bcf2de61c7061dda7de909171867d00fa41e5880
[0161] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiondropitem.c | text/utf-8-sig | size=1152 | compressed=441 | modified=2026-05-13 19:03:20 | crc=A1D0CADE | sha256=4b88ee49e529bc76786d27f541d9d5f59af872fc8a56b72f94b68e8aabcd976a
[0162] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiontakeitem.c | text/utf-8-sig | size=2167 | compressed=771 | modified=2026-05-13 19:03:20 | crc=E2A49E69 | sha256=f9123e5925f6e3647dc821d34c164a66190505714145c8b0595c0f90e3335af8
[0163] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiontakeitemtohands.c | text/utf-8-sig | size=2623 | compressed=940 | modified=2026-05-13 19:03:20 | crc=B85EC8CC | sha256=de3a968f021b5800ad1f8bd16e0d9b684e956d32020e65113acf75c54788d8f7
[0164] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactiondismissai.c | text/utf-8-sig | size=1961 | compressed=855 | modified=2026-05-13 19:03:20 | crc=5D5073ED | sha256=1a10139ad3f6c19a5910159aedd39bf814783fc1f38775719268d5639ba761a7
[0165] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactionopenaiinventory.c | text/utf-8-sig | size=1494 | compressed=708 | modified=2026-05-13 19:03:20 | crc=7CE52D00 | sha256=83ec3a67ad175b92373364715f7099456fdefd205f1211166eelfcf0ad4551ca
[0166] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactionrecruitai.c | text/utf-8-sig | size=3008 | compressed=1154 | modified=2026-05-13 19:03:20 | crc=F6518A8A | sha256=4dd3aa2e87d7d086891da2081adfcf03b3831a21841f47eea85999cf84f5a48b
[0167] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/vehicles/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0168] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/vehicles/actiongetouttransport.c | text/utf-8-sig | size=1210 | compressed=557 | modified=2026-05-13 19:03:20 | crc=586B3A67 | sha256=03f4daa22c127cd398b9032f4f8e18ae3cf57caaf69e9f80026d3580fe9a6b37
[0169] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/singleuse/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0170] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/singleuse/actionunpin.c | text/utf-8-sig | size=331 | compressed=229 | modified=2026-05-13 19:03:20 | crc=04F68713 | sha256=71126db80d4c609d16947c6c9337ac60afd24765888be3060fc404483ffdd238a
[0171] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/bleedingsources/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0172] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/bleedingsources/bleedingsourcesmanagerserver.c | text/utf-8-sig | size=2228 | compressed=788 | modified=2026-05-13 19:03:20 | crc=82069119 | sha256=d329baffc0209aab7a8974db607ab6354c7116d4e940e23962ca6f0b9214b411
[0173] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0174] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/eaicommandmove.c | text/utf-8-sig | size=83745 | compressed=17673 | modified=2026-05-13 19:03:20 | crc=2988297C | sha256=ee2751ad7245474d79b4b6800d3fbd1e9a99413435b3c5973a4996calc69f0a
[0175] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/eaicommandvehicle.c | text/utf-8-sig | size=62 | compressed=51 | modified=2026-05-13 19:03:20 | crc=2227BAAB | sha256=214ed4133728aa92f20dbc93626edaf23bd4f2a31418b2be82a0fb8675c97cc4
[0176] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0177] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/contaminatedarea.c | text/utf-8-sig | size=372 | compressed=277 | modified=2026-05-13 19:03:20 | crc=984F5F1B | sha256=70aeld6258925a08cb8072c5cd368d29376e56300deb48fc0c5992fc5ac4a26f
[0178] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/areaeffect.c | text/utf-8-sig | size=4922 | compressed=1446 | modified=2026-05-13 19:03:20 | crc= | sha256=

d=2026-05-13 19:03:20 | crc=59550A8E | sha256=1445bfe021d57e8e5e9ffff7d38a9cab3c4cc7d7eede28de5ef12fa3bdd55766a
[0179] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/expansionainogoaarea.c | text/utf-8-sig | size=2211 | compressed=691 |
modified=2026-05-13 19:03:20 | crc=4593EFAD | sha256=e9d4cdccc00e72aa73ba31fd0db42ae8df2e27cbd0ce942a85d30ffcbdc8ff8
[0180] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/expansioneffectareacluster.c | text/utf-8-sig | size=22155 | compress
ed=5085 | modified=2026-05-13 19:03:20 | crc=F2CDC28 | sha256=1e191e0381b2c4ae21c1383ea373fa3ef6e6c3e8b036a820d34392c311b7e0890
[0181] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/spookyarea.c | text/utf-8-sig | size=104 | compressed=98 | modified=2
026-05-13 19:03:20 | crc=48B9006A | sha256=9fc0a99de0983b0e5a6c95e3a6d0e8fb625ffa834da195f6e2afbb007548fb8
[0182] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/cot/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha25
6=
[0183] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/cot/jmplayerinstance.c | text/utf-8-sig | size=895 | compressed=370 | modified=2026-05
-13 19:03:20 | crc=BCEB9250 | sha256=9ce6674b35d76408cbf063c6415f879f748a04e3986ada5fe99e2602d7470495
[0184] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaicallbacks.c | text/utf-8-sig | size=1431 | compressed=510 | modified=2026-05-13 19:
03:20 | crc=A1CB8884 | sha256=e67a011f01del4777b1c3e3a926612a5e9c832963e8fd86eefc4f6b1b9be86a9
[0185] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaicommandmanagerclient.c | text/utf-8-sig | size=3646 | compressed=803 | modified=202
6-05-13 19:03:20 | crc=483827AC | sha256=1420e280e60be5a2f7cbc296f9612da0a94dae7b67b3b27993e26d138e801e20
[0186] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaidamagehandler.c | text/utf-8-sig | size=23114 | compressed=6316 | modified=2026-05-
13 19:03:20 | crc=85D4192B | sha256=a3e0c799e79b743ecf3f32a5342d772c7f498f67bb9243f4f01fdd7d259ff75
[0187] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaigoal.c | text/utf-8-sig | size=1203 | compressed=530 | modified=2026-05-13 19:03:20
| crc=E09EF5EB | sha256=c6ee249c3eccacc6ca2854c3e267719186156ac6ac7a2bea4717fb0942d44f9
[0188] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaigroup.c | text/utf-8-sig | size=41105 | compressed=9790 | modified=2026-05-13 19:03
:20 | crc=988A9F55 | sha256=703ffa7882f9332e55a2328092254b5f3f21c50c14c8ce164e8160447d4680cb
[0189] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaishockhandler.c | text/utf-8-sig | size=322 | compressed=184 | modified=2026-05-13 1
9:03:20 | crc=87D93739 | sha256=c357236dc0c2ebfc90b0d220cf911eb7f0aa98bddc9722e18d10f2b2af8abac3
[0190] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaitarget.c | text/utf-8-sig | size=7605 | compressed=2303 | modified=2026-05-13 19:03
:20 | crc=C352B6F2 | sha256=38800d6b6fe6fad5da7c9306f2d53e8ebbe1799c42e14fca55a0988c1b874cc
[0191] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/environment.c | text/utf-8-sig | size=1007 | compressed=404 | modified=2026-05-13 19:0
3:20 | crc=AA9BE531 | sha256=9ea955fe28ed032300174cbd30cd6f378a226a35fa27f08ecdal01e8bd169e7d
[0192] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionclimb.c | text/utf-8-sig | size=13537 | compressed=3018 | modified=2026-05-13
19:03:20 | crc=840CE061 | sha256=5dc4b2c684dac63843bac360d7db405e9fab8e7672a183d1d18644a7b7234117
[0193] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionfsmhelper.c | text/utf-8-sig | size=490 | compressed=268 | modified=2026-05-1
3 19:03:20 | crc=55EA21EA | sha256=28df61658b8e21a7ebb689b5b2bc161968dfd4b532015b8cf239f2781919a180
[0194] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionhumanloadout.c | text/utf-8-sig | size=3937 | compressed=479 | modified=2026-
05-13 19:03:20 | crc=A037FA36 | sha256=48f4b040d8c0656257cdaec6d90056660b28a41d5f85d200e79ce32c7692c158
[0195] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionmodelinfo.c | text/utf-8-sig | size=1782 | compressed=654 | modified=2026-05-
13 19:03:20 | crc=0961F105 | sha256=5520bcf197d43f36d075c9a47604702b35ede3a756eb5f72elc66d68a9cdf11
[0196] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionvehicle.c | text/utf-8-sig | size=434 | compressed=223 | modified=2026-05-13
19:03:20 | crc=8BA1FDA0 | sha256=8a530c5116e5163f7187db124dbaa2b4153134a6e88b687b64dec56240c40528
[0197] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionworld.c | text/utf-8-sig | size=18861 | compressed=4731 | modified=2026-05-13
19:03:20 | crc=4121F6EA | sha256=0bd865914a1c8480202b0c1f0ae99687b5b0bdb14970ade78006970fb3809e59
[0198] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc=
| sha256=
[0199] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformation.c | text/utf-8-sig | size=3763 | compressed=1327 | modified=20
26-05-13 19:03:20 | crc=B0352153 | sha256=e0c9c2c2cd4578a5ed828686e2fd7be8adaa36306f91635ec4aca377e4f9ba4
[0200] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationcircle.c | text/utf-8-sig | size=445 | compressed=254 | modifie
d=2026-05-13 19:03:20 | crc=EB82B92A | sha256=38b3e81448518c6476535ac14cece0df6a10f1c92002b6e9f18b3ae60800593b
[0201] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationcircledot.c | text/utf-8-sig | size=900 | compressed=406 | modi
fied=2026-05-13 19:03:20 | crc=1D09BF0A | sha256=cc009ba5b961e81e74286cc9dbb4145b66576f39680e8ald211ee61ae0d8d125
[0202] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationcolumn.c | text/utf-8-sig | size=332 | compressed=203 | modifie
d=2026-05-13 19:03:20 | crc=130EAE30 | sha256=75ec29563614ac0f8347dad90424da95c760b79d269981fae3a58d4e33c36028
[0203] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationfile.c | text/utf-8-sig | size=152 | compressed=121 | modified=
2026-05-13 19:03:20 | crc=4AAFE11C | sha256=d125f231505b01a1c615463c82845a01fafcbb166662097de379d1157ecaa732
[0204] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvcolumn.c | text/utf-8-sig | size=333 | compressed=204 | modi
fied=2026-05-13 19:03:20 | crc=BE91A1AC | sha256=453d7ebdb0a23d036a85f3361ec39c96d82ad11f523fc711b2b07f3552606b66
[0205] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvfile.c | text/utf-8-sig | size=154 | compressed=123 | modifi
ed=2026-05-13 19:03:20 | crc=7D457086 | sha256=b8ab65d36ffdd66b52ba40efedf97122a3efd863b400adfb4de29025a561b42c
[0206] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvvee.c | text/utf-8-sig | size=354 | compressed=203 | modifie
d=2026-05-13 19:03:20 | crc=8E59F047 | sha256=02ac8b716af7f097fb108000a1673c4dec4034b14f87b6653d45elfd697dfbbc
[0207] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationstar.c | text/utf-8-sig | size=656 | compressed=291 | modified=
2026-05-13 19:03:20 | crc=125CC4D4 | sha256=ba54fa847255b2b4dcc20ac983ae247ffc576d4b43bfae773d4a92598fd80c48
[0208] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationstardot.c | text/utf-8-sig | size=1111 | compressed=442 | modif
ied=2026-05-13 19:03:20 | crc=8255BB62 | sha256=99062fcc0a2429be12ff39a17fb6a743d2d795443b670bff0717d5045b0706e
[0209] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationvee.c | text/utf-8-sig | size=353 | compressed=201 | modified=2

026-05-13 19:03:20 | crc=5A535A34 | sha256=7ca27e38d6680b5e32e159ebfc7908d3c523cebfe300226025fbc3a4fab2c30
[0210] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationwall.c | text/utf-8-sig | size=328 | compressed=201 | modified=2026-05-13 19:03:20 | crc=E6B06542 | sha256=80b22e0bba902a469342d1284856e861f553484118bdd87ca520a2798eac9814
[0211] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
6=
[0212] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaifsm.c | text/utf-8-sig | size=243 | compressed=168 | modified=2026-05-13 19:03:20 | crc=735BD56A | sha256=2c74ea20fd890a105ecae473586c25e6766355409bd7952f96b7e65eceb978be
[0213] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaistate.c | text/utf-8-sig | size=141 | compressed=111 | modified=2026-05-13 19:03:20 | crc=96426E0E | sha256=a646974a0404a4aa0b6097e04159fb55e827f6daae1f2f92263f073e45436a38
[0214] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaitransition.c | text/utf-8-sig | size=156 | compressed=114 | modified=2026-05-13 19:03:20 | crc=B81F5301 | sha256=b088b2daff9abb637005bb03cc96751318b26c26b83b389e1a2517083ce187aa
[0215] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0216] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_bandaging.c | text/utf-8-sig | size=2987 | compressed=932 | modified=2026-05-13 19:03:20 | crc=ABE2D543 | sha256=219e3b797878e825fa91b77d89c628ce252167fdc9877d09fb78a088cfc5092b
[0217] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_craft.c | text/utf-8-sig | size=2454 | compressed=887 | modified=2026-05-13 19:03:20 | crc=FE31B561 | sha256=78be0943509f31e449b3a0520ac726dd5e1bbe4e2b2b6a216595e7c3f1d515e5
[0218] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_dormant.c | text/utf-8-sig | size=2190 | compressed=732 | modified=2026-05-13 19:03:20 | crc=E7A54EB1 | sha256=fa0c49ecc313e1a627759da571497aa8103c7868d517ca8903123ad64ec1183a
[0219] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_dropitem.c | text/utf-8-sig | size=1545 | compressed=570 | modified=2026-05-13 19:03:20 | crc=05A53158 | sha256=b6127ddbcb233b50783a88a6f9a89849f36fd3b6bea4e39e09fec5af8f5a285
[0220] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_fighting.c | text/utf-8-sig | size=975 | compressed=356 | modified=2026-05-13 19:03:20 | crc=9C6720CA | sha256=a6edaadfbaa722cfb7a9933384c539d6fd4a89491e6a8634327cc387b824bbf4
[0221] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_flank.c | text/utf-8-sig | size=1563 | compressed=545 | modified=2026-05-13 19:03:20 | crc=268B0B6D | sha256=bce0ecc54ac1947f88ecf213a2d3987c9cd94de17a5b310e74ababeee9fc4018
[0222] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_followformation.c | text/utf-8-sig | size=1990 | compressed=657 | modified=2026-05-13 19:03:20 | crc=E585E249 | sha256=d25d98e3701721625518c301016cb1887e7de5045c0b6ba80136411da7da06f2
[0223] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_idle.c | text/utf-8-sig | size=1035 | compressed=482 | modified=2026-05-13 19:03:20 | crc=483E033E | sha256=b50c077acbd072af41f9a4c47c036a795cdf157b97d5aa6196de6dcf9c6bd9dd
[0224] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_interacting.c | text/utf-8-sig | size=772 | compressed=323 | modified=2026-05-13 19:03:20 | crc=5EC9CA8F | sha256=39e7aaf0c385d74f4cf22371d65d7ef4530695166c2e856102cb0ae33a70f50b
[0225] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_leave.c | text/utf-8-sig | size=2161 | compressed=749 | modified=2026-05-13 19:03:20 | crc=FEF4144C | sha256=00891929ecfb597ac69505bfb1567a3ecce570465d6a9e6995b2046095ee33c6f
[0226] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_playemote.c | text/utf-8-sig | size=1362 | compressed=452 | modified=2026-05-13 19:03:20 | crc=C9AA119B | sha256=410b68383897b9723f11e1ff103c4d1df159ad8b3a3761cf4e7bd53551fe233
[0227] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_repair.c | text/utf-8-sig | size=1542 | compressed=558 | modified=2026-05-13 19:03:20 | crc=E9B98D0A | sha256=313874589022e1a23ca8452a09ca13e218701ad7cfec2f1f12eb42c15e99ce01
[0228] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_skinning.c | text/utf-8-sig | size=2731 | compressed=963 | modified=2026-05-13 19:03:20 | crc=20A22311 | sha256=c0cc0b2ed140fb5f1c2f00f843dd94446a65206a01e1e3edc554875ca729e6aa
[0229] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_struggle.c | text/utf-8-sig | size=559 | compressed=277 | modified=2026-05-13 19:03:20 | crc=79F5B8BC | sha256=e54eda9f3fced0f2cb31314bae91313416a19bc8bd74e7a7730e2380639ab8a
[0230] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitemtohands.c | text/utf-8-sig | size=6733 | compressed=1859 | modified=2026-05-13 19:03:20 | crc=C2F385C3 | sha256=828426a81849f2606574d0ffcc29da361289d686bfd7555b3c02a42dfa91570ae
[0231] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitemtoinventory.c | text/utf-8-sig | size=3283 | compressed=1124 | modified=2026-05-13 19:03:20 | crc=4F47C4D1 | sha256=f16633b2e44a397163aa6b58ef00383e8c067360e0e04ce0e18a39f8d40b5633
[0232] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitem_base.c | text/utf-8-sig | size=3044 | compressed=1021 | modified=2026-05-13 19:03:20 | crc=03D09EAC | sha256=acc5ec326686e374c40d1e3040a2679bc2211c3c3715943bcd6cb341ac02ba73
[0233] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_tidycargo.c | text/utf-8-sig | size=2250 | compressed=812 | modified=2026-05-13 19:03:20 | crc=72885C8C | sha256=a783f630c9e6a70cee452f889a0d73eb5b5a6d760cc7c9d9e2bf81dfab2bed83
[0234] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_traversingwaypoints.c | text/utf-8-sig | size=8184 | compressed=2182 | modified=2026-05-13 19:03:20 | crc=11459288 | sha256=82bfb58627cd3b910ef7949818fa19b9c3b7b79253a32db2cef259d6f74dd82d
[0235] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_unconscious.c | text/utf-8-sig | size=989 | compressed=437 | modified=2026-05-13 19:03:20 | crc=D900712C | sha256=bfb2f507d0fb67ab3ec0a7e6f6288b2250dd39e33fe41cb783c2d8a021af9bb6
[0236] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_vehicles.c | text/utf-8-sig | size=2140 | compressed=838 | modified=2026-05-13 19:03:20 | crc=DF44C771 | sha256=6b3f3d6e24754fa142bd294ec4e7707c9ea180342e7873c231b17a64e3cc57e1
[0237] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_weapon_reloading.c | text/utf-8-sig | size=2913 | compressed=1007 | modified=2026-05-13 19:03:20 | crc=1E83040E | sha256=cec4f91e33e9f04a6c3f959257ff115c72eabf9ad101b7ddb81b8d6e3d533ca
[0238] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_weapon_unjamming.c | text/utf-8-sig | size=3123 | compressed=1162 | modified=2026-05-13 19:03:20 | crc=8BD8D848 | sha256=f1aa15d6ba5979574a3b1a453ca33bac87fc91d6fd5234c9e9a05ac6eab12485
[0239] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0240] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_evade.c | text/utf-8-sig | size=2071 | compressed=

d=769 | modified=2026-05-13 19:03:20 | crc=33E30104 | sha256=ef9ec42c5af0d69a8911cfbdfa6bb1lacde45f46a60db608bddf0b63f8519dd3
[0241] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_fireweapon.c | text/utf-8-sig | size=4491 | compressed=1533 | modified=2026-05-13 19:03:20 | crc=8CB8116A | sha256=898b68c6f1a13b174034ac956de9dfb7884b4e46c9608658659a61d4557d3030
[0242] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_melee.c | text/utf-8-sig | size=3702 | compressed=1195 | modified=2026-05-13 19:03:20 | crc=8012591C | sha256=6b9ea7292ee9f8142c2b19c4b78d39ba8aaa989f6fad222a938f3d41d73e2fd
[0243] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_positioning.c | text/utf-8-sig | size=5580 | compressed=1737 | modified=2026-05-13 19:03:20 | crc=6DC5AE7A | sha256=c8ec228c252aaf0e415ed77565a415046c7c1d877456032f832e1ca3fa9ea52b
[0244] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0245] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_fail.c | text/utf-8-sig | size=419 | compressed=269 | modified=2026-05-13 19:03:20 | crc=BB340EF5 | sha256=ba557358466dlead4d3d45ea443765cfa00bad45a01973fe9b6c59f2023f4179
[0246] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_reloading.c | text/utf-8-sig | size=4203 | compressed=1547 | modified=2026-05-13 19:03:20 | crc=048F3545 | sha256=67c67dc0612f1b869b4c4503278c0e9045dbbelc4ale934fdb3932daaa94b3ce
[0247] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_removing.c | text/utf-8-sig | size=461 | compressed=281 | modified=2026-05-13 19:03:20 | crc=AA2682BD | sha256=3997c132bb042ac088354c5fb01dc2ed77b0fa6ad9fa62367cfc45d5fffbea9e
[0248] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_start.c | text/utf-8-sig | size=315 | compressed=220 | modified=2026-05-13 19:03:20 | crc=0D8AA557 | sha256=c23e3764d964eabe78f2963057e9ce08290ef8a0b6be721614d849849d204655
[0249] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0250] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_closevehicledoor.c | text/utf-8-sig | size=660 | compressed=324 | modified=2026-05-13 19:03:20 | crc=0DCBAC06 | sha256=4033312c4cab4c69c4aa9436369eda95a967775b79a7fc14c2796a65b784c474
[0251] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_findvehicle.c | text/utf-8-sig | size=921 | compressed=421 | modified=2026-05-13 19:03:20 | crc=ED0C55F1 | sha256=b876aa4193184a5a6db3fcc76f2e8a71dc5f701d033cf4fd3c3e46ac72b2fled
[0252] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_getinvehicle.c | text/utf-8-sig | size=905 | compressed=455 | modified=2026-05-13 19:03:20 | crc=38CC5460 | sha256=0a2581f627063a9bd3ea6fce7652da708f4cc5c0ae7f7bc19e94739843650b6f
[0253] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_getoutvehicle.c | text/utf-8-sig | size=900 | compressed=428 | modified=2026-05-13 19:03:20 | crc=E7C87E0E | sha256=3877c0df17024ee30ed1c8d74abfc810e9a5bc6b45a31e88c72ad866f4cf14c8
[0254] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_gotovehicle.c | text/utf-8-sig | size=1186 | compressed=467 | modified=2026-05-13 19:03:20 | crc=0BF557D7 | sha256=6455059b508a5cad003d403bed36elc2f0dff3ed0af6e980c987c675eedbb27
[0255] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_openvehicledoor.c | text/utf-8-sig | size=673 | compressed=331 | modified=2026-05-13 19:03:20 | crc=ECE92976 | sha256=90b735ceb8c95c2b48f72fb3b949c58f9ed12f892425cd6c533951da0259b532
[0256] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0257] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/dayzplayermeleeefightlogic_lightheavy.c | text/utf-8-sig | size=1281 | compressed=443 | modified=2026-05-13 19:03:20 | crc=7FF1955E | sha256=4d6dbb974173628bacd46ad89e2dd0bbccb148ffdd51c62ebbf0455a9d9b73b09
[0258] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/eaimeleecombat.c | text/utf-8-sig | size=9483 | compressed=3168 | modified=2026-05-13 19:03:20 | crc=3A031B51 | sha256=8adde38f4ee256a4f51025c441eda11b94ee7d74837af32f748fea3c6aca5570
[0259] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/eaimeleeefightlogic_lightheavy.c | text/utf-8-sig | size=11928 | compressed=3467 | modified=2026-05-13 19:03:20 | crc=F66047B8 | sha256=7140024743915e7bda162a3037ab6e0e780ebc852bdlc54809703deae78d9c4b
[0260] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/missionbaseworld.c | text/utf-8-sig | size=62 | compressed=64 | modified=2026-05-13 19:03:20 | crc=96378EA5 | sha256=6f504dd99c5ed4919f5a00050242d04e7aaccc860a9e83baf9d2fed4828dbd0
[0261] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0262] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmesh.c | text/utf-8-sig | size=8158 | compressed=2277 | modified=2026-05-13 19:03:20 | crc=456254F8 | sha256=abc2e8323e3b375e0e09c35b7e2e2907a9b4cbcce9d8947de8492a1362ea0901
[0263] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmeshes.c | text/utf-8-sig | size=205 | compressed=127 | modified=2026-05-13 19:03:20 | crc=74121588 | sha256=92a09068645f0eaed618e24d6cdf0d6e33cbfc7027d5f61d21bb20d51ac056b6
[0264] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmeshpolygon.c | text/utf-8-sig | size=9290 | compressed=2799 | modified=2026-05-13 19:03:20 | crc=3F7575DD | sha256=c69b75841a8e3d87ffc211472cf4fcc7b6d075137644e15ec38cf79bc755d15
[0265] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/license.txt | text/utf-8-sig | size=877 | compressed=478 | modified=2026-05-13 19:03:20 | crc=45725143 | sha256=ffad87821cce7cfcd3be00b63ffadd01b04e83a4c6a0bcc68f06362ffd42d705e
[0266] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0267] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/astar.c | text/utf-8-sig | size=1647 | compressed=654 | modified=2026-05-13 19:03:20 | crc=6F2E6AA7 | sha256=1a5b061f74e2fd45a1f93b1cf9887192981e89f52a23c3aef0c5f5c65c4de15f
[0268] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathfilters.c | text/utf-8-sig | size=8550 | compressed=1399 | modified=2026-05-13 19:03:20 | crc=A9D8AD05 | sha256=28fe9f3b73b0a0eb20294873ef46edc6761c0bc4fdff0cdfbel6453f4bceldc5
[0269] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathhandler.c | text/utf-8-sig | size=34162 | compressed=8158 | modified=2026-05-13 19:03:20 | crc=D497A864 | sha256=123477b652c49bffc0e3925b2cfe593314273aab8d3de94dcdb09ed7608d39a9
[0270] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathpoint.c | text/utf-8-sig | size=13123 | compressed=3913 | modified=2026-05-13 19:03:20 | crc=BE5D59EA | sha256=95ea5e4e938d1805ff97cde728407b46cc7b26841ce80f4752202e29d53dbd5ba
[0271] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpolyflags.c | text/utf-8-sig | size=628 | compressed=295 | modified=2026-05-13 19:03:20 | crc= | sha256=

ed=2026-05-13 19:03:20 | crc=3EFB3CB8 | sha256=7a990ce79a0a506346cbcb29f5b8254e0708d58f1a853c62ecb9329818e40aac
[0272] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpriorityqueue.c | text/utf-8-sig | size=688 | compressed=306 | modified=2026-05-13 19:03:20 | crc=5F74A3CB | sha256=c5e3ealaccaadada5501481a0b80a4b4a79760f280d0dc6b8106c5d2c62d795
[0273] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/pathnode.c | text/utf-8-sig | size=863 | compressed=288 | modified=2026-05-13 19:03:20 | crc=53F061E4 | sha256=557768dbdfcd3313f1114ab51fd343c0cbe45b24b5d06b1fb6779e36bec255c
[0274] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0275] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrol.c | text/utf-8-sig | size=26773 | compressed=6526 | modified=2026-05-13 19:03:20 | crc=645C15D0 | sha256=e6e58a707d68c7a26685714851cb147456c9446feaed8f2937b6195c447a0904
[0276] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrolspawner.c | text/utf-8-sig | size=3317 | compressed=1194 | modified=2026-05-13 19:03:20 | crc=436B533E | sha256=e8e21f9fe39974fdb84dc05fecc801f623da06bf24218551f39104cc88a315a
[0277] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrolspheretrigger.c | text/utf-8-sig | size=4656 | compressed=1557 | modified=2026-05-13 19:03:20 | crc=7D668D28 | sha256=de901b750114b58c82dc0871ba94507d2907106f8a4ee5003523a5a76b2e0293
[0278] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaipatrol.c | text/utf-8-sig | size=3436 | compressed=1123 | modified=2026-05-13 19:03:20 | crc=BFC6F975 | sha256=a517e49e5998931e9442ed0b3f127759cc469b153dd5c352ac66dad11fb9795f
[0279] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/patrolmanager.c | text/utf-8-sig | size=1462 | compressed=522 | modified=2026-05-13 19:03:20 | crc=A638996A | sha256=4ca40110668c013f6783d5cb63266525b42a6f357963b5939c4781641cdc65a2
[0280] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playermodifiers/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0281] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playermodifiers/modifierbase.c | text/utf-8-sig | size=1077 | compressed=503 | modified=2026-05-13 19:03:20 | crc=37338272 | sha256=9fd1b2ef66cb6777da903cc658e83ef4a4c5a405c79e1708d8e4347982af0e
[0282] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0283] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0284] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0285] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/coughstate.c | text/utf-8-sig | size=317 | compressed=227 | modified=2026-05-13 19:03:20 | crc=323A1F86 | sha256=e8f25dd727187894d2ff77b4fa02935f152ab82345df528bdf09e5ff0ee82982
[0286] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/vomitstate.c | text/utf-8-sig | size=424 | compressed=302 | modified=2026-05-13 19:03:20 | crc=FB5BB9C6 | sha256=186525139f650e2a913a65f72a73996a3ee45f32217d656e855116c41facc340
[0287] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0288] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/bloodloss.c | text/utf-8-sig | size=217 | compressed=161 | modified=2026-05-13 19:03:20 | crc=C84245BF | sha256=e028f269b6ed2d233da42f8884f5ed9fe7fc3f6a9b55123f03593895ec1f8209
[0289] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/deafnesscompletesymptom.c | text/utf-8-sig | size=352 | compressed=176 | modified=2026-05-13 19:03:20 | crc=647E13A7 | sha256=5a5ede38852be23641dfa5792a0c2e79013b8f6217ecf6e0e5bc1ba5fd405d20
[0290] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/feverblursymptom.c | text/utf-8-sig | size=361 | compressed=190 | modified=2026-05-13 19:03:20 | crc=490B539B | sha256=62bf3541fc87116ac281546700a7cb38a2c8c5b94962072b85ceab722eaeff8b
[0291] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/hmp3symptom.c | text/utf-8-sig | size=489 | compressed=202 | modified=2026-05-13 19:03:20 | crc=A8F5D00D | sha256=0aef59d25d4faa976111696186b7a9fec2cfc40821c838bc24a95866b8d9d20a
[0292] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0293] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/plugindiagmenu.c | text/utf-8-sig | size=1234 | compressed=370 | modified=2026-05-13 19:03:20 | crc=F4731860 | sha256=ef82d320f033a9c046780eb5d9adcef5c9d031e45cadd21a92f3f0c735c4334
[0294] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/plugindiagmenuclient.c | text/utf-8-sig | size=1064 | compressed=420 | modified=2026-05-13 19:03:20 | crc=000C0402 | sha256=16b82f5549d4705b2e6851e49a431c3d0f6ba6b8ea8a1898625a192098767415
[0295] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/propertymodifiers.c | text/utf-8-sig | size=863 | compressed=416 | modified=2026-05-13 19:03:20 | crc=906666A5 | sha256=5da19f287a01a707e7631387b0eb5cdalc98ef2e77c248c447de673609272824
[0296] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0297] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnetwork.c | text/utf-8-sig | size=19832 | compressed=4336 | modified=2026-05-13 19:03:20 | crc=5719181E | sha256=154282ee778801a9bf2069e534dabf48dd64f92a4981820d8e529f3e5e547c8c
[0298] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnode.c | text/utf-8-sig | size=8941 | compressed=2263 | modified=2026-05-13 19:03:20 | crc=05DA4759 | sha256=2e6df22ba442e5c52de5fcfb7ce8c9d88f5105972c82da145757d7c1354a0410
[0299] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodebase.c | text/utf-8-sig | size=113 | compressed=84 | modified=2026-05-13 19:03:20 | crc=AFC5777A | sha256=b00ca89e96ac643ec6bcfd051fcb9fc968f0ccca291e469d49ff6af2623715bb
[0300] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodejoinmap.c | text/utf-8-sig | size=251 | compressed=161 | modified=2026-05-13 19:03:20 | crc=5FA4778C | sha256=d6bb1bf617c660edc1319992866cd0de3767562382c239b03323beecf36756b72
[0301] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodesection.c | text/utf-8-sig | size=443 | compressed=205 | modified=2026-05-13 19:03:20 | crc=F961E1F1 | sha256=def4d863ea8eb60a992480042c22d5a3783a0b3f94c17fb20128e15e6bda0081
[0302] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadsection.c | text/utf-8-sig | size=3614 | compressed=936 | modified=2026-05-13 19:03:20 | crc= | sha256=

5-13 19:03:20 | crc=D9B504B7 | sha256=808739f97ee8d23b25ef53277b26c2a15a32f7b3bab8958b0adfff4e3436694b
[0303] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/staminahandler.c | text/utf-8-sig | size=5243 | compressed=1272 | modified=2026-05-13 19:03:20 | crc=5F1CFAFF | sha256=9acf98558b46e6b39186e1d5a1111656180c29b18cdd164d82b535efffa2d
[0304] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/static/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0305] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/static/miscgameplayfunctions.c | text/utf-8-sig | size=1266 | compressed=586 | modified=2026-05-13 19:03:20 | crc=A5BED6FF | sha256=ce9933f42c6302bdc8704afdc8dd75369189bc814d369200d33f6b1931d5f0c1
[0306] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0307] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicreaturetargetinformation.c | text/utf-8-sig | size=4535 | compressed=1525 | modified=2026-05-13 19:03:20 | crc=001D420B | sha256=4291eebc9396d433f47328474c4f4cece8e389eef8637c4cf04ffec3fae37dff0
[0308] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicustomcreaturetargetinformation.c | text/utf-8-sig | size=3661 | compressed=1355 | modified=2026-05-13 19:03:20 | crc=26A1CF64 | sha256=1fcbblde7f4cb77e791c43ebd20e3e66283e82728067a699bbd70bfd5c2a2f14
[0309] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicustominfectedtargetinformation.c | text/utf-8-sig | size=340 | compressed=193 | modified=2026-05-13 19:03:20 | crc=267FEDE3 | sha256=16686a4a0d0409b2693921f88d9a5a74c5eb376c2012abffb81732855b9ffff11
[0310] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaidoortargetinformation.c | text/utf-8-sig | size=2085 | compressed=792 | modified=2026-05-13 19:03:20 | crc=87A2A5C9 | sha256=3454cc44ff320412a065a54e27377400dec016558fb973fa6e136faee44aaf51
[0311] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaientitytargetinformation.c | text/utf-8-sig | size=4331 | compressed=1346 | modified=2026-05-13 19:03:20 | crc=AB73E9B5 | sha256=972efdab1dcb6d498ef1aa0b9108516e1af57e51bc2f19807816d386c483ee4
[0312] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaigrouptargetinformation.c | text/utf-8-sig | size=499 | compressed=231 | modified=2026-05-13 19:03:20 | crc=F4070502 | sha256=a574807e879a4e6d04cd26c040f8a5e536bfd838b88371fd30f6b18c169ca31b
[0313] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitemhazardtargetinformation.c | text/utf-8-sig | size=2489 | compressed=1007 | modified=2026-05-13 19:03:20 | crc=5F4F8BEB | sha256=f2a6f330610f9746ae94f7bf0bc5897d6c684abdb0fb47713e2e91beb81a9ce4
[0314] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitemtargetinformation.c | text/utf-8-sig | size=9255 | compressed=2774 | modified=2026-05-13 19:03:20 | crc=266B703E | sha256=aedf1c76aacce9b92334bd53a46b18057466d508975b9cc88274f161f49ef3bb
[0315] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eainoisetargetinformation.c | text/utf-8-sig | size=2496 | compressed=776 | modified=2026-05-13 19:03:20 | crc=C81620EF | sha256=28152a172f2dde81e4abc8a0a09f5bf4aeb1b5a67ac5b69cada49b4f15ad841a9
[0316] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaiplyertargetinformation.c | text/utf-8-sig | size=13636 | compressed=4193 | modified=2026-05-13 19:03:20 | crc=DD7F25C4 | sha256=9d17fe2d75644d7912f99031f62fe6b81e7f9e7cec5eb1406b7dc2c0334ccdaf
[0317] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitemtargetinformation.c | text/utf-8-sig | size=15753 | compressed=3770 | modified=2026-05-13 19:03:20 | crc=66C99360 | sha256=ce2c5700115093cd71274e082af358c9161b01686c1bff65594821a6c3c60a23
[0318] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitemtargetinformationstate.c | text/utf-8-sig | size=6192 | compressed=1932 | modified=2026-05-13 19:03:20 | crc=D94AB0D1 | sha256=18d749bfc6ea163573d1b80ac70ad3a30185220albdf929c5185aec58dcf31ac
[0319] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaivehicletargetinformation.c | text/utf-8-sig | size=7112 | compressed=2350 | modified=2026-05-13 19:03:20 | crc=3EB1AEB7 | sha256=199ad1dbdacf80b120ad6c6fb1ac0d6cd9214d587ee98ac7ce99bdf178bd1020
[0320] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaizombietargetinformation.c | text/utf-8-sig | size=5193 | compressed=1708 | modified=2026-05-13 19:03:20 | crc=D0135A62 | sha256=af1e7e7be18333b03ed921c02489c8f8597d8bd8e0de1dc08c538cae45da03
[0321] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0322] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/eaiaimingprofile.c | text/utf-8-sig | size=3948 | compressed=1367 | modified=2026-05-13 19:03:20 | crc=B7776D5F | sha256=df1c6c23aa3ad4694c85c45b600b097d60c77d86de7f36145a4e650c2e5be2dd
[0323] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/eaiveaponmanager.c | text/utf-8-sig | size=9731 | compressed=2362 | modified=2026-05-13 19:03:20 | crc=30CC118C | sha256=eaebf16c51af72bcldaf823c90ba720395dccb9fc73c833f56edb0a2b7251422
[0324] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0325] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0326] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eaibase.c | text/utf-8-sig | size=363889 | compressed=83784 | modified=2026-05-13 19:03:20 | crc=7C462DC6 | sha256=af4794589765486eba8089bd073d826a080aa236364b0845d7b625b54dccc1def
[0327] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eainpcbase.c | text/utf-8-sig | size=361 | compressed=232 | modified=2026-05-13 19:03:20 | crc=6AF939D5 | sha256=c89e151e43157d5afe0ff8a0dd9c9b18d94caa803cbc7293d08e1e3c752f1764
[0328] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eaisurvivor.c | text/utf-8-sig | size=2947 | compressed=649 | modified=2026-05-13 19:03:20 | crc=6E603B8C | sha256=6a9f678bc00008e6475d09db401293123d195f5bc63bbe18abe9e10490d4f72d
[0329] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/animalbase.c | text/utf-8-sig | size=4330 | compressed=1321 | modified=2026-05-13 19:03:20 | crc=F047C440 | sha256=c38d165ceeb046c19b180bf7c0dd7d1f885124f02ed99c6281602c47bb868a43
[0330] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0331] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/buildingbase.c | text/utf-8-sig | size=12230 | compressed=3421 | modified=2026-05-13 19:03:20 | crc=1B799628 | sha256=3de4e56f5710b4b7d4896bb8d03a6d0e72c1547a113fc336304f9971269cf20e
[0332] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/crashbase.c | text/utf-8-sig | size=221 | compressed=124 | modified=2026-05-13 19:03:20 | crc=13E431CA | sha256=8d56311a31750416bb864734dc31660bfb3dfc25bb3387cccf779ab12fe8a3e4
[0333] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/underground/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0334] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/underground/land_underground_entrancebase.c | text/utf-8-sig | size=124 | compressed=104 | modified=2026-05-13 19:03:20 | crc=6589136B | sha256=7a1cac7a282c62a02e5cb300a227110fbf725af228fcc28d33d7ae9f07f14cf9

[0335] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0336] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_mi8.c | text/utf-8-sig | size=478 | compressed=223 | modified=2026-05-13 19:03:20 | crc=ED0070EB | sha256=e34da9867316b1bbd8473733b7b568201d0d28cb7a0d7852c268e185321788ff

[0337] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_santassleigh.c | text/utf-8-sig | size=480 | compressed=226 | modified=2026-05-13 19:03:20 | crc=A2DCAAB0 | sha256=28b2b192a48fd92e2b326bde1392babe11f93fb43db8cb6074cafab5f49b4901

[0338] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_uhly.c | text/utf-8-sig | size=464 | compressed=221 | modified=2026-05-13 19:03:20 | crc=26A6955A | sha256=ee94a825b82d6767ac9eb9f343cd9e78b140e27d1030e7d12104ae823d085ae0

[0339] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/carscript.c | text/utf-8-sig | size=3341 | compressed=1097 | modified=2026-05-13 19:03:20 | crc=8B5C6180 | sha256=55c75e8c445c9806c40df63e72ebce310e32820395aa08f9da585037f081e781

[0340] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/carscript/zombietargeting.c | text/utf-8-sig | size=732 | compressed=388 | modified=2026-05-13 19:03:20 | crc=ETA0A1DF | sha256=bcbaee762ef6401eb1ea055c5e4b3d5efaf09fc80a5b733b0a2a03197044e94d

[0341] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/dayzplayerimplement.c | text/utf-8-sig | size=19168 | compressed=4972 | modified=2026-05-13 19:03:20 | crc=7F472163 | sha256=0c64d5549c281a2705e9b213f483e6b53ffed641694df0df00bef661ada645d0

[0342] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/aidummy.c | text/utf-8-sig | size=145 | compressed=122 | modified=2026-05-13 19:03:20 | crc=D3EC76C8 | sha256=30fd362c99efb920b494a51da2329b5260e97a5f0c56e4a1db5e36792d1d51f3

[0343] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/eaiimplementswimming.c | text/utf-8-sig | size=261 | compressed=185 | modified=2026-05-13 19:03:20 | crc=9FADE2CF | sha256=95f40f5d9bbd30c4f82892e76bdd68bd20ea016a02f67cb1f5f927dcc5a334fe

[0344] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/edible_base.c | text/utf-8-sig | size=313 | compressed=195 | modified=2026-05-13 19:03:20 | crc=CB42AE66 | sha256=615a087c6ecfde4a443ad987ca93336e6a8e3309166cbce0bb1615826ce3a79

[0345] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/expansionbarbedwire.c | text/utf-8-sig | size=327 | compressed=206 | modified=2026-05-13 19:03:20 | crc=5669FE6C | sha256=8040b129eaa64a9aa56cf853abbf1bf6c8537db381f92912cf80847462464927

[0346] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/explosivesbase.c | text/utf-8-sig | size=626 | compressed=311 | modified=2026-05-13 19:03:20 | crc=D014D5EC | sha256=0a8a3e264877f259ccaef89862b9ed6d976d3bb79e40e7ba9be825491b181084

[0347] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0348] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/chemlight.c | text/utf-8-sig | size=199 | compressed=157 | modified=2026-05-13 19:03:20 | crc=E11E3938 | sha256=b0fe441aec15b75a7e92268e405db35b5ab2ff2f778fa5249d7013359a3f5438

[0349] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0350] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/expansion_pressvest_blue_yeet.c | text/utf-8-sig | size=816 | compressed=316 | modified=2026-05-13 19:03:20 | crc=77DB6EA2 | sha256=93ea8cac848991b824b4440ee0d185d67cdc280d3740f8ce060d96d5f006b452

[0351] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/headtorch_colorbase.c | text/utf-8-sig | size=199 | compressed=159 | modified=2026-05-13 19:03:20 | crc=14929C7F | sha256=cd36b5ac8cbc7c061936967707620b34e0b94aca9241c76aad1687484af925fb

[0352] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/maskbase.c | text/utf-8-sig | size=261 | compressed=166 | modified=2026-05-13 19:03:20 | crc=1996796A | sha256=b96783f35ed0d4a686f4d1a023227691443ce0cb4dc86045a3651e8bf08a07d4

[0353] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing_base.c | text/utf-8-sig | size=755 | compressed=335 | modified=2026-05-13 19:03:20 | crc=27FD60E6 | sha256=41291c32876339b44410a667f8c827088e12e65dccc0d757da164d79f518e847

[0354] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/flammablebase.c | text/utf-8-sig | size=436 | compressed=223 | modified=2026-05-13 19:03:20 | crc=CD19FADF | sha256=546447ce99b23a4572eeb9474367157e292dffe6d891e08e9ee4f1fe501d60e1

[0355] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/flashlight.c | text/utf-8-sig | size=190 | compressed=151 | modified=2026-05-13 19:03:20 | crc=EC93B57D | sha256=f0bd943b4ea438b0853a24ba3179b446336eff5b32225b074c21240a91f8f322

[0356] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/gear/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0357] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/gear/tools/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0358] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/gear/tools/alarmclock.c | text/utf-8-sig | size=476 | compressed=209 | modified=2026-05-13 19:03:20 | crc=BA3BBFB9 | sha256=da4d613fclbc7f944848b18a5baf1833d70d600058ef0e6e78a800bf87cb8fa6

[0359] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/magazine/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0360] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/magazine/ammunitionpiles.c | text/utf-8-sig | size=844 | compressed=368 | modified=2026-05-13 19:03:20 | crc=9364F379 | sha256=47fbad566793293642e26f58683743ae6c63f094bc114935d1e05d3f1facacb4

[0361] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/meleefox.c | text/utf-8-sig | size=104 | compressed=99 | modified=2026-05-13 19:03:20 | crc=F3B3FA15 | sha256=b1681abc7620c3010bda23d02e015dbcff1b52ebbb4909543f087229e6861e7d

[0362] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/nvgoggles.c | text/utf-8-sig | size=600 | compressed=274 | modified=2026-05-13 19:03:20 | crc=2BFDAC49 | sha256=be3504ab7073d9f8c84f4df90003bad143e568bcc5043f8b9e3c5696a6020bb0

[0363] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/roadflare.c | text/utf-8-sig | size=187 | compressed=150 | modified=2026-05-13 19:03:20 | crc=2CA8F53D | sha256=0e730b91d649346e99d3022babc3f413ae577650695c32294af431e048bef61

[0364] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0365] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/tlrlight.c | text/utf-8-sig | size=188 | compressed=153 | modified=2026-05-13 19:03:20 | crc=7450B3ED | sha256=451523c51484b8d318ef9d825dced6d8f4d3508472867c7ab415f81d0bcc592d

[0366] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/universallight.c | text/utf-8-sig | size=503 | compressed=308 | modified=2026-05-13 19:03:20 | crc=217A2678 | sha256=bf956ab7233ae7aac7bd25ffcf79f658f13007990a652ec3fble2f6bfff6dd0

[0367] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase.c | text/utf-8-sig | size=11755 | compressed=2958 | modified=2026-05-13 19:03:20 | crc=5DEFBEB0 | sha256=209117599b982f7897283e6dlce891466fb5032a46d0a334deec0de01lab58d

[0368] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/playerbase.c | text/utf-8-sig | size=14568 | compressed=4124 | modified=2026-05-13 19:03:20 | crc=7EE895E7 | sha256=a094053f5ce3d11c9152f39fa6854b228dc8e712bc10ad12006b3d4b37a8e205

[0369] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/playerbase_zombietargeting.c | text/utf-8-sig | size=745 | compressed=287 | modified=2026-05-13 19:03:20 | crc=48B2AC2C | sha256=6692a527ac50aa06e3392776be697edcba803a345bd4e6a2fblb67lad3d276dd

[0370] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/scriptedlightbase.c | text/utf-8-sig | size=4179 | compressed=1438 | modified=2026-05-13 19:03:20 | crc=3706D1D7 | sha256=e18e2b23863f4df6ad8393340fe024b201650e0580cd3b7a94c404c3f239c34

[0371] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0372] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase/trap_tripwire.c | text/utf-8-sig | size=545 | compressed=212 | modified=2026-05-13 19:03:20 | crc=DAEB2FC2 | sha256=478d5d75a52fc2b51afe7d88864f16cc1183f4b6d2044c9be3d6503da85d3237

[0373] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase.c | text/utf-8-sig | size=1144 | compressed=574 | modified=2026-05-13 19:03:20 | crc=7BECC1AF | sha256=683fbel1360cefc8c811d82bda209fd904e50ae575178af43ef8d1e5c06ab63ae

[0374] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/vehicles/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0375] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/vehicles/carscript.c | text/utf-8-sig | size=648 | compressed=353 | modified=2026-05-13 19:03:20 | crc=265F9AC8 | sha256=7b8ae50892109a03951829ad22e85987858c31c3963a0e19cfbd33632b662829

[0376] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0377] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0378] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/akm_eai_debug.c | text/utf-8-sig | size=1537 | compressed=655 | modified=2026-05-13 19:03:20 | crc=FD1B381C | sha256=30c1588427eca094f4db1bdbcaa9d13e0f59ae8a9340a6bc44656793628431ec

[0379] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0380] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0381] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponattachmagazine.c | text/utf-8-sig | size=5549 | compressed=1574 | modified=2026-05-13 19:03:20 | crc=AFEEDCB3 | sha256=5bec76b69fe060c1f585e958b5390e99095527531dff73baa02316d2fa137440

[0382] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponfireandchambernext.c | text/utf-8-sig | size=675 | compressed=326 | modified=2026-05-13 19:03:20 | crc=9B2F5EA8 | sha256=8500bf67f8bab87a94ef100155d5e89231b775c9887af675b7ceae7c7c45cd5d

[0383] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponreplacingmagandchambernext.c | text/utf-8-sig | size=9647 | compressed=2469 | modified=2026-05-13 19:03:20 | crc=3AB4D077 | sha256=986fc0bc33552105950d5e5078fed58ae8d28c8b3a5a24531475a82f899e515d

[0384] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/fsm/states/weaponstartaction.c | text/utf-8-sig | size=1429 | compressed=441 | modified=2026-05-13 19:03:20 | crc=72C43620 | sha256=e1d2854cbaf877b8b29b14ccb571dea14037ed0da5d69a2b1f32469ec48e04

[0385] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponstatebase.c | text/utf-8-sig | size=1077 | compressed=482 | modified=2026-05-13 19:03:20 | crc=F9FC754D | sha256=fddc0ea988d4e1cb898fd8af68e8c911987692330b56903da777806cf52d24c6

[0386] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponunjamming_start.c | text/utf-8-sig | size=641 | compressed=366 | modified=2026-05-13 19:03:20 | crc=2510932A | sha256=5e4149d7e897befac1555ff8ceb6314b1d4418962b4776c1ec550f0b1424ea89

[0387] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/weapon_base.c | text/utf-8-sig | size=24869 | compressed=7347 | modified=2026-05-13 19:03:20 | crc=6C3FEF9C | sha256=325cf79a6c1e039db86a748d881ddfe0fda44bb8f8056e7cb41f60dbb6cc6f66

[0388] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zmbm_gamedev_base.c | text/utf-8-sig | size=1066 | compressed=453 | modified=2026-05-13 19:03:20 | crc=5E7EF368 | sha256=9ce106ed91ccd96f8bb63f5317641e8d7acdd627ccf5c07bdc77a04294f4e07

[0389] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiebase.c | text/utf-8-sig | size=3409 | compressed=1053 | modified=2026-05-13 19:03:20 | crc=9C76AD1A | sha256=47a2a97f287715b60bff4013e42c128021ea0ba1958152cc6bfde14fee2c5687

[0390] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiebase_fightlogic.c | text/utf-8-sig | size=3419 | compressed=858 | modified=2026-05-13 19:03:20 | crc=72AEBF37 | sha256=58222666bfaf760ab5457b3b228e857cea45fcb58aaea7237d46efe980b784

[0391] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiefightlogic.c | text/utf-8-sig | size=20516 | compressed=5415 | modified=2026-05-13 19:03:20 | crc=68544693 | sha256=1249a7e3647a3abdd60ffe43fec8b82albcb933bb20ea685578e44ce6f45a8d

[0392] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0393] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/eiafactioninfected.c | text/utf-8-sig | size=505 | compressed=251 | modified=2026-05-13 19:03:20 | crc=338BB0CC | sha256=ffb5ce81deec1c1bab3b71619a432f8965bf31dc24a00296d06f628ea5ac33db5

[0394] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/eiafactionlunatics.c | text/utf-8-sig | size=192 | compressed=126 | modified=2026-05-13 19:03:20 | crc=DF6005C2 | sha256=15629ec2c081109da2314ac27d6cf5d687b0cfc682d7d07f69f9189cd6b4c0f9

[0395] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/plugins/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=

[0396] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/plugins/pluginadminlog.c | text/utf-8-sig | size=1908 | compressed=747 | modified=2026-05-13 19:03:20 | crc=F6AC4260 | sha256=562e0f4553ee076500c9117164ac8360d26e8f727f54c1eae4078e5aae6a4118

[0397] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/static/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0398] ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/static/miscgameplayfunctions.c | text/utf-8-sig | size=286 | compressed=157 | modified=2026-05-13 19:03:20 | crc=F56C87C8 | sha256=b39b7c2f4b2ee7b43e3bde4bc396e8dc1908c1af89520c4949e0f8eac1c
[0399] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0400] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0401] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0402] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/jmplayerform.c | text/utf-8-sig | size=2868 | compressed=1036 | modified=2026-05-13 19:03:20 | crc=AB6D06A8 | sha256=94f0a235c2e21cc08d8cbb09c0a3999a4b3fbd677876dc266595c2edd5a7ed00
[0403] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/jmplayermodule.c | text/utf-8-sig | size=6083 | compressed=1828 | modified=2026-05-13 19:03:20 | crc=1AC4A464 | sha256=fafd46e6f86c880a0b40e2f481f799deac0c077665dbf7145a26d0895b771442
[0404] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/dayzexpansion.c | text/utf-8-sig | size=1811 | compressed=846 | modified=2026-05-13 19:03:20 | crc=6162F5ED | sha256=beaba90818fba4d5b1e5b3941c7adee32412dce810fa65dcdc4e46e88f667864
[0405] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/eaicommandmanagerimpl.c | text/utf-8-sig | size=43869 | compressed=8356 | modified=2026-05-13 19:03:20 | crc=254F430E | sha256=25dccb16221f12e20b7c6ae6db830321515ca28175bcc4ec8416d38ec512896f
[0406] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/expansioncooldownindicator.c | text/utf-8-sig | size=1267 | compressed=591 | modified=2026-05-13 19:03:20 | crc=BF4E43A7 | sha256=3c8e5b07d432aed70ada7f65adc4c76bc7c16bf571956c16d11c53cc9ac8a2e1
[0407] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0408] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/debugmonitor.c | text/utf-8-sig | size=4627 | compressed=1225 | modified=2026-05-13 19:03:20 | crc=A6FAC681 | sha256=ac90212f2c5385f54ffe200ccb76180a7970c67d0f6c13ac8ff2c0c337e613e1
[0409] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/eaicommandmenu.c | text/utf-8-sig | size=32737 | compressed=5748 | modified=2026-05-13 19:03:20 | crc=0AE3FA14 | sha256=5dfdc2bf7b257c47a8c424508885376c1d16ddfef66802fa708e8eda5f08ad2f
[0410] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/ingamehud.c | text/utf-8-sig | size=1181 | compressed=508 | modified=2026-05-13 19:03:20 | crc=55E1A144 | sha256=be634b5a8617c114d529800b19d221735739868132bb7770d74e876790d5765e
[0411] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0412] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/missioningameplay.c | text/utf-8-sig | size=4485 | compressed=1545 | modified=2026-05-13 19:03:20 | crc=ABB217D8 | sha256=1a3f6127aa9f02fa923f63622caf40fd01b6cebl27e07cf9148b8bad84420054
[0413] ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/missionserver.c | text/utf-8-sig | size=4447 | compressed=1651 | modified=2026-05-13 19:03:20 | crc=72F3CAA | sha256=b7cf0d159659d0b9727226dd927b6181e998a43a46e4b9e7felf8bbeb6d69928
[0414] ai c files expantion/DayZExpansion/AI/Scripts/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:20 | crc=00000000 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
[0415] ai c files expantion/DayZExpansion/AI/Scripts/common/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0416] ai c files expantion/DayZExpansion/AI/Scripts/common/dayzexpansion_ai/deferreddefines.c | text/utf-8-sig | size=182 | compressed=143 | modified=2026-05-13 19:03:20 | crc=510A4782 | sha256=0cad9bad734a18f252746f8e93763e47596e5c38140da8a0dde9bcl1e419ad05e
[0417] ai c files expantion/DayZExpansion/AI/Scripts/config.cpp | text/utf-8-sig | size=4620 | compressed=915 | modified=2026-05-13 19:03:20 | crc=524A8F6E | sha256=8b7ead2e0cb35e70c19e7fe6093fa39cd2b52ad0d7a70a7583051fe4d03d7189
[0418] ai c files expantion/DayZExpansion/AI/Scripts/data/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0419] ai c files expantion/DayZExpansion/AI/Scripts/data/roads/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0420] ai c files expantion/DayZExpansion/AI/Scripts/data/roads/chernarusplus.roads | binary | size=1976707 | compressed=680512 | modified=2026-05-13 19:03:20 | crc=BF15FA51 | sha256=c01879230450c847365d91bee19b0df06d40e80829dabe67cc9a4f89ee891521
[0421] ai c files expantion/DayZExpansion/AI/Scripts/fsm/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0422] ai c files expantion/DayZExpansion/AI/Scripts/fsm/fighting.xml | text/utf-8-sig | size=2099 | compressed=449 | modified=2026-05-13 19:03:20 | crc=C410D8C8 | sha256=468383c98cbf48aa94308d24719ea240788f778b93c6f3af2394c609d0e879e2
[0423] ai c files expantion/DayZExpansion/AI/Scripts/fsm/master.xml | text/utf-8-sig | size=18892 | compressed=2203 | modified=2026-05-13 19:03:20 | crc=84A2D99C | sha256=6acd3f428bab19d1eca6f0b5fbc807a509402335d84c47a37d982215745e9dc
[0424] ai c files expantion/DayZExpansion/AI/Scripts/fsm/reloading.xml | text/utf-8-sig | size=3526 | compressed=798 | modified=2026-05-13 19:03:20 | crc=13EBC904 | sha256=2bd1cd0c43cebe6d88fa5016914aad819f4ca908653e537c31e860afb169aee
[0425] ai c files expantion/DayZExpansion/AI/Scripts/fsm/vehicles.xml | text/utf-8-sig | size=7038 | compressed=1342 | modified=2026-05-13 19:03:20 | crc=716F3DF3 | sha256=e07593eeb001f128a0c30c09618128d99d8d4145acc72fe29f9b985f2c315bbf
[0426] ai c files expantion/DayZExpansion/AI/Scripts/inputs.xml | text/utf-8-sig | size=1442 | compressed=379 | modified=2026-05-13 19:03:20 | crc=C7C827C6 | sha256=cf1970700ef76d8a2cf478ceebd89a6cfb269595f7a9cd0c2912e362b13021dd
[0427] ai c files expantion/DayZExpansion/AI/Scripts/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:20 | crc=F48813B4 | sha256=80903add8b7b13b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
[0428] ai c files expantion/DayZExpansion/AI/Sounds/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0429] ai c files expantion/DayZExpansion/AI/Sounds/1.ogg | binary | size=10025 | compressed=9129 | modified=2026-05-13 19:03:20 | crc=6B1BC4A9 | sha256=a6d1ee49769527123a0d03d4e19e2c11dea26abbfd0e719aa6c9e87da6a916a
[0430] ai c files expantion/DayZExpansion/AI/Sounds/2.ogg | binary | size=10009 | compressed=9134 | modified=2026-05-13 19:03:20 | crc=59A21F47 | sha256=2c84b98943303a192c6c7a02b2089eade798339bdb703e5c94753d0a4dbbee789
[0431] ai c files expantion/DayZExpansion/AI/Sounds/3.ogg | binary | size=10796 | compressed=9927 | modified=2026-05-13 19:03:20 | crc=A7244514 | sha256=83a2c2af21049475c9b bc3eaa6f60b8cf6780cd9343d81288f0e6c9941c46f28e
[0432] ai c files expantion/DayZExpansion/AI/Sounds/4.ogg | binary | size=10184 | compressed=9304 | modified=2026-05-13 19:03:20 | crc=40E5674C | sha256=0656179077afe6f7148f3d57cade99d973c5693db1f5f4894b441d3bcb82f841
[0433] ai c files expantion/DayZExpansion/AI/Sounds/5.ogg | binary | size=10819 | compressed=9960 | modified=2026-05-13 19:03:20 | crc=D0DFC25D | sha256=d84b82e5aa3c0a8b8f8

daf874b2d50e7da7a473045abf8bd2715ff238e3dcbc3
[0434] ai c files expantion/DayZExpansion/AI/Sounds/6.ogg | binary | size=11484 | compressed=10627 | modified=2026-05-13 19:03:20 | crc=01875719 | sha256=af2d05c8225bb70d8e62cb6498844be6285559d58949a22787358ea5f17aaf93
[0435] ai c files expantion/DayZExpansion/AI/Sounds/7.ogg | binary | size=11964 | compressed=11086 | modified=2026-05-13 19:03:20 | crc=E7C34891 | sha256=bb72dfa96ada6f7bf86e454e5259a2437129f8f37a348f92655370e62bcf59a6
[0436] ai c files expantion/DayZExpansion/AI/Sounds/8.ogg | binary | size=9681 | compressed=8812 | modified=2026-05-13 19:03:20 | crc=4E6EF585 | sha256=e7dff9bc5abcea765d755ea5447f896ac431e77ef7cb2bed170f220080cf1aba
[0437] ai c files expantion/DayZExpansion/AI/Sounds/9.ogg | binary | size=10889 | compressed=10012 | modified=2026-05-13 19:03:20 | crc=258C46B8 | sha256=9365bbde6130fa5c16404c5ec3d5fb781c6fb2a38e3017e24dd62025e0200aa1
[0438] ai c files expantion/DayZExpansion/AI/Sounds/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:20 | crc=00000000 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
[0439] ai c files expantion/DayZExpansion/AI/Sounds/config.cpp | text/utf-8-sig | size=7281 | compressed=624 | modified=2026-05-13 19:03:20 | crc=4D2AD26E | sha256=4fe92fe03cdbf2b2c1213c69c87d9dbc3271ef101c0d162a666ea5441be733e6
[0440] ai c files expantion/DayZExpansion/AI/Sounds/heavy_punch.ogg | binary | size=5823 | compressed=5379 | modified=2026-05-13 19:03:20 | crc=6C19CD83 | sha256=f63e901b3e78d5307897997509aab6f1eba2cd561ace692d7488aa46417af375
[0441] ai c files expantion/DayZExpansion/AI/Sounds/hundred.ogg | binary | size=12602 | compressed=11723 | modified=2026-05-13 19:03:20 | crc=29C4B75B | sha256=8655b2ff2c6755040cf168694755aef3991940cbc997ab36a0a3121a9b028275
[0442] ai c files expantion/DayZExpansion/AI/Sounds/i_can_see.ogg | binary | size=13019 | compressed=12142 | modified=2026-05-13 19:03:20 | crc=605A4301 | sha256=bd40b2513b1f78b67f2baf77ab66ad4e5fd09bfea5f76c4d2652bc337e04eaba
[0443] ai c files expantion/DayZExpansion/AI/Sounds/jack_shit.ogg | binary | size=12934 | compressed=12048 | modified=2026-05-13 19:03:20 | crc=87503ADE | sha256=14212be2f63d2178b2e31d8986563269f4c595fff83b862d58a3725dfdb43174
[0444] ai c files expantion/DayZExpansion/AI/Sounds/meters.ogg | binary | size=12716 | compressed=11840 | modified=2026-05-13 19:03:20 | crc=69B7DC7E | sha256=20dc9604e7ebaefeedadc7f3e6e9cf562d23dbf81b5bbd7baec1d1298dd06fa5
[0445] ai c files expantion/DayZExpansion/AI/Sounds/o.ogg | binary | size=8823 | compressed=7930 | modified=2026-05-13 19:03:20 | crc=C96D4939 | sha256=6bdb45c01daaf2ecac5de43fb0ba321b8ed4affaae17dee45dcaal040b598f61
[0446] ai c files expantion/DayZExpansion/AI/Sounds/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:20 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82alf3c9d04489f
[0447] ai c files expantion/DayZExpansion/AI/Sounds/shoryukenf.ogg | binary | size=11094 | compressed=10458 | modified=2026-05-13 19:03:20 | crc=806CBAAC | sha256=72340d552a7f5772319172d7f401df9e74db9fd9aa338f6bf923cd500a18262d
[0448] ai c files expantion/DayZExpansion/AI/Sounds/shoryukenm.ogg | binary | size=19150 | compressed=18290 | modified=2026-05-13 19:03:20 | crc=EB1500D6 | sha256=a49562dabe43af5d724295eeb5457a1e597da23dab830cfb780e10504e8d3e71
[0449] ai c files expantion/DayZExpansion/AI/Sounds/the_sound_of_love_01.ogg | binary | size=64138 | compressed=63060 | modified=2026-05-13 19:03:20 | crc=C1561203 | sha256=e42e9ccc57871eb0a2584f1fff72c2aebf31c63480ae7f5e7c17073357737bb74
[0450] ai c files expantion/DayZExpansion/AI/Sounds/the_sound_of_love_02.ogg | binary | size=23509 | compressed=22465 | modified=2026-05-13 19:03:20 | crc=D678BFAE | sha256=f0d2ab223b9dba4100d7d0a7867252a79dd928ae8ce647eal377388e671a2e19
[0451] ai c files expantion/DayZExpansion/AI/Sounds/thousand.ogg | binary | size=13623 | compressed=12750 | modified=2026-05-13 19:03:20 | crc=F3F6067B | sha256=72dfb141a25a6b8e11059b17e2ba95c9092313eaa41c73bf441f0bfee6a0b2c4
[0452] ai c files expantion/DayZExpansion/AI/Sounds/uahuahuahm.ogg | binary | size=24288 | compressed=23285 | modified=2026-05-13 19:03:20 | crc=6370799E | sha256=90f034d60c2f5e8c2554b0dfd2b075db720fe6db401d13908c7b8b7f4b32036f
[0453] ai c files expantion/DayZExpansion/languagecore/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0454] ai c files expantion/DayZExpansion/languagecore/AI/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:03:20 | crc= | sha256=
[0455] ai c files expantion/DayZExpansion/languagecore/AI/ai | text/empty | size=0 | compressed=2 | modified=2026-05-13 19:03:20 | crc=00000000 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
[0456] ai c files expantion/DayZExpansion/languagecore/AI/config.cpp | text/utf-8-sig | size=152 | compressed=109 | modified=2026-05-13 19:03:20 | crc=23B0E541 | sha256=9b49f464ec313blffa42e5aaec3e516496c0a44bd68cfa0475cd5c1dbebbb891
[0457] ai c files expantion/DayZExpansion/languagecore/AI/rap.txt | text/utf-8-sig | size=29 | compressed=28 | modified=2026-05-13 19:03:20 | crc=F48813B4 | sha256=80903add87b113b8fa252c9a992ed1377459247cd448775f82alf3c9d04489f
[0458] ai c files expantion/DayZExpansion/languagecore/AI/stringtable.csv | text/utf-8-sig | size=7868 | compressed=2605 | modified=2026-05-13 19:03:20 | crc=B2E36998 | sha256=e9cc1f7d854cac5a534fb91f8d1db4b082f69e2f6a5a2ba41fb3e283c630c51d
[0459] ai c files expantion/languagecore_ai.txt | text/utf-8-sig | size=39 | compressed=41 | modified=2026-05-13 19:03:20 | crc=CF9DC82F | sha256=1c13ad47635ba7e25ccf9fa3d92f2df82b3blae951e018a6aed7477beec34709
[0460] core pbo files expan/ | directory | size=0 | compressed=0 | modified=2026-05-13 19:06:58 | crc= | sha256=
[0461] core pbo files expan/0_core_preload.pbo | pbo/binary | size=15813 | compressed=4642 | modified=2026-05-13 19:04:38 | crc=43D86DAE | sha256=fc8e69d951af5b41d8204102e131d2238dc37b6d2adc4e5ccd9dd67fda34a497
[0462] core pbo files expan/0_modstorage_preload.pbo | pbo/binary | size=2078 | compressed=679 | modified=2026-05-13 19:04:38 | crc=318CA4A1 | sha256=8781687a7677677b803aa1414f1613fd4c16e0fdbdc9d227fc05a95e772d48d7
[0463] core pbo files expan/core_gui.pbo | pbo/binary | size=9839906 | compressed=2597762 | modified=2026-05-13 19:04:38 | crc=03D5249B | sha256=575838b391596a0607baed803b1fb7f859e1de2e075f78bd8ecb3b651a19eb43
[0464] core pbo files expan/core_objects_bases.pbo | pbo/binary | size=454 | compressed=285 | modified=2026-05-13 19:04:38 | crc=7D2F246F | sha256=a706ec6414431c07d26b6e3882c2cc5a6aa6f91ece8a2385d807d58c2abe1ef
[0465] core pbo files expan/core_objects_briefcase.pbo | pbo/binary | size=8981444 | compressed=8463458 | modified=2026-05-13 19:04:38 | crc=35B264E1 | sha256=a0e903d7b254805edad8538e17fc8ce36a17b3278c32cde0dbe4d83f915952ed

[0466] core pbo files expan/core_objects_circuitboard.pbo | pbo/binary | size=9560406 | compressed=8481370 | modified=2026-05-13 19:04:38 | crc=B46F7CC2 | sha256=02f519a2b946a4b7bf6f4ba80923fd723b19f1044496b38e5e216b3c2bb60de7
[0467] core pbo files expan/core_objects_currencies.pbo | pbo/binary | size=8301075 | compressed=7655685 | modified=2026-05-13 19:04:38 | crc=0E38B951 | sha256=c319373ad6f7ad7063237ffa6124e31e70b63399991f091f81496ef86f876c33
[0468] core pbo files expan/core_objects_navmeshcarvers.pbo | pbo/binary | size=2089 | compressed=1075 | modified=2026-05-13 19:04:38 | crc=DFAC9BF7 | sha256=0a32ef8fecae753a305c8de5c90551495a5fa72aa9af8004995eed9ca925193e
[0469] core pbo files expan/core_objects_temporaryownedcontainer.pbo | pbo/binary | size=1514 | compressed=513 | modified=2026-05-13 19:04:38 | crc=28F121E7 | sha256=bfbafb6bb21a767651d8e5683899456012e27113246b49b6107d04794396393bb
[0470] core pbo files expan/core_scripts.pbo | pbo/binary | size=1620597 | compressed=288593 | modified=2026-05-13 19:04:38 | crc=091913ED | sha256=08222afd61fb65035f30bc99e4ba744a9fa6f349a3faf5849c6a7fe2cd9a6093
[0471] core pbo files expan/core_stub.pbo | pbo/binary | size=595 | compressed=240 | modified=2026-05-13 19:04:38 | crc=6B0579F3 | sha256=cd1c352eae9cbb5cf69c44491d7978077fa7d273507f6c3987ba8b230e76f8e0
[0472] core pbo files expan/definetest.pbo | pbo/binary | size=4353 | compressed=1139 | modified=2026-05-13 19:04:38 | crc=1266911B | sha256=e5d3087fe31ba7984a87567bf835614cf7b4f40598cc8adacb0897030b768193
[0473] core pbo files expan/dta_core.pbo | pbo/binary | size=18205 | compressed=5209 | modified=2026-05-13 19:04:38 | crc=26F8657F | sha256=f0edab085b47912c043a7d70090ae3710e136ccb1465cdc5a4d95b3f87689ea3
[0474] core pbo files expan/dta_game.pbo | pbo/binary | size=1719 | compressed=617 | modified=2026-05-13 19:04:38 | crc=9B0711A3 | sha256=49341bd6d1431296f91d664ff0329a48a64e0aldeaaafb78cd068865f8f61adc
[0475] core pbo files expan/languagecore_core.pbo | pbo/binary | size=203899 | compressed=56388 | modified=2026-05-13 19:04:38 | crc=422FC5C9 | sha256=e861233e4c97b9d30819658e05f7eald5130c70dd3159ad283522c3a1158c69c
[0476] core pbo files expan/modstorage_scripts.pbo | pbo/binary | size=1380 | compressed=541 | modified=2026-05-13 19:04:38 | crc=B176EE63 | sha256=30a121df45b4b752c32e1dcc539a8d29047166b26b02e405ad5906068b1e0aa7
[0477] core pbo files expan/notificationscheduler_scripts.pbo | pbo/binary | size=11141 | compressed=2789 | modified=2026-05-13 19:04:38 | crc=8E750360 | sha256=1dc24652f093760a904ce96fdb007ceebebc33a95e511ceb0f7e3f19c093c7cc
[0478] core pbo files expan/objects_gear_sprays.pbo | pbo/binary | size=6027042 | compressed=5629207 | modified=2026-05-13 19:04:38 | crc=FF75FD0 | sha256=f68401556f35c7cb2b545e04c396eabc8a9a10098bbb6cef69881580854745fa
[0479] core pbo files expan/objects_structures_debug.pbo | pbo/binary | size=40398 | compressed=11026 | modified=2026-05-13 19:04:38 | crc=80D5F435 | sha256=f1e0ab5e2dc1642b88a105c2fb48ed2a86af3f9803861bc09cf4c9a015ee5cb0
[0480] core pbo files expan/particles.pbo | pbo/binary | size=6743324 | compressed=4400834 | modified=2026-05-13 19:04:38 | crc=EAC29F3A | sha256=a60c6c8a0b547b671aaa51f9fffe6fe81939a238dea2baaa788b4a24e397dac8
[0481] core pbo files expan/sounds_items_spraycan.pbo | pbo/binary | size=18317 | compressed=15097 | modified=2026-05-13 19:04:38 | crc=2C79DFDD | sha256=f68504740d3f3cab41517c20fcfa8f03730b9f17bc207b9d2b9b0c402849c6eb
[0482] core pbo files expan/sounds_ui.pbo | pbo/binary | size=264518 | compressed=198840 | modified=2026-05-13 19:04:38 | crc=EFE94F62 | sha256=983ac81eb7e3e7c1ae887516624621a902ac2c2cla8a41d2a625fa7a64230dd5
[0483] core pbo files expan/structures_industrial_misc.pbo | pbo/binary | size=525 | compressed=303 | modified=2026-05-13 19:04:38 | crc=9C3F261E | sha256=a16a094542e58637115f74668eaadcdf7ad261cdf932081378da6d69eb9dba7b
[0484] core pbo files expan/structures_industrial_power.pbo | pbo/binary | size=826 | compressed=393 | modified=2026-05-13 19:04:38 | crc=F2027239 | sha256=121d87b9633d4f0c1cea92e25e8cabcl3f88a4b53a7c27d727247f32d6ff1a48
[0485] core pbo files expan/structures_residential_misc.pbo | pbo/binary | size=695 | compressed=333 | modified=2026-05-13 19:04:38 | crc=77BBA571 | sha256=3d9d2916a0c93da6df411c329a29624608f522b34879804866b5187c70fd8d45
[0486] core pbo files expan/vanillafixes_animals.pbo | pbo/binary | size=741 | compressed=341 | modified=2026-05-13 19:04:38 | crc=BBF33068 | sha256=629263eae555836063b20669fc3362acb5f1b490f04f1811b501449ffbc59388
[0487] core pbo files expan/vanillafixes_gui.pbo | pbo/binary | size=4204 | compressed=985 | modified=2026-05-13 19:04:38 | crc=FB03A50E | sha256=1f645725b92299342f3d5ba614e0fc71743a9048fc2a00b33816bcbee2316933
[0488] core pbo files expan/vanillafixes_scripts.pbo | pbo/binary | size=27985 | compressed=8062 | modified=2026-05-13 19:04:38 | crc=8B2389C0 | sha256=c9799aa488b1a869eb925f62f2566b56f63a67f589f95051f501db8f858fe39f
[0489] core pbo files expan/vanillafixes_sounds.pbo | pbo/binary | size=479 | compressed=291 | modified=2026-05-13 19:04:38 | crc=DA46D37E | sha256=39fcd9b19b1a18ec8e8c2d1dc1d5d7d5113288249a46a04a0243370c000dcfc5

Full PBO internal inventory

[0001] PBO=core pbo files expan/0_core_preload.pbo :: 3_Game\DayZGame.c | text/utf-8-sig | size=1104 | method=0 | timestamp=1760094878 | sha256=04634ec2fc8eb8265567d03c2605c8ee23bc998919892bd6edf40ec32b103428
[0002] PBO=core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase.c | text/utf-8-sig | size=7227 | method=0 | timestamp=1763507328 | sha256=9f324aaf0fd808be86a6941a1fea285828271ed52b9425cb712080754e51df9e
[0003] PBO=core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase\Clothing.c | text/utf-8-sig | size=1469 | method=0 | timestamp=1725988317 | sha256=91b46d570e9ee8e7acd2fdace3d46b164088c10819c58ac710d013b22e198e5c
[0004] PBO=core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ManBase\PlayerBase.c | text/utf-8-sig | size=1511 | method=0 | timestamp=1725988317 | sha256=cdb2fcd72413cb442a2f0e5ce0ad57b2bbb7a3cae6647a2e1399655d5627fc95
[0005] PBO=core pbo files expan/0_core_preload.pbo :: Common\DayZExpansion_Core_Defines.c | text/utf-8-sig | size=2883 | method=0 | timestamp=1778172984 | sha256=34025e280ad057b5c12c7eb9bbf0030e42d6d66553568aacel09e1e5b3c5bc8

[0006] PB0=core pbo files expan/0_core_preload.pbo :: config.bin | binary | size=1206 | method=0 | timestamp=1778172984 | sha256=bd7e65c41843fa92edbd08100c406e82d441bf89e124dcf146fb260325fb9997
[0007] PB0=core pbo files expan/0_core_preload.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649701611 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
[0008] PB0=core pbo files expan/0_modstorage_preload.pbo :: Common\DayZExpansion_ModStorage_Defines.c | text/utf-8-sig | size=484 | method=0 | timestamp=1725984717 | sha256=9afe547eb953a88faafa40403dda3facd7253555b2edf09908d91b6c302c5e9
[0009] PB0=core pbo files expan/0_modstorage_preload.pbo :: config.bin | binary | size=1370 | method=0 | timestamp=1773697938 | sha256=32bce3418c07cf0ab9432ee82d7064c8b5bc6e12f1e4bae6123fe76d97507fcb
[0010] PB0=core pbo files expan/0_modstorage_preload.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649709407 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
[0011] PB0=core pbo files expan/core_gui.pbo :: config.bin | binary | size=139 | method=0 | timestamp=1760095002 | sha256=72817cc9a8689c2aa3c1afdb1d0ef8207a86695556324cd2ce43b10985bc8eba
[0012] PB0=core pbo files expan/core_gui.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649701612 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
[0013] PB0=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro.otf | binary | size=72864 | method=0 | timestamp=1656712616 | sha256=f6a5b9be3004a567de6aebb9e5ac4c3feb751dd7ea2b81016ecef25d9610lead
[0014] PB0=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro.xml | text/utf-8-sig | size=94 | method=0 | timestamp=1656712616 | sha256=ebbef9c95f6eb959ade8ab635353832b1549a22ae985b4d13c337b3df3e5e31d
[0015] PB0=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.edds | binary | size=195114 | method=0 | timestamp=1656712616 | sha256=f2aa36459a031191f4c19120a65fb345cb6adf0de4d12c93e993f73c60ddde6e
[0016] PB0=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1656712616 | sha256=300ac3c66c84cdbc69328af0e5d562134833741e2cb759f18bc9cc71ec55303e
[0017] PB0=core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.fnt | binary | size=11588 | method=0 | timestamp=1656712616 | sha256=556dd2ca5e41b86a66f7b5821fa3fd9380c53a614637f7189207e1d1814149e8
[0018] PB0=core pbo files expan/core_gui.pbo :: icons\hud\2D_64x64.edds | binary | size=3064 | method=0 | timestamp=1649701612 | sha256=f5c1228f516eb028402cd97283338558185ab8f1e2da38e61781e94899cb808a
[0019] PB0=core pbo files expan/core_gui.pbo :: icons\hud\2D_64x64.edds.meta | text/utf-8-sig | size=341 | method=0 | timestamp=1649701612 | sha256=89cee6e817340e0bd6ffa159e68672e08eedc71a51a8d3d67c590385237d3f28
[0020] PB0=core pbo files expan/core_gui.pbo :: icons\hud\2D_off_64x64.edds | binary | size=3371 | method=0 | timestamp=1649701612 | sha256=586dfd7717f2acd1373b0ef5711ac7abab715d289d238df293ed983e5d053341
[0021] PB0=core pbo files expan/core_gui.pbo :: icons\hud\2D_off_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=7fb200f7abd679d992b823ce3649c267aa42106898f6e73d8fe60c60abef4b79
[0022] PB0=core pbo files expan/core_gui.pbo :: icons\hud\3D_64x64.edds | binary | size=3137 | method=0 | timestamp=1649701612 | sha256=6ece70078682392298ddc283847e7694372d7d0dab44edbb1a346a3b6d6e42b3
[0023] PB0=core pbo files expan/core_gui.pbo :: icons\hud\3D_64x64.edds.meta | text/utf-8-sig | size=339 | method=0 | timestamp=1649701612 | sha256=54a983372b5aab1c5bb7b009a6d6bf095f95f664ecf8b71c158a3a172fc7b689
[0024] PB0=core pbo files expan/core_gui.pbo :: icons\hud\3D_off_64x64.edds | binary | size=3502 | method=0 | timestamp=1649701612 | sha256=c9e433903691044799ad438a75fc9449d23a5cb61aeb9545aafa282b123f0c9
[0025] PB0=core pbo files expan/core_gui.pbo :: icons\hud\3D_off_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=7c66e477e6c665b5b253f3321a5bab1bbe7f953481232f35e746ee9dd68867e6
[0026] PB0=core pbo files expan/core_gui.pbo :: icons\hud\arrow_64x64.edds | binary | size=5977 | method=0 | timestamp=1649701612 | sha256=d54ed74c474edfd3cd26050c18a89f8a4df150ab9d6fa5754f2c2329d2c6b9ff
[0027] PB0=core pbo files expan/core_gui.pbo :: icons\hud\arrow_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=3d98e1aba13f109eb0e3fe1a380354730d9c77ba361ba8a1ff5a7e17a58ed2a4
[0028] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_empty_64x64.edds | binary | size=5586 | method=0 | timestamp=1649701612 | sha256=68864174065fa9c313d46a2e0d93acdbbbed3b616calbe9b5681e6c378611780
[0029] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_empty_64x64.edds.meta | text/utf-8-sig | size=362 | method=0 | timestamp=1649701612 | sha256=0994663aa0d9a0efd78c627ed5121641e787d6b30e8908763c4839c307b1dc11
[0030] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_high_64x64.edds | binary | size=5606 | method=0 | timestamp=1649701612 | sha256=b00f2a89c44baccfc217923034e9eec7807c6516189d68b522f656f9c516e3d3
[0031] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_high_64x64.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=367701298ea5ada3e6218b0290ed3563fab064dec8b0ecd063c8edb250fe6460
[0032] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_low_64x64.edds | binary | size=5575 | method=0 | timestamp=1649701612 | sha256=1677ebc0583b1fa3748a4633a092df7c6ca1854249d5a8b2ce484b21886e862a
[0033] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_low_64x64.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=64ed5bf80bacec86cb37f78305def9923baed226cb6f76f249d9d03783a72ecc
[0034] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_med_64x64.edds | binary | size=5584 | method=0 | timestamp=1649701612 | sha256=e0717e498988aee42b003d553c7a391fae3cba0cb83cfd6e65d98eb992547087
[0035] PB0=core pbo files expan/core_gui.pbo :: icons\hud\battery_med_64x64.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=909183f55e1665fa2ff761381d21d28e4f7987b9a4b9feb74ffacd08d8e99abd
[0036] PB0=core pbo files expan/core_gui.pbo :: icons\hud\bear_64x64.edds | binary | size=5061 | method=0 | timestamp=1649701612 | sha256=122aad979c6a0b262ab044490379afad2cc69a88fab984aa9a227f8dc7637fc4

[0037] PB0=core pbo files expan/core_gui.pbo :: icons\hud\bear_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=72f7f919ca886258a8b5b78618a36bd7b964874e49047d58cc97105b1ac6ae36
[0038] PB0=core pbo files expan/core_gui.pbo :: icons\hud\book_1_64x64.edds | binary | size=5879 | method=0 | timestamp=1649701612 | sha256=d12965ceed75e46deeb2236c7d64bcaf9aeb2bf91b5507b9c0f6286fe3feb162
[0039] PB0=core pbo files expan/core_gui.pbo :: icons\hud\book_1_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=fadb38c592e93b935f9355b7a49b95d09f42b436df7fd08fab783a710e943a49
[0040] PB0=core pbo files expan/core_gui.pbo :: icons\hud\book_2_64x64.edds | binary | size=5583 | method=0 | timestamp=1649701612 | sha256=8b7679d6293042188370c8a579c203bb48dbe34c2ecbb243fd60e5e972ecd1fd
[0041] PB0=core pbo files expan/core_gui.pbo :: icons\hud\book_2_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=7fb8b09573332980b04b0367e077afebf80a12d3f4aef2fd1e273dcfa520042
[0042] PB0=core pbo files expan/core_gui.pbo :: icons\hud\car_64x64.edds | binary | size=3678 | method=0 | timestamp=1649701612 | sha256=fd9956cd8d1ab190fdc9fcc076ce88ee9ce57b98c950c424a970e53016e0e119
[0043] PB0=core pbo files expan/core_gui.pbo :: icons\hud\car_64x64.edds.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1649701612 | sha256=260098da634221873b49bad03fb2c7fe9a9c38f10e978109a32b0bdf513eb679
[0044] PB0=core pbo files expan/core_gui.pbo :: icons\hud\cargo_64x64.edds | binary | size=2671 | method=0 | timestamp=1695057122 | sha256=2ee8cf188a5c456146c7ef62ef6c76931e301dd896363068480e8fb740efcb8c
[0045] PB0=core pbo files expan/core_gui.pbo :: icons\hud\cargo_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1695057122 | sha256=36055650f17a3ec554b3e6bd9562939cbd54d3b0e9529954b7ae9e9e3db11f5d
[0046] PB0=core pbo files expan/core_gui.pbo :: icons\hud\claw_64x64.edds | binary | size=6843 | method=0 | timestamp=1649701612 | sha256=428ab2bec7af693be92c5a0b2f866abb6d92c30ec3ff407264c986d87515f30d
[0047] PB0=core pbo files expan/core_gui.pbo :: icons\hud\claw_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=beb9360dee78474e484a46072f06fd3779f4c634ea467c1505b85b0ae3cadb8f
[0048] PB0=core pbo files expan/core_gui.pbo :: icons\hud\connection_lost.edds | binary | size=1853 | method=0 | timestamp=1695057122 | sha256=71b549861ca59a64130563475516d93a534262d4cb38735f52510b0267d94a63
[0049] PB0=core pbo files expan/core_gui.pbo :: icons\hud\connection_lost.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1695057122 | sha256=87806f2c806c21070e05d58928ad6be4cd952615d3c0befa9798db82ccd436c5
[0050] PB0=core pbo files expan/core_gui.pbo :: icons\hud\craft_64x64.edds | binary | size=4865 | method=0 | timestamp=1649701612 | sha256=762758c58607c9ef9f7d3f939e50e26d9cdb27e88319alc7dc79f18f4cfdeaeaf
[0051] PB0=core pbo files expan/core_gui.pbo :: icons\hud\craft_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=9d60143caad8fbb240cd4aac6edfd04a35e2d558a9516617d188ba50568287a5
[0052] PB0=core pbo files expan/core_gui.pbo :: icons\hud\cross_64x64.edds | binary | size=4933 | method=0 | timestamp=1649701612 | sha256=869d3daeed274ed05091f690a797fbcd11337bfde0036ced885c89aed80b6ad
[0053] PB0=core pbo files expan/core_gui.pbo :: icons\hud\cross_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=3183580cf4326e660eec382d30db98ebe24e730725194278bbb5dd149a1849f9
[0054] PB0=core pbo files expan/core_gui.pbo :: icons\hud\drip_64x64.edds | binary | size=6955 | method=0 | timestamp=1649701612 | sha256=80026e35b351be74dedc879fb2fb72b064357c5912c22dc4568f066971bdd156
[0055] PB0=core pbo files expan/core_gui.pbo :: icons\hud\drip_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=570dac909cf4dc5adc0ef03c9d320ad7a2589fe3f5f38c9dfd6cade4afe4e3eb
[0056] PB0=core pbo files expan/core_gui.pbo :: icons\hud\ear_64x64.edds | binary | size=7746 | method=0 | timestamp=1649701612 | sha256=dcfb84eb4670025b370fad04d84d00f7d202288d31c7f92d757353ccfc8c94f2
[0057] PB0=core pbo files expan/core_gui.pbo :: icons\hud\ear_64x64.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1649701612 | sha256=2706a9fbaefd2b830217f8ded588fde3eb7807368c6f2672b07044c8a8fad8d4
[0058] PB0=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_64x64.edds | binary | size=8645 | method=0 | timestamp=1649701612 | sha256=06cb33582e2b629491b52c20c02abb1bfbf50f0dbc454d374f3fe47547c78fe3
[0059] PB0=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_64x64.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=75d102e6a7ea1061526dd0029c6ca720f4dbf9acde9ac4015a6265455b0c92db
[0060] PB0=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_out_64x64.edds | binary | size=8544 | method=0 | timestamp=1649701612 | sha256=12a5abe5650df14e334d2e5cf8e1c8ab86e94b87571f2911366e0bdb1dd64ef6
[0061] PB0=core pbo files expan/core_gui.pbo :: icons\hud\ellipse_out_64x64.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=2d37e820b536f8a4997b44d7a53169bb3af6ff59ea8881b40a02853c97ca460e
[0062] PB0=core pbo files expan/core_gui.pbo :: icons\hud\exclamationmark_64x64.edds | binary | size=5064 | method=0 | timestamp=1649701612 | sha256=a48bb6451c01e1ab993bfdb8756a13c3a1f647602ebe949b7e91b4fb10d7fe35
[0063] PB0=core pbo files expan/core_gui.pbo :: icons\hud\exclamationmark_64x64.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1649701612 | sha256=9185aa311c4687d8748a49bbb82d57d4510fe7521c8e2e741fd0e4304f92693a
[0064] PB0=core pbo files expan/core_gui.pbo :: icons\hud\eye_64x64.edds | binary | size=3066 | method=0 | timestamp=1649701612 | sha256=08fcf7dd0e3a01cb9c7eb5fe067cfb5ce56c9e159d7284d96d3c16ef6a01e0c7
[0065] PB0=core pbo files expan/core_gui.pbo :: icons\hud\eye_64x64.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1649701612 | sha256=ea6e3ffef264d79ec8c35fb5b7b741187d3ea5e23a7d746288729544359915c0
[0066] PB0=core pbo files expan/core_gui.pbo :: icons\hud\fireplace_64x64.edds | binary | size=6298 | method=0 | timestamp=1649701612 | sha256=feaff0b7c528dce25add6a5ffa2a3a344cf7415ac9c77312a48a793995649566
[0067] PB0=core pbo files expan/core_gui.pbo :: icons\hud\fireplace_64x64.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649701612 | sha256=d253b454c25fd0789e2867c436bdee9e4ccf1bcebf1fdb548439be138bc047377

[0068] PB0=core pbo files expan/core_gui.pbo :: icons\hud\grab_64x64.edds | binary | size=3832 | method=0 | timestamp=1649701612 | sha256=12e3907fbda0534d71e0daff39ce32c23ae89b637a757c670b17ce8da90f1bee
[0069] PB0=core pbo files expan/core_gui.pbo :: icons\hud\grab_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=05ba5932b588df487cf450699e818e8c51a818086dced86af3f271b4accc929a
[0070] PB0=core pbo files expan/core_gui.pbo :: icons\hud\hand_open_64x64.edds | binary | size=6323 | method=0 | timestamp=1649701612 | sha256=a7460b9f13b91e8eac7dda6771b0f17a95fb871fcl1a1925d490f449c1df6dadda
[0071] PB0=core pbo files expan/core_gui.pbo :: icons\hud\hand_open_64x64.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=bf46a89a416f60d5b17f5811d02933fb771606ac048620c12813cef51dbae4e3
[0072] PB0=core pbo files expan/core_gui.pbo :: icons\hud\health_64x64.edds | binary | size=6007 | method=0 | timestamp=1649701612 | sha256=f16eab5a33e6184b4077695bc55312177454a0cccc97ce8026b1764b22b0ff2
[0073] PB0=core pbo files expan/core_gui.pbo :: icons\hud\health_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=51076da2a3589d877ac92c92818b49664d155f412d5a4f592a4a653302be682b
[0074] PB0=core pbo files expan/core_gui.pbo :: icons\hud\heart_64x64.edds | binary | size=6953 | method=0 | timestamp=1649701612 | sha256=8e288872fde9598c0446110e279f5df393b4c8aeb7e7786898a73479088f1bdc
[0075] PB0=core pbo files expan/core_gui.pbo :: icons\hud\heart_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=e484d821f56178cac060607e5949e480a2e0bad59da1d37483b219a431d0a218
[0076] PB0=core pbo files expan/core_gui.pbo :: icons\hud\hook_64x64.edds | binary | size=5278 | method=0 | timestamp=1649701612 | sha256=2083ff5ef09b12896ad964e61b0ef69f5f594080c1864f23944dc4894be7612a
[0077] PB0=core pbo files expan/core_gui.pbo :: icons\hud\hook_64x64.edds.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1649701612 | sha256=1ledc75483a2e914cb3775f83873f19cbd809be5fa07bd35c938154cf7bf9042
[0078] PB0=core pbo files expan/core_gui.pbo :: icons\hud\info_64x64.edds | binary | size=6927 | method=0 | timestamp=1649701612 | sha256=10a59fbd471f11ee4accf828f8c8307b337f63fe03d8588b5cf510545b53075a
[0079] PB0=core pbo files expan/core_gui.pbo :: icons\hud\info_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=3521aab3da93023199cbf3e5fa61d272e60185d0bd205c1d39d926bb7643046b
[0080] PB0=core pbo files expan/core_gui.pbo :: icons\hud\knife_64x64.edds | binary | size=3333 | method=0 | timestamp=1649701612 | sha256=9530d3323c513e54d477ce6ae5a72663e0620987b95fed62906981151ce0e945
[0081] PB0=core pbo files expan/core_gui.pbo :: icons\hud\knife_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=c88e3351e56218076b0861a68d0114ae10f438d351b67c779b2293d492aeb072
[0082] PB0=core pbo files expan/core_gui.pbo :: icons\hud\map_64x64.edds | binary | size=8440 | method=0 | timestamp=1649701612 | sha256=4e3c240efa67029c890078b632ec8de419dcd0de4d99038506202e8fd23560ce
[0083] PB0=core pbo files expan/core_gui.pbo :: icons\hud\map_64x64.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1649701612 | sha256=e8e93a442b169cd7bb14433b402ab87808fda03c1f25aea23fc210d86e0588e0
[0084] PB0=core pbo files expan/core_gui.pbo :: icons\hud\marker_64x64.edds | binary | size=6347 | method=0 | timestamp=1649701612 | sha256=bb65e2b0ca7da014e0918be8675407c74b2ae641264ac8fd1ed12823b2880075
[0085] PB0=core pbo files expan/core_gui.pbo :: icons\hud\marker_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=41d9982b83747620d5516e4533f41aad2243b1618ca0ac339a5a4b593733dea8
[0086] PB0=core pbo files expan/core_gui.pbo :: icons\hud\menu_64x64.edds | binary | size=7420 | method=0 | timestamp=1649701612 | sha256=5b0a3d14a8b48b2d50160025987912297e84acc9f41be533786468cf988377a0
[0087] PB0=core pbo files expan/core_gui.pbo :: icons\hud\menu_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=fdc939acb92658e3963eac318de60b3be6034b0eb783eb14e15643234e8c52ca
[0088] PB0=core pbo files expan/core_gui.pbo :: icons\hud\minus_64x64.edds | binary | size=668 | method=0 | timestamp=1695057122 | sha256=0120435025662a78edc7821d64f37f8c8e0d1a459aa2e3b593f09d142fdbecbe
[0089] PB0=core pbo files expan/core_gui.pbo :: icons\hud\minus_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1695057122 | sha256=4e33f281a3c2a4ba50251cb80639b9594cc2ae366d7ee3b2090430ac1b24ad19
[0090] PB0=core pbo files expan/core_gui.pbo :: icons\hud\moon_64x64.edds | binary | size=5158 | method=0 | timestamp=1649701612 | sha256=03d425e512024e42d8663ceec4ff3e06f37412d6c8f3fc63c70113d9312c9689
[0091] PB0=core pbo files expan/core_gui.pbo :: icons\hud\moon_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=71672f5fa0a64efbf20cdaa6563014673d2544f45fcef2de7009d53392b00eb
[0092] PB0=core pbo files expan/core_gui.pbo :: icons\hud\note_64x64.edds | binary | size=5850 | method=0 | timestamp=1649701612 | sha256=8de85824f8b0cfff0451ec509304ed28842a9936ae2d968448e30ab3ef56a4395
[0093] PB0=core pbo files expan/core_gui.pbo :: icons\hud\note_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=0bdb53f6d72ee3e35f47fa9cb08e85ff6a466f81b8bcf80261acace32c5944ec
[0094] PB0=core pbo files expan/core_gui.pbo :: icons\hud\orientation_64x64.edds | binary | size=4205 | method=0 | timestamp=1649701612 | sha256=54768a3be0f160c8b65ad298f1dfb5228c9475264eb2a54075cbf2865054c84e
[0095] PB0=core pbo files expan/core_gui.pbo :: icons\hud\orientation_64x64.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=50322e428381468ecc4081db110d3201d74e23e7c6625edeae470b5boded19d5d
[0096] PB0=core pbo files expan/core_gui.pbo :: icons\hud\pen_64x64.edds | binary | size=2941 | method=0 | timestamp=1649701612 | sha256=f9b0b663fc5aaa013025b86b048659a72befafac8eeb25b4c007bb6f7c875e9
[0097] PB0=core pbo files expan/core_gui.pbo :: icons\hud\pen_64x64.edds.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1649701612 | sha256=cae7096fe11eddbbeb60178ac95ff5692f2cea07871180d6932ace2d0d202782
[0098] PB0=core pbo files expan/core_gui.pbo :: icons\hud\persona_64x64.edds | binary | size=7308 | method=0 | timestamp=1649701612 | sha256=db6c40252cbacc695780def5fa3019c215b1656f188bc4e8e6dba4b97126e64

[0099] PB0=core pbo files expan/core_gui.pbo :: icons\hud\persona_64x64.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=c72a6ac1631dacaba0d70790f2609fd46f63555de30fe65e8f324433a48dad16

[0100] PB0=core pbo files expan/core_gui.pbo :: icons\hud\pill_64x64.edds | binary | size=3660 | method=0 | timestamp=1649701612 | sha256=3bd54e04068316079879847f6c0e7eddc68033cd18fbd74341e3a716e505be2f

[0101] PB0=core pbo files expan/core_gui.pbo :: icons\hud\pill_64x64.edds.meta | text/utf-8-sig | size=345 | method=0 | timestamp=1649701612 | sha256=373edd0d2b99af1447b20a93ebd99a75d8209734e94bdlb4ab2541b1616aef11

[0102] PB0=core pbo files expan/core_gui.pbo :: icons\hud\plus_64x64.edds | binary | size=2043 | method=0 | timestamp=1695057122 | sha256=14628cdedc44fdebcb9bfc7d2b39638772bace54382e2b3048e82ea77d1f0a7e9

[0103] PB0=core pbo files expan/core_gui.pbo :: icons\hud\plus_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1695057122 | sha256=8280bc0863eb4ed4f4b9fe9dfdffd6b6e5187b2fcd0639c39c7eb4caf202b2a6

[0104] PB0=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_2_64x64.edds | binary | size=2519 | method=0 | timestamp=1695057122 | sha256=faa13b42d9aaef4acae312dd8b4ada43e591bc38def866e670a24b2026260bc

[0105] PB0=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_2_64x64.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1695057122 | sha256=f10f07bdc2435c7c464adb49024ba8737f2ab0ae30014c0a31cb4d9f2c5b3fca

[0106] PB0=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_64x64.edds | binary | size=7056 | method=0 | timestamp=1649701612 | sha256=aeee2af683b0b4057c492cb32ba6bcd6ccb984c3aae7cc29819a979740917402

[0107] PB0=core pbo files expan/core_gui.pbo :: icons\hud\questionmark_64x64.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=ebcf8ae0037d3d295a6a11f58ab2c537aced2b03958402905e9cc58d99791cb2

[0108] PB0=core pbo files expan/core_gui.pbo :: icons\hud\radio_64x64.edds | binary | size=7351 | method=0 | timestamp=1649701612 | sha256=4ed51c46c52750770cd7ec98a905ad3238008f39fb08bf455b8f01b8d86ed30e

[0109] PB0=core pbo files expan/core_gui.pbo :: icons\hud\radio_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=f74785c1d6e76f7361be22fd9360a66c8b67cf7b10854ff7ed33da472de62d6b

[0110] PB0=core pbo files expan/core_gui.pbo :: icons\hud\refresh_64x64.edds | binary | size=7670 | method=0 | timestamp=1649701612 | sha256=84c4bca285de764ac5d928d5eaeca39fb3ca6cb3b659cdde69fe983625e1717

[0111] PB0=core pbo files expan/core_gui.pbo :: icons\hud\refresh_64x64.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=77c7eb04b64c5236131df300f6408e46d3ef7f80d3c436b5312a709dae42c717

[0112] PB0=core pbo files expan/core_gui.pbo :: icons\hud\Reputation-Stars.edds | binary | size=5601 | method=0 | timestamp=1695057122 | sha256=e964a47aa758c9017ab3b516d3cfd8419a11817fc346a62c6df77b6f1db8743

[0113] PB0=core pbo files expan/core_gui.pbo :: icons\hud\Reputation-Stars.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1695057122 | sha256=02baa7c47d18b2ed42ac69af5782421a239d6bf1e86e8a10104a4bfff99812a35

[0114] PB0=core pbo files expan/core_gui.pbo :: icons\hud\shield_64x64.edds | binary | size=5294 | method=0 | timestamp=1649701612 | sha256=273f1f60084f3237953f637ff38cef2c460f3a7a1468d8d7f31ade98d64ce6d0

[0115] PB0=core pbo files expan/core_gui.pbo :: icons\hud\shield_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=53d4043072fd6d15e480c660a0784a774f58a357649ffface89cf97c10439216

[0116] PB0=core pbo files expan/core_gui.pbo :: icons\hud\skull_1_64x64.edds | binary | size=7502 | method=0 | timestamp=1649701612 | sha256=cad0bd9e28723056684872163a30ce0b35a871be0a8e148c3961b700f759cef6

[0117] PB0=core pbo files expan/core_gui.pbo :: icons\hud\skull_1_64x64.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1649701612 | sha256=6334b3b0dc366dcb0b360873f6f0d161365d5ce6fe5b84381f16af54c18c97c7

[0118] PB0=core pbo files expan/core_gui.pbo :: icons\hud\skull_2_64x64.edds | binary | size=6455 | method=0 | timestamp=1649701612 | sha256=7632da36d97b3e0cb0c827c643fe1b25f7a86b781b2bdb041ed7fa139f467a6b

[0119] PB0=core pbo files expan/core_gui.pbo :: icons\hud\skull_2_64x64.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=d3a85b83ec65d849623f8b38ec6704b6dfec901505f97156e8a5e2e03c38ae74

[0120] PB0=core pbo files expan/core_gui.pbo :: icons\hud\snow_64x64.edds | binary | size=8435 | method=0 | timestamp=1649701612 | sha256=ed5106bf34belbcbdb238a723494aa533e3cf7ba8117561dbfc3c9760968745f6

[0121] PB0=core pbo files expan/core_gui.pbo :: icons\hud\snow_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=e8a87bc28c06d7639c21f6500ad77d053f94c2bf0416eb084a5e9c44075a3a15

[0122] PB0=core pbo files expan/core_gui.pbo :: icons\hud\sort_simple_64x64.edds | binary | size=2302 | method=0 | timestamp=1695057122 | sha256=3f89a4c682bff64348a6a68811ca24dde1d658b08b62c58a1a15d8177169ad1a

[0123] PB0=core pbo files expan/core_gui.pbo :: icons\hud\sort_simple_64x64.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1695057122 | sha256=d9b937055978980bced7dfb2e4ddc0e13ad6ece3cc30907d54901bb2bf7482b5

[0124] PB0=core pbo files expan/core_gui.pbo :: icons\hud\sorting_64x64.edds | binary | size=2427 | method=0 | timestamp=1695057122 | sha256=a64c5fea973a686baf0349a1cb69870baba488376338dab5f973769d08ce9e17

[0125] PB0=core pbo files expan/core_gui.pbo :: icons\hud\sorting_64x64.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1695057122 | sha256=211485f27b995e9eca03af0440e25d98c47f083535b986bde4f9f32c319836a6

[0126] PB0=core pbo files expan/core_gui.pbo :: icons\hud\square_64x64.edds | binary | size=2648 | method=0 | timestamp=1649701612 | sha256=8e54f450ab20fc75bc3dc20741db420504f123e877b6f301fb57a1dcf4a33cd1

[0127] PB0=core pbo files expan/core_gui.pbo :: icons\hud\square_64x64.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=217866b94de1c4c2c55c487670e678765db3782ef1cc31b26dff504db84b6c9e

[0128] PB0=core pbo files expan/core_gui.pbo :: icons\hud\star_64x64.edds | binary | size=6498 | method=0 | timestamp=1649701612 | sha256=8d2e120e346b00fa2c30eb29f2756b18f833e35474eb8c073d0af0cd4206966e

[0129] PB0=core pbo files expan/core_gui.pbo :: icons\hud\star_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=9f7dc5417769580f77e3e18309919b11042c15ae9a5f9c9772fccdd811c69b65

[0130] PB0=core pbo files expan/core_gui.pbo :: icons\hud\statistic_64x64.edds | binary | size=4801 | method=0 | timestamp=1649701612 | sha256=ba31da615eef1a3b3e2c2219b430636e05c88201dc8d30c7099530c21fe2b7e1

[0131] PB0=core pbo files expan/core_gui.pbo :: icons\hud\sun_64x64.edds | binary | size=8512 | method=0 | timestamp=1649701612 | sha256=627a17b9aad6e4425d7ba92fa5a8158c9a08a520c3bf525e9a64a04de668b594

[0132] PB0=core pbo files expan/core_gui.pbo :: icons\hud\sun_64x64.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1649701612 | sha256=27ca546613df9f283563e93ad5317de7a867d6d7b66de5ae63e8f3b1654ae7f4

[0133] PB0=core pbo files expan/core_gui.pbo :: icons\hud\switch_64x64.edds | binary | size=5782 | method=0 | timestamp=1649701612 | sha256=a2647852ae8280c6bf99c2148e6d973a40e312f65512c578a27c2ffb4fa2fc18

[0134] PB0=core pbo files expan/core_gui.pbo :: icons\hud\switch_64x64.edds.meta | text/utf-8-sig | size=348 | method=0 | timestamp=1649701612 | sha256=2798eeefc63ad11db438cbe739681ccee970d810feab18c663298350651bc2e8

[0135] PB0=core pbo files expan/core_gui.pbo :: icons\hud\tent_64x64.edds | binary | size=4854 | method=0 | timestamp=1649701612 | sha256=874ee143e1b4f1bd90d9cfd65122bedaac5ea0b3aa111f783848e48d80f239da

[0136] PB0=core pbo files expan/core_gui.pbo :: icons\hud\tent_64x64.edds.meta | text/utf-8-sig | size=346 | method=0 | timestamp=1649701612 | sha256=13651bbe55672f3199fb257f9f88840835c2a5ce918ec6d59b92e78f9a9a9c04

[0137] PB0=core pbo files expan/core_gui.pbo :: icons\hud\thermometer_1_64x64.edds | binary | size=5184 | method=0 | timestamp=1649701612 | sha256=b3ea2e5824bd886c3fef094519f688b091a09e5bccfcb3dcff677203656cdc87

[0138] PB0=core pbo files expan/core_gui.pbo :: icons\hud\thermometer_1_64x64.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=46cf37509c6e67374377cae756518be70c6c040c78bdc5da7e310c264ec44531

[0139] PB0=core pbo files expan/core_gui.pbo :: icons\hud\toothwheel_64x64.edds | binary | size=8089 | method=0 | timestamp=1649701612 | sha256=a8ceb5200b168f3792095792683018eed58443c4d2e4512fd8b84e1b6d7584f8

[0140] PB0=core pbo files expan/core_gui.pbo :: icons\hud\toothwheel_64x64.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=d4764b3fdece1692c94cd7e3d647d4f01af3315331000f2d4dd17106da80d44a7

[0141] PB0=core pbo files expan/core_gui.pbo :: icons\hud\toothwheels_64x64.edds | binary | size=6348 | method=0 | timestamp=1649701612 | sha256=6859e7a3f7285e91d1c25be70e5c8b1593a6b53fe60af754a651c78813d0a925

[0142] PB0=core pbo files expan/core_gui.pbo :: icons\hud\toothwheels_64x64.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=ccb36c5215048ced0f3ef7bb39d54243d04cd7e96519d184a8a1811d8055a1ec

[0143] PB0=core pbo files expan/core_gui.pbo :: icons\hud\under-roof.edds | binary | size=1012 | method=0 | timestamp=1695057122 | sha256=66d74cf2b0388e3cabad23c9fa8284c6e7501e7bdc85ab56207cb60bfff86e1

[0144] PB0=core pbo files expan/core_gui.pbo :: icons\hud\under-roof.edds.meta | text/utf-8-sig | size=336 | method=0 | timestamp=1695057122 | sha256=3d79ee120faf43fc4886d68cef00b510b1d44743492297c54c2998a3da216100

[0145] PB0=core pbo files expan/core_gui.pbo :: icons\hud\water_64x64.edds | binary | size=6322 | method=0 | timestamp=1649701612 | sha256=c1a67983120a8bcab4f547859932e19b40191dce8808cee8530feff23c634a71

[0146] PB0=core pbo files expan/core_gui.pbo :: icons\hud\water_64x64.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1649701612 | sha256=281df5f60880a4806e117e84688be8d4958a7e619085ab0e9f6921e6d59a8b3a

[0147] PB0=core pbo files expan/core_gui.pbo :: icons\map\icon_lighthouse_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=458804b3d74f945ed5a0f9f0963ffb317656bd7e824a56132fbadf38cd080a82

[0148] PB0=core pbo files expan/core_gui.pbo :: icons\map\icon_tree_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=9b3a89241a3a06def6de3f1fc38789394c8482af23af8b70e5d048742d093bc3

[0149] PB0=core pbo files expan/core_gui.pbo :: icons\map\icon_tree_small_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=95beeca7883e15dfb8d3fb90b5ed1208d75356a34cb3cd0ebccb7da9535ele0a

[0150] PB0=core pbo files expan/core_gui.pbo :: icons\map\icon_watertower_ca.paa | binary | size=5625 | method=0 | timestamp=1649701612 | sha256=d72b3d631dd9f1c000a2029186cae6bbf446b63ea69e7e1dd16861b3e8ee9b7e

[0151] PB0=core pbo files expan/core_gui.pbo :: icons\marker\boat.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=b739761d4c82ee769d10b14c65a172d5bed78698ffab7d65eca14acac3695895

[0152] PB0=core pbo files expan/core_gui.pbo :: icons\marker\car.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=491a1207fddcc18f1157f2d4aecf2935aeale0ad5c316348bdacec11588da5f3

[0153] PB0=core pbo files expan/core_gui.pbo :: icons\marker\crash.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=2f3c7ad7ee087b06e889315fc6017a951d9f0b387bcb7e5b6403da46860cb8b

[0154] PB0=core pbo files expan/core_gui.pbo :: icons\marker\dot.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=fccc3c7f22676cf8d60930a6212e697561640ac728b85b4eac7189bd013ed2f6

[0155] PB0=core pbo files expan/core_gui.pbo :: icons\marker\heli.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=f4855f0199fd11acc03c33e8d82bd06316a6f8febfc9427f4396a6a371247d4b

[0156] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_airdrop.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=02398acc955b7421dce9950462b15cb76ba458e136a944be0aae7ce63fb6b3f8

[0157] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_boat.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=b95b7faa369314604ee361c38d43e2331e78093f960abb6e7f5d6579ebd3c692

[0158] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_car.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=725656388434d94652a8c1bf74b8f10367b098ec74e477bdef0b4c5695636ee5

[0159] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_deliver.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=bbd09d03f387194e40b37957d425fcac9c47752fcf131b0d5772992b1b48bdfd

[0160] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_fishing.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=e3a138862ddd99bb645002f533b8b6cb0a0df2a9529e23a9426746181e212f1

[0161] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_helicopter.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=0feb0f0569ea9ddd327f3f8e b6225149364066ead2af2a36d3e2aaf5545664c2

[0164] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_home.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=ce02f5b01d31bb4b0cfbfc7412baef a542e0bc6f25dab91f76a0042eba90f1bc

[0163] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_mapmarker.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=4372e077d0ef9835a285f6413 103230d158408a59d14982e9e7652aeddle2b2c

[0164] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_radiation.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=fca03c92c7b0d05d9a1abc924 a017e96148029a602fd0b8b2944dab57c846f8e

[0165] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_skull.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=9be76047f86b48ffd0a14232b8699 acb1c756e0696d40d8d397a0926b604a627

[0166] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_trader.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=9c1c34eaf518f5703b40ff65af00 57a69374b40dc238ed6ea7d49e753a85701e

[0167] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_water.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=4dfba3ffd73726b1292853de4cb82 131ec9391e16f1d47cdf3e889e0e6b48022

[0168] PB0=core pbo files expan/core_gui.pbo :: icons\marker\marker_zombie.paa | binary | size=22016 | method=0 | timestamp=1649701612 | sha256=3e660c3bae694f11ac63bcd079bb e8556bd0015b135e439e875cf247f1570acb

[0169] PB0=core pbo files expan/core_gui.pbo :: icons\marker\planks.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=ee665d47def6d75b58bc282664f1aadbdd87 19179740e141affdf7a38c5a4b3b

[0170] PB0=core pbo files expan/core_gui.pbo :: icons\marker\zombie.paa | binary | size=1522 | method=0 | timestamp=1649701612 | sha256=9a96cf47332499312f04afdb7d1dd4b40cc4 11679bbecda4e96090765b1fe947

[0171] PB0=core pbo files expan/core_gui.pbo :: icons\misc\coinstack2_64x64.edds | binary | size=5408 | method=0 | timestamp=1705534847 | sha256=e3138c463d5414b96b85c8d067e 69efab7cd77671043eaa588ff90b21224a11c

[0172] PB0=core pbo files expan/core_gui.pbo :: icons\misc\coinstack2_64x64.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1702744278 | sha256=0f1dff245f29e60 04b432d4155464f8145911a2e14e2cb1f2f5426e37035e43b

[0173] PB0=core pbo files expan/core_gui.pbo :: icons\misc\coinstack_64x64.edds | binary | size=5054 | method=0 | timestamp=1695057122 | sha256=26a15c2bfalaad43efcelec8d1d1 b2a449a6e73678409caec36749a8d67c5820

[0174] PB0=core pbo files expan/core_gui.pbo :: icons\misc\coinstack_64x64.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1702742737 | sha256=70fcdd79e7d6fa45 aee6a208cd7aace7be6d0a1801394c4811803f516037ee56

[0175] PB0=core pbo files expan/core_gui.pbo :: icons\misc\sold_icon.edds | binary | size=14851 | method=0 | timestamp=1695057122 | sha256=66572e72ccbc18105d49600e9a53e7154 6669813a068de1249214c788752914c

[0176] PB0=core pbo files expan/core_gui.pbo :: icons\misc\sold_icon.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1695057122 | sha256=3e81ccdba402d2f06edb93 35a3c15503867c3a5505a592978f0bf7a88a47437c

[0177] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Ambush_256x256.edds | binary | size=25240 | method=0 | timestamp=1695057122 | sha256=3c3823c2ea7a85e4db5aa2b5c2 3c3ae9b5cfcf797571494f5518de6f470181c

[0178] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Ambush_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1695057122 | sha256=6ebdce2b0c6c07f 9521cb3211d179fe37b1c111cbfeca3d3c3c07e489c61968c

[0179] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Animal_Skull_256x256.edds | binary | size=12181 | method=0 | timestamp=1649701612 | sha256=0cc0f4393233ba341141 acfadbcb6d3b6cd40c4a3b472be35377a364caf11c772

[0180] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Animal_Skull_256x256.edds.meta | text/utf-8-sig | size=370 | method=0 | timestamp=1649701612 | sha256=fal1d1623c 69aec0e3a17a52f44489bd2ed9feae55dc65595431f6a761354e24

[0181] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_256x256.edds | binary | size=16856 | method=0 | timestamp=1649701612 | sha256=12e13f7cf57d2d928d07d8f7fbf e528bd6afb1840d2db2f541654b8a2a86bb73

[0182] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_256x256.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649701612 | sha256=d489adba9f59fccb bc66ce6def3d8318047b0a3dcb5b740e03a8fbd9b83185e6

[0183] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_Core_256x256.edds | binary | size=14919 | method=0 | timestamp=1649701612 | sha256=1dc44a037d897a07ed36af 7f34cae0d63ff45d2e0165c8ec920068fe18f88687

[0184] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_Core_256x256.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1649701612 | sha256=66e12f0a159 45b51b16b2560a4f463e658bec3669fbd9bd519f93ff6f2918fd8

[0185] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Arrows_256x256.edds | binary | size=19859 | method=0 | timestamp=1649701612 | sha256=8a5185eee3b322e047f82bd90a c880e36a81be26cb3ad68819cf46a9c416f15d

[0186] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Arrows_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=aba6875c7018035 15a2a8c35cb1f5f0cf6f2d28c16b97dcab525e5eb086bb830

[0187] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Axe_256x256.edds | binary | size=15983 | method=0 | timestamp=1649701612 | sha256=f00dd171530d44c0ca20047eb2842 c8daa89cac848605a5a5543143f1ab05ba3

[0188] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Axe_256x256.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1649701612 | sha256=d917b8f4ceeeef535ae d6499b818d576bdf22b4bc46060a79914fcf79b71869c4

[0189] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_BagPack_256x256.edds | binary | size=29365 | method=0 | timestamp=1649701612 | sha256=71966b9994f1b99e645d5f192 d4605405a8d49ce61627ca64b6393ee64a70ef5

[0190] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_BagPack_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=fa9e24c53c9f5f e9beb8e3281d8bb0e1961d12441904d162fdc5dfb4519db864

[0191] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandage_256x256.edds | binary | size=15440 | method=0 | timestamp=1649701612 | sha256=0d4175cf200c0ae63d8d9dfa1 a55b37efff5d18b9531e774c0da8eeb2b4641dc

[0192] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandage_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=4b859465f49c998af78ad11e1d1c3b442870b043847fcf849c27f487be17cb03
[0193] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandit_256x256.edds | binary | size=15598 | method=0 | timestamp=1695057122 | sha256=c713b16a8da7d048bc7916d59fca90197cbelef753b4a3e7c98d9c56ff308e89
[0194] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bandit_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1695057122 | sha256=0c12e9a8a9fa8b94fd56c8a60ddb62c9c94eb07953240ceb48b5d5240dcec949
[0195] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Batteries_256x256.edds | binary | size=19276 | method=0 | timestamp=1649701612 | sha256=0c412d23b924e5438c0f3af8f4997ee071b4da3ca4f5dfc7ef7b50334351a27a
[0196] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Batteries_256x256.edds.meta | text/utf-8-sig | size=364 | method=0 | timestamp=1649701612 | sha256=44fa2462a0c0d8e5e7e68d02f1dcf267943b057656796e7df57c944a5d0b9c1c
[0197] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Berries_256x256.edds | binary | size=22889 | method=0 | timestamp=1649701612 | sha256=b4e7884789791929be23287950a92d0aef475a34d140bf5f89fe0f262f5bc58e
[0198] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Berries_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=75fc74fcdb4eeda035c8869a741b9c8d0b09ee16810610c926f9622ed9de7bdc
[0199] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Big_Kitchen_Knife_256x256.edds | binary | size=14589 | method=0 | timestamp=1649701612 | sha256=27f88a7b1f95b64a6cbff8e908c7036f8e782f2dc69b756ca6ffcfdd0df5716
[0200] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Big_Kitchen_Knife_256x256.edds.meta | text/utf-8-sig | size=380 | method=0 | timestamp=1649701612 | sha256=ae23a80b5390bb26caaded1b1f1109d633626b5dd8652bcc0087c7eacacd6427
[0201] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Binoculars_256x256.edds | binary | size=21404 | method=0 | timestamp=1649701612 | sha256=ef22915b4ce392a3edce36d070d97545262351711197268765285c46afa23a39
[0202] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Binoculars_256x256.edds.meta | text/utf-8-sig | size=366 | method=0 | timestamp=1649701612 | sha256=e79c95a56e8a0c430cbb715979caae113c9688f85213cf5bcf7855ebed69fe2f
[0203] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Boat_256x256.edds | binary | size=8856 | method=0 | timestamp=1649701612 | sha256=a792446a13ad551b8f3095ac65bf0dd6e8c0b4d1fde7ade6c106825fef73145e
[0204] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bolt_256x256.edds | binary | size=14366 | method=0 | timestamp=1649701612 | sha256=83a24ef53627491030ce0c312985b3163211320d7c5c484cce094ef77cb0f356
[0205] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bolt_256x256.edds.meta | text/utf-8-sig | size=354 | method=0 | timestamp=1649701612 | sha256=f2d306d23a83589c232a805875ff02a3c011e463fcdced1de23c6acf25cfcd14
[0206] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bonfire_256x256.edds | binary | size=25365 | method=0 | timestamp=1649701612 | sha256=bacfcc5dd272701c6b2aceb317afcd2aac48242298cebb66e1fd77f3667e01671
[0207] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bonfire_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=ed413f6e6bb8c2b131f10e3603fe8b82f5488c51e8616bbc577a6cf0324bf5bb
[0208] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bottle_256x256.edds | binary | size=15442 | method=0 | timestamp=1649701612 | sha256=c48516c17a1b8b41cbb76e244d728aae9ca6c974aeb21ad90a1b72cd9db3098c
[0209] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bottle_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=b930803c1282dc0c753795e41c7705cfbc9d4c5568e0b30de95698d9811e6250
[0210] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bow_256x256.edds | binary | size=13198 | method=0 | timestamp=1649701612 | sha256=14243e19869dd7ee1da0c67b9bd30162a4df5bd8f8839ec5dfee23751fafaef8
[0211] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Bow_256x256.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1649701612 | sha256=b00efd477b645ae965f044c511c9b64355afc3ae1f38941006333acf3c88a4c1
[0212] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_BrokenLighter_256x256.edds | binary | size=19264 | method=0 | timestamp=1649701612 | sha256=46fc04dbc30f2b55703d547fe1a8ecfbc96ddf2f4fc54445ab4aab3dcdcae69d7
[0213] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_BrokenLighter_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=1ae03cc08750fe3bb9bb261ddf8cae0012c15a6d66d37c7ddf69f34723dfe750
[0214] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Big_256x256.edds | binary | size=24879 | method=0 | timestamp=1649701612 | sha256=6f15fb3169caaa49f3eacc47208122361fdea41cfe709ad6f71f3c320d5ec986
[0215] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Big_256x256.edds.meta | text/utf-8-sig | size=378 | method=0 | timestamp=1649701612 | sha256=761ef1a15008a02a4062dc00b41398e0d2657216d95ff8ec74e0949e11a7c51f
[0216] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Small_256x256.edds | binary | size=21643 | method=0 | timestamp=1649701612 | sha256=9a81cdc3047d302146a5ead8a2e12db562d9d229e7d73b8f24428462111bbd4d
[0217] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Small_256x256.edds.meta | text/utf-8-sig | size=382 | method=0 | timestamp=1649701612 | sha256=0d14b22ced05ff574bclf88f677cd3b1034c00c0242d2099f420112ede6c341a
[0218] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Car_Keys_256x256.edds | binary | size=23444 | method=0 | timestamp=1649701612 | sha256=09e5cc31bd08798792a3647383d385a3e7b25f8ac48e961575638c0a54fb9614
[0219] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Car_Keys_256x256.edds.meta | text/utf-8-sig | size=362 | method=0 | timestamp=1649701612 | sha256=a7cf7314eb2808eb19d951d1f01f92257772c13413eaad1e72b295c8412402e3
[0220] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Carrot_256x256.edds | binary | size=13913 | method=0 | timestamp=1649701612 | sha256=311e64cd9c55585e5f97eb263263463502ada62fc33735a2c553f44632aa3f71
[0221] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Carrot_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=e887ffd4b0fc18efad3c7903053a552dd47c5e7e6d16f129bf0583b1524be855
[0222] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Chain_Saw_256x256.edds | binary | size=21379 | method=0 | timestamp=1649701612 | sha256=d29fcdc5c0a86c233397d19e53e22d3f6d2e95e28251b0ef2940602cbf5f818d

[0223] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Chain_Saw_256x256.edds.meta | text/utf-8-sig | size=364 | method=0 | timestamp=1649701612 | sha256=394d2343b6d158588204c4b56502e8c4cc57e52fff28470be2bfff1199b328415

[0224] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Chicken_256x256.edds | binary | size=15382 | method=0 | timestamp=1649701612 | sha256=1dc89a9e4a079b1732b43381f29b1f06aa6451a0a6a7b6f72d94bb2cae8529da

[0225] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Chicken_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=2403e4023f40c1d34417e9332db59613e3a34d320bf9a6c4d8c499bfe08d5303

[0226] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Chocolate_bar_256x256.edds | binary | size=15776 | method=0 | timestamp=1649701612 | sha256=af609638e7147bf3fac9ea4a64dfdbeb3c0b597bf80e0368b49723eef90006d0

[0227] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Chocolate_bar_256x256.edds.meta | text/utf-8-sig | size=370 | method=0 | timestamp=1649701612 | sha256=09b235aeb51d3efba4ad4329892180fa8c7d90112e5306d212675dfc0329

[0228] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cigaretts_256x256.edds | binary | size=21897 | method=0 | timestamp=1649701612 | sha256=bb633b65a7eec1396affd4325f711d0f5e96fc1952609287b14868eb1861e232

[0229] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cigaretts_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=48e326d9d0f4da2599707b4c4060c82db1773c70f2c6850d299ca905df4f3a59

[0230] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cloth_256x256.edds | binary | size=12664 | method=0 | timestamp=1649701612 | sha256=9c0962e6fcb28436bca1787147ff772393879a841a9e7455e0d503ec841b74f

[0231] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cloth_256x256.edds.meta | text/utf-8-sig | size=354 | method=0 | timestamp=1649701612 | sha256=6c7c753d3cebcfbfa295f877102a2f9830a3f617843ea16cfc39cd007e60595b1

[0232] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_bolts_256x256.edds | binary | size=20476 | method=0 | timestamp=1649701612 | sha256=8ba6cad7cddb8c82a9f1b700bcf18d8933754859ab1746ebbcc7f34324bbf2

[0233] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_bolts_256x256.edds.meta | text/utf-8-sig | size=382 | method=0 | timestamp=1649701612 | sha256=6bce5622e4b002cad927ce184bc2115c0e201f8cfe53ac6650520b96306a0a8d

[0234] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_01_256x256.edds | binary | size=21171 | method=0 | timestamp=1649701612 | sha256=3f8ddecc6c5c4985112a62713c44c1c43804177f04da04aacf659b229e556f07

[0235] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_01_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=7a7baaf1c62d857f7174813cf5151c6d8e9d386f70a797f4772800856d6dbe64

[0236] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_02_256x256.edds | binary | size=16311 | method=0 | timestamp=1649701612 | sha256=2fae1730659423d34ac329caf509ab62188dd04b26b7e8e19dc93d859ed14099

[0237] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_02_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=d6811c025877e0bce7a7526deb1aa34eef9324ea3f9aaa3bc4dc90ed168dce1

[0238] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_03_256x256.edds | binary | size=21001 | method=0 | timestamp=1649701612 | sha256=d29049b662a3c19def906a11417ac5794788d59897588e982e206a344e83e7f1

[0239] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_03_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=3119e60c6b8fe0333b40aaa2163b648983f81994e7d476b7f9eba4fb8cfa7ef6

[0240] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_04_256x256.edds | binary | size=20862 | method=0 | timestamp=1649701612 | sha256=adf4b4b4294658dd591a9dc5ef2f6955c19df002c298be34873e1c30afb541f4

[0241] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_04_256x256.edds.meta | text/utf-8-sig | size=390 | method=0 | timestamp=1649701612 | sha256=85d186d43fdca7cfda22c579ccd18acf0610082f7b32f642dec29alca2b2ed4c

[0242] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Compass_256x256.edds | binary | size=23710 | method=0 | timestamp=1649701612 | sha256=71a23923326bd5963aff02fc851bfca5d37e6b3b7213544e317e84dc6dcbfa2d

[0243] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Compass_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=a12e44f62842412821e571c0a461d1e82be734d347753b2b440622fa8e02c59f

[0244] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_01_256x256.edds | binary | size=17819 | method=0 | timestamp=1649701612 | sha256=c53fe929e9193ea18aa0f811612f43f3ff481473df2782c0e821a8760d9bc00b

[0245] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_01_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=5dee0de962435ba84c5d0d025e6707fb703cc7c6df4ce4d7c87b21ed2da7ad43

[0246] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_02_256x256.edds | binary | size=13887 | method=0 | timestamp=1649701612 | sha256=aa4113885a013600d8f0a3aebf978abf30c25c3bd09b01cc79f053337e3ea470

[0247] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_02_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=aa24dbbaf0e9359d0c7290bebc8c215d615ab91a6e1e078f0871f9ade42f2dd2

[0248] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_03_256x256.edds | binary | size=12744 | method=0 | timestamp=1649701612 | sha256=222cc38eb6c363e51332dc70a345375d2c77643b1005e48bf1b138fc2a45d00d

[0249] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_03_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=f710553940ed71c5ab101fcbf773566e70b24fdcc5206fa04e59b041e3ac2c89

[0250] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Corn_256x256.edds | binary | size=17133 | method=0 | timestamp=1649701612 | sha256=37ed17b9d7158211d20e42e47d772389cd83df2496ea5d3cce793a01a58a3647

[0251] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Corn_256x256.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1649701612 | sha256=96a78bc311714853b9d52856859d3efa25885219f181fc8d033c6fda1976f8e2

[0252] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cow_256x256.edds | binary | size=17166 | method=0 | timestamp=1649701612 | sha256=84480b4704cf0b3b249edf18a93786deadb8edb2a6894225a471f84755e18475

[0253] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Cow_256x256.edds.meta | text/utf-8-sig | size=350 | method=0 | timestamp=1649701612 | sha256=070502daf261d2ab4854bd552310282bac25cd27dd92e8aeb187f4485c6e216b

[0254] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Crowbar_256x256.edds | binary | size=12209 | method=0 | timestamp=1649701612 | sha256=2564ced5abb042a554b723e02a91d445e995ab3665122e939f33af1da9f19268
[0255] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Crowbar_256x256.edds.meta | text/utf-8-sig | size=358 | method=0 | timestamp=1649701612 | sha256=d0a8f2f76dcd85616338bda93c5917048c78cac2ee22ff2217b31419501bb772
[0256] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Dinosaur_Skull_256x256.edds | binary | size=17031 | method=0 | timestamp=1649701612 | sha256=a71d64a94592d224e468d168fc55ef0810612432ef2f7d700116b80f9946730e
[0257] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Dinosaur_Skull_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=ba2f84ac4d1da65ecaf6a0c0ac965e2697ea45bca039433cfbf493e46779db0a
[0258] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Dry_Wood_256x256.edds | binary | size=16912 | method=0 | timestamp=1649701612 | sha256=79362dc17c9b0e7ffd525099eb7a328a92a31a80ab6b3a31007f67866e6064a3
[0259] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Dry_Wood_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=7e5cc4f5927b3b0c4014726d2968c4746d836d9e8a66d6fed2488ad6937adbee
[0260] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_EatableFlowers_256x256.edds | binary | size=21215 | method=0 | timestamp=1649701612 | sha256=c2368327d6cf12bc7550b69d4dddcalfec219fc81d39042850df51035e904fea
[0261] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_EatableFlowers_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=4530339e0024f29221fc1626f9823f27161aedf6cb735d4fd0ac5553afafc698
[0262] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_ElectricalTape_256x256.edds | binary | size=33878 | method=0 | timestamp=1649701612 | sha256=91f5b6b030c7c6db665de9d0f0281b4cd15423b9b7e3cb38024aeb1257575265
[0263] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_ElectricalTape_256x256.edds.meta | text/utf-8-sig | size=372 | method=0 | timestamp=1649701612 | sha256=2172e70c51d8e33271e0b41804f58c710bb93688b8a13435f7b68dc8ffflac9e
[0264] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Empty_Can_256x256.edds | binary | size=18741 | method=0 | timestamp=1649701612 | sha256=b4d1aaf81ab0402a32f0a28c98879f46c3776fbc1dfd86019afdbfea7f9e977c
[0265] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Empty_Can_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1695057122 | sha256=9008e04f9e6e2d1de8484aa95ef7fff898cd9a06949f40a7cb725b77624fe61f
[0266] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Fish_256x256.edds | binary | size=11210 | method=0 | timestamp=1649701612 | sha256=ab5c78df97fa50a50c2787c2feb4e0f1ee4e82fa474a9d35f343b09245bd9f5e
[0267] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Fish_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=54116efed7017e686f9a571971309fe53b04b34eb3c7ed2bdc67845f29b64ec8
[0268] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Flare_256x256.edds | binary | size=13211 | method=0 | timestamp=1649701612 | sha256=4528797ab5a110bdddafa088c989e4106dd9b7ecf70a8e7be1add44f401a3f9b72
[0269] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Flare_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=23ceeba572451ada3ca8a67e39b247d771e05e2d064034333e3e384b24b5cca
[0270] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGun_256x256.edds | binary | size=16092 | method=0 | timestamp=1649701612 | sha256=ac234306da6857a2620066c3dae430956f02b36f453316365e689db88ccb0f059
[0271] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGun_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=a821674b75939378c9e8a7b01fdf97cd11e04a7b5501d629e6af271b14f0999a
[0272] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGunAmmo_256x256.edds | binary | size=14498 | method=0 | timestamp=1649701612 | sha256=a7eae6407a9d33d8201a87e07e9dcddf94334a2da7dbcb01fd4c2f130685ea3c
[0273] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGunAmmo_256x256.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1649701612 | sha256=cec90a9944039e3b87b3e23ca36aa7bb6a5fb8cd077a177c0419a1001edbe409
[0274] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Flashlight_256x256.edds | binary | size=18281 | method=0 | timestamp=1649701612 | sha256=88b76b104ecb691996f8886335a1282a419f5a7ec46c9854b11f471f42eb3e60
[0275] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Flashlight_256x256.edds.meta | text/utf-8-sig | size=365 | method=0 | timestamp=1649701612 | sha256=6cb98921ce92dbd7ae442a4f35440bb9adb29fd9a718db40f709f4cbf205c843
[0276] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Fox_256x256.edds | binary | size=15340 | method=0 | timestamp=1649701612 | sha256=2b7579076eb011fa49335e87cd3d339ecbd521926cc683a4dfaf28f2785da41a
[0277] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Fox_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=b7d4e38e336ece9f72b40689d74aa55e96ebe193463101ae7e817a5a03a4e678
[0278] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Frying_Pan_256x256.edds | binary | size=22353 | method=0 | timestamp=1649701612 | sha256=98f14e2742eb54e55de93a5c8dd4bb430a8f09ef507a0facace35f7ab522d63d
[0279] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Frying_Pan_256x256.edds.meta | text/utf-8-sig | size=365 | method=0 | timestamp=1649701612 | sha256=043f7228a708a08cf83734443a8fd7bdcab527b229d9e7715592826a9368f5a9
[0280] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Gas_256x256.edds | binary | size=26885 | method=0 | timestamp=1649701612 | sha256=87f0841e879bd667b1ada44731f9dd77765ef2b3a17c9dd0d07e4cf940610695
[0281] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Gas_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=1fc4a4b023b74fd6ef17cbe8024e3f39068e5b88e4d44a0c1553071908fc46b
[0282] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_GasMask_256x256.edds | binary | size=30561 | method=0 | timestamp=1649701612 | sha256=f5581f7c9f9e5e203502ffef4bc3296bb83cfa58e160f16492c4382ac2f0b610
[0283] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_GasMask_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=5d529642a073426901892dfe3b5d4e254f83fbd532d76dc9d36871db11dac06b
[0284] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Golf_club_256x256.edds | binary | size=11448 | method=0 | timestamp=1649701612 | sha256=f979f13b9f40ca878f72e4e0ae1422247101943a0605205694f21ce06f4ce202

[0285] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Golf_club_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=afe6cedb1f71827b8a87b03a6ce640da62b4b390ffc2533d51db9013ba6b9a8e

[0286] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Goose_256x256.edds | binary | size=13533 | method=0 | timestamp=1649701612 | sha256=974c07c73ee9249c4c481f578553537a00f082c7082505de0652dba685bf388e

[0287] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Goose_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=533dea297da9fd9713f040a5be8cd2fa10934c47fd65b2b1af52bba8cb2380b1

[0288] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Grenade_256x256.edds | binary | size=20467 | method=0 | timestamp=1649701612 | sha256=dlaad8ac1ce0bad87e754c73aa6cc911e75078310e97dd28df9d49ead031034f

[0289] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Grenade_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=b4e74f2ec9770ee19dbe513b6b386d8b2c7476b097ea42bcd22f0cd07cee92ed

[0290] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Guitar_256x256.edds | binary | size=25747 | method=0 | timestamp=1649701612 | sha256=9cdacebf482bd24314361ea7632d40d8d741083171daab42acf41d40099a7d2b

[0291] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Guitar_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=84156acb8b204e46f419f3d673539dd0ec38a2e2700aee64f82cb6c93615bce8

[0292] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_256x256.edds | binary | size=24180 | method=0 | timestamp=1649701612 | sha256=41025f940ba2666ea077115ec73147711fc126e85d9c2e6bf77fad9198ec917e

[0293] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=c6d0e3bbf59e80f1a7887d2c01b110e3ba21fbb39c34590b3cfd74d4b24b99e3

[0294] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_Bullets_256x256.edds | binary | size=20322 | method=0 | timestamp=1649701612 | sha256=c46ad3811cd0d7993776f649d5cdc652af6c6f485932ad39328968e480c64961

[0295] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_Bullets_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=dc0108fbbb7f94bdcf81294e336cba1053fe73f5189e239b837373d89a145be0

[0296] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Hammer_256x256.edds | binary | size=14438 | method=0 | timestamp=1649701612 | sha256=e55fb95c3aa20a6c6a5df49a955edbd6a970133be83dfb0bbec70568b8d2f00c

[0297] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Hammer_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=3d6d17d0daffede8c51983d28c0a6103127b4431f001b9881ba26ac75733d9e0

[0298] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Helicopter_256x256.edds | binary | size=7536 | method=0 | timestamp=1649701612 | sha256=ad82be62e2ff85d5fb41dcc0de6b9ec1e260b36374ce67786ae25378557b2044

[0299] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_HerbalMedicine_256x256.edds | binary | size=27613 | method=0 | timestamp=1649701612 | sha256=blae69cf95e7386b42e13db2b363a4e300688770db7d9694b6a3ffa807777ed3

[0300] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_HerbalMedicine_256x256.edds.meta | text/utf-8-sig | size=373 | method=0 | timestamp=1649701612 | sha256=a34499ec71739a093f23168d42f93b816ac11f0b67d64fbeb02e5cfd5899813

[0301] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_HomeMadeGrenade_256x256.edds | binary | size=28138 | method=0 | timestamp=1649701612 | sha256=f4d4a5dc7ff8ada8f26ef072435e2a80e9e3950f4ad670d32c2343a8d7c50e4a

[0302] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_HomeMadeGrenade_256x256.edds.meta | text/utf-8-sig | size=375 | method=0 | timestamp=1649701612 | sha256=4f75fd129182d15e6738068cc84b0a8937e77f4f791ed63f6337c2297a767366

[0303] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_HumanSkull_256x256.edds | binary | size=17154 | method=0 | timestamp=1649701612 | sha256=5c65146fff8462415da399d86203f859518c87d0f8d46211d7ca02a263e9a519

[0304] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_HumanSkull_256x256.edds.meta | text/utf-8-sig | size=365 | method=0 | timestamp=1649701612 | sha256=158cbb91cb1bd3d17b3b7daa380df084f5fe3f8942e55a90b45376ba3f5b4ed

[0305] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Insect_256x256.edds | binary | size=14788 | method=0 | timestamp=1649701612 | sha256=a0097ff3c339afd90f40ba77a6fd83ef38128c728df5b910951311b84917cfd1

[0306] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Insect_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=1b37c3c3d46391ee7022f5b50d8105226a877030abadc9ceb3636f0fdd7cc4d3

[0307] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Kitchen_Knife_256x256.edds | binary | size=13869 | method=0 | timestamp=1649701612 | sha256=7610328a3a2c847115f20b3113571f678c8435be4221130097b77dd5ed85b7c2

[0308] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Kitchen_Knife_256x256.edds.meta | text/utf-8-sig | size=371 | method=0 | timestamp=1649701612 | sha256=2adce7587ecef156c142a28e3bb4730d80870fdf78b0596794190254e6247cb1

[0309] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Ladder_256x256.edds | binary | size=16932 | method=0 | timestamp=1649701612 | sha256=e6c027f1ccfe1a7b3540df06e941f37deec6a398aa7a4f62ef2763cf6c6787bb

[0310] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Ladder_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=dc6955755b3999af81490e0004ef18c9357303ca671338ee9a4da94116c316b7

[0311] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Lantern_256x256.edds | binary | size=18322 | method=0 | timestamp=1649701612 | sha256=dd6aed7ae1a9abef11697a765829705a4093d6234f404c6d561801a6a283775a

[0312] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Lantern_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=944176731c72eaff2a574d537c6cb820a04cd996dbbb502141cb04df83c74582

[0313] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Lighter_256x256.edds | binary | size=18980 | method=0 | timestamp=1649701612 | sha256=40ca288747484124217c7544dd68aaef9d1fb09a3e37d423f99ed1796aa3a849

[0314] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Lighter_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=61ff6e24708259163ce2cdd327fa54a4584e0b7c84f77e8c5f5c7625713d9d02

[0315] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Lizard_256x256.edds | binary | size=9853 | method=0 | timestamp=1649701612 | sha256=08a9501894fe8963c36164254087fbcecd7930f55cd681a7a40ef0b723a808f3

[0316] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Lizard_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=cc596ac28e4d58c913b9dca113e3e01230dd8b56cb6f64f64553443db31ff61

[0317] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Machette_256x256.edds | binary | size=13322 | method=0 | timestamp=1649701612 | sha256=0168e17d9beca99371188b43ca8bb1d451acd4245836e06e8d375c3ccf33b185

[0318] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Machette_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=73fd93d0f141efcb703c7687bb75cbcd178e1b20ff711a71db5494888de0340

[0319] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Map_256x256.edds | binary | size=21126 | method=0 | timestamp=1649701612 | sha256=3289730dd67732a5ba39e839ca32d56f222a26fc66b56c55e962c1b842646df5

[0320] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Map_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=d7f499e8d3b566e1150741e6d61854dd09b3c312a1ad3b30f1fd0d6e4341f02e

[0321] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Matches_256x256.edds | binary | size=21196 | method=0 | timestamp=1649701612 | sha256=88f9ddb34c617acb9fcc53dec073229ba01d84413a3b9ced1c2b6eed02b5ef

[0322] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Matches_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=1a43c466f1b5b85440a8c44dfb935329fd9a0c1f6b7d1f275573b6d42f35da3

[0323] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Medic_Box_256x256.edds | binary | size=22627 | method=0 | timestamp=1649701612 | sha256=3a06ab70b36c3f450f11d37492e4b159f0cb0779bebcf9104a1da24278b00317

[0324] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Medic_Box_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=6fce8690d834e9e21504179e7c422330ab537a998f0fe976ea71cddb85b4625b4

[0325] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Molotov_256x256.edds | binary | size=15749 | method=0 | timestamp=1649701612 | sha256=13b1a3e756d6eddec919b8ddeal71a99863515f8aa48aa7524c301645c8aed8

[0326] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Molotov_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=093ab15bc392cb58a757aldcea20275ac77fe8calff8f4110d874eb609153893

[0327] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Mushrooms_256x256.edds | binary | size=19764 | method=0 | timestamp=1649701612 | sha256=86542319e0733cfe50702d4825c275f3390944af7b1a1ff68e6fdd293ce0d2fc

[0328] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Mushrooms_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=bcd47080cd1bb9b3a7502f8e995ba5e13c9a4fca65dffe744deee5ccd5ab295d

[0329] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Nails_256x256.edds | binary | size=19342 | method=0 | timestamp=1649701612 | sha256=56f380133fffc2cdc39b9a4d00339e2e85a54e24e8a8c2be75b30cf4f537a34b

[0330] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Nails_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=45da241a955d6ec9cdaf1645998d594dbf0ec6e98953e3d2282f2c0c6bd7c80b

[0331] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Paper_256x256.edds | binary | size=10818 | method=0 | timestamp=1649701612 | sha256=4c46ab2d23e077e54632782bf3e7f79c8f934875fd551913cd935c3deba2d55

[0332] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Paper_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=520e7603002db663bcc2f5d3d972d4a83983df5750ad6b56acce35967e4ab92a

[0333] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Pills_256x256.edds | binary | size=17298 | method=0 | timestamp=1649701612 | sha256=b4dfdb6a89f6628f00b727fb0e558536298ade33b09f5bb2b025381f62752c99

[0334] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Pills_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=afb86d70214e452038fbc3524715e7121b1927d95f9805f5c9ce94bd4e013dfc

[0335] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Pipe_wrench_256x256.edds | binary | size=16491 | method=0 | timestamp=1649701612 | sha256=8dc630b6db19ff897c891a10cfa7e7f9a564534d0db7bc9dd4efcd3bc72f3655

[0336] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Pipe_wrench_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=d681054f115b7d022a0e9ebdd6e69938ce602426b6f5daaa337ccd3fc159e6c

[0337] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Powder_256x256.edds | binary | size=10205 | method=0 | timestamp=1649701612 | sha256=54554b220a8e601e6daae7fb88eec88e0f018d61aabcd940fdc2542adc022a03

[0338] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Powder_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=cd164a60a43c657e7a84d94335d561fd820327375caad3bb0a9076df5578bbb9

[0339] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Pumpkin_256x256.edds | binary | size=20967 | method=0 | timestamp=1649701612 | sha256=9e8680088d3dd5050ddc38c7bd8fde206585bf75f35abf360d17d8910a346940

[0340] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Pumpkin_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=59a28b2dcd1ccb797190b06ef34128e99a8eb9b8f5a29b4a0b740alc7d2a9948

[0341] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rabbit_256x256.edds | binary | size=17232 | method=0 | timestamp=1649701612 | sha256=e36970e43760ac4445172ded5a3e556432d8eec676eaccd466de7d40d38dd7a2

[0342] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rabbit_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=5e61be5214aeebcb5359b8b299ea7c16745a375adb785a1aa022f510be936944

[0343] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Racoon_256x256.edds | binary | size=13821 | method=0 | timestamp=1649701612 | sha256=2cd31d2f408ecf4503cc1e1ee8f5d1e07ed7d9009e2a8f265b6ac00c4e7349e2

[0344] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Racoon_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=70127b88cecb05756f95463da45b99b61375a18dc2faa6cc5c0dd57ec793db99

[0345] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Radio_256x256.edds | binary | size=26077 | method=0 | timestamp=1649701612 | sha256=21b4a43457b9de1129b99bca13ca73e91fce449c7a0efe2536d68c4e3cb45b56

[0346] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Radio_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=1e4a7615824e6bc311bdc615c93368323be48971f26f86512dba754062a461b2

[0347] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rat_256x256.edds | binary | size=9368 | method=0 | timestamp=1649701612 | sha256=0f08c9c45b1baaddbd6f3e5d68f0b9a1a31b5a88636a19d8229fclleefcd3045a
[0348] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rat_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=ac4f8d1dc8aa5d812428c2a75dd58d4645f1a726aa5b7af16aff3810dc6b671e
[0349] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_01_256x256.edds | binary | size=12278 | method=0 | timestamp=1649701612 | sha256=fdd492e3b2cc682969847684896284be898c52e3061f365a5bf4939519af3c27
[0350] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_01_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=cd2aac1949fe6d2e799f9c5d3e5527cb39af6bfb1180147ff4abd7cb8c4d803
[0351] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_02_256x256.edds | binary | size=14408 | method=0 | timestamp=1649701612 | sha256=2ceac5cc7b06738915159a3ff1c77aedee94bbd1872e220ef8889717666713c1
[0352] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_02_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=844d77738c36fb9e37e70c0f78eaacd03a9e56f9326cec2561a51b1bf4e30f20
[0353] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rope_256x256.edds | binary | size=14111 | method=0 | timestamp=1649701612 | sha256=d5d2f3258f400032a7020e8483ab7660399a4252fe167a246de8d77bc34d47f8
[0354] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Rope_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=c3c1a955ab397422f6a9409fbaf90d797c46f785030led322916e274f5d52bd4
[0355] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Saw_256x256.edds | binary | size=13048 | method=0 | timestamp=1649701612 | sha256=e0b06c2892176a59d1ee9632d97076a5d79b724743b87be09fc86b867881b96c
[0356] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Saw_256x256.edds.meta | text/utf-8-sig | size=351 | method=0 | timestamp=1649701612 | sha256=beeeb304b21160a7aaef003f65768ba55524c107578c2f2ccfb78a72eeaad891
[0357] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Scrap_Metal_256x256.edds | binary | size=20956 | method=0 | timestamp=1649701612 | sha256=9225cbbd095a2a945d18ee3b674c59289a52d746aa5440601f517baffc878d0f
[0358] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Scrap_Metal_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=eeca8fbfb13fa9320100551f7a54bc4024f423e55e66ab51c6b97d7d139d2c43
[0359] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Screwdriver_256x256.edds | binary | size=12208 | method=0 | timestamp=1649701612 | sha256=0d0335b7f78af96add5e3cf3c0d97a23b2d6c3156eba2d55831debb843b798c4
[0360] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Screwdriver_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=80819aa6fd345735425a533fd5380c7b7b79a8bd73d510f09ec03670b7c93584
[0361] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_256x256.edds | binary | size=11100 | method=0 | timestamp=1649701612 | sha256=6d21704c30c7009c13a0235485e244323be674facc4ef6b296f778680bf6f3a5
[0362] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_256x256.edds.meta | text/utf-8-sig | size=359 | method=0 | timestamp=1649701612 | sha256=945707fe20e2a5c8da0e7298b7ee3cflc8b07ed0d5fcd53f1215f028692a7a1
[0363] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_Bullets_256x256.edds | binary | size=19010 | method=0 | timestamp=1649701612 | sha256=59f16bd6c8cbafcb91f50cdf61ad2058cb26eff93b229ea4b9bfe71e208519c
[0364] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_Bullets_256x256.edds.meta | text/utf-8-sig | size=375 | method=0 | timestamp=1649701612 | sha256=bed8161cbd2cd4b75625c854eb780c017a206e17c461356f62b47aac4aa3025c
[0365] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Shovel_256x256.edds | binary | size=13038 | method=0 | timestamp=1649701612 | sha256=9509d642f2143975489509c2891ad2617f5ebbcd82b34a7ec19a9342763369c3
[0366] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Shovel_256x256.edds.meta | text/utf-8-sig | size=357 | method=0 | timestamp=1649701612 | sha256=0cb5854b62dd985042aef6194e9999544c96d40cf37660342bd9a7b3462e1fb0
[0367] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Sleeping_Bag_256x256.edds | binary | size=21192 | method=0 | timestamp=1649701612 | sha256=050e46cd5f9a368473e741ccc412cbb0e085fbfa9c3c988d05a27b35908cb827
[0368] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Sleeping_Bag_256x256.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1649701612 | sha256=e295fcc1cbfe37de0927e1d1142c06cdf0c9dc32caafa2733ff8474d35eb8fdd
[0369] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Slingshot_256x256.edds | binary | size=19825 | method=0 | timestamp=1649701612 | sha256=5e64ec8293bc7f156a5d2a044d5d2747132c7b0f1264c75f60a90d5ca0be0983
[0370] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Slingshot_256x256.edds.meta | text/utf-8-sig | size=363 | method=0 | timestamp=1649701612 | sha256=cbccbbd18d3d254dffe7268e41f3d76cdb079bfa32b1c35cca9ffb2f7a85dale
[0371] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Soda_256x256.edds | binary | size=24689 | method=0 | timestamp=1649701612 | sha256=09ca3f1aada5eeb3f5471342b438cd1da5382705e649adf45fe64e84786e871b
[0372] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Soda_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=28f817fc4979d4b92d8160592a99407d8681c6de29553912210e494bc6ed7bae
[0373] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Soldier_256x256.edds | binary | size=12576 | method=0 | timestamp=1695057122 | sha256=9a3b5f44c8fa538c28f609e293557e82286f7b1b5d3c73eb7be2d44b1eabc50b
[0374] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Soldier_256x256.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1695057122 | sha256=32fa7762df0fe4ed46a9058dedalec472edc4e309b36a596dbef1e25e5e77be4
[0375] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Tent_256x256.edds | binary | size=15708 | method=0 | timestamp=1649701612 | sha256=aa77a08c308d849306b6f699a63009f106f82dd379b664aeb3549d1ddcf1368
[0376] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Tent_256x256.edds.meta | text/utf-8-sig | size=353 | method=0 | timestamp=1649701612 | sha256=ec3b4bb053a16e604722146a5f7893f1f35c6e1894b18efc0298bac4195a7cc7
[0377] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Three_Stick_256x256.edds | binary | size=14634 | method=0 | timestamp=1649701612 | sha256=f0e159634c9b2735255986e4b51d1569e5c61f9d08b578b8a5e5a6eab290c1e2

[0378] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Three_Stick_256x256.edds.meta | text/utf-8-sig | size=367 | method=0 | timestamp=1649701612 | sha256=a0e1b13462f80f8764dbf9a8a03f16c00cece45a293b49f62e4fc39a506ddf4c

[0379] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Wakie-Talkie_256x256.edds | binary | size=20460 | method=0 | timestamp=1649701612 | sha256=86e7acb838e1be069135561765857af9e6f26b0361dbbb3750c5ecabb7ac7423

[0380] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Wakie-Talkie_256x256.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1649701612 | sha256=2f0f8ade56ce70f0ba0519d94b5d314e0884fdeaaae2fb4e5e12f401154cfl41

[0381] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_WaterJug_256x256.edds | binary | size=20826 | method=0 | timestamp=1649701612 | sha256=01d0b4f5ac8f227a7a7750ea3ec31443e31a10c4865eee589956c0607b353bf1

[0382] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_WaterJug_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=fb60a9204318280c7309a1d24f3abd4d0289c0bfd49c15ad4baa3ed53e5ee6d9

[0383] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_WildPork_256x256.edds | binary | size=12767 | method=0 | timestamp=1649701612 | sha256=fd491ee0f4f6329685b348208f5f44bdf7e0ff6fffb59775c621a078d6902f1a4

[0384] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_WildPork_256x256.edds.meta | text/utf-8-sig | size=361 | method=0 | timestamp=1649701612 | sha256=6a2e0ff5d1127f48763ad9806543df8f18f6bffa468b7f5894eb101f32e652f3f

[0385] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Worms_256x256.edds | binary | size=15753 | method=0 | timestamp=1649701612 | sha256=bde3008d0e75b23453a2dcd9ad28968acd66c31bfd87db7bf31d1a9917f1b494

[0386] PB0=core pbo files expan/core_gui.pbo :: icons\misc\T_Worms_256x256.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=b1a69151aafbd012db43d01a771f8e95c9443a39fbf0556b26a86bb1a5fd745a

[0387] PB0=core pbo files expan/core_gui.pbo :: icons\misc\trashcan.edds | binary | size=6690 | method=0 | timestamp=1649713007 | sha256=05a35a133359c77b7af47234a513311aeeff0f8ae2d6323120103f53db7fa5df5

[0388] PB0=core pbo files expan/core_gui.pbo :: icons\misc\trashcan.edds.meta | text/utf-8-sig | size=335 | method=0 | timestamp=1649713007 | sha256=c2e719170e3a8e2a3ce6e37e635875c1a4a243d5a88f70d30184ab6252c04a54

[0389] PB0=core pbo files expan/core_gui.pbo :: icons\misc\trashcan_checkmark.edds | binary | size=5129 | method=0 | timestamp=1649713007 | sha256=a1602c4851d084580742082aa83acd262fa456d2afc8aedc1240ef07cef2c08a

[0390] PB0=core pbo files expan/core_gui.pbo :: icons\misc\trashcan_checkmark.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649713007 | sha256=a0eda798cd04c1f42d2657ac45385b0b5cbe9a2a26cd0c657d326b5f6bb92330

[0391] PB0=core pbo files expan/core_gui.pbo :: imagesets\arrows.edds | binary | size=12406 | method=0 | timestamp=1649701612 | sha256=48227829273efd0ac1d999a0e7367a847e5513b454378c3846353b9ad77b23f8

[0392] PB0=core pbo files expan/core_gui.pbo :: imagesets\arrows.edds.meta | text/utf-8-sig | size=340 | method=0 | timestamp=1649701612 | sha256=e5f8413dec4dbffccacc5b4ac427796be3da131c2d8c78871ecc7702950205e9

[0393] PB0=core pbo files expan/core_gui.pbo :: imagesets\arrows.imageset | binary | size=406 | method=0 | timestamp=1649701612 | sha256=26f059a53d1add847e254139cbd311b1c27bbc230977db02fc2e5e3da00bbb11

[0394] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.edds | binary | size=174480 | method=0 | timestamp=1649701612 | sha256=408b45297e6c7d1a82cb317bdd5a2ca867397163db85beba57f5fee292b2a47f

[0395] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.edds.meta | text/utf-8-sig | size=355 | method=0 | timestamp=1649701612 | sha256=9a49e9b9535919dc76257385384477e8c1b06ded9d195d92f1d895658964cb21

[0396] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.imageset | binary | size=482 | method=0 | timestamp=1649701612 | sha256=f598c8741a4ab13f17b5e2534fda0a0512bfd5c9095c7a5abae2f8572326a9b

[0397] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.edds | binary | size=5592620 | method=0 | timestamp=1649701612 | sha256=db41de7177a57da5cf6409fc30c8b05e07dbdcd2abbee2dc1f3829754b1dfce8

[0398] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.edds.meta | text/utf-8-sig | size=429 | method=0 | timestamp=1649701612 | sha256=8cdb6c39e708b0306ebbb4c4769d9ff6295712bf74330d82565aea5151b13e79

[0399] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.imageset | binary | size=6622 | method=0 | timestamp=1695057122 | sha256=e03ae2cc7b7b18326dc895d0397e2dd4684e6d365ff7b86f29d9aac492f1e1e7

[0400] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.edds | binary | size=78135 | method=0 | timestamp=1695057122 | sha256=6bf5211c196ddb104356e086b7725d1f395db5e803e39e5d9d04f48dcdacd73d

[0401] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.edds.meta | text/utf-8-sig | size=362 | method=0 | timestamp=1695057122 | sha256=f9ad2ab7df3bac5692d0df3da6cb8301a4cc00c3ebef4c7ca1d82f1ea2e6cddb

[0402] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.imageset | binary | size=946 | method=0 | timestamp=1695057122 | sha256=84ed716a70fa839776efa643f600d2581f4db7c469e19e4d4713d30402530617

[0403] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.edds | binary | size=723899 | method=0 | timestamp=1656712594 | sha256=7a2cdeab842942fb69000229afb7212d9d7308137868fc414fac7b378a636272

[0404] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.edds.meta | text/utf-8-sig | size=369 | method=0 | timestamp=1656712594 | sha256=41af7045774f4e1f55deea332bc0c7b3807472e8a248ee3d516293095f46fa3f

[0405] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.imageset | binary | size=1774 | method=0 | timestamp=1656712594 | sha256=782557a6e33d965a82deebf2a03b281129d0b053a47c4451a373064df977d678

[0406] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.edds | binary | size=74950 | method=0 | timestamp=1649701612 | sha256=5bf4a3ae4e620f08f79ffeealcbd550475228048016aea5872e4dd40214901a82

[0407] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.edds.meta | text/utf-8-sig | size=387 | method=0 | timestamp=1649701612 | sha256=f0888c5f9779478b689b0d4a15de7000de7a5117a28d15baea2ec8dec8cdc3df

[0408] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.imageset | binary | size=2467 | method=0 | timestamp=1649701612 | sha256=4ab4f72bae97e49b945fcaef6b56dc92591751f057a155876e363d25e34d608e

[0409] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.edds | binary | size=33246 | method=0 | timestamp=1649701612 | sha256=66bb137239afdc3f0e06ade6be6ef8e1b521bb1a82a97bf5534c020d2e40ee9

[0410] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.edds.meta | text/utf-8-sig | size=360 | method=0 | timestamp=1649701612 | sha256=3caa61ca210000885440e8e2faalbe380436ecb32cb0f18bf79087584e7f6c6d

[0411] PB0=core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.imageset | binary | size=1048 | method=0 | timestamp=1649701612 | sha256=43e9e08ed98d1e4d234312ce0340284aa3b70731ebd76cce833cf91bb1ae11ec

[0412] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_debug.layout | text/utf-8-sig | size=293 | method=0 | timestamp=1695057122 | sha256=58c81f0c50267585319787d8476d3896112119f19c71334e133c4facda202452

[0413] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_inventory_tidy.layout | text/utf-8-sig | size=815 | method=0 | timestamp=1760094879 | sha256=5d33696763091941e4673cc7efb8b51ce20f6b08a577cec1e889a9615565ce3a

[0414] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_activity.layout | text/utf-8-sig | size=5324 | method=0 | timestamp=1721900184 | sha256=8044a2ede67bac6470775a27971fc01976d74294f5ac8c6c23d9b29cb32c7492

[0415] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_baguette.layout | text/utf-8-sig | size=5873 | method=0 | timestamp=1714705082 | sha256=a39fef349f5b93970f110496b8c40cdd803d8729e07dd4cf9e5ace73b2ba0d85

[0416] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_hud.layout | text/utf-8-sig | size=4254 | method=0 | timestamp=1721900184 | sha256=a82cf581cfc0a507f9eea49635475272d098270d34a1225a6eb1600b120bbbbe

[0417] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_killfeed.layout | text/utf-8-sig | size=5915 | method=0 | timestamp=1714705082 | sha256=639db0b65dfe5230626637c233f3362a6eb6bc70c6842901e631fdaa9415ebdf

[0418] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_market.layout | text/utf-8-sig | size=5910 | method=0 | timestamp=1714705082 | sha256=2bd7b1f739902e20b2a0f2c8b51384d89134c379387884163a824063386619dd

[0419] PB0=core pbo files expan/core_gui.pbo :: layouts\expansion_notification_toast.layout | text/utf-8-sig | size=5873 | method=0 | timestamp=1714705082 | sha256=cd90909835fc351c6326512ad02a2d353a3fa86b21425fa431c491fe227fd03d

[0420] PB0=core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_canvaslayout.layout | text/utf-8-sig | size=382 | method=0 | timestamp=1649713049 | sha256=8f160af1210fdbd9cfb5a5e87d7c669e06265b79a07e661a93821c6a96e34d75

[0421] PB0=core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_marker.layout | text/utf-8-sig | size=2903 | method=0 | timestamp=1713469910 | sha256=50788007ac8e267e69d79be2b2d6192872eed07152221aa5705c72c3b9302ef9

[0422] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_base.layout | text/utf-8-sig | size=5851 | method=0 | timestamp=1704038826 | sha256=2afd9476d0f7a0cdccaf2763727e428d06860b1c0d662a3ef403ca5494ca82e5

[0423] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_button_text.layout | text/utf-8-sig | size=927 | method=0 | timestamp=1649701612 | sha256=d93cfc28deda0dfa9fac82c66a8de21b29e7f35bf9d967707c3b3227553b7a55

[0424] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_spacer.layout | text/utf-8-sig | size=152 | method=0 | timestamp=1649701612 | sha256=8e3376ba7af3d86c61e6ce3c210c543641b0bb3d61a9838045ed4679d62d4418

[0425] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_textscroller.layout | text/utf-8-sig | size=883 | method=0 | timestamp=1704036032 | sha256=e44b53bdd302169737c4df7f09eda0b1bf070dd6f1bc4091f190c8935bb7157f

[0426] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_editbox.layout | text/utf-8-sig | size=698 | method=0 | timestamp=1649701612 | sha256=05c003d604ee264a952f5751b5aefd799703e925e7d653b2a909c153a6d1c103

[0427] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_text.layout | text/utf-8-sig | size=899 | method=0 | timestamp=1705534847 | sha256=ae3005b8f3a600b4e3dc142d323225edc5aa7910027a8850ef747d23fb595921

[0428] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer.layout | text/utf-8-sig | size=672 | method=0 | timestamp=1695057122 | sha256=f8efa10cb3be23e9478cbfea2b2ae52e77736f5259b71c9ecd1b64947293529e

[0429] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer_entry.layout | text/utf-8-sig | size=820 | method=0 | timestamp=1695057122 | sha256=0f63f0e205a87667fa51f0f7a34aea8af8c6d3f2e643f7a7608a462517b15b56

[0430] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_inspection.layout | text/utf-8-sig | size=6725 | method=0 | timestamp=1695057122 | sha256=29b93c7827d996f52cc54402e2805dd737a37383da21460330dc50d4c054f26

[0431] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_preview_tooltip.layout | text/utf-8-sig | size=2480 | method=0 | timestamp=1649701612 | sha256=842d5f451c1312fefa77eb0f2519646c7206c968bb77d4fca52285df2d63d61b

[0432] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip.layout | text/utf-8-sig | size=6664 | method=0 | timestamp=1700767010 | sha256=1c290078537ac6a3d7cd848541f1b8a04571537b8ae31b9a11b60e5b0b667054

[0433] PB0=core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip_stat_element.layout | text/utf-8-sig | size=1157 | method=0 | timestamp=1649701612 | sha256=7e8b6eab0ba07fd8e901dd93ad4f40d0046dfcd10d11led26448b6b86cf46fee

[0434] PB0=core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_category.layout | text/utf-8-sig | size=1251 | method=0 | timestamp=1649701612 | sha256=745457890b36bcd960f59ed9d8275f2fc7e534f3702bec86d5146f7079c890d

[0435] PB0=core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_setting_new.layout | text/utf-8-sig | size=2062 | method=0 | timestamp=1656712594 | sha256=4b4eca70be0da0d0c939dc2e9f23d01a32371d0d8972769410bae12d95fd23de

[0436] PB0=core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_tab.layout | text/utf-8-sig | size=764 | method=0 | timestamp=1649701612 | sha256=f03d22e983bcd8fb246d895bc74097285a333827e10f9b746f7c721dce36c65

[0437] PB0=core pbo files expan/core_gui.pbo :: layouts\ui\options\tab_control.layout | text/utf-8-sig | size=1032 | method=0 | timestamp=1649701612 | sha256=3e172c60b508704ad7b3457a06dd3f82f4a1f7a155f2ad89c280dc3e81bac023

[0438] PB0=core pbo files expan/core_gui.pbo :: looknfeel\expansion_widgets.styles | text/utf-8-sig | size=9667 | method=0 | timestamp=1713469910 | sha256=7c4c810898069c2b7faec2596a2186e75fdf62f115dd6485d3e9dcd92a2f52f

[0439] PB0=core pbo files expan/core_gui.pbo :: textures\expansion_icon.edds | binary | size=97248 | method=0 | timestamp=1649701612 | sha256=8aa79fd0f056cd5c03e8b98363132261f1f7561d7a3c76505867b9da0f229710

[0440] PB0=core pbo files expan/core_gui.pbo :: textures\expansion_icon.edds.meta | text/utf-8-sig | size=356 | method=0 | timestamp=1649701612 | sha256=7f177655350e58558645695c52dd472911e7e59487ac89e14b318c6cc0f69287

[0441] PB0=core pbo files expan/core_objects_bases.pbo :: config.bin | binary | size=294 | method=0 | timestamp=1679012866 | sha256=8f6f127ce9297a072c6cdfaeb7b8832e5c9fe61d8898958897a9bcab5202fa76

[0442] PB0=core pbo files expan/core_objects_bases.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1679012791 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0443] PB0=core pbo files expan/core_objects_briefcase.pbo :: briefcase.p3d | binary | size=68383 | method=0 | timestamp=1679012884 | sha256=a6f76a2ce34e044a9edeab4848f701383e7dc6169e72566da2316b1f98d3cb87

[0444] PB0=core pbo files expan/core_objects_briefcase.pbo :: config.bin | binary | size=1568 | method=0 | timestamp=1679012875 | sha256=69615cb5f6ac00ce21955ceebc6f566e11590dde7b4cdd0925325ffad25bf63

[0445] PB0=core pbo files expan/core_objects_briefcase.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663955120 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0446] PB0=core pbo files expan/core_objects_briefcase.pbo :: data\Briefcase.rvmat | text/utf-8-sig | size=1474 | method=0 | timestamp=1663955120 | sha256=80c42ce871e2c9af6d760e23688f9442d0508b6056ed3243a2ec50c4e1f4ff53

[0447] PB0=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_as.paa | binary | size=680030 | method=0 | timestamp=1663955120 | sha256=475572f1d1e0a1f811025f336542966d54dc86751ffcabfcb227135934872973

[0448] PB0=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_co.paa | binary | size=2169625 | method=0 | timestamp=1663955120 | sha256=0421d1e7a9281b61c95218e0c94b90b2c3b303ac120df52575dd5e89bf8a88f3

[0449] PB0=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_nohq.paa | binary | size=4577290 | method=0 | timestamp=1663955120 | sha256=ef57bbdb823c3abebe43a120535bcd22f8a1877296943097c3566c9cbd032a7f

[0450] PB0=core pbo files expan/core_objects_briefcase.pbo :: data\briefcase_smdi.paa | binary | size=1482663 | method=0 | timestamp=1663955120 | sha256=ef297118e8ec73c273aa48ead3bb097dfe372ad1bd6de53b6b4a91c078c53d10

[0451] PB0=core pbo files expan/core_objects_circuitboard.pbo :: CircuitBoard.p3d | binary | size=294100 | method=0 | timestamp=1733952218 | sha256=3459f6f6496005ea9a0a3a1d6ee4ed38730ad2d575ceeee76b28037ab656de2e

[0452] PB0=core pbo files expan/core_objects_circuitboard.pbo :: config.bin | binary | size=3570 | method=0 | timestamp=1733952194 | sha256=6145f78df9c5c85e87534631213f7125930348a62b224150c8cb2aa8a91a8f4f

[0453] PB0=core pbo files expan/core_objects_circuitboard.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1695053522 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0454] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board.rvmat | text/utf-8-sig | size=1468 | method=0 | timestamp=1695053522 | sha256=d0de8fa6d0db25ee7eced139571f12c67ac27dcb142160ad45fba46586e19a7

[0455] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_co.paa | binary | size=576544 | method=0 | timestamp=1695053522 | sha256=3f46de683b5d6f35f4a9f63bdd4fd1d1f9051694f36c03d4815660903e68d069

[0456] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_damage.rvmat | text/utf-8-sig | size=1670 | method=0 | timestamp=1695053522 | sha256=83f74b65576fef84477db71885ef808951ad5d3c991a03b680f4e854b444075f

[0457] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_destruct.rvmat | text/utf-8-sig | size=1678 | method=0 | timestamp=1695053522 | sha256=2e9feab75316523978ffccadb27df5a7ac70ac4581dc24e985b82cd3c2ccld2c

[0458] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_mk2_co.paa | binary | size=563388 | method=0 | timestamp=1695053522 | sha256=8a77cf8ae55f6c598f21808e525e45bb58e5da148db8b1bce00ade946db0843a7

[0459] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_mk3_co.paa | binary | size=565973 | method=0 | timestamp=1695053522 | sha256=39df3ca01724fbf98ae05e43e2c3e12b8a09c268fc3782ba001ac2ae616396a2

[0460] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_nohq.paa | binary | size=7091626 | method=0 | timestamp=1695053522 | sha256=b5177b546bf8abe4ef24baadf09fac078e6f98a38321fb4a3322c66080c886b

[0461] PB0=core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_smdi.paa | binary | size=459792 | method=0 | timestamp=1695053522 | sha256=f9e3df19cdc2850237d22af699c553c44f70c217321bee52f3a5becb0f31d975

[0462] PB0=core pbo files expan/core_objects_currencies.pbo :: config.bin | binary | size=8250 | method=0 | timestamp=1773697967 | sha256=e84b305301b39227702adf19a4151173e04543b406c9f89b3f0c37f0c9d8688

[0463] PB0=core pbo files expan/core_objects_currencies.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649698012 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0464] PB0=core pbo files expan/core_objects_currencies.pbo :: data\gold.rvmat | text/utf-8-sig | size=1538 | method=0 | timestamp=1649698012 | sha256=e987e6de3feb0650f4c32a4b371e4a81b352815f1ab9a6e144abf2cb6660a2a2

[0465] PB0=core pbo files expan/core_objects_currencies.pbo :: data\gold_as.paa | binary | size=14846 | method=0 | timestamp=1649698012 | sha256=65279d357b6125b22cb2e499b5a3d3179a51d1e35b6c4a6e14003b00ec3398e8

[0466] PB0=core pbo files expan/core_objects_currencies.pbo :: data\gold_co.paa | binary | size=241771 | method=0 | timestamp=1649698012 | sha256=1bd0a42574309aa4247b548bb4ae4ab28a497e9f5fe44d8a9e2fe4e008c14e7b

[0467] PB0=core pbo files expan/core_objects_currencies.pbo :: data\gold_nohq.paa | binary | size=1065922 | method=0 | timestamp=1649698013 | sha256=e3a5d5e178dda81458a90700791a56eb333f35f6ec7abd2a17a0cf17e375802c

[0468] PB0=core pbo files expan/core_objects_currencies.pbo :: data\gold_nugget.paa | binary | size=1491937 | method=0 | timestamp=1649698013 | sha256=4361e8a63a5085a3ad9d4e621ff2b01f9f9aa67011bba5f2dfb2f008d831e6cf

[0469] PB0=core pbo files expan/core_objects_currencies.pbo :: data\gold_smdi.paa | binary | size=35732 | method=0 | timestamp=1649698013 | sha256=d64e493aaa7a3c656bd79e68195d2e1636dc74568489d8bc02e9a1101d7c9eaa

[0470] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold.rvmat | text/utf-8-sig | size=1089 | method=0 | timestamp=1649698013 | sha256=9b67fd34734ded41f317ab9670736944e5ae3ae5b8a6806681d7ff934473f4b

[0471] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold_as.paa | binary | size=286324 | method=0 | timestamp=1649698013 | sha256=47df6460a07ec26539688bc871fe7f67c59f4f20e7013621057ca75e179af838

[0472] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold_co.paa | binary | size=328139 | method=0 | timestamp=1649698013 | sha256=44c9bcb4ed61a43ddb401570fd04f951e790dd61cac8ff4b98ad728b5daaca47

[0473] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold_smdi.paa | binary | size=381926 | method=0 | timestamp=1649698013 | sha256=e93f0635f4e6d3daae9b579c75b2cf044f89a6737bdf3165fcd9fd64ab20e2aa

[0474] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver.rvmat | text/utf-8-sig | size=1062 | method=0 | timestamp=1649698013 | sha256=f2a049644190772d84731f3bed78d018f0f1c923b4c742e0934d872645e538a1

[0475] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_as.paa | binary | size=286324 | method=0 | timestamp=1649698013 | sha256=47df6460a07ec26539688bc871fe7f67c59f4f20e7013621057ca75e179af838

[0476] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_co.paa | binary | size=324766 | method=0 | timestamp=1649698013 | sha256=238393cb5a8beacaa60446dc1212a67116c53593beded9f60bda935a341aae0a

[0477] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_nohq.paa | binary | size=897568 | method=0 | timestamp=1649698013 | sha256=fa3e68f5708f73c7afa6ee6eb7d8bfccee104ee052d289d45bc9a38be98ea24e

[0478] PB0=core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver_smdi.paa | binary | size=385060 | method=0 | timestamp=1649698013 | sha256=db0608a47eca206fd0a9220ad1fd9f134af003446f6a340b158adbba8049fa47

[0479] PB0=core pbo files expan/core_objects_currencies.pbo :: data\silver.rvmat | text/utf-8-sig | size=1533 | method=0 | timestamp=1649698013 | sha256=36a4ea2ecc2a722bed47f63797a31c83459554934d6e50569f53edb20eab8c35

[0480] PB0=core pbo files expan/core_objects_currencies.pbo :: data\silver_as.paa | binary | size=14846 | method=0 | timestamp=1649698013 | sha256=65279d357b6125b22cb2e499b5a3d3179a51dle35b6c4a6e14003b00ec3398e8

[0481] PB0=core pbo files expan/core_objects_currencies.pbo :: data\silver_co.paa | binary | size=14830 | method=0 | timestamp=1649698013 | sha256=ba07ad7efe2c0ff61c5971d2ee6fd6208715a90b0187ca398f8be78512df1658

[0482] PB0=core pbo files expan/core_objects_currencies.pbo :: data\silver_nohq.paa | binary | size=1066024 | method=0 | timestamp=1649698013 | sha256=d4d40b67ed291b8fbcd1a9ba8ec81acef36e5ad563eba441995ecbe3ale6174

[0483] PB0=core pbo files expan/core_objects_currencies.pbo :: data\silver_nugget.paa | binary | size=1363983 | method=0 | timestamp=1649698013 | sha256=146228b74c47d067be06de107e6e6d2ebb324ac16235460d75f91967ef450461

[0484] PB0=core pbo files expan/core_objects_currencies.pbo :: data\silver_smdi.paa | binary | size=30783 | method=0 | timestamp=1649698013 | sha256=491b013bf190a735002e4a5ab86fdffb5295e43de5da0d03f8409724d9a852f20

[0485] PB0=core pbo files expan/core_objects_currencies.pbo :: gold_bar.p3d | binary | size=6721 | method=0 | timestamp=1773697993 | sha256=dc4d118788a8e19a4340888ca9ffb0fae45540dd80616708ab7bbd02b3403e3

[0486] PB0=core pbo files expan/core_objects_currencies.pbo :: nugget_gold.p3d | binary | size=21097 | method=0 | timestamp=1773697993 | sha256=7998284e4386f498ca3de1704bb4ebe525e222680bf7d6ab719b51c7ea30496f

[0487] PB0=core pbo files expan/core_objects_currencies.pbo :: nugget_silver.p3d | binary | size=21099 | method=0 | timestamp=1773697993 | sha256=ee3054e3ecca7ac170e75485ec8ccb51e591363b887b93c2f38b1b380c1b52a3

[0488] PB0=core pbo files expan/core_objects_currencies.pbo :: silver_bar.p3d | binary | size=6718 | method=0 | timestamp=1773697993 | sha256=7371ab25a5462233843e05b0fc40626584f151d2c391d5b56e3c6e0935fb9928

[0489] PB0=core pbo files expan/core_objects_navmeshcarvers.pbo :: AnimalNavmeshCarver.p3d | binary | size=1439 | method=0 | timestamp=1714745818 | sha256=fc471da2da2611f41453245875fd214ab15345c57cf802d9df0682df90be1321

[0490] PB0=core pbo files expan/core_objects_navmeshcarvers.pbo :: config.bin | binary | size=437 | method=0 | timestamp=1714745799 | sha256=ac477ebela4a628eafc37f7d6ba60513ee4a13315f59fc3d777cadf4198aad05

[0491] PB0=core pbo files expan/core_objects_navmeshcarvers.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1714745756 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0492] PB0=core pbo files expan/core_objects_temporaryownedcontainer.pbo :: config.bin | binary | size=633 | method=0 | timestamp=1663959058 | sha256=f6a55af87774f09a505d8aec2e4fd9801a9e1cba4c3c6332b82d069cb053d961

[0493] PB0=core pbo files expan/core_objects_temporaryownedcontainer.pbo :: config.bin | binary | size=633 | method=0 | timestamp=1663959059 | sha256=f6a55af87774f09a505d8aec2e4fd9801a9e1cba4c3c6332b82d069cb053d961

[0494] PB0=core pbo files expan/core_objects_temporaryownedcontainer.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958720 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0495] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Log.c | text/utf-8-sig | size=3158 | method=0 | timestamp=1742391793 | sha256=daddab39dc064859122d42b196eb929b3155a669c2e5bf782cb623e8f977916b

[0496] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Trace.c | text/utf-8-sig | size=1960 | method=0 | timestamp=1733596175 | sha256=9a4ab1da29f1fd7b5da14dadf097a00447eb06c6e0790229e8c264fd085d2df6

[0497] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionInhibitor.c | text/utf-8-sig | size=934 | method=0 | timestamp=1733596175 | sha256=beffd853c113c4962985e8929a9504e80cdb85778fa050a5fbceed54770c5a61

[0498] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionStaticCore.c | text/utf-8-sig | size=502 | method=0 | timestamp=1738097041 | sha256=03d66367ea17a0856a0985b256de7733cdf0e9fd3175b9d0407e1f88d2891a32

[0499] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionString.c | text/utf-8-sig | size=12972 | method=0 | timestamp=1761158054 | sha256=30b1531e842892127ba3b6d2ee6a450e51b69c53532d9230b9e4847c963cb7b9

[0500] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionType.c | text/utf-8-sig | size=1207 | method=0 | timestamp=1747956239 | sha256=e64b9fc15f3a37666d843da4f1f5a5e9670b2016186ddd75facf521e2e44cb23

[0501] PB0=core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionUtil.c | text/utf-8-sig | size=323 | method=0 | timestamp=1738097041 | sha256=1321c9dd81d6ee55811962d52b63a9e6a064da45b8a62fc8dff25b0a278df39

[0502] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Analytics\ExpansionAnalyticsManagerServer.c | text/utf-8-sig | size=2910 | method=0 | timestamp=1721900184 | sha256=171f4b4df2de10d57951a2525339e8b3ce971f4b8e8d14aed534c390a58473a0

[0503] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCE.c | text/utf-8-sig | size=5065 | method=0 | timestamp=1767727094 | sha256=80fda075e2250a53c24c035b9ba71082bd2c6eddae7bca65fe9b2e884559ed73

[0504] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEEvents.c | text/utf-8-sig | size=6444 | method=0 | timestamp=1767727094 | sha256=ed68648ec8072d16400b0d2af61679287bfeal15e60627c24lade95991ed7f040

[0505] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEPlayerSpawnPoints.c | text/utf-8-sig | size=5696 | method=0 | timestamp=1767727094 | sha256=7387c17f5fca7a0fc913226f1cead979121a806cf6228a4648f67d242a4deled

[0506] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCESpawnableTypes.c | text/utf-8-sig | size=3430 | method=0 | timestamp=1767727094 | sha256=906b5ef3d226bcc75fa8e8a43a5a8e14a8b00e973f55741c4e2353a88cbaf3ef

[0507] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETerritory.c | text/utf-8-sig | size=2672 | method=0 | timestamp=1767727094 | sha256=b73c477e1c842684da694105800a6e251f4da9b335c1b5a5403525e2ebd9b266

[0508] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETType.c | text/utf-8-sig | size=5619 | method=0 | timestamp=1767727094 | sha256=32feda7557ce855f27d4993e8bffd1263de9a352ac4c01e0fed6f807a816993ef

[0509] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionEconomyCore.c | text/utf-8-sig | size=5473 | method=0 | timestamp=1767727094 | sha256=766febe864d925f2a3deacae5490a89536f3f5d86b9aa5826f44ea4d57683048

[0510] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Date.c | text/utf-8-sig | size=1682 | method=0 | timestamp=1695057122 | sha256=b569ae39e17a45dcb1753540912d7bff429827b1d004ca3aba2fe42094f5a077

[0511] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Localiser.c | text/utf-8-sig | size=1145 | method=0 | timestamp=1737639769 | sha256=2ea53779088a00900803ee062dd60d24fe232e31a4558f93035d08ecba4fa95

[0512] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_ModuleGame.c | text/utf-8-sig | size=3204 | method=0 | timestamp=1760094879 | sha256=ef8ed4022af4e6c546edad5f543d2c4d4e08896a04167319a890bbe6936f1f41

[0513] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\ClientData.c | text/utf-8-sig | size=866 | method=0 | timestamp=1758201904 | sha256=c6b3e06e31711e8817d051bf200de6c184d03737a900e3f2ad496a3f7f8608b8

[0514] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\ExpansionNotificationSystem.c | text/utf-8-sig | size=6820 | method=0 | timestamp=1739896182 | sha256=72d5e3695acb929e51f2eda7b09a189eb3672a78349b7dd0a8ea264d68c82ed9

[0515] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationRuntimeData.c | text/utf-8-sig | size=1169 | method=0 | timestamp=1721900184 | sha256=25457e23cb8913f4fffc642d8f0d1910e318958e92aed86d05a6264f05e1176a

[0516] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationSystem.c | text/utf-8-sig | size=8243 | method=0 | timestamp=1763507331 | sha256=096494a1cafa8ab8beeb350c382d88cfea994871802a97b92b43a25d3a9525369

[0517] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationUI.c | text/utf-8-sig | size=740 | method=0 | timestamp=1743003591 | sha256=0221e364c1706effb64a5a2be2209857060c476d0d3563021aa84f691de4ad7f

[0518] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\SyncPlayer.c | text/utf-8-sig | size=2395 | method=0 | timestamp=1758201904 | sha256=3d251151ed2f9ce2f849c3216dff09cdaf4a04f538900d4ee7460320e4736b7e

[0519] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettingCategory.c | text/utf-8-sig | size=631 | method=0 | timestamp=1649713007 | sha256=5e07ccff24800520b3bdaf0ae1471c41d3b6f59cdd321650da581d8b5c5e37d

[0520] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettings.c | text/utf-8-sig | size=51798 | method=0 | timestamp=1778172007 | sha256=6561d0be96f23e17754654998381498f67cb44653a82f1279b9b28485a86d21b

[0521] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\NotificationClientSettingsEnum.c | text/utf-8-sig | size=424 | method=0 | timestamp=1649713007 | sha256=97730861e44ca552981a77f0d7d3f1bd95f58e7967fdbc4aa561bfeff09f7ff8

[0522] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DayZGame.c | text/utf-8-sig | size=8961 | method=0 | timestamp=1764102739 | sha256=a941eefc09b45fd22eb9a9750f4b19d4596bba3fe922f1fla9c7f5329bec98b4

[0523] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DZ_Expansion_Core.c | text/utf-8-sig | size=509 | method=0 | timestamp=1727629827 | sha256=488411318d2dcff4f27383477ce8ed3376f638ac5692ee97c4a5d4e432c9a0e7

[0524] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\EffectManager.c | text/utf-8-sig | size=1424 | method=0 | timestamp=1705534847 | sha256=730fabdf369518f34f731e932edbc4e6e5f527563a505d55154605f2767d1a2

[0525] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionParticle.c | text/utf-8-sig | size=5738 | method=0 | timestamp=1727355243 | sha256=a679ff7994ab88546712a95da9571acblb9ce45d5ae66e09c87787aa47728176

[0526] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionSmoke.c | text/utf-8-sig | size=710 | method=0 | timestamp=1649713049 | sha256=026075432f975dd1406e7fac7731b00dc1542cblf8381e14a8952fa07a57fd57

[0527] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectSound.c | text/utf-8-sig | size=896 | method=0 | timestamp=1763507331 | sha256=7e1b34d047a201cf2322908cbb0ab8210be9647a73cc9e79d12541e1c9b88354

[0528] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatChannel.c | text/utf-8-sig | size=423 | method=0 | timestamp=1656712616 | sha256=5e9d17fd30e8e56db68558d2f095c68dd73ae86f2c4cea31e9f5a4394dbeb888

[0529] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatSize.c | text/utf-8-sig | size=447 | method=0 | timestamp=1649713007 | sha256=f9e3806c70aab67bab49424ff87d4b5cec81207c39b491b2278e83d21a3551fd

[0530] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMarkerSize.c | text/utf-8-sig | size=438 | method=0 | timestamp=1649713007 | sha256=b0bd5029a54f3f38cacf56f4ce03058b063d4f7c7fc91c212a93ae895487383c

[0531] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMemberMarkerType.c | text/utf-8-sig | size=531 | method=0 | timestamp=1649713007 | sha256=9b8dc16452c543b461da03d9e6a3792412c97d598d6f0471adfb8f8b5740e74c

[0532] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIPlayerArrowColor.c | text/utf-8-sig | size=525 | method=0 | timestamp=1695057122 | sha256=027ee857e55ee2340b2a9b6ac699db0dd44b4719db6d20ff919db416b60d25f5

[0533] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionFireMode.c | text/utf-8-sig | size=98 | method=0 | timestamp=1742954025 | sha256=f1d9365eeceeb8ac33f94b009e426a23a0d4596b6d63e7eba38e864da0113a312

[0534] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionRPC.c | text/utf-8-sig | size=639 | method=0 | timestamp=1698961241 | sha256=25027caacf2b9cf701e799bc43d61d8681602bf9dfbcc1021d27bf90db3d0e68

[0535] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleKeyStartMode.c | text/utf-8-sig | size=454 | method=0 | timestamp=1649713007 | sha256=a75ff367063c94f6f66519cbb90787163e912bba68f655e249cedf89a1cfad23

[0536] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleLockState.c | text/utf-8-sig | size=567 | method=0 | timestamp=1697203635 | sha256=a422e76e163a588e3807622c40c47c3d745182ffff1e9b00f9dc7e1a260c69be

[0537] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleNetworkMode.c | text/utf-8-sig | size=425 | method=0 | timestamp=1649713007 | sha256=26567dbbc1648d6363fef819d07905f8e4a17f40b98a2a33130132e0c544fddd

[0538] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleType.c | text/utf-8-sig | size=82 | method=0 | timestamp=1725988317 | sha256=d5ee0ef9873df0effe4d707daffcl13eb03263f1cc7db49abcef7cd5f31fec71

[0539] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\NotificationRuntimeEnum.c | text/utf-8-sig | size=533 | method=0 | timestamp=1649713007 | sha256=a4491fae2b2824063f5194dea29710d71466141ec38ceb99af9f847615d4835f

[0540] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionArray.c | text/utf-8-sig | size=3842 | method=0 | timestamp=1762533241 | sha256=12af0c557e1ab8b2254abc2909a779211a94ff366b6e07febe03cbfdffb91376

[0541] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionBitStream.c | text/utf-8-sig | size=32494 | method=0 | timestamp=1761158054 | sha256=22f5c959a4d603de8fd1fa68154568773a06e512463519cd977f1bfb6c9fbadd7

[0542] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionColor.c | text/utf-8-sig | size=3042 | method=0 | timestamp=1738097041 | sha256=f64937a2f33d40255fa8fa189b86d3267155b4baafbf2944b2eb6e69bda15ad0

[0543] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionConstants.c | text/utf-8-sig | size=10465 | method=0 | timestamp=1778172007 | sha256=ac7870d76811f0f4215d78a6362aa8c9a9ee417902cca155cf18b8f62a3c80bc

[0544] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionEntity.c | text/utf-8-sig | size=3835 | method=0 | timestamp=1758201904 | sha256=0f46d7c6abf53a30979b82547c77320ac05a48802fd5077b3031cdd36ec96dd1

[0545] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGame.c | text/utf-8-sig | size=6264 | method=0 | timestamp=1763507331 | sha256=977aed890b1e1f4e6b158cb8eeb44284ef723c70541879cc6ddcecc3286e6896

[0546] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGlobalID.c | text/utf-8-sig | size=3405 | method=0 | timestamp=1737540174 | sha256=64d2258bbd92543b85bc9ce3c952f2282a740a0320ce3690573cdd1026bba29e

[0547] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionHash.c | text/utf-8-sig | size=1155 | method=0 | timestamp=1763507331 | sha256=e6828302fbb484bb3a7af393e8766f982ab1d60be52a29d8fd352075f1ef9303

[0548] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcon.c | text/utf-8-sig | size=583 | method=0 | timestamp=1721900184 | sha256=2e525e2984b7612df80cc1659d7b5181e8b245d45ac2ee7ca4323789c07a5131

[0549] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcons.c | text/utf-8-sig | size=19923 | method=0 | timestamp=1748535617 | sha256=3b9b71c511a363293de712c3ebf7290ff9f136b1b1b1906f0db363d927c19441

[0550] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionMath.c | text/utf-8-sig | size=24855 | method=0 | timestamp=1763507331 | sha256=8b22cb4e22f4b9eb94f50b969bc477984bb39ef9b2fe846a1a0a2dafa8f369e

[0551] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionRPCManager.c | text/utf-8-sig | size=14545 | method=0 | timestamp=1767632642 | sha256=3592002d1274661dc07749201eb75774ea3b11f542d338d3334fe90e944714cd

[0552] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionScriptRPC.c | text/utf-8-sig | size=4374 | method=0 | timestamp=1761158054 | sha256=a59109057bce93f207342b1a84524aee652eb1a75d83633c384c415042c82e9e

[0553] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionSHA256.c | text/utf-8-sig | size=5829 | method=0 | timestamp=1740495396 | sha256=8371ef4c9516aab6195ce388094aea914c36385b32d76ba9a0f046f282b2d578

[0554] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionStatic.c | text/utf-8-sig | size=80641 | method=0 | timestamp=1776958578 | sha256=eb74fc1276fb382e784a69d827ef8e7a021c0a4030faae4f4cc2d45d0056d344

[0555] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionTracing.c | text/utf-8-sig | size=20427 | method=0 | timestamp=1769788421 | sha256=30fe84a8009fe5a84216cacc8cca5dd09a25c61a0c65e4337cc478331051fd2d

[0556] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionUIManager.c | text/utf-8-sig | size=3286 | method=0 | timestamp=1763507331 | sha256=d8249dd22bf16cade14d6161f15e6865045cc5ce06320c53748940a204140376

[0557] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionWeaponUtils.c | text/utf-8-sig | size=2738 | method=0 | timestamp=1763507331 | sha256=9d871c4030784809de3470209b866dff607fc391bbd5d77eae085bfca79fb3eb

[0558] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Hud.c | text/utf-8-sig | size=496 | method=0 | timestamp=1758201904 | sha256=912254a796ed585329b896d45dbcd6f056f133d4f847a96e6d214f9156eeffb2

[0559] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocation.c | text/utf-8-sig | size=5376 | method=0 | timestamp=1763507331 | sha256=d4138992befe6c763e16b68395700034eca45c01c2e6489a30df281997d2b140

[0560] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocationType.c | text/utf-8-sig | size=532 | method=0 | timestamp=1740495396 | sha256=986cea5d0c2b3771324a93dac6dc0eef8292e9724a47b21b1364963fc5a947e2

[0561] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLoot.c | text/utf-8-sig | size=2778 | method=0 | timestamp=1746642369 | sha256=3309b7cd781b6a292f606e0088773cb8ef6f0985c70d1dda62d13b05c66205c7

[0562] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLootDefaults.c | text/utf-8-sig | size=382 | method=0 | timestamp=1695057122 | sha256=b6c9d4e9eb4577fe44834923576a6d6975ab114e53f582e0ba54f717d99a59b1

[0563] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMapMarkerType.c | text/utf-8-sig | size=574 | method=0 | timestamp=1656712616 | sha256=29d0ee735c6012b70e018cd6d698a28eea7100ea57a171abe351c97a95868a1

[0564] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMarkerData.c | text/utf-8-sig | size=8401 | method=0 | timestamp=1763507331 | sha256=7d7980fd3ad137e9d8c608f1ad4dc89f61ee60e27806db4f6adfb75d501b2328

[0565] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyMarkerData.c | text/utf-8-sig | size=539 | method=0 | timestamp=1656712616 | sha256=02976c6bb6ab0df050a67c335e9bec5ed83d2697b8abfbf1a4c03fabbd291b29

[0566] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyQuickMarkerData.c | text/utf-8-sig | size=853 | method=0 | timestamp=1695057122 | sha256=3312a918bcac5bafb59bf71bcde35f0f5e0c4d6720a14982f85b07b595afb5c

[0567] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPersonalMarkerData.c | text/utf-8-sig | size=924 | method=0 | timestamp=1656712616 | sha256=045940f6e9667309d8e987acba5b3062e3ca05aebf445f1c59e0a075b1cae0

[0568] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPlayerMarkerData.c | text/utf-8-sig | size=1283 | method=0 | timestamp=1755888342 | sha256=d662a3dec8230cd77700cf64b3de2192c29311df06c3e3594f274cd46a98f9c4

[0569] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionServerMarkerData.c | text/utf-8-sig | size=507 | method=0 | timestamp=1710376738 | sha256=7ed2ac911831b94385360c9bfff7e633ab51e455be84191f9121284298310e1b6

[0570] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Matrix3.c | text/utf-8-sig | size=6904 | method=0 | timestamp=1760094879 | sha256=f359090426e370f54a0a856f5f2518198756e553e2c48333342058fa251a67e

[0571] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Quaternion.c | text/utf-8-sig | size=2208 | method=0 | timestamp=1760094879 | sha256=d453214066caff3a15e43acd44e45a8c70c8e46728d555daa076ee4e4607a09b

[0572] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Transform.c | text/utf-8-sig | size=4914 | method=0 | timestamp=1760094879 | sha256=489fac0c87d79a2b63f7ba58b38e0824e838608c06f49fd562098b906799102

[0573] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Vector.c | text/utf-8-sig | size=2857 | method=0 | timestamp=1760094879 | sha256=8e06c80e4a953ca40e5805b41fc2a512781834e6a38237dcbb1ef83eae944952

[0574] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | text/utf-8-sig | size=2258 | method=0 | timestamp=1743003591 | sha256=dcfa50127b6f68715deafc5ce637ea7baa7194569001710bdf1f470ab4bb57f9

[0575] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewFadeTimer.c | text/utf-8-sig | size=2664 | method=0 | timestamp=1756926675 | sha256=5efa3c2998a27c711c2ebe36fbel6aed3a51001dea16982ef42c2ba4f2183492

[0576] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenuBase.c | text/utf-8-sig | size=880 | method=0 | timestamp=1743003591 | sha256=f9480f1c383ec8733df375ac4b03342d9e0b6db90da35fb223db84be584217e6

[0577] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ScriptedViewBase.c | text/utf-8-sig | size=578 | method=0 | timestamp=1743003591 | sha256=43b51ce6c124c514b274b85f4bf2990c1e9da655f8a3e875f1d29c30ad76d859

[0578] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Particles\ParticleList.c | text/utf-8-sig | size=3328 | method=0 | timestamp=1750940280 | sha256=e3b8d3affbfa2284faaa15b9de4e61ade8988463af9ba39ae8fce29d6eb91e84

[0579] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\PlayerIdentity.c | text/utf-8-sig | size=4344 | method=0 | timestamp=1763507331 | sha256=a3da38bf54acc509a5b848331d90e1927e32e71ae69e1183814644f4901bf627

[0580] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Prefab\ExpansionMinMax.c | text/utf-8-sig | size=597 | method=0 | timestamp=1760094881 | sha256=6=44bf73260dfe0423c9d7bf947b6b3b68ffcbce59a7bc4409b270182dd22be3d92

[0581] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Renders\ExpansionRenders.c | text/utf-8-sig | size=3382 | method=0 | timestamp=1763507331 | sha256=72932e2c0a8e640b503608e1182672d6c5af9a453f94deaed7f99515f15cd6cc

[0582] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationBase.c | text/utf-8-sig | size=1475 | method=0 | timestamp=1758201904 | sha256=90a1919684d75795b0e044183587d9adcba3b4766b28ad50bfceeadad2d501ee1

[0583] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationEnum.c | text/utf-8-sig | size=1058 | method=0 | timestamp=1758201904 | sha256=beb7297d31cfe14e077e409a4948c713ff17d15c1641e1c0ab107d9639bad8e5

[0584] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationInt.c | text/utf-8-sig | size=1054 | method=0 | timestamp=1763507331 | sha256=47a4286fec8b43ee09fe2fc00520a01cc93c8760cbf2daf0fc0fbfd077ecb340

[0585] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationSlider.c | text/utf-8-sig | size=1987 | method=0 | timestamp=1763507331 | sha256=6f344ea7771ea16a1a45b1fa251d9a4765f3ad844cfda1c60e2753b21d78879e

[0586] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationString.c | text/utf-8-sig | size=1079 | method=0 | timestamp=1763507331 | sha256=21e830ecd1847279cc28abf2cd5aa45910aa35759986953baa178e7808c4ce3

[0587] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationToggle.c | text/utf-8-sig | size=1069 | method=0 | timestamp=1763507331 | sha256=a7570b48673a986fe73366553e5e72121b7279e11dbaacc026662da4d5b22a2a

[0588] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionCoreSettings.c | text/utf-8-sig | size=5734 | method=0 | timestamp=1762533241 | sha256=b4f2340add1e85a52b93f543548ba6d37db1d662d6a7ee462e492519fad9649e

[0589] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\DamageSystem\DamageSystemSettings.c | text/utf-8-sig | size=3002 | method=0 | timestamp=1695057122 | sha256=ab50c85bc42d1989e2484795c7fafc3e6e5c73f8476d3a22ce02e3e5d849ff63

[0590] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionColorSettingsBase.c | text/utf-8-sig | size=2079 | method=0 | timestamp=1649701613 | sha256=11eb2b7f01c66915525eeb0f180a67df9b9d03a931d3ad1ddc08fbe250495dac

[0591] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettingBase.c | text/utf-8-sig | size=3676 | method=0 | timestamp=1763507331 | sha256=5a7a4ba7157e9ec8f49efb00b74e995ec59ac5319eabcb3d2e9ebdddeaeef65d

[0592] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettings.c | text/utf-8-sig | size=8877 | method=0 | timestamp=1773584419 | sha256=4d3e1c782dd21407cd8417d2b144cedde50be2d803867bbda6812cd28a6690f4

[0593] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Logging\ExpansionLogSettings.c | text/utf-8-sig | size=10666 | method=0 | timestamp=1763507331 | sha256=31ed08d491b222e60793939d15780a18592ba44df4def5b5522b7fd566b348b

[0594] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Monitoring\ExpansionMonitoringSettings.c | text/utf-8-sig | size=3513 | method=0 | timestamp=1725988317 | sha256=1dcc8b0bc0c3b1042ba5db8295e8d3cab8132fe13bfaa79c14b836ef6e9ad821

[0595] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionAnnouncementType.c | text/utf-8-sig | size=438 | method=0 | timestamp=1649713049 | sha256=148b35bdf2f3256f80c9b856661542190fb108cec0435001dcc410d3a87b81e

[0596] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionNotificationSettings.c | text/utf-8-sig | size=11824 | method=0 | timestamp=1764529016 | sha256=bd6c69b3b8a8d3939427d7a9fcd2759c1fc151192d6d27e0eedfef41099eb702

[0597] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCircle.c | text/utf-8-sig | size=742 | method=0 | timestamp=1695057122 | sha256=5819d3bab6d5266d5a424b283ca30b9f6e586d8e9495ef80a6398598625947de

[0598] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCylinder.c | text/utf-8-sig | size=798 | method=0 | timestamp=1698961241 | sha256=f58423573f8a8b4157a866bd60cbcb1808da9e564c4a46d8de159a14ee00fae4

[0599] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneElement.c | text/utf-8-sig | size=504 | method=0 | timestamp=1695057122 | sha256=6788342003437795d11136fc0b0ffd582ecfcce0665e19b9bbdd4894b46acab99

[0600] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZonePolygon.c | text/utf-8-sig | size=713 | method=0 | timestamp=1695057122 | sha256=62cc49079ee6a9df40f54ef5e8dc58954575de5286d74fd712e9f6e10a33df282

[0601] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneSettings.c | text/utf-8-sig | size=9690 | method=0 | timestamp=1725988317 | sha256=7e738722bbffbf99c29b99c8c0aa0a2813923f6f33899e51d37bc9c0baf8cb18

[0602] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSound.c | text/utf-8-sig | size=10136 | method=0 | timestamp=1763507331 | sha256=7b4e06c8a9f2eeda418cee90ac301cbebaea607a593af3ac11d76cf8b5071ddd

[0603] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundModule.c | text/utf-8-sig | size=3467 | method=0 | timestamp=1705534847 | sha256=1db38065397785ea881f7bf23d92d37648c3893e944885a058b37442e9f9d0c4

[0604] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundSet.c | text/utf-8-sig | size=4682 | method=0 | timestamp=1763507331 | sha256=a3d08fe72cf2ed7cce8d750f8e0e07e9ce3ff29e21372caea23e63c37a85d9d9

[0605] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\SyncEvents.c | text/utf-8-sig | size=944 | method=0 | timestamp=1700767010 | sha256=62a021056dc367e3cb4c0223ccfd15205b22da60fe0ac52b1e6e42be3004333e

[0606] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionItemNameTable.c | text/utf-8-sig | size=5951 | method=0 | timestamp=1762533241 | sha256=fc6244b32c04bfd47c14cf523b3690e512687f5036cf6ea7ac65db5eccc3ec4b

[0607] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonFileParser.c | text/utf-8-sig | size=36820 | method=0 | timestamp=1725988317 | sha256=7497128fc237bb6fdd82facbd03e875c37b647a2081ec2d5faf70db0da2d6658

[0608] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonSchemaExporter.c | text/utf-8-sig | size=8999 | method=0 | timestamp=1774285677 | sha256=e03f1a4f53c336163c26cc1673dba37bc9d2ddb35462a048a09cde2da28b75fc

[0609] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionUIScriptedMenu.c | text/utf-8-sig | size=1292 | method=0 | timestamp=1763507331 | sha256=84f1fe162bcd68596231181d5b2ec49c9697b00d8997f9d9cb63640259c02e89

[0610] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML.c | text/utf-8-sig | size=348 | method=0 | timestamp=1760094879 | sha256=2465f00c8a24260a9ee71d7b0c258198c39ed5ad4ace352d7cd51ed360469c1f

[0611] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML_Element.c | text/utf-8-sig | size=154 | method=0 | timestamp=1767727094 | sha256=84f32720210d9de7acdb419a00eae1849ca98d4493a9a9fbf817cd667c329055

[0612] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\ExpansionXML.c | text/utf-8-sig | size=2199 | method=0 | timestamp=1766430767 | sha256=b63244d388ca2c584427263409c3fb76d48199e68d5e99adbef53fb9d3fb56c8

[0613] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZone.c | text/utf-8-sig | size=1091 | method=0 | timestamp=1727629827 | sha256=9b8859d883e241c56d094d72ea5279860954026dc6e0dc3f47b41cbbd558d77a

[0614] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneActor.c | text/utf-8-sig | size=4515 | method=0 | timestamp=1727629827 | sha256=118e25670d2310cbcc37a2a5f1599bf294ff10b399c40347108a29666810f16c4

[0615] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCircle.c | text/utf-8-sig | size=1159 | method=0 | timestamp=1649713007 | sha256=2c8849ba5b83a173763636721378f9041aff6b6ae90855469333674e317ed7a

[0616] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCylinder.c | text/utf-8-sig | size=1332 | method=0 | timestamp=1649713007 | sha256=86568227fa551e92a60829dbc1842fa905d42241ddf807d0285aa1136a922d21

[0617] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZonePolygon.c | text/utf-8-sig | size=2950 | method=0 | timestamp=1649713007 | sha256=f60d4a717a1d092169d652087a129406b7986aeaf14ae9565712a3bbca042f62

[0618] PB0=core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneType.c | text/utf-8-sig | size=77 | method=0 | timestamp=1649701613 | sha256=aa7670e5ab3680b69768cefe51f1420e5cd33712859611ff08b5d5482c1ca4e6

[0619] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ArrowManager\ArrowManagerPlayer.c | text/utf-8-sig | size=2340 | method=0 | timestamp=1763507331 | sha256=e4262aedc4088e191550899f1f6342816502058a6f7eb6e6deaba2e59ab892ed

[0620] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BaseBuilding\Construction.c | text/utf-8-sig | size=4106 | method=0 | timestamp=1760094879 | sha256=2c7275ab28104276cbc9aaf514fc26888fb1762119672edf649ba30c29ad7df1

[0621] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerBase.c | text/utf-8-sig | size=571 | method=0 | timestamp=1695057122 | sha256=ebbf1ff32550d20e0c79486bf6b6dbec2da8a7bb04ee1fa494d9085e85a2b8a57

[0622] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerServer.c | text/utf-8-sig | size=1301 | method=0 | timestamp=1725988317 | sha256=d4b37a787d66c19b1ddf7646f46273d74e8bc01724fd5d62f68d9c3f36f1305b7

[0623] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommand.c | text/utf-8-sig | size=5429 | method=0 | timestamp=1767620195 | sha256=119a88192c7ae90f3d5ce520014f0ff247571b50bdc94df529aad72cd8b1817e

[0624] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandScript.c | text/utf-8-sig | size=5328 | method=0 | timestamp=1764653113 | sha256=43e16c39dcea385efb90d4ffb1a904aab2a73da91a3f3ccf58c13820dc9175d6

[0625] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandVehicle.c | text/utf-8-sig | size=1351 | method=0 | timestamp=1778172001 | sha256=8e79e347d29a259be6c0540e304a06d757319953de2f2a23e659fa2951bbb47a

[0626] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanST.c | text/utf-8-sig | size=15617 | method=0 | timestamp=1773156445 | sha256=d005447634fc05147bf84e50f9e1d98902a8573855cdf1570fc65499252011ba

[0627] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Environment\Environment.c | text/utf-8-sig | size=8656 | method=0 | timestamp=1755790753 | sha256=299e397f7bda7b852945ed9b66aa9700b15aba7726f2db54e2bca2f17bee4622

[0628] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionAttachmentHelper.c | text/utf-8-sig | size=2753 | method=0 | timestamp=1758201904 | sha256=756560a9c85b97582b6b02dc96f77106f3636c806dfe696275193501f1118fb6

[0629] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEmoteManager.c | text/utf-8-sig | size=1069 | method=0 | timestamp=1695057122 | sha256=d3ab69619f713e4a29d6bcff91c22bade6d933656e9dafb1d34062098ed926b6

[0630] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEntityStorage.c | text/utf-8-sig | size=40841 | method=0 | timestamp=1763507331 | sha256=ebb2173a30356ccc250aaae4ea0cbb441ae7f898c9ce89fef6d2c172ba073303

[0631] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionNetsyncData.c | text/utf-8-sig | size=4242 | method=0 | timestamp=1776958578 | sha256=a1d7f94d6e6a310f46881cf694fed2d165ffbb782a13e40e7bf4064c1684f1d

[0632] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionShape.c | text/utf-8-sig | size=5691 | method=0 | timestamp=1763507331 | sha256=33a9d20ad70a7c20acbc26d85f3f71df12e1b7ed3eeca7e140a1f8af45d48259

[0633] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehicle.c | text/utf-8-sig | size=39309 | method=0 | timestamp=1777567281 | sha256=e11c6f337a7ae0b054fc09000f36ecd2811c6bdeff3ae91922f162c5e2aff35e

[0634] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehiclesStatic.c | text/utf-8-sig | size=1133 | method=0 | timestamp=1649713049 | sha256=bfa3ae4e33f447f11bc095cb3f7a084e0cf6611e3f342e1687b03344cff2b924

[0635] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSM.c | text/utf-8-sig | size=8075 | method=0 | timestamp=1769788421 | sha256=56b261522af58a1802d89bb537a39c0c53da9b46e31ebc7dfab5405cc1a04ac4

[0636] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSMType.c | text/utf-8-sig | size=8282 | method=0 | timestamp=1763507331 | sha256=3e650fba8c3d04b39de16c71bd938ddeeb9fe923948779c8e66739bb94fb41d3

[0637] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionState.c | text/utf-8-sig | size=1324 | method=0 | timestamp=1769788421 | sha256=079f6aceec58cd0fceb705234197ec32e69573e4772f95cd0738f7ad5c3c85a3

[0638] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionStateType.c | text/utf-8-sig | size=8020 | method=0 | timestamp=1760094879 | sha256=3b14c2b993fcd197503abe66e0e4c80936f10f735cdb01500dea7494c0fa917

[0639] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransition.c | text/utf-8-sig | size=681 | method=0 | timestamp=1695057122 | sha256=d29b1cdd58cd629219a54a0e01f75cfc4e32116b8d0b618cd2b03615580dfae

[0640] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransitionType.c | text/utf-8-sig | size=5458 | method=0 | timestamp=1760094879 | sha256=273afaf3620644ea6b6426be248db11dc15a027fb298e90ab1b9933b37f10ccd

[0641] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\JMAAnimRegister.c | text/utf-8-sig | size=1933 | method=0 | timestamp=1759531432 | sha256=395e7c0a3546ba9eecd8b6c1bbc5b825f6b6b410274d9497c6f89ebb585350f9

[0642] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Loadout\ExpansionLoadout.c | text/utf-8-sig | size=114731 | method=0 | timestamp=1770925484 | sha256=2a377ed1139d21140692b7472a8d2feadb39fe6e4965d1d8bf41098e9ad71dfd

[0643] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\MissionBaseWorld.c | text/utf-8-sig | size=573 | method=0 | timestamp=1758201904 | sha256=a52eb6feb66b45ea71c05c0fe27a9b24d6ded072a628c6d4299166a5df0db82c

[0644] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Permissions\PermissionsManager.c | text/utf-8-sig | size=2753 | method=0 | timestamp=1763507331 | sha256=d18cbd44b3a8b8ea14469b0efc9f4f718c50cc4d29e5a8e3da74c657d1b9e7cb

[0645] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\Modifiers\Conditions\AreaExposure.c | text/utf-8-sig | size=721 | method=0 | timestamp=1695057122 | sha256=930f6c3a871dbf3620a0fd57c09efbe972f55a15a2f52b6561ab3fb3c525e027

[0646] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\ModifiersManager.c | text/utf-8-sig | size=5508 | method=0 | timestamp=1742391793 | sha256=a642d8d0f5f158f810d774942312cedccf25b02c8fc3a3ee0bfff39b4f218509e

[0647] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatBase.c | text/utf-8-sig | size=297 | method=0 | timestamp=1725988317 | sha256=549950898ab3a40e1b34ca19d9f6f4e615de13ae67fb0afa9afe5871d7ad0f4b7

[0648] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStats.c | text/utf-8-sig | size=445 | method=0 | timestamp=1763507331 | sha256=f346539c6d2aba600573314099f84c893a6ca7e5bf0e05b338b07f714be00425

[0649] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatsPC0.c | text/utf-8-sig | size=855 | method=0 | timestamp=1725988317 | sha256=e070a4606334fa2d419981410033bc840c47768333d7666e52b2b17544ab4473

[0650] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStomach\PlayerStomach.c | text/utf-8-sig | size=1593 | method=0 | timestamp=1758201904 | sha256=0c15a1988fd5638d9fa39abedb7e7298ad5417118ed0bf643b05a279bb54e70e

[0651] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerSymptoms\SymptomManager.c | text/utf-8-sig | size=1005 | method=0 | timestamp=1725988317 | sha256=e88a0258d6c54b3940fdeabb05749d922a2bc7df218ad10520e3d5e9abda93a9

[0652] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefab.c | text/utf-8-sig | size=2169 | method=0 | timestamp=1763507331 | sha256=75580e28d7ef6cf9499e6027fbce727f720f406ec2dc9454992b2ca3dff6c84f

[0653] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefabObject.c | text/utf-8-sig | size=15392 | method=0 | timestamp=1763507331 | sha256=4d61dccbf9d75efdbed0537fa2ed9fa0457a96ad1c1eb497677f82ba8d68416

[0654] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionScene.c | text/utf-8-sig | size=114 | method=0 | timestamp=1656712594 | sha256=0e6b12c6e3195b1b7016d7e6817c0f956d261d70a862a2cf8f59ebc48d7a4025

[0655] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionSceneObject.c | text/utf-8-sig | size=270 | method=0 | timestamp=1755790753 | sha256=fe39e9a8e57de6bdc061a698bbc3b9d8357b9389b605f8b1c7ae141aa4cd33f5

[0656] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionDamageSystem.c | text/utf-8-sig | size=15846 | method=0 | timestamp=1763507331 | sha256=efd59a5b5a61f68245318d1d4d12955543e071fbca0e06d682c7f69d23a1525f

[0657] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionItemBaseModule.c | text/utf-8-sig | size=7597 | method=0 | timestamp=1763507331 | sha256=86fffd30601db2bc9dc0c500fcf14fc8794915ab1069c21ea845de65d53f40da1

[0658] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Locator\ExpansionLocatorDeprecated.c | text/utf-8-sig | size=1464 | method=0 | timestamp=1740495396 | sha256=db250fb8a6ed28985ed08234b3e433d7e1531f9ee1bae4ca97e4ca97bc0a4f82

[0659] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionMonitorModule.c | text/utf-8-sig | size=32872 | method=0 | timestamp=1763507331 | sha256=2d492d231f532538ff6b9e2ea88558c9295d6bf1236612621dfa4ee0aa32d6b8

[0660] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionSyncedPlayerStats.c | text/utf-8-sig | size=4085 | method=0 | timestamp=1739896182 | sha256=9d367c9ffcf0112613114349ef820378f8d7b5ce33063ce4c4480151896ca9c7

[0661] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkin.c | text/utf-8-sig | size=703 | method=0 | timestamp=1743443311 | sha256=d6d33e11f5e389f65e0aabcd6c9b2aabdb4451f1faa307ad7f810dcabfba2833

[0662] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinDamageZone.c | text/utf-8-sig | size=662 | method=0 | timestamp=1695057122 | sha256=97e16cb7392580011f8fc926bf8d404b458d481842b996ec168dffa7a162aa16

[0663] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHealthLevel.c | text/utf-8-sig | size=441 | method=0 | timestamp=1675371431 | sha256=bff8f50c3691694823c9f655a944245e720c8946ea398cc34dbdf5270e44d14de

[0664] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHiddenSelection.c | text/utf-8-sig | size=475 | method=0 | timestamp=1675371431 | sha256=af3692ed1d961de97a8d57e68eebe48e9f27240ca130e68a79f56d271e39fbca

[0665] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinModule.c | text/utf-8-sig | size=10179 | method=0 | timestamp=1763507331 | sha256=a2d2b82a6ba2a549db0f0b7259477f61f2b1ec63fabb487dda9b5f2b2c952eb8

[0666] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkins.c | text/utf-8-sig | size=2996 | method=0 | timestamp=1695057122 | sha256=5791d35f19bb0c9c7f6500fbc67df1087445b738184e62a786a716c139030939

[0667] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Zone\ExpansionZoneModule.c | text/utf-8-sig | size=3456 | method=0 | timestamp=1727629827 | sha256=80053ebe2339e67e605584631a5026bcfb5114bf1f622d5f44ecc447f6f59704

[0668] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\TransmissionAgents\PlayerAgentPool.c | text/utf-8-sig | size=1510 | method=0 | timestamp=1758201904 | sha256=3a70a4f73fbcffb940bca800b224a451fd33c0dccc9fd8e30b492c732ac8a95db

[0669] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionConstructor.c | text/utf-8-sig | size=968 | method=0 | timestamp=1726943237 | sha256=fe415886b2f7143690e5dddb0b8cf88941f664c15cb87ca0ced26ea6df99132e

[0670] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionBase.c | text/utf-8-sig | size=1438 | method=0 | timestamp=1695057122 | sha256=eb3a6fc9ff2824ab91fbacd9063b71f2f7953001879b50e93bad1352e215e11f

[0671] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionContinuousBase.c | text/utf-8-sig | size=1070 | method=0 | timestamp=1649713049 | sha256=c68860058d8cf4dead80339447122c6f94d9809362105c692ba2447d1dc662f2

[0672] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\AnimatedActionBase.c | text/utf-8-sig | size=605 | method=0 | timestamp=1649713049 | sha256=5ebb1c0d7ea9c85c9f85ba89e4d9b12d851cd9e8359bea329e04cd1778584a09

[0673] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionActivateTrap.c | text/utf-8-sig | size=602 | method=0 | timestamp=1695057122 | sha256=ebd2c03019cddadfbf80f409a1a41a0ef7f639098cf779f7d96c93cf999f188

[0674] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionArmExplosive.c | text/utf-8-sig | size=600 | method=0 | timestamp=1695057122 | sha256=a1fbc7bb0d19ad1e42695989fcc6eae7886cc1ffd96a5352c2f7a012a971297c

[0675] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionAttachExplosivesTrigger.c | text/utf-8-sig | size=622 | method=0 | timestamp=1695057122 | sha256=ee179a4dffe2270f6ca92b7356633479b1a81fcd23e35e2c5012e4f21cdd055

[0676] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionBuildPart.c | text/utf-8-sig | size=594 | method=0 | timestamp=1709081347 | sha256=e284631f376b2f31cd88552e0000ce81d04c32984d1a48abf64e71532db9469e

[0677] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionCoverHeadTarget.c | text/utf-8-sig | size=606 | method=0 | timestamp=1695057122 | sha256=d30e9f6af1ed2d7eef45a130256c76594686c751458b20edb6962c1860b80549

[0678] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDigInStash.c | text/utf-8-sig | size=598 | method=0 | timestamp=1695057122 | sha256=7ff6d7f058d0d901310b5454e042cd3b3476fc97fb2dc1466767acf6484cb4b4

[0679] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDismantlePart.c | text/utf-8-sig | size=651 | method=0 | timestamp=1709081347 | sha256=b52738649f5a25053874476f99c997a564c9afeddf840bdec595adfcf8fce042

[0680] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionFoldBaseBuildingObject.c | text/utf-8-sig | size=620 | method=0 | timestamp=1695057122 | sha256=c302e05c914a29e20e64c5ef9be4974bdf29393e648859a926c2ffaab11d8571

[0681] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionForceConsume.c | text/utf-8-sig | size=726 | method=0 | timestamp=1695057122 | sha256=cee0f413b62e5c2aed16ee5cb26dc7306d43ec823f3e7925095d207e1dcf46a2

[0682] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionGagTarget.c | text/utf-8-sig | size=594 | method=0 | timestamp=1695057122 | sha256=ab54af0864f2d83f829ec9f0c15e637124e81b7f2a74345567ddfdb147ecf419

[0683] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionLockDoors.c | text/utf-8-sig | size=593 | method=0 | timestamp=1695057122 | sha256=8a2ab8b4ddf081a328052a46f9a0f54097f90a8e4c5e10e75a5af731571e52a6

[0684] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineBush.c | text/utf-8-sig | size=601 | method=0 | timestamp=1695057122 | sha256=8eda787e0f4afdde2fe582c921a22ead0736890a26c4d176d139cf7a0b9b8e993

[0685] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineRock.c | text/utf-8-sig | size=601 | method=0 | timestamp=1695057122 | sha256=e2841bc6454caa6230fb8793b8cf11a6db12ada33102edd6a7c31152b97b344f

[0686] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineTree.c | text/utf-8-sig | size=592 | method=0 | timestamp=1695057122 | sha256=52429cb63a190e37085414308edd3214a5d871811e2f4063975fbdd3a7b68d7f

[0687] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPackTent.c | text/utf-8-sig | size=595 | method=0 | timestamp=1695057122 | sha256=342a5e846c351cdf1cf336a9b7afe84d229e24e9bacc4777b7941933565e4871

[0688] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPushObject.c | text/utf-8-sig | size=605 | method=0 | timestamp=1758201904 | sha256=28449ef4c73fd046534a679ef750b65a904194f71432641310bae43alee749ad

[0689] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainSelf.c | text/utf-8-sig | size=601 | method=0 | timestamp=1748552916 | sha256=5afb966f9fc6055ae39226525c6ce21093ed19072b6a36965b650a20ea0113d7

[0690] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainTarget.c | text/utf-8-sig | size=678 | method=0 | timestamp=1695057122 | sha256=131a3c578be571cd39ec2b3c349609ae043aecbf7529a0904f7d98efcdff0225

[0691] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionShaveTarget.c | text/utf-8-sig | size=597 | method=0 | timestamp=1695057122 | sha256=d7b1040526a850c068462e58639dbcd91c3932f2189c1caee51f9c8ff7f66ff

[0692] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnlockDoors.c | text/utf-8-sig | size=595 | method=0 | timestamp=1695057122 | sha256=78da30ea06dc3d182e392db9b034a099a8fed8889aedc699c3e547e12586b426

[0693] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnMountBarbedWire.c | text/utf-8-sig | size=609 | method=0 | timestamp=1709081347 | sha256=5de90c04f5d40c6312946d1d2ef6abb54df5b3b413650ea44a936e4f99b29d2

[0694] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | text/utf-8-sig | size=620 | method=0 | timestamp=1695057122 | sha256=a59a54c530eb3c030668c26d562ae0a3b7ba25c66d0c852a84455a391b228dac

[0695] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugLobotomize.c | text/utf-8-sig | size=3894 | method=0 | timestamp=1725988317 | sha256=b45bcc3141f144a515ac6b8549b75f6208cc15e1654c0e9c06633e3fe3127cb9

[0696] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugStoreEntity.c | text/utf-8-sig | size=3372 | method=0 | timestamp=1775587036 | sha256=c2c624215315f3172b6e12863c449e79f22ea3901658a94b3733816cbc3f619f

[0697] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPaint.c | text/utf-8-sig | size=3298 | method=0 | timestamp=1763507331 | sha256=ba047be6bd200f7a95351b9548e3f598384b3594e4ec3a8a0ef7243786e2802

[0698] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPlaceDebugGoat.c | text/utf-8-sig | size=1109 | method=0 | timestamp=1763507331 | sha256=e7663d2f6667f6cb9d8eede6793b6054fe3dd4bf199c479173b8e51c6022eb33

[0699] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionRestoreEntity.c | text/utf-8-sig | size=5897 | method=0 | timestamp=1763507331 | sha256=7eb7e408775dc841317e8c68dda0417fb9f0ff26154bbcbdfeea06b8e7eda636

[0700] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCheckPulseTarget.c | text/utf-8-sig | size=776 | method=0 | timestamp=1695057122 | sha256=681c6b6d180aa8ee72a43ee4e935c723ebba9f423d559564c3343ba31b263b2

[0701] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectBloodTarget.c | text/utf-8-sig | size=740 | method=0 | timestamp=1695057122 | sha256=080c7927095b4621e30160be9def27c763a079e88ac8fb33f0c9ddde12deb935

[0702] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectSampleTarget.c | text/utf-8-sig | size=740 | method=0 | timestamp=1695057122 | sha256=217e25120a3cbc55db4957353eb129ffe8984b0d93256eb9d566542f5e612261

[0703] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionDefibrilateTarget.c | text/utf-8-sig | size=736 | method=0 | timestamp=1695057122 | sha256=fd524658bfc815f1e0c2c37c286a1f18e8d8f4876554a738e27a44f32d9c067

[0704] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionGiveBloodTarget.c | text/utf-8-sig | size=732 | method=0 | timestamp=1695057122 | sha256=929f2226992c535d131497aa63ebbd3b2da32f6bba63005c6e887cab001a41db

[0705] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ExpansionActionToolBase.c | text/utf-8-sig | size=5954 | method=0 | timestamp=1705534847 | sha256=cfc0135edfb7eb2aef72d6d618506852bf8cf41bac01cdf47fd01f4d3678170

[0706] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Interact\ActionFoldObject.c | text/utf-8-sig | size=598 | method=0 | timestamp=1695057122 | sha256=1f3003cc806e29a427d8b9850ab8802bdfdd51677868eb6580fce4f3fe1874d

[0707] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionForceConsumeSingle.c | text/utf-8-sig | size=736 | method=0 | timestamp=1695057122 | sha256=6d920eb50931d5557e024dd50de9c30766e9b8a66b85ab3eb3e700cc5f5842ac

[0708] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionHandcuffTarget.c | text/utf-8-sig | size=602 | method=0 | timestamp=1695057122 | sha256=485b647e39009c6304c32d3269e1e426ce5815bf5edac3fd5f388f2ce49404de

[0709] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTogglePlaceObject.c | text/utf-8-sig | size=611 | method=0 | timestamp=1695057122 | sha256=18f49926d2e84c4d7669ffc2cfecc99cf21b6833af8b1464d61e9663cf39207

[0710] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTriggerRemotely.c | text/utf-8-sig | size=605 | method=0 | timestamp=1695057122 | sha256=cbe38bf75b966fe995870469a607b498ae8flac39af856f247ce0848bc62027c

[0711] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionUnpin.c | text/utf-8-sig | size=584 | method=0 | timestamp=1695057122 | sha256=108847838c79925ab4c880aedb0353284f541112a28a21d9f20fd8f47e28a5b4

[0712] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\Medical\ActionInjectTarget.c | text/utf-8-sig | size=726 | method=0 | timestamp=1695057122 | sha256=bd3d4046a4021e6ae276584dbf006810d6c6a7ac5ccdc1443afb16f18faeca5

[0713] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionTargets.c | text/utf-8-sig | size=840 | method=0 | timestamp=1748958892 | sha256=09c9d114587d6f0dba0455c977fcce70e0205cbe6d70680384625107a11e0722

[0714] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Animals\AnimalBase.c | text/utf-8-sig | size=6313 | method=0 | timestamp=1776958578 | sha256=a3cb59a53efd82a8ada709fc04691c8e0cbfdb72539f443f957a977bbe1800ea

[0715] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Infected\ZombieBase.c | text/utf-8-sig | size=6455 | method=0 | timestamp=1763507331 | sha256=98c371721ac287dbf9a97c2a43ee07954e6f2ba4a80d626079f4a8f7141fc882

[0716] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Buildings\BuildingBase.c | text/utf-8-sig | size=2068 | method=0 | timestamp=1735833939 | sha256=77678c66a886ab3ced8c6d58ed7f3bc9969a510077f80679b4b165dccc368409a

[0717] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionBakedMapObject.c | text/utf-8-sig | size=688 | method=0 | timestamp=1763507331 | sha256=9d556dc37cbdd4a2ec23651ef9bcd17fb5ea9dca8f82de88cb2b1efdcc158b91

[0718] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionLampLightBase.c | text/utf-8-sig | size=66 | method=0 | timestamp=1649713007 | sha256=72c0054b8d570895c4001538d8ed7401fba2d3c813bcb70e0aa520efd27fb9cf

[0719] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionNavmeshCarver.c | text/utf-8-sig | size=2029 | method=0 | timestamp=1763507332 | sha256=2a94704a12235e224360c419e940466adbe4a83252e0ed639ea20c3fae92488b

[0720] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionPhysicsStructure.c | text/utf-8-sig | size=3496 | method=0 | timestamp=1763507332 | sha256=20711bcf06245967968f626a91d6e79898a5782665b2b7569096e24fa05f84ea

[0721] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionStaticMapObject.c | text/utf-8-sig | size=691 | method=0 | timestamp=1763507332 | sha256=83ef91db2d649afd0ddd93182234c503c6ebe6504d67a6786e923912782c4238

[0722] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\DayZPlayerImplementFallDamage.c | text/utf-8-sig | size=425 | method=0 | timestamp=1763507332 | sha256=70669e0875887cb00de688b77a4073c1683e840e4824e4be5a2c84f8f9fbde33

[0723] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionBaseBuilding.c | text/utf-8-sig | size=399 | method=0 | timestamp=1695057122 | sha256=6ec255c6aee2e2cce5ea04802183f95e593ac4500fab967f4441a947da761f5e

[0724] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionDebugObjects.c | text/utf-8-sig | size=3015 | method=0 | timestamp=1747942687 | sha256=1b247830ac3950959721e3966528ec0ebbe16769c0dac0314c21c7da89535804

[0725] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionEntityStoragePlaceholder.c | text/utf-8-sig | size=9401 | method=0 | timestamp=1763507332 | sha256=dd79b78cc57556a7b66ba446af8b6b72341b36985664b0f9ba07c146a384f8a

[0726] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExplosivesBase.c | text/utf-8-sig | size=301 | method=0 | timestamp=1714754615 | sha256=f25a4648537aadf8182de2fc5c81fc05da5fa187d95eac9d8f51a05a06aa208a

[0727] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Expansion_LobotomyDartGun.c | text/utf-8-sig | size=1458 | method=0 | timestamp=1763507332 | sha256=1b009c07fcfalcdd192a06945f4393b7494310bcbdf4e9e6227a2c1ae71f4064

[0728] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\FSM\States\WeaponStableState.c | text/utf-8-sig | size=1459 | method=0 | timestamp=1747002829 | sha256=1be78f37812e23682b2629ea52708a46f2d1557c6434c92c8830127a3794c04d

[0729] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Weapon_Base.c | text/utf-8-sig | size=14677 | method=0 | timestamp=1763507332 | sha256=74a7680803674315d890d63ee29e98f71075f4573b365e72621895213e05c98

[0730] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\WeaponFSM.c | text/utf-8-sig | size=4728 | method=0 | timestamp=1762533241 | sha256=dc0d5d97890259c5c556c197cee66304105a277cee62c088319d54e706038d76

[0731] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Grenade_Base\SmokeGrenadeBase.c | text/utf-8-sig | size=412 | method=0 | timestamp=1755864610 | sha256=c39c93c0ff130e9d937449f7678319fbc46a94e84e98f5530cf70eef2b59efcf

[0732] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase.c | text/utf-8-sig | size=49239 | method=0 | timestamp=1773675516 | sha256=aee226cf58b160133225d48e314e99b513a006bc33b3a1fld9a675b85bf999

[0733] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase.c | text/utf-8-sig | size=985 | method=0 | timestamp=1763507332 | sha256=5a93497fa73cd512e3075b181bcd8ecb46eee721a3d71a1f6236e3159586c48b

[0734] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase\Fence.c | text/utf-8-sig | size=315 | method=0 | timestamp=1760094879 | sha256=4cc9865125f11017646b35564c86e890188a499de4bace4d63f72b1923d3f258

[0735] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BatteryCharger.c | text/utf-8-sig | size=339 | method=0 | timestamp=1729002072 | sha256=47edf8c1750027bfe70b2e7de385dd975a13e7e5a1cebfc3904a661e8fbdbe2

[0736] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Blowtorch.c | text/utf-8-sig | size=174 | method=0 | timestamp=1729002072 | sha256=4449bbcd107e642824aac3f3cf63f0a84154a480db555924bed565c4694217a5

[0737] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\CattleProd.c | text/utf-8-sig | size=327 | method=0 | timestamp=1729002072 | sha256=2074499066df925996d1092b9baf6145b598a5524b522d61478adf006faae6af

[0738] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ChemLight.c | text/utf-8-sig | size=354 | method=0 | timestamp=1729002072 | sha256=d782128eee3d011e6a9a9c4c6f8180c27721b9067b885cbeaafe9c2ed31e352

[0739] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing\Armband_ColorBase.c | text/utf-8-sig | size=2047 | method=0 | timestamp=1696535995 | sha256=4b04ac3ce2b0ac785921bab9336a2327891f231f7306aed41239ada096a94476

[0740] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing_Base.c | text/utf-8-sig | size=1037 | method=0 | timestamp=1696535995 | sha256=36c1bc223097f4f7a4b7693daa056f0e2f07b62belac27ff00b1417d2a4929

[0741] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Defibrillator.c | text/utf-8-sig | size=336 | method=0 | timestamp=1729002072 | sha256=664778b0a1a58651494accf3ff13ea81348962e591d8164dd293eacfb361e44

[0742] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Edible_Base.c | text/utf-8-sig | size=6041 | method=0 | timestamp=1763507332 | sha256=c732a9d624e04ee83000b83ddb56d0fcd84d865c52d3a27cb46d54618e54bcc9

[0743] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionAdminChest.c | text/utf-8-sig | size=2384 | method=0 | timestamp=1763507332 | sha256=2ec0b049d3edd8e17dc2dc13baf438a25482bea1b2a45elaca757b8ba9bfdd44

[0744] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionBriefcase.c | text/utf-8-sig | size=823 | method=0 | timestamp=1649713049 | sha256=ad327ca3a599e3a14c9617f754b60c1f325ea38fdb5c3a7363250696f77fb706

[0745] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionCircuitBoardBase.c | text/utf-8-sig | size=820 | method=0 | timestamp=1716495855 | sha256=d16e61bf0d9bd56ff600df248b7ba9efdf318cccd949de6ca1e87724c4f2e008

[0746] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionOwnedContainer.c | text/utf-8-sig | size=12666 | method=0 | timestamp=1763507332 | sha256=26d88799dc939aab96f674df8a972ab342c99ed3c30805f9134df58d0b12clce

[0747] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionSpraycanBase.c | text/utf-8-sig | size=1638 | method=0 | timestamp=1695057122 | sha256=e9d6fe58d73f66939c84a3d233588d95145c7c06b66b2d6b99b0ae34clbccf2a

[0748] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Flashlight.c | text/utf-8-sig | size=327 | method=0 | timestamp=1729002072 | sha256=7ea6b692b9a633a11e3b3041058f0ca9285d361dea0feale454b94e0483cb2e

[0749] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Gear\Navigation\GPSReceiver.c | text/utf-8-sig | size=330 | method=0 | timestamp=1729002072 | sha256=2e3310cf43f1325a9861d0bd54be0b283c9626be556e53b1ba2b5cbea9424a51

[0750] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Grenade_Base.c | text/utf-8-sig | size=172 | method=0 | timestamp=1729002072 | sha256=0db4c940f985f8d3a358e17c38462d4e054f3af060ea357f0a9e16ea3221b40e

[0751] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Heatpack.c | text/utf-8-sig | size=321 | method=0 | timestamp=1729002072 | sha256=4e3cb36ad7ca57d182dae8a18f1981f80893cdf23c78e7e013c37f5a68a655b1

[0752] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\AmmunitionPiles.c | text/utf-8-sig | size=733 | method=0 | timestamp=1721900186 | sha256=08ed7873a6eeb0bf824821631c0e384a74d6e522edb5a2b4ed52eb55cce50791

[0753] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\Magazine.c | text/utf-8-sig | size=720 | method=0 | timestamp=1721900185 | sha256=8a5f5bd46c8563ce019b98cbb2c871eb0dc131788e1550711cbb21cf586159a2

[0754] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Megaphone.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=edcbf10b3634aecd1c8f01bcebf7ee37413f638c4e6d69312ad32450cf53c753e2

[0755] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasLamp.c | text/utf-8-sig | size=342 | method=0 | timestamp=1729002072 | sha256=7c17f3da25fd5d2d96c9c43033fd4866661f3488e7588c830b61a8408548ff2b

[0756] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasStove.c | text/utf-8-sig | size=188 | method=0 | timestamp=1729002072 | sha256=e96ecfd5dca65ec525419175907deb339182f2fc22dce9623dbaa2157899b32

[0757] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PoweredOptic_Base.c | text/utf-8-sig | size=374 | method=0 | timestamp=1755790753 | sha256=d1814973ff2cbe650aefe395ba394ac221e973ee53a4f360d87a4e000e4554c2

[0758] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PowerGenerator.c | text/utf-8-sig | size=351 | method=0 | timestamp=1729002072 | sha256=f69f9d19a004a1873f3f9d5acff080da271b0f9c4b1c3efccb078749a0780bfff1

[0759] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Radio.c | text/utf-8-sig | size=166 | method=0 | timestamp=1729002072 | sha256=5a23f1316cecb3dfe1051678c8c07795051a1a8394f925e7dd8774a60b5b8c6

[0760] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Rangefinder.c | text/utf-8-sig | size=330 | method=0 | timestamp=1729002072 | sha256=5753b1299fe2aa160dbfb54b20ca10baa2332f2a8b9777f31263cfc3492818f4

[0761] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Raycaster.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=f6018d217f481ea24454b4e735b5f17bdbc5154eef0d69038d11cf5b7bc1042

[0762] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Refridgerator.c | text/utf-8-sig | size=336 | method=0 | timestamp=1729002072 | sha256=004b2b82478b9535d9cb6dc703f1a7c16373e0cb02a9da1873ec60ad8ba2bf99

[0763] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Roadflare.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=693854d7c72ecaa4e17d63babc9229819b412fc3f0aa920b21a567610fd2647a

[0764] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Spotlight.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=b544af9e2d85249714daf5dec18f3c4a6f5007990b93586915b8c90f8c3820da

[0765] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\StunBaton.c | text/utf-8-sig | size=324 | method=0 | timestamp=1729002072 | sha256=7dca289059b271a650ebd719299501189d0bb7a38d855d3ad435db3a50f3c7be

[0766] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\TLRLight.c | text/utf-8-sig | size=321 | method=0 | timestamp=1729002072 | sha256=922dc6ff0bc994e64cab3b54d2124163538a044e346cec56e8cbd14ccle4a5dc

[0767] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\UniversalLight.c | text/utf-8-sig | size=339 | method=0 | timestamp=1729002072 | sha256=950fa02b733c8b5b11f21275d72108f6a54acbbb51f7e238cc4946958253340a

[0768] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Torch.c | text/utf-8-sig | size=312 | method=0 | timestamp=1729002072 | sha256=11a3a9659c2929bc5b366454d38962f6cae3c5b583c2942dc3764eb05d6ae398

[0769] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\TransmitterBase.c | text/utf-8-sig | size=342 | method=0 | timestamp=1729002072 | sha256=4eb1a0372e98f73b9b276bdad30644102af40d46f1e5c4432ed446212cc2a025

[0770] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\XmasLights.c | text/utf-8-sig | size=327 | method=0 | timestamp=1729002072 | sha256=927b5003989d7016bab67e7910a10b36d4d020b0ab2ea7a0b36a6ed809f8a34e

[0771] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayer\DayZPlayerMeleeFightLogic_LightHeavy.c | text/utf-8-sig | size=1031 | method=0 | timestamp=1758201904 | sha256=fd2c496140ddc0d85e9f32e75641991c0ab12f4a8963383ff44461c3daf49749

[0772] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplement.c | text/utf-8-sig | size=17975 | method=0 | timestamp=1769788421 | sha256=a0e3466a7ee7699259b87d892f526edacaa4cb17958e21354bbccd57f782cdaa

[0773] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementJumpClimb.c | text/utf-8-sig | size=1167 | method=0 | timestamp=1767475136 | sha256=0ed9a1cc7114c17652053a615c1b5d1675d76bc771cc29f484b7375d925f1a81

[0774] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementThrowing.c | text/utf-8-sig | size=1024 | method=0 | timestamp=1695057122 | sha256=607407f9b15551fb8cee5110e41e8169c52bfcca2dedd6d9fe2204e38cdb2c5

[0775] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerSyncJunctures.c | text/utf-8-sig | size=1446 | method=0 | timestamp=1749751919 | sha256=34826a30329450114435715c7d67daf75539f446008932b247623d18a364fb4a

[0776] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNotPlayerBase.c | text/utf-8-sig | size=18694 | method=0 | timestamp=1763507332 | sha256=b61fe123b9fcd82a401c048ff99279e87d19971490977c6187891887325830c

[0777] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNPCBase.c | text/utf-8-sig | size=2751 | method=0 | timestamp=1763507332 | sha256=3f45ceebb22f8c927eb7511856f6f73c46c95d1ce4cda30718f6cf104bd58103

[0778] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\PlayerBase.c | text/utf-8-sig | size=38620 | method=0 | timestamp=1763507332 | sha256=ecb3b940a9908792d436ad6649ed7d0db7c92083eb887248850148949ba1becd

[0779] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCamera3rdPerson.c | text/utf-8-sig | size=851 | method=0 | timestamp=1743003591 | sha256=46107fbf10cc43f017c4fe1ffa5c710734f4c8d7176ba27db0222cfa523487c

[0780] PB0=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCameraBase.c | text/utf-8-sig | size=1307 | method=0 | timestamp=1743003591 | sha256=3719aa1197f81410bc4a5d035f21510f85a1c37e02418b7579d2c2fb29dd5b7aa

[0781] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase.c | text/utf-8-sig | size=97 | method=0 | timestamp=1714754615 | sha256=111bfb284ae398c146e4b887ebe7cf7e38fa5e11540ec41e2f2c9425b30c722e

[0782] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Bear.c | text/utf-8-sig | size=184 | method=0 | timestamp=1714754615 | sha256=5aa0924d4345a7ec01b41c8c72140742bbe7d155e6b566c3b044abc2e44f6606

[0783] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_LandMine.c | text/utf-8-sig | size=153 | method=0 | timestamp=1714754615 | sha256=2a82ffd869e40cc8ee42dd40c9851e74abe05f91fb825c243bb6ba12c5ea987b

[0784] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Tripwire.c | text/utf-8-sig | size=1085 | method=0 | timestamp=1714754615 | sha256=88375a116d8cfe97cad2170aa282dcc105e98fa9b2c4dad35cc0324fbc313042

[0785] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\BoatScript.c | text/utf-8-sig | size=7186 | method=0 | timestamp=1774285677 | sha256=4be2e307fa01cc028512b98ae6e25c9fb0a07b9df63dee34dd1bbf5d8e99befa

[0786] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\CarScript.c | text/utf-8-sig | size=12388 | method=0 | timestamp=1774285677 | sha256=6adcc5b803558049e14413752f077a45ca5968854cbf50fe22544adfe83b6af8c

[0787] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionObjectSet.c | text/utf-8-sig | size=1326 | method=0 | timestamp=1763507332 | sha256=c5d3e07e88a177019eef09ad2d6210c2c556197b95a1599085207cd3ef753b76

[0788] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionStaticObjectBase.c | text/utf-8-sig | size=605 | method=0 | timestamp=1695057122 | sha256=e7684b96ebfb04d87a6648eff3d69c2d7a4880aa08de54ec83f460cfcf0d3e5c

[0789] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorld.c | text/utf-8-sig | size=13398 | method=0 | timestamp=1763507332 | sha256=354ce679084fd4c24af17ef8269b20de8d8455625d503d77165d5144222288

[0790] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorldObjectsModule.c | text/utf-8-sig | size=27526 | method=0 | timestamp=1776958578 | sha256=f34df624638b42470a964fe47a843d3f67ed1b822ea74d3099ed0acce19a290

[0791] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionBlinkLight.c | text/utf-8-sig | size=519 | method=0 | timestamp=1721900185 | sha256=7aab194218ecdd772c5849c0eae4ef9ae3f9c47218276e70f85fb96004d7f6d6

[0792] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionLighthouseLampLight.c | text/utf-8-sig | size=1417 | method=0 | timestamp=1709237713 | sha256=3e8ebd067287adclbe7059d49c642786a34567fa3ab78c840cd783b2516f2f62

[0793] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionPointLight.c | text/utf-8-sig | size=1563 | method=0 | timestamp=1721900185 | sha256=ef226b528cf0e1522e9bda217bb09beb096981a53d9d0e23f6d63a79225ca6b0

[0794] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionStreetLight.c | text/utf-8-sig | size=1457 | method=0 | timestamp=1695057122 | sha256=6ed799d8ae14bb4f194b8f95fe160d5601678b5dc63b965ea452256b01314aa0

[0795] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionItemSpawnHelper.c | text/utf-8-sig | size=26147 | method=0 | timestamp=1763507332 | sha256=095c97a6a4ebc121cddb89d8048233a8c3d34cd447fb4d4ef896a1012126fd6a2

[0796] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionTransferInventory.c | text/utf-8-sig | size=4483 | method=0 | timestamp=1763507332 | sha256=333420fa48aacd016057e7c0d74c30518257341d7bdb237b7199808a39d61eb6

[0797] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\MiscGameplayFunctions.c | text/utf-8-sig | size=9515 | method=0 | timestamp=1764865388 | sha256=6ca457bc22dc6c7ccb1c7c463cc0d003d545fb6f42e4491f7e7ce2efb22066a6

[0798] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\ExpansionInventoryTools.c | text/utf-8-sig | size=13241 | method=0 | timestamp=1762533241 | sha256=f97b7b8ae1ecf33cc9de688990dc29b2a9860707ca7482a155e837165cc3eb60

[0799] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Loot\ExpansionLootSpawner.c | text/utf-8-sig | size=8235 | method=0 | timestamp=1763507332 | sha256=9315a215b3cb9dccc40c87974f2886a7a1fb68aa42b0f45dd2d5a5bf2903fa3c

[0800] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationHUD.c | text/utf-8-sig | size=6738 | method=0 | timestamp=1743003591 | sha256=c8e7f099bd326d6a5348c3bd1b2b409905d903dc3860950ad40a3ece9c0737a9

[0801] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationModule.c | text/utf-8-sig | size=8214 | method=0 | timestamp=1763507332 | sha256=6724c60e6a6e814c2805973464092f29001f481d01bf059e4c536bed000089f6

[0802] PBO=core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationView.c | text/utf-8-sig | size=9777 | method=0 | timestamp=1763507332 | sha256=14248a86ea8271bbae6d9d1fe8a07ff241596904fbf9fe65b76ef5c3d62a8c16

[0803] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ESP\ExpansionESPModificationModule.c | text/utf-8-sig | size=1008 | method=0 | timestamp=1698961241 | sha256=bf1fd2f815738076f75d8b426bde1619ec31eb810c6459d047192330f4fce8359

[0804] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ExpansionClientSettingsModule.c | text/utf-8-sig | size=992 | method=0 | timestamp=1758201904 | sha256=3acbe5f5bd3bb622228c7e713ac36de51869ee4d8effcefa9a8e6bbc06cf8c9c

[0805] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\JMMModuleConstructor.c | text/utf-8-sig | size=612 | method=0 | timestamp=1656712594 | sha256=03d63e7cd42a5698a79fa5d8571805faa24d314b45423f15882234295alf5a16

[0806] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\DayZExpansion.c | text/utf-8-sig | size=3226 | method=0 | timestamp=1763507332 | sha256=3c2970b9cb757e77a2ad6434676fa68805aad643456c44994b6a5e3180eda12

[0807] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapMarkerPlayerArrow.c | text/utf-8-sig | size=2520 | method=0 | timestamp=1763507332 | sha256=4a97500c27b306d389fc4e5ab828e9d3fd7aed05641ce6053e03740828b1e9fa

[0808] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapWidgetBase.c | text/utf-8-sig | size=7192 | method=0 | timestamp=1766934424 | sha256=491a7c32cab429c7c3c846c78a7a97b5a8f4f5f7e6bd96a6106d95fc85b45960

[0809] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ActionTargetsCursor.c | text/utf-8-sig | size=994 | method=0 | timestamp=1743003591 | sha256=1840790fe85488acfa72a65e43d32aa76f837b56e8589f8e62251a8ff6b02c5

[0810] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\CharacterCreation\CharacterCreationMenu.c | text/utf-8-sig | size=507 | method=0 | timestamp=1695057122 | sha256=f59148368764d2637249d96a42240d396d93153886213e2cc627c318019c9d5d

[0811] PBO=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\DebugMonitor.c | text/utf-8-sig | size=461 | method=0 | timestamp=1762533241 | sha256=d4fd62dac9505661a561621a3aa42ca9529851d5aa7786e61866f813c04e9bb7

[0812] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameHud.c | text/utf-8-sig | size=1988 | method=0 | timestamp=1763507332 | sha256=e5a14780fa01396c38c4b25b4bd119699c5f182527c2f8063559393922475637

[0813] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameHudVisibility.c | text/utf-8-sig | size=138 | method=0 | timestamp=1758201904 | sha256=2716c15c3134db24a2c30ffadcl22e6d7c1e56563b58053702736736157aa900

[0814] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameMenu.c | text/utf-8-sig | size=1421 | method=0 | timestamp=1695057122 | sha256=e0825c9067a9f9e71e7a79dc695a30cceb32534b4ff3649e5da9c64a35eb552

[0815] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InspectMenuNew.c | text/utf-8-sig | size=3325 | method=0 | timestamp=1725988317 | sha256=5fa6046ade62a54a3cb13a3d1b67bf3bc76d2cc507a406f43f700abff15501c8

[0816] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\ExpansionTidyPanel.c | text/utf-8-sig | size=4510 | method=0 | timestamp=1763507332 | sha256=cb05d4084c7ebf322cedf12856ea5cf8181899ffa788cf529f2c58444b2e8713

[0817] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\Inherited\ContainerWithCargoAndAttachments.c | text/utf-8-sig | size=996 | method=0 | timestamp=1649713007 | sha256=057c27145c87acblc5485494e5131a2f569cc2b67734f0a175bd638dbf795aa7

[0818] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ItemActionsWidget.c | text/utf-8-sig | size=291 | method=0 | timestamp=1725988317 | sha256=cf6c8e4182919709dcdcbale75a759ef35948b14f4409efbc0e7255e4c75bc9

[0819] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\KeybindingsMenu\KeybindingsMenu.c | text/utf-8-sig | size=627 | method=0 | timestamp=1695057122 | sha256=1bf3403a97d3b5b3cc04dadd76c61400f3481d0bba64f4f9043eeadd1d089a41b

[0820] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\MainMenu\MainMenu.c | text/utf-8-sig | size=624 | method=0 | timestamp=1695057122 | sha256=df2b47b6b4f3d1c8291353ec373fafecbcbfb120b8d8e5bb784132767ad21ccf0

[0821] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\ExpansionOptionSettingWidget.c | text/utf-8-sig | size=8303 | method=0 | timestamp=1771689824 | sha256=83dfa5e7fc7151c97e11910b9392220ac508edc0fce382a019569a4c73fa7369

[0822] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionSelectorSlider.c | text/utf-8-sig | size=106 | method=0 | timestamp=1771689805 | sha256=11cf75cc4630c363d3750e7e35ee5c74d24dfd8b4fa772717cd0a70abe5effb

[0823] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenu.c | text/utf-8-sig | size=1251 | method=0 | timestamp=1740617285 | sha256=3112edb6fefcee8eebc84c1616a5a598df0a9a4598e65792315abac2966388a

[0824] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenuExpansion.c | text/utf-8-sig | size=6712 | method=0 | timestamp=1763507332 | sha256=7064ee40caddff686318c61d55cb47d5d7ea75c7e59812da8d1414030d03bcc9

[0825] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\OptionSelectorMultistate.c | text/utf-8-sig | size=468 | method=0 | timestamp=1649713007 | sha256=5bf446437db38fb19f0108651e5267ce963c3c1771e210fbc24fddbf16d19ce23

[0826] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\TabberPrefab\TabberUI.c | text/utf-8-sig | size=1099 | method=0 | timestamp=1763507332 | sha256=3fc46185982f532fc5f9b79bf82e3637bc9b86868ae5b95a9ab2a05003de113f

[0827] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionBase.c | text/utf-8-sig | size=1581 | method=0 | timestamp=1763507332 | sha256=32573fcc48f6635cdb9c5a9ca5344702cc8b5dedbf7580a13650b465974e814f

[0828] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionGameplay.c | text/utf-8-sig | size=8917 | method=0 | timestamp=1775587036 | sha256=4645c12a821f16ac3745609ac05b6e51bd9866a83ad848f8cd972e4ad1db8588

[0829] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionMainMenu.c | text/utf-8-sig | size=450 | method=0 | timestamp=1748800555 | sha256=08f6fc8db015e041c30207ebd73a64a8e216c5171e71d92612c4bb9783e71672

[0830] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionServer.c | text/utf-8-sig | size=9222 | method=0 | timestamp=1763507332 | sha256=32c1a6fbcd8f912e239daff0f3860da2943b627523764d39e23caaca25f58eec

[0831] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c | text/utf-8-sig | size=1303 | method=0 | timestamp=1758218077 | sha256=25e480844dcd6f0f643ea706eaa98f40091b564f54d2aeb9b89f280659b25eca

[0832] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenu.c | text/utf-8-sig | size=3899 | method=0 | timestamp=1763507332 | sha256=69621093c9cfd79c92ada50a743e6833c3d23c7ecb9ad0c3ce0063dd2ce0abe8

[0833] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Buttons\ExpansionDialogButton_Text.c | text/utf-8-sig | size=1580 | method=0 | timestamp=1743003591 | sha256=246b71640c96ba6f66903df756a8c2f2c6e05cac7bf36162bfe7d9546df7ea06

[0834] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Editbox.c | text/utf-8-sig | size=1324 | method=0 | timestamp=1743003591 | sha256=190e07c31c348947d71b0b9f8fe4c00ea0e995aaab8a387413ccf7e3d8ba2fca

[0835] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Text.c | text/utf-8-sig | size=1451 | method=0 | timestamp=1743003591 | sha256=dee27a2f7d3481b7e6836122a526cd70e27696908a5ece4162dac2d52b16025e0

[0836] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_WrapSpacer.c | text/utf-8-sig | size=2584 | method=0 | timestamp=1743003591 | sha256=127ecfef43111c62c323617fdcca54a96723953e122a6fee8a72fd09fd0eae0ba

[0837] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\ExpansionDialogBase.c | text/utf-8-sig | size=3406 | method=0 | timestamp=1743003591 | sha256=cd3fc7e6d0ea9ded53bf21566eb474aabfbd69c9841e1fb7ddacaa0aa649243e

[0838] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemInspection.c | text/utf-8-sig | size=21205 | method=0 | timestamp=1763507332 | sha256=aelce527f4b19363a078063cc079934d6f4b49e866c6635cfa80038elf02e904

[0839] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemTooltip.c | text/utf-8-sig | size=6321 | method=0 | timestamp=1743003591 | sha256=fa6936853938724dd75049dbbe820998f67861a1cla7bfff90769f8f593a55872

[0840] PB0=core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionPlayerPreview.c | text/utf-8-sig | size=9689 | method=0 | timestamp=1763507332 | sha256=786eb07111d9eaecall86a35f41aed8bf7c1e1b7161dcfa4674fc87511460e6

[0841] PB0=core pbo files expan/core_scripts.pbo :: config.bin | binary | size=2391 | method=0 | timestamp=1778172997 | sha256=5a030fa272963c7dea449803a2f9b0b7972e242efdbdbf3a1fa677d6fe837f3e

[0842] PB0=core pbo files expan/core_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649701613 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0843] PBO=core pbo files expan/core_scripts.pbo :: Data\Credits.json | text/utf-8-sig | size=11828 | method=0 | timestamp=1756725647 | sha256=665f9d5db6af97cc2b785ae197f739266f2b84ca71251cc634b78327fc88cf8d

[0844] PBO=core pbo files expan/core_stub.pbo :: config.bin | binary | size=187 | method=0 | timestamp=1663959067 | sha256=4f7cdb75993d7e9765829ab109cad747971be6a362fa30b5f26ca36bba8f90dd

[0845] PBO=core pbo files expan/core_stub.pbo :: config.bin | binary | size=187 | method=0 | timestamp=1663959068 | sha256=4f7cdb75993d7e9765829ab109cad747971be6a362fa30b5f26ca36bba8f90dd

[0846] PBO=core pbo files expan/core_stub.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958720 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0847] PBO=core pbo files expan/definetest.pbo :: 5_Mission\Mission.c | text/utf-8-sig | size=3376 | method=0 | timestamp=1763503732 | sha256=9db26514b34ee9be28d62d9a4a573181d01caaa06451132d05ba3c5214ef523f

[0848] PBO=core pbo files expan/definetest.pbo :: config.bin | binary | size=785 | method=0 | timestamp=1763504440 | sha256=149e8416eebbfb8c458b459e206ce3136b39c1b9dabce6957207fala472aa48

[0849] PBO=core pbo files expan/definetest.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1656708994 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0850] PBO=core pbo files expan/dta_core.pbo :: cone.p3d | binary | size=2561 | method=0 | timestamp=1711657715 | sha256=d8449874485fdfa3fec4fec71382a99ae86d35cd773117aa6e9b7642047a34ea

[0851] PBO=core pbo files expan/dta_core.pbo :: coneSmall.p3d | binary | size=2561 | method=0 | timestamp=1711657715 | sha256=20044ca0a48532f6eff99fbdd96dcb9df40a593dc5c3109ebae8f987ec1907b9

[0852] PBO=core pbo files expan/dta_core.pbo :: config.bin | binary | size=12870 | method=0 | timestamp=1711657713 | sha256=af19682c74ba22c9e975ffed32f2b356b95a33fb40bd10bf2ff649142800918d

[0853] PBO=core pbo files expan/dta_core.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663955121 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0854] PBO=core pbo files expan/dta_game.pbo :: config.bin | binary | size=1569 | method=0 | timestamp=1713468534 | sha256=7b69ed27a13486c8e6e006a8bb3b62f9fb466882ffd87b9c86e30540d737584

[0855] PBO=core pbo files expan/dta_game.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958721 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0856] PBO=core pbo files expan/languagecore_core.pbo :: config.bin | binary | size=148 | method=0 | timestamp=1773698004 | sha256=2895b9c4ec7b130143e89946a89a50f2ad74191d7e8f2cbe90dd2122aecdaddb

[0857] PBO=core pbo files expan/languagecore_core.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649698102 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0858] PBO=core pbo files expan/languagecore_core.pbo :: stringtable.csv | text/utf-8-sig | size=203556 | method=0 | timestamp=1773667257 | sha256=58531d4b2eb3efc17caf2d3865ed7b268eb849b3b711c9cd66707daebc7a6887

[0859] PBO=core pbo files expan/modstorage_scripts.pbo :: config.bin | binary | size=1220 | method=0 | timestamp=1741617038 | sha256=277a516f761b4f38a6b730e2c2963cc81fd54d45fe9fc6aa87eae20e8d42bb0c

[0860] PBO=core pbo files expan/modstorage_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649709409 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0861] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\Expansion_NotificationScheduler_Constants.c | text/utf-8-sig | size=497 | method=0 | timestamp=1649709409 | sha256=09fe8a913bbdd1904f4cc05b2ded057bf9f5dee244ce53db3eb61ec4332ce9f5

[0862] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerModule.c | text/utf-8-sig | size=2810 | method=0 | timestamp=1763503734 | sha256=ed6dcd26af2312807789e00973f78158991f86b8a0d2f13a8c32f12c6299983f

[0863] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerSettings.c | text/utf-8-sig | size=4724 | method=0 | timestamp=1695053527 | sha256=afe3cf6540c548019b31af2b407bb09155ff4a6a25b091eae6686fd42233f840

[0864] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionSettings.c | text/utf-8-sig | size=877 | method=0 | timestamp=1695053527 | sha256=fa7ce8092f254e62b1bf4139270bcf20c9ab5fdffd919fb6043ea6b6805341fb

[0865] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: config.bin | binary | size=1666 | method=0 | timestamp=1763504481 | sha256=940a815fa4f80891229c8f7860dc30306f1e425cc574f191d62f6aef2704438e

[0866] PBO=core pbo files expan/notificationscheduler_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649709409 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0867] PBO=core pbo files expan/objects_gear_spraycans.pbo :: config.bin | binary | size=677 | method=0 | timestamp=1676072011 | sha256=7f4f91e8fc14b4d7fa18a83d74f72e04da019a792317928fb118be44b7097bee

[0868] PBO=core pbo files expan/objects_gear_spraycans.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663955134 | sha256=e3b0c44298fcl1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[0869] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_blue_co.paa | binary | size=539734 | method=0 | timestamp=1663955134 | sha256=ce23d82e1043bc449e08318d9acf72eb79d5fd963673a516148b6d57bcf07f6d

[0870] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_camo_co.paa | binary | size=561086 | method=0 | timestamp=1663955134 | sha256=506cd28dfd586abc1312d1c426db69fe23933293670002d57ddce6ffcc7547ca

[0871] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_clean_co.paa | binary | size=570819 | method=0 | timestamp=1663955134 | sha256=da06d237cf57df83f8e1d8bcd44acbf3b28d48ade0757ca0d32e216f130774c5

[0872] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_engraved_co.paa | binary | size=555503 | method=0 | timestamp=1663955134 | sha256=70616c385bca88ffb920b9b9e79fba9823a6b69ef2ad78527e2037c1ddfb8853

[0873] PBO=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_grey_co.paa | binary | size=537568 | method=0 | timestamp=1663955134 | sha256=61e4b59bb2e87155524f63a6479ae5a9b3a70807b50570a90ab6c3cd23c60a48

[0874] PB0=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_orange_co.paa | binary | size=537605 | method=0 | timestamp=1663955134 | sha256=f4137501d78b9a51e39d3b2681e7d9eaa45025ed079c6432636ffad2a5f348e1

[0875] PB0=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_pink_co.paa | binary | size=537570 | method=0 | timestamp=1663955134 | sha256=7cc0174675705f9bf8cf031edbce64e1a7d477152ef3a49d621f90168bff8ba9

[0876] PB0=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_red_co.paa | binary | size=541711 | method=0 | timestamp=1663955134 | sha256=1eafe4eddf4b7066c0b4f4ab42321bdeee2f1b35adb33ac84291cfb1370c607f

[0877] PB0=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_white_co.paa | binary | size=541628 | method=0 | timestamp=1663955134 | sha256=b76926b066a983e31e644cc64021879f8cad4b0162ec4cdc97c1a4ddd4b98f1a

[0878] PB0=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_wine_co.paa | binary | size=558881 | method=0 | timestamp=1663955134 | sha256=07253850a2abee5111f69b8289cf269f81620f7cb7da75b554e2f9696f46c3f

[0879] PB0=core pbo files expan/objects_gear_spraycans.pbo :: data\spraycan_yellow_co.paa | binary | size=543581 | method=0 | timestamp=1663955134 | sha256=128f8f70d54846cdeb37a51c77f954be56716d87266d9999d3fc4d5d9ded657ff

[0880] PB0=core pbo files expan/objects_structures_debug.pbo :: config.bin | binary | size=13653 | method=0 | timestamp=1743443868 | sha256=d6d829eab896108e2e1b7ac0deea65f78ed6aef4c0b075db10e8cafd0a362dd0

[0881] PB0=core pbo files expan/objects_structures_debug.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1649713009 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0882] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugArrow.p3d | binary | size=3183 | method=0 | timestamp=1743443874 | sha256=1b5534611518195d20b6bbb1754e86eaa6fd387a285e9489c87fa5355b02ca6b

[0883] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugBox.p3d | binary | size=1432 | method=0 | timestamp=1743443874 | sha256=158760dd1d5f782b4580ebbc9926abe2c7cdfa4f540ff757c9e2ef06d3160a5d

[0884] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugCube.p3d | binary | size=1433 | method=0 | timestamp=1743443874 | sha256=7d742dab6599829963ceff3b784172b5fc25e9df239f4248e942a208e3296501

[0885] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugCylinder.p3d | binary | size=5284 | method=0 | timestamp=1743443874 | sha256=3ff98a62b3a314477a6833c8a27c82232e470374af22b50a4e9d025fbac823e2

[0886] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugGoat.p3d | binary | size=2908 | method=0 | timestamp=1743443874 | sha256=5c7e172decdd555dcb182d84d143a0c69eeae79a51e3c8b04c9b2958bf956bf7c

[0887] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugLine.p3d | binary | size=1637 | method=0 | timestamp=1743443874 | sha256=bd47d8d685b843421a2895eef31d12fd576cf2d4938de4a9ede028f0974cbdf7

[0888] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugNoticeMe.p3d | binary | size=2523 | method=0 | timestamp=1743443874 | sha256=7efa3b2335ad94bf094e35e0d9059bcc91ac9614518eeb43175b875930f05a58

[0889] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugRod.p3d | binary | size=1432 | method=0 | timestamp=1743443874 | sha256=2a12dad56824d656ef13049fe04e50ff7aedc22e208c9481d44b2eb784e6215c

[0890] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugRodBig.p3d | binary | size=1435 | method=0 | timestamp=1743443874 | sha256=d404254a175c61b186dbb098569e414b60047979d2f849e27d4168afd22bc038

[0891] PB0=core pbo files expan/objects_structures_debug.pbo :: DebugSphereSmall.p3d | binary | size=4956 | method=0 | timestamp=1743443874 | sha256=f20f803b5c8524ede4499247441af21fd79256c92f47550028e5da3b305ec419

[0892] PB0=core pbo files expan/particles.pbo :: Airdrop\Expansion_Airdrop.ptc | binary | size=5903 | method=0 | timestamp=1713468415 | sha256=fe1622a8ddca2d519a4f1d1e05919803f3d1564fd092ec4d6dfd6d19d7e3e4b5

[0893] PB0=core pbo files expan/particles.pbo :: config.bin | binary | size=140 | method=0 | timestamp=1713468537 | sha256=d9903e813185cd7470e169279990411f26ad2ee8d3b52a3f5e1bea71776f161d

[0894] PB0=core pbo files expan/particles.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958772 | sha256=e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0895] PB0=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Flare.ptc | binary | size=2223 | method=0 | timestamp=1663958772 | sha256=53aeecc227b87ed6cc94c2ffddade66781e523ab452f29dc9bf49fb7cdd2dea70

[0896] PB0=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Rocket.ptc | binary | size=3760 | method=0 | timestamp=1663958772 | sha256=d10ba0939f0a0ceac2976ceee58d34a70313485d954ac68f363ac92545522fc5

[0897] PB0=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Vehicle.ptc | binary | size=8396 | method=0 | timestamp=1663958772 | sha256=cc85a9fd72e5e7b1ed2fe8961a97a5210091e9d8cf979fb09db6d6e9e5ec5fa9

[0898] PB0=core pbo files expan/particles.pbo :: Explosions\Expansion_Explosion_Water.ptc | binary | size=6422 | method=0 | timestamp=1663958772 | sha256=f328a12324a2a6e6358326cf738a299ab9d23dbad77994f39f2d41ae80ba6ee7

[0899] PB0=core pbo files expan/particles.pbo :: Explosions\Expansion_Fire_Vehicle.ptc | binary | size=4024 | method=0 | timestamp=1663958772 | sha256=cda173e3674369b6c9ae8d894787de354e89936c940cdcd9542eb312a1a1a1a4

[0900] PB0=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_Blue.ptc | binary | size=343 | method=0 | timestamp=1663958772 | sha256=fa3ad65ee8c5fd2f2930ecb7e86ccbc9f37374851791f17e7a976f5192a6fe13

[0901] PB0=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_Red.ptc | binary | size=327 | method=0 | timestamp=1663958772 | sha256=0d7534b0ee409d78a1db9cd589335d59ab3ea7d4920dcf934380215420217ce4

[0902] PB0=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_White.ptc | binary | size=243 | method=0 | timestamp=1663958772 | sha256=4dbc2abfd2cdd60c81d7b72fe1bd88ab795041dee8d912ad1476351ede5c92b7

[0903] PB0=core pbo files expan/particles.pbo :: Lights\Expansion_World_Light_Yellow.ptc | binary | size=299 | method=0 | timestamp=1663958772 | sha256=8a23dd269660738770c69b3e0acaf7408840232fabf93908589ce643932c93c7

[0904] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Blast.emat | text/utf-8-sig | size=253 | method=0 | timestamp=1663958772 | sha256=a439cc235825bd32dca0ee9fc3d36f8485f682ce19fd256dd84eadda3f976021

[0905] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Explosion.emat | text/utf-8-sig | size=267 | method=0 | timestamp=1663958772 | sha256=2f9c68c8624bc86230eebcba1e941d0cbcd7860002e231802f605a972507817

[0906] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Fire.emat | text/utf-8-sig | size=278 | method=0 | timestamp=1663958772 | sha256=9d66452831186b5527c131e7e25de291916a689aec0f3454d412a3aa9db7034a

[0907] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Inferno.emat | text/utf-8-sig | size=253 | method=0 | timestamp=1663958772 | sha256=01308d2302b6638e69a4882a1f75f59c3284cda03c78387e49a250b4a9800f27

[0908] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Metal.emat | text/utf-8-sig | size=178 | method=0 | timestamp=1663958772 | sha256=8846b124a47cf090647057e185d90023a4b382bb359e03d6669bd67de2c7ebbf

[0909] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Shot.emat | text/utf-8-sig | size=235 | method=0 | timestamp=1663958772 | sha256=eedbf810dad44d8f46b6b644fad27cb47acbf486683a7715ce50406efd948d5

[0910] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Smoke.emat | text/utf-8-sig | size=303 | method=0 | timestamp=1663958772 | sha256=ac3cd2b631008ba5884ceb3e45f55578f6fd2a097e4d2f4559b2ac7fef3b88b6

[0911] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Snow.emat | text/utf-8-sig | size=234 | method=0 | timestamp=1663958772 | sha256=13bc458b15705862f49d88d1cecb80b40a7ac84bc4720db778af73226fff6740

[0912] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Spark.emat | text/utf-8-sig | size=235 | method=0 | timestamp=1663958772 | sha256=f603e37706ccbbeddd268c943487e10483c8c0056ce6a233db936051359fbc02b

[0913] PB0=core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Splash.emat | text/utf-8-sig | size=167 | method=0 | timestamp=1663958772 | sha256=6b8619a2fe2c1d81f7061ce46c9bef5e9140627fcad70f2786dfc5334c2e4bb

[0914] PB0=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Drips.emat | text/utf-8-sig | size=199 | method=0 | timestamp=1663958772 | sha256=82d7614246feb7a231e6d426742ec47d60d2c5ccc0f7e54cc3049e358b568d5e

[0915] PB0=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Dust.emat | text/utf-8-sig | size=164 | method=0 | timestamp=1663958772 | sha256=909c5ad4abb62cd86f73f71aebf8c3ab67f600d636b3f4bf0a424c6335b7173f

[0916] PB0=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Gravel.emat | text/utf-8-sig | size=166 | method=0 | timestamp=1663958772 | sha256=ef6c458f8de8972cc097e560148168b18999d2e2fb44693d2491f5ee29e2040f

[0917] PB0=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Splash.emat | text/utf-8-sig | size=201 | method=0 | timestamp=1663958772 | sha256=a786fc7edeef73c5cc3725095eddf6b616cb052f3227134502e413c60a41dec2

[0918] PB0=core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Water.emat | text/utf-8-sig | size=200 | method=0 | timestamp=1663958772 | sha256=e8415f271c1dd2ffa9dcb53cece60385ee2d7b30a796c0bdded93e937556f038

[0919] PB0=core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.emat | text/utf-8-sig | size=301 | method=0 | timestamp=1663958772 | sha256=5f966b9694470d3a5aad7dc5e340243bc0175063a27e278931040a650331lee2

[0920] PB0=core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.rvmat | text/utf-8-sig | size=51 | method=0 | timestamp=1677184141 | sha256=56-fb937768745b10ce5872d5fb9a4a55e7c21981b8c978ad5349281d67e0fac0d6

[0921] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat | text/utf-8-sig | size=328 | method=0 | timestamp=1663958772 | sha256=9c5be97e142a90cc69cd67dac923841453d0ff81b504a9241f3744200963cc4f

[0922] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat.meta | text/utf-8-sig | size=327 | method=0 | timestamp=1663958772 | sha256=29cae4a9f04e3bc773a7048932789813eebcd7878b28d28949f22cfcaba036b6

[0923] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat | text/utf-8-sig | size=114 | method=0 | timestamp=1663958772 | sha256=37c8b852d00d8435bef744875bb6fb4b7175f0fda9bbd40ea6987bab88e2d111

[0924] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat.meta | text/utf-8-sig | size=337 | method=0 | timestamp=1663958772 | sha256=326279848ae1a192b9d982f3880f9a59462e0dd14b7fb97c0dcef27fa3d34fd7

[0925] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat | text/utf-8-sig | size=810 | method=0 | timestamp=1663958772 | sha256=4758f233c8b5989d1ae1800a42efbda3d37dd98b3a29d4ef11b213cd59512be0

[0926] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat.meta | text/utf-8-sig | size=337 | method=0 | timestamp=1663958772 | sha256=2e9ea6409b77633b2c802dba90372a3a75461fb6360353c19403ea80facfd243

[0927] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat | text/utf-8-sig | size=871 | method=0 | timestamp=1663958772 | sha256=85e180155f9225f8172565ab4941c9cb5d56923e700c932fdf89079680278ebd

[0928] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1663958772 | sha256=309492f538f205c1321c4041f8a4c1384b71c3a5cb38971a638f7517b5eede98

[0929] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat | text/utf-8-sig | size=786 | method=0 | timestamp=1663958772 | sha256=b9bf4825c7264d9075a82ca10ccdbba5ce83fe107b752ab854d8e0ab020fae81

[0930] PB0=core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat.meta | text/utf-8-sig | size=343 | method=0 | timestamp=1663958772 | sha256=cbc3e6ee2f3589358a5fddee3914f7dbccb763cc605d733a0a20b6e60dd4c76b

[0931] PB0=core pbo files expan/particles.pbo :: Misc\Expansion_Propane_Flame.ptc | binary | size=568 | method=0 | timestamp=1663958772 | sha256=a17fa4a4e3d223a76f9ed84ff55258a3665786ebe3a00713e8e3fdd01cc7f97b

[0932] PB0=core pbo files expan/particles.pbo :: Sprites\blast.edds | binary | size=102268 | method=0 | timestamp=1663958772 | sha256=39c6cc36b5ca95cafa4172a4b4149b611e85361fbb977450f2deb782ed46c8e

[0933] PB0=core pbo files expan/particles.pbo :: Sprites\blast.edds.meta | text/utf-8-sig | size=344 | method=0 | timestamp=1663958772 | sha256=c4bd086b3ae0e4dae2c3ed9d4b65cec1ba5d6209d2c6bb212b749334dc72701b

[0934] PB0=core pbo files expan/particles.pbo :: Sprites\drop.edds | binary | size=433 | method=0 | timestamp=1663958772 | sha256=519e932b7e74189c17acdcc3d26df7a14a88474e9db4f9e163be598eae8a63c2

[0935] PB0=core pbo files expan/particles.pbo :: Sprites\drop.edds.meta | text/utf-8-sig | size=336 | method=0 | timestamp=1663958772 | sha256=a58e7bdca6ac1bb26733b83095c54dbc974a8f69579e31d34a05641dec8751d1

[0936] PB0=core pbo files expan/particles.pbo :: Sprites\dust.edds | binary | size=22028 | method=0 | timestamp=1663958772 | sha256=16930ec5ea6035ea4a57ca7b7837a9f48cc1742d77cef9ee070ad99c8218015c
[0937] PB0=core pbo files expan/particles.pbo :: Sprites\dust.edds.meta | text/utf-8-sig | size=332 | method=0 | timestamp=1663958772 | sha256=103e8c3f0e7f43d4ff711424086c8db6a6f493f5c84d280974361467de4147bf
[0938] PB0=core pbo files expan/particles.pbo :: Sprites\explosion.edds | binary | size=1432006 | method=0 | timestamp=1663958772 | sha256=49096e34d2e1e774c881979e951fba8295fc8e6f025ea15b76eae5ff7be953e8
[0939] PB0=core pbo files expan/particles.pbo :: Sprites\explosion.edds.meta | text/utf-8-sig | size=349 | method=0 | timestamp=1663958772 | sha256=b5928fc95fd9e95f35300ea06038652b179ebd369cfc7a3c095a64d26a6175ca
[0940] PB0=core pbo files expan/particles.pbo :: Sprites\fire.edds | binary | size=1528348 | method=0 | timestamp=1663958772 | sha256=1c517f0b86801d8b180094c5f040b5a8865cc2668057bd896b7a0d6294b5a59
[0941] PB0=core pbo files expan/particles.pbo :: Sprites\fire.edds.meta | text/utf-8-sig | size=333 | method=0 | timestamp=1663958772 | sha256=4de0e039b3cd0d691e6cfedfbb6ff3820d0d43e40dbf0a94a7a658f07ab15068
[0942] PB0=core pbo files expan/particles.pbo :: Sprites\gravel.edds | binary | size=349724 | method=0 | timestamp=1663958772 | sha256=8f40a02ee82eb0abba938e4bd9d82701c23537e578b45de796ed24b14f394371
[0943] PB0=core pbo files expan/particles.pbo :: Sprites\gravel.edds.meta | text/utf-8-sig | size=336 | method=0 | timestamp=1663958772 | sha256=1c5504b19c1661f2a33b63246b5b8e5823fc78f42521eb03f874d7976dc63d3b
[0944] PB0=core pbo files expan/particles.pbo :: Sprites\inferno.edds | binary | size=349724 | method=0 | timestamp=1663958772 | sha256=6977f5ac3f17a45c6534ab219b38622d55bc2c433f72d7a2fa71397cbc0d65d7
[0945] PB0=core pbo files expan/particles.pbo :: Sprites\inferno.edds.meta | text/utf-8-sig | size=338 | method=0 | timestamp=1663958772 | sha256=88df845fd2883d0f3b55d231e7ff0afa8e45caaaf728cce0c2c5fc2799f0356a
[0946] PB0=core pbo files expan/particles.pbo :: Sprites\metal.edds | binary | size=254507 | method=0 | timestamp=1663958772 | sha256=fe27b63c17b5cf34ca46416cb05941175b6a9a1cfa6b9f8e8d8c7b9a0577df9f
[0947] PB0=core pbo files expan/particles.pbo :: Sprites\metal.edds.meta | text/utf-8-sig | size=334 | method=0 | timestamp=1663958772 | sha256=966f38fece6b6d2f23c82f0b5553501a42ccd87416c0706adfc51d0320f9f34
[0948] PB0=core pbo files expan/particles.pbo :: Sprites\Normals\smoke.edds | binary | size=604994 | method=0 | timestamp=1663958772 | sha256=cc1c3ffc51fc4e6a9cbefcfd15fe71f4b29b35ed870098fd7dd1edc0141e981
[0949] PB0=core pbo files expan/particles.pbo :: Sprites\Normals\smoke.edds.meta | text/utf-8-sig | size=347 | method=0 | timestamp=1663958772 | sha256=2a564cb1dfc93467fbf18e476b7fe4f1559b76ac27cadbc3f0e4c29421a6c221
[0950] PB0=core pbo files expan/particles.pbo :: Sprites\shot.edds | binary | size=282794 | method=0 | timestamp=1663958772 | sha256=0dc74d40a373d29a44c7e5a9c42462b7848ff0646db16aec7454bc105c167bb8
[0951] PB0=core pbo files expan/particles.pbo :: Sprites\shot.edds.meta | text/utf-8-sig | size=352 | method=0 | timestamp=1663958772 | sha256=a5ea3922b9a980103badba54947eb8c7a168bb02ad8bbbed6a95c2578378853e7
[0952] PB0=core pbo files expan/particles.pbo :: Sprites\smoke.edds | binary | size=1398308 | method=0 | timestamp=1663958772 | sha256=ff374a58c79f014e96779118b645b8be2e02290b219333e822ae2f969895ab92
[0953] PB0=core pbo files expan/particles.pbo :: Sprites\smoke.edds.meta | text/utf-8-sig | size=416 | method=0 | timestamp=1663958772 | sha256=573efefdd68852ec7353f74375179ae30597919cf2ea744f8353d5c72670dce8
[0954] PB0=core pbo files expan/particles.pbo :: Sprites\smoke.paa | binary | size=185941 | method=0 | timestamp=1663958772 | sha256=dcb1e4cdab3ae46dc0224d4794df682365ce303bd2f6bf604dc0alefc7c09b43
[0955] PB0=core pbo files expan/particles.pbo :: Sprites\snow.edds | binary | size=58623 | method=0 | timestamp=1663958772 | sha256=0fa2252925270f354fecc9b2684a1bea3884073b6acde1456f7463db6b721181
[0956] PB0=core pbo files expan/particles.pbo :: Sprites\snow.edds.meta | text/utf-8-sig | size=342 | method=0 | timestamp=1663958772 | sha256=b6a5b19fbfb2ba182286038e6c0dd253d491432b4082c2914def0856fdd5930d1
[0957] PB0=core pbo files expan/particles.pbo :: Sprites\spark.edds | binary | size=1075 | method=0 | timestamp=1663958772 | sha256=642a1c2ffe1b69e9b70704d4b0491f1259ac46ffb260e6feade1a5c636307d9a
[0958] PB0=core pbo files expan/particles.pbo :: Sprites\spark.edds.meta | text/utf-8-sig | size=334 | method=0 | timestamp=1663958772 | sha256=089cd9288438685e9fa45bd2299a934179b85868e87d629b0722ff976d93c04c
[0959] PB0=core pbo files expan/particles.pbo :: Sprites\splash.edds | binary | size=93536 | method=0 | timestamp=1663958772 | sha256=b3dd58cc89ab161ba7f799c7660d43b297250dd295d7cldd0cafc690845def43
[0960] PB0=core pbo files expan/particles.pbo :: Sprites\splash.edds.meta | text/utf-8-sig | size=335 | method=0 | timestamp=1663958772 | sha256=eca6f9ef04cff601773f70d8680f29886aa38e65a2fc94ad0fce23072d10f734
[0961] PB0=core pbo files expan/particles.pbo :: Sprites\water.edds | binary | size=10516 | method=0 | timestamp=1663958772 | sha256=e3a72b5fe0a2374d6432357c9db94f21af32c0624ffff8a4096a02dd49f2910a
[0962] PB0=core pbo files expan/particles.pbo :: Sprites\water.edds.meta | text/utf-8-sig | size=335 | method=0 | timestamp=1663958772 | sha256=1823b6ac6ac62da057344b11523c862e84f5ed5da449c1a86029f4a56069abe3
[0963] PB0=core pbo files expan/particles.pbo :: Sprites\white.edds | binary | size=2571 | method=0 | timestamp=1663958772 | sha256=1f23293f726d625e40d497a6864bdfdlbccc77773f3e7a7a72da7aa2ae62da3f
[0964] PB0=core pbo files expan/particles.pbo :: Sprites\white.edds.meta | text/utf-8-sig | size=334 | method=0 | timestamp=1663958772 | sha256=04289268064b4ffbc4f8c2aa54a2e840b95763a2f4695f281dfc3158a4b8f85
[0965] PB0=core pbo files expan/particles.pbo :: Vehicles\Expansion_Boat_Decal.ptc | binary | size=969 | method=0 | timestamp=1663958772 | sha256=c7cfcbed4b9c9c8879690aa98a84598a97e04f7ad3cb4b5ca26365e32747d433
[0966] PB0=core pbo files expan/particles.pbo :: Vehicles\Expansion_Boat_Engine.ptc | binary | size=901 | method=0 | timestamp=1663958772 | sha256=d8fdca48913649f8d96f20ef9821a32e5c0fa9457f32c3812756bf3b71a5df13

[0967] PB0=core pbo files expan/particles.pbo :: Vehicles\Expansion_Boat_Water.ptc | binary | size=903 | method=0 | timestamp=1663958772 | sha256=9efda0c03a5df0589c548470a0fb2c9479dbe3047a9269d3878dfff52254278e3

[0968] PB0=core pbo files expan/particles.pbo :: Vehicles\Expansion_Helicopter_Exhaust.ptc | binary | size=955 | method=0 | timestamp=1673908788 | sha256=1442ced0cb864eba5d7018127ad1c5738fc9d797b093b130c4f2273ae9d3b6c4

[0969] PB0=core pbo files expan/particles.pbo :: Vehicles\Expansion_Helicopter_Ground.ptc | binary | size=793 | method=0 | timestamp=1663958772 | sha256=935d91a34e47d66a4a3dd5d72331e039df8b90efff2bd62f829a8a1db9a825e

[0970] PB0=core pbo files expan/particles.pbo :: Vehicles\Expansion_Helicopter_Water.ptc | binary | size=1394 | method=0 | timestamp=1663958772 | sha256=9a0d635656660158f6ca6653a8abee63320007be4e3f9769240592e2f2dc2ebb

[0971] PB0=core pbo files expan/particles.pbo :: Weapons\Expansion_World_Dust.ptc | binary | size=1336 | method=0 | timestamp=1663958772 | sha256=c0607d2615d52ea7664eda54e4cf7f7dfb2c8246966852e82a2851a1e8ff32f7

[0972] PB0=core pbo files expan/particles.pbo :: Weapons\Expansion_World_Flare.ptc | binary | size=3788 | method=0 | timestamp=1713468415 | sha256=104f17126e8e38d8a73340609f48a1e28984823b86c80a64b2deb26868ca6d46

[0973] PB0=core pbo files expan/particles.pbo :: Weapons\Expansion_World_Rocket.ptc | binary | size=2449 | method=0 | timestamp=1663958772 | sha256=a93dc6f694a053322805b06c5cd4e0e49faf4b8fb1d4f30db071ca2fd6c4d7a4

[0974] PB0=core pbo files expan/particles.pbo :: World\Expansion_World_Cloud.ptc | binary | size=678 | method=0 | timestamp=1663958772 | sha256=c82239e81ba7adf3821d88cfd2cd98e811f1fd317180c969aaab7a449cd4b7d0c

[0975] PB0=core pbo files expan/particles.pbo :: World\Expansion_World_Fog.ptc | binary | size=622 | method=0 | timestamp=1663958772 | sha256=73e5858e27fb7549a26a99a0fda6bf87d8bffa4a539c8cabb617003620b7ae5f

[0976] PB0=core pbo files expan/sounds_items_spraycan.pbo :: config.bin | binary | size=771 | method=0 | timestamp=1663959099 | sha256=a987ea778e29d2b760813a8bdd2ab147e7052a25758de63bebdff239f13ca2855

[0977] PB0=core pbo files expan/sounds_items_spraycan.pbo :: config.bin | binary | size=771 | method=0 | timestamp=1663959100 | sha256=a987ea778e29d2b760813a8bdd2ab147e7052a25758de63bebdff239f13ca2855

[0978] PB0=core pbo files expan/sounds_items_spraycan.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958773 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0979] PB0=core pbo files expan/sounds_items_spraycan.pbo :: Expansion_Spraying.ogg | binary | size=16499 | method=0 | timestamp=1663958773 | sha256=7c1e4ec049e0c504940820287f5d01ee05e5da5159ad6452252450aad62d4595

[0980] PB0=core pbo files expan/sounds_ui.pbo :: config.bin | binary | size=7296 | method=0 | timestamp=1663959101 | sha256=d8a4506761bd91ba5409a463b278efec686215b0158fe7066e22d8a150289d78

[0981] PB0=core pbo files expan/sounds_ui.pbo :: config.bin | binary | size=7296 | method=0 | timestamp=1663959102 | sha256=d8a4506761bd91ba5409a463b278efec686215b0158fe7066e22d8a150289d78

[0982] PB0=core pbo files expan/sounds_ui.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958774 | sha256=e3b0c44298fcl1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

[0983] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Back1.ogg | binary | size=40719 | method=0 | timestamp=1663958774 | sha256=0a5505313c0ab9c3b9605ebf3f8b8b66dcfa7b814ab64f5faeb177402614ef3c

[0984] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Back2.ogg | binary | size=32381 | method=0 | timestamp=1663958774 | sha256=33253e40cc5dee029f6fba296cd9aedb15e22b009116074b4357914a169b80e7

[0985] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click.ogg | binary | size=7413 | method=0 | timestamp=1663958774 | sha256=7688f26b5833bc9c3a3931539d67b616f00f7e0663eae23964ca233102debb4

[0986] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_01.ogg | binary | size=5369 | method=0 | timestamp=1663958774 | sha256=41242d5b50ca881a908ed33f093a3194c94d8b206e75248a7fc19c1869bf154e

[0987] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_02.ogg | binary | size=5457 | method=0 | timestamp=1663958774 | sha256=1edaedb306d01773d98f86193d1f26fc86d12a00974d079d96171ca2bbb703d5

[0988] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_03.ogg | binary | size=5799 | method=0 | timestamp=1663958774 | sha256=efbc9642e40e72691bf3f1df69873c71e33cb84649323f6cb84ffbbba03921b8f

[0989] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Click_Beep_04.ogg | binary | size=5436 | method=0 | timestamp=1663958774 | sha256=30004530351786941a7eab957abc7c2c45b1f8f0a89f09ead54bc22c75592497

[0990] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Denied.ogg | binary | size=8723 | method=0 | timestamp=1663958774 | sha256=52b35d9e259a9922e2600aec48d6b3edb2921a405a3f69086baf0e123067a4b3

[0991] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_01.ogg | binary | size=14320 | method=0 | timestamp=1663958774 | sha256=cce10446e4c62d235de13e48321ebedfbbf844bab4a1475eedb402815eb06211

[0992] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_02.ogg | binary | size=13561 | method=0 | timestamp=1663958774 | sha256=c21dlc10b06ea401ca25e19be63c3788cc6f2d534ebbb8e94f778606c2d5710

[0993] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_03.ogg | binary | size=13776 | method=0 | timestamp=1663958774 | sha256=a2b40c4acb99163e726841ee792b7734c874ef3fd277c3ffbc921314be21c980

[0994] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Draw_04.ogg | binary | size=14232 | method=0 | timestamp=1663958774 | sha256=b192712093e616a47eb1eb939f3ff5f45a06ddb4b7f8518ae1ec3940d0372730

[0995] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Hint.ogg | binary | size=6865 | method=0 | timestamp=1663958774 | sha256=25060f6d9a05cdb7795af0d1b1fcc5b88c98d526ffc2baa2e9f52a50375e8a46

[0996] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Print1.ogg | binary | size=37230 | method=0 | timestamp=1663958774 | sha256=22ccdce8d50813f280f53259c27e3c849baa356a113b5325021aafec8e59bfb1b

[0997] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Print2.ogg | binary | size=34208 | method=0 | timestamp=1663958774 | sha256=e6f9a73bf80fea86d8edfc48c06216fa06bebl891165774decff9822225a916

[0998] PB0=core pbo files expan/sounds_ui.pbo :: Expansion_UI_Succes.ogg | binary | size=3485 | method=0 | timestamp=1663958774 | sha256=eed7404fbceb4d84c409c4b0cf129d9df9397217d83d072d6cd476e8cb0d0e50

[0999] PB0=core pbo files expan/structures_industrial_misc.pbo :: config.bin | binary | size=357 | method=0 | timestamp=1682352030 | sha256=d868dcdda4aa21cb2e1dc23c22c5efdf a6d55231f950b85b74a95b04a038980a

[1000] PB0=core pbo files expan/structures_industrial_misc.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[1001] PB0=core pbo files expan/structures_industrial_power.pbo :: config.bin | binary | size=657 | method=0 | timestamp=1682352031 | sha256=c37ea77a9e8eda282a0ad8594631a116d68929dc491e977805f53d20fa807638

[1002] PB0=core pbo files expan/structures_industrial_power.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[1003] PB0=core pbo files expan/structures_residential_misc.pbo :: config.bin | binary | size=526 | method=0 | timestamp=1682352032 | sha256=a4c2625c139ef23d0d2e2d19a0c5e23ca5739d137c0dac519baf146565771b20

[1004] PB0=core pbo files expan/structures_residential_misc.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[1005] PB0=core pbo files expan/vanillafixes_animals.pbo :: config.bin | binary | size=579 | method=0 | timestamp=1714745826 | sha256=4913efe4964b9ba6fb8a6afe42e35e11362c12cc5cd1252f12210d671b14a54a

[1006] PB0=core pbo files expan/vanillafixes_animals.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1714745757 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[1007] PB0=core pbo files expan/vanillafixes_gui.pbo :: config.bin | binary | size=147 | method=0 | timestamp=1663959109 | sha256=50b4e02f3bd314e690d6089cfc55d06f70505cfd4f39ce64c540505b401a64b1

[1008] PB0=core pbo files expan/vanillafixes_gui.pbo :: config.bin | binary | size=147 | method=0 | timestamp=1663959110 | sha256=50b4e02f3bd314e690d6089cfc55d06f70505cfd4f39ce64c540505b401a64b1

[1009] PB0=core pbo files expan/vanillafixes_gui.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1663958775 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

[1010] PB0=core pbo files expan/vanillafixes_gui.pbo :: layouts\new_ui\options\keybindings_selectors\keybinding_option.layout | text/utf-8-sig | size=3592 | method=0 | timestamp=1663958775 | sha256=4a54df91d51a216f6abb926929a9bebf1f9dab130e6cf966a57e18d8db5543bcf

[1011] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 3_Game\DayZExpansion_VanillaFixes\DayZGame.c | text/utf-8-sig | size=4833 | method=0 | timestamp=1763503735 | sha256=adcc16c4dff05005601413fc6e840e2c97c39b7b1952419b888c6306591d5232

[1012] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\EmoteManager.c | text/utf-8-sig | size=404 | method=0 | timestamp=1709234113 | sha256=bdcca9259939a7428d6d257e7d479b0743bad20d4666891c8431566c87136fe5

[1013] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\SoundEvents\InfectedSoundEvents\InfectedSoundEventBase.c | text/utf-8-sig | size=586 | method=0 | timestamp=1756722047 | sha256=750fc507f84473a6bfe5afb77b67e1a6141886ab21c914ec4dcb6d4f0e032c31

[1014] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionDigOutStash.c | text/utf-8-sig | size=612 | method=0 | timestamp=1705531248 | sha256=ff1993b12e7fd50c46f912d518f60d3fe55f96fdfe5828e4971a08be66b625f3

[1015] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionRepairPart.c | text/utf-8-sig | size=1230 | method=0 | timestamp=1725984717 | sha256=db01d137c10b8ec7de18f43effc399a8c8277c7816a4d165d522b937528b0c8a

[1016] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c | text/utf-8-sig | size=1153 | method=0 | timestamp=1763503735 | sha256=27aa989428a6b94061e753ea4293bca88dba8327a3a2b0a9a59a079132e576df

[1017] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Creatures\Animals\AnimalBase.c | text/utf-8-sig | size=4994 | method=0 | timestamp=1763503735 | sha256=dee3f800d40ab206e28cf96d9350e37a36e5c514ba330c468e97a7c958291c00

[1018] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Grenade_Base\SmokeGrenadeBase.c | text/utf-8-sig | size=930 | method=0 | timestamp=1748895219 | sha256=a48bb91a7707dd8a0fb8009eabb4d72b54e7fcfaa6af2835af5f9d6848b56104

[1019] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase.c | text/utf-8-sig | size=1811 | method=0 | timestamp=1762529641 | sha256=c12ca86cb99f18b0b9f93247838ffae8941f5a90bd3b5b5543647f4870a92b6c

[1020] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\EasterEgg.c | text/utf-8-sig | size=449 | method=0 | timestamp=1701348202 | sha256=6954543e9c737b8f3e7ba5f8a5076f7e7ff4a8e578a7fc47f3b6cecd883d4d15

[1021] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\FireworksBase.c | text/utf-8-sig | size=244 | method=0 | timestamp=1701348202 | sha256=08807e83727b500dd1c249b4f3faf3eef39bc9a26df202884dea4614fed30920

[1022] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\Trap_TripWire.c | text/utf-8-sig | size=243 | method=0 | timestamp=1701348202 | sha256=1f8fclclcd56c924b6feee6fb95524b14e346700a8d59dbd03845beaf672aa4

[1023] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ManBase\PlayerBase.c | text/utf-8-sig | size=1416 | method=0 | timestamp=1763503735 | sha256=8fc3ad9f984f0fc987749130e2ad0f031e9b2dcd7b41aa08bb53ce91598da79b

[1024] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Vehicles\CarScript.c | text/utf-8-sig | size=3062 | method=0 | timestamp=1763503735 | sha256=29ad4063e0204d7aabdf81ad54c1c9d555081e73ebfa175268b4ba966878alca

[1025] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Plugins\PluginManager.c | text/utf-8-sig | size=631 | method=0 | timestamp=1763503735 | sha256=800c2c56fd6068539f6f672fc434e4ed93f431327b32dabfc60b98418161888f

[1026] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\DebugMonitor.c | text/utf-8-sig | size=116 | method=0 | timestamp=1762529641 | sha256=500a90799647ea18c949ef50ae423a581912c0c62cefa0d8098ba38a730d075d

[1027] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\IngameHUD.c | text/utf-8-sig | size=964 | method=0 | timestamp=1695053530 | sha256=9c70f1e659c5c4643999a95038e39edb2250bd5a48aa98bf683c6f3455ab91e

[1028] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\InventoryNew\VicinityItemManager.c | text/utf-8-sig | size=254 | method=0 | timestamp=1695053530 | sha256=fb15ebe76fd0f8b4e56a5a0a6761c2365b8af636143852099f47e4808b69cbf0

[1029] PB0=core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\NewUI\Keybindings\KeybindingElementNew.c | text/utf-8-sig | size=718 | method=0 | timestamp=1695053530 | sha256=ef57538a4eb72f9b706e0d8ecd7929ce14d8d1598f17375a3ee52547436effd6
[1030] PB0=core pbo files expan/vanillafixes_scripts.pbo :: config.bin | binary | size=1416 | method=0 | timestamp=1763504497 | sha256=02ee23f453b6f077ffe4fdf6b8e533485d087326b1c9d88e2c74735bf898fcb
[1031] PB0=core pbo files expan/vanillafixes_scripts.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1695053530 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
[1032] PB0=core pbo files expan/vanillafixes_sounds.pbo :: config.bin | binary | size=318 | method=0 | timestamp=1703104628 | sha256=64fad323152aa0b9d8d7c7d36a0ddeb50461d7187c83d978949f1ed434a774d0
[1033] PB0=core pbo files expan/vanillafixes_sounds.pbo :: CORE | text/empty | size=0 | method=0 | timestamp=1703104529 | sha256=e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Full ZIP text file contents

0001. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/4_world/classes/playermodifiers/modifiersmanager.c

Size bytes: 2313

SHA-256: 5dc9b052e6f7710bf0159eaff6d81cbd007a1436e9baefc89aa9dcdcf879a3533

Decoded as: utf-8-sig

Line count shown: 79

Detected class declarations: 1

L1: modded class ModifiersManager

Detected enum declarations: 0

Detected function/method-like declarations: 3

L11: void ~ModifiersManager()

L19: override void SetModifiers(bool enable)

L27: override void OnScheduledTick(float delta_time)

Full file content

```
000001 | modded class ModifiersManager
000002 | {
000003 |     static float s_eAI_TickSchedulerDT;
000004 |
000005 |     int m_eAI_Time;
000006 |     int m_eAI_BatchSize;
000007 |     int m_eAI_CurrentModifierIdx;
000008 |
000009 | #ifdef DIAG_DEVELOPER
000010 | #ifdef SERVER
000011 |     void ~ModifiersManager()
000012 |     {
000013 |         if (g_Game)
000014 |             Print(m_eAI_BatchSize);
000015 |     }
000016 | #endif
000017 | #endif
000018 |
000019 |     override void SetModifiers(bool enable)
000020 |     {
000021 |         super.SetModifiers(enable);
000022 |
000023 |         if (!enable)
000024 |             m_eAI_Time = 0;
000025 |     }
000026 |
000027 |     override void OnScheduledTick(float delta_time)
000028 |     {
000029 |         if (!m_AllowModifierTick)
000030 |             return;
000031 |
000032 |         int modifierCount = m_ModifierListArray.Count();
000033 |
000034 |         m_eAI_Time += delta_time * 1000;
000035 |
000036 |         //! Adjust batch size dynamically based on delta time since last TickScheduler call. AI update at half the rate of players.
000037 |         //! The intent is for a loop of ticking all modifiers for all players/AI to complete in roughly similar time
000038 |         //! within a tick rate range of 30-300 (higher tick rate will take less time). The formula to calculate that time is
000039 |         //! [(<players_count> / <players_batch_size>) * [<modifiers_per_player> / <modifiers_batch_size>]] * (1 / <ticks_per_second>)
000040 |         //! <players_batch_size> is 5 in vanilla (MissionServer::SCHEDULER_PLAYERS_PER_TICK)
000041 |         //! <modifiers_per_player> is 51 in vanilla
000042 |         //! e.g. 60 players, server tick rate 60 tps
000043 |         //! [(60 / 5) * [51 / 26]] * (1 / 60) = 0.4 s
000044 |         //! e.g. 60 players, server tick rate 120 tps
```

```
000045 |      //!< [(60 / 5) * [51 / 13]] * (1 / 120) = 0.4 s
000046 |      //!< e.g. 60 players, server tick rate 200 tps
000047 |      //!< [(60 / 5) * [51 / 8]] * (1 / 200) = 0.42 s
000048 |
000049 |      int batchSizeHigh;
000050 |      int batchSizeLow;
000051 |
000052 |      if (m_Player.Expansion_IsAI())
000053 |      {
000054 |          batchSizeHigh = modifierCount * 0.5 + 1;
000055 |          batchSizeLow = modifierCount * 0.05 + 1;
000056 |      }
000057 |      else
000058 |      {
000059 |          batchSizeHigh = modifierCount;
000060 |          batchSizeLow = modifierCount * 0.1 + 1;
000061 |      }
000062 |
000063 |      m_eAI_BatchSize = ExpansionMath.LinearConversion(0.033333, 0.003333, s_eAI_TickSchedulerDT, batchSizeHigh, batchSizeLow);
000064 |
000065 |      for (int i = 0; i < m_eAI_BatchSize; ++i)
000066 |      {
000067 |          if (m_eAI_CurrentModifierIdx >= modifierCount)
000068 |              m_eAI_CurrentModifierIdx = 0;
000069 |
000070 |          ModifierBase modifier = m_ModifierListArray[m_eAI_CurrentModifierIdx];
000071 |          float dt = (m_eAI_Time - modifier.m_eAI_LastTickTime) * 0.001;
000072 |          modifier.Tick(dt);
000073 |          modifier.m_eAI_LastTickTime = m_eAI_Time;
000074 |
000075 |          ++m_eAI_CurrentModifierIdx;
000076 |      }
000077 |  }
000078 | }
000079 |
```

0002. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/4_world/entities/weapons/firearms/fsm/states/weaponfire.c

Size bytes: 2919

SHA-256: f2092fa7605723f84c76f4063e225176f6b6fab3bd5286696e03f0d9392d1d0e

Decoded as: utf-8-sig

Line count shown: 129

Detected class declarations: 4

L1: modded class WeaponFire

L27: modded class WeaponFireWithEject

L55: modded class WeaponFireMultiMuzzle

L102: modded class WeaponFireToJam

Detected enum declarations: 0

Detected function/method-like declarations: 4

L3: override void OnEntry(WeaponEventBase e)

L29: override void OnEntry(WeaponEventBase e)

L57: override void OnEntry (WeaponEventBase e)

L104: override void OnEntry (WeaponEventBase e)

Full file content

```

000001 | modded class WeaponFire
000002 | {
000003 |     override void OnEntry(WeaponEventBase e)
000004 |     {
000005 |         if (e)
000006 |         {
000007 |             eAIBase p;
000008 |             if (Class.CastTo(p, e.m_player))
000009 |             {
000010 |                 m_dtAccumulator = 0;
000011 |
000012 |                 if (LogManager.IsWeaponLogEnable()) { wpnPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponFire bang!"); }
000013 |                 int mi = m_weapon.GetCurrentMuzzle();
000014 |                 if (m_weapon.eAI_Fire(mi, p))
000015 |                 {
000016 |                     p.GetAimingModel().SetRecoil(m_weapon);
000017 |                     m_weapon.OnFire(mi);
000018 |                 }
000019 |                 super.eAI_Vanilla_OnEntry(e);
000020 |                 return;
000021 |             }
000022 |         }
000023 |         super.OnEntry(e);
000024 |     }
000025 | }
000026 |
000027 | modded class WeaponFireWithEject
000028 | {
000029 |     override void OnEntry(WeaponEventBase e)
000030 |     {
000031 |         if (e)
000032 |         {
000033 |             eAIBase p;
000034 |             if (Class.CastTo(p, e.m_player))
000035 |             {
000036 |                 m_dtAccumulator = 0;
000037 |
000038 |                 if (LogManager.IsWeaponLogEnable()) { wpnPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponFire bang!"); }
000039 |                 int mi = m_weapon.GetCurrentMuzzle();
000040 |                 if (m_weapon.eAI_Fire(mi, p))

```

```
000041 |         {
000042 |             p.GetAimingModel().SetRecoil(m_weapon);
000043 |             m_weapon.EjectCasing(mi);
000044 |             m_weapon.EffectBulletHide(mi);
000045 |             m_weapon.OnFire(mi);
000046 |         }
000047 |         super.eAI_Vanilla_OnEntry(e);
000048 |         return;
000049 |     }
000050 | }
000051 |     super.OnEntry(e);
000052 | }
000053 | }
000054 |
000055 | modded class WeaponFireMultiMuzzle
000056 | {
000057 |     override void OnEntry (WeaponEventBase e)
000058 |     {
000059 |         if (e)
000060 |         {
000061 |             eAIBase p;
000062 |             if (Class.CastTo(p, e.m_player))
000063 |             {
000064 |                 m_dtAccumulator = 0;
000065 |
000066 |                 if (LogManager.IsWeaponLogEnable()) { wpnPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponFire bang bang!"); }
000067 |
000068 |                 int mi = m_weapon.GetCurrentMuzzle();
000069 |                 int b = Math.Min(m_weapon.GetCurrentModeBurstSize(mi), m_weapon.GetMuzzleCount());
000070 |                 if (b > 1)
000071 |                 {
000072 |
000073 |                     for (int i = 0; i < b; i++)
000074 |                     {
000075 |                         if (!m_weapon.IsChamberEmpty(i) && !m_weapon.IsChamberFiredOut(i) && m_weapon.eAI_Fire(i, p))
000076 |                         {
000077 |                             p.GetAimingModel().SetRecoil(m_weapon);
000078 |                             m_weapon.OnFire(i);
000079 |                         }
000080 |                     }
000081 |                 }
000082 |                 else
000083 |                 {
000084 |                     if (m_weapon.eAI_Fire(mi, p))
000085 |                     {
000086 |                         p.GetAimingModel().SetRecoil(m_weapon);
000087 |                         m_weapon.OnFire(mi);
000088 |                     }
000089 |                 }
000090 |                 if(mi >= m_weapon.GetMuzzleCount() - 1 )
000091 |                     m_weapon.SetCurrentMuzzle(0);
000092 |                 else
000093 |                     m_weapon.SetCurrentMuzzle(mi + 1);
000094 |                 super.eAI_Vanilla_OnEntry(e);
000095 |                 return;
000096 |             }
000097 |         }
000098 |         super.OnEntry(e);
000099 |     }
000100 | }
000101 |
000102 | modded class WeaponFireToJam
```

```
000103 | {
000104 |     override void OnEntry (WeaponEventBase e)
000105 |     {
000106 |         if (e)
000107 |         {
000108 |             eAIBase p;
000109 |             if (Class.CastTo(p, e.m_player))
000110 |             {
000111 |                 m_dtAccumulator = 0;
000112 |
000113 |                 if (LogManager.IsWeaponLogEnable()) { wpnPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponFire bang! and jam?"); }
000114 |                 int mi = m_weapon.GetCurrentMuzzle();
000115 |                 if (m_weapon.eAI_Fire(mi, p))
000116 |                 {
000117 |                     m_weapon.SetJammed(true);
000118 |                     p.GetAimingModel().SetRecoil(m_weapon);
000119 |                     m_weapon.OnFire(mi);
000120 |                 }
000121 |                 m_weapon.ResetBurstCount();
000122 |                 super.eAI_Vanilla_OnEntry(e);
000123 |                 return;
000124 |             }
000125 |         }
000126 |         super.OnEntry(e);
000127 |     }
000128 | }
000129 |
```

0003. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/5_mission/missionserver.c

Size bytes: 1292

SHA-256: bd4ac1a26adb330ce5297972fa96d6328cb18888617fdfdb429786bed497cc9a

Decoded as: utf-8-sig

Line count shown: 40

Detected class declarations: 1

L1: modded class MissionServer

Detected enum declarations: 0

Detected function/method-like declarations: 1

L5: override void TickScheduler(float timeslice)

Full file content

```
000001 | modded class MissionServer
000002 | {
000003 |     int m_eAI_LastTickTime;
000004 |
000005 |     override void TickScheduler(float timeslice)
000006 |     {
000007 |         int time = g_Game.GetTime();
000008 |         int elapsed = time - m_eAI_LastTickTime;
000009 |
000010 |         if (elapsed == 0)
000011 |             return;
000012 |
000013 |         if (m_eAI_LastTickTime > 0)
000014 |             ModifiersManager.s_eAI_TickSchedulerDT = elapsed * 0.001;
000015 |
000016 |         m_eAI_LastTickTime = time;
000017 |
000018 |         int playerCount = PlayerBase.s_eAI_TickSchedulerPlayers.Count();
000019 |         int tickCountMax = Math.Min(playerCount, SCHEDULER_PLAYERS_PER_TICK);
000020 |
000021 |         for (int i = 0; i < tickCountMax; ++i)
000022 |         {
000023 |             if (m_currentPlayer >= playerCount)
000024 |                 m_currentPlayer = 0;
000025 |
000026 |             PlayerBase currentPlayer = PlayerBase.s_eAI_TickSchedulerPlayers[m_currentPlayer];
000027 |
000028 |             ///! If identity is NULL and player is not AI (e.g. logged out and didn't wait for
000029 |             ///! logout countdown but character still on server), vanilla PlayerBase::OnTick
000030 |             ///! (which calls OnScheduledTick) should not be called because VirtualHud and
000031 |             ///! TransferValues attempt to send RPCs to identity.
000032 |             ///! Note that OnTick/OnScheduledTick are only called for real connected players in vanilla.
000033 |             if (currentPlayer && (currentPlayer.GetIdentity() || currentPlayer.IsAI()) && !currentPlayer.GetIsSimulationDisabled())
000034 |                 currentPlayer.OnTick();
000035 |
000036 |             ++m_currentPlayer;
000037 |         }
000038 |     }
000039 | }
```

0004. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/common/dayzexpansion_ai_defines.c

Size bytes: 279

SHA-256: 10c9c3feb2ed23796a83e430e5c55c3be0cc5b6890332753b1e6089a3ecc266e

Decoded as: utf-8-sig

Line count shown: 14

Detected class declarations: 0

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | //include "JM/CF/Defines/CFDefines.c"
000002 |
000003 | #define EXPANSIONMODAI
000004 | #define ENFUSION_AI_PROJECT
000005 |
000006 | //define EAI_TRACE
000007 |
000008 | #ifdef DIAG_DEVELOPER
000009 |     //define EAI_DEBUG_TRANSITION
000010 |     #define EAI_DEBUG_PATH
000011 |     //define EAI_DEBUG_MOVE
000012 |     //define EXPANSION_AI_DEBUG_UNREACHABLE
000013 | #endif
000014 |
```

0005. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/eaiattribute.c
 Size bytes: 1064
 SHA-256: 63aa35c60fa0ed66b83c9d4137c9ef891519c28c4952667c2807122082295096
 Decoded as: utf-8-sig
 Line count shown: 51
 Detected class declarations: 2
 L1: class eAIAttributeBase
 L17: class eAIAttribute<Class T>: eAIAttributeBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 4
 L7: void eAIAttributeBase(string name)
 L12: void Sync(Class source, Class target)
 L22: override void Sync(Class source, Class target)
 L32: static eAIAttribute<T> Register(string name, map<string, eAIAttributeBase> attributes = s_Attributes)

Full file content

```

000001 | class eAIAttributeBase
000002 | {
000003 |     static ref map<string, eAIAttributeBase> s_Attributes = new map<string, eAIAttributeBase>;
000004 |
000005 |     string m_Name;
000006 |
000007 |     void eAIAttributeBase(string name)
000008 |     {
000009 |         m_Name = name;
000010 |     }
000011 |
000012 |     void Sync(Class source, Class target)
000013 |     {
000014 |     }
000015 | }
000016 |
000017 | class eAIAttribute<Class T>: eAIAttributeBase
000018 | {
000019 |     /**
000020 |     * @brief Syncs the attribute between instances `source` and `target`
000021 |     */
000022 |     override void Sync(Class source, Class target)
000023 |     {
000024 |         T value;
000025 |         EnScript.GetClassVar(source, m_Name, 0, value);
000026 |         #ifdef DIAG_DEVELOPER
000027 |             PrintFormat("%1 %2 %3 = %4 -> %5", source, T, m_Name, value, target);
000028 |         #endif
000029 |         EnScript.SetClassVar(target, m_Name, 0, value);
000030 |     }
000031 |
000032 |     static eAIAttribute<T> Register(string name, map<string, eAIAttributeBase> attributes = s_Attributes)
000033 |     {
000034 |         eAIAttribute<T> attribute;
000035 |
000036 |         /*
000037 |         if (attributes.Find(name, attribute))
000038 |         {
000039 |             EXError.Error(null, "Attribute already registered: " + name);
000040 |         }
000041 |         else
000042 |         {

```



```
000043 |         attribute = new eAIAttribute<T>(name);
000044 |         attributes[name] = attribute;
000045 |     }
000046 | */
000047 |
000048 |     return attribute;
000049 | }
000050 | }
000051 |
```

0006. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/eairegisterdynamicpatrolspawner.c
Size bytes: 196
SHA-256: caaa955a79a7139e2aece986879aa74e82a4ba6282455bcbafeb02686c6f1f599
Decoded as: utf-8-sig
Line count shown: 10
Detected class declarations: 1
 L1: class eAIRegisterDynamicPatrolSpawner
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L5: void eAIRegisterDynamicPatrolSpawner(typename type)

Full file content

```
000001 | class eAIRegisterDynamicPatrolSpawner
000002 | {
000003 |     static ref TTypeNameArray s_RegisteredTypes = {};
000004 |
000005 |     void eAIRegisterDynamicPatrolSpawner(typename type)
000006 |     {
000007 |         s_RegisteredTypes.Insert(type);
000008 |     }
000009 | }
000010 |
```

0007. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/eairegisterfaction.c
Size bytes: 642
SHA-256: 85ed9d7821d10b2662d670fa710064da40e9c97f764ba8794d02f8889eb86c3e
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L1: class eAIRegisterFaction
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L6: void eAIRegisterFaction(typename factionType)

Full file content

```
000001 | class eAIRegisterFaction
000002 | {
000003 |     static ref map<int, typename> s_FactionTypes = new map<int, typename>;
000004 |     static ref map<typename, int> s_FactionIDs = new map<typename, int>;
000005 |
000006 |     void eAIRegisterFaction(typename factionType)
000007 |     {
000008 |         string cls = factionType.ToString();
000009 |
000010 |         int id = ExpansionString.BetterHash(cls.Substring(10, cls.Length() - 10));
000011 |
000012 |         if (s_FactionTypes[id])
000013 |         {
000014 |             Error("Hash collision " + factionType + " " + s_FactionTypes[id] + " " + id);
000015 |             return;
000016 |         }
000017 |
000018 |         Print("Registering faction type " + factionType + " ID " + id);
000019 |
000020 |         s_FactionTypes.Insert(id, factionType);
000021 |         s_FactionIDs.Insert(factionType, id);
000022 |     }
000023 | }
000024 |
```

0008. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/expansionrollingaverage.c

Size bytes: 2950

SHA-256: 75754105ebd30be86fa5461b580b0e56508e68ec7e110fa7f6d564075206c853

Decoded as: utf-8-sig

Line count shown: 182

Detected class declarations: 1

L1: class ExpansionRollingAverage

Detected enum declarations: 0

Detected function/method-like declarations: 15

L18: void ExpansionRollingAverage(int windowSize, bool rollingMinMax = false)

L24: int GetWindowSize()

L29: void SetRollingMinMax(bool rollingMinMax)

L34: bool GetRollingMinMax()

L39: void Add(float value)

L64: float Get()

L72: float GetMin()

L77: float GetMax()

L82: float FindMin()

L96: float FindMax()

L110: void FindMinMax(out float min, out float max)

L125: void UpdateMinMax()

L130: int Count()

L135: void Reset()

L147: void Resize(int windowSize)

Full file content

```
000001 | class ExpansionRollingAverage
000002 | {
000003 |     protected ref TFloatArray m_Values = {};
000004 |     protected int m_WindowSize;
000005 |     protected bool m_RollingMinMax;
000006 |     protected int m_Index;
000007 |     protected int m_Count;
000008 |     protected float m_Sum;
000009 |     protected float m_Min = float.MAX;
000010 |     protected float m_Max = -float.MAX;
000011 |
000012 |     /**
000013 |      * @brief rolling average
000014 |      *
000015 |      * @param windowSize
000016 |      * @param rollingMinMax rolling min/max (slow!)
000017 |      */
000018 |     void ExpansionRollingAverage(int windowSize, bool rollingMinMax = false)
000019 |     {
000020 |         Resize(windowSize);
000021 |         SetRollingMinMax(rollingMinMax);
000022 |     }
000023 |
000024 |     int GetWindowSize()
000025 |     {
000026 |         return m_WindowSize;
000027 |     }
000028 |
000029 |     void SetRollingMinMax(bool rollingMinMax)
000030 |     {
000031 |         m_RollingMinMax = rollingMinMax;
000032 |     }
```

```
000033 |
000034 | bool GetRollingMinMax()
000035 | {
000036 |     return m_RollingMinMax;
000037 | }
000038 |
000039 | void Add(float value)
000040 | {
000041 |     float oldestValue = m_Values[m_Index];
000042 |
000043 |     if (m_Count == m_WindowSize)
000044 |         m_Sum -= oldestValue;
000045 |     else
000046 |         ++m_Count;
000047 |
000048 |     m_Values[m_Index] = value;
000049 |     m_Sum += value;
000050 |
000051 |     ++m_Index;
000052 |     if (m_Index == m_WindowSize)
000053 |         m_Index = 0;
000054 |
000055 |     if (value < m_Min)
000056 |         m_Min = value;
000057 |     if (value > m_Max)
000058 |         m_Max = value;
000059 |
000060 |     if (m_RollingMinMax && m_Count == m_WindowSize && value != oldestValue && (oldestValue == m_Min || oldestValue == m_Max))
000061 |         FindMinMax(m_Min, m_Max);
000062 | }
000063 |
000064 | float Get()
000065 | {
000066 |     if (m_Count == 0)
000067 |         return 0.0;
000068 |
000069 |     return m_Sum / m_Count;
000070 | }
000071 |
000072 | float GetMin()
000073 | {
000074 |     return m_Min;
000075 | }
000076 |
000077 | float GetMax()
000078 | {
000079 |     return m_Max;
000080 | }
000081 |
000082 | float FindMin()
000083 | {
000084 |     float min = float.MAX;
000085 |
000086 |     for (int i = 0; i < m_Count; ++i)
000087 |     {
000088 |         float value = m_Values[i];
000089 |         if (value < min)
000090 |             min = value;
000091 |     }
000092 |
000093 |     return min;
000094 | }
```

```
000095 |  
000096 | float FindMax()  
000097 | {  
000098 |     float max = -float.MAX;  
000099 |  
000100 |     for (int i = 0; i < m_Count; ++i)  
000101 |     {  
000102 |         float value = m_Values[i];  
000103 |         if (value > max)  
000104 |             max = value;  
000105 |     }  
000106 |  
000107 |     return max;  
000108 | }  
000109 |  
000110 | void FindMinMax(out float min, out float max)  
000111 | {  
000112 |     min = float.MAX;  
000113 |     max = -float.MAX;  
000114 |  
000115 |     for (int i = 0; i < m_Count; ++i)  
000116 |     {  
000117 |         float value = m_Values[i];  
000118 |         if (value < min)  
000119 |             min = value;  
000120 |         if (value > max)  
000121 |             max = value;  
000122 |     }  
000123 | }  
000124 |  
000125 | void UpdateMinMax()  
000126 | {  
000127 |     FindMinMax(m_Min, m_Max);  
000128 | }  
000129 |  
000130 | int Count()  
000131 | {  
000132 |     return m_Count;  
000133 | }  
000134 |  
000135 | void Reset()  
000136 | {  
000137 |     m_Index = 0;  
000138 |     m_Count = 0;  
000139 |     m_Sum = 0.0;  
000140 |  
000141 |     for (int i = 0; i < m_Count; ++i)  
000142 |     {  
000143 |         m_Values[i] = 0.0;  
000144 |     }  
000145 | }  
000146 |  
000147 | void Resize(int windowSize)  
000148 | {  
000149 |     if (windowSize <= 1)  
000150 |     {  
000151 |         Error("Invalid window size " + windowSize);  
000152 |         return;  
000153 |     }  
000154 |  
000155 |     if (m_Count > windowSize)  
000156 |     {
```

```
000157 |         bool findMinMax;
000158 |
000159 |         for (int i = windowSize; i < m_Count; ++i)
000160 |         {
000161 |             float value = m_Values[i];
000162 |
000163 |             m_Sum -= value;
000164 |
000165 |             if (m_RollingMinMax && (value == m_Min || value == m_Max))
000166 |                 findMinMax = true;
000167 |         }
000168 |
000169 |         m_Count = windowSize;
000170 |
000171 |         if (findMinMax)
000172 |             FindMinMax(m_Min, m_Max);
000173 |     }
000174 |
000175 |     m_Values.Resize(windowSize);
000176 |     m_WindowSize = windowSize;
000177 |
000178 |     if (m_Index >= windowSize)
000179 |         m_Index = 0;
000180 | }
000181 | }
000182 |
```

0009. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/1_core/dayzexpansion_ai/proto/enmath.c
 Size bytes: 1546
 SHA-256: b2a8a1e1624a2e0c30fa51ef3be6ac9415c0682c2367c83c0577b79d6af28363
 Decoded as: utf-8-sig
 Line count shown: 45
 Detected class declarations: 1
 L1: modded class Math
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L13: static bool IsPointInRotatedRectangle(vector min, vector max, float width, vector point)

Full file content

```
000001 | modded class Math
000002 | {
000003 |     /**
000004 |      * @brief Check whether point lies in rotated rectangle
000005 |      *
000006 |      * @param min \p vector Minimums of rectangle ([0] and [2] will be used, as a rectangle is 2D)
000007 |      * @param max \p vector Maximums of rectangle ([0] and [2] will be used, as a rectangle is 2D)
000008 |      * @param width \p float Width of the short side of the rectangle
000009 |      * @param p \p vector Point ([0] and [2] will be used, as a rectangle is 2D)
000010 |      *
000011 |      * @return \p bool - True when point is in rectangle
000012 |     */
000013 |     static bool IsPointInRotatedRectangle(vector min, vector max, float width, vector point)
000014 |     {
000015 |         float centerX = (min[0] + max[0]) * 0.5;
000016 |         float centerY = (min[2] + max[2]) * 0.5;
000017 |
000018 |         float diagX = max[0] - min[0];
000019 |         float diagY = max[2] - min[2];
000020 |         float diagLength = Math.Sqrt(diagX * diagX + diagY * diagY);
000021 |
000022 |         float diagUnitX = diagX / diagLength;
000023 |         float diagUnitY = diagY / diagLength;
000024 |         float perpUnitX = -diagUnitY;
000025 |         float perpUnitY = diagUnitX;
000026 |
000027 |         float halfLength = diagLength * 0.5;
000028 |         float halfWidth = width * 0.5;
000029 |
000030 |         //! Express point relative to rectangle's center
000031 |         float relX = point[0] - centerX;
000032 |         float relY = point[2] - centerY;
000033 |
000034 |         //! Project the point onto the rectangle's axes
000035 |         float projLength = relX * diagUnitX + relY * diagUnitY;
000036 |         float projWidth = relX * perpUnitX + relY * perpUnitY;
000037 |
000038 |         //! Check if the point is within bounds
000039 |         if (-halfLength <= projLength && projLength <= halfLength && -halfWidth <= projWidth && projWidth <= halfWidth)
000040 |             return true;
000041 |
000042 |         return false;
000043 |     }
000044 | }
000045 |
```


0010. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/constants.c

Size bytes: 90

SHA-256: e0c01956475ea91c9ca446bd5d5f1d00a392caf0fe43ac6261b1ecffbfad347b

Decoded as: utf-8-sig

Line count shown: 2

Detected class declarations: 0

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | static const string EXPANSION_AI_LOOTDROPS_FOLDER = EXPANSION_AI_FOLDER + "LootDrops\\";
000002 |
```

0011. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/dayzgame.c
 Size bytes: 3892
 SHA-256: f29ae5a15c379e696591cd262d62e47ca56656963f254c9d4593f0a8e796a554
 Decoded as: utf-8-sig
 Line count shown: 113
 Detected class declarations: 1
 L1: modded class DayZGame
 Detected enum declarations: 0
 Detected function/method-like declarations: 7
 L3: void DayZGame()
 L59: else if (!supported)
 L66: override void ExplosionEffectsEx(Object source, Object directHit, int componentIndex, float energyFactor, float explosionFactor, HitInfo hit
 L84: override void CloseCombatEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, bool is
 L99: override void OnUpdate(bool doSim, float timeslice)
 L107: override bool IsDebugMonitor()
 L110: return IsServer() && m_DebugMonitorEnabled == 1;

Full file content

```
000001 | modded class DayZGame
000002 | {
000003 |     void DayZGame()
000004 |     {
000005 |         TStringArray supportedGraphNames = {
000006 |             "dz\\anim\\workspaces\\player\\player_main\\player_main.agr",  //!< Vanilla
000007 |             "DayZExpansion\\Animations\\Player\\player_main.agr"  //!< Expansion Animations
000008 |         };
000009 |
000010 |         TStringArray supportedDefaultInstances = {
000011 |             "dz\\anim\\workspaces\\player\\player_main\\player_main.asi",  //!< Vanilla
000012 |             "DayZExpansion\\Animations\\Player\\player_main.asi"  //!< Expansion Animations
000013 |         };
000014 |
000015 |         bool supported;
000016 |
000017 |         string graphName;
000018 |         string defaultInstance;
000019 |
000020 |         ConfigGetText(CFG_VEHICLESPATH + " SurvivorBase enfAnimSys graphName", graphName);
000021 |         ConfigGetText(CFG_VEHICLESPATH + " SurvivorBase enfAnimSys defaultInstance", defaultInstance);
000022 |
000023 |         FileHandle file = OpenFile(graphName, FileMode.READ);
000024 |
000025 |         int max;
000026 |
000027 |         if (file)
000028 |         {
000029 |             string line;
000030 |
000031 |             while (FGets(file, line) >= 0)
000032 |             {
000033 |                 if (line.Contains("#Var VehicleType "))
000034 |                 {
000035 |                     line.Replace("\t", " ");
000036 |
000037 |                     TStringArray split = {};
000038 |                     line.Split(" ", split);
000039 |
000040 |                     max = split[5].ToInt();
```

```
000041 |
000042 |         if (max == 10 || max == 100)
000043 |             supported = true;
000044 |
000045 |         break;
000046 |     }
000047 | }
000048 |
000049 | else
000050 | {
000051 |     EXError.Warn(null, "Couldn't open animation graph: " + graphName, {});
000052 | }
000053 |
000054 | string warnTitle = "Potentially unsupported modded animation graph/instance for Expansion AI";
000055 | string warnText = "If you notice AI stuck in specific poses, this could be the reason.";
000056 |
000057 | if (supportedGraphNames.Find(graphName) == -1)
000058 |     EXError.Warn(null, warnTitle + ": " + graphName + "\n" + warnText, {});
000059 | else if (!supported)
000060 |     EXError.Warn(null, warnTitle + " (VehicleType max " + max + "): " + graphName + "\n" + warnText, {});
000061 |
000062 | if (supportedDefaultInstances.Find(defaultInstance) == -1)
000063 |     EXError.Warn(null, warnTitle + ": " + defaultInstance + "\n" + warnText, {});
000064 | }
000065 |
000066 | override void ExplosionEffectsEx(Object source, Object directHit, int componentIndex, float energyFactor, float explosionFactor, HitInfo hitInfo)
000067 | {
000068 |     super.ExplosionEffectsEx(source, directHit, componentIndex, energyFactor, explosionFactor, hitInfo);
000069 |
000070 |     if (IsServer())
000071 |     {
000072 |         eAINoiseSystem.AddNoise(hitInfo.GetPosition(), 21.0, string.Format("cfgAmmo %1 NoiseExplosion", hitInfo.GetAmmoType()), hitInfo.GetSurfaceNoiseMultipl
000073 | ier(), eAINoiseType.EXPLOSION);
000074 |     }
000075 |
000076 | override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,
000077 |     vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000078 | {
000079 |     GetExpansionGame().FixAIFirearmFX(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000080 |
000081 |     super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000082 | }
000083 |
000084 | override void CloseCombatEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, bool isWater, string ammo
000085 | Type)
000086 | {
000087 |     super.CloseCombatEffects(source, directHit, componentIndex, surface, pos, surfNormal,
000088 |         isWater, ammoType);
000089 |
000090 |     if (IsServer())
000091 |     {
000092 |         float surfaceCoef = SurfaceGetNoiseMultiplier(directHit, pos, componentIndex);
000093 |         if (surfaceCoef == 0)
000094 |             surfaceCoef = 1;
000095 |         surfaceCoef *= GetWeather().GetNoiseReductionByWeather();
000096 |         eAINoiseSystem.AddNoise(EntityAI.Cast(source), pos, string.Format("cfgAmmo %1 NoiseHit", ammoType), surfaceCoef);
000097 |     }
000098 | }
000099 |
000100 | override void OnUpdate(bool doSim, float timeslice)
000101 | {
```

```
000101 |         super.OnUpdate(doSim, timeslice);
000102 |
000103 |         if (IsServer() && m_ExpansionGame)
000104 |             m_ExpansionGame.eAI_OnUpdate(doSim, timeslice);
000105 |     }
000106 |
000107 |     override bool IsDebugMonitor()
000108 |     {
000109 |         //!< m_DebugMonitorEnabled == 2 is for server stats (only for admins listed in AISettings)
000110 |         return IsServer() && m_DebugMonitorEnabled == 1;
000111 |     }
000112 | }
000113 |
```

0012. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/eainoisystem.c
Size bytes: 3064
SHA-256: 4bd24313ee8fe87356aba6310731cdf368e34c2f314763ab6d537b57633f7ed7
Decoded as: utf-8-sig
Line count shown: 115
Detected class declarations: 2
  L9: class eAINoiseParams: Class
  L52: class eAINoiseSystem
Detected enum declarations: 1
  L1: enum eAINoiseType
Detected function/method-like declarations: 9
  L15: void eAINoiseParams(string path, eAINoiseType type = -1)
  L58: static eAINoiseParams GetNoiseParams(string path, eAINoiseType type = -1)
  L70: static void AddNoise(EntityAI source, string path, float strengthMultiplier = 1.0, eAINoiseType type = -1)
  L76: static void AddNoise(EntityAI source, vector position, string path, float strengthMultiplier = 1.0, eAINoiseType type = -1)
  L82: static void AddNoise(vector position, float lifetime, string path, float strengthMultiplier = 1.0, eAINoiseType type = -1)
  L88: static void AddNoiseEx(EntityAI source, eAINoiseParams params, float strengthMultiplier = 1.0)
  L93: static void AddNoiseEx(EntityAI source, vector position, eAINoiseParams params, float strengthMultiplier = 1.0)
  L98: static void AddNoiseEx(vector position, float lifetime, eAINoiseParams params, float strengthMultiplier = 1.0)
  L104: static void OnGameDestroy()
```

Full file content

```
000001 | enum eAINoiseType
000002 | {
000003 |     SHOT,
000004 |     SOUND,
000005 |     EXPLOSION,
000006 |     BULLETIMPACT
000007 | }
000008 |
000009 | class eAINoiseParams: Class
000010 | {
000011 |     string m_Path;
000012 |     float m_Strength;
000013 |     eAINoiseType m_Type;
000014 |
000015 |     void eAINoiseParams(string path, eAINoiseType type = -1)
000016 |     {
000017 |         m_Path = path;
000018 |         m_Strength = g_Game.ConfigGetFloat(path + " strength");
000019 |
000020 |         if (type == -1)
000021 |         {
000022 |             switch (g_Game.ConfigGetTextOut(path + " type"))
000023 |             {
000024 |                 case "shot":
000025 |                     m_Type = eAINoiseType.SHOT;
000026 |                     break;
000027 |                 default:
000028 |                     m_Type = eAINoiseType.SOUND;
000029 |                     break;
000030 |             }
000031 |         }
000032 |     else
000033 |     {
000034 |         m_Type = type;
000035 |     }
000036 | }
```

```
000037 |         switch (m_Type)
000038 |         {
000039 |             case eAINoiseType.SHOT:
000040 |                 m_Strength = Math.Min(m_Strength * 13.75, 1100); //! Hmm... scale strength (range) so strength 100 = 1375 but clamp to 1100
000041 |                 break;
000042 |
000043 |             case eAINoiseType.BULLETIMPACT:
000044 |                 m_Strength *= 2;
000045 |                 break;
000046 |         }
000047 |
000048 |         EXTrace.Print(EXTrace.AI, this, path + " " + m_Strength + " " + typename.EnumToString(eAINoiseType, m_Type));
000049 |     }
000050 | }
000051 |
000052 | class eAINoiseSystem
000053 | {
000054 |     static ref ScriptInvoker SI_OnNoiseAdded = new ScriptInvoker;
000055 |
000056 |     static ref map<string, eAINoiseParams> s_NoiseParams = new map<string, eAINoiseParams>;
000057 |
000058 |     static eAINoiseParams GetNoiseParams(string path, eAINoiseType type = -1)
000059 |     {
000060 |         eAINoiseParams params;
000061 |         if (!s_NoiseParams.Find(path, params))
000062 |         {
000063 |             params = new eAINoiseParams(path, type);
000064 |             s_NoiseParams.Insert(path, params);
000065 |         }
000066 |
000067 |         return params;
000068 |     }
000069 |
000070 |     static void AddNoise(EntityAI source, string path, float strengthMultiplier = 1.0, eAINoiseType type = -1)
000071 |     {
000072 |         eAINoiseParams params = GetNoiseParams(path, type);
000073 |         SI_OnNoiseAdded.Invoke(source, vector.Zero, -1, params, strengthMultiplier);
000074 |     }
000075 |
000076 |     static void AddNoise(EntityAI source, vector position, string path, float strengthMultiplier = 1.0, eAINoiseType type = -1)
000077 |     {
000078 |         eAINoiseParams params = GetNoiseParams(path, type);
000079 |         SI_OnNoiseAdded.Invoke(source, position, -1, params, strengthMultiplier);
000080 |     }
000081 |
000082 |     static void AddNoise(vector position, float lifetime, string path, float strengthMultiplier = 1.0, eAINoiseType type = -1)
000083 |     {
000084 |         eAINoiseParams params = GetNoiseParams(path, type);
000085 |         SI_OnNoiseAdded.Invoke(null, position, lifetime, params, strengthMultiplier);
000086 |     }
000087 |
000088 |     static void AddNoiseEx(EntityAI source, eAINoiseParams params, float strengthMultiplier = 1.0)
000089 |     {
000090 |         SI_OnNoiseAdded.Invoke(source, vector.Zero, -1, params, strengthMultiplier);
000091 |     }
000092 |
000093 |     static void AddNoiseEx(EntityAI source, vector position, eAINoiseParams params, float strengthMultiplier = 1.0)
000094 |     {
000095 |         SI_OnNoiseAdded.Invoke(source, position, -1, params, strengthMultiplier);
000096 |     }
000097 |
000098 |     static void AddNoiseEx(vector position, float lifetime, eAINoiseParams params, float strengthMultiplier = 1.0)
```

```
000099 | {
000100 |     SI_OnNoiseAdded.Invoke(null, position, lifetime, params, strengthMultiplier);
000101 | }
000102 |
000103 | [CF_EventSubscriber(ScriptCaller.Create(eAINoiseSystem.OnGameDestroy), CF_LifecycleEvents.OnGameDestroy)]
000104 | static void OnGameDestroy()
000105 | {
000106 |     if (s_NoiseParams)
000107 |     {
000108 |         foreach (eAINoiseParams params: s_NoiseParams)
000109 |         {
000110 |             delete params;
000111 |         }
000112 |     }
000113 | }
000114 | }
000115 |
```

0013. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/enums/aenums.c

Size bytes: 1759

SHA-256: 5c3f8cb1fc1ddc1822491f381455a76769318927d9059af1e157d5bcdea7580

Decoded as: utf-8-sig

Line count shown: 83

Detected class declarations: 0

Detected enum declarations: 6

L1: enum eAIWaypointBehavior

L15: enum eAILootingBehavior

L48: enum eAIGroupFormationState

L55: enum eAIMovementSpeed

L65: enum eAITargetType

L76: enum eAIStance

Detected function/method-like declarations: 0

Full file content

```
000001 | enum eAIWaypointBehavior
000002 | {
000003 |     HALT,
000004 |     LOOP,
000005 |     ALTERNATE,
000006 |     ONCE,
000007 |     HALT_OR_LOOP,
000008 |     HALT_OR_ALTERNATE,
000009 |     LOOP_OR_ALTERNATE,
000010 |     ROAMING,
000011 |     ROAMING_LOCAL,
000012 |     MIXED //!< TODO
000013 | };
000014 |
000015 | enum eAILootingBehavior
000016 | {
000017 |     NONE = 0,
000018 |     WEAPONS_FIREARMS = 1,
000019 |     WEAPONS_LAUNCHERS = 2,
000020 |     WEAPONS_MELEE = 4,
000021 |     WEAPONS = 7, //!< WEAPONS_FIREARMS | WEAPONS_LAUNCHERS | WEAPONS_MELEE
000022 |     BANDAGES = 8,
000023 |     CLOTHING_ARMBAND = 16,
000024 |     CLOTHING_BACK_LARGE = 32,
000025 |     CLOTHING_BACK_MEDIUM = 64,
000026 |     CLOTHING_BACK_SMALL = 128,
000027 |     CLOTHING_BACK = 224, //!< CLOTHING_BACK_LARGE | CLOTHING_BACK_MEDIUM | CLOTHING_BACK_SMALL
000028 |     CLOTHING_BODY = 256,
000029 |     CLOTHING_EYEWEAR = 512,
000030 |     CLOTHING_FEET = 1024,
000031 |     CLOTHING_GLOVES = 2048,
000032 |     CLOTHING_HEADGEAR = 4096,
000033 |     CLOTHING_HIPS = 8192,
000034 |     CLOTHING_LEGS = 16384,
000035 |     CLOTHING_MASK = 32768,
000036 |     CLOTHING_MELEE = 65536,
000037 |     CLOTHING_SHOULDER = 131072,
000038 |     CLOTHING_VEST = 262144,
000039 |     CLOTHING_SIMILAR = 1048576, //!< Any clothing that is similar to currently worn clothing (same base type, e.g. TShirt_ColorBase)
000040 |     CLOTHING_IDENTICAL = 2097152, //!< Any clothing that is identical to currently worn clothing (same type)
000041 |     CLOTHING = 524272, //!< Not including CLOTHING_SIMILAR and CLOTHING_IDENTICAL
000042 |     FOOD = 4194304,
```



```
000043 |     UPGRADE = 524288,  
000044 |     DEFAULT = 7,  //!< WEAPONS_FIREARMS | WEAPONS_LAUNCHERS | WEAPONS_MELEE  
000045 |     ALL = 5242879  //!< WEAPONS | BANDAGES | CLOTHING | FOOD | UPGRADE  
000046 | };  
000047 |  
000048 | enum eAIGroupFormationState  
000049 | {  
000050 |     NONE,  
000051 |     IN,  
000052 |     FLANK  
000053 | };  
000054 |  
000055 | enum eAIMovementSpeed  
000056 | {  
000057 |     STATIC,  
000058 |     WALK,  
000059 |     JOG,  
000060 |     SPRINT,  
000061 |     RANDOM,  
000062 |     RANDOM_NONSTATIC  
000063 | };  
000064 |  
000065 | enum eAITargetType  
000066 | {  
000067 |     NONE = 0,  
000068 |     ALL = 1,  
000069 |     ANIMAL = 2,  
000070 |     INFECTED = 4,  
000071 |     PLAYER = 8,  
000072 |     VEHICLE = 16,  
000073 |     ALL_OR = 30  //!< ANIMAL | INFECTED | PLAYER | VEHICLE  
000074 | };  
000075 |  
000076 | enum eAIStance  
000077 | {  
000078 |     UNKNOWN = -1,  
000079 |     STANDING,  
000080 |     CROUCHED,  
000081 |     PRONE  
000082 | }  
000083 |
```

0014. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansiongame.c

Size bytes: 1336

SHA-256: b5282e1ca9e376d01cc500e20272e1558176fbc310792bd6a614b98f99bcd82

Decoded as: utf-8-sig

Line count shown: 62

Detected class declarations: 1

L1: modded class ExpansionGame

Detected enum declarations: 0

Detected function/method-like declarations: 9

L10: void ExpansionGame()

L15: eAICommandManager GetCommandManager()

L24: ExpansionRPCManager GetRPCManager()

L29: void RPC_SetInGroup(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L43: bool InGroup()

L51: void SetInGroup(bool group)

L56: void SpectateAI(PlayerIdentity sender, Object target, ParamsReadContext ctx);

L58: void FixAIFirearmFX(inout Object source, inout Object directHit, inout int componentIndex, inout string surface, inout vector pos, inout vec

L60: void eAI_OnUpdate(bool doSim, float timeslice);

Full file content

```

000001 | modded class ExpansionGame
000002 | {
000003 |     protected ref eAICommandManager m_CommandManager;
000004 |
000005 |     private bool m_InGroup;
000006 |
000007 |     Object m_FirearmFXSource;
000008 |     Object m_FirearmFXHitObject;
000009 |
000010 |     void ExpansionGame()
000011 |     {
000012 |         m_RPCManager.RegisterClient("RPC_SetInGroup");
000013 |     }
000014 |
000015 |     eAICommandManager GetCommandManager()
000016 |     {
000017 | #ifdef EAI_TRACE
000018 |         auto trace = CF_Trace_0(this, "GetCommandManager");
000019 | #endif
000020 |
000021 |         return m_CommandManager;
000022 |     }
000023 |
000024 |     ExpansionRPCManager GetRPCManager()
000025 |     {
000026 |         return m_RPCManager;
000027 |     }
000028 |
000029 |     void RPC_SetInGroup(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000030 |     {
000031 | #ifdef EXTRACE_DIAG
000032 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000033 | #endif
000034 |
000035 |         bool group;
000036 |         if (ctx.Read(group))
000037 |             SetInGroup(group);
000038 |     }

```

```
000039 |  
000040 | /**  
000041 |  * @note Client only  
000042 |  */  
000043 | bool InGroup()  
000044 | {  
000045 |     return m_InGroup;  
000046 | }  
000047 |  
000048 | /**  
000049 |  * @note Client only  
000050 |  */  
000051 | void SetInGroup(bool group)  
000052 | {  
000053 |     m_InGroup = group;  
000054 | }  
000055 |  
000056 | void SpectateAI(PlayerIdentity sender, Object target, ParamsReadContext ctx);  
000057 |  
000058 | void FixAIFirearmFX(inout Object source, inout Object directHit, inout int componentIndex, inout string surface, inout vector pos, inout vector surfNormal, in  
000059 | out vector exitPos, inout vector inSpeed, inout vector outSpeed, inout bool isWater, inout bool deflected, inout string ammoType);  
000060 |  
000061 | void eAI_OnUpdate(bool doSim, float timeslice);  
000062 | };
```

0015. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansioninfectedtype.c

Size bytes: 5133

SHA-256: d37598e1b72029b5c29bb8a6b3e224ad70bf0d7a62f891a0026f5e8b6ba01e36

Decoded as: utf-8-sig

Line count shown: 156

Detected class declarations: 1

L1: class ExpansionInfectedType

Detected enum declarations: 0

Detected function/method-like declarations: 8

L9: static ExpansionInfectedType Get(typename type)

L22: private void ExpansionInfectedType(typename type)

L29: string GetName()

L34: void RegisterAttacks()

L70: DayZInfectedAttackType ChooseAttack(DayZInfectedAttackGroupType pAttackGroupType, float pDistance, int pPitch)

L98: protected void RegisterAttack(DayZInfectedAttackGroupType pAttackGroupType, float pDistance, int pPitch, int pType, float pSubtype, string p

L114: protected float ComputeAttackUtility(DayZInfectedAttackType pAttackType, float pTargetDistance, int pPitch, float pProbability)

L142: protected array<ref DayZInfectedAttackType> GetAttackGroup(DayZInfectedAttackGroupType pType)

Full file content

```

000001 | class ExpansionInfectedType
000002 | {
000003 |     private static ref map<typename, ref ExpansionInfectedType> s_InfectedTypes = new map<typename, ref ExpansionInfectedType>;
000004 |
000005 |     private typename m_Type;
000006 |     private ref array<ref DayZInfectedAttackType> m_ChaseAttacksGroup = {};
000007 |     private ref array<ref DayZInfectedAttackType> m_FightAttacksGroup = {};
000008 |
000009 |     static ExpansionInfectedType Get(typename type)
000010 |     {
000011 |         ExpansionInfectedType infectedType;
000012 |
000013 |         if (!s_InfectedTypes.Find(type, infectedType))
000014 |         {
000015 |             infectedType = new ExpansionInfectedType(type);
000016 |             s_InfectedTypes[type] = infectedType;
000017 |         }
000018 |
000019 |         return infectedType;
000020 |     }
000021 |
000022 |     private void ExpansionInfectedType(typename type)
000023 |     {
000024 |         m_Type = type;
000025 |
000026 |         RegisterAttacks();
000027 |     }
000028 |
000029 |     string GetName()
000030 |     {
000031 |         return m_Type.ToString();
000032 |     }
000033 |
000034 |     void RegisterAttacks()
000035 |     {
000036 |         string name = GetName();
000037 |         string lightAttPath = string.Format("cfgVehicles %1 AttackActions AttackShort ammoType", name);
000038 |         string heavyAttPath = string.Format("cfgVehicles %1 AttackActions AttackLong ammoType", name);
000039 |         string chaseAttPath = string.Format("cfgVehicles %1 AttackActions AttackRun ammoType", name);

```

```

000040 |
000041 |     string lightAttAmmo;
000042 |     g_Game.ConfigGetText(lightAttPath, lightAttAmmo);
000043 |     string heavyAttAmmo;
000044 |     g_Game.ConfigGetText(heavyAttPath, heavyAttAmmo);
000045 |     string chaseAttAmmo;
000046 |     g_Game.ConfigGetText(chaseAttPath, chaseAttAmmo);
000047 |
000048 |     /// Push w/ both hands against obstacle
000049 |     //RegisterAttack(DayZInfectedAttackGroupType.FIGHT, 1.7, 0, 9, 0, lightAttAmmo, 0, 0.4, 1.0); /// DoorPushAttack
000050 |
000051 |     /// Slam upper body/arms/head against wall, arms raised
000052 |     //RegisterAttack(DayZInfectedAttackGroupType.FIGHT, 1.4, 0, 10, 0, heavyAttAmmo, 0, 0.4, 1.0); /// DoorHeadAttack
000053 |
000054 |     /// Smash shoulder against obstacle
000055 |     RegisterAttack(DayZInfectedAttackGroupType.FIGHT, 1.7, 0, 11, 0, lightAttAmmo, 0, 0.4, 1.0); /// DoorShoulderAttack
000056 |
000057 |     /// Slam fists in alternating fashion (L/R) against wall
000058 |     //RegisterAttack(DayZInfectedAttackGroupType.FIGHT, 1.4, 0, 12, 0, heavyAttAmmo, 0, 0.5, 1.0); /// DoorLRAttack
000059 |
000060 |     /// Forward kick
000061 |     RegisterAttack(DayZInfectedAttackGroupType.FIGHT, 1.7, 0, 13, 0, heavyAttAmmo, 0, 0.5, 1.0); /// DoorKickAttack
000062 |
000063 |     /// Strike in up direction with right hand
000064 |     //RegisterAttack(DayZInfectedAttackGroupType.CHASE, 2.4, 1, 14, 0, chaseAttAmmo, 0, 0.4, 1.0); /// DoorChargeR
000065 |
000066 |     /// Strike in up direction with left hand
000067 |     //RegisterAttack(DayZInfectedAttackGroupType.CHASE, 2.4, 1, 15, 0, chaseAttAmmo, 0, 0.4, 1.0); /// DoorChargeL
000068 | }
000069 |
000070 | DayZInfectedAttackType ChooseAttack(DayZInfectedAttackGroupType pAttackGroupType, float pDistance, int pPitch)
000071 | {
000072 |     array<ref DayZInfectedAttackType> attackGroup = GetAttackGroup(pAttackGroupType);
000073 |     float rnd;
000074 |     float highestUtility = -1;
000075 |     DayZInfectedAttackType mostSuitableAttack = null;
000076 |
000077 |     Math.Randomize(GetWorldTime() + (int)pDistance);
000078 |
000079 |     for (int i = 0; i < attackGroup.Count(); ++i)
000080 |     {
000081 |         rnd = Math.RandomFloat01();
000082 |         DayZInfectedAttackType attackType = attackGroup.Get(i);
000083 |         float utility = ComputeAttackUtility(attackType, pDistance, pPitch, rnd);
000084 |         if (utility <= 0)
000085 |             continue;
000086 |
000087 |         if (utility > highestUtility)
000088 |         {
000089 |             mostSuitableAttack = attackType;
000090 |             highestUtility = utility;
000091 |         }
000092 |     }
000093 |
000094 |     //Print("Most suitable attack selected: " + mostSuitableAttack);
000095 |     return mostSuitableAttack;
000096 | }
000097 |
000098 | protected void RegisterAttack(DayZInfectedAttackGroupType pAttackGroupType, float pDistance, int pPitch, int pType, float pSubtype, string pAmmoType, int pIsH
000099 | eavy, float pCooldown, float pProbability)
000100 | {
000101 |     DayZInfectedAttackType newType = new DayZInfectedAttackType();

```

```
000101 |
000102 |     newType.m_Distance = pDistance;
000103 |     newType.m_Pitch = pPitch;
000104 |     newType.m_Type = pType; //If attack is left or right
000105 |     newType.m_Subtype = pSubtype; //If attack is center, down, up or run
000106 |     newType.m_AmmoType = pAmmoType;
000107 |     newType.m_IsHeavy = pIsHeavy;
000108 |     newType.m_Cooldown = pCooldown;
000109 |     newType.m_Probability = pProbability;
000110 |
000111 |     GetAttackGroup(pAttackGroupType).Insert(newType);
000112 | }
000113 |
000114 | protected float ComputeAttackUtility(DayZInfectedAttackType pAttackType, float pTargetDistance, int pPitch, float pProbability)
000115 | {
000116 |     // pitch
000117 |     if (pAttackType.m_Pitch != pPitch)
000118 |         return 0;
000119 |
000120 |     // distance
000121 |     float distDiff = pAttackType.m_Distance - pTargetDistance;
000122 |     if (distDiff < 0)
000123 |         return 0;
000124 |
000125 |     float distDiffFrac = distDiff / 10;
000126 |     float utilityDistance = (1 - distDiffFrac) * 100; // distance is most important
000127 |
000128 |     // probability
000129 |     float probDiff = pAttackType.m_Probability - pProbability;
000130 |     if (probDiff < 0)
000131 |         return 0;
000132 |
000133 |     float utilityProbability = (1 - probDiff) * 10; // distance is most important
000134 |
000135 |     // total
000136 |     float util = utilityDistance + utilityProbability;
000137 |     //Print("Attack Utility " + util);
000138 |
000139 |     return util;
000140 | }
000141 |
000142 | protected array<ref DayZInfectedAttackType> GetAttackGroup(DayZInfectedAttackGroupType pType)
000143 | {
000144 |     switch (pType)
000145 |     {
000146 |         case DayZInfectedAttackGroupType.CHASE:
000147 |             return m_ChaseAttacksGroup;
000148 |
000149 |         case DayZInfectedAttackGroupType.FIGHT:
000150 |             return m_FightAttacksGroup;
000151 |     }
000152 |
000153 |     return null;
000154 | }
000155 | }
000156 |
```

0016. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/expansionstatic.c
Size bytes: 1059
SHA-256: a0e7d2919cf5691a89d5bddbeef87abed52da45b8b9c122f278fd01be4f8f044
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
 L1: modded class ExpansionStatic
Detected enum declarations: 0
Detected function/method-like declarations: 8
 L3: static string GetImpactSurfaceTypeEx(Object directHit, vector hitPosition, vector relativeVelocityBefore)
 L11: else if (directHit.IsBuilding())
 L13: else if (directHit.IsBush())
 L15: else if (directHit.IsTree())
 L17: else if (directHit.IsRock())
 L19: else if (directHit.IsWeapon() || directHit.IsMagazine() || directHit.IsTransport())
 L21: else if (directHit.IsClothing())
 L23: else if (SurfaceIsWater(hitPosition))

Full file content

```
000001 | modded class ExpansionStatic
000002 | {
000003 |     static string GetImpactSurfaceTypeEx(Object directHit, vector hitPosition, vector relativeVelocityBefore)
000004 |     {
000005 |         string surfaceImpact;
000006 |
000007 |         if (directHit)
000008 |         {
000009 |             if (directHit.IsMan() || directHit.IsInherited(DayZCreature))
000010 |                 surfaceImpact = "Hit_MeatBones";
000011 |             else if (directHit.IsBuilding())
000012 |                 surfaceImpact = "Hit_Concrete";
000013 |             else if (directHit.IsBush())
000014 |                 surfaceImpact = "Hit_Foliage";
000015 |             else if (directHit.IsTree())
000016 |                 surfaceImpact = "Hit_Wood";
000017 |             else if (directHit.IsRock())
000018 |                 surfaceImpact = "Hit_Gravel";
000019 |             else if (directHit.IsWeapon() || directHit.IsMagazine() || directHit.IsTransport())
000020 |                 surfaceImpact = "Hit_Metal";
000021 |             else if (directHit.IsClothing())
000022 |                 surfaceImpact = "Hit_Textile";
000023 |             else if (SurfaceIsWater(hitPosition))
000024 |                 surfaceImpact = "Hit_Water";
000025 |             else
000026 |                 surfaceImpact = "Hit_Dirt";
000027 |         }
000028 |         else
000029 |         {
000030 |             if (SurfaceIsWater(hitPosition))
000031 |                 surfaceImpact = "Hit_Water";
000032 |             else
000033 |                 surfaceImpact = "Hit_Dirt";
000034 |         }
000035 |
000036 |         return surfaceImpact;
000037 |     }
000038 | }
000039 |
```

0017. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifaction.c

Size bytes: 3779

SHA-256: ea8a4bfffcc2c1468277567a33efb29caa57743a1bb411f0fdf5a007920da05b5

Decoded as: utf-8-sig

Line count shown: 186

Detected class declarations: 1

L1: class eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 23

L16: void eAIFaction()

L23: int GetTypeID()

L29: static typename GetTypeByID(int typeID)

L34: string GetName()

L40: string GetDisplayName()

L47: string GetDefaultLoadout()

L52: void AddModifier(int modifier)

L59: TIntArray GetModifiers()

L64: bool HasModifiers()

L69: bool HasUnlimitedStamina()

L74: float GetMeleeDamageMultiplier()

L79: float GetMeleeYeetForce()

L84: vector GetMeleeYeetFactors()

L89: bool IsWeaponPickupEnabled()

L94: bool IsFriendly(notnull eAIFaction other)

L99: bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)

L104: bool IsGuard()

L109: bool IsInvincible()

L114: bool IsPassive()

L119: bool IsObserver()

L124: static typename GetType(string factionName)

L129: static eAIFaction Create(string factionName)

L174: static eAIFaction CreateByID(int factionID)

Full file content

```
000001 | class eAIFaction
000002 | {
000003 |     protected string m_Name; //!< DEPRECATED
000004 |     protected string m_Loadout = "HumanLoadout";
000005 |     protected bool m_IsGuard;
000006 |     protected bool m_IsInvincible;
000007 |     protected bool m_IsPassive;
000008 |     protected bool m_IsObserver;
000009 |     protected ref TIntArray m_Modifiers;
000010 |     protected bool m_DisableWeaponPickup;
000011 |     protected float m_MeleeDamageMultiplier = 1.0;
000012 |     protected float m_MeleeYeetForce;
000013 |     protected vector m_MeleeYeetFactors = "1 1 1";
000014 |     protected bool m_HasUnlimitedStamina;
000015 |
000016 |     void eAIFaction()
000017 |     {
000018 |         typename type = Type();
000019 |         if (!eAIRegisterFaction.s_FactionIDs[type])
000020 |             Error("Faction type " + type + " is not registered! Please prepend [eAIRegisterFaction(" + type + ")]");
000021 |     }
000022 |
000023 |     int GetTypeID()
000024 |     {
```



```
000025 |         typename type = Type();
000026 |         return eAIRegisterFaction.s_FactionIDs[type];
000027 |     }
000028 |
000029 |     static typename GetTypeByID(int typeID)
000030 |     {
000031 |         return eAIRegisterFaction.s_FactionTypes[typeID];
000032 |     }
000033 |
000034 |     string GetName()
000035 |     {
000036 |         string cls = Type().ToString();
000037 |         return cls.Substring(10, cls.Length() - 10);
000038 |     }
000039 |
000040 |     string GetDisplayName()
000041 |     {
000042 |         string name = GetName();
000043 |         name.ToUpper();
000044 |         return "#STR_EXPANSION_AI_FACTION_" + name;
000045 |     }
000046 |
000047 |     string GetDefaultLoadout()
000048 |     {
000049 |         return m_Loadout;
000050 |     }
000051 |
000052 |     void AddModifier(int modifier)
000053 |     {
000054 |         if (!m_Modifiers)
000055 |             m_Modifiers = {};
000056 |         m_Modifiers.Insert(modifier);
000057 |     }
000058 |
000059 |     TIntArray GetModifiers()
000060 |     {
000061 |         return m_Modifiers;
000062 |     }
000063 |
000064 |     bool HasModifiers()
000065 |     {
000066 |         return m_Modifiers && m_Modifiers.Count() > 0;
000067 |     }
000068 |
000069 |     bool HasUnlimitedStamina()
000070 |     {
000071 |         return m_HasUnlimitedStamina;
000072 |     }
000073 |
000074 |     float GetMeleeDamageMultiplier()
000075 |     {
000076 |         return m_MeleeDamageMultiplier;
000077 |     }
000078 |
000079 |     float GetMeleeYeetForce()
000080 |     {
000081 |         return m_MeleeYeetForce;
000082 |     }
000083 |
000084 |     vector GetMeleeYeetFactors()
000085 |     {
000086 |         return m_MeleeYeetFactors;
```

```
000087 |     }
000088 |
000089 |     bool IsWeaponPickupEnabled()
000090 |     {
000091 |         return !m_DisableWeaponPickup;
000092 |     }
000093 |
000094 |     bool IsFriendly(notnull eAIFaction other)
000095 |     {
000096 |         return false;
000097 |     }
000098 |
000099 |     bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)
000100 |     {
000101 |         return false;
000102 |     }
000103 |
000104 |     bool IsGuard()
000105 |     {
000106 |         return m_IsGuard;
000107 |     }
000108 |
000109 |     bool IsInvincible()
000110 |     {
000111 |         return m_IsInvincible;
000112 |     }
000113 |
000114 |     bool IsPassive()
000115 |     {
000116 |         return m_IsPassive;
000117 |     }
000118 |
000119 |     bool IsObserver()
000120 |     {
000121 |         return m_IsObserver;
000122 |     }
000123 |
000124 |     static typename GetType(string factionName)
000125 |     {
000126 |         return ("eAIFaction" + factionName).ToType();
000127 |     }
000128 |
000129 |     static eAIFaction Create(string factionName)
000130 |     {
000131 |         if (factionName == "RANDOM")
000132 |         {
000133 |             array<ref eAIFaction> candidates = {};
000134 |
000135 |             eAIFaction candidate;
000136 |
000137 |             foreach (int id, typename type: eAIRegisterFaction.s_FactionTypes)
000138 |             {
000139 |                 candidate = eAIFaction.Cast(type.Spawn());
000140 |
000141 |                 if (candidate.IsInvincible())
000142 |                     continue;
000143 |
000144 |                 if (candidate.IsObserver())
000145 |                     continue;
000146 |
000147 |                 if (candidate.IsPassive())
000148 |                     continue;
```

```
000149 |
000150 |         if (candidate.GetMeleeDamageMultiplier() != 1.0)
000151 |             continue;
000152 |
000153 |         if (candidate.GetMeleeYeetForce() != 0.0)
000154 |             continue;
000155 |
000156 |         candidates.Insert(candidate);
000157 |     }
000158 |
000159 |     return candidates.GetRandomElement();
000160 | }
000161 |
000162 | typename faction = GetType(factionName);
000163 | if (faction)
000164 |     ///! @note w/o the cast to eAIFaction, the compiler warns about unsafe downcasting.
000165 |     ///! Of course the compiler is wrong, because we're casting up, not down, so this cast here is just there to satisfy compiler shortcomings.
000166 |     ///! Yes I wrote this comment for the sole reason that I'm annoyed by this.
000167 |     return eAIFaction.Cast(faction.Spawn());
000168 | else
000169 |     EXError.Error(null, "Invalid faction name '" + factionName + "'", {});
000170 |
000171 |     return null;
000172 | }
000173 |
000174 | static eAIFaction CreateByID(int factionID)
000175 | {
000176 |     typename faction = GetTypeByID(factionID);
000177 |
000178 |     if (faction)
000179 |         return eAIFaction.Cast(faction.Spawn());
000180 |     else
000181 |         EXError.Error(null, "Invalid faction ID " + factionID, {});
000182 |
000183 |     return null;
000184 | }
000185 | };
000186 |
```

0018. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionbrawlers.c

Size bytes: 456

SHA-256: 50f1632dbab83562fd359971d4bc30291a1e47c67b8358867eadcf6a0e149827

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L2: class eAIFactionBrawlers: eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: void eAIFactionBrawlers()

 L12: override bool IsFriendly(notnull eAIFaction other)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionBrawlers)]
000002 | class eAIFactionBrawlers: eAIFaction
000003 | {
000004 |     void eAIFactionBrawlers()
000005 |     {
000006 |         m_Loadout = "SurvivorLoadout";
000007 |         m_MeleeDamageMultiplier = 10.0;
000008 |         m_MeleeYeetForce = 5.0;
000009 |         m_MeleeYeetFactors = "0.5 0.5 0.5";
000010 |     }
000011 |
000012 |     override bool IsFriendly(notnull eAIFaction other)
000013 |     {
000014 |         if (other.IsInherited(eAIFactionBrawlers)) return true;
000015 |         if (other.IsInherited(eAIFactionCivilian)) return true;
000016 |         return false;
000017 |     }
000018 | };
000019 |
```

0019. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactioncivilian.c
Size bytes: 235
SHA-256: e748dff3f06b03bce1653996252c4aa0a16996e3ed8865587f8adbb3bd17101a
Decoded as: utf-8-sig
Line count shown: 13
Detected class declarations: 1
 L2: class eAIFactionCivilian : eAIFaction
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void eAIFactionCivilian()
 L9: override bool IsFriendly(notnull eAIFaction other)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionCivilian)]
000002 | class eAIFactionCivilian : eAIFaction
000003 | {
000004 |     void eAIFactionCivilian()
000005 |     {
000006 |         m_Loadout = "SurvivorLoadout";
000007 |     }
000008 |
000009 |     override bool IsFriendly(notnull eAIFaction other)
000010 |     {
000011 |         return true;
000012 |     }
000013 | };
```

0020. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactioneast.c

Size bytes: 336

SHA-256: 10c63cec4dba427a9d1fecdc079fb6380574af90d27c914dd1fd7d8ea00936d8

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 1

 L2: class eAIFactionEast : eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: void eAIFactionEast()

 L9: override bool IsFriendly(notnull eAIFaction other)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionEast)]
000002 | class eAIFactionEast : eAIFaction
000003 | {
000004 |     void eAIFactionEast()
000005 |     {
000006 |         m_Loadout = "EastLoadout";
000007 |     }
000008 |
000009 |     override bool IsFriendly(notnull eAIFaction other)
000010 |     {
000011 |         if (other.IsInherited(eAIFactionEast)) return true;
000012 |         if (other.IsInherited(eAIFactionCivilian)) return true;
000013 |         return false;
000014 |     }
000015 | };
000016 |
```

0021. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionguards.c
Size bytes: 600
SHA-256: e8f82d118c785b7e72061170cf1a0cb783c8cd72fd0de83b33b83742f798e91a
Decoded as: utf-8-sig
Line count shown: 31
Detected class declarations: 2
 L2: class eAIFactionGuards : eAIFaction
 L19: class eAIFactionInvincibleGuards : eAIFactionGuards
Detected enum declarations: 0
Detected function/method-like declarations: 4
 L4: void eAIFactionGuards()
 L10: override bool IsFriendly(notnull eAIFaction other)
 L21: void eAIFactionInvincibleGuards()
 L26: override string GetDisplayName()

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionGuards)]
000002 | class eAIFactionGuards : eAIFaction
000003 | {
000004 |     void eAIFactionGuards()
000005 |     {
000006 |         m_Loadout = "PoliceLoadout";
000007 |         m_IsGuard = true;
000008 |     }
000009 |
000010 |     override bool IsFriendly(notnull eAIFaction other)
000011 |     {
000012 |         if (other.IsGuard()) return true;
000013 |         if (other.IsPassive()) return true;
000014 |         return false;
000015 |     }
000016 | };
000017 |
000018 | [eAIRegisterFaction(eAIFactionInvincibleGuards)]
000019 | class eAIFactionInvincibleGuards : eAIFactionGuards
000020 | {
000021 |     void eAIFactionInvincibleGuards()
000022 |     {
000023 |         m_IsInvincible = true;
000024 |     }
000025 |
000026 |     override string GetDisplayName()
000027 |     {
000028 |         return "#STR_EXPANSION_AI_FACTION_GUARDS";
000029 |     }
000030 | };
000031 |
```

0022. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionmercenaries.c

Size bytes: 342

SHA-256: f3fc4b8f97cd2cce16682fb549b56272d440ee8e6eaf03981cb9b04503f5e2a

Decoded as: utf-8-sig

Line count shown: 15

Detected class declarations: 1

 L2: class eAIFactionMercenaries : eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: void eAIFactionMercenaries()

 L9: override bool IsFriendly(notnull eAIFaction other)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionMercenaries)]
000002 | class eAIFactionMercenaries : eAIFaction
000003 | {
000004 |     void eAIFactionMercenaries()
000005 |     {
000006 |         m_Loadout = "WestLoadout";
000007 |     }
000008 |
000009 |     override bool IsFriendly(notnull eAIFaction other)
000010 |     {
000011 |         if (other.IsInherited(eAIFactionMercenaries)) return true;
000012 |         if (other.IsPassive()) return true;
000013 |         return false;
000014 |     }
000015 | };
```


0023. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionobservers.c

Size bytes: 722

SHA-256: ed49e992fe527a8daa032ba7d1f5d556723786ac34d0bd8dc4dad39cad304848

Decoded as: utf-8-sig

Line count shown: 35

Detected class declarations: 2

L2: class eAIFactionObservers : eAIFaction

L23: class eAIFactionInvincibleObservers : eAIFactionObservers

Detected enum declarations: 0

Detected function/method-like declarations: 5

L4: void eAIFactionObservers()

L11: override bool IsFriendly(notnull eAIFaction other)

L16: override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)

L25: void eAIFactionInvincibleObservers()

L30: override string GetDisplayName()

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionObservers)]
000002 | class eAIFactionObservers : eAIFaction
000003 | {
000004 |     void eAIFactionObservers()
000005 |     {
000006 |         m_Loadout = "SurvivorLoadout";
000007 |         m_IsObserver = true;
000008 |         m_DisableWeaponPickup = true;
000009 |     }
000010 |
000011 |     override bool IsFriendly(notnull eAIFaction other)
000012 |     {
000013 |         return true;
000014 |     }
000015 |
000016 |     override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)
000017 |     {
000018 |         return other.IsInherited(DayZCreatureAI);
000019 |     }
000020 | };
000021 |
000022 | [eAIRegisterFaction(eAIFactionInvincibleObservers)]
000023 | class eAIFactionInvincibleObservers : eAIFactionObservers
000024 | {
000025 |     void eAIFactionInvincibleObservers()
000026 |     {
000027 |         m_IsInvincible = true;
000028 |     }
000029 |
000030 |     override string GetDisplayName()
000031 |     {
000032 |         return "#STR_EXPANSION_AI_FACTION_OBSERVERS";
000033 |     }
000034 | };
000035 |
```

0024. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionpassive.c
Size bytes: 289
SHA-256: 8dfbbc4e21706d6bd261712b6e6d725c3faa82955eaa91c637aa7018f134d291
Decoded as: utf-8-sig
Line count shown: 14
Detected class declarations: 1
 L2: class eAIFactionPassive : eAIFactionCivilian
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void eAIFactionPassive()
 L9: override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionPassive)]
000002 | class eAIFactionPassive : eAIFactionCivilian
000003 | {
000004 |     void eAIFactionPassive()
000005 |     {
000006 |         m_IsPassive = true;
000007 |     }
000008 |
000009 |     override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)
000010 |     {
000011 |         return other.IsInherited(DayZCreatureAI);
000012 |     }
000013 | };
000014 |
```

0025. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionraiders.c

Size bytes: 270

SHA-256: 3791039b6c045915cefc81161ebe5f0f8af77a17639383049abeb610549f86cc

Decoded as: utf-8-sig

Line count shown: 14

Detected class declarations: 1

 L2: class eAIFactionRaiders : eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: void eAIFactionRaiders()

 L9: override bool IsFriendly(notnull eAIFaction other)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionRaiders)]
000002 | class eAIFactionRaiders : eAIFaction
000003 | {
000004 |     void eAIFactionRaiders()
000005 |     {
000006 |         m_Loadout = "BanditLoadout";
000007 |     }
000008 |
000009 |     override bool IsFriendly(notnull eAIFaction other)
000010 |     {
000011 |         if (other.IsPassive()) return true;
000012 |         return false;
000013 |     }
000014 | };
```

0026. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionshamans.c
Size bytes: 463
SHA-256: 3994a0848a0701eb51f87550ebf35cb5ea09779e4c0a8a3f621256151b04c695
Decoded as: utf-8-sig
Line count shown: 20
Detected class declarations: 1
 L2: class eAIFactionShamans : eAIFaction
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L4: void eAIFactionShamans()
 L9: override bool IsFriendly(notnull eAIFaction other)
 L16: override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionShamans)]
000002 | class eAIFactionShamans : eAIFaction
000003 | {
000004 |     void eAIFactionShamans()
000005 |     {
000006 |         m_Loadout = "WestLoadout";
000007 |     }
000008 |
000009 |     override bool IsFriendly(notnull eAIFaction other)
000010 |     {
000011 |         if (other.IsInherited(eAIFactionShamans)) return true;
000012 |         if (other.IsPassive()) return true;
000013 |         return false;
000014 |     }
000015 |
000016 |     override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)
000017 |     {
000018 |         return other.IsInherited(DayZCreatureAI);
000019 |     }
000020 | };
```

0027. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionwest.c

Size bytes: 336

SHA-256: eca3a0712772f3e534ae9614583b2fd3fb2993bbd27b15f021d4c9052b9abd1e

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 1

 L2: class eAIFactionWest : eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: void eAIFactionWest()

 L9: override bool IsFriendly(notnull eAIFaction other)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionWest)]
000002 | class eAIFactionWest : eAIFaction
000003 | {
000004 |     void eAIFactionWest()
000005 |     {
000006 |         m_Loadout = "WestLoadout";
000007 |     }
000008 |
000009 |     override bool IsFriendly(notnull eAIFaction other)
000010 |     {
000011 |         if (other.IsInherited(eAIFactionWest)) return true;
000012 |         if (other.IsInherited(eAIFactionCivilian)) return true;
000013 |         return false;
000014 |     }
000015 | };
000016 |
```

0028. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/factions/eaifactionyeetbrigade.c
Size bytes: 797
SHA-256: 3a02a6c6f41e4989ce56916fee70b4266d80806321ef56913b12bd9ea3c901e0
Decoded as: utf-8-sig
Line count shown: 35
Detected class declarations: 2
 L2: class eAIFactionYeetBrigade: eAIFaction
 L23: class eAIFactionInvincibleYeetBrigade : eAIFactionYeetBrigade
Detected enum declarations: 0
Detected function/method-like declarations: 4
 L4: void eAIFactionYeetBrigade()
 L15: override bool IsFriendly(notnull eAIFaction other)
 L25: void eAIFactionInvincibleYeetBrigade()
 L30: override string GetDisplayName()

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionYeetBrigade)]
000002 | class eAIFactionYeetBrigade: eAIFaction
000003 | {
000004 |     void eAIFactionYeetBrigade()
000005 |     {
000006 |         m_Loadout = "YeetBrigadeLoadout";
000007 |         m_MeleeDamageMultiplier = 100.0;
000008 |         m_MeleeYeetForce = 15.0;
000009 |         m_MeleeYeetFactors = "0.5 1 0.5";
000010 |         m_DisableWeaponPickup = true;
000011 |         m_IsGuard = true;
000012 |         m_HasUnlimitedStamina = true;
000013 |     }
000014 |
000015 |     override bool IsFriendly(notnull eAIFaction other)
000016 |     {
000017 |         if (other.IsInherited(eAIFactionYeetBrigade)) return true;
000018 |         return false;
000019 |     }
000020 | };
000021 |
000022 | [eAIRegisterFaction(eAIFactionInvincibleYeetBrigade)]
000023 | class eAIFactionInvincibleYeetBrigade : eAIFactionYeetBrigade
000024 | {
000025 |     void eAIFactionInvincibleYeetBrigade()
000026 |     {
000027 |         m_IsInvincible = true;
000028 |     }
000029 |
000030 |     override string GetDisplayName()
000031 |     {
000032 |         return "#STR_EXPANSION_AI_FACTION_YEETBRIGADE";
000033 |     }
000034 | };
000035 |
```

0029. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eaicommandmanager.c

Size bytes: 71

SHA-256: 721461f0c9886c2962705b044cb1804e931edfd3a60e52e1d5ab9502b885102b

Decoded as: utf-8-sig

Line count shown: 5

Detected class declarations: 1

 L1: class eAICommandManager

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: bool Send(int cmd, int category) {};

Full file content

```
000001 | class eAICommandManager
000002 | {
000003 |     bool Send(int cmd, int category) {};
```

```
000004 | };
000005 |
```

0030. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eaicommands.c
Size bytes: 1785
SHA-256: 1947b6750949f4686829a9ad6b10d23ab7ff40860c128688b52b77a0b522d9c1
Decoded as: utf-8-sig
Line count shown: 98
Detected class declarations: 0
Detected enum declarations: 2
 L1: enum eAICommands
 L77: enum eAICommandCategories
Detected function/method-like declarations: 0

Full file content

```
000001 | enum eAICommands
000002 | {
000003 |     DEB_DAMAGE,
000004 |     DEB_DAMAGE_COUNT = 20,
000005 |     // Movement
000006 |     MOV_STOP,
000007 |     MOV_FLANK,
000008 |     MOV_ROAM,
000009 |     MOV_GOTO,
000010 |     MOV_RTF, // Return to formation
000011 |     MOV_GETIN,
000012 |     MOV_SETWP,
000013 |     MOV_CLEARWP,
000014 |     MOV_WALK,
000015 |     MOV_JOG,
000016 |     MOV_SPRINT,
000017 |     MOV_ERECT,
000018 |     MOV_CROUCH,
000019 |     MOV_PRONE,
000020 |     // Formation
000021 |     FOR_VEE,
000022 |     FOR_INVVEE,
000023 |     FOR_FILE,
000024 |     FOR_INVFILE,
000025 |     FOR_WALL,
000026 |     FOR_COL,
000027 |     FOR_INVCOL,
000028 |     FOR_CIRCLE,
000029 |     FOR_CIRCLEDOT,
000030 |     FOR_STAR,
000031 |     FOR_STARDOT,
000032 |     FOR_SCALE_1X,
000033 |     FOR_SCALE_2X,
000034 |     FOR_SCALE_3X,
000035 |     FOR_SCALE_4X,
000036 |     FOR_SCALE_5X,
000037 |     FOR_LOOSENESS_00,
000038 |     FOR_LOOSENESS_05,
000039 |     FOR_LOOSENESS_10,
000040 |     FOR_LOOSENESS_15,
000041 |     FOR_LOOSENESS_20,
000042 |     FOR_LOOSENESS_30,
000043 |     FOR_LOOSENESS_40,
000044 |     FOR_LOOSENESS_50,
000045 |     // Status
000046 |     STA_SITREP, // report health and ammo level
```



```
000047 | STA_POSITION, // report position
000048 | STA_THREATS,
000049 | STA_DUMP,
000050 | STA_UNUSED,
000051 | // Debug
000052 | DEB_SPAWNALLY,
000053 | DEB_SPAWNZOM,
000054 | DEB_SPAWNWOLF,
000055 | DEB_SPAWNBEAR,
000056 | DEB_CLEARALL,
000057 | DEB_AIMAP, // TODO
000058 | DEB_GRPMPGR, // TODO
000059 | DEB_TARGET_CREATE,
000060 | DEB_TARGET_DESTROY,
000061 | DEB_EXPORTPATROL,
000062 | DEB_UNLIMITEDRELOAD_ALL,
000063 | DEB_UNLIMITEDRELOAD_ANIMALS,
000064 | DEB_UNLIMITEDRELOAD_INFECTED,
000065 | DEB_UNLIMITEDRELOAD_PLAYERS,
000066 | DEB_UNLIMITEDRELOAD_VEHICLES,
000067 | DEB_DBGOBJECTS,
000068 | DEB_DBGDAMAGE,
000069 | DEB_TOGGLEFTO,
000070 | DEB_RESET_PATHFINDING,
000071 | DEB_FORCEWEAPONRESYNC,
000072 | DEB_SPECTATE,
000073 | // Behaviour
000074 | BEH_LOOT //! Always keep BEH_LOOT as the last entry!
000075 | };
000076 |
000077 | enum eAICommandCategories
000078 | {
000079 |     CATEGORIES, //special category selection
000080 |     CAT_MOVEMENT,
000081 |     CAT_MOVEMENT_SPEED,
000082 |     CAT_MOVEMENT_STANCE,
000083 |     CAT_FORMATION,
000084 |     CAT_FORMATION_SCALE,
000085 |     CAT_FORMATION_LOOSENESS,
000086 |     CAT_STATUS,
000087 |     CAT_DEBUG,
000088 |     CAT_FACTION,
000089 |     CAT_SPAWNFACTION,
000090 |     CAT_LOOTINGBEHAVIOUR,
000091 |     CAT_LOOTINGBEHAVIOUR_CLOTHING_BACK,
000092 |     CAT_UNLIMITEDRELOAD,
000093 |     CAT_DAMAGE_IN,
000094 |     CAT_DAMAGE_OUT,
000095 |     CAT_HEADSHOTRESISTANCE,
000096 |     CAT_EMPTY
000097 | };
000098 |
```

0031. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/gui/eairadialmenu.c

Size bytes: 189

SHA-256: 594ad506c8e9083b83016e78a2462ccbb2900a66333e17388bb672a9bbbf612d

Decoded as: utf-8-sig

Line count shown: 9

Detected class declarations: 1

 L1: modded class RadialMenu

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: void SetSelectorColors(int color, int color_disabled)

Full file content

```
000001 | modded class RadialMenu
000002 | {
000003 |     void SetSelectorColors(int color, int color_disabled)
000004 |     {
000005 |         m_RadialSelectorOriginalColor = color;
000006 |         m_RadialSelectorDisabledColor = color_disabled;
000007 |     }
000008 | };
000009 |
```

0032. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/hive.c
Size bytes: 139
SHA-256: 1192176c2c0efaa8a55a6b6ab23f079e1b74ee485b078f5fe8a3e251a6ed04f2
Decoded as: utf-8-sig
Line count shown: 9
Detected class declarations: 0
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L1: Hive Expansion_GlobalGetHive()
 L7: return GetHive();

Full file content

```
000001 | Hive Expansion_GlobalGetHive()
000002 | {
000003 |     #ifdef EXTRACE_DIAG
000004 |         auto trace = EXTrace.Start(EXTrace.AI, null);
000005 |     #endif
000006 |
000007 |     return GetHive();
000008 | }
000009 |
```

0033. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/particles/particlelist.c

Size bytes: 148

SHA-256: 98403261ec65ab2e0066bacfc03e3b6f80bd46a4cd5bd04f8fec69d6a23dd610

Decoded as: utf-8-sig

Line count shown: 5

Detected class declarations: 1

 L1: modded class ParticleList

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | modded class ParticleList
000002 | {
000003 |     static const int EXPANSION_AI_SHORYUKEN_FIRE = RegisterParticle("DayZExpansion/AI/Particles/", "ShoryukenFire");
000004 | }
000005 |
```

0034. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/expansionaisettings.c

Size bytes: 13507

SHA-256: 0812aed3d7bc57771ada24d5744873bb3826fd7a7ab0d3ac75174ed6682a4533

Decoded as: utf-8-sig

Line count shown: 522

Detected class declarations: 2

L13: class ExpansionAISettingsV11: ExpansionSettingBase

L22: class ExpansionAISettings: ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 18

L81: static ExpansionAISettings Get()

L92: override bool OnRecieve(ParamsReadContext ctx)

L155: override int Send(PlayerIdentity identity)

L180: override bool Copy(ExpansionSettingBase setting)

L196: private void CopyInternal(ExpansionAISettings s)

L225: override bool IsLoaded()

L231: override void Unload()

L237: override bool OnLoad()

L266: else if (m_Version < VERSION)

L403: override bool OnSave()

L412: override void Update(ExpansionSettingBase setting)

L420: override void Defaults()

L477: float GetDefaultMinVisibility(int lightingConfig)

L490: override string SettingName()

L495: bool IsAdmin(PlayerIdentity identity = null)

L506: void OnPlayerConnected(Man player, PlayerIdentity identity)

L512: void OnPlayerDisconnected(Man player, PlayerIdentity identity, string uid)

L517: set<string> GetConnectedAdmins()

Full file content

```

000001 | /**
000002 |  * ExpansionAISettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionAISettingsV11: ExpansionSettingBase
000014 | {
000015 |     ref TStringArray ExcludedRoamingLocations = {};
000016 |     ref TStringArray ExcludedRoamingBuildings = {};
000017 | }
000018 |
000019 | /**@class      ExpansionAISettings
000020 |  * @brief      Spawn settings class
000021 |  */
000022 | class ExpansionAISettings: ExpansionSettingBase
000023 | {
000024 |     static const int VERSION = 20;
000025 |     static ref ExpansionAISettings s_Instance;
000026 |
000027 |     float AccuracyMin;
000028 |     float AccuracyMax;

```

```
000029 |
000030 | float ThreatDistanceLimit;
000031 | float NoiseInvestigationDistanceLimit;
000032 | float MaxFlankingDistance;
000033 | bool EnableFlankingOutsideCombat;
000034 | float DamageMultiplier;
000035 | float DamageReceivedMultiplier;
000036 | float ShoryukenChance;
000037 | float ShoryukenDamageMultiplier;
000038 |
000039 | autoptr TStringArray Admins = {};
000040 |
000041 | bool Vaulting;
000042 |
000043 | float SniperProneDistanceThreshold;
000044 |
000045 | float AggressionTimeout;
000046 | float GuardAggressionTimeout;
000047 |
000048 | bool Manners;
000049 | int MemeLevel;
000050 |
000051 | bool CanRecruitFriendly;
000052 | bool CanRecruitGuards;
000053 | int MaxRecruitableAI;
000054 |
000055 | ref TStringArray PreventClimb = {};
000056 |
000057 | float FormationScale;
000058 |
000059 | autoptr TStringArray PlayerFactions = {}; /// If non-empty, player will automatically join one of these factions on connect
000060 |
000061 | bool LogAIHitBy;
000062 | bool LogAIKilled;
000063 |
000064 | bool EnableZombieVehicleAttackHandler;
000065 | bool EnableZombieVehicleAttackPhysics;
000066 |
000067 | bool OverrideClientWeaponFiring;
000068 | bool RecreateWeaponNetworkRepresentation;
000069 |
000070 | ref map<int, float> LightingConfigMinNightVisibilityMeters = new map<int, float>;
000071 |
000072 | [NonSerialized()]
000073 | private bool m_IsAdmin;
000074 |
000075 | [NonSerialized()]
000076 | private bool m_IsLoaded;
000077 |
000078 | [NonSerialized()]
000079 | private ref set<string> m_ConnectedAdmins = new set<string>;
000080 |
000081 | static ExpansionAISettings Get()
000082 | {
000083 | #ifndef SERVER
000084 |     if (!s_Instance)
000085 |         s_Instance = GetExpansionSettings().GetAI();
000086 | #endif
000087 |
000088 |     return s_Instance;
000089 | }
000090 |
```

```
000091 | // -----
000092 | override bool OnRecieve( ParamsReadContext ctx )
000093 | {
000094 | #ifdef EXPANSIONTRACE
000095 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000096 | #endif
000097 |
000098 |     auto reader = GetReader(ctx);
000099 |
000100 |     if (!reader.ReadBool(CanRecruitGuards))
000101 |     {
000102 |         Error("Couldn't read CanRecruitGuards");
000103 |         return false;
000104 |     }
000105 |
000106 |     if (!reader.ReadBool(CanRecruitFriendly))
000107 |     {
000108 |         Error("Couldn't read CanRecruitFriendly");
000109 |         return false;
000110 |     }
000111 |
000112 |     if (!reader.ReadUInt(MaxRecrutableAI, 8))
000113 |     {
000114 |         Error("Couldn't read MaxRecrutableAI");
000115 |         return false;
000116 |     }
000117 |
000118 |     if (!reader.ReadBool(OverrideClientWeaponFiring))
000119 |     {
000120 |         Error("Couldn't read OverrideClientWeaponFiring");
000121 |         return false;
000122 |     }
000123 |
000124 |     if (!reader.ReadBool(RecreateWeaponNetworkRepresentation))
000125 |     {
000126 |         Error("Couldn't read RecreateWeaponNetworkRepresentation");
000127 |         return false;
000128 |     }
000129 |
000130 |     if (!reader.ReadBool(m_IsAdmin))
000131 |     {
000132 |         Error("Couldn't read m_IsAdmin");
000133 |         return false;
000134 |     }
000135 |
000136 | #ifdef DIAG_DEVELOPER
000137 |     Print(CanRecruitGuards);
000138 |     Print(CanRecruitFriendly);
000139 |     Print(MaxRecrutableAI);
000140 |     Print(OverrideClientWeaponFiring);
000141 |     Print(RecreateWeaponNetworkRepresentation);
000142 |     Print(m_IsAdmin);
000143 | #endif
000144 |
000145 |     m_IsLoaded = true;
000146 |
000147 |     EXLogPrint("Received AI settings");
000148 |
000149 |     ExpansionSettings.SI_AI.Invoke();
000150 |
000151 |     return true;
000152 | }
```

```
000153 |
000154 | // -----
000155 | override int Send( PlayerIdentity identity )
000156 | {
000157 | #ifdef EXPANSIONTRACE
000158 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Send").Add(identity);
000159 | #endif
000160 |     if ( !IsMissionHost() )
000161 |     {
000162 |         return 0;
000163 |     }
000164 |
000165 |     auto rpc = CreateRPC();
000166 |
000167 |     rpc.WriteBool(CanRecruitGuards);
000168 |     rpc.WriteBool(CanRecruitFriendly);
000169 |     rpc.WriteUInt(MaxRecruitableAI, 8);
000170 |     rpc.WriteBool(OverrideClientWeaponFiring);
000171 |     rpc.WriteBool(RecreateWeaponNetworkRepresentation);
000172 |     rpc.WriteBool(IsAdmin(identity));
000173 |
000174 |     rpc.Expansion_Send(true, identity);
000175 |
000176 |     return 0;
000177 | }
000178 |
000179 | // -----
000180 | override bool Copy( ExpansionSettingBase setting )
000181 | {
000182 | #ifdef EXPANSIONTRACE
000183 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Copy").Add(setting);
000184 | #endif
000185 |
000186 |     ExpansionAISettings s;
000187 |     if ( !Class.CastTo( s, setting ) )
000188 |         return false;
000189 |
000190 |     CopyInternal( s );
000191 |
000192 |     return true;
000193 | }
000194 |
000195 | // -----
000196 | private void CopyInternal( ExpansionAISettings s )
000197 | {
000198 | #ifdef EXPANSIONTRACE
000199 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "CopyInternal").Add(s);
000200 | #endif
000201 |     AccuracyMin = s.AccuracyMin;
000202 |     AccuracyMax = s.AccuracyMax;
000203 |     ThreatDistanceLimit = s.ThreatDistanceLimit;
000204 |     NoiseInvestigationDistanceLimit = s.NoiseInvestigationDistanceLimit;
000205 |     DamageMultiplier = s.DamageMultiplier;
000206 |     DamageReceivedMultiplier = s.DamageReceivedMultiplier;
000207 |     Admins.Copy(s.Admins);
000208 |     Vaulting = s.Vaulting;
000209 |     SniperProneDistanceThreshold = s.SniperProneDistanceThreshold;
000210 |     Manners = s.Manners;
000211 |     MemeLevel = s.MemeLevel;
000212 |     CanRecruitFriendly = s.CanRecruitFriendly;
000213 |     CanRecruitGuards = s.CanRecruitGuards;
000214 |     PreventClimb.Copy(s.PreventClimb);
```



```
000215 |         FormationScale = s.FormationScale;
000216 |         PlayerFactions.Copy(s.PlayerFactions);
000217 |         LogAIHitBy = s.LogAIHitBy;
000218 |         LogAIKilled = s.LogAIKilled;
000219 |         EnableZombieVehicleAttackHandler = s.EnableZombieVehicleAttackHandler;
000220 |         EnableZombieVehicleAttackPhysics = s.EnableZombieVehicleAttackPhysics;
000221 |         LightingConfigMinNightVisibilityMeters.Copy(s.LightingConfigMinNightVisibilityMeters);
000222 |     }
000223 |
000224 |     // -----
000225 |     override bool IsLoaded()
000226 |     {
000227 |         return m_IsLoaded;
000228 |     }
000229 |
000230 |     // -----
000231 |     override void Unload()
000232 |     {
000233 |         m_IsLoaded = false;
000234 |     }
000235 |
000236 |     // -----
000237 |     override bool OnLoad()
000238 |     {
000239 | #ifdef EXPANSIONTRACE
000240 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnLoad");
000241 | #endif
000242 |
000243 |         m_IsLoaded = true;
000244 |
000245 |         bool save;
000246 |
000247 |         bool AISettingsExist = FileExist(EXPANSION_AI_SETTINGS);
000248 |
000249 |         //! Copy over old eAI settings
000250 |         string eAISettings = "$profile:eAI\\eAISettings.json";
000251 |         if (!AISettingsExist && FileExist(eAISettings))
000252 |         {
000253 |             EXLogPrint("[ExpansionAISettings] Copying " + eAISettings + " to " + EXPANSION_AI_SETTINGS);
000254 |             AISettingsExist = CopyFile(eAISettings, EXPANSION_AI_SETTINGS);
000255 |         }
000256 |
000257 |         if (AISettingsExist)
000258 |         {
000259 |             EXPrint("[ExpansionAISettings] Load existing setting file:" + EXPANSION_AI_SETTINGS);
000260 |
000261 |             if (!ExpansionJsonFileParser<ExpansionAISettings>.Load(EXPANSION_AI_SETTINGS, this))
000262 |             {
000263 |                 //! Use defaults, but DON'T save them
000264 |                 Defaults();
000265 |             }
000266 |             else if (m_Version < VERSION)
000267 |             {
000268 |                 EXPrint("[ExpansionAISettings] Load - Converting v" + m_Version + " \" + EXPANSION_AI_SETTINGS + "\" to v" + VERSION);
000269 |
000270 |                 ExpansionAISettings settingsDefault = new ExpansionAISettings;
000271 |                 settingsDefault.Defaults();
000272 |
000273 |                 if (m_Version < 1)
000274 |                 {
000275 |                     //! Old eAI settings
000276 |                     if (!AccuracyMin)
```

```
000277 |         AccuracyMin = settingsDefault.AccuracyMin;
000278 |         if (!AccuracyMax)
000279 |             AccuracyMax = settingsDefault.AccuracyMax;
000280 |     }
000281 |
000282 |     if (m_Version < 2)
000283 |     {
000284 |         Manners = settingsDefault.Manners;
000285 |     }
000286 |
000287 |     if (m_Version < 4)
000288 |     {
000289 |         ThreatDistanceLimit = settingsDefault.ThreatDistanceLimit;
000290 |         DamageMultiplier = settingsDefault.DamageMultiplier;
000291 |     }
000292 |
000293 |     if (m_Version < 7)
000294 |     {
000295 |         CanRecruitFriendly = settingsDefault.CanRecruitFriendly;
000296 |         PreventClimb = settingsDefault.PreventClimb;
000297 |         MemeLevel = settingsDefault.MemeLevel;
000298 |     }
000299 |
000300 |     if (m_Version < 8)
000301 |         NoiseInvestigationDistanceLimit = settingsDefault.NoiseInvestigationDistanceLimit;
000302 |
000303 |     if (m_Version < 9 && !DamageReceivedMultiplier)
000304 |         DamageReceivedMultiplier = settingsDefault.DamageReceivedMultiplier;
000305 |
000306 |     if (m_Version < 10)
000307 |     {
000308 |         LogAIHitBy = settingsDefault.LogAIHitBy;
000309 |         LogAIKilled = settingsDefault.LogAIKilled;
000310 |     }
000311 |
000312 |     if (m_Version < 12)
000313 |     {
000314 |         ExpansionAISettingsV11 settingsV11;
000315 |         if (ExpansionJsonFileParser<ExpansionAISettingsV11>.Load(EXPANSION_AI_SETTINGS, settingsV11))
000316 |         {
000317 |             auto locationSettings = GetExpansionSettings().GetAILocation();
000318 |
000319 |             locationSettings.ExcludedRoamingBuildings.InsertAll(settingsV11.ExcludedRoamingBuildings);
000320 |
000321 |             foreach (auto loc: locationSettings.RoamingLocations)
000322 |             {
000323 |                 if (settingsV11.ExcludedRoamingLocations.Find(loc.m_ClassName) > -1)
000324 |                     loc.Enabled = false;
000325 |             }
000326 |
000327 |             locationSettings.Save();
000328 |         }
000329 |     }
000330 |
000331 |     if (m_Version < 13 && !FormationScale)
000332 |         FormationScale = settingsDefault.FormationScale;
000333 |
000334 |     if (m_Version < 15 && LightingConfigMinNightVisibilityMeters.Count() == 0)
000335 |         LightingConfigMinNightVisibilityMeters.Copy(settingsDefault.LightingConfigMinNightVisibilityMeters);
000336 |
000337 |     if (m_Version < 16 && !MaxRecrutableAI)
000338 |         MaxRecrutableAI = settingsDefault.MaxRecrutableAI;
```

```
000339 |
000340 |         if (m_Version < 17)
000341 |         {
000342 |             if (!OverrideClientWeaponFiring)
000343 |                 OverrideClientWeaponFiring = settingsDefault.OverrideClientWeaponFiring;
000344 |
000345 |             if (!RecreateWeaponNetworkRepresentation)
000346 |                 RecreateWeaponNetworkRepresentation = settingsDefault.RecreateWeaponNetworkRepresentation;
000347 |         }
000348 |
000349 |         if (m_Version < 18)
000350 |         {
000351 |             if (!AggressionTimeout)
000352 |                 AggressionTimeout = settingsDefault.AggressionTimeout;
000353 |
000354 |             if (!GuardAggressionTimeout)
000355 |                 GuardAggressionTimeout = settingsDefault.GuardAggressionTimeout;
000356 |         }
000357 |
000358 |         if (!MaxFlankingDistance)
000359 |             MaxFlankingDistance = settingsDefault.MaxFlankingDistance;
000360 |
000361 |         if (m_Version < 19 && !EnableFlankingOutsideCombat)
000362 |             EnableFlankingOutsideCombat = settingsDefault.EnableFlankingOutsideCombat;
000363 |
000364 |         if (m_Version < 20)
000365 |         {
000366 |             if (!ShoryukenChance)
000367 |                 ShoryukenChance = settingsDefault.ShoryukenChance;
000368 |
000369 |             if (!ShoryukenDamageMultiplier)
000370 |                 ShoryukenDamageMultiplier = settingsDefault.ShoryukenDamageMultiplier;
000371 |         }
000372 |
000373 |         m_Version = VERSION;
000374 |         save = true;
000375 |     }
000376 | }
000377 | else
000378 | {
000379 |     EXPrint("[ExpansionAISettings] No existing setting file:" + EXPANSION_AI_SETTINGS + ". Creating defaults!");
000380 |     Defaults();
000381 |     save = true;
000382 | }
000383 |
000384 | if (save)
000385 |     Save();
000386 |
000387 | s_Instance = this;
000388 |
000389 | //! Convert excluded buildings to lowercase (don't save!)
000390 | TStringArray preventClimb = {};
000391 | preventClimb.Copy(PreventClimb);
000392 | PreventClimb.Clear();
000393 | foreach (string building: preventClimb)
000394 | {
000395 |     building.ToLower();
000396 |     PreventClimb.Insert(building);
000397 | }
000398 |
000399 | return AISettingsExist;
000400 | }
```

```
000401 |
000402 | // -----
000403 | override bool OnSave()
000404 | {
000405 |     Print("[ExpansionAISettings] Saving settings");
000406 |
000407 |     JsonFileLoader<ExpansionAISettings>.JsonSaveFile( EXPANSION_AI_SETTINGS, this );
000408 |     return true;
000409 | }
000410 |
000411 | // -----
000412 | override void Update( ExpansionSettingBase setting )
000413 | {
000414 |     super.Update( setting );
000415 |
000416 |     ExpansionSettings.SI_AI.Invoke();
000417 | }
000418 |
000419 | // -----
000420 | override void Defaults()
000421 | {
000422 |     m_Version = VERSION;
000423 |
000424 |     AccuracyMin = 0.35;
000425 |     AccuracyMax = 0.95;
000426 |
000427 |     ThreatDistanceLimit = 1000.0;
000428 |     NoiseInvestigationDistanceLimit = 500.0;
000429 |     MaxFlankingDistance = 200.0;
000430 |     EnableFlankingOutsideCombat = false;
000431 |     DamageMultiplier = 1.0;
000432 |     DamageReceivedMultiplier = 1.0;
000433 |
000434 |     Admins.Clear();
000435 |
000436 |     Vaulting = true;
000437 |
000438 |     SniperProneDistanceThreshold = 0.0;
000439 |
000440 |     AggressionTimeout = 120;
000441 |     GuardAggressionTimeout = 150;
000442 |
000443 |     Manners = false;
000444 |     MemeLevel = 1;
000445 |     ShoryukenChance = 0.01;
000446 |     ShoryukenDamageMultiplier = 3.0;
000447 |
000448 |     CanRecruitFriendly = true;
000449 |     CanRecruitGuards = false;
000450 |
000451 | #ifdef DIAG_DEVELOPER
000452 |     MaxRecruitableAI = 255;
000453 | #else
000454 |     MaxRecruitableAI = 1;
000455 | #endif
000456 |
000457 |     PreventClimb.Clear();
000458 |
000459 |     FormationScale = 1.0;
000460 |
000461 |     PlayerFactions.Clear();
000462 |
```

```
000463 |         LogAIHitBy = true;
000464 |         LogAIKilled = true;
000465 |
000466 |         EnableZombieVehicleAttackHandler = false;
000467 |         EnableZombieVehicleAttackPhysics = false;
000468 |
000469 |         OverrideClientWeaponFiring = true;
000470 |         RecreateWeaponNetworkRepresentation = true;
000471 |
000472 |         LightingConfigMinNightVisibilityMeters.Clear();
000473 |         LightingConfigMinNightVisibilityMeters[0] = 100;  /// Assume bright night, min visibility 100 m
000474 |         LightingConfigMinNightVisibilityMeters[1] = 10;  /// Assume dark night, min visibility 10 m
000475 |     }
000476 |
000477 |     float GetDefaultMinVisibility(int lightingConfig)
000478 |     {
000479 |         switch (lightingConfig)
000480 |         {
000481 |             case 1:
000482 |                 return 0.01;  /// Assume dark night, min visibility 10 m
000483 |                 break;
000484 |             }
000485 |
000486 |             return 0.1;  /// Assume bright night, min visibility 100 m
000487 |         }
000488 |
000489 |         // -----
000490 |         override string SettingName()
000491 |         {
000492 |             return "AI Settings";
000493 |         }
000494 |
000495 |         bool IsAdmin(PlayerIdentity identity = null)
000496 |         {
000497 |             if (IsMissionOffline())
000498 |                 return true;
000499 |
000500 |             if (IsMissionClient())
000501 |                 return m_IsAdmin;
000502 |
000503 |             return identity && Admins.Find(identity.GetPlainId()) > -1;
000504 |         }
000505 |
000506 |         void OnPlayerConnected(Man player, PlayerIdentity identity)
000507 |         {
000508 |             if (IsAdmin(identity))
000509 |                 m_ConnectedAdmins.Insert(identity.GetId());
000510 |         }
000511 |
000512 |         void OnPlayerDisconnected(Man player, PlayerIdentity identity, string uid)
000513 |         {
000514 |             m_ConnectedAdmins.RemoveItem(uid);
000515 |         }
000516 |
000517 |         set<string> GetConnectedAdmins()
000518 |         {
000519 |             return m_ConnectedAdmins;
000520 |         }
000521 |     };
000522 |
```

0035. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/expansionsettings.c

Size bytes: 1495

SHA-256: 9911548a34103dd4483d237b09dd5000976a53628d986f2a86a772f6562b0e66

Decoded as: utf-8-sig

Line count shown: 60

Detected class declarations: 1

L13: modded class ExpansionSettings

Detected enum declarations: 0

Detected function/method-like declarations: 6

L20: override void ServerInit()

L27: override void Init()

L36: void RPC_AISettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L41: ExpansionAISettings GetAI(bool checkLoaded = true)

L50: ExpansionAIPatrolSettings GetAIPatrol(bool checkLoaded = true)

L55: ExpansionAILocationSettings GetAILocation(bool checkLoaded = true)

Full file content

```
000001 | /**
000002 |  * ExpansionSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ExpansionSettings
000014 | {
000015 |     static ref ScriptInvoker SI_AI = new ScriptInvoker();
000016 |     static ref ScriptInvoker SI_AIPATROL = new ScriptInvoker();
000017 |
000018 |     ExpansionAISettings m_AISettings;
000019 |
000020 |     override void ServerInit()
000021 |     {
000022 |         super.ServerInit();
000023 |
000024 |         m_AISettings = ExpansionAISettings.Cast(Get(ExpansionAISettings));
000025 |     }
000026 |
000027 |     override void Init()
000028 |     {
000029 |         super.Init();
000030 |
000031 |         Init(ExpansionAILocationSettings);
000032 |         Init(ExpansionAISettings, true);
000033 |         Init(ExpansionAIPatrolSettings);
000034 |     }
000035 |
000036 |     void RPC_AISettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000037 |     {
000038 |         Receive(ExpansionAISettings, ctx);
000039 |     }
000040 |
000041 |     ExpansionAISettings GetAI(bool checkLoaded = true)
```

```
000042 | {
000043 | #ifdef SERVER
000044 |     return m_AISettings;
000045 | #else
000046 |     return ExpansionAISettings.Cast(Get(ExpansionAISettings, checkLoaded));
000047 | #endif
000048 | }
000049 |
000050 | ExpansionAIPatrolSettings GetAIPatrol(bool checkLoaded = true)
000051 | {
000052 |     return ExpansionAIPatrolSettings.Cast(Get(ExpansionAIPatrolSettings, checkLoaded));
000053 | }
000054 |
000055 | ExpansionAILocationSettings GetAILocation(bool checkLoaded = true)
000056 | {
000057 |     return ExpansionAILocationSettings.Cast(Get(ExpansionAILocationSettings, checkLoaded));
000058 | }
000059 | };
000060 |
```

0036. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/locations/expansionailocationsettings.c
Size bytes: 5866
SHA-256: 488d2374cbac96a4ca799f9662a61bbea83618ee59c0c946bebef374dad9850
Decoded as: utf-8-sig
Line count shown: 201
Detected class declarations: 4
  L13: class ExpansionAIRoamingLocation: ExpansionLocation
  L31: class ExpansionAINoGoAreaConfig
  L39: class ExpansionAINoGoAreas: array<ExpansionAINoGoAreaConfig>
  L53: class ExpansionAILocationSettings: ExpansionSettingBase
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L17: override void Init(vector position, float radius, string name = string.Empty, string type = string.Empty, string className = string.Empty, 0
  L41: bool IsPointInside(vector point)
  L65: override int Send(PlayerIdentity identity)
  L70: override bool IsLoaded()
  L75: override void Unload()
  L80: override bool OnLoad()
  L99: else if (m_Version < VERSION)
  L148: override bool OnSave()
  L154: override void Defaults()
  L196: override string SettingName()

```

Full file content

```

000001 | /**
000002 |  * ExpansionAISettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionAIRoamingLocation: ExpansionLocation
000014 | {
000015 |     bool Enabled;
000016 |
000017 |     override void Init(vector position, float radius, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj = null,
000018 | int index = -1)
000019 |     {
000020 |         super.Init(position, radius, name, type, className, obj, index);
000021 |
000022 |         //! Since name is not shown in-game and just serves an identifying purpose, prefer classname but include name if applicable
000023 |         if (m_ClassName.IndexOf(Name) < 0)
000024 |             Name = string.Format("%1 (%2)", m_ClassName, Name);
000025 |         else
000026 |             Name = m_ClassName;
000027 |
000028 |         Enabled = true;
000029 |     }
000030 | }
000031 | class ExpansionAINoGoAreaConfig
000032 | {
000033 |     string Name;

```



```
000034 |     vector Position;
000035 |     float Radius;
000036 |     float Height;
000037 | }
000038 |
000039 | class ExpansionAINoGoAreas: array<ExpansionAINoGoAreaConfig>
000040 | {
000041 |     bool IsPointInside(vector point)
000042 |     {
000043 |         foreach (ExpansionAINoGoAreaConfig areaConfig: this)
000044 |         {
000045 |             if (ExpansionMath.IsPointInCylinder(areaConfig.Position, areaConfig.Radius, areaConfig.Height, point))
000046 |                 return true;
000047 |         }
000048 |         return false;
000049 |     }
000050 | }
000051 | }
000052 |
000053 | class ExpansionAILocationSettings: ExpansionSettingBase
000054 | {
000055 |     static const string PATH = EXPANSION_MISSION_SETTINGS_FOLDER + "AILocationSettings.json";
000056 |     static const int VERSION = 4;
000057 |
000058 |     ref array<ref ExpansionAIRoamingLocation> RoamingLocations = {};
000059 |     ref TStringArray ExcludedRoamingBuildings = {};
000060 |     ref ExpansionAINoGoAreas NoGoAreas = {};
000061 |
000062 |     [NonSerialized()]
000063 |     private bool m_IsLoaded;
000064 |
000065 |     override int Send(PlayerIdentity identity)
000066 |     {
000067 |         return 0;
000068 |     }
000069 |
000070 |     override bool IsLoaded()
000071 |     {
000072 |         return m_IsLoaded;
000073 |     }
000074 |
000075 |     override void Unload()
000076 |     {
000077 |         m_IsLoaded = false;
000078 |     }
000079 |
000080 |     override bool OnLoad()
000081 |     {
000082 |         m_IsLoaded = true;
000083 |
000084 |         bool save;
000085 |         bool updateIndex = true;
000086 |
000087 |         bool settingsExist = FileExist(PATH);
000088 |
000089 |         if (settingsExist)
000090 |         {
000091 |             EXPrint(this, "Load existing setting file:" + PATH);
000092 |
000093 |             if (!ExpansionJsonFileParser<ExpansionAILocationSettings>.Load(PATH, this))
000094 |             {
000095 |                 ///! Use defaults, but DON'T save them
```

```
000096 |         Defaults();
000097 |         updateIndex = false;
000098 |     }
000099 |     else if (m_Version < VERSION)
000100 |     {
000101 |         EXPrint(this, "Load - Converting v" + m_Version + " \" + PATH + "\" to v" + VERSION);
000102 |
000103 |         auto settingsDefault = new ExpansionAILocationSettings;
000104 |         settingsDefault.Defaults();
000105 |
000106 |         foreach (string excluded: settingsDefault.ExcludedRoamingBuildings)
000107 |         {
000108 |             if (ExcludedRoamingBuildings.Find(excluded) == -1)
000109 |                 ExcludedRoamingBuildings.Insert(excluded);
000110 |         }
000111 |
000112 |         m_Version = VERSION;
000113 |         save = true;
000114 |     }
000115 | }
000116 | else
000117 | {
000118 |     EXPrint(this, "No existing setting file:" + PATH + ". Creating defaults!");
000119 |     Defaults();
000120 |     save = true;
000121 |     updateIndex = false;
000122 | }
000123 |
000124 | if (save)
000125 |     Save();
000126 |
000127 | if (updateIndex)
000128 | {
000129 |     foreach (int i, auto loc: RoamingLocations)
000130 |     {
000131 |         loc.m_Index = i;
000132 |     }
000133 | }
000134 |
000135 | //! Convert excluded buildings to lowercase (don't save!)
000136 | TStringArray excludedRoamingBuildings = {};
000137 | excludedRoamingBuildings.Copy(ExcludedRoamingBuildings);
000138 | ExcludedRoamingBuildings.Clear();
000139 | foreach (string excludedBuilding: excludedRoamingBuildings)
000140 | {
000141 |     excludedBuilding.ToLower();
000142 |     ExcludedRoamingBuildings.Insert(excludedBuilding);
000143 | }
000144 |
000145 | return settingsExist;
000146 | }
000147 |
000148 | override bool OnSave()
000149 | {
000150 |     JsonFileLoader<ExpansionAILocationSettings>.JsonSaveFile(PATH, this);
000151 |     return true;
000152 | }
000153 |
000154 | override void Defaults()
000155 | {
000156 |     m_Version = VERSION;
000157 | }
```

```

000158 |         int include;
000159 |         include |= ExpansionLocationType.CAMP;
000160 |         include |= ExpansionLocationType.HILL;
000161 |         include |= ExpansionLocationType.LOCAL;
000162 |         include |= ExpansionLocationType.LOCALOFFICE;
000163 |         //include |= ExpansionLocationType.MARINE;
000164 |         include |= ExpansionLocationType.RAILROADSTATION;
000165 |         include |= ExpansionLocationType.RUIN;
000166 |         include |= ExpansionLocationType.SETTLEMENT;
000167 |         //include |= ExpansionLocationType.VIEWPOINT;
000168 |
000169 |         RoamingLocations = ExpansionLocationT<ExpansionAIRoamingLocation>.GetWorldLocations(include);
000170 |
000171 |         if (RoamingLocations.Count() == 0)
000172 |             EXPrint(this, "Map " + g_Game.GetWorldName() + " has no locations!");
000173 |
000174 |         /// Excluded buildings are structures where the pathfinding won't generate a good path.
000175 |         /// TODO: Possibly move excludes to cover obj discovery in eAIBase::UpdateTargets?
000176 |         ///         Testing necessary. Is that even a problem for taking cover (since it's temporary) or just
000177 |         ///         for roaming (target position won't change unless reached)?
000178 |         /// @note classnames can be for groups of buildings (e.g. Land_House_1W09 has a yellow variant)
000179 |         ExcludedRoamingBuildings = {
000180 |             "Land_Boat_", /// Sakhal, pathfinding won't find a path off the boat
000181 |             "Land_CementWorks_Hall2_Grey", /// Unsuitable path endpoint
000182 |             "Land_Factory_Small", /// Unsuitable path endpoint
000183 |             "Land_House_1W09", /// Path endpoint between opened door and wall leading to AI running in circles trying to reach point
000184 |             "Land_House_2W03", /// Unsuitable path endpoint
000185 |             "Land_HouseBlock_1F4", /// Path endpoint behind unopenable lattice door
000186 |             "Land_Boathouse", /// When AI falls into water it will likely get stuck under pier due to path always leading under it
000187 |             "Land_Mine_Building", /// Stairs
000188 |             "Land_Shed_W2", /// Pathfinding tends to find a way in, but not out.
000189 |             "Land_Tenement_Big", /// AI can get stuck on upper floors when climbing the broken stairs
000190 |             "Land_Misc_Toilet_Mobile", /// Too many door interactions
000191 |             "Land_Ship_Medium2", /// AI can get stuck
000192 |             "Land_Train_Wagon_Box"
000193 |         };
000194 |     }
000195 |
000196 |     override string SettingName()
000197 |     {
000198 |         return "AI Location Settings";
000199 |     }
000200 | }
000201 |

```

0037. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaiobjectpatrol.c

Size bytes: 928

SHA-256: 7c1ff93d29b7e142c74c053121dfa439b0bb23c603a753bd2e3bc59f53cfe8

Decoded as: utf-8-sig

Line count shown: 29

Detected class declarations: 2

L14: class ExpansionAIObjectPatrol: ExpansionAIDynamicSpawnBase

L25: class ExpansionAICrashPatrol: ExpansionAIObjectPatrol

Detected enum declarations: 0

Detected function/method-like declarations: 1

L19: void ExpansionAIObjectPatrol(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", st

Full file content

```
000001 | /**
000002 |  * ExpansionAIObjectPatrol.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | //! Legacy
000014 | class ExpansionAIObjectPatrol: ExpansionAIDynamicSpawnBase
000015 | {
000016 |     string LoadoutFile;
000017 |     string ClassName;
000018 |
000019 |     void ExpansionAIObjectPatrol(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", string loa = "", boo
000020 | l canbelooted = true, int unlimitedreload = 0, float chance = 1.0, float mindistradius = -1, float maxdistradius = -1, string classname = "Wreck_UH1Y")
000021 |     {
000022 |         EXError.Error(this, "DEPRECATED, do not use");
000023 |     }
000024 | };
000025 | class ExpansionAICrashPatrol: ExpansionAIObjectPatrol
000026 | {
000027 |     string EventName;
000028 | };
000029 |
```

0038. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrol.c

Size bytes: 1034

SHA-256: d7fa5a18d24ab87ecf195d168f310d1401e0804bc99114b804517d16ead5e214

Decoded as: utf-8-sig

Line count shown: 31

Detected class declarations: 2

L13: class ExpansionAIPatrol: ExpansionAIDynamicSpawnBase

L27: class ExpansionAIPatrol_V4: ExpansionAIPatrol

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: void ExpansionAIPatrol(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", string l

Full file content

```
000001 | /**
000002 |  * ExpansionAIPatrol.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionAIPatrol: ExpansionAIDynamicSpawnBase
000014 | {
000015 |     void ExpansionAIPatrol(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", string loa = "HumanLoadout
000016 |     ", bool canbelooted = true, int unlimitedreload = 0, float chance = 1.0, float mindistradius = -1, float maxdistradius = -1, float respawntime = -2, float wprnd =
000017 |     0, TVectorArray way = null)
000018 |     {
000019 |         RespawnTime = respawntime;
000020 |         if (wprnd < 0.0)
000021 |             MinSpreadRadius = 1;
000022 |         MaxSpreadRadius = Math.AbsFloat(wprnd);
000023 |         UseRandomWaypointAsStartPoint = true;
000024 |         Waypoints = way;
000025 |     }
000026 | };
000027 |
000028 | ///! Legacy
000029 | class ExpansionAIPatrol_V4: ExpansionAIPatrol
000030 | {
000031 |     string LoadoutFile;
```

0039. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolbase.c
Size bytes: 12856
SHA-256: 6ba0e53c931a011a19ed08a61345b75b34df47ab93a37cbe36b2172edfef6c86
Decoded as: utf-8-sig
Line count shown: 430
Detected class declarations: 2
  L13: class ExpansionAISpawnBase
  L213: class ExpansionAIDynamicSpawnBase: ExpansionAISpawnBase
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L50: void ExpansionAISpawnBase(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", strin
  L76: float GetSpeed()
  L81: float GetThreatSpeed()
  L86: int GetBehaviour()
  L91: eAIStance GetDefaultStance()
  L96: void SetDefaultLootingBehaviour()
  L104: int GetLootingBehaviour()
  L126: static vector GetPlacementPosition(vector pos)
  L155: TVectorArray GetWaypoints(vector position = vector.Zero, int beh = eAIWaypointBehavior.HALT)
  L159: void UpdateSettings()
  L201: void GenerateBaseName()
  L208: void Log(string msg)
  L232: void ExpansionAIDynamicSpawnBase(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West"
  L245: void DefaultSpread()
  L282: TVectorArray GenerateWaypoints(vector position = vector.Zero, int beh = eAIWaypointBehavior.HALT)
  L345: override TVectorArray GetWaypoints(vector position = vector.Zero, int beh = eAIWaypointBehavior.HALT)
  L416: override void Log(string msg)
  L424: else if (settings.AIPatrol)

```

Full file content

```

000001 | /**
000002 |  * ExpansionAIPatrolBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionAISpawnBase
000014 | {
000015 |     string Name; // user-definable name for easier recognition
000016 |     bool Persist; // Patrol will be saved & restored between server restarts unless all members of it are killed
000017 |     string Faction; // Raiders, Mercenaries, West, East, Guards, Civilian, Passive
000018 |     string Formation; // Column, File, Vee, Wall or RANDOM
000019 |     float FormationScale = 1.5;
000020 |     float FormationLooseness;
000021 |     string Loadout; // a json file containing the loadout of this team - if empty, will use the default loadout of the faction
000022 |     ref TStringArray Units = {}; // If non-empty, pick from these AI classnames when spawning
000023 |     int NumberOfAI; // How many bots, if NumberOfAIMax is 0, will use exact number, else between NumberOfAI and NumberOfAIMax
000024 |     int NumberOfAIMax; // How many bots max, value above 0 will spawn between NumberOfAI and NumberOfAIMax
000025 |     string Behaviour; // See eAIWaypointBehavior
000026 |     string LootingBehaviour;
000027 |     string Speed; // See eAIMovementSpeed
000028 |     string UnderThreatSpeed; //

```

```
000029 |     string DefaultStance = "STANDING";
000030 |     float DefaultLookAngle;
000031 |     bool CanBeLooted;           // if enabled, the bots can be looted by the players
000032 |     string LootDropOnDeath;     // Loot to drop when AI dies (file name)
000033 |     int UnlimitedReload;        // should bots be able to reload indefinitely (still needs spare mag in inventory!)
000034 |     float SniperProneDistanceThreshold;
000035 |     float AccuracyMin;
000036 |     float AccuracyMax;
000037 |     float ThreatDistanceLimit;
000038 |     float NoiseInvestigationDistanceLimit;
000039 |     float MaxFlankingDistance = -1;
000040 |     int EnableFlankingOutsideCombat = -1;
000041 |     float DamageMultiplier;
000042 |     float DamageReceivedMultiplier;
000043 |     float HeadshotResistance;
000044 |     float ShoryukenChance;
000045 |     float ShoryukenDamageMultiplier;
000046 |
000047 |     [NonSerialized()]
000048 |     string m_BaseName;
000049 |
000050 |     void ExpansionAISpawnBase(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", string loa = "", bool c
anbelooted = true, int unlimitedreload = 0)
000051 |     {
000052 |         if (bod < 0)
000053 |         {
000054 |             NumberOfAI = 1;
000055 |             NumberOfAIMax = -bod;
000056 |         }
000057 |         else
000058 |         {
000059 |             NumberOfAI = bod;
000060 |         }
000061 |         Speed = spd;
000062 |         UnderThreatSpeed = threatspd;
000063 |         Behaviour = beh;
000064 |         Faction = fac;
000065 |         Loadout = loa;
000066 |         CanBeLooted = canbelooted;
000067 |         UnlimitedReload = unlimitedreload;
000068 |         AccuracyMin = -1;
000069 |         AccuracyMax = -1;
000070 |         ThreatDistanceLimit = -1;
000071 |         NoiseInvestigationDistanceLimit = -1;
000072 |         DamageMultiplier = -1;
000073 |         DamageReceivedMultiplier = -1;
000074 |     }
000075 |
000076 |     float GetSpeed()
000077 |     {
000078 |         return typename.StringToEnum(eAIMovementSpeed, Speed);
000079 |     }
000080 |
000081 |     float GetThreatSpeed()
000082 |     {
000083 |         return typename.StringToEnum(eAIMovementSpeed, UnderThreatSpeed);
000084 |     }
000085 |
000086 |     int GetBehaviour()
000087 |     {
000088 |         return typename.StringToEnum(eAIWaypointBehavior, Behaviour);
000089 |     }
```

```
000090 |
000091 |     eAIStance GetDefaultStance()
000092 |     {
000093 |         return typename.StringToEnum(eAIStance, DefaultStance);
000094 |     }
000095 |
000096 | void SetDefaultLootingBehaviour()
000097 | {
000098 |     if (Behaviour == "ROAMING" || Behaviour == "ROAMING_LOCAL")
000099 |         LootingBehaviour = "ALL";
000100 |     else
000101 |         LootingBehaviour = "DEFAULT";
000102 | }
000103 |
000104 | int GetLootingBehaviour()
000105 | {
000106 |     if (!LootingBehaviour)
000107 |         SetDefaultLootingBehaviour();
000108 |
000109 |     int bitmask;
000110 |
000111 |     TStringArray lootingBehaviors = {};
000112 |     LootingBehaviour.Split("|", lootingBehaviors);
000113 |     foreach (string lootingBehavior: lootingBehaviors)
000114 |     {
000115 |         lootingBehavior.TrimInPlace();
000116 |         int value = typename.StringToEnum(eAILootingBehavior, lootingBehavior);
000117 |         if (value == -1)
000118 |             EXError.Error(this, "Invalid looting behaviour " + lootingBehavior, {});
000119 |         else
000120 |             bitmask |= value;
000121 |     }
000122 |
000123 |     return bitmask;
000124 | }
000125 |
000126 | static vector GetPlacementPosition(vector pos)
000127 | {
000128 |     vector hitPosition;
000129 |     PhxInteractionLayers layerMask;
000130 |     layerMask |= PhxInteractionLayers.BUILDING;
000131 |     layerMask |= PhxInteractionLayers.VEHICLE;
000132 |     layerMask |= PhxInteractionLayers.ROADWAY;
000133 |     layerMask |= PhxInteractionLayers.TERRAIN;
000134 |     layerMask |= PhxInteractionLayers.ITEM_LARGE;
000135 |     layerMask |= PhxInteractionLayers.FENCE;
000136 |     if (DayZPhysics.RayCastBullet(pos + "0 1.6 0", pos - "0 10 0", layerMask, null, null, hitPosition, null, null))
000137 |     {
000138 |         pos = hitPosition;
000139 |     }
000140 |     else
000141 |     {
000142 |         ///! Make sure position is not under terrain
000143 |         float surfaceY = ExpansionStatic.GetSurfaceRoadY3D(pos[0], pos[1], pos[2], RoadSurfaceDetection.CLOSEST, UseObjectsMode.Wait);
000144 |         if (pos[1] < surfaceY)
000145 |             pos[1] = surfaceY;
000146 |     }
000147 |
000148 |     float waterDepth = g_Game.GetWaterDepth(pos);
000149 |     if (waterDepth > 0)
000150 |         pos[1] = pos[1] + waterDepth;
000151 | }
```



```
000152 |     return pos;
000153 | }
000154 |
000155 | TVectorArray GetWaypoints(vector position = vector.Zero, int beh = eAIWaypointBehavior.HALT)
000156 | {
000157 | }
000158 |
000159 | void UpdateSettings()
000160 | {
000161 |     //! v1/v2 to v3
000162 |     switch (Faction)
000163 |     {
000164 |         case "INSURGENT":
000165 |             Faction = "Raiders";
000166 |             break;
000167 |         case "WEST":
000168 |         case "EAST":
000169 |         case "RAIDERS":
000170 |         case "CIVILIAN":
000171 |         case "GUARDS":
000172 |         case "PASSIVE":
000173 |             string lowerpart = Faction.Substring(1, Faction.Length() - 1);
000174 |             lowerpart.ToLower();
000175 |             Faction = Faction[0] + lowerpart;
000176 |             break;
000177 |     }
000178 |
000179 |     //! v1/v2/v3 to v4
000180 |     switch (Behaviour)
000181 |     {
000182 |         case "HOLD":
000183 |             Behaviour = "HALT";
000184 |             break;
000185 |         case "PATROL":
000186 |         case "REVERSE":
000187 |             Behaviour = "ALTERNATE";
000188 |             break;
000189 |         case "HOLD OR PATROL":
000190 |             Behaviour = "HALT_OR_ALTERNATE";
000191 |             break;
000192 |     }
000193 |
000194 |     if (Speed == "RANDOM")
000195 |         Speed = "RANDOM_NONSTATIC";
000196 |
000197 |     if (UnderThreatSpeed == "RANDOM")
000198 |         UnderThreatSpeed = "RANDOM_NONSTATIC";
000199 | }
000200 |
000201 | void GenerateBaseName()
000202 | {
000203 |     ExpansionSHA256.Update(Name);
000204 |     m_BaseName = ExpansionSHA256.HexDigest();
000205 |     ExpansionSHA256.Reset();
000206 | }
000207 |
000208 | void Log(string msg)
000209 | {
000210 | }
000211 | };
000212 |
000213 | class ExpansionAIDynamicSpawnBase: ExpansionAISpawnBase
```

```

000214 | {
000215 |     bool CanSpawnInContaminatedArea;
000216 |     bool CanBeTriggeredByAI;
000217 |     float MinDistRadius;           // If the player is closer than MinDistRadius from the spawn point, the patrol won't spawn, if set to -2, will use the gen
eral setting instead
000218 |     float MaxDistRadius;           // Same but if the player is further away than MaxDistRadius, the bots won't spawn, if set to -2, will use the general set
ting instead
000219 |     float DespawnRadius;
000220 |     float MinSpreadRadius;
000221 |     float MaxSpreadRadius;
000222 |     float Chance;                 // chance for this patrol to spawn
000223 |     float DespawnTime;            // if all players outside despawn radius, ticks up time. When despawn time reached, patrol is deleted. If set to -1, wil
l use general setting instead
000224 |     float RespawnTime;            // Time in seconds before the dead group will respawn. If set to -1, they won't respawn, if set to -2, will use the gene
ral setting instead
000225 |     string LoadBalancingCategory; // Category name to use for load balancing. Needs matching entry in AIPatrolSettings::LoadBalancingCategories.
000226 |                                     // If left empty, will use "ObjectPatrols" for object patrols, "Patrols" for normal patrols, or "Global".
000227 |     string ObjectClassName; // Object for patrol to spawn on, needs to be registered via eAIRegisterDynamicPatrolSpawner (by default, only BuildingBase is regist
ered). If set, Waypoints array (below) will be ignored and waypoints will be generated dynamically
000228 |     string WaypointInterpolation;
000229 |     bool UseRandomWaypointAsStartPoint;
000230 |     auto_ptr<TVectorArray> Waypoints; // a list of positions to create a path to follow
000231 |
000232 |     void ExpansionAIDynamicSpawnBase(int bod = 1, string spd = "JOG", string threatspd = "SPRINT", string beh = "ALTERNATE", string fac = "West", string loa = "",
bool canbelooted = true, int unlimitedreload = 0, float chance = 1.0, float mindistradius = -1, float maxdistradius = -1)
000233 |     {
000234 |         Chance = chance;
000235 |         MinDistRadius = mindistradius;
000236 |         MaxDistRadius = maxdistradius;
000237 |         if (maxdistradius > 0)
000238 |             DespawnRadius = maxdistradius * 1.1;
000239 |         else
000240 |             DespawnRadius = -1;
000241 |         DespawnTime = -1;
000242 |         RespawnTime = -2;
000243 |     }
000244 |
000245 |     void DefaultSpread()
000246 |     {
000247 |         string clsNameLower = ObjectClassName;
000248 |         clsNameLower.ToLower();
000249 |
000250 |         switch (clsNameLower)
000251 |         {
000252 |             case "contaminatedarea_static":
000253 |             case "contaminatedarea_dynamic":
000254 |                 MinSpreadRadius = 10;
000255 |                 MaxSpreadRadius = 100;
000256 |                 break;
000257 |
000258 |             case "land_city_policestation":
000259 |                 MinSpreadRadius = 20;
000260 |                 MaxSpreadRadius = 40;
000261 |                 break;
000262 |
000263 |             case "land_village_policestation":
000264 |                 MinSpreadRadius = 15;
000265 |                 MaxSpreadRadius = 35;
000266 |                 break;
000267 |
000268 |             default:
000269 |                 MinSpreadRadius = 10;

```

```
000270 |             MaxSpreadRadius = 20;
000271 |             break;
000272 |         }
000273 |
000274 |         if (Behaviour == "HALT")
000275 |         {
000276 |             MinSpreadRadius *= 0.5;
000277 |             MaxSpreadRadius *= 0.5;
000278 |         }
000279 |     }
000280 |
000281 |     ///! @note behavior param is deprecated and should not be used
000282 |     TVectorArray GenerateWaypoints(vector position = vector.Zero, int beh = eAIWaypointBehavior.HALT)
000283 |     {
000284 |         TVectorArray waypoints = {};
000285 |         vector waypoint;
000286 |         int amountofwaypoints;
000287 |
000288 |         if (!MinSpreadRadius)
000289 |             MinSpreadRadius = 5;
000290 |         if (MaxSpreadRadius < MinSpreadRadius)
000291 |             MaxSpreadRadius = MinSpreadRadius + 5;
000292 |
000293 |         if (ObjectClassName == "ContaminatedArea_Static" || ObjectClassName == "ContaminatedArea_Dynamic")
000294 |         {
000295 |             amountofwaypoints = Math.RandomIntInclusive(4, 8);
000296 |
000297 |             for (int i = 0; i < amountofwaypoints; i++)
000298 |             {
000299 |                 waypoint = ExpansionMath.GetRandomPointInRing(position, MinSpreadRadius, MaxSpreadRadius);
000300 |                 waypoint = ExpansionStatic.GetSurfaceRoadPosition(waypoint, RoadSurfaceDetection.CLOSEST, UseObjectsMode.Wait);
000301 |
000302 |                 waypoints.Insert(waypoint);
000303 |             }
000304 |         }
000305 |         else
000306 |         {
000307 |             ///! For wrecks, we let AI follow a roughly circular pattern around the wreck so they don't run into it
000308 |
000309 |             int ccw = Math.RandomIntInclusive(0, 1);
000310 |             float angle = Math.RandomFloat(0, 360);
000311 |             float angleIncCumulative;
000312 |
000313 |             ///! This will generate anywhere from 8 to 10 waypoints
000314 |             while (true)
000315 |             {
000316 |                 waypoint = ExpansionMath.GetRandomPointAtDegrees(position, angle, MinSpreadRadius, MaxSpreadRadius);
000317 |                 waypoint = ExpansionStatic.GetSurfaceRoadPosition(waypoint, RoadSurfaceDetection.CLOSEST, UseObjectsMode.Wait);
000318 |
000319 |                 waypoints.Insert(waypoint);
000320 |
000321 |                 float angleInc = Math.RandomFloat(36, 45);
000322 |
000323 |                 angleIncCumulative += angleInc;
000324 |                 if (angleIncCumulative > 360)
000325 |                     break;
000326 |
000327 |                 if (ccw)
000328 |                 {
000329 |                     angle -= angleInc;
000330 |                     if (angle < 0)
000331 |                         angle += 360;
```

```
000332 |         }
000333 |         else
000334 |         {
000335 |             angle += angleInc;
000336 |             if (angle > 360)
000337 |                 angle -= 360;
000338 |         }
000339 |     }
000340 | }
000341 |
000342 | return waypoints;
000343 | }
000344 |
000345 | override TVectorArray GetWaypoints(vector position = vector.Zero, int beh = eAIWaypointBehavior.HALT)
000346 | {
000347 |     TVectorArray waypoints;
000348 |     bool generated;
000349 |
000350 |     if (ObjectClassName)
000351 |     {
000352 |         if (Waypoints && Waypoints.Count() > 0)
000353 |         {
000354 |             ///! Actual waypoints will be determined in eAIDynamicPatrolSpawner by converting relative to world coordinates
000355 |             ///! This just to have a non-zero startpos for eAIDynamicPatrol::Setup
000356 |             waypoints = {position};
000357 |         }
000358 |         else
000359 |         {
000360 |             waypoints = GenerateWaypoints(position, beh);
000361 |             generated = true;
000362 |         }
000363 |     }
000364 |     else
000365 |     {
000366 |         waypoints = {};
000367 |
000368 |         foreach (vector waypoint: Waypoints)
000369 |         {
000370 |             if (MaxSpreadRadius > 0)
000371 |                 waypoint = ExpansionMath.GetRandomPointInRing(waypoint, MinSpreadRadius, MaxSpreadRadius);
000372 |
000373 |             waypoints.Insert(GetPlacementPosition(waypoint));
000374 |         }
000375 |     }
000376 |
000377 |     if (WaypointInterpolation)
000378 |     {
000379 |         int curveType;
000380 |
000381 |         if (!ExpansionStatic.StringToEnumEx(ECurveType, WaypointInterpolation, curveType))
000382 |         {
000383 |             EXError.Error(null, string.Format("WaypointInterpolation \"%1\" is not one of the valid values, \"CatmullRom\", \"NaturalCubic\" or \"UniformCubic
000384 |             \", WaypointInterpolation), {});
000385 |         }
000386 |         else
000387 |         {
000388 |             bool smooth;
000389 |
000390 |             if (MaxSpreadRadius > 0)
000391 |                 smooth = true;
000392 |
000392 |             waypoints = ExpansionMath.PathInterpolated(waypoints, curveType, smooth);
```

```
000393 |     }
000394 | }
000395 |
000396 | TVectorArray filteredPoints;
000397 |
000398 | if (generated)
000399 | {
000400 |     //! If generated waypoints, filter
000401 |     filteredPoints = {};
000402 |
000403 |     foreach (vector candidate: waypoints)
000404 |     {
000405 |         //! Ignore waypoint if in high water (threshold of 1 m matches SHumanCommandMoveSettings.m_fWaterLevelSpeedRestrictionHigh)
000406 |         if (g_Game.GetWaterDepth(candidate) < 1.0)
000407 |             filteredPoints.Insert(candidate);
000408 |     }
000409 |
000410 |     waypoints = filteredPoints;
000411 | }
000412 |
000413 | return waypoints;
000414 | }
000415 |
000416 | override void Log(string msg)
000417 | {
000418 |     auto settings = GetExpansionSettings().GetLog();
000419 |     if (ObjectClassName)
000420 |     {
000421 |         if (settings.AIObjectPatrol)
000422 |             settings.PrintLog("[AI Object Patrol] %1", msg);
000423 |     }
000424 |     else if (settings.AIPatrol)
000425 |     {
000426 |         settings.PrintLog("[AI Patrol] %1", msg);
000427 |     }
000428 | }
000429 | };
000430 |
```

0040. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolloadbalancing.c
Size bytes: 365
SHA-256: 546e8a2bed7d2fed7dd60e4bb50b37c6c3142d9f80ebd0c34e8eb0897060e172
Decoded as: utf-8-sig
Line count shown: 17
Detected class declarations: 1
 L1: class ExpansionAIPatrolLoadBalancing
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L10: void ExpansionAIPatrolLoadBalancing(int minPlayers = 1, int maxPlayers = 255, int maxPatrols = -1)

Full file content

```
000001 | class ExpansionAIPatrolLoadBalancing
000002 | {
000003 |     int MinPlayers;
000004 |     int MaxPlayers;
000005 |     int MaxPatrols;
000006 |
000007 |     [NonSerialized()]
000008 |     ref ExpansionAIPatrolLoadBalancingTracker m_PatrolCountTracker;
000009 |
000010 |     void ExpansionAIPatrolLoadBalancing(int minPlayers = 1, int maxPlayers = 255, int maxPatrols = -1)
000011 |     {
000012 |         MinPlayers = minPlayers;
000013 |         MaxPlayers = maxPlayers;
000014 |         MaxPatrols = maxPatrols;
000015 |     }
000016 | }
000017 |
```

0041. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolloadbalancingtracker.c
Size bytes: 68
SHA-256: 08d81359943d7e543b7ae0b3cc01dd0f1b1c0d56a4dacc28724eb714ddb39661
Decoded as: utf-8-sig
Line count shown: 5
Detected class declarations: 1
 L1: class ExpansionAIPatrolLoadBalancingTracker
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | class ExpansionAIPatrolLoadBalancingTracker
000002 | {
000003 |     int m_PatrolCount;
000004 | }
000005 |
```

0042. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/settings/patrols/expansionaipatrolsettings.c
Size bytes: 33985
SHA-256: fe60edf4a7326ae2b9a878135f0f8d2a4a47697da0def9504564c097863fe7c3
Decoded as: utf-8-sig
Line count shown: 1039
Detected class declarations: 5
  L13: class ExpansionAIPatrolSettingsBase: ExpansionSettingBase
  L39: class ExpansionAIPatrolSettingsV4
  L45: class ExpansionAIPatrolSettingsV19
  L51: class ExpansionAIPatrolSettingsV24
  L59: class ExpansionAIPatrolSettings: ExpansionAIPatrolSettingsBase
Detected enum declarations: 0
Detected function/method-like declarations: 41
  L80: override bool OnRecieve( ParamsReadContext ctx )
  L90: override void OnSend( ParamsWriteContext ctx )
  L98: override int Send( PlayerIdentity identity )
  L108: override bool Copy( ExpansionSettingBase setting )
  L124: private void CopyInternal( ExpansionAIPatrolSettings s )
  L142: private void CopyInternal( ExpansionAIPatrolSettingsBase s )
  L160: override bool IsLoaded()
  L166: override void Unload()
  L172: override bool OnLoad()
  L200: else if (settingsBase.m_Version < 20)
  L207: else if (!ExpansionJsonFileParser<ExpansionAIPatrolSettings>.Load(EXPANSION_AIPATROL_SETTINGS, this))
  L249: else if (version < 20)
  L271: else if (version < 25)
  L528: override bool OnSave()
  L537: override void Update( ExpansionSettingBase setting )
  L545: override void Defaults()
  L579: new ExpansionAIPatrolLoadBalancing(0, 10, 20),
  L580: new ExpansionAIPatrolLoadBalancing(11, 20, 16),
  L581: new ExpansionAIPatrolLoadBalancing(21, 30, 12),
  L582: new ExpansionAIPatrolLoadBalancing(31, 40, 8),
  L583: new ExpansionAIPatrolLoadBalancing(41, 50, 4),
  L584: new ExpansionAIPatrolLoadBalancing(51, 255, 0)
  L597: ExpansionAIDynamicSpawnBase AddObjectPatrol(int numberOfAI = 1, string speed = "JOG", string threatSpeed = "SPRINT", string bhv = "ALTERNATE"
  L613: private void AddObjectPatrol Internal(ExpansionAIDynamicSpawnBase patrol)
  L629: ExpansionAIPatrol AddPatrol(int numberOfAI = 1, string speed = "JOG", string threatSpeed = "SPRINT", string bhv = "ALTERNATE", string factio
  L640: void DefaultPatrols()
  L648: void DefaultObjectPatrols(string worldName)
  L769: void DefaultPatrols(string worldName)
  L777: void DefaultRoamingPatrols(string worldName)
  L784: else if (GetExpansionSettings().GetLog().AIPatrol)
  L789: TVectorArray GetSpawnPointPositions()
  L815: array<ref TVectorArray> GetClusters(TVectorArray positions, float maxDistance)
  L876: void DefaultRoamingPatrols(array<ref TVectorArray> clusters)
  L1001: string GetCardinalDirection(vector a, vector b)
  L1017: else if (angle < 67.5)
  L1019: else if (angle < 112.5)
  L1021: else if (angle < 157.5)
  L1023: else if (angle < 202.5)
  L1025: else if (angle < 247.5)
  L1027: else if (angle < 292.5)
  L1034: override string SettingName()

```

Full file content

```

000001 | /**
000002 |  * ExpansionAIPatrolSettings.c

```



```
000003 | *
000004 | * DayZ Expansion Mod
000005 | * www.dayzexpansion.com
000006 | * © 2022 DayZ Expansion Mod Team
000007 | *
000008 | * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 | * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 | *
000011 | */
000012 |
000013 | class ExpansionAIPatrolSettingsBase: ExpansionSettingBase
000014 | {
000015 |     bool Enabled;
000016 |
000017 |     float FormationScale;
000018 |
000019 |     float DespawnTime;           // If all players outside despawn radius, ticks up time. When despawn time reached, patrol is deleted.
000020 |     float RespawnTime;           // Time in seconds before the dead patrol will respawn. If set to -1, they won't respawn
000021 |     float MinDistRadius;         // If the player is closer than MinDistRadius from the spawn point, the patrol won't spawn
000022 |     float MaxDistRadius;         // Same but if the player is further away than MaxDistRadius, the bots won't spawn
000023 |
000024 |     float DespawnRadius;
000025 |
000026 |     float AccuracyMin;
000027 |     float AccuracyMax;
000028 |
000029 |     float ThreatDistanceLimit;
000030 |     float NoiseInvestigationDistanceLimit;
000031 |     float MaxFlankingDistance;
000032 |     int EnableFlankingOutsideCombat;
000033 |     float DamageMultiplier;
000034 |     float DamageReceivedMultiplier;
000035 |     float ShoryukenChance;
000036 |     float ShoryukenDamageMultiplier;
000037 | }
000038 |
000039 | class ExpansionAIPatrolSettingsV4
000040 | {
000041 |     ref array< ref ExpansionAICrashPatrol > EventCrashPatrol;
000042 |     ref array< ref ExpansionAIPatrol_V4 > Patrol;
000043 | }
000044 |
000045 | class ExpansionAIPatrolSettingsV19
000046 | {
000047 |     ref array< ref ExpansionAIObjectPatrol > ObjectPatrols;
000048 |     ref array< ref ExpansionAIPatrol_V4 > Patrols;
000049 | }
000050 |
000051 | class ExpansionAIPatrolSettingsV24
000052 | {
000053 |     ref array< ref ExpansionAIObjectPatrol > ObjectPatrols;
000054 | }
000055 |
000056 | /**@class      ExpansionAIPatrolSettings
000057 |  * @brief      Spawn settings class
000058 |  */
000059 | class ExpansionAIPatrolSettings: ExpansionAIPatrolSettingsBase
000060 | {
000061 |     static const int VERSION = 32;
000062 |
000063 |     ref map<string, ref array<ref ExpansionAIPatrolLoadBalancing>> LoadBalancingCategories = new map<string, ref array<ref ExpansionAIPatrolLoadBalancing>>;
000064 | }
```

```
000065 |     ref array< ref ExpansionAIDynamicSpawnBase > Patrols = {};
000066 |
000067 |     [NonSerialized()]
000068 |     ref map<string, ref array<ref ExpansionAIDynamicSpawnBase>> m_ObjectPatrols = new map<string, ref array<ref ExpansionAIDynamicSpawnBase>>;
000069 |
000070 |     [NonSerialized()]
000071 |     ref array< ref ExpansionAIDynamicSpawnBase > m_Patrols = {};
000072 |
000073 |     [NonSerialized()]
000074 |     private ref TStringArray m_UniquePersistentPatrolNames;
000075 |
000076 |     [NonSerialized()]
000077 |     private bool m_IsLoaded;
000078 |
000079 |     // -----
000080 |     override bool OnRecieve( ParamsReadContext ctx )
000081 |     {
000082 | #ifdef EXPANSIONTRACE
000083 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000084 | #endif
000085 |
000086 |         return true;
000087 |     }
000088 |
000089 |     // -----
000090 |     override void OnSend( ParamsWriteContext ctx )
000091 |     {
000092 | #ifdef EXPANSIONTRACE
000093 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnSend").Add(ctx);
000094 | #endif
000095 |     }
000096 |
000097 |     // -----
000098 |     override int Send( PlayerIdentity identity )
000099 |     {
000100 | #ifdef EXPANSIONTRACE
000101 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Send").Add(identity);
000102 | #endif
000103 |
000104 |         return 0;
000105 |     }
000106 |
000107 |     // -----
000108 |     override bool Copy( ExpansionSettingBase setting )
000109 |     {
000110 | #ifdef EXPANSIONTRACE
000111 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Copy").Add(setting);
000112 | #endif
000113 |
000114 |         ExpansionAIPatrolSettings s;
000115 |         if ( !Class.CastTo( s, setting ) )
000116 |             return false;
000117 |
000118 |         CopyInternal( s );
000119 |
000120 |         return true;
000121 |     }
000122 |
000123 |     // -----
000124 |     private void CopyInternal( ExpansionAIPatrolSettings s )
000125 |     {
000126 |         ExpansionArray<ExpansionAIDynamicSpawnBase>.RefCopy(s.Patrols, Patrols);
```

```
000127 |
000128 |     m_ObjectPatrols.Clear();
000129 |     foreach (string type, array<ref ExpansionAIDynamicSpawnBase> patrols: s.m_ObjectPatrols)
000130 |     {
000131 |         array<ref ExpansionAIDynamicSpawnBase> to = {};
000132 |         ExpansionArray<ExpansionAIDynamicSpawnBase>.RefCopy(patrols, to);
000133 |         m_ObjectPatrols[type] = to;
000134 |     }
000135 |
000136 |     ExpansionArray<ExpansionAIDynamicSpawnBase>.RefCopy(s.m_Patrols, m_Patrols);
000137 |
000138 |     ExpansionAIPatrolSettingsBase sb = s;
000139 |     CopyInternal( sb );
000140 | }
000141 |
000142 | private void CopyInternal( ExpansionAIPatrolSettingsBase s )
000143 | {
000144 |     Enabled = s.Enabled;
000145 |     FormationScale = s.FormationScale;
000146 |     RespawnTime = s.RespawnTime;
000147 |     DespawnTime = s.DespawnTime;
000148 |     MinDistRadius = s.MinDistRadius;
000149 |     MaxDistRadius = s.MaxDistRadius;
000150 |     DespawnRadius = s.DespawnRadius;
000151 |     AccuracyMin = s.AccuracyMin;
000152 |     AccuracyMax = s.AccuracyMax;
000153 |     ThreatDistanceLimit = s.ThreatDistanceLimit;
000154 |     NoiseInvestigationDistanceLimit = s.NoiseInvestigationDistanceLimit;
000155 |     DamageMultiplier = s.DamageMultiplier;
000156 |     DamageReceivedMultiplier = s.DamageReceivedMultiplier;
000157 | }
000158 |
000159 | // -----
000160 | override bool IsLoaded()
000161 | {
000162 |     return m_IsLoaded;
000163 | }
000164 |
000165 | // -----
000166 | override void Unload()
000167 | {
000168 |     m_IsLoaded = false;
000169 | }
000170 |
000171 | // -----
000172 | override bool OnLoad()
000173 | {
000174 | #ifdef EXPANSIONTRACE
000175 |     auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnLoad");
000176 | #endif
000177 |
000178 |     m_IsLoaded = true;
000179 |
000180 |     bool save;
000181 |
000182 |     bool settingsExist = FileExist(EXPANSION_AIPATROL_SETTINGS);
000183 |
000184 |     int version;
000185 |
000186 |     if (settingsExist)
000187 |     {
000188 |         EXPrint("[ExpansionAIPatrolSettings] Load existing setting file:" + EXPANSION_AIPATROL_SETTINGS);
```

```
000189 |
000190 |     ///! Try loading settings base
000191 |     ExpansionAIPatrolSettingsBase settingsBase;
000192 |     if (!ExpansionJsonFileParser<ExpansionAIPatrolSettingsBase>.Load(EXPANSION_AIPATROL_SETTINGS, settingsBase))
000193 |     {
000194 |         ///! Use defaults, but DON'T save them
000195 |         Defaults();
000196 |         DefaultPatrols();
000197 |
000198 |         version = VERSION;
000199 |     }
000200 |     else if (settingsBase.m_Version < 20)
000201 |     {
000202 |         CopyInternal(settingsBase);
000203 |
000204 |         version = settingsBase.m_Version;
000205 |     }
000206 |     ///! Try loading full setttings
000207 |     else if (!ExpansionJsonFileParser<ExpansionAIPatrolSettings>.Load(EXPANSION_AIPATROL_SETTINGS, this))
000208 |     {
000209 |         ///! Use defaults, but DON'T save them
000210 |         Defaults();
000211 |         DefaultPatrols();
000212 |
000213 |         version = VERSION;
000214 |     }
000215 |     else
000216 |     {
000217 |         version = m_Version;
000218 |     }
000219 |
000220 |     if (version < VERSION)
000221 |     {
000222 |         EXPrint("[ExpansionAIPatrolSettings] Load - Converting v" + version + " \"" + EXPANSION_AIPATROL_SETTINGS + "\" to v" + VERSION);
000223 |
000224 |         ExpansionAIPatrolSettings settingsDefault = new ExpansionAIPatrolSettings;
000225 |         settingsDefault.Defaults();
000226 |
000227 |         if (version < 5)
000228 |         {
000229 |             ///! Version 5: Renamed EventCrashPatrol to ObjectPatrols, renamed Patrol to Patrols
000230 |             ExpansionAIPatrolSettingsV4 settingsV4 = new ExpansionAIPatrolSettingsV4;
000231 |             if (ExpansionJsonFileParser<ExpansionAIPatrolSettingsV4>.Load(EXPANSION_AIPATROL_SETTINGS, settingsV4))
000232 |             {
000233 |                 foreach (ExpansionAICrashPatrol crashPatrol: settingsV4.EventCrashPatrol)
000234 |                 {
000235 |                     if (!crashPatrol.Loadout)
000236 |                         crashPatrol.Loadout = crashPatrol.LoadoutFile;
000237 |                     crashPatrol.ObjectClassName = crashPatrol.EventName;
000238 |                     Patrols.Insert(crashPatrol);
000239 |                 }
000240 |
000241 |                 foreach (ExpansionAIPatrol_V4 patrolV4: settingsV4.Patrol)
000242 |                 {
000243 |                     if (!patrolV4.Loadout)
000244 |                         patrolV4.Loadout = patrolV4.LoadoutFile;
000245 |                     Patrols.Insert(patrolV4);
000246 |                 }
000247 |             }
000248 |         }
000249 |     }
000250 |     else if (version < 20)
000251 |     {
```

```
000251 |         ///! Version 20: Renamed LoadoutFile to Loadout
000252 |         ExpansionAIPatrolSettingsV19 settingsV19;
000253 |         if (ExpansionJsonFileParser<ExpansionAIPatrolSettingsV19>.Load(EXPANSION_AIPATROL_SETTINGS, settingsV19))
000254 |         {
000255 |             foreach (ExpansionAIObjectPatrol objPatrolV19: settingsV19.ObjectPatrols)
000256 |             {
000257 |                 if (!objPatrolV19.Loadout)
000258 |                     objPatrolV19.Loadout = objPatrolV19.LoadoutFile;
000259 |                 objPatrolV19.ObjectClassName = objPatrolV19.ClassName;
000260 |                 Patrols.Insert(objPatrolV19);
000261 |             }
000262 |
000263 |             foreach (ExpansionAIPatrol_V4 patrolV19: settingsV19.Patrols)
000264 |             {
000265 |                 if (!patrolV19.Loadout)
000266 |                     patrolV19.Loadout = patrolV19.LoadoutFile;
000267 |                 Patrols.Insert(patrolV19);
000268 |             }
000269 |         }
000270 |     }
000271 |     else if (version < 25)
000272 |     {
000273 |         ///! Version 25: Merged ObjectPatrols into Patrols, renamed ClassName to ObjectClassName
000274 |         ExpansionAIPatrolSettingsV24 settingsV24;
000275 |         if (ExpansionJsonFileParser<ExpansionAIPatrolSettingsV24>.Load(EXPANSION_AIPATROL_SETTINGS, settingsV24))
000276 |         {
000277 |             array<ref ExpansionAIDynamicSpawnBase> patrolsTmp = {};
000278 |             ExpansionArray<ExpansionAIDynamicSpawnBase>.RefCopy(Patrols, patrolsTmp);
000279 |             Patrols.Clear();
000280 |
000281 |             foreach (ExpansionAIObjectPatrol objPatrolV24: settingsV24.ObjectPatrols)
000282 |             {
000283 |                 objPatrolV24.ObjectClassName = objPatrolV24.ClassName;
000284 |                 Patrols.Insert(objPatrolV24);
000285 |             }
000286 |
000287 |             foreach (ExpansionAIDynamicSpawnBase patrolTmp: patrolsTmp)
000288 |             {
000289 |                 Patrols.Insert(patrolTmp);
000290 |             }
000291 |         }
000292 |     }
000293 |
000294 |     if (version < 6)
000295 |         DespawnRadius = MaxDistRadius * 1.1;
000296 |
000297 |     if (version < 8)
000298 |     {
000299 |         DespawnTime = settingsDefault.DespawnTime;
000300 |         AccuracyMin = settingsDefault.AccuracyMin;
000301 |         AccuracyMax = settingsDefault.AccuracyMax;
000302 |     }
000303 |
000304 |     if (version < 16)
000305 |         NoiseInvestigationDistanceLimit = settingsDefault.NoiseInvestigationDistanceLimit;
000306 |
000307 |     if (version < 17 && !DamageReceivedMultiplier)
000308 |         DamageReceivedMultiplier = settingsDefault.DamageReceivedMultiplier;
000309 |
000310 |     if (version < 23 && !LoadBalancingCategories.Count())
000311 |         LoadBalancingCategories = settingsDefault.LoadBalancingCategories;
000312 |
```

```
000313 |         if (version < 24)
000314 |             FormationScale = settingsDefault.FormationScale;
000315 |
000316 |         if (!MaxFlankingDistance)
000317 |             MaxFlankingDistance = settingsDefault.MaxFlankingDistance;
000318 |
000319 |         if (version < 28 && !EnableFlankingOutsideCombat)
000320 |             EnableFlankingOutsideCombat = settingsDefault.EnableFlankingOutsideCombat;
000321 |
000322 |         if (version < 32)
000323 |         {
000324 |             if (!ShoryukenChance)
000325 |                 ShoryukenChance = settingsDefault.ShoryukenChance;
000326 |
000327 |             if (!ShoryukenDamageMultiplier)
000328 |                 ShoryukenDamageMultiplier = settingsDefault.ShoryukenDamageMultiplier;
000329 |         }
000330 |
000331 |         m_Version = VERSION;
000332 |         save = true;
000333 |     }
000334 |
000335 |     m_UniquePersistentPatrolNames = {};
000336 |
000337 |     ExpansionAIDynamicSpawnBase policeCrashPatrol;
000338 |
000339 |     foreach (ExpansionAIDynamicSpawnBase patrol: Patrols)
000340 |     {
000341 |         if (version < 4)
000342 |             patrol.UpdateSettings();
000343 |
000344 |         if (version < 6)
000345 |         {
000346 |             if (patrol.MaxDistRadius <= 0)
000347 |                 patrol.DespawnRadius = -2;
000348 |             else
000349 |                 patrol.DespawnRadius = patrol.MaxDistRadius * 1.1;
000350 |         }
000351 |
000352 |         if (version < 7)
000353 |             patrol.Formation = "RANDOM";
000354 |
000355 |         if (version < 8)
000356 |         {
000357 |             patrol.DespawnTime = -1;
000358 |             patrol.AccuracyMin = -1;
000359 |             patrol.AccuracyMax = -1;
000360 |         }
000361 |
000362 |         if (version < 11)
000363 |         {
000364 |             patrol.ThreatDistanceLimit = -1.0;
000365 |             patrol.DamageMultiplier = -1.0;
000366 |         }
000367 |
000368 |         if (version < 16)
000369 |             patrol.NoiseInvestigationDistanceLimit = -1.0;
000370 |
000371 |         if (version < 17 && !patrol.DamageReceivedMultiplier)
000372 |             patrol.DamageReceivedMultiplier = -1.0;
000373 |
000374 |         if (version < 22 && !patrol.LootingBehaviour)
```

```
000375 |         patrol.SetDefaultLootingBehaviour();
000376 |
000377 |     if (version < 24)
000378 |         patrol.FormationScale = -1;
000379 |
000380 |     if (!patrol.DefaultStance)
000381 |         patrol.DefaultStance = typename.EnumToString(eAIStance, eAIStance.STANDING);
000382 |
000383 |     if (!patrol.MaxFlankingDistance)
000384 |         patrol.MaxFlankingDistance = -1;
000385 |
000386 |     if (version < 28 && !patrol.EnableFlankingOutsideCombat)
000387 |         patrol.EnableFlankingOutsideCombat = -1;
000388 |
000389 |     if (version < 29 && patrol.DefaultLookAngle == -1)
000390 |         patrol.DefaultLookAngle = 0;
000391 |
000392 |     if (version < 30 && patrol.NumberOfAI < 0)
000393 |     {
000394 |         patrol.NumberOfAIMax = -patrol.NumberOfAI;
000395 |         patrol.NumberOfAI = 1;
000396 |     }
000397 |
000398 |     if (version < 32)
000399 |     {
000400 |         if (!patrol.ShoryukenChance)
000401 |             patrol.ShoryukenChance = -1;
000402 |
000403 |         if (!patrol.ShoryukenDamageMultiplier)
000404 |             patrol.ShoryukenDamageMultiplier = -1;
000405 |     }
000406 |
000407 |     if (patrol.ObjectClassName)
000408 |     {
000409 |         if (version < 2)
000410 |         {
000411 |             patrol.DefaultSpread();
000412 |
000413 |             switch (patrol.ObjectClassName)
000414 |             {
000415 |                 case "Wreck_Mi8":
000416 |                     patrol.ObjectClassName = "Wreck_Mi8_Crashed";
000417 |                     break;
000418 |                 case "Wreck_PoliceCar":
000419 |                     patrol.ObjectClassName = "Land_Wreck_sed01_aban1_police";
000420 |                     policeCrashPatrol = patrol;
000421 |                     break;
000422 |             }
000423 |         }
000424 |
000425 |         if (version < 9)
000426 |         {
000427 |             patrol.RespawnTime = -2;
000428 |         }
000429 |
000430 |         if (version < 23 && patrol.LoadBalancingCategory == "")
000431 |         {
000432 |             switch (patrol.ObjectClassName)
000433 |             {
000434 |                 case "Wreck_UH1Y":
000435 |                 case "Wreck_Mi8_Crashed":
000436 |                     patrol.LoadBalancingCategory = "HelicopterWreck";
```

```
000437 |         break;
000438 |
000439 |         case "ContaminatedArea_Static":
000440 |         case "ContaminatedArea_Dynamic":
000441 |             patrol.LoadBalancingCategory = "ContaminatedArea";
000442 |             break;
000443 |     }
000444 | }
000445 |
000446 | switch (patrol.ObjectClassName)
000447 | {
000448 |     case "ContaminatedArea_Static":
000449 |     case "ContaminatedArea_Dynamic":
000450 |         patrol.CanSpawnInContaminatedArea = true;
000451 |         break;
000452 | }
000453 |
000454 | if (patrol.Persist)
000455 | {
000456 |     EXError.Error(this, "Object patrol '" + patrol.ObjectClassName + "': Persistence is not supported for object patrols", {});
000457 |     patrol.Persist = false;
000458 | }
000459 |
000460 | if (!ExpansionStatic.IsAnyOf(patrol.ObjectClassName, eAIRegisterDynamicPatrolSpawner.s_RegisteredTypes))
000461 | {
000462 |     EXError.Error(this, "Ignoring object patrol classname '" + patrol.ObjectClassName + "' because it is not registered for dynamic patrol spawning", {});
000463 | }
000464 | else
000465 | {
000466 |     AddObjectPatrol_Internal(patrol);
000467 | }
000468 | }
000469 | else
000470 | {
000471 |     if (version < 2)
000472 |     {
000473 |         patrol.MinSpreadRadius = 1;
000474 |         patrol.MaxSpreadRadius = 100;
000475 |     }
000476 |
000477 |     if (patrol.Persist)
000478 |     {
000479 |         if (patrol.Name && m_UniquePersistentPatrolNames.Find(patrol.Name) == -1)
000480 |         {
000481 |             m_UniquePersistentPatrolNames.Insert(patrol.Name);
000482 |             patrol.GenerateBaseName();
000483 |         }
000484 |         else
000485 |         {
000486 |             EXError.Error(this, "Not an unique persistent patrol name: '" + patrol.Name + "'", {});
000487 |         }
000488 |     }
000489 |
000490 |     m_Patrols.Insert(patrol);
000491 | }
000492 | }
000493 |
000494 | if (policeCrashPatrol)
000495 | {
000496 |     TStringArray policeWrecks = {"Land_Wreck_sed01_aban2_police", "Land_Wreck_hb01_aban1_police", "Land_Wreck_hb01_aban2_police"};
000497 |     foreach (string policeWreck: policeWrecks)
```



```
000498 |         {
000499 |             AddObjectPatrol(policeCrashPatrol.NumberOfAI, policeCrashPatrol.Speed, policeCrashPatrol.UnderThreatSpeed, policeCrashPatrol.Behaviour, police
CrashPatrol.Faction, policeCrashPatrol.Loadout, policeCrashPatrol.CanBeLooted, policeCrashPatrol.UnlimitedReload, policeCrashPatrol.Chance, policeCrashPatrol.MinD
istRadius, policeCrashPatrol.MaxDistRadius, policeWreck);
000500 |         }
000501 |     }
000502 | }
000503 | else
000504 | {
000505 |     EXPrint("[ExpansionAIPatrolSettings] No existing setting file:" + EXPANSION_AIPATROL_SETTINGS + ". Creating defaults!");
000506 |     Defaults();
000507 |     DefaultPatrols();
000508 |     save = true;
000509 | }
000510 |
000511 | foreach (auto categories: LoadBalancingCategories)
000512 | {
000513 |     auto tracker = new ExpansionAIPatrolLoadBalancingTracker;
000514 |
000515 |     foreach (auto category: categories)
000516 |     {
000517 |         category.m_PatrolCountTracker = tracker;
000518 |     }
000519 | }
000520 |
000521 | if (save)
000522 |     Save();
000523 |
000524 | return settingsExist;
000525 | }
000526 |
000527 | // -----
000528 | override bool OnSave()
000529 | {
000530 |     Print("[ExpansionAIPatrolSettings] Saving settings");
000531 |
000532 |     JsonFileLoader<ExpansionAIPatrolSettings>.JsonSaveFile( EXPANSION_AIPATROL_SETTINGS, this );
000533 |     return true;
000534 | }
000535 |
000536 | // -----
000537 | override void Update( ExpansionSettingBase setting )
000538 | {
000539 |     super.Update( setting );
000540 |
000541 |     ExpansionSettings.SI_AI.Invoke();
000542 | }
000543 |
000544 | // -----
000545 | override void Defaults()
000546 | {
000547 |     m_Version = VERSION;
000548 |
000549 |     Enabled = true;
000550 |
000551 |     FormationScale = -1;
000552 |
000553 |     RespawnTime = 600;
000554 |     DespawnTime = 600;
000555 |     #ifdef DIAG_DEVELOPER
000556 |     MinDistRadius = 1;
000557 |     #else
```

```
000558 |         MinDistRadius = 400;
000559 |         #endif
000560 |         MaxDistRadius = 1000;
000561 |         DespawnRadius = 1100;
000562 |         AccuracyMin = -1;
000563 |         AccuracyMax = -1;
000564 |
000565 |         ThreatDistanceLimit = -1;
000566 |         NoiseInvestigationDistanceLimit = -1;
000567 |         MaxFlankingDistance = -1;
000568 |         EnableFlankingOutsideCombat = -1;
000569 |         DamageMultiplier = -1;
000570 |         DamageReceivedMultiplier = -1;
000571 |         ShoryukenChance = 0.01;
000572 |         ShoryukenDamageMultiplier = 3.0;
000573 |
000574 |         //!< maxplayers = 60
000575 |         //!< aicount_per_patrol = 3
000576 |         //!< cost_per_ai = 1.5
000577 |         //!< maxpatrols = (maxplayers - curplayers) / (aicount_per_patrol * cost_per_ai)
000578 |         LoadBalancingCategories["Global"] = {
000579 |             new ExpansionAIPatrolLoadBalancing(0, 10, 20),
000580 |             new ExpansionAIPatrolLoadBalancing(11, 20, 16),
000581 |             new ExpansionAIPatrolLoadBalancing(21, 30, 12),
000582 |             new ExpansionAIPatrolLoadBalancing(31, 40, 8),
000583 |             new ExpansionAIPatrolLoadBalancing(41, 50, 4),
000584 |             new ExpansionAIPatrolLoadBalancing(51, 255, 0)
000585 |         };
000586 |         LoadBalancingCategories["ObjectPatrol"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 5)};
000587 |         LoadBalancingCategories["Patrol"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 5)};
000588 |         LoadBalancingCategories["Quest"] = {new ExpansionAIPatrolLoadBalancing(0, 255, -1)};
000589 |         LoadBalancingCategories["HelicopterWreck"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 3)};
000590 |         LoadBalancingCategories["ContaminatedArea"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 2)};
000591 |         LoadBalancingCategories["MilitaryRoaming"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 5)};
000592 |         LoadBalancingCategories["MilitaryStatic"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 5)};
000593 |         LoadBalancingCategories["Survivor"] = {new ExpansionAIPatrolLoadBalancing(0, 255, 15)};
000594 |         LoadBalancingCategories["Example"] = {new ExpansionAIPatrolLoadBalancing(0, 255, -1)};
000595 |     }
000596 |
000597 |     ExpansionAIDynamicSpawnBase AddObjectPatrol(int numberOfAI = 1, string speed = "JOG", string threatSpeed = "SPRINT", string bhv = "ALTERNATE", string faction
= "West", string loadout = "", bool canBeLooted = true, int unlimitedReload = 0, float chance = 1.0, float minDistRadius = -1, float maxDistRadius = -1, string ob
jClassName = "Wreck_UH1Y", TVectorArray waypoints = null)
000598 |     {
000599 |         ExpansionAIDynamicSpawnBase patrol = new ExpansionAIDynamicSpawnBase(numberOfAI, speed, threatSpeed, bhv, faction, loadout, canBeLooted, unlimitedReload,
chance, minDistRadius, maxDistRadius);
000600 |
000601 |         patrol.ObjectClassName = objClassName;
000602 |         if (!waypoints)
000603 |             patrol.DefaultSpread();
000604 |         patrol.Waypoints = waypoints;
000605 |
000606 |         Patrols.Insert(patrol);
000607 |
000608 |         AddObjectPatrol_Internal(patrol);
000609 |
000610 |         return patrol;
000611 |     }
000612 |
000613 |     private void AddObjectPatrol_Internal(ExpansionAIDynamicSpawnBase patrol)
000614 |     {
000615 |         string type = patrol.ObjectClassName;
000616 |     }
```

```
000617 |         type.ToLower();
000618 |
000619 |         array<ref ExpansionAIDynamicSpawnBase> objectPatrols;
000620 |         if (!m_ObjectPatrols.Find(type, objectPatrols))
000621 |         {
000622 |             objectPatrols = {};
000623 |             m_ObjectPatrols[type] = objectPatrols;
000624 |         }
000625 |
000626 |         objectPatrols.Insert(patrol);
000627 |     }
000628 |
000629 |     ExpansionAIPatrol AddPatrol(int numberOfAI = 1, string speed = "JOG", string threatSpeed = "SPRINT", string bhv = "ALTERNATE", string faction = "West", string
loadout = "HumanLoadout", bool canBeLooted = true, int unlimitedReload = 0, float chance = 1.0, float minDistRadius = -1, float maxDistRadius = -1, float respawn
Time = -2, float maxSpreadRadius = 0, TVectorArray waypoints = null)
000630 |     {
000631 |         ExpansionAIPatrol patrol = new ExpansionAIPatrol(numberOfAI, speed, threatSpeed, bhv, faction, loadout, canBeLooted, unlimitedReload, chance, minDistRadiu
s, maxDistRadius, respawnTime, maxSpreadRadius, waypoints);
000632 |
000633 |         Patrols.Insert(patrol);
000634 |
000635 |         m_Patrols.Insert(patrol);
000636 |
000637 |         return patrol;
000638 |     }
000639 |
000640 |     void DefaultPatrols()
000641 |     {
000642 |         string worldName = ExpansionStatic.GetCanonicalWorldName();
000643 |
000644 |         DefaultObjectPatrols(worldName);
000645 |         DefaultPatrols(worldName);
000646 |     }
000647 |
000648 |     void DefaultObjectPatrols(string worldName)
000649 |     {
000650 |         if (GetExpansionSettings().GetLog().AIObjectPatrol)
000651 |             GetExpansionSettings().GetLog().PrintLog("[AI Object Patrol] Generating default object patrols for \"%1\"", worldName);
000652 |
000653 |         ExpansionAIDynamicSpawnBase patrol;
000654 |         int unlimitedReload = eAITargetType.ANIMAL | eAITargetType.INFECTED;
000655 |         string militaryFaction;
000656 |
000657 |         switch (worldName)
000658 |         {
000659 |             case "sakhal":
000660 |                 militaryFaction = "East";
000661 |                 break;
000662 |
000663 |             default:
000664 |                 militaryFaction = "West";
000665 |                 break;
000666 |         }
000667 |
000668 |         ///! -----
000669 |         ///! Heli crash patrols
000670 |         ///! -----
000671 |
000672 |         patrol = AddObjectPatrol(-2, "JOG", "SPRINT", "LOOP_OR_ALTERNATE", "West", "", true, unlimitedReload, 0.5, -1, -1, "Wreck_UH1Y");
000673 |         patrol.DefaultStance = "CROUCHED";
000674 |         patrol.LoadBalancingCategory = "HelicopterWreck";
000675 |         patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_GLOVES | CLOTHING_FEET | CLOTHING_SIMILAR | UPGRADE";
```

```
000676 |
000677 | patrol = AddObjectPatrol(-2, "JOG", "SPRINT", "LOOP_OR_ALTERNATE", "East", "", true, unlimitedReload, 0.5, -1, -1, "Wreck_Mi8_Crashed");
000678 | patrol.DefaultStance = "CROUCHED";
000679 | patrol.LoadBalancingCategory = "HelicopterWreck";
000680 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_GLOVES | CLOTHING_FEET | CLOTHING_SIMILAR | UPGRADE";
000681 |
000682 | //! -----
000683 | //! Police patrols
000684 | //! -----
000685 |
000686 | patrol = AddObjectPatrol(-2, "WALK", "SPRINT", "LOOP_OR_ALTERNATE", "Guards", "PoliceLoadout", true, unlimitedReload, 0.1, -1, -1, "Land_City_PoliceStatio
n");
000687 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000688 | patrol.WaypointInterpolation = "UniformCubic";
000689 |
000690 | patrol = AddObjectPatrol(-2, "WALK", "SPRINT", "LOOP_OR_ALTERNATE", "Guards", "PoliceLoadout", true, unlimitedReload, 0.1, -1, -1, "Land_Village_PoliceSta
tion");
000691 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000692 | patrol.WaypointInterpolation = "UniformCubic";
000693 |
000694 | //! -----
000695 | //! Contaminated area patrols
000696 | //! -----
000697 |
000698 | patrol = AddObjectPatrol(-2, "JOG", "SPRINT", "LOOP_OR_ALTERNATE", militaryFaction, "NBCLoadout", true, unlimitedReload, 0.5, -1, -1, "ContaminatedArea_St
atic");
000699 | patrol.CanSpawnInContaminatedArea = true;
000700 | patrol.LoadBalancingCategory = "ContaminatedArea";
000701 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_HEADGEAR | CLOTHING_MASK | CLOTHING_GLOVES | CLOTHING_FEET | CLOTHING_SIMILA
R";
000702 | patrol.WaypointInterpolation = "UniformCubic";
000703 |
000704 | patrol = AddObjectPatrol(-2, "JOG", "SPRINT", "LOOP_OR_ALTERNATE", militaryFaction, "NBCLoadout", true, unlimitedReload, 0.5, -1, -1, "ContaminatedArea_Dy
namic");
000705 | patrol.CanSpawnInContaminatedArea = true;
000706 | patrol.LoadBalancingCategory = "ContaminatedArea";
000707 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_HEADGEAR | CLOTHING_MASK | CLOTHING_GLOVES | CLOTHING_FEET | CLOTHING_SIMILA
R";
000708 | patrol.WaypointInterpolation = "UniformCubic";
000709 |
000710 | //! -----
000711 | //! Military patrols - static
000712 | //! -----
000713 |
000714 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.1, -1, -1, "Land_Mil_Tower_Small", {"-0.0151265 1.3232
5 1.19653"});
000715 | patrol.LoadBalancingCategory = "MilitaryStatic";
000716 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000717 |
000718 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.2, -1, -1, "Land_Mil_GuardTower", {"0.0688021 3.62166
-3.98126"});
000719 | patrol.DefaultLookAngle = 180;
000720 | patrol.LoadBalancingCategory = "MilitaryStatic";
000721 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000722 |
000723 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.1, -1, -1, "Land_Mil_GuardBox_Brown", {"0.161377 -0.78
9551 -0.782226"});
000724 | patrol.DefaultLookAngle = 180;
000725 | patrol.LoadBalancingCategory = "MilitaryStatic";
000726 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000727 |
000728 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.1, -1, -1, "Land_Mil_GuardBox_Green", {"0.161377 -0.78
```

```

9551 -0.782226"});
000729 | patrol.DefaultLookAngle = 180;
000730 | patrol.LoadBalancingCategory = "MilitaryStatic";
000731 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000732 |
000733 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.1, -1, -1, "Land_Mil_GuardBox_Smooth", {"0.161377 -0.7
89551 -0.782226"});
000734 | patrol.DefaultLookAngle = 180;
000735 | patrol.LoadBalancingCategory = "MilitaryStatic";
000736 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000737 |
000738 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.1, -1, -1, "Land_Mil_Fortified_Nest_Small", {"0 -0.965
636 0"});
000739 | patrol.DefaultLookAngle = 180;
000740 | patrol.LoadBalancingCategory = "MilitaryStatic";
000741 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000742 |
000743 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "HALT", militaryFaction, "", true, unlimitedReload, 0.1, -1, -1, "Land_Mil_GuardShed", {"0 -0.685577 0"});
000744 | patrol.DefaultLookAngle = 180;
000745 | patrol.LoadBalancingCategory = "MilitaryStatic";
000746 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000747 |
000748 | ///! -----
000749 | ///! Military patrols - roaming (local)
000750 | ///! -----
000751 |
000752 | patrol = AddObjectPatrol(-3, "WALK", "SPRINT", "ROAMING_LOCAL", militaryFaction, "", true, unlimitedReload, 0.2, -1, -1, "Land_Mil_Barracks1", {"0 -1.9458
6 0"});
000753 | patrol.LoadBalancingCategory = "MilitaryRoaming";
000754 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000755 |
000756 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "ROAMING_LOCAL", militaryFaction, "", true, unlimitedReload, 0.2, -1, -1, "Land_Mil_Barracks_Round", {"-1.06
07 -0.691666 2.30131"});
000757 | patrol.LoadBalancingCategory = "MilitaryRoaming";
000758 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000759 |
000760 | patrol = AddObjectPatrol(1, "WALK", "SPRINT", "ROAMING_LOCAL", militaryFaction, "", true, unlimitedReload, 0.2, -1, -1, "Land_Mil_Tent_Big1_2", {"0 0 0"})
;
000761 | patrol.LoadBalancingCategory = "MilitaryRoaming";
000762 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000763 |
000764 | patrol = AddObjectPatrol(-2, "WALK", "SPRINT", "ROAMING_LOCAL", militaryFaction, "", true, unlimitedReload, 0.2, -1, -1, "Land_Mil_Tent_Big1_4", {"0 0 0"}
);
000765 | patrol.LoadBalancingCategory = "MilitaryRoaming";
000766 | patrol.LootingBehaviour = "DEFAULT | CLOTHING_BODY | CLOTHING_LEGS | CLOTHING_FEET | CLOTHING_SIMILAR";
000767 | }
000768 |
000769 | void DefaultPatrols(string worldName)
000770 | {
000771 |     if (GetExpansionSettings().GetLog().AIPatrol)
000772 |         GetExpansionSettings().GetLog().PrintLog("[AI Patrol] Generating default patrols for \"%1\"", worldName);
000773 |
000774 |     DefaultRoamingPatrols(worldName);
000775 | }
000776 |
000777 | void DefaultRoamingPatrols(string worldName)
000778 | {
000779 |     TVectorArray positions = GetSpawnPointPositions();
000780 |     array<ref TVectorArray> clusters = GetClusters(positions, 350);
000781 |
000782 |     if (clusters.Count() > 0)
000783 |         DefaultRoamingPatrols(clusters);

```

```
000784 |         else if (GetExpansionSettings().GetLog().AIPatrol)
000785 |             GetExpansionSettings().GetLog().PrintLog("[AI Patrol] WARNING: No spawn points found for \"%1\"", worldName);
000786 |     }
000787 |
000788 |     //! Extract unique positions from all freshspawn groups
000789 |     TVectorArray GetSpawnPointPositions()
000790 |     {
000791 |     #ifdef EXTRACE_DIAG
000792 |         auto trace = EXTrace.Start(true, this);
000793 |     #endif
000794 |
000795 |         auto ce = ExpansionCE.GetInstance();
000796 |         ce.LoadPlayerSpawnpoints();
000797 |
000798 |         TVectorArray positions = {};
000799 |
000800 |         if (ce.PlayerSpawnPoints.Fresh)
000801 |         {
000802 |             foreach (auto group: ce.PlayerSpawnPoints.Fresh.Groups)
000803 |             {
000804 |                 foreach (vector position: group.Positions)
000805 |                 {
000806 |                     if (positions.Find(position) == -1)
000807 |                         positions.Insert(position);
000808 |                 }
000809 |             }
000810 |         }
000811 |
000812 |         return positions;
000813 |     }
000814 |
000815 |     array<ref TVectorArray> GetClusters(TVectorArray positions, float maxDistance)
000816 |     {
000817 |     #ifdef EXTRACE_DIAG
000818 |         auto trace = EXTrace.Start(true, this);
000819 |     #endif
000820 |
000821 |         array<ref TVectorArray> clusters = {};
000822 |         map<int, bool> seen = new map<int, bool>;
000823 |
000824 |         for (int i = positions.Count() - 1; i >= 0; --i)
000825 |         {
000826 |             if (seen[i])
000827 |                 continue;
000828 |
000829 |             vector point1 = positions[i];
000830 |
000831 |             TVectorArray cluster = {};
000832 |
000833 |             seen[i] = true;
000834 |             cluster.Insert(point1);
000835 |
000836 |             bool update = true;
000837 |             while (update)
000838 |             {
000839 |                 update = false;
000840 |
000841 |                 for (int j = i - 1; j >= 0; --j)
000842 |                 {
000843 |                     if (seen[j])
000844 |                         continue;
```

```
000846 |         vector candidate = positions[j];
000847 |
000848 |         foreach (vector point: cluster)
000849 |         {
000850 |             if (vector.DistanceSq(candidate, point) <= maxDistance * maxDistance)
000851 |             {
000852 |                 seen[j] = true;
000853 |                 cluster.Insert(candidate);
000854 |                 //! Since we've added a new point to the cluster, we need to check
000855 |                 //! remaining unadded points against the newly added point as well
000856 |                 update = true;
000857 |                 break;
000858 |             }
000859 |         }
000860 |
000861 |         //! Limit max points per cluster
000862 |         if (update && cluster.Count() == 5)
000863 |         {
000864 |             update = false;
000865 |             break;
000866 |         }
000867 |     }
000868 | }
000869 |
000870 |     clusters.Insert(cluster);
000871 | }
000872 |
000873 |     return clusters;
000874 | }
000875 |
000876 | void DefaultRoamingPatrols(array<ref TVectorArray> clusters)
000877 | {
000878 |     #ifdef EXTRACE_DIAG
000879 |         auto trace = EXTrace.Start(true, this);
000880 |     #endif
000881 |
000882 |     int include;
000883 |     include |= ExpansionLocationType.CAMP;
000884 |     include |= ExpansionLocationType.RUIN;
000885 |     include |= ExpansionLocationType.SETTLEMENT;
000886 |
000887 |     auto locations = ExpansionLocationT<ExpansionLocation>.GetWorldLocations(include);
000888 |
000889 |     ExpansionAIDynamicSpawnBase patrol;
000890 |     int unlimitedReload = eAITargetType.ANIMAL | eAITargetType.INFECTED;
000891 |
000892 |     map<string, int> seen = new map<string, int>;
000893 |
000894 |     TStringArray phonetics = {"Alpha",
000895 |                               "Bravo",
000896 |                               "Charlie",
000897 |                               "Delta",
000898 |                               "Echo",
000899 |                               "Foxtrot",
000900 |                               "Golf",
000901 |                               "Hotel",
000902 |                               "India",
000903 |                               "Juliett",
000904 |                               "Kilo",
000905 |                               "Lima",
000906 |                               "Mike",
000907 |                               "November",
```

```
000908 |         "Oscar",
000909 |         "Papa",
000910 |         "Quebec",
000911 |         "Romeo",
000912 |         "Sierra",
000913 |         "Tango",
000914 |         "Uniform",
000915 |         "Victor",
000916 |         "Whiskey",
000917 |         "X-ray",
000918 |         "Yankee",
000919 |         "Zulu"};
000920 |
000921 | int n;
000922 |
000923 | foreach (TVectorArray points: clusters)
000924 | {
000925 |     patrol = AddPatrol(1, "JOG", "SPRINT", "ROAMING", "RANDOM", "FreshSpawnLoadout", true, unlimitedReload, 0.8, -1, 21722, -2, 0, points);
000926 |     patrol.DespawnRadius = 21722;
000927 |     patrol.LoadBalancingCategory = "Survivor";
000928 |     patrol.LootingBehaviour = "ALL";
000929 |     patrol.Persist = true;
000930 |
000931 |     ExpansionLocation closestLocation = null;
000932 |     float closestDistSq = 4000000; //!< 2000 m
000933 |
000934 |     //!< Determine center of cluster
000935 |     vector center = vector.Zero;
000936 |
000937 |     foreach (vector point: points)
000938 |     {
000939 |         center[0] = center[0] + point[0];
000940 |         center[2] = center[2] + point[2];
000941 |     }
000942 |
000943 |     int count = points.Count();
000944 |
000945 |     center[0] = center[0] / count;
000946 |     center[2] = center[2] / count;
000947 |
000948 |     //!< Find closest named location
000949 |     foreach (ExpansionLocation location: locations)
000950 |     {
000951 |         if (!location.Name)
000952 |             continue;
000953 |
000954 |         //!< We divide by radius so that larger settlements are preferred over smaller ones
000955 |         float distSq = ExpansionMath.Distance2DSq(center, location.Position) / location.Radius;
000956 |
000957 |         if (distSq < closestDistSq)
000958 |         {
000959 |             closestDistSq = distSq;
000960 |             closestLocation = location;
000961 |         }
000962 |     }
000963 |
000964 |     string name;
000965 |
000966 |     if (closestLocation)
000967 |     {
000968 |         name = closestLocation.Name;
000969 |     }
```



```
000970 |         if (seen[name] || closestDistSq * closestLocation.Radius > closestLocation.Radius * closestLocation.Radius)
000971 |         {
000972 |             string cardinalDir = GetCardinalDirection(closestLocation.Position, center);
000973 |
000974 |             if (cardinalDir)
000975 |                 name = string.Format("%1 %2", name, cardinalDir);
000976 |         }
000977 |     }
000978 | else
000979 | {
000980 |     ///! Fall back to generic name using phonetics
000981 |     n = seen[""];
000982 |
000983 |     if (n >= phonetics.Count())
000984 |         n = 0;
000985 |
000986 |     name = string.Format("Spawnpoint %1", phonetics[n]);
000987 |
000988 |     seen[""] = ++n;
000989 | }
000990 |
000991 | n = seen[name];
000992 | seen[name] = ++n;
000993 |
000994 | if (n > 1)
000995 |     name = string.Format("%1 %2", name, n);
000996 |
000997 | patrol.Name = name;
000998 | }
000999 | }
001000 |
001001 | string GetCardinalDirection(vector a, vector b)
001002 | {
001003 |     float dx = b[0] - a[0]; ///! East / West
001004 |     float dz = b[2] - a[2]; ///! North / South
001005 |
001006 |     ///! If positions are basically identical
001007 |     if (Math.AbsFloat(dx) < 0.01 && Math.AbsFloat(dz) < 0.01)
001008 |         return "";
001009 |
001010 |     float angle = Math.Atan2(dx, dz) * Math.RAD2DEG;
001011 |
001012 |     if (angle < 0)
001013 |         angle += 360;
001014 |
001015 |     if (angle >= 337.5 || angle < 22.5)
001016 |         return "North";
001017 |     else if (angle < 67.5)
001018 |         return "North-East";
001019 |     else if (angle < 112.5)
001020 |         return "East";
001021 |     else if (angle < 157.5)
001022 |         return "South-East";
001023 |     else if (angle < 202.5)
001024 |         return "South";
001025 |     else if (angle < 247.5)
001026 |         return "South-West";
001027 |     else if (angle < 292.5)
001028 |         return "West";
001029 |
001030 |     return "North-West";
001031 | }
```

```
001032 |  
001033 | // -----  
001034 | override string SettingName()  
001035 | {  
001036 |     return "AI Patrol Settings";  
001037 | }  
001038 | };  
001039 |
```

0043. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/static/easing.c

Size bytes: 495

SHA-256: 9de0d51d785ed1e4c6d6d3ee9794b2a375311d36677980eaf4482f4b3e7a48b5

Decoded as: utf-8-sig

Line count shown: 18

Detected class declarations: 1

L1: modded class Easing

Detected enum declarations: 0

Detected function/method-like declarations: 1

L10: static float EaseInOutPow(float t, float n = 2)

Full file content

```
000001 | modded class Easing
000002 | {
000003 |     /**
000004 |      * @brief Easing function with variable exponent
000005 |      *
000006 |      * Can be used as replacement for EaseInOutQuad/Cubic/Quart/Quint
000007 |      * Integer exponents 2 through 5 will match the output of these functions, floating point exponents will blend between them
000008 |      * n = 1 will produce linear output
000009 |      */
000010 |     static float EaseInOutPow(float t, float n = 2)
000011 |     {
000012 |         if (t < 0.5)
000013 |             return 0.5 * Math.Pow(2 * t, n);
000014 |         else
000015 |             return 1 - 0.5 * Math.Pow(2 * (1 - t), n);
000016 |     }
000017 | }
000018 |
```

0044. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/3_game/dayzexpansion_ai/worlddata.c

Size bytes: 1104

SHA-256: e2e43f6ce3ad663d66e61288dcb70b757f2ea60cc04d821a85dalc5e89715e74

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L1: modded class WorldData

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override void UpdateBaseEnvTemperature(float timeslice)

L23: void eAI_SunriseSunsetTimeError(float time, string varName, float min, float max)

Full file content

```

000001 | modded class WorldData
000002 | {
000003 |     override void UpdateBaseEnvTemperature(float timeslice)
000004 |     {
000005 |         if (!m_EnTempUpdated)
000006 |         {
000007 |             if (m_Sunrise_Jan > 12 || m_Sunrise_Jan < 0)
000008 |                 eAI_SunriseSunsetTimeError(m_Sunrise_Jan, "m_Sunrise_Jan", 5, 12);
000009 |
000010 |             if (m_Sunset_Jan > 23.9833333 || m_Sunset_Jan <= m_Sunrise_Jan)
000011 |                 eAI_SunriseSunsetTimeError(m_Sunset_Jan, "m_Sunset_Jan", 16, 23);
000012 |
000013 |             if (m_Sunrise_Jul > 12 || m_Sunrise_Jul < 0)
000014 |                 eAI_SunriseSunsetTimeError(m_Sunrise_Jul, "m_Sunrise_Jul", 5, 12);
000015 |
000016 |             if (m_Sunset_Jul > 23.9833333 || m_Sunset_Jul <= m_Sunrise_Jul)
000017 |                 eAI_SunriseSunsetTimeError(m_Sunset_Jul, "m_Sunset_Jul", 16, 23);
000018 |         }
000019 |
000020 |         super.UpdateBaseEnvTemperature(timeslice);
000021 |     }
000022 |
000023 |     void eAI_SunriseSunsetTimeError(float time, string varName, float min, float max)
000024 |     {
000025 |         string cls = string.Format("%1 (%2)", ClassName(), g_Game.GetWorldName());
000026 |         string msg = string.Format("Invalid time %1 for %2 (should be between %3 and %4)", time, varName, min, max);
000027 |
000028 |         EXError.Error(this, string.Format("%1: %2", cls, msg), {});
000029 |
000030 |         if (!g_Game.IsDedicatedServer())
000031 |             ExpansionNotification(cls, msg).Error();
000032 |     }
000033 | }
000034 |

```

0045. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/actionconstructor.c
Size bytes: 577
SHA-256: 6dbf7bac4e29263b7db4fb4931961cc371d586f141b43e61d8ce2bd0586c103e
Decoded as: utf-8-sig
Line count shown: 20
Detected class declarations: 1
 L1: modded class ActionConstructor
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void RegisterActions(TTynenameArray actions)

Full file content

```
000001 | modded class ActionConstructor
000002 | {
000003 |     override void RegisterActions(TTynenameArray actions)
000004 |     {
000005 |         super.RegisterActions(actions);
000006 |
000007 |         actions.Insert(eAIActionWeaponControl);
000008 |         actions.Insert(eAIActionWeaponUnjam);
000009 |         actions.Insert(eAIActionTakeItemToHands);
000010 |         actions.Insert(eAIActionTakeItem);
000011 |         actions.Insert(eAIActionDropItem);
000012 |         actions.Insert(eAIActionOpenDoorsDummy);
000013 |         actions.Insert(eAIActionCloseDoorsDummy);
000014 |
000015 |         actions.Insert(ExpansionActionRecruitAI);
000016 |         actions.Insert(ExpansionActionDismissAI);
000017 |         actions.Insert(ExpansionActionOpenAIInventory);
000018 |     }
000019 | };
000020 |
```

0046. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/actioninput.c
Size bytes: 120
SHA-256: eaa9338a0a6ccd05ed4571bb9335263461841082e8a5f97b04b86e89a11e7fd7
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 1
 L1: modded class ActionInput
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: void eAI_Init(PlayerBase player, eAIActionManager am)

Full file content

```
000001 | modded class ActionInput
000002 | {
000003 |     void eAI_Init(PlayerBase player, eAIActionManager am)
000004 |     {
000005 |         Init(player, null);
000006 |     }
000007 | };
000008 |
```

0047. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionmanager.c
Size bytes: 9413
SHA-256: 6e7e31a9adf69dedea9d4819e87c74e2d3bce42baa3350990173a7c0ded3a844
Decoded as: utf-8-sig
Line count shown: 324
Detected class declarations: 1
  L15: class eAIActionManager: ActionManagerBase
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L29: void eAIActionManager(PlayerBase player)
  L36: void RegisterInputs(PlayerBase player)
  L66: override void OnJumpStart()
  L82: override void Update(int pCurrentCommandID)
  L198: override void Interrupt()
  L203: void UnlockInventory(ActionData action_data)
  L214: protected void ActionStart(ActionBase action, ActionTarget target, ItemBase item, Param extra_data = NULL )
  L252: void PerformActionStart(ActionBase action, ActionTarget target, ItemBase item, Param extra_data = NULL )
  L260: override void OnActionEnd()
  L273: void HandleInputsOnActionStart(ActionBase action)
  L288: void HandleInputsOnActionEnd()
  L293: void ResetInputsState()
  L301: void ResetInputsActions()
  L309: void SetInventoryAction(ActionBase action_name, ItemBase target_item, ItemBase main_item)
  L314: void SetInventoryAction(ActionBase action_name, ActionTarget target, ItemBase main_item)
  L319: void UnsetInventoryAction()

```

Full file content

```

000001 | /**
000002 |  * eAIActionManager.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2022 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 |  */
000014 |
000015 | class eAIActionManager: ActionManagerBase
000016 | {
000017 |     protected bool                m_ActionPossible;
000018 |     protected ref array<ref InventoryLocation> m_ReservedInventoryLocations;
000019 |     protected ref eAIInventoryActionHandler m_InventoryActionHandler;
000020 |     protected ref InventoryLocation m_HandInventoryLocationTest;
000021 |     protected ref TTypeNameActionInputMap m_RegistredInputsMap;
000022 |
000023 |     protected ref ActionData m_PendingActionData;
000024 |
000025 |     //protected bool                m_ActionWantEnd;          //If set action try end // send request to server to end
000026 |     protected bool                m_ActionWantEndRequest_Send; //Request to server was sent
000027 |     protected bool                m_ActionInputWantEnd_Send;
000028 |
000029 |     void eAIActionManager(PlayerBase player)
000030 |     {
000031 |         m_InventoryActionHandler = new eAIInventoryActionHandler(player);

```

```
000032 | RegisterInputs(player);
000033 | }
000034 |
000035 | void RegisterInputs(PlayerBase player)
000036 | {
000037 |     if (!m_RegistredInputsMap)
000038 |     {
000039 |         m_RegistredInputsMap = new TTypeNameActionInputMap;
000040 |
000041 |         for (int i = 0; i < m_ActionsArray.Count(); i++)
000042 |         {
000043 |             ActionBase action = m_ActionsArray.Get(i);
000044 |             typename input_type_name = action.GetInputType();
000045 |             ActionInput ai = ActionInput.Cast(m_RegistredInputsMap.Get(input_type_name));
000046 |             if(!ai)
000047 |             {
000048 |                 ai = ActionInput.Cast(input_type_name.Spawn());
000049 |                 m_RegistredInputsMap.Insert(input_type_name, ai);
000050 |             }
000051 |             action.SetInput(ai);
000052 |         }
000053 |     }
000054 |
000055 |     foreach (auto type, auto ain : m_RegistredInputsMap)
000056 |     {
000057 |         ain.eAI_Init(player, this);
000058 |     }
000059 | }
000060 |
000061 |
000062 | //-----
000063 | //EVENTS
000064 | //-----
000065 | // Continuous-----
000066 | override void OnJumpStart()
000067 | {
000068 |     if(m_CurrentActionData)
000069 |     {
000070 |         if( m_CurrentActionData.m_State == UA_AM_PENDING || m_CurrentActionData.m_State == UA_AM_REJECTED || m_CurrentActionData.m_State == UA_AM_ACCEPTED)
000071 |         {
000072 |             OnActionEnd();
000073 |             m_PendingActionAcknowledgmentID = -1;
000074 |         }
000075 |         else
000076 |         {
000077 |             m_CurrentActionData.m_Action.Interrupt(m_CurrentActionData);
000078 |         }
000079 |     }
000080 | }
000081 |
000082 | override void Update(int pCurrentCommandID)
000083 | {
000084 |     m_InventoryActionHandler.OnUpdate();
000085 |     super.Update(pCurrentCommandID);
000086 |     m_ActionPossible = ActionPossibilityCheck(pCurrentCommandID);
000087 |
000088 |     if (m_PendingActionData) //SP only
000089 |     {
000090 |         m_CurrentActionData = m_PendingActionData;
000091 |
000092 |         m_CurrentActionData.m_Action.Start(m_CurrentActionData);
000093 |     }
```



```

000094 |         if ( m_CurrentActionData.m_Action.IsInstant() )
000095 |             OnActionEnd();
000096 |
000097 |         m_PendingActionData = null;
000098 |     }
000099 |
000100 |     if (m_CurrentActionData)
000101 |     {
000102 |         if (m_CurrentActionData.m_State != UA_AM_PENDING && m_CurrentActionData.m_State != UA_AM_REJECTED && m_CurrentActionData.m_State != UA_AM_ACCEPTED)
000103 |             m_CurrentActionData.m_Action.OnUpdateServer(m_CurrentActionData);
000104 |             //m_CurrentActionData.m_Action.OnUpdateClient(m_CurrentActionData);
000105 |
000106 |         switch (m_CurrentActionData.m_State)
000107 |         {
000108 |             case UA_AM_PENDING:
000109 |                 break;
000110 |
000111 |             case UA_AM_ACCEPTED:
000112 |                 // check pCurrentCommandID before start or reject
000113 |                 if ( m_ActionPossible && pCurrentCommandID != DayZPlayerConstants.COMMANDID_SWIM && pCurrentCommandID != DayZPlayerConstants.COMMANDID_LADDER
000114 |                 && ( !m_Player.IsRestrained() || m_CurrentActionData.m_Action.CanBeUsedInRestrained() ) )
000115 |                 {
000116 |                     m_CurrentActionData.m_State = UA_START;
000117 |                     m_CurrentActionData.m_Action.Start(m_CurrentActionData);
000118 |
000119 |                     if ( m_CurrentActionData.m_Action.IsInstant() )
000120 |                         OnActionEnd();
000121 |                 }
000122 |                 else
000123 |                 {
000124 |                     OnActionEnd();
000125 |                 }
000126 |                 m_PendingActionAcknowledgmentID = -1;
000127 |                 break;
000128 |
000129 |             case UA_AM_REJECTED:
000130 |                 OnActionEnd();
000131 |                 m_PendingActionAcknowledgmentID = -1;
000132 |
000133 |                 //m_Player.GetDayZPlayerInventory().UnlockHands();
000134 |                 break;
000135 |
000136 |             default:
000137 |                 if ( m_ActionWantEndRequest )
000138 |                 {
000139 |                     if ( g_Game.IsMultiplayer() && !m_CurrentActionData.m_Action.IsLocal() )
000140 |                     {
000141 |                         if ( !m_ActionWantEndRequest_Send && ScriptInputUserData.CanStoreInputUserData() )
000142 |                         {
000143 |                             if( LogManager.IsActionLogEnable() )
000144 |                             {
000145 |                                 Debug.ActionLog("Time stamp: " + m_Player.GetSimulationTimeStamp(), m_CurrentActionData.m_Action.ToString() , "n/a", "EndReque
000146 | st", m_CurrentActionData.m_Player.ToString() );
000147 |                             }
000148 |                             ScriptInputUserData ctx = new ScriptInputUserData;
000149 |                             ctx.Write(INPUT_UDT_STANDARD_ACTION_END_REQUEST);
000150 |                             ctx.Send();
000151 |
000152 |                             m_ActionWantEndRequest_Send = true;
000153 |
000154 |                             m_ActionWantEndRequest = false;
000155 |                             m_CurrentActionData.m_Action.EndRequest(m_CurrentActionData);

```

```
000154 |         }
000155 |     }
000156 |     else
000157 |     {
000158 |         m_ActionWantEndRequest = false;
000159 |         m_CurrentActionData.m_Action.EndRequest(m_CurrentActionData);
000160 |     }
000161 | }
000162 |
000163 | if ( m_ActionInputWantEnd )
000164 | {
000165 |     if ( g_Game.IsMultiplayer() && !m_CurrentActionData.m_Action.IsLocal() )
000166 |     {
000167 |         if ( !m_ActionInputWantEnd_Send && ScriptInputUserData.CanStoreInputUserData() )
000168 |         {
000169 |             if( LogManager.IsActionLogEnable() )
000170 |             {
000171 |                 Debug.ActionLog("Time stamp: " + m_Player.GetSimulationTimeStamp(), m_CurrentActionData.m_Action.ToString() , "n/a", "EndInput
", m_CurrentActionData.m_Player.ToString() );
000172 |             }
000173 |             ScriptInputUserData ctxi = new ScriptInputUserData;
000174 |             ctxi.Write(INPUT_UDT_STANDARD_ACTION_INPUT_END);
000175 |             ctxi.Send();
000176 |
000177 |             m_ActionInputWantEnd_Send = true;
000178 |
000179 |             m_ActionInputWantEnd = false;
000180 |             m_CurrentActionData.m_Action.EndInput(m_CurrentActionData);
000181 |         }
000182 |     }
000183 |     else
000184 |     {
000185 |         if (!m_ActionInputWantEnd_Send)
000186 |         {
000187 |             m_ActionInputWantEnd_Send = true;
000188 |             m_ActionInputWantEnd = false;
000189 |             m_CurrentActionData.m_Action.EndInput(m_CurrentActionData);
000190 |         }
000191 |     }
000192 | }
000193 | break;
000194 | }
000195 | }
000196 | }
000197 |
000198 | override void Interrupt()
000199 | {
000200 |     m_Interrupted = true;
000201 | }
000202 |
000203 | void UnlockInventory(ActionData action_data)
000204 | {
000205 |     if( LogManager.IsActionLogEnable() )
000206 |     {
000207 |         Debug.ActionLog("(0) Inventory unlock", action_data.m_Action.ToString() , "n/a", "UnlockInventory", action_data.m_Player.ToString() );
000208 |     }
000209 |
000210 |     if (action_data.m_Action)
000211 |         action_data.m_Action.ClearInventoryReservationEx(action_data);
000212 | }
000213 |
000214 | protected void ActionStart(ActionBase action, ActionTarget target, ItemBase item, Param extra_data = NULL )
```

```
000215 | {
000216 |     if ( !m_CurrentActionData && action )
000217 |     {
000218 |         m_ActionWantEndRequest_Send = false;
000219 |         m_ActionInputWantEnd_Send = false;
000220 |         m_ActionWantEndRequest = false;
000221 |         m_ActionInputWantEnd = false;
000222 |
000223 |         if ( action.CanBePerformedFromQuickbar() )
000224 |             m_Player.SetActionEndInput(action);
000225 |
000226 |         HandleInputsOnActionStart(action);
000227 |
000228 |         if( LogManager.IsActionLogEnable() )
000229 |         {
000230 |             Debug.ActionLog("Item = " + item + ", " + target.DumpToString(), action.ToString() , "n/a", "ActionStart", m_Player.ToString() );
000231 |         }
000232 |         m_Interrupted = false;
000233 |
000234 |         if( !action.SetupAction(m_Player, target, item, m_CurrentActionData, extra_data ))
000235 |         {
000236 |             DPrint("Can not inicialize action" + action + " - ActionManagerClient");
000237 |             m_CurrentActionData = NULL;
000238 |             return;
000239 |         }
000240 |
000241 |         if( LogManager.IsActionLogEnable() )
000242 |         {
000243 |             Debug.ActionLog("Action data created wait to start", action.ToString() , "n/a", "ActionStart", m_Player.ToString() );
000244 |         }
000245 |
000246 |         action.Start(m_CurrentActionData);
000247 |         if( action.IsInstant() )
000248 |             OnActionEnd();
000249 |     }
000250 | }
000251 |
000252 | void PerformActionStart(ActionBase action, ActionTarget target, ItemBase item, Param extra_data = NULL )
000253 | {
000254 |     m_PendingActionData = new ActionData;
000255 |
000256 |     if (!action.SetupAction(m_Player,target,item,m_PendingActionData,extra_data))
000257 |         m_PendingActionData = null;
000258 | }
000259 |
000260 | override void OnActionEnd()
000261 | {
000262 |     if(m_CurrentActionData)
000263 |     {
000264 |         UnlockInventory(m_CurrentActionData);
000265 |         if( m_CurrentActionData.m_Action.RemoveForceTargetAfterUse() )
000266 |             m_InventoryActionHandler.DeactivateAction();
000267 |
000268 |         super.OnActionEnd();
000269 |         HandleInputsOnActionEnd();
000270 |     }
000271 | }
000272 |
000273 | void HandleInputsOnActionStart(ActionBase action)
000274 | {
000275 |     foreach (auto type, auto ain : m_RegistredInputsMap)
000276 |     {
```

```
000277 |         if(action.GetInput() == ain)
000278 |         {
000279 |             ain.OnActionStart();
000280 |         }
000281 |         else
000282 |         {
000283 |             ain.Reset();
000284 |         }
000285 |     }
000286 | }
000287 |
000288 | void HandleInputsOnActionEnd()
000289 | {
000290 |     ResetInputsState();
000291 | }
000292 |
000293 | void ResetInputsState()
000294 | {
000295 |     foreach (auto type, auto ain : m_RegistredInputsMap)
000296 |     {
000297 |         ain.Reset();
000298 |     }
000299 | }
000300 |
000301 | void ResetInputsActions()
000302 | {
000303 |     foreach (auto type, auto ain : m_RegistredInputsMap)
000304 |     {
000305 |         ain.ActionsSelectReset();
000306 |     }
000307 | }
000308 |
000309 | void SetInventoryAction(ActionBase action_name, ItemBase target_item, ItemBase main_item)
000310 | {
000311 |     m_InventoryActionHandler.SetAction(action_name, target_item, main_item);
000312 | }
000313 |
000314 | void SetInventoryAction(ActionBase action_name, ActionTarget target, ItemBase main_item)
000315 | {
000316 |     m_InventoryActionHandler.SetAction(action_name, target, main_item);
000317 | }
000318 |
000319 | void UnsetInventoryAction()
000320 | {
000321 |     m_InventoryActionHandler.DeactiveAction();
000322 | }
000323 | };
000324 |
```

0048. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionweaponcontrol.c
Size bytes: 1202
SHA-256: 20cbc617b324a6d47fb17a86e0a252275d64063aedfb3e912e8f3d9672c98ad3
Decoded as: utf-8-sig
Line count shown: 64
Detected class declarations: 1
 L1: class eAIActionWeaponControl : ActionBase
Detected enum declarations: 0
Detected function/method-like declarations: 10
 L3: override typename GetInputType()
 L8: override bool HasTarget()
 L13: override void CreateConditionComponents()
 L19: override bool HasProgress()
 L24: override bool CanBePerformedFromInventory()
 L29: override bool CanBeUsedOnBack()
 L34: override bool CanBeUsedRaised()
 L39: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L45: override void Start(ActionData action_data)
 L52: override void OnUpdate(ActionData action_data)

Full file content

```
000001 | class eAIActionWeaponControl : ActionBase
000002 | {
000003 |     override typename GetInputType()
000004 |     {
000005 |         return DefaultActionInput;
000006 |     }
000007 |
000008 |     override bool HasTarget()
000009 |     {
000010 |         return false;
000011 |     }
000012 |
000013 |     override void CreateConditionComponents()
000014 |     {
000015 |         m_ConditionItem = new CCINonRuined();
000016 |         m_ConditionTarget = new CCTSelf;
000017 |     }
000018 |
000019 |     override bool HasProgress()
000020 |     {
000021 |         return false;
000022 |     }
000023 |
000024 |     override bool CanBePerformedFromInventory()
000025 |     {
000026 |         return true;
000027 |     }
000028 |
000029 |     override bool CanBeUsedOnBack()
000030 |     {
000031 |         return true;
000032 |     }
000033 |
000034 |     override bool CanBeUsedRaised()
000035 |     {
000036 |         return true;
000037 |     }
```

```
000038 |  
000039 | override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)  
000040 | {  
000041 |     // return false so normal players can't run this action. AI does not call this method  
000042 |     return false;  
000043 | }  
000044 |  
000045 | override void Start(ActionData action_data)  
000046 | {  
000047 |     super.Start(action_data);  
000048 |  
000049 |     action_data.m_State = UA_PROCESSING;  
000050 | }  
000051 |  
000052 | override void OnUpdate(ActionData action_data)  
000053 | {  
000054 |     super.OnUpdate(action_data);  
000055 |  
000056 |     Weapon_Base wpn = Weapon_Base.Cast(action_data.m_MainItem);  
000057 |  
000058 |     if (!wpn || action_data.m_Player.GetItemInHands() != wpn || !action_data.m_Player.GetWeaponManager().IsRunning())  
000059 |     {  
000060 |         End(action_data);  
000061 |     }  
000062 | }  
000063 | };  
000064 |
```

0049. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiactionweaponunjam.c
Size bytes: 203
SHA-256: d5b05acead2b11ece8b8df59164645005f9f8b2c30ade67bb9d12c6e87b2e201
Decoded as: utf-8-sig
Line count shown: 10
Detected class declarations: 1
 L1: class eAIActionWeaponUnjam : eAIActionWeaponControl
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void Start(ActionData action_data)

Full file content

```
000001 | class eAIActionWeaponUnjam : eAIActionWeaponControl
000002 | {
000003 |     override void Start(ActionData action_data)
000004 |     {
000005 |         super.Start(action_data);
000006 |
000007 |         action_data.m_Player.GetWeaponManager().Unjam(this);
000008 |     }
000009 | };
000010 |
```

0050. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/eaiinventoryactionhandler.c

Size bytes: 3060

SHA-256: d7c3134600ffa6bd8717531e41549f6fe6dc40fb16065f9cb105e7f3c1c447a1

Decoded as: utf-8-sig

Line count shown: 142

Detected class declarations: 1

L16: class eAIInventoryActionHandler

Detected enum declarations: 0

Detected function/method-like declarations: 6

L33: void eAIInventoryActionHandler(PlayerBase player)

L44: void SetAction(ActionBase action, ItemBase target_item, ItemBase main_item)

L56: void SetAction(ActionBase action, ActionTarget target, ItemBase main_item)

L77: bool IsActiveAction()

L82: void OnUpdate()

L119: void DeactiveAction()

Full file content

```
000001 | /**
000002 |  * eAIInventoryActionHandler.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2022 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 | */
000014 |
000015 | //! Client only - manage set up crafting on client
000016 | class eAIInventoryActionHandler
000017 | {
000018 |     ActionBase m_action;
000019 |     ActionTarget m_target;
000020 |     ItemBase m_mainItem;
000021 |     bool      m_useItemInHands;
000022 |
000023 |     PlayerBase m_player;
000024 |
000025 |     bool m_isActive;
000026 |     vector m_actionStartPos;
000027 |
000028 |     const float MIN_DISTANCE_TO_INTERRUPT = 1.0;
000029 |     const int IAH_SINGLE_USE = 1;
000030 |     const int IAH_CONTINUOUS = 2;
000031 |
000032 |
000033 |     void eAIInventoryActionHandler(PlayerBase player)
000034 |     {
000035 |         m_player = player;
000036 |         m_isActive = false;
000037 |         m_action = null;
000038 |         m_target = null;
000039 |         m_mainItem = null;
000040 |         m_useItemInHands = false;
000041 |     }
```



```
000042 |     }
000043 |
000044 | void SetAction(ActionBase action, ItemBase target_item, ItemBase main_item )
000045 | {
000046 |     Object target_parent = null;
000047 |     if(target_item)
000048 |     {
000049 |         target_parent = target_item.GetHierarchyParent();
000050 |     }
000051 |     ActionTarget at = new ActionTarget(target_item, target_parent, -1, vector.Zero, -1);
000052 |
000053 |     SetAction(action, at, main_item );
000054 | }
000055 |
000056 | void SetAction(ActionBase action, ActionTarget target, ItemBase main_item )
000057 | {
000058 |     eAIActionManager mngr;
000059 |     Class.CastTo(mngr, m_player.GetActionManager());
000060 |
000061 |     m_action = action;
000062 |     m_target = target;
000063 |     m_mainItem = main_item;
000064 |
000065 |     ItemBase itemInHand = m_player.GetItemInHands();
000066 |     m_useItemInHands = main_item == itemInHand;
000067 |
000068 |     m_actionStartPos = m_player.GetPosition();
000069 |     m_isActive = true;
000070 |
000071 |     mngr.PerformActionStart( action, target, main_item );
000072 |     //mngr.ForceTarget(m_target.GetObject());
000073 |
000074 |     //g_Game.GetMission().HideInventory();
000075 | }
000076 |
000077 | bool IsActiveAction()
000078 | {
000079 |     return m_isActive;
000080 | }
000081 |
000082 | void OnUpdate()
000083 | {
000084 |
000085 |     if( !m_isActive ) return;
000086 |
000087 |     if( m_player.IsRaised() || m_player.GetCommand_Melee() )
000088 |     {
000089 |         DeactiveAction();
000090 |         return;
000091 |     }
000092 |
000093 |     /*if( g_Game.IsInventoryOpen() )
000094 |     {
000095 |         DeactiveAction();
000096 |         return;
000097 |     }*/
000098 |
000099 |     if (m_useItemInHands)
000100 |     {
000101 |         ItemBase handItem = m_player.GetItemInHands();
000102 |
000103 |         if( handItem != m_mainItem )
```

```
000104 |         {
000105 |             DeactiveAction();
000106 |             return;
000107 |         }
000108 |     }
000109 |
000110 |     if( Math.AbsFloat( vector.Distance(m_actionStartPos, m_player.GetPosition())) > MIN_DISTANCE_TO_INTERRUPT )
000111 |     {
000112 |         DeactiveAction();
000113 |         return;
000114 |     }
000115 |
000116 | }
000117 |
000118 | void DeactiveAction()
000119 | {
000120 |     if( !m_isActive ) return;
000121 |
000122 |     m_isActive = false;
000123 |
000124 |     eAIActionManager mngr;
000125 |     Class.CastTo(mngr, m_player.GetActionManager());
000126 |
000127 |     // Actions can be interrupted by taking damage, falling, etc
000128 |     mngr.Interrupt();
000129 |
000130 |     //mngr.EjectAction(m_action);
000131 |     //mngr.ClearForceTarget();
000132 |
000133 |     //m_player.GetCraftingManager().ResetInventoryCraft();
000134 |
000135 |     m_action = null;
000136 |     m_target = null;
000137 |     m_mainItem = null;
000138 |     m_useItemInHands = false;
000139 | }
000140 | }
000141 | }
000142 |
```

0051. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actiondeployobject.c
Size bytes: 427
SHA-256: 89d80b72c80165e3c2e0b65fd5c8d279f8ff13d7dce45cfd65168b425ce010c2
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class ActionDeployObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void OnStartServer(ActionData action_data)

Full file content

```
000001 | modded class ActionDeployObject
000002 | {
000003 |     override void OnStartServer(ActionData action_data)
000004 |     {
000005 |         super.OnStartServer(action_data);
000006 |
000007 |         if (action_data.m_MainItem.IsInherited(ExplosivesBase) || action_data.m_MainItem.IsInherited(TrapBase) || action_data.m_MainItem.IsKindOf("ExpansionExplos
ive"))
000008 |             action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true);  //! Aggro guards in area (if any)
000009 |     }
000010 | }
000011 |
```

0052. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionrestrainttarget.c
Size bytes: 2435
SHA-256: d9c20ff086828b0c9ee5c92a4c0e2b114b748bf13e82cd7ecf998e878c387240
Decoded as: utf-8-sig
Line count shown: 87
Detected class declarations: 1
 L13: modded class ActionRestrainingTarget
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L15: override void OnStartServer(ActionData action_data)
 L44: override void OnFinishProgressServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ActionRestrainingTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionRestrainingTarget
000014 | {
000015 |     override void OnStartServer(ActionData action_data)
000016 |     {
000017 |         eAIBase ai;
000018 |         if (Class.CastTo(ai, action_data.m_Target.GetObject()))
000019 |         {
000020 |             eAIGroup group = ai.GetGroup();
000021 |             eAIGroup playerGroup = action_data.m_Player.GetGroup();
000022 |
000023 |             if (group == playerGroup)
000024 |                 return;
000025 |
000026 |             if (ai.GetGroup().GetFaction().IsGuard())
000027 |                 action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true); //! Aggro guards in area (if any)
000028 |
000029 |             if (!ai.Expansion_CanBeDamaged())
000030 |                 return;
000031 |
000032 |             float threat = 1.0;
000033 |
000034 |             auto info = action_data.m_Player.GetTargetInformation();
000035 |             auto target = info.AddAI(ai, -1, false);
000036 |
000037 |             if (threat > target.m_ThreatLevelActive)
000038 |                 target.SetInitial(threat, action_data.m_Player.GetPosition());
000039 |         }
000040 |
000041 |         super.OnStartServer(action_data);
000042 |     }
000043 |
000044 |     override void OnFinishProgressServer(ActionData action_data)
000045 |     {
```

```
000046 |         eAIBase ai;
000047 |         if (!Class.CastTo(ai, action_data.m_Target.GetObject()))
000048 |         {
000049 |             super.OnFinishProgressServer(action_data);
000050 |             return;
000051 |         }
000052 |
000053 |         if (CanReceiveAction(action_data.m_Target) && !ai.IsRestrained())
000054 |         {
000055 |             EntityAI item_in_hands_target = ai.GetHumanInventory().GetEntityInHands();
000056 |             EntityAI item_in_hands_source = action_data.m_Player.GetHumanInventory().GetEntityInHands();
000057 |
000058 |             if (!item_in_hands_source)
000059 |             {
000060 |                 Error("Restraining target failed, nothing in hands");
000061 |                 return;
000062 |             }
000063 |
000064 |             string new_item_name = MiscGameplayFunctions.ObtainRestrainItemTargetClassname(item_in_hands_source);
000065 |             if (item_in_hands_target)
000066 |             {
000067 |                 Print("Restraining player with item in hands, first drop & then restrain");
000068 |
000069 |                 ai.eAI_DropItemInHandsImpl(false, false, false);
000070 |             }
000071 |             else
000072 |             {
000073 |                 Print("Restraining player with empty hands");
000074 |             }
000075 |
000076 |             item_in_hands_source.DeleteSafe();
000077 |             action_data.m_Player.OnItemInHandsChanged();
000078 |
000079 |             ai.GetHumanInventory().CreateInHands(new_item_name);
000080 |             ai.SetRestrained(true);
000081 |             ai.OnItemInHandsChanged();
000082 |
000083 |             action_data.m_Player.GetSoftSkillsManager().AddSpecialty(m_SpecialtyWeight);
000084 |         }
000085 |     }
000086 | }
000087 |
```

0053. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionunrestraintarget.c
 Size bytes: 2303
 SHA-256: 1371fc652adaa3774d93ebfe4dc6980c425b7ecee94fefc956d94f1e280ccbd8
 Decoded as: utf-8-sig
 Line count shown: 80
 Detected class declarations: 1
 L13: modded class ActionUnrestrainTarget
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L15: override void OnFinishProgressServer(ActionData action_data)
 L57: static void eAI_Unrestrain(EntityAI current_item, EntityAI tool, eAIBase ai)

Full file content

```
000001 | /**
000002 |  * ActionUnrestrainTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionUnrestrainTarget
000014 | {
000015 |     override void OnFinishProgressServer(ActionData action_data)
000016 |     {
000017 |         eAIBase ai;
000018 |         if (!Class.CastTo(ai, action_data.m_Target.GetObject()))
000019 |         {
000020 |             super.OnFinishProgressServer(action_data);
000021 |             return;
000022 |         }
000023 |
000024 |         if (CanReceiveAction(action_data.m_Target) && ai.IsRestrained())
000025 |         {
000026 |             EntityAI unrestraining_tool = action_data.m_MainItem;
000027 |             EntityAI restraining_item = ai.GetItemInHands();
000028 |
000029 |             ai.SetRestrained(false);
000030 |
000031 |             CachedObjectsArrays.ARRAY_STRING.Clear();
000032 |
000033 |             restraining_item.ConfigGetTextArray("CanBeUnrestrainedBy", CachedObjectsArrays.ARRAY_STRING);
000034 |             restraining_item.ConfigGetFloatArray("CanBeUnrestrainedByDMG", CachedObjectsArrays.ARRAY_FLOAT);
000035 |
000036 |             string item_in_hands_name = unrestraining_tool.GetType();
000037 |             float damageToTool = 0;
000038 |
000039 |             for (int i = 0; i < CachedObjectsArrays.ARRAY_STRING.Count(); i++)
000040 |             {
000041 |                 string class_name = CachedObjectsArrays.ARRAY_STRING.Get(i);
000042 |                 if (g_Game.IsKindOf(item_in_hands_name, class_name))
000043 |                 {
000044 |                     damageToTool = CachedObjectsArrays.ARRAY_FLOAT.Get(i / 2);
000045 |                     break;
```

```
000046 |         }
000047 |     }
000048 |
000049 |     MiscGameplayFunctions.DealAbsoluteDmg(action_data.m_MainItem, damageToTool);
000050 |
000051 |     eAI_Unrestrain(restraining_item, unrestraining_tool, ai);
000052 |
000053 |     action_data.m_Player.GetSoftSkillsManager().AddSpecialty(m_SpecialtyWeight);
000054 | }
000055 | }
000056 |
000057 | static void eAI_Unrestrain(EntityAI current_item, EntityAI tool, eAIBase ai)
000058 | {
000059 |     bool type;
000060 |
000061 |     if (tool)
000062 |         type = tool.ConfigGetBool("RestrainedUnlockType");
000063 |
000064 |     string new_item_name = current_item.ConfigGetString( "OnRestrainedChange");
000065 |
000066 |     if (new_item_name != "")
000067 |     {
000068 |         current_item.DeleteSafe();
000069 |         ai.SetRestrained(false);
000070 |         ai.OnItemInHandsChanged();
000071 |
000072 |         g_Game.CreateObjectEx(new_item_name, ai.GetPosition(), ECE_PLACE_ON_SURFACE);
000073 |     }
000074 |     else
000075 |     {
000076 |         Error("current_item:" +current_item+ ", tool:" +tool +". No value for 'OnRestrainedChange' config parameter");
000077 |     }
000078 | }
000079 | }
000080 |
```

0054. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionunrestraintargethands.c
 Size bytes: 972
 SHA-256: ea4d8272eb65c79cdce9657f431e754525257ae6d05fc9cc10b5e6260cc6857e
 Decoded as: utf-8-sig
 Line count shown: 38
 Detected class declarations: 1
 L13: modded class ActionUnrestrainTargetHands
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L15: override void OnFinishProgressServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ActionUnrestrainTargetHands.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionUnrestrainTargetHands
000014 | {
000015 |     override void OnFinishProgressServer(ActionData action_data)
000016 |     {
000017 |         eAIBase ai;
000018 |         if (!Class.CastTo(ai, action_data.m_Target.GetObject()))
000019 |         {
000020 |             super.OnFinishProgressServer(action_data);
000021 |             return;
000022 |         }
000023 |
000024 |         if (CanReceiveAction(action_data.m_Target) && ai.IsRestrained())
000025 |         {
000026 |             EntityAI item_in_hands = ai.GetItemInHands();
000027 |             if (item_in_hands)
000028 |             {
000029 |                 ActionUnrestrainTarget.eAI_Unrestrain(item_in_hands, null, ai);
000030 |             }
000031 |             else
000032 |             {
000033 |                 ErrorEx("Failed to obtain item in target player's hands during empty handed unrestraining");
000034 |             }
000035 |         }
000036 |     }
000037 | }
000038 |
```


0055. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/actionworldcraft.c
Size bytes: 376
SHA-256: be8d3222f5d5d4b539d7abe8da095bc3bbe16fb1900688ade80079bf0e44c4ca
Decoded as: utf-8-sig
Line count shown: 13
Detected class declarations: 1
 L1: modded class ActionWorldCraft
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override bool Post_SetupAction(ActionData action_data)

Full file content

```
000001 | modded class ActionWorldCraft
000002 | {
000003 |     override bool Post_SetupAction(ActionData action_data)
000004 |     {
000005 |         auto actionDataWorldCraft = WorldCraftActionData.Cast(action_data);
000006 |
000007 |         if (actionDataWorldCraft && action_data.m_Player.Expansion_IsAI())
000008 |             actionDataWorldCraft.m_RecipeID = action_data.m_Player.GetCraftingRecipeID();
000009 |
000010 |         return super.Post_SetupAction(action_data);
000011 |     }
000012 | }
000013 |
```

0056. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/eaiactionskinning.c
Size bytes: 657
SHA-256: 18b791c3694d32980707d98234326eeef92f4a0255d5520b550851c8863ef4b6
Decoded as: utf-8-sig
Line count shown: 27
Detected class declarations: 1
 L1: modded class ActionSkinning
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L3: override bool Can(PlayerBase player, ActionTarget target, ItemBase item, int condition_mask)
 L11: override protected bool CanContinue(ActionData action_data)
 L19: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | modded class ActionSkinning
000002 | {
000003 |     override bool Can(PlayerBase player, ActionTarget target, ItemBase item, int condition_mask)
000004 |     {
000005 |         if (super.Can(player, target, item, condition_mask) || player.Expansion_IsAI())
000006 |             return true;
000007 |
000008 |         return false;
000009 |     }
000010 |
000011 |     override protected bool CanContinue(ActionData action_data)
000012 |     {
000013 |         if (super.CanContinue(action_data) || action_data.m_Player.Expansion_IsAI())
000014 |             return true;
000015 |
000016 |         return false;
000017 |     }
000018 |
000019 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000020 |     {
000021 |         if (super.ActionCondition(player, target, item) || player.Expansion_IsAI())
000022 |             return true;
000023 |
000024 |         return false;
000025 |     }
000026 | }
000027 |
```

0057. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actioncollectbloodtarget.c
Size bytes: 1141
SHA-256: 6b97fc70349e88bfa402f8abfb510e42c5bf20038aeaf37b853d20f22ee4a556
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
  L13: modded class ActionCollectBloodTarget
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L15: override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
  L26: override void OnStartServer(ActionData action_data)

```

Full file content

```

000001 | /**
000002 |  * ActionCollectBloodTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionCollectBloodTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         bool result = super.ActionCondition(player, target, item);
000018 |
000019 |         eAIBase ai;
000020 |         if (Class.CastTo(ai, target.GetObject()) && !ai.Expansion_CanBeDamaged() && ai.GetGroup().GetFaction().IsGuard())
000021 |             return true;  //!< Hoho
000022 |
000023 |         return result;
000024 |     }
000025 |
000026 |     override void OnStartServer(ActionData action_data)
000027 |     {
000028 |         eAIBase ai;
000029 |         if (Class.CastTo(ai, action_data.m_Target.GetObject()) && ai.GetGroup().GetFaction().IsGuard())
000030 |         {
000031 |             action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true);  //!< Aggro guards in area (if any)
000032 |             if (!ai.Expansion_CanBeDamaged())
000033 |                 return;
000034 |         }
000035 |
000036 |         super.OnStartServer(action_data);
000037 |     }
000038 | };
000039 |

```

0058. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actioncollectsampletarget.c
Size bytes: 1143
SHA-256: 3636e823b23337ee80fd0968b175786fb9bf0244f136e3ae7cdf029e54c88715
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
  L13: modded class ActionCollectSampleTarget
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L15: override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
  L26: override void OnStartServer(ActionData action_data)

```

Full file content

```

000001 | /**
000002 |  * ActionCollectSampleTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionCollectSampleTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         bool result = super.ActionCondition(player, target, item);
000018 |
000019 |         eAIBase ai;
000020 |         if (Class.CastTo(ai, target.GetObject()) && !ai.Expansion_CanBeDamaged() && ai.GetGroup().GetFaction().IsGuard())
000021 |             return true;  //!< Hoho
000022 |
000023 |         return result;
000024 |     }
000025 |
000026 |     override void OnStartServer(ActionData action_data)
000027 |     {
000028 |         eAIBase ai;
000029 |         if (Class.CastTo(ai, action_data.m_Target.GetObject()) && ai.GetGroup().GetFaction().IsGuard())
000030 |         {
000031 |             action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true);  //!< Aggro guards in area (if any)
000032 |             if (!ai.Expansion_CanBeDamaged())
000033 |                 return;
000034 |         }
000035 |
000036 |         super.OnStartServer(action_data);
000037 |     }
000038 | };
000039 |

```

0059. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actiondefibrilatetarget.c
Size bytes: 1139
SHA-256: 5b6c31281604e61b002af0672a1e31b957f6cd7ddfb9e3bcdad8cad3e9e2e694
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
  L13: modded class ActionDefibrilateTarget
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L15: override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
  L26: override void OnStartServer(ActionData action_data)

```

Full file content

```

000001 | /**
000002 |  * ActionDefibrilateTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionDefibrilateTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         bool result = super.ActionCondition(player, target, item);
000018 |
000019 |         eAIBase ai;
000020 |         if (Class.CastTo(ai, target.GetObject()) && !ai.Expansion_CanBeDamaged() && ai.GetGroup().GetFaction().IsGuard())
000021 |             return true;  //!< Hoho
000022 |
000023 |         return result;
000024 |     }
000025 |
000026 |     override void OnStartServer(ActionData action_data)
000027 |     {
000028 |         eAIBase ai;
000029 |         if (Class.CastTo(ai, action_data.m_Target.GetObject()) && ai.GetGroup().GetFaction().IsGuard())
000030 |         {
000031 |             action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true);  //!< Aggro guards in area (if any)
000032 |             if (!ai.Expansion_CanBeDamaged())
000033 |                 return;
000034 |         }
000035 |
000036 |         super.OnStartServer(action_data);
000037 |     }
000038 | };
000039 |

```

0060. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/continuous/medical/actiongivebloodtarget.c
Size bytes: 1401
SHA-256: 0624a113641c91674e5fd567ee7f65bc9c8b6e62ec4fed2099d596224c09e
Decoded as: utf-8-sig
Line count shown: 45
Detected class declarations: 1
  L13: modded class ActionGiveBloodTarget
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L15: override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
  L26: override void OnStartServer(ActionData action_data)

```

Full file content

```

000001 | /**
000002 |  * ActionGiveBloodTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionGiveBloodTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         bool result = super.ActionCondition(player, target, item);
000018 |
000019 |         eAIBase ai;
000020 |         if (Class.CastTo(ai, target.GetObject()) && !ai.Expansion_CanBeDamaged() && ai.GetGroup().GetFaction().IsGuard())
000021 |             return true;  //!< Hoho
000022 |
000023 |         return result;
000024 |     }
000025 |
000026 |     override void OnStartServer(ActionData action_data)
000027 |     {
000028 |         eAIBase ai;
000029 |         if (Class.CastTo(ai, action_data.m_Target.GetObject()) && ai.GetGroup().GetFaction().IsGuard())
000030 |         {
000031 |             int agents = action_data.m_MainItem.GetAgents();
000032 |             int bloodType = action_data.m_MainItem.GetLiquidType();
000033 |             int bloodTypeTarget = ai.GetStatBloodType().Get();
000034 |             if (agents || !BloodTypes.MatchBloodCompatibility(bloodType, bloodTypeTarget))
000035 |             {
000036 |                 action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true);  //!< Aggro guards in area (if any)
000037 |                 if (!ai.Expansion_CanBeDamaged())
000038 |                     return;
000039 |             }
000040 |         }
000041 |
000042 |         super.OnStartServer(action_data);
000043 |     }
000044 | };
000045 |

```

0061. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/actioncloseddoors.c
 Size bytes: 1324
 SHA-256: 065055c8f4571981fae3c9d368181f28cff5d3ca678608a1363df31a9d7a9a01
 Decoded as: utf-8-sig
 Line count shown: 47
 Detected class declarations: 4
 L3: modded class ActionOpenDoors
 L14: modded class ActionCloseDoors
 L25: modded class ActionOpenFence
 L36: modded class ActionCloseFence
 Detected enum declarations: 0
 Detected function/method-like declarations: 4
 L5: override void OnEndServer(ActionData action_data)
 L16: override void OnEndServer(ActionData action_data)
 L27: override void OnEndServer(ActionData action_data)
 L38: override void OnEndServer(ActionData action_data)

Full file content

```
000001 | ///! If vanilla noisesystem is ever updated so that noise events are generated in script, we won't need these overrides anymore
000002 |
000003 | modded class ActionOpenDoors
000004 | {
000005 |     override void OnEndServer(ActionData action_data)
000006 |     {
000007 |         super.OnEndServer(action_data);
000008 |
000009 |         if (action_data.m_Player)
000010 |             eAINoiseSystem.AddNoise(action_data.m_Player, action_data.m_Player.GetPosition(), "CfgVehicles SurvivorBase NoiseActionDefault");
000011 |     }
000012 | }
000013 |
000014 | modded class ActionCloseDoors
000015 | {
000016 |     override void OnEndServer(ActionData action_data)
000017 |     {
000018 |         super.OnEndServer(action_data);
000019 |
000020 |         if (action_data.m_Player)
000021 |             eAINoiseSystem.AddNoise(action_data.m_Player, action_data.m_Player.GetPosition(), "CfgVehicles SurvivorBase NoiseActionDefault");
000022 |     }
000023 | }
000024 |
000025 | modded class ActionOpenFence
000026 | {
000027 |     override void OnEndServer(ActionData action_data)
000028 |     {
000029 |         super.OnEndServer(action_data);
000030 |
000031 |         if (action_data.m_Player)
000032 |             eAINoiseSystem.AddNoise(action_data.m_Player, action_data.m_Player.GetPosition(), "CfgVehicles SurvivorBase NoiseActionDefault");
000033 |     }
000034 | }
000035 |
000036 | modded class ActionCloseFence
000037 | {
000038 |     override void OnEndServer(ActionData action_data)
000039 |     {
000040 |         super.OnEndServer(action_data);
```

```
000041 |  
000042 |         if (action_data.m_Player)  
000043 |             eAINoiseSystem.AddNoise(action_data.m_Player, action_data.m_Player.GetPosition(), "CfgVehicles SurvivorBase NoiseActionDefault");  
000044 |     }  
000045 | }  
000046 |  
000047 |
```


0062. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiondoorsdummy.c
Size bytes: 536
SHA-256: efb4bb129f1e2fa0dde71733bcf2de61c7061dda7de909171867d00fa41e5880
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 2
 L2: class eAIActionOpenDoorsDummy: ActionOpenDoors
 L15: class eAIActionCloseDoorsDummy: ActionCloseDoors
Detected enum declarations: 0
Detected function/method-like declarations: 4
 L4: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L9: override void OnStartServer(ActionData action_data)
 L17: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L22: override void OnStartServer(ActionData action_data)

Full file content

```
000001 | //!< Only needed for hand animation
000002 | class eAIActionOpenDoorsDummy: ActionOpenDoors
000003 | {
000004 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000005 |     {
000006 |         return false;
000007 |     }
000008 |
000009 |     override void OnStartServer(ActionData action_data)
000010 |     {
000011 |     }
000012 | }
000013 |
000014 | //!< Only needed for hand animation
000015 | class eAIActionCloseDoorsDummy: ActionCloseDoors
000016 | {
000017 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000018 |     {
000019 |         return false;
000020 |     }
000021 |
000022 |     override void OnStartServer(ActionData action_data)
000023 |     {
000024 |     }
000025 | }
```

0063. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiondropitem.c
Size bytes: 1152
SHA-256: 4b88ee49e529bc76786d27f541d9d5f59af872fc8a56b72f94b68e8aabdc976a
Decoded as: utf-8-sig
Line count shown: 57
Detected class declarations: 1
  L1: class eAIActionDropItem : ActionSingleUseBase
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L3: void eAIActionDropItem()
  L10: override void CreateConditionComponents()
  L16: override typename GetInputType()
  L21: override bool HasProneException()
  L26: override bool CanBeUsedThrowing()
  L31: override bool HasTarget()
  L36: override bool MainItemAlwaysInHands()
  L41: override bool ActionConditionContinue(ActionData action_data)
  L46: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
  L51: override void OnExecuteServer(ActionData action_data)
```

Full file content

```
000001 | class eAIActionDropItem : ActionSingleUseBase
000002 | {
000003 |     void eAIActionDropItem()
000004 |     {
000005 |         m_CommandUID      = DayZPlayerConstants.CMD_ACTIONMOD_DROPITEM_HANDS;
000006 |         m_CommandUIDProne  = DayZPlayerConstants.CMD_ACTIONFB_DROPITEM_HANDS;
000007 |         m_CallbackClass    = ActionDropItemCB;
000008 |     }
000009 |
000010 |     override void CreateConditionComponents()
000011 |     {
000012 |         m_ConditionItem    = new CCINone();
000013 |         m_ConditionTarget  = new CCTNone();
000014 |     }
000015 |
000016 |     override typename GetInputType()
000017 |     {
000018 |         return DropActionInput;
000019 |     }
000020 |
000021 |     override bool HasProneException()
000022 |     {
000023 |         return true;
000024 |     }
000025 |
000026 |     override bool CanBeUsedThrowing()
000027 |     {
000028 |         return true;
000029 |     }
000030 |
000031 |     override bool HasTarget()
000032 |     {
000033 |         return false;
000034 |     }
000035 |
000036 |     override bool MainItemAlwaysInHands()
000037 |     {
```

```
000038 |         return false;
000039 |     }
000040 |
000041 |     override bool ActionConditionContinue(ActionData action_data)
000042 |     {
000043 |         return true;
000044 |     }
000045 |
000046 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000047 |     {
000048 |         return false;
000049 |     }
000050 |
000051 |     override void OnExecuteServer(ActionData action_data)
000052 |     {
000053 |         eAIBase ai = eAIBase.Cast(action_data.m_Player);
000054 |         ai.eAI_DropItemImpl(action_data.m_MainItem, ai.eAI_GetThreatOverride(action_data.m_MainItem));
000055 |     }
000056 | }
000057 |
```

0064. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiontakeitem.c
Size bytes: 2167
SHA-256: f9123e5925f6e3647dc821d34c164a66190505714145c8b0595c0f90e3335af8
Decoded as: utf-8-sig
Line count shown: 88
Detected class declarations: 1
  L1: class eAIActionTakeItem: ActionInteractBase
Detected enum declarations: 0
Detected function/method-like declarations: 9
  L5: void eAIActionTakeItem()
  L11: override void CreateConditionComponents()
  L17: override bool HasProneException()
  L22: override bool ActionConditionContinue( ActionData action_data )
  L27: override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
  L32: override bool CanBeUsedOnBack()
  L37: override bool InventoryReservation(ActionData action_data)
  L66: override void OnExecuteServer( ActionData action_data )
  L80: else if (InventoryReservation(action_data))

```

Full file content

```

000001 | class eAIActionTakeItem: ActionInteractBase
000002 | {
000003 |     string m_ItemName = "";
000004 |
000005 |     void eAIActionTakeItem()
000006 |     {
000007 |         m_CommandUID      = DayZPlayerConstants.CMD_ACTIONMOD_PICKUP_INVENTORY;
000008 |         m_CommandUIDProne  = DayZPlayerConstants.CMD_ACTIONFB_PICKUP_INVENTORY;
000009 |     }
000010 |
000011 |     override void CreateConditionComponents()
000012 |     {
000013 |         m_ConditionItem = new CCINone;
000014 |         m_ConditionTarget = new CCTObject(UAMaxDistances.DEFAULT);
000015 |     }
000016 |
000017 |     override bool HasProneException()
000018 |     {
000019 |         return true;
000020 |     }
000021 |
000022 |     override bool ActionConditionContinue( ActionData action_data )
000023 |     {
000024 |         return true;
000025 |     }
000026 |
000027 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000028 |     {
000029 |         return false;
000030 |     }
000031 |
000032 |     override bool CanBeUsedOnBack()
000033 |     {
000034 |         return true;
000035 |     }
000036 |
000037 |     override bool InventoryReservation(ActionData action_data)
000038 |     {

```

```
000039 |         bool success = true;
000040 |
000041 |         InventoryLocation il = new InventoryLocation;
000042 |
000043 |         ItemBase targetItem;
000044 |         if ( ItemBase.CastTo(targetItem, action_data.m_Target.GetObject()) )
000045 |         {
000046 |             action_data.m_Player.GetInventory().FindFreeLocationFor( targetItem , FindInventoryLocationType.ANY, il );
000047 |             if ( action_data.m_Player.GetInventory().HasInventoryReservation( targetItem, il ) )
000048 |             {
000049 |                 success = false;
000050 |             }
000051 |             else
000052 |             {
000053 |                 action_data.m_Player.GetInventory().AddInventoryReservationEx( targetItem, il, GameInventory.c_InventoryReservationTimeoutMS);
000054 |             }
000055 |         }
000056 |
000057 |         if ( success )
000058 |         {
000059 |             if( il )
000060 |                 action_data.m_ReservedInventoryLocations.Insert(il);
000061 |         }
000062 |
000063 |         return success;
000064 |     }
000065 |
000066 |     override void OnExecuteServer( ActionData action_data )
000067 |     {
000068 |         ItemBase ntarget = ItemBase.Cast(action_data.m_Target.GetObject());
000069 |
000070 |         if (!ntarget)
000071 |             return;
000072 |
000073 |         float stackable = ntarget.GetTargetQuantityMax(-1);
000074 |
000075 |         if( stackable == 0 || stackable >= ntarget.GetQuantity() )
000076 |         {
000077 |             eAIBase ai = eAIBase.Cast(action_data.m_Player);
000078 |             ai.eAI_TakeItemToInventoryImpl(ntarget);
000079 |         }
000080 |         else if (InventoryReservation(action_data))
000081 |         {
000082 |             InventoryLocation il = action_data.m_ReservedInventoryLocations.Get(0);
000083 |             ClearInventoryReservationEx(action_data);
000084 |             ntarget.SplitIntoStackMaxToInventoryLocationClient( il );
000085 |         }
000086 |     }
000087 | }
000088 |
```

0065. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/eaiactiontakeitemtohands.c

Size bytes: 2623

SHA-256: de3a968f021b5800ad1f8bd16e0d9b684e956d32020e65113acf75c54788d8f7

Decoded as: utf-8-sig

Line count shown: 99

Detected class declarations: 1

L1: class eAIActionTakeItemToHands: ActionInteractBase

Detected enum declarations: 0

Detected function/method-like declarations: 10

L3: void eAIActionTakeItemToHands()

L9: override void CreateConditionComponents()

L15: override bool HasProneException()

L20: override typename GetInputType()

L25: override bool HasProgress()

L30: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

L35: override bool CanContinue(ActionData action_data)

L40: override void OnExecuteServer(ActionData action_data)

L64: override void CreateAndSetupActionCallback(ActionData action_data)

L94: override bool CanBeUsedOnBack()

Full file content

```
000001 | class eAIActionTakeItemToHands: ActionInteractBase
000002 | {
000003 |     void eAIActionTakeItemToHands()
000004 |     {
000005 |         m_CommandUID      = DayZPlayerConstants.CMD_ACTIONMOD_PICKUP_HANDS;
000006 |         m_CommandUIDProne  = DayZPlayerConstants.CMD_ACTIONFB_PICKUP_HANDS;
000007 |     }
000008 |
000009 |     override void CreateConditionComponents()
000010 |     {
000011 |         m_ConditionItem    = new CCINone();
000012 |         m_ConditionTarget  = new CCTObject(UAMaxDistances.DEFAULT);
000013 |     }
000014 |
000015 |     override bool HasProneException()
000016 |     {
000017 |         return true;
000018 |     }
000019 |
000020 |     override typename GetInputType()
000021 |     {
000022 |         return ContinuousInteractActionInput;
000023 |     }
000024 |
000025 |     override bool HasProgress()
000026 |     {
000027 |         return false;
000028 |     }
000029 |
000030 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000031 |     {
000032 |         return false;
000033 |     }
000034 |
000035 |     override bool CanContinue(ActionData action_data)
000036 |     {
000037 |         return true;
```

```
000038 |     }
000039 |
000040 |     override void OnExecuteServer(ActionData action_data)
000041 |     {
000042 |         ItemBase ntarget = ItemBase.Cast(action_data.m_Target.GetObject());
000043 |         ClearInventoryReservationEx(action_data);
000044 |
000045 |         if (!ntarget)
000046 |             return;
000047 |
000048 |         float stackable = ntarget.GetTargetQuantityMax(-1);
000049 |
000050 |         if (stackable == 0 || stackable >= ntarget.GetQuantity())
000051 |         {
000052 |             eAIBase ai = eAIBase.Cast(action_data.m_Player);
000053 |             //! Need to do actual take to hands in next frame to avoid segfault, don't ask why
000054 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(ai.eAI_TakeItemToHandsImpl, ntarget);
000055 |         }
000056 |         else
000057 |         {
000058 |             InventoryLocation il = new InventoryLocation();
000059 |             il.SetHands(action_data.m_Player, ntarget);
000060 |             ntarget.SplitIntoStackMaxToInventoryLocationClient(il);
000061 |         }
000062 |     }
000063 |
000064 |     override void CreateAndSetupActionCallback(ActionData action_data)
000065 |     {
000066 |         EntityAI target = EntityAI.Cast(action_data.m_Target.GetObject());
000067 |         if (!target)
000068 |             return;
000069 |
000070 |         ActionBaseCB callback;
000071 |
000072 |         if (target.IsHeavyBehaviour())
000073 |         {
000074 |             Class.CastTo(callback, action_data.m_Player.StartCommand_Action(DayZPlayerConstants.CMD_ACTIONFB_PICKUP_HEAVY, GetCallbackClassTypename(), DayZPlayerCo
000075 | nstants.STANCEMASK_ERECT));
000076 |         }
000077 |         else
000078 |         {
000079 |             if (action_data.m_Player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT))
000080 |             {
000081 |                 Class.CastTo(callback, action_data.m_Player.AddCommandModifier_Action(m_CommandUID, GetCallbackClassTypename()));
000082 |             }
000083 |             else
000084 |             {
000085 |                 Class.CastTo(callback, action_data.m_Player.StartCommand_Action(m_CommandUIDProne, GetCallbackClassTypename(), DayZPlayerConstants.STANCEMASK_PRONE)
000086 | );
000087 |             }
000088 |         }
000089 |         callback.SetActionData(action_data);
000090 |         callback.InitActionComponent();
000091 |         action_data.m_Callback = callback;
000092 |     }
000093 |
000094 |     override bool CanBeUsedOnBack()
000095 |     {
000096 |         return true;
000097 |     }
```

```
000098 | }  
000099 |
```


0066. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactiondismissai.c
 Size bytes: 1961
 SHA-256: 1a10139ad3f6c19a5910159aedd39bf814783fc1f38775719268d5639ba761a7
 Decoded as: utf-8-sig
 Line count shown: 72
 Detected class declarations: 1
 L13: class ExpansionActionDismissAI: ActionInteractBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L15: void ExpansionActionDismissAI()
 L23: override void CreateConditionComponents()
 L29: override bool CanBeUsedSwimming()
 L34: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L52: override void OnStartServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionDismissAI.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionDismissAI: ActionInteractBase
000014 | {
000015 |     void ExpansionActionDismissAI()
000016 |     {
000017 |         m_CommandUID = DayZPlayerConstants.CMD_GESTUREMOD_MOVE;
000018 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_ALL;
000019 |         m_HUDCursorIcon = CursorIcons.Cursor;
000020 |         m_Text = "#STR_EXPANSION_AI_DISMISS";
000021 |     }
000022 |
000023 |     override void CreateConditionComponents()
000024 |     {
000025 |         m_ConditionItem = new CCINone;
000026 |         m_ConditionTarget = new CCTCursor;
000027 |     }
000028 |
000029 |     override bool CanBeUsedSwimming()
000030 |     {
000031 |         return true;
000032 |     }
000033 |
000034 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000035 |     {
000036 |         eAIBase tAI;
000037 |         if (!Class.CastTo(tAI, target.GetObject()))
000038 |             return false;
000039 |
000040 |         if (!tAI.IsAlive() || tAI.IsUnconscious())
000041 |             return false;
000042 |     }
```

```
000043 |         if (!player.GetGroup())
000044 |             return false;
000045 |
000046 |         if (player.GetGroup() != tAI.GetGroup())
000047 |             return false;
000048 |
000049 |         return true;
000050 |     }
000051 |
000052 |     override void OnStartServer(ActionData action_data)
000053 |     {
000054 |         auto tAI = eAIBase.Cast(action_data.m_Target.GetObject());
000055 |
000056 |         eAIGroup group = tAI.GetGroup();  //!< This is the group that both the player and AI are currently in
000057 |
000058 |         eAIGroup formerGroup = tAI.Expansion_GetFormerGroup();
000059 |
000060 |         //!< If AI has no former group or is the same as player group, create empty group
000061 |         if (!formerGroup || formerGroup == action_data.m_Player.GetGroup())
000062 |             formerGroup = eAIGroup.CreateGroup(group.GetFaction());
000063 |
000064 |         //!< Add AI to group
000065 |         tAI.SetGroup(formerGroup);
000066 |
000067 |         //!< Remove player from group if they had no former group
000068 |         if (group.Count() == 1 && !action_data.m_Player.Expansion_GetFormerGroup())
000069 |             action_data.m_Player.SetGroup(null);
000070 |     }
000071 | };
000072 |
```

0067. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactionopenaiinventory.c
 Size bytes: 1494
 SHA-256: 83ec3a67ad175b92373364715f7099456fdefd205f12111166eelcf0ad4551ca
 Decoded as: utf-8-sig
 Line count shown: 59
 Detected class declarations: 1
 L13: class ExpansionActionOpenAIInventory: ActionInteractBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L15: void ExpansionActionOpenAIInventory()
 L23: override void CreateConditionComponents()
 L29: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L47: override void OnStartServer(ActionData action_data)
 L54: override void OnEndClient(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionOpenAIInventory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionOpenAIInventory: ActionInteractBase
000014 | {
000015 |     void ExpansionActionOpenAIInventory()
000016 |     {
000017 |         m_CommandUID = DayZPlayerConstants.CMD_GESTUREMOD_COME;
000018 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_ALL;
000019 |         m_HUDCursorIcon = CursorIcons.Cursor;
000020 |         m_Text = "#STR_EXPANSION_AI_OPEN_INVENTORY";
000021 |     }
000022 |
000023 |     override void CreateConditionComponents()
000024 |     {
000025 |         m_ConditionItem = new CCINone;
000026 |         m_ConditionTarget = new CCTCursor;
000027 |     }
000028 |
000029 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000030 |     {
000031 |         eAIBase ai;
000032 |         if (!Class.CastTo(ai, target.GetObject()))
000033 |             return false;
000034 |
000035 |         if (!ai.IsAlive() || ai.IsUnconscious() || !ai.Expansion_CanBeLooted())
000036 |             return false;
000037 |
000038 |         if (!player.GetGroup())
000039 |             return false;
000040 |
000041 |         if (player.GetGroup() != ai.GetGroup())
000042 |             return false;
```

```
000043 |  
000044 |     return true;  
000045 | }  
000046 |  
000047 | override void OnStartServer(ActionData action_data)  
000048 | {  
000049 |     auto ai = eAIBase.Cast(action_data.m_Target.GetObject());  
000050 |  
000051 |     ai.eAI_SetIsInventoryVisible(true, action_data.m_Player);  
000052 | }  
000053 |  
000054 | override void OnEndClient(ActionData action_data)  
000055 | {  
000056 |     g_Game.GetMission().ShowInventory();  
000057 | }  
000058 | };  
000059 |
```

0068. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/expansionactionrecruitai.c
Size bytes: 3008
SHA-256: 4dd3aa2e87d7d086891da2081adfcf03b3831a21841f47eea85999cf84f5a48b
Decoded as: utf-8-sig
Line count shown: 108
Detected class declarations: 1
  L13: class ExpansionActionRecruitAI: ActionInteractBase
Detected enum declarations: 0
Detected function/method-like declarations: 7
  L15: void ExpansionActionRecruitAI()
  L23: override void CreateConditionComponents()
  L29: override bool CanBeUsedSwimming()
  L34: override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
  L77: else if (!settings.CanRecruitFriendly || (playerGroup && playerGroup.Count() - 1 >= settings.MaxRecrutableAI))
  L81: else if (tAI.PlayerIsEnemy(player, false, isPlayerMoving, friendly))
  L92: override void OnStartServer(ActionData action_data)

```

Full file content

```

000001 | /**
000002 |  * ExpansionActionRecruitAI.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionRecruitAI: ActionInteractBase
000014 | {
000015 |     void ExpansionActionRecruitAI()
000016 |     {
000017 |         m_CommandUID = DayZPlayerConstants.CMD_GESTUREMOD_COME;
000018 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_ALL;
000019 |         m_HUDCursorIcon = CursorIcons.Cursor;
000020 |         m_Text = "#STR_EXPANSION_AI_RECRUIT";
000021 |     }
000022 |
000023 |     override void CreateConditionComponents()
000024 |     {
000025 |         m_ConditionItem = new CCINone;
000026 |         m_ConditionTarget = new CCTCursor;
000027 |     }
000028 |
000029 |     override bool CanBeUsedSwimming()
000030 |     {
000031 |         return true;
000032 |     }
000033 |
000034 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000035 |     {
000036 |         eAIBase tAI;
000037 |         if (!Class.CastTo(tAI, target.GetObject()))
000038 |             return false;
000039 |
000040 |         if (!tAI.IsAlive() || tAI.IsUnconscious())

```

```
000041 |         return false;
000042 |
000043 |         eAIGroup group = tAI.GetGroup();
000044 |         eAIGroup playerGroup = player.GetGroup();
000045 |
000046 |         if (group == playerGroup)
000047 |             return false;
000048 |
000049 |         //! Don't allow to recruit other player's AI
000050 |         if (group.GetLeader() && !group.GetLeader().IsAI())
000051 |             return false;
000052 |
000053 |         eAIFaction faction = group.GetFaction();
000054 |
000055 |         //! Don't allow to recruit passive or invincible AI
000056 |         if (tAI.eAI_IsPassive() || faction.IsInvincible())
000057 |             return false;
000058 |
000059 |         auto settings = GetExpansionSettings().GetAI(false);
000060 |
000061 |         if (!settings.IsLoaded())
000062 |             return false;
000063 |
000064 |         bool isPlayerMoving;
000065 |         bool friendly;
000066 |         if (faction.IsGuard())
000067 |         {
000068 |             if (!settings.CanRecruitGuards || (playerGroup && playerGroup.Count() - 1 >= settings.MaxRecrutableAI))
000069 |                 return false;
000070 |
000071 |             if (g_Game.IsServer() && tAI.eAI_GetCachedThreat(player.GetTargetInformation()) > 0.2)
000072 |             {
000073 |                 ExpansionNotification("STR_EXPANSION_HOSTILE", "STR_EXPANSION_AI_CANNOT_RECRUIT_HOSTILE_TEMP").Error(player.GetIdentity());
000074 |                 return false;
000075 |             }
000076 |         }
000077 |         else if (!settings.CanRecruitFriendly || (playerGroup && playerGroup.Count() - 1 >= settings.MaxRecrutableAI))
000078 |         {
000079 |             return false;
000080 |         }
000081 |         else if (tAI.PlayerIsEnemy(player, false, isPlayerMoving, friendly))
000082 |         {
000083 |             if (g_Game.IsServer() && friendly)
000084 |                 ExpansionNotification("STR_EXPANSION_HOSTILE", "STR_EXPANSION_AI_CANNOT_RECRUIT_HOSTILE_TEMP").Error(player.GetIdentity());
000085 |
000086 |             return false;
000087 |         }
000088 |
000089 |         return true;
000090 |     }
000091 |
000092 |     override void OnStartServer(ActionData action_data)
000093 |     {
000094 |         auto tAI = eAIBase.Cast(action_data.m_Target.GetObject());
000095 |
000096 |         eAIGroup group = action_data.m_Player.GetGroup();
000097 |
000098 |         //! If player has no group, create new group with player as leader
000099 |         if (!group)
000100 |             group = eAIGroup.GetGroupByLeader(action_data.m_Player, true, tAI.GetGroup().GetFaction());
000101 |         else
000102 |             action_data.m_Player.Expansion_SetFormerGroup(group);
```

```
000103 |  
000104 |      //!< Add AI to player group  
000105 |      tAI.SetGroup(group, false);  
000106 |  }  
000107 | };  
000108 |
```

0069. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/interact/vehicles/actiongetouttransport.c
 Size bytes: 1210
 SHA-256: 03f4daa22c127cd398b9032f4f8e18ae3cf57caaf69e9f80026d3580fe9a6b37
 Decoded as: utf-8-sig
 Line count shown: 38
 Detected class declarations: 1
 L1: modded class ActionGetOutTransport
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L3: override void ProcessGetOutTransportActionData(Transport veh, GetOutTransportActionData got_action_data)

Full file content

```
000001 | modded class ActionGetOutTransport
000002 | {
000003 |     override void ProcessGetOutTransportActionData(Transport veh, GetOutTransportActionData got_action_data)
000004 |     {
000005 |         super.ProcessGetOutTransportActionData(veh, got_action_data);
000006 |
000007 |         ///! @note 2 km/h is the speed damage threshold in EntityAI::RegisterTransportHit
000008 |         if (got_action_data.m_Speed < 2)
000009 |             return;
000010 |
000011 |         ///! As long as driver is in seat, we don't need to target vehicle since driver will be targeted anyway if a threat
000012 |         if (veh.CrewMemberIndex(got_action_data.m_Player) != DayZPlayerConstants.VEHICLESEAT_DRIVER)
000013 |             return;
000014 |
000015 |         ///! If player is targeted while jumping out vehicle, target vehicle
000016 |         auto playerTargetInfo = got_action_data.m_Player.GetTargetInformation();
000017 |         if (!playerTargetInfo.IsTracked())
000018 |             return;
000019 |
000020 |         CarScript vehicle;
000021 |         if (!Class.CastTo(vehicle, veh))
000022 |             return;
000023 |
000024 |         auto vehicleTargetInfo = vehicle.GetTargetInformation();
000025 |         foreach (eAIBase ai, eAITarget target: playerTargetInfo.m_Targets)
000026 |         {
000027 |             if (!ai)
000028 |                 continue;
000029 |
000030 |             if (!target.m_IsTracked)
000031 |                 continue;
000032 |
000033 |             EXPrint(ai.ToString() + " (group " + ai.GetGroup().GetID() + ") targeting " + vehicle);
000034 |             vehicleTargetInfo.AddAI(ai, 120000);
000035 |         }
000036 |     }
000037 | }
000038 |
```


0070. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/actions/useractionscomponent/actions/singleuse/actionunpin.c
Size bytes: 331
SHA-256: 71126db80d4c609d16947c6c9337ac60afd24765888be3060fc404483ffd238a
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class ActionUnpin
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void OnExecute(ActionData action_data)

Full file content

```
000001 | modded class ActionUnpin
000002 | {
000003 |     override void OnExecute(ActionData action_data)
000004 |     {
000005 |         super.OnExecute(action_data);
000006 |
000007 |         if (g_Game.IsServer() && !action_data.m_MainItem.IsInherited(SmokeGrenadeBase))
000008 |             action_data.m_Player.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true);  //!< Aggro guards in area (if any)
000009 |     }
000010 | }
000011 |
```

0071. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/bleedingsources/bleedingsourcesmanagerserver.c
 Size bytes: 2228
 SHA-256: d329baffc0209aab7a8974db607ab6354c7116d4e940e23962ca6f0b9214b411
 Decoded as: utf-8-sig
 Line count shown: 67
 Detected class declarations: 1
 L1: modded class BleedingSourcesManagerServer
 Detected enum declarations: 0
 Detected function/method-like declarations: 4
 L3: override void ProcessHit(float damage, EntityAI source, int component, string zone, string ammo, vector modelPos)
 L18: void eAI_ProcessHit(float damage, EntityAI source, int component, string zone, string ammo, vector modelPos)
 L42: else if (source && source.IsZombie())
 L50: else if (damage > (dmg_max * (1 - bleed_threshold * 0.1))) //! 10% of vanilla bleed chance

Full file content

```
000001 | modded class BleedingSourcesManagerServer
000002 | {
000003 |     override void ProcessHit(float damage, EntityAI source, int component, string zone, string ammo, vector modelPos)
000004 |     {
000005 |         if (!m_Player.IsAI() || !source || !source.IsDayZCreature())
000006 |         {
000007 |             //! Not AI or not a creature hit
000008 |             super.ProcessHit(damage, source, component, zone, ammo, modelPos);
000009 |         }
000010 |         else
000011 |         {
000012 |             //! AI and creature hit
000013 |             eAI_ProcessHit(damage, source, component, zone, ammo, modelPos);
000014 |         }
000015 |     }
000016 |
000017 |     //! Like vanilla, except 10% of vanilla bleed chance
000018 |     void eAI_ProcessHit(float damage, EntityAI source, int component, string zone, string ammo, vector modelPos)
000019 |     {
000020 |         float dmg_max = m_Player.GetMaxHealth(zone, "Blood");
000021 |         float bleed_threshold = g_Game.ConfigGetFloat("CfgAmmo " + ammo + " DamageApplied bleedThreshold");
000022 |         string damageTypeString = g_Game.ConfigGetTextOut("CfgAmmo " + ammo + " DamageApplied type");
000023 |         bleed_threshold = Math.Clamp(bleed_threshold,0,1);
000024 |         float bleedingChance;
000025 |         bool createBleedingSource = false;
000026 |
000027 |         // 'true' only when the damageTypeString is handled there
000028 |         if (BleedChanceData.CalculateBleedChance(damageTypeString, damage, bleed_threshold,bleedingChance))
000029 |         {
000030 |             bleedingChance *= 0.1; //! 10% of vanilla bleed chance
000031 |
000032 |             float roll = Math.RandomFloat01();
000033 |             createBleedingSource = bleedingChance != 0 && bleedingChance >= roll;
000034 |
000035 |             #ifdef ENABLE_LOGGING
000036 |             if (LogManager.IsBleedingChancesLogEnable())
000037 |             {
000038 |                 Debug.BleedingChancesLog(roll.ToString(), "BleedingSourcesManagerServer" , "n/a", "bleeding random roll:");
000039 |             }
000040 |             #endif
000041 |         }
000042 |         else if (source && source.IsZombie())
000043 |         {
```

```
000044 |         int chance = Math.RandomInt(0,1000); //!< 10% of vanilla bleed chance
000045 |         if (chance <= damage)
000046 |         {
000047 |             createBleedingSource = true;
000048 |         }
000049 |     }
000050 | else if (damage > (dmg_max * (1 - bleed_threshold * 0.1)) ) //!< 10% of vanilla bleed chance
000051 | {
000052 |     createBleedingSource = true;
000053 | }
000054 |
000055 | if (createBleedingSource)
000056 | {
000057 |     #ifdef ENABLE_LOGGING
000058 |     if (LogManager.IsBleedingChancesLogEnable())
000059 |     {
000060 |         Debug.BleedingChancesLog("true", "BleedingSourcesManagerServer" , "n/a", "Attempting to create bleeding source");
000061 |     }
000062 |     #endif
000063 |     AttemptAddBleedingSource(component);
000064 | }
000065 | }
000066 | }
000067 |
```

0072. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/eaicommandmove.c
Size bytes: 83745
SHA-256: ee2751ad7245474d79b4b6800d3fbdd1e9a99413435b3c5973a4996calc69f0a
Decoded as: utf-8-sig
Line count shown: 2501
Detected class declarations: 1
  L1: class eAICommandMove: ExpansionHumanCommand
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L127: void eAICommandMove(DayZPlayerImplement player, ExpansionHumanST table, int stance = -1)
  L144: void SetStance(int stance)
  L150: void ~eAICommandMove()
  L154: override void OnActivate()
  L158: override void OnDeactivate()
  L163: override void SetAimAnglesRel(float aimLR, float aimUD)
  L170: void SetTurnTarget(float pTarget, bool force = false)
  L176: float GetTurnTarget()
  L181: float GetTurnDifference()
  L186: bool IsTurning()
  L194: bool ShouldRecalculateTurnTarget()
  L202: bool HasReachedWaypoint(bool isPathPointFinal)
  L217: void StartTurnOverride(int speedLimit = 1)
  L229: else if (!m_LastBlockedLeft && m_LastBlockedRight)
  L234: else if (Math.RandomIntInclusive(0, 1))
  L245: void SetWeaponFire(bool state)
  L250: void SetSpeedLimit(float pSpeedIdx)
  L257: float GetSpeedLimit()
  L262: void SetTargetSpeed(float pTarget)
  L270: float GetCurrentMovementSpeed()
  L275: void SetCurrentMovementAngle(float angle)
  L280: float GetCurrentMovementAngle()
  L285: void SetSpeedOverride(bool pActive)
  L290: void SetTargetDirection(float pTarget, bool force = false)
  L297: float GetTargetDirection()
  L303: bool OverrideStance(int stance, bool force = false)
  L319: int GetStance()
  L327: bool IsChangingStance()
  L335: override void PreAnimUpdate(float pDt)
  L460: else if ((m_PathFinding.m_IsUnreachable || m_PathFinding.m_IsTargetUnreachable) && m_Unit.m_eAI_BuildingWithLadder && !m_Unit.m_eAI_IsOnLadd
  L645: void AvoidObstacles(float pDt)
  L785: else if (m_BlockingObject != m_PrevBlockingObject)
  L824: else if (m_Unit.m_eAI_IsOnLadder)
  L833: else if (blockedFwdOrBwd || m_OverrideMovementTimeout > 0)
  L887: else if (blockedLeft && blockedRight)
  L909: else if (blockedLeft && !blockedRight)
  L917: else if (!blockedLeft && blockedRight)
  L948: else if (Math.RandomIntInclusive(0, 1))
  L973: else if (m_BlockedLeftDist - m_BlockedRightDist > 0.16)  //!< 0.4 m
  L987: else if (turnOverride)
  L996: else if (moveRight)
  L1020: else if (moveLeft)
  L1065: else if (!blockedLeft || !blockedRight)
  L1175: else if (m_Stance == DayZPlayerConstants.STANCEIDX_CROUCH)
  L1187: else if (m_Unit.m_eAI_StancePreference != -1 && m_Stance != m_Unit.m_eAI_StancePreference && (m_Unit.m_eAI_StancePreference == DayZPlayerCon
  L1198: void PreAnimUpdate_Finish(float pDt, vector orientation, vector position, vector waypoint, bool isDangerousAltitude, bool isPathPointFinal,
  L1230: else if (characterDepth >= 0.3)  //!< Neck position when crouched: 0.8 m above ground, +- 0.5 m tide tolerance
  L1235: else if (characterDepth >= -0.5)
  L1240: else if (m_Unit.IsRaised() || m_Unit.GetWeaponManager().IsRunning())

```

```

L1291: else if (m_TurnTarget < 0)
L1340: else if (m_MovementSpeed > 0 && m_WaypointDistance2DSq > 0.0001 && !m_Unit.IsSwimming() && !m_Unit.m_eAI_Ladder)
L1348: else if (target)
L1355: else if (target.GetRemainingTime() > 3.0)
L1368: else if (m_PathFinding.m_PointIdx > 0 || group.GetWaypointBehaviour() == eAIWaypointBehavior.ROAMING)
L1381: else if (!target || target.m_ThreatLevelActive <= 0.1 || target.IsItem())
L1406: else if (m_StrafeTime >= STRAFE_TIME_RESET_THRESHOLD)
L1432: else if (m_Unit == leader && group.Count() > 1)
L1453: else if (!m_PathFinding.m_IsUnreachable)
L1465: else if (m_PathFinding.m_PathGlueIdx == -1) //! Don't use inverse path for teleport
L1607: else if (m_Unit.m_eAI_PositionIsFinal || m_PathFinding.m_IsUnreachable || m_Unit.m_eAI_IsAttachedToMovingParent || m_Unit.GetFSM().IsInState)
L1620: else if (Math.AbsFloat(m_TurnDifference) > 30.0 && !m_TurnOverride)
L1635: else if (m_Unit.IsRaised())
L1649: else if (!m_SpeedOverrider)
L1671: else if (isTargetPositionFinal && m_WaypointDistance2DSq < 5.0 * distanceFactor)
L1727: else if (m_WasOnLadder)
L1738: else if (m_MovementDirection == 0 && Math.AbsFloat(m_TargetMovementDirection) == 180)
L1829: else if (movementSpeed > 1)
L1831: else if (movementSpeed > 0)
L1918: else if (meme || returnToNeutral)
L2012: else if (isDangerousAltitude || (!m_Unit.IsRaised() && Math.AbsFloat(m_TurnDifference) > 135.0 && m_MovementSpeed >= 2.0))
L2015: else if (!m_Unit.IsRaised() && (isAboveGround || (!isPathPointFinal && m_WaypointDistance2DSq < 8.0 * Math.Max(m_MovementSpeed, 1.0) && m_Ov
L2028: void Anim_SetFilteredHeading(float pYawAngle, float pFilterDt, float pMaxYawSpeed)
L2045: void AdjustAimAngles(inout vector aimRelAngles, inout vector lookRelAngles, float weaponRaisedTimer)
L2061: float GetWaterDepth(vector position)
L2073: float GetCharacterDepth(vector position)
L2080: private bool Raycast(vector start, vector end, out vector hitPosition, out vector hitNormal, out float hitFraction, vector endRV = vector.Ze
L2102: set<Object> results();
L2191: else if (distSq > farDistSqThresh)
L2198: else if (obj.IsBuilding())
L2205: else if (distSq > farDistSqThresh)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | class eAICommandMove: ExpansionHumanCommand
000002 | {
000003 |     static const int TURN_STATE_NONE = 0;
000004 |     static const int TURN_STATE_TURNING = 1;
000005 |     static float MAX_NONRAISED_STRAFE_TIME = 5.0;
000006 |     static float STRAFE_TIME_RESET_THRESHOLD = 3.5;
000007 |
000008 |     static vector CHECK_MIN_HEIGHT = "0 1.5 0";
000009 |     static vector CHECK_MIN_HEIGHT_CROUCH = "0 0.9 0";
000010 |     static vector CHECK_MIN_HEIGHT_PRONE = "0 0.3 0";
000011 |     static vector CHECK_MIN_HEIGHT_NEARGROUND = "0 0.79 0";
000012 |
000013 |     static const int ORIGINAL_WAYPOINT = 0;
000014 |     static const int CORRECTED_WAYPOINT = 1;
000015 |     static const int CHECK_ORIGIN = 2;
000016 |     static const int CHECK_FORWARD_BLOCKED = 3;
000017 |     static const int CHECK_LEFT_BLOCKED = 4;
000018 |     static const int CHECK_RIGHT_BLOCKED = 5;
000019 |     static const int CHECK_LEFT_OK = 6;
000020 |     static const int CHECK_LEFT_GO = 7;
000021 |     static const int CHECK_RIGHT_OK = 8;
000022 |     static const int CHECK_RIGHT_GO = 9;
000023 |     static const int OVERRIDDEN_WAYPOINT = 10;
000024 |     static const int BLOCKED_HITPOSITION = 11;
000025 |     static const int CHECK_BACKWARD_BLOCKED = 12;
000026 |     static const int CHECK_BACKWARD_OK = 13;
000027 |     static const int BLOCKED_FORWARD_HITPOSITION = 14;

```

```
000028 | static const int BLOCKED_LEFT_HITPOSITION = 15;
000029 | static const int BLOCKED_RIGHT_HITPOSITION = 16;
000030 | static const int BLOCKED_BACKWARD_HITPOSITION = 17;
000031 |
000032 | static float OBSTACLE_AVOIDANCE_INTERVAL = 0.1;
000033 |
000034 | static int s_InstanceCount;
000035 | private int m_InstanceNum;
000036 |
000037 | //! model name w/o .p3d ext, can be partial
000038 | static ref TStringArray s_NonBlocking = {
000039 |     "misc_walkover"
000040 | };
000041 |
000042 | private int m_PreviousInteractionLayer;
000043 |
000044 | private eAIBase m_Unit;
000045 | #ifndef EAI_USE_LEGACY_PATHFINDING
000046 |     private ExpansionPathHandler m_PathFinding;
000047 | #else
000048 |     private eAIPathFinding m_PathFinding;
000049 | #endif
000050 | private vector m_Waypoint;
000051 | private vector m_PathDir;
000052 | private vector m_PathDirNormalized;
000053 | private vector m_PathAngles;
000054 | private vector m_PathDir2D;
000055 | private vector m_PathDir2DNormalized;
000056 | private float m_WaypointDistance;
000057 | private float m_WaypointDistance2DSq;
000058 | private float m_MinFinal = 0.3;
000059 | private bool m_UpdatePath;
000060 |
000061 | private float m_DT;
000062 | private float m_SmoothVel[1];
000063 | private float m_Turn;
000064 | private float m_TurnTarget;
000065 | private bool m_ForceTurnTarget;
000066 | private float m_TurnDifference;
000067 | private float m_TurnTime;
000068 | private float m_TurnPrevious;
000069 | private float m_TurnVelocity;
000070 | private int m_TurnState;
000071 | private float m_StrafeTime;
000072 |
000073 | private vector m_Direction;
000074 | private vector m_Velocity;
000075 | private float m_MovementDirection;
000076 | private bool m_ForceMovementDirection;
000077 | private float m_TargetMovementDirection;
000078 |
000079 | private float m_AimLR;
000080 | private float m_AimUD;
000081 |
000082 | private float m_SpeedUpdateTime;
000083 | private float m_MovementSpeed;
000084 | private float m_TargetSpeed;
000085 | private float m_SpeedLimit;
000086 | private bool m_SpeedOverride;
000087 |
000088 | private PhxInteractionLayers m_CollisionLayerMask = PhxInteractionLayers.ROADWAY|PhxInteractionLayers.BUILDING|PhxInteractionLayers.FENCE|PhxInteractionLayers
    .VEHICLE;
```

```
000089 | private Object m_HitObject; //!< always null and low priority fix at BI
000090 | private vector m_HitPosition;
000091 | private vector m_HitNormal;
000092 | private float m_HitFraction;
000093 |
000094 | private int m_Stance = -1;
000095 | private float m_StanceChangeTimeout;
000096 |
000097 | vector m_CheckMinHeight;
000098 | vector m_CheckMinHeight_NearGround;
000099 | Object m_BlockingObject;
000100 | Object m_PrevBlockingObject;
000101 | private bool m_LastBlockedForward;
000102 | private bool m_LastBlockedLeft;
000103 | private float m_BlockedLeftDist;
000104 | private bool m_LastBlockedRight;
000105 | private float m_BlockedRightDist;
000106 | private bool m_LastBlockedBackward;
000107 | private bool m_LastBlocked;
000108 | private bool m_IsBlockedByBuildingWithDoor;
000109 | private bool m_IsBlockedByBuildingWithLadder;
000110 | private float m_TurnDirection = 45.0;
000111 | private int m_TurnOverride;
000112 | private float m_TurnDirectionCWTime;
000113 | private float m_TurnDirectionCCWTime;
000114 |
000115 | private float m_OverrideMovementTimeout;
000116 | private float m_OverrideTargetMovementDirection;
000117 | private vector m_OverrideWaypoint;
000118 | private float m_DebugTime;
000119 |
000120 | bool m_IsTagWeaponFire;
000121 | bool m_WeaponFire;
000122 |
000123 | float m_LeanDirection = 1.0;
000124 |
000125 | bool m_WasOnLadder;
000126 |
000127 | void eAICommandMove(DayZPlayerImplement player, ExpansionHumanST table, int stance = -1)
000128 | {
000129 |     Class.CastTo(m_Unit, player);
000130 |
000131 |     m_PathFinding = m_Unit.GetPathFinding();
000132 |
000133 |     m_InstanceNum = s_InstanceCount++;
000134 |
000135 |     SetStance(stance);
000136 |
000137 |     m_CheckMinHeight = CHECK_MIN_HEIGHT;
000138 |     m_CheckMinHeight_NearGround = CHECK_MIN_HEIGHT_NEARGROUND;
000139 |     m_SmoothVel[0] = 0.0;
000140 |
000141 |     //m_Unit.GetInputController().SetDisabled(true);
000142 | }
000143 |
000144 | void SetStance(int stance)
000145 | {
000146 |     m_Stance = stance;
000147 |     SetCurrentStance(stance);
000148 | }
000149 |
000150 | void ~eAICommandMove()
```

```
000151 | {
000152 | }
000153 |
000154 | override void OnActivate()
000155 | {
000156 | }
000157 |
000158 | override void OnDeactivate()
000159 | {
000160 | }
000161 |
000162 | /*
000163 | override void SetAimAnglesRel(float aimLR, float aimUD)
000164 | {
000165 |     m_AimLR = aimLR;
000166 |     m_AimUD = aimUD;
000167 | }
000168 | */
000169 |
000170 | void SetTurnTarget(float pTarget, bool force = false)
000171 | {
000172 |     m_TurnTarget = pTarget;
000173 |     m_ForceTurnTarget = force;
000174 | }
000175 |
000176 | float GetTurnTarget()
000177 | {
000178 |     return m_TurnTarget;
000179 | }
000180 |
000181 | float GetTurnDifference()
000182 | {
000183 |     return m_TurnDifference;
000184 | }
000185 |
000186 | bool IsTurning()
000187 | {
000188 |     if (m_TurnState == TURN_STATE_TURNING)
000189 |         return true;
000190 |
000191 |     return false;
000192 | }
000193 |
000194 | bool ShouldRecalculateTurnTarget()
000195 | {
000196 |     if (m_WaypointDistance2DSq >= m_MinFinal && !m_TurnOverride && (m_OverrideMovementTimeout > 0 || !m_ForceTurnTarget) && !m_Unit.m_eAI_IsOnLadder)
000197 |         return true;
000198 |
000199 |     return false;
000200 | }
000201 |
000202 | bool HasReachedWaypoint(bool isPathPointFinal)
000203 | {
000204 |     if (m_WaypointDistance2DSq < m_MinFinal)
000205 |     {
000206 |         if (isPathPointFinal || !IsBlocked() || !m_BlockingObject || !m_BlockingObject.IsBuilding())
000207 |             return true;
000208 |
000209 |         //! Have we passed the waypoint?
000210 |         if (m_Velocity.LengthSq() < 0.0001 || vector.Dot(m_Velocity.Normalized(), m_PathDir2DNormalized) < 0.7071)
000211 |             return true;
000212 |     }
```



```
000213 |  
000214 |     return false;  
000215 | }  
000216 |  
000217 | void StartTurnOverride(int speedLimit = 1)  
000218 | {  
000219 |     if (m_OverrideMovementTimeout <= 0 || m_TurnOverride < speedLimit)  
000220 |     {  
000221 |         m_OverrideMovementTimeout = 1.0 / Math.Min(Math.Max(m_MovementSpeed, 1.0), speedLimit);  
000222 |         m_DebugTime = 3.0;  
000223 |  
000224 |         if (m_LastBlockedLeft && !m_LastBlockedRight)  
000225 |         {  
000226 |             ///! Blocked left, turn right  
000227 |             m_TurnDirection = 45.0;  
000228 |         }  
000229 |         else if (!m_LastBlockedLeft && m_LastBlockedRight)  
000230 |         {  
000231 |             ///! Blocked right, turn left  
000232 |             m_TurnDirection = -45.0;  
000233 |         }  
000234 |         else if (Math.RandomIntInclusive(0, 1))  
000235 |         {  
000236 |             ///! Both directions blocked, random turn direction  
000237 |             m_TurnDirection = -m_TurnDirection;  
000238 |         }  
000239 |  
000240 |         if (m_TurnOverride < speedLimit)  
000241 |             m_TurnOverride = speedLimit;  
000242 |     }  
000243 | }  
000244 |  
000245 | void SetWeaponFire(bool state)  
000246 | {  
000247 |     m_WeaponFire = state;  
000248 | }  
000249 |  
000250 | void SetSpeedLimit(float pSpeedIdx)  
000251 | {  
000252 |     m_SpeedLimit = pSpeedIdx;  
000253 |  
000254 |     if (m_SpeedLimit < 0 || m_SpeedLimit > 3) m_SpeedLimit = 3;  
000255 | }  
000256 |  
000257 | float GetSpeedLimit()  
000258 | {  
000259 |     return m_SpeedLimit;  
000260 | }  
000261 |  
000262 | void SetTargetSpeed(float pTarget)  
000263 | {  
000264 |     ///if (m_TargetSpeed > pTarget && pTarget < 2.0 && m_SpeedUpdateTime < 0.1) return;  
000265 |  
000266 |     m_SpeedUpdateTime = 0;  
000267 |     m_TargetSpeed = pTarget;  
000268 | }  
000269 |  
000270 | float GetCurrentMovementSpeed()  
000271 | {  
000272 |     return m_MovementSpeed;  
000273 | }  
000274 |
```

```
000275 | void SetCurrentMovementAngle(float angle)
000276 | {
000277 |     m_MovementDirection = angle;
000278 | }
000279 |
000280 | float GetCurrentMovementAngle()
000281 | {
000282 |     return m_MovementDirection;
000283 | }
000284 |
000285 | void SetSpeedOverrider(bool pActive)
000286 | {
000287 |     m_SpeedOverrider = pActive;
000288 | }
000289 |
000290 | void SetTargetDirection(float pTarget, bool force = false)
000291 | {
000292 |     if (m_OverrideMovementTimeout <= 0)
000293 |         m_TargetMovementDirection = pTarget;
000294 |     m_ForceMovementDirection = force;
000295 | }
000296 |
000297 | float GetTargetDirection()
000298 | {
000299 |     return m_TargetMovementDirection;
000300 | }
000301 |
000302 | //! TODO: Remove force param, it's an artefact of the old HumanCommandScript code
000303 | bool OverrideStance(int stance, bool force = false)
000304 | {
000305 |     if (m_Unit.m_eAI_StancePreference != stance)
000306 |     {
000307 |         m_Unit.m_eAI_StancePreference = stance;
000308 |
000309 |         //ifdef DIAG_DEVELOPER
000310 |         //ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " override stance " + m_Unit.eAI_GetStance() + " -> " + m_Stance
000311 | + " " + force);
000312 |         //endif
000313 |
000314 |         return true;
000315 |     }
000316 |
000317 |     return false;
000318 | }
000319 |
000320 | int GetStance()
000321 | {
000322 |     if (m_Stance == -1)
000323 |         return 0;
000324 |
000325 |     return m_Stance;
000326 | }
000327 |
000328 | bool IsChangingStance()
000329 | {
000330 |     if (m_Unit.eAI_GetStance() != m_Stance)
000331 |         return true;
000332 |
000333 |     return m_StanceChangeTimeout > 0;
000334 | }
000335 |
000336 | override void PreAnimUpdate(float pDt)
```

```
000336 |     {
000337 |         if (!g_Game)
000338 |             return;
000339 |
000340 | #ifdef EXTRACE_DIAG
000341 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "CommandHandler(15) -> eAICommandMove::PreAnimUpdate");
000342 |     EXTrace trace2;
000343 | #endif
000344 |
000345 |     // #ifdef EXTRACE_DIAG
000346 |     // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate -> super");
000347 |     // #endif
000348 |     super.PreAnimUpdate(pDt);
000349 |
000350 |     if (m_Unit.m_MovementState.m_CommandTypeId == DayZPlayerConstants.COMMANDID_VEHICLE)
000351 |         return;
000352 |
000353 |     // #ifdef EXTRACE_DIAG
000354 |     // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (01)");
000355 |     // #endif
000356 |     m_DT = pDt;
000357 |
000358 |     if (m_StanceChangeTimeout > 0)
000359 |         m_StanceChangeTimeout -= pDt;
000360 |
000361 | #ifdef DIAG_DEVELOPER
000362 |     auto hitch = new EXHitch(m_Unit.ToString() + " eAICommandMove::PreAnimUpdate ", 20000);
000363 | #endif
000364 |
000365 |     m_SpeedUpdateTime += pDt;
000366 |
000367 |     vector orientation = Math3D.MatrixToAngles(m_Transform);
000368 |     vector position = m_Transform[3];
000369 |     vector surfacePosition;
000370 |
000371 |     vector waypoint = position;
000372 |     bool isPathPointFinal; //! Is waypoint the final point of the current path? (not necessarily final target position!)
000373 |     bool isTargetPositionFinal = true; //! Is waypoint the final target position?
000374 |     bool isDangerousAltitude;
000375 |     vector fb = m_Transform[2];
000376 |     m_Direction = fb;
000377 |     m_Velocity = m_Unit.Expansion_GetActualVelocity();
000378 |     if (m_SpeedLimit)
000379 |     {
000380 | #ifndef EAI_USE_LEGACY_PATHFINDING
000381 |         //! https://feedback.bistudio.com/T173348
000382 |         if (m_PathFinding.GetNext(waypoint) <= 2)
000383 |             isPathPointFinal = true;
000384 |         if (isPathPointFinal && (m_Unit.m_eAI_TargetPositionIsFinal || m_PathFinding.m_Count == 0))
000385 |             isTargetPositionFinal = true;
000386 |         else
000387 |             isTargetPositionFinal = false;
000388 |         //m_WaypointDistance = vector.DistanceSq(position, waypoint);
000389 |         DBGDrawSphere(waypoint, 0.05, 0xFFFF0000);
000390 |         //DBGDrawLine(position, waypoint, 0xFFFF0000);
000391 | #ifdef DIAG_DEVELOPER
000392 |         if (m_PathFinding.m_IsUnreachable)
000393 |         {
000394 |             vector unreachableTarget = m_PathFinding.GetTarget();
000395 |             vector unreachableDir = m_PathFinding.m_PathSegmentDirection;
000396 |             unreachableDir[1] = 0.0;
000397 |             m_Unit.Expansion_DebugObject_Deferred(ORIGINAL_WAYPOINT, unreachableTarget, "ExpansionDebugNoticeMe_Red", unreachableDir);
```

```

000398 |         }
000399 |     else
000400 |     {
000401 |         m_Unit.Expansion_DebugObject_Deferred(ORIGINAL_WAYPOINT, "0 0 0", "ExpansionDebugNoticeMe_Red");
000402 |     }
000403 | #endif
000404 | #else
000405 |     int waypointIndex;
000406 |
000407 |     if (m_PathFinding.Count() >= 2)
000408 |     {
000409 |         waypointIndex = m_PathFinding.Next(position);
000410 |         waypoint = m_PathFinding[waypointIndex];
000411 |
000412 |         isTargetPositionFinal = waypointIndex == m_PathFinding.Count() - 1;
000413 |     }
000414 | #endif
000415 |
000416 |     //ifdef EXTRACE_DIAG
000417 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (02:altitude)");
000418 |     //endif
000419 |     m_PathDir = vector.Direction(position, waypoint);
000420 |     m_PathDirNormalized = m_PathDir.Normalized();
000421 |     m_PathAngles = m_PathDirNormalized.VectorToAngles();
000422 |     m_PathDir2D = Vector(m_PathDir[0], 0.0, m_PathDir[2]);
000423 |     m_PathDir2DNormalized = m_PathDir2D.Normalized();
000424 |
000425 |     isDangerousAltitude = m_Unit.eAI_IsDangerousAltitude();
000426 |
000427 |     //if (isTargetPositionFinal && m_PathFinding.m_IsUnreachable)
000428 |     if ((isPathPointFinal || Math.AbsFloat(m_MovementDirection) > 4.0) && (!m_PathFinding.m_IsUnreachable || m_Unit.m_eAI_BuildingWithLadder))
000429 |     {
000430 |         if (m_MovementSpeed > 0 && isDangerousAltitude)
000431 |         {
000432 |             //! Prevent fall from a large height (e.g. building top) - movement direction check
000433 |             vector checkDirection = m_Velocity;
000434 |             checkDirection[1] = 0;
000435 |
000436 |             if (checkDirection.LengthSq() < 0.0001)
000437 |             {
000438 |                 checkDirection = m_Direction;
000439 |
000440 |                 if (Math.AbsFloat(m_MovementDirection) >= 135)
000441 |                     checkDirection = checkDirection * -1.0;
000442 |             }
000443 |             else
000444 |             {
000445 |                 checkDirection.Normalize();
000446 |             }
000447 |
000448 |             if ((!m_Unit.m_eAI_Ladder || (!m_Unit.m_eAI_IsOnLadder && !m_Unit.eAI_IsCloseToLadderEntryPoint())) && !m_Unit.eAI_IsFallSafe(checkDirection *
000449 | 2.0))
000450 |             {
000451 |                 #ifdef DIAG_DEVELOPER
000452 |                 if (!m_PathFinding.m_IsUnreachable)
000453 |                 {
000454 |                     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " unreachable (not fall safe)");
000455 |                     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " unreachable (not fall safe)");
000456 |                 }
000457 |                 #endif
000458 |                 m_PathFinding.m_IsUnreachable = true;
000459 |                 m_PathFinding.m_IsTargetUnreachable = true;

```

```

000459 |         }
000460 |         else if ((m_PathFinding.m_IsUnreachable || m_PathFinding.m_IsTargetUnreachable) && m_Unit.m_eAI_BuildingWithLadder && !m_Unit.m_eAI_IsOnLadder
&& m_PathFinding.m_Count > 0 && !m_PathFinding.m_IsBlocked)
000461 |         {
000462 |             m_PathFinding.ForceRecalculate();
000463 |         }
000464 |     }
000465 |
000466 |     if (!m_PathFinding.m_IsUnreachable && (m_PathFinding.m_IsTargetUnreachable || (!m_Unit.IsSwimming() && !m_PathFinding.m_IsSwimmingEnabled && !m_Un
it.GetGroup().IsFormationLeaderSwimming() && m_Unit.GetCurrentWaterLevel() < -0.5)))
000467 |     {
000468 |         ///! Don't go into deep water
000469 |         surfacePosition = ExpansionStatic.GetSurfaceRoadPosition(position + fb);
000470 |         ///! Swim start water level = 1.5 m, see DayZPlayerUtils::CheckWaterLevel
000471 |         if (g_Game.GetWaterDepth(surfacePosition) > 1.5)
000472 |         {
000473 |             #ifdef DIAG_DEVELOPER
000474 |                 if (!m_PathFinding.m_IsUnreachable)
000475 |                     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " unreachable (deep water)");
000476 |             #endif
000477 |             m_PathFinding.m_IsUnreachable = true;
000478 |             m_PathFinding.m_IsTargetUnreachable = true;
000479 |             #ifdef DIAG_DEVELOPER
000480 |                 m_Unit.Expansion_DebugObject(1343, position + fb, "ExpansionDebugRodBig_Blue", fb, surfacePosition);
000481 |             }
000482 |             else
000483 |             {
000484 |                 m_Unit.Expansion_DebugObject(1343, "0 0 0", "ExpansionDebugRodBig_Blue");
000485 |             #endif
000486 |             }
000487 |         }
000488 |     }
000489 |
000490 |     if (m_PathFinding.m_IsUnreachable)
000491 |     {
000492 |         waypoint = position;
000493 |         m_MovementSpeed = 0;
000494 |         m_OverrideMovementTimeout = 0.0;
000495 |         isTargetPositionFinal = true;
000496 |     }
000497 | }
000498 |
000499 | #ifdef EXTRACE_DIAG
000500 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (03:checkswimming)");
000501 | #endif
000502 |     m_Waypoint = waypoint;
000503 |
000504 |     eAIGroup group = m_Unit.GetGroup();
000505 |     DayZPlayerImplement leader = group.GetFormationLeader();
000506 |
000507 |     float characterDepth = m_Unit.GetCurrentWaterLevel();
000508 |
000509 |     if (!m_Unit.IsSwimming())
000510 |     {
000511 |         ///! Disable swimming once we are 3.5m above sea level
000512 |         if (characterDepth < -3.5 && m_PathFinding.m_IsSwimmingEnabled && !m_Unit.m_eAI_EffectArea && m_Unit.m_eAI_SurfaceY >= g_Game.SurfaceGetSeaLevelMin())
000513 |         {
000514 |             if (leader == m_Unit || !leader.IsSwimming())
000515 |                 m_PathFinding.EnableSwimming(false, false);
000516 |         }
000517 |     }
000518 |

```

```
000519 | // #ifdef EXTRACE_DIAG
000520 | // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (04:handlemvmtooverride)");
000521 | // #endif
000522 |
000523 | #ifdef DIAG_DEVELOPER
000524 |     string msg;
000525 | #endif
000526 |
000527 |     if (m_OverrideMovementTimeout > 0)
000528 |     {
000529 |         m_OverrideMovementTimeout -= pDt;
000530 |         if (m_TurnOverride)
000531 |         {
000532 |             if (m_TurnDirection < 0)
000533 |                 m_TurnDirectionCCWTime += pDt;
000534 |             else
000535 |                 m_TurnDirectionCWTime += pDt;
000536 |
000537 |             float turnDirectionDiff = m_TurnDirectionCWTime - m_TurnDirectionCCWTime;
000538 |             if (Math.AbsFloat(turnDirectionDiff) > 5)
000539 |             {
000540 |                 ///! Failsafe so we don't make a turn in same direction indefinitely
000541 |                 #ifdef DIAG_DEVELOPER
000542 |                     msg = " WARNING: CW to CCW turn time diff " + turnDirectionDiff + " exceeds 5 seconds! Changing direction";
000543 |                     EXTrace.Print(EXTrace.AI, this, "eAICommandMove::StartTurnOverride -" + msg);
000544 |                     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100, m_Unit.GetType() + msg);
000545 |                 #endif
000546 |                 if (m_Stance == DayZPlayerConstants.STANCEIDX_PRONE)
000547 |                     m_TurnOverride = 0;
000548 |                 else
000549 |                     m_TurnDirection = -m_TurnDirection;
000550 |             }
000551 |         }
000552 |     }
000553 |     else
000554 |     {
000555 |         m_TurnDirectionCCWTime = 0.0;
000556 |         m_TurnDirectionCWTime = 0.0;
000557 |     }
000558 | }
000559 | else
000560 | {
000561 |     // m_PathFinding.StopOverride();
000562 |     if (m_DebugTime > 0)
000563 |         m_DebugTime -= pDt;
000564 |     m_LastBlockedForward = false;
000565 |     m_LastBlockedBackward = false;
000566 |     m_LastBlockedLeft = false;
000567 |     m_LastBlockedRight = false;
000568 |     m_TurnOverride = 0;
000569 | }
000570 | // #ifdef EXTRACE_DIAG
000571 | // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (04b:updpositiontime)");
000572 | // #endif
000573 | bool isBusy;
000574 |
000575 | if (m_Unit.IsClimbing() || m_Unit.IsFalling() || m_Unit.IsFighting())
000576 |     isBusy = true;
000577 |
000578 | if (m_MovementSpeed && !isBusy)
000579 | {
000580 |     vector velocity = m_Velocity;
```

```

000581 |
000582 |         if (m_Unit.IsSwimming())
000583 |             velocity[1] = 0.0;  //!< Set vertical velocity to zero to nullify effect of tide
000584 |
000585 |     /**
000586 |      * Measured movement speeds (avg)
000587 |      *
000588 |      * =====
000589 |      * Full health
000590 |      * =====
000591 |      * Empty handed      m/s          squared
000592 |      * -----
000593 |      * Prone              ~0.42459290    ~0.180279
000594 |      * Crouch walk        ~1.31864166    ~1.738816
000595 |      * Crouch run         ~3.5893068     ~12.883123
000596 |      * Walk               ~1.52753647    ~2.333367
000597 |      * Jog                ~4.08504166    ~16.687565
000598 |      * Sprint             ~6.75593681    ~45.642682
000599 |      * -----
000600 |      * Rifle in hands    m/s
000601 |      * -----
000602 |      * Prone              ~0.48079174    ~0.231160
000603 |      * Crouch walk        ~1.31665192    ~1.733572
000604 |      * Crouch run         ~3.19667952    ~10.218759
000605 |      * Walk               1.362         1.855044
000606 |      * Jog                ~3.64278882    ~13.269910
000607 |      * Sprint             ~6.70817238    ~44.999576
000608 |      *
000609 |      * =====
000610 |      * Injured (5% health)
000611 |      * =====
000612 |      * Rifle in hands    m/s          squared
000613 |      * -----
000614 |      * Prone              (same as full health)
000615 |      * Crouch walk        ~1.075639     ~1.156999
000616 |      * Crouch run         ~1.07554892    ~1.156805
000617 |      * Walk               ~1.22531954    ~1.501407
000618 |      * Jog                ~2.02479724    ~4.099803
000619 |      * Sprint             ~2.03242218    ~4.130739
000620 |      */
000621 |     float speedThreshold;
000622 |     if (m_Stance == DayZPlayerConstants.STANCEIDX_PRONE)  //!< Prone
000623 |     {
000624 |         speedThreshold = 0.1;
000625 |     }
000626 |     else
000627 |     {
000628 |         if (m_Stance == DayZPlayerConstants.STANCEIDX_CROUCH || m_MovementSpeed < 2.0 || m_Unit.IsSwimming() || m_Unit.IsRaised())  //!< Crouch, walk, swim
or raised
000629 |             speedThreshold = 1.0;
000630 |         else
000631 |             speedThreshold = 2.0 * m_MovementSpeed;  //!< Jog/sprint
000632 |         speedThreshold *= (1.0 - m_Unit.m_InjuryHandler.GetInjuryAnimValue() * 0.9);
000633 |     }
000634 |     if (velocity.LengthSq() < speedThreshold && !m_Unit.GetActionManager().GetRunningAction() && !m_Unit.IsRaised() && !m_Unit.m_eAI_IsOnLadder)
000635 |         m_Unit.m_eAI_PositionTime += pDt;  //!< We don't seem to be actually moving
000636 |     else
000637 |         m_Unit.m_eAI_PositionTime = 0;
000638 | }
000639 |
000640 | PreAnimUpdate_Finish(pDt, orientation, position, waypoint, isDangerousAltitude, isPathPointFinal, isTargetPositionFinal, group, leader, characterDepth, is
Busy);

```

```
000641 | }
000642 |
000643 | //! @note make sure this runs *after* eAIBase::eAI_OnMovementUpdate since latter relies on m_CDT not yet being reset
000644 | float m_CDT;
000645 | void AvoidObstacles(float pDt)
000646 | {
000647 |     m_CDT += pDt;
000648 |
000649 |     float interval;
000650 |
000651 |     if (m_Unit.s_eAI_FT0 < 2)
000652 |         interval = OBSTACLE_AVOIDANCE_INTERVAL;
000653 |     else
000654 |         interval = OBSTACLE_AVOIDANCE_INTERVAL * (pDt / ExpansionWorld.AI_UPDATE_INTERVAL);
000655 |
000656 |     if (m_CDT < interval)
000657 |         return;
000658 |
000659 |     float cdt = m_CDT;
000660 |
000661 |     m_CDT = 0;
000662 |
000663 |     if (m_Unit.m_MovementState.m_CommandTypeId == DayZPlayerConstants.COMMANDID_VEHICLE)
000664 |         return;
000665 |
000666 |     if (m_Unit.m_eAI_JumpClimb)
000667 |         return;
000668 |
000669 |     if (m_Unit.IsClimbing() || m_Unit.IsFalling() || m_Unit.IsFighting())
000670 |         return;
000671 |
000672 |     vector origin = m_Transform[3];
000673 |     vector head = m_Unit.GetBonePositionWS(m_Unit.GetBoneIndexByName("head"));
000674 |     vector position = head;
000675 |     position[1] = origin[1];
000676 |
000677 |     bool blockedForward;
000678 |     bool blockedLeft;
000679 |     bool blockedRight;
000680 |     bool blockedBackward;
000681 |
000682 |     bool moveLeft;
000683 |     bool moveRight;
000684 |     bool backPedal;
000685 |     bool turnOverride;
000686 |
000687 | #ifdef DIAG_DEVELOPER
000688 |     string msg;
000689 | #endif
000690 |
000691 |     //! Try and avoid obstacles if we are moving and not busy with other actions
000692 |     if (m_MovementSpeed)
000693 |     {
000694 |         #ifdef EXTRACE_DIAG
000695 |             auto trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::AvoidObstacles (05:checkblocked)");
000696 |         #endif
000697 |         vector leftPos;
000698 |         vector rightPos;
000699 |         vector forwardPos;
000700 |         vector backwardPos;
000701 |         vector outNormal;
000702 |         float hitFraction;
```



```
000703 |
000704 |         bool chg;
000705 |
000706 |         vector checkDir;
000707 |
000708 |         m_PrevBlockingObject = m_BlockingObject;
000709 |         m_BlockingObject = null;
000710 |
000711 |         vector fb = m_PathDirNormalized;
000712 |
000713 |         //! Only check bwd if we are moving bwd, else check fwd
000714 |         if (Math.AbsFloat(m_MovementDirection) >= 135)
000715 |         {
000716 |             if (m_Unit.m_eAI_IsOnLadder)
000717 |                 fb = "0 -1 0";
000718 |
000719 |             checkDir = position + 0.5 * fb;
000720 |             blockedBackward = this.Raycast(position, checkDir, backwardPos, outNormal, hitFraction, checkDir, 0.3, true, m_BlockingObject);
000721 |
000722 |             if (!blockedBackward && m_Unit.m_eAI_PositionTime > 4.0)
000723 |                 blockedBackward = true;
000724 |
000725 |             if (blockedBackward)
000726 |                 m_Unit.Expansion_DebugObject_Deferred(BLOCKED_BACKWARD_HITPOSITION, backwardPos, "ExpansionDebugBox_Purple", outNormal);
000727 |
000728 |             if (blockedBackward != m_LastBlockedBackward)
000729 |             {
000730 |                 m_LastBlockedBackward = blockedBackward;
000731 |                 chg = true;
000732 |             }
000733 |         }
000734 |         else
000735 |         {
000736 |             if (m_Unit.m_eAI_IsOnLadder)
000737 |             {
000738 |                 fb = "0 1 0";
000739 |                 checkDir = position + 1.5 * fb;
000740 |             }
000741 |             else
000742 |             {
000743 |                 checkDir = position + 0.5 * fb;
000744 |             }
000745 |
000746 |             blockedForward = this.Raycast(position, checkDir, forwardPos, outNormal, hitFraction, position + fb * m_MovementSpeed * 1.7, 0.3, true, m_Blocking
Object, true);
000747 |
000748 |             if (!blockedForward && m_Unit.m_eAI_PositionTime > 4.0)
000749 |                 blockedForward = true;
000750 |
000751 |             if (blockedForward)
000752 |             {
000753 |                 m_Unit.Expansion_DebugObject_Deferred(BLOCKED_FORWARD_HITPOSITION, forwardPos, "ExpansionDebugBox_Purple");
000754 |                 m_Unit.Expansion_DebugObject_Deferred(CHECK_ORIGIN, position + m_CheckMinHeight * 0.5, "ExpansionDebugBox_Blue", fb);
000755 |                 m_Unit.Expansion_DebugObject_Deferred(CHECK_FORWARD_BLOCKED, position + 0.5 * fb + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Red", fb);
000756 |             }
000757 |
000758 |             if (blockedForward != m_LastBlockedForward)
000759 |             {
000760 |                 m_LastBlockedForward = blockedForward;
000761 |                 chg = true;
000762 |             }
000763 |         }
}
```

```

000764 |
000765 |         bool blockedFwdOrBwd;
000766 |         //!< https://feedback.bistudio.com/T173348
000767 |         if (blockedForward || blockedBackward)
000768 |         {
000769 |             blockedFwdOrBwd = true;
000770 |             if (m_LastBlocked)
000771 |                 m_Unit.m_eAI_BlockedTime += cdt;
000772 |         }
000773 |         else
000774 |         {
000775 |             m_Unit.m_eAI_BlockedTime = 0.0;
000776 |         }
000777 |
000778 |         m_LastBlocked = blockedFwdOrBwd;
000779 |
000780 |         if (!m_BlockingObject)
000781 |         {
000782 |             m_IsBlockedByBuildingWithDoor = false;
000783 |             m_IsBlockedByBuildingWithLadder = false;
000784 |         }
000785 |         else if (m_BlockingObject != m_PrevBlockingObject)
000786 |         {
000787 |             m_IsBlockedByBuildingWithDoor = false;
000788 |             m_IsBlockedByBuildingWithLadder = false;
000789 |
000790 |             BuildingBase building;
000791 |             if (Class.CastTo(building, m_BlockingObject))
000792 |             {
000793 |                 if (building.GetDoorCount() > 0)
000794 |                     m_IsBlockedByBuildingWithDoor = true;
000795 |
000796 |                 if (blockedFwdOrBwd && !m_Unit.m_eAI_Ladder && building.Expansion_GetLaddersCount() > 0 && !m_Unit.eAI_IsExcludedBuildingWithLadder(building))
000797 |                 {
000798 |                     if (m_Unit.m_eAI_BuildingWithLadder != building)
000799 |                     {
000800 |                         #ifdef DIAG_DEVELOPER
000801 |                             msg = "Bumped into building with ladder " + building.GetType();
000802 |                             EXTrace.Print(EXTrace.AI, this, msg);
000803 |                             ExpansionStatic.MessageNearPlayers(m_Unit.m_ExTransformPlayer[3], 100, m_Unit.ToString() + " " + msg);
000804 |                         #endif
000805 |
000806 |                             m_Unit.m_eAI_BuildingWithLadder = building;
000807 |                             m_Unit.m_eAI_LadderLoops = 0;
000808 |                         }
000809 |
000810 |                             m_IsBlockedByBuildingWithLadder = true;
000811 |                     }
000812 |                 }
000813 |             }
000814 |
000815 |             float overrideTargetMovementDirection = m_OverrideTargetMovementDirection;
000816 |
000817 |             //!< If during movement overriding we are no longer blocked in any direction, stop overriding immediately
000818 |             if (!blockedFwdOrBwd && m_OverrideMovementTimeout > 0)
000819 |             {
000820 |                 m_OverrideMovementTimeout = 0;
000821 |                 m_OverrideTargetMovementDirection = 0;
000822 |                 m_ForceMovementDirection = true;
000823 |             }
000824 |             else if (m_Unit.m_eAI_IsOnLadder)
000825 |             {

```

```
000826 |         if (m_Unit.m_eAI_BlockedTime > 2.0)
000827 |         {
000828 |             m_Unit.m_eAI_LadderClimbDirection *= -1;
000829 |             m_Unit.m_eAI_BlockedTime = 0;
000830 |         }
000831 |     }
000832 |     ///! Check left/right/bwd if blocked forward or already overriding movement
000833 | else if (blockedFwdOrBwd || m_OverrideMovementTimeout > 0)
000834 | {
000835 |     vector lr = fb.Perpend();
000836 |     vector checkLeft = position + 0.25 * lr;
000837 |     vector checkRight = position - 0.25 * lr;
000838 |     blockedLeft = this.Raycast(position, checkLeft, leftPos, outNormal, hitFraction, checkDir + lr, 0.3);
000839 |     if (!blockedLeft && m_Unit.m_eAI_PositionTime > 4.0)
000840 |         blockedLeft = true;
000841 |     if (blockedLeft)
000842 |         m_Unit.Expansion_DebugObject_Deferred(BLOCKED_LEFT_HITPOSITION, leftPos, "ExpansionDebugBox_Purple", outNormal);
000843 |     blockedRight = this.Raycast(position, checkRight, rightPos, outNormal, hitFraction, checkDir - lr, 0.3);
000844 |     if (!blockedRight && m_Unit.m_eAI_PositionTime > 4.0)
000845 |         blockedRight = true;
000846 |     if (blockedRight)
000847 |         m_Unit.Expansion_DebugObject_Deferred(BLOCKED_RIGHT_HITPOSITION, rightPos, "ExpansionDebugBox_Purple", outNormal);
000848 |
000849 |     if (blockedLeft && blockedRight)
000850 |     {
000851 |         float leftDist;
000852 |         float rightDist;
000853 |         if (blockedLeft)
000854 |             m_BlockedLeftDist = vector.DistanceSq(position, leftPos);
000855 |         if (blockedRight)
000856 |             m_BlockedRightDist = vector.DistanceSq(position, rightPos);
000857 |     }
000858 |
000859 |     rightPos = position - 0.5 * lr;
000860 |     leftPos = position + 0.5 * lr;
000861 |
000862 |     if (blockedLeft != m_LastBlockedLeft)
000863 |     {
000864 |         m_LastBlockedLeft = blockedLeft;
000865 |         chg = true;
000866 |     }
000867 |
000868 |     if (blockedRight != m_LastBlockedRight)
000869 |     {
000870 |         m_LastBlockedRight = blockedRight;
000871 |         chg = true;
000872 |     }
000873 |
000874 |     ///! Make sure the normal waypoint distance speed adjustments run
000875 |     m_SpeedOverrider = false;
000876 |
000877 |     ///! If change in blocked directions or currently not overriding movement, adjust movement direction
000878 |     if (blockedFwdOrBwd || (chg && (blockedLeft || blockedRight)))
000879 |     {
000880 |         ///! Ready to play pinball
000881 |
000882 |         ///! Check which direction we want to move
000883 |         if (m_TurnOverride)
000884 |         {
000885 |             turnOverride = true;
000886 |         }
000887 |         else if (blockedLeft && blockedRight)
```

```
000888 | {
000889 |     switch (m_Stance)
000890 |     {
000891 |         case DayZPlayerConstants.STANCEIDX_PRONE:
000892 |             if (m_Unit.m_eAI_BlockedTime > 10.0)
000893 |                 turnOverride = true;
000894 |             break;
000895 |
000896 |         default:
000897 |             ///! This helps when on the catwalk of (e.g.) Land_Factory_Small so don't instantly start turning around
000898 |             ///! our own axis at the corners
000899 |             if (m_Unit.m_eAI_BlockedTime > 0.2)
000900 |                 turnOverride = true;
000901 |             break;
000902 |     }
000903 | }
000904 |
000905 | if (turnOverride)
000906 | {
000907 |     ///! Don't set movement direction
000908 | }
000909 | else if (blockedLeft && !blockedRight)
000910 | {
000911 |     ///! Go right if blocked left
000912 |     moveRight = true;
000913 | #ifdef EAI_DEBUG_MOVE
000914 |     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " blocked left, move right");
000915 | #endif
000916 | }
000917 | else if (!blockedLeft && blockedRight)
000918 | {
000919 |     ///! Go left if blocked right
000920 |     moveLeft = true;
000921 | #ifdef EAI_DEBUG_MOVE
000922 |     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " blocked right, move left");
000923 | #endif
000924 | }
000925 | else
000926 | {
000927 |     ///! No direction blocked or both directions blocked
000928 |
000929 |     if (m_OverrideMovementTimeout > 0)
000930 |     {
000931 |         ///! If already moving right, keep moving right
000932 |         if (m_OverrideTargetMovementDirection == 90)
000933 |         {
000934 |             moveRight = true;
000935 |             #ifdef EAI_DEBUG_MOVE
000936 |             EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " not blocked L+R, already moving right, keep moving right");
000937 |             #endif
000938 |         }
000939 |         else
000940 |         {
000941 |             moveLeft = true;
000942 |             #ifdef EAI_DEBUG_MOVE
000943 |             EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " not blocked L+R, already moving left, keep moving left");
000944 |             #endif
000945 |         }
000946 |     }
000947 |     ///! 50% chance move right
000948 |     else if (Math.RandomIntInclusive(0, 1))
000949 |     {
```

```

000950 |         moveRight = true;
000951 |     #ifdef EAI_DEBUG_MOVE
000952 |         EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " not blocked L+R, move right");
000953 |     #endif
000954 |     }
000955 |     else
000956 |     {
000957 |         moveLeft = true;
000958 |     #ifdef EAI_DEBUG_MOVE
000959 |         EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " not blocked L+R, move left");
000960 |     #endif
000961 |     }
000962 | }
000963 |
000964 | if (backPedal)
000965 | {
000966 |     //! Backpedal
000967 |     //if (Math.RandomIntInclusive(0, 1))
000968 |         //m_OverrideTargetMovementDirection = Math.RandomFloat(-135.0, -180.0);
000969 |     //else
000970 |         //m_OverrideTargetMovementDirection = Math.RandomFloat(135.0, 180.0);
000971 |     if (m_BlockedRightDist - m_BlockedLeftDist > 0.16) //! 0.4 m
000972 |         m_OverrideTargetMovementDirection = 175;
000973 |     else if (m_BlockedLeftDist - m_BlockedRightDist > 0.16) //! 0.4 m
000974 |         m_OverrideTargetMovementDirection = -175;
000975 |     else
000976 |         m_OverrideTargetMovementDirection = -180;
000977 |     if (m_OverrideMovementTimeout <= 0)
000978 |     {
000979 |         m_OverrideMovementTimeout = 1.0;
000980 |         m_DebugTime = 3.0;
000981 |     }
000982 |     m_OverrideWaypoint = backwardPos;
000983 | #ifdef EAI_DEBUG_MOVE
000984 |     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " blocked L+R, move bwd");
000985 | #endif
000986 | }
000987 | else if (turnOverride)
000988 | {
000989 |     m_OverrideTargetMovementDirection = 0.0;
000990 |     StartTurnOverride(2);
000991 |     m_OverrideWaypoint = forwardPos;
000992 | #ifdef EAI_DEBUG_MOVE
000993 |     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " blocked L+R+B, turn " + m_TurnDirection);
000994 | #endif
000995 | }
000996 | else if (moveRight)
000997 | {
000998 |     m_OverrideTargetMovementDirection = 90.0;
000999 |     if (m_OverrideMovementTimeout <= 0)
001000 |     {
001001 |         m_OverrideMovementTimeout = 1.5 / m_MovementSpeed;
001002 |         m_DebugTime = 3.0;
001003 |     }
001004 |     m_OverrideWaypoint = rightPos;
001005 |     if (blockedLeft)
001006 |     {
001007 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_BLOCKED, position + 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Orange",
lr);
001008 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001009 |     }
001010 |     else

```

```

001011 |         {
001012 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001013 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_OK, position + 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Blue", lr);
001014 |         }
001015 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_GO, "0 0 0", "ExpansionDebugArrow");
001016 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001017 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001018 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_GO, position - 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow", -lr);
001019 |     }
001020 |     else if (moveLeft)
001021 |     {
001022 |         //! Go left
001023 |         m_OverrideTargetMovementDirection = -90.0;
001024 |         if (m_OverrideMovementTimeout <= 0)
001025 |         {
001026 |             m_OverrideMovementTimeout = 1.5 / m_MovementSpeed;
001027 |             m_DebugTime = 3.0;
001028 |         }
001029 |         m_OverrideWaypoint = leftPos;
001030 |         if (blockedRight)
001031 |         {
001032 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_BLOCKED, position - 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Orange",
-1r);
001033 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001034 |         }
001035 |         else
001036 |         {
001037 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001038 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_OK, position - 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Blue", -lr);
001039 |         }
001040 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_GO, "0 0 0", "ExpansionDebugArrow");
001041 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001042 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001043 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_GO, position + 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow", lr);
001044 |     }
001045 |
001046 |     //m_PathFinding.OverridePosition(m_OverrideWaypoint);
001047 |     //m_Unit.Expansion_DebugObject_Deferred(OVERRIDDEN_WAYPOINT, m_OverrideWaypoint, "ExpansionDebugBox_Orange");
001048 | }
001049 |
001050 | if (backPedal || turnOverride)
001051 | {
001052 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_BLOCKED, position + 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Orange", lr);
001053 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_BLOCKED, position - 0.5 * lr + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Orange", -lr);
001054 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001055 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_GO, "0 0 0", "ExpansionDebugArrow");
001056 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001057 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_GO, "0 0 0", "ExpansionDebugArrow");
001058 | }
001059 |
001060 | if (blockedBackward)
001061 | {
001062 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_BLOCKED, position - 0.5 * fb + m_CheckMinHeight * 0.5, "ExpansionDebugArrow_Orange", -fb)
;
001063 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_OK, "0 0 0", "ExpansionDebugArrow");
001064 | }
001065 | else if (!blockedLeft || !blockedRight)
001066 | {
001067 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001068 |     m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_OK, "0 0 0", "ExpansionDebugArrow");
001069 | }
001070 | else

```

```

001071 |         {
001072 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001073 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_OK, position - 0.5 * fb + m_CheckMinHeight * 0.5, "ExpansionDebugArrow", -fb);
001074 |         }
001075 |     }
001076 |
001077 |     #ifdef EXTRACE_DIAG
001078 |         trace2 = null;
001079 |     #endif
001080 |
001081 | #ifdef DIAG_DEVELOPER
001082 |     if (m_OverrideTargetMovementDirection != overrideTargetMovementDirection)
001083 |         chg = true;
001084 |
001085 |     if (chg)
001086 |     {
001087 |         if (blockedForward || blockedLeft || blockedRight || blockedBackward)
001088 |         {
001089 |             msg = "blocked";
001090 |             if (blockedForward)
001091 |                 msg += " fwd";
001092 |             if (blockedLeft)
001093 |                 msg += " left";
001094 |             if (blockedRight)
001095 |                 msg += " right";
001096 |             if (blockedBackward)
001097 |                 msg += " bwd";
001098 |             msg += " move " + m_OverrideTargetMovementDirection;
001099 |         }
001100 |         else
001101 |         {
001102 |             msg = "not blocked";
001103 |         }
001104 |         EXTrace.Print(EXTrace.AI, m_Player, msg);
001105 |         //ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 30, m_Unit.ToString() + " " + m_InstanceNum.ToString() + " " + msg);
001106 |     }
001107 | #endif
001108 | }
001109 |
001110 | #ifdef DIAG_DEVELOPER
001111 |     if (m_OverrideMovementTimeout <= 0 && !blockedForward && !blockedLeft && !blockedRight && !blockedBackward && m_DebugTime <= 0)
001112 |     {
001113 |         //! No longer blocked and no longer overriding movement
001114 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_ORIGIN])
001115 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_ORIGIN, "0 0 0", "ExpansionDebugBox_Blue");
001116 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_FORWARD_BLOCKED])
001117 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_FORWARD_BLOCKED, "0 0 0", "ExpansionDebugArrow_Red");
001118 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_LEFT_BLOCKED])
001119 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001120 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_RIGHT_BLOCKED])
001121 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001122 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_LEFT_OK])
001123 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001124 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_LEFT_GO])
001125 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_LEFT_GO, "0 0 0", "ExpansionDebugArrow");
001126 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_RIGHT_OK])
001127 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_OK, "0 0 0", "ExpansionDebugArrow_Blue");
001128 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_RIGHT_GO])
001129 |             m_Unit.Expansion_DebugObject_Deferred(CHECK_RIGHT_GO, "0 0 0", "ExpansionDebugArrow");
001130 |         if (m_Unit.m_Expansion_DebugObjects[OVERRIDDEN_WAYPOINT])
001131 |             m_Unit.Expansion_DebugObject_Deferred(OVERRIDDEN_WAYPOINT, "0 0 0", "ExpansionDebugBox_Orange");
001132 |         if (m_Unit.m_Expansion_DebugObjects[CHECK_BACKWARD_BLOCKED])

```

```

001133 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_BLOCKED, "0 0 0", "ExpansionDebugArrow_Orange");
001134 |     if (m_Unit.m_Expansion_DebugObjects[CHECK_BACKWARD_OK])
001135 |         m_Unit.Expansion_DebugObject_Deferred(CHECK_BACKWARD_OK, "0 0 0", "ExpansionDebugArrow");
001136 |     if (m_Unit.m_Expansion_DebugObjects[BLOCKED_FORWARD_HITPOSITION])
001137 |         m_Unit.Expansion_DebugObject_Deferred(BLOCKED_FORWARD_HITPOSITION, "0 0 0", "ExpansionDebugBox_Purple");
001138 |     if (m_Unit.m_Expansion_DebugObjects[BLOCKED_LEFT_HITPOSITION])
001139 |         m_Unit.Expansion_DebugObject_Deferred(BLOCKED_LEFT_HITPOSITION, "0 0 0", "ExpansionDebugBox_Purple");
001140 |     if (m_Unit.m_Expansion_DebugObjects[BLOCKED_RIGHT_HITPOSITION])
001141 |         m_Unit.Expansion_DebugObject_Deferred(BLOCKED_RIGHT_HITPOSITION, "0 0 0", "ExpansionDebugBox_Purple");
001142 |     if (m_Unit.m_Expansion_DebugObjects[BLOCKED_BACKWARD_HITPOSITION])
001143 |         m_Unit.Expansion_DebugObject_Deferred(BLOCKED_BACKWARD_HITPOSITION, "0 0 0", "ExpansionDebugBox_Purple");
001144 |     }
001145 | #endif
001146 |
001147 |     // #ifdef EXTRACE_DIAG
001148 |     // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (16:findnextstance)");
001149 |     // #endif
001150 |     if (!IsChangingStance() && !m_Unit.IsSwimming() && !m_Unit.GetEmoteManager().IsEmotePlaying() && !m_Unit.m_eAI_IsOnLadder)
001151 |     {
001152 |         // ! Head position standing 1.6m, crouched 1m, prone 0.3m
001153 |         // ! + 0.2m = full character height (not including gear)
001154 |         // ! @note make sure that the 2nd raycast (the one checking if there is enough space to stand up)
001155 |         // ! has a higher endpoint Y than the first one, else we could get stuck in a stance change loop!
001156 |         vector hitPosition;
001157 |         vector hitNormal;
001158 |         int contactComponent;
001159 |         set<Object> results = new set<Object>;
001160 |         if (DayZPhysics.RaycastRV(head, head + "0 0.2 0", hitPosition, hitNormal, contactComponent, results, null, m_Unit, false, false, ObjIntersectView) &&
results.Count() && ObjectCanLimitStance(results[0]))
001161 |         {
001162 |             if (m_Unit.m_eAI_StancePreference == -1)
001163 |             {
001164 |                 m_Unit.m_eAI_StancePreference = DayZPlayerConstants.STANCEIDX_ERECT;
001165 |
001166 |                 #ifdef DIAG_DEVELOPER
001167 |                     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " stance pref " + m_Unit.m_eAI_StancePreference);
001168 |                 #endif
001169 |             }
001170 |
001171 |             if (m_Stance == DayZPlayerConstants.STANCEIDX_ERECT || m_Stance == -1)
001172 |             {
001173 |                 m_Stance = DayZPlayerConstants.STANCEIDX_CROUCH;
001174 |             }
001175 |             else if (m_Stance == DayZPlayerConstants.STANCEIDX_CROUCH)
001176 |             {
001177 |                 m_Stance = DayZPlayerConstants.STANCEIDX_PRONE;
001178 |             }
001179 |
001180 |             #ifdef DIAG_DEVELOPER
001181 |                 if (m_Stance != m_Unit.eAI_GetStance() && m_StanceChangeTimeout <= 0.0)
001182 |                     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " adjust stance " + m_Stance);
001183 |
001184 |                 m_Unit.Expansion_DebugObject_Deferred(1122, hitPosition, "ExpansionDebugSphereSmall_Red", vector.Zero, hitPosition - hitNormal);
001185 |             #endif
001186 |             }
001187 |             else if (m_Unit.m_eAI_StancePreference != -1 && m_Stance != m_Unit.m_eAI_StancePreference && (m_Unit.m_eAI_StancePreference == DayZPlayerConstants.STA
NCEIDX_PRONE || !DayZPhysics.RaycastRV(origin + "0 0.3 0", origin + Vector(0, 0.5 + (2.0 - m_Unit.m_eAI_StancePreference) * 0.75, 0), hitPosition, hitNormal, cont
actComponent, results, null, m_Unit, false, false, ObjIntersectView, 0.1) || !results.Count() || !ObjectCanLimitStance(results[0])))
001188 |             {
001189 |                 m_Stance = m_Unit.m_eAI_StancePreference;
001190 |
001191 |                 #ifdef DIAG_DEVELOPER

```



```

001192 |         ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " restoring stance pref " + m_Unit.m_eAI_StancePreference);
001193 |     #endif
001194 |     }
001195 | }
001196 | }
001197 |
001198 | void PreAnimUpdate_Finish(float pDt, vector orientation, vector position, vector waypoint, bool isDangerousAltitude, bool isPathPointFinal, bool isTargetPosit
ionFinal, eAIGroup group, DayZPlayerImplement leader, float characterDepth, bool isBusy)
001199 | {
001200 | #ifdef DIAG_DEVELOPER
001201 |     string msg;
001202 | #endif
001203 |
001204 | // #ifdef EXTRACE_DIAG
001205 | // auto trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (06:speedlimit)");
001206 | // #endif
001207 | int speedLimit;
001208 | if (m_StanceChangeTimeout > 0)
001209 | {
001210 |     speedLimit = 0; //! Have to stop moving else it breaks animation state
001211 | }
001212 | else
001213 | {
001214 |     switch (m_Stance)
001215 |     {
001216 |     case DayZPlayerConstants.STANCEIDX_CROUCH:
001217 |         m_CheckMinHeight = CHECK_MIN_HEIGHT_CROUCH;
001218 |         m_CheckMinHeight_NearGround = CHECK_MIN_HEIGHT_NEARGROUND;
001219 |         if (characterDepth >= 0.3 && !m_Unit.GetActionManager().GetRunningAction()) //! Neck position when crouched: 0.8 m above ground, +- 0.5 m tid
e tolerance
001220 |             OverrideStance(DayZPlayerConstants.STANCEIDX_ERECT);
001221 |             speedLimit = m_SpeedLimit;
001222 |             break;
001223 |     case DayZPlayerConstants.STANCEIDX_PRONE:
001224 |         m_CheckMinHeight = CHECK_MIN_HEIGHT_PRONE;
001225 |         m_CheckMinHeight_NearGround = CHECK_MIN_HEIGHT_PRONE;
001226 |         if (m_Unit.GetActionManager().GetRunningAction())
001227 |         {
001228 |             speedLimit = 0; //! Have to stop moving else it breaks animation state
001229 |         }
001230 |         else if (characterDepth >= 0.3) //! Neck position when crouched: 0.8 m above ground, +- 0.5 m tide tolerance
001231 |         {
001232 |             OverrideStance(DayZPlayerConstants.STANCEIDX_ERECT);
001233 |             speedLimit = m_SpeedLimit;
001234 |         }
001235 |         else if (characterDepth >= -0.5)
001236 |         {
001237 |             OverrideStance(DayZPlayerConstants.STANCEIDX_CROUCH);
001238 |             speedLimit = m_SpeedLimit;
001239 |         }
001240 |         else if (m_Unit.IsRaised() || m_Unit.GetWeaponManager().IsRunning())
001241 |         {
001242 |             speedLimit = 0; //! Have to stop moving else it breaks animation state
001243 |         }
001244 |         else
001245 |         {
001246 |             speedLimit = Math.Min(1, m_SpeedLimit);
001247 |         }
001248 |         break;
001249 |     default:
001250 |         m_CheckMinHeight = CHECK_MIN_HEIGHT;
001251 |         m_CheckMinHeight_NearGround = CHECK_MIN_HEIGHT_NEARGROUND;

```

```
001252 |             speedLimit = m_SpeedLimit;
001253 |             break;
001254 |         }
001255 |
001256 |         //! Limit speed to jog when avoiding obstacles, going downhill, altitude is dangerous or surface is deep enough under water for swimming
001257 |         if (speedLimit > 2)
001258 |         {
001259 |             if (m_OverrideMovementTimeout > 0 || (!m_Unit.IsSwimming() && (ExpansionMath.RelAngle(m_PathAngles[1]) < -25.0 || isDangerousAltitude || (!m_PathF
inding.m_IsSwimmingEnabled && m_Unit.m_eAI_SurfaceY < g_Game.SurfaceGetSeaLevel() - 1.5))))
001260 |                 speedLimit = 2;
001261 |         }
001262 |     }
001263 |
001264 |     //#ifdef TRACE_DIAG
001265 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (07:turntarget)");
001266 |     //#endif
001267 |     if (waypoint != position)
001268 |         m_WaypointDistance2DSq = m_PathDir2D.LengthSq();
001269 |     else
001270 |         m_WaypointDistance2DSq = 0.0;
001271 |
001272 |     HumanCommandMove move = m_Unit.GetCommand_Move();
001273 |
001274 |     if (m_MovementSpeed != 0)
001275 |     {
001276 |         if (move)
001277 |             m_MinFinal = Math.Max(move.GetCurrentMovementSpeed(), 1.0) * 0.1;
001278 |
001279 |         if (ShouldRecalculateTurnTarget())
001280 |         {
001281 |             //! Turn to waypoint while moving
001282 |             m_TurnTarget = m_PathAngles[0];
001283 |         }
001284 |
001285 |         if (m_TurnOverride)
001286 |         {
001287 |             speedLimit = m_TurnOverride;
001288 |             m_TurnTarget = orientation[0] + m_TurnDirection;
001289 |             if (m_TurnTarget >= 360.0)
001290 |                 m_TurnTarget -= 360.0;
001291 |             else if (m_TurnTarget < 0)
001292 |                 m_TurnTarget += 360.0;
001293 |         }
001294 |     }
001295 |
001296 |     /*
001297 |     if (waypoint != position)
001298 |     {
001299 |         float y = g_Game.SurfaceY(waypoint[0], waypoint[2]);
001300 |         if (y > waypoint[1]) waypoint[1] = y;
001301 |
001302 |         if (DayZPhysics.RayCastBullet(waypoint + Vector(0.0, 1.5, 0.0), waypoint - Vector(0.0, 10.0, 0.0), m_CollisionLayerMask|PhxInteractionLayers.TERRAIN,
m_Player, m_HitObject, m_HitPosition, m_HitNormal, m_HitFraction))
001303 |             waypoint = m_HitPosition;
001304 |
001305 |             m_WaypointDistance = vector.DistanceSq(position, waypoint);
001306 |         }
001307 |     else
001308 |     {
001309 |         m_WaypointDistance = 0.0;
001310 |     }
001311 |     */
```

```

001312 |
001313 | // #ifdef EXTRACE_DIAG
001314 | // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (08: strafing)");
001315 | // #endif
001316 | m_Turn = orientation[0];
001317 |
001318 | eAITarget target = m_Unit.GetTarget();
001319 | PlayerBase targetPlayer;
001320 | eAIGroup targetGroup;
001321 |
001322 | if (target && Class.CastTo(targetPlayer, target.GetEntity()))
001323 |     targetGroup = targetPlayer.GetGroup();
001324 |
001325 | if (m_OverrideMovementTimeout > 0)
001326 | {
001327 |     m_TargetMovementDirection = m_OverrideTargetMovementDirection;
001328 |     m_ForceMovementDirection = true;
001329 | }
001330 | // ! Turn towards aim direction when raised or no look target but keep moving in waypoint direction (strafe/backpedal if necessary)
001331 | // ! @note on target handling:
001332 | // ! We only look at targets if threat level > 0.1, so consequently we can be sure we don't turn towards a target
001333 | // ! if we check it's threat level is below that.
001334 | // ! We must never turn towards targets if only looking briefly since that can make the AI spin around its axis repeatedly
001335 | // ! which looks very awkward.
001336 | // ! We ignore targets with a lifetime less than three seconds for that reason.
001337 | // ! @note on ladder handling:
001338 | // ! If we have a ladder target, we don't strafe/backpedal as it would interfere with looking towards ladder
001339 | // ! (handled in eAIBase::eAI_UpdateLookDirectionTarget)
001340 | else if (m_MovementSpeed > 0 && m_WaypointDistance2DSq > 0.0001 && !m_Unit.IsSwimming() && !m_Unit.m_eAI_Ladder)
001341 | {
001342 |     bool allowStrafing;
001343 |
001344 |     if (m_Unit.IsRaised())
001345 |     {
001346 |         allowStrafing = true;
001347 |     }
001348 |     else if (target)
001349 |     {
001350 |         if (target.m_ThreatLevelActive <= 0.1)
001351 |         {
001352 |             if (m_PathFinding.m_PointIdx > 0 || group.GetWaypointBehaviour() == eAIWaypointBehavior.ROAMING)
001353 |                 allowStrafing = true;
001354 |         }
001355 |         else if (target.GetRemainingTime() > 3.0)
001356 |         {
001357 |             if (target.IsNoise())
001358 |             {
001359 |                 if (target.m_ThreatLevelActive > 0.2)
001360 |                     allowStrafing = true;
001361 |             }
001362 |             else
001363 |             {
001364 |                 allowStrafing = true;
001365 |             }
001366 |         }
001367 |     }
001368 |     else if (m_PathFinding.m_PointIdx > 0 || group.GetWaypointBehaviour() == eAIWaypointBehavior.ROAMING)
001369 |     {
001370 |         allowStrafing = true;
001371 |     }
001372 |
001373 |     if (allowStrafing)

```

```
001374 |         {
001375 |             vector aimDir;
001376 |
001377 |             if (m_Unit.IsRaised())
001378 |             {
001379 |                 aimDir = m_Unit.GetAimDirection();
001380 |             }
001381 |             else if (!target || target.m_ThreatLevelActive <= 0.1 || target.IsItem())
001382 |             {
001383 |                 aimDir = m_Unit.GetLookDirection();
001384 |             }
001385 |             else
001386 |             {
001387 |                 aimDir = target.GetDirection().Normalized();
001388 |             }
001389 |
001390 |             aimDir[1] = 0;
001391 |             float aimAngle = aimDir.VectorToAngles()[0];
001392 |             //float aimToMovementAngle = ExpansionMath.AngleDiff2(aimAngle, m_TurnTarget);
001393 |             //float aimToMovementAngleAbs = Math.AbsFloat(aimToMovementAngle);
001394 |
001395 |             //if (aimToMovementAngleAbs >= 90)
001396 |             if (vector.Dot(aimDir, m_PathDir2DNormalized) < 0.0)
001397 |             {
001398 |                 if (m_Unit.IsRaised() || m_StrafeTime < MAX_NONRAISED_STRAFE_TIME)
001399 |                 {
001400 |                     m_TargetMovementDirection = ExpansionMath.AngleDiff2(m_Turn, m_TurnTarget);
001401 |                     m_ForceMovementDirection = true;
001402 |                     m_TurnTarget = aimAngle;
001403 |                     m_StrafeTime += pDt;
001404 |                 }
001405 |             }
001406 |             else if (m_StrafeTime >= STRAFE_TIME_RESET_THRESHOLD)
001407 |             {
001408 |                 m_StrafeTime = 0;
001409 |             }
001410 |         }
001411 |     }
001412 |
001413 |     //! Clockwise: Positive, counter-clockwise: Negative
001414 |     m_TurnDifference = ExpansionMath.AngleDiff2(m_Turn, m_TurnTarget);
001415 |
001416 | #ifdef EXTRACE_DIAG
001417 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (09:formation)");
001418 | #endif
001419 |     bool matchLeaderSpeed;
001420 |
001421 |     if (m_Unit.GetFSM().IsInState("FollowFormation") && !m_PathFinding.m_IsUnreachable)
001422 |     {
001423 |         if (leader && !leader.eAI_IsSideSteppingObstacles() && Math.AbsFloat(leader.Expansion_GetMovementAngle()) <= 90.0)
001424 |         {
001425 |             float leaderSpeed = leader.Expansion_GetActualVelocity().LengthSq();
001426 |             //if (EXTrace.AI && leaderSpeed > 0.0)
001427 |                 //EXPrint(leader.ToString() + " velocity " + leaderSpeed);
001428 |             if (leaderSpeed > 1.7)
001429 |                 matchLeaderSpeed = true;
001430 |         }
001431 |     }
001432 |     else if (m_Unit == leader && group.Count() > 1)
001433 |     {
001434 |         group.GetFormation().Update(pDt);
001435 |     }
```

```

001436 |
001437 | // #ifdef EXTRACE_DIAG
001438 | // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (10:positiontime)");
001439 | // #endif
001440 | bool hasReachedWaypoint = HasReachedWaypoint(isPathPointFinal);
001441 |
001442 | if (m_MovementSpeed > 0.0 && m_Waypoint != position && m_Unit.m_eAI_PositionTime > 3.0 && !m_Unit.IsClimbing() && !m_Unit.IsFalling())
001443 | {
001444 |     if (m_BlockingObject && !m_BlockingObject.IsPlainObject() && !m_BlockingObject.IsRock())
001445 |     {
001446 |         if (m_BlockingObject.IsBuilding())
001447 |         {
001448 |             if (m_PathFinding.m_IsJumpClimb)
001449 |             {
001450 |                 if (m_PathFinding.m_AllowJumpClimb)
001451 |                     m_PathFinding.SetAllowJumpClimb(false, 15.0);
001452 |             }
001453 |             else if (!m_PathFinding.m_IsUnreachable)
001454 |             {
001455 |                 #ifdef DIAG_DEVELOPER
001456 |                     EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " unreachable (blocked by building for more than 3 s)");
001457 |                     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " unreachable (blocked by building for more than 3 s)"
001458 | );
001459 |                 #endif
001460 |                 m_PathFinding.m_IsUnreachable = true;
001461 |                 m_PathFinding.m_IsTargetUnreachable = true;
001462 |                 m_Unit.m_eAI_PositionTime = 0;
001463 |             }
001464 |         }
001465 |     }
001466 |     else if (m_PathFinding.m_PathGlueIdx == -1) // ! Don't use inverse path for teleport
001467 |     {
001468 |         // surfacePosition = ExpansionStatic.GetSurfaceRoadPosition(waypoint, RoadSurfaceDetection.CLOSEST);
001469 |         // if (waypoint[1] < surfacePosition[1])
001470 |         //     waypoint = surfacePosition;
001471 |
001472 |         float distSq = vector.DistanceSq(position, waypoint);
001473 |         if (distSq < 16.0 && Math.AbsFloat(waypoint[1] - position[1]) < 3.0)
001474 |         {
001475 |             m_Unit.SetPosition(waypoint); // ! OH GOD THE HACKS
001476 |             hasReachedWaypoint = true;
001477 |             m_Unit.m_eAI_PositionTime = 0.0;
001478 |
001479 |             #ifdef DIAG_DEVELOPER
001480 |                 msg = "Teleported from " + position + " to " + waypoint + " (" + Math.Sqrt(distSq) + " m)";
001481 |                 EXTrace.Print(EXTrace.AI, m_Unit, msg);
001482 |                 ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100, m_Unit.ToString() + " " + msg);
001483 |             #endif
001484 |         }
001485 |     }
001486 | }
001487 | // #ifdef EXTRACE_DIAG
001488 | // trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (11:updatepath)");
001489 | // #endif
001490 | // ! https://feedback.bistudio.com/T173348
001491 | if (isTargetPositionFinal && hasReachedWaypoint && !matchLeaderSpeed)
001492 |     m_Unit.m_eAI_PositionIsFinal = true;
001493 | else
001494 |     m_Unit.m_eAI_PositionIsFinal = false;
001495 |
001496 | if (!m_Unit.IsClimbing() && !m_Unit.IsFalling() && m_Waypoint != position && hasReachedWaypoint)

```

```

001497 |     {
001498 |         m_UpdatePath = true;
001499 |     }
001500 |
001501 |     if (m_UpdatePath)
001502 |     {
001503 |         if (isPathPointFinal)
001504 |         {
001505 |             if (matchLeaderSpeed || vector.DistanceSq(m_Waypoint, m_PathFinding.GetTarget()) >= m_MinFinal)
001506 |             {
001507 |                 //#ifdef DIAG_DEVELOPER
001508 |                 //ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " final point - recalc path");
001509 |                 //#endif
001510 |
001511 |                 if (m_Unit.eAI_CanEnableSwimming())
001512 |                     m_PathFinding.EnableSwimming(true);
001513 |                 else
001514 |                     m_PathFinding.ForceRecalculate(true);
001515 |             }
001516 |             //#ifdef DIAG_DEVELOPER
001517 |             else
001518 |             {
001519 |                 m_Unit.Expansion_DebugObject_Deferred(3141, m_PathFinding.GetTarget() - "0 4.5 0", "ExpansionDebugNoticeMe_Black", m_Direction);
001520 |             }
001521 |             //#endif
001522 |             //#ifdef DIAG_DEVELOPER
001523 |             //m_Unit.Expansion_DeleteDebugObject(11111 + m_PathFinding.m_PointIdx);
001524 |             //#endif
001525 |         }
001526 |         else
001527 |         {
001528 |             m_PathFinding.UpdateNext(true);
001529 |         }
001530 |
001531 |         m_UpdatePath = false;
001532 |     }
001533 |
001534 |     //#ifdef EXTRACE_DIAG
001535 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (12:ladder)");
001536 |     //#endif
001537 |     /**
001538 |     * If AI has a ladder it tries to reach, is not on ladder, has a building with ladder and current raw (not navmesh sampled)
001539 |     * target position is ladder entryptoint, we check if the ladder is reachable, and discard it if not
001540 |     */
001541 |     if (m_Unit.m_eAI_Ladder && !m_Unit.m_eAI_IsOnLadder && m_Unit.m_eAI_BuildingWithLadder && m_PathFinding.m_CurrentTargetPosition == m_Unit.m_eAI_LadderEntr
001542 | yPoint)
001543 |     {
001544 |         vector end = m_PathFinding.GetEnd();
001545 |
001546 |         /**
001547 |         * This comically complex check deals with discarding unreachable ladders if any of the following conditions is true:
001548 |         *
001549 |         * - Navmesh sampled target position is not close enough to ladder entryptoint
001550 |         * OR
001551 |         * - Path endpoint is reasonably close to navmesh sampled target (so we know we are at the end),
001552 |         *   but path endpoint is not close enough to ladder entryptoint
001553 |         * OR
001554 |         * - AI has no more path points on way to target position and is close to path endpoint, but...
001555 |         *   ...path endpoint is too far from navmesh sampled target
001556 |         * OR
001557 |         *   ...AI is too far from ladder entryptoint
001558 |         * OR

```

```

001558 |         *   ...AI cannot reach ladder entrypoint (e.g. physically blocked)
001559 |         */
001560 |
001561 |         bool isLadderEntryPointNearTarget;
001562 |         if (Math.IsPointInCircle(m_Unit.m_eAI_LadderEntryPoint, UAMaxDistances.LADDERS, m_PathFinding.GetTarget()))
001563 |             isLadderEntryPointNearTarget = true;
001564 |
001565 |         bool isEndNearTarget = vector.DistanceSq(end, m_PathFinding.GetTarget()) < 4.0;
001566 |         bool isLadderEntryPointNearEnd = Math.IsPointInCircle(m_Unit.m_eAI_LadderEntryPoint, UAMaxDistances.LADDERS, end);
001567 |
001568 |         bool isLastSegment = m_PathFinding.GetRemainingCount() <= 2;
001569 |         bool isUnitNearEnd = Math.IsPointInCircle(end, 0.55, position);
001570 |
001571 |         if (!isLadderEntryPointNearTarget || (isEndNearTarget && !isLadderEntryPointNearEnd) || (isLastSegment && (isUnitNearEnd || m_PathFinding.m_IsUnreacha
ble) && (!isEndNearTarget || !m_Unit.eAI_IsCloseToLadderEntryPoint() || !m_Unit.eAI_CanReachLadderEntryPoint()))
001572 |         {
001573 |             //! Remove unreachable ladder from pool
001574 |             if (m_Unit.m_eAI_BuildingWithLadder.Expansion_GetLaddersCount() > 1)
001575 |                 m_Unit.m_eAI_Ladders[m_Unit.m_eAI_BuildingWithLadder].Remove(m_Unit.m_eAI_Ladder.m_Index);
001576 |
001577 |             m_Unit.m_eAI_Ladder = null;
001578 |
001579 |             if (target)
001580 |             {
001581 |                 EntityAI targetEntity = target.GetEntity();
001582 |                 if (targetEntity && !targetEntity.IsMan())
001583 |                 {
001584 |                     if (!m_Unit.eAI_GetThreatOverride(targetEntity) && vector.DistanceSq(end, targetEntity.GetPosition()) > 4.0)
001585 |                     {
001586 |                         m_Unit.eAI_ThreatOverride(targetEntity, true);
001587 |                         m_Unit.eAI_ResetPathfinding();
001588 |                     }
001589 |                 }
001590 |             }
001591 |         }
001592 |     }
001593 |
001594 |     //ifdef DIAG_DEVELOPER
001595 |     //Object dbgObj;
001596 |     //vector dbgOri;
001597 |     //endif
001598 |
001599 |     //ifdef EXTRACE_DIAG
001600 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (13:speed)");
001601 |     //endif
001602 |     if (m_Unit.eAI_IsSideSteppingVehicle())
001603 |     {
001604 |         //SetTargetSpeed(Math.Lerp(m_MovementSpeed, 3.0, pDt * 4.0));
001605 |         m_TargetSpeed = 3.0;
001606 |     }
001607 |     else if (m_Unit.m_eAI_PositionIsFinal || m_PathFinding.m_IsUnreachable || m_Unit.m_eAI_IsAttachedToMovingParent || m_Unit.GetFSM().IsInState("Idle"))
001608 |     {
001609 |         //ifdef DIAG_DEVELOPER
001610 |         //dbgObj = m_Unit.m_Expansion_DebugObjects[11106];
001611 |         //if (dbgObj)
001612 |             //dbgOri = dbgObj.GetOrientation();
001613 |         //else
001614 |             //dbgOri = m_Unit.GetOrientation();
001615 |         //dbgOri[0] = dbgOri[0] + 1;
001616 |         //m_Unit.Expansion_DebugObject_Deferred(11106, m_Unit.GetPosition(), "ExpansionDebugNoticeMe_White", dbgOri.AnglesToVector());
001617 |         //endif
001618 |         SetTargetSpeed(0.0);

```

```
001619 |     }
001620 |     else if (Math.AbsFloat(m_TurnDifference) > 30.0 && !m_TurnOverride)
001621 |     {
001622 |         //#ifdef DIAG_DEVELOPER
001623 |             //dbgObj = m_Unit.m_Expansion_DebugObjects[11107];
001624 |             //if (dbgObj)
001625 |                 //dbgOri = dbgObj.GetOrientation();
001626 |             //else
001627 |                 //dbgOri = m_Unit.GetOrientation();
001628 |             //dbgOri[0] = dbgOri[0] + 1;
001629 |             //m_Unit.Expansion_DebugObject_Deferred(11107, m_Unit.GetPosition(), "ExpansionDebugNoticeMe_Black", dbgOri.AnglesToVector());
001630 |         //#endif
001631 |         if (ExpansionMath.Distance2DSq(position, m_PathFinding.GetEnd()) >= m_MinFinal)
001632 |             m_TargetSpeed = Math.Min(1.0, speedLimit);
001633 |             //SetTargetSpeed(Math.Lerp(m_MovementSpeed, Math.Min(1.0, speedLimit), pDt * 2.0));
001634 |     }
001635 |     else if (m_Unit.IsRaised())
001636 |     {
001637 |         //#ifdef DIAG_DEVELOPER
001638 |             //dbgObj = m_Unit.m_Expansion_DebugObjects[11108];
001639 |             //if (dbgObj)
001640 |                 //dbgOri = dbgObj.GetOrientation();
001641 |             //else
001642 |                 //dbgOri = m_Unit.GetOrientation();
001643 |             //dbgOri[0] = dbgOri[0] + 1;
001644 |             //m_Unit.Expansion_DebugObject_Deferred(11108, m_Unit.GetPosition(), "ExpansionDebugNoticeMe_Orange", dbgOri.AnglesToVector());
001645 |         //#endif
001646 |         if (ExpansionMath.Distance2DSq(position, m_PathFinding.GetEnd()) >= m_MinFinal)
001647 |             SetTargetSpeed(2.0);
001648 |     }
001649 |     else if (!m_SpeedOverrider)
001650 |     {
001651 |         //#ifdef DIAG_DEVELOPER
001652 |             //dbgObj = m_Unit.m_Expansion_DebugObjects[11109];
001653 |             //if (dbgObj)
001654 |                 //dbgOri = dbgObj.GetOrientation();
001655 |             //else
001656 |                 //dbgOri = m_Unit.GetOrientation();
001657 |             //dbgOri[0] = dbgOri[0] + 1;
001658 |             //m_Unit.Expansion_DebugObject_Deferred(11109, m_Unit.GetPosition(), "ExpansionDebugNoticeMe_Red", dbgOri.AnglesToVector());
001659 |         //#endif
001660 |         float distanceFactor = 4.0;
001661 |         if (matchLeaderSpeed || (m_Unit.GetThreatToSelf() >= 0.4 && m_Unit.eAI_HasLOS()))
001662 |             distanceFactor = 0.5;
001663 |         float targetSpeed;
001664 |         if (isTargetPositionFinal && m_WaypointDistance2DSq < 2.0 * distanceFactor)
001665 |         {
001666 |             if (matchLeaderSpeed)
001667 |                 targetSpeed = leader.Expansion_GetMovementSpeed();
001668 |             else
001669 |                 targetSpeed = 1.0;
001670 |         }
001671 |         else if (isTargetPositionFinal && m_WaypointDistance2DSq < 5.0 * distanceFactor)
001672 |         {
001673 |             if (matchLeaderSpeed)
001674 |                 targetSpeed = leader.Expansion_GetMovementSpeed();
001675 |             else
001676 |                 targetSpeed = 2.0;
001677 |         }
001678 |         else
001679 |         {
001680 |             targetSpeed = 3.0;
```



```
001681 |     }
001682 |
001683 |     if (m_MovementSpeed > speedLimit && speedLimit >= 0)
001684 |         targetSpeed = speedLimit;
001685 |
001686 |     if (targetSpeed > 1 && targetSpeed > m_MovementSpeed)
001687 |         SetTargetSpeed(Math.Lerp(m_MovementSpeed, targetSpeed, pDt * 2.0));
001688 |     else
001689 |         m_TargetSpeed = targetSpeed;
001690 | }
001691 | else
001692 | {
001693 |     if (m_MovementSpeed > speedLimit && speedLimit >= 0)
001694 |         m_TargetSpeed = speedLimit;
001695 |
001696 |     if (m_TargetSpeed > 1 && m_TargetSpeed > m_MovementSpeed)
001697 |         SetTargetSpeed(Math.Lerp(m_MovementSpeed, m_TargetSpeed, pDt * 2.0));
001698 | }
001699 |
001700 | DBGDrawSphere(waypoint, 0.05, 0xFF00FF00);
001701 | //DBGDrawLine(position, waypoint, 0xFF00FF00);
001702 | //m_Unit.Expansion_DebugObject_Deferred(CORRECTED_WAYPOINT, waypoint, "ExpansionDebugBox");
001703 |
001704 | //ifdef EXTRACE_DIAG
001705 | //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (14:setdirection)");
001706 | //endif
001707 | if (m_Unit.m_eAI_IsOnLadder)
001708 | {
001709 |     m_WasOnLadder = true;
001710 |
001711 |     if (m_Unit.m_eAI_LadderClimbDirection < 0)
001712 |     {
001713 |         m_MovementDirection = -180.0;
001714 |
001715 |         EntityAI gloves = m_Unit.GetInventory().FindAttachment(InventorySlots.GLOVES);
001716 |         if (gloves && !gloves.IsDamageDestroyed())
001717 |             m_TargetSpeed = 3.0;
001718 |         else
001719 |             m_TargetSpeed = 2.0;
001720 |     }
001721 |     else
001722 |     {
001723 |         m_MovementDirection = 0;
001724 |         m_TargetSpeed = 3.0;
001725 |     }
001726 | }
001727 | else if (m_WasOnLadder)
001728 | {
001729 |     m_WasOnLadder = false;
001730 |     m_MovementDirection = 0;
001731 | }
001732 | else
001733 | {
001734 |     if (Math.AbsFloat(m_MovementDirection) == 180 && m_TargetMovementDirection == 0)
001735 |     {
001736 |         m_MovementDirection = 0;
001737 |     }
001738 |     else if (m_MovementDirection == 0 && Math.AbsFloat(m_TargetMovementDirection) == 180)
001739 |     {
001740 |         m_MovementDirection = m_TargetMovementDirection;
001741 |     }
001742 |     else
```

```

001743 |         {
001744 |             float dirDiff = ExpansionMath.AngleDiff2(m_MovementDirection, m_TargetMovementDirection);
001745 |
001746 |             if (m_Unit.eAI_GetStance() == DayZPlayerConstants.STANCEIDX_PRONE)
001747 |                 dirDiff *= pDt;  ///! Smoother movement when prone, may look choppy otherwise if direction change is too big
001748 |
001749 |             m_MovementDirection += dirDiff;
001750 |             m_MovementDirection = Math.Clamp(m_MovementDirection, -180.0, 180.0);
001751 |         }
001752 |     }
001753 |
001754 | #ifdef DIAG_DEVELOPER
001755 |     if (m_MovementSpeed > 0.0)
001756 |     {
001757 |         vector moveDir = Vector(m_MovementDirection, 0.0, 0.0).AnglesToVector().Multiply3(m_Transform);
001758 |         m_Unit.Expansion_DebugObject(2024, position + "0 0.1 0" + moveDir * 0.4, "ExpansionDebugArrow_Black", moveDir);
001759 |         m_Unit.Expansion_DebugObject(2025, position + "0 0.3 0" + m_Direction * 0.4, "ExpansionDebugArrow_White", m_Direction);
001760 |     }
001761 |     else
001762 |     {
001763 |         m_Unit.Expansion_DebugObject(2024, "0 0 0", "ExpansionDebugArrow_Black");
001764 |         m_Unit.Expansion_DebugObject(2025, "0 0 0", "ExpansionDebugArrow_White");
001765 |     }
001766 | #endif
001767 |
001768 | //ifdef EXTRACE_DIAG
001769 | //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate_Finish (15:setstance)");
001770 | //endif
001771 | if (m_Stance != -1 && m_Stance != m_Unit.eAI_GetStance() && m_StanceChangeTimeout <= 0.0 && !isBusy && !m_Unit.IsSwimming() && !m_Unit.GetEmoteManager().IsEmotePlaying() && !m_Unit.GetActionManager().GetRunningAction() && !m_Unit.m_eAI_IsOnLadder)
001772 | {
001773 |     ///! Can't go from erect to prone or prone to erect directly, need to crouch first
001774 |     ///! else it breaks character to surface alignment and hitbox
001775 |     if (m_Stance != m_Unit.eAI_GetStance())
001776 |     {
001777 |         switch (m_Unit.eAI_GetStance())
001778 |         {
001779 |             case DayZPlayerConstants.STANCEIDX_ERECT:
001780 |             case DayZPlayerConstants.STANCEIDX_PRONE:
001781 |                 if (m_Stance != DayZPlayerConstants.STANCEIDX_CROUCH)
001782 |                     m_Stance = DayZPlayerConstants.STANCEIDX_CROUCH;
001783 |                 break;
001784 |         }
001785 |
001786 |         if (m_Stance == DayZPlayerConstants.STANCEIDX_PRONE || m_Unit.eAI_GetStance() == DayZPlayerConstants.STANCEIDX_PRONE)
001787 |             m_StanceChangeTimeout = 0.75;  ///! Crouch to prone and prone to crouch
001788 |         else
001789 |             m_StanceChangeTimeout = 0.3;  ///! Erect to crouch and crouch to erect
001790 |     }
001791 |     else
001792 |     {
001793 |         m_StanceChangeTimeout = 0.75;  ///! Safety
001794 |     }
001795 |
001796 | #ifdef EXPANSION_AI_STANCEDBG_CHATTY
001797 |     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " set stance " + m_Unit.eAI_GetStance() + " -> " + m_Stance);
001798 | #endif
001799 |
001800 |     if (move)
001801 |         move.ForceStance(m_Stance);
001802 |
001803 |     SetCurrentStance(m_Stance);

```

```

001804 |     }
001805 |
001806 |     //ifdef EXTRACE_DIAG
001807 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (17:hic)");
001808 |     //endif
001809 |     if (speedLimit == 0)
001810 |         m_MovementSpeed = 0.0;
001811 |     else
001812 |         m_MovementSpeed = m_TargetSpeed;
001813 |
001814 |     HumanInputController hic = m_Unit.GetInputController();
001815 |
001816 |     hic.OverrideMovementAngle(HumanInputControllerOverrideType.ONE_FRAME, m_MovementDirection);
001817 |
001818 |     float movementSpeed;
001819 |
001820 |     if (m_Unit.IsSwimming() && m_MovementSpeed > 0)
001821 |         movementSpeed = Math.Round(ExpansionMath.LinearConversion(0.0, 2.99, m_MovementSpeed, 1.99, 3.0));
001822 |     else
001823 |         movementSpeed = m_MovementSpeed;
001824 |
001825 |     hic.OverrideMovementSpeed(HumanInputControllerOverrideType.ONE_FRAME, movementSpeed);
001826 |
001827 |     if (movementSpeed > 2)
001828 |         SetCurrentMovement(DayZPlayerConstants.MOVEMENT_SPRINT);
001829 |     else if (movementSpeed > 1)
001830 |         SetCurrentMovement(DayZPlayerConstants.MOVEMENT_RUN);
001831 |     else if (movementSpeed > 0)
001832 |         SetCurrentMovement(DayZPlayerConstants.MOVEMENT_WALK);
001833 |     else
001834 |         SetCurrentMovement(DayZPlayerConstants.MOVEMENT_IDLE);
001835 |
001836 |     if (m_Unit.m_eAI_IsOnLadder)
001837 |         return;
001838 |
001839 |     //m_TurnVelocity = ExpansionMath.AngleDiff2(m_Turn, m_TurnPrevious);
001840 |     m_TurnPrevious = m_Turn;
001841 |
001842 |     //ifdef EXTRACE_DIAG
001843 |     //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (18:lean)");
001844 |     //endif
001845 |     bool tacticalLean;
001846 |     if (Math.AbsFloat(m_Unit.m_eAI_LeanTarget) > 0 && !m_Unit.IsFighting())
001847 |         tacticalLean = true;
001848 |
001849 |     if ((tacticalLean || Math.AbsFloat(m_Unit.m_eAI_Lean) > 0.0 || m_Unit.m_eAI_MemeLevel) && !m_Unit.IsClimbing() && !m_Unit.IsFalling() && !m_Unit.IsSwimmin
g())
001850 |     {
001851 |         bool meme;
001852 |
001853 |         if (!tacticalLean && m_Unit.m_eAI_MemeLevel && m_Unit.GetThreatToSelf() > 0.15 && m_Unit.GetThreatToSelf() < 0.4)
001854 |         {
001855 |             //! If a friendly player leans, we lean
001856 |             if (targetPlayer && (m_Unit.m_eAI_Meme || Math.AbsFloat(targetPlayer.m_MovementState.m_fLeaning) > 0.5))
001857 |             {
001858 |                 eAIFaction faction = group.GetFaction();
001859 |                 if (faction.IsObserver())
001860 |                 {
001861 |                     meme = true;
001862 |                 }
001863 |                 else
001864 |                 {

```

```
001865 |         if (targetGroup)
001866 |         {
001867 |             if (group == targetGroup)
001868 |             {
001869 |                 meme = true;
001870 |             }
001871 |             else
001872 |             {
001873 |                 eAIFaction targetFaction = targetGroup.GetFaction();
001874 |                 if (targetFaction.IsFriendly(faction) || targetFaction.IsFriendlyEntity(m_Unit, targetPlayer))
001875 |                     meme = true;
001876 |             }
001877 |         }
001878 |     }
001879 | }
001880 |
001881 | if (meme && !m_Unit.m_eAI_Meme)
001882 |     m_Unit.m_eAI_Meme = Math.RandomInt(2, 4);
001883 | }
001884 |
001885 | bool returnToNeutral;
001886 |
001887 | switch (m_Unit.m_eAI_MemeLevel)
001888 | {
001889 |     case 0:
001890 |     case 1:
001891 |         break;
001892 |     case 2:
001893 |         if (m_MovementSpeed && m_Unit.m_eAI_IsFightingFSM && !m_Unit.IsFighting())
001894 |             meme = true;
001895 |         break;
001896 |     case 3:
001897 |         if (m_MovementSpeed)
001898 |             meme = true;
001899 |         break;
001900 |     default:
001901 |         if (m_MovementSpeed || m_TurnState == TURN_STATE_TURNING)
001902 |             meme = true;
001903 |         break;
001904 | }
001905 |
001906 | if ((!m_Unit.m_eAI_HasProjectileWeaponInHands || ((!tacticalLean || !m_Unit.IsRaised()) && !meme)) && Math.AbsFloat(m_Unit.m_eAI_Lean) > 0.0)
001907 | {
001908 |     ///! Always return to neutral state
001909 |     returnToNeutral = true;
001910 |     EXTrace.Print(EXTrace.AI, m_Unit, "Target lean neutral");
001911 | }
001912 |
001913 | if (tacticalLean && !returnToNeutral)
001914 | {
001915 |     m_LeanDirection = m_Unit.m_eAI_LeanTarget;
001916 |     EXTrace.Print(EXTrace.AI, m_Unit, "Target lean tactical " + m_LeanDirection);
001917 | }
001918 | else if (meme || returnToNeutral)
001919 | {
001920 |     float leanReverseThresh = Math.RandomFloat(0.5, 2.0);
001921 |     if (Math.AbsFloat(m_Unit.m_eAI_Lean) > leanReverseThresh)
001922 |     {
001923 |         if (m_Unit.m_eAI_Lean > 0.0)
001924 |             m_Unit.m_eAI_Lean = leanReverseThresh;
001925 |         else
001926 |             m_Unit.m_eAI_Lean = -leanReverseThresh;
```

```
001927 |
001928 |         m_LeanDirection = -m_LeanDirection;
001929 |         EXTrace.Print(EXTrace.AI, m_Unit, "Target lean " + m_LeanDirection);
001930 |
001931 |         if (m_Unit.m_eAI_Meme)
001932 |             m_Unit.m_eAI_Meme--;
001933 |     }
001934 | }
001935 |
001936 | if (tacticalLean || meme || returnToNeutral)
001937 | {
001938 |     float prevLean = m_Unit.m_eAI_Lea;
001939 |
001940 |     m_Unit.m_eAI_Lea = m_Unit.m_eAI_Lea + pDt * 4.0 * m_LeanDirection;
001941 |
001942 |     if (returnToNeutral && ((m_Unit.m_eAI_Lea < 0.0 && prevLean > 0.0) || (m_Unit.m_eAI_Lea > 0.0 && prevLean < 0.0)))
001943 |     {
001944 |         m_Unit.m_eAI_Lea = 0.0;
001945 |         m_Unit.m_eAI_LeaTarget = 0.0;
001946 |     }
001947 |
001948 |     float lean = ExpansionMath.SmoothStep(Math.Clamp(m_Unit.m_eAI_Lea, -1.0, 1.0), 1, -1.0, 1.0);
001949 |     m_Table.SetLean(m_Unit, lean);
001950 |     SetCurrentLeaning(lean);
001951 | }
001952 | }
001953 |
001954 | //ifdef EXTRACE_DIAG
001955 | //trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate (19:turn)");
001956 | //endif
001957 | if (m_MovementSpeed == 0)
001958 | {
001959 |     switch (m_TurnState)
001960 |     {
001961 |     case TURN_STATE_NONE:
001962 |         if (Math.AbsFloat(m_TurnDifference) > 1)
001963 |         {
001964 |             m_TurnTime = 0;
001965 |
001966 |             m_Table.CallTurn(m_Unit);
001967 |             m_Table.SetTurnAmount(m_Unit, m_TurnDifference / 90.0);
001968 |
001969 |             m_TurnState = TURN_STATE_TURNING;
001970 |         }
001971 |         break;
001972 |     case TURN_STATE_TURNING:
001973 |         m_TurnTime += pDt;
001974 |
001975 |         if (m_TurnTime > 2.0 || Math.AbsFloat(m_TurnDifference) < 1)
001976 |         {
001977 |             m_Table.CallStopTurn(m_Unit);
001978 |
001979 |             m_TurnState = TURN_STATE_NONE;
001980 |         }
001981 |
001982 |         break;
001983 |     }
001984 | }
001985 | }
001986 | else
001987 | {
001988 |     if (m_TurnState == TURN_STATE_TURNING)
```

```

001989 |         m_Table.CallStopTurn(m_Unit);
001990 |
001991 |         m_TurnState = TURN_STATE_NONE;
001992 |
001993 |         float turnTargetActual = m_TurnTarget;
001994 |
001995 |         //auto parent = Object.Cast(m_Player.Expansion_GetParent());
001996 |         //if (parent)
001997 |             //turnTargetActual -= parent.GetOrientation()[0];
001998 |
001999 |         if (turnTargetActual > 180.0)
002000 |             turnTargetActual -= 360.0;
002001 |
002002 |         bool isAboveGround;
002003 |         if (position[1] - m_Unit.m_eAI_SurfaceY > 0.5)
002004 |             isAboveGround = true;
002005 |         //#ifdef TRACE_DIAG
002006 |             //trace2 = null;
002007 |         //#endif
002008 |
002009 |         if (m_Unit.IsSwimming())
002010 |             Anim_SetFilteredHeading(-turnTargetActual * Math.DEG2RAD, 0.3, 30.0);
002011 |         //! Enable sharpest turns if turning around while running or sprinting or dangerous altitude
002012 |         else if (isDangerousAltitude || (!m_Unit.IsRaised() && Math.AbsFloat(m_TurnDifference) > 135.0 && m_MovementSpeed >= 2.0))
002013 |             Anim_SetFilteredHeading(-turnTargetActual * Math.DEG2RAD, 0.15, 30.0);
002014 |         //! Enable sharper turns if above ground or waypoint is not final but close and not avoiding obstacles
002015 |         else if (!m_Unit.IsRaised() && (isAboveGround || (!isPathPointFinal && m_WaypointDistance2DSq < 8.0 * Math.Max(m_MovementSpeed, 1.0) && m_OverrideMove
mentTimeout <= 0)))
002016 |             Anim_SetFilteredHeading(-turnTargetActual * Math.DEG2RAD, 0.2, 30.0);
002017 |         else
002018 |             Anim_SetFilteredHeading(-turnTargetActual * Math.DEG2RAD, 0.3, 30.0);
002019 |     }
002020 |
002021 |     if (m_WeaponFire && !m_IsTagWeaponFire)
002022 |     {
002023 |         m_Table.CallWeaponFire(m_Unit);
002024 |         m_WeaponFire = false;
002025 |     }
002026 | }
002027 |
002028 | void Anim_SetFilteredHeading(float pYawAngle, float pFilterDt, float pMaxYawSpeed)
002029 | {
002030 |     if (Math.AbsFloat(m_TurnDifference) < 0.00001)
002031 |         return;
002032 |     //#ifdef TRACE_DIAG
002033 |         //auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate -> Anim_SetFilteredHeading");
002034 |     //#endif
002035 |     //m_Turn += m_TurnDifference * m_DT / pFilterDt;
002036 |     m_Turn = Math.SmoothCD(m_Turn, m_Turn + m_TurnDifference, m_SmoothVel, pFilterDt, 1000, m_DT);
002037 |     //#ifdef TRACE_DIAG
002038 |         //trace = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::PreAnimUpdate -> Anim_SetFilteredHeading -> SetOrientation");
002039 |     //#endif
002040 |     m_Unit.SetOrientation(Vector(m_Turn, 0, 0));
002041 |     //if (Math.AbsFloat(m_TurnDifference) < 0.01)
002042 |         //m_SmoothVel[0] = 0.0;
002043 | }
002044 |
002045 | void AdjustAimAngles(inout vector aimRelAngles, inout vector lookRelAngles, float weaponRaisedTimer)
002046 | {
002047 |     float turnChange = ExpansionMath.AngleDiff2(m_TurnPrevious, m_Turn);
002048 |     float t = Math.Min(weaponRaisedTimer * 2, 1.0);
002049 |     aimRelAngles[0] = Math.Lerp(aimRelAngles[0], aimRelAngles[0] - turnChange, t);

```

```

002050 |         lookRelAngles[0] = Math.Lerp(lookRelAngles[0], lookRelAngles[0] - turnChange, t);
002051 |         //! AngleDiff2 ensures range [-180, 180]
002052 |         aimRelAngles[0] = ExpansionMath.AngleDiff2(0, aimRelAngles[0]);
002053 |         lookRelAngles[0] = ExpansionMath.AngleDiff2(0, lookRelAngles[0]);
002054 |     }
002055 |
002056 |     /**
002057 |     * @brief Returns total water depth at position
002058 |     *
002059 |     * @note returns zero value when on land
002060 |     */
002061 |     float GetWaterDepth(vector position)
002062 |     {
002063 |         vector wl = HumanCommandSwim.WaterLevelCheck(m_Unit, position);
002064 |
002065 |         return wl[0];
002066 |     }
002067 |
002068 |     /**
002069 |     * @brief Returns how deep character is in/under water at position
002070 |     *
002071 |     * @note returns negative value when on land
002072 |     */
002073 |     float GetCharacterDepth(vector position)
002074 |     {
002075 |         vector wl = HumanCommandSwim.WaterLevelCheck(m_Unit, position);
002076 |
002077 |         return wl[1];
002078 |     }
002079 |
002080 |     private bool Raycast(vector start, vector end, out vector hitPosition, out vector hitNormal, out float hitFraction, vector endRV = vector.Zero, float radiusRV
= 0.3, bool includeAI = false, out Object blockingObject = null, bool updatePathIfTreeClose = false)
002081 |     {
002082 |         #ifdef EXTRACE_DIAG
002083 |             EXTrace trace;
002084 |         #endif
002085 |
002086 |         if (endRV == vector.Zero)
002087 |             endRV = end;
002088 |
002089 |         eAITarget target;
002090 |
002091 |         if (m_Stance == DayZPlayerConstants.STANCEIDX_PRONE)
002092 |             radiusRV = 0.2;
002093 |
002094 |         vector origin = start + m_CheckMinHeight;
002095 |         vector dir = vector.Direction(start, end).Normalized();
002096 |         vector begPos = origin + dir * radiusRV * 0.5;
002097 |         vector endPos = endRV + m_CheckMinHeight;
002098 |         bool hit;
002099 |
002100 |         //! 1st raycast specifically for trees
002101 |         int contactComponent;
002102 |         set<Object> results();
002103 |         //m_Unit.Expansion_DebugObject(2099, endPos, "ExpansionDebugSphereSmall_Purple", dir, begPos);
002104 |         //#ifdef EXTRACE_DIAG
002105 |             //trace = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::Raycast -> RaycastRV");
002106 |         //#endif
002107 |         if (DayZPhysics.RaycastRV(begPos, endPos, hitPosition, hitNormal, contactComponent, results, null, m_Unit, false, false, ObjIntersectGeom, radiusRV))
002108 |         {
002109 |             //#ifdef EXTRACE_DIAG
002110 |                 //trace = EXTrace.Profile(EXTrace.AI_PROFILE, m_Unit, "eAICommandMove::Raycast -> RaycastRV processing");

```

```

002111 | //endif
002112 |         float distSq;
002113 |         float farDistSqThresh;
002114 |
002115 |         if (updatePathIfTreeClose)
002116 |         {
002117 |             distSq = vector.DistanceSq(origin, hitPosition);
002118 |             float farDistThresh = m_MovementSpeed + radiusRV;
002119 |             farDistSqThresh = farDistThresh * farDistThresh;
002120 |         }
002121 |
002122 |         foreach (Object obj: results)
002123 |         {
002124 |             if (obj.IsTree())
002125 |             {
002126 |                 hit = true;
002127 |
002128 |                 if (obj != m_PrevBlockingObject)
002129 |                 {
002130 |                     if (updatePathIfTreeClose && vector.DistanceSq(m_Waypoint, hitPosition) < 16.0)
002131 |                     {
002132 |                         m_UpdatePath = true;
002133 |                         m_PathFinding.m_SuppressRecalculate = false;
002134 |                     }
002135 |
002136 |                     if (distSq > farDistSqThresh)
002137 |                     {
002138 |                         if (!m_UpdatePath && obj != m_Unit.m_eAI_CurrentCoverObject && m_PathFinding.m_Count > 1 + m_PathFinding.m_PointIdx)
002139 |                         {
002140 |                             //! In case we move towards a tree, move path point to left or right side of tree
002141 |
002142 |                             blockingObject = obj;
002143 |
002144 |                             hitPosition[1] = hitPosition[1] - m_CheckMinHeight[1];
002145 |                             vector position = obj.GetPosition();
002146 |                             position[1] = hitPosition[1];
002147 |                             position = start + vector.Direction(start, position).Normalized() * Math.Sqrt(distSq);
002148 |
002149 |                             vector pathDir = m_PathFinding.m_PathSegmentDirection.Normalized();
002150 |                             vector side = pathDir.Perpend();
002151 |
002152 |                             vector waypoint;
002153 |
002154 |                             if (ExpansionMath.Side(start, position, hitPosition) > 0)
002155 |                                 waypoint = hitPosition + pathDir * 0.5 + side * 1.25;  //!< left
002156 |                             else
002157 |                                 waypoint = hitPosition + pathDir * 0.5 - side * 1.25;  //!< right
002158 |
002159 |                             if (m_PathFinding.m_AIWorld.SampleNavmeshPosition(waypoint, 0.5, m_PathFinding.m_AllFilter, waypoint))
002160 |                             {
002161 |                                 m_PathFinding.m_Points.InsertAt(waypoint, 1 + m_PathFinding.m_PointIdx);
002162 |                                 ++m_PathFinding.m_Count;
002163 |                                 m_PathFinding.m_Next0.Position = waypoint;
002164 |
002165 |                                 if (m_Unit.GetFSM().IsInState("FollowFormation"))
002166 |                                     m_PathFinding.m_SuppressRecalculate = true;
002167 |                             }
002168 |
002169 |                             #ifdef DIAG_DEVELOPER
002170 |                                 m_Unit.Expansion_DebugObject(99999, position, "ExpansionDebugCone_Red");
002171 |                                 m_Unit.Expansion_DebugObject(999991, waypoint, "ExpansionDebugCone");
002172 |                             #endif

```



```

002173 |         }
002174 |
002175 |         return false;
002176 |     }
002177 |
002178 |     #ifdef DIAG_DEVELOPER
002179 |         m_Unit.Expansion_DebugObject(2100, begPos - dir * radiusRV, "ExpansionDebugSphereSmall_Cyan", dir);
002180 |         m_Unit.Expansion_DebugObject(2101, begPos + dir.Perpend() * radiusRV, "ExpansionDebugSphereSmall_Cyan", dir);
002181 |         m_Unit.Expansion_DebugObject(2102, begPos - dir.Perpend() * radiusRV, "ExpansionDebugSphereSmall_Cyan", dir);
002182 |         m_Unit.Expansion_DebugObject(2103, endPos + dir * radiusRV, "ExpansionDebugSphereSmall_Yellow", dir, begPos - dir * radiusRV);
002183 |         m_Unit.Expansion_DebugObject(2104, endPos + dir.Perpend() * radiusRV, "ExpansionDebugSphereSmall_Yellow", dir, begPos + dir.Perpend() * ra
diusRV);
002184 |         m_Unit.Expansion_DebugObject(2105, endPos - dir.Perpend() * radiusRV, "ExpansionDebugSphereSmall_Yellow", dir, begPos - dir.Perpend() * ra
diusRV);
002185 |         m_Unit.Expansion_DebugObject(2106, hitPosition, "ExpansionDebugSphereSmall_Red", dir, begPos - dir * radiusRV);
002186 |         m_Unit.Expansion_DebugObject(2107, hitPosition + hitNormal, "ExpansionDebugSphereSmall_Purple", hitNormal, hitPosition);
002187 |     #endif
002188 |
002189 |         //ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " mov block " + obj);
002190 |     }
002191 |     else if (distSq > farDistSqThresh)
002192 |     {
002193 |         return false;
002194 |     }
002195 |
002196 |     blockingObject = obj;
002197 | }
002198 | else if (obj.IsBuilding())
002199 | {
002200 |     blockingObject = obj;
002201 |
002202 |     if (distSq > farDistSqThresh)
002203 |         return false;
002204 | }
002205 | else if (distSq > farDistSqThresh)
002206 | {
002207 |     return false;
002208 | }
002209 | else if (obj.IsDayZCreature())
002210 | {
002211 |     if (obj.IsDamageDestroyed())
002212 |         continue;
002213 |
002214 |     target = m_Unit.GetTarget();
002215 |     if (target && target.GetEntity() == obj && target.m_ThreatLevelActive > 0.2)
002216 |         continue;
002217 |
002218 |     hit = true;
002219 |
002220 |     blockingObject = obj;
002221 | }
002222 | else if (obj.IsPlainObject())
002223 | {
002224 |     string debugName = obj.GetDebugName();
002225 |     debugName.ToLower();
002226 |
002227 |     if (ExpansionString.ContainsAny(debugName, s_NonBlocking))
002228 |         return false;
002229 | }
002230 | }
002231 | }
002232 |

```

```

002233 |     //!< Everything else
002234 |     if (!hit)
002235 |     {
002236 |         float collisionMoveRaycastRadius = 0.3;
002237 |         float collisionMoveRaycastLen = 0.5;
002238 |
002239 |         if (m_Unit.m_eAI_IsOnLadder)
002240 |         {
002241 |             origin = m_Transform[3] + "0 1 0";
002242 |             collisionMoveRaycastRadius = 0.0;
002243 |         }
002244 |         else if (m_Unit.IsSwimming())
002245 |         {
002246 |             //!< Effectively head position
002247 |             origin = m_Transform[3] + CHECK_MIN_HEIGHT;
002248 |             collisionMoveRaycastLen = 0.9;
002249 |         }
002250 |         else
002251 |         {
002252 |             origin = m_Transform[3] + m_CheckMinHeight_NearGround;
002253 |
002254 |             if (m_Velocity[1] > dir[1])
002255 |             {
002256 |                 //!< So we don't needlessly climb steep inclines like stairs etc that we can just run up
002257 |                 dir = m_Velocity;
002258 |                 dir.Normalize();
002259 |             }
002260 |         }
002261 |
002262 |         begPos = origin + dir * collisionMoveRaycastRadius * 0.5;
002263 |         endPos = origin + dir * collisionMoveRaycastLen;
002264 |
002265 |         PhxInteractionLayers hitMask;
002266 |
002267 |         hitMask |= PhxInteractionLayers.BUILDING;
002268 |         hitMask |= PhxInteractionLayers.DOOR;
002269 |         hitMask |= PhxInteractionLayers.VEHICLE;
002270 |         hitMask |= PhxInteractionLayers.ITEM_LARGE;
002271 |         hitMask |= PhxInteractionLayers.FENCE;
002272 |
002273 |         if (includeAI)
002274 |             hitMask |= PhxInteractionLayers.CHARACTER | PhxInteractionLayers.AI;
002275 |
002276 |         Object hitObject;
002277 |         //!< @note RaycastRV unfortunately in some cases only provides a hit but no results (objects), so we use SphereCastBullet instead.
002278 |         //!< With the limited raycast length, SphereCastBullet is roughly 1.7x faster than RaycastRV (under DayZ 1.28).
002279 |         //!< Another option would be CollisionMoveTest, but it's roughly 1.5x slower than SphereCastBullet in case of a hit.
002280 |         hit = DayZPhysics.SphereCastBullet(begPos, endPos, collisionMoveRaycastRadius, hitMask, m_Unit, hitObject, hitPosition, hitNormal, hitFraction);
002281 |         if (hit && vector.DistanceSq(begPos, hitPosition) < collisionMoveRaycastLen * collisionMoveRaycastLen)
002282 |         {
002283 |             //!

```

```
002295 |         {
002296 |         #ifdef DIAG_DEVELOPER
002297 |             if (!m_PathFinding.m_IsUnreachable)
002298 |                 EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " unreachable (blocked by buggy object)");
002299 |         #endif
002300 |             m_PathFinding.m_IsTargetUnreachable = true;
002301 |             m_PathFinding.m_IsUnreachable = true;
002302 |         }
002303 |     else if ((!m_Unit.IsSwimming() && m_Unit.m_eAI_BlockedTime > 0.1) || m_Unit.m_eAI_BlockedTime > 0.8)
002304 |     {
002305 |         ///! @note the blocked time treshold of 0.8 has been very carefully fine-tuned to avoid recalculation
002306 |         ///! at critical points while swimming.
002307 |         ///! To test this on Chernarus, spawn AI at <14297.8, -0.36239, 13245.3> (in water) and set a waypoint
002308 |         ///! at <14297.7, 3.31738, 13250.3> (on pier)
002309 |         m_PathFinding.ForceRecalculate();
002310 |     }
002311 | }
002312 |
002313 | if (hitObject)
002314 | {
002315 |     if (hitObject.IsMan())
002316 |     {
002317 |         if (hitObject.IsDamageDestroyed())
002318 |             return false;
002319 |
002320 |         target = m_Unit.GetTarget();
002321 |         if (target && target.GetEntity() == hitObject && target.m_ThreatLevelActive > 0.2)
002322 |             return false;
002323 |
002324 |         blockingObject = hitObject;
002325 |     }
002326 |     else
002327 |     {
002328 |         blockingObject = hitObject;
002329 |     }
002330 | }
002331 | }
002332 | }
002333 |
002334 | return hit;
002335 | }
002336 |
002337 | bool IsBlockedUnreachable(Object obj)
002338 | {
002339 |     if (obj)
002340 |     {
002341 |         switch (obj.GetType())
002342 |         {
002343 |             ///! Objects with no navmesh but blocking physically
002344 |             ///! https://feedback.bistudio.com/T181817
002345 |             case "Land_Castle_Wall1_End1_nolc":
002346 |             case "Land_Castle_Wall1_End2_nolc":
002347 |                 return true;
002348 |         }
002349 |     }
002350 |
002351 |     return false;
002352 | }
002353 |
002354 | vector GetWaypoint()
002355 | {
002356 |     return m_Waypoint;
```

```
002357 |     }
002358 |
002359 |     ///! @note currently not set/unused
002360 |     float GetWaypointDistance()
002361 |     {
002362 |         return m_WaypointDistance;
002363 |     }
002364 |
002365 |     float GetWaypointDistance2D()
002366 |     {
002367 |         return Math.Sqrt(m_WaypointDistance2DSq);
002368 |     }
002369 |
002370 |     float GetWaypointDistance2DSq()
002371 |     {
002372 |         return m_WaypointDistance2DSq;
002373 |     }
002374 |
002375 |     bool IsSideSteppingObstacles()
002376 |     {
002377 |         return m_LastBlocked || m_LastBlockedLeft || m_LastBlockedRight;
002378 |     }
002379 |
002380 |     bool IsBlocked()
002381 |     {
002382 |         if (!m_MovementSpeed || m_Unit.IsClimbing() || m_Unit.IsFalling() || m_Unit.IsFighting())
002383 |             return false;
002384 |
002385 |         if (!m_LastBlocked)
002386 |             return false;
002387 |
002388 |         return true;
002389 |     }
002390 |
002391 |     bool IsBlockedByBuildingWithDoor()
002392 |     {
002393 |         return m_IsBlockedByBuildingWithDoor;
002394 |     }
002395 |
002396 |     void ResetIsBlockedByBuildingWithLadder()
002397 |     {
002398 |         m_IsBlockedByBuildingWithLadder = false;
002399 |     }
002400 |
002401 |     bool IsBlockedByBuildingWithLadder()
002402 |     {
002403 |         return m_IsBlockedByBuildingWithLadder;
002404 |     }
002405 |
002406 |     bool CheckBlocked()
002407 |     {
002408 |         if (!m_MovementSpeed || m_Unit.IsClimbing() || m_Unit.IsFalling() || m_Unit.IsFighting())
002409 |             return false;
002410 |
002411 |         if (!m_LastBlocked || !m_LastBlockedLeft || !m_LastBlockedRight)
002412 |             return false;
002413 |
002414 |         return true;
002415 |     }
002416 |
002417 |     bool CheckBlockedLeft()
002418 |     {
```

```
002419 |         if (!m_MovementSpeed || m_Unit.IsClimbing() || m_Unit.IsFalling() || m_Unit.IsFighting())
002420 |             return false;
002421 |
002422 |         bool isBlocked = m_LastBlockedLeft;
002423 |         float blockDistSq = m_BlockedRightDist;
002424 |
002425 |         if (!m_LastBlockedLeft)
002426 |         {
002427 |             vector position = m_Transform[3];
002428 |             vector lr = m_Direction.Perpend();
002429 |             vector checkDir = position + 0.5 * m_Direction;
002430 |             if (Math.AbsFloat(m_MovementDirection) >= 135)
002431 |                 checkDir = checkDir * -1.0;
002432 |             vector checkLeft = position + 0.25 * lr;
002433 |             vector hitPosition;
002434 |             vector hitNormal;
002435 |             float hitFraction;
002436 |             isBlocked = this.Raycast(position, checkLeft, hitPosition, hitNormal, hitFraction, checkDir + lr, 0.3);
002437 |             if (isBlocked)
002438 |                 blockDistSq = vector.DistanceSq(position, hitPosition);
002439 |         }
002440 |
002441 |         if (isBlocked && blockDistSq > 0.16)
002442 |             return false;
002443 |
002444 |         return isBlocked;
002445 |     }
002446 |
002447 |     bool CheckBlockedRight()
002448 |     {
002449 |         if (!m_MovementSpeed || m_Unit.IsClimbing() || m_Unit.IsFalling() || m_Unit.IsFighting())
002450 |             return false;
002451 |
002452 |         bool isBlocked = m_LastBlockedRight;
002453 |         float blockDistSq = m_BlockedLeftDist;
002454 |
002455 |         if (!m_LastBlockedRight)
002456 |         {
002457 |             vector position = m_Transform[3];
002458 |             vector lr = m_Direction.Perpend();
002459 |             vector checkDir = position + 0.5 * m_Direction;
002460 |             if (Math.AbsFloat(m_MovementDirection) >= 135)
002461 |                 checkDir = checkDir * -1.0;
002462 |             vector checkRight = position - 0.25 * lr;
002463 |             vector hitPosition;
002464 |             vector hitNormal;
002465 |             float hitFraction;
002466 |             isBlocked = this.Raycast(position, checkRight, hitPosition, hitNormal, hitFraction, checkDir - lr, 0.3);
002467 |             if (isBlocked)
002468 |                 blockDistSq = vector.DistanceSq(position, hitPosition);
002469 |         }
002470 |
002471 |         if (isBlocked && blockDistSq > 0.16)
002472 |             return false;
002473 |
002474 |         return isBlocked;
002475 |     }
002476 |
002477 |     Object GetBlockingObject()
002478 |     {
002479 |         return m_BlockingObject;
002480 |     }
```

```
002481 |  
002482 |     bool ObjectCanLimitStance(Object obj)  
002483 |     {  
002484 |         if (obj.IsTree())  
002485 |         {  
002486 |             if (m_Unit.m_eAI_BlockedTime < 1.0)  
002487 |                 return false;  
002488 |         }  
002489 |         else if (obj.IsBush())  
002490 |         {  
002491 |             return false;  
002492 |         }  
002493 |         else if (!ExpansionStatic.CanObstruct(obj) || obj.GetType() == "Land_Office_Municipall")  
002494 |         {  
002495 |             return false;  
002496 |         }  
002497 |  
002498 |         return true;  
002499 |     }  
002500 | };  
002501 |
```

0073. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/commands/eaicommandvehicle.c
Size bytes: 62
SHA-256: 214ed4133728aa92f20dbc93626edaf23bd4f2a31418b2be82a0fb8675c97cc4
Decoded as: utf-8-sig
Line count shown: 4
Detected class declarations: 1
 L1: class eAICommandVehicle: ExpansionHumanCommandVehicle
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | class eAICommandVehicle: ExpansionHumanCommandVehicle
000002 | {
000003 | };
000004 |
```

0074. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/contaminatedarea.c

Size bytes: 372

SHA-256: 70ae1d6258925a08cb8072c5cd368d29376e56300deb48fc0c5992fc5ac4a26f

Decoded as: utf-8-sig

Line count shown: 12

Detected class declarations: 1

 L1: modded class ContaminatedArea_Base

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override bool eAI_IsDangerousToAI(eAIBase ai)

Full file content

```
000001 | modded class ContaminatedArea_Base
000002 | {
000003 |     override bool eAI_IsDangerousToAI(eAIBase ai)
000004 |     {
000005 |         //!< @note we deliberately DON'T use Expansion_CanBeDamaged because we want to avoid (e.g.) going into an area that overlaps a safezone
000006 |         if (ai.m_eAI_ProtectionLevels[DEF_CHEMICAL] < 6.0 && !ai.GetGroup().GetFaction().IsInvincible())
000007 |             return true;
000008 |
000009 |         return false;
000010 |     }
000011 | }
000012 |
```


0075. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/effectarea.c

Size bytes: 4922

SHA-256: 1445bfe021d57e8e5e9fff7d38a9cab3c4cc7d7eede28de5ef12fa3bdd55766a

Decoded as: utf-8-sig

Line count shown: 170

Detected class declarations: 1

L1: modded class EffectArea

Detected enum declarations: 0

Detected function/method-like declarations: 9

L8: override void InitZoneServer()

L20: override void OnVariablesSynchronized()

L45: override void OnPlayerEnterServer(PlayerBase player, EffectTrigger trigger)

L53: override void OnPlayerExitServer(PlayerBase player, EffectTrigger trigger)

L61: void ~EffectArea()

L94: bool Expansion_IsOverlapping(EffectArea other, bool checkVertical = true)

L119: bool Expansion_Contains(EffectArea other, bool checkVertical = true)

L150: bool Expansion_IsPointInside(vector point, float tolerance = 0.0, float heightTolerance = 0.0)

L161: bool eAI_IsDangerousToAI(eAIBase ai)

Full file content

```

000001 | modded class EffectArea
000002 | {
000003 |     static ref TTypeNameArray s_Expansion_DangerousAreaTypes = {ContaminatedArea_Base, GeyserArea, HotSpringArea, VolcanicArea};
000004 |     static ref Expansion_EffectAreas s_Expansion_DangerousAreas = {};
000005 |
000006 |     ref ExpansionEffectAreaMergedCluster m_Expansion_MergedCluster;
000007 |
000008 |     override void InitZoneServer()
000009 |     {
000010 |         #ifdef EXTRACE
000011 |             auto trace = EXTrace.StartStack(EXTrace.AI, this);
000012 |         #endif
000013 |
000014 |         super.InitZoneServer();
000015 |
000016 |         if (ExpansionStatic.IsAnyOf(this, s_Expansion_DangerousAreaTypes))
000017 |             s_Expansion_DangerousAreas.UpdateClusters(this);
000018 |     }
000019 |
000020 |     override void OnVariablesSynchronized()
000021 |     {
000022 |         #ifdef EXTRACE
000023 |             auto trace = EXTrace.StartStack(EXTrace.AI, this);
000024 |         #endif
000025 |
000026 |         super.OnVariablesSynchronized();
000027 |
000028 |         #ifdef DIAG_DEVELOPER
000029 |             //! update cluster on client for debugdraw - only for MP - in offline/SP, InitZoneServer() has already updated cluster
000030 |             if (!g_Game.IsMultiplayer())
000031 |                 return;
000032 |
000033 |             m_Position = GetWorldPosition();
000034 |
000035 |             if (m_Radius && (m_NegativeHeight || m_PositiveHeight))
000036 |             {
000037 |                 //! @note can't check inheritance against dangerous area types on client since the areas are EffectAreas on client
000038 |                 //! Since we are only using this to draw debug shapes it should be fine

```

```
000039 |         EXTrace.Print(EXTrace.AI, null, ExpansionStatic.GetDebugInfo(this) + " " + m_Position.ToString() + " -> UpdateClusters");
000040 |         s_Expansion_DangerousAreas.UpdateClusters(this);
000041 |     }
000042 | #endif
000043 | }
000044 |
000045 | override void OnPlayerEnterServer(PlayerBase player, EffectTrigger trigger)
000046 | {
000047 |     super.OnPlayerEnterServer(player, trigger);
000048 |
000049 |     if (ExpansionStatic.IsAnyOf(this, s_Expansion_DangerousAreaTypes))
000050 |         player.Expansion_OnDangerousAreaEnterServer(this, trigger);
000051 | }
000052 |
000053 | override void OnPlayerExitServer(PlayerBase player, EffectTrigger trigger)
000054 | {
000055 |     super.OnPlayerExitServer(player, trigger);
000056 |
000057 |     if (ExpansionStatic.IsAnyOf(this, s_Expansion_DangerousAreaTypes))
000058 |         player.Expansion_OnDangerousAreaExitServer(this, trigger);
000059 | }
000060 |
000061 | void ~EffectArea()
000062 | {
000063 |     if (!g_Game)
000064 |         return;
000065 |
000066 |     if (s_Expansion_DangerousAreas)
000067 |     {
000068 |         s_Expansion_DangerousAreas.RemoveItemUnOrdered(this);
000069 |
000070 |         EXTrace.Print(EXTrace.AI, this, "Removed from " + ExpansionStatic.GetDebugInfo(s_Expansion_DangerousAreas));
000071 |     }
000072 |
000073 |     if (m_Expansion_MergedCluster)
000074 |     {
000075 |         //! Update cluster containing this area
000076 |         auto cluster = m_Expansion_MergedCluster;
000077 |
000078 |         int areaIndex = cluster.m_Areas.Find(this);
000079 |
000080 |         if (areaIndex > -1)
000081 |         {
000082 |             if (cluster.m_Areas.Count() > 1)
000083 |             {
000084 |                 cluster.m_Areas.Remove(areaIndex);
000085 |
000086 |                 EXTrace.Print(EXTrace.AI, this, "Removed from " + cluster);
000087 |
000088 |                 cluster.RemoveNonOverlappingAndUpdate();
000089 |             }
000090 |         }
000091 |     }
000092 | }
000093 |
000094 | bool Expansion_IsOverlapping(EffectArea other, bool checkVertical = true)
000095 | {
000096 |     //! Check horizontal overlap
000097 |     float dx = m_Position[0] - other.m_Position[0];
000098 |     float dz = m_Position[2] - other.m_Position[2];
000099 |     float dist = Math.Sqrt(dx * dx + dz * dz);
000100 | }
```

```
000101 |         if (dist > m_Radius + other.m_Radius)
000102 |             return false;
000103 |
000104 |         if (!checkVertical)
000105 |             return true;
000106 |
000107 |         //! Check vertical overlap
000108 |         float minY = m_Position[1] - m_NegativeHeight;
000109 |         float maxY = m_Position[1] + m_PositiveHeight;
000110 |         float otherMinY = other.m_Position[1] - other.m_NegativeHeight;
000111 |         float otherMaxY = other.m_Position[1] + other.m_PositiveHeight;
000112 |
000113 |         if (maxY < otherMinY || otherMaxY < minY)
000114 |             return false;
000115 |
000116 |         return true;
000117 |     }
000118 |
000119 | bool Expansion_Contains(EffectArea other, bool checkVertical = true)
000120 | {
000121 |     //! Check horizontal containment
000122 |     float dx = m_Position[0] - other.m_Position[0];
000123 |     float dz = m_Position[2] - other.m_Position[2];
000124 |     float dist = Math.Sqrt(dx * dx + dz * dz);
000125 |
000126 |     if (m_Radius < dist + other.m_Radius)
000127 |         return false;
000128 |
000129 |     if (!checkVertical)
000130 |         return true;
000131 |
000132 |     //! Check vertical containment
000133 |     float minY = m_Position[1] - m_NegativeHeight;
000134 |     float maxY = m_Position[1] + m_PositiveHeight;
000135 |     float otherMinY = other.m_Position[1] - other.m_NegativeHeight;
000136 |     float otherMaxY = other.m_Position[1] + other.m_PositiveHeight;
000137 |
000138 |     if (minY > otherMinY || maxY < otherMaxY)
000139 |         return false;
000140 |
000141 |     return true;
000142 | }
000143 |
000144 | /**
000145 |  * @brief check wheter point is inside area
000146 |  *
000147 |  * @param point
000148 |  * @param tolerance in meters (default 0)
000149 |  */
000150 | bool Expansion_IsPointInside(vector point, float tolerance = 0.0, float heightTolerance = 0.0)
000151 | {
000152 |     if (!Math.IsPointInCircle(m_Position, m_Radius + tolerance, point))
000153 |         return false;
000154 |
000155 |     if (point[1] < m_Position[1] - m_NegativeHeight - heightTolerance || point[1] > m_Position[1] + m_PositiveHeight + heightTolerance)
000156 |         return false;
000157 |
000158 |     return true;
000159 | }
000160 |
000161 | bool eAI_IsDangerousToAI(eAIBase ai)
000162 | {
```

```
000163 |      //!< @note we deliberately DON'T use Expansion_CanBeDamaged because we want to avoid (e.g.) going into an area that overlaps a safezone
000164 |      if (ai.GetGroup().GetFaction().IsInvincible())
000165 |          return false;
000166 |
000167 |      return true; //!< Treat unknown areas as dangerous
000168 |  }
000169 | }
000170 |
```

0076. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/expansionainogoearea.c
 Size bytes: 2211
 SHA-256: e9d4cdcccb00e72aa73ba31fd0db42ae8df2e27cbd0ce942a85d30ffcbdc8ff8
 Decoded as: utf-8-sig
 Line count shown: 103
 Detected class declarations: 2
 L1: class ExpansionAINoGoArea: EffectArea
 L55: class ExpansionAINoGoAreaTrigger: CylinderTrigger
 Detected enum declarations: 0
 Detected function/method-like declarations: 12
 L5: void Expansion_Init(ExpansionAINoGoAreaConfig config)
 L17: override void CreateTrigger(vector pos, int radius)
 L26: override void EDelete(EntityAI parent)
 L35: override void SetupZoneData(EEffectAreaParams params)
 L40: override void OnPlayerEnterServer(PlayerBase player, EffectTrigger trigger)
 L45: override void OnPlayerExitServer(PlayerBase player, EffectTrigger trigger)
 L49: override bool eAI_IsDangerousToAI(eAIBase ai)
 L59: void Expansion_Init(EEffectArea area)
 L64: override protected bool CanAddObjectAsInsider(Object object)
 L72: override bool ShouldRemoveInsider(TriggerInsider insider)
 L77: override void OnEnterServerEvent(TriggerInsider insider)
 L90: override void OnLeaveServerEvent(TriggerInsider insider)

Full file content

```
000001 | class ExpansionAINoGoArea: EffectArea
000002 | {
000003 |     ExpansionAINoGoAreaTrigger m_Expansion_Trigger;
000004 |
000005 |     void Expansion_Init(ExpansionAINoGoAreaConfig config)
000006 |     {
000007 |         m_Radius = config.Radius;
000008 |         m_PositiveHeight = config.Height;
000009 |         m_NegativeHeight = 0;
000010 |         m_Position = config.Position;
000011 |
000012 |         CreateTrigger(m_Position, m_Radius);
000013 |
000014 |         s_Expansion_DangerousAreas.UpdateClusters(this);
000015 |     }
000016 |
000017 |     override void CreateTrigger(vector pos, int radius)
000018 |     {
000019 |         if (Class.CastTo(m_Expansion_Trigger, g_Game.CreateObjectEx("ExpansionAINoGoAreaTrigger", pos, ECE_NONE)))
000020 |         {
000021 |             m_Expansion_Trigger.SetCollisionCylinder(radius, m_PositiveHeight);
000022 |             m_Expansion_Trigger.Expansion_Init(this);
000023 |         }
000024 |     }
000025 |
000026 |     override void EDelete(EntityAI parent)
000027 |     {
000028 |         if (m_Expansion_Trigger)
000029 |             g_Game.ObjectDelete(m_Expansion_Trigger);
000030 |
000031 |         super.EDelete(parent);
000032 |     }
000033 |
000034 |     //! unused
```

```
000035 |     override void SetupZoneData(EffectAreaParams params)
000036 |     {
000037 |     }
000038 |
000039 |     //! unused
000040 |     override void OnPlayerEnterServer(PlayerBase player, EffectTrigger trigger)
000041 |     {
000042 |     }
000043 |
000044 |     //! unused
000045 |     override void OnPlayerExitServer(PlayerBase player, EffectTrigger trigger)
000046 |     {
000047 |     }
000048 |
000049 |     override bool eAI_IsDangerousToAI(eAIBase ai)
000050 |     {
000051 |         return true;  //! Always avoid this area
000052 |     }
000053 | }
000054 |
000055 | class ExpansionAINoGoAreaTrigger: CylinderTrigger
000056 | {
000057 |     EffectArea m_Expansion_EffectArea;
000058 |
000059 |     void Expansion_Init(EffectArea area)
000060 |     {
000061 |         m_Expansion_EffectArea = area;
000062 |     }
000063 |
000064 |     override protected bool CanAddObjectAsInsider(Object object)
000065 |     {
000066 |         if (eAIBase.Cast(object))
000067 |             return true;
000068 |
000069 |         return false;
000070 |     }
000071 |
000072 |     override bool ShouldRemoveInsider(TriggerInsider insider)
000073 |     {
000074 |         return !insider.GetObject().IsAlive();
000075 |     }
000076 |
000077 |     override void OnEnterServerEvent(TriggerInsider insider)
000078 |     {
000079 |         super.OnEnterServerEvent(insider);
000080 |
000081 |         if (insider)
000082 |         {
000083 |             eAIBase ai;
000084 |
000085 |             if (Class.CastTo(ai, insider.GetObject()))
000086 |                 ai.Expansion_OnDangerousAreaEnterServer(m_Expansion_EffectArea, this);
000087 |         }
000088 |     }
000089 |
000090 |     override void OnLeaveServerEvent(TriggerInsider insider)
000091 |     {
000092 |         super.OnLeaveServerEvent(insider);
000093 |
000094 |         if (insider)
000095 |         {
000096 |             eAIBase ai;
```

```
000097 |  
000098 |         if (Class.CastTo(ai, insider.GetObject()))  
000099 |             ai.Expansion_OnDangerousAreaExitServer(m_Expansion_EffectArea, this);  
000100 |     }  
000101 | }  
000102 | }  
000103 |
```

0077. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/expansioneffectareacluster.c
Size bytes: 22155
SHA-256: 1e191e0381b2c4ae21c1383ea373fa3efe6c3e8b036a820d34392c311b7e0890
Decoded as: utf-8-sig
Line count shown: 902
Detected class declarations: 4
  L1: class Expansion_EffectAreas: array<EffectArea>
  L256: class Expansion_EffectArea_Clusters: array<ref Expansion_EffectAreas>
  L280: class ExpansionEffectAreaMergedCluster
  L875: class ExpansionEffectAreaMergedClusters: array<ref ExpansionEffectAreaMergedCluster>
Detected enum declarations: 0
Detected function/method-like declarations: 19
  L6: Expansion_EffectArea_Clusters FindClusters()
  L38: else if (cluster_i != cluster_j)
  L121: private void InsertCluster(map<int, ref set<int>> lookup, set<int> cluster, int i, int j)
  L133: void UpdateClusters(EffectArea area)
  L174: else if (!cluster)
  L224: bool FindClosestPointOutsideAnyArea(vector start, inout vector end, float perpendicularDistance = 0)
  L244: bool IsPointInside(vector point)
  L263: ExpansionEffectAreaMergedClusters MergeClusters()
  L297: void ExpansionEffectAreaMergedCluster(Expansion_EffectAreas cluster)
  L305: void ~ExpansionEffectAreaMergedCluster()
  L317: void Update()
  L620: else if (areaB.m_Radius > radius)
  L676: void RemoveNonOverlappingAndUpdate()
  L722: void DrawDebug()
  L737: protected void CleanupDebugShapes()
  L748: bool IsPointInside(vector point, float tolerance = 0.0, float heightTolerance = 0.0)
  L769: bool FindClosestPointOutsideCluster(vector start, inout vector end, float avoidanceDirection = 1.0, bool ignoreHeight = false, out EffectAre
  L869: float GetAvoidanceDistance(float radius)
  L887: bool FindClosestPointOutsideAnyCluster(vector start, inout vector end, float avoidanceDirection = 1.0, bool ignoreHeight = false, out Effect

```

Full file content

```

000001 | class Expansion_EffectAreas: array<EffectArea>
000002 | {
000003 |     /**
000004 |      * @brief Find clusters of overlapping areas
000005 |      */
000006 |     Expansion_EffectArea_Clusters FindClusters()
000007 |     {
000008 |     #ifdef EXTRACE
000009 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000010 |     #endif
000011 |
000012 |         Expansion_EffectArea_Clusters clusters = {};
000013 |         set<int> cluster_i;
000014 |         set<int> cluster_j;
000015 |         map<int, ref set<int>> lookup = new map<int, ref set<int>>;
000016 |         set<ref set<int>> seen = new set<ref set<int>>;
000017 |         int count = Count();
000018 |         int countLess1 = count - 1;
000019 |         EffectArea area;
000020 |
000021 |         for (int i = 0; i < countLess1; i++)
000022 |         {
000023 |             area = Get(i);
000024 |
000025 |             for (int j = i + 1; j < count; j++)

```



```
000026 |         {
000027 |             EffectArea other = Get(j);
000028 |
000029 |             if (area.Expansion_IsOverlapping(other))
000030 |             {
000031 |                 cluster_i = lookup[i];
000032 |                 cluster_j = lookup[j];
000033 |
000034 |                 if (!cluster_i && !cluster_j)
000035 |                 {
000036 |                     InsertCluster(lookup, new set<int>, i, j);
000037 |                 }
000038 |                 else if (cluster_i != cluster_j)
000039 |                 {
000040 |                     if (cluster_i)
000041 |                     {
000042 |                         if (cluster_j)
000043 |                         {
000044 |                             foreach (int k: cluster_i)
000045 |                             {
000046 |                                 lookup[k] = cluster_j;
000047 |                             }
000048 |
000049 |                             cluster_j.InsertSet(cluster_i);
000050 |                         }
000051 |                         else
000052 |                         {
000053 |                             InsertCluster(lookup, cluster_i, j, -1);
000054 |                         }
000055 |                     }
000056 |                     else
000057 |                     {
000058 |                         cluster_j.Insert(i);
000059 |                         cluster_j.Insert(j);
000060 |                         lookup[i] = cluster_j;
000061 |                     }
000062 |                 }
000063 |                 else
000064 |                 {
000065 |                     cluster_i.Insert(j);
000066 |                 }
000067 |             }
000068 |         }
000069 |
000070 |         if (!lookup[i])
000071 |         {
000072 |             //! Not overlapping
000073 |             InsertCluster(lookup, new set<int>, i, -1);
000074 |         }
000075 |     }
000076 |
000077 |     if (!lookup[countLess1])
000078 |     {
000079 |         //! Not overlapping
000080 |         InsertCluster(lookup, new set<int>, countLess1, -1);
000081 |     }
000082 |
000083 |     foreach (int key, set<int> cluster: lookup)
000084 |     {
000085 |         if (seen.Find(cluster) == -1)
000086 |         {
000087 |             seen.Insert(cluster);
```

```
000088 |
000089 |         Expansion_EffectAreas areas = {};
000090 |
000091 |     #ifdef DIAG_DEVELOPER
000092 |         TStringArray areasInfo = {};
000093 |     #endif
000094 |
000095 |         foreach (int index: cluster)
000096 |         {
000097 |             area = Get(index);
000098 |             areas.Insert(area);
000099 |
000100 |             #ifdef DIAG_DEVELOPER
000101 |                 areasInfo.Insert(string.Format("%1 (pos=%2 radius=%3 nheight=%4 pheight=%5)", ExpansionStatic.GetDebugInfo(area), area.m_Position.ToString(),
area.m_Radius, area.m_NegativeHeight, area.m_PositiveHeight));
000102 |             #endif
000103 |         }
000104 |
000105 |     #ifdef DIAG_DEVELOPER
000106 |         EXTrace.Print(EXTrace.AI, null, " 0x" + ExpansionStatic.GetInstanceID(cluster) + " {"");
000107 |         foreach (string areaInfo: areasInfo)
000108 |         {
000109 |             EXTrace.Print(EXTrace.AI, null, "    " + areaInfo);
000110 |         }
000111 |         EXTrace.Print(EXTrace.AI, null, " }");
000112 |     #endif
000113 |
000114 |         clusters.Insert(areas);
000115 |     }
000116 | }
000117 |
000118 | return clusters;
000119 | }
000120 |
000121 | private void InsertCluster(map<int, ref set<int>> lookup, set<int> cluster, int i, int j)
000122 | {
000123 |     cluster.Insert(i);
000124 |     lookup[i] = cluster;
000125 |
000126 |     if (j != -1)
000127 |     {
000128 |         cluster.Insert(j);
000129 |         lookup[j] = cluster;
000130 |     }
000131 | }
000132 |
000133 | void UpdateClusters(EffectArea area)
000134 | {
000135 |     #ifdef EXTRACE_DIAG
000136 |         auto trace = EXTrace.Start(EXTrace.AI, this, ExpansionStatic.GetDebugInfo(area));
000137 |     #endif
000138 |
000139 |     ///! @note cluster.m_Areas must only contain areas that are not contained (completely inside) other areas!
000140 |     ExpansionEffectAreaMergedCluster cluster;
000141 |
000142 |     Expansion_EffectAreas consumedAreas;
000143 |
000144 |     foreach (int i, EffectArea other: this)
000145 |     {
000146 |         #ifndef SERVER
000147 |             if (!other && g_Game.IsMultiplayer())
000148 |             {
```

```
000149 |         EXError.Warn(this, "Warning: NULL entry at index " + i);
000150 |         continue;
000151 |     }
000152 | #endif
000153 |
000154 |     if (cluster != other.m_Expansion_MergedCluster && area.Expansion_IsOverlapping(other))
000155 |     {
000156 |         if (other.Expansion_Contains(area, false))
000157 |         {
000158 |             cluster = other.m_Expansion_MergedCluster;
000159 |             area.m_Expansion_MergedCluster = cluster;
000160 |             break;
000161 |         }
000162 |
000163 |         if (area.Expansion_Contains(other, false))
000164 |         {
000165 |             if (!consumedAreas)
000166 |                 consumedAreas = {};
000167 |
000168 |             consumedAreas.Insert(other);
000169 |
000170 |             #ifdef DIAG_DEVELOPER
000171 |                 EXTrace.Print(EXTrace.AI, this, other.ToString() + " is about to be consumed by encapsulating " + area);
000172 |             #endif
000173 |         }
000174 |         else if (!cluster)
000175 |         {
000176 |             cluster = other.m_Expansion_MergedCluster;
000177 |             cluster.m_Areas.Insert(area);
000178 |             cluster.Update();
000179 |         }
000180 |         else
000181 |         {
000182 |             #ifdef DIAG_DEVELOPER
000183 |                 EXTrace.Print(EXTrace.AI, this, other.m_Expansion_MergedCluster.ToString() + " is about to be consumed by overlapping " + area);
000184 |             #endif
000185 |
000186 |             cluster.m_Areas.InsertAll(other.m_Expansion_MergedCluster.m_Areas);
000187 |             cluster.Update();
000188 |         }
000189 |     }
000190 | }
000191 |
000192 | Insert(area);
000193 |
000194 | if (!cluster)
000195 | {
000196 |     //! Not overlapping or consumed all other areas
000197 |     Expansion_EffectAreas areas = {};
000198 |     areas.Insert(area);
000199 |     cluster = new ExpansionEffectAreaMergedCluster(areas);
000200 | }
000201 |
000202 | if (consumedAreas)
000203 | {
000204 |     foreach (EffectArea consumedArea: consumedAreas)
000205 |     {
000206 |         consumedArea.m_Expansion_MergedCluster = cluster;
000207 |
000208 |         #ifdef DIAG_DEVELOPER
000209 |             EXTrace.Print(EXTrace.AI, this, consumedArea.ToString() + " got consumed by encapsulating " + area);
000210 |         #endif
```

```

000211 |     }
000212 | }
000213 | }
000214 |
000215 | /**
000216 |  * @brief Find closest point outside all areas that intersect the path defined by points start and end
000217 |  *
000218 |  * @param start
000219 |  * @param [inout] end will be altered in-place if path intersects cylinder
000220 |  * @param perpendicularDistance positive = left, negative = right
000221 |  *
000222 |  * @return true if path intersects cylinder, else false
000223 |  */
000224 | bool FindClosestPointOutsideAnyArea(vector start, inout vector end, float perpendicularDistance = 0)
000225 | {
000226 |     if (perpendicularDistance == 0)
000227 |         perpendicularDistance = ExpansionEffectAreaMergedCluster.MAX_AVOIDANCE_DISTANCE;
000228 |
000229 |     bool found;
000230 |
000231 |     foreach (auto area: this)
000232 |     {
000233 |         float height = area.m_NegativeHeight + area.m_PositiveHeight;
000234 |         vector center = Vector(area.m_Position[0], area.m_Position[1] - area.m_NegativeHeight + height * 0.5, area.m_Position[2]);
000235 |         float radius = area.m_Radius + ExpansionEffectAreaMergedCluster.MAX_AVOIDANCE_DISTANCE;
000236 |
000237 |         if (ExpansionMath.FindClosestPointOutsideCylinder(start, end, center, radius, height, perpendicularDistance))
000238 |             found = true;
000239 |     }
000240 |
000241 |     return found;
000242 | }
000243 |
000244 | bool IsPointInside(vector point)
000245 | {
000246 |     foreach (auto area: this)
000247 |     {
000248 |         if (area.Expansion_IsPointInside(point))
000249 |             return true;
000250 |     }
000251 |
000252 |     return false;
000253 | }
000254 | }
000255 |
000256 | class Expansion_EffectArea_Clusters: array<ref Expansion_EffectAreas>
000257 | {
000258 |     /**
000259 |     * @brief Merge cluster of effect areas
000260 |     *
000261 |     * @note a merged cluster is simply a large cylinder encompassing all the overlapping areas
000262 |     */
000263 |     ExpansionEffectAreaMergedClusters MergeClusters()
000264 |     {
000265 |         #ifdef EXTRACE
000266 |             auto trace = EXTrace.Start(EXTrace.AI, this);
000267 |         #endif
000268 |
000269 |         ExpansionEffectAreaMergedClusters mergedClusters = {};
000270 |
000271 |         foreach (auto cluster: this)
000272 |         {

```

```
000273 |         mergedClusters.Insert(new ExpansionEffectAreaMergedCluster(cluster));
000274 |     }
000275 |
000276 |     return mergedClusters;
000277 | }
000278 | }
000279 |
000280 | class ExpansionEffectAreaMergedCluster
000281 | {
000282 |     static const float MAX_AVOIDANCE_DISTANCE = 30.0;
000283 |     static const float MIN_AVOIDANCE_DISTANCE = 3.0;
000284 |     static const float IS_INSIDE_MARGIN = 3.0;
000285 |
000286 |     ref Expansion_EffectAreas m_Areas;
000287 |     vector m_Position;
000288 |     float m_Radius;
000289 |     float m_NegativeHeight;
000290 |     float m_PositiveHeight;
000291 |     bool m_Updated;
000292 |
000293 | #ifdef DIAG_DEVELOPER
000294 |     protected ref array<Shape> m_DebugShapes = {};
000295 | #endif
000296 |
000297 |     void ExpansionEffectAreaMergedCluster(Expansion_EffectAreas cluster)
000298 |     {
000299 |         m_Areas = cluster;
000300 |
000301 |         Update();
000302 |     }
000303 |
000304 | #ifdef DIAG_DEVELOPER
000305 |     void ~ExpansionEffectAreaMergedCluster()
000306 |     {
000307 |         if (g_Game)
000308 |             EXTrace.Print(EXTrace.AI, this, "~ExpansionEffectAreaMergedCluster");
000309 |
000310 |         CleanupDebugShapes();
000311 |     }
000312 | #endif
000313 |
000314 |     /**
000315 |     * @brief Update the cluster. Needs to be called each time m_Areas is changed
000316 |     */
000317 |     void Update()
000318 |     {
000319 |     #ifdef EXTRACE_DIAG
000320 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000321 |     #endif
000322 |
000323 |         float xSum;
000324 |         float ySum;
000325 |         float zSum;
000326 |         float radiusSum;
000327 |
000328 |         float minY = float.MAX;
000329 |         float maxY = -float.MAX;
000330 |
000331 |         float dx;
000332 |         float dz;
000333 |
000334 |         int i;
```

```
000335 |         //int j;
000336 |         int count = m_Areas.Count();
000337 |
000338 |         EffectArea area;
000339 |
000340 |         #ifdef DIAG_DEVELOPER
000341 |             TStringArray areasInfo = {};
000342 |         #ifndef SERVER
000343 |             CleanupDebugShapes();
000344 |             int color;
000345 |         #endif
000346 |         #endif
000347 |
000348 |         //! Calculate the center of the merged cylinder
000349 |
000350 |         for (i = 0; i < count; i++)
000351 |         {
000352 |             area = m_Areas[i];
000353 |
000354 |             area.m_Expansion_MergedCluster = this;
000355 |
000356 |             xSum += area.m_Position[0] * area.m_Radius;
000357 |             ySum += area.m_Position[1];
000358 |             zSum += area.m_Position[2] * area.m_Radius;
000359 |             radiusSum += area.m_Radius;
000360 |
000361 |             minY = Math.Min(minY, area.m_Position[1] - area.m_NegativeHeight);
000362 |             maxY = Math.Max(maxY, area.m_Position[1] + area.m_PositiveHeight);
000363 |
000364 |             #ifdef DIAG_DEVELOPER
000365 |                 areasInfo.Insert(string.Format("%1 (pos=%2 radius=%3 nheight=%4 pheight=%5)", ExpansionStatic.GetDebugInfo(area), area.m_Position.ToString(), area.m_Radius, area.m_NegativeHeight, area.m_PositiveHeight));
000366 |             #endif
000367 |         }
000368 |
000369 |         m_Position[1] = ySum / count;
000370 |
000371 |         m_NegativeHeight = m_Position[1] - minY;
000372 |         m_PositiveHeight = maxY - m_Position[1];
000373 |
000374 |         if (count > 1)
000375 |         {
000376 |             m_Position[0] = xSum / radiusSum;
000377 |             m_Position[2] = zSum / radiusSum;
000378 |
000379 |             //! Find the outermost edges of all areas in this cluster (from center of merged cylinder)
000380 |
000381 |             #ifdef DIAG_DEVELOPER
000382 |                 EXTrace.Print(EXTrace.AI, null, string.Format(" %1 (pos=%2)", ExpansionStatic.GetDebugInfo(this), m_Position.ToString()));
000383 |             #ifndef SERVER
000384 |                 m_DebugShapes.Insert(Debug.DrawArrow(m_Position, m_Position + Vector(0, m_PositiveHeight + 10, 0), 0.5, COLOR_RED));
000385 |             #endif
000386 |             #endif
000387 |
000388 |             /*
000389 |             EffectArea other;
000390 |             bool skip;
000391 |             */
000392 |
000393 |             int reach;
000394 |             TIntArray distancesFromCenter = {};
000395 |             map<int, ref Expansion_EffectAreas> areasByReach = new map<int, ref Expansion_EffectAreas>;
```

```
000396 |         Expansion_EffectAreas areas;
000397 |
000398 |         for (i = 0; i < count; i++)
000399 |         {
000400 |             area = m_Areas[i];
000401 |
000402 |             /*
000403 |                 skip = false;
000404 |
000405 |                 for (j = 0; j < count; j++)
000406 |                 {
000407 |                     if (j == i)
000408 |                         continue;
000409 |
000410 |                     other = m_Areas[j];
000411 |
000412 |                     if (other.Expansion_Contains(area, false))
000413 |                     {
000414 |                         skip = true;
000415 |                         break;
000416 |                     }
000417 |                 }
000418 |
000419 |                 if (skip)
000420 |                     continue;
000421 |             */
000422 |
000423 |             dx = area.m_Position[0] - m_Position[0];
000424 |             dz = area.m_Position[2] - m_Position[2];
000425 |
000426 |             reach = Math.Sqrt(dx * dx + dz * dz) + area.m_Radius;
000427 |
000428 |             distancesFromCenter.Insert(reach);
000429 |
000430 |             if (areasByReach.Find(reach, areas))
000431 |                 areas.Insert(area);
000432 |             else
000433 |                 areasByReach[reach] = {area};
000434 |         }
000435 |
000436 |         /*
000437 |             count = distancesFromCenter.Count();
000438 |         }
000439 |
000440 |         if (count > 1)
000441 |         {
000442 |             /*
000443 |
000444 |                 //! Find up to three points furthest from center
000445 |
000446 |                 distancesFromCenter.Sort();
000447 |
000448 |                 Expansion_EffectAreas outermost = {};
000449 |                 vector dir;
000450 |                 vector point;
000451 |                 TVectorArray points = {};
000452 |
000453 |                 int n;
000454 |
000455 |                 for (i = count - 1; i >= 0; i--)
000456 |                 {
000457 |                     reach = distancesFromCenter[i];
```

```
000458 |
000459 |         areas = areasByReach[reach];
000460 |         area = areas[0];
000461 |         areas.Remove(0);
000462 |
000463 |         outermost.Insert(area);
000464 |
000465 |         dir[0] = area.m_Position[0] - m_Position[0];
000466 |         dir[2] = area.m_Position[2] - m_Position[2];
000467 |
000468 |         point = area.m_Position + dir.Normalized() * area.m_Radius;
000469 |
000470 | #ifdef DIAG_DEVELOPER
000471 | #ifndef SERVER
000472 |     m_DebugShapes.Insert(Debug.DrawArrow(point, point + Vector(0, m_PositiveHeight + 10, 0), 0.5, COLOR_BLUE));
000473 | #endif
000474 | #endif
000475 |
000476 |         point[1] = 0;
000477 |
000478 |         points.Insert(point);
000479 |
000480 |         n++;
000481 |
000482 |         if (n == 3)
000483 |             break;
000484 |     }
000485 |
000486 |     //! Use the found points to calculate a new, optimized center
000487 |
000488 |     vector a = points[0];
000489 |     vector b = points[1];
000490 |
000491 |     vector ab = b - a;
000492 |
000493 |     float distSqAB = ab.LengthSq();
000494 |
000495 |     EffectArea areaA = outermost[0];
000496 |     EffectArea areaB = outermost[1];
000497 |
000498 |     vector center;
000499 |
000500 |     if (n == 3)
000501 |     {
000502 |         vector c = points[2];
000503 |
000504 |         vector bc = c - b;
000505 |         vector ca = a - c;
000506 |
000507 |         float distSqBC = bc.LengthSq();
000508 |         float distSqCA = ca.LengthSq();
000509 |
000510 |         EffectArea areaC = outermost[2];
000511 |
000512 |         //! Make side A-B the longest
000513 |
000514 |         if (distSqBC < distSqCA)
000515 |         {
000516 |             ExpansionUtil<float>.Swap(distSqBC, distSqCA);
000517 |             ExpansionUtil<vector>.Swap(a, b);
000518 |             ExpansionUtil<EffectArea>.Swap(areaA, areaB);
000519 |         }
```



```
000520 |
000521 |         if (distSqAB < distSqBC)
000522 |         {
000523 |             ExpansionUtil<float>.Swap(distSqAB, distSqBC);
000524 |             ExpansionUtil<vector>.Swap(c, a);
000525 |             ExpansionUtil<EffectArea>.Swap(areaC, areaA);
000526 |         }
000527 |
000528 |         if (distSqBC + distSqCA <= distSqAB)
000529 |         {
000530 |             //! Obtuse triangle, use longest diameter
000531 |
000532 |             dir[0] = areaB.m_Position[0] - areaA.m_Position[0];
000533 |             dir[2] = areaB.m_Position[2] - areaA.m_Position[2];
000534 |
000535 |             dir.Normalize();
000536 |
000537 |             a = areaA.m_Position - dir * areaA.m_Radius;
000538 |             b = areaB.m_Position + dir * areaB.m_Radius;
000539 |
000540 |             #ifdef DIAG_DEVELOPER
000541 |             #ifndef SERVER
000542 |                 m_DebugShapes.Insert(Debug.DrawArrow(a, a + Vector(0, m_PositiveHeight + 10, 0), 0.5, COLOR_GREEN));
000543 |                 m_DebugShapes.Insert(Debug.DrawArrow(b, b + Vector(0, m_PositiveHeight + 10, 0), 0.5, COLOR_GREEN));
000544 |             #endif
000545 |             #endif
000546 |
000547 |             a[1] = 0;
000548 |             b[1] = 0;
000549 |
000550 |             center = (a + b) * 0.5;
000551 |
000552 |             ab = b - a;
000553 |
000554 |             m_Radius = ab.Length() * 0.5;
000555 |
000556 |             #ifdef DIAG_DEVELOPER
000557 |             #ifndef SERVER
000558 |                 color = COLOR_YELLOW;
000559 |             #endif
000560 |             #endif
000561 |         }
000562 |         else
000563 |         {
000564 |             //! Acute triangle, use circumcenter
000565 |
000566 |             center = ExpansionMath.Circumcenter(a, b, c);
000567 |
000568 |             m_Radius = 0;
000569 |
000570 |             #ifdef DIAG_DEVELOPER
000571 |             #ifndef SERVER
000572 |                 color = COLOR_WHITE;
000573 |             #endif
000574 |             #endif
000575 |         }
000576 |
000577 |         m_Position[0] = center[0];
000578 |         m_Position[2] = center[2];
000579 |
000580 |         //! Find a radius that encompasses the outer edges
000581 |
```

```
000582 |         for (i = 0; i < count; i++)
000583 |         {
000584 |             area = m_Areas[i];
000585 |
000586 |             dx = area.m_Position[0] - m_Position[0];
000587 |             dz = area.m_Position[2] - m_Position[2];
000588 |
000589 |             #ifdef DIAG_DEVELOPER
000590 |             #ifndef SERVER
000591 |                 dir[0] = dx;
000592 |                 dir[2] = dz;
000593 |                 point = area.m_Position + dir.Normalized() * area.m_Radius;
000594 |                 m_DebugShapes.Insert(Debug.DrawArrow(point, point + Vector(0, m_PositiveHeight + 10, 0), 0.5, COLOR_GREEN));
000595 |             #endif
000596 |             #endif
000597 |
000598 |             float distanceToEdge = Math.Sqrt(dx * dx + dz * dz) + area.m_Radius;
000599 |
000600 |             m_Radius = Math.Max(m_Radius, distanceToEdge);
000601 |         }
000602 |     }
000603 | else
000604 | {
000605 |     //! Exactly two
000606 |
000607 |     float radius = Math.Sqrt(distSqAB) * 0.5;
000608 |
000609 |     if (areaA.m_Radius > radius)
000610 |     {
000611 |         center = areaA.m_Position;
000612 |         radius = areaA.m_Radius;
000613 |
000614 |         #ifdef DIAG_DEVELOPER
000615 |         #ifndef SERVER
000616 |             color = COLOR_YELLOW;
000617 |         #endif
000618 |         #endif
000619 |     }
000620 |     else if (areaB.m_Radius > radius)
000621 |     {
000622 |         center = areaB.m_Position;
000623 |         radius = areaB.m_Radius;
000624 |
000625 |         #ifdef DIAG_DEVELOPER
000626 |         #ifndef SERVER
000627 |             color = COLOR_YELLOW;
000628 |         #endif
000629 |         #endif
000630 |     }
000631 |     else
000632 |     {
000633 |         center = (a + b) * 0.5;
000634 |
000635 |         #ifdef DIAG_DEVELOPER
000636 |         #ifndef SERVER
000637 |             color = COLOR_WHITE;
000638 |         #endif
000639 |         #endif
000640 |     }
000641 |
000642 |     m_Position[0] = center[0];
000643 |     m_Position[2] = center[2];
```

```
000644 |
000645 |         m_Radius = radius;
000646 |     }
000647 |
000648 |     #ifdef DIAG_DEVELOPER
000649 |     #ifndef SERVER
000650 |         m_DebugShapes.Insert(Debug.DrawArrow(m_Position, m_Position + Vector(0, m_PositiveHeight + 20, 0), 0.5, color));
000651 |     #endif
000652 |     #endif
000653 | }
000654 | else
000655 | {
000656 |     m_Position = area.m_Position;
000657 |     m_Radius = area.m_Radius;
000658 | }
000659 |
000660 |     m_Updated = true;
000661 |
000662 |     #ifdef DIAG_DEVELOPER
000663 |         EXTrace.Print(EXTrace.AI, null, string.Format(" %1 (pos=%2 radius=%3 nheight=%4 pheight=%5) {" , ExpansionStatic.GetDebugInfo(this), m_Position.ToString()
000664 | , m_Radius, m_NegativeHeight, m_PositiveHeight));
000665 |         foreach (string areaInfo: areasInfo)
000666 |         {
000667 |             EXTrace.Print(EXTrace.AI, null, " " + areaInfo);
000668 |         }
000669 |         EXTrace.Print(EXTrace.AI, null, " }");
000670 |     #endif
000671 |
000672 |     #ifdef DIAG_DEVELOPER
000673 |         DrawDebug();
000674 |     #endif
000675 | }
000676 |
000677 | void RemoveNonOverlappingAndUpdate()
000678 | {
000679 |     #ifdef EXTRACE_DIAG
000680 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000681 |     #endif
000682 |
000683 |     int count = m_Areas.Count();
000684 |
000685 |     EffectArea area;
000686 |     EffectArea other;
000687 |
000688 |     bool overlap;
000689 |
000690 |     m_Updated = false;
000691 |
000692 |     for (int i = count - 1; i >= 1; i--)
000693 |     {
000694 |         area = m_Areas[i];
000695 |
000696 |         overlap = false;
000697 |
000698 |         for (int j = i - 1; j >= 0; j--)
000699 |         {
000700 |             other = m_Areas[j];
000701 |
000702 |             if (area.Expansion_IsOverlapping(other))
000703 |             {
000704 |                 overlap = true;
000705 |                 break;
```

```
000705 |         }
000706 |     }
000707 |
000708 |     if (!overlap)
000709 |     {
000710 |         m_Areas.Remove(i);
000711 |         EffectArea.s_Expansion_DangerousAreas.RemoveItemUnOrdered(area);
000712 |         EXTrace.Print(EXTrace.AI, this, "Removed non-overlapping " + area);
000713 |         EffectArea.s_Expansion_DangerousAreas.UpdateClusters(area);
000714 |     }
000715 | }
000716 |
000717 |     if (!m_Updated)
000718 |         Update();
000719 | }
000720 |
000721 | #ifdef DIAG_DEVELOPER
000722 | void DrawDebug()
000723 | {
000724 |     #ifndef SERVER
000725 |         //CleanupDebugShapes();
000726 |
000727 |         //if (DiagMenu.GetBool(DiagMenuIDs.TRIGGER_DEBUG))
000728 |         //{
000729 |             float height = m_NegativeHeight + m_PositiveHeight;
000730 |             vector center = Vector(m_Position[0], m_Position[1] - m_NegativeHeight + height * 0.5, m_Position[2]);
000731 |
000732 |             m_DebugShapes.Insert(Debug.DrawCylinder(center, m_Radius, height, RGB(15, 255, 255), ShapeFlags TRANSP | ShapeFlags NOZWRITE));
000733 |         //}
000734 |     #endif
000735 | }
000736 |
000737 | protected void CleanupDebugShapes()
000738 | {
000739 |     foreach (Shape shape: m_DebugShapes)
000740 |     {
000741 |         Debug.RemoveShape(shape);
000742 |     }
000743 |
000744 |     m_DebugShapes.Clear();
000745 | }
000746 | #endif
000747 |
000748 | bool IsPointInside(vector point, float tolerance = 0.0, float heightTolerance = 0.0)
000749 | {
000750 |     if (!Math.IsPointInCircle(m_Position, m_Radius + tolerance, point))
000751 |         return false;
000752 |
000753 |     if (point[1] < m_Position[1] - m_NegativeHeight - heightTolerance || point[1] > m_Position[1] + m_PositiveHeight + heightTolerance)
000754 |         return false;
000755 |
000756 |     return true;
000757 | }
000758 |
000759 | /**
000760 |  * @brief Find closest point outside cluster that intersect the path defined by points start and end
000761 |  *
000762 |  * @param start
000763 |  * @param [inout] end will be altered in-place if path intersects cylinder
000764 |  * @param avoidanceDirection positive = left, negative = right
000765 |  * @param [out] closestArea
000766 |  *
```

```
000767 |     * @return true if path intersects cylinder, else false
000768 |     */
000769 | bool FindClosestPointOutsideCluster(vector start, inout vector end, float avoidanceDirection = 1.0, bool ignoreHeight = false, out EffectArea closestArea = nu
ll)
000770 | {
000771 |     #ifdef DIAG_DEVELOPER
000772 |         vector dir;
000773 |     #endif
000774 |
000775 |     float actualHeight = m_NegativeHeight + m_PositiveHeight;
000776 |     vector ground = m_Position;
000777 |     vector center;
000778 |     float avoidanceDistance = GetAvoidanceDistance(m_Radius);
000779 |     float radius = m_Radius + avoidanceDistance;
000780 |
000781 |     float height;
000782 |     bool isInside;
000783 |
000784 |     if (ignoreHeight)
000785 |     {
000786 |         height = 10000.0;  /// We could use ExpansionMath.IntersectRayCircle, but since it's not native, IntersectRayCylinder should be faster
000787 |         center = Vector(ground[0], ground[1] - m_NegativeHeight + actualHeight * 0.5 - height * 0.5, ground[2]);
000788 |         isInside = Math.IsPointInCircle(center, radius + IS_INSIDE_MARGIN, start);
000789 |     }
000790 |     else
000791 |     {
000792 |         height = actualHeight;
000793 |         center = Vector(ground[0], ground[1] - m_NegativeHeight, ground[2]);
000794 |         isInside = ExpansionMath.IsPointInCylinder(center, radius + IS_INSIDE_MARGIN, height, start);
000795 |     }
000796 |
000797 |     /// Check if ray intersects any area cluster
000798 |     if (isInside)
000799 |     {
000800 |         int count = m_Areas.Count();
000801 |         int intersectCount;
000802 |
000803 |         if (count > 1)
000804 |         {
000805 |             /// Get closest area in cluster (distance to outer edge)
000806 |
000807 |             float closestDistSq = float.MAX;
000808 |             vector toCenter;
000809 |
000810 |             foreach (int i, auto area: m_Areas)
000811 |             {
000812 |                 center[0] = area.m_Position[0];
000813 |                 center[2] = area.m_Position[2];
000814 |
000815 |                 /// Since we already know we are inside cluster, we can simplify area check by using IsPointInCircle (we ignore area height)
000816 |                 if (Math.IsPointInCircle(center, area.m_Radius, start))
000817 |                 {
000818 |                     /// If we are inside area, there's no point in checking distances, we need to get out!
000819 |                     closestArea = area;
000820 |                     break;
000821 |                 }
000822 |
000823 |                 toCenter = area.m_Position - start;
000824 |                 float distSq = vector.DistanceSq(start, area.m_Position - toCenter.Normalized() * area.m_Radius);
000825 |
000826 |                 if (distSq < closestDistSq)
000827 |                 {
```

```

000828 |         closestArea = area;
000829 |         closestDistSq = distSq;
000830 |     }
000831 |
000832 |         if (Math3D.IntersectRayCylinder(start, end, center, area.m_Radius, height))
000833 |             ++intersectCount;
000834 |     }
000835 | }
000836 | else
000837 | {
000838 |     closestArea = m_Areas[0];
000839 | }
000840 |
000841 | ground = closestArea.m_Position;
000842 |
000843 |     /// @note we check against cluster center Y + height to make sure we stay at outside perimeter of area
000844 |     /// in case it goes partially underground
000845 |     center[0] = closestArea.m_Position[0];
000846 |     center[2] = closestArea.m_Position[2];
000847 |
000848 |     if (count == 1 && Math3D.IntersectRayCylinder(start, end, center, closestArea.m_Radius, height))
000849 |         ++intersectCount;
000850 |
000851 |     avoidanceDistance = GetAvoidanceDistance(closestArea.m_Radius);
000852 |     radius = closestArea.m_Radius + avoidanceDistance;
000853 |
000854 |     /// Since we already know we are inside cluster, we can simplify area check by using IsPointInCircle (we ignore area height)
000855 |     /// for checking whether or not startpoint is in circle.
000856 |     /// We still need to check intersection to take into account line from start to endpoint in this case.
000857 |     if (!Math.IsPointInCircle(center, closestArea.m_Radius + 3.0, start) && intersectCount == 0)
000858 |         return false;
000859 |
000860 |     float perpendicularDistance = avoidanceDirection * avoidanceDistance;
000861 |     end = ExpansionMath.GetClosestPointOutsideRadius(start, end, center, radius, perpendicularDistance);
000862 |
000863 |     return true;
000864 | }
000865 |
000866 |     return false;
000867 | }
000868 |
000869 | float GetAvoidanceDistance(float radius)
000870 | {
000871 |     return Math.Max(Math.Min(radius * 0.2, MAX_AVOIDANCE_DISTANCE), MIN_AVOIDANCE_DISTANCE);
000872 | }
000873 | }
000874 |
000875 | class ExpansionEffectAreaMergedClusters: array<ref ExpansionEffectAreaMergedCluster>
000876 | {
000877 |     /**
000878 |     * @brief Find closest point outside all clusters that intersect the path defined by points start and end
000879 |     *
000880 |     * @param start
000881 |     * @param [inout] end will be altered in-place if path intersects cylinder
000882 |     * @param avoidanceDirection positive = left, negative = right
000883 |     * @param [out] closestArea
000884 |     *
000885 |     * @return true if path intersects cylinder, else false
000886 |     */
000887 |     bool FindClosestPointOutsideAnyCluster(vector start, inout vector end, float avoidanceDirection = 1.0, bool ignoreHeight = false, out EffectArea closestArea =
000888 |     null)
000889 |     {

```

```
000889 |         bool found;
000890 |
000891 |         foreach (auto cluster: this)
000892 |         {
000893 |             found = cluster.FindClosestPointOutsideCluster(start, end, avoidanceDirection, ignoreHeight, closestArea);
000894 |
000895 |             if (found)
000896 |                 break;
000897 |         }
000898 |
000899 |         return found;
000900 |     }
000901 | }
000902 |
```

0078. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/contaminatedarea/spookyarea.c
Size bytes: 104
SHA-256: 9fc0a99de0983b0e5a6c95e3a6d0e8fbb625ffa834da195f6e2afbb007548fb8
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 1
 L1: modded class SpookyArea
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override bool eAI_IsDangerousToAI(eAIBase ai)

Full file content

```
000001 | modded class SpookyArea
000002 | {
000003 |     override bool eAI_IsDangerousToAI(eAIBase ai)
000004 |     {
000005 |         return false;
000006 |     }
000007 | }
000008 |
```


0079. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/cot/jmplayerinstance.c
Size bytes: 895
SHA-256: 9ce6674b35d76408cbf063c6415f879f748a04e3986ada5fe99e2602d7470495
Decoded as: utf-8-sig
Line count shown: 47
Detected class declarations: 1
 L2: modded class JMPlayerInstance
Detected enum declarations: 0
Detected function/method-like declarations: 4
 L6: override void Update()
 L27: override void OnSendHealth(ParamsWriteContext ctx)
 L34: override void OnRecieveHealth(ParamsReadContext ctx)
 L41: int GetExpansionFactionTypeID()

Full file content

```
000001 | #ifdef JM_COT
000002 | modded class JMPlayerInstance
000003 | {
000004 |     private int m_ExpansionFactionTypeID;
000005 |
000006 |     override void Update()
000007 |     {
000008 |         if (g_Game.IsServer() && (g_Game.GetTime() - m_DataLastUpdated) >= 100)
000009 |         {
000010 |             if (!g_Game.IsMultiplayer())
000011 |             {
000012 |                 PlayerBase.CastTo(PlayerObject, g_Game.GetPlayer());
000013 |             }
000014 |
000015 |             if (PlayerObject)
000016 |             {
000017 |                 if ( PlayerObject.GetGroup() )
000018 |                     m_ExpansionFactionTypeID = PlayerObject.GetGroup().GetFaction().GetTypeID();
000019 |                 else
000020 |                     m_ExpansionFactionTypeID = 0;
000021 |             }
000022 |         }
000023 |
000024 |         super.Update();
000025 |     }
000026 |
000027 |     override void OnSendHealth(ParamsWriteContext ctx)
000028 |     {
000029 |         super.OnSendHealth(ctx);
000030 |
000031 |         ctx.Write(m_ExpansionFactionTypeID);
000032 |     }
000033 |
000034 |     override void OnRecieveHealth(ParamsReadContext ctx)
000035 |     {
000036 |         super.OnRecieveHealth(ctx);
000037 |
000038 |         ctx.Read(m_ExpansionFactionTypeID);
000039 |     }
000040 |
000041 |     int GetExpansionFactionTypeID()
000042 |     {
000043 |         return m_ExpansionFactionTypeID;
```

```
000044 |    }  
000045 | }  
000046 | #endif  
000047 |
```

0080. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaicallbacks.c
Size bytes: 1431
SHA-256: e67a011f01de14777b1c3e3a926612a5e9c832963e8fd86eefc4f6b1b9be86a9
Decoded as: utf-8-sig
Line count shown: 71
Detected class declarations: 1
  L6: class eAICallbacks
Detected enum declarations: 0
Detected function/method-like declarations: 9
  L10: void eAICallbacks(eAIBase ai)
  L18: void OnTargetSelected(eAITarget target)
  L25: void OnNoMoreTargets()
  L32: void OnLOS(eAITarget target)
  L39: void OnLOSLost(eAITarget target)
  L46: void OnThreatLevelChanged(float oldLevel, float newLevel)
  L53: void OnActiveThreatLevelChanged(float oldLevel, float newLevel)
  L60: void OnEnterCover(Object coverObj)
  L67: void OnLeaveCover(Object coverObj)
```

Full file content

```
000001 | /**
000002 |  * @brief callbacks to use by (e.g.) 3rd party mods. Don't forget to call super when overriding any of these!
000003 |  *
000004 |  * You can access the respective AI via m_AI if needed, but this should be done sparingly.
000005 |  */
000006 | class eAICallbacks
000007 | {
000008 |     eAIBase m_AI;
000009 |
000010 |     void eAICallbacks(eAIBase ai)
000011 |     {
000012 |         m_AI = ai;
000013 |     }
000014 |
000015 |     /**
000016 |      * @brief called when AI is targeting a target
000017 |      */
000018 |     void OnTargetSelected(eAITarget target)
000019 |     {
000020 |     }
000021 |
000022 |     /**
000023 |      * @brief called when AI has no more targets after the last target has been removed
000024 |      */
000025 |     void OnNoMoreTargets()
000026 |     {
000027 |     }
000028 |
000029 |     /**
000030 |      * @brief called when AI has LOS to current target
000031 |      */
000032 |     void OnLOS(eAITarget target)
000033 |     {
000034 |     }
000035 |
000036 |     /**
000037 |      * @brief called when AI lost LOS to current target
000038 |      */
```

```
000039 | void OnLOSLost(eAITarget target)
000040 | {
000041 | }
000042 |
000043 | /**
000044 |  * @brief called when threat level to AI changes (not taking into account line of sight, i.e. level will be the same whether AI has LOS or not)
000045 |  */
000046 | void OnThreatLevelChanged(float oldLevel, float newLevel)
000047 | {
000048 | }
000049 |
000050 | /**
000051 |  * @brief called when active threat level to AI changes (taking into account line of sight, i.e. without LOS, level will be lower)
000052 |  */
000053 | void OnActiveThreatLevelChanged(float oldLevel, float newLevel)
000054 | {
000055 | }
000056 |
000057 | /**
000058 |  * @brief called when AI gets behind cover
000059 |  */
000060 | void OnEnterCover(Object coverObj)
000061 | {
000062 | }
000063 |
000064 | /**
000065 |  * @brief called when AI leaves cover
000066 |  */
000067 | void OnLeaveCover(Object coverObj)
000068 | {
000069 | }
000070 | }
000071 |
```

0081. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaicommandmanagerclient.c

Size bytes: 3646

SHA-256: 1420e280e60be5a2f7cbc296f9612da0a94dae7b67b3b27993e26d138e801e20

Decoded as: utf-8-sig

Line count shown: 94

Detected class declarations: 1

L7: class eAICommandManagerClient: eAICommandManager

Detected enum declarations: 0

Detected function/method-like declarations: 38

```

L18: eAIBase GetAIAtCursorOrNearest();
L20: eAIBase SpawnAI_Helper(PlayerBase leader, string loadout = "HumanLoadout.json");
L22: void SpawnAI(int cmd);
L24: eAIBase SpawnAIEx(vector pos, string loadout = "HumanLoadout.json");
L26: eAIBase SpawnAI_Sentry(vector pos, string loadout = "WestLoadout.json");
L28: eAIBase SpawnAI_Patrol(vector pos, string loadout = "HumanLoadout.json");
L30: vector GetEntitySpawnPosition(DayZPlayer player);
L32: void RPC_SpawnAI(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L34: void RPC_SpawnZombie(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L36: void RPC_SpawnWolf(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L38: void RPC_SpawnBear(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L40: void RPC_ClearAllAI(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L42: void RPC_SetFaction(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L44: void RPC_UnlimitedReload(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L46: void RPC_ResetPathfinding(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L48: void RPC_DebugObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L50: void RPC_DebugDamage(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L52: void RPC_SetDamageInOut(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L54: void RPC_ReqFormRejoin(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L56: void RPC_ReqFormStop(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L58: void RPC_ReqFormFlank(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L60: void RPC_ReqFormRoam(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L62: void RPC_ReqFormationChange(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L64: void RPC_SetFormationScale(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L66: void RPC_SetFormationLooseness(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L68: void RPC_SetWaypoint(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L70: void RPC_ExportPatrol(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L72: void RPC_ClearWaypoints(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L74: void RPC_SetMovementSpeed(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L76: void SetMovementSpeed(eAIGroup g, int speed);
L78: void RPC_SetStance(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L80: void RPC_DumpState(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L82: void RPC_ForceWeaponResync(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L84: void SitRep_Client(notnull PlayerBase player, notnull eAIBase ai);
L86: void PlaySoundOnObject(string soundSet, Object obj);
L88: void RPC_SitRep(PlayerIdentity sender, Object target, ParamsReadContext ctx);
L90: void SitRep_Server(notnull PlayerBase player, notnull eAIBase ai);
L92: void RPC_SetLootingBehavior(PlayerIdentity sender, Object target, ParamsReadContext ctx);

```

Full file content

```

000001 | /**
000002 |  * This class is a stub and only exists to not break compiling with 3rd-party mods that mod eAICommandManagerClient until those mods update.
000003 |  * Use DayZExpansion/AI/Scripts/5_Mission/DayZExpansion_AI/eAICommandManagerImpl instead.
000004 |  *
000005 |  * TODO: Remove sometime after the next Expansion update.
000006 |  */
000007 | class eAICommandManagerClient: eAICommandManager
000008 | {
000009 |     ref ExpansionRPCManager m_Expansion_RPCManager;

```

```
000010 |
000011 |     int m_MovementSpeedLimit;
000012 |     int m_UnlimitedReload;
000013 |     int m_LootingBehavior;
000014 |     int m_DamageIn;
000015 |     int m_DamageOut;
000016 |     int m_HeadshotResistance;
000017 |
000018 |     eAIBase GetAIAtCursorOrNearest();
000019 |
000020 |     eAIBase SpawnAI_Helper(PlayerBase leader, string loadout = "HumanLoadout.json");
000021 |
000022 |     void SpawnAI(int cmd);
000023 |
000024 |     eAIBase SpawnAIEx(vector pos, string loadout = "HumanLoadout.json");
000025 |
000026 |     eAIBase SpawnAI_Sentry(vector pos, string loadout = "WestLoadout.json");
000027 |
000028 |     eAIBase SpawnAI_Patrol(vector pos, string loadout = "HumanLoadout.json");
000029 |
000030 |     vector GetEntitySpawnPosition(DayZPlayer player);
000031 |
000032 |     void RPC_SpawnAI(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000033 |
000034 |     void RPC_SpawnZombie(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000035 |
000036 |     void RPC_SpawnWolf(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000037 |
000038 |     void RPC_SpawnBear(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000039 |
000040 |     void RPC_ClearAllAI(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000041 |
000042 |     void RPC_SetFaction(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000043 |
000044 |     void RPC_UnlimitedReload(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000045 |
000046 |     void RPC_ResetPathfinding(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000047 |
000048 |     void RPC_DebugObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000049 |
000050 |     void RPC_DebugDamage(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000051 |
000052 |     void RPC_SetDamageInOut(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000053 |
000054 |     void RPC_ReqFormRejoin(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000055 |
000056 |     void RPC_ReqFormStop(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000057 |
000058 |     void RPC_ReqFormFlank(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000059 |
000060 |     void RPC_ReqFormRoam(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000061 |
000062 |     void RPC_ReqFormationChange(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000063 |
000064 |     void RPC_SetFormationScale(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000065 |
000066 |     void RPC_SetFormationLooseness(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000067 |
000068 |     void RPC_SetWaypoint(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000069 |
000070 |     void RPC_ExportPatrol(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000071 |
```

```
000072 | void RPC_ClearWaypoints(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000073 |
000074 | void RPC_SetMovementSpeed(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000075 |
000076 | void SetMovementSpeed(eAIGroup g, int speed);
000077 |
000078 | void RPC_SetStance(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000079 |
000080 | void RPC_DumpState(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000081 |
000082 | void RPC_ForceWeaponResync(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000083 |
000084 | void SitRep_Client(notnull PlayerBase player, notnull eAIBase ai);
000085 |
000086 | void PlaySoundOnObject(string soundSet, Object obj);
000087 |
000088 | void RPC_SitRep(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000089 |
000090 | void SitRep_Server(notnull PlayerBase player, notnull eAIBase ai);
000091 |
000092 | void RPC_SetLootingBehavior(PlayerIdentity sender, Object target, ParamsReadContext ctx);
000093 | };
000094 |
```

0082. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaidamagehandler.c
Size bytes: 23114
SHA-256: a3e0c799e79b743ecf3f32a5342d772c7f498f67bb9243f4f01fded7d259ff75
Decoded as: utf-8-sig
Line count shown: 666
Detected class declarations: 2
  L1: class eAIShot
  L65: class eAIDamageHandler
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L19: void eAIShot(Weapon_Base weapon, int muzzleIndex, vector origin, vector dir, Object hitObject, vector hitPosition, int component)
  L52: string GetInfo()
  L86: void eAIDamageHandler(EntityAI entity, eAIEntityTargetInformation info)
  L92: float GetDebugDamageMultiplier(TotalDamageResult damageResult, string dmgZone)
  L107: else if (m_Entity.IsWeapon())
  L148: bool OnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector
  L232: else if (rootEntity == m_Entity && !shot.m_ProcessedTime)
  L256: else if (CheckCandidate(candidate, ai, modelPos, dir, travelTimeRemaining, dmgZone))
  L511: string GetHitMessage(TotalDamageResult damageResult, int component, string zone, string ammo, float damageCoef)
  L531: void ProcessDamage(int damageType, EntityAI source, DayZPlayerImplement sourcePlayer, string dmgZone, string ammo, vector modelPos, float da
  L559: bool CheckCandidate(notnull eAIShot candidate, eAIBase ai, vector modelPos, vector dir, float travelTimeRemaining, string dmgZone)
  L600: else if (match.m_HitObjectRoot.IsMan())
  L609: else if (match.m_HitObjectRoot.IsInherited(ZombieBase))
  L614: else if (match.m_HitObjectRoot.IsInherited(AnimalBase))

```

Full file content

```

000001 | class eAIShot
000002 | {
000003 |     int m_Time;
000004 |     int m_ProcessedTime;
000005 |     Weapon_Base m_Weapon;
000006 |     vector m_Origin;
000007 |     vector m_Direction;
000008 |     Object m_HitObject;
000009 |     Object m_HitObjectRoot;
000010 |     vector m_HitPosition;
000011 |     //vector m_HitPositionMS;
000012 |     int m_Component;
000013 |     string m_Ammo;
000014 |     float m_Distance;
000015 |     float m_SpeedCoef;
000016 |     float m_DamageCoef;
000017 |     float m_TravelTime;
000018 |
000019 | void eAIShot(Weapon_Base weapon, int muzzleIndex, vector origin, vector dir, Object hitObject, vector hitPosition, int component)
000020 | {
000021 |     m_Time = g_Game.GetTime();
000022 |
000023 |     m_Weapon = weapon;
000024 |
000025 |     m_Origin = origin;
000026 |     m_Direction = dir;
000027 |
000028 |     m_HitObject = hitObject;
000029 |
000030 |     EntityAI entity;
000031 |     if (Class.CastTo(entity, hitObject))
000032 |         m_HitObjectRoot = entity.GetHierarchyRoot();

```



```
000033 |         else
000034 |             m_HitObjectRoot = hitObject;
000035 |
000036 |         m_HitPosition = hitPosition;
000037 |         //m_HitPositionMS = m_HitObjectRoot.WorldToModel(hitPosition);
000038 |
000039 |         m_Component = component;
000040 |
000041 |         float ammoDamage;
000042 |
000043 |         weapon.GetCartridgeInfo(muzzleIndex, ammoDamage, m_Ammo);
000044 |
000045 |         float airFriction;
000046 |         float initSpeed;
000047 |
000048 |         m_DamageCoef = weapon.eAI_CalculateProjectileDamageCoefAtPosition(origin, m_Ammo, hitPosition, 1.0, airFriction, m_Distance, m_SpeedCoef, initSpeed);
000049 |         m_TravelTime = weapon.eAI_CalculateProjectileTravelTime(airFriction, m_Distance, initSpeed);
000050 |     }
000051 |
000052 |     string GetInfo()
000053 |     {
000054 |         string physInfo;
000055 |
000056 |         if (m_TravelTime)
000057 |             physInfo = string.Format(" speedCoef=%1 travelTime=%2 dmgCoef=%3", m_SpeedCoef, m_TravelTime, m_DamageCoef);
000058 |
000059 |         string weaponInfo = ExpansionStatic.GetDebugInfo(m_Weapon);
000060 |         string hitObjInfo = ExpansionStatic.GetHierarchyInfo(m_HitObject);
000061 |         return string.Format("%1 processed=%2 weapon=%3 hitObject=%4 hitPosition=%5 ammo=%6%7", this, m_ProcessedTime, weaponInfo, hitObjInfo, m_HitPosition.ToStr
000062 |         ing(), m_Ammo, physInfo);
000063 |     }
000064 | }
000065 | class eAIDamageHandler
000066 | {
000067 |     static ref TStringArray s_HumanDmgZonesForRedirect = {
000068 |         "Torso",
000069 |         "LeftArm",
000070 |         "LeftHand",
000071 |         "RightArm",
000072 |         "RightHand",
000073 |         "LeftLeg",
000074 |         "LeftFoot",
000075 |         "RightLeg",
000076 |         "RightFoot"
000077 |     };
000078 |
000079 |     EntityAI m_Entity;
000080 |     eAIEntityTargetInformation m_TargetInformation;
000081 |     bool m_ProcessDamage;
000082 |     int m_HitCounter;
000083 |     float m_LastHitTime;
000084 |     eAIBase m_LastSourceAI;
000085 |
000086 |     void eAIDamageHandler(EntityAI entity, eAIEntityTargetInformation info)
000087 |     {
000088 |         m_Entity = entity;
000089 |         m_TargetInformation = info;
000090 |     }
000091 |
000092 |     float GetDebugDamageMultiplier(TotalDamageResult damageResult, string dmgZone)
000093 |     {
```

```

000094 |         if (DayZPlayerImplement.s_eAI_DebugDamage && m_Entity.GetHierarchyRoot().IsMan())
000095 |         {
000096 |             //! Prevent death by health or blood dmg (can still bleed out from cuts)
000097 |
000098 |             float dmg = damageResult.GetDamage(dmgZone, "Health");
000099 |             float transferToGlobalCoef = 1.0;
000100 |
000101 |             if (dmgZone)
000102 |             {
000103 |                 string path;
000104 |
000105 |                 if (m_Entity.IsMagazine())
000106 |                     path = CFG_MAGAZINESPATH;
000107 |                 else if (m_Entity.IsWeapon())
000108 |                     path = CFG_WEAPONSPATH;
000109 |                 else
000110 |                     path = CFG_VEHICLESPATH;
000111 |
000112 |                 path += " " + m_Entity.GetType() + " DamageSystem DamageZones " + dmgZone + " Health transferToGlobalCoef";
000113 |
000114 |                 if (g_Game.ConfigIsExisting(path))
000115 |                     transferToGlobalCoef = g_Game.ConfigGetFloat(path);
000116 |             }
000117 |
000118 |             EXTrace.Print(EXTrace.AI, m_Entity, "Global damage: " + (dmg * transferToGlobalCoef));
000119 |             EXTrace.Print(EXTrace.AI, m_Entity, "Global health: " + m_Entity.GetHealth("", "Health"));
000120 |
000121 |             if (dmgZone)
000122 |                 EXTrace.Print(EXTrace.AI, m_Entity, dmgZone + " health: " + m_Entity.GetHealth(dmgZone, "Health"));
000123 |
000124 |             if (m_Entity.IsMan())
000125 |             {
000126 |                 if (dmgZone == "Head")
000127 |                 {
000128 |                     //! If head health goes to zero, character dies
000129 |                     if (dmg >= Math.Floor(m_Entity.GetHealth(dmgZone, "Health")))
000130 |                         return 0.01;
000131 |                 }
000132 |
000133 |                 //! Any damage to brain is certain death, HP don't matter
000134 |                 if (dmgZone == "Brain")
000135 |                     return 0;
000136 |
000137 |                 if (Math.Floor(m_Entity.GetHealth("", "Blood")) - damageResult.GetDamage(dmgZone, "Blood") <= 2600)
000138 |                     return 0.01;
000139 |             }
000140 |
000141 |             if (dmg * transferToGlobalCoef >= Math.Floor(m_Entity.GetHealth("", "Health")))
000142 |                 return 0.01;
000143 |         }
000144 |
000145 |         return 1.0;
000146 |     }
000147 |
000148 |     bool OnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000149 |     {
000150 |         #ifdef DIAG_DEVELOPER
000151 |             m_HitCounter++;
000152 |
000153 |             if (!m_Entity.IsTransport() || ammo != "EnviroDmg")
000154 |                 EXTrace.PrintHit(EXTrace.AI, m_Entity, ToString() + "::OnDamageCalculated[" + m_HitCounter + "]", damageResult, damageType, source, component, dmgZone

```

```

000155 | , ammo, modelPos, speedCoef);
000156 | #endif
000157 | DayZPlayerImplement sourcePlayer;
000158 | if (source) //!< Source can be null if actual source is not an EntityAI but (e.g.) a static object during a vehicle collision
000159 | {
000160 |     Transport transport;
000161 |     if (Class.CastTo(transport, source))
000162 |         sourcePlayer = DayZPlayerImplement.Cast(transport.CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER));
000163 |     else
000164 |         sourcePlayer = DayZPlayerImplement.Cast(source.GetHierarchyRootPlayer());
000165 | }
000166 |
000167 | if (!m_ProcessDamage)
000168 | {
000169 |     EntityAI rootEntity = m_Entity.GetHierarchyRoot();
000170 |
000171 |     eAIBase ai;
000172 |     if (Class.CastTo(ai, sourcePlayer))
000173 |     {
000174 |         #ifdef DIAG_DEVELOPER
000175 |             bool dbgObjEnabled = DayZPlayerImplement.s_Expansion_DebugObjects_Enabled;
000176 |         #endif
000177 |
000178 |         vector aiPos = ai.GetPosition();
000179 |         vector dir = vector.Direction(aiPos, modelPos);
000180 |
000181 |         if (damageType == DT_FIRE_ARM)
000182 |         {
000183 |             //!< Validate each shot.
000184 |             //!< Work-around for 1st shot on new entity hitting previously hit entity due to vanilla bug with Weapon::Fire (T186177)
000185 |             //!< The actual underlying issue is that the damage of each shot is only applied after the next shot has been fired.
000186 |             //!< This can be tested by firing shots from a gun with a long reload time (e.g. a bolt-action rifle),
000187 |             //!< or simply waiting between shots, and firing over a longer distance (several hundred meters) to ensure the projectile
000188 |             //!< is in flight for a certain amount of time.
000189 |             //!< The damage of the previous shot will be applied right at the moment the next shot is fired.
000190 |
000191 |             //!< Only redirect for root entity, children will be dealt with by parent dmg handler
000192 |
000193 |             float time = g_Game.GetTime();
000194 |
000195 |             eAIShot match;
000196 |
000197 |             array<ref eAIShot> candidates = {};
000198 |
000199 |             foreach (eAIShot shot: ai.m_eAI_FiredShots)
000200 |             {
000201 |                 #ifdef DIAG_DEVELOPER
000202 |                     EXTrace.Print(EXTrace.AI, ai, shot.GetInfo());
000203 |                 #endif
000204 |
000205 |                 if (source == shot.m_Weapon && ammo == shot.m_Ammo)
000206 |                 {
000207 |                     //!< Check if shot has not yet been processed or is within 5 ms of previous shot,
000208 |                     //!< well below fastest fire rate of any firearm i.e. consecutive hit due to penetrating projectile
000209 |                     //!< Only allow consecutive hits if correct entity
000210 |
000211 |                     /*
000212 |                         vector toEntityDir = vector.Direction(shot.m-Origin, modelPos).Normalized();
000213 |                         float dot = vector.Dot(shot.m_Direction, toEntityDir);
000214 |
000215 |                     #ifdef DIAG_DEVELOPER

```

```

000216 |         EXTrace.Print(EXTrace.AI, ai, "eAIShot direction=" + shot.m_Direction + " toEntityDir=" + toEntityDir + " dot=" + dot);
000217 |     #endif
000218 |     */
000219 |
000220 |         if (rootEntity == shot.m_HitObjectRoot /*|| dot >= 0.996*/)
000221 |         {
000222 |             if (!shot.m_ProcessedTime)
000223 |                 shot.m_ProcessedTime = time;
000224 |
000225 |             float dt = (time - shot.m_ProcessedTime) * 0.001;
000226 |             if (dt < 0.005)
000227 |             {
000228 |                 match = shot;
000229 |                 break;
000230 |             }
000231 |         }
000232 |         else if (rootEntity == m_Entity && !shot.m_ProcessedTime)
000233 |         {
000234 |             //! Only redirect for root entity, children will be dealt with by parent dmg handler
000235 |
000236 |             candidates.Insert(shot);
000237 |         }
000238 |     }
000239 | }
000240 |
000241 | if (!match)
000242 | {
000243 |     foreach (eAIShot candidate: candidates)
000244 |     {
000245 |         //float airFriction;
000246 |         //float distance;
000247 |         //float initSpeed;
000248 |         //candidate.m_DamageCoef = candidate.m_Weapon.eAI_CalculateProjectileDamageCoefAtPosition(candidate.m_Origin, ammo, candidate.m_HitPos
000249 | ition, 1.0, airFriction, distance, candidate.m_SpeedCoef, initSpeed);
000250 |
000251 |         //candidate.m_TravelTime = candidate.m_Weapon.eAI_CalculateProjectileTravelTime(airFriction, distance, initSpeed);
000252 |         float elapsed = (time - candidate.m_Time) * 0.001;
000253 |         float travelTimeRemaining = candidate.m_TravelTime - elapsed;
000254 |
000255 |         if (travelTimeRemaining > 0.05)
000256 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(CheckCandidate, travelTimeRemaining * 1000, false, candidate, ai, modelPos, di
000257 | r, travelTimeRemaining, dmgZone);
000258 |         else if (CheckCandidate(candidate, ai, modelPos, dir, travelTimeRemaining, dmgZone))
000259 |             break;
000260 |     }
000261 |
000262 | #ifdef DIAG_DEVELOPER
000263 |     if (!candidates.Count())
000264 |     {
000265 |         DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = DayZPlayerImplement.s_eAI_DebugDamage;
000266 |
000267 |         ai.Expansion_DebugObject(-5, modelPos - "0 1.5 0", "ExpansionDebugNoticeMe_Blue", Vector(dir[0], 0, dir[2]));
000268 |         ai.Expansion_DebugObject(-6, modelPos, "ExpansionDebugBox_Blue", Vector(dir[0], 0, dir[2]));
000269 |
000270 |         DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = dbgObjEnabled;
000271 |
000272 |         EXTrace.Print(EXTrace.AI, ai, "Wrong entity hit " + ExpansionStatic.GetHierarchyInfo(m_Entity) + " and no candidates, ignoring dmg");
000273 | #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
000274 |         ExpansionStatic.MessageNearPlayers(modelPos, 100.0, "[" + ExpansionStatic.FormatFloat(time, 3, false) + "] ignore " + m_Entity + " " +
dmgZone);
000275 |     }
000276 | #endif
000277 | }

```

```

000275 |             #endif
000276 |
000277 |             return false;
000278 |         }
000279 |
000280 |         #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
000281 |             DayZPlayerImplement p;
000282 |             if (m_Entity == rootEntity || (Class.CastTo(p, rootEntity) && p.m_eAI_DamageHandler.m_ProcessDamage))
000283 |                 ExpansionStatic.MessageNearPlayers(match.m_HitPosition, 100.0, "[" + match.m_Time + " ms] dmgcalc " + m_Entity + " " + dmgZone + " travel
" + ExpansionStatic.FormatFloat(match.m_TravelTime * 1000, 4, false) + " ms actual " + (time - match.m_Time) + " ms");
000284 |             #endif
000285 |         }
000286 |
000287 |         #ifdef DIAG_DEVELOPER
000288 |             ai.Expansion_DebugObject(-7, modelPos, "ExpansionDebugBox", Vector(dir[0], 0, dir[2]));
000289 |
000290 |             DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = dbgObjEnabled;
000291 |         #endif
000292 |     }
000293 |
000294 |     #ifdef DIAG_DEVELOPER
000295 |         float damageMultiplier = GetDebugDamageMultiplier(damageResult, dmgZone);
000296 |     #else
000297 |         float damageMultiplier = 1.0;
000298 |     #endif
000299 |
000300 |     DayZPlayerImplement player;
000301 |     bool isPlayerItem;
000302 |     if (Class.CastTo(player, rootEntity))
000303 |     {
000304 |         if (m_Entity.IsInventoryItem())
000305 |         {
000306 |             ///! Entity is item on player
000307 |
000308 |             if (player.m_eAI_DamageHandler.m_ProcessDamage)
000309 |                 return true; ///! Process damage if player processes damage
000310 |
000311 |             isPlayerItem = true;
000312 |         }
000313 |
000314 |         if (player.IsAI())
000315 |         {
000316 |             damageMultiplier *= player.m_eAI_DamageReceivedMultiplier;
000317 |
000318 |             switch (dmgZone)
000319 |             {
000320 |                 case "Brain":
000321 |                     ///! Any damage to brain is certain death, HP don't matter
000322 |                     if (player.m_eAI_HeadshotResistance > 0)
000323 |                         return false;
000324 |                     break;
000325 |
000326 |                 case "Head":
000327 |                     damageMultiplier *= (1.0 - player.m_eAI_HeadshotResistance);
000328 |                     break;
000329 |             }
000330 |         }
000331 |     }
000332 |
000333 |     if (sourcePlayer)
000334 |     {
000335 |         switch (damageType)

```

```
000336 |     {
000337 |         case DT_FIRE_ARM:
000338 |             if (ai)
000339 |             {
000340 |                 if (sourcePlayer == m_Entity)
000341 |                 {
000342 |                     ///! This shouldn't be possible because AI don't use suicide emote
000343 |                     EXError.Warn(this, "WARNING: Game encountered an impossible state (AI damage source is firearm in AI's own hands)", {});
000344 |                     return false;
000345 |                 }
000346 |
000347 |                 damageMultiplier *= ai.m_eAI_DamageMultiplier;
000348 |             }
000349 |
000350 |             break;
000351 |
000352 |         case DT_CLOSE_COMBAT:
000353 |             eAIGroup group = sourcePlayer.GetGroup();
000354 |             if (group)
000355 |             {
000356 |                 eAIFaction faction = group.GetFaction();
000357 |                 float yeetForce;
000358 |
000359 |                 if (!isPlayerItem && !m_Entity.GetHierarchyParent())
000360 |                 {
000361 |                     eAIEntityTargetInformation info;
000362 |
000363 |                     if (player && player.Expansion_IsInVehicleCmd())
000364 |                     {
000365 |                         CarScript vehicle;
000366 |                         if (Class.CastTo(vehicle, player.GetParent()))
000367 |                             info = vehicle.GetTargetInformation();
000368 |                     }
000369 |                     else
000370 |                     {
000371 |                         info = m_TargetInformation;
000372 |                     }
000373 |
000374 |                     if (info)
000375 |                     {
000376 |                         yeetForce = faction.GetMeleeYeetForce();
000377 |                         eAIMeleeCombat.eAI_ApplyYeetForce(info, yeetForce, sourcePlayer.GetPosition(), faction.GetMeleeYeetFactors());
000378 |                     }
000379 |                 }
000380 |
000381 |                 ///! @note for player targets, melee dmg mult above 1 and yeet are mutually exclusive
000382 |                 ///! since you can't send players flying in the moment of death
000383 |                 float meleeDamageMultiplier = faction.GetMeleeDamageMultiplier();
000384 |                 if (meleeDamageMultiplier < 1.0 || (meleeDamageMultiplier > 1.0 && (!player || (!isPlayerItem && !yeetForce))))
000385 |                     damageMultiplier *= meleeDamageMultiplier;
000386 |             }
000387 |
000388 |             break;
000389 |         }
000390 |     }
000391 |
000392 |     bool overrideDmgZone;
000393 |
000394 |     ///! Detect improper 3rd party mod damage handling if target entity is AI
000395 |     ///! (source is set to weapon in eAIBase::EEOnDamageCalculated)
000396 |     if (!dmgZone && source && source.IsWeapon() && m_Entity.IsInherited(eAIBase))
000397 |     {
```

```

000398 |         DayZCreature creature;
000399 |         if (Class.CastTo(creature, source.GetParent()))
000400 |         {
000401 |             source = creature;
000402 |             overrideDmgZone = true;
000403 |         }
000404 |     }
000405 |
000406 |     if (damageMultiplier != 1.0 || overrideDmgZone)
000407 |     {
000408 |         if (!dmgZone && !isPlayerItem)
000409 |         {
000410 |             ///! If damage zone is empty, we need to adjust damage accordingly because if a value other than 1.0 was passed
000411 |             ///! as damageCoef to ProcessDirectDamage, speedCoef will be 1.0 and not reflect it (but the damageResult will).
000412 |
000413 |             ///! @note for some reason, TotalDamageResult::GetHighestDamage doesn't seem to work if damage zone is empty
000414 |
000415 |             string healthType = "Health";
000416 |             float highestDmg = damageResult.GetDamage(dmgZone, healthType);
000417 |
000418 |             TStringArray additionalHealthTypes = {};
000419 |             if (m_Entity.GetAdditionalHealthTypes(dmgZone, additionalHealthTypes))
000420 |             {
000421 |                 foreach (string additionalHealthType: additionalHealthTypes)
000422 |                 {
000423 |                     float dmg = damageResult.GetDamage(dmgZone, additionalHealthType);
000424 |                     if (dmg > highestDmg)
000425 |                     {
000426 |                         highestDmg = dmg;
000427 |                         healthType = additionalHealthType;
000428 |                     }
000429 |                 }
000430 |             }
000431 |
000432 |             float defaultDmg = ExpansionWeaponUtils.GetDamageAppliedByBullet(ammo, healthType);
000433 |             if (defaultDmg > 0)
000434 |                 speedCoef *= highestDmg / defaultDmg;
000435 |         }
000436 |
000437 |         damageMultiplier *= speedCoef;
000438 |
000439 | #ifdef DIAG_DEVELOPER
000440 |     if (player)
000441 |     {
000442 |         PluginAdminLog adminLog = PluginAdminLog.Cast(GetPlugin(PluginAdminLog));
000443 |         string playerPrefix;
000444 |         string sourcePrefix;
000445 |
000446 |         string hitMessage = GetHitMessage(damageResult, component, dmgZone, ammo, damageMultiplier);
000447 |
000448 |         if (m_Entity != player)
000449 |             playerPrefix = string.Format("%1 on ", m_Entity.ToString());
000450 |
000451 |         playerPrefix += adminLog.GetPlayerPrefix(PlayerBase.Cast(player), player.GetIdentity());
000452 |         playerPrefix += "[HP: " + player.GetHealth().ToString() + "]";
000453 |
000454 |         if (sourcePlayer)
000455 |         {
000456 |             sourcePrefix = adminLog.GetPlayerPrefix(PlayerBase.Cast(sourcePlayer), sourcePlayer.GetIdentity());
000457 |             sourcePrefix += hitMessage;
000458 |
000459 |             if (source.IsMeleeWeapon() || source.IsWeapon())

```

```

000460 |         sourcePrefix += " with " + source.GetDisplayName();
000461 |     }
000462 |     else
000463 |     {
000464 |         if (source.IsZombie() || source.IsAnimal())
000465 |             sourcePrefix = source.GetDisplayName();
000466 |         else
000467 |             sourcePrefix = source.GetType();
000468 |
000469 |         sourcePrefix += hitMessage;
000470 |     }
000471 |
000472 |     if (damageType == DT_FIRE_ARM)
000473 |         sourcePrefix += " from " + vector.Distance(source.GetPosition(), player.GetPosition()) + " meters";
000474 |
000475 |     adminLog.LogPrint(playerPrefix + " about to get hit by " + sourcePrefix + " dmg coef " + speedCoef + " -> " + damageMultiplier);
000476 | }
000477 | #endif
000478 |
000479 | if (!isPlayerItem && damageMultiplier != 0.0)
000480 | {
000481 |
000482 |     ///! Calling ProcessDirectDamage with source being any static/baked entity segfaults (https://feedback.bistudio.com/T192088)
000483 |     if (source && !source.IsItemBase() && !source.IsDayZCreature() && !source.IsMan() && !source.IsTransport())
000484 |         source = m_Entity;
000485 |
000486 |     ///! Redirect invalid 3rd party mod player damage zone to random zone so vanilla clothing protection works correctly
000487 |     if (overrideDmgZone)
000488 |     {
000489 |         dmgZone = s_HumanDmgZonesForRedirect.GetRandomElement();
000490 |         modelPos = m_Entity.GetDamageZonePos(dmgZone);
000491 |     }
000492 |
000493 |     ///! Need to use Call() to avoid inconsistent damage
000494 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(ProcessDamage, damageType, source, sourcePlayer, dmgZone, ammo, modelPos, damageMultiplier);
000495 | }
000496 |
000497 |     return false;
000498 | }
000499 | }
000500 | else
000501 | {
000502 |     m_ProcessDamage = false;
000503 | }
000504 |
000505 | if (m_Entity.IsMan() && sourcePlayer && sourcePlayer != m_Entity)
000506 |     sourcePlayer.m_eAI_LastAggressionTime = ExpansionStatic.GetTimestamp(true); ///! Aggro guards in area (if any)
000507 |
000508 | return true;
000509 | }
000510 |
000511 | string GetHitMessage(TotalDamageResult damageResult, int component, string zone, string ammo, float damageCoef)
000512 | {
000513 |     if (damageResult)
000514 |     {
000515 |         string hitMessage;
000516 |
000517 |         if (zone)
000518 |             hitMessage = " into " + zone + "(" + component.ToString() + ")";
000519 |
000520 |         float originalDmg = damageResult.GetDamage(zone, "Health");
000521 |         float dmg = ExpansionWeaponUtils.GetDamageAppliedByBullet(ammo, "Health") * damageCoef;

```



```

000522 |
000523 |         return hitMessage + " for " + originalDmg.ToString() + " -> " + dmg.ToString() + " damage (" + ammo + ")";
000524 |     }
000525 |     else
000526 |     {
000527 |         return " into Block" + "(" + component.ToString() + ") for 0 damage ";
000528 |     }
000529 | }
000530 |
000531 | void ProcessDamage(int damageType, EntityAI source, DayZPlayerImplement sourcePlayer, string dmgZone, string ammo, vector modelPos, float damageCoef = 1.0)
000532 | {
000533 |     #ifdef DIAG_DEVELOPER
000534 |         EXTrace.PrintHit(EXTrace.AI, m_Entity, ToString() + "::ProcessDamage[" + m_HitCounter + "]", null, damageType, source, -1, dmgZone, ammo, modelPos, damage
Coef);
000535 |     #endif
000536 |
000537 |     EntityAI originalSource = source;
000538 |
000539 |     if (!source)
000540 |     {
000541 |         //! This can happen since this is not the same frame if (e.g.) AI weapon got deleted in the meantime due to being cloned
000542 |
000543 |         if (sourcePlayer)
000544 |             source = sourcePlayer;
000545 |         else
000546 |             source = m_Entity;
000547 |     }
000548 |
000549 |     m_ProcessDamage = true;
000550 |     m_Entity.ProcessDirectDamage(damageType, source, dmgZone, ammo, modelPos, damageCoef);
000551 |
000552 |     if (m_ProcessDamage)
000553 |     {
000554 |         m_ProcessDamage = false;
000555 |         EXError.Warn(m_Entity, string.Format("Damage was not processed (type=%1 source=%2 zone=%3 ammo=%4 pos=%5 coef=%6)", typename.EnumToString(DamageType,
damageType), originalSource, dmgZone, ammo, modelPos.ToString(), damageCoef));
000556 |     }
000557 | }
000558 |
000559 | bool CheckCandidate(notnull eAIShot candidate, eAIBase ai, vector modelPos, vector dir, float travelTimeRemaining, string dmgZone)
000560 | {
000561 |     #ifdef DIAG_DEVELOPER
000562 |         bool dbgObjEnabled = DayZPlayerImplement.s_Expansion_DebugObjects_Enabled;
000563 |     #endif
000564 |
000565 |     if (candidate.m_ProcessedTime)
000566 |         return false;
000567 |
000568 |     if (!candidate.m_HitObjectRoot)
000569 |         return false;
000570 |
000571 |     vector minMax[2];
000572 |     eAIShot match;
000573 |
000574 |     if (candidate.m_HitObjectRoot.GetCollisionBox(minMax))
000575 |     {
000576 |         //! Check if hit pos is within collision box of target entity at its current position
000577 |         vector start = candidate.m_HitObjectRoot.WorldToModel(candidate.m_HitPosition);
000578 |         float dist = Math.Min(minMax[1][0], minMax[1][2]) - Math.Min(minMax[0][0], minMax[0][2]) * 0.5;
000579 |         vector end = candidate.m_HitObjectRoot.WorldToModel(candidate.m_HitPosition + candidate.m_Direction * dist);
000580 |
000581 |         if (Math3D.IntersectRayBox(start, end, minMax[0], minMax[1]) > -1)

```

```

000582 |         match = candidate;
000583 |     }
000584 |
000585 |     /*
000586 |     //! Check if target is still at hit position (+/- 20 cm)
000587 |     vector modelPosWS = candidate.m_HitObjectRoot.ModelToWorld(candidate.m_HitPositionMS);
000588 |     if (vector.DistanceSq(candidate.m_HitPosition, modelPosWS) <= 0.04)
000589 |         match = candidate;
000590 |     */
000591 |
000592 |     if (match)
000593 |     {
000594 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(CheckCandidate);
000595 |
000596 |         if (match.m_HitObject == match.m_HitObjectRoot)
000597 |         {
000598 |             dmgZone = match.m_HitObjectRoot.GetDamageZoneNameByComponentIndex(match.m_Component);
000599 |         }
000600 |         else if (match.m_HitObjectRoot.IsMan())
000601 |         {
000602 |             if (!m_Entity.IsMan())
000603 |             {
000604 |                 //! Do not redirect from non-human entity to Head or Brain, redirect to Torso instead
000605 |                 if (s_HumanDmgZonesForRedirect.Find(dmgZone) == -1)
000606 |                     dmgZone = "Torso";
000607 |             }
000608 |         }
000609 |         else if (match.m_HitObjectRoot.IsInherited(ZombieBase))
000610 |         {
000611 |             if (!m_Entity.IsZombie())
000612 |                 dmgZone = "Head";
000613 |         }
000614 |         else if (match.m_HitObjectRoot.IsInherited(AnimalBase))
000615 |         {
000616 |             if (!m_Entity.IsAnimal())
000617 |                 dmgZone = "Zone_Head";
000618 |         }
000619 |
000620 | #ifdef DIAG_DEVELOPER
000621 |     vector hitEntityDir = vector.Direction(match.m-Origin, match.m_HitPosition);
000622 |
000623 |     DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = DayZPlayerImplement.s_eAI_DebugDamage;
000624 |
000625 |     ai.Expansion_DebugObject(-1, modelPos, "ExpansionDebugNoticeMe_Red", Vector(dir[0], 0, dir[2]));
000626 |     ai.Expansion_DebugObject(-2, modelPos, "ExpansionDebugBox_Red", Vector(dir[0], 0, dir[2]));
000627 |     ai.Expansion_DebugObject(-3, match.m_HitPosition, "ExpansionDebugNoticeMe", Vector(hitEntityDir[0], 0, hitEntityDir[2]));
000628 |     ai.Expansion_DebugObject(-4, match.m_HitPosition, "ExpansionDebugBox", Vector(hitEntityDir[0], 0, hitEntityDir[2]));
000629 |
000630 |     DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = dbgObjEnabled;
000631 |
000632 |     EXTrace.Print(EXTrace.AI, ai, "Wrong entity hit " + ExpansionStatic.GetHierarchyInfo(m_Entity) + " dist " + dir.Length() + ", redirecting dmg to " + E
xpansionStatic.GetDebugInfo(match.m_HitObjectRoot) + " dist " + hitEntityDir.Length() + " speedCoef=" + match.m_SpeedCoef + " travelTime=" + match.m_TravelTime +
" remaining=" + travelTimeRemaining + " " + dmgZone + " damageCoef=" + match.m_DamageCoef);
000633 |
000634 |     #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
000635 |         ExpansionStatic.MessageNearPlayers(match.m_HitPosition, 100.0, "[" + match.m_Time + " ms] redirect " + match.m_HitObjectRoot + " travel " + ExpansionS
tatic.FormatFloat(match.m_TravelTime * 1000, 4, false) + " ms");
000636 |     #endif
000637 |     #endif
000638 |
000639 |     match.m_HitObjectRoot.ProcessDirectDamage(DT_FIRE_ARM, match.m_Weapon, dmgZone, match.m_Ammo, match.m_HitPosition, match.m_DamageCoef);
000640 |

```

```
000641 |         return true;
000642 |     }
000643 |     #ifdef DIAG_DEVELOPER
000644 |     else
000645 |     {
000646 |         ai.m_eAI_FiredShots.RemoveItem(candidate);
000647 |
000648 |         DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = DayZPlayerImplement.s_eAI_DebugDamage;
000649 |
000650 |         ai.Expansion_DebugObject(-5, modelPos - "0 1.5 0", "ExpansionDebugNoticeMe_Blue", Vector(dir[0], 0, dir[2]));
000651 |         ai.Expansion_DebugObject(-6, modelPos, "ExpansionDebugBox_Blue", Vector(dir[0], 0, dir[2]));
000652 |
000653 |         DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = dbgObjEnabled;
000654 |
000655 |         EXTrace.Print(EXTrace.AI, ai, "Wrong entity hit " + ExpansionStatic.GetHierarchyInfo(m_Entity) + " and candidate wasn't hit, ignoring dmg");
000656 |
000657 |         #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
000658 |         ExpansionStatic.MessageNearPlayers(candidate.m_HitPosition, 100.0, "[" + candidate.m_Time + " ms] miss " + candidate.m_HitObjectRoot + " travel " + ExpansionStatic.FormatFloat(candidate.m_TravelTime * 1000, 4, false) + " ms elapsed " + (g_Game.GetTime() - candidate.m_Time) + " ms");
000659 |         #endif
000660 |     }
000661 |     #endif
000662 |
000663 |     return false;
000664 | }
000665 | }
000666 |
```

0083. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaigoal.c

Size bytes: 1203

SHA-256: c6ee249c3eccacc6ca2854c3e267719186156ac6acf7a2bea4717fb0942d44f9

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L1: class eAIGoal

Detected enum declarations: 0

Detected function/method-like declarations: 3

L10: void ~eAIGoal()

L23: void DestroyDebug()

L28: void Debug(int idx)

Full file content

```
000001 | class eAIGoal
000002 | {
000003 |     ref eAIGoal m_Previous;
000004 |     ref eAIGoal m_Next;
000005 |
000006 |     Object TargetObject;
000007 |     vector Position_WorldSpace;
000008 |     float ThreatCost;
000009 |
000010 |     void ~eAIGoal()
000011 |     {
000012 | #ifndef SERVER
000013 |     DestroyDebug();
000014 | #endif
000015 |     }
000016 |
000017 | #ifndef SERVER
000018 |     Widget LayoutRoot;
000019 |     TextWidget TextA;
000020 |     TextWidget TextB;
000021 |     TextWidget TextC;
000022 |
000023 |     void DestroyDebug()
000024 |     {
000025 |         if (LayoutRoot) LayoutRoot.Unlink();
000026 |     }
000027 | /*
000028 |     void Debug(int idx)
000029 |     {
000030 |         if (!LayoutRoot)
000031 |         {
000032 |             LayoutRoot = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/AI/GUI/eai_goal_debug.layout");
000033 |             if (!LayoutRoot) return;
000034 |
000035 |             Class.CastTo(TextA, LayoutRoot.FindAnyWidget("TextWidget0"));
000036 |             Class.CastTo(TextB, LayoutRoot.FindAnyWidget("TextWidget1"));
000037 |             Class.CastTo(TextC, LayoutRoot.FindAnyWidget("TextWidget2"));
000038 |         }
000039 |
000040 |         vector screenPos = g_Game.GetScreenPos(Position_WorldSpace);
000041 |         LayoutRoot.SetPos(screenPos[0], screenPos[1]);
000042 |         LayoutRoot.Show(screenPos[2] > 0);
000043 |
000044 |         TextA.SetText("Type: " + TargetObject.GetType());
```

```
000045 |      TextB.SetText("Cost: " + ThreatCost);
000046 |      TextC.SetText("Index: " + idx);
000047 |
000048 |      handler.AddShape(Shape.CreateSphere(0xFFFFFFFF, ShapeFlags.NOZBUFFER | ShapeFlags.WIREFRAME, Position_WorldSpace, 0.01));
000049 |    }
000050 |    */
000051 | #endif
000052 | };
```

0084. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaigroup.c
Size bytes: 41105
SHA-256: 703ffa7882f9332e55a2328092254b5f3f21c50c14c8ce164e8160447d4680cb
Decoded as: utf-8-sig
Line count shown: 1574
Detected class declarations: 1
  L3: class eAIGroup
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L61: static eAIGroup GetGroupByLeader(DayZPlayerImplement leader, bool createIfNoneExists = true, eAIFaction faction = null, bool autoDeleteForme
  L79: static eAIGroup GetGamePlayerGroup()
  L90: override string GetDebugName()
  L100: static array<ref eAIGroup> GetAll()
  L105: static eAIGroup GetGroupByID(int id, bool createIfNoneExists = false)
  L123: static eAIGroup CreateGroup(eAIFaction faction = null)
  L138: static eAIGroup CreateGroup(Class faction)
  L150: return CreateGroup();
  L153: static void DeleteGroup(eAIGroup group)
  L172: private void eAIGroup(eAIFaction faction = null)
  L204: void Delete()
  L213: void AddWaypoint(vector pos)
  L222: array<vector> GetWaypoints()
  L231: void SetCurrentWaypoint(vector pos)
  L236: vector GetCurrentWaypoint()
  L241: void ClearWaypoints()
  L251: void SetWaypointBehaviour(eAIWaypointBehavior bhv)
  L294: void SetWaypointBehaviourAuto(eAIWaypointBehavior bhv = eAIWaypointBehavior.ALTERNATE)
  L304: eAIWaypointBehavior GetWaypointBehaviour()
  L316: vector FindClosestRoamingLocationPosition()
  L580: void SetRoamingLocationReached(bool clearVisitedBuildings = false)
  L615: void SetFormationState(eAIGroupFormationState state)
  L624: eAIGroupFormationState GetFormationState()
  L633: void SetFaction(eAIFaction f)
  L661: void SetFaction(Class f)
  L671: eAIFaction GetFaction()
  L680: void SetName(string name)
  L685: string GetName()
  L695: int GetID()
  L708: void AddTarget(DayZPlayerImplement player, eAITargetInformation info, int max_time = -1, bool update = true, float threat = 0.0)
  L765: void OnTargetTrackingStart(eAITargetInformation target)
  L777: bool IsTargeting(eAITargetInformation target)
  L790: void OnTargetTrackingEnd(eAITargetInformation target)
  L799: eAIGroupTargetInformation GetTargetInformation()
  L809: int GetMemberIndex(eAIBase ai)
  L813: return GetIndex(ai);
  L816: vector GetFormationPosition(eAIBase ai)
  L857: void SetLeader(DayZPlayerImplement leader)
  L869: void SetGroupMemberIndex(DayZPlayerImplement member, int index)
  L893: DayZPlayerImplement GetLeader()
  L902: eAIFormation GetFormation()
  L911: void SetFormationLeader(DayZPlayerImplement leader)
  L922: DayZPlayerImplement GetFormationLeader()
  L932: void SetFormation(eAIFormation f)
  L942: bool IsMember(DayZPlayerImplement member)
  L951: int AddMember(DayZPlayerImplement member)
  L964: void Client_SetMemberIndex(DayZPlayerImplement member, int index)
  L989: bool RemoveMember(DayZPlayerImplement member, bool autoDelete = true)
  L995: return RemoveMember(m_Members.Find(member), autoDelete);
```

```

L998: bool RemoveMember(int i, bool autoDelete = true)
L1031: bool RemoveDeceased(DayZPlayerImplement member)
L1037: return RemoveDeceased(m_Members_Deceased.Find(member));
L1040: bool RemoveDeceased(int i)
L1060: void Send_SetInGroup()
L1098: void SetIsInCombat(bool state)
L1122: bool IsInCombat()
L1127: bool CanLeave()
L1138: DayZPlayerImplement GetMember(int i)
L1147: int GetIndex(DayZPlayerImplement player)
L1161: DayZPlayerImplement GetRandomMemberExcluding(DayZPlayerImplement player)
L1184: int Count()
L1193: int DeceasedCount()
L1199: int GetAliveCount()
L1203: return Count();
L1207: static void Admin_ClearAllAI()
L1219: void ClearAI(bool autodelete = true, bool deferDespawnUntilLoosingAggro = false)
L1253: void EnableSwimming(bool enable = true)
L1265: else if (!ai.IsSwimming())
L1273: bool IsFormationLeaderSwimming()
L1282: TStringArray DumpState(PlayerIdentity sender, bool includeMembers = true, string indent = string.Empty)
L1328: string GetStorageDirectory()
L1330: return GetStorageDirectory(m_BaseName);
L1333: static string GetStorageDirectory(string baseName)
L1338: void Save(bool saveAI = false)
L1405: static void SaveAllPersistentGroups()
L1418: static bool Load(string fileName, out eAIGroup group)
L1490: else if (roamingCount > 0)
L1528: static bool ReadPosition(string fileName, out vector position)
L1560: void DeletePersistentFiles()
L1566: void RandomizeDangerousAreaAvoidanceDirection()
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | // TODO: sync to the client automatically within DayZPlayerImplement
000002 | // only data that needs to be known is just the id, members and faction
000003 | class eAIGroup
000004 | {
000005 |     static const int VERSION = 1;
000006 |     static const string BASENAME = "group.bin";
000007 |
000008 |     private static autoptr array<ref eAIGroup> s_AllGroups = new array<ref eAIGroup>();
000009 |     static ref array<eAIGroup> s_PersistentGroups = {};
000010 |     static int s_eAI_CurrentPersistIndex = -1;
000011 |
000012 |     private static int s_IDCounter = 0;
000013 |
000014 |     private autoptr array<eAITargetInformation> m_Targets = {};
000015 |     private int m_ID;
000016 |     int m_NextGroupMemberID;
000017 |
000018 |     //! Refer to eAIGroup::GetTargetInformation
000019 |     private autoptr eAIGroupTargetInformation m_TargetInformation;
000020 |
000021 |     // Ordered array of group members. 0 is the leader.
000022 |     private autoptr array<DayZPlayerImplement> m_Members = {};
000023 |     private autoptr array<DayZPlayerImplement> m_Members_Deceased = {};
000024 |     private int m_MemberCount = 1;
000025 |
000026 |     // What formation the group should keep
000027 |     private autoptr eAIFormation m_Form;

```

```
000028 |
000029 | // Group identity
000030 | private ref eAIFaction m_Faction;
000031 | private string m_Name;
000032 | bool m_Persist;
000033 | string m_BaseName;
000034 |
000035 | private autoptr array<vector> m_Waypoints;
000036 | private eAIWaypointBehavior m_WaypointBehaviour = eAIWaypointBehavior.ALTERNATE;
000037 | int m_CurrentWaypointIndex;
000038 | bool m_BackTracking;
000039 | vector m_CurrentWaypoint;
000040 | bool m_RoamingLocal;
000041 |
000042 | ref array<ref ExpansionAIRoamingLocation> m_RoamingLocations = {};
000043 | //vector m_CurrentRoamingLocationPosition;
000044 | ref set<BuildingBase> m_VisitedBuildings = new set<BuildingBase>;
000045 | ref set<Object> m_VisitedCrashSites = new set<Object>;
000046 | ref ExpansionAIRoamingLocation m_RoamingLocation;
000047 | float m_RoamingLocationReachedTimestamp;
000048 | int m_ClearVisitedBuildingsOnLocationReached;
000049 |
000050 | private eAIGroupFormationState m_FormationState = eAIGroupFormationState.IN;
000051 |
000052 | bool m_UpdateSearchPosition;
000053 | protected bool m_IsInCombat;
000054 | int m_DangerousAreaAvoidanceDirection;
000055 |
000056 | bool m_Leave;
000057 | bool m_ForcePatrolDespawn;
000058 | float m_LastHitTime;
000059 |
000060 | // return the group owned by leader, otherwise create a new one.
000061 | static eAIGroup GetGroupByLeader(DayZPlayerImplement leader, bool createIfNoneExists = true, eAIFaction faction = null, bool autoDeleteFormerGroupIfEmpty = tr
ue)
000062 | {
000063 | #ifdef EAI_TRACE
000064 |     auto trace = CF_Trace_2("eAIGroup", "eAIGroup::GetGroupByLeader").Add(leader).Add(createIfNoneExists).Add(faction);
000065 | #endif
000066 |
000067 |     for (int i = 0; i < s_AllGroups.Count(); i++)
000068 |         if (s_AllGroups[i].GetLeader() == leader)
000069 |             return s_AllGroups[i];
000070 |
000071 |     if (!createIfNoneExists)
000072 |         return null;
000073 |
000074 |     eAIGroup group = CreateGroup(faction);
000075 |     leader.SetGroup(group, autoDeleteFormerGroupIfEmpty);
000076 |     return group;
000077 | }
000078 |
000079 | static eAIGroup GetGamePlayerGroup()
000080 | {
000081 |     DayZPlayerImplement player;
000082 |     eAIGroup group;
000083 |
000084 |     if (Class.CastTo(player, g_Game.GetPlayer()))
000085 |         group = player.GetGroup();
000086 |
000087 |     return group;
000088 | }
```



```
000089 |
000090 |     override string GetDebugName()
000091 |     {
000092 |         string str = ToString();
000093 |
000094 |         str += ", ";
000095 |         str += "faction=" + m_Faction;
000096 |
000097 |         return str;
000098 |     }
000099 |
000100 |     static array<ref eAIGroup> GetAll()
000101 |     {
000102 |         return s_AllGroups;
000103 |     }
000104 |
000105 |     static eAIGroup GetGroupByID(int id, bool createIfNoneExists = false)
000106 |     {
000107 | #ifdef EAI_TRACE
000108 |         auto trace = CF_Trace_2("eAIGroup", "eAIGroup::GetGroupByID").Add(id).Add(createIfNoneExists);
000109 | #endif
000110 |
000111 |         for (int i = 0; i < s_AllGroups.Count(); i++)
000112 |             if (s_AllGroups[i].GetID() == id)
000113 |                 return s_AllGroups[i];
000114 |
000115 |         if (!createIfNoneExists)
000116 |             return null;
000117 |
000118 |         eAIGroup group = new eAIGroup();
000119 |         group.m_ID = id;
000120 |         return group;
000121 |     }
000122 |
000123 |     static eAIGroup CreateGroup(eAIFaction faction = null)
000124 |     {
000125 | #ifdef EAI_TRACE
000126 |         auto trace = CF_Trace_0("eAIGroup", "eAIGroup::CreateGroup");
000127 | #endif
000128 |
000129 |         eAIGroup group = new eAIGroup(faction);
000130 |
000131 |         s_IDCounter++;
000132 |         group.m_ID = s_IDCounter;
000133 |
000134 |         return group;
000135 |     }
000136 |
000137 |     //! Prevent 3rd party mods from doing stupid shit when -newErrorsAreWarnings=1 as this would result in NULL pointers later
000138 |     static eAIGroup CreateGroup(Class faction)
000139 |     {
000140 |         TStringArray stack = {};
000141 |         if (faction)
000142 |         {
000143 |             string tmp;
000144 |             DumpStackString(tmp);
000145 |             tmp.Split("\n", stack);
000146 |             stack.RemoveOrdered(0);
000147 |             EXError.Error(null, "FIX-ME: Unsafe down-casting, use 'eAIFaction.Cast' for safe down-casting", stack);
000148 |         }
000149 |
000150 |         return CreateGroup();
```

```
000151 |     }
000152 |
000153 |     static void DeleteGroup(eAIGroup group)
000154 |     {
000155 | #ifdef EXTRACE_DIAG
000156 |     auto trace = EXTrace.Start(EXTrace.AI, eAIGroup, "" + group);
000157 | #endif
000158 |
000159 |     int index = s_AllGroups.Find(group);
000160 |     if (index > -1)
000161 |     {
000162 | #ifdef DIAG_DEVELOPER
000163 |     EXTrace.Print(EXTrace.AI, eAIGroup, "Removing group from s_AllGroups");
000164 | #endif
000165 |     s_AllGroups.Remove(index);
000166 | }
000167 |
000168 |     if (group && group.m_Persist && group.m_BaseName)
000169 |     s_PersistentGroups.RemoveItem(group);
000170 | }
000171 |
000172 | private void eAIGroup(eAIFaction faction = null)
000173 | {
000174 | #ifdef EAI_TRACE
000175 |     auto trace = CF_Trace_0(this, "eAIGroup");
000176 | #endif
000177 |
000178 |     m_TargetInformation = new eAIGroupTargetInformation(this);
000179 |
000180 |     m_Form = new eAIFormationVee(this);
000181 |
000182 |     if (faction)
000183 |     m_Faction = faction;
000184 |     else
000185 |     m_Faction = new eAIFactionRaiders();
000186 |
000187 |     m_Waypoints = new array<vector>();
000188 |
000189 |     s_AllGroups.Insert(this);
000190 | }
000191 |
000192 | /*private*/ void ~eAIGroup()
000193 | {
000194 |     if (!g_Game)
000195 |     return;
000196 |
000197 | #ifdef DIAG_DEVELOPER
000198 |     EXTrace.Print(EXTrace.AI, this, "~eAIGroup");
000199 | #endif
000200 |
000201 |     DeleteGroup(this);
000202 | }
000203 |
000204 | void Delete()
000205 | {
000206 | #ifdef EXTRACE_DIAG
000207 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000208 | #endif
000209 |
000210 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(DeleteGroup, this);
000211 | }
000212 |
```

```
000213 |     void AddWaypoint(vector pos)
000214 |     {
000215 | #ifdef EAI_TRACE
000216 |         auto trace = CF_Trace_0(this, "AddWaypoint");
000217 | #endif
000218 |
000219 |         m_Waypoints.Insert(pos);
000220 |     }
000221 |
000222 |     array<vector> GetWaypoints()
000223 |     {
000224 | #ifdef EAI_TRACE
000225 |         auto trace = CF_Trace_0(this, "GetWaypoints");
000226 | #endif
000227 |
000228 |         return m_Waypoints;
000229 |     }
000230 |
000231 |     void SetCurrentWaypoint(vector pos)
000232 |     {
000233 |         m_CurrentWaypoint = pos;
000234 |     }
000235 |
000236 |     vector GetCurrentWaypoint()
000237 |     {
000238 |         return m_CurrentWaypoint;
000239 |     }
000240 |
000241 |     void ClearWaypoints()
000242 |     {
000243 | #ifdef EAI_TRACE
000244 |         auto trace = CF_Trace_0(this, "ClearWaypoints");
000245 | #endif
000246 |
000247 |         m_Waypoints.Clear();
000248 |         m_CurrentWaypointIndex = 0;
000249 |     }
000250 |
000251 |     void SetWaypointBehaviour(eAIWaypointBehavior bhv)
000252 |     {
000253 | #ifdef EAI_TRACE
000254 |         auto trace = CF_Trace_0(this, "SetWaypointBehaviour");
000255 | #endif
000256 |
000257 |         m_RoamingLocal = false;
000258 |
000259 |         switch (bhv)
000260 |         {
000261 |             case eAIWaypointBehavior.HALT_OR_LOOP:
000262 |                 if (Math.RandomIntInclusive(0, 1))
000263 |                     bhv = eAIWaypointBehavior.HALT;
000264 |                 else
000265 |                     bhv = eAIWaypointBehavior.LOOP;
000266 |                 break;
000267 |
000268 |             case eAIWaypointBehavior.HALT_OR_ALTERNATE:
000269 |                 if (Math.RandomIntInclusive(0, 1))
000270 |                     bhv = eAIWaypointBehavior.HALT;
000271 |                 else
000272 |                     bhv = eAIWaypointBehavior.ALTERNATE;
000273 |                 break;
000274 |         }
```

```
000275 |         case eAIWaypointBehavior.LOOP_OR_ALTERNATE:
000276 |             SetWaypointBehaviourAuto(eAIWaypointBehavior.ALTERNATE);
000277 |             return;
000278 |
000279 |         case eAIWaypointBehavior.ROAMING_LOCAL:
000280 |             bhv = eAIWaypointBehavior.ROAMING;
000281 |             m_RoamingLocal = true;
000282 |             break;
000283 |     }
000284 |
000285 |     m_WaypointBehaviour = bhv;
000286 | }
000287 |
000288 | /**
000289 |  * @brief Set waypoint behavior automatically based on proximity of 1st and last waypoint to one another
000290 |  *
000291 |  * If 1st and last waypoints are close (within 1.5 m) to one another, waypoint behavior will be set to LOOP.
000292 |  * If they are not close, it will be set to the passed in behavior (default ALTERNATE).
000293 |  */
000294 | void SetWaypointBehaviourAuto(eAIWaypointBehavior bhv = eAIWaypointBehavior.ALTERNATE)
000295 | {
000296 |     int count = m_Waypoints.Count();
000297 |
000298 |     if (count > 1 && vector.DistanceSq(m_Waypoints[0], m_Waypoints[count - 1]) <= 2.25)
000299 |         SetWaypointBehaviour(eAIWaypointBehavior.LOOP);
000300 |     else
000301 |         SetWaypointBehaviour(bhv);
000302 | }
000303 |
000304 | eAIWaypointBehavior GetWaypointBehaviour()
000305 | {
000306 | #ifdef EAI_TRACE
000307 |     auto trace = CF_Trace_0(this, "GetWaypointBehaviour");
000308 | #endif
000309 |
000310 |     return m_WaypointBehaviour;
000311 | }
000312 |
000313 | /**
000314 |  * @brief Find roaming location that is closest to formation leader
000315 |  */
000316 | vector FindClosestRoamingLocationPosition()
000317 | {
000318 |     if (Count() == 0)
000319 |         return vector.Zero;
000320 |
000321 | #ifdef DIAG_DEVELOPER
000322 |     auto timeIt = new EXTimeIt();
000323 | #endif
000324 |
000325 |     auto leader = GetFormationLeader();
000326 |     vector position = leader.GetPosition();
000327 |
000328 |     //if (m_CurrentRoamingLocationPosition != vector.Zero)
000329 |     //{
000330 |         //if (vector.DistanceSq(position, m_CurrentRoamingLocationPosition) > 0.3)
000331 |             //return m_CurrentRoamingLocationPosition;
000332 |     //}
000333 |
000334 |     auto settings = GetExpansionSettings().GetAILocation();
000335 |
000336 |     float distSq;
```

```
000337 |         int distKey;
000338 |         TIntArray distances = {};
000339 |         map<int, BuildingBase> buildingsByDistance;
000340 |
000341 |         TStringArray excludedBuildings = settings.ExcludedRoamingBuildings;
000342 |
000343 |         //! When looting buildings, stay at most 10 minutes (600 seconds) in the area before moving on to next map location
000344 |         float locationTime;
000345 |         if (m_RoamingLocationReachedTimestamp > 0.0)
000346 |             locationTime = g_Game.GetTickTime() - m_RoamingLocationReachedTimestamp;
000347 |
000348 |         BuildingBase building;
000349 |         string buildingType;
000350 |
000351 |         eAIBase ai;
000352 |         if (Class.CastTo(ai, leader) && ai.m_eAI_PotentialCoverObjects.Count() > 0 && (m_RoamingLocal || locationTime < Math.RandomFloat(300.0, 600.0)))
000353 |         {
000354 |             buildingsByDistance = new map<int, BuildingBase>;
000355 |
000356 |             foreach (Object obj: ai.m_eAI_PotentialCoverObjects)
000357 |             {
000358 |                 if (!Class.CastTo(building, obj) || building.GetDoorCount() == 0)
000359 |                     continue;
000360 |
000361 |                 buildingType = building.GetType();
000362 |                 buildingType.ToLower();
000363 |                 if (ExpansionString.StartsWithAny(buildingType, excludedBuildings))
000364 |                     continue;
000365 |
000366 |                 if (m_VisitedBuildings.Find(building) > -1)
000367 |                     continue;
000368 |
000369 |                 distSq = vector.DistanceSq(position, obj.GetPosition());
000370 |
000371 |                 distKey = distSq;
000372 |                 distances.Insert(distKey);
000373 |                 buildingsByDistance[distKey] = building;
000374 |             }
000375 |
000376 |             if (m_RoamingLocal && distances.Count() < 3)
000377 |             {
000378 |                 distances.Clear();
000379 |                 m_VisitedBuildings.Clear();
000380 |             }
000381 |         }
000382 |
000383 |         vector destinationPosition;
000384 |
000385 | #ifdef DIAG_DEVELOPER
000386 |         string destinationName;
000387 | #endif
000388 |
000389 |         BuildingBase destinationBuilding;
000390 |
000391 |         if (distances.Count() > 0)
000392 |         {
000393 |             distances.Sort();
000394 |
000395 |             destinationBuilding = buildingsByDistance[distances[0]];
000396 |
000397 |             m_VisitedBuildings.Insert(destinationBuilding);
000398 |         }
```

```

000399 |         destinationPosition = destinationBuilding.eAI_GetRoamingPosition(position);
000400 |
000401 |         if (ai && ai.GetMovementSpeedLimit() >= 2)
000402 |             ai.SetMovementSpeedLimit(2, true);
000403 |
000404 |         m_RoamingLocation = new ExpansionAIRoamingLocation(destinationPosition, 30.0, "", "Building", destinationBuilding.GetType(), destinationBuilding);
000405 |
000406 | #ifdef DIAG_DEVELOPER
000407 |     destinationName = destinationBuilding.GetType();
000408 | #endif
000409 | }
000410 | else
000411 | {
000412 |     ///! Initial
000413 |     if (m_RoamingLocations.Count() == 0)
000414 |         ExpansionArray<ExpansionAIRoamingLocation>.RefCopy(settings.RoamingLocations, m_RoamingLocations);
000415 |
000416 |     map<int, ref ExpansionAIRoamingLocation> locationsByDistance = new map<int, ref ExpansionAIRoamingLocation>;
000417 |
000418 |     foreach (ExpansionAIRoamingLocation location: m_RoamingLocations)
000419 |     {
000420 |         if (!location.Enabled)
000421 |             continue; ///! excluded
000422 |
000423 |         ///! @note we shave off a zero by taking the 10% value to make it less likely to run into 32-bit integer limits
000424 |         distSq = vector.DistanceSq(position, location.Position) * 0.1;
000425 |
000426 |         ///if (location.Type.Contains("ViewPoint") || location.Type.Contains("Hill"))
000427 |             ///distSq *= Math.RandomFloat(9.0, 10.0); ///! Make less likely to be picked by increasing distance by some large random factor
000428 |         ///else
000429 |             distSq *= Math.RandomFloat(0.64, 1.44); ///! Bit of randomization (+/- 20%)
000430 |
000431 |         distKey = distSq;
000432 |         distances.Insert(distKey);
000433 |         locationsByDistance[distKey] = location;
000434 |     }
000435 |
000436 |     if (distances.Count() < 2)
000437 |         ExpansionArray<ExpansionAIRoamingLocation>.RefCopy(settings.RoamingLocations, m_RoamingLocations);
000438 |
000439 |     for (int i = m_VisitedCrashSites.Count() - 1; i >= 0; i--)
000440 |     {
000441 |         if (!m_VisitedCrashSites[i])
000442 |             m_VisitedCrashSites.Remove(i);
000443 |     }
000444 |
000445 |     ///! If last visited roaming location wasn't a helicrash, consider helicrashes
000446 |     if (!m_RoamingLocation || m_RoamingLocation.Type != "StaticHeliCrash")
000447 |     {
000448 |         CF_DoublyLinkedListNode_WeakRef<CrashBase> node = CrashBase.s_Expansion_HeliCrashes.m_Head;
000449 |         while (node)
000450 |         {
000451 |             CrashBase crash = node.m_Value;
000452 |
000453 |             node = node.m_Next;
000454 |
000455 |             if (m_VisitedCrashSites.Find((Object)crash) > -1)
000456 |                 continue;
000457 |
000458 |             ///! @note we shave off a zero by taking the 10% value to make it less likely to run into 32-bit integer limits
000459 |             distSq = vector.DistanceSq(position, crash.GetPosition()) * 0.1;
000460 |             distSq *= Math.RandomFloat(0.64, 1.44); ///! Bit of randomization (+/- 20%)

```

```

000461 |
000462 |         distKey = distSq;
000463 |         distances.Insert(distKey);
000464 |         locationsByDistance[distKey] = new ExpansionAIRoamingLocation(crash.GetPosition(), 30.0, "", "StaticHeliCrash", crash.GetType(), crash);
000465 |     }
000466 | }
000467 |
000468 | if (distances.Count() == 0)
000469 |     return vector.Zero;
000470 |
000471 | distances.Sort();
000472 |
000473 | ExpansionAIRoamingLocation destination = locationsByDistance[distances[0]];
000474 |
000475 | #ifdef DIAG_DEVELOPER
000476 |     destinationName = destination.Name;
000477 | #endif
000478 |
000479 | if (destination.Type != "StaticHeliCrash")
000480 | {
000481 |     float radius = destination.Radius;
000482 |
000483 |     vector center = ExpansionStatic.GetSurfacePosition(destination.Position);
000484 |     float extent = Math.Min(Math.Max(radius, 200), 400);
000485 |     vector min = Vector(center[0] - extent, center[1] - extent, center[2] - extent);
000486 |     vector max = Vector(center[0] + extent, center[1] + extent, center[2] + extent);
000487 |
000488 | #ifdef DIAG_DEVELOPER
000489 |     EXTrace.Print(EXTrace.AI, this, "Searching for buildings in " + destinationName + " at " + ExpansionStatic.VectorToString(center));
000490 |     EXTrace.Print(EXTrace.AI, this, "Location radius " + radius);
000491 |     EXTrace.Print(EXTrace.AI, this, "Box side length " + (extent * 2));
000492 |     auto timeIt2 = new EXTimeIt();
000493 | #endif
000494 |
000495 |     array<EntityAI> candidates = {};
000496 |     DayZPlayerUtils.SceneGetEntitiesInBox(min, max, candidates, QueryFlags.STATIC | QueryFlags.ORIGIN_DISTANCE);
000497 |
000498 | #ifdef DIAG_DEVELOPER
000499 |     EXTrace.Print(EXTrace.AI, this, "Found " + candidates.Count() + " candidates (" + timeIt2.GetElapsedMS() + "ms)");
000500 |     timeIt2.Start();
000501 | #endif
000502 |
000503 |     /// Pick a random candidate, if candidate is not excluded, loop ends instantly. If candidate is excluded,
000504 |     /// it is removed from the pool and loop is repeated until a suitable candidate is found, all candidates have been exhausted
000505 |     /// or limit is reached.
000506 |     /// In the general case, we only have to check a few candidates until we find one that's not excluded.
000507 |     /// In the optimal case, we only have to check one even if there are multiple candidates.
000508 |     /// In the worst case, we check up to 100 with no match, but this case should be rare.
000509 |     /// This approach is about 50 times faster on avg compared to pre-filtering the entities before picking.
000510 |     int n;
000511 |     EntityAI candidate;
000512 |     for (n = 1; n <= candidates.Count() && n <= 100; n++)
000513 |     {
000514 |         int index = candidates.GetRandomIndex();
000515 |         candidate = candidates[index];
000516 |
000517 |         if (Class.CastTo(destinationBuilding, candidate) && destinationBuilding.GetDoorCount() > 0)
000518 |         {
000519 |             buildingType = destinationBuilding.GetType();
000520 |             buildingType.ToLower();
000521 |             if (!ExpansionString.StartsWithAny(buildingType, excludedBuildings))
000522 |                 break;

```

```

000523 |         }
000524 |
000525 |         candidates.Remove(index);
000526 |     }
000527 |
000528 |     if (n <= candidates.Count() && n <= 100)
000529 |     {
000530 |         #ifdef DIAG_DEVELOPER
000531 |             EXTrace.Print(EXTrace.AI, this, "Found suitable candidate after " + n + " random picks (" + timeIt2.GetElapsedMS() + "ms");
000532 |         #endif
000533 |
000534 |         m_VisitedBuildings.Insert(destinationBuilding);
000535 |         destinationPosition = destinationBuilding.eAI_GetRoamingPosition(position);
000536 |
000537 |         #ifdef DIAG_DEVELOPER
000538 |             destinationName = destinationBuilding.GetType() + " in " + destinationName;
000539 |         #endif
000540 |     }
000541 |     else
000542 |     {
000543 |         #ifdef DIAG_DEVELOPER
000544 |             if (n > 1)
000545 |                 EXTrace.Print(EXTrace.AI, this, "Found no suitable candidate after " + n + " random picks (" + timeIt2.GetElapsedMS() + "ms");
000546 |         #endif
000547 |
000548 |         destinationPosition = ExpansionMath.GetRandomPointInCircle(destination.Position, radius * 0.25);
000549 |         destinationPosition = ExpansionStatic.GetSurfaceRoadPosition(destinationPosition[0], destinationPosition[2], RoadSurfaceDetection.CLOSEST);
000550 |     }
000551 | }
000552 | else
000553 | {
000554 |     m_VisitedCrashSites.Insert(destination.m_Object);
000555 |     destinationPosition = ExpansionMath.GetRandomPointInRing(destination.Position, 5.0, 20.0);
000556 |     destinationPosition = ExpansionStatic.GetSurfaceRoadPosition(destinationPosition[0], destinationPosition[2], RoadSurfaceDetection.CLOSEST);
000557 | }
000558 |
000559 | ///! If next destination is > 500 m from formation leader position, "forget" visited buildings
000560 | if (vector.DistanceSq(position, destinationPosition) > 250000.0)
000561 |     m_ClearVisitedBuildingsOnLocationReached = m_VisitedBuildings.Count();
000562 | else
000563 |     m_ClearVisitedBuildingsOnLocationReached = 0;
000564 |
000565 | if (ai && ai.GetMovementSpeedLimit() >= 2)
000566 |     ai.SetMovementSpeedLimit(3, true);
000567 |
000568 |     m_RoamingLocation = destination;
000569 | }
000570 |
000571 | #ifdef DIAG_DEVELOPER
000572 |     string msg = "Selected " + destinationName + " at " + ExpansionStatic.VectorToString(destinationPosition) + " (" + timeIt.GetElapsedMS() + "ms");
000573 |     EXTrace.Print(EXTrace.AI, leader, msg);
000574 |     ExpansionStatic.MessageNearPlayers(position, 100.0, leader.ToString() + " " + msg);
000575 | #endif
000576 |
000577 |     return destinationPosition;
000578 | }
000579 |
000580 | void SetRoamingLocationReached(bool clearVisitedBuildings = false)
000581 | {
000582 |     if (m_RoamingLocation && m_RoamingLocation.Type != "Building")
000583 |     {
000584 |         bool clearVisitedBuildingsOnLocationReached;

```



```
000585 |
000586 |         if (m_ClearVisitedBuildingsOnLocationReached && clearVisitedBuildings)
000587 |             clearVisitedBuildingsOnLocationReached = true;
000588 |
000589 |         if (clearVisitedBuildingsOnLocationReached)
000590 |         {
000591 |             if (m_ClearVisitedBuildingsOnLocationReached >= m_VisitedBuildings.Count())
000592 |             {
000593 |                 EXTrace.Print(EXTrace.AI, this, "Clearing " + m_VisitedBuildings.Count() + "/" + m_ClearVisitedBuildingsOnLocationReached + " visited building
000594 | s");
000595 |                 m_VisitedBuildings.Clear();
000596 |             }
000597 |             else
000598 |             {
000599 |                 EXTrace.Print(EXTrace.AI, this, "Clearing " + m_ClearVisitedBuildingsOnLocationReached + "/" + m_VisitedBuildings.Count() + " visited building
000600 | s");
000601 |                 for (int i = m_ClearVisitedBuildingsOnLocationReached - 1; i >= 0; i--)
000602 |                 {
000603 |                     m_VisitedBuildings.Remove(i);
000604 |                 }
000605 |             }
000606 |
000607 |         if (m_VisitedBuildings.Count() == 0 || clearVisitedBuildingsOnLocationReached)
000608 |             m_RoamingLocationReachedTimestamp = g_Game.GetTickTime();
000609 |
000610 |         /// Remove destination from roaming locations if not a helicrash (helicrashes are events and not in roaming locations)
000611 |         if (!m_RoamingLocal && m_RoamingLocation.Type != "StaticHeliCrash")
000612 |             m_RoamingLocations.RemoveItemUnOrdered(m_RoamingLocation);
000613 |     }
000614 |
000615 |     void SetFormationState(eAIGroupFormationState state)
000616 |     {
000617 | #ifdef EAI_TRACE
000618 |         auto trace = CF_Trace_0(this, "SetFormationState");
000619 | #endif
000620 |
000621 |         m_FormationState = state;
000622 |     }
000623 |
000624 |     eAIGroupFormationState GetFormationState()
000625 |     {
000626 | #ifdef EAI_TRACE
000627 |         auto trace = CF_Trace_0(this, "GetFormationState");
000628 | #endif
000629 |
000630 |         return m_FormationState;
000631 |     }
000632 |
000633 |     void SetFaction(eAIFaction f)
000634 |     {
000635 | #ifdef EXTRACE_DIAG
000636 |         auto trace = EXTrace.StartStack(EXTrace.AI, this, "" + f);
000637 | #endif
000638 |
000639 |         if (!f)
000640 |         {
000641 |             Error("Cannot set NULL faction");
000642 |             return;
000643 |         }
000644 |     }
```

```
000645 |         int oldFactionTypeID = m_Faction.GetTypeID();
000646 |         int newFactionTypeID = f.GetTypeID();
000647 |
000648 |         m_Faction = f;
000649 |
000650 |         if (newFactionTypeID == oldFactionTypeID)
000651 |             return;
000652 |
000653 |         foreach (auto member: m_Members)
000654 |         {
000655 |             if (member)
000656 |                 member.eAI_SetFactionTypeID(newFactionTypeID);
000657 |         }
000658 |     }
000659 |
000660 |     ///! Prevent 3rd party mods from doing stupid shit when -newErrorsAreWarnings=1 as this would result in NULL pointers later
000661 |     void SetFaction(Class f)
000662 |     {
000663 |         string tmp;
000664 |         DumpStackString(tmp);
000665 |         TStringArray stack = {};
000666 |         tmp.Split("\n", stack);
000667 |         stack.RemoveOrdered(0);
000668 |         EXError.Error(null, "FIX-ME: Unsafe down-casting, use 'eAIFaction.Cast' for safe down-casting", stack);
000669 |     }
000670 |
000671 |     eAIFaction GetFaction()
000672 |     {
000673 | #ifdef EAI_TRACE
000674 |         auto trace = CF_Trace_0(this, "GetFaction");
000675 | #endif
000676 |
000677 |         return m_Faction;
000678 |     }
000679 |
000680 |     void SetName(string name)
000681 |     {
000682 |         m_Name = name;
000683 |     }
000684 |
000685 |     string GetName()
000686 |     {
000687 |         return m_Name;
000688 |     }
000689 |
000690 |     /**
000691 |     * @brief The unique ID for this group
000692 |     *
000693 |     * @return int
000694 |     */
000695 |     int GetID()
000696 |     {
000697 |         return m_ID;
000698 |     }
000699 |
000700 |     /**
000701 |     * @brief Add/update target for all group members
000702 |     *
000703 |     * @param player Attacked player
000704 |     * @param info Attacker target information
000705 |     * @param update If true (default) and member is already targeting the target, update found_at_time and max_time
000706 |     * @param threat Initial threat level if non-zero
```

```

000707 |     */
000708 |     void AddTarget(DayZPlayerImplement player, eAITargetInformation info, int max_time = -1, bool update = true, float threat = 0.0)
000709 |     {
000710 |     #ifdef EXTRACE_DIAG
000711 |         auto trace = EXTrace.Start(EXTrace.AI, this, info.GetDebugName(), "" + max_time, "" + update, "" + threat);
000712 |     #endif
000713 |
000714 |         eAIBase ai;
000715 |         eAITarget target;
000716 |         bool created;
000717 |
000718 |         DayZPlayerImplement aggressorPlayer;
000719 |         eAIGroup aggressorGroup;
000720 |         if (Class.CastTo(aggressorPlayer, info.GetEntity()))
000721 |             aggressorGroup = aggressorPlayer.GetGroup();
000722 |
000723 |         string aggressorPrefix;
000724 |         string victimPrefix;
000725 |
000726 |         foreach (DayZPlayerImplement member: m_Members)
000727 |         {
000728 |             if (Class.CastTo(ai, member))
000729 |             {
000730 |                 target = info.AddAI(ai, max_time, false, created);
000731 |
000732 |                 if (!created && update)
000733 |                     target.UpdateFoundAtTime();
000734 |
000735 |                 if (threat > target.m_ThreatLevelActive)
000736 |                 {
000737 |                     if (!target.m_SearchOnLOSlost)
000738 |                     {
000739 |                         target.SetInitial(threat, player.GetPosition()); //! We deliberately don't use attacker position but victim position
000740 |                         target.m_SearchOnLOSlost = true;
000741 |                     }
000742 |                     else
000743 |                     {
000744 |                         target.SetThreat(threat);
000745 |                     }
000746 |                 }
000747 |
000748 |                 if (ExpansionAISettings.Get().LogAIHitBy && aggressorPlayer && target.m_ThreatLevelActive > 0.2)
000749 |                 {
000750 |                     //! If we already see the attacker as enemy (i.e. their faction is hostile to ours), don't log aggro
000751 |                     if (aggressorGroup && !aggressorGroup.GetFaction().IsFriendly(GetFaction()))
000752 |                         continue;
000753 |
000754 |                     target.LogFriendlyAggro(player, aggressorPrefix, victimPrefix);
000755 |                 }
000756 |             }
000757 |         }
000758 |     }
000759 |
000760 |     /**
000761 |     * @brief Internal event fired when this group needs to know that any AI member is now tracking a target
000762 |     *
000763 |     * @param target The target being tracked
000764 |     */
000765 |     void OnTargetTrackingStart(eAITargetInformation target)
000766 |     {
000767 |     #ifdef DIAG_DEVELOPER
000768 |         EXTrace.Print(EXTrace.AI, this, "OnTargetTrackingStart " + target.GetDebugName());

```

```
000769 | #endif
000770 |
000771 |     m_Targets.Insert(target);
000772 | }
000773 |
000774 | /**
000775 |  * @brief Return true if at least one member in group is targeting target
000776 |  */
000777 | bool IsTargeting(eAITargetInformation target)
000778 | {
000779 |     if (m_Targets.Find(target) > -1)
000780 |         return true;
000781 |
000782 |     return false;
000783 | }
000784 |
000785 | /**
000786 |  * @brief Internal event fired when this group needs to know that none of its AI members are tracking a target anymore
000787 |  *
000788 |  * @param target The target being removed
000789 |  */
000790 | void OnTargetTrackingEnd(eAITargetInformation target)
000791 | {
000792 | #ifdef DIAG_DEVELOPER
000793 |     EXTrace.Print(EXTrace.AI, this, "OnTargetTrackingEnd " + target.GetDebugName());
000794 | #endif
000795 |
000796 |     m_Targets.RemoveItem(target);
000797 | }
000798 |
000799 | eAIGroupTargetInformation GetTargetInformation()
000800 | {
000801 | #ifdef EAI_TRACE
000802 |     auto trace = CF_Trace_0(this, "GetTargetInformation");
000803 | #endif
000804 |
000805 |     return m_TargetInformation;
000806 | }
000807 |
000808 | //! DEPRECATED - group will never contain NULL or members that aren't alive
000809 | int GetMemberIndex(eAIBase ai)
000810 | {
000811 |     EXError.WarnOnce(this, "GetMemberIndex() is deprecated. Please use GetIndex().");
000812 |
000813 |     return GetIndex(ai);
000814 | }
000815 |
000816 | vector GetFormationPosition(eAIBase ai)
000817 | {
000818 | #ifdef EAI_TRACE
000819 |     auto trace = CF_Trace_1(this, "GetFormationPosition").Add(ai);
000820 | #endif
000821 |
000822 |     float time = g_Game.GetTickTime();
000823 |     bool isInitialUpdate = ai.m_eAI_FormationPositionUpdateTime == 0.0;
000824 |     if (time - ai.m_eAI_FormationPositionUpdateTime > Math.RandomFloat(2.0, 4.0) || isInitialUpdate)
000825 |     {
000826 |         int index = GetIndex(ai);
000827 |         if (index != -1)
000828 |         {
000829 |             auto leader = GetFormationLeader();
000830 |             if (index > 0 && leader != GetLeader())
```

```
000831 |         index--;
000832 |         vector position = m_Form.GetPosition(index);
000833 |         vector direction = m_Form.GetDirection(index);
000834 |
000835 |         float extension;
000836 |         if (leader)
000837 |             extension = leader.Expansion_GetMovementSpeed() * 0.333333;
000838 |         if (extension > 0.0 || isInitialUpdate)
000839 |         {
000840 |             for (int i = 0; i < 3; i++)
000841 |             {
000842 |                 position[i] = position[i] + m_Form.GetLooseness();
000843 |                 if (i == 2)
000844 |                     position[i] = position[i] + extension;  //!< Compensate for head start of leader
000845 |             }
000846 |         }
000847 |
000848 |         ai.m_eAI_FormationPosition = position;
000849 |         ai.m_eAI_FormationDirection = direction;
000850 |         ai.m_eAI_FormationPositionUpdateTime = time;
000851 |     }
000852 | }
000853 |
000854 |     return m_Form.ToWorld(ai.m_eAI_FormationPosition);
000855 | }
000856 |
000857 | void SetLeader(DayZPlayerImplement leader)
000858 | {
000859 | #ifdef EAI_TRACE
000860 |     auto trace = CF_Trace_1(this, "SetLeader").Add(leader);
000861 | #endif
000862 |
000863 |     if (!IsMember(leader))
000864 |         AddMember(leader);
000865 |
000866 |     SetGroupMemberIndex(leader, 0);
000867 | }
000868 |
000869 | void SetGroupMemberIndex(DayZPlayerImplement member, int index)
000870 | {
000871 |     DayZPlayerImplement temp = m_Members[index];
000872 |     if (temp == member)
000873 |         return;
000874 |
000875 |     m_Members[index] = member;
000876 |     member.SetGroupMemberIndex(index);
000877 |
000878 |     if (!temp)
000879 |         return;
000880 |
000881 |     int i = index + 1;
000882 |
000883 |     for (; i < Count(); i++)
000884 |     {
000885 |         if (m_Members[i] == member)
000886 |             break;
000887 |     }
000888 |
000889 |     m_Members[i] = temp;
000890 |     temp.SetGroupMemberIndex(i);
000891 | }
000892 |
```

```
000893 |     DayZPlayerImplement GetLeader()
000894 |     {
000895 | #ifdef EAI_TRACE
000896 |     auto trace = CF_Trace_0(this, "GetLeader");
000897 | #endif
000898 |
000899 |     return m_Members[0];
000900 | }
000901 |
000902 |     eAIFormation GetFormation()
000903 |     {
000904 | #ifdef EAI_TRACE
000905 |     auto trace = CF_Trace_0(this, "GetFormation");
000906 | #endif
000907 |
000908 |     return m_Form;
000909 | }
000910 |
000911 |     void SetFormationLeader(DayZPlayerImplement leader)
000912 |     {
000913 |         if (!IsMember(leader))
000914 |             AddMember(leader);
000915 |
000916 |         if (GetLeader() == GetFormationLeader())
000917 |             SetGroupMemberIndex(leader, 0);
000918 |         else
000919 |             SetGroupMemberIndex(leader, 1);
000920 |     }
000921 |
000922 |     DayZPlayerImplement GetFormationLeader()
000923 |     {
000924 |         auto leader = GetLeader();
000925 |
000926 |         if (leader && !leader.IsAI() && m_Members.Count() > 1 && m_Waypoints.Count() > 0)
000927 |             return m_Members[1];
000928 |
000929 |         return leader;
000930 |     }
000931 |
000932 |     void SetFormation(eAIFormation f)
000933 |     {
000934 | #ifdef EAI_TRACE
000935 |     auto trace = CF_Trace_0(this, "SetFormation");
000936 | #endif
000937 |
000938 |         f.SetGroup(this);
000939 |         m_Form = f;
000940 |     }
000941 |
000942 |     bool IsMember(DayZPlayerImplement member)
000943 |     {
000944 | #ifdef EAI_TRACE
000945 |     auto trace = CF_Trace_1(this, "IsMember").Add(member);
000946 | #endif
000947 |
000948 |         return m_Members.Find(member) != -1;
000949 |     }
000950 |
000951 |     int AddMember(DayZPlayerImplement member)
000952 |     {
000953 | #ifdef EAI_TRACE
000954 |     auto trace = CF_Trace_1(this, "AddMember").Add(member);
```

```
000955 | #endif
000956 |
000957 |         int index = m_Members.Insert(member);
000958 |
000959 |         Send_SetInGroup();
000960 |
000961 |         return index;
000962 |     }
000963 |
000964 |     void Client_SetMemberIndex(DayZPlayerImplement member, int index)
000965 |     {
000966 | #ifdef EAI_TRACE
000967 |         auto trace = CF_Trace_2(this, "Client_SetMemberIndex").Add(member).Add(index);
000968 | #endif
000969 |
000970 |         if (index >= m_Members.Count())
000971 |         {
000972 |             m_Members.Resize(index + 1);
000973 |         }
000974 |
000975 |         m_Members[index] = member;
000976 |
000977 |         int removeFrom = m_Members.Count();
000978 |
000979 |         for (int i = m_Members.Count() - 1; i > index; i--)
000980 |         {
000981 |             if (m_Members[i] != null)
000982 |                 break;
000983 |             removeFrom = i;
000984 |         }
000985 |
000986 |         m_Members.Resize(removeFrom);
000987 |     }
000988 |
000989 |     bool RemoveMember(DayZPlayerImplement member, bool autoDelete = true)
000990 |     {
000991 | #ifdef EXTRACE_DIAG
000992 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + member, "" + autoDelete);
000993 | #endif
000994 |
000995 |         return RemoveMember(m_Members.Find(member), autoDelete);
000996 |     }
000997 |
000998 |     bool RemoveMember(int i, bool autoDelete = true)
000999 |     {
001000 | #ifdef EXTRACE_DIAG
001001 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + i, "" + autoDelete);
001002 | #endif
001003 |
001004 |         if (i < 0 || i >= m_Members.Count())
001005 |             return false;
001006 |
001007 |         auto member = m_Members[i];
001008 |
001009 |         m_Members.RemoveOrdered(i);
001010 |
001011 |         if (autoDelete && m_Members.Count() == 0)
001012 |         {
001013 |             Delete();
001014 |         }
001015 |         else
001016 |         {
```

```
001017 |         Send_SetInGroup();
001018 |
001019 |         if (member && !member.IsAlive())
001020 |         {
001021 |             m_Members_Deceased.Insert(member);
001022 |
001023 |             if (m_Persist && m_BaseName && m_Members.Count() == 0)
001024 |                 DeletePersistentFiles();
001025 |         }
001026 |     }
001027 |
001028 |     return true;
001029 | }
001030 |
001031 | bool RemoveDeceased(DayZPlayerImplement member)
001032 | {
001033 | #ifdef EXTRACE_DIAG
001034 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + member);
001035 | #endif
001036 |
001037 |     return RemoveDeceased(m_Members_Deceased.Find(member));
001038 | }
001039 |
001040 | bool RemoveDeceased(int i)
001041 | {
001042 | #ifdef EXTRACE_DIAG
001043 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + i);
001044 | #endif
001045 |
001046 |     if (i < 0 || i >= m_Members_Deceased.Count())
001047 |         return false;
001048 |
001049 |     m_Members_Deceased.RemoveOrdered(i);
001050 |
001051 |     return true;
001052 | }
001053 |
001054 | /**
001055 |  * @brief send whether leader is in group with more than one other member to client
001056 |  *
001057 |  * @note This is necessary because on client, group can only contain the members in network bubble,
001058 |  *         so the count does not reflect the value on server.
001059 |  */
001060 | void Send_SetInGroup()
001061 | {
001062 | #ifdef SERVER
001063 | #ifdef EXTRACE_DIAG
001064 |     auto trace = EXTrace.Start(EXTrace.AI, this);
001065 | #endif
001066 |
001067 |     if (m_Members.Count() <= 2 && m_Members.Count() != m_MemberCount)
001068 |     {
001069 |         m_MemberCount = m_Members.Count();
001070 |
001071 |         auto leader = GetLeader();
001072 |         if (leader && leader.GetIdentity())
001073 |         {
001074 |             auto rpc = GetDayZGame().GetExpansionGame().GetRPCManager().CreateRPC("RPC_SetInGroup");
001075 |             if (m_MemberCount > 1)
001076 |                 rpc.Write(true);
001077 |             else
001078 |                 rpc.Write(false);
```



```
001079 |         rpc.Expansion_Send(true, leader.GetIdentity());
001080 |     }
001081 | }
001082 | #else
001083 |     if (!g_Game.IsMultiplayer())
001084 |     {
001085 |         if (m_Members.Count() > 1)
001086 |             GetDayZGame().GetExpansionGame().SetInGroup(true);
001087 |         else
001088 |             GetDayZGame().GetExpansionGame().SetInGroup(false);
001089 |     }
001090 | #endif
001091 | }
001092 |
001093 | /**
001094 |  * @brief Set whether group is in combat
001095 |  *
001096 |  * @note If previously in combat, will only set false state if no group members are in fighting FSM
001097 |  */
001098 | void SetIsInCombat(bool state)
001099 | {
001100 | #ifdef EXTRACE_DIAG
001101 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + state);
001102 | #endif
001103 |
001104 |     if (!state && m_IsInCombat)
001105 |     {
001106 |         eAIBase ai;
001107 |         foreach (DayZPlayerImplement member: m_Members)
001108 |         {
001109 |             if (Class.CastTo(ai, member) && ai.m_eAI_IsFightingFSM)
001110 |             {
001111 |                 #ifdef EXTRACE_DIAG
001112 |                     EXTrace.Print(EXTrace.AI, this, "Not setting state, AI group members still in combat");
001113 |                 #endif
001114 |                 return;
001115 |             }
001116 |         }
001117 |     }
001118 |
001119 |     m_IsInCombat = state;
001120 | }
001121 |
001122 | bool IsInCombat()
001123 | {
001124 |     return m_IsInCombat;
001125 | }
001126 |
001127 | bool CanLeave()
001128 | {
001129 |     if (!m_Leave)
001130 |         return false;
001131 |
001132 |     if (g_Game.GetTickTime() - m_LastHitTime < 30)
001133 |         return false;
001134 |
001135 |     return true;
001136 | }
001137 |
001138 | DayZPlayerImplement GetMember(int i)
001139 | {
001140 | #ifdef EAI_TRACE
```

```
001141 |         auto trace = CF_Trace_1(this, "GetMember").Add(i);
001142 |     #endif
001143 |
001144 |         return m_Members[i];
001145 |     }
001146 |
001147 |     int GetIndex(DayZPlayerImplement player)
001148 |     {
001149 |     #ifdef EAI_TRACE
001150 |         auto trace = CF_Trace_1(this, "GetIndex").Add(player);
001151 |     #endif
001152 |
001153 |         return m_Members.Find(player);
001154 |     }
001155 |
001156 |     /**
001157 |     * @brief Return random member excluding player. If group size is 1, return null.
001158 |     *
001159 |     * @param player Player to exclude
001160 |     */
001161 |     DayZPlayerImplement GetRandomMemberExcluding(DayZPlayerImplement player)
001162 |     {
001163 |         int count = Count();
001164 |
001165 |         if (count == 1)
001166 |             return null;
001167 |
001168 |         int index = Math.RandomInt(0, count);
001169 |         DayZPlayerImplement member = m_Members[index];
001170 |
001171 |         if (member == player)
001172 |         {
001173 |             if (index + 1 == count)
001174 |                 index--;
001175 |             else
001176 |                 index++;
001177 |
001178 |             member = m_Members[index];
001179 |         }
001180 |
001181 |         return member;
001182 |     }
001183 |
001184 |     int Count()
001185 |     {
001186 |     #ifdef EAI_TRACE
001187 |         auto trace = CF_Trace_0(this, "Count");
001188 |     #endif
001189 |
001190 |         return m_Members.Count();
001191 |     }
001192 |
001193 |     int DeceasedCount()
001194 |     {
001195 |         return m_Members_Deceased.Count();
001196 |     }
001197 |
001198 |     //! DEPRECATED - group will never contain NULL or members that aren't alive
001199 |     int GetAliveCount()
001200 |     {
001201 |         EXError.WarnOnce(this, "GetAliveCount() is deprecated. Please use Count().");
001202 |     }
```

```
001203 |         return Count();
001204 |     }
001205 |
001206 |     ///! Clears ALL AI from the server
001207 |     static void Admin_ClearAllAI()
001208 |     {
001209 | #ifdef EAI_TRACE
001210 |         auto trace = CF_Trace_0("eAIGroup", "Admin_ClearAllAI");
001211 | #endif
001212 |
001213 |         foreach (eAIGroup group : s_AllGroups)
001214 |         {
001215 |             group.ClearAI();
001216 |         }
001217 |     }
001218 |
001219 |     void ClearAI(bool autodelete = true, bool deferDespawnUntilLoosingAggro = false)
001220 |     {
001221 | #ifdef EXTRACE_DIAG
001222 |         auto trace = EXTrace.Start(EXTrace.AI, this);
001223 | #endif
001224 |
001225 |         int i;
001226 |         eAIBase ai;
001227 |
001228 |         for (i = Count() - 1; i > -1; i--)
001229 |         {
001230 |             if (!Class.CastTo(ai, GetMember(i)) || ai.IsInherited(eAINPCBase))
001231 |                 continue;
001232 |
001233 |             if (deferDespawnUntilLoosingAggro && ai.GetThreatToSelf() >= 0.4)
001234 |                 ai.eAI_SetDespawnOnLoosingAggro(true);
001235 |             else
001236 |                 ai.eAI_Despawn();
001237 |         }
001238 |
001239 |         for (i = m_Members_Deceased.Count() - 1; i > -1; i--)
001240 |         {
001241 |             if (!Class.CastTo(ai, m_Members_Deceased[i]))
001242 |                 continue;
001243 |
001244 |             ai.eAI_Despawn();
001245 |         }
001246 |
001247 |         m_ForcePatrolDespawn = false;
001248 |     }
001249 |
001250 |     /**
001251 |     * @brief Enable swimming for the whole group so they can follow the leader
001252 |     */
001253 |     void EnableSwimming(bool enable = true)
001254 |     {
001255 |         eAIBase ai;
001256 |         foreach (DayZPlayerImplement member: m_Members)
001257 |         {
001258 |             if (Class.CastTo(ai, member))
001259 |             {
001260 |                 if (enable)
001261 |                 {
001262 |                     if (!ai.IsRestrained())
001263 |                         ai.GetPathFinding().EnableSwimming(enable);
001264 |                 }
```

```

001265 |         else if (!ai.IsSwimming())
001266 |         {
001267 |             ai.GetPathFinding().EnableSwimming(enable);
001268 |         }
001269 |     }
001270 | }
001271 |
001272 |
001273 | bool IsFormationLeaderSwimming()
001274 | {
001275 |     DayZPlayerImplement leader = GetFormationLeader();
001276 |     if (leader)
001277 |         return leader.IsSwimming();
001278 |
001279 |     return false;
001280 | }
001281 |
001282 | TStringArray DumpState(PlayerIdentity sender, bool includeMembers = true, string indent = string.Empty)
001283 | {
001284 |     TStringArray report = {};
001285 |
001286 |     report.Insert(indent + string.Format("Group ID %1 %2 (%3 members)", m_ID, m_Name, Count()));
001287 |
001288 |     if (indent)
001289 |         indent.Replace("-", " ");
001290 |
001291 |     report.Insert(indent + string.Format("|- Faction %1", m_Faction.GetName()));
001292 |
001293 |     string form = m_Form.ClassName().Substring(12, m_Form.ClassName().Length() - 12);
001294 |     report.Insert(indent + string.Format("|- Formation %1 %2", form, typename.EnumToString(eAIGroupFormationState, m_FormationState)));
001295 |
001296 |     string lineSegment;
001297 |     if (includeMembers)
001298 |         lineSegment = "|";
001299 |     else
001300 |         lineSegment = "\\";
001301 |
001302 |     report.Insert(indent + string.Format(lineSegment + "- Waypoints %1 %2", m_Waypoints.Count(), typename.EnumToString(eAIWaypointBehavior, m_WaypointBehaviour)));
001303 |
001304 |     if (includeMembers)
001305 |     {
001306 |         eAIBase ai;
001307 |         string subIndent = "| ";
001308 |         lineSegment = "|";
001309 |         foreach (int i, DayZPlayerImplement member: m_Members)
001310 |         {
001311 |             if (Class.CastTo(ai, member))
001312 |             {
001313 |                 if (i == Count() - 1)
001314 |                 {
001315 |                     subIndent = ". ";
001316 |                     lineSegment = "\\";
001317 |                 }
001318 |
001319 |                 report.Insert(indent + string.Format(lineSegment + "- AI group member %1", i));
001320 |                 report.InsertAll(ai.eAI_DumpState(sender, false, indent + subIndent + lineSegment + "- "));
001321 |             }
001322 |         }
001323 |     }
001324 |
001325 |     return report;

```

```
001326 |     }
001327 |
001328 |     string GetStorageDirectory()
001329 |     {
001330 |         return GetStorageDirectory(m_BaseName);
001331 |     }
001332 |
001333 |     static string GetStorageDirectory(string baseName)
001334 |     {
001335 |         return "$mission:storage_" + GetDayZGame().GetExpansionGame().m_InstanceId + "\\expansion\\ai\\" + baseName + "\\";
001336 |     }
001337 |
001338 |     void Save(bool saveAI = false)
001339 |     {
001340 | #ifdef EXTRACE
001341 |         auto trace = EXTrace.StartStack(EXTrace.AI, eAIGroup, m_BaseName, m_Name);
001342 | #endif
001343 |
001344 |         if (!m_BaseName)
001345 |         {
001346 |             EXError.Error(this, "No basename set");
001347 |             return;
001348 |         }
001349 |
001350 |         string basePath = GetStorageDirectory(m_BaseName);
001351 |         if (!FileExist(basePath) && !ExpansionStatic.MakeDirectoryRecursive(basePath))
001352 |             return;
001353 |
001354 |         string fileName = basePath + eAIGroup.BASENAME;
001355 |         FileSerializer serializer = new FileSerializer();
001356 |         if (serializer.Open(fileName, FileMode.WRITE))
001357 |         {
001358 |             serializer.Write(VERSION);
001359 |
001360 |             DayZPlayerImplement leader = GetFormationLeader();
001361 |             if (leader)
001362 |                 serializer.Write(leader.GetPosition());
001363 |             else
001364 |                 serializer.Write(vector.Zero);
001365 |
001366 | #ifdef DIAG_DEVELOPER
001367 |                 EXTrace.Print(EXTrace.AI, eAIGroup, "Save - writing faction " + GetFaction() + " ID " + GetFaction().GetTypeID());
001368 | #endif
001369 |
001370 |             serializer.Write(GetFaction().GetTypeID());
001371 |             serializer.Write(m_Name);
001372 |
001373 |             serializer.Write(Count());
001374 |
001375 |             eAIBase ai;
001376 |             string aiPath;
001377 |             foreach (DayZPlayerImplement member: m_Members)
001378 |             {
001379 |                 if (Class.CastTo(ai, member))
001380 |                 {
001381 |                     serializer.Write(member.m_eAI_GroupMemberID);
001382 |
001383 |                     if (saveAI)
001384 |                     {
001385 |                         aiPath = basePath + member.m_eAI_GroupMemberID.ToString() + ".bin";
001386 |                         ExpansionEntityStorageModule.SaveToFile(ai, aiPath);
001387 |                     }
```

```
001388 |         }
001389 |     }
001390 |
001391 |     serializer.Write(m_RoamingLocations.Count());
001392 |     foreach (ExpansionAIRoamingLocation location: m_RoamingLocations)
001393 |     {
001394 |         serializer.Write(location.m_Index);
001395 |     }
001396 |
001397 |     serializer.Close();
001398 | }
001399 | else
001400 | {
001401 |     EXError.Error(this, "Couldn't open " + fileName + " for writing");
001402 | }
001403 | }
001404 |
001405 | static void SaveAllPersistentGroups()
001406 | {
001407 | #ifdef EXTRACE
001408 |     auto trace = EXTrace.Start(EXTrace.AI, eAIGroup);
001409 | #endif
001410 |
001411 |     foreach (eAIGroup group: s_PersistentGroups)
001412 |     {
001413 |         if (group.Count() > 0)
001414 |             group.Save(true);
001415 |     }
001416 | }
001417 |
001418 | static bool Load(string fileName, out eAIGroup group)
001419 | {
001420 | #ifdef EXTRACE
001421 |     auto trace = EXTrace.StartStack(EXTrace.AI, eAIGroup);
001422 | #endif
001423 |
001424 |     FileSerializer serializer = new FileSerializer();
001425 |     if (serializer.Open(fileName, FileMode.READ))
001426 |     {
001427 |         int version;
001428 |         if (!serializer.Read(version))
001429 |             return EXError.ErrorFalse(null, "Couldn't read version from " + fileName);
001430 |
001431 |         vector position;
001432 |         if (!serializer.Read(position))
001433 |             return EXError.ErrorFalse(null, "Couldn't read group leader position from " + fileName);
001434 |
001435 |         int factionTypeID;
001436 |         if (!serializer.Read(factionTypeID))
001437 |             return EXError.ErrorFalse(null, "Couldn't read factionTypeID from " + fileName);
001438 |
001439 |         eAIFaction faction = eAIFaction.CreateByID(factionTypeID);
001440 |
001441 | #ifdef DIAG_DEVELOPER
001442 |         EXTrace.Print(EXTrace.AI, eAIGroup, "Load - Read faction " + faction + " ID " + factionTypeID);
001443 | #endif
001444 |
001445 |         group = CreateGroup(faction);
001446 |
001447 |         string name;
001448 |         if (!serializer.Read(name))
001449 |             return EXError.ErrorFalse(null, "Couldn't read group name from " + fileName);
```

```
001450 |         else
001451 |             group.SetName(name);
001452 |
001453 |         int count;
001454 |         if (!serializer.Read(count))
001455 |             return EXError.ErrorFalse(null, "Couldn't read count from " + fileName);
001456 |
001457 |         int groupMemberID;
001458 |         string basePath = ExpansionString.DirName(fileName) + "\\\";
001459 |         string aiPath;
001460 |         EntityAI entity;
001461 |         eAIBase ai;
001462 |         while (count-->0)
001463 |         {
001464 |             if (!serializer.Read(groupMemberID))
001465 |                 return EXError.ErrorFalse(null, "Couldn't read groupMemberID from " + fileName);
001466 |
001467 |             if (groupMemberID >= group.m_NextGroupMemberID)
001468 |                 group.m_NextGroupMemberID = groupMemberID + 1;
001469 |
001470 |             aiPath = basePath + groupMemberID.ToString() + ".bin";
001471 |             entity = null;
001472 |             if (ExpansionEntityStorageModule.RestoreFromFile(aiPath, entity, null, null, false) && Class.CastTo(ai, entity))
001473 |             {
001474 |                 ai.SetGroup(group);
001475 |                 ai.m_eAI_GroupMemberID = groupMemberID;
001476 |                 #ifdef DIAG_DEVELOPER
001477 |                     EXTrace.Print(EXTrace.AI, eAIGroup, "Restored AI " + ai + " at position " + ai.GetPosition());
001478 |                     vector surface = ExpansionStatic.GetSurfacePosition(ai.GetPosition());
001479 |                     if (ai.GetPosition()[1] < surface[1])
001480 |                         ai.SetPosition(surface);
001481 |                 #endif
001482 |             }
001483 |         }
001484 |
001485 |         int roamingCount;
001486 |         if (!serializer.Read(roamingCount))
001487 |         {
001488 |             EXError.Error(null, "Couldn't read roamingCount from " + fileName);
001489 |         }
001490 |         else if (roamingCount > 0)
001491 |         {
001492 |             TIntArray locIndices = {};
001493 |
001494 |             int index;
001495 |             while (roamingCount-->0)
001496 |             {
001497 |                 if (!serializer.Read(index))
001498 |                 {
001499 |                     EXError.Error(null, "Couldn't read location index from " + fileName);
001500 |                     break;
001501 |                 }
001502 |
001503 |                 locIndices.Insert(index);
001504 |             }
001505 |
001506 |             array<ref ExpansionAIRoamingLocation> locations = GetExpansionSettings().GetAILocation().RoamingLocations;
001507 |
001508 |             foreach (int locIdx: locIndices)
001509 |             {
001510 |                 ExpansionAIRoamingLocation location = locations[locIdx];
001511 |                 if (location)
```

```
001512 |         group.m_RoamingLocations.Insert(location);
001513 |     }
001514 | }
001515 |
001516 |     serializer.Close();
001517 |
001518 |     return true;
001519 | }
001520 | else
001521 | {
001522 |     EXError.Error(null, "Couldn't open " + fileName + " for reading");
001523 | }
001524 |
001525 |     return false;
001526 | }
001527 |
001528 | static bool ReadPosition(string fileName, out vector position)
001529 | {
001530 | #ifdef EXTRACE
001531 |     auto trace = EXTrace.StartStack(EXTrace.AI, eAIGroup);
001532 | #endif
001533 |
001534 |     FileSerializer serializer = new FileSerializer();
001535 |     if (serializer.Open(fileName, FileMode.READ))
001536 |     {
001537 |         int version;
001538 |         if (!serializer.Read(version))
001539 |             return EXError.ErrorFalse(null, "Couldn't read version from " + fileName);
001540 |
001541 |         if (!serializer.Read(position))
001542 |             return EXError.ErrorFalse(null, "Couldn't read position from " + fileName);
001543 |
001544 |         serializer.Close();
001545 |
001546 | #ifdef EXTRACE
001547 |         EXTrace.Add(trace, position);
001548 | #endif
001549 |
001550 |         return true;
001551 |     }
001552 |     else
001553 |     {
001554 |         EXError.Error(null, "Couldn't open " + fileName + " for reading");
001555 |     }
001556 |
001557 |     return false;
001558 | }
001559 |
001560 | void DeletePersistentFiles()
001561 | {
001562 |     string path = eAIGroup.GetStorageDirectory(m_BaseName);
001563 |     ExpansionStatic.DeleteDirectoryStructureRecursive(path, ".bin");
001564 | }
001565 |
001566 | void RandomizeDangerousAreaAvoidanceDirection()
001567 | {
001568 |     if (Math.RandomInt(0, 2))
001569 |         m_DangerousAreaAvoidanceDirection = 1.0;
001570 |     else
001571 |         m_DangerousAreaAvoidanceDirection = -1.0;
001572 | }
001573 | };
```


001574 |

0085. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaishockhandler.c

Size bytes: 322

SHA-256: c357236dc0c2ebfc90b0d220cf911eb7f0aa98bddc9722e18d10f2b2af8abac3

Decoded as: utf-8-sig

Line count shown: 15

Detected class declarations: 1

L1: class eAIShockHandler : ShockHandler

Detected enum declarations: 0

Detected function/method-like declarations: 1

L5: override void Update(float deltaT)

Full file content

```
000001 | class eAIShockHandler : ShockHandler
000002 | {
000003 |     private float m_eAI_TimeSinceLastTick = VALUE_CHECK_INTERVAL + 1;
000004 |
000005 |     override void Update(float deltaT)
000006 |     {
000007 |         m_eAI_TimeSinceLastTick += deltaT;
000008 |
000009 |         if (m_eAI_TimeSinceLastTick > VALUE_CHECK_INTERVAL)
000010 |         {
000011 |             CheckValue(false);
000012 |             m_eAI_TimeSinceLastTick = 0;
000013 |         }
000014 |     }
000015 | };
```

0086. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/eaitarget.c
Size bytes: 7605
SHA-256: 38800d6b6fe6fad5da7c9306f2d53e80ebbe1799c42e14fca55a0988c1b874cc
Decoded as: utf-8-sig
Line count shown: 392
Detected class declarations: 1
  L1: class eAITarget: eAITargetInformationState
Detected enum declarations: 0
Detected function/method-like declarations: 46
  L13: void ~eAITarget()
  L30: void Track(int maxTime = -1)
  L65: int GetRemainingTime()
  L75: override string GetDebugName()
  L88: bool IsActive()
  L94: bool IsUnconscious()
  L100: bool IsRaised()
  L106: bool IsFighting()
  L111: bool IsAcuteDanger()
  L116: bool IsLit()
  L121: float GetAttackCooldown()
  L126: void Update(int maxTime = -1)
  L134: void Remove()
  L139: void UpdateFoundAtTime()
  L144: bool HasInfo()
  L149: bool IsCreature()
  L154: bool IsDoor()
  L159: bool IsEntity()
  L164: bool IsExplosive()
  L169: bool IsGroup()
  L174: bool IsHazard()
  L179: bool IsInanimate()
  L184: bool IsItem()
  L189: bool IsMechanicalTrap()
  L194: bool IsNoise()
  L199: bool IsPlayer()
  L204: bool IsVehicle()
  L209: bool IsZombie()
  L214: EntityAI GetEntity()
  L219: IEntity GetParent()
  L224: float GetLifetime()
  L229: vector GetPosition(bool actual = false)
  L234: vector GetAimOffset()
  L239: float GetThreat()
  L244: bool CanPutInCargo(EntityAI parent)
  L249: bool CanMeleeIfClose()
  L272: bool IsMeleeViable()
  L309: else if (entityInHands && !entityInHands.IsMeleeWeapon())
  L317: bool ShouldRemove()
  L322: bool ShouldAvoid(float distance = 0.0)
  L327: float GetMinDistance(float distance = 0.0)
  L332: float GetMinDistanceSq(float distance = 0.0)
  L337: vector GetDirection(bool actual = false)
  L342: float GetDistance(bool actual = false)
  L347: float GetDistanceSq(bool actual = false)
  L352: void LogFriendlyAggro(DayZPlayerImplement victim, inout string aggressorPrefix, inout string victimPrefix)
```

Full file content

```
000001 | class eAITarget: eAITargetInformationState
```

```
000002 | {
000003 |     eAIGroup m_Group;
000004 |     int m_GroupID;
000005 |     int m_FoundAtTime;
000006 |     int m_MaxTime;
000007 |
000008 |     bool m_IsTracked;
000009 |
000010 |     bool m_FriendlyAggro;
000011 |
000012 | #ifdef DIAG_DEVELOPER
000013 |     void ~eAITarget()
000014 |     {
000015 |         if (!g_Game)
000016 |             return;
000017 |
000018 |         if (m_Info)
000019 |             EXTrace.Print(EXTrace.AI, this, "~eAITarget() " + m_Info.GetDebugName());
000020 |         else
000021 |             EXTrace.Print(EXTrace.AI, this, "~eAITarget()");
000022 |     }
000023 | #endif
000024 |
000025 | /**
000026 |  * @brief Start tracking this target
000027 |  *
000028 |  * @param maxTime time to track this target for
000029 |  */
000030 | void Track(int maxTime = -1)
000031 | {
000032 |     if (m_IsTracked)
000033 |     {
000034 |         EXError.Warn(this, "Already tracked");
000035 |         return;
000036 |     }
000037 |
000038 |     m_IsTracked = true;
000039 |
000040 |     m_FoundAtTime = g_Game.GetTime();
000041 |
000042 |     if (maxTime != -1)
000043 |         m_MaxTime = maxTime;
000044 |     else
000045 |         m_MaxTime = 120000;
000046 |
000047 |     m_Group = m_AI.GetGroup();
000048 |     m_GroupID = m_Group.GetID();
000049 |
000050 |     int count;
000051 |
000052 |     if (!m_Info.m_Groups.Find(m_GroupID, count))
000053 |         m_Group.OnTargetTrackingStart(m_Info);
000054 |
000055 |     ++count;
000056 |
000057 |     if (count > m_Group.Count())
000058 |         EXError.Error(this, string.Format("Number of AI tracking %1 (%2) can't be above number of AI in group ID %3 (%4)", GetDebugName(), count, m_GroupID, m_Group.Count()));
000059 |     else
000060 |         m_Info.m_Groups[m_GroupID] = count;
000061 |
000062 |     m_AI.eAI_AddTarget(this);
```

```
000063 |     }
000064 |
000065 |     int GetRemainingTime()
000066 |     {
000067 |         return m_MaxTime - (g_Game.GetTime() - m_FoundAtTime);
000068 |     }
000069 |
000070 |     /**
000071 |      * @brief Debugging information about the target
000072 |      *
000073 |      * @return string
000074 |      */
000075 |     override string GetDebugName()
000076 |     {
000077 |         string str = ToString();
000078 |
000079 |         str += ", ";
000080 |         str += "ai=" + m_AI.GetDebugName();
000081 |
000082 |         str += ", ";
000083 |         str += "info=" + m_Info.GetDebugName();
000084 |
000085 |         return str;
000086 |     }
000087 |
000088 |     bool IsActive()
000089 |     {
000090 |         return m_Info.IsActive();
000091 |     }
000092 |
000093 |     //! Players only
000094 |     bool IsUnconscious()
000095 |     {
000096 |         return m_Info.IsUnconscious();
000097 |     }
000098 |
000099 |     //! Players only
000100 |     bool IsRaised()
000101 |     {
000102 |         return m_Info.IsRaised();
000103 |     }
000104 |
000105 |     //! Creatures/Players
000106 |     bool IsFighting()
000107 |     {
000108 |         return m_Info.IsFighting();
000109 |     }
000110 |
000111 |     bool IsAcuteDanger()
000112 |     {
000113 |         return m_Info.IsAcuteDanger(m_AI);
000114 |     }
000115 |
000116 |     bool IsLit()
000117 |     {
000118 |         return m_Info.IsLit();
000119 |     }
000120 |
000121 |     float GetAttackCooldown()
000122 |     {
000123 |         return m_Info.GetAttackCooldown();
000124 |     }
```

```
000125 |  
000126 | void Update(int maxTime = -1)  
000127 | {  
000128 |     UpdateFoundAtTime();  
000129 |  
000130 |     if (maxTime != -1)  
000131 |         m_MaxTime = maxTime;  
000132 | }  
000133 |  
000134 | void Remove()  
000135 | {  
000136 |     m_Info.RemoveAI(m_AI);  
000137 | }  
000138 |  
000139 | void UpdateFoundAtTime()  
000140 | {  
000141 |     m_FoundAtTime = g_Game.GetTime();  
000142 | }  
000143 |  
000144 | bool HasInfo()  
000145 | {  
000146 |     return m_Info != null;  
000147 | }  
000148 |  
000149 | bool IsCreature()  
000150 | {  
000151 |     return m_Info.IsCreature();  
000152 | }  
000153 |  
000154 | bool IsDoor()  
000155 | {  
000156 |     return m_Info.IsDoor();  
000157 | }  
000158 |  
000159 | bool IsEntity()  
000160 | {  
000161 |     return m_Info.IsEntity();  
000162 | }  
000163 |  
000164 | bool IsExplosive()  
000165 | {  
000166 |     return m_Info.IsExplosive();  
000167 | }  
000168 |  
000169 | bool IsGroup()  
000170 | {  
000171 |     return m_Info.IsGroup();  
000172 | }  
000173 |  
000174 | bool IsHazard()  
000175 | {  
000176 |     return m_Info.IsHazard();  
000177 | }  
000178 |  
000179 | bool IsInanimate()  
000180 | {  
000181 |     return m_Info.IsInanimate();  
000182 | }  
000183 |  
000184 | bool IsItem()  
000185 | {  
000186 |     return m_Info.IsItem();
```

```
000187 | }
000188 |
000189 | bool IsMechanicalTrap()
000190 | {
000191 |     return m_Info.IsMechanicalTrap();
000192 | }
000193 |
000194 | bool IsNoise()
000195 | {
000196 |     return m_Info.IsNoise();
000197 | }
000198 |
000199 | bool IsPlayer()
000200 | {
000201 |     return m_Info.IsPlayer();
000202 | }
000203 |
000204 | bool IsVehicle()
000205 | {
000206 |     return m_Info.IsVehicle();
000207 | }
000208 |
000209 | bool IsZombie()
000210 | {
000211 |     return m_Info.IsZombie();
000212 | }
000213 |
000214 | EntityAI GetEntity()
000215 | {
000216 |     return m_Info.GetEntity();
000217 | }
000218 |
000219 | IEntity GetParent()
000220 | {
000221 |     return m_Info.GetParent();
000222 | }
000223 |
000224 | float GetLifetime()
000225 | {
000226 |     return m_Info.GetLifetime();
000227 | }
000228 |
000229 | vector GetPosition(bool actual = false)
000230 | {
000231 |     return m_Info.GetPosition(m_AI, actual, this);
000232 | }
000233 |
000234 | vector GetAimOffset()
000235 | {
000236 |     return m_Info.GetAimOffset(m_AI);
000237 | }
000238 |
000239 | float GetThreat()
000240 | {
000241 |     return m_Info.GetThreat(m_AI, this);
000242 | }
000243 |
000244 | bool CanPutInCargo(EntityAI parent)
000245 | {
000246 |     return m_Info.CanPutInCargo(parent);
000247 | }
000248 |
```

```
000249 |     bool CanMeleeIfClose()
000250 |     {
000251 |         bool canYeet;
000252 |         if (m_AI.GetGroup().GetFaction().GetMeleeYeetForce() >= 1.0)
000253 |             canYeet = true;
000254 |
000255 |         EntityAI entity = GetEntity();
000256 |         if (!entity || (entity.IsItemBase() && (!IsMechanicalTrap() || IsExplosive())) || (entity.IsTransport() && !canYeet))
000257 |             return false;
000258 |
000259 |         DayZPlayerImplement player;
000260 |         if (!Class.CastTo(player, entity))
000261 |             return true;
000262 |
000263 |         IEntity parent = player.Expansion_GetParent();
000264 |         Car car;
000265 |         //! Allow hitting vehicle passengers as long as engine isn't on or speed is below RegisterTransportHit tolerance 2 km/h = 0.555555 m/s
000266 |         if (parent && (GetVelocity(parent).LengthSq() > 0.308641 || (Class.CastTo(car, parent) && car.EngineIsOn())))
000267 |             return false;
000268 |
000269 |         return true;
000270 |     }
000271 |
000272 |     bool IsMeleeViable()
000273 |     {
000274 |         if (!CanMeleeIfClose())
000275 |             return false;
000276 |
000277 |         float distSq = GetDistanceSq(true);
000278 |
000279 |         float range = m_AI.m_eMeleeCombat.eAI_GetRange();
000280 |         if (distSq > range * range)
000281 |             return false;
000282 |
000283 |         EntityAI entityInHands = m_AI.GetHumanInventory().GetEntityInHands();
000284 |
000285 |         Weapon_Base weapon;
000286 |         if (Class.CastTo(weapon, entityInHands))
000287 |         {
000288 |             if (!m_AI.CanConsumeStamina(EStaminaConsumers.MELEE_HEAVY))
000289 |                 return false;
000290 |
000291 |             //! If we have a chambered firearm that doesn't shoot explosive ammo...
000292 |             if (weapon.Expansion_IsChambered() && !weapon.ShootsExplosiveAmmo())
000293 |             {
000294 |                 EntityAI tgtEntity = GetEntity();
000295 |
000296 |                 //! ...don't melee if fighting a bear
000297 |                 if (tgtEntity.IsInherited(Animal_UrsusArctos))
000298 |                     return false;
000299 |
000300 |                 //! ...if avg dmg per shot is above or equal target health or weapon has mag w/ ammo...
000301 |                 if (weapon.Expansion_GetAvgDmgPerShot() >= tgtEntity.GetHealth() || weapon.Expansion_GetMagazineAmmoCount() > 0)
000302 |                 {
000303 |                     //! ...don't melee if fighting multiple zombies/wolves or last melee was less than three seconds ago
000304 |                     if (m_AI.m_eAI_AcuteDangerTargetCount > 1 || g_Game.GetTime() - m_AI.m_eAI_MeleeTime < 3000)
000305 |                         return false;
000306 |                 }
000307 |             }
000308 |         }
000309 |         else if (entityInHands && !entityInHands.IsMeleeWeapon())
000310 |         {
```



```
000311 |         return false;
000312 |     }
000313 |
000314 |     return true;
000315 | }
000316 |
000317 | bool ShouldRemove()
000318 | {
000319 |     return !m_Info.IsActive() || (m_FoundAtTime + m_MaxTime <= g_Game.GetTime() && m_Info.ShouldRemove(m_AI));
000320 | }
000321 |
000322 | bool ShouldAvoid(float distance = 0.0)
000323 | {
000324 |     return m_Info.ShouldAvoid(m_AI, distance);
000325 | }
000326 |
000327 | float GetMinDistance(float distance = 0.0)
000328 | {
000329 |     return m_Info.GetMinDistance(m_AI, distance);
000330 | }
000331 |
000332 | float GetMinDistanceSq(float distance = 0.0)
000333 | {
000334 |     return m_Info.GetMinDistanceSq(m_AI, distance);
000335 | }
000336 |
000337 | vector GetDirection(bool actual = false)
000338 | {
000339 |     return m_Info.GetDirection(m_AI, actual, this);
000340 | }
000341 |
000342 | float GetDistance(bool actual = false)
000343 | {
000344 |     return m_Info.GetDistance(m_AI, actual, this);
000345 | }
000346 |
000347 | float GetDistanceSq(bool actual = false)
000348 | {
000349 |     return m_Info.GetDistanceSq(m_AI, actual, this);
000350 | }
000351 |
000352 | void LogFriendlyAggro(DayZPlayerImplement victim, inout string aggressorPrefix, inout string victimPrefix)
000353 | {
000354 |     if (m_FriendlyAggro)
000355 |         return;
000356 |
000357 |     m_FriendlyAggro = true;
000358 |
000359 |     PlayerBase pb;
000360 |     string msg;
000361 |     string prefix = m_AI.m_AdminLog.GetPlayerPrefix(m_AI, null);
000362 |
000363 |     if (!aggressorPrefix)
000364 |     {
000365 |         EntityAI aggressor = GetEntity();
000366 |         if (Class.CastTo(pb, aggressor))
000367 |             aggressorPrefix = pb.m_AdminLog.GetPlayerPrefix(pb, pb.GetIdentity());
000368 |         else
000369 |             aggressorPrefix = aggressor.GetDisplayName();
000370 |     }
000371 |
000372 |     if (m_AI != victim)
```

```
000373 |     {
000374 |         if (!victimPrefix)
000375 |         {
000376 |             if (Class.CastTo(pb, victim))
000377 |                 victimPrefix = pb.m_AdminLog.GetPlayerPrefix(pb, pb.GetIdentity());
000378 |             else
000379 |                 victimPrefix = victim.GetDisplayName();
000380 |         }
000381 |
000382 |         msg = string.Format("%1 turned hostile to aggressor %2 because %3 was hit", prefix, aggressorPrefix, victimPrefix);
000383 |     }
000384 |     else
000385 |     {
000386 |         msg = string.Format("%1 turned hostile to attacker %2", prefix, aggressorPrefix);
000387 |     }
000388 |
000389 |     g_Game.AdminLog(msg);
000390 | }
000391 | };
000392 |
```

0087. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/environment.c

Size bytes: 1007

SHA-256: 9ea955fe28ed032300174cbd30cd6f378a226a35fa27f08ecda101e8b1d69e7d

Decoded as: utf-8-sig

Line count shown: 42

Detected class declarations: 1

L1: modded class Environment

Detected enum declarations: 0

Detected function/method-like declarations: 4

L12: float Expansion_GetDaylightVisibility()

L17: return Expansion_GetDaylightVisibilityEx(month, hour, minute);

L20: float Expansion_GetDaylightVisibilityEx(int month, int hour, int minute)

L37: bool Expansion_IsUnderRoofBuilding()

Full file content

```
000001 | modded class Environment
000002 | {
000003 |     float m_Expansion_TimeVisibility_Out[6] = {
000004 |         0,
000005 |         0.5,    //!< sunrise start
000006 |         1,
000007 |         1,
000008 |         0.75,  //!< sunset start
000009 |         0
000010 |     };
000011 |
000012 |     float Expansion_GetDaylightVisibility()
000013 |     {
000014 |         int year, month, day, hour, minute;
000015 |         g_Game.GetWorld().GetDate(year, month, day, hour, minute);
000016 |
000017 |         return Expansion_GetDaylightVisibilityEx(month, hour, minute);
000018 |     }
000019 |
000020 |     float Expansion_GetDaylightVisibilityEx(int month, int hour, int minute)
000021 |     {
000022 |         float sunriseTimeStart = m_WorldData.GetApproxSunriseTime(month);
000023 |         float sunsetTimeStart = m_WorldData.GetApproxSunsetTime(month);
000024 |
000025 |         float time[6] = {
000026 |             Math.Max(sunriseTimeStart - 0.5, 0.0),
000027 |             sunriseTimeStart,
000028 |             sunriseTimeStart + 0.5,
000029 |             sunsetTimeStart - 0.5,
000030 |             sunsetTimeStart,
000031 |             Math.Min(sunsetTimeStart + 1.0, 23.0 + 59.0 / 60.0)
000032 |         };
000033 |
000034 |         return ExpansionMath.LookUp(hour + minute / 60.0, 6, time, m_Expansion_TimeVisibility_Out);
000035 |     }
000036 |
000037 |     bool Expansion_IsUnderRoofBuilding()
000038 |     {
000039 |         return m_IsUnderRoofBuilding;
000040 |     }
000041 | }
000042 |
```

0088. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionclimb.c
Size bytes: 13537
SHA-256: 5dc4b2c684dac63843bac360d7db405e9fab8e7672a183d1d18644a7b7234117
Decoded as: utf-8-sig
Line count shown: 469
Detected class declarations: 1
  L4: class ExpansionClimb
Detected enum declarations: 0
Detected function/method-like declarations: 11
  L21: static bool DoClimbTest(PlayerBase pPlayer, SHumanCommandClimbResult pResult, bool alwaysAllowClimb = false)
  L62: array<ref RaycastRVResult> results();
  L64: array<Object> excluded();
  L166: SHumanCommandClimbResult climbResult();
  L188: static bool ValidateHeight(RaycastRVResult rayInfo, PlayerBase pPlayer, SHumanCommandClimbResult pResult, bool alwaysAllowClimb = false)
  L242: array<ref RaycastRVResult> results();
  L243: array<Object> excluded();
  L363: else if (freeStepParent && freeStepPoint[1] >= freeStepMinHeight)
  L394: static void CopyClimbResult(SHumanCommandClimbResult a, out SHumanCommandClimbResult b)
  L410: static void DebugClimb(PlayerBase pPlayer, SHumanCommandClimbResult pResult, int pColorGrab, int pColorStand)
  L453: else if (pResult.m_bIsClimb)
```

Full file content

```
000001 | // very ugly, big mess
000002 | // could be worse :) -lava76
000003 | // indeed :) - jacob
000004 | class ExpansionClimb
000005 | {
000006 |     //!!! Output of default variables !!!
000007 |     // float m_fCharHeight = 1.7
000008 |     // float m_fCharWidth = 0.3
000009 |     // float m_fFwMinHeight = 0.7
000010 |     // float m_fFwMaxHeight = 3.5
000011 |     // float m_fFwMaxDistance = 1.2
000012 |     // float m_fStepFreeSpace = 0.6
000013 |     // float m_fStepPositionAfterEdge = 0.3
000014 |     // float m_fStepDownRadius = 0.02
000015 |     // float m_fStepMinNormal = 0.866
000016 |     // float m_fStepVariation = 0.2
000017 |     // float m_fStepMinWidth = 0.4
000018 |     // float m_fClimbOverMaxWidth = 0.5
000019 |     // float m_fClimbOverMinHeight = 0.6
000020 |
000021 |     static bool DoClimbTest(PlayerBase pPlayer, SHumanCommandClimbResult pResult, bool alwaysAllowClimb = false)
000022 |     {
000023 |         CopyClimbResult(new SHumanCommandClimbResult(), pResult);
000024 |
000025 |         SHumanCommandClimbSettings hcls = pPlayer.GetDayZPlayerType().CommandClimbSettingsW();
000026 |
000027 |         vector pPos = pPlayer.GetPosition();
000028 |         vector pDir = pPlayer.Expansion_GetHeadingVector();
000029 |
000030 |         vector p0;
000031 |         vector p1;
000032 |         float radius = hcls.m_fCharWidth;
000033 |         bool hit;
000034 |         vector hitPosition;
000035 |         Object hitObject;
000036 |         vector hitNormal;
```

```
000037 |         float hitFraction;
000038 |
000039 |         vector direction;
000040 |         vector position;
000041 |
000042 |         float distance;
000043 |         float minDistance;
000044 |         int processed;
000045 |
000046 |         vector distanceCheck = pPos + Vector(0, hcls.m_fWMinHeight + radius, 0);
000047 |
000048 |         int layers = PhxInteractionLayers.DEFAULT | PhxInteractionLayers.BUILDING | PhxInteractionLayers.VEHICLE | PhxInteractionLayers.FENCE;
000049 |
000050 |         p0 = distanceCheck + (pDir * radius);
000051 |         p1 = distanceCheck + (pDir * (hcls.m_fWMaxDistance - radius));
000052 |
000053 |         RaycastRVParams params = new RaycastRVParams(p0, p1, pPlayer, radius);
000054 |         params.flags = CollisionFlags.ALLOBJECTS;
000055 |         params.type = ObjIntersectGeom;
000056 |         params.radius = radius;
000057 |         params.ignore = pPlayer;
000058 |         params.with = pPlayer;
000059 |
000060 |         // Perform a forward pass
000061 |
000062 |         array<ref RaycastRVResult> results();
000063 |
000064 |         array<Object> excluded();
000065 |         excluded.Insert(pPlayer);
000066 |
000067 |         /*
000068 |         hit = DayZPhysics.RaycastRVProxy(params, results, excluded);
000069 |         if (!hit)
000070 |         {
000071 |             return false;
000072 |         }
000073 |
000074 |         minDistance = float.MAX;
000075 |         foreach (auto resultDistance : results)
000076 |         {
000077 |             vector resultGrabDir = resultDistance.dir;
000078 |             float size = resultGrabDir.Normalize();
000079 |
000080 |             position = resultDistance.pos + (resultGrabDir * radius);
000081 |             distance = vector.DistanceSq(position, distanceCheck);
000082 |
000083 |             if (distance < minDistance)
000084 |             {
000085 |                 minDistance = distance;
000086 |                 hitPosition = position;
000087 |
000088 |                 // May have to be flipped
000089 |                 pResult.m_ClimbGrabPointNormal = resultGrabDir;
000090 |
000091 |                 processed++;
000092 |             }
000093 |         }
000094 |
000095 |         if (processed == 0)
000096 |         {
000097 |             return false;
000098 |         }
000099 |     }
```

```
000099 |
000100 |     processed = 0;
000101 |     results.Clear();
000102 |     */
000103 |
000104 |     if (radius != 0)
000105 |     {
000106 |         hit = DayZPhysics.SphereCastBullet(p0, p1, radius, layers, pPlayer, hitObject, hitPosition, hitNormal, hitFraction);
000107 |     }
000108 |     else
000109 |     {
000110 |         hit = DayZPhysics.RayCastBullet(p0, p1, layers, pPlayer, hitObject, hitPosition, hitNormal, hitFraction);
000111 |     }
000112 |
000113 |     if (!hit)
000114 |     {
000115 |         return false;
000116 |     }
000117 |
000118 |     hitNormal.Normalize();
000119 |
000120 |     vector normalXZ = Vector(-hitNormal[0], 0, -hitNormal[2]).Normalized();
000121 |
000122 |     float minDotNormalDirection = 0.595;
000123 |     float normalDirectionDot = vector.Dot(normalXZ, pDir);
000124 |     if (normalDirectionDot < 0.595)
000125 |     {
000126 |         return false;
000127 |     }
000128 |
000129 |     float distanceScaled = ((1.0 - hitFraction) * (hcls.m_fWMaxDistance - (radius * 2.0))) / normalDirectionDot;
000130 |
000131 |     if (distanceScaled > hcls.m_fWMaxDistance)
000132 |     {
000133 |         return false;
000134 |     }
000135 |
000136 |     pResult.m_ClimbGrabPointNormal = hitNormal;
000137 |
000138 | #ifndef SERVER
000139 |     //pPlayer.AddShape(Shape.CreateSphere(0xFFFFFFFF00, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, hitPosition, radius));
000140 | #endif
000141 |
000142 |     // Checking to see if the object in front of us has a spot to grab
000143 |
000144 |     p0 = hitPosition;
000145 |     p1 = hitPosition;
000146 |     p0[1] = pPos[1] + (hcls.m_fClimbOverMinHeight + radius);
000147 |     p1[1] = pPos[1] + (hcls.m_fWMaxHeight - radius);
000148 |
000149 | #ifndef SERVER
000150 |     //pPlayer.AddShape(Shape.CreateSphere(0xFF0000FF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, p0, radius));
000151 |     //pPlayer.AddShape(Shape.CreateSphere(0xFF0000FF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, p1, radius));
000152 | #endif
000153 |
000154 |     params.begPos = p1;
000155 |     params.endPos = p0;
000156 |
000157 |     hit = DayZPhysics.RaycastRVProxy(params, results, excluded);
000158 |     if (!hit)
000159 |     {
000160 |         return false;
```

```
000161 |     }
000162 |
000163 |     minDistance = float.MAX;
000164 |     foreach (auto rayInfo : results)
000165 |     {
000166 |         SHumanCommandClimbResult climbResult();
000167 |         climbResult.m_ClimbGrabPointNormal = pResult.m_ClimbGrabPointNormal;
000168 |         if (ValidateHeight(rayInfo, pPlayer, climbResult, alwaysAllowClimb))
000169 |         {
000170 |             position = climbResult.m_ClimbGrabPoint;
000171 |             distance = vector.DistanceSq(position, pPos);
000172 |
000173 |             if (distance < minDistance)
000174 |             {
000175 |                 minDistance = distance;
000176 |                 hitPosition = position;
000177 |
000178 |                 CopyClimbResult(climbResult, pResult);
000179 |
000180 |                 processed++;
000181 |             }
000182 |         }
000183 |     }
000184 |
000185 |     return processed != 0;
000186 | }
000187 |
000188 | static bool ValidateHeight(RaycastRVResult rayInfo, PlayerBase pPlayer, SHumanCommandClimbResult pResult, bool alwaysAllowClimb = false)
000189 | {
000190 |     // The below checks should no longer be needed as we don't cast a ray for those layers
000191 |     Object rayHitObject = rayInfo.obj;
000192 |     if (!rayHitObject || rayHitObject.IsTree() || rayHitObject.IsBush() || rayHitObject.IsMan())
000193 |     {
000194 |         return false;
000195 |     }
000196 |
000197 |     EntityAI rayHitEntity;
000198 |     if (Class.CastTo(rayHitEntity, rayHitObject) && (rayHitEntity.IsAnimal() || rayHitEntity.IsZombie()))
000199 |     {
000200 |         return false;
000201 |     }
000202 |
000203 |     if (!alwaysAllowClimb)
000204 |     {
000205 |         ExpansionModelInfo modelInfo = ExpansionModelInfo.Get(rayHitObject);
000206 |         if (!modelInfo || !modelInfo.CanClimb)
000207 |         {
000208 |             EXTrace.Print(EXTrace.AI, pPlayer, "Cannot climb " + Debug.GetDebugName(rayHitObject));
000209 |             return false;
000210 |         }
000211 |     }
000212 |
000213 |     SHumanCommandClimbSettings hcls = pPlayer.GetDayZPlayerType().CommandClimbSettingsW();
000214 |
000215 |     vector pPos = pPlayer.GetPosition();
000216 |     vector pDir = pPlayer.Expansion_GetHeadingVector();
000217 |
000218 |     vector p0;
000219 |     vector p1;
000220 |     float radius = hcls.m_fCharWidth;
000221 |     bool hit;
000222 |     vector hitPosition;
```

```
000223 |         Object hitObject;
000224 |         vector hitNormal;
000225 |         float hitFraction;
000226 |
000227 |         vector direction = pResult.m_ClimbGrabPointNormal;
000228 |         vector position;
000229 |
000230 |         float distance;
000231 |         float minDistance;
000232 |         int processed;
000233 |
000234 |         RaycastRVParams params = new RaycastRVParams(p0, p1, pPlayer, radius);
000235 |         params.flags = CollisionFlags.ALLOBJECTS;
000236 |         params.type = ObjIntersectGeom;
000237 |         radius = 0.05;
000238 |         params.radius = radius;
000239 |         params.ignore = pPlayer;
000240 |         params.with = pPlayer;
000241 |
000242 |         array<ref RaycastRVResult> results();
000243 |         array<Object> excluded();
000244 |         excluded.Insert(pPlayer);
000245 |
000246 |         hitPosition = rayInfo.pos + (rayInfo.dir.Normalized() * hcls.m_fCharWidth);
000247 |
000248 |         pResult.m_fClimbHeight = hitPosition[1] - pPlayer.GetPosition()[1];
000249 |
000250 |         if (pResult.m_fClimbHeight < hcls.m_fFwMinHeight)
000251 |         {
000252 | #ifndef SERVER
000253 |             //pPlayer.AddShape(Shape.CreateSphere(0xFFFF0000, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, hitPosition, radius));
000254 | #endif
000255 |
000256 |             return false;
000257 |         }
000258 |
000259 |         if (pResult.m_fClimbHeight > hcls.m_fFwMaxHeight)
000260 |         {
000261 | #ifndef SERVER
000262 |             //pPlayer.AddShape(Shape.CreateSphere(0xFFFF0000, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, hitPosition, radius));
000263 | #endif
000264 |
000265 |             return false;
000266 |         }
000267 |
000268 | #ifndef SERVER
000269 |         //pPlayer.AddShape(Shape.CreateSphere(0xFF00FF00, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, hitPosition, radius));
000270 | #endif
000271 |
000272 |         float maxDistanceForValid = (radius * radius) + 0.2;
000273 |
000274 |         position = hitPosition;
000275 |         params.begPos = position + Vector(0, hcls.m_fCharHeight - radius, 0);
000276 |         params.endPos = position - Vector(0, 0.1, 0);
000277 |         hit = DayZPhysics.RaycastRVProxy(params, results, excluded);
000278 |
000279 |         foreach (auto heightResult : results)
000280 |         {
000281 |             direction = heightResult.dir.Normalized();
000282 |             position = heightResult.pos + (direction * radius * 2.0);
000283 |             distance = vector.DistanceSq(position, params.endPos);
000284 |         }
```



```
000285 |         if (distance > maxDistanceForValid)
000286 |         {
000287 | #ifndef SERVER
000288 |             //pPlayer.AddShape(Shape.CreateSphere(0xFFAA0022, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, params.begPos, radius));
000289 |             //pPlayer.AddShape(Shape.CreateSphere(0xFFAA0022, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, params.endPos, radius));
000290 | #endif
000291 |
000292 |             return false;
000293 |         }
000294 |     }
000295 |
000296 |     pResult.m_bIsClimb = true;
000297 |     pResult.m_bFinishWithFall = true;
000298 |     pResult.m_bHasParent = true;
000299 |
000300 |     vector transform[4];
000301 |     rayHitObject.GetTransform(transform);
000302 |
000303 |     //Print(direction);
000304 |     //Print(pResult.m_ClimbGrabPointNormal);
000305 |     vector normal = pResult.m_ClimbGrabPointNormal - direction;
000306 |     normal.Normalize();
000307 |     //Print(normal);
000308 |
000309 |     pResult.m_GrabPointParent = rayHitObject;
000310 |     pResult.m_ClimbGrabPointNormal = normal.InvMultiply3(transform);
000311 |     pResult.m_ClimbGrabPoint = (position + (normal * 0.05)).InvMultiply4(transform);
000312 |
000313 |     // Check to see if we should be climbing over or stepping
000314 |
000315 |     radius = hcls.m_fCharWidth;
000316 |     params.radius = radius;
000317 |
000318 |     position = hitPosition + (pDir * (hcls.m_fClimbOverMaxWidth + hcls.m_fStepMinWidth));
000319 |     float freeStepMinHeight = position[1] - hcls.m_fClimbOverMinHeight;
000320 |     float freeStepMaxHeight = position[1] + hcls.m_fStepVariation;
000321 |
000322 |     params.begPos = position + Vector(0, hcls.m_fCharHeight - radius, 0);
000323 |     params.endPos = position - Vector(0, 10.0, 0);
000324 |     hit = DayZPhysics.RaycastRVProxy(params, results, excluded);
000325 |
000326 | #ifndef SERVER
000327 |     //pPlayer.AddShape(Shape.CreateSphere(0xFFAAAAFF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, params.begPos, radius));
000328 |     //pPlayer.AddShape(Shape.CreateSphere(0xFFAAAAFF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, params.endPos, radius));
000329 | #endif
000330 |
000331 |     Object freeStepParent;
000332 |     vector freeStepPoint = Vector(0, float.MIN, 0);
000333 |
000334 |     foreach (auto freeStepResult : results)
000335 |     {
000336 | #ifndef SERVER
000337 |         //pPlayer.AddShape(Shape.CreateSphere(0xFFAAAAFF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, freeStepResult.pos, 0.1));
000338 | #endif
000339 |
000340 |         if (freeStepPoint[1] > freeStepResult.pos[1])
000341 |         {
000342 |             continue;
000343 |         }
000344 |
000345 |         freeStepParent = freeStepResult.obj;
000346 |         freeStepPoint = freeStepResult.pos + (freeStepResult.dir.Normalized() * radius);
```

```
000347 |
000348 |         processed++;
000349 |     }
000350 |
000351 |     if (processed == 0)
000352 |     {
000353 |         if (results.Count() != 0)
000354 |         {
000355 |             return false;
000356 |         }
000357 |     }
000358 |
000359 |     if (freeStepPoint[1] >= freeStepMaxHeight)
000360 |     {
000361 |         return false;
000362 |     }
000363 |     else if (freeStepParent && freeStepPoint[1] >= freeStepMinHeight)
000364 |     {
000365 |         pResult.m_bIsClimbOver = false;
000366 |         pResult.m_ClimbStandPointParent = freeStepParent;
000367 |         pResult.m_ClimbStandPoint = freeStepParent.WorldToModel(freeStepPoint);
000368 |     }
000369 |     else
000370 |     {
000371 |         /// Assigning climb over standpoint parent sometimes seemingly deletes the AI. Just always assign null
000372 |         /// This one in world coordinates! Comment in vanilla human.c is wrong!
000373 |
000374 |         pResult.m_bIsClimbOver = true;
000375 |         pResult.m_ClimbOverStandPointParent = null;
000376 |         pResult.m_ClimbOverStandPoint = freeStepPoint;
000377 |     }
000378 |
000379 |     int layers = PhxInteractionLayers.DEFAULT | PhxInteractionLayers.BUILDING | PhxInteractionLayers.VEHICLE | PhxInteractionLayers.FENCE;
000380 |
000381 |     p0 = pPos + Vector(0, hcls.m_fCharHeight * 0.5, 0);
000382 |     p1 = pPos + Vector(0, freeStepPoint[1] + hcls.m_fCharHeight, 0);
000383 |
000384 |     hit = DayZPhysics.SphereCastBullet(p0, p1, radius, layers, pPlayer, hitObject, hitPosition, hitNormal, hitFraction);
000385 |     //hit = DayZPhysics.RayCastBullet(p0, p1, layers, pPlayer, hitObject, hitPosition, hitNormal, hitFraction);
000386 |     if (hit)
000387 |     {
000388 |         return false;
000389 |     }
000390 |
000391 |     return true;
000392 | }
000393 |
000394 | static void CopyClimbResult(SHumanCommandClimbResult a, out SHumanCommandClimbResult b)
000395 | {
000396 |     b.m_bIsClimb = a.m_bIsClimb;
000397 |     b.m_bIsClimbOver = a.m_bIsClimbOver;
000398 |     b.m_bFinishWithFall = a.m_bFinishWithFall;
000399 |     b.m_bHasParent = a.m_bHasParent;
000400 |     b.m_fClimbHeight = a.m_fClimbHeight;
000401 |     b.m_ClimbGrabPoint = a.m_ClimbGrabPoint;
000402 |     b.m_ClimbGrabPointNormal = a.m_ClimbGrabPointNormal;
000403 |     b.m_ClimbStandPoint = a.m_ClimbStandPoint;
000404 |     b.m_ClimbOverStandPoint = a.m_ClimbOverStandPoint;
000405 |     b.m_GrabPointParent = a.m_GrabPointParent;
000406 |     b.m_ClimbStandPointParent = a.m_ClimbStandPointParent;
000407 |     b.m_ClimbOverStandPointParent = a.m_ClimbOverStandPointParent;
000408 | }
```

```
000409 |
000410 |     static void DebugClimb(PlayerBase pPlayer, SHumanCommandClimbResult pResult, int pColorGrab, int pColorStand)
000411 |     {
000412 | #ifdef DIAG_DEVELOPER
000413 | #ifndef SERVER
000414 |         if (!pResult.m_bIsClimb && !pResult.m_bIsClimbOver)
000415 |         {
000416 |             return;
000417 |         }
000418 |
000419 |         vector eTransform[4];
000420 |
000421 |         vector p0;
000422 |         vector p1;
000423 |         vector points[2];
000424 |         float radius = 0.05;
000425 |         float length = radius * 10.0;
000426 |
000427 |         p0 = pResult.m_ClimbGrabPoint;
000428 |         p1 = p0 + pResult.m_ClimbGrabPointNormal;
000429 |         if (pResult.m_GrabPointParent)
000430 |         {
000431 |             pResult.m_GrabPointParent.GetTransform(eTransform);
000432 |             p0 = p0.Multiply4(eTransform);
000433 |             p1 = p1.Multiply4(eTransform);
000434 |         }
000435 |
000436 |         pPlayer.AddShape(Shape.CreateSphere(pColorGrab, ShapeFlags.NOOUTLINE | ShapeFlags.NOZBUFFER | ShapeFlags.TRANSP, p0, radius));
000437 |
000438 |         points[0] = p0;
000439 |         points[1] = p1;
000440 |         pPlayer.AddShape(Shape.CreateLines(pColorGrab, ShapeFlags.NOOUTLINE | ShapeFlags.NOZBUFFER | ShapeFlags.TRANSP, points, 2));
000441 |
000442 |         if (pResult.m_bIsClimbOver)
000443 |         {
000444 |             p0 = pResult.m_ClimbOverStandPoint;
000445 |
000446 |             if (pResult.m_ClimbOverStandPointParent)
000447 |             {
000448 |                 pResult.m_ClimbOverStandPointParent.GetTransform(eTransform);
000449 |                 p0 = p0.Multiply4(eTransform);
000450 |             }
000451 |
000452 |         }
000453 |         else if (pResult.m_bIsClimb)
000454 |         {
000455 |             p0 = pResult.m_ClimbStandPoint;
000456 |
000457 |             if (pResult.m_ClimbStandPointParent)
000458 |             {
000459 |                 pResult.m_ClimbStandPointParent.GetTransform(eTransform);
000460 |                 p0 = p0.Multiply4(eTransform);
000461 |             }
000462 |         }
000463 |
000464 |         pPlayer.AddShape(Shape.CreateSphere(pColorStand, ShapeFlags.NOOUTLINE | ShapeFlags.NOZBUFFER | ShapeFlags.TRANSP, p0, radius));
000465 | #endif
000466 | #endif
000467 |     }
000468 | };
000469 |
```

0089. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionfsmhelper.c
Size bytes: 490
SHA-256: 28df61658b8e21a7ebb689b5b2bc161968dfd4b532015b8cf239f2781919a180
Decoded as: utf-8-sig
Line count shown: 20
Detected class declarations: 1
 L1: class ExpansionFSMHelper
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: static void DoorAnimationSource(EntityAI transport, int seatPos, out bool exists, out string animSource)

Full file content

```
000001 | class ExpansionFSMHelper
000002 | {
000003 |     static void DoorAnimationSource(EntityAI transport, int seatPos, out bool exists, out string animSource)
000004 |     {
000005 |         CarScript car;
000006 |         if (!Class.CastTo(car, transport))
000007 |         {
000008 |             return;
000009 |         }
000010 |
000011 |         exists = car.FindAttachmentBySlotName(car.GetDoorInvSlotNameFromSeatPos(seatPos)) != null;
000012 |
000013 |         if (exists)
000014 |         {
000015 |             string selectionName = car.GetDoorSelectionNameFromSeatPos(seatPos);
000016 |             animSource = car.GetAnimSourceFromSelection(selectionName);
000017 |         }
000018 |     }
000019 | };
000020 |
```

0090. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionhumanloadout.c

Size bytes: 3937

SHA-256: 48f4b040d8c0656257cdaec6d90056660b28a41d5f85d200e79ce32c7692c158

Decoded as: utf-8-sig

Line count shown: 111

Detected class declarations: 1

L1: modded class ExpansionHumanLoadout

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: static void DefaultFreshSpawnLoadout()

Full file content

```
000001 | modded class ExpansionHumanLoadout
000002 | {
000003 |     static void DefaultFreshSpawnLoadout()
000004 |     {
000005 |         if (FileExist(ExpansionLoadout.GetPath("FreshSpawnLoadout")))
000006 |             return;
000007 |
000008 |         auto loadout = ExpansionLoadout.Create("FreshSpawnLoadout");
000009 |
000010 |         if (!loadout)
000011 |             return;
000012 |
000013 |         loadout = loadout.BeginAttachment("TShirt_Beige", "Body");
000014 |         loadout.SetHealth(0.45, 0.65);
000015 |         loadout = loadout.End();
000016 |         loadout = loadout.BeginAttachment("TShirt_Black", "Body");
000017 |         loadout.SetHealth(0.45, 0.65);
000018 |         loadout = loadout.End();
000019 |         loadout = loadout.BeginAttachment("TShirt_Blue", "Body");
000020 |         loadout.SetHealth(0.45, 0.65);
000021 |         loadout = loadout.End();
000022 |         loadout = loadout.BeginAttachment("TShirt_Green", "Body");
000023 |         loadout.SetHealth(0.45, 0.65);
000024 |         loadout = loadout.End();
000025 |         loadout = loadout.BeginAttachment("TShirt_Grey", "Body");
000026 |         loadout.SetHealth(0.45, 0.65);
000027 |         loadout = loadout.End();
000028 |         loadout = loadout.BeginAttachment("TShirt_OrangeWhiteStripes", "Body");
000029 |         loadout.SetHealth(0.45, 0.65);
000030 |         loadout = loadout.End();
000031 |         loadout = loadout.BeginAttachment("TShirt_Red", "Body");
000032 |         loadout.SetHealth(0.45, 0.65);
000033 |         loadout = loadout.End();
000034 |         loadout = loadout.BeginAttachment("TShirt_RedBlackStripes", "Body");
000035 |         loadout.SetHealth(0.45, 0.65);
000036 |         loadout = loadout.End();
000037 |         loadout = loadout.BeginAttachment("TShirt_White", "Body");
000038 |         loadout.SetHealth(0.45, 0.65);
000039 |         loadout = loadout.End();
000040 |
000041 |         loadout = loadout.BeginAttachment("CanvasPantsMidi_Beige", "Legs");
000042 |         loadout.SetHealth(0.45, 0.65);
000043 |         loadout = loadout.End();
000044 |         loadout = loadout.BeginAttachment("CanvasPantsMidi_Blue", "Legs");
000045 |         loadout.SetHealth(0.45, 0.65);
000046 |         loadout = loadout.End();
```

```
000047 |         loadout = loadout.BeginAttachment("CanvasPantsMidi_Grey", "Legs");
000048 |         loadout.SetHealth(0.45, 0.65);
000049 |         loadout = loadout.End();
000050 |         loadout = loadout.BeginAttachment("CanvasPantsMidi_Red", "Legs");
000051 |         loadout.SetHealth(0.45, 0.65);
000052 |         loadout = loadout.End();
000053 |         loadout = loadout.BeginAttachment("CanvasPantsMidi_Violet", "Legs");
000054 |         loadout.SetHealth(0.45, 0.65);
000055 |         loadout = loadout.End();
000056 |
000057 |         loadout = loadout.BeginAttachment("AthleticShoes_Black", "Feet");
000058 |         loadout = loadout.End();
000059 |         loadout = loadout.BeginAttachment("AthleticShoes_Blue", "Feet");
000060 |         loadout = loadout.End();
000061 |         loadout = loadout.BeginAttachment("AthleticShoes_Brown", "Feet");
000062 |         loadout = loadout.End();
000063 |         loadout = loadout.BeginAttachment("AthleticShoes_Green", "Feet");
000064 |         loadout = loadout.End();
000065 |         loadout = loadout.BeginAttachment("AthleticShoes_Grey", "Feet");
000066 |         loadout = loadout.End();
000067 |
000068 |         loadout = loadout.BeginCargo("BandageDressing");
000069 |         loadout = loadout.End();
000070 |
000071 |         loadout = loadout.BeginSet("FOOD");
000072 |             loadout = loadout.BeginCargo("Apple");
000073 |             loadout.SetHealth(0.45, 0.65);
000074 |             loadout = loadout.End();
000075 |         loadout = loadout.End();
000076 |         loadout = loadout.BeginSet("FOOD");
000077 |             loadout = loadout.BeginCargo("Pear");
000078 |             loadout.SetHealth(0.45, 0.65);
000079 |             loadout = loadout.End();
000080 |         loadout = loadout.End();
000081 |         loadout = loadout.BeginSet("FOOD");
000082 |             loadout = loadout.BeginCargo("Plum");
000083 |             loadout.SetHealth(0.45, 0.65);
000084 |             loadout = loadout.End();
000085 |         loadout = loadout.End();
000086 |
000087 |         loadout = loadout.BeginSet("CHEMLIGHT");
000088 |             loadout = loadout.BeginCargo("Chemlight_White");
000089 |             loadout.SetHealth(0.45, 0.65);
000090 |             loadout = loadout.End();
000091 |         loadout = loadout.End();
000092 |         loadout = loadout.BeginSet("CHEMLIGHT");
000093 |             loadout = loadout.BeginCargo("Chemlight_Yellow");
000094 |             loadout.SetHealth(0.45, 0.65);
000095 |             loadout = loadout.End();
000096 |         loadout = loadout.End();
000097 |         loadout = loadout.BeginSet("CHEMLIGHT");
000098 |             loadout = loadout.BeginCargo("Chemlight_Green");
000099 |             loadout.SetHealth(0.45, 0.65);
000100 |             loadout = loadout.End();
000101 |         loadout = loadout.End();
000102 |         loadout = loadout.BeginSet("CHEMLIGHT");
000103 |             loadout = loadout.BeginCargo("Chemlight_Red");
000104 |             loadout.SetHealth(0.45, 0.65);
000105 |             loadout = loadout.End();
000106 |         loadout = loadout.End();
000107 |
000108 |         loadout.Save();
```

```
000109 |      }  
000110 | }  
000111 |
```

0091. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionmodelinfo.c

Size bytes: 1782

SHA-256: 5520bcf197d43f36d075c9a47604702b35ede3a756eb5f72e1c66d68a9cdaf11

Decoded as: utf-8-sig

Line count shown: 85

Detected class declarations: 1

L1: class ExpansionModelInfo

Detected enum declarations: 0

Detected function/method-like declarations: 3

L5: static ExpansionModelInfo Get(Object object)

L39: static void Clear()

L48: void ExpansionModelInfo(Object object)

Full file content

```
000001 | class ExpansionModelInfo
000002 | {
000003 |     static autoptr map<string, ref ExpansionModelInfo> s_All = new map<string, ref ExpansionModelInfo>();
000004 |
000005 |     static ExpansionModelInfo Get(Object object)
000006 |     {
000007 |         //Clear();
000008 |
000009 |         if (!object)
000010 |         {
000011 |             return null;
000012 |         }
000013 |
000014 |         CF_String modelName = object.ConfigGetString("model");
000015 |         if (modelName == string.Empty)
000016 |         {
000017 |             modelName = object.GetDebugNameNative();
000018 |
000019 |             int index = modelName.IndexOf(":") + 2;
000020 |             int length = modelName.Length() - index;
000021 |             if (index < 0 || length < 3)
000022 |             {
000023 |                 return null;
000024 |             }
000025 |
000026 |             modelName = modelName.Substring(index, length);
000027 |         }
000028 |
000029 |         ExpansionModelInfo modelInfo;
000030 |         if (!s_All.Find(modelName, modelInfo))
000031 |         {
000032 |             modelInfo = new ExpansionModelInfo(object);
000033 |             s_All.Insert(modelName, modelInfo);
000034 |         }
000035 |
000036 |         return modelInfo;
000037 |     }
000038 |
000039 |     static void Clear()
000040 |     {
000041 |         s_All.Clear();
000042 |     }
000043 |
000044 |     bool CanClimb = true;
```



```
000045 |     ref ExpansionNavMesh NavMesh = null;
000046 |     ref array<LOD> LODs = new array<LOD>();
000047 |
000048 |     void ExpansionModelInfo(Object object)
000049 |     {
000050 |         object.GetLODS(LODs);
000051 |
000052 |         foreach (auto lod : LODs)
000053 |         {
000054 |             if (!lod)
000055 |                 continue;
000056 |
000057 |             string lodName = lod.GetName(object);
000058 |             //Print("" + lodName + ": " + lod.GetPropertyCount());
000059 |
000060 |             for (int property = 0; property < lod.GetPropertyCount(); property++)
000061 |             {
000062 |                 string propertyName = lod.GetPropertyName(property);
000063 |                 propertyName.ToLower();
000064 |
000065 |                 //Print(" " + propertyName + ": " + lod.GetPropertyValue(property));
000066 |                 if (propertyName == "canclimb")
000067 |                 {
000068 |                     CanClimb = lod.GetPropertyValue(property) == "1";
000069 |                 }
000070 |             }
000071 |
000072 |             if (lodName == "paths")
000073 |             {
000074 |                 NavMesh = new ExpansionNavMesh();
000075 |                 NavMesh.Generate(object, lod);
000076 |
000077 |                 if (!NavMesh.IsValid())
000078 |                 {
000079 |                     NavMesh = null;
000080 |                 }
000081 |             }
000082 |         }
000083 |     }
000084 | };
000085 |
```

0092. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionvehicle.c
Size bytes: 434
SHA-256: 8a530c5116e5163f7187db124dbaa2b4153134a6e88b687b64dec56240c40528
Decoded as: utf-8-sig
Line count shown: 20
Detected class declarations: 1
 L1: modded class ExpansionVehicle
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L5: bool IsSeatReservedByOther(int posIdx, Human crewMember)
 L15: void ReserveSeat(int posIdx, Human crewMember)

Full file content

```
000001 | modded class ExpansionVehicle
000002 | {
000003 |     ref map<int, Human> m_ReservedSeats = new map<int, Human>;
000004 |
000005 |     bool IsSeatReservedByOther(int posIdx, Human crewMember)
000006 |     {
000007 |         Human reserved = m_ReservedSeats[posIdx];
000008 |
000009 |         if (!reserved || (!reserved.IsAlive() && !CrewMember(posIdx)))
000010 |             return false;
000011 |
000012 |         return reserved != crewMember;
000013 |     }
000014 |
000015 |     void ReserveSeat(int posIdx, Human crewMember)
000016 |     {
000017 |         m_ReservedSeats[posIdx] = crewMember;
000018 |     }
000019 | }
000020 |
```

0093. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/expansionworld.c
Size bytes: 18861
SHA-256: 0bd865914a1c8480202b0c1f0ae99687b5b0bdb14970ade78006970fb3809e59
Decoded as: utf-8-sig
Line count shown: 653
Detected class declarations: 1
  L1: modded class ExpansionWorld
Detected enum declarations: 0
Detected function/method-like declarations: 19
  L27: void ExpansionWorld()
  L52: void ~ExpansionWorld()
  L58: override void OnStart()
  L69: void RPC_DebugMonitor_ShowServerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L81: else if (g_Game.ServerConfigGetInt("enableDebugMonitor") == 1)
  L96: void RPC_ServerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L120: void GenerateRoamingLocations()
  L190: void eAI_Thread()
  L197: override void eAI_OnUpdate(bool doSim, float timeslice)
  L312: override void eAI_OnUpdate(bool doSim, float timeslice)
  L394: void eAI_OnRemoveAI(CF_DoublyLinkedListNode_WeakRef<eAIBase> node)
  L400: override void OnFinish()
  L410: void DbgAIUpdate()
  L436: override void OnUpdate(bool doSim, float timeslice)
  L459: void GenerateRoadNetwork(vector position, float radius)
  L466: eAIRoadNetwork GetRoadNetwork()
  L486: override void FixAIFirearmFX(inout Object source, inout Object directHit, inout int componentIndex, inout string surface, inout vector pos,
  L528: void ResetFirearmFXSource(Object source)
  L534: void CheckCreateExampleAILootDrop()
```

Full file content

```
000001 | modded class ExpansionWorld
000002 | {
000003 |     static float AI_UPDATE_INTERVAL = 0.05;  //!< s
000004 |     static float AI_UPDATE_BUDGET_FACTOR = 0.3;  //!< 0.3 = 30% of frame time budget can be spent on AI
000005 |     static float MAX_AI_UPDATE_TIME_MS = 5;  //!< ms
000006 |     static int MAX_AI_UPDATE_BATCH = 20;
000007 |     static float SERVER_FPS_UPDATE_THRESH = 1000.0 / 60.0;  //!< ms
000008 |     static float SERVER_STATS_SEND_THRESH = 1000.0;  //!< ms
000009 |
000010 |     static bool s_DebugMonitor_ShowServerStats;
000011 |
000012 |     //!< Shoryuken meme stuff
000013 |     static ref ExpansionSoundSet s_eAI_UahUahUahM_SoundSet = ExpansionSoundSet.Register("Expansion_AI_UahUahUahM_SoundSet");
000014 |     static ref ExpansionSoundSet s_eAI_Heavy_Punch_SoundSet = ExpansionSoundSet.Register("Expansion_AI_Heavy_Punch_SoundSet");
000015 |
000016 |     int m_ServerStats_RPCID;
000017 |
000018 |     private ref eAIRoadNetwork m_Network;
000019 |     private bool m_NetworkGenerate;
000020 |     private vector m_NetworkPosition;
000021 |     private float m_NetworkRadius;
000022 |
000023 |     CF_DoublyLinkedListNode_WeakRef<eAIBase> m_CurrentAliveAI;
000024 |     int m_LastAIUpdateTime;
000025 |     bool m_eAI_Thread;
000026 |
000027 |     void ExpansionWorld()
000028 |     {
```

```
000029 |         m_Network = new eAIRoadNetwork();
000030 |         //m_Network.Init();
000031 |
000032 |         if (g_Game.IsDedicatedServer())
000033 |         {
000034 |             auto settings = GetExpansionSettings().GetAILocation();
000035 |
000036 |             if (settings.RoamingLocations.Count() == 0)
000037 |                 g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(GenerateRoamingLocations, 10000);
000038 |
000039 |             CheckCreateExampleAILootDrop();
000040 |         }
000041 |
000042 |         if (g_Game.IsServer())
000043 |             eAIBase.s_eAI_Alive.m_OnRemove.Insert(eAI_OnRemoveAI);
000044 |
000045 |         m_RPCManager.RegisterServer("RPC_DebugMonitor_ShowServerStats");
000046 |         m_ServerStats_RPCID = m_RPCManager.RegisterClient("RPC_ServerStats");
000047 |
000048 |         if (g_Game.ServerConfigGetInt("enableDebugMonitor") == 2)
000049 |             s_DebugMonitor_ShowServerStats = true;
000050 |     }
000051 |
000052 | void ~ExpansionWorld()
000053 | {
000054 |     if (g_Game && g_Game.IsServer())
000055 |         eAIBase.s_eAI_Alive.m_OnRemove.Remove(eAI_OnRemoveAI);
000056 | }
000057 |
000058 | override void OnStart()
000059 | {
000060 |     super.OnStart();
000061 |
000062 |     if (g_Game.IsServer())
000063 |     {
000064 |         m_eAI_Thread = true;
000065 |         //g_Game.GameScript.Call(this, "eAI_Thread", null);
000066 |     }
000067 | }
000068 |
000069 | void RPC_DebugMonitor_ShowServerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000070 | {
000071 |     if (g_Game.IsMultiplayer())
000072 |     {
000073 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000074 |             return;
000075 |     }
000076 |
000077 |     ctx.Read(s_DebugMonitor_ShowServerStats);
000078 |
000079 |     if (s_DebugMonitor_ShowServerStats)
000080 |         g_Game.SetDebugMonitorEnabled(2);
000081 |     else if (g_Game.ServerConfigGetInt("enableDebugMonitor") == 1)
000082 |         g_Game.SetDebugMonitorEnabled(1);
000083 | }
000084 |
000085 | static int s_AI_Alive_Count;
000086 | static float s_ServerFPS_Current;
000087 | static float s_ServerFPS_Min;
000088 | static float s_ServerFPS_Max;
000089 | static float s_ServerFPS_Avg;
000090 | static float s_AIUpdateDT_Current;
```

```
000091 | static float s_AIUpdateDT_Avg;
000092 | static float s_AIUpdateCost_Current;
000093 | static float s_AIUpdateCost_Avg;
000094 | static int s_AIUpdate_Current;
000095 | static float s_AIUpdate_Avg;
000096 | void RPC_ServerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000097 | {
000098 |     s_DebugMonitor_ShowServerStats = true;
000099 |     g_Game.GetMission().CreateDebugMonitor();
000100 |
000101 |     ctx.Read(eAIBase.s_eAI_FT0);
000102 |     ctx.Read(s_AI_Alive_Count);
000103 |     ctx.Read(eAIDynamicPatrol.s_PatrolCount);
000104 |
000105 |     ctx.Read(s_ServerFPS_Current);
000106 |     ctx.Read(s_ServerFPS_Min);
000107 |     ctx.Read(s_ServerFPS_Max);
000108 |     ctx.Read(s_ServerFPS_Avg);
000109 |
000110 |     ctx.Read(s_AIUpdateDT_Current);
000111 |     ctx.Read(s_AIUpdateDT_Avg);
000112 |
000113 |     ctx.Read(s_AIUpdateCost_Current);
000114 |     ctx.Read(s_AIUpdateCost_Avg);
000115 |
000116 |     ctx.Read(s_AIUpdate_Current);
000117 |     ctx.Read(s_AIUpdate_Avg);
000118 | }
000119 |
000120 | void GenerateRoamingLocations()
000121 | {
000122 | #ifdef EXTRACE
000123 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000124 | #endif
000125 |
000126 |     auto settings = GetExpansionSettings().GetAILocation();
000127 |     auto excludedAreas = settings.NoGoAreas;
000128 |
000129 |     int worldSize = g_Game.GetWorld().GetWorldSize();
000130 |     vector min = Vector(0, -1000, 0);
000131 |     vector max = Vector(worldSize, 1000, worldSize);
000132 |
000133 |     int amount = Math.Pow(worldSize / 1500.0, 2.0);
000134 |
000135 |     array<EntityAI> candidates = {};
000136 |     DayZPlayerUtils.SceneGetEntitiesInBox(min, max, candidates, QueryFlags.STATIC | QueryFlags.ORIGIN_DISTANCE);
000137 |
000138 |     EXPrint(this, "Found " + candidates.Count() + " static entities (buildings) on the map");
000139 |
000140 |     int locIdx = settings.RoamingLocations.Count();
000141 |     EntityAI candidate;
000142 |     while (candidates.Count() > 0 && settings.RoamingLocations.Count() < amount)
000143 |     {
000144 |         int index = candidates.GetRandomIndex();
000145 |         candidate = candidates[index];
000146 |         candidates.Remove(index);
000147 |
000148 |         if (!candidate.IsBuilding())
000149 |             continue;
000150 |
000151 |         vector position = candidate.GetPosition();
000152 |     }
```

```
000153 |         if (excludedAreas.IsPointInside(position))
000154 |             continue;
000155 |
000156 |         string type = candidate.GetType();
000157 |         type.ToLower();
000158 |         if (ExpansionString.StartsWithAny(type, settings.ExcludedRoamingBuildings))
000159 |             continue;
000160 |
000161 |         float radius = 100.0;
000162 |         string name = "Random_" + (locIdx + 1);
000163 |         string className = "Local_" + name;
000164 |         settings.RoamingLocations.Insert(new ExpansionAIRoamingLocation(position, radius, name, "Local", className, null, locIdx++));
000165 |     }
000166 |
000167 |     if (settings.RoamingLocations.Count() > 0)
000168 |         settings.Save();
000169 |
000170 |     EXPrint(this, "Selected " + settings.RoamingLocations.Count() + " random buildings as locations for AI roaming");
000171 | }
000172 |
000173 | ref ExpansionRollingAverage m_AIUpdates_Avg = new ExpansionRollingAverage(500);
000174 | int m_AIUpdates_Current;
000175 | ref ExpansionRollingAverage m_AIUpdates_DTAvg = new ExpansionRollingAverage(500);
000176 | float m_AIUpdates_DTCurrent;
000177 | ref ExpansionRollingAverage m_AIUpdates_CostAvg = new ExpansionRollingAverage(500);
000178 | float m_AIUpdates_CostCurrent;
000179 | ref ExpansionRollingAverage m_ServerFPS_Current = new ExpansionRollingAverage(10);
000180 | ref ExpansionRollingAverage m_ServerFPS_Min = new ExpansionRollingAverage(64);
000181 | ref ExpansionRollingAverage m_ServerFPS_Max = new ExpansionRollingAverage(64);
000182 | ref ExpansionRollingAverage m_ServerFPS_Avg = new ExpansionRollingAverage(64);
000183 | int m_ServerFPS_LastUpdateTime;
000184 | float m_ServerFPS_TimeSlice;
000185 | int m_Server_Ticks;
000186 | int m_ServerStats_LastSendCheckTime;
000187 |
000188 | /// @note when -limitFPS is used on commandline, the thread can still run at a higher rate (good)
000189 | /*
000190 | void eAI_Thread()
000191 | {
000192 |     EXPrint(this, "+eAI_Thread");
000193 |
000194 |     while (m_eAI_Thread)
000195 |     {
000196 | */
000197 | override void eAI_OnUpdate(bool doSim, float timeslice)
000198 | {
000199 |     float costTotal = 0;
000200 |
000201 |     if (eAIBase.s_eAI_FT0 > 0)
000202 |     {
000203 |         int aiCount = eAIBase.s_eAI_Alive.m_Count;
000204 |
000205 |         if (aiCount > 0)
000206 |         {
000207 |             float serverFPSAvg = m_ServerFPS_Avg.Get();
000208 |             float f = ExpansionMath.LinearConversion(30.0, 35.0, serverFPSAvg, 5.0, 1.0);
000209 |             float updateInterval = AI_UPDATE_INTERVAL * f; /// Increase update interval if server FPS goes below 35
000210 |             float thresh = updateInterval / aiCount;
000211 |             int updateTime = g_Game.GetTime();
000212 |
000213 |             if (m_LastAIUpdateTime == 0)
000214 |                 m_LastAIUpdateTime = updateTime;
```

```

000215 |
000216 |         float elapsed = (updateTime - m_LastAIUpdateTime) * 0.001;
000217 |
000218 |     if (elapsed >= thresh)
000219 |     {
000220 |         m_LastAIUpdateTime = updateTime;
000221 |
000222 |         int simulationPrecision = 0;
000223 |
000224 |         float costAvg = m_AIUpdates_CostAvg.Get();  /// ms
000225 |         float t = Math.Max(costAvg, 0.01);  /// ms
000226 |         float budget = Math.Min((1000.0 / serverFPSAvg) * AI_UPDATE_BUDGET_FACTOR, MAX_AI_UPDATE_TIME_MS);  /// ms
000227 |         float maxUpdateTime = ExpansionMath.LinearConversion(30.0, 35.0, serverFPSAvg, t * 2, budget);  /// ms
000228 |         int aiMax = Math.Min(Math.Ceil(maxUpdateTime / t), Math.Min(aiCount, MAX_AI_UPDATE_BATCH));
000229 |         int i = 0;
000230 |         int n = 0;
000231 |         float updateIntervalCurrent;
000232 |         while (i < aiCount)
000233 |         {
000234 |             if (!m_CurrentAliveAI)
000235 |             {
000236 |                 m_CurrentAliveAI = eAIBase.s_eAI_Alive.m_Head;
000237 |                 if (!m_CurrentAliveAI)
000238 |                     break;
000239 |             }
000240 |
000241 |             eAIBase ai = m_CurrentAliveAI.m_Value;
000242 |             m_CurrentAliveAI = m_CurrentAliveAI.m_Next;
000243 |
000244 |             if (ai.m_eAI_LastUpdateTime == 0)
000245 |                 ai.m_eAI_LastUpdateTime = updateTime;
000246 |
000247 |             if (eAIBase.s_eAI_FT0 >= 2 && ai.m_eAI_PlayersWithinVisibilityDistanceLimit.Count() == 0)
000248 |                 updateIntervalCurrent = AI_UPDATE_INTERVAL * 5;
000249 |             else
000250 |                 updateIntervalCurrent = updateInterval;
000251 |
000252 |             float pDt = (updateTime - ai.m_eAI_LastUpdateTime) * 0.001;  /// s
000253 |             if (pDt >= updateIntervalCurrent)
000254 |             {
000255 |                 int tickCount = TickCount(0);
000256 |                 bool isDisabled = ai.GetIsSimulationDisabled();
000257 |                 if (!isDisabled)
000258 |                 {
000259 |                     ai.eAI_OnUpdate(pDt);
000260 |                     ai.eAI_OnWeaponAimUpdate();
000261 |                 }
000262 |                 else
000263 |                 {
000264 |                     EntityAI entityInHands = ai.eAI_SetHasProjectileWeaponInHands();
000265 |                     ai.eAI_Targeting(pDt, entityInHands, false);
000266 |                 }
000267 |                 ai.eAI_UpdateFSM(pDt, simulationPrecision);
000268 |                 if (!isDisabled)
000269 |                 {
000270 |                     ai.m_eAI_CommandMove.AvoidObstacles(pDt);
000271 |                     ai.eAI_OnMovementUpdate(pDt);
000272 |                 }
000273 |                 updateTime = g_Game.GetTime();
000274 |                 ai.m_eAI_LastUpdateTime = updateTime;
000275 |                 float cost = TickCount(tickCount) * 0.0001;  /// ms
000276 |                 costTotal += cost;

```

```
000277 |
000278 |         m_AIUpdates_CostAvg.Add(cost);
000279 |
000280 |         if (s_DebugMonitor_ShowServerStats)
000281 |         {
000282 |             m_AIUpdates_DTAvg.Add(pDt / updateIntervalCurrent * f);
000283 |             m_AIUpdates_DTCurrent = pDt / updateIntervalCurrent * f;
000284 |             m_AIUpdates_CostCurrent = cost;
000285 |         }
000286 |
000287 |         ++n;
000288 |
000289 |         if (n >= aiMax || costTotal >= maxUpdateTime)
000290 |             break;
000291 |     }
000292 |
000293 |     ++i;
000294 | }
000295 |
000296 | if (s_DebugMonitor_ShowServerStats && n > 0)
000297 | {
000298 |     m_AIUpdates_Avg.Add(n);
000299 |     m_AIUpdates_Current = n;
000300 | }
000301 | }
000302 | }
000303 | }
000304 | /*
000305 |     //! We took <costTotal> ms, so we give back at least <costTotal> ms
000306 |     Sleep(Math.Max(costTotal, 1));
000307 | }
000308 |
000309 | EXPrint(this, "-eAI_Thread");
000310 | }
000311 |
000312 | override void eAI_OnUpdate(bool doSim, float timeslice)
000313 | {
000314 | /*
000315 |     int time = g_Game.GetTime();
000316 |
000317 |     m_ServerFPS_TimeSlice = time - m_ServerFPS_LastUpdateTime;
000318 |     ++m_Server_Ticks;
000319 |
000320 |     if (m_ServerFPS_TimeSlice > SERVER_FPS_UPDATE_THRESH)
000321 |     {
000322 |         float currentFPS = (1000.0 * m_Server_Ticks) / m_ServerFPS_TimeSlice;
000323 |
000324 |         m_ServerFPS_Avg.Add(currentFPS);
000325 |
000326 |         m_ServerFPS_LastUpdateTime = time;
000327 |         m_Server_Ticks = 0;
000328 |
000329 |         if (s_DebugMonitor_ShowServerStats)
000330 |         {
000331 |             m_ServerFPS_Current.Add(currentFPS);
000332 |             m_ServerFPS_Min.Add(m_ServerFPS_Avg.GetMin());
000333 |             m_ServerFPS_Max.Add(m_ServerFPS_Avg.GetMax());
000334 |             m_ServerFPS_Avg.SetRollingMinMax(true);
000335 |
000336 |             if (time - m_ServerStats_LastSendCheckTime > SERVER_STATS_SEND_THRESH)
000337 |             {
000338 |                 m_ServerStats_LastSendCheckTime = time;
```



```
000339 |
000340 |         set<string> connectedAdmins = ExpansionAISettings.Get().GetConnectedAdmins();
000341 |
000342 |     #ifndef SERVER
000343 |         //! Offline/SP
000344 |         if (connectedAdmins.Count() == 0)
000345 |             connectedAdmins.Insert("OFFLINE");
000346 |     #endif
000347 |
000348 |     if (connectedAdmins.Count() > 0)
000349 |     {
000350 |         auto rpc = m_RPCManager.CreateRPC(m_ServerStats_RPCID);
000351 |
000352 |         rpc.Write(eAIBase.s_eAI_FT0);
000353 |         rpc.Write(eAIBase.s_eAI_Alive.m_Count);
000354 |         rpc.Write(eAIDynamicPatrol.s_PatrolCount);
000355 |
000356 |         rpc.Write(m_ServerFPS_Current.Get());
000357 |         rpc.Write(m_ServerFPS_Min.Get());
000358 |         rpc.Write(m_ServerFPS_Max.Get());
000359 |         rpc.Write(m_ServerFPS_Avg.Get());
000360 |
000361 |         rpc.Write(m_AIUpdates_DTCurrent * AI_UPDATE_INTERVAL * 1000);
000362 |         rpc.Write(m_AIUpdates_DTAvg.Get() * AI_UPDATE_INTERVAL * 1000);
000363 |
000364 |         rpc.Write(m_AIUpdates_CostCurrent);
000365 |         rpc.Write(m_AIUpdates_CostAvg.Get());
000366 |
000367 |         rpc.Write(m_AIUpdates_Current);
000368 |         rpc.Write(m_AIUpdates_Avg.Get());
000369 |
000370 |         foreach (string uid: connectedAdmins)
000371 |         {
000372 |             #ifdef SERVER
000373 |                 PlayerBase admin = PlayerBase.GetPlayerByUID(uid);
000374 |                 if (!admin)
000375 |                     continue;
000376 |                 PlayerIdentity identity = admin.GetIdentity();
000377 |                 if (identity)
000378 |                     rpc.Expansion_Send(true, identity);
000379 |             #else
000380 |                 //! Offline/SP
000381 |                 rpc.Expansion_Send(true);
000382 |             #endif
000383 |         }
000384 |     }
000385 | }
000386 | }
000387 | else
000388 | {
000389 |     m_ServerFPS_Avg.SetRollingMinMax(false);
000390 | }
000391 | }
000392 | }
000393 |
000394 | void eAI_OnRemoveAI(CF_DoublyLinkedListNode_WeakRef<eAIBase> node)
000395 | {
000396 |     if (node == m_CurrentAliveAI)
000397 |         m_CurrentAliveAI = node.m_Next;
000398 | }
000399 |
000400 | override void OnFinish()
```

```
000401 | {
000402 |     super.OnFinish();
000403 |
000404 |     if (m_eAI_Thread)
000405 |         DbgAIUpdate();
000406 |
000407 |     m_eAI_Thread = false;
000408 | }
000409 |
000410 | void DbgAIUpdate()
000411 | {
000412 |     Print(m_AIUpdates_Current);
000413 |
000414 |     float aiUpdatesMin;
000415 |     float aiUpdatesMax;
000416 |     m_AIUpdates_Avg.FindMinMax(aiUpdatesMin, aiUpdatesMax);
000417 |     Print(aiUpdatesMin);
000418 |     Print(aiUpdatesMax);
000419 |
000420 |     float aiUpdatesAvg = m_AIUpdates_Avg.Get();
000421 |     Print(aiUpdatesAvg);
000422 |
000423 |     Print(m_AIUpdates_DTCurrent);
000424 |
000425 |     float aiUpdatesDTMin;
000426 |     float aiUpdatesDTMax;
000427 |     m_AIUpdates_DTAvg.FindMinMax(aiUpdatesDTMin, aiUpdatesDTMax);
000428 |     Print(aiUpdatesDTMin);
000429 |     Print(aiUpdatesDTMax);
000430 |
000431 |     float aiUpdatesDTAvg = m_AIUpdates_DTAvg.Get();
000432 |     Print(aiUpdatesDTAvg);
000433 | }
000434 |
000435 | /*
000436 | override void OnUpdate(bool doSim, float timeslice)
000437 | {
000438 |     super.OnUpdate(doSim, timeslice);
000439 |
000440 |     if (m_NetworkGenerate)
000441 |     {
000442 |         m_NetworkGenerate = false;
000443 |
000444 |         m_Network.NotifyGenerate(m_NetworkPosition, m_NetworkRadius);
000445 |     }
000446 |
000447 |     if (g_Game.GetInput().LocalPress("UAFire"))
000448 |     {
000449 |         vector pos = g_Game.GetCurrentCameraPosition();
000450 |         float radius = 500;
000451 |
000452 |         m_Network.DS_Destroy();
000453 |
000454 |         GenerateRoadNetwork(pos, radius);
000455 |     }
000456 | }
000457 | */
000458 |
000459 | void GenerateRoadNetwork(vector position, float radius)
000460 | {
000461 |     m_NetworkGenerate = true;
000462 |     m_NetworkPosition = position;
```

```
000463 |         m_NetworkRadius = radius;
000464 |     }
000465 |
000466 |     eAIRoadNetwork GetRoadNetwork()
000467 |     {
000468 |         return m_Network;
000469 |     }
000470 |
000471 |     override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,
000472 |         vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000473 |     {
000474 |         super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000475 |
000476 |         if (g_Game.IsServer())
000477 |         {
000478 |             Weapon_Base weapon;
000479 |             if (Class.CastTo(weapon, source))
000480 |                 weapon.eAI_FirearmEffects(directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000481 |         }
000482 |     }
000483 |     /**
000484 |     * @brief fix firearm FX for redirected AI dmg
000485 |     */
000486 |     override void FixAIFirearmFX(inout Object source, inout Object directHit, inout int componentIndex, inout string surface, inout vector pos, inout vector surfNormal,
000487 |         inout vector exitPos, inout vector inSpeed, inout vector outSpeed, inout bool isWater, inout bool deflected, inout string ammoType)
000488 |     {
000489 |         if (!directHit)
000490 |             return;
000491 |
000492 |         bool isClient = g_Game.IsClient();
000493 |
000494 |         //! source is NULL on client
000495 |         if (isClient)
000496 |             source = m_FirearmFXSource;
000497 |
000498 |         EntityAI entity;
000499 |         eAIBase ai;
000500 |
000501 |         if (source && Class.CastTo(entity, source) && Class.CastTo(ai, entity.GetHierarchyRoot()))
000502 |         {
000503 |             Object hitObject;
000504 |
000505 |             if (isClient)
000506 |                 hitObject = m_FirearmFXHitObject;
000507 |             else
000508 |                 hitObject = ai.m_eAI_HitObject;
000509 |
000510 |             if (hitObject && directHit != hitObject)
000511 |             {
000512 |                 if (directHit.IsDayZCreature() || directHit.IsItemBase() || directHit.IsMan() || directHit.IsTransport())
000513 |                 {
000514 |                     pos = directHit.WorldToModel(pos);
000515 |                     exitPos = directHit.WorldToModel(exitPos);
000516 |
000517 |                     directHit = hitObject;
000518 |
000519 |                     pos = directHit.ModelToWorld(pos);
000520 |                     exitPos = directHit.ModelToWorld(exitPos);
000521 |                 }
000522 |             }
000523 |         }
```

```
000524 |         if (isClient)
000525 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(ResetFirearmFXSource, 3, false, source);
000526 |     }
000527 |
000528 | void ResetFirearmFXSource(Object source)
000529 | {
000530 |     if (m_FirearmFXSource == source)
000531 |         m_FirearmFXSource = null;
000532 | }
000533 |
000534 | void CheckCreateExampleAILootDrop()
000535 | {
000536 |     if (FileExist(EXPANSION_AI_LOOTDROPS_FOLDER))
000537 |         return;
000538 |
000539 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_AI_LOOTDROPS_FOLDER);
000540 |
000541 |     string path = EXPANSION_AI_LOOTDROPS_FOLDER + "Example.json";
000542 |
000543 |     if (FileExist(path))
000544 |         return;
000545 |
000546 |     auto defaultLootDrop = new array<ref ExpansionPrefab>;
000547 |
000548 |     ExpansionPrefab prefab;
000549 |
000550 |     prefab = new ExpansionPrefab();
000551 |     prefab.ClassName = "Ammo_545x39";
000552 |     prefab.Chance = 0.5;
000553 |     prefab.SetHealth(0.7, 1.0);
000554 |     prefab.SetQuantity(0.4, 0.8);
000555 |     defaultLootDrop.Insert(prefab);
000556 |
000557 |     prefab = new ExpansionPrefab();
000558 |     prefab.ClassName = "Ammo_545x39Tracer";
000559 |     prefab.Chance = 0.5;
000560 |     prefab.SetHealth(0.7, 1.0);
000561 |     prefab.SetQuantity(0.4, 0.8);
000562 |     defaultLootDrop.Insert(prefab);
000563 |
000564 |     prefab = new ExpansionPrefab();
000565 |     prefab.ClassName = "Ammo_762x39";
000566 |     prefab.Chance = 0.25;
000567 |     prefab.SetHealth(0.7, 1.0);
000568 |     prefab.SetQuantity(0.2, 0.6);
000569 |     defaultLootDrop.Insert(prefab);
000570 |
000571 |     prefab = new ExpansionPrefab();
000572 |     prefab.ClassName = "Ammo_762x39Tracer";
000573 |     prefab.Chance = 0.25;
000574 |     prefab.SetHealth(0.7, 1.0);
000575 |     prefab.SetQuantity(0.2, 0.6);
000576 |     defaultLootDrop.Insert(prefab);
000577 |
000578 |     prefab = new ExpansionPrefab();
000579 |     prefab.ClassName = "Ammo_556x45";
000580 |     prefab.Chance = 0.5;
000581 |     prefab.SetHealth(0.7, 1.0);
000582 |     prefab.SetQuantity(0.4, 0.8);
000583 |     defaultLootDrop.Insert(prefab);
000584 |
000585 |     prefab = new ExpansionPrefab();
```

```
000586 |         prefab.ClassName = "Ammo_556x45Tracer";
000587 |         prefab.Chance = 0.5;
000588 |         prefab.SetHealth(0.7, 1.0);
000589 |         prefab.SetQuantity(0.4, 0.8);
000590 |         defaultLootDrop.Insert(prefab);
000591 |
000592 |         prefab = new ExpansionPrefab();
000593 |         prefab.ClassName = "Ammo_762x54";
000594 |         prefab.Chance = 0.15;
000595 |         prefab.SetHealth(0.7, 1.0);
000596 |         prefab.SetQuantity(0.2, 0.6);
000597 |         defaultLootDrop.Insert(prefab);
000598 |
000599 |         prefab = new ExpansionPrefab();
000600 |         prefab.ClassName = "Ammo_762x54Tracer";
000601 |         prefab.Chance = 0.15;
000602 |         prefab.SetHealth(0.7, 1.0);
000603 |         prefab.SetQuantity(0.2, 0.6);
000604 |         defaultLootDrop.Insert(prefab);
000605 |
000606 |         prefab = new ExpansionPrefab();
000607 |         prefab.ClassName = "Ammo_308Win";
000608 |         prefab.Chance = 0.15;
000609 |         prefab.SetHealth(0.7, 1.0);
000610 |         prefab.SetQuantity(0.2, 0.6);
000611 |         defaultLootDrop.Insert(prefab);
000612 |
000613 |         prefab = new ExpansionPrefab();
000614 |         prefab.ClassName = "Ammo_308WinTracer";
000615 |         prefab.Chance = 0.15;
000616 |         prefab.SetHealth(0.7, 1.0);
000617 |         prefab.SetQuantity(0.2, 0.6);
000618 |         defaultLootDrop.Insert(prefab);
000619 |
000620 |         prefab = new ExpansionPrefab();
000621 |         prefab.ClassName = "FirstAidKit";
000622 |         prefab.Chance = 0.33;
000623 |         prefab.SetHealth(0.7, 1.0);
000624 |         ExpansionPrefabObject obj;
000625 |         obj = prefab.BeginCargo("BandageDressing");
000626 |         obj.Chance = 1.0;
000627 |         obj.SetHealth(0.7, 1.0);
000628 |         obj.End();
000629 |         obj = prefab.BeginCargo("BandageDressing");
000630 |         obj.Chance = 0.4;
000631 |         obj.SetHealth(0.7, 1.0);
000632 |         obj.End();
000633 |         obj = prefab.BeginCargo("IodineTincture");
000634 |         obj.Chance = 0.25;
000635 |         obj.SetHealth(0.7, 1.0);
000636 |         obj.SetQuantity(0.2, 1.0);
000637 |         obj.End();
000638 |         obj = prefab.BeginCargo("Morphine");
000639 |         obj.Chance = 0.25;
000640 |         obj.SetHealth(0.7, 1.0);
000641 |         obj.End();
000642 |         obj = prefab.BeginCargo("Epinephrine");
000643 |         obj.Chance = 0.25;
000644 |         obj.SetHealth(0.7, 1.0);
000645 |         obj.End();
000646 |         defaultLootDrop.Insert(prefab);
000647 |
```

```
000648 |         string errorMsg;  
000649 |         if (!JsonFileLoader<array<ref ExpansionPrefab>>.SaveFile(path, defaultLootDrop, errorMsg))  
000650 |             EXError.Error(this, string.Format("Couldn't save '%1': %2", path, errorMsg), {});  
000651 |     }  
000652 | };  
000653 |
```

0094. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformation.c

Size bytes: 3763

SHA-256: e0c9c2c2cd4578a5ed828686e2fd7be8adaa36306f91635ec4acae377e4f9ba4

Decoded as: utf-8-sig

Line count shown: 149

Detected class declarations: 1

L1: class eAIFormation

Detected enum declarations: 0

Detected function/method-like declarations: 17

L16: void eAIFormation(eAIGroup group = null)

L23: void SetGroup(eAIGroup group)

L28: string GetName()

L37: vector GetPosition(int member_no);

L42: vector GetDirection(int member_no)

L47: void SetLooseness(float looseness)

L52: float GetLooseness()

L57: float GetLoosenessPreference()

L62: vector ToWorld(vector fs)

L72: void Update(float pDt)

L96: void UpdateTransform(vector newPos, vector dir)

L105: void SetScale(float separation)

L120: float GetScale()

L126: void SetSize(int num_of_people) {};

L128: static typename GetType(string formationName)

L135: static eAIFormation Create(string formationName)

L146: return new eAIFormationVee();

Full file content

```

000001 | class eAIFormation
000002 | {
000003 |     static const float DIR_RECALC_DIST_SQ = 9.0;
000004 |
000005 |     static autoptr TTypeNameArray s_FormationTypes = {eAIFormationColumn, eAIFormationInvColumn, eAIFormationFile, eAIFormationInvFile, eAIFormationVee, eAIFormationInvVee, eAIFormationWall, eAIFormationCircle, eAIFormationCircleDot, eAIFormationStar, eAIFormationStarDot};
000006 |     static autoptr TTypeNameArray s_FormationTypesSane = {eAIFormationColumn, eAIFormationFile, eAIFormationVee, eAIFormationWall};
000007 |
000008 |     protected vector m_Transform[4];
000009 |     protected float m_Scale = 1.0;
000010 |
000011 |     protected eAIGroup m_Group;
000012 |
000013 |     protected vector m_LastUpdatePosition;
000014 |     protected float m_Looseness;
000015 |
000016 |     void eAIFormation(eAIGroup group = null)
000017 |     {
000018 |         m_Group = group;
000019 |
000020 |         UpdateTransform(vector.Zero, vector.Forward);
000021 |     }
000022 |
000023 |     void SetGroup(eAIGroup group)
000024 |     {
000025 |         m_Group = group;
000026 |     }
000027 |
000028 |     string GetName()
000029 |     {

```

```
000030 |         string cls = Type().ToString();
000031 |         return cls.Substring(12, cls.Length() - 12);
000032 |     }
000033 |
000034 | /**
000035 |  * @brief Abstract function that returns the position in local space relative to the formation transformation at any given time.
000036 |  */
000037 | vector GetPosition(int member_no);
000038 |
000039 | /**
000040 |  * @brief Returns the direction in local space the AI is supposed to look at when not in a fight
000041 |  */
000042 | vector GetDirection(int member_no)
000043 | {
000044 |     return vector.Forward;
000045 | }
000046 |
000047 | void SetLooseness(float looseness)
000048 | {
000049 |     m_Looseness = looseness;
000050 | }
000051 |
000052 | float GetLooseness()
000053 | {
000054 |     return Math.RandomFloatInclusive(-m_Looseness, m_Looseness);
000055 | }
000056 |
000057 | float GetLoosenessPreference()
000058 | {
000059 |     return m_Looseness;
000060 | }
000061 |
000062 | vector ToWorld(vector fs)
000063 | {
000064 |     if (m_Group.Count() > 0 && m_Group.GetFormationLeader())
000065 |         m_Transform[3] = m_Group.GetFormationLeader().GetPosition();
000066 |
000067 |     vector ws = fs.Multiply4(m_Transform);
000068 |
000069 |     return ws;
000070 | }
000071 |
000072 | void Update(float pDt)
000073 | {
000074 |     if (!m_Group || !m_Group.GetFormationLeader())
000075 |         return;
000076 |
000077 |     vector newPos = m_Group.GetFormationLeader().GetPosition();
000078 |
000079 |     if (m_LastUpdatePosition == vector.Zero)
000080 |     {
000081 |         UpdateTransform(newPos, m_Group.GetFormationLeader().GetDirection());
000082 |         return;
000083 |     }
000084 |
000085 |     vector dir = vector.Direction(m_LastUpdatePosition, newPos);
000086 |     float dist = dir.LengthSq();
000087 |     if (dist < DIR_RECALC_DIST_SQ)
000088 |     {
000089 |         return;
000090 |     }
000091 | }
```



```
000092 |         // Update the transformation matrix
000093 |         UpdateTransform(newPos, dir.Normalized());
000094 |     }
000095 |
000096 | void UpdateTransform(vector newPos, vector dir)
000097 | {
000098 |     m_Transform[3] = newPos;
000099 |     m_Transform[2] = dir;
000100 |     m_Transform[1] = "0 1 0";
000101 |     m_Transform[0] = dir.Perpend();
000102 |     m_LastUpdatePosition = newPos;
000103 | }
000104 |
000105 | void SetScale(float separation)
000106 | {
000107 |     if (separation <= 0)
000108 |     {
000109 |         auto settings = GetExpansionSettings().GetAI();
000110 |         #ifdef DIAG_DEVELOPER
000111 |             separation = Math.Max(settings.FormationScale, 0.1);
000112 |         #else
000113 |             separation = Math.Max(settings.FormationScale, 1.0);
000114 |         #endif
000115 |     }
000116 |
000117 |     m_Scale = separation;
000118 | }
000119 |
000120 | float GetScale()
000121 | {
000122 |     return m_Scale;
000123 | }
000124 |
000125 | // Unused thus far
000126 | void SetSize(int num_of_people) {};
000127 |
000128 | static typename GetType(string formationName)
000129 | {
000130 |     if (formationName == "RANDOM" || formationName == "")
000131 |         return s_FormationTypesSane.GetRandomElement();
000132 |     return ("eAIFormation" + formationName).ToType();
000133 | }
000134 |
000135 | static eAIFormation Create(string formationName)
000136 | {
000137 |     typename formation = GetType(formationName);
000138 |     if (formation)
000139 |         /*! @note w/o the cast to eAIFormation, the compiler warns about unsafe downcasting.
000140 |         /*! Of course the compiler is wrong, because we're casting up, not down, so this cast here is just there to satisfy compiler shortcomings.
000141 |         /*! Yes I wrote this comment for the sole reason that I'm annoyed by this.
000142 |         return eAIFormation.Cast(formation.Spawn());
000143 |     else
000144 |         Error("Invalid formation name " + formationName);
000145 |
000146 |     return new eAIFormationVee();
000147 | }
000148 | };
000149 |
```

0095. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formation/eaifformationcircle.c
Size bytes: 445
SHA-256: 38b3e81448518c6476535ac14cece0df6a10f1c92002b6e9f18b3ae60800593b
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L1: class eAIFormationCircle : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override vector GetPosition(int member_no)
 L15: return Vector(x, 0, z - radius);

Full file content

```
000001 | class eAIFormationCircle : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         float angle;
000006 |         int count = m_Group.Count();
000007 |         float radius = Math.Max((count * 2.828427) / (Math.PI * 2), 2.0);
000008 |
000009 |         if (count)
000010 |             angle = 360 / count * member_no;
000011 |
000012 |         float x = Math.Sin(Math.DEG2RAD * angle) * radius * GetScale();
000013 |         float z = Math.Cos(Math.DEG2RAD * angle) * radius * GetScale();
000014 |
000015 |         return Vector(x, 0, z - radius);
000016 |     }
000017 | };
000018 |
```

0096. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaifformationcircledot.c
Size bytes: 900
SHA-256: cc009ba5b961e81e74286cc9dbb4145b66576f39680e8a1d211ee61ae0d8d125
Decoded as: utf-8-sig
Line count shown: 40
Detected class declarations: 1
L1: class eAIFormationCircleDot : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 5
L3: override vector GetPosition(int member_no)
L6: return Vector(0, 0, 0);
L18: return Vector(x, 0, z);
L21: override vector GetDirection(int member_no)
L32: override void UpdateTransform(vector newPos, vector dir)

Full file content

```
000001 | class eAIFormationCircleDot : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         if ( member_no == 0 )
000006 |             return Vector(0, 0, 0);
000007 |
000008 |         float angle;
000009 |         int count = m_Group.Count() - 1;
000010 |         float radius = Math.Max((count * 2.828427) / (Math.PI * 2), 2.0);
000011 |
000012 |         if (count)
000013 |             angle = 360 / count * member_no;
000014 |
000015 |         float x = Math.Sin(Math.DEG2RAD * angle) * radius * GetScale();
000016 |         float z = Math.Cos(Math.DEG2RAD * angle) * radius * GetScale();
000017 |
000018 |         return Vector(x, 0, z);
000019 |     }
000020 |
000021 |     override vector GetDirection(int member_no)
000022 |     {
000023 |         if ( member_no == 0 )
000024 |             return vector.Forward;
000025 |
000026 |         vector dir = vector.Direction("0 0 0", GetPosition(member_no)).Normalized();
000027 |         dir[1] = 0;
000028 |
000029 |         return dir;
000030 |     }
000031 |
000032 |     override void UpdateTransform(vector newPos, vector dir)
000033 |     {
000034 |         if (m_LastUpdatePosition != vector.Zero)
000035 |             dir = m_Transform[2];
000036 |
000037 |         super.UpdateTransform(newPos, dir);
000038 |     }
000039 | };
000040 |
```

0097. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ formations/eaiformationcolumn.c
Size bytes: 332
SHA-256: 75ec29563614ac0f8347dad90424da95c760b79d269981fae3a58d4e33c36028
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: class eAIFormationColumn : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override vector GetPosition(int member_no)
 L8: return Vector(-2, 0, -scaled_offset); // Left Side

Full file content

```
000001 | class eAIFormationColumn : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         int offset = Math.Floor((member_no + 1) / 2);
000006 |         float scaled_offset = 2 * offset * GetScale();
000007 |         if (member_no % 2 == 0) return Vector(2, 0, -scaled_offset); // Right side
000008 |         return Vector(-2, 0, -scaled_offset); // Left Side
000009 |     }
000010 | };
000011 |
```

0098. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ formations/eaiformationfile.c

Size bytes: 152

SHA-256: d125f231505b01a1c615463c82845a01fafcbb166662097de379d1157ecaa732

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: class eAIFormationFile : eAIFormation

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L3: override vector GetPosition(int member_no)

 L5: return Vector(0, 0, -2 * member_no * GetScale());

Full file content

```
000001 | class eAIFormationFile : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         return Vector(0, 0, -2 * member_no * GetScale());
000006 |     }
000007 | };
000008 |
```

0099. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ formations/eaiformationinvcolumn.c
Size bytes: 333
SHA-256: 453d7ebdb0a23d036a85f3361ec39c96d82ad11f523fc711b2b07f3552606b66
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: class eAIFormationInvColumn : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override vector GetPosition(int member_no)
 L8: return Vector(-2, 0, scaled_offset); // Left Side

Full file content

```
000001 | class eAIFormationInvColumn : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         int offset = Math.Floor((member_no + 1) / 2);
000006 |         float scaled_offset = 2 * offset * GetScale();
000007 |         if (member_no % 2 == 0) return Vector(2, 0, scaled_offset); // Right side
000008 |         return Vector(-2, 0, scaled_offset); // Left Side
000009 |     }
000010 | };
000011 |
```

0100. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ formations/eaiformationinvfile.c
Size bytes: 154
SHA-256: b8ab65d36ffdd66b52ba40efedf97122a3efd863b400adfb4de29025a561b42c
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 1
 L1: class eAIFormationInvFile : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override vector GetPosition(int member_no)
 L5: return Vector(0, 0, 2 * member_no * GetScale());

Full file content

```
000001 | class eAIFormationInvFile : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         return Vector(0, 0, 2 * member_no * GetScale());
000006 |     }
000007 | };
000008 |
```

0101. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaiformationinvvee.c
Size bytes: 354
SHA-256: 02ac8b716af7f097fb108000a1673c4dec4034b14f87b6653d45e1fd697dfbbc
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: class eAIFormationInvVee : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override vector GetPosition(int member_no)
 L8: return Vector(-scaled_offset, 0, scaled_offset); // Left Side

Full file content

```
000001 | class eAIFormationInvVee : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         int offset = Math.Floor((member_no + 1) / 2);
000006 |         float scaled_offset = 2 * offset * GetScale();
000007 |         if (member_no % 2 == 0) return Vector(scaled_offset, 0, scaled_offset); // Right side
000008 |         return Vector(-scaled_offset, 0, scaled_offset); // Left Side
000009 |     }
000010 | };
000011 |
```


0102. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formation/eaifformationstar.c

Size bytes: 656

SHA-256: ba54fa847255b2b4dcc20ac983ae247ffc576d4b43bfae773d4a92598fd80c48

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L1: class eAIFormationStar : eAIFormation

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override vector GetPosition(int member_no)

L25: return Vector(x, 0, z - radius);

Full file content

```
000001 | class eAIFormationStar : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         float x = 0;
000006 |         float z = 0;
000007 |         float angle;
000008 |         int count = m_Group.Count();
000009 |         float radius = Math.Max((count * 2.828427) / (Math.PI * 2), 2.0);
000010 |
000011 |         if (count)
000012 |             angle = 360 / count * member_no;
000013 |
000014 |         if (member_no % 2 == 0)
000015 |         {
000016 |             x = Math.Sin(Math.DEG2RAD * angle) * radius * GetScale();
000017 |             z = Math.Cos(Math.DEG2RAD * angle) * radius * GetScale();
000018 |         }
000019 |         else
000020 |         {
000021 |             x = Math.Sin(Math.DEG2RAD * angle) * radius * 0.5 * GetScale();
000022 |             z = Math.Cos(Math.DEG2RAD * angle) * radius * 0.5 * GetScale();
000023 |         }
000024 |
000025 |         return Vector(x, 0, z - radius);
000026 |     }
000027 | };
000028 |
```

0103. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/formations/eaifformationstardot.c
Size bytes: 1111
SHA-256: 99062fcc02429be12ff39a17fb6a74d32d2795443b670bff0717d5045b0706e
Decoded as: utf-8-sig
Line count shown: 50
Detected class declarations: 1
 L1: class eAIFormationStarDot : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 5
 L3: override vector GetPosition(int member_no)
 L6: return Vector(0, 0, 0);
 L28: return Vector(x, 0, z);
 L31: override vector GetDirection(int member_no)
 L42: override void UpdateTransform(vector newPos, vector dir)

Full file content

```
000001 | class eAIFormationStarDot : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         if ( member_no == 0 )
000006 |             return Vector(0, 0, 0);
000007 |
000008 |         float x = 0;
000009 |         float z = 0;
000010 |         float angle;
000011 |         int count = m_Group.Count() - 1;
000012 |         float radius = Math.Max((count * 2.828427) / (Math.PI * 2), 4.0);
000013 |
000014 |         if (count)
000015 |             angle = 360 / count * member_no;
000016 |
000017 |         if (member_no % 2 == 0)
000018 |         {
000019 |             x = Math.Sin(Math.DEG2RAD * angle) * radius * GetScale();
000020 |             z = Math.Cos(Math.DEG2RAD * angle) * radius * GetScale();
000021 |         }
000022 |         else
000023 |         {
000024 |             x = Math.Sin(Math.DEG2RAD * angle) * radius * 0.5 * GetScale();
000025 |             z = Math.Cos(Math.DEG2RAD * angle) * radius * 0.5 * GetScale();
000026 |         }
000027 |
000028 |         return Vector(x, 0, z);
000029 |     }
000030 |
000031 |     override vector GetDirection(int member_no)
000032 |     {
000033 |         if ( member_no == 0 )
000034 |             return vector.Forward;
000035 |
000036 |         vector dir = vector.Direction("0 0 0", GetPosition(member_no)).Normalized();
000037 |         dir[1] = 0;
000038 |
000039 |         return dir;
000040 |     }
000041 |
000042 |     override void UpdateTransform(vector newPos, vector dir)
```

```
000043 |      {  
000044 |          if (m_LastUpdatePosition != vector.Zero)  
000045 |              dir = m_Transform[2];  
000046 |  
000047 |          super.UpdateTransform(newPos, dir);  
000048 |      }  
000049 | };  
000050 |
```

0104. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ formations/eaiformationvee.c
Size bytes: 353
SHA-256: 7ca27e38d6680b5e32e159ebfc7908d3c523cebfde300226025fbc3a4fab2c30
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: class eAIFormationVee : eAIFormation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override vector GetPosition(int member_no)
 L8: return Vector(-scaled_offset, 0, -scaled_offset); // Left Side

Full file content

```
000001 | class eAIFormationVee : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         int offset = Math.Floor((member_no + 1) / 2);
000006 |         float scaled_offset = 2 * offset * GetScale();
000007 |         if (member_no % 2 == 0) return Vector(scaled_offset, 0, -scaled_offset); // Right side
000008 |         return Vector(-scaled_offset, 0, -scaled_offset); // Left Side
000009 |     }
000010 | };
000011 |
```

0105. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/ formations/eaiformationwall.c

Size bytes: 328

SHA-256: 80b22e0bba902a469342d1284856e861f553484118bdd87ca520a2798eac9814

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: class eAIFormationWall : eAIFormation

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L3: override vector GetPosition(int member_no)

 L8: return Vector(-scaled_offset, 0, 0); // Left Side

Full file content

```
000001 | class eAIFormationWall : eAIFormation
000002 | {
000003 |     override vector GetPosition(int member_no)
000004 |     {
000005 |         int offset = Math.Floor((member_no + 1) / 2);
000006 |         float scaled_offset = 2 * offset * GetScale();
000007 |         if (member_no % 2 == 0) return Vector(scaled_offset, 0, 0); // Right side
000008 |         return Vector(-scaled_offset, 0, 0); // Left Side
000009 |     }
000010 | };
000011 |
```

0106. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaifsm.c

Size bytes: 243

SHA-256: 2c74ea20fd890a105ecae473586c25e6766355409bd7952f96b7e65eceb978be

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

L1: class eAIFSM : ExpansionFSM

Detected enum declarations: 0

Detected function/method-like declarations: 2

L5: void Init(eAIBase unit)

L10: eAIBase GetUnit()

Full file content

```
000001 | class eAIFSM : ExpansionFSM
000002 | {
000003 |     protected eAIBase m_Unit;
000004 |
000005 |     void Init(eAIBase unit)
000006 |     {
000007 |         m_Unit = unit;
000008 |     }
000009 |
000010 |     eAIBase GetUnit()
000011 |     {
000012 |         #ifdef EAI_TRACE
000013 |         auto trace = CF_Trace_0(this, "GetUnit");
000014 |         #endif
000015 |
000016 |         return m_Unit;
000017 |     }
000018 | };
000019 |
```

0107. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaistate.c
Size bytes: 141
SHA-256: a646974a0404a4aa0b6097e04159fb55e827f6daae1f2f92263f073e45436a38
Decoded as: utf-8-sig
Line count shown: 10
Detected class declarations: 1
 L1: class eAIState : ExpansionState
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L5: void eAIState(ExpansionFSM _fsm)

Full file content

```
000001 | class eAIState : ExpansionState
000002 | {
000003 |     eAIBase unit;
000004 |
000005 |     void eAIState(ExpansionFSM _fsm)
000006 |     {
000007 |         Class.CastTo(unit, _fsm.GetOwner());
000008 |     }
000009 | };
000010 |
```

0108. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/eaitransition.c
Size bytes: 156
SHA-256: b088b2daff9abb637005bb03cc96751318b26c26b83b389e1a2517083ce187aa
Decoded as: utf-8-sig
Line count shown: 10
Detected class declarations: 1
 L1: class eAITransition : ExpansionTransition
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L5: void eAITransition(ExpansionFSM _fsm)

Full file content

```
000001 | class eAITransition : ExpansionTransition
000002 | {
000003 |     eAIBase unit;
000004 |
000005 |     void eAITransition(ExpansionFSM _fsm)
000006 |     {
000007 |         Class.CastTo(unit, _fsm.GetOwner());
000008 |     }
000009 | };
000010 |
```


0109. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_bandaging.c
Size bytes: 2987
SHA-256: 219e3b797878e825fa91b77d89c628ce252167fdc9877d09fb78a088cfc5092b
Decoded as: utf-8-sig
Line count shown: 117
Detected class declarations: 1
  L1: class eAIState_Bandaging_Self: eAIState
Detected enum declarations: 0
Detected function/method-like declarations: 6
  L9: override void OnEntry(string Event, ExpansionState From)
  L21: override void OnExit(string Event, bool Aborted, ExpansionState To)
  L36: override int OnUpdate(float DeltaTime, int SimulationPrecision)
  L64: else if (unit.eAI_ShouldBandage())
  L86: int Guard()
  L108: int GuardIdle()
```

Full file content

```
000001 | class eAIState_Bandaging_Self: eAIState
000002 | {
000003 |     int m_LastBandageAttemptTime;
000004 |     ItemBase m_Bandage;
000005 |     float m_Timeout;
000006 |     float m_Time;
000007 |     int m_BleedingSourceCount;
000008 |
000009 |     override void OnEntry(string Event, ExpansionState From)
000010 |     {
000011 |         m_LastBandageAttemptTime = g_Game.GetTime();
000012 |         m_BleedingSourceCount = unit.GetBleedingSourceCount();
000013 |         m_Time = 0;
000014 |         float effectivity = m_Bandage.GetBandagingEffectivity();
000015 |         if (effectivity > 0)
000016 |             m_Timeout = UATimeSpent.BANDAGE / effectivity + 8.0;
000017 |         else
000018 |             m_Timeout = 16.0;
000019 |     }
000020 |
000021 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000022 |     {
000023 |         //! If we had dropped another item to take bandage to hands, restore item threat
000024 |         if (unit.m_eAI_LastDroppedItem && !unit.m_eAI_LastDroppedItem.Expansion_CanBeUsedToBandage())
000025 |             unit.eAI_ThreatOverride(unit.m_eAI_LastDroppedItem, false);
000026 |
000027 |         if (m_Bandage)
000028 |         {
000029 |             if (m_Bandage.IsDamageDestroyed() || !unit.eAI_TakeItemToInventory(m_Bandage))
000030 |             {
000031 |                 unit.eAI_DropItem(m_Bandage);
000032 |             }
000033 |         }
000034 |     }
000035 |
000036 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000037 |     {
000038 |         if (unit.IsUnconscious()) return EXIT;
000039 |
000040 |         if (!unit.GetCommand_Move())
000041 |             return CONTINUE;
```

```
000042 |
000043 |     if (unit.eAI_IsChangingStance())
000044 |         return CONTINUE;
000045 |
000046 |     if (unit.GetActionManager().GetRunningAction())
000047 |     {
000048 |         if (unit.GetBleedingSourceCount() != m_BleedingSourceCount)
000049 |         {
000050 |             m_BleedingSourceCount = unit.GetBleedingSourceCount();
000051 |             m_Time = 0;
000052 |         }
000053 |
000054 |         m_Time += DeltaTime;
000055 |         if (m_Time > m_Timeout) ///! Looks like something went terribly wrong
000056 |         {
000057 |             unit.eAI_Unbug(m_Name + "(" + m_Bandage + ") - timeout");
000058 |             m_Time = 0;
000059 |             return EXIT;
000060 |         }
000061 |
000062 |         return CONTINUE;
000063 |     }
000064 |     else if (unit.eAI_ShouldBandage())
000065 |     {
000066 |         if (m_Bandage)
000067 |         {
000068 |             if (unit.IsBleeding() && !m_Bandage.IsDamageDestroyed())
000069 |             {
000070 |                 m_LastBandageAttemptTime = g_Game.GetTime();
000071 |                 m_Time = 0;
000072 |
000073 |                 unit.StartActionObject(ActionBandageSelf, null);
000074 |
000075 |                 return CONTINUE;
000076 |             }
000077 |         }
000078 |     }
000079 |
000080 |     if (unit.Expansion_GetUp(true))
000081 |         return CONTINUE;
000082 |
000083 |     return EXIT;
000084 | }
000085 |
000086 | int Guard()
000087 | {
000088 |     if (unit.IsFighting()) return eAITransition.FAIL;
000089 |
000090 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000091 |     if (unit.IsUnconscious()) return eAITransition.FAIL;
000092 |     if (unit.IsSwimming()) return eAITransition.FAIL;
000093 |
000094 |     if (!unit.eAI_ShouldBandage()) return eAITransition.FAIL;
000095 |
000096 |     if (g_Game.GetTime() - m_LastBandageAttemptTime < 4000) return eAITransition.FAIL;
000097 |
000098 |     auto hands = unit.GetItemInHands();
000099 |     if (!hands) return eAITransition.FAIL;
000100 |
000101 |     if (!hands.Expansion_CanBeUsedToBandage() || hands.IsDamageDestroyed()) return eAITransition.FAIL;
000102 |
000103 |     m_Bandage = hands;
```

```
000104 |  
000105 |     return eAITransition.SUCCESS;  
000106 | }  
000107 |  
000108 | int GuardIdle()  
000109 | {  
000110 |     if (unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;  
000111 |  
000112 |     if (g_Game.GetTime() - m_LastBandageAttemptTime < 4000) return eAITransition.FAIL;  
000113 |  
000114 |     return eAITransition.SUCCESS;  
000115 | }  
000116 | }  
000117 |
```

0110. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_craft.c

Size bytes: 2454

SHA-256: 78be0943509f31e449b3a0520ac726dd5e1bbe4e2b2b6a216595e7c3f1d515e5

Decoded as: utf-8-sig

Line count shown: 101

Detected class declarations: 1

L1: class eAIState_Craft: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 7

L10: override void OnEntry(string Event, ExpansionState From)

L18: bool UpdateState()

L23: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L45: else if (Guard() == eAITransition.SUCCESS)

L61: int Guard()

L83: bool CanReach(EntityAI item)

L96: int GuardIdle()

Full file content

```

000001 | class eAIState_Craft: eAIState
000002 | {
000003 |     int m_LastAttemptTime;
000004 |     string m_RecipeClassName;
000005 |     ItemBase m_Item;
000006 |     EntityAI m_TargetEntity;
000007 |     float m_Timeout;
000008 |     float m_Time;
000009 |
000010 |     override void OnEntry(string Event, ExpansionState From)
000011 |     {
000012 |         int recipeID = unit.m_ModuleRecipesManager.RecipeIDFromClassname(m_RecipeClassName);
000013 |         RecipeBase recipe = unit.m_ModuleRecipesManager.m_RecipeList[recipeID];
000014 |         m_Timeout = recipe.GetLengthInSecs() + 8;
000015 |         unit.SetCraftingRecipeID(recipeID);
000016 |     }
000017 |
000018 |     bool UpdateState()
000019 |     {
000020 |         return false;
000021 |     }
000022 |
000023 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000024 |     {
000025 |         if (unit.IsUnconscious()) return EXIT;
000026 |
000027 |         if (unit.eAI_IsChangingStance())
000028 |             return CONTINUE;
000029 |
000030 |         if (unit.GetActionManager().GetRunningAction())
000031 |         {
000032 |             if (UpdateState())
000033 |                 m_Time = 0;
000034 |
000035 |             m_Time += DeltaTime;
000036 |             if (m_Time > m_Timeout) ///! Looks like something went terribly wrong
000037 |             {
000038 |                 unit.eAI_Unbug(m_Name + "(" + m_RecipeClassName + ", " + m_Item + ", " + m_TargetEntity + ") - timeout");
000039 |                 m_Time = 0;
000040 |                 return EXIT;

```

```
000041 |         }
000042 |
000043 |         return CONTINUE;
000044 |     }
000045 |     else if (Guard() == eAITransition.SUCCESS)
000046 |     {
000047 |         m_LastAttemptTime = g_Game.GetTime();
000048 |         m_Time = 0;
000049 |
000050 |         if (m_TargetEntity.GetHierarchyRoot() == unit)
000051 |             unit.StartActionObject(ActionWorldCraft, m_Item, ItemBase.Cast(m_TargetEntity));
000052 |         else
000053 |             unit.StartActionObject(ActionWorldCraft, m_TargetEntity, m_Item);
000054 |
000055 |         return CONTINUE;
000056 |     }
000057 |
000058 |     return EXIT;
000059 | }
000060 |
000061 | int Guard()
000062 | {
000063 |     if (unit.IsFighting()) return eAITransition.FAIL;
000064 |     if (unit.IsRaised()) return eAITransition.FAIL;
000065 |
000066 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000067 |     if (unit.IsUnconscious()) return eAITransition.FAIL;
000068 |     if (unit.IsSwimming()) return eAITransition.FAIL;
000069 |
000070 |     if (!unit.GetCommand_Move()) return eAITransition.FAIL;
000071 |
000072 |     if (unit.m_eAI_DangerousAreaCount > 0 && unit.m_eAI_IsInDangerByArea)
000073 |         return eAITransition.FAIL;
000074 |
000075 |     if (unit.GetThreatToSelf() > 0.2)
000076 |         return eAITransition.FAIL;
000077 |
000078 |     if (g_Game.GetTime() - m_LastAttemptTime < 4000) return eAITransition.FAIL;
000079 |
000080 |     return eAITransition.SUCCESS;
000081 | }
000082 |
000083 | bool CanReach(EntityAI item)
000084 | {
000085 |     EntityAI root = item.GetHierarchyRoot();
000086 |
000087 |     if (root == unit)
000088 |         return true;
000089 |
000090 |     if (root == item && vector.DistanceSq(unit.GetPosition(), item.GetPosition()) < 4.0)
000091 |         return true;
000092 |
000093 |     return false;
000094 | }
000095 |
000096 | int GuardIdle()
000097 | {
000098 |     return eAITransition.SUCCESS;
000099 | }
000100 | }
000101 |
```

0111. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_dormant.c

Size bytes: 2190

SHA-256: fa0c49ecc313e1a627759da571497aa8103c7868d517ca8903123ad64ec1183a

Decoded as: utf-8-sig

Line count shown: 88

Detected class declarations: 1

L1: class eAIState_Dormant: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L3: override void OnEntry(string Event, ExpansionState From)

L11: override void OnExit(string Event, bool Aborted, ExpansionState To)

L19: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L27: int Guard()

Full file content

```

000001 | class eAIState_Dormant: eAIState
000002 | {
000003 |     override void OnEntry(string Event, ExpansionState From)
000004 |     {
000005 |         #ifdef DIAG_DEVELOPER
000006 |             EXPrint(unit, "-> dormant " + typename.EnumToString(eAIWaypointBehavior, unit.GetGroup().GetWaypointBehaviour()));
000007 |         #endif
000008 |         unit.DisableSimulation(true);
000009 |     }
000010 |
000011 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000012 |     {
000013 |         #ifdef DIAG_DEVELOPER
000014 |             EXPrint(unit, "-> wake up " + typename.EnumToString(eAIWaypointBehavior, unit.GetGroup().GetWaypointBehaviour()));
000015 |         #endif
000016 |         unit.DisableSimulation(false);
000017 |     }
000018 |
000019 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000020 |     {
000021 |         if (Guard() == eAITransition.SUCCESS)
000022 |             return CONTINUE;
000023 |
000024 |         return EXIT;
000025 |     }
000026 |
000027 |     int Guard()
000028 |     {
000029 |         if (unit.m_eAI_IsFightingFSM)
000030 |         {
000031 |             //Print("Fighting");
000032 |             return eAITransition.FAIL;
000033 |         }
000034 |
000035 |         if (unit.m_eAI_AcuteDangerTargetCount > 0)
000036 |         {
000037 |             //Print("Acute danger");
000038 |             return eAITransition.FAIL;
000039 |         }
000040 |
000041 |         if (unit.m_eAI_AcuteDangerPlayerTargetCount > 0)
000042 |         {
000043 |             //Print("Acute danger player");

```

```
000044 |         return eAITransition.FAIL;
000045 |     }
000046 |
000047 |     if (g_Game.GetTickTime() - unit.m_eAI_LastHitTime <= 10)
000048 |     {
000049 |         //Print("Hit");
000050 |         return eAITransition.FAIL;
000051 |     }
000052 |
000053 |     if (unit.m_eAI_PlayersWithinVisibilityDistanceLimit.Count() > 0)
000054 |         return eAITransition.FAIL;
000055 |
000056 |     int cmdID = unit.GetCurrentCommandID();
000057 |
000058 |     if (cmdID != DayZPlayerConstants.COMMANDID_MOVE && cmdID != DayZPlayerConstants.COMMANDID_SWIM)
000059 |     {
000060 |         //Print("Busy");
000061 |         return eAITransition.FAIL;
000062 |     }
000063 |
000064 |     if (unit.m_eAI_CommandMove.GetCurrentMovementSpeed() > 0)
000065 |     {
000066 |         //Print("Moving");
000067 |         return eAITransition.FAIL;
000068 |     }
000069 |
000070 |     eAIGroup group = unit.GetGroup();
000071 |
000072 |     if (group.GetWaypoints().Count() > 1 || unit.m_eAI_CommandMove.GetWaypoint() == vector.Zero || !unit.m_eAI_CommandMove.HasReachedWaypoint(false))
000073 |     {
000074 |         //Print("Moving to waypoint");
000075 |         return eAITransition.FAIL;
000076 |     }
000077 |
000078 |     if (!group.GetLeader().IsAI())
000079 |         return eAITransition.FAIL;
000080 |
000081 |     eAIWaypointBehavior bhv = group.GetWaypointBehaviour();
000082 |     if (bhv == eAIWaypointBehavior.ROAMING || bhv == eAIWaypointBehavior.ROAMING_LOCAL)
000083 |         return eAITransition.FAIL;
000084 |
000085 |     return eAITransition.SUCCESS;
000086 | }
000087 | }
000088 |
```

0112. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_dropitem.c

Size bytes: 1545

SHA-256: b6127ddbcb2333b50783a88a6f9a89849f36fd3b6bea4e39e09fec5af8f5a285

Decoded as: utf-8-sig

Line count shown: 65

Detected class declarations: 1

L1: class eAIState_DropItem: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 3

L6: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L22: else if (m_Item && m_Item.GetHierarchyRoot() == unit)

L33: int Guard()

Full file content

```
000001 | class eAIState_DropItem: eAIState
000002 | {
000003 |     ItemBase m_Item;
000004 |     float m_Time;
000005 |
000006 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000007 |     {
000008 |         if (unit.IsUnconscious()) return EXIT;
000009 |
000010 |         if (unit.GetActionManager().GetRunningAction())
000011 |         {
000012 |             m_Time += DeltaTime;
000013 |             if (m_Time > 10) //! Looks like something went terribly wrong
000014 |             {
000015 |                 unit.eAI_Unbug(m_Name + "(" + m_Item + ") - timeout");
000016 |                 m_Time = 0;
000017 |                 return EXIT;
000018 |             }
000019 |
000020 |             return CONTINUE;
000021 |         }
000022 |         else if (m_Item && m_Item.GetHierarchyRoot() == unit)
000023 |         {
000024 |             m_Time = 0;
000025 |             unit.eAI_ThreatOverride(m_Item, true);
000026 |             unit.eAI_DropItem(m_Item, true);
000027 |             return CONTINUE;
000028 |         }
000029 |
000030 |         return EXIT;
000031 |     }
000032 |
000033 |     int Guard()
000034 |     {
000035 |         if (unit.IsFighting()) return eAITransition.FAIL;
000036 |
000037 |         if (unit.IsRestrained()) return eAITransition.FAIL;
000038 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000039 |         if (unit.IsSwimming()) return eAITransition.FAIL;
000040 |
000041 |         if (!unit.GetCommand_Move()) return eAITransition.FAIL;
000042 |
000043 |         if (unit.IsRaised()) return eAITransition.FAIL;
000044 |         if (unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;
```



```
000045 |         if (unit.GetEmoteManager().IsEmotePlaying()) return eAITransition.FAIL;
000046 |
000047 |         if (unit.eAI_IsChangingStance())
000048 |             return eAITransition.FAIL;
000049 |
000050 |         foreach (int i, ItemBase item: unit.m_eAI_ItemsToDrop)
000051 |         {
000052 |             if (!item || item.GetHierarchyRoot() != unit)
000053 |             {
000054 |                 unit.m_eAI_ItemsToDrop.Remove(i);
000055 |                 break;
000056 |             }
000057 |
000058 |             m_Item = item;
000059 |             return eAITransition.SUCCESS;
000060 |         }
000061 |
000062 |         return eAITransition.FAIL;
000063 |     }
000064 | }
000065 |
```

0113. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_fighting.c

Size bytes: 975

SHA-256: a6edaadfbaa722cfb7a9933384c539d6fd4a89491e6a8634327cc387b824bbf4

Decoded as: utf-8-sig

Line count shown: 40

Detected class declarations: 1

L1: class eAIState_Fighting: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L3: override void OnEntry(string Event, ExpansionState From)

L11: override void OnExit(string Event, bool Aborted, ExpansionState To)

L18: int Guard()

L31: int GuardIdle()

Full file content

```
000001 | class eAIState_Fighting: eAIState
000002 | {
000003 |     override void OnEntry(string Event, ExpansionState From)
000004 |     {
000005 |         if (unit.GetEmoteManager().IsEmotePlaying())
000006 |             unit.GetEmoteManager().ServerRequestEmoteCancel();
000007 |
000008 |         unit.eAI_SetIsFightingFSM(true);
000009 |     }
000010 |
000011 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000012 |     {
000013 |         unit.eAI_SetIsFightingFSM(false);
000014 |
000015 |         unit.m_eAI_IsPreparingMelee = false;
000016 |     }
000017 |
000018 |     int Guard()
000019 |     {
000020 |         if (unit.IsRestrained()) return eAITransition.FAIL;
000021 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000022 |
000023 |         if (unit.GetThreatToSelf() < 0.4) return eAITransition.FAIL;
000024 |         if (unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;
000025 |
000026 |         if (unit.IsInTransport()) return eAITransition.FAIL;
000027 |
000028 |         return eAITransition.SUCCESS;
000029 |     }
000030 |
000031 |     int GuardIdle()
000032 |     {
000033 |         if (unit.GetThreatToSelf() > 0.2) return eAITransition.FAIL;
000034 |
000035 |         if (unit.IsFighting()) return eAITransition.FAIL;
000036 |
000037 |         return eAITransition.SUCCESS;
000038 |     }
000039 | };
000040 |
```

0114. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_flank.c

Size bytes: 1563

SHA-256: bce0ecc54ac1947f88ecf213a2d3987c9cd94de17a5b310e74ababeea9fc4018

Decoded as: utf-8-sig

Line count shown: 54

Detected class declarations: 1

L1: class eAIState_Flank: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 5

L5: override void OnEntry(string Event, ExpansionState From)

L13: override void OnExit(string Event, bool Aborted, ExpansionState To)

L18: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L26: int Guard()

L46: int GuardIdle()

Full file content

```

000001 | class eAIState_Flank: eAIState
000002 | {
000003 |     eAITarget m_Target;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         unit.OverrideMovementDirection(false, 0);
000008 |         unit.OverrideMovementSpeed(false, 0);
000009 |
000010 |         unit.eAI_SetShouldTakeCover(true);
000011 |     }
000012 |
000013 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000014 |     {
000015 |         unit.eAI_SetShouldTakeCover(false);
000016 |     }
000017 |
000018 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000019 |     {
000020 |         if (m_Target)
000021 |             unit.OverrideTargetPosition(m_Target);
000022 |
000023 |         return EXIT;
000024 |     }
000025 |
000026 |     int Guard()
000027 |     {
000028 |         if (unit.GetThreatToSelf() >= 0.4) return eAITransition.FAIL;
000029 |
000030 |         if (unit.IsInTransport()) return eAITransition.FAIL;
000031 |
000032 |         auto group = unit.GetGroup();
000033 |         if (!group) return eAITransition.FAIL;
000034 |         if (!unit.m_eAI_EnableFlankingOutsideCombat && group.GetFormationState() != eAIGroupFormationState.FLANK && !group.IsInCombat())
000035 |             return eAITransition.FAIL;
000036 |
000037 |         m_Target = unit.GetTarget();
000038 |         if (!m_Target || m_Target.IsItem() || unit.GetThreatToSelf(true) <= 0.152)
000039 |             return eAITransition.FAIL;
000040 |
000041 |         //if (!unit.eAI_IsInFlankRange(m_Target)) return eAITransition.FAIL;
000042 |

```

```
000043 |         return eAITransition.SUCCESS;
000044 |     }
000045 |
000046 |     int GuardIdle()
000047 |     {
000048 |         auto group = unit.GetGroup();
000049 |         if (group && (unit.m_eAI_EnableFlankingOutsideCombat || group.GetFormationState() == eAIGroupFormationState.FLANK || group.IsInCombat()) && m_Target && !m
000050 | _Target.IsItem() && unit.GetThreatToSelf(true) > 0.152 /*&& unit.eAI_IsInFlankRange(m_Target)*/) return eAITransition.FAIL;
000051 |
000052 |         return eAITransition.SUCCESS;
000053 |     };
000054 |
```

0115. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_followformation.c

Size bytes: 1990

SHA-256: d25d98e3701721625518c301016cb1887e7de5045c0b6ba80136411da7da06f2

Decoded as: utf-8-sig

Line count shown: 71

Detected class declarations: 1

L1: class eAIState_FollowFormation: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 5

L7: override void OnEntry(string Event, ExpansionState From)

L18: override void OnExit(string Event, bool Aborted, ExpansionState To)

L24: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L38: int Guard()

L61: int GuardIdle()

Full file content

```

000001 | class eAIState_FollowFormation: eAIState
000002 | {
000003 |     eAIGroup m_Group;
000004 |     int m_SpeedLimit;
000005 |     bool m_GotUp;
000006 |
000007 |     override void OnEntry(string Event, ExpansionState From)
000008 |     {
000009 |         m_GotUp = false;
000010 |         unit.eAI_LeaveCover();
000011 |         unit.OverrideMovementDirection(false, 0);
000012 |         unit.OverrideMovementSpeed(false, 0);
000013 |         m_SpeedLimit = unit.GetMovementSpeedLimit();
000014 |         if (m_SpeedLimit > 0)
000015 |             unit.SetMovementSpeedLimit(3); //! Make sure AI can reach formation positions when following leader by overriding speed limit
000016 |     }
000017 |
000018 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000019 |     {
000020 |         if (m_SpeedLimit > 0)
000021 |             unit.SetMovementSpeedLimit(unit.m_eAI_SpeedLimitPreference); //! Restore speed limit
000022 |     }
000023 |
000024 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000025 |     {
000026 |         if (!m_Group) return EXIT;
000027 |         unit.OverrideTargetPosition(m_Group.GetFormationPosition(unit));
000028 |
000029 |         if (!m_GotUp && unit.Expansion_GetMovementSpeed() > 0)
000030 |         {
000031 |             unit.Expansion_GetUp(true);
000032 |             m_GotUp = true;
000033 |         }
000034 |
000035 |         return EXIT;
000036 |     }
000037 |
000038 |     int Guard()
000039 |     {
000040 |         m_Group = unit.GetGroup();
000041 |         if (!m_Group) return eAITransition.FAIL;
000042 |     }

```

```
000043 |         if (unit.GetThreatToSelf() >= 0.4) return eAITransition.FAIL;
000044 |
000045 |         if (m_Group.IsInCombat())
000046 |         {
000047 |             eAITarget target = unit.GetTarget();
000048 |             if (target && !target.IsItem() && unit.GetThreatToSelf(true) >= 0.4) return eAITransition.FAIL;
000049 |         }
000050 |
000051 |         if (m_Group.GetFormationState() != eAIGroupFormationState.IN) return eAITransition.FAIL;
000052 |
000053 |         auto leader = m_Group.GetFormationLeader();
000054 |         if (!leader || leader == unit) return eAITransition.FAIL;
000055 |
000056 |         if (leader.IsInTransport()) return eAITransition.FAIL;
000057 |
000058 |         return eAITransition.SUCCESS;
000059 |     }
000060 |
000061 |     int GuardIdle()
000062 |     {
000063 |         auto group = unit.GetGroup();
000064 |         if (!group || group.GetFormationLeader() == unit || group.GetFormationState() != eAIGroupFormationState.IN) return eAITransition.SUCCESS;
000065 |
000066 |         if (unit.GetThreatToSelf() >= 0.4) return eAITransition.SUCCESS;
000067 |
000068 |         return eAITransition.FAIL;
000069 |     }
000070 | };
000071 |
```

0116. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_idle.c

Size bytes: 1035

SHA-256: b50c077acbd072af41f9a4c47c036a795cdf157b97d5aa6196de6dcf9c6bd9dd

Decoded as: utf-8-sig

Line count shown: 36

Detected class declarations: 1

L1: class eAIState_Idle: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override void OnEntry(string Event, ExpansionState From)

L31: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```

000001 | class eAIState_Idle: eAIState
000002 | {
000003 |     override void OnEntry(string Event, ExpansionState From)
000004 |     {
000005 |         EntityAI hands = unit.GetItemInHands();
000006 |         if (hands && hands.HasEnergyManager() && hands.GetCompEM().IsWorking() && hands.GetCompEM().CanSwitchOff())
000007 |         {
000008 |             if (hands.GetType() == unit.m_eAI_TypeSwitchedOnDuringCombat)
000009 |             {
000010 |                 hands.GetCompEM().SwitchOff();
000011 |                 unit.m_eAI_TypeSwitchedOnDuringCombat = "";
000012 |             }
000013 |         }
000014 |
000015 |         auto cmd = unit.GetCommand_Move();
000016 |         if (!unit.m_eAI_CurrentCoverObject || !cmd || unit.m_eAI_CommandMove.GetWaypoint() != unit.m_eAI_CurrentCoverPosition)
000017 |         {
000018 |             unit.OverrideTargetPosition(unit.GetPosition() + unit.GetDirection() * unit.Expansion_GetMovementSpeed() * 0.333333);
000019 |             unit.OverrideMovementDirection(false, 0);
000020 |             unit.OverrideMovementSpeed(true, 0);
000021 |
000022 |             if (unit.eAI_ShouldGetUp())
000023 |                 unit.Expansion_GetUp();
000024 |         }
000025 |         else
000026 |         {
000027 |             unit.m_eAI_TargetPositionIsFinal = true;
000028 |         }
000029 |     }
000030 |
000031 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000032 |     {
000033 |         return EXIT;
000034 |     }
000035 | }
000036 |

```

0117. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_interacting.c

Size bytes: 772

SHA-256: 39e7aaf0c385d74f4cf22371d65d7ef4530695166c2e856102cb0ae33a70f50b

Decoded as: utf-8-sig

Line count shown: 35

Detected class declarations: 1

L1: class eAIState_Interacting: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L5: override void OnEntry(string Event, ExpansionState From)

L10: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L19: int Guard()

L28: int GuardIdle()

Full file content

```
000001 | class eAIState_Interacting: eAIState
000002 | {
000003 |     float m_Time;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         unit.OverrideTargetPosition(unit.GetPosition() + unit.GetDirection() * unit.Expansion_GetMovementSpeed() * 0.333333);
000008 |     }
000009 |
000010 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000011 |     {
000012 |         if (unit.IsUnconscious()) return EXIT;
000013 |
000014 |         if (unit.eAI_HasInteractingPlayers()) return CONTINUE;
000015 |
000016 |         return EXIT;
000017 |     }
000018 |
000019 |     int Guard()
000020 |     {
000021 |         if (!unit.eAI_HasInteractingPlayers()) return eAITransition.FAIL;
000022 |
000023 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000024 |
000025 |         return eAITransition.SUCCESS;
000026 |     }
000027 |
000028 |     int GuardIdle()
000029 |     {
000030 |         if (unit.eAI_HasInteractingPlayers()) return eAITransition.FAIL;
000031 |
000032 |         return eAITransition.SUCCESS;
000033 |     }
000034 | };
000035 |
```


0118. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_leave.c

Size bytes: 2161

SHA-256: 00891929ecfb597a69505bfb1567a3ecee570465d6a9e6995b2046095ee33c6f

Decoded as: utf-8-sig

Line count shown: 106

Detected class declarations: 1

L1: class eAIState_Leave: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 3

L7: override void OnEntry(string Event, ExpansionState From)

L16: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L91: int Guard()

Full file content

```
000001 | class eAIState_Leave: eAIState
000002 | {
000003 |     int m_Phase;
000004 |     float m_Time;
000005 |     float m_Threshold;
000006 |
000007 |     override void OnEntry(string Event, ExpansionState From)
000008 |     {
000009 |         m_Phase = 0;
000010 |         m_Time = 0;
000011 |         m_Threshold = Math.RandomFloat(0.5, 1.5);
000012 |
000013 |         unit.SetAllowDamage(false);
000014 |     }
000015 |
000016 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000017 |     {
000018 |         auto group = unit.GetGroup();
000019 |
000020 |         if (m_Phase == 2 && group.m_ForcePatrolDespawn) return CONTINUE;
000021 |
000022 |         if (unit.IsRaised()) unit.RaiseWeapon(false);
000023 |
000024 |         m_Time += DeltaTime;
000025 |
000026 |         if (m_Time < m_Threshold) return CONTINUE;
000027 |
000028 |         unit.OverrideTargetPosition(unit.GetPosition());
000029 |
000030 |         if (unit.IsSwimming())
000031 |         {
000032 |             group.m_ForcePatrolDespawn = true;
000033 |             return CONTINUE;
000034 |         }
000035 |
000036 |         if (unit.eAI_IsChangingStance()) return CONTINUE;
000037 |
000038 |         if (m_Phase < 2 && unit.GetEmoteManager().IsEmotePlaying()) return CONTINUE;
000039 |
000040 |         if (m_Phase == 0)
000041 |         {
000042 |             m_Phase = 1;
000043 |             m_Time = 0;
000044 |             m_Threshold = 0;
```

```
000045 |  
000046 |         if (!unit.IsRestrained())  
000047 |         {  
000048 |             int emoteId;  
000049 |  
000050 |             switch (Math.RandomInt(0, 3))  
000051 |             {  
000052 |                 case 0:  
000053 |                     emoteId = EmoteConstants.ID_EMOTE_TAUNTELBOW;  
000054 |                     break;  
000055 |  
000056 |                 case 1:  
000057 |                     emoteId = EmoteConstants.ID_EMOTE_THROAT;  
000058 |                     break;  
000059 |  
000060 |                 case 2:  
000061 |                     emoteId = EmoteConstants.ID_EMOTE_DABBING;  
000062 |                     break;  
000063 |             }  
000064 |  
000065 |             unit.Expansion_SetEmote(emoteId);  
000066 |             unit.Expansion_PlayEmote();  
000067 |  
000068 |             return CONTINUE;  
000069 |         }  
000070 |     }  
000071 |  
000072 |     if (m_Phase == 1)  
000073 |     {  
000074 |         m_Phase = 2;  
000075 |         m_Time = 0;  
000076 |         m_Threshold = 0;  
000077 |  
000078 |         unit.Expansion_SetEmote(EmoteConstants.ID_EMOTE_SITA);  
000079 |         unit.Expansion_PlayEmote();  
000080 |  
000081 |         return CONTINUE;  
000082 |     }  
000083 |  
000084 |     if (m_Phase == 2 && m_Time < 4.5) return CONTINUE;  //!< Wait for AI to sit  
000085 |  
000086 |     group.m_ForcePatrolDespawn = true;  
000087 |  
000088 |     return CONTINUE;  
000089 | }  
000090 |  
000091 | int Guard()  
000092 | {  
000093 |     if (unit.IsUnconscious()) return eAITransition.FAIL;  
000094 |  
000095 |     auto group = unit.GetGroup();  
000096 |     if (!group) return eAITransition.FAIL;  
000097 |     if (!group.CanLeave()) return eAITransition.FAIL;  
000098 |  
000099 |     if (unit.IsClimbing()) return eAITransition.FAIL;  
000100 |     if (unit.IsClimbingLadder()) return eAITransition.FAIL;  
000101 |     if (unit.IsFalling()) return eAITransition.FAIL;  
000102 |  
000103 |     return eAITransition.SUCCESS;  
000104 | }  
000105 | }  
000106 |
```

0119. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_playemote.c

Size bytes: 1362

SHA-256: 410b68383897b9723f111e1ff103c4d1df159ad8b3a3761cf4e7bd53551fe233

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L1: class eAIState_PlayEmote: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: override void OnEntry(string Event, ExpansionState From)

L8: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L13: int Guard()

Full file content

```

000001 | class eAIState_PlayEmote: eAIState
000002 | {
000003 |     override void OnEntry(string Event, ExpansionState From)
000004 |     {
000005 |         unit.Expansion_PlayEmote();
000006 |     }
000007 |
000008 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000009 |     {
000010 |         return EXIT;
000011 |     }
000012 |
000013 |     int Guard()
000014 |     {
000015 |         if (!unit.m_Expansion_EmoteID) return eAITransition.FAIL;
000016 |         if (unit.GetEmoteManager().IsEmotePlaying() || unit.GetEmoteManager().Expansion_GetCurrentGesture() == unit.m_Expansion_EmoteID) return eAITransition.FAIL
000017 |     };
000018 |
000019 |     if (unit.IsRaised()) return eAITransition.FAIL;
000020 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000021 |     if (unit.IsUnconscious()) return eAITransition.FAIL;
000022 |     if (unit.IsClimbing()) return eAITransition.FAIL;
000023 |     if (unit.IsFalling()) return eAITransition.FAIL;
000024 |     if (unit.IsSwimming()) return eAITransition.FAIL;
000025 |     if (!unit.GetCommand_Move()) return eAITransition.FAIL;
000026 |     if (unit.eAI_IsChangingStance()) return eAITransition.FAIL;
000027 |
000028 |     if (unit.GetThreatToSelf(true) > 0.2) return eAITransition.FAIL;
000029 |     if (unit.IsFighting()) return eAITransition.FAIL;
000030 |     if (unit.GetWeaponManager().IsRunning()) return eAITransition.FAIL;
000031 |     if (unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;
000032 |
000033 |     auto hands = unit.GetItemInHands();
000034 |     if (hands && hands.Expansion_CanBeUsedToBandage())
000035 |         return eAITransition.FAIL;
000036 |
000037 |     return eAITransition.SUCCESS;
000038 | }
000039 | };

```

0120. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_repair.c

Size bytes: 1542

SHA-256: 313874589022e1a23ca8452a09ca13e218701ad7cfec2f1f12eb42c15e99ce01

Decoded as: utf-8-sig

Line count shown: 62

Detected class declarations: 1

L1: class eAIState_Repair: eAIState_Craft

Detected enum declarations: 0

Detected function/method-like declarations: 4

L5: override void OnEntry(string Event, ExpansionState From)

L12: override bool UpdateState()

L23: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L33: override int Guard()

Full file content

```

000001 | class eAIState_Repair: eAIState_Craft
000002 | {
000003 |     int m_EntityHealthLevel;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         m_RecipeClassName = "CleanWeapon";
000008 |
000009 |         super.OnEntry(Event, From);
000010 |     }
000011 |
000012 |     override bool UpdateState()
000013 |     {
000014 |         if (m_TargetEntity.GetHealthLevel() != m_EntityHealthLevel)
000015 |         {
000016 |             m_EntityHealthLevel = m_TargetEntity.GetHealthLevel();
000017 |             return true;
000018 |         }
000019 |
000020 |         return false;
000021 |     }
000022 |
000023 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000024 |     {
000025 |         if (super.OnUpdate(DeltaTime, SimulationPrecision) == CONTINUE) return CONTINUE;
000026 |
000027 |         if (!unit.IsUnconscious() && unit.Expansion_GetUp(true))
000028 |             return CONTINUE;
000029 |
000030 |         return EXIT;
000031 |     }
000032 |
000033 |     override int Guard()
000034 |     {
000035 |         if (super.Guard() == eAITransition.FAIL) return eAITransition.FAIL;
000036 |
000037 |         m_TargetEntity = unit.GetHumanInventory().GetEntityInHands();
000038 |         if (!m_TargetEntity) return eAITransition.FAIL;
000039 |
000040 |         m_EntityHealthLevel = m_TargetEntity.GetHealthLevel();
000041 |
000042 |         if (m_EntityHealthLevel == GameConstants.STATE_RUINED) return eAITransition.FAIL;
000043 |     }

```

```
000044 |         if (m_TargetEntity.CanBeRepairedToPristine())
000045 |         {
000046 |             if (m_EntityHealthLevel == GameConstants.STATE_PRISTINE) return eAITransition.FAIL;
000047 |         }
000048 |         else
000049 |         {
000050 |             if (m_EntityHealthLevel <= GameConstants.STATE_WORN) return eAITransition.FAIL;
000051 |         }
000052 |
000053 |         if (!m_Item || !CanReach(m_Item) || !m_Item.Expansion_CanRepair(m_TargetEntity))
000054 |         {
000055 |             m_Item = unit.eAI_GetRepairKit(m_TargetEntity);
000056 |             if (!m_Item) return eAITransition.FAIL;
000057 |         }
000058 |
000059 |         return eAITransition.SUCCESS;
000060 |     }
000061 | }
000062 |
```

0121. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_skinning.c

Size bytes: 2731

SHA-256: c0cc0b2ed140fb5f1c2f00f843dd94446a65206a01e1e3edc554875ca729e6aa

Decoded as: utf-8-sig

Line count shown: 105

Detected class declarations: 1

L1: class eAIState_Skinning: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 6

L9: override void OnEntry(string Event, ExpansionState From)

L14: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L33: else if (m_TargetEntity && CanReach(m_TargetEntity))

L49: int Guard()

L87: bool CanReach(EntityAI item)

L100: int GuardIdle()

Full file content

```

000001 | class eAIState_Skinning: eAIState
000002 | {
000003 |     int m_LastAttemptTime;
000004 |     ItemBase m_Item;
000005 |     EntityAI m_TargetEntity;
000006 |     float m_Timeout = UATimeSpent.SKIN + 8;
000007 |     float m_Time;
000008 |
000009 |     override void OnEntry(string Event, ExpansionState From)
000010 |     {
000011 |         unit.OverrideStance(DayZPlayerConstants.STANCEIDX_CROUCH);
000012 |     }
000013 |
000014 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000015 |     {
000016 |         if (unit.IsUnconscious()) return EXIT;
000017 |
000018 |         if (unit.eAI_IsChangingStance())
000019 |             return CONTINUE;
000020 |
000021 |         if (unit.GetActionManager().GetRunningAction())
000022 |         {
000023 |             m_Time += DeltaTime;
000024 |             if (m_Time > m_Timeout) //! Looks like something went terribly wrong
000025 |             {
000026 |                 unit.eAI_Unbug(m_Name + "(" + m_Item + ", " + m_TargetEntity + ") - timeout");
000027 |                 m_Time = 0;
000028 |                 return EXIT;
000029 |             }
000030 |
000031 |             return CONTINUE;
000032 |         }
000033 |         else if (m_TargetEntity && CanReach(m_TargetEntity))
000034 |         {
000035 |             m_LastAttemptTime = g_Game.GetTime();
000036 |             m_Time = 0;
000037 |
000038 |             unit.StartActionObject(ActionSkinning, m_TargetEntity, m_Item);
000039 |
000040 |             return CONTINUE;
000041 |         }

```

```
000042 |  
000043 |     //if (unit.Expansion_GetUp(true))  
000044 |         //return CONTINUE;  
000045 |  
000046 |     return EXIT;  
000047 | }  
000048 |  
000049 | int Guard()  
000050 | {  
000051 |     if (unit.IsFighting()) return eAITransition.FAIL;  
000052 |  
000053 |     if (unit.IsRestrained()) return eAITransition.FAIL;  
000054 |     if (unit.IsUnconscious()) return eAITransition.FAIL;  
000055 |     if (unit.IsSwimming()) return eAITransition.FAIL;  
000056 |  
000057 |     if (!unit.GetCommand_Move()) return eAITransition.FAIL;  
000058 |  
000059 |     if (unit.m_eAI_DangerousAreaCount > 0 && unit.m_eAI_IsInDangerByArea)  
000060 |         return eAITransition.FAIL;  
000061 |  
000062 |     if (unit.GetThreatToSelf() > 0.2) return eAITransition.FAIL;  
000063 |  
000064 |     if (g_Game.GetTime() - m_LastAttemptTime < 4000) return eAITransition.FAIL;  
000065 |  
000066 |     eAITarget target = unit.GetTarget();  
000067 |  
000068 |     if (!target) return eAITransition.FAIL;  
000069 |  
000070 |     m_TargetEntity = target.GetEntity();  
000071 |     if (!m_TargetEntity) return eAITransition.FAIL;  
000072 |     if (!m_TargetEntity.IsCorpse() && (!m_TargetEntity.IsAnimal() || !m_TargetEntity.IsDamageDestroyed())) return eAITransition.FAIL;  
000073 |  
000074 |     if (!unit.eAI_ShouldProcureFood()) return eAITransition.FAIL;  
000075 |  
000076 |     EntityAI entityInHands = unit.GetHumanInventory().GetEntityInHands();  
000077 |  
000078 |     if (!entityInHands || entityInHands.IsWeapon()) return eAITransition.FAIL;  
000079 |  
000080 |     if (!Class.CastTo(m_Item, entityInHands) || !m_Item.Expansion_IsMeleeWeapon()) return eAITransition.FAIL;  
000081 |  
000082 |     if (!CanReach(m_TargetEntity)) return eAITransition.FAIL;  
000083 |  
000084 |     return eAITransition.SUCCESS;  
000085 | }  
000086 |  
000087 | bool CanReach(EntityAI item)  
000088 | {  
000089 |     EntityAI root = item.GetHierarchyRoot();  
000090 |  
000091 |     if (root == unit)  
000092 |         return true;  
000093 |  
000094 |     if (root == item && vector.DistanceSq(unit.GetPosition(), item.GetPosition()) < 4.0)  
000095 |         return true;  
000096 |  
000097 |     return false;  
000098 | }  
000099 |  
000100 | int GuardIdle()  
000101 | {  
000102 |     return eAITransition.SUCCESS;  
000103 | }
```

```
000104 | }  
000105 |
```


0122. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_struggle.c
Size bytes: 559
SHA-256: e54eda9f3fcede0f2cb31314bae91313416a19bc8bd74e7a7730e2380639ab8a
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L1: class eAIState_Struggle: eAIState
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override int OnUpdate(float DeltaTime, int SimulationPrecision)
 L12: int Guard()

Full file content

```
000001 | class eAIState_Struggle: eAIState
000002 | {
000003 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000004 |     {
000005 |         if (Guard() == eAITransition.FAIL) return EXIT;
000006 |
000007 |         unit.StartActionObject(ActionUnrestrainSelf, null);
000008 |
000009 |         return EXIT;
000010 |     }
000011 |
000012 |     int Guard()
000013 |     {
000014 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000015 |         if (!unit.IsRestrained()) return eAITransition.FAIL;
000016 |         if (unit.m_eAI_IsInventoryVisible) return eAITransition.FAIL;
000017 |         if (unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;
000018 |
000019 |         return eAITransition.SUCCESS;
000020 |     }
000021 | }
000022 |
```

0123. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitem_base.c

Size bytes: 3044

SHA-256: acc5ec326686e374c40d1e3040a2679bc2211c3c3715943bcd6cb341ac02ba73

Decoded as: utf-8-sig

Line count shown: 136

Detected class declarations: 1

L1: class eAIState_TakeItem_Base: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 6

L8: override void OnEntry(string Event, ExpansionState From)

L23: override void OnExit(string Event, bool Aborted, ExpansionState To)

L28: else if (unit.eAI_GetStance() != m_Stance)

L32: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L100: int OnUpdateEx(float DeltaTime, int SimulationPrecision)

L105: void ChangeStance()

Full file content

```

000001 | class eAIState_TakeItem_Base: eAIState
000002 | {
000003 |     ItemBase m_Item;
000004 |     float m_Time;
000005 |     bool m_LoweringWeapon;
000006 |     int m_Stance;
000007 |
000008 |     override void OnEntry(string Event, ExpansionState From)
000009 |     {
000010 |         #ifdef DIAG
000011 |             EXTrace.Print(EXTrace.AI, unit, m_Name + " " + m_Item.ToString());
000012 |         #endif
000013 |
000014 |         m_Time = 0;
000015 |         m_LoweringWeapon = false;
000016 |
000017 |         if (unit.GetEmoteManager().IsEmotePlaying())
000018 |             unit.GetEmoteManager().ServerRequestEmoteCancel();
000019 |
000020 |         ChangeStance();
000021 |     }
000022 |
000023 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000024 |     {
000025 |         eAIState_TakeItem_Base state;
000026 |         if (Class.CastTo(state, To))
000027 |             state.m_Stance = m_Stance;
000028 |         else if (unit.eAI_GetStance() != m_Stance)
000029 |             unit.OverrideStance(m_Stance);
000030 |     }
000031 |
000032 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000033 |     {
000034 |         if (unit.IsUnconscious()) return EXIT;
000035 |
000036 |         if (unit.GetEmoteManager().IsEmotePlaying() || unit.GetActionManager().GetRunningAction() || unit.GetWeaponManager().IsRunning() || !unit.GetCommand_Move(
000037 |     ))
000038 |     {
000039 |         m_Time += DeltaTime;
000040 |         if (m_Time > 10) //! Looks like something went terribly wrong
000040 |         {

```

```
000041 |         unit.eAI_Unbug(m_Name + "(" + m_Item + ") - timeout");
000042 |         m_Time = 0;
000043 |         return EXIT;
000044 |     }
000045 |
000046 |     return CONTINUE;
000047 | }
000048 |
000049 | ///! Taking items while raised breaks hands! Wait until lowered
000050 | if (unit.IsRaised())
000051 | {
000052 |     m_LoweringWeapon = true;
000053 |     unit.RaiseWeapon(false);
000054 |     m_Time = 0;
000055 | }
000056 |
000057 | if (m_LoweringWeapon)
000058 | {
000059 |     if (m_Time < 0.5)
000060 |     {
000061 |         m_Time += DeltaTime;
000062 |         return CONTINUE;
000063 |     }
000064 |
000065 |     m_Time = 0;
000066 |     m_LoweringWeapon = false;
000067 | }
000068 |
000069 | if (unit.eAI_IsChangingStance())
000070 | {
000071 |     m_Time += DeltaTime;
000072 |     if (m_Time > 10) ///! Looks like something went terribly wrong
000073 |     {
000074 |         unit.eAI_Unbug(m_Name + "(" + m_Item + ")" + " - timeout during changing stance");
000075 |         m_Time = 0;
000076 |         return EXIT;
000077 |     }
000078 |
000079 |     return CONTINUE;
000080 | }
000081 |
000082 | if (OnUpdateEx(DeltaTime, SimulationPrecision) == EXIT)
000083 |     return EXIT;
000084 |
000085 | if (m_Time < 0.5)
000086 | {
000087 |     m_Time += DeltaTime;
000088 |     return CONTINUE;
000089 | }
000090 |
000091 | if (unit.GetActionManager().GetRunningAction())
000092 |     return CONTINUE;
000093 |
000094 | if (!m_Item || m_Item.GetHierarchyRootPlayer() == unit)
000095 |     m_Time = 0; ///! Taken
000096 |
000097 | return EXIT;
000098 | }
000099 |
000100 | int OnUpdateEx(float DeltaTime, int SimulationPrecision)
000101 | {
000102 |     return EXIT;
```

```
000103 | }
000104 |
000105 | void ChangeStance()
000106 | {
000107 |     Man owner = m_Item.GetHierarchyRootPlayer();
000108 |
000109 |     if (owner == unit)
000110 |         return;
000111 |
000112 |     if (m_Item.GetPosition()[1] > unit.GetPosition()[1] + 0.5)
000113 |         return;
000114 |
000115 |     if (unit.m_Environment.Expansion_IsUnderRoofBuilding() && !owner)
000116 |         return;
000117 |
000118 |     int curStance = unit.eAI_GetStance();
000119 |
000120 |     int tgtStance;
000121 |
000122 |     if (owner || curStance == DayZPlayerConstants.STANCEIDX_PRONE)
000123 |         tgtStance = DayZPlayerConstants.STANCEIDX_PRONE;
000124 |     else
000125 |         tgtStance = DayZPlayerConstants.STANCEIDX_CROUCH;
000126 |
000127 |     if (curStance == tgtStance)
000128 |         return;
000129 |
000130 |     m_Stance = curStance;
000131 |
000132 |     unit.OverrideStance(tgtStance);
000133 |     unit.m_eAI_CommandMove.SetStance(tgtStance);  /// Forces eAI_IsChangingStance to return true instantly
000134 | }
000135 | }
000136 |
```

0124. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitemtohands.c

Size bytes: 6733

SHA-256: 828426a81849f2606574d0fffc29da361289d686bfd7555b3c02a42dfa91570ae

Decoded as: utf-8-sig

Line count shown: 234

Detected class declarations: 1

L1: class eAIState_TakeItemToHands: eAIState_TakeItem_Base

Detected enum declarations: 0

Detected function/method-like declarations: 9

L6: override int OnUpdateEx(float DeltaTime, int SimulationPrecision)

L17: else if (hands)

L30: else if (unit.m_eAI_LastDroppedItem == m_Item)

L35: else if (!unit.eAI_TakeItemToHands(m_Item))

L45: int Guard()

L114: else if (targetEntity && (targetEntity.IsCorpse() || (targetEntity.IsAnimal() && targetEntity.IsDamageDestroyed())))

L118: else if (target.IsZombie())

L134: else if (targetItem && unit.eAI_WeaponSelection(hands, targetItem))

L138: else if (hands.IsWeapon())

Full file content

```

000001 | class eAIState_TakeItemToHands: eAIState_TakeItem_Base
000002 | {
000003 |     int m_RequestSwapToMeleeForZombieTime;
000004 |     bool m_AllowDrop;
000005 |
000006 |     override int OnUpdateEx(float DeltaTime, int SimulationPrecision)
000007 |     {
000008 |         ItemBase hands = unit.GetItemInHands();
000009 |         if (m_Item && hands != m_Item && !m_Item.Expansion_GetRootPlayerAliveExcluding(unit))
000010 |         {
000011 |             if (unit.eAI_GetThreatOverride(m_Item) && m_Item.GetHierarchyRootPlayer() != unit)
000012 |             {
000013 |                 //! If we can't take the item, exit
000014 |                 if (!unit.eAI_TakeItemToInventoryDropShoulderImpl(m_Item))
000015 |                     return EXIT;
000016 |             }
000017 |             else if (hands)
000018 |             {
000019 |                 //! Try to put current hand item in inventory (shoulder slot or cargo), drop if not possible
000020 |                 if (!unit.eAI_TakeItemToInventoryDropShoulderImpl(hands, m_AllowDrop))
000021 |                 {
000022 |                     if (m_AllowDrop)
000023 |                         unit.eAI_DropItem(hands, false, true, false);
000024 |                     else
000025 |                     {
000026 |                         unit.eAI_ThreatOverride(m_Item, true);
000027 |                         return EXIT;
000028 |                     }
000029 |                 }
000030 |             }
000031 |             else if (unit.m_eAI_LastDroppedItem == m_Item)
000032 |                 unit.eAI_ThreatOverride(m_Item, false);
000033 |             else
000034 |                 unit.m_eAI_LastDroppedItem = null;
000035 |         }
000036 |         else if (!unit.eAI_TakeItemToHands(m_Item))
000037 |         {
000038 |             unit.eAI_Unbug(m_Name + "(" + m_Item + ") - failure");
000039 |             return EXIT;

```

```
000039 |     }
000040 | }
000041 |
000042 |     return CONTINUE;
000043 | }
000044 |
000045 | int Guard()
000046 | {
000047 | #ifdef EXTRACE_DIAG
000048 |     auto profile = EXTrace.Profile(EXTrace.AI_PROFILE, eAIState_TakeItemToHands, "Guard");
000049 | #endif
000050 |
000051 |     if (unit.IsFighting()) return eAITransition.FAIL;
000052 |
000053 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000054 |     if (unit.IsUnconscious()) return eAITransition.FAIL;
000055 |     if (unit.IsSwimming()) return eAITransition.FAIL;
000056 |
000057 |     if (unit.eAI_IsChangingStance())
000058 |         return eAITransition.FAIL;
000059 |
000060 |     ItemBase hands = unit.GetItemInHands();
000061 |
000062 |     //! If ruined, drop
000063 |     if (hands && hands.IsDamageDestroyed())
000064 |     {
000065 |         unit.eAI_DropItem(hands, false);
000066 |         return EXIT;
000067 |     }
000068 |
000069 |     //! First check if we want to switch to bandage
000070 |     if (unit.eAI_ShouldBandage())
000071 |     {
000072 |         if (!hands || !hands.Expansion_CanBeUsedToBandage())
000073 |         {
000074 |             //! Item in hand is either not bandage/rag or is ruined
000075 |             m_Item = unit.GetBandageToUse();
000076 |             if (m_Item)
000077 |             {
000078 |                 m_AllowDrop = true;
000079 |                 return eAITransition.SUCCESS;
000080 |             }
000081 |         }
000082 |         else
000083 |         {
000084 |             //! Item in hands and can be used to bandage
000085 |             return eAITransition.FAIL;
000086 |         }
000087 |     }
000088 |
000089 |     eAITarget target = unit.GetTarget();
000090 |     EntityAI targetEntity;
000091 |     ItemBase targetItem;
000092 |     if (target)
000093 |     {
000094 |         targetEntity = target.GetEntity();
000095 |         Class.CastTo(targetItem, targetEntity);
000096 |     }
000097 |
000098 |     bool preferExplosiveAmmo;
000099 |     bool preferMelee;
000100 |     bool hasMeleeInHands;
```

```
000101 |         bool preferTargetItem;
000102 |
000103 |         if (hands)
000104 |         {
000105 |             if (hands.Expansion_IsMeleeWeapon())
000106 |                 hasMeleeInHands = true;
000107 |
000108 |             if (target)
000109 |             {
000110 |                 if (target.IsMechanicalTrap() && target.IsActive() && !target.IsExplosive() && !target.CanPutInCargo(unit))
000111 |                 {
000112 |                     preferMelee = true;
000113 |                 }
000114 |                 else if (targetEntity && (targetEntity.IsCorpse() || (targetEntity.IsAnimal() && targetEntity.IsDamageDestroyed()))))
000115 |                 {
000116 |                     preferMelee = true;
000117 |                 }
000118 |                 else if (target.IsZombie())
000119 |                 {
000120 |                     if ((hasMeleeInHands || (!hands.eAI_IsSilent() && g_Game.GetTime() - m_RequestSwapToMeleeForZombieTime > 60000)) && unit.m_eAI_SilentAttackVia
bilityTime > 2.0 && unit.eAI_HasLOS() && unit.GetHealth01() > 0.8)
000121 |                     {
000122 |                         preferMelee = true;
000123 |                         if (!hasMeleeInHands)
000124 |                             m_RequestSwapToMeleeForZombieTime = g_Game.GetTime();
000125 |                     }
000126 |                 }
000127 |             }
000128 |
000129 |             if (preferMelee)
000130 |             {
000131 |                 if (hasMeleeInHands)
000132 |                     return eAITransition.FAIL;
000133 |             }
000134 |             else if (targetItem && unit.eAI_WeaponSelection(hands, targetItem))
000135 |             {
000136 |                 preferTargetItem = true;
000137 |             }
000138 |             else if (hands.IsWeapon())
000139 |             {
000140 |                 if (unit.eAI_ShouldPreferExplosiveAmmo())
000141 |                 {
000142 |                     if (hands.ShootsExplosiveAmmo())
000143 |                         return eAITransition.FAIL;
000144 |                     else
000145 |                         preferExplosiveAmmo = true;
000146 |                 }
000147 |             }
000148 |         }
000149 |
000150 |         ItemBase item; //!< The item we may want to take to hands
000151 |
000152 |         if (!preferMelee)
000153 |         {
000154 |             if (!preferTargetItem)
000155 |             {
000156 |                 item = unit.eAI_GetWeaponToUse(true, preferExplosiveAmmo);
000157 |                 if (item)
000158 |                 {
000159 |                     if (hands)
000160 |                     {
000161 |                         if (item == hands || item.Expansion_GetHierarchyRootItem() == hands || !unit.eAI_WeaponSelection(hands, item))
```

```

000162 |         return eAITransition.FAIL;
000163 |     }
000164 |
000165 |         m_Item = item;
000166 |         m_AllowDrop = true;
000167 |         EXTrace.Print(EXTrace.AI, unit, "Taking " + item + " to hands because not preferring melee or target and weapon to use is not current hand item
or better than " + hands);
000168 |         return eAITransition.SUCCESS;
000169 |     }
000170 | }
000171 |
000172 |     if (targetItem && ((targetItem.IsWeapon() && (!preferExplosiveAmmo || targetItem.ShootsExplosiveAmmo())) || (!preferExplosiveAmmo && targetItem.Expans
ion_IsMeleeWeapon() && (!hasMeleeInHands || hands.Expansion_ComparedDPS(targetItem) < 0))) && !targetItem.Expansion_GetRootPlayerAliveExcluding(null) && !targetIte
m.IsSetForDeletion())
000173 |     {
000174 |         if (target.GetDistanceSq(true) <= 4.0 && target.GetThreat() > 0.1 && !unit.eAI_IsItemObstructed(targetItem))
000175 |         {
000176 |             m_Item = targetItem;
000177 |             m_AllowDrop = true;
000178 |             EXTrace.Print(EXTrace.AI, unit, "Taking target " + targetItem + " to hands because not preferring melee but preferring target over " + hands);
000179 |             return eAITransition.SUCCESS;
000180 |         }
000181 |     }
000182 |
000183 |     if (!preferTargetItem && !preferExplosiveAmmo)
000184 |     {
000185 |         item = unit.eAI_GetWeaponToUse(true, false);
000186 |
000187 |         ///! If we have no non-explosive ammo weapon and target is not an item and distance is at least 30 m,
000188 |         ///! use explosive ammo weapon if we have any
000189 |         if (!item && target && !targetItem && target.GetDistanceSq() > 30.0)
000190 |             item = unit.eAI_GetWeaponToUse(true, true);
000191 |     }
000192 |
000193 |     if (item)
000194 |     {
000195 |         if (hands)
000196 |         {
000197 |             if (item == hands || item.Expansion_GetHierarchyRootItem() == hands || !unit.eAI_WeaponSelection(hands, item))
000198 |                 return eAITransition.FAIL;
000199 |         }
000200 |
000201 |         m_Item = item;
000202 |         m_AllowDrop = true;
000203 |         EXTrace.Print(EXTrace.AI, unit, "Taking " + item + " to hands because not preferring melee and weapon to use is not current hand item or better tha
n " + hands);
000204 |         return eAITransition.SUCCESS;
000205 |     }
000206 |
000207 |     if (hands)
000208 |         return eAITransition.FAIL;
000209 | }
000210 |
000211 |     if (hasMeleeInHands)
000212 |         return eAITransition.FAIL;
000213 |
000214 |     item = unit.GetMeleeWeaponToUse();
000215 |     if (item)
000216 |     {
000217 |         if (hands)
000218 |         {
000219 |             if (item == hands || item.Expansion_GetHierarchyRootItem() == hands)

```



```
000220 |             return eAITransition.FAIL;
000221 |
000222 |             if (preferMelee && unit.eAI_GetThreatOverride(item))
000223 |                 return eAITransition.FAIL;
000224 |         }
000225 |
000226 |         m_Item = item;
000227 |         m_AllowDrop = !preferMelee;
000228 |         return eAITransition.SUCCESS;
000229 |     }
000230 |
000231 |     return eAITransition.FAIL;
000232 | }
000233 | }
000234 |
```

0125. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_takeitemtoinventory.c

Size bytes: 3283

SHA-256: f16633b2e44a397163aa6b58ef00383e8c067360e04ce0e18a39f8d40b5633

Decoded as: utf-8-sig

Line count shown: 105

Detected class declarations: 1

L1: class eAIState_TakeItemToInventory: eAIState_TakeItem_Base

Detected enum declarations: 0

Detected function/method-like declarations: 4

L3: override int OnUpdateEx(float DeltaTime, int SimulationPrecision)

L20: int Guard()

L71: else if (!unit.eAI_TakeItemToInventory(hands))

L80: else if (targetItem.Expansion_IsMeleeWeapon())

Full file content

```
000001 | class eAIState_TakeItemToInventory: eAIState_TakeItem_Base
000002 | {
000003 |     override int OnUpdateEx(float DeltaTime, int SimulationPrecision)
000004 |     {
000005 |         if (m_Item && !m_Item.Expansion_GetRootPlayerAliveExcluding(null))
000006 |         {
000007 |             if (unit.eAI_GetThreatOverride(m_Item))
000008 |                 return EXIT;
000009 |
000010 |             if (!unit.eAI_TakeItemToInventory(m_Item))
000011 |             {
000012 |                 unit.eAI_Unbug(m_Name + "(" + m_Item + ") - failure");
000013 |                 return EXIT;
000014 |             }
000015 |         }
000016 |
000017 |         return CONTINUE;
000018 |     }
000019 |
000020 |     int Guard()
000021 |     {
000022 |         #ifdef EXTRACE_DIAG
000023 |             auto profile = EXTrace.Profile(EXTrace.AI_PROFILE, eAIState_TakeItemToInventory, "Guard");
000024 |         #endif
000025 |
000026 |         if (unit.IsFighting()) return eAITransition.FAIL;
000027 |
000028 |         if (unit.IsRestrained()) return eAITransition.FAIL;
000029 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000030 |         if (unit.IsSwimming()) return eAITransition.FAIL;
000031 |
000032 |         if (unit.eAI_IsChangingStance())
000033 |             return eAITransition.FAIL;
000034 |
000035 |         if (unit.IsRaised()) return eAITransition.FAIL;
000036 |
000037 |         if (unit.GetWeaponManager().IsRunning()) return eAITransition.FAIL;
000038 |         if (unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;
000039 |
000040 |         eAITarget target = unit.GetTarget();
000041 |         ItemBase targetItem;
000042 |
000043 |         if (!target || !Class.CastTo(targetItem, target.GetEntity()) || targetItem.Expansion_GetRootPlayerAliveExcluding(null) || targetItem.IsSetForDeletion() ||
```

```
000044 |     unit.eAI_GetThreatOverride(targetItem))
000045 |         return eAITransition.FAIL;
000046 |
000047 |     bool isClothing;
000048 |     if (targetItem.IsClothing())
000049 |         isClothing = true;
000050 |
000051 |     if (targetItem.Expansion_IsLiveExplosive() || (!isClothing && !targetItem.CanPutInCargo(unit)))
000052 |         return eAITransition.FAIL;
000053 |
000054 |     if (target.GetDistanceSq(true) > 4.0 || unit.eAI_IsItemObstructed(targetItem))
000055 |         return eAITransition.FAIL;
000056 |
000057 |     if (target.GetThreat() <= 0.1)
000058 |         return eAITransition.FAIL;
000059 |
000060 |     if (targetItem.IsWeapon())
000061 |     {
000062 |         ///! PREPARE SWAP FROM CURRENT HAND ITEM TO GUN IN INV OR ON GROUND
000063 |         ///! If target is gun and we have melee or bandage in hand (but shouldn't bandage right now), prepare swap
000064 |         ItemBase hands = unit.GetItemInHands();
000065 |         if (hands && (hands.Expansion_IsMeleeWeapon() || (hands.Expansion_CanBeUsedToBandage() && !unit.eAI_ShouldBandage()))))
000066 |         {
000067 |             ///! Only drop hand item if destroyed or doesn't fit in inventory
000068 |             if (hands.IsDamageDestroyed())
000069 |             {
000070 |                 unit.eAI_DropItem(hands, false);
000071 |             }
000072 |             else if (!unit.eAI_TakeItemToInventory(hands))
000073 |             {
000074 |                 unit.eAI_ThreatOverride(hands, true); ///! Make sure we do not attempt to take it again after dropping
000075 |                 unit.eAI_DropItem(hands, false);
000076 |             }
000077 |         }
000078 |
000079 |         return eAITransition.FAIL; ///! Picking up guns is handled by TakeItemToHands state
000080 |     }
000081 |     else if (targetItem.Expansion_IsMeleeWeapon())
000082 |     {
000083 |         ///! Picking up melee weapons is handled by TakeItemToHands state
000084 |         return eAITransition.FAIL;
000085 |     }
000086 |
000087 |     if (targetItem.IsCorpse())
000088 |     {
000089 |         unit.eAI_ThreatOverride(targetItem, true); ///! Only set threat override after we are close
000090 |         return eAITransition.FAIL;
000091 |     }
000092 |
000093 |     if (!isClothing && !unit.eAI_FindFreeInventoryLocationFor(targetItem))
000094 |     {
000095 |         unit.eAI_ThreatOverride(targetItem, true);
000096 |         return eAITransition.FAIL;
000097 |     }
000098 |
000099 |     unit.eAI_ThreatOverride(targetItem, false);
000100 |
000101 |     m_Item = targetItem;
000102 |
000103 |     return eAITransition.SUCCESS;
000104 | } }
```

000105 |

0126. ZIP TEXT FILE

Path: ai c files expansion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_tidycargo.c

Size bytes: 2250

SHA-256: a783f630c9e6a70cee452f889a0d73eb5b5a6d760cc7c9d9e2bf81dfab2bed83

Decoded as: utf-8-sig

Line count shown: 88

Detected class declarations: 2

L1: class eAISearchInventoryCommandActionCallback: HumanCommandActionCallback

L5: class eAIState_TidyCargo: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L10: override void OnEntry(string Event, ExpansionState From)

L16: override void OnExit(string Event, bool Aborted, ExpansionState To)

L23: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L63: int Guard()

Full file content

```

000001 | class eAISearchInventoryCommandActionCallback: HumanCommandActionCallback
000002 | {
000003 | }
000004 |
000005 | class eAIState_TidyCargo: eAIState
000006 | {
000007 |     float m_Time;
000008 |     float m_MinTime;
000009 |
000010 |     override void OnEntry(string Event, ExpansionState From)
000011 |     {
000012 |         m_Time = 0;
000013 |         m_MinTime = 0;
000014 |     }
000015 |
000016 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000017 |     {
000018 |         auto callback = unit.GetCommandModifier_Action();
000019 |         if (callback)
000020 |             callback.Cancel();
000021 |     }
000022 |
000023 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000024 |     {
000025 |         m_Time += DeltaTime;
000026 |
000027 |         if (unit.m_eAI_CargosToTidy.Count() > 0)
000028 |         {
000029 |             Clothing clothing = unit.m_eAI_CargosToTidy[0];
000030 |
000031 |             if (clothing)
000032 |             {
000033 |                 if (!ExpansionInventoryTools.IsTidyInProgress(clothing))
000034 |                 {
000035 |                     if (ExpansionInventoryTools.Tidy(clothing))
000036 |                     {
000037 |                         if (m_MinTime == 0)
000038 |                             unit.AddCommandModifier_Action(DayZPlayerConstants.CMD_ACTIONMOD_SEARCHINVENTORY, eAISearchInventoryCommandActionCallback);
000039 |
000040 |                         if (m_MinTime < 3.0)
000041 |                             m_MinTime += Math.RandomFloat(1, 1.5);
000042 |

```

```
000043 |         #ifdef DIAG_DEVELOPER
000044 |             string msg = unit.ToString() + " tidied " + clothing;
000045 |             EXPrint(msg);
000046 |             ExpansionStatic.MessageNearPlayers(unit.GetPosition(), 100, msg);
000047 |         #endif
000048 |     }
000049 | }
000050 |
000051 |     clothing.m_eAI_CargoChangedCount = 0;
000052 | }
000053 |
000054 |     unit.m_eAI_CargosToTidy.Remove(0);
000055 | }
000056 |
000057 |     if (m_Time < m_MinTime && unit.GetThreatToSelf() <= 0.2)
000058 |         return CONTINUE;
000059 |
000060 |     return EXIT;
000061 | }
000062 |
000063 | int Guard()
000064 | {
000065 |     if (unit.m_eAI_CargosToTidy.Count() == 0) return eAITransition.FAIL;
000066 |
000067 |     if (unit.m_eAI_IsInventoryVisible) return eAITransition.FAIL;
000068 |
000069 |     if (unit.IsFighting()) return eAITransition.FAIL;
000070 |     if (unit.IsRaised()) return eAITransition.FAIL;
000071 |
000072 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000073 |     if (unit.IsUnconscious()) return eAITransition.FAIL;
000074 |     if (unit.IsSwimming()) return eAITransition.FAIL;
000075 |     if (unit.IsClimbing()) return eAITransition.FAIL;
000076 |     if (unit.IsFalling()) return eAITransition.FAIL;
000077 |
000078 |     if (!unit.GetCommand_Move()) return eAITransition.FAIL;
000079 |
000080 |     if (unit.m_eAI_DangerousAreaCount > 0 && unit.m_eAI_IsInDangerByArea)
000081 |         return eAITransition.FAIL;
000082 |
000083 |     if (unit.GetThreatToSelf() > 0.2) return eAITransition.FAIL;
000084 |
000085 |     return eAITransition.SUCCESS;
000086 | }
000087 | }
000088 |
```

0127. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_traversingwaypoints.c

Size bytes: 8184

SHA-256: 82bfb58627cd3b910ef7949818fa19b9c3b7b79253a32db2cef259d6f74dd82d

Decoded as: utf-8-sig

Line count shown: 274

Detected class declarations: 1

L1: class eAIState_TraversingWaypoints: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 10

L13: override void OnEntry(string Event, ExpansionState From)

L33: override void OnExit(string Event, bool Aborted, ExpansionState To)

L38: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L148: else if (behaviour == eAIWaypointBehavior.HALT || path.Count() == 1 || pathFinding.m_IsUnreachable)

L168: else if (behaviour == eAIWaypointBehavior.LOOP)

L177: else if (m_Index >= path.Count())

L184: else if (behaviour == eAIWaypointBehavior.LOOP)

L203: else if (Math.AbsFloat(distance - m_PreviousDistance) < 0.0016)

L241: int Guard()

L265: int GuardIdle()

Full file content

```

000001 | class eAIState_TraversingWaypoints: eAIState
000002 | {
000003 |     int m_Index;
000004 |     float m_Threshold=1.0;
000005 |     float m_PreviousDistance;
000006 |     vector m_Waypoint;
000007 |     vector m_PreviousWaypoint;
000008 |     bool m_GotUp;
000009 |     float m_WaypointTime;
000010 |     float m_LeaveThreshold;
000011 |     float m_WaypointCountdown;
000012 |
000013 |     override void OnEntry(string Event, ExpansionState From)
000014 |     {
000015 |         m_GotUp = false;
000016 |         unit.eAI_LeaveCover();
000017 |
000018 |         eAIWaypointBehavior behaviour = unit.GetGroup().GetWaypointBehaviour();
000019 |         if (behaviour == eAIWaypointBehavior.ROAMING && m_Waypoint == vector.Zero)
000020 |         {
000021 |             m_Waypoint = unit.GetGroup().FindClosestRoamingLocationPosition();
000022 |             m_LeaveThreshold = Math.RandomFloat(5.0, 15.0);
000023 |             m_WaypointCountdown = 0;
000024 |         }
000025 |
000026 |         if (unit.m_eAI_DefaultStance > eAIStance.STANDING)
000027 |         {
000028 |             unit.Expansion_GetUp(true);
000029 |             m_GotUp = true;
000030 |         }
000031 |     }
000032 |
000033 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000034 |     {
000035 |         unit.SetMovementSpeedLimit(unit.m_eAI_SpeedLimitPreference); //! Restore speed limit
000036 |     }
000037 |

```

```
000038 | override int OnUpdate(float DeltaTime, int SimulationPrecision)
000039 | {
000040 |     eAIWaypointBehavior behaviour = unit.GetGroup().GetWaypointBehaviour();
000041 |
000042 |     TVectorArray path;
000043 |     if (behaviour != eAIWaypointBehavior.ROAMING)
000044 |     {
000045 |         path = unit.GetGroup().GetWaypoints();
000046 |
000047 |         if (path.Count() == 0)
000048 |         {
000049 |             unit.Expansion_DeleteDebugObjects();
000050 |             return EXIT;
000051 |             //path = { unit.GetPosition() + unit.GetDirection() * unit.Expansion_GetMovementSpeed() };
000052 |         }
000053 |
000054 |         m_Index = unit.GetGroup().m_CurrentWaypointIndex;
000055 |         if (m_Index >= path.Count())
000056 |             m_Index = 0;
000057 |
000058 |         m_Waypoint = path[m_Index];
000059 |     }
000060 |
000061 |     if (m_Waypoint == vector.Zero)
000062 |         return EXIT;
000063 |
000064 |     if (!m_GotUp && unit.Expansion_GetMovementSpeed() > 0)
000065 |     {
000066 |         unit.Expansion_GetUp(true);
000067 |         m_GotUp = true;
000068 |     }
000069 |
000070 |     unit.eAI_SetBestSpeedLimit(unit.m_eAI_SpeedLimitPreference);
000071 |
000072 |     vector targetPosition;
000073 |     auto pathFinding = unit.GetPathFinding();
000074 |     if (pathFinding.m_TargetPosition == m_Waypoint && !pathFinding.m_Recalculate)
000075 |     {
000076 |         ///! If we only have two or less points total, we can be sure that endpoint is reachable and closest to target as possible
000077 |         if (pathFinding.m_Count <= 2 && unit.GetCurrentWaterLevel() < -0.5)
000078 |             targetPosition = pathFinding.GetEnd();
000079 |         else
000080 |             targetPosition = pathFinding.GetTarget();
000081 |     }
000082 |     else
000083 |     {
000084 |         targetPosition = m_Waypoint;
000085 |     }
000086 |
000087 |     vector position = unit.GetPosition();
000088 |     position[1] = targetPosition[1];
000089 |     float distance = vector.DistanceSq(position, targetPosition);
000090 |     bool isFinal;
000091 |     bool waypointReached;
000092 |     if (distance < m_Threshold)
000093 |         waypointReached = true;
000094 |
000095 |     if (waypointReached || (pathFinding.m_IsUnreachable && pathFinding.m_IsTargetUnreachable))
000096 |     {
000097 |         m_Threshold = 1.0;
000098 |
000099 |         if (behaviour == eAIWaypointBehavior.ROAMING)
```



```
000100 |         {
000101 |             if (m_WaypointCountdown > 0)
000102 |                 m_WaypointCountdown -= DeltaTime;
000103 |
000104 |             m_WaypointTime += DeltaTime;
000105 |
000106 |             if ((!unit.m_eAI_Ladder && Math.IsPointInCircle(pathFinding.GetTarget(), 30.0, position) && m_WaypointCountdown <= 0) || m_WaypointTime >= m_Leave
Threshold)
000107 |             {
000108 |                 unit.GetGroup().SetRoamingLocationReached(waypointReached);
000109 |                 m_PreviousWaypoint = m_Waypoint;
000110 |                 m_Waypoint = unit.GetGroup().FindClosestRoamingLocationPosition();
000111 |                 m_WaypointTime = 0;
000112 |                 m_LeaveThreshold = Math.RandomFloat(5.0, 15.0);
000113 |                 unit.m_eAI_PositionTime = 0;
000114 |
000115 |                 if (pathFinding.m_IsUnreachable && pathFinding.m_IsTargetUnreachable)
000116 |                 {
000117 |                     m_WaypointCountdown = m_LeaveThreshold;
000118 |
000119 |                     #ifdef DIAG_DEVELOPER
000120 |                         string msg;
000121 |                     #endif
000122 |                     if (unit.m_eAI_Ladder && !unit.m_eAI_IsOnLadder && unit.m_eAI_BuildingWithLadder)
000123 |                     {
000124 |                         #ifdef DIAG_DEVELOPER
000125 |                             msg = unit.ToString() + " TraversingWaypoints - resetting ladder";
000126 |                             EXPrint(unit, msg);
000127 |                             ExpansionStatic.MessageNearPlayers(unit.GetPosition(), 100, msg);
000128 |                         #endif
000129 |                         unit.m_eAI_Ladder = null;
000130 |                     }
000131 |                     else
000132 |                     {
000133 |                         #ifdef DIAG_DEVELOPER
000134 |                             msg = unit.ToString() + " TraversingWaypoints - resetting pathfinding";
000135 |                             EXPrint(unit, msg);
000136 |                             ExpansionStatic.MessageNearPlayers(unit.GetPosition(), 100, msg);
000137 |                         #endif
000138 |                     }
000139 |
000140 |                     unit.eAI_ResetPathfinding();
000141 |                 }
000142 |             }
000143 |             else
000144 |             {
000145 |                 isFinal = true;
000146 |             }
000147 |         }
000148 |     else if (behaviour == eAIWaypointBehavior.HALT || path.Count() == 1 || pathFinding.m_IsUnreachable)
000149 |     {
000150 |         isFinal = true;
000151 |     }
000152 |     else
000153 |     {
000154 |         bool backtracking = unit.GetGroup().m_BackTracking;
000155 |         m_PreviousWaypoint = m_Waypoint;
000156 |         if (backtracking) m_Index--;
000157 |         else m_Index++;
000158 |         if (unit.Expansion_GetMovementSpeed() > 0)
000159 |             pathFinding.ForceRecalculate(true);
000160 |     }
```

```
000161 |         if (m_Index < 0)
000162 |         {
000163 |             if (behaviour == eAIWaypointBehavior.ALTERNATE)
000164 |             {
000165 |                 backtracking = false;
000166 |                 m_Index = 1;
000167 |             }
000168 |             else if (behaviour == eAIWaypointBehavior.LOOP)
000169 |             {
000170 |                 m_Index = path.Count() - 1;
000171 |             }
000172 |             else
000173 |             {
000174 |                 m_Index = 0;
000175 |             }
000176 |         }
000177 |         else if (m_Index >= path.Count())
000178 |         {
000179 |             if (behaviour == eAIWaypointBehavior.ALTERNATE)
000180 |             {
000181 |                 backtracking = true;
000182 |                 m_Index = path.Count() - 2;
000183 |             }
000184 |             else if (behaviour == eAIWaypointBehavior.LOOP)
000185 |             {
000186 |                 m_Index = 0;
000187 |             }
000188 |             else
000189 |             {
000190 |                 m_Index = path.Count() - 1;
000191 |             }
000192 |         }
000193 |
000194 |         m_Waypoint = path[m_Index];
000195 |
000196 |         unit.GetGroup().m_CurrentWaypointIndex = m_Index;
000197 |         unit.GetGroup().m_BackTracking = backtracking;
000198 |
000199 |         if (behaviour != eAIWaypointBehavior.LOOP && (m_Index == 0 || m_Index == path.Count() - 1))
000200 |             isFinal = true;
000201 |     }
000202 | }
000203 | else if (Math.AbsFloat(distance - m_PreviousDistance) < 0.0016)
000204 | {
000205 |     //! We seem to not be getting closer to the waypoint, possibly the path is blocked.
000206 |     //! Increase threshold until we are within distance.
000207 |     m_Threshold += 0.01;
000208 | }
000209 |
000210 | unit.GetGroup().m_CurrentWaypoint = m_Waypoint;
000211 |
000212 | m_PreviousDistance = distance;
000213 |
000214 | unit.OverrideTargetPosition(m_Waypoint, isFinal);
000215 | unit.OverrideMovementDirection(false, 0);
000216 | unit.OverrideMovementSpeed(false, 0);
000217 |
000218 | vector direction;
000219 | if (m_PreviousWaypoint != vector.Zero || (path && path.Count() > 1))
000220 | {
000221 |     if (m_PreviousWaypoint == vector.Zero)
000222 |         m_PreviousWaypoint = path[0] - vector.Direction(path[0], path[1]);
```

```
000223 |         direction = vector.Direction(m_PreviousWaypoint, m_Waypoint).VectorToAngles();
000224 |         direction[1] = 0.0;
000225 |         direction[2] = 0.0;
000226 |         direction = direction.AnglesToVector();
000227 |     }
000228 |     else
000229 |     {
000230 |         direction = unit.GetDirection();
000231 |     }
000232 |     unit.Expansion_DebugObject_Deferred(21 + m_Index, m_Waypoint - "0 1.5 0", "ExpansionDebugNoticeMe_Purple", direction);
000233 |     if (pathFinding.m_IsTargetUnreachable)
000234 |         unit.Expansion_DebugObject_Deferred(20, "0 0 0", "ExpansionDebugNoticeMe");
000235 |     else
000236 |         unit.Expansion_DebugObject_Deferred(20, m_Waypoint, "ExpansionDebugNoticeMe", unit.GetDirection());
000237 |
000238 |     return EXIT;
000239 | }
000240 |
000241 | int Guard()
000242 | {
000243 |     auto group = unit.GetGroup();
000244 |     if (!group) return eAITransition.FAIL;
000245 |
000246 |     if (unit.GetThreatToSelf() >= 0.4) return eAITransition.FAIL;
000247 |
000248 |     if (group.IsInCombat())
000249 |     {
000250 |         eAITarget target = unit.GetTarget();
000251 |         if (target && !target.IsItem() && unit.GetThreatToSelf(true) >= 0.4) return eAITransition.FAIL;
000252 |     }
000253 |
000254 |     if (group.GetFormationState() != eAIGroupFormationState.IN) return eAITransition.FAIL;
000255 |
000256 |     // we are the leader so we traverse the waypoints
000257 |     auto leader = group.GetFormationLeader();
000258 |     if (leader && leader != unit) return eAITransition.FAIL;
000259 |     if (leader.IsInTransport()) return eAITransition.FAIL;
000260 |     if (group.GetWaypoints().Count() == 0 && group.GetWaypointBehaviour() != eAIWaypointBehavior.ROAMING) return eAITransition.FAIL;
000261 |
000262 |     return eAITransition.SUCCESS;
000263 | }
000264 |
000265 | int GuardIdle()
000266 | {
000267 |     auto group = unit.GetGroup();
000268 |     if (group.GetFormationState() != eAIGroupFormationState.IN) return eAITransition.SUCCESS;
000269 |     if (unit.GetThreatToSelf() >= 0.4 || !group || group.GetFormationLeader() != unit || (group.GetWaypoints().Count() == 0 && group.GetWaypointBehaviour() !=
eAIWaypointBehavior.ROAMING)) return eAITransition.SUCCESS;
000270 |
000271 |     return eAITransition.FAIL;
000272 | }
000273 | };
000274 |
```

0128. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_unconscious.c

Size bytes: 989

SHA-256: bfb2f507d0fb67ab3ec0a7e6f6288b2250dd39e33fe41cb783c2d8a021af9bb6

Decoded as: utf-8-sig

Line count shown: 48

Detected class declarations: 1

L1: class eAIState_Unconscious: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 5

L5: override void OnEntry(string Event, ExpansionState From)

L12: override void OnExit(string Event, bool Aborted, ExpansionState To)

L18: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L34: int Guard()

L41: int GuardIdle()

Full file content

```
000001 | class eAIState_Unconscious: eAIState
000002 | {
000003 |     float m_Time;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         m_Time = 0;
000008 |         unit.OverrideTargetPosition(unit.GetPosition());
000009 |         unit.OverrideMovementSpeed(true, 0);
000010 |     }
000011 |
000012 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000013 |     {
000014 |         if (EXTrace.AI)
000015 |             EXPrint(unit.ToString() + " left uncon state after " + m_Time + " seconds");
000016 |     }
000017 |
000018 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000019 |     {
000020 |         if (m_Time > 3)
000021 |         {
000022 |             return EXIT;
000023 |         }
000024 |
000025 |         if (!unit.IsUnconscious())
000026 |         {
000027 |             m_Time += DeltaTime; ///! Allow time to stand up so we don't instantly start firing
000028 |             if (unit.Expansion_IsAnimationIdle()) return EXIT;
000029 |         }
000030 |
000031 |         return CONTINUE;
000032 |     }
000033 |
000034 |     int Guard()
000035 |     {
000036 |         if (!unit.IsUnconscious()) return eAITransition.FAIL;
000037 |
000038 |         return eAITransition.SUCCESS;
000039 |     }
000040 |
000041 |     int GuardIdle()
000042 |     {
```

```
000043 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000044 |
000045 |         return eAITransition.SUCCESS;
000046 |     }
000047 | };
000048 |
```

0129. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_vehicles.c

Size bytes: 2140

SHA-256: 6b3f3d6e24754fa142bd294ec4e7707c9ea180342e7873c231b17a64e3cc57e1

Decoded as: utf-8-sig

Line count shown: 68

Detected class declarations: 1

L1: class eAIState_Vehicles: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: int OnUpdateEx(float DeltaTime, int SimulationPrecision, EntityAI entity, int seat)

L27: int GuardEx(inout EntityAI entity, inout int seat)

L61: int GuardIdle()

Full file content

```
000001 | class eAIState_Vehicles: eAIState
000002 | {
000003 |     int OnUpdateEx(float DeltaTime, int SimulationPrecision, EntityAI entity, int seat)
000004 |     {
000005 |         auto group = unit.GetGroup();
000006 |         if (!group) return EXIT;
000007 |         if (!unit.IsInTransport() && unit.GetThreatToSelf() >= 0.4) return EXIT;
000008 |
000009 |         auto leader = group.GetFormationLeader();
000010 |         //! @note leader can only briefly be null (disconnected/killed).
000011 |         //! We wait until a new leader has been determined (which may be the current unit).
000012 |         if (!leader) return CONTINUE;
000013 |
000014 |         if (!entity) return EXIT;
000015 |
000016 |         if ((leader != unit && leader.IsInTransport() && leader.GetParent() == entity) || unit.IsInTransport()) return CONTINUE;
000017 |
000018 |         //! Wait until AI has left the vehicle and closed the door (if any)
000019 |         bool hasDoor;
000020 |         string source;
000021 |         ExpansionFSMHelper.DoorAnimationSource(entity, seat, hasDoor, source);
000022 |         if (hasDoor && entity.GetAnimationPhase(source) > 0.5) return CONTINUE;
000023 |
000024 |         return EXIT;
000025 |     }
000026 |
000027 | int GuardEx(inout EntityAI entity, inout int seat)
000028 | {
000029 |     auto group = unit.GetGroup();
000030 |     if (!group) return eAITransition.FAIL;
000031 |
000032 |     if (group.GetFormationState() != eAIGroupFormationState.IN) return eAITransition.FAIL;
000033 |
000034 |     auto leader = group.GetFormationLeader();
000035 |     if (!leader || leader == unit) return eAITransition.FAIL;
000036 |
000037 |     if (!leader.IsInTransport()) return eAITransition.FAIL;
000038 |
000039 |     ExpansionVehicle vehicle;
000040 |     if (!ExpansionVehicle.Get(vehicle, leader.GetParent())) return eAITransition.FAIL;
000041 |
000042 |     Transport transport = vehicle.GetTransport();
000043 |
000044 |     //TODO: make this event based instead and store as a variable within CarScript.
```

```
000045 | //Prevents looping through the crew and insteads just compares a bool.
000046 | for (int i = 1; i < vehicle.CrewSize(); i++)
000047 | {
000048 |     if (vehicle.CrewMember(i) == null && !vehicle.IsSeatReservedByOther(i, unit) && transport.IsAreaAtDoorFree(i))
000049 |     {
000050 |         seat = i;
000051 |         entity = transport;
000052 |         vehicle.ReserveSeat(i, unit);
000053 |
000054 |         return eAITransition.SUCCESS;
000055 |     }
000056 | }
000057 |
000058 | return eAITransition.FAIL;
000059 | }
000060 |
000061 | int GuardIdle()
000062 | {
000063 |     if (unit.IsInTransport()) return eAITransition.FAIL;
000064 |
000065 |     return eAITransition.SUCCESS;
000066 | }
000067 | };
000068 |
```

0130. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_weapon_reloading.c

Size bytes: 2913

SHA-256: cec4f91e33e9f04a6c3f959257ff115c72eabf9ad101b7ddba81b8d6e3d533ca

Decoded as: utf-8-sig

Line count shown: 85

Detected class declarations: 1

L1: class eAIState_Weapon_Reloading: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override void OnEntry(string Event, ExpansionState From)

L9: int GuardEx(int lastAttemptTime, inout Weapon_Base weapon, inout Magazine magazine)

Full file content

```

000001 | class eAIState_Weapon_Reloading: eAIState
000002 | {
000003 |     override void OnEntry(string Event, ExpansionState From)
000004 |     {
000005 |         if (unit.GetEmoteManager().IsEmotePlaying())
000006 |             unit.GetEmoteManager().ServerRequestEmoteCancel();
000007 |     }
000008 |
000009 |     int GuardEx(int lastAttemptTime, inout Weapon_Base weapon, inout Magazine magazine)
000010 |     {
000011 |         #ifdef EXTRACE_DIAG
000012 |             auto profile = EXTrace.Profile(EXTrace.AI_PROFILE, eAIState_Weapon_Reloading, "GuardEx");
000013 |         #endif
000014 |
000015 |         if (g_Game.GetTime() - lastAttemptTime < 1000) return eAITransition.FAIL;
000016 |
000017 |         if (unit.IsClimbing() || unit.IsFalling() || unit.IsFighting() || !unit.GetCommand_Move()) return eAITransition.FAIL;
000018 |
000019 |         if (unit.IsRestrained()) return eAITransition.FAIL;
000020 |         if (unit.IsUnconscious()) return eAITransition.FAIL;
000021 |         if (unit.IsSwimming()) return eAITransition.FAIL;
000022 |
000023 |         if (!Class.CastTo(weapon, unit.GetItemInHands())) return eAITransition.FAIL;
000024 |
000025 |         //! Allow sub-FSM to handle destroyed weapon so it gets dropped
000026 |         if (weapon.IsDamageDestroyed()) return eAITransition.SUCCESS;
000027 |
000028 |         magazine = null;
000029 |
000030 |         if (weapon.Expansion_IsChambered())
000031 |         {
000032 |             if (!unit.eAI_IsSafeToFillMag()) return eAITransition.FAIL;
000033 |
000034 |             int mi = weapon.GetCurrentMuzzle();
000035 |
000036 |             if (weapon.HasInternalMagazine(mi))
000037 |             {
000038 |                 //! If this is a gun with internal mag and we are not in combat, reload when mag is below 60% capacity
000039 |                 //! even if chamber is not empty
000040 |                 if (weapon.GetInternalMagazineCartridgeCount(mi) >= weapon.GetInternalMagazineMaxCartridgeCount(mi) * 0.6)
000041 |                     return eAITransition.FAIL;
000042 |
000043 |                 if (!unit.eAI_HasAmmoForFirearm(weapon, magazine))
000044 |                     return eAITransition.FAIL;
000045 |             }

```



```
000046 |         else
000047 |         {
000048 |             ///! If this is a gun with attached mag and we are not in combat, reload when mag is empty
000049 |             ///! even if chamber is not empty
000050 |             Magazine currentMag = weapon.GetMagazine(mi);
000051 |             if (currentMag)
000052 |             {
000053 |                 int ammoCount = currentMag.GetAmmoCount();
000054 |
000055 |                 ///! Don't reload if attached mag is still at 40% capacity or higher
000056 |                 if (ammoCount >= currentMag.GetAmmoMax() * 0.4)
000057 |                     return eAITransition.FAIL;
000058 |
000059 |                 if (!unit.eAI_HasAmmoForFirearm(weapon, magazine))
000060 |                     return eAITransition.FAIL;
000061 |
000062 |                 ///! Don't swap magazine if attached mag is not empty and not unlimited reload
000063 |                 if (!magazine.IsAmmoPile() && ammoCount > 0 && !unit.eAI_IsTargetUnlimitedReload())
000064 |                     return eAITransition.FAIL;
000065 |             }
000066 |             else
000067 |             {
000068 |                 if (!unit.eAI_HasAmmoForFirearm(weapon, magazine))
000069 |                     return eAITransition.FAIL;
000070 |
000071 |                 if (magazine.IsAmmoPile())
000072 |                     return eAITransition.FAIL;
000073 |             }
000074 |         }
000075 |     }
000076 |
000077 |     if (unit.GetWeaponManager().CanUnjam(weapon)) return eAITransition.FAIL;
000078 |
000079 |     // don't move to the state if the action manager is operating
000080 |     if (!unit.GetActionManager() || unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;
000081 |
000082 |     return eAITransition.SUCCESS;
000083 | }
000084 | };
000085 |
```

0131. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/eaistate_weapon_unjamming.c

Size bytes: 3123

SHA-256: f1aa15d6ba5979574a3b1a453ca33bac87fc91d6fd5234c9e9a05ac6eab12485

Decoded as: utf-8-sig

Line count shown: 114

Detected class declarations: 1

L1: class eAIState_Weapon_Unjamming: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L7: override void OnEntry(string Event, ExpansionState From)

L19: override void OnExit(string Event, bool Aborted, ExpansionState To)

L28: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L96: int Guard()

Full file content

```

000001 | class eAIState_Weapon_Unjamming: eAIState
000002 | {
000003 |     Weapon_Base m_Weapon;
000004 |     float m_Time;
000005 |     int m_FailedAttempts;
000006 |
000007 |     override void OnEntry(string Event, ExpansionState From)
000008 |     {
000009 |         m_Time = 0;
000010 |
000011 |         if (unit.m_eAI_IsInCover && unit.eAI_GetStance() == DayZPlayerConstants.STANCEIDX_ERECT && unit.m_eAI_StancePreference != DayZPlayerConstants.STANCEIDX_PR
ONE)
000012 |             unit.OverrideStance(DayZPlayerConstants.STANCEIDX_CROUCH);
000013 |
000014 |             unit.RaiseWeapon(false);
000015 |
000016 |             unit.StartActionObject(eAIActionWeaponUnjam, null);
000017 |     }
000018 |
000019 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000020 |     {
000021 |         if (unit.eAI_IsSideStepping())
000022 |             unit.eAI_CancelSidestep();
000023 |
000024 |         if (unit.eAI_ShouldGetUp())
000025 |             unit.Expansion_GetUp();
000026 |     }
000027 |
000028 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000029 |     {
000030 |         if (!unit.GetWeaponManager() || unit.IsUnconscious()) return EXIT;
000031 |
000032 |         if (unit.GetWeaponManager().IsRunning())
000033 |         {
000034 |             m_Time += DeltaTime;
000035 |             if (m_Time > 10) //! Looks like something went terribly wrong
000036 |             {
000037 |                 unit.eAI_Unbug(m_Name + "(" + m_Weapon + ") - timeout");
000038 |                 return EXIT;
000039 |             }
000040 |
000041 |             auto target = unit.GetTarget();
000042 |             if (target && unit.GetThreatToSelf() >= 0.4)

```

```
000043 |     {
000044 |         if (!unit.m_eAI_IsInCover)
000045 |             unit.OverrideTargetPosition(target, true);
000046 |
000047 |         if (!unit.eAI_IsSideStepping() && target.m_LOS)
000048 |         {
000049 |             float distSq = target.GetDistanceSq(true);
000050 |             if (distSq <= 9.0)
000051 |             {
000052 |                 float movementDirection;
000053 |                 if (Math.RandomIntInclusive(0, 1))
000054 |                     movementDirection = Math.RandomFloat(135, 180);
000055 |                 else
000056 |                     movementDirection = Math.RandomFloat(-135, -180);
000057 |                 unit.eAI_ForceSideStep(Math.RandomFloat(1, 1.5), null, movementDirection);
000058 |                 unit.OverrideMovementSpeed(false, 0);
000059 |             }
000060 |         }
000061 |     }
000062 |     else
000063 |     {
000064 |         vector position;
000065 |
000066 |         auto group = unit.GetGroup();
000067 |         if (group)
000068 |         {
000069 |             if (group.GetFormationLeader() != unit)
000070 |                 position = group.GetFormationPosition(unit);
000071 |             else
000072 |                 position = group.GetCurrentWaypoint();
000073 |         }
000074 |
000075 |         if (position != vector.Zero)
000076 |             unit.OverrideTargetPosition(position);
000077 |     }
000078 |
000079 |     return CONTINUE;
000080 | }
000081 |
000082 | if (unit.GetWeaponManager().CanUnjam(m_Weapon))
000083 | {
000084 |     m_FailedAttempts++;
000085 |     EXPrint(unit.ToString() + " Weapon_Unjamming - failed (" + m_FailedAttempts + ")");
000086 |     m_Weapon.ValidateAndRepair();
000087 | }
000088 | else
000089 | {
000090 |     m_FailedAttempts = 0;
000091 | }
000092 |
000093 | return EXIT;
000094 | }
000095 |
000096 | int Guard()
000097 | {
000098 |     if (unit.IsClimbing() || unit.IsFalling() || unit.IsFighting() || !unit.GetCommand_Move()) return eAITransition.FAIL;
000099 |
000100 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000101 |     if (unit.IsUnconscious()) return eAITransition.FAIL;
000102 |     if (unit.IsSwimming()) return eAITransition.FAIL;
000103 |
000104 |     if (!Class.CastTo(m_Weapon, unit.GetItemInHands())) return eAITransition.FAIL;
```

```
000105 |  
000106 |         if (!unit.GetWeaponManager().CanUnjam(m_Weapon)) return eAITransition.FAIL;  
000107 |  
000108 |         // don't move to the state if the action manager is operating  
000109 |         if (!unit.GetActionManager() || unit.GetActionManager().GetRunningAction()) return eAITransition.FAIL;  
000110 |  
000111 |         return eAITransition.SUCCESS;  
000112 |     }  
000113 | }  
000114 |
```

0132. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_evade.c

Size bytes: 2071

SHA-256: ef9ec42c5af0d69a8911cfbdfa6bb11acde45f46a60db608bddf0b63f8519dd3

Decoded as: utf-8-sig

Line count shown: 60

Detected class declarations: 1

L1: class eAIState_Fighting_Evade: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L3: override void OnEntry(string Event, ExpansionState From)

L12: override void OnExit(string Event, bool Aborted, ExpansionState To)

L17: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L25: int Guard()

Full file content

```
000001 | class eAIState_Fighting_Evade: eAIState
000002 | {
000003 |     override void OnEntry(string Event, ExpansionState From)
000004 |     {
000005 |         unit.eAI_ForceSideStep(Math.RandomFloat(0.3, 0.5), null, 0.0, false);
000006 |         unit.OverrideMovementSpeed(true, 3);
000007 |         auto target = unit.GetTarget();
000008 |         if (target)
000009 |             unit.OverrideTargetPosition(target);
000010 |     }
000011 |
000012 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000013 |     {
000014 |         unit.OverrideMovementSpeed(false, 0);
000015 |     }
000016 |
000017 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000018 |     {
000019 |         if (unit.eAI_IsSideStepping())
000020 |             return CONTINUE;
000021 |
000022 |         return EXIT;
000023 |     }
000024 |
000025 |     int Guard()
000026 |     {
000027 |         int missionTime = g_Game.GetTime();
000028 |
000029 |         Weapon_Base aiWeapon;
000030 |         if (Class.CastTo(aiWeapon, unit.GetHumanInventory().GetEntityInHands()) && missionTime - unit.m_eAI_LastEvadeTime < Math.RandomInt(2500, 5000)) return eAI
Transition.FAIL;
000031 |
000032 |         auto target = unit.GetTarget();
000033 |         if (!target) return eAITransition.FAIL;
000034 |
000035 |         auto targetPlayer = DayZPlayerImplement.Cast(target.GetEntity());
000036 |         if (!targetPlayer) return eAITransition.FAIL;
000037 |
000038 |         if (!targetPlayer.IsRaised()) return eAITransition.FAIL; //! Ignore if target player isn't raised
000039 |
000040 |         if (!target.m_LOS) return eAITransition.FAIL;
000041 |
000042 |         auto weapon = Weapon_Base.Cast(targetPlayer.GetHumanInventory().GetEntityInHands());
```

```
000043 |         if (!weapon) return eAITransition.FAIL; //!< Ignore if target player doesn't have a firearm
000044 |
000045 |         vector fromTargetDirection = vector.Direction(targetPlayer.GetPosition(), unit.GetPosition()).Normalized();
000046 |         float fromTargetDot = vector.Dot(targetPlayer.Expansion_GetAimDirection(), fromTargetDirection);
000047 |         if (fromTargetDot < 0.97) return eAITransition.FAIL; //!< Ignore if target player isn't aiming at us
000048 |
000049 |         if (Math.RandomInt(0, 5) > 0) return eAITransition.FAIL; //!< 1 in 5 chance to evade
000050 |
000051 |         if (unit.eAI_IsDangerousAltitude()) return eAITransition.FAIL; //!< Don't evade if high above ground
000052 |
000053 |         if (unit.m_eAI_IsOnLadder) return eAITransition.FAIL;
000054 |
000055 |         unit.m_eAI_LastEvadeTime = missionTime;
000056 |
000057 |         return eAITransition.SUCCESS;
000058 |     }
000059 | };
000060 |
```

0133. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_fireweapon.c
 Size bytes: 4491
 SHA-256: 898b68c6f1a13b174034ac956de9dfb7884b4e46c9608658659a61d4557d3030
 Decoded as: utf-8-sig
 Line count shown: 167
 Detected class declarations: 1
 L1: class eAIState_Fighting_FireWeapon: eAIState
 Detected enum declarations: 0
 Detected function/method-like declarations: 4
 L7: override void OnEntry(string Event, ExpansionState From)
 L23: override int OnUpdate(float DeltaTime, int SimulationPrecision)
 L78: int Guard()
 L92: else if (Class.CastTo(itemTarget, targetEntity) && !itemTarget.Expansion_IsDanger())

Full file content

```
000001 | class eAIState_Fighting_FireWeapon: eAIState
000002 | {
000003 |     float m_Time;
000004 |     eAITarget m_Target;
000005 |     Weapon_Base m_Weapon;
000006 |
000007 |     override void OnEntry(string Event, ExpansionState From)
000008 |     {
000009 |         unit.RaiseWeapon(true);
000010 |
000011 |         m_Time = 0;
000012 |
000013 |         unit.m_eAI_LastFireTime = g_Game.GetTime();
000014 |
000015 |         bool adjustStance = unit.eAI_AdjustStance(m_Weapon, unit.m_eAI_DistanceToTargetSq);
000016 |
000017 |         #ifdef DIAG
000018 |         if (adjustStance)
000019 |             EXTrace.Print(EXTrace.AI, unit, "eAI_AdjustStance " + typename.EnumToString(eAIStance, unit.eAI_GetStance()));
000020 |         #endif
000021 |     }
000022 |
000023 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000024 |     {
000025 |         if (unit.eAI_IsChangingStance())
000026 |             return CONTINUE;
000027 |
000028 |         if (!m_Target || !m_Target.GetEntity())
000029 |             return EXIT;
000030 |
000031 |         auto lowPosition = m_Target.GetPosition(false);
000032 |         auto aimPosition = lowPosition + m_Target.GetAimOffset();
000033 |
000034 |         m_Time += DeltaTime;
000035 |         unit.OverrideTargetPosition(m_Target);
000036 |
000037 |         if (!unit.IsRaised() || !unit.IsWeaponRaiseCompleted())
000038 |         {
000039 |             unit.RaiseWeapon(true);
000040 |
000041 |             if (m_Time >= 0.5)
000042 |             {
000043 |                 m_Time = 0;
```

```
000044 |         return EXIT;
000045 |     }
000046 |
000047 |     // waiting for the weapon to be raised
000048 |     return CONTINUE;
000049 | }
000050 |
000051 | auto neck = unit.GetBonePositionWS(unit.GetBoneIndexByName("neck"));
000052 | auto direction = vector.Direction(neck, aimPosition).Normalized();
000053 | auto weapon = unit.GetHumanInventory().GetEntityInHands();
000054 |
000055 | float threshold;
000056 | if (weapon && weapon.ShootsExplosiveAmmo())
000057 |     threshold = 0.96875;
000058 | else
000059 |     threshold = 0.875;
000060 |
000061 | if (vector.Dot(unit.GetAimDirection(), direction) < threshold)
000062 | {
000063 |     if (m_Time >= 0.5)
000064 |     {
000065 |         m_Time = 0;
000066 |         return EXIT;
000067 |     }
000068 |
000069 |     // waiting for unit to face target
000070 |     return CONTINUE;
000071 | }
000072 |
000073 | unit.TryFireWeapon();
000074 |
000075 | return EXIT;
000076 | }
000077 |
000078 | int Guard()
000079 | {
000080 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000081 |
000082 |     // we are aiming at something?
000083 |     m_Target = unit.GetTarget();
000084 |     if (!m_Target) return eAITransition.FAIL;
000085 |
000086 |     EntityAI targetEntity = m_Target.GetEntity();
000087 |     ItemBase itemTarget;
000088 |     if (!targetEntity)
000089 |     {
000090 |         return eAITransition.FAIL;
000091 |     }
000092 |     else if (Class.CastTo(itemTarget, targetEntity) && !itemTarget.Expansion_IsDanger())
000093 |     {
000094 |         return eAITransition.FAIL;
000095 |     }
000096 |
000097 |     if (unit.IsFighting()) return eAITransition.FAIL;
000098 |
000099 |     if (!Class.CastTo(m_Weapon, unit.GetItemInHands()) || m_Weapon.IsDamageDestroyed()) return eAITransition.FAIL;
000100 |
000101 |     if (!unit.CanRaiseWeapon() || !m_Target.m_LOS) return eAITransition.FAIL;
000102 |
000103 |     if (!m_Weapon.Expansion_IsChambered()) return eAITransition.FAIL;
000104 |
000105 |     if (unit.GetWeaponManager().CanUnjam(m_Weapon)) return eAITransition.FAIL;
```



```

000106 |
000107 |     float minDist;
000108 |
000109 |     if (m_Weapon.ShootsExplosiveAmmo())
000110 |         minDist = m_Weapon.Expansion_GetMinSafeFiringDistance();
000111 |
000112 |     if (m_Target.IsExplosive())
000113 |         minDist = Math.Max(m_Target.GetMinDistance(), minDist);
000114 |
000115 |     if (minDist)
000116 |     {
000117 |         //! Avoid firing if within minDist
000118 |         float dist = m_Target.GetDistance();
000119 |         if (dist < minDist) return eAITransition.FAIL;
000120 |
000121 |         //! Avoid firing if other friendly units within minDist from tgt
000122 |         float minDistSq = minDist * minDist;
000123 |
000124 |         vector aimPosition = m_Target.GetPosition() + m_Target.GetAimOffset();
000125 |
000126 |         vector min = Vector(aimPosition[0] - minDist, aimPosition[1] - minDist, aimPosition[2] - minDist);
000127 |         vector max = Vector(aimPosition[0] + minDist, aimPosition[1] + minDist, aimPosition[2] + minDist);
000128 |
000129 |         array<EntityAI> entities = {};
000130 |
000131 |         DayZPlayerUtils.SceneGetEntitiesInBox(min, max, entities);
000132 |
000133 |         vector hitPos;
000134 |         vector hitDir;
000135 |         int hitComponent;
000136 |         set<Object> results = new set<Object>;
000137 |
000138 |         foreach (EntityAI entity: entities)
000139 |         {
000140 |             vector entityCenter = entity.GetCenter();
000141 |
000142 |             if (vector.DistanceSq(entityCenter, aimPosition) > minDistSq)
000143 |                 continue;
000144 |
000145 |             if (!unit.PlayerIsEnemy(entity))
000146 |             {
000147 |                 //! Friendly unit in blast radius
000148 |                 if (DayZPhysics.RaycastRV(aimPosition, entityCenter, hitPos, hitDir, hitComponent, results, null, targetEntity, false, false, ObjIntersectFire
000149 | , 0.2))
000150 |                 {
000151 |                     Object parentObject;
000152 |
000153 |                     if (results.Find(entity) > -1 || (Class.CastTo(parentObject, entity.GetParent()) && results.Find(parentObject) > -1))
000154 |                     {
000155 |                         if (!unit.IsRaised())
000156 |                             unit.RaiseWeapon(true);
000157 |
000158 |                         return eAITransition.FAIL; //! Friendly unit in blast radius and nothing blocking the blast
000159 |                     }
000160 |                 }
000161 |             }
000162 |         }
000163 |
000164 |         return eAITransition.SUCCESS;
000165 |     }
000166 | };

```

000167 |

0134. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_melee.c

Size bytes: 3702

SHA-256: 6b9ea7292ee9f8142c2b19c4b78d39ba8aaa989f6fad222a938f3d41d73e2fd

Decoded as: utf-8-sig

Line count shown: 145

Detected class declarations: 1

L1: class eAIState_Fighting_Melee: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 4

L8: override void OnEntry(string Event, ExpansionState From)

L19: override void OnExit(string Event, bool Aborted, ExpansionState To)

L30: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L120: int Guard()

Full file content

```
000001 | class eAIState_Fighting_Melee: eAIState
000002 | {
000003 |     float m_Time;
000004 |     eAITarget m_Target;
000005 |     float m_MovementDirection;
000006 |     bool m_IsFighting;
000007 |
000008 |     override void OnEntry(string Event, ExpansionState From)
000009 |     {
000010 |         m_Time = 0;
000011 |         m_MovementDirection = 0;
000012 |
000013 |         unit.m_eAI_LastFireTime = g_Game.GetTime();
000014 |
000015 |         unit.m_eAI_IsPreparingMelee = true;
000016 |         unit.Expansion_GetUp(true);
000017 |     }
000018 |
000019 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000020 |     {
000021 |         unit.OverrideMovementDirection(false, 0);
000022 |         unit.Notify_Melee(false);
000023 |
000024 |         if (m_Target)
000025 |         {
000026 |             m_Target.m_SkipMelee = false;
000027 |         }
000028 |     }
000029 |
000030 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000031 |     {
000032 |         if (unit.eAI_IsChangingStance())
000033 |             return CONTINUE;
000034 |
000035 |         if (!m_Target)
000036 |             return EXIT;
000037 |
000038 |         auto lowPosition = m_Target.GetPosition(false);
000039 |
000040 |         m_Time += DeltaTime;
000041 |         if (m_Target.IsMechanicalTrap())
000042 |             unit.OverrideTargetPosition(m_Target);
000043 |         else
```

```
000044 |         unit.OverrideTargetPosition(lowPosition);
000045 |
000046 |     unit.m_eAI_DistanceToTargetSq = m_Target.GetDistanceSq(true);
000047 |
000048 |     if (unit.IsFighting())
000049 |     {
000050 |         m_IsFighting = true;
000051 |
000052 |         ///! If we are already meleeing, wait until raised again to avoid awkward animation
000053 |         if (!unit.IsRaised() || !unit.IsWeaponRaiseCompleted())
000054 |         {
000055 |             unit.RaiseWeapon(true);
000056 |
000057 |             if (m_Time < 0.5)
000058 |             {
000059 |                 ///! waiting for the weapon to be raised
000060 |                 return CONTINUE;
000061 |             }
000062 |         }
000063 |     }
000064 |     else
000065 |     {
000066 |         if (m_IsFighting)
000067 |         {
000068 |             m_IsFighting = false;
000069 |             m_Time = 0;
000070 |         }
000071 |     }
000072 |
000073 |     vector direction = vector.Direction(unit.GetPosition(), lowPosition).Normalized();
000074 |     float dot = vector.Dot(unit.GetDirection(), direction);
000075 |
000076 |     ///! 1 in 5 chance to move backwards if target is player and fighting
000077 |     if (m_Target.IsPlayer() && (m_MovementDirection || (m_Target.IsFighting() && Math.RandomInt(0, 5) == 2)) && dot >= 0.5 && m_Time < Math.RandomFloat(0.5, 1
000078 |     .0))
000079 |     {
000080 |         if (!m_MovementDirection)
000081 |         {
000082 |             if (Math.RandomIntInclusive(0, 1))
000083 |                 m_MovementDirection = Math.RandomFloat(135, 180);
000084 |             else
000085 |                 m_MovementDirection = Math.RandomFloat(-135, -180);
000086 |         }
000087 |         unit.OverrideMovementDirection(true, m_MovementDirection);
000088 |         unit.OverrideMovementSpeed(true, 2);
000089 |
000090 |         return EXIT;
000091 |     }
000092 |     if (dot < 0.866 && (!m_Target.IsInanimate() || m_Target.IsMechanicalTrap()) && !m_Target.GetEntity().GetParent())
000093 |     {
000094 |         if (m_Time < Math.RandomFloat(1.5, 3.0))
000095 |         {
000096 |             if (unit.m_eAI_DistanceToTargetSq < 1.0)
000097 |             {
000098 |                 if (Math.RandomIntInclusive(0, 1))
000099 |                     m_MovementDirection = Math.RandomFloat(135, 180);
000100 |                 else
000101 |                     m_MovementDirection = Math.RandomFloat(-135, -180);
000102 |
000103 |                 unit.OverrideMovementDirection(true, m_MovementDirection);
000104 |                 unit.OverrideMovementSpeed(true, 2);
```

```
000105 |         }
000106 |
000107 |         //!< waiting for unit to face target
000108 |         return EXIT;
000109 |     }
000110 | }
000111 |
000112 |     unit.Notify_Melee();
000113 |     m_Time = 0;
000114 |     m_MovementDirection = 0;
000115 |     unit.OverrideMovementDirection(false, 0);
000116 |
000117 |     return EXIT;
000118 | }
000119 |
000120 | int Guard()
000121 | {
000122 |     if (unit.IsRestrained()) return eAITransition.FAIL;
000123 |
000124 |     if (!unit.CanRaiseWeapon() || !unit.eAI_HasLOS()) return eAITransition.FAIL;
000125 |
000126 |     m_Target = unit.GetTarget();
000127 |     if (!m_Target) return eAITransition.FAIL;
000128 |
000129 |     EntityAI targetEntity = m_Target.GetEntity();
000130 |     if (!targetEntity || targetEntity.IsDamageDestroyed()) return eAITransition.FAIL;
000131 |
000132 |     if (!m_Target.IsMeleeViable() || m_Target.GetThreat() < 0.4) return eAITransition.FAIL;
000133 |
000134 |     if (m_Target.ShouldAvoid()) return eAITransition.FAIL;
000135 |
000136 |     if (unit.m_eAI_HasProjectileWeaponInHands)
000137 |     {
000138 |         if (unit.eAI_SkipMelee("skipping melee", m_Target, false))
000139 |             return eAITransition.FAIL;
000140 |     }
000141 |
000142 |     return eAITransition.SUCCESS;
000143 | }
000144 | };
000145 |
```

0135. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/fighting/eaistate_fighting_positioning.c

Size bytes: 5580

SHA-256: c8ec228c252aaf0e415ed77565a415046c7c1d877456032f832e1ca3fa9ea52b

Decoded as: utf-8-sig

Line count shown: 182

Detected class declarations: 1

L1: class eAIState_Fighting_Positioning: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 11

L7: override void OnEntry(string Event, ExpansionState From)

L15: override void OnExit(string Event, bool Aborted, ExpansionState To)

L20: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L53: else if (target.IsCreature() && !target.IsAcuteDanger() && targetEntity.IsDamageDestroyed())

L58: else if (!hands)

L62: else if (hands.IsWeapon())

L66: else if (unit.m_eAI_QueueuedShots == 0 && Math.RandomFloat(0.0, 1.0) > 0.4)

L69: else if (hands.IsMeleeWeapon())

L98: else if (unit.m_eAI_DistanceToTargetSq > rangeSq * lowerRangeSqMult)

L108: else if (!wantsLower)

L173: else if (wantsLower || !unit.CanRaiseWeapon())

Full file content

```
000001 | class eAIState_Fighting_Positioning: eAIState
000002 | {
000003 |     vector m_Position;
000004 |     float m_Time;
000005 |     float m_MovementDirection;
000006 |
000007 |     override void OnEntry(string Event, ExpansionState From)
000008 |     {
000009 |         m_Time = 0;
000010 |
000011 |         if (unit.eAI_ShouldGetUp())
000012 |             unit.Expansion_GetUp();
000013 |     }
000014 |
000015 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000016 |     {
000017 |         unit.OverrideMovementDirection(false, 0);
000018 |     }
000019 |
000020 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000021 |     {
000022 |         #ifdef EXTRACE_DIAG
000023 |             auto profile = EXTrace.Profile(EXTrace.AI_PROFILE, eAIState_Fighting_Positioning, "OnUpdate");
000024 |         #endif
000025 |
000026 |         if (unit.eAI_IsChangingStance())
000027 |             return CONTINUE;
000028 |
000029 |         bool wantsLower = false;
000030 |         bool wantsRaise = false;
000031 |
000032 |         float speed = unit.Expansion_GetMovementSpeed();
000033 |
000034 |         int timeSinceLastFire = g_Game.GetTime() - unit.m_eAI_LastFireTime;
000035 |         if (unit.m_eAI_LastFireTime > 0 && timeSinceLastFire > unit.m_eAI_TimeBetweenFiring && speed > 0)
000036 |             wantsLower = true;
```

```

000037 |
000038 |     auto target = unit.GetTarget();
000039 |     if (target)
000040 |     {
000041 |         m_Position = target.GetPosition(false);
000042 |         unit.m_eAI_DistanceToTargetSq = target.GetDistanceSq(true);
000043 |
000044 |         bool shouldBeMeleeing = false;
000045 |
000046 |         auto hands = unit.GetHumanInventory().GetEntityInHands();
000047 |         auto targetEntity = target.GetEntity();
000048 |         auto itemTarget = ItemBase.Cast(targetEntity);
000049 |         if (itemTarget && !itemTarget.Expansion_IsMechanicalTrap() && (!itemTarget.Expansion_IsExplosive() || target.GetCachedThreat(true) > 0.4))
000050 |         {
000051 |             wantsLower = true;
000052 |         }
000053 |         else if (target.IsCreature() && !target.IsAcuteDanger() && targetEntity.IsDamageDestroyed())
000054 |         {
000055 |             //! We are hunting for food
000056 |             wantsLower = true;
000057 |         }
000058 |         else if (!hands)
000059 |         {
000060 |             shouldBeMeleeing = true;
000061 |         }
000062 |         else if (hands.IsWeapon())
000063 |         {
000064 |             if (unit.m_eAI_DistanceToTargetSq <= unit.m_eMeleeCombat.eAI_GetRangeSq())
000065 |                 shouldBeMeleeing = true;
000066 |             else if (unit.m_eAI_QueueShots == 0 && Math.RandomFloat(0.0, 1.0) > 0.4)
000067 |                 unit.eAI_SelectFireMode(target, unit.m_eAI_DistanceToTargetSq, Weapon_Base.Cast(hands));
000068 |         }
000069 |         else if (hands.IsMeleeWeapon())
000070 |         {
000071 |             shouldBeMeleeing = true;
000072 |         }
000073 |
000074 |         float minDist;
000075 |         float minDistSq;
000076 |
000077 |         if (shouldBeMeleeing)
000078 |         {
000079 |             float rangeSq = unit.m_eMeleeCombat.eAI_GetRangeSq();
000080 |
000081 |             float raiseRangeSqMult = 1;
000082 |             float lowerRangeSqMult = 1;
000083 |
000084 |             //! Only adjust range multipliers if not a creature (animal) since animal attacks cannot be blocked
000085 |             //! so we want to raise later and lower earlier
000086 |             if (!target.IsCreature() && ((!unit.IsRaised() && Math.RandomInt(0, 5) == 2) || (unit.IsRaised() && !unit.IsWeaponRaiseCompleted()))))
000087 |             {
000088 |                 if (!unit.IsSprintFull() && (target.IsRaised() || target.IsFighting()))
000089 |                 {
000090 |                     //! (range * n)^2 == range^2 * n^2
000091 |                     raiseRangeSqMult = 2.25; //! 1.5^2
000092 |                     lowerRangeSqMult = 9;    //! 3^2
000093 |                 }
000094 |             }
000095 |
000096 |             if (unit.m_eAI_DistanceToTargetSq <= rangeSq * raiseRangeSqMult || target.IsUnconscious())
000097 |                 wantsRaise = true;
000098 |             else if (unit.m_eAI_DistanceToTargetSq > rangeSq * lowerRangeSqMult)

```

```
000099 |         wantsLower = true;
000100 |
000101 |         if (target.IsUnconscious())
000102 |             minDist = 2.0;
000103 |         else
000104 |             minDist = 1.0;
000105 |
000106 |         unit.m_eAI_IsPreparingMelee = wantsRaise;
000107 |     }
000108 |     else if (!wantsLower)
000109 |     {
000110 |         minDist = 2.0;
000111 |         if (unit.m_eAI_IsInCover)
000112 |             wantsRaise = true;
000113 |
000114 |         unit.m_eAI_IsPreparingMelee = false;
000115 |     }
000116 |
000117 |     minDistSq = minDist * minDist;
000118 |
000119 |     if (targetEntity && !itemTarget && (unit.m_eAI_DistanceToTargetSq <= minDistSq || (unit.m_eAI_PositionIsFinal && unit.eAI_IsUnreachable(minDist, m_Pos
    ition))))
000120 |     {
000121 |         m_Time += DeltaTime;
000122 |         if (!m_MovementDirection || m_Time > Math.RandomIntInclusive(1, 3))
000123 |         {
000124 |             if (Math.RandomIntInclusive(0, 1))
000125 |                 m_MovementDirection = Math.RandomFloat(135, 180);
000126 |             else
000127 |                 m_MovementDirection = Math.RandomFloat(-135, -180);
000128 |         }
000129 |         unit.OverrideMovementDirection(true, m_MovementDirection);
000130 |         unit.OverrideMovementSpeed(true, 2);
000131 |     }
000132 |     else
000133 |     {
000134 |         unit.OverrideMovementDirection(false, 0);
000135 |         if (itemTarget && itemTarget.Expansion_IsExplosive() && wantsLower && unit.m_eAI_DistanceToTargetSq < target.GetMinDistanceSq())
000136 |             unit.OverrideMovementSpeed(true, 3);
000137 |         else
000138 |             unit.OverrideMovementSpeed(false, 0);
000139 |         m_Time = 0;
000140 |         m_MovementDirection = 0;
000141 |     }
000142 |
000143 |     if ((!itemTarget && ((hands && hands.IsWeapon()) || target.GetMinDistance() > 0.0 || !target.CanMeleeIfClose())) || (itemTarget && itemTarget.Expansio
    n_IsDanger()))
000144 |     {
000145 |         unit.OverrideTargetPosition(target);
000146 |     }
000147 |     else
000148 |     {
000149 |         unit.OverrideTargetPosition(m_Position);
000150 |     }
000151 |
000152 |     if (hands && (hands.IsWeapon() || (unit.m_eAI_DistanceToTargetSq <= 100.0 && !hands.IsInherited(Torch))))
000153 |     {
000154 |         if (hands.HasEnergyManager() && !hands.GetCompEM().IsWorking() && hands.GetCompEM().CanSwitchOn())
000155 |         {
000156 |             hands.GetCompEM().SwitchOn();
000157 |             unit.m_eAI_TypeSwitchedOnDuringCombat = hands.GetType();
000158 |             unit.eAI_ForceVisibilityUpdate();
```



```
000159 |         }
000160 |     }
000161 | }
000162 | else
000163 | {
000164 |     unit.OverrideMovementDirection(false, 0);
000165 |     unit.OverrideMovementSpeed(false, 0);
000166 |     unit.OverrideTargetPosition(unit.GetPosition() + unit.GetDirection() * speed * 0.333333);
000167 | }
000168 |
000169 | if (wantsRaise && unit.CanRaiseWeapon())
000170 | {
000171 |     unit.RaiseWeapon(true);
000172 | }
000173 | else if (wantsLower || !unit.CanRaiseWeapon())
000174 | {
000175 |     unit.RaiseWeapon(false);
000176 |     unit.eAI_AdjustStance(unit.m_eAI_LastFireTime, timeSinceLastFire, unit.m_eAI_TimeBetweenFiringAndGettingUp);
000177 | }
000178 |
000179 | return EXIT;
000180 | }
000181 | };
000182 |
```

0136. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_fail.c

Size bytes: 419

SHA-256: ba557358466d1ead4d3d45ea443765cfa00bad45a01973fe9b6c59f2023f4179

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L1: class eAIState_Weapon_Reloading_Fail: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 2

L5: override void OnEntry(string Event, ExpansionState From)

L12: int OnUpdateEx(float DeltaTime, int SimulationPrecision, Weapon_Base weapon)

Full file content

```
000001 | class eAIState_Weapon_Reloading_Fail: eAIState
000002 | {
000003 |     float m_Time;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         unit.RaiseWeapon(false);
000008 |
000009 |         m_Time = 0;
000010 |     }
000011 |
000012 |     int OnUpdateEx(float DeltaTime, int SimulationPrecision, Weapon_Base weapon)
000013 |     {
000014 |         m_Time += DeltaTime;
000015 |
000016 |         // waiting for the weapon to be lowered
000017 |         if (weapon && m_Time < 0.5)
000018 |             return CONTINUE;
000019 |
000020 |         return EXIT;
000021 |     }
000022 | };
000023 |
```

0137. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_reloading.c

Size bytes: 4203

SHA-256: 67c67dc0612f1b869b4c4503278c0e9045dbbelc4a1e934fdb3932daaa94b3ce

Decoded as: utf-8-sig

Line count shown: 150

Detected class declarations: 1

L1: class eAIState_Weapon_ReLoading_ReLoading: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 6

L8: override void OnEntry(string Event, ExpansionState From)

L18: override void OnExit(string Event, bool Aborted, ExpansionState To)

L27: override int OnUpdate(float DeltaTime, int SimulationPrecision)

L64: else if (distSq < 100.0 && m_Weapon.IsInherited(BoltActionRifle_Base) && m_Weapon.Expansion_HasAmmo())

L93: else if (m_Weapon.IsChamberEmpty(m_Weapon.GetCurrentMuzzle()))

L122: int GuardEx(Weapon_Base weapon, inout Magazine magazine)

Full file content

```
000001 | class eAIState_Weapon_ReLoading_ReLoading: eAIState
000002 | {
000003 |     Weapon_Base m_Weapon;
000004 |     Magazine m_Magazine;
000005 |     float m_Time;
000006 |     int m_FailedAttempts;
000007 |
000008 |     override void OnEntry(string Event, ExpansionState From)
000009 |     {
000010 |         m_Time = 0;
000011 |
000012 |         if (unit.m_eAI_IsInCover && unit.eAI_GetStance() == DayZPlayerConstants.STANCEIDX_ERECT && unit.m_eAI_StancePreference != DayZPlayerConstants.STANCEIDX_PR
ONE)
000013 |             unit.OverrideStance(DayZPlayerConstants.STANCEIDX_CROUCH);
000014 |
000015 |         unit.ReloadWeaponAI(m_Weapon, m_Magazine);
000016 |     }
000017 |
000018 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000019 |     {
000020 |         if (unit.eAI_IsSideStepping())
000021 |             unit.eAI_CancelSidestep();
000022 |
000023 |         if (unit.eAI_ShouldGetUp())
000024 |             unit.Expansion_GetUp();
000025 |     }
000026 |
000027 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000028 |     {
000029 |         if (!unit.GetWeaponManager() || unit.IsUnconscious()) return EXIT;
000030 |
000031 |         if (!m_Weapon) return EXIT;
000032 |
000033 |         if (unit.GetWeaponManager().IsRunning() || unit.GetActionManager().GetRunningAction())
000034 |         {
000035 |             m_Time += DeltaTime;
000036 |             if (m_Time > 12) //! Looks like something went terribly wrong
000037 |             {
000038 |                 unit.eAI_Unbug(m_Name + "(" + m_Weapon + ", " + m_Magazine + ") - timeout");
000039 |                 return EXIT;
000040 |             }
000040 |         }
```

```

000041 |
000042 |         vector position;
000043 |
000044 |         auto target = unit.GetTarget();
000045 |         if (target && unit.GetThreatToSelf() >= 0.4)
000046 |         {
000047 |             if (!unit.m_eAI_IsInCover)
000048 |                 unit.OverrideTargetPosition(target, true);
000049 |
000050 |             if (!unit.eAI_IsSideStepping() && target.m_LOS)
000051 |             {
000052 |                 float distSq = target.GetDistanceSq(true);
000053 |                 if (distSq <= 9.0)
000054 |                 {
000055 |                     float movementDirection;
000056 |                     if (Math.RandomIntInclusive(0, 1))
000057 |                         movementDirection = Math.RandomFloat(135, 180);
000058 |                     else
000059 |                         movementDirection = Math.RandomFloat(-135, -180);
000060 |                     unit.eAI_ForceSideStep(Math.RandomFloat(1, 1.5), null, movementDirection);
000061 |                     unit.OverrideMovementSpeed(false, 0);
000062 |                 }
000063 |                 ///! If we have a bolt action rifle with ammo in internal or attached mag, circle around player while cycling action
000064 |             else if (distSq < 100.0 && m_Weapon.IsInherited(BoltActionRifle_Base) && m_Weapon.Expansion_HasAmmo())
000065 |             {
000066 |                 unit.eAI_ForceSideStep(Math.RandomFloat(1, 1.5), null, 0.0, false);
000067 |                 unit.OverrideMovementSpeed(false, 0);
000068 |             }
000069 |         }
000070 |     }
000071 |     else
000072 |     {
000073 |         auto group = unit.GetGroup();
000074 |         if (group)
000075 |         {
000076 |             if (group.GetFormationLeader() != unit)
000077 |                 position = group.GetFormationPosition(unit);
000078 |             else
000079 |                 position = group.GetCurrentWaypoint();
000080 |         }
000081 |
000082 |         if (position != vector.Zero)
000083 |             unit.OverrideTargetPosition(position);
000084 |     }
000085 |
000086 |     return CONTINUE;
000087 | }
000088 |
000089 | if (m_Weapon.IsDamageDestroyed())
000090 | {
000091 |     unit.eAI_DropItem(m_Weapon);
000092 | }
000093 | else if (m_Weapon.IsChamberEmpty(m_Weapon.GetCurrentMuzzle()))
000094 | {
000095 |     m_FailedAttempts++;
000096 |     EXPrint(unit.ToString() + " Weapon_Reloading - Reloading - failed (" + m_FailedAttempts + ")");
000097 |     if (m_FailedAttempts >= 3)
000098 |     {
000099 |         ///! Fuck the gun
000100 |         #ifdef DIAG_DEVELOPER
000101 |             string msg = unit.ToString() + " Reloading failed after " + m_FailedAttempts + " attempts - dropping " + m_Weapon;
000102 |             EXPrint(msg);

```

```
000103 |         ExpansionStatic.MessageNearPlayers(unit.GetPosition(), 100, msg);
000104 |     #endif
000105 |         unit.eAI_ThreatOverride(m_Weapon, true);
000106 |         unit.eAI_DropItem(m_Weapon);
000107 |         m_FailedAttempts = 0;
000108 |     }
000109 |     else
000110 |     {
000111 |         m_Weapon.ValidateAndRepair();
000112 |     }
000113 | }
000114 | else
000115 | {
000116 |     m_FailedAttempts = 0;
000117 | }
000118 |
000119 |     return EXIT;
000120 | }
000121 |
000122 | int GuardEx(Weapon_Base weapon, inout Magazine magazine)
000123 | {
000124 | #ifdef EXTRACE_DIAG
000125 |     auto profile = EXTrace.Profile(EXTrace.AI_PROFILE, eAIState_Weapon_Reloading_Reloading, "GuardEx");
000126 | #endif
000127 |
000128 |     if (!weapon || weapon.IsDamageDestroyed())
000129 |         return eAITransition.FAIL;
000130 |
000131 |     if (!magazine && !weapon.Expansion_HasAmmo(magazine))
000132 |     {
000133 |         if (!unit.eAI_HasAmmoForFirearm(weapon, magazine))
000134 |             return eAITransition.FAIL;
000135 |     }
000136 |
000137 | #ifdef EXTRACE_DIAG
000138 |     if (!magazine)
000139 |         EXTrace.Start0(EXTrace.AI, this, "Reloading " + weapon + " from internal mag");
000140 |     else
000141 |         EXTrace.Start0(EXTrace.AI, this, "Reloading " + weapon + " from mag " + magazine);
000142 | #endif
000143 |
000144 |     m_Weapon = weapon;
000145 |     m_Magazine = magazine;
000146 |
000147 |     return eAITransition.SUCCESS;
000148 | }
000149 | };
000150 |
```

0138. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_removing.c

Size bytes: 461

SHA-256: 3997c132bb042ac088354c5fb01dc2ed77b0fa6ad9fa62367cfc45d5ffffbea9e

Decoded as: utf-8-sig

Line count shown: 17

Detected class declarations: 1

L1: class eAIState_Weapon_Reloading_Removing: eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: int OnUpdateEx(float DeltaTime, int SimulationPrecision, Weapon_Base weapon)

Full file content

```
000001 | class eAIState_Weapon_Reloading_Removing: eAIState
000002 | {
000003 |     int OnUpdateEx(float DeltaTime, int SimulationPrecision, Weapon_Base weapon)
000004 |     {
000005 |         if (!weapon || unit.GetItemInHands() != weapon)
000006 |             return EXIT; // remove complete
000007 |
000008 |         if (unit.GetActionManager().GetRunningAction())
000009 |             return CONTINUE;
000010 |
000011 |         if (weapon.IsDamageDestroyed() || !unit.eAI_TakeItemToInventoryDropShoulderImpl(weapon))
000012 |             unit.eAI_DropItem(weapon);
000013 |
000014 |         return CONTINUE;
000015 |     }
000016 | };
000017 |
```

0139. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/reloading/eaistate_weapon_reloading_start.c
Size bytes: 315
SHA-256: c23e3764d964eabe78f2963057e9ce08290ef8a0b6be721614d849849d204655
Decoded as: utf-8-sig
Line count shown: 15
Detected class declarations: 1
 L1: class eAIState_Weapon_Reloading_Start: eAIState
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: void OnEntryEx(string Event, ExpansionState From, out int lastAttemptTime)
 L10: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```
000001 | class eAIState_Weapon_Reloading_Start: eAIState
000002 | {
000003 |     void OnEntryEx(string Event, ExpansionState From, out int lastAttemptTime)
000004 |     {
000005 |         lastAttemptTime = g_Game.GetTime();
000006 |
000007 |         unit.OverrideMovementSpeed(false, 0);
000008 |     }
000009 |
000010 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000011 |     {
000012 |         return EXIT;
000013 |     }
000014 | };
000015 |
```

0140. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_closevehicledoor.c
Size bytes: 660
SHA-256: 4033312c4cab4c69c4aa9436369eda95a967775b79a7fc14c2796a65b784c474
Decoded as: utf-8-sig
Line count shown: 35
Detected class declarations: 1
 L1: class eAIState_CloseVehicleDoor : eAIState_GoToVehicle
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L6: override void OnEntry(string Event, ExpansionState From)
 L21: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```
000001 | class eAIState_CloseVehicleDoor : eAIState_GoToVehicle
000002 | {
000003 |     string m_Source;
000004 |     float m_Time;
000005 |
000006 |     override void OnEntry(string Event, ExpansionState From)
000007 |     {
000008 |         super.OnEntry(Event, From);
000009 |
000010 |         bool hasDoor;
000011 |
000012 |         ExpansionFSMHelper.DoorAnimationSource(m_Entity, m_Seat, hasDoor, m_Source);
000013 |         if (hasDoor)
000014 |         {
000015 |             m_Entity.SetAnimationPhase(m_Source, 0.0);
000016 |         }
000017 |
000018 |         m_Time = 0;
000019 |     }
000020 |
000021 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000022 |     {
000023 |         super.OnUpdate(DeltaTime, SimulationPrecision);
000024 |
000025 |         m_Time += DeltaTime;
000026 |
000027 |         if (m_Time > 0.5 || m_Entity.GetAnimationPhase(m_Source) < 0.5)
000028 |         {
000029 |             return EXIT;
000030 |         }
000031 |
000032 |         return CONTINUE;
000033 |     }
000034 | };
000035 |
```


0141. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_findvehicle.c

Size bytes: 921

SHA-256: b876aa4193184a5a6db3fcc76f2e8a71dc5f701d033cf4fd3c3e46ac72b2f1ed

Decoded as: utf-8-sig

Line count shown: 44

Detected class declarations: 1

L1: class eAIState_FindVehicle : eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 3

L6: override void OnEntry(string Event, ExpansionState From)

L25: override void OnExit(string Event, bool Aborted, ExpansionState To)

L34: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```

000001 | class eAIState_FindVehicle : eAIState
000002 | {
000003 |     EntityAI m_Entity;
000004 |     int m_Seat;
000005 |
000006 |     override void OnEntry(string Event, ExpansionState From)
000007 |     {
000008 |         float minDistance = float.MAX;
000009 |         float distance;
000010 |
000011 |         auto node = ExpansionVehicle.s_All.m_Head;
000012 |         while (node)
000013 |         {
000014 |             EntityAI entity = node.m_Value.GetEntity();
000015 |             distance = vector.Distance(unit.GetPosition(), entity.GetPosition());
000016 |             if (distance < minDistance)
000017 |             {
000018 |                 m_Entity = entity;
000019 |                 minDistance = distance;
000020 |             }
000021 |             node = node.m_Next;
000022 |         }
000023 |     }
000024 |
000025 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000026 |     {
000027 |         if (To && m_Entity)
000028 |         {
000029 |             EnScript.SetClassVar(To, "m_Entity", 0, m_Entity);
000030 |             EnScript.SetClassVar(To, "m_Seat", 0, m_Seat);
000031 |         }
000032 |     }
000033 |
000034 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000035 |     {
000036 |         if (m_Entity)
000037 |         {
000038 |             unit.OverrideTargetPosition(m_Entity.GetPosition());
000039 |         }
000040 |
000041 |         return CONTINUE;
000042 |     }
000043 | };
000044 |

```

0142. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_getinvehicle.c

Size bytes: 905

SHA-256: 0a2581f627063a9bd3ea6fce7652da708f4cc5c0ae7f7bc19e94739843650b6f

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 1

L1: class eAIState_GetInVehicle : eAIState_GoToVehicle

Detected enum declarations: 0

Detected function/method-like declarations: 2

L5: override void OnEntry(string Event, ExpansionState From)

L14: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```

000001 | class eAIState_GetInVehicle : eAIState_GoToVehicle
000002 | {
000003 |     float m_Time;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         super.OnEntry(Event, From);
000008 |
000009 |         m_Time = 0;
000010 |
000011 |         unit.LookAtDirection("0 0 1"); //! Reset look direction to prevent head snapping to previous direction when sitting
000012 |     }
000013 |
000014 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000015 |     {
000016 |         super.OnUpdate(DeltaTime, SimulationPrecision);
000017 |
000018 |         auto vehCmd = unit.GetCommand_Vehicle();
000019 |
000020 |         if (!vehCmd && m_Transport && !unit.IsInTransport() && !unit.eAI_GetTransport())
000021 |         {
000022 |             //! Wait until unit is idle to prevent animation glitches
000023 |             if (!unit.Expansion_IsAnimationIdle())
000024 |             {
000025 |                 return CONTINUE;
000026 |             }
000027 |
000028 |             unit.Notify_Transport(m_Transport, m_Seat);
000029 |         }
000030 |
000031 |         m_Time += DeltaTime;
000032 |
000033 |         if (!vehCmd || vehCmd.IsGettingIn() || m_Time < 1.5)
000034 |         {
000035 |             return CONTINUE;
000036 |         }
000037 |
000038 |         return EXIT;
000039 |     }
000040 | };
000041 |

```

0143. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_getoutvehicle.c

Size bytes: 900

SHA-256: 3877c0df17024ee30ed1c8d74abfc810e9a5bc6b45a31e88c72ad866f4cf14c8

Decoded as: utf-8-sig

Line count shown: 38

Detected class declarations: 1

L1: class eAIState_GetOutVehicle : eAIState_GoToVehicle

Detected enum declarations: 0

Detected function/method-like declarations: 2

L5: override void OnEntry(string Event, ExpansionState From)

L23: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```

000001 | class eAIState_GetOutVehicle : eAIState_GoToVehicle
000002 | {
000003 |     float m_Time;
000004 |
000005 |     override void OnEntry(string Event, ExpansionState From)
000006 |     {
000007 |         super.OnEntry(Event, From);
000008 |
000009 |         auto vehCmd = unit.GetCommand_Vehicle();
000010 |         if (vehCmd && !vehCmd.IsGettingIn())
000011 |         {
000012 |             vehCmd.GetOutVehicle();
000013 |             ExpansionVehicle vehicle;
000014 |             if (ExpansionVehicle.Get(vehicle, vehCmd.GetTransport()))
000015 |                 vehicle.ReserveSeat(vehCmd.GetVehicleSeat(), null);
000016 |
000017 |             unit.LookAtDirection("0 0 1"); //! Reset look direction to prevent head snapping to previous direction after getting out
000018 |         }
000019 |
000020 |         m_Time = 0;
000021 |     }
000022 |
000023 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000024 |     {
000025 |         super.OnUpdate(DeltaTime, SimulationPrecision);
000026 |
000027 |         m_Time += DeltaTime;
000028 |
000029 |         auto vehCmd = unit.GetCommand_Vehicle();
000030 |         if ((vehCmd && vehCmd.IsGettingOut()) || m_Time < 2.0)
000031 |         {
000032 |             return CONTINUE;
000033 |         }
000034 |
000035 |         return EXIT;
000036 |     }
000037 | };
000038 |

```

0144. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_gotovehicle.c

Size bytes: 1186

SHA-256: 6455059b508a5cad003d403bed36e1c2f0dff3ed0af6e6980c987c675eedbb27

Decoded as: utf-8-sig

Line count shown: 60

Detected class declarations: 1

L1: class eAIState_GoToVehicle : eAIState

Detected enum declarations: 0

Detected function/method-like declarations: 3

L11: override void OnEntry(string Event, ExpansionState From)

L29: override void OnExit(string Event, bool Aborted, ExpansionState To)

L38: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```
000001 | class eAIState_GoToVehicle : eAIState
000002 | {
000003 |     EntityAI m_Entity;
000004 |
000005 |     int m_Seat;
000006 |     vector m_Position;
000007 |
000008 |     Transport m_Transport;
000009 |     ExpansionVehicle m_Vehicle;
000010 |
000011 |     override void OnEntry(string Event, ExpansionState From)
000012 |     {
000013 |         if (From)
000014 |         {
000015 |             EnScript.GetClassVar(From, "m_Entity", 0, m_Entity);
000016 |             EnScript.GetClassVar(From, "m_Seat", 0, m_Seat);
000017 |         }
000018 |
000019 |         auto vehCmd = unit.GetCommand_Vehicle();
000020 |         if (vehCmd)
000021 |         {
000022 |             m_Seat = vehCmd.GetVehicleSeat();
000023 |         }
000024 |
000025 |         Class.CastTo(m_Transport, m_Entity);
000026 |         ExpansionVehicle.Get(m_Vehicle, m_Entity);
000027 |     }
000028 |
000029 |     override void OnExit(string Event, bool Aborted, ExpansionState To)
000030 |     {
000031 |         if (To && m_Entity)
000032 |         {
000033 |             EnScript.SetClassVar(To, "m_Entity", 0, m_Entity);
000034 |             EnScript.SetClassVar(To, "m_Seat", 0, m_Seat);
000035 |         }
000036 |     }
000037 |
000038 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000039 |     {
000040 |         if (m_Transport)
000041 |         {
000042 |             if (m_Transport.CrewMember(m_Seat))
000043 |             {
000044 |                 if (m_Vehicle)
```

```
000045 |         {
000046 |             m_Vehicle.ReserveSeat(m_Seat, null);
000047 |             return EXIT;
000048 |         }
000049 |     }
000050 |
000051 |     vector direction;
000052 |     m_Transport.CrewEntryWS(m_Seat, m_Position, direction);
000053 |
000054 |     unit.OverrideTargetPosition(m_Position);
000055 | }
000056 |
000057 | return EXIT;
000058 | }
000059 | };
000060 |
```

0145. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/fsm/states/vehicles/eaistate_openvehicledoor.c
Size bytes: 673
SHA-256: 90b735ceb8c95c2b48f72fb3b949c58f9ed12f892425cd6c533951da0259b532
Decoded as: utf-8-sig
Line count shown: 35
Detected class declarations: 1
 L1: class eAIState_OpenVehicleDoor : eAIState_GoToVehicle
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L6: override void OnEntry(string Event, ExpansionState From)
 L21: override int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```
000001 | class eAIState_OpenVehicleDoor : eAIState_GoToVehicle
000002 | {
000003 |     string m_Source;
000004 |     float m_Time;
000005 |
000006 |     override void OnEntry(string Event, ExpansionState From)
000007 |     {
000008 |         super.OnEntry(Event, From);
000009 |
000010 |         bool hasDoor;
000011 |
000012 |         ExpansionFSMHelper.DoorAnimationSource(m_Entity, m_Seat, hasDoor, m_Source);
000013 |         if (hasDoor)
000014 |         {
000015 |             m_Entity.SetAnimationPhase(m_Source, 1.0);
000016 |         }
000017 |
000018 |         m_Time = 0;
000019 |     }
000020 |
000021 |     override int OnUpdate(float DeltaTime, int SimulationPrecision)
000022 |     {
000023 |         super.OnUpdate(DeltaTime, SimulationPrecision);
000024 |
000025 |         m_Time += DeltaTime;
000026 |
000027 |         if (m_Time > 1.0 || !m_Source || m_Entity.GetAnimationPhase(m_Source) > 0.95)
000028 |         {
000029 |             return EXIT;
000030 |         }
000031 |
000032 |         return CONTINUE;
000033 |     }
000034 | };
000035 |
```

0146. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/dayzplayermeleefightlogic_lightheavy.c
 Size bytes: 1281
 SHA-256: 4d6dbb974173628bacd46ad89e2dd0bbccb148ffd51c62ebbf0455a9d9b73b09
 Decoded as: utf-8-sig
 Line count shown: 52
 Detected class declarations: 1
 L1: modded class DayZPlayerMeleeFightLogic_LightHeavy
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L3: override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementSta
 L14: void eAI_UpdateAttackCooldown()

Full file content

```
000001 | modded class DayZPlayerMeleeFightLogic_LightHeavy
000002 | {
000003 |     override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementState, out bool pCont
000004 |    inueAttack)
000005 |     {
000006 |         if (super.HandleFightLogic(pCurrentCommandID, pInputs, pEntityInHands, pMovementState, pContinueAttack))
000007 |         {
000008 |             eAI_UpdateAttackCooldown();
000009 |             return true;
000010 |         }
000011 |     }
000012 |     return false;
000013 | }
000014 | void eAI_UpdateAttackCooldown()
000015 | {
000016 |     ///! TODO: Measure actual values based on attack type and weapon
000017 |     float cooldown = Math.RandomFloat(0.0, 1.0);
000018 |
000019 |     switch (m_HitType)
000020 |     {
000021 |         case EMeleeHitType.LIGHT:
000022 |             m_Player.m_eAI_AttackCooldown = cooldown;
000023 |             break;
000024 |
000025 |         case EMeleeHitType.WPN_STAB:
000026 |             m_Player.m_eAI_AttackCooldown = cooldown;
000027 |             break;
000028 |
000029 |         case EMeleeHitType.HEAVY:
000030 |             m_Player.m_eAI_AttackCooldown = cooldown;
000031 |             break;
000032 |
000033 |         case EMeleeHitType.SPRINT:
000034 |             m_Player.m_eAI_AttackCooldown = cooldown;
000035 |             break;
000036 |
000037 |         case EMeleeHitType.KICK:
000038 |             m_Player.m_eAI_AttackCooldown = cooldown;
000039 |             break;
000040 |
000041 |         case EMeleeHitType.WPN_HIT:
000042 |         case EMeleeHitType.WPN_HIT_BUTTSTOCK:
000043 |             m_Player.m_eAI_AttackCooldown = cooldown;
000044 |             break;
```

```
000045 |  
000046 |         default:  
000047 |             m_Player.m_eAI_AttackCooldown = cooldown;  
000048 |             break;  
000049 |         }  
000050 |     }  
000051 | }  
000052 |
```


0147. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/eaimeleecombat.c

Size bytes: 9483

SHA-256: 8adde38f4ee256a4f51025c441eda11b94ee7d74837af32f748fea3c6aca5570

Decoded as: utf-8-sig

Line count shown: 348

Detected class declarations: 1

L1: class eAIMeleeCombat : DayZPlayerImplementMeleeCombat

Detected enum declarations: 0

Detected function/method-like declarations: 16

L6: void eAIMeleeCombat(DayZPlayerImplement player)

L11: override protected bool CanObjectBeTargeted(Object obj, bool checkNonAlignable = false)

L24: override protected void TargetSelection()

L99: void eAI_DebugHit(bool hit, vector position, vector origin)

L118: bool eAI_IsAimingAhead(out vector pos = vector.Zero, out vector dir = vector.Zero)

L136: override protected bool HitZoneSelectionRaycast(out vector hitPos, out int hitZone, out Object target, bool useCamera)

L200: override void Update(InventoryItem weapon, EMeleeHitType hitMask, bool wasHitEvent = false)

L221: override protected int TrySelectFinisherType(InventoryItem weapon, EntityAI target)

L270: return DetermineSpecificFinisherType(ItemBase.Cast(weapon));

L277: bool eAI_IsEntityBehindEntityInAngle(EntityAI source, EntityAI target, float angle)

L299: static void eAI_ApplyYeetForce(notnull eAIEntityTargetInformation info, float yeetForce, vector sourcePosition, vector yeetFactors)

L326: else if (Class.CastTo(zombie, targetEntity))

L332: float eAI_GetRange()

L334: return GetRange();

L337: float eAI_GetRangeSq()

L343: InventoryItem eAI_GetWeapon()

Full file content

```
000001 | class eAIMeleeCombat : DayZPlayerImplementMeleeCombat
000002 | {
000003 |     eAIBase m_AI;
000004 |     float m_eAI_MeleeAttackType;
000005 |
000006 |     void eAIMeleeCombat(DayZPlayerImplement player)
000007 |     {
000008 |         Class.CastTo(m_AI, player);
000009 |     }
000010 |
000011 |     override protected bool CanObjectBeTargeted(Object obj, bool checkNonAlignable = false)
000012 |     {
000013 |         if (super.CanObjectBeTargeted(obj, checkNonAlignable))
000014 |             return true;
000015 |
000016 |         ItemBase item;
000017 |         if (Class.CastTo(item, obj) && item.Expansion_IsMechanicalTrap())
000018 |             return true;
000019 |
000020 |         return false;
000021 |     }
000022 |
000023 |     ///! Omits 2nd pass because it is not needed and EXPENSIVE on server
000024 |     override protected void TargetSelection()
000025 |     {
000026 | #ifdef EXTRACE_DIAG
000027 |         auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "TargetSelection");
000028 | #endif
000029 |
000030 |         vector hitPos;
000031 |
```

```
000032 | // Calculate max distances
000033 | float dist = GetRange();
000034 | float dist2 = Math.SqrtFloat(dist);
000035 |
000036 | // There's generally 2 TargetSelection calls per animation
000037 | // First to obtain target to move towards during animation
000038 | // Second one is to see if that target is still in range before applying damage to it
000039 | // m_WasHit means the hit event occurred, so this is the second call
000040 |
000041 | if (m_WasHit && GetFinisherType() == -1 && CanObjectBeTargeted(m_TargetObject))
000042 | {
000043 |     hitPos = m_TargetObject.GetDamageZonePos(m_HitZoneName);
000044 |
000045 |     // See if the component is still in range
000046 |     if (vector.DistanceSq(m_RayStart, hitPos) <= dist2)
000047 |     {
000048 |         m_AllTargetObjects.Insert(m_TargetObject);
000049 |         // This result should still be cached, so no need to fill it in again
000050 |
000051 |         eAI_DebugHit(true, hitPos, m_RayStart);
000052 |
000053 |         return;
000054 |     }
000055 | }
000056 |
000057 | // Find a new target
000058 | InternalResetTarget();
000059 |
000060 | Object target;
000061 | int hitZone;
000062 |
000063 | // First pass - Prefer what the player is looking at (only aligneable ones, we will try for nonaligneable later)
000064 | if (HitZoneSelectionRaycastHelper(hitPos, hitZone, target))
000065 | {
000066 |     if (m_ForceUntargetable)
000067 |     {
000068 |         SetTarget(target, hitPos, hitZone);
000069 |         return;
000070 |     }
000071 |
000072 |     if (CanObjectBeTargeted(target) && vector.DistanceSq(m_RayStart, hitPos) <= dist2)
000073 |     {
000074 |         m_AllTargetObjects.Insert(target);
000075 |
000076 |         SetTarget(target, hitPos, hitZone);
000077 |
000078 |         eAI_DebugHit(true, hitPos, m_RayStart);
000079 |
000080 |         return;
000081 |     }
000082 | }
000083 |
000084 | // Third pass - We found no aligneable target, check if the target that we are directly looking at is nonalignable (big)
000085 | if (CanObjectBeTargeted(target, true) && vector.DistanceSq(m_RayStart, hitPos) <= dist2)
000086 | {
000087 |     m_AllTargetObjects.Insert(target);
000088 |
000089 |     SetTarget(target, hitPos, hitZone);
000090 |
000091 |     eAI_DebugHit(true, hitPos, m_RayStart);
000092 |
000093 |     return;
```

```
000094 |     }
000095 |
000096 |     eAI_DebugHit(false, m_RayEnd, m_RayStart);
000097 | }
000098 |
000099 | void eAI_DebugHit(bool hit, vector position, vector origin)
000100 | {
000101 |     if (EXTrace.AI)
000102 |     {
000103 |         vector dir = vector.Direction(origin, position);
000104 |
000105 |         if (hit)
000106 |         {
000107 |             m_AI.Expansion_DebugObject_Deferred(18, position, "ExpansionDebugSphereSmall", dir, origin);
000108 |             m_AI.Expansion_DebugObject_Deferred(19, "0 0 0", "ExpansionDebugSphereSmall_Red");
000109 |         }
000110 |         else
000111 |         {
000112 |             m_AI.Expansion_DebugObject_Deferred(18, "0 0 0", "ExpansionDebugSphereSmall");
000113 |             m_AI.Expansion_DebugObject_Deferred(19, position, "ExpansionDebugSphereSmall_Red", dir, origin);
000114 |         }
000115 |     }
000116 | }
000117 |
000118 | bool eAI_IsAimingAhead(out vector pos = vector.Zero, out vector dir = vector.Zero)
000119 | {
000120 |     //vector playerDir = m_AI.GetDirection();
000121 |     MiscGameplayFunctions.GetHeadBonePos(m_AI, pos);
000122 |     dir = vector.Direction(pos, m_AI.GetAimPosition()).Normalized();
000123 |
000124 |     //! Prevents targeting of objects behind player
000125 |     float angle = m_AI.GetOrientation()[0];
000126 |     float aimAngle = dir.VectorToAngles()[0];
000127 |     //if (vector.Dot(dir, playerDir) < 0.5)
000128 |     if (Math.AbsFloat(ExpansionMath.AngleDiff2(angle, aimAngle)) > 60.0)
000129 |     {
000130 |         return false;
000131 |     }
000132 |
000133 |     return true;
000134 | }
000135 |
000136 | override protected bool HitZoneSelectionRaycast(out vector hitPos, out int hitZone, out Object target, bool useCamera)
000137 | {
000138 | #ifdef EXTRACE_DIAG
000139 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "HitZoneSelectionRaycast");
000140 | #endif
000141 |
000142 |     vector pos;
000143 |     vector dir;
000144 |
000145 |     if (!eAI_IsAimingAhead(pos, dir))
000146 |     {
000147 |         return false;
000148 |     }
000149 |
000150 |     m_RayStart = pos;
000151 |     m_RayEnd = m_RayStart + GetRange() * dir;
000152 |
000153 |     // raycast
000154 |     set<Object> hitObjects = new set<Object>;
000155 |     vector hitNormal;
```

```
000156 |
000157 |         if (DayZPhysics.RaycastRV(m_RayStart, m_RayEnd, hitPos, hitNormal, hitZone, hitObjects, null, m_AI, false, false, ObjIntersectIFire, 0.0, CollisionFlags.ALLOBJECTS) && hitObjects.Count() > 0)
000158 |         {
000159 |             foreach (Object hitObject: hitObjects)
000160 |             {
000161 |                 if (hitObject.IsBush() || hitObject.IsTree())
000162 |                     continue;
000163 |
000164 |                 target = hitObject;
000165 |                 m_ForceUntargetable = false;
000166 |
000167 |                 if (hitObject.IsBuilding())
000168 |                     continue;
000169 |
000170 |                 //! Opponent is inside car - targeting range is shorter in that case
000171 |                 PlayerBase playerTarget = PlayerBase.Cast(target);
000172 |                 if (playerTarget && playerTarget.Expansion_IsInVehicleCmd())
000173 |                 {
000174 |                     if (vector.DistanceSq(m_RayStart, hitPos) > Math.SqrtFloat(GetRange() * 0.5))
000175 |                     {
000176 |                         if (m_AI.GetGroup().GetFaction().GetMeleeYeetForce() >= 1.0)
000177 |                         {
000178 |                             target = Object.Cast(playerTarget.GetParent());
000179 |                         }
000180 |                         else
000181 |                         {
000182 |                             m_ForceUntargetable = true;
000183 |                             target = null;
000184 |                             hitPos = vector.Zero;
000185 |                             hitZone = -1;
000186 |                         }
000187 |                     }
000188 |                 }
000189 |
000190 |                 break;
000191 |             }
000192 |         }
000193 |
000194 |         if (target)
000195 |             return true;
000196 |
000197 |         return false;
000198 |     }
000199 |
000200 |     override void Update(InventoryItem weapon, EMeleeHitType hitMask, bool wasHitEvent = false)
000201 |     {
000202 |         if (wasHitEvent)
000203 |         {
000204 |             //! Combo hit - keep weapon and reset state not related to target
000205 |             m_HitType = hitMask;
000206 |             m_SprintAttack = hitMask == EMeleeHitType.SPRINT;
000207 |             m_WeaponMode = SelectWeaponMode(weapon);
000208 |             m_WasHit = true;
000209 |             return;
000210 |         }
000211 |
000212 |         Reset(weapon, hitMask, wasHitEvent);
000213 |
000214 |         TargetSelection();
000215 |         SetFinisherType(TrySelectFinisherType(weapon, GetTargetEntity()));
000216 |     }
```

```
000217 |     m_AI.SetOrientation(m_AI.GetOrientation());
000218 | }
000219 |
000220 | //! Vanilla code is a bit inefficient, we can do better
000221 | override protected int TrySelectFinisherType(InventoryItem weapon, EntityAI target)
000222 | {
000223 |     if (m_WasHit)
000224 |         return -1;
000225 |
000226 |     if (target && target.CanBeBackstabbed() && weapon && (weapon.IsMeleeFinisher() || m_HitType == EMeleeHitType.WPN_STAB) && !weapon.IsRuined())
000227 |     {
000228 |         vector dir = target.GetPosition() - m_DZPlayer.GetPosition();
000229 |
000230 |         IEntity hitEntity;
000231 |         vector hitPos, hitNormal;
000232 |
000233 |         float moveFraction = m_DZPlayer.CollisionMoveTest(dir, vector.Zero, 1.0, target, hitEntity, hitPos, hitNormal);
000234 |         if (moveFraction < 1.0)
000235 |             return -1;
000236 |
000237 |         ZombieBase targetZombie = ZombieBase.Cast(target);
000238 |         if (targetZombie)
000239 |         {
000240 |             //! check if attacker is in right pos and angle against victim
000241 |             if (!eAI_IsEntityBehindEntityInAngle(m_DZPlayer, target, 60))
000242 |             {
000243 |                 return -1;
000244 |             }
000245 |
000246 |             int mindState = targetZombie.GetMindStateSynced();
000247 |             //! Check if the infected is aware of the player
000248 |             if (mindState >= DayZInfectedConstants.MINDSTATE_DISTURBED)
000249 |             {
000250 |                 return -1;
000251 |             }
000252 |         }
000253 |
000254 |         if (weapon.IsWeapon())
000255 |         {
000256 |             return EMeleeHitType.WPN_STAB_FINISHER;
000257 |         }
000258 |         else
000259 |         {
000260 |             bool playGenericFinisherAnimation;
000261 |
000262 |             if (targetZombie)
000263 |                 playGenericFinisherAnimation = targetZombie.IsCrawling();
000264 |             else
000265 |                 playGenericFinisherAnimation = true;
000266 |
000267 |             if (playGenericFinisherAnimation)
000268 |                 return EMeleeHitType.FINISHER_GENERIC;
000269 |             else
000270 |                 return DetermineSpecificFinisherType(ItemBase.Cast(weapon));
000271 |         }
000272 |     }
000273 |
000274 |     return -1;
000275 | }
000276 |
000277 | bool eAI_IsEntityBehindEntityInAngle(EntityAI source, EntityAI target, float angle)
000278 | {
```

```
000279 |         vector targetDirection = target.GetDirection();
000280 |         vector toSourceDirection = (source.GetPosition() - target.GetPosition());
000281 |
000282 |         targetDirection[1] = 0;
000283 |         toSourceDirection[1] = 0;
000284 |
000285 |         targetDirection.Normalize();
000286 |         toSourceDirection.Normalize();
000287 |
000288 |         float cosFi = vector.Dot(targetDirection, toSourceDirection);
000289 |         vector cross = targetDirection * toSourceDirection;
000290 |
000291 |         int hitDir = Math.Acos(cosFi) * Math.RAD2DEG;
000292 |
000293 |         if (cross[1] < 0)
000294 |             hitDir = -hitDir;
000295 |
000296 |         return hitDir <= (-180 + angle) || hitDir >= (180 - angle);
000297 |     }
000298 |
000299 | static void eAI_ApplyYeetForce(notnull eAIEntityTargetInformation info, float yeetForce, vector sourcePosition, vector yeetFactors)
000300 | {
000301 |     if (yeetForce)
000302 |     {
000303 |         EntityAI targetEntity = info.GetEntity();
000304 |         float mass = dBodyGetMass(targetEntity);
000305 |
000306 |         if (!mass)
000307 |             mass = targetEntity.GetWeightEx() / 1000.0;
000308 |
000309 |         vector targetPosition = targetEntity.GetPosition() + info.GetAimOffset();
000310 |
000311 |         for (int i = 0; i < 3; i++)
000312 |         {
000313 |             targetPosition[i] = ExpansionMath.LinearConversion(0.0, 1.0, yeetFactors[i], sourcePosition[i], targetPosition[i]);
000314 |         }
000315 |
000316 |         vector yeetDirection = vector.Direction(sourcePosition, targetPosition).Normalized();
000317 |
000318 |         EXTrace.Print(EXTrace.AI, targetEntity, "::eAI_ApplyYeetForce mass " + mass + " yeet " + yeetForce + " dir " + yeetDirection);
000319 |
000320 |         dBodyApplyImpulse(targetEntity, yeetDirection * mass * yeetForce);
000321 |
000322 |         AnimalBase animal;
000323 |         ZombieBase zombie;
000324 |         if (Class.CastTo(animal, targetEntity))
000325 |             animal.Expansion_SetAirborne(true);
000326 |         else if (Class.CastTo(zombie, targetEntity))
000327 |             zombie.Expansion_SetAirborne(true);
000328 |     }
000329 | }
000330 |
000331 | //! Vanilla GetRange is protected...
000332 | float eAI_GetRange()
000333 | {
000334 |     return GetRange();
000335 | }
000336 |
000337 | float eAI_GetRangeSq()
000338 | {
000339 |     float range = GetRange();
000340 |     return range * range;
```

```
000341 |    }
000342 |
000343 |    InventoryItem eAI_GetWeapon()
000344 |    {
000345 |        return m_Weapon;
000346 |    }
000347 | };
000348 |
```

0148. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/melee/eaimeleeFightLogic_lightheavy.c
Size bytes: 11928
SHA-256: 7140024743915e7bda162a3037ab6e0e780ebc852bd1c54809703deae78d9c4b
Decoded as: utf-8-sig
Line count shown: 388
Detected class declarations: 1
  L1: class eAIMeleeFightLogic_LightHeavy: DayZPlayerMeleeFightLogic_LightHeavy
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L17: override void Init(DayZPlayerImplement player)
  L32: override protected EMeleeHitType GetAttackTypeFromInputs(HumanInputController pInputs)
  L43: override protected float GetAttackTypeByDistanceToTarget(EntityAI pTarget, EMeleeTargetType pTargetType = EMeleeTargetType.ALIGNABLE)
  L52: override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementSta
  L110: else if (!target.IsPlayer() && target.GetAttackCooldown() > 0)
  L217: else if (stance == DayZPlayerConstants.STANCEIDX_PRONE && m_AI.IsRaised())
  L222: else if (stance == DayZPlayerConstants.STANCEIDX_ERECT && m_AI.IsSprintFull())
  L234: else if (pCurrentCommandID == DayZPlayerConstants.COMMANDID_MELEE2)
  L252: override protected bool HandleInitialFirearmMelee(int pCurrentCommandID, HumanInputController pInputs, InventoryItem itemInHands, HumanMovem
  L288: override protected bool HandleComboHit(int pCurrentCommandID, HumanInputController pInputs, InventoryItem itemInHands, HumanMovementState pM
  L320: void eAI_ShoryukenSpin()
  L325: void eAI_Shoryuken(EntityAI targetEntity)
  L355: void eAI_ShoryukenEnd()
  L363: override protected void EvaluateHit(InventoryItem weapon)
  L377: void eAI_EndBlock()

```

Full file content

```

000001 | class eAIMeleeFightLogic_LightHeavy: DayZPlayerMeleeFightLogic_LightHeavy
000002 | {
000003 |     eAIBase m_AI;
000004 |     eAIMeleeCombat m_eAI_MeleeCombat;
000005 |     bool m_eAI_Melee;
000006 |     bool m_eAI_IsInCombo;
000007 |     int m_eAI_BlockEndTime;
000008 |     int m_eAI_ComboCount;
000009 |     float m_eAI_ShoryukenChance;
000010 |     bool m_eAI_ShoryukenPrep;
000011 |     bool m_eAI_Shoryuken;
000012 |     float m_eAI_ShoryukenDamageMultiplier = 1.0;
000013 |     ref Timer m_eAI_ShoryukenSpinTimer;
000014 |     bool m_eAI_ShoryukenSpin;
000015 |     float m_eAI_ShoryukenSpinAngle; //!< Radians
000016 |
000017 |     override void Init(DayZPlayerImplement player)
000018 |     {
000019 |         super.Init(player);
000020 |
000021 |         m_AI = eAIBase.Cast(player);
000022 |         m_eAI_MeleeCombat = m_AI.m_eMeleeCombat;
000023 |
000024 |         if (g_Game.IsServer())
000025 |         {
000026 |             auto settings = ExpansionAISettings.Get();
000027 |             m_eAI_ShoryukenChance = settings.ShoryukenChance;
000028 |             m_eAI_ShoryukenDamageMultiplier = settings.ShoryukenDamageMultiplier;
000029 |         }
000030 |     }
000031 |
000032 |     override protected EMeleeHitType GetAttackTypeFromInputs(HumanInputController pInputs)

```



```

000033 | {
000034 |     if (m_AI.CanConsumeStamina(ESTaminaConsumers.MELEE_HEAVY))
000035 |     {
000036 |         return EMeleeHitType.HEAVY;
000037 |     }
000038 |
000039 |     return EMeleeHitType.LIGHT;
000040 | }
000041 |
000042 | //! Always treat mechanical traps as non-alignable
000043 | override protected float GetAttackTypeByDistanceToTarget(EntityAI pTarget, EMeleeTargetType pTargetType = EMeleeTargetType.ALIGNABLE)
000044 | {
000045 |     ItemBase item;
000046 |     if (Class.CastTo(item, pTarget) && item.Expansion_IsMechanicalTrap())
000047 |         return 1.0;
000048 |
000049 |     return super.GetAttackTypeByDistanceToTarget(pTarget, pTargetType);
000050 | }
000051 |
000052 | override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementState, out bool pCont
inueAttack)
000053 | {
000054 |     HumanCommandMove hcm          = m_AI.GetCommand_Move();
000055 |
000056 |     if (!m_AI.m_eAI_IsFightingFSM)
000057 |     {
000058 |         if (m_IsInBlock && hcm)
000059 |         {
000060 |             hcm.SetMeleeBlock(false);
000061 |             SetBlock(false);
000062 |         }
000063 |
000064 |         return false;
000065 |     }
000066 |
000067 |     eAITarget target = m_AI.GetTarget();
000068 |     if (!target)
000069 |         return false;
000070 |
000071 |     InventoryItem itemInHands     = InventoryItem.Cast(pEntityInHands);
000072 |     bool isFireWeapon             = itemInHands && itemInHands.IsWeapon();
000073 |     int stance                    = m_AI.eAI_GetStance();
000074 |
000075 |     //! Check if we need to damage
000076 |     HandleHitEvent(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack);
000077 |
000078 |     //! evade and blocking logic - WIP
000079 |     //! (bare hand or with melee weapon only)
000080 |     if (!isFireWeapon && hcm)
000081 |     {
000082 |         bool block;
000083 |
000084 |         //! evades in raised erc stance while moving
000085 |         if (stance == DayZPlayerConstants.STANCEIDX_ERECT && m_AI.IsRaised())
000086 |         {
000087 |             int roll;
000088 |
000089 |             //! 50% chance to evade if attack cooldown is bigger than evade cooldown
000090 |             if (!m_IsEvading && target.GetAttackCooldown() > EVADE_COOLDOWN && Math.RandomInt(0, 2))
000091 |             {
000092 |                 roll = Math.RandomIntInclusive(-1, 1); //! -1 = roll right, 0 = don't evade, 1 = roll left
000093 |             }

```

```

000094 |
000095 |         //! If already blocking, keep blocking until enemy attack ends or timeout reached
000096 |         if (m_IsInBlock)
000097 |         {
000098 |             if (target.IsFighting() && g_Game.GetTime() < m_eAI_BlockEndTime)
000099 |             {
000100 |                 block = true;
000101 |             }
000102 |         #ifdef DIAG_DEVELOPER
000103 |             else
000104 |             {
000105 |                 EXTrace.Print(EXTrace.AI, m_AI, "HandleFightLogic - end blocking attack (cooldown " + target.GetAttackCooldown() + " " + target.IsFighting
000106 |             ) + ")");
000107 |             }
000108 |         #endif
000109 |     }
000110 |     //! Enemy starts attacking, start blocking if not a player (blocking against player only when moving backwards)
000111 |     else if (!target.IsPlayer() && target.GetAttackCooldown() > 0)
000112 |     {
000113 |         #ifdef DIAG_DEVELOPER
000114 |             EXTrace.Print(EXTrace.AI, m_AI, "HandleFightLogic - start blocking attack (cooldown " + target.GetAttackCooldown() + " " + target.IsFighting()
000115 |             + ")");
000116 |         #endif
000117 |         m_eAI_BlockEndTime = g_Game.GetTime() + Math.RandomInt(1500, 3000);
000118 |         block = true;
000119 |     }
000120 |
000121 |     if (roll != 0 && m_AI.CanConsumeStamina(ESTaminaConsumers.MELEE_EVADE))
000122 |     {
000123 |         float angle;
000124 |         if (roll == 1)
000125 |         {
000126 |             angle = -90;    // left
000127 |         }
000128 |         else
000129 |         {
000130 |             angle = 90;     // right
000131 |         }
000132 |
000133 |         // start melee evade
000134 |         m_IsEvading = true;
000135 |         SetCooldown(EVADE_COOLDOWN, EFightLogicCooldownCategory.EVADE);
000136 |         hcm.StartMeleeEvadeA(angle);
000137 |         m_AI.DepleteStamina(ESTaminaModifiers.MELEE_EVADE);
000138 |
000139 |         //Inflict shock when sidestepping with broken legs
000140 |         if (m_AI.GetBrokenLegs() == eBrokenLegs.BROKEN_LEGS)
000141 |         {
000142 |             m_AI.m_ShockHandler.SetShock(PlayerConstants.BROKEN_LEGS_LIGHT_MELEE_SHOCK);
000143 |             m_AI.m_ShockHandler.CheckValue(true);
000144 |         }
000145 |
000146 |         #ifdef DIAG_DEVELOPER
000147 |             EXTrace.Print(EXTrace.AI, m_AI, "HandleFightLogic - evade " + angle);
000148 |         #endif
000149 |     }
000150 | }
000151 |
000152 | #ifdef DIAG_DEVELOPER
000153 |     bool isInBlock = m_IsInBlock;
000154 | #endif

```

```
000154 |         //!< blocks in raised erc/pro stance
000155 |         if ((stance == DayZPlayerConstants.STANCEIDX_ERECT || stance == DayZPlayerConstants.STANCEIDX_PRONE) && m_AI.IsRaised())
000156 |         {
000157 |             float angle2 = m_AI.m_eAI_CommandMove.GetCurrentMovementAngle();
000158 |
000159 |             //!< Block if moving backwards or if blocking attack
000160 |             if (angle2 < -130.0 || angle2 > 130 || block)
000161 |             {
000162 |                 hcm.SetMeleeBlock(true);
000163 |                 SetBlock(true);
000164 |             }
000165 |             else
000166 |             {
000167 |                 hcm.SetMeleeBlock(false);
000168 |                 SetBlock(false);
000169 |             }
000170 |         }
000171 |         else
000172 |         {
000173 |             hcm.SetMeleeBlock(false);
000174 |             SetBlock(false);
000175 |         }
000176 |
000177 | #ifdef DIAG_DEVELOPER
000178 |     if (m_IsInBlock != isInBlock)
000179 |         EXTrace.Print(EXTrace.AI, m_AI, "HandleFightLogic - block " + m_IsInBlock);
000180 | #endif
000181 | }
000182 |
000183 | //!< do not perform attacks when blocking
000184 | if (m_IsInBlock || m_IsEvading)
000185 | {
000186 |     m_eAI_Melee = false;
000187 |     return false;
000188 | }
000189 |
000190 | bool startMeleeSuccess;
000191 |
000192 | //!< Start or continue a melee attack
000193 | if (m_eAI_Melee || (pContinueAttack && isFireWeapon))
000194 | {
000195 |     m_eAI_Melee = false;
000196 |
000197 |     //!< Currently not performing any attacks, so here we start the initial
000198 |     if (hcm)
000199 |     {
000200 |         m_eAI_IsInCombo = false;
000201 |         m_eAI_ComboCount = 0;
000202 |         m_eAI_ShoryukenSpin = false;
000203 |
000204 |         //!< melee with firearm
000205 |         if (isFireWeapon)
000206 |         {
000207 |             startMeleeSuccess = HandleInitialFirearmMelee(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack);
000208 |         }
000209 |         else
000210 |         {
000211 |             //!< first attack in raised erc (light or heavy if modifier is used). Also added support for finishers
000212 |             if (stance == DayZPlayerConstants.STANCEIDX_ERECT && m_AI.IsRaised())
000213 |             {
000214 |                 startMeleeSuccess = HandleInitialMeleeErc(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack);
000215 |             }
000215 |         }
```

```

000216 |         //!< kick from raised prone
000217 |         else if (stance == DayZPlayerConstants.STANCEIDX_PRONE && m_AI.IsRaised())
000218 |         {
000219 |             startMeleeSuccess = HandleProneKick(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack);
000220 |         }
000221 |         //!< sprint attack in erect stance
000222 |         else if (stance == DayZPlayerConstants.STANCEIDX_ERECT && m_AI.IsSprintFull())
000223 |         {
000224 |             startMeleeSuccess = HandleSprintAttack(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack);
000225 |         }
000226 |     }
000227 |
000228 |     if (startMeleeSuccess)
000229 |     {
000230 |         m_AI.eAI_SkipMelee("starting melee succeeded", target, false);
000231 |     }
000232 |     else
000233 |     {
000234 |         m_AI.eAI_SkipMelee("starting melee failed", target, true);
000235 |     }
000236 |     //!< combo hits - when we are already in Melee command
000237 |     else if (pCurrentCommandID == DayZPlayerConstants.COMMANDID_MELEE2)
000238 |     {
000239 |         m_IsInComboRange = m_AI.GetCommand_Melee2().IsInComboRange();
000240 |         //!< Only attempt combo if target is still ahead
000241 |         if (m_IsInComboRange && m_eAI_MeleeCombat.eAI_IsAimingAhead())
000242 |         {
000243 |             startMeleeSuccess = HandleComboHit(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack);
000244 |         }
000245 |     }
000246 | }
000247 |
000248 | if (startMeleeSuccess)
000249 |     eAI_UpdateAttackCooldown();
000250 |
000251 | return startMeleeSuccess;
000252 | }
000253 |
000254 | //!< NOTE: Only singular (or first) hits, combo attacks are handled in combo
000255 | override protected bool HandleInitialFirearmMelee(int pCurrentCommandID, HumanInputController pInputs, InventoryItem itemInHands, HumanMovementState pMovement
000256 | State, out bool pContinueAttack)
000257 | {
000258 |     //!< don't allow bash to interfere with actions like chambering or ejecting bullets
000259 |     Weapon_Base weapon = Weapon_Base.Cast(itemInHands);
000260 |     if (weapon.IsWaitingForActionFinish())
000261 |         return false;
000262 |
000263 |     //!< perform firearm melee from raised erect or continue with attack after character stand up from crouch
000264 |     if (m_AI.m_eAI_CommandMove.GetCurrentMovementSpeed() <= 2.05 && ((m_AI.eAI_GetStance() == DayZPlayerConstants.STANCEIDX_ERECT && m_AI.IsRaised()) || pCont
000265 | inueAttack) && !m_AI.IsFighting())
000266 |     {
000267 |         m_HitType = GetAttackTypeByWeaponAttachments(itemInHands);
000268 |         if (m_HitType == EMeleeHitType.NONE )
000269 |         {
000270 |             pContinueAttack = false;
000271 |             return false; //!< exit if there is no suitable attack
000272 |         }
000273 |
000274 |         m_MeleeCombat.Update(itemInHands, m_HitType);
000275 |
000276 |         EntityAI target;
000277 |         EMeleeTargetType targetType;
000278 |         GetTargetData(target, targetType);
000279 |         float attackByDistance = GetAttackTypeByDistanceToTarget(target, targetType);
000280 |

```

```
000276 |         m_AI.StartCommand_Melee2(target, m_HitType == EMeleeHitType.WPN_STAB, attackByDistance, m_MeleeCombat.GetHitPos());
000277 |         m_AI.DepleteStamina(ESTaminaModifiers.MELEE_HEAVY);
000278 |         DisableControls();
000279 |
000280 |         pContinueAttack = false; // reset continueAttack flag
000281 |
000282 |         return true;
000283 |     }
000284 |
000285 |     return false;
000286 | }
000287 |
000288 | override protected bool HandleComboHit(int pCurrentCommandID, HumanInputController pInputs, InventoryItem itemInHands, HumanMovementState pMovementState, out
bool pContinueAttack)
000289 | {
000290 |     if (m_HitType == EMeleeHitType.HEAVY && m_eAI_ComboCount == 0 && m_eAI_ShoryukenChance >= Math.RandomFloat01() && !m_eAI_MeleeCombat.eAI_GetWeapon())
000291 |         m_eAI_ShoryukenPrep = true;
000292 |
000293 |     if (super.HandleComboHit(pCurrentCommandID, pInputs, itemInHands, pMovementState, pContinueAttack))
000294 |     {
000295 |         m_AI.m_eAI_MeleeTime = g_Game.GetTime();
000296 |         m_eAI_IsInCombo = true;
000297 |         ++m_eAI_ComboCount;
000298 |
000299 |         if (m_eAI_ShoryukenPrep)
000300 |         {
000301 |             m_eAI_ShoryukenPrep = false;
000302 |
000303 |             EntityAI targetEntity = m_MeleeCombat.GetTargetEntity();
000304 |
000305 |             if (!targetEntity)
000306 |                 targetEntity = m_AI.eAI_GetTargetEntity();
000307 |
000308 |             m_eAI_ShoryukenSpinAngle = m_AI.GetOrientation()[0] * Math.DEG2RAD;
000309 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_Shoryuken, 1100, false, targetEntity);
000310 |         }
000311 |
000312 |         return true;
000313 |     }
000314 |
000315 |     m_eAI_ShoryukenPrep = false;
000316 |
000317 |     return false;
000318 | }
000319 |
000320 | void eAI_ShoryukenSpin()
000321 | {
000322 |     m_eAI_ShoryukenSpinAngle += 0.075;
000323 | }
000324 |
000325 | void eAI_Shoryuken(EntityAI targetEntity)
000326 | {
000327 |     if (!IsInBlock() && !IsEvading())
000328 |     {
000329 |         m_eAI_Shoryuken = true;
000330 |         m_AI.SetSynchDirty();
000331 |
000332 |         if (m_AI.IsMale())
000333 |             eAIBase.s_eAI_ShoryukenM_SoundSet.Play(m_AI);
000334 |         else
000335 |             eAIBase.s_eAI_ShoryukenF_SoundSet.Play(m_AI);
000336 |     }
```

```
000337 |         vector shoryukenDir = m_AI.GetDirection() * 150 + vector.Up * 600;
000338 |
000339 |         dBodyApplyImpulse(m_AI, shoryukenDir);
000340 |
000341 |         if (targetEntity)
000342 |         {
000343 |             targetEntity.ProcessDirectDamage(DT_CLOSE_COMBAT, m_AI, "Torso", "MeleeShoryuken", "0 0 0", m_eAI_ShoryukenDamageMultiplier);
000344 |             dBodyApplyImpulse(targetEntity, shoryukenDir * 0.5);
000345 |         }
000346 |
000347 |         m_eAI_ShoryukenSpin = true;
000348 |         if (!m_eAI_ShoryukenSpinTimer) m_eAI_ShoryukenSpinTimer = new Timer();
000349 |         m_eAI_ShoryukenSpinTimer.Run(0.033333, this, "eAI_ShoryukenSpin", NULL, true);
000350 |
000351 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_ShoryukenEnd, 700, false);
000352 |     }
000353 | }
000354 |
000355 | void eAI_ShoryukenEnd()
000356 | {
000357 |     m_eAI_Shoryuken = false;
000358 |     m_eAI_ShoryukenSpinTimer.Stop();
000359 |
000360 |     SetVelocity(m_AI, vector.Zero);
000361 | }
000362 |
000363 | override protected void EvaluateHit(InventoryItem weapon)
000364 | {
000365 |     if (m_MeleeCombat.GetTargetEntity())
000366 |     {
000367 |         super.EvaluateHit(weapon);
000368 |     }
000369 |     else
000370 |     {
000371 |         eAITarget target = m_AI.GetTarget();
000372 |         if (target)
000373 |             m_AI.eAI_SkipMelee("missed melee target", target, true);
000374 |     }
000375 | }
000376 |
000377 | void eAI_EndBlock()
000378 | {
000379 | #ifdef DIAG_DEVELOPER
000380 |     EXTrace.Print(EXTrace.AI, m_AI, "HandleFightLogic - end blocking attack after hit");
000381 | #endif
000382 |     HumanCommandMove hcm = m_AI.GetCommand_Move();
000383 |     if (hcm)
000384 |         hcm.SetMeleeBlock(false);
000385 |     SetBlock(false);
000386 | }
000387 | };
000388 |
```

0149. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/missionbaseworld.c

Size bytes: 62

SHA-256: 6f504dd99c5ed4919f5a00050242d04e7aacdcc860a9e83baf9d2fed4828dbd0

Decoded as: utf-8-sig

Line count shown: 5

Detected class declarations: 1

 L1: modded class MissionBaseWorld

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: void eAI_GetPlayers();

Full file content

```
000001 | modded class MissionBaseWorld
000002 | {
000003 |     void eAI_GetPlayers();
000004 | }
000005 |
```

0150. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmesh.c
Size bytes: 8158
SHA-256: abc2e8323e3b375e0e09c35b7e2e2907a9b4cbcce9d8947de8492a1362ea0901
Decoded as: utf-8-sig
Line count shown: 324
Detected class declarations: 1
  L5: class ExpansionNavMesh
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L15: void ExpansionNavMesh()
  L20: void ~ExpansionNavMesh()
  L27: void Generate(Object object, LOD lod)
  L29: array<Selection> selections();
  L64: bool IsValid()
  L76: bool FindPath(vector start, vector end, PGFilter filter, out array<vector> path)
  L94: array<ExpansionNavMeshPolygon> polyPath();
  L141: bool Raycast(vector start, vector end, PGFilter filter, out vector hitPosition, out vector hitNormal)
  L172: ExpansionNavMeshPolygon SamplePolygon(vector position, out vector sampledPosition)
  L204: bool SamplePosition(vector position, out vector sampledPosition)
  L228: void DrawDebug(Object parent)
  L260: vector GetPositionAtCursor(Object ignore)
  L284: void DebugScripts()
  L303: void AddDebugShape(Shape shape)
  L308: void DestroyDebugShapes()

```

Full file content

```

000001 | // TODO: optimize for Enforce Script
000002 |
000003 | ref ExpansionNavMesh g_ExpansionNavMesh;
000004 |
000005 | class ExpansionNavMesh
000006 | {
000007 |     autoptr array<ref ExpansionNavMeshPolygon> m_Polygons = new array<ref ExpansionNavMeshPolygon>();
000008 |
000009 | #ifdef DIAG_DEVELOPER
000010 |     autoptr array<Shape> m_DebugShapes = new array<Shape>();
000011 | #endif
000012 |
000013 |     ref array<vector> m_LastFoundPath;
000014 |
000015 |     void ExpansionNavMesh()
000016 |     {
000017 |         g_ExpansionNavMesh = this;
000018 |     }
000019 |
000020 |     void ~ExpansionNavMesh()
000021 |     {
000022 |         #ifdef DIAG_DEVELOPER
000023 |             DestroyDebugShapes();
000024 |         #endif
000025 |     }
000026 |
000027 |     void Generate(Object object, LOD lod)
000028 |     {
000029 |         array<Selection> selections();
000030 |         lod.GetSelections(selections);
000031 |
000032 |         foreach (auto selection : selections)

```



```
000033 |     {
000034 |         int count = selection.GetVertexCount();
000035 |         if (count != 4)
000036 |         {
000037 |             return;
000038 |         }
000039 |
000040 |         ExpansionNavMeshPolygon polygon = new ExpansionNavMeshPolygon(object, lod, selection);
000041 |         m_Polygons.Insert(polygon);
000042 |     }
000043 |
000044 |     for (int i = 0; i < m_Polygons.Count(); i++)
000045 |     {
000046 |         for (int j = i + 1; j < m_Polygons.Count(); j++)
000047 |         {
000048 |             auto pg0 = m_Polygons[i];
000049 |             auto pg1 = m_Polygons[j];
000050 |
000051 |             if (!pg0.ShouldBeConnecting(pg1))
000052 |             {
000053 |                 continue;
000054 |             }
000055 |
000056 |             pg0.Add(pg1);
000057 |         }
000058 |     }
000059 | }
000060 |
000061 | /**
000062 |  * @brief Returns if the navmesh is valid. A valid navmesh is one with 1 or more polygons attached
000063 |  */
000064 | bool IsValid()
000065 | {
000066 |     return m_Polygons.Count() > 0;
000067 | }
000068 |
000069 | /**
000070 |  * @brief Finds a path within the mesh
000071 |  *
000072 |  * @param start A positional value relative to the navmesh
000073 |  * @param end The target position for the path to reach
000074 |  * @param path [out] An array of vectors
000075 |  */
000076 | bool FindPath(vector start, vector end, PGFilter filter, out array<vector> path)
000077 | {
000078 |     ExpansionNavMeshPolygon startPoly = SamplePolygon(start, start);
000079 |     ExpansionNavMeshPolygon endPoly = SamplePolygon(end, end);
000080 |
000081 |     int count;
000082 |
000083 |     if (startPoly == endPoly)
000084 |     {
000085 |         // No need to perform a search, we know the start and end already match
000086 |         path.Resize(2);
000087 |         path[0] = start;
000088 |         path[1] = end;
000089 |
000090 |         count = 2;
000091 |     }
000092 |     else
000093 |     {
000094 |         array<ExpansionNavMeshPolygon> polyPath();
```

```
000095 |
000096 |         ExpansionAStar<ExpansionNavMeshPolygon>.Perform(startPoly, endPoly, filter, polyPath);
000097 |
000098 |         count = polyPath.Count();
000099 |
000100 |         if (count)
000101 |         {
000102 |             path.Resize(count);
000103 |
000104 |             // AStar produces the path in reverse order
000105 |             for (int i = 0; i < count; i++)
000106 |             {
000107 |                 int j = count - (i + 1);
000108 |                 path[j] = polyPath[i].m_Position;
000109 |             }
000110 |
000111 |             // Update the first position in the path with the start input
000112 |             path[0] = start;
000113 |
000114 |             // Check if a path was found to reach the destination
000115 |             ExpansionNavMeshPolygon finalPoly = polyPath[0];
000116 |             if (finalPoly == endPoly)
000117 |             {
000118 |                 // Set the final position to the real end if it is within the polygon
000119 |                 path[count - 1] = end;
000120 |             }
000121 |         }
000122 |     }
000123 |
000124 |     if (count)
000125 |     {
000126 |         // Debug viewing
000127 |         m_LastFoundPath = path;
000128 |
000129 |         return true;
000130 |     }
000131 |
000132 |     return false;
000133 | }
000134 |
000135 | /**
000136 |  * @brief Finds a path within the mesh
000137 |  *
000138 |  * @param start A positional value relative to the navmesh
000139 |  * @param end The target position for the path to reach
000140 |  */
000141 | bool Raycast(vector start, vector end, PGFilter filter, out vector hitPosition, out vector hitNormal)
000142 | {
000143 |     ExpansionNavMeshPolygon startPoly = SamplePolygon(start, start);
000144 |     ExpansionNavMeshPolygon endPoly = SamplePolygon(end, end);
000145 |
000146 |     int includeFlags = filter.GetIncludeFlags();
000147 |     int excludeFlags = filter.GetExcludeFlags();
000148 |
000149 |     if (includeFlags & startPoly.m_Flags == 0)
000150 |     {
000151 |         return false;
000152 |     }
000153 |
000154 |     if (excludeFlags & startPoly.m_Flags != 0)
000155 |     {
000156 |         return false;
```

```
000157 |     }
000158 |
000159 |     hitPosition = start;
000160 |     hitNormal = vector.Direction(start, end).Normalized();
000161 |
000162 |     return true;
000163 | }
000164 |
000165 | /**
000166 |  * @brief Finds a position and polygon on the navmesh nearest to the input
000167 |  *
000168 |  * @param position Input position
000169 |  * @param sampledPosition The position found
000170 |  * @return The polygon the position was found on
000171 |  */
000172 | ExpansionNavMeshPolygon SamplePolygon(vector position, out vector sampledPosition)
000173 | {
000174 |     ExpansionNavMeshPolygon result;
000175 |     sampledPosition = position;
000176 |
000177 |     float minDistance = float.MAX;
000178 |     foreach (auto polygon : m_Polygons)
000179 |     {
000180 |         vector otherPos = polygon.SamplePosition(position);
000181 |
000182 |         float distance = vector.DistanceSq(position, otherPos);
000183 |         if (minDistance < distance)
000184 |         {
000185 |             continue;
000186 |         }
000187 |
000188 |         minDistance = distance;
000189 |
000190 |         sampledPosition = otherPos;
000191 |         result = polygon;
000192 |     }
000193 |
000194 |     return result;
000195 | }
000196 |
000197 | /**
000198 |  * @brief Finds a position within the navmesh nearest to the input
000199 |  *
000200 |  * @param position Input position
000201 |  * @param sampledPosition The position found
000202 |  * @return If a position was found
000203 |  */
000204 | bool SamplePosition(vector position, out vector sampledPosition)
000205 | {
000206 |     sampledPosition = position;
000207 |
000208 |     float minDistance = float.MAX;
000209 |     foreach (auto polygon : m_Polygons)
000210 |     {
000211 |         vector otherPos = polygon.SamplePosition(position);
000212 |
000213 |         float distance = vector.DistanceSq(position, otherPos);
000214 |         if (minDistance < distance)
000215 |         {
000216 |             continue;
000217 |         }
000218 |     }
```

```
000219 |         minDistance = distance;
000220 |
000221 |         sampledPosition = otherPos;
000222 |     }
000223 |
000224 |     return true;
000225 | }
000226 |
000227 | #ifdef DIAG_DEVELOPER
000228 |     void DrawDebug(Object parent)
000229 |     {
000230 | #ifdef EAI_TRACE
000231 |         auto trace = CF_Trace_0(this, "DrawDebug");
000232 | #endif
000233 |
000234 |         DestroyDebugShapes();
000235 |
000236 |         foreach (auto polygon : m_Polygons)
000237 |         {
000238 |             polygon.DrawDebug(parent, this);
000239 |         }
000240 |
000241 |         if (false && m_LastFoundPath && m_LastFoundPath.Count() > 0)
000242 |         {
000243 |             vector points[2];
000244 |             vector offset = "0 0.01 0";
000245 |
000246 |             for (int i = 0; i < m_LastFoundPath.Count() - 1; i++)
000247 |             {
000248 |                 points[0] = parent.ModelToWorld(m_LastFoundPath[i] + offset);
000249 |                 points[1] = parent.ModelToWorld(m_LastFoundPath[i + 1] + offset);
000250 |
000251 |                 AddDebugShape(Shape.CreateLines(0xffff0000, ShapeFlags.NOZBUFFER, points, 2));
000252 |
000253 |                 AddDebugShape(Shape.CreateSphere(0x1fff5500, ShapeFlags.NOZBUFFER | ShapeFlags TRANSP | ShapeFlags.NOOUTLINE, points[0], 0.05));
000254 |             }
000255 |
000256 |             AddDebugShape(Shape.CreateSphere(0x1fff5500, ShapeFlags.NOZBUFFER | ShapeFlags TRANSP | ShapeFlags.NOOUTLINE, points[1], 0.05));
000257 |         }
000258 |     }
000259 |
000260 |     vector GetPositionAtCursor(Object ignore)
000261 |     {
000262 |         vector dir = g_Game.GetCurrentCameraDirection();
000263 |         vector from = g_Game.GetCurrentCameraPosition();
000264 |
000265 |         PhxInteractionLayers layerMask;
000266 |
000267 |         layerMask |= PhxInteractionLayers.DEFAULT;
000268 |         layerMask |= PhxInteractionLayers.VEHICLE;
000269 |         layerMask |= PhxInteractionLayers.CHARACTER;
000270 |         layerMask |= PhxInteractionLayers.BUILDING;
000271 |         layerMask |= PhxInteractionLayers.ROADWAY;
000272 |         layerMask |= PhxInteractionLayers.TERRAIN;
000273 |         layerMask |= PhxInteractionLayers.WATERLAYER; //! Doesn't seem to work?
000274 |         layerMask |= PhxInteractionLayers.ITEM_LARGE;
000275 |
000276 |         Object hitObject;
000277 |         vector hitPosition;
000278 |         vector hitNormal;
000279 |         float hitFraction;
000280 |         DayZPhysics.RaycastBullet(from, from + (dir * 20.0), layerMask, ignore, hitObject, hitPosition, hitNormal, hitFraction);
```

```
000281 |         return hitPosition;
000282 |     }
000283 |
000284 |     void DebugScripts()
000285 |     {
000286 |         DayZPlayerImplement player;
000287 |         if (!Class.CastTo(player, g_Game.GetPlayer()))
000288 |             return;
000289 |
000290 |         vector cursorPosition = g_Expansion_Car.WorldToModel(GetPositionAtCursor(player));
000291 |         vector snappedPosition = vector.Zero;
000292 |         vector playerPosition = g_Expansion_Car.WorldToModel(player.GetPosition());
000293 |
000294 |         SamplePosition(playerPosition, snappedPosition);
000295 |
000296 |         DrawDebug(g_Expansion_Car);
000297 |
000298 |         AddDebugShape(Shape.CreateSphere(0x1F0000FF, ShapeFlags.NOZBUFFER | ShapeFlags TRANSP | ShapeFlags.NOOUTLINE, g_Expansion_Car.ModelToWorld(cursorPosition)
000299 | , 0.1));
000299 |         AddDebugShape(Shape.CreateSphere(0x5f00ff00, ShapeFlags.NOZBUFFER | ShapeFlags TRANSP | ShapeFlags.NOOUTLINE, g_Expansion_Car.ModelToWorld(snappedPosition
000300 | ), 0.1));
000300 |         AddDebugShape(Shape.CreateSphere(0x5fff0000, ShapeFlags.NOZBUFFER | ShapeFlags TRANSP | ShapeFlags.NOOUTLINE, g_Expansion_Car.ModelToWorld(playerPosition)
000301 | , 0.05));
000301 |     }
000302 |
000303 |     void AddDebugShape(Shape shape)
000304 |     {
000305 |         m_DebugShapes.Insert(shape);
000306 |     }
000307 |
000308 |     void DestroyDebugShapes()
000309 |     {
000310 |         for (int i = 0; i < m_DebugShapes.Count(); ++i)
000311 |         {
000312 |             if (!m_DebugShapes[i])
000313 |             {
000314 |                 continue;
000315 |             }
000316 |
000317 |             m_DebugShapes[i].Destroy();
000318 |         }
000319 |
000320 |         m_DebugShapes.Clear();
000321 |     }
000322 | #endif
000323 | };
000324 |
```

0151. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmeshes.c

Size bytes: 205

SHA-256: 92a09068645f0eaed618e24d6cdf0d6e33cbfc7027d5f61d21bb20d51ac056b6

Decoded as: utf-8-sig

Line count shown: 13

Detected class declarations: 1

 L1: class ExpansionNavMeshes

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: static ExpansionNavMesh Get(Object object)

Full file content

```
000001 | class ExpansionNavMeshes
000002 | {
000003 |     static ExpansionNavMesh Get(Object object)
000004 |     {
000005 |         ExpansionModelInfo info = ExpansionModelInfo.Get(object);
000006 |
000007 |         if (info)
000008 |             return info.NavMesh;
000009 |
000010 |         return null;
000011 |     }
000012 | };
000013 |
```

0152. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/expansionnavmeshpolygon.c

Size bytes: 9290

SHA-256: c69b75841a8e3d87ff7c211472cf4fcc7b6d075137644e15ec38cf79bc755d15

Decoded as: utf-8-sig

Line count shown: 376

Detected class declarations: 1

L1: class ExpansionNavMeshPolygon : ExpansionPathNode

Detected enum declarations: 0

Detected function/method-like declarations: 9

L18: void ExpansionNavMeshPolygon(Object object, LOD lod, Selection selection)

L28: TStringArray flags();

L93: vector SamplePosition(vector position)

L120: void DrawDebug(Object parent, ExpansionNavMesh navmesh)

L174: bool ShouldBeConnecting(ExpansionNavMeshPolygon other)

L233: void FirstPhase_SortVertices(int index)

L294: void SecondPhase_SwapVertices(int a, int b, int index, bool higher)

L320: void dtDistancePtSegSqr2D(vector pt, vector p, vector q, int index)

L353: bool dtDistancePtPolyEdgesSqr(vector pt)

Full file content

```
000001 | class ExpansionNavMeshPolygon : ExpansionPathNode
000002 | {
000003 |     static const int INDEX_COUNT = 4;
000004 |     static const int EDGE_COUNT = 8;
000005 |     static const int VERTEX_COUNT = 4;
000006 |
000007 |     static float s_Distance[INDEX_COUNT];
000008 |     static float s_Delta[INDEX_COUNT];
000009 |
000010 |     static vector s_Position0[INDEX_COUNT];
000011 |     static vector s_Position1[INDEX_COUNT];
000012 |
000013 |     int m_Indices[INDEX_COUNT];
000014 |     int m_Edges[EDGE_COUNT];
000015 |     vector m_Vertices[VERTEX_COUNT];
000016 |     float m_Plane[4];
000017 |
000018 | void ExpansionNavMeshPolygon(Object object, LOD lod, Selection selection)
000019 | {
000020 |     string name = selection.GetName();
000021 |
000022 |     int count = selection.GetVertexCount();
000023 |     if (count != VERTEX_COUNT)
000024 |     {
000025 |         CF_Log.Error("Expected count of 4: " + name);
000026 |     }
000027 |
000028 |     TStringArray flags();
000029 |     object.ConfigGetTextArray("NavMesh " + "p" + name + " flags", flags);
000030 |     m_Flags = ExpansionPolyFlags.ToFlag(flags);
000031 |
000032 |     m_Indices[0] = selection.GetLODVertexIndex(0);
000033 |     m_Indices[1] = selection.GetLODVertexIndex(1);
000034 |     m_Indices[2] = selection.GetLODVertexIndex(2);
000035 |     m_Indices[3] = selection.GetLODVertexIndex(3);
000036 |
000037 |     m_Vertices[0] = lod.GetVertexPosition(m_Indices[0]);
000038 |     m_Vertices[1] = lod.GetVertexPosition(m_Indices[1]);
```

```
000039 |         m_Vertices[2] = lod.GetVertexPosition(m_Indices[2]);
000040 |         m_Vertices[3] = lod.GetVertexPosition(m_Indices[3]);
000041 |
000042 |         // Vertex winding order
000043 |         // p0 LX LZ -> p1 HX LZ -> p3 HX HZ -> p2 LX HZ
000044 |
000045 |         FirstPhase_SortVertices(0);
000046 |
000047 |         SecondPhase_SwapVertices(0, 1, 2, true);
000048 |         SecondPhase_SwapVertices(2, 3, 2, false);
000049 |
000050 |         // Calculate the edges
000051 |
000052 |         int j = INDEX_COUNT - 1;
000053 |         int i = 0;
000054 |         while (i < INDEX_COUNT)
000055 |         {
000056 |             int eA = (i * 2) + 0;
000057 |             int eB = (i * 2) + 1;
000058 |
000059 |             m_Edges[eA] = m_Indices[j];
000060 |             m_Edges[eB] = m_Indices[i];
000061 |
000062 |             j = i++;
000063 |         }
000064 |
000065 |         // Calculate the plane for calculating the Y component
000066 |         vector xyz = (m_Vertices[1] - m_Vertices[0]) * (m_Vertices[2] - m_Vertices[1]);
000067 |         m_Plane[0] = xyz[0];
000068 |         m_Plane[1] = xyz[1];
000069 |         m_Plane[2] = xyz[2];
000070 |         m_Plane[3] = -vector.Dot(xyz, m_Vertices[0]);
000071 |
000072 |         // Get the size of the node
000073 |         vector p0 = vector.Lerp(m_Vertices[0], m_Vertices[1], 0.5);
000074 |         vector p1 = vector.Lerp(m_Vertices[2], m_Vertices[3], 0.5);
000075 |         m_Position = vector.Lerp(p0, p1, 0.5);
000076 |
000077 |         // Find the length of all the edges
000078 |         float d01 = vector.Distance(m_Vertices[0], m_Vertices[1]);
000079 |         float d12 = vector.Distance(m_Vertices[1], m_Vertices[2]);
000080 |         float d02 = vector.Distance(m_Vertices[0], m_Vertices[2]);
000081 |         float d13 = vector.Distance(m_Vertices[1], m_Vertices[3]);
000082 |
000083 |         // Find the largest length and halve to get the radius
000084 |         m_Radius = Math.Max(Math.Max(d01, d12), Math.Max(d02, d13)) * 0.5;
000085 |     }
000086 |
000087 | /**
000088 |  * @brief Finds a position within the polygon nearest to the position
000089 |  *
000090 |  * @param position Input position
000091 |  * @return The sampled position
000092 |  */
000093 | vector SamplePosition(vector position)
000094 | {
000095 |     // Use the plane equation to align the height
000096 |     position[1] = (-(m_Plane[0] * position[0]) - (m_Plane[2] * position[2]) - m_Plane[3]) / m_Plane[1];
000097 |
000098 |     // Check if the position is within the polygon
000099 |     if (dtDistancePtPolyEdgesSqr(position))
000100 |     {
```



```
000101 |         return position;
000102 |     }
000103 |
000104 |     // Find the nearest edge
000105 |     float dmin = FLT_MAX;
000106 |     int imin = -1;
000107 |     for (int i = 0; i < VERTEX_COUNT; ++i)
000108 |     {
000109 |         if (s_Distance[i] < dmin)
000110 |         {
000111 |             dmin = s_Distance[i];
000112 |             imin = i;
000113 |         }
000114 |     }
000115 |
000116 |     // Find the closest position on the straight edge to the input position
000117 |     return vector.Lerp(s_Position0[imin], s_Position1[imin], s_Delta[imin]);
000118 | }
000119 |
000120 | void DrawDebug(Object parent, ExpansionNavMesh navmesh)
000121 | {
000122 | #ifdef DIAG_DEVELOPER
000123 | #ifdef EAI_TRACE
000124 |     auto trace = CF_Trace_0(this, "DrawDebug");
000125 | #endif
000126 |
000127 |     vector vertices[6];
000128 |     Shape shape;
000129 |     float radius;
000130 |
000131 |     int flags = ShapeFlags.NOZWRITE | ShapeFlags TRANSP | ShapeFlags.DOUBLESIDE;
000132 |
000133 |     int color = m_Flags;
000134 |     color |= 0x44 << 24;
000135 |
000136 |     color = 0x445533AA;
000137 |
000138 |     vertices[0] = parent.ModelToWorld(m_Vertices[0]);
000139 |     vertices[1] = parent.ModelToWorld(m_Vertices[3]);
000140 |     vertices[2] = parent.ModelToWorld(m_Vertices[1]);
000141 |     vertices[3] = parent.ModelToWorld(m_Vertices[3]);
000142 |     vertices[4] = parent.ModelToWorld(m_Vertices[2]);
000143 |     vertices[5] = parent.ModelToWorld(m_Vertices[1]);
000144 |     shape = Shape.CreateTris(color, flags, vertices, 2);
000145 |     navmesh.AddDebugShape(shape);
000146 |
000147 |     flags = ShapeFlags.NOZWRITE | ShapeFlags TRANSP | ShapeFlags.DOUBLESIDE;
000148 |     radius = 0.05;
000149 |
000150 |     shape = Shape.CreateSphere(0xFFAA5533, flags, parent.ModelToWorld(m_Position), radius * 2.0);
000151 |     navmesh.AddDebugShape(shape);
000152 |
000153 |     foreach (auto neighbour : m_Neighbours)
000154 |     {
000155 |         vector direction = vector.Direction(m_Position, neighbour.m_Position).Normalized();
000156 |         vector position = m_Position + (direction * m_Radius);
000157 |
000158 |         position = SamplePosition(position);
000159 |         position = position - (direction * radius);
000160 |
000161 |         shape = Shape.CreateSphere(0xFFAA5533, flags, parent.ModelToWorld(position), radius);
000162 |         navmesh.AddDebugShape(shape);
```

```
000163 |     }
000164 | #endif
000165 |     }
000166 |
000167 | /**
000168 |  * @brief
000169 |  *
000170 |  * @param other
000171 |  * @return true Should be connecting but it isn't
000172 |  * @return false Is either already connected or can't be connected
000173 |  */
000174 | bool ShouldBeConnecting(ExpansionNavMeshPolygon other)
000175 | {
000176 |     if (!other || this == other || m_Neighbours.Find(other) != -1)
000177 |     {
000178 |         return false;
000179 |     }
000180 |
000181 |     for (int i = 0; i < INDEX_COUNT; i++)
000182 |     {
000183 |         for (int j = 0; j < INDEX_COUNT; j++)
000184 |         {
000185 |             if (m_Vertices[i] != other.m_Vertices[j])
000186 |             {
000187 |                 continue;
000188 |             }
000189 |
000190 |             int iN = i + 1;
000191 |             int iP = i - 1;
000192 |
000193 |             int jN = j + 1;
000194 |             int jP = j - 1;
000195 |
000196 |             if (iN >= INDEX_COUNT) iN = 0;
000197 |             if (jN >= INDEX_COUNT) jN = 0;
000198 |
000199 |             if (iP < 0) iP = INDEX_COUNT - 1;
000200 |             if (jP < 0) jP = INDEX_COUNT - 1;
000201 |
000202 |             if (m_Vertices[iN] == other.m_Vertices[jN])
000203 |             {
000204 |                 return true;
000205 |             }
000206 |
000207 |             if (m_Vertices[iP] == other.m_Vertices[jP])
000208 |             {
000209 |                 return true;
000210 |             }
000211 |
000212 |             if (m_Vertices[iN] == other.m_Vertices[jP])
000213 |             {
000214 |                 return true;
000215 |             }
000216 |
000217 |             if (m_Vertices[iP] == other.m_Vertices[jN])
000218 |             {
000219 |                 return true;
000220 |             }
000221 |         }
000222 |     }
000223 | }
000224 |
```

```
000225 |         return false;
000226 |     }
000227 |
000228 | /**
000229 |  * @brief Sorts the polygons vertices by the input component index
000230 |  *
000231 |  * @param index The X, Y or Z component to be sorted by
000232 |  */
000233 | void FirstPhase_SortVertices(int index)
000234 | {
000235 |     vector sortedVerts[4];
000236 |     int sortedIndices[4];
000237 |
000238 |     int i = 0;
000239 |     int j = 0;
000240 |     int pos = 0;
000241 |     int inserted = 0;
000242 |
000243 |     vector vertex;
000244 |     vector otherVertex;
000245 |
000246 |     for (i = 0; i < VERTEX_COUNT; i++)
000247 |     {
000248 |         sortedVerts[i] = Vector(float.MIN, float.MIN, float.MIN);
000249 |     }
000250 |
000251 |     for (i = 0; i < VERTEX_COUNT; i++)
000252 |     {
000253 |         vertex = m_Vertices[i];
000254 |
000255 |         pos = inserted;
000256 |         for (j = 0; j < VERTEX_COUNT; j++)
000257 |         {
000258 |             otherVertex = sortedVerts[j];
000259 |
000260 |             if (vertex[index] >= otherVertex[index])
000261 |             {
000262 |                 pos = j;
000263 |                 break;
000264 |             }
000265 |         }
000266 |
000267 |         for (j = VERTEX_COUNT - 1; j >= pos; j--)
000268 |         {
000269 |             sortedVerts[j] = sortedVerts[j - 1];
000270 |             sortedIndices[j] = sortedIndices[j - 1];
000271 |         }
000272 |
000273 |         sortedVerts[pos] = vertex;
000274 |         sortedIndices[pos] = m_Indices[i];
000275 |         inserted++;
000276 |     }
000277 |
000278 |     for (i = 0; i < VERTEX_COUNT; i++)
000279 |     {
000280 |         j = VERTEX_COUNT - (i + 1);
000281 |         m_Vertices[j] = sortedVerts[i];
000282 |         m_Indices[j] = sortedIndices[i];
000283 |     }
000284 | }
000285 |
000286 | /**
```

```
000287 | * @brief Swaps the vertices if the condition matches
000288 | *
000289 | * @param a Index of vertex in polygons vertices
000290 | * @param b Index of vertex in polygons vertices
000291 | * @param index The vector component to be comparing
000292 | * @param higher If it should swap when higher or lower
000293 | */
000294 | void SecondPhase_SwapVertices(int a, int b, int index, bool higher)
000295 | {
000296 |     vector va = m_Vertices[a];
000297 |     vector vb = m_Vertices[b];
000298 |
000299 |     if ((higher && va[index] > vb[index]) || (!higher && va[index] < vb[index]))
000300 |     {
000301 |         m_Vertices[a] = vb;
000302 |         m_Vertices[b] = va;
000303 |
000304 |         int t = m_Indices[a];
000305 |         m_Indices[a] = m_Indices[b];
000306 |         m_Indices[b] = m_Indices[a];
000307 |     }
000308 | }
000309 |
000310 | /**
000311 | * @brief Calculate the delta and distance for the input position along the edge
000312 | *
000313 | * @note Source is Recast Navigation. Altered to fit purpose.
000314 | *
000315 | * @param pt Position to be checking
000316 | * @param p Vertex
000317 | * @param q Vertex
000318 | * @param index Edge index
000319 | */
000320 | void dtDistancePtSegSqr2D(vector pt, vector p, vector q, int index)
000321 | {
000322 |     float pqx = q[0] - p[0];
000323 |     float pqz = q[2] - p[2];
000324 |     float dx = pt[0] - p[0];
000325 |     float dz = pt[2] - p[2];
000326 |
000327 |     float d = pqx * pqx + pqz * pqz;
000328 |     float t = pqx * dx + pqz * dz;
000329 |
000330 |     if (d > 0)
000331 |         t /= d;
000332 |
000333 |     t = Math.Clamp(t, 0, 1);
000334 |
000335 |     dx = p[0] + t * pqx - pt[0];
000336 |     dz = p[2] + t * pqz - pt[2];
000337 |
000338 |     s_Distance[index] = dx * dx + dz * dz;
000339 |     s_Delta[index] = t;
000340 |     s_Position0[index] = p;
000341 |     s_Position1[index] = q;
000342 | }
000343 |
000344 | /**
000345 | * @brief Calculates if the point is within the polygon
000346 | *
000347 | * @note Source is Recast Navigation. Altered to fit purpose.
000348 | *
```

```
000349 | * @param pt
000350 | * @return true The point is within the polygon
000351 | * @return false The point is outside of the polygon
000352 | */
000353 | bool dtDistancePtPolyEdgesSqr(vector pt)
000354 | {
000355 |     int i = 0;
000356 |     int j = VERTEX_COUNT - 1;
000357 |
000358 |     bool c = false;
000359 |
000360 |     while (i < VERTEX_COUNT)
000361 |     {
000362 |         vector vi = m_Vertices[i];
000363 |         vector vj = m_Vertices[j];
000364 |
000365 |         if (((vi[2] > pt[2]) != (vj[2] > pt[2])) && (pt[0] < (vj[0] - vi[0]) * (pt[2] - vi[2]) / (vj[2] - vi[2]) + vi[0]))
000366 |             c = !c;
000367 |
000368 |         dtDistancePtSegSqr2D(pt, vj, vi, j);
000369 |
000370 |         j = i++;
000371 |     }
000372 |
000373 |     return c;
000374 | }
000375 | };
000376 |
```

0153. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/astar.c
Size bytes: 1647
SHA-256: 1a5b061f74e2fd45a1f93b1cf9887192981e89f52a23c3aef0c5f5c65c4de15f
Decoded as: utf-8-sig
Line count shown: 80
Detected class declarations: 1
 L1: class ExpansionAStar<Class NodeType>
Detected enum declarations: 0
Detected function/method-like declarations: 4
 L3: static float Heuristic(vector a, vector b)
 L8: static void Perform(NodeType start, NodeType goal, PGFilter filter, inout array<NodeType> path)
 L13: map<NodeType, NodeType> mappedPath();
 L14: map<NodeType, float> cost();

Full file content

```
000001 | class ExpansionAStar<Class NodeType>
000002 | {
000003 |     static float Heuristic(vector a, vector b)
000004 |     {
000005 |         return Math.AbsFloat(a[0] - b[0]) + Math.AbsFloat(a[1] - b[1]) + Math.AbsFloat(a[2] - b[2]);
000006 |     }
000007 |
000008 |     static void Perform(NodeType start, NodeType goal, PGFilter filter, inout array<NodeType> path)
000009 |     {
000010 |         ExpansionPriorityQueue<NodeType> queue = new ExpansionPriorityQueue<NodeType>();
000011 |         queue.Enqueue(start, 0);
000012 |
000013 |         map<NodeType, NodeType> mappedPath();
000014 |         map<NodeType, float> cost();
000015 |
000016 |         int includeFlags = filter.GetIncludeFlags();
000017 |         int excludeFlags = filter.GetExcludeFlags();
000018 |
000019 |         NodeType current = null;
000020 |         NodeType next = null;
000021 |
000022 |         mappedPath[start] = null;
000023 |         cost[start] = 0.0;
000024 |
000025 |         int idx = 0;
000026 |
000027 |         while (queue.Count() > 0)
000028 |         {
000029 |             idx++;
000030 |             if (idx > 5)
000031 |             {
000032 |                 //Sleep(1);
000033 |                 idx = 0;
000034 |             }
000035 |
000036 |             current = queue.Dequeue();
000037 |
000038 |             if (current == goal)
000039 |             {
000040 |                 break;
000041 |             }
000042 |
000043 |             foreach (auto neighbour : current.m_Neighbours)
```

```
000044 |         {
000045 |             Class.CastTo(next, neighbour);
000046 |
000047 |             if (includeFlags & next.m_Flags == 0)
000048 |             {
000049 |                 // break;
000050 |             }
000051 |
000052 |             if (excludeFlags & next.m_Flags != 0)
000053 |             {
000054 |                 // break;
000055 |             }
000056 |
000057 |             float newCost = cost[current] + vector.DistanceSq(goal.m_Position, next.m_Position);
000058 |             if ((!cost.Contains(next) || newCost < cost[next]))
000059 |             {
000060 |                 cost[next] = newCost;
000061 |                 float priority = newCost + Heuristic(next.m_Position, goal.m_Position);
000062 |                 queue.Enqueue(next, priority);
000063 |                 mappedPath[next] = current;
000064 |             }
000065 |         }
000066 |     }
000067 |
000068 |     while (current)
000069 |     {
000070 |         path.Insert(current);
000071 |         current = mappedPath[current];
000072 |     }
000073 |
000074 |     if (path.Count() <= 1)
000075 |     {
000076 |         path.Clear();
000077 |     }
000078 | }
000079 | };
000080 |
```

0154. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathfilters.c

Size bytes: 8550

SHA-256: 28fe9f3b73b0a0eb20294873ef46edc6761c0bc4fdff0cdfbe16453f4bce1dc5

Decoded as: utf-8-sig

Line count shown: 186

Detected class declarations: 1

L1: class ExpansionPathFilters

Detected enum declarations: 0

Detected function/method-like declarations: 4

L38: private void ExpansionPathFilters()

L127: private void ~ExpansionPathFilters()

L131: private void SetFilterCost(PGFilter filter, PGFilter filterNoJumpClimb)

L178: static ExpansionPathFilters GetInstance()

Full file content

```
000001 | class ExpansionPathFilters
000002 | {
000003 |     protected static autoptr ExpansionPathFilters s_Instance;
000004 |
000005 |     autoptr PGFilter m_PathFilter;
000006 |     autoptr PGFilter m_PathFilter_NoJumpClimb;
000007 |     autoptr PGFilter m_PathFilter_NoClosedDoors;
000008 |     autoptr PGFilter m_PathFilter_NoClosedDoors_NoJumpClimb;
000009 |     autoptr PGFilter m_PathFilter_Swimming;
000010 |     autoptr PGFilter m_PathFilter_NoJumpClimb_Swimming;
000011 |     autoptr PGFilter m_PathFilter_NoClosedDoors_Swimming;
000012 |     autoptr PGFilter m_PathFilter_NoClosedDoors_NoJumpClimb_Swimming;
000013 |     autoptr PGFilter m_BlockFilter;
000014 |     autoptr PGFilter m_AllFilter;
000015 |
000016 | #ifdef EAI_DEBUG_PATH
000017 |     autoptr PGFilter m_PointFilter;
000018 | #endif
000019 |
000020 |     int m_IncludeFlags;
000021 |     int m_IncludeFlags_NoJumpClimb;
000022 |     int m_IncludeFlags_NoClosedDoors;
000023 |     int m_IncludeFlags_NoClosedDoors_NoJumpClimb;
000024 |     int m_ExcludeFlags;
000025 |     int m_ExcludeFlags_NoJumpClimb;
000026 |     int m_ExcludeFlags_NoClosedDoors;
000027 |     int m_ExcludeFlags_NoClosedDoors_NoJumpClimb;
000028 |     int m_IncludeFlags_Swimming;
000029 |     int m_IncludeFlags_NoJumpClimb_Swimming;
000030 |     int m_IncludeFlags_NoClosedDoors_Swimming;
000031 |     int m_IncludeFlags_NoClosedDoors_NoJumpClimb_Swimming;
000032 |     int m_ExcludeFlags_Swimming;
000033 |     int m_ExcludeFlags_NoJumpClimb_Swimming;
000034 |     int m_ExcludeFlags_NoClosedDoors_Swimming;
000035 |     int m_ExcludeFlags_NoClosedDoors_NoJumpClimb_Swimming;
000036 |     int m_ExclusiveFlags;
000037 |
000038 | private void ExpansionPathFilters()
000039 | {
000040 |     m_PathFilter = new PGFilter();
000041 |     m_PathFilter_NoJumpClimb = new PGFilter();
000042 |     m_PathFilter_NoClosedDoors = new PGFilter();
000043 |     m_PathFilter_NoClosedDoors_NoJumpClimb = new PGFilter();
```



```

000044 |     m_PathFilter_Swimming = new PGFilter();
000045 |     m_PathFilter_NoJumpClimb_Swimming = new PGFilter();
000046 |     m_PathFilter_NoClosedDoors_Swimming = new PGFilter();
000047 |     m_PathFilter_NoClosedDoors_NoJumpClimb_Swimming = new PGFilter();
000048 |     m_BlockFilter = new PGFilter();
000049 |     m_AllFilter = new PGFilter();
000050 |
000051 |     /** @note
000052 |      * PGPolyFlags.DISABLED is for closed doors
000053 |      * PGPolyFlags.DOOR is for opened doors
000054 |      * PGPolyFlags.INSIDE is for inside buildings
000055 |      *
000056 |      * High cost for DOOR_OPENED to path around door (the physics object, the doorway will still be used)
000057 |      */
000058 |     m_IncludeFlags = PGPolyFlags.UNREACHABLE | PGPolyFlags.DISABLED | PGPolyFlags.WALK | PGPolyFlags.DOOR | PGPolyFlags.INSIDE | PGPolyFlags.LADDER;
000059 |     m_ExcludeFlags = PGPolyFlags.CRAWL | PGPolyFlags.CROUCH | PGPolyFlags.SWIM_SEA | PGPolyFlags.SWIM;
000060 |     m_ExclusiveFlags = PGPolyFlags.NONE;
000061 |
000062 |     if (eAIBase.AI_HANDLEVAULTING)
000063 |     {
000064 |         m_IncludeFlags |= PGPolyFlags.SPECIAL;
000065 |     }
000066 |     else
000067 |     {
000068 |         m_ExcludeFlags |= PGPolyFlags.SPECIAL;
000069 |     }
000070 |
000071 |     m_IncludeFlags_NoJumpClimb = m_IncludeFlags & ~PGPolyFlags.SPECIAL;
000072 |     m_IncludeFlags_NoClosedDoors = m_IncludeFlags & ~PGPolyFlags.DISABLED;
000073 |     m_IncludeFlags_NoClosedDoors_NoJumpClimb = m_IncludeFlags_NoJumpClimb & ~PGPolyFlags.DISABLED;
000074 |     m_ExcludeFlags_NoJumpClimb = m_ExcludeFlags | PGPolyFlags.SPECIAL;
000075 |     m_ExcludeFlags_NoClosedDoors = m_ExcludeFlags | PGPolyFlags.DISABLED;
000076 |     m_ExcludeFlags_NoClosedDoors_NoJumpClimb = m_ExcludeFlags_NoJumpClimb | PGPolyFlags.DISABLED;
000077 |
000078 |     int swim = PGPolyFlags.SWIM_SEA | PGPolyFlags.SWIM;
000079 |     m_IncludeFlags_Swimming = m_IncludeFlags | swim;
000080 |     m_IncludeFlags_NoJumpClimb_Swimming = m_IncludeFlags_NoJumpClimb | swim;
000081 |     m_IncludeFlags_NoClosedDoors_Swimming = m_IncludeFlags_Swimming & ~PGPolyFlags.DISABLED;
000082 |     m_IncludeFlags_NoClosedDoors_NoJumpClimb_Swimming = m_IncludeFlags_NoJumpClimb_Swimming & ~PGPolyFlags.DISABLED;
000083 |     m_ExcludeFlags_Swimming = m_ExcludeFlags & ~swim;
000084 |     m_ExcludeFlags_NoJumpClimb_Swimming = m_ExcludeFlags_NoJumpClimb & ~swim;
000085 |     m_ExcludeFlags_NoClosedDoors_Swimming = m_ExcludeFlags_Swimming | PGPolyFlags.DISABLED;
000086 |     m_ExcludeFlags_NoClosedDoors_NoJumpClimb_Swimming = m_ExcludeFlags_NoJumpClimb_Swimming | PGPolyFlags.DISABLED;
000087 |
000088 |     SetFilterCost(m_PathFilter, m_PathFilter_NoJumpClimb);
000089 |     SetFilterCost(m_PathFilter_NoClosedDoors, m_PathFilter_NoClosedDoors_NoJumpClimb);
000090 |     SetFilterCost(m_PathFilter_Swimming, m_PathFilter_NoJumpClimb_Swimming);
000091 |     SetFilterCost(m_PathFilter_NoClosedDoors_Swimming, m_PathFilter_NoClosedDoors_NoJumpClimb_Swimming);
000092 |
000093 |     m_PathFilter.SetFlags(m_IncludeFlags, m_ExcludeFlags, m_ExclusiveFlags);
000094 |     m_PathFilter_NoClosedDoors.SetFlags(m_IncludeFlags_NoClosedDoors, m_ExcludeFlags_NoClosedDoors, m_ExclusiveFlags);
000095 |     m_PathFilter_NoJumpClimb.SetFlags(m_IncludeFlags_NoJumpClimb, m_ExcludeFlags_NoJumpClimb, m_ExclusiveFlags);
000096 |     m_PathFilter_NoClosedDoors_NoJumpClimb.SetFlags(m_IncludeFlags_NoClosedDoors_NoJumpClimb, m_ExcludeFlags_NoClosedDoors_NoJumpClimb, m_ExclusiveFlags);
000097 |     m_PathFilter_Swimming.SetFlags(m_IncludeFlags_Swimming, m_ExcludeFlags_Swimming, m_ExclusiveFlags);
000098 |     m_PathFilter_NoJumpClimb_Swimming.SetFlags(m_IncludeFlags_NoJumpClimb_Swimming, m_ExcludeFlags_NoJumpClimb_Swimming, m_ExclusiveFlags);
000099 |     m_PathFilter_NoClosedDoors_Swimming.SetFlags(m_IncludeFlags_NoClosedDoors_Swimming, m_ExcludeFlags_NoClosedDoors_Swimming, m_ExclusiveFlags);
000100 |     m_PathFilter_NoClosedDoors_NoJumpClimb_Swimming.SetFlags(m_IncludeFlags_NoClosedDoors_NoJumpClimb_Swimming, m_ExcludeFlags_NoClosedDoors_NoJumpClimb_Swimming, m_ExclusiveFlags);
000101 |
000102 |     //! Block filter - only used to check if path is blocked. MUST use SAME flags as normal pathfilter EXCEPT door
000103 |     m_BlockFilter.SetFlags(m_IncludeFlags & ~(PGPolyFlags.DOOR | PGPolyFlags.DISABLED), m_ExcludeFlags | PGPolyFlags.DOOR | PGPolyFlags.DISABLED, m_ExclusiveF
lags);

```

```
000104 |  
000105 |     //!< 'All' filter - only used to check if point can be sampled  
000106 |     m_AllFilter.SetFlags(PGPolyFlags.ALL & ~(PGPolyFlags.CRAWL | PGPolyFlags.CROUCH), PGPolyFlags.CRAWL | PGPolyFlags.CROUCH, PGPolyFlags.NONE);  
000107 |  
000108 | #ifdef EAI_DEBUG_PATH  
000109 |     m_PointFilter = new PGFilter();  
000110 |  
000111 |     m_PointFilter.SetCost(PGAreaType.NONE, 10.0);  
000112 |     m_PointFilter.SetCost(PGAreaType.TERRAIN, 10.0);  
000113 |     m_PointFilter.SetCost(PGAreaType.DOOR_OPENED, 10.0);  
000114 |     m_PointFilter.SetCost(PGAreaType.DOOR_CLOSED, 10.0);  
000115 |     m_PointFilter.SetCost(PGAreaType.OBJECTS, 10.0);  
000116 |     m_PointFilter.SetCost(PGAreaType.BUILDING, 10.0);  
000117 |     m_PointFilter.SetCost(PGAreaType.ROADWAY, 10.0);  
000118 |     m_PointFilter.SetCost(PGAreaType.ROADWAY_BUILDING, 10.0);  
000119 |     m_PointFilter.SetCost(PGAreaType.LADDER, 10.0);  
000120 |     m_PointFilter.SetCost(PGAreaType.CRAWL, 10.0);  
000121 |     m_PointFilter.SetCost(PGAreaType.CROUCH, 10.0);  
000122 |     m_PointFilter.SetCost(PGAreaType.FENCE_WALL, 10.0);  
000123 |     m_PointFilter.SetCost(PGAreaType.JUMP, 10.0);  
000124 | #endif  
000125 | }  
000126 |  
000127 | private void ~ExpansionPathFilters()  
000128 | {  
000129 | }  
000130 |  
000131 | private void SetFilterCost(PGFilter filter, PGFilter filterNoJumpClimb)  
000132 | {  
000133 |     filter.SetCost(PGAreaType.LADDER, 1.0);  
000134 |     filter.SetCost(PGAreaType.CRAWL, 10.0);  
000135 |     filter.SetCost(PGAreaType.CROUCH, 10.0);  
000136 |     filter.SetCost(PGAreaType.FENCE_WALL, 5.0); //!< Vault  
000137 |     filter.SetCost(PGAreaType.JUMP, 10.0); //!< Climb  
000138 |     filter.SetCost(PGAreaType.WATER, 5.0);  
000139 |     filter.SetCost(PGAreaType.WATER_DEEP, 10.0);  
000140 |     filter.SetCost(PGAreaType.WATER_SEA, 5.0);  
000141 |     filter.SetCost(PGAreaType.WATER_SEA_DEEP, 10.0);  
000142 |  
000143 |     filter.SetCost(PGAreaType.DOOR_CLOSED, 4.0);  
000144 |     filter.SetCost(PGAreaType.DOOR_OPENED, 10000.0);  
000145 |  
000146 |     filter.SetCost(PGAreaType.ROADWAY, 4.0);  
000147 |     filter.SetCost(PGAreaType.TREE, 1.0);  
000148 |  
000149 |     filter.SetCost(PGAreaType.OBJECTS_NOFFCON, 5.0);  
000150 |     filter.SetCost(PGAreaType.OBJECTS, 5.0);  
000151 |     filter.SetCost(PGAreaType.TERRAIN, 4.0);  
000152 |     filter.SetCost(PGAreaType.BUILDING, 4.0);  
000153 |     filter.SetCost(PGAreaType.ROADWAY_BUILDING, 1.0);  
000154 |  
000155 |     filterNoJumpClimb.SetCost(PGAreaType.LADDER, 1.0);  
000156 |     filterNoJumpClimb.SetCost(PGAreaType.CRAWL, 10.0);  
000157 |     filterNoJumpClimb.SetCost(PGAreaType.CROUCH, 10.0);  
000158 |     filterNoJumpClimb.SetCost(PGAreaType.FENCE_WALL, 1000.0); //!< Vault  
000159 |     filterNoJumpClimb.SetCost(PGAreaType.JUMP, 1000.0); //!< Climb  
000160 |     filterNoJumpClimb.SetCost(PGAreaType.WATER, 5.0);  
000161 |     filterNoJumpClimb.SetCost(PGAreaType.WATER_DEEP, 10.0);  
000162 |     filterNoJumpClimb.SetCost(PGAreaType.WATER_SEA, 5.0);  
000163 |     filterNoJumpClimb.SetCost(PGAreaType.WATER_SEA_DEEP, 10.0);  
000164 |  
000165 |     filterNoJumpClimb.SetCost(PGAreaType.DOOR_CLOSED, 4.0);
```

```
000166 |         filterNoJumpClimb.SetCost(PGAreaType.DOOR_OPENED, 10000.0);
000167 |
000168 |         filterNoJumpClimb.SetCost(PGAreaType.ROADWAY, 4.0);
000169 |         filterNoJumpClimb.SetCost(PGAreaType.TREE, 1.0);
000170 |
000171 |         filterNoJumpClimb.SetCost(PGAreaType.OBJECTS_NOFFCON, 5.0);
000172 |         filterNoJumpClimb.SetCost(PGAreaType.OBJECTS, 5.0);
000173 |         filterNoJumpClimb.SetCost(PGAreaType.TERRAIN, 4.0);
000174 |         filterNoJumpClimb.SetCost(PGAreaType.BUILDING, 4.0);
000175 |         filterNoJumpClimb.SetCost(PGAreaType.ROADWAY_BUILDING, 1.0);
000176 |     }
000177 |
000178 |     static ExpansionPathFilters GetInstance()
000179 |     {
000180 |         if (!s_Instance)
000181 |             s_Instance = new ExpansionPathFilters();
000182 |
000183 |         return s_Instance;
000184 |     }
000185 | }
000186 |
```

0155. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathhandler.c
Size bytes: 34162
SHA-256: 123477b652c49bffc0e3925b2cfe593314273aab8d3de94dcdb09ed7608d39a9
Decoded as: utf-8-sig
Line count shown: 1276
Detected class declarations: 1
  L1: class ExpansionPathHandler
Detected enum declarations: 0
Detected function/method-like declarations: 48
  L64: void ExpansionPathHandler(eAIBase unit)
  L91: void SetAllowJumpClimb(bool allow, float timeout = 0)
  L102: PGFilter GetFilter()
  L110: void EnableSwimming(bool enable = true, bool forceUpdate = true)
  L155: void AllowClosedDoors(bool allow = true, float timeout = 0, bool forceUpdate = true)
  L203: bool Raycast(PGPolyFlags filter, float distance, out vector hitPos)
  L225: bool IsDoor()
  L236: bool IsVault()
  L262: bool IsBlocked(vector start, vector end, PGFilter filter, out vector hitPos = vector.Zero, out vector hitNormal = vector.Zero)
  L267: bool IsBlocked(vector start, vector end, out vector hitPos = vector.Zero, out vector hitNormal = vector.Zero)
  L275: bool IsBlockedPhysically(vector start, vector end, out vector hitPos = vector.Zero, out vector hitNormal = vector.Zero, out int contactCompo)
  L299: vector CalculateOffset()
  L323: vector GetDebugPosition(int index)
  L338: vector CalculateDebugOffset(int index)
  L368: void DrawDebug()
  L407: map<int, int> possibleFlags();
  L482: else if (m_IsUnreachable)
  L486: else if (m_DrawDebug_PointIdx > 1 + m_PointIdx)
  L493: else if (m_IsBlockedPhysically)
  L500: else if (m_IsJumpClimb)
  L507: else if (m_IsBlocked)
  L529: void OnUpdate(float pDt, int pSimulationPrecision)
  L585: else if (!isSwimming && m_Count >= 1 && m_Time >= m_MinTimeUntilNextUpdate)
  L643: else if (g_Game.GetWaterDepth(inPos) > 1.5 && !m_IsSwimmingEnabled && m_Unit.GetCurrentWaterLevel() < -0.5 && !m_Unit.m_eAI_EffectArea)
  L716: else if (!m_Current.Parent && m_TargetReference.Parent) // moving to attachment
  L778: else if (m_TargetReference.Parent) // moving in attachment
  L786: else if (!m_TargetReference.Parent) // moving in world
  L918: void UpdateNext(bool incNextIdx = false)
  L967: else if (velocitySq > 5.64) //! Walk -> Jog threshold
  L1014: bool CheckFallHeight()
  L1050: void UpdatePathSegmentState()
  L1077: else if (m_Unit.AI_HANDLEVAULTING)
  L1117: bool IsVaultClimb(vector start, vector end)
  L1129: bool IsElevated(vector start)
  L1137: int GetNext(out vector position)
  L1151: vector GetCurrentPoint()
  L1159: vector GetNextPoint()
  L1167: vector GetEnd()
  L1175: int GetRemainingCount()
  L1180: void UpdatePoint(inout ExpansionPathPoint point, vector position)
  L1194: void UpdateCurrent()
  L1203: void SetTarget(vector pPosition, float maxDistance = 1.0, bool allowJumpClimb = true)
  L1228: vector GetTarget()
  L1233: void OverridePosition(vector pPosition, bool forceUpdate = false)
  L1243: bool GetOverride()
  L1248: void StopOverride()
  L1253: void ForceRecalculate(bool forceUpdate = false)
  L1268: void ResetUnreachable()
```

Full file content

```
000001 | class ExpansionPathHandler
000002 | {
000003 |     static const float PATH_RECALCULATE_THRESHOLD = 5.0;
000004 |
000005 |     ref EXTimeIt m_TimeIt;
000006 |
000007 |     eAIBase m_Unit;
000008 |     vector m_UnitVelocity;
000009 |     float m_Time;
000010 |     float m_MinTimeUntilNextUpdate;
000011 |
000012 |     PGFilter m_PathFilter;
000013 |     PGFilter m_PathFilter_NoJumpClimb;
000014 |     //autoptr PGFilter m_CheckFilter;
000015 |     PGFilter m_BlockFilter;
000016 |     PGFilter m_AllFilter;
000017 |
000018 |     ref ExpansionPathPoint m_Current;
000019 |     ref ExpansionPathPoint m_Target;
000020 |     ref ExpansionPathPoint m_TargetReference;
000021 |     vector m_TargetPosition;
000022 |     vector m_CurrentTargetPosition;
000023 |     bool m_IsTargetUnreachable;
000024 |     bool m_IsSwimmingEnabled;
000025 | #ifdef DIAG_DEVELOPER
000026 |     string m_LastDbgMsg;
000027 |     vector m_LastTargetPosition;
000028 | #endif
000029 |
000030 |     bool m_OverridingPosition;
000031 |
000032 |     int m_Count;
000033 |     int m_PrevCount;
000034 |     int m_TempCount;
000035 |     int m_PrevTempCount;
000036 |     int m_PointIdx;
000037 |     int m_PathGlueIdx;
000038 |     vector m_PrevPoint;
000039 |     ref ExpansionPathPoint m_Next0;
000040 |     ref ExpansionPathPoint m_Next1;
000041 |     vector m_PathSegmentDirection;
000042 |
000043 |     AIWorld m_AIWorld;
000044 |
000045 |     ref array<ref ExpansionPathPoint> m_Path = new array<ref ExpansionPathPoint>();
000046 |     ref array<vector> m_Points = new array<vector>();
000047 |     ref array<vector> m_TempPoints = new array<vector>();
000048 |     int m_DrawDebug_PointIdx;
000049 |
000050 |     bool m_Recalculate;
000051 |     bool m_SuppressRecalculate;
000052 |     bool m_IsBlocked;
000053 |     bool m_IsBlockedPhysically;
000054 |     vector m_HitPosition;
000055 |     Object m_BlockingObject;
000056 |     bool m_IsJumpClimb;
000057 |     bool m_DoClimbTestEx;
000058 |     bool m_IsUnreachable;
000059 |     bool m_AllowJumpClimb = true;
```

```
000060 | float m_AllowJumpClimb_Timeout;
000061 | bool m_AllowClosedDoors = true;
000062 | float m_AllowClosedDoors_Timeout;
000063 |
000064 | void ExpansionPathHandler(eAIBase unit)
000065 | {
000066 |     m_Unit = unit;
000067 |
000068 | #ifdef EXTRACE_DIAG
000069 |     m_TimeIt = new EXHitch(m_Unit.ToString() + " ExpansionPathHandler::OnUpdate ", 20000);
000070 | #else
000071 |     m_TimeIt = new EXTimeIt();
000072 | #endif
000073 |
000074 |     m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter;
000075 |     m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoJumpClimb;
000076 |     //m_CheckFilter = new PGFilter();
000077 |     m_BlockFilter = ExpansionPathFilters.GetInstance().m_BlockFilter;
000078 |     m_AllFilter = ExpansionPathFilters.GetInstance().m_AllFilter;
000079 |
000080 |     m_AIWorld = g_Game.GetWorld().GetAIWorld();
000081 |
000082 |     m_Current = new ExpansionPathPoint();
000083 |     m_Target = new ExpansionPathPoint();
000084 |     m_TargetReference = new ExpansionPathPoint();
000085 |     m_Next0 = new ExpansionPathPoint();
000086 |     m_Next1 = new ExpansionPathPoint();
000087 |
000088 |     EnableSwimming(); /// Start with swimming enabled (helps on Sakhal if AI is standing on ice floe)
000089 | }
000090 |
000091 | void SetAllowJumpClimb(bool allow, float timeout = 0)
000092 | {
000093 |     if (!allow && allow != m_AllowJumpClimb && m_TargetPosition != vector.Zero)
000094 |         ForceRecalculate(true);
000095 |
000096 |     m_AllowJumpClimb = allow;
000097 |
000098 |     if (timeout > 0)
000099 |         m_AllowJumpClimb_Timeout = timeout;
000100 | }
000101 |
000102 | PGFilter GetFilter()
000103 | {
000104 |     if (m_AllowJumpClimb && m_Unit.GetHealth01() >= 0.2)
000105 |         return m_PathFilter;
000106 |
000107 |     return m_PathFilter_NoJumpClimb;
000108 | }
000109 |
000110 | void EnableSwimming(bool enable = true, bool forceUpdate = true)
000111 | {
000112 |     if (enable)
000113 |     {
000114 |         if (m_IsSwimmingEnabled)
000115 |             return;
000116 |
000117 |         if (m_AllowClosedDoors)
000118 |         {
000119 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter_Swimming;
000120 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoJumpClimb_Swimming;
000121 |         }
```

```
000122 |         else
000123 |         {
000124 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors_Swimming;
000125 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors_NoJumpClimb_Swimming;
000126 |         }
000127 |     }
000128 |     else
000129 |     {
000130 |         if (!m_IsSwimmingEnabled)
000131 |             return;
000132 |
000133 |         if (m_AllowClosedDoors)
000134 |         {
000135 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter;
000136 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoJumpClimb;
000137 |         }
000138 |         else
000139 |         {
000140 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors;
000141 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors_NoJumpClimb;
000142 |         }
000143 |     }
000144 |
000145 | #ifdef DIAG_DEVELOPER
000146 |     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " EnableSwimming " + enable + " forceUpdate " + forceUpdate);
000147 | #endif
000148 |
000149 |     if (forceUpdate)
000150 |         ForceRecalculate(true);
000151 |
000152 |     m_IsSwimmingEnabled = enable;
000153 | }
000154 |
000155 | void AllowClosedDoors(bool allow = true, float timeout = 0, bool forceUpdate = true)
000156 | {
000157 |     if (allow)
000158 |     {
000159 |         if (m_AllowClosedDoors)
000160 |             return;
000161 |
000162 |         if (m_IsSwimmingEnabled)
000163 |         {
000164 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter_Swimming;
000165 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoJumpClimb_Swimming;
000166 |         }
000167 |         else
000168 |         {
000169 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter;
000170 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoJumpClimb;
000171 |         }
000172 |     }
000173 |     else
000174 |     {
000175 |         if (!m_AllowClosedDoors)
000176 |             return;
000177 |
000178 |         if (m_IsSwimmingEnabled)
000179 |         {
000180 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors_Swimming;
000181 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors_NoJumpClimb_Swimming;
000182 |         }
000183 |         else
```

```

000184 |         {
000185 |             m_PathFilter = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors;
000186 |             m_PathFilter_NoJumpClimb = ExpansionPathFilters.GetInstance().m_PathFilter_NoClosedDoors_NoJumpClimb;
000187 |         }
000188 |
000189 |         m_AllowClosedDoors_Timeout = timeout;
000190 |     }
000191 |
000192 | #ifdef DIAG_DEVELOPER
000193 |     ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " AllowClosedDoors " + allow + " forceUpdate " + forceUpdate);
000194 | #endif
000195 |
000196 |     if (forceUpdate)
000197 |         ForceRecalculate(true);
000198 |
000199 |     m_AllowClosedDoors = allow;
000200 | }
000201 |
000202 | /*
000203 | bool Raycast(PGPolyFlags filter, float distance, out vector hitPos)
000204 | {
000205 |     m_CheckFilter.SetFlags(filter, ~filter, PGPolyFlags.NONE);
000206 |     m_CheckFilter.SetCost(PGAreaType.BUILDING, 1.0);
000207 |
000208 |     vector p = m_Unit.GetPosition();
000209 |     vector d = m_Unit.GetDirection();
000210 |
000211 |     vector p0 = p - (d * distance * 0.5);
000212 |     vector p1 = p + (d * distance);
000213 |     vector hitNor;
000214 |
000215 |     if (m_Current.NavMesh)
000216 |     {
000217 |         vector transform[4];
000218 |         m_Current.Parent.GetTransform(transform);
000219 |         return m_Current.NavMesh.Raycast(p0.Multiply4(transform), p1.Multiply4(transform), m_CheckFilter, hitPos, hitNor);
000220 |     }
000221 |
000222 |     return m_AIWorld.RaycastNavMesh(p0, p1, m_CheckFilter, hitPos, hitNor);
000223 | }
000224 |
000225 | bool IsDoor()
000226 | {
000227 |     if (m_Count <= 1 + m_PointIdx)
000228 |         return false;
000229 |
000230 |     return true;
000231 |
000232 |     //vector hitPos;
000233 |     //return this.Raycast(PGPolyFlags.DOOR, 1.5, hitPos);
000234 | }
000235 |
000236 | bool IsVault()
000237 | {
000238 |     if (m_Count <= 1 + m_PointIdx)
000239 |         return false;
000240 |
000241 |     if (m_Current && m_Current.NavMesh)
000242 |     {
000243 |         vector hitPos;
000244 |         return this.Raycast(PGPolyFlags.CLIMB, 0.5, hitPos);
000245 |     }

```



```
000246 |
000247 |         return true;
000248 |
000249 |         //vector hitPos;
000250 |         //return this.Raycast(PGPolyFlags.CLIMB, 0.5, hitPos);
000251 |     }
000252 | */
000253 |
000254 | /**
000255 |  * @brief Check if path is blocked in navmesh
000256 |  *
000257 |  * @param start
000258 |  * @param end
000259 |  * @param [out] hitPos
000260 |  * @param [out] hitNormal
000261 |  */
000262 | bool IsBlocked(vector start, vector end, PGFilter filter, out vector hitPos = vector.Zero, out vector hitNormal = vector.Zero)
000263 | {
000264 |     return m_AIWorld.RaycastNavMesh(start, end, filter, hitPos, hitNormal);
000265 | }
000266 |
000267 | bool IsBlocked(vector start, vector end, out vector hitPos = vector.Zero, out vector hitNormal = vector.Zero)
000268 | {
000269 |     return m_AIWorld.RaycastNavMesh(start, end, GetFilter(), hitPos, hitNormal);
000270 | }
000271 |
000272 | /**
000273 |  * @brief Check if path is blocked physically
000274 |  */
000275 | bool IsBlockedPhysically(vector start, vector end, out vector hitPos = vector.Zero, out vector hitNormal = vector.Zero, out int contactComponent = -1, out Object hitObj = null)
000276 | {
000277 |     set<Object> results = new set<Object>;
000278 |     bool hit;
000279 |
000280 |     hit = DayZPhysics.RaycastRV(start, end, hitPos, hitNormal, contactComponent, results, null, m_Unit, false, false, ObjIntersectGeom);
000281 |
000282 |     //if (!hit)
000283 |         //hit = DayZPhysics.RaycastRV(start, end, hitPos, hitNormal, contactComponent, results, null, m_Unit, false, false, ObjIntersectView);
000284 |
000285 |     if (hit)
000286 |     {
000287 |         if (results.Count())
000288 |         {
000289 |             hitObj = results[0];
000290 |
000291 |             if (ExpansionStatic.CanObstruct(hitObj))
000292 |                 return true;
000293 |         }
000294 |     }
000295 |
000296 |     return false;
000297 | }
000298 |
000299 | vector CalculateOffset()
000300 | {
000301 |     if (m_Count <= 2 + m_PointIdx)
000302 |     {
000303 |         return vector.Zero;
000304 |     }
000305 |
000306 |     vector transform[4];
```

```
000307 |         m_Unit.GetTransform(transform);
000308 |
000309 |         vector p0 = transform[3]; // could use m_Current.GetPosition()
000310 |         vector p1 = m_Next0.GetPosition();
000311 |         vector p2 = m_Next1.GetPosition();
000312 |
000313 |         vector d0 = transform[2];
000314 |         vector d1 = vector.Direction(p0, p1).Normalized();
000315 |         vector d2 = vector.Direction(p1, p2).Normalized();
000316 |
000317 |         float do0 = vector.Dot(d0, d1);
000318 |         float do1 = vector.Dot(d1, d2);
000319 |
000320 |         return d0 * (do0 * (1.0 - do1)) * 2.0;
000321 |     }
000322 |
000323 |     vector GetDebugPosition(int index)
000324 |     {
000325 |         if (index < 0)
000326 |         {
000327 |             index = 0;
000328 |         }
000329 |
000330 |         if (index >= m_Path.Count())
000331 |         {
000332 |             index = m_Path.Count() - 1;
000333 |         }
000334 |
000335 |         return m_Path[index].GetPosition();
000336 |     }
000337 |
000338 |     vector CalculateDebugOffset(int index)
000339 |     {
000340 |         if (m_Path.Count() <= 2)
000341 |         {
000342 |             return vector.Zero;
000343 |         }
000344 |
000345 |         vector p0 = GetDebugPosition(index - 1);
000346 |         vector p1 = GetDebugPosition(index);
000347 |         vector p2 = GetDebugPosition(index + 1);
000348 |
000349 |
000350 |         vector d1 = vector.Direction(p0, p1).Normalized();
000351 |         vector d2 = vector.Direction(p1, p2).Normalized();
000352 |
000353 |         float do0 = 1.0;
000354 |         if (index <= 1)
000355 |         {
000356 |             vector transform[4];
000357 |             m_Unit.GetTransform(transform);
000358 |
000359 |             vector d0 = transform[2];
000360 |             do0 = vector.Dot(d0, d1);
000361 |         }
000362 |
000363 |         float do1 = vector.Dot(d1, d2);
000364 |
000365 |         return d0 * (do0 * (1.0 - do1)) * 2.0;
000366 |     }
000367 |
000368 |     void DrawDebug()
```

```
000369 | {
000370 | #ifdef EAI_TRACE
000371 |     auto trace = CF_Trace_0(this, "DrawDebug");
000372 | #endif
000373 |
000374 | #ifdef DIAG_DEVELOPER
000375 | #ifndef SERVER
000376 |     ExpansionNavMesh navMesh = m_Current.NavMesh;
000377 |     Object parent = m_Current.Parent;
000378 |     if (!navMesh)
000379 |     {
000380 |         navMesh = m_TargetReference.NavMesh;
000381 |         parent = m_TargetReference.Parent;
000382 |     }
000383 |
000384 |     if (navMesh)
000385 |     {
000386 |         navMesh.DrawDebug(parent);
000387 |     }
000388 | #endif
000389 | #endif
000390 |
000391 | #ifdef EAI_DEBUG_PATH
000392 |     int i;
000393 |
000394 | #ifndef SERVER
000395 |     //m_Unit.AddShape(Shape.CreateSphere(0xFFFF0000, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Current.GetPosition(), 0.3));
000396 |     //m_Unit.AddShape(Shape.CreateSphere(0xFF00FF00, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Target.GetPosition(), 0.3));
000397 |
000398 |     //m_Unit.AddShape(Shape.CreateSphere(0xFF0000FF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_TargetReference.GetPosition(), 0.3));
000399 |
000400 |     //m_Unit.AddShape(Shape.CreateSphere(0xFFFF00AA, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Next0.GetPosition(), 0.3));
000401 |     //m_Unit.AddShape(Shape.CreateSphere(0xFFAA00FF, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Next1.GetPosition(), 0.3));
000402 |
000403 |     vector points[2];
000404 |
000405 |     vector offset = vector.Zero;
000406 |
000407 |     map<int, int> possibleFlags();
000408 |     //possibleFlags.Insert(PGPolyFlags.WALK, 0xAAAA0000);
000409 |     //possibleFlags.Insert(PGPolyFlags.DISABLED, 0xAFFF0000);
000410 |     //possibleFlags.Insert(PGPolyFlags.DOOR, 0xAA0000FF);
000411 |     //possibleFlags.Insert(PGPolyFlags.INSIDE, 0xAA00FF00);
000412 |     //possibleFlags.Insert(PGPolyFlags.SWIM, 0xAA0000AA);
000413 |     //possibleFlags.Insert(PGPolyFlags.SWIM_SEA, 0xAA00AA00);
000414 |     possibleFlags.Insert(PGPolyFlags.LADDER, 0xAAAA00FF);
000415 |     possibleFlags.Insert(PGPolyFlags.JUMP_OVER, 0xAFFF00AA);
000416 |     possibleFlags.Insert(PGPolyFlags.JUMP_DOWN, 0xAFFFAA00);
000417 |     possibleFlags.Insert(PGPolyFlags.CLIMB, 0xAAAAFF00);
000418 |     //possibleFlags.Insert(PGPolyFlags.CRAWL, 0xAA00FFAA);
000419 |     //possibleFlags.Insert(PGPolyFlags.CROUCH, 0xAA00AAFF);
000420 |     //possibleFlags.Insert(PGPolyFlags.UNREACHABLE, 0xAA000000);
000421 |
000422 |     float radius = 0.2;
000423 |
000424 |     for (i = m_PointIdx; i < m_Count; i++)
000425 |     {
000426 |         bool isFinal = i == (m_Count - 1);
000427 |
000428 |         int color = 0xFF00FF00;
000429 |         if (m_Path[i].Parent)
000430 |             color = 0xFF0000FF;
```

```
000431 |
000432 |         points[0] = GetDebugPosition(i);
000433 |         points[1] = GetDebugPosition(i + 1);
000434 |
000435 |         m_Unit.AddShape(Shape.CreateLines(color, ShapeFlags.VISIBLE | ShapeFlags.NOZBUFFER, points, 2));
000436 |
000437 |         vector flagOffset = Vector(0, radius, 0);
000438 |         int currentFlag = m_Path[i].Flags;
000439 |
000440 |         foreach (auto flag, auto flagColor : possibleFlags)
000441 |         {
000442 |             if ((currentFlag & flag) == 0)
000443 |             {
000444 |                 continue;
000445 |             }
000446 |
000447 |             m_Unit.AddShape(Shape.CreateSphere(flagColor, ShapeFlags.NOOUTLINE | ShapeFlags.VISIBLE | ShapeFlags.TRANSP, points[0] + flagOffset, radius));
000448 |             flagOffset = flagOffset + Vector(0, radius * 2, 0);
000449 |         }
000450 |
000451 |         /*
000452 |         if (i != 0)
000453 |             offset = CalculateDebugOffset(i);
000454 |         points[0] = points[0] + offset;
000455 |
000456 |         offset = vector.Zero;
000457 |
000458 |         if (!isFinal)
000459 |             offset = CalculateDebugOffset(i + 1);
000460 |         points[1] = points[1] + offset;
000461 |
000462 |         m_Unit.AddShape(Shape.CreateLines(0xAFF0000, ShapeFlags.VISIBLE | ShapeFlags.NOZBUFFER | ShapeFlags.TRANSP, points, 2));
000463 |         */
000464 |     }
000465 | #else
000466 |     if (m_DrawDebug_PointIdx >= m_Count)
000467 |         m_DrawDebug_PointIdx = 0;
000468 |         //m_DrawDebug_PointIdx = m_PointIdx;
000469 |
000470 |     vector origin;
000471 |     if (m_DrawDebug_PointIdx > 0 && m_DrawDebug_PointIdx != m_PathGlueIdx)
000472 |         origin = m_Points[m_DrawDebug_PointIdx - 1];
000473 |
000474 |     if (m_Count > m_PointIdx)
000475 |     {
000476 |         string debugObj;
000477 |
000478 |         if (m_DrawDebug_PointIdx < 1 + m_PointIdx)
000479 |         {
000480 |             debugObj = "ExpansionDebugConeSmall_Blue";
000481 |         }
000482 |         else if (m_IsUnreachable)
000483 |         {
000484 |             debugObj = "ExpansionDebugConeSmall_Red";
000485 |         }
000486 |         else if (m_DrawDebug_PointIdx > 1 + m_PointIdx)
000487 |         {
000488 |             if (m_PathGlueIdx > -1 && m_DrawDebug_PointIdx >= m_PathGlueIdx)
000489 |                 debugObj = "ExpansionDebugConeSmall_Cyan";
000490 |             else
000491 |                 debugObj = "ExpansionDebugConeSmall_White";
000492 |         }
000492 |     }
```

```
000493 |         else if (m_IsBlockedPhysically)
000494 |         {
000495 |             if (m_AllowJumpClimb)
000496 |                 debugObj = "ExpansionDebugConeSmall_Orange";
000497 |             else
000498 |                 debugObj = "ExpansionDebugConeSmall_Red";
000499 |         }
000500 |     else if (m_IsJumpClimb)
000501 |     {
000502 |         if (m_AllowJumpClimb)
000503 |             debugObj = "ExpansionDebugConeSmall_Yellow";
000504 |         else
000505 |             debugObj = "ExpansionDebugConeSmall_Red";
000506 |     }
000507 |     else if (m_IsBlocked)
000508 |     {
000509 |         debugObj = "ExpansionDebugConeSmall_Purple";
000510 |     }
000511 |     else
000512 |     {
000513 |         debugObj = "ExpansionDebugConeSmall";
000514 |     }
000515 |
000516 |     m_Unit.Expansion_DebugObject(11111 + m_DrawDebug_PointIdx, m_Points[m_DrawDebug_PointIdx++], debugObj, vector.Zero, origin, 3, ShapeFlags.NOZBUFFER);
000517 | }
000518 |
000519 | for (i = m_PrevCount - 1; i > m_Count - 1; i--)
000520 | {
000521 |     m_Unit.Expansion_DeleteDebugObject(11111 + i);
000522 | }
000523 |
000524 | m_PrevCount = m_Count;
000525 | #endif
000526 | #endif
000527 | }
000528 |
000529 | void OnUpdate(float pDt, int pSimulationPrecision)
000530 | {
000531 |     #ifdef EXTRACE_DIAG
000532 |         EXTrace trace;
000533 |         if (EXTrace.AI_PROFILE)
000534 |         {
000535 |             string fn;
000536 |             if (eAIBase.s_eAI_FT0 == 0)
000537 |                 fn = "CommandHandler(07) -> ExpansionPathHandler::OnUpdate";
000538 |             else
000539 |                 fn = "ExpansionWorld::eAI_OnUpdate -> ExpansionPathHandler::OnUpdate";
000540 |             trace = EXTrace.Profile(true, m_Unit, fn);
000541 |         }
000542 |     #endif
000543 |
000544 |     m_TimeIt.Start();
000545 |
000546 |     m_Time += pDt;
000547 |
000548 |     if (m_AllowJumpClimb_Timeout > 0)
000549 |         m_AllowJumpClimb_Timeout -= pDt;
000550 |
000551 |     if (m_AllowClosedDoors_Timeout > 0)
000552 |     {
000553 |         m_AllowClosedDoors_Timeout -= pDt;
000554 |         if (m_AllowClosedDoors_Timeout <= 0)
```

```

000555 |         AllowClosedDoors(true, 0, false);
000556 |     }
000557 |
000558 |     bool recalculate;
000559 |
000560 |     int i;
000561 |
000562 |     UpdateCurrent();
000563 |
000564 |     if (m_Recalculate && (!m_SuppressRecalculate || m_Time > PATH_RECALCULATE_THRESHOLD))
000565 |     {
000566 |         bool isSwimming;
000567 |         float timeUntilNextUpdate;
000568 |
000569 |         if (m_Unit.IsSwimming())
000570 |         {
000571 |             isSwimming = true;
000572 |             ///! We need a higher time for swimming since path seems to be more likely to go through same points
000573 |             ///! and AI could end up moving in circles
000574 |             timeUntilNextUpdate = PATH_RECALCULATE_THRESHOLD;
000575 |         }
000576 |         else
000577 |         {
000578 |             timeUntilNextUpdate = (pSimulationPrecision + 1.0) * 2.0;
000579 |         }
000580 |
000581 |         if (m_Time >= timeUntilNextUpdate)
000582 |         {
000583 |             recalculate = m_Recalculate;
000584 |         }
000585 |         else if (!isSwimming && m_Count >= 1 && m_Time >= m_MinTimeUntilNextUpdate)
000586 |         {
000587 |             vector unitPosition = m_Current.Position;
000588 |             vector unitVelocity = m_Unit.Expansion_GetActualVelocity();
000589 |             vector next0Position = m_Next0.GetPosition();
000590 |
000591 |             float d0 = vector.DistanceSq(unitPosition, next0Position);
000592 |             float d1 = vector.DistanceSq(unitPosition + unitVelocity, next0Position);
000593 |             if (d0 < d1)
000594 |             {
000595 |                 recalculate = m_Recalculate;
000596 |                 //EXPrint(m_Unit.ToString() + " recalculating because d0 < d1 (overshoot), diff " + ExpansionStatic.FloatToString(d1 - d0) + ", velocity " + u
nitVelocity);
000597 |             }
000598 |         }
000599 |     }
000600 |
000601 |     if (recalculate)
000602 |     {
000603 |         UpdatePoint(m_TargetReference, m_TargetPosition);
000604 |
000605 |         m_CurrentTargetPosition = m_TargetPosition;
000606 |
000607 | #ifdef DIAG_DEVELOPER
000608 |     string dbgMsg;
000609 | #endif
000610 |
000611 |     if (!m_TargetReference.Parent)
000612 |     {
000613 |         //vector oldPos = m_TargetReference.Position;
000614 |         vector inPos = m_TargetPosition;
000615 |         float maxDistance = 1.0;

```

```

000616 |         bool isFormationLeaderOnGround;
000617 |
000618 |     /*
000619 |         if (!m_Unit.GetGroup().IsFormationLeaderSwimming())
000620 |         {
000621 |             isFormationLeaderOnGround = true;
000622 |         }
000623 |         else
000624 |         {
000625 |             vector leaderPos = m_Unit.GetGroup().GetFormationLeader().GetPosition();
000626 |             leaderPos[1] = g_Game.SurfaceY(leaderPos[0], leaderPos[2]);
000627 |             if (g_Game.GetWaterDepth(leaderPos) < 2.0)
000628 |                 isFormationLeaderOnGround = true;
000629 |         }
000630 |     */
000631 |
000632 |     // TODO: investigate why the same variable source must be used for 0th and 3rd parameter, and that it can't be a member variable for either
000633 |     if (!m_AIWorld.SampleNavmeshPosition(inPos, maxDistance, m_AllFilter, inPos) /*&& isFormationLeaderOnGround*/)
000634 |     {
000635 |         #ifdef DIAG_DEVELOPER
000636 |             if (!m_IsTargetUnreachable)
000637 |                 dbgMsg = "target unreachable";
000638 |         #endif
000639 |
000640 |         //inPos = oldPos;
000641 |         m_IsTargetUnreachable = true;
000642 |     }
000643 |     else if (g_Game.GetWaterDepth(inPos) > 1.5 && !m_IsSwimmingEnabled && m_Unit.GetCurrentWaterLevel() < -0.5 && !m_Unit.m_eAI_EffectArea)
000644 |     {
000645 |         #ifdef DIAG_DEVELOPER
000646 |             if (!m_IsTargetUnreachable)
000647 |                 dbgMsg = "target in deep water";
000648 |         #endif
000649 |
000650 |         m_IsTargetUnreachable = true;
000651 |     }
000652 |     else
000653 |     {
000654 |         m_IsTargetUnreachable = false;
000655 |     }
000656 |
000657 |     #ifdef DIAG_DEVELOPER
000658 |         Object dbgConeRed;
000659 |         Object dbgConeWhite;
000660 |
000661 |         if (vector.DistanceSq(inPos, m_TargetPosition) >= 0.01)
000662 |         {
000663 |             m_Unit.Expansion_DebugObject(33333, m_TargetPosition, "ExpansionDebugSphereSmall_Red");
000664 |             dbgConeRed = m_Unit.Expansion_DebugObject(44444, m_TargetPosition + "0 0.06 0", "ExpansionDebugConeSmall_Red");
000665 |         }
000666 |         else
000667 |         {
000668 |             m_Unit.Expansion_DebugObject(33333, vector.Zero, "ExpansionDebugSphereSmall_Red");
000669 |             m_Unit.Expansion_DebugObject(44444, vector.Zero, "ExpansionDebugConeSmall_Red");
000670 |         }
000671 |
000672 |         m_Unit.Expansion_DebugObject(55555, inPos, "ExpansionDebugSphereSmall_White");
000673 |         dbgConeWhite = m_Unit.Expansion_DebugObject(66666, inPos + "0 0.06 0", "ExpansionDebugConeSmall_White");
000674 |
000675 |         if (dbgConeRed)
000676 |             dbgConeRed.SetOrientation("0 180 0");
000677 |

```

```
000678 |         if (dbgConeWhite)
000679 |             dbgConeWhite.SetOrientation("0 180 0");
000680 |     #endif
000681 |
000682 |         m_TargetReference.Position = inPos;
000683 |     }
000684 |
000685 |     m_Recalculate = false;
000686 |
000687 |     m_IsUnreachable = false;
000688 |
000689 |     m_Time = 0;
000690 |
000691 |     m_Points.Clear();
000692 |     m_PathGlueIdx = -1;
000693 |
000694 |     int F_STATE = -1;
000695 |
000696 |     bool found;
000697 |
000698 |     #ifdef EXPANSION_AI_ATTACHMENT_PATH_FINDING
000699 |         if (m_Current.Parent && !m_TargetReference.Parent) // moving to world
000700 |         {
000701 |             F_STATE = 1;
000702 |
000703 |             m_Target.Copy(m_Current);
000704 |
000705 |             m_Target.Position = m_TargetReference.Position;
000706 |             m_Target.OnParentUpdate();
000707 |
000708 |             found = m_Target.FindPath(this, m_Points);
000709 |
000710 |             if (m_Points.Count() == 2)
000711 |             {
000712 |                 vector pathDir = vector.Direction(m_Points[0], m_Points[1]).Normalized();
000713 |                 m_Points[1] = m_Points[1] + (pathDir * 2.0);
000714 |             }
000715 |         }
000716 |         else if (!m_Current.Parent && m_TargetReference.Parent) // moving to attachment
000717 |         {
000718 |             F_STATE = 2;
000719 |
000720 |             // Find the path from the target position to the entry of the attachment
000721 |
000722 |             m_Target.Copy(m_TargetReference);
000723 |
000724 |             m_Target.Position = m_Unit.GetPosition();
000725 |             m_Target.OnParentUpdate();
000726 |
000727 |             if (!m_Target.NavMesh)
000728 |             {
000729 |                 Print("Navmesh removed??");
000730 |             }
000731 |
000732 |             vector checkingIfAlreadyOnPathsPosition = m_Target.Position;
000733 |
000734 |             m_Target.NavMesh.SamplePosition(checkingIfAlreadyOnPathsPosition, checkingIfAlreadyOnPathsPosition);
000735 |
000736 |             float heightDiff = Math.AbsFloat(m_Target.Position[1] - checkingIfAlreadyOnPathsPosition[1]) * 2.0;
000737 |
000738 |             if (vector.Distance(checkingIfAlreadyOnPathsPosition, m_Target.Position) < heightDiff) //! Already on path
000739 |             {
```



```
000740 |         m_Target.Copy(m_TargetReference);
000741 |
000742 |         found = m_Target.FindPath(this, m_Points);
000743 |     }
000744 |     else
000745 |     {
000746 |         array<vector> tempPath = {};
000747 |         found = m_Target.FindPathFrom(m_TargetReference.GetPosition(), this, tempPath);
000748 |         int count = tempPath.Count();
000749 |
000750 |         // Find the path to the entry
000751 |
000752 |         m_Target.Position = m_Current.Position;
000753 |         m_Target.Parent = null;
000754 |         m_Target.OnParentUpdate();
000755 |
000756 |         vector closestPositionOnAttachment = tempPath[count - 1];
000757 |
000758 |         found = m_Target.FindPathFrom(closestPositionOnAttachment, this, m_Points);
000759 |
000760 | #ifdef EAI_DEBUG_PATH
000761 | #ifndef SERVER
000762 |         m_Path.RemoveOrdered(count);
000763 |
000764 |         m_Path.Invert();
000765 | #endif
000766 | #endif
000767 |         m_Points.Invert();
000768 |
000769 |         m_Points.Remove(m_Points.Count() - 1);
000770 |
000771 |         for (i = 0; i < count; i++)
000772 |         {
000773 |             int ii = count - (i + 1);
000774 |             m_Points.Insert(tempPath[ii]);
000775 |         }
000776 |     }
000777 | }
000778 | else if (m_TargetReference.Parent) // moving in attachment
000779 | {
000780 |     F_STATE = 3;
000781 |
000782 |     m_Target.Copy(m_TargetReference);
000783 |
000784 |     found = m_Target.FindPath(this, m_Points);
000785 | }
000786 | else if (!m_TargetReference.Parent) // moving in world
000787 | {
000788 |     F_STATE = 4;
000789 |
000790 |     m_Target.Copy(m_TargetReference);
000791 |
000792 |     found = m_Target.FindPath(this, m_Points, m_PathGlueIdx);
000793 | }
000794 | else
000795 | {
000796 |     F_STATE = 5;
000797 | }
000798 | #else
000799 |     F_STATE = 6;
000800 |
000801 |     m_Target.Copy(m_TargetReference);
```

```

000802 |
000803 |         found = m_Target.FindPath(this, m_Points, m_PathGlueIdx);
000804 |     #endif
000805 |
000806 |     m_Count = m_Points.Count();
000807 |     m_PointIdx = 0;
000808 |
000809 |     //Print(F_STATE);
000810 |
000811 |     UpdateNext();
000812 |
000813 |     ///! @note normally, we would check m_Count <= 2, but there are certain structures where this won't work if we are on the roof
000814 |     ///! and need to go down a ladder e.g. Land_City_Stand_*
000815 |     if (!m_IsTargetUnreachable && m_Count <= 3 && m_Unit.m_eAI_CommandTime > 1.0 && m_Unit.m_eAI_BuildingWithLadder)
000816 |     {
000817 |         vector end = GetEnd();
000818 |
000819 |         if (Math.IsPointInCircle(end, 0.55, m_Current.Position) && vector.DistanceSq(end, GetTarget()) >= 4.0)
000820 |         {
000821 |             if (!m_Unit.m_eAI_Ladder || (!m_Unit.m_eAI_IsOnLadder && !m_Unit.eAI_IsCloseToLadderEntryPoint()))
000822 |             {
000823 |                 #ifdef DIAG_DEVELOPER
000824 |                     dbgMsg = "target unreachable from path endpoint";
000825 |                 #endif
000826 |
000827 |                 m_IsTargetUnreachable = true;
000828 |             }
000829 |         }
000830 |     }
000831 |
000832 |     #ifdef DIAG_DEVELOPER
000833 |         if (dbgMsg != string.Empty && (dbgMsg != m_LastDbgMsg || vector.DistanceSq(m_LastTargetPosition, m_TargetPosition) > 1.0))
000834 |         {
000835 |             m_LastDbgMsg = dbgMsg;
000836 |             m_LastTargetPosition = m_TargetPosition;
000837 |
000838 |             dbgMsg += " " + ExpansionStatic.VectorToString(m_TargetPosition, ExpansionVectorToString.Labels);
000839 |             dbgMsg += " (" + vector.Distance(m_Current.Position, m_TargetPosition) + " m)";
000840 |
000841 |             ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " " + dbgMsg);
000842 |         }
000843 |     #endif
000844 |
000845 |     #ifdef EAI_DEBUG_PATH
000846 |         ///! UNUSED temp points
000847 |         if (m_TempCount > 0)
000848 |         {
000849 |             vector origin;
000850 |             for (i = 0; i < m_TempCount; i++)
000851 |             {
000852 |                 if (i > 0)
000853 |                     origin = m_TempPoints[i - 1];
000854 |                 else
000855 |                     origin = vector.Zero;
000856 |
000857 |                 Object dbgObj = m_Unit.Expansion_DebugObject(77777 + i, m_TempPoints[i], "ExpansionDebugConeSmall_Orange", vector.Zero, origin, 3, ShapeFlags.
NOZBUFFER);
000858 |                 if (dbgObj)
000859 |                     dbgObj.SetOrientation("0 180 0");
000860 |             }
000861 |
000862 |             for (i = m_PrevTempCount - 1; i > m_TempCount - 1; i--)

```

```
000863 |         {
000864 |             m_Unit.Expansion_DeleteDebugObject(77777 + i);
000865 |         }
000866 |
000867 |         m_PrevTempCount = m_TempCount;
000868 |
000869 |         m_TempCount = 0;
000870 |     }
000871 | #endif
000872 | }
000873 |
000874 |     m_MinTimeUntilNextUpdate = pDt + m_TimeIt.GetElapsed() * 0.0002;
000875 |
000876 | #ifdef EXTRACE_DIAG
000877 |     m_TimeIt.Log();
000878 | #endif
000879 |
000880 | #ifdef EAI_DEBUG_PATH
000881 | #ifndef SERVER
000882 |     if (m_Path.Count() < 3)
000883 |     {
000884 |         m_Path.Resize(3);
000885 |     }
000886 |
000887 |     m_Path[0] = m_Current;
000888 |     m_Path[1] = m_Next0;
000889 |     m_Path[2] = m_Next1;
000890 |
000891 |     m_Path.Resize(m_Count + 1);
000892 |
000893 |     for (i = 2; i < m_Count; i++)
000894 |     {
000895 |         int actualIndex = i + 1;
000896 |         ExpansionPathPoint pathPoint = m_Path[actualIndex];
000897 |         UpdatePoint(pathPoint, m_Points[i]);
000898 |         m_Path[actualIndex] = pathPoint;
000899 |     }
000900 |
000901 |     for (i = 1; i < m_Count + 1; i++)
000902 |     {
000903 |         m_Path[i - 1].Next = m_Path[i];
000904 |     }
000905 |
000906 |     for (i = 0; i < m_Count + 1; i++)
000907 |     {
000908 |         m_Path[i].UpdateFlags(this);
000909 |     }
000910 | #endif
000911 | #endif
000912 |
000913 | #ifdef DIAG_DEVELOPER
000914 |     DrawDebug();
000915 | #endif
000916 | }
000917 |
000918 | void UpdateNext(bool incNextIdx = false)
000919 | {
000920 |     // #ifdef EXTRACE_DIAG
000921 |     // auto trace = EXTrace.StartStack(EXTrace.AI, m_Unit, "incNextIdx " + incNextIdx + " m_PointIdx " + m_PointIdx + " m_Count " + m_Count);
000922 |     // #endif
000923 |
000924 |     if (m_IsUnreachable)
```

```
000925 |         return;
000926 |
000927 |     if (incNextIdx && m_PointIdx < m_Count - 2)
000928 |     {
000929 |         // #ifdef DIAG_DEVELOPER
000930 |         // m_Unit.Expansion_DeleteDebugObject(11111 + m_PointIdx);
000931 |         // #endif
000932 |         m_PointIdx++;
000933 |     }
000934 |
000935 |     m_SuppressRecalculate = false;
000936 |     m_IsBlocked = false;
000937 |     m_IsBlockedPhysically = false;
000938 |     m_IsJumpClimb = false;
000939 |     m_DoClimbTestEx = false;
000940 |
000941 |     // ! Only check fall height if path endpoint (i.e. near potential edge) so we don't get stuck
000942 |     // ! on certain structures upper level (e.g. Land_Barn_Metal_Big or Land_Mil_GuardTower)
000943 |     if (m_Count == 1 + m_PointIdx && !CheckFallHeight())
000944 |         return;
000945 |
000946 |     int P_STATE = -1;
000947 |
000948 |     if (m_Count > 1 + m_PointIdx)
000949 |     {
000950 |         // ! We have two or more path points remaining
000951 |
000952 |         if (m_PointIdx > 0)
000953 |             m_PrevPoint = m_Points[m_PointIdx];
000954 |
000955 |         #ifdef EXPANSION_AI_GENERATE_INTERMEDIATE_POINTS
000956 |             vector unitVelocity = m_Unit.Expansion_GetActualVelocity();
000957 |             float velocitySq = unitVelocity.LengthSq();
000958 |
000959 |             if (velocitySq > 0.0001)
000960 |             {
000961 |                 vector pathDir = vector.Direction(m_Points[m_PointIdx], m_Points[1 + m_PointIdx]);
000962 |
000963 |                 float speedMult = 1.0;
000964 |
000965 |                 if (velocitySq > 16.67) // ! Jog -> Sprint threshold
000966 |                     speedMult = Math.Min(velocitySq * 0.12, 4.0); // ! ~2.0 when jogging, 4.0 when sprinting
000967 |                 else if (velocitySq > 5.64) // ! Walk -> Jog threshold
000968 |                     speedMult = Math.Min(velocitySq * 0.1773, 2.0); // ! ~1.0 when walking, 2.0 when jogging
000969 |
000970 |                 // ! If distance from current to next point is 10 m or more, set next point to at least 5 m from current
000971 |                 // ! (makes AI get back on path quicker after turning/strafing to avoid obstacles)
000972 |                 if (pathDir.LengthSq() >= 100.0 * speedMult)
000973 |                 {
000974 |                     m_Points.InsertAt(m_Points[m_PointIdx] + pathDir.Normalized() * (5.0 * speedMult), 1 + m_PointIdx);
000975 |                     m_Count++;
000976 |                 }
000977 |             }
000978 |         #endif
000979 |
000980 |         UpdatePoint(m_Next0, m_Points[1 + m_PointIdx]);
000981 |
000982 |         #ifdef EAI_DEBUG_PATH
000983 |         #ifndef SERVER
000984 |             if (m_Count > 2 + m_PointIdx)
000985 |             {
000986 |                 // ! We have three or more path points remaining
```

```

000987 |
000988 |         P_STATE = 1;
000989 |
000990 |         UpdatePoint(m_Next1, m_Points[2 + m_PointIdx]);
000991 |     }
000992 |     else
000993 |     {
000994 |         P_STATE = 2;
000995 |     }
000996 | #endif
000997 | #endif
000998 |
000999 |     UpdatePathSegmentState();
001000 | }
001001 | else
001002 | {
001003 |     P_STATE = 3;
001004 |
001005 |     if (m_Current.Position != m_Unit.GetPosition())
001006 |         UpdateCurrent();
001007 |
001008 |     m_Next0.Copy(m_Current);
001009 | }
001010 |
001011 | //Print(P_STATE);
001012 | }
001013 |
001014 | bool CheckFallHeight()
001015 | {
001016 |     if (m_Unit.eAI_IsDangerousAltitude())
001017 |     {
001018 |         //! Prevent fall from a large height (e.g. building top) - path direction check
001019 |         vector checkDirection = vector.Direction(m_Unit.GetPosition(), m_Points[1 + m_PointIdx]);
001020 |         checkDirection[1] = 0;
001021 |         float len = checkDirection.Length();
001022 |         if ((!m_Unit.m_eAI_Ladder || (!m_Unit.m_eAI_IsOnLadder && !m_Unit.eAI_IsCloseToLadderEntryPoint())) && !m_Unit.eAI_IsFallSafe(checkDirection.Normalize
d() * (len + 2.0), true, DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW, true, 1339))
001023 |         {
001024 |             //! Move next point away from edge if possible
001025 |             float offset = 0.55;
001026 |             if (m_PathSegmentDirection.LengthSq() > offset * offset)
001027 |             {
001028 |                 vector nextPoint = m_Points[1 + m_PointIdx] - m_PathSegmentDirection.Normalized() * offset;
001029 |                 m_Points[1 + m_PointIdx] = nextPoint;
001030 |                 UpdatePoint(m_Next0, nextPoint);
001031 |                 return true;
001032 |             }
001033 |
001034 | #ifdef DIAG_DEVELOPER
001035 |             if (!m_IsUnreachable)
001036 |             {
001037 |                 EXTrace.Print(EXTrace.AI, this, m_Unit.ToString() + " unreachable (path endpoint not fall safe)");
001038 |                 ExpansionStatic.MessageNearPlayers(m_Unit.GetPosition(), 100.0, m_Unit.ToString() + " unreachable (path endpoint not fall safe)");
001039 |             }
001040 | #endif
001041 |             m_IsUnreachable = true;
001042 |             m_IsTargetUnreachable = true;
001043 |             return false;
001044 |         }
001045 |     }
001046 |
001047 |     return true;

```

```

001048 |     }
001049 |
001050 | void UpdatePathSegmentState()
001051 | {
001052 |     vector start = m_Points[m_PointIdx]; //! Usually AI position
001053 |     vector end = m_Next0.GetPosition(); //! p1
001054 |
001055 |     m_PathSegmentDirection = vector.Direction(start, end);
001056 |
001057 |     //! Blockfilter raycast will return true on doors & vault/climb
001058 |     if ((m_Unit.AI_HANDLEVAULTING || m_Unit.AI_HANDLED00RS) && IsBlocked(start, end, m_BlockFilter))
001059 |     {
001060 |         m_IsBlocked = true;
001061 |
001062 |         //! Normal pathfilter raycast will return true on vault/climb but not on opened doors
001063 |         if (m_Unit.AI_HANDLEVAULTING && IsBlocked(start, end, m_PathFilter))
001064 |         {
001065 |             if (IsVaultClimb(start, end))
001066 |             {
001067 |                 if (!m_Next0.Parent)
001068 |                 {
001069 |                     m_IsJumpClimb = true;
001070 |                     //m_DoClimbTestEx = true;
001071 |                 }
001072 |
001073 |                 m_SuppressRecalculate = true;
001074 |             }
001075 |         }
001076 |     }
001077 |     else if (m_Unit.AI_HANDLEVAULTING)
001078 |     {
001079 |         vector offset = "0 0.49 0";
001080 |         vector hitNormal;
001081 |         int component;
001082 |         if (IsBlockedPhysically(start + offset, end + offset, m_HitPosition, hitNormal, component, m_BlockingObject) || IsElevated(start))
001083 |         {
001084 |             m_IsBlockedPhysically = true;
001085 |             if (!m_Next0.Parent)
001086 |             {
001087 |                 m_IsJumpClimb = true;
001088 |                 //m_DoClimbTestEx = true;
001089 |             }
001090 |         }
001091 |     }
001092 |
001093 |     if (m_Unit.AI_HANDLEVAULTING && !m_SuppressRecalculate && m_Count > 2 + m_PointIdx)
001094 |     {
001095 |         /**
001096 |         * Vanilla FindPath sometimes places fixed points around some vaultable objects even if AI is already closer to it than p1,
001097 |         * we need to deal with this so GetNext works correctly for AI following formation where there would otherwise be a lot of
001098 |         * path recalculation with possibility of following AI never making the jump due to same p1 and p2 being calculated over
001099 |         * and over while leader is moving.
001100 |         *
001101 |         *      x          <-- fixed point p1
001102 |         *      v          <-- AI moving towards p2
001103 |         * ----- <-- vaultable object, e.g. a fence
001104 |         *
001105 |         *      x          <-- fixed point p2
001106 |         */
001107 |         vector p2 = m_Points[2 + m_PointIdx];
001108 |         //if (vector.DistanceSq(start, p2) < vector.DistanceSq(end, p2))
001109 |         //! Normal pathfilter raycast will return true on vault/climb but not on opened doors

```

```
001110 |         if (IsBlocked(end, p2, m_PathFilter) && IsVaultClimb(end, p2))
001111 |         {
001112 |             m_SuppressRecalculate = true;
001113 |         }
001114 |     }
001115 | }
001116 |
001117 | bool IsVaultClimb(vector start, vector end)
001118 | {
001119 |     //! Rough avg distance of points when vaulting/climbing is 1 m up to 8 m
001120 |     //! We use this information to limit vaulting/climbing to any distance between 0.5 and 10 m (squared)
001121 |     float distSq = vector.DistanceSq(start, end);
001122 |     EXTrace.Print(EXTrace.AI, m_Unit, "Vault dist " + Math.Sqrt(distSq));
001123 |     if (distSq > 0.25 && distSq < 100.0)
001124 |         return true;
001125 |
001126 |     return false;
001127 | }
001128 |
001129 | bool IsElevated(vector start)
001130 | {
001131 |     if (start[1] - m_Unit.GetPosition()[1] > 0.5)
001132 |         return true;
001133 |
001134 |     return false;
001135 | }
001136 |
001137 | int GetNext(out vector position)
001138 | {
001139 |     if (m_IsUnreachable)
001140 |     {
001141 |         m_Unit.m_eAI_TargetPositionIsFinal = true;
001142 |         return 0;
001143 |     }
001144 |
001145 |     if (m_Count > m_PointIdx)
001146 |         position = m_Next0.GetPosition(); // + CalculateOffset();
001147 |
001148 |     return m_Count - m_PointIdx;
001149 | }
001150 |
001151 | vector GetCurrentPoint()
001152 | {
001153 |     if (m_Count > m_PointIdx)
001154 |         return m_Points[m_PointIdx];
001155 |
001156 |     return m_Points[m_Count - 1];
001157 | }
001158 |
001159 | vector GetNextPoint()
001160 | {
001161 |     if (m_Count > 1 + m_PointIdx)
001162 |         return m_Points[1 + m_PointIdx];
001163 |
001164 |     return m_Points[m_Count - 1];
001165 | }
001166 |
001167 | vector GetEnd()
001168 | {
001169 |     if (m_Count > m_PointIdx)
001170 |         return m_Points[m_Count - 1];
001171 | }
```

```
001172 |     return m_Unit.GetPosition();
001173 | }
001174 |
001175 | int GetRemainingCount()
001176 | {
001177 |     return m_Count - m_PointIdx;
001178 | }
001179 |
001180 | void UpdatePoint(inout ExpansionPathPoint point, vector position)
001181 | {
001182 |     if (!point)
001183 |     {
001184 |         point = new ExpansionPathPoint();
001185 |     }
001186 |
001187 |     point.Position = position;
001188 | #ifdef EXPANSION_AI_ATTACHMENT_PATH_FINDING
001189 |     point.Parent = ExpansionAttachmentHelper.IsAttachment(m_Unit, position, 0.5);
001190 |     point.OnParentUpdate();
001191 | #endif
001192 | }
001193 |
001194 | void UpdateCurrent()
001195 | {
001196 |     m_Current.Position = m_Unit.GetPosition();
001197 | #ifdef EXPANSION_AI_ATTACHMENT_PATH_FINDING
001198 |     m_Current.Parent = Object.Cast(m_Unit.Expansion_GetParent());
001199 |     m_Current.OnParentUpdate();
001200 | #endif
001201 | }
001202 |
001203 | void SetTarget(vector pPosition, float maxDistance = 1.0, bool allowJumpClimb = true)
001204 | {
001205 | #ifdef EAI_TRACE
001206 |     auto trace = CF_Trace_1(this, "pPosition").Add(pPosition);
001207 | #endif
001208 |
001209 |     if (m_AllowJumpClimb_Timeout <= 0)
001210 |         SetAllowJumpClimb(allowJumpClimb);
001211 |
001212 |     if (m_OverridingPosition)
001213 |         return;
001214 |
001215 |     if (pPosition == m_TargetPosition)
001216 |     {
001217 |         m_SuppressRecalculate = false;
001218 |         return;
001219 |     }
001220 |
001221 |     m_TargetPosition = pPosition;
001222 |
001223 |     m_IsTargetUnreachable = false;
001224 |
001225 |     m_Recalculate = true;
001226 | }
001227 |
001228 | vector GetTarget()
001229 | {
001230 |     return m_TargetReference.GetPosition();
001231 | }
001232 |
001233 | void OverridePosition(vector pPosition, bool forceUpdate = false)
```



```
001234 | {
001235 |     StopOverride();
001236 |     SetTarget(pPosition, 1.0);
001237 |     m_OverridingPosition = true;
001238 |     m_SuppressRecalculate = false;
001239 |     if (forceUpdate)
001240 |         m_Time = PATH_RECALCULATE_THRESHOLD;
001241 | }
001242 |
001243 | bool GetOverride()
001244 | {
001245 |     return m_OverridingPosition;
001246 | }
001247 |
001248 | void StopOverride()
001249 | {
001250 |     m_OverridingPosition = false;
001251 | }
001252 |
001253 | void ForceRecalculate(bool forceUpdate = false)
001254 | {
001255 |     //ifdef EXTRACE_DIAG
001256 |     //auto trace = EXTrace.StartStack(EXTrace.AI, m_Unit, "forceUpdate " + forceUpdate);
001257 |     //endif
001258 |
001259 |     if (m_TargetPosition == vector.Zero)
001260 |         return;
001261 |
001262 |     m_Recalculate = true;
001263 |     m_SuppressRecalculate = false;
001264 |     if (forceUpdate)
001265 |         m_Time = PATH_RECALCULATE_THRESHOLD;
001266 | }
001267 |
001268 | void ResetUnreachable()
001269 | {
001270 |     m_IsTargetUnreachable = false;
001271 |     m_IsUnreachable = false;
001272 |     m_SuppressRecalculate = false;
001273 |     m_Unit.m_eAI_PositionTime = 0;
001274 | }
001275 | };
001276 |
```

0156. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpathpoint.c

Size bytes: 13123

SHA-256: 95ea54e938d1805ff97cde728407b46cc7b26841ce80f4752202e29d53dbd5ba

Decoded as: utf-8-sig

Line count shown: 446

Detected class declarations: 1

L1: class ExpansionPathPoint

Detected enum declarations: 0

Detected function/method-like declarations: 13

L16: void ExpansionPathPoint()

L23: vector GetPosition()

L38: void OnParentUpdate()

L65: void UpdateFlags(ExpansionPathHandler handler)

L85: int Sample(float distance, PGPolyFlags flag)

L113: void Copy(ExpansionPathPoint other)

L120: bool FindPath(ExpansionPathHandler pathFinding, inout array<vector> path, out int pathGlueIdx = -1)

L130: return FindPathFrom(startPos, pathFinding, path, pathGlueIdx);

L133: bool FindPathFrom(vector startPos, ExpansionPathHandler pathFinding, inout array<vector> path, out int pathGlueIdx = -1)

L317: else if (!found)

L345: else if (isSwimming && path.Count() > 2)

L371: array<vector> OptimizePathForSwimming(array<vector> path, ExpansionPathHandler pathFinding)

L425: bool IsBlockedGeom(vector begPos, vector endPos, eAIBase ignore = null, out vector contactPos = vector.Zero, out vector contactDir = vector.

Full file content

```
000001 | class ExpansionPathPoint
000002 | {
000003 |     vector Position;
000004 |     Object Parent;
000005 |
000006 |     int Flags;
000007 |
000008 |     ExpansionNavMesh NavMesh;
000009 |
000010 |     ExpansionPathPoint Next;
000011 |
000012 | #ifdef EAI_DEBUG_PATH
000013 | #ifndef SERVER
000014 |     PGPFilter m_Filter;
000015 |
000016 |     void ExpansionPathPoint()
000017 |     {
000018 |         m_Filter = ExpansionPathFilters.GetInstance().m_PointFilter;
000019 |     }
000020 | #endif
000021 | #endif
000022 |
000023 |     vector GetPosition()
000024 |     {
000025 |         #ifdef EXPANSION_AI_ATTACHMENT_PATH_FINDING
000026 |             if (Parent)
000027 |             {
000028 |                 vector transform[4];
000029 |                 Parent.GetTransform(transform);
000030 |
000031 |                 return Position.Multiply4(transform);
000032 |             }
000033 |         #endif
000034 |     }
```

```
000035 |     return Position;
000036 | }
000037 |
000038 | void OnParentUpdate()
000039 | {
000040 |     if (Parent)
000041 |     {
000042 |         NavMesh = ExpansionNavMeshes.Get(Parent);
000043 |
000044 |         if (!NavMesh)
000045 |         {
000046 |             Parent = null;
000047 |         }
000048 |     }
000049 |
000050 |     if (Parent)
000051 |     {
000052 |         vector transform[4];
000053 |         Parent.GetTransform(transform);
000054 |
000055 |         Position = Position.InvMultiply4(transform);
000056 |     }
000057 |     else
000058 |     {
000059 |         NavMesh = null;
000060 |     }
000061 | }
000062 |
000063 | #ifdef EAI_DEBUG_PATH
000064 | #ifndef SERVER
000065 |     void UpdateFlags(ExpansionPathHandler handler)
000066 |     {
000067 |         float distance = 1.0;
000068 |
000069 |         Flags = 0;
000070 |         Flags |= Sample(distance, PGPolyFlags.WALK);
000071 |         Flags |= Sample(distance, PGPolyFlags.DISABLED);
000072 |         Flags |= Sample(distance, PGPolyFlags.DOOR);
000073 |         Flags |= Sample(distance, PGPolyFlags.INSIDE);
000074 |         Flags |= Sample(distance, PGPolyFlags.SWIM);
000075 |         Flags |= Sample(distance, PGPolyFlags.SWIM_SEA);
000076 |         Flags |= Sample(distance, PGPolyFlags.LADDER);
000077 |         Flags |= Sample(distance, PGPolyFlags.JUMP_OVER);
000078 |         Flags |= Sample(distance, PGPolyFlags.JUMP_DOWN);
000079 |         Flags |= Sample(distance, PGPolyFlags.CLIMB);
000080 |         Flags |= Sample(distance, PGPolyFlags.CRAWL);
000081 |         Flags |= Sample(distance, PGPolyFlags.CROUCH);
000082 |         Flags |= Sample(distance, PGPolyFlags.UNREACHABLE);
000083 |     }
000084 |
000085 | int Sample(float distance, PGPolyFlags flag)
000086 | {
000087 |     if (!Next)
000088 |     {
000089 |         return 0;
000090 |     }
000091 |
000092 |     m_Filter.SetFlags(flag, PGPolyFlags.NONE, PGPolyFlags.NONE);
000093 |
000094 |     vector direction = vector.Direction(Position, Next.Position).Normalized();
000095 |
000096 |     vector p0 = Position - (direction * distance);
```

```
000097 |         vector p1 = Position + (direction * distance);
000098 |         vector hitPos;
000099 |         vector hitNor;
000100 |
000101 |         bool hit = g_Game.GetWorld().GetAIWorld().RaycastNavMesh(p0, p1, m_Filter, hitPos, hitNor);
000102 |
000103 |         if (hit)
000104 |         {
000105 |             return flag;
000106 |         }
000107 |
000108 |         return 0;
000109 |     }
000110 | #endif
000111 | #endif
000112 |
000113 | void Copy(ExpansionPathPoint other)
000114 | {
000115 |     Position = other.Position;
000116 |     Parent = other.Parent;
000117 |     NavMesh = other.NavMesh;
000118 | }
000119 |
000120 | bool FindPath(ExpansionPathHandler pathFinding, inout array<vector> path, out int pathGlueIdx = -1)
000121 | {
000122 |     vector transform[4];
000123 |     pathFinding.m_Unit.GetTransform(transform);
000124 |     vector startPos = transform[3];
000125 |
000126 |     //! Hack fix for pathfinding on Sakhal ice floes (would not find points otherwise)
000127 |     if (pathFinding.m_Unit.eAI_ShouldUseSurfaceUnderWaterForPathFinding())
000128 |         startPos[1] = pathFinding.m_Unit.m_eAI_SurfaceY;
000129 |
000130 |     return FindPathFrom(startPos, pathFinding, path, pathGlueIdx);
000131 | }
000132 |
000133 | bool FindPathFrom(vector startPos, ExpansionPathHandler pathFinding, inout array<vector> path, out int pathGlueIdx = -1)
000134 | {
000135 |     bool found;
000136 |
000137 |     int i;
000138 |
000139 |     PGFilter filter = pathFinding.GetFilter();
000140 |
000141 | #ifdef EXPANSION_AI_ATTACHMENT_PATH_FINDING
000142 |     if (Parent)
000143 |     {
000144 |         vector transform[4];
000145 |         Parent.GetTransform(transform);
000146 |
000147 |         startPos = startPos.InvMultiply4(transform);
000148 |
000149 |         found = NavMesh.FindPath(startPos, Position, filter, path);
000150 |
000151 |         for (i = 0; i < path.Count(); i++)
000152 |         {
000153 |             path[i] = path[i].Multiply4(transform);
000154 |         }
000155 |     }
000156 |     else
000157 |     {
000158 | #endif
```

```

000159 |         bool isSwimming = pathFinding.m_Unit.IsSwimming();
000160 |
000161 |         if (isSwimming && g_Game.GetWaterDepth(Position) > 0.0)
000162 |         {
000163 |             //! AIWorld::FindPath will use terrain under water, which can be problematic.
000164 |             //! If direct path to target is clear, use it if target position is in water.
000165 |
000166 |             vector fwdPos = Vector(Position[0], startPos[1], Position[2]);
000167 |             vector fwdDir = vector.Direction(startPos, fwdPos);
000168 |             float fwdLen = fwdDir.Length();
000169 |
000170 |             if (fwdLen > 0.55)
000171 |             {
000172 |                 //! @note to have full swim speed due to speed handling in eAICommandMove, distance needs to be at least 4.472m
000173 |                 vector rayEnd = startPos + fwdDir.Normalized() * Math.Min(fwdLen, 250.0);
000174 |
000175 |                 if (!IsBlockedGeom(startPos, rayEnd, pathFinding.m_Unit))
000176 |                 {
000177 |                     path.Insert(startPos);
000178 |                     path.Insert(rayEnd);
000179 |
000180 |                     found = true;
000181 |
000182 |                     pathFinding.m_IsTargetUnreachable = false;
000183 |                     pathFinding.m_IsUnreachable = false;
000184 |                 }
000185 |             }
000186 |         }
000187 |
000188 |         if (!found)
000189 |             found = pathFinding.m_AIWorld.FindPath(startPos, Position, filter, path);
000190 |
000191 |         //! Deal with the case where AI is on top of an object and needs to take a leap of faith
000192 |         //! because there is no navmesh connection to ground
000193 |         if ((!found || (path.Count() == 2 && !Math.IsPointInCircle(Position, 1.0, path[1]) && Math.IsPointInCircle(pathFinding.m_Unit.GetPosition(), 0.55, pat
h[1]))) && !pathFinding.m_Unit.m_eAI_Ladder)
000194 |         {
000195 |             pathGlueIdx = path.Count();
000196 |
000197 |             #ifdef EXPANSION_AI_DEBUG_UNREACHABLE
000198 |                 if (!found || pathFinding.m_IsTargetUnreachable)
000199 |                 {
000200 |                     if (!pathFinding.m_IsUnreachable)
000201 |                         ExpansionStatic.MessageNearPlayers(pathFinding.m_Unit.GetPosition(), 100.0, pathFinding.m_Unit.ToString() + " unreachable IN (" + path.Cou
nt() + ")");
000202 |                 }
000203 |             #endif
000204 |
000205 |             vector endPos;
000206 |
000207 |             /*
000208 |                 if (found)
000209 |                     endPos = path[1];
000210 |                 else
000211 |                     /*
000212 |                         endPos = startPos;
000213 |
000214 |                 array<vector> tempPath = pathFinding.m_TempPoints;
000215 |                 tempPath.Clear();
000216 |
000217 |                 vector dir = vector.Direction(endPos, Position);
000218 |                 vector targetPos;

```

```

000219 |
000220 |         if (dir.LengthSq() > 100.0)    //!< Limit to 10 m so we have a chance the path actually ends at endPos
000221 |         {
000222 |             targetPos = endPos + dir.Normalized() * 10.0;    //!< Let's just hope this doesn't turn a reachable Position into unreachable...
000223 |         }
000224 |     else
000225 |     {
000226 |         targetPos = Position;
000227 |     }
000228 |
000229 |     if (pathFinding.m_AIWorld.FindPath(targetPos, endPos, filter, tempPath))
000230 |     {
000231 |         found = false;
000232 |
000233 |         if (isSwimming && tempPath.Count() > 2)
000234 |             tempPath = OptimizePathForSwimming(tempPath, pathFinding);
000235 |
000236 |         int count = tempPath.Count();
000237 |
000238 |         pathFinding.m_TempCount = count;
000239 |
000240 |         vector tempEnd = tempPath[count - 1];
000241 |         if (count > 2 || vector.DistanceSq(tempEnd, endPos) > 0.0001)
000242 |         {
000243 |             /*
000244 |                 TVectorArray toTempEnd = {};
000245 |                 if (pathFinding.m_AIWorld.FindPath(startPos, tempEnd, filter, toTempEnd))
000246 |                 {
000247 |                     path.Copy(toTempEnd);
000248 |                     pathGlueIdx = path.Count();
000249 |                     endPos = path[pathGlueIdx - 1];
000250 |                 }
000251 |
000252 |                 endPos[1] = Math.Max(endPos[1], startPos[1]);
000253 |             */
000254 |             //!< Extend tempEnd out a bit (from endPos) so we can get off roofs (e.g. the porch of Land_Factory_Small)
000255 |             vector endToTemp = tempEnd - endPos;
000256 |             endToTemp[1] = 0;
000257 |             tempEnd = tempEnd + endToTemp.Normalized() * 0.5;
000258 |             vector checkPos = tempEnd;
000259 |             checkPos[1] = Math.Max(Math.Max(endPos[1], checkPos[1]), pathFinding.m_Unit.GetPosition()[1]) + 0.5;
000260 |
000261 |             vector surfaceEndPosition = ExpansionStatic.GetSurfaceRoadPosition(endPos);
000262 |             vector surfacePosition = ExpansionStatic.GetSurfaceRoadPosition(tempEnd);
000263 |             #ifdef DIAG_DEVELOPER
000264 |             Object dbgObj = pathFinding.m_Unit.Expansion_DebugObject(88889, surfaceEndPosition, "ExpansionDebugConeSmall_Cyan");
000265 |             if (dbgObj)
000266 |                 dbgObj.SetOrientation("0 180 0");
000267 |             dbgObj = pathFinding.m_Unit.Expansion_DebugObject(88888, surfacePosition, "ExpansionDebugConeSmall_Yellow");
000268 |             if (dbgObj)
000269 |                 dbgObj.SetOrientation("0 180 0");
000270 |             #endif
000271 |
000272 |             //!< Always test these objects/locations when making changes:
000273 |             //!< stockyard_oremound1.p3d (on the highest spot), e.g. on Sakhal at <13432.2, 10.5049, 11843.2>
000274 |             //!< Land_Shed_W2 (inside) on Chernarus at <3144, 7932>
000275 |             //!< Small ice lake on Sakhal, e.g. at <11014.1, 42.3505, 7414.21>
000276 |             float climbHeight = surfacePosition[1] - surfaceEndPosition[1];
000277 |             float fallHeight = surfaceEndPosition[1] - surfacePosition[1];
000278 |             if (Math.IsPointInCircle(tempEnd, 10.0, endPos) && climbHeight < 2.5 && fallHeight < DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW && !p
athFinding.IsBlockedPhysically(endPos + "0 0.5 0", checkPos))
000279 |             {

```

```

000280 |         if (isSwimming || !pathFinding.IsBlockedPhysically(checkPos, surfacePosition + "0 0.5 0"))
000281 |         {
000282 |             //! Swim start water level = 1.5 m, see DayZPlayerUtils::CheckWaterLevel
000283 |             if (pathFinding.m_IsSwimmingEnabled || g_Game.GetWaterDepth(surfacePosition) <= 1.5)
000284 |             {
000285 |                 path.Clear();
000286 |                 pathGlueIdx = 0;
000287 |                 for (i = count - 1; i >= 0; i--)
000288 |                 {
000289 |                     //if (tempPath[i][1] - endPos[1] < 2.5)
000290 |                         path.Insert(tempPath[i]);
000291 |                     //else
000292 |                         //break;
000293 |                 }
000294 |
000295 |                 //if (i < 0)
000296 |                     //pathFinding.m_IsUnreachable = false;
000297 |
000298 |                 pathFinding.m_TempCount = 0;
000299 |
000300 |                 found = true;
000301 |                 pathFinding.m_Time = -15.0;  //! Longer delay until next path recalculation
000302 |             }
000303 |         }
000304 |     }
000305 | }
000306 | }
000307 | else
000308 | {
000309 |     found = false;
000310 | }
000311 |
000312 | #ifdef DIAG_DEVELOPER
000313 |     if (!pathFinding.m_IsUnreachable)
000314 |     {
000315 |         if (path.Count() == 0)
000316 |             EXTrace.Print(EXTrace.AI, this, pathFinding.m_Unit.ToString() + " unreachable (no path)");
000317 |         else if (!found)
000318 |             EXTrace.Print(EXTrace.AI, this, pathFinding.m_Unit.ToString() + " unreachable (not found)");
000319 |     }
000320 | #endif
000321 |
000322 |     if (found || path.Count() > 0)
000323 |     {
000324 |         pathFinding.m_IsTargetUnreachable = false;
000325 |         pathFinding.m_IsUnreachable = false;
000326 |     }
000327 |     else
000328 |     {
000329 |         pathFinding.m_IsTargetUnreachable = true;
000330 |         pathFinding.m_IsUnreachable = true;
000331 |     }
000332 |
000333 | #ifdef EXPANSION_AI_DEBUG_UNREACHABLE
000334 |     if (found)
000335 |     {
000336 |         string prefix;
000337 |
000338 |         if (pathFinding.m_IsUnreachable)
000339 |             prefix = "un";
000340 |
000341 |         ExpansionStatic.MessageNearPlayers(pathFinding.m_Unit.GetPosition(), 100.0, pathFinding.m_Unit.ToString() + " " + prefix + "reachable OUT (" +

```

```
000342 | path.Count() + ")");
000343 |     }
000344 |     #endif
000345 |     }
000346 |     else if (isSwimming && path.Count() > 2)
000347 |     {
000348 |         path = OptimizePathForSwimming(path, pathFinding);
000349 |     }
000350 | #ifdef EXPANSION_AI_ATTACHMENT_PATH_FINDING
000351 |     }
000352 | #endif
000353 |
000354 | #ifdef DIAG_DEVELOPER
000355 |     pathFinding.m_Unit.Expansion_DebugObject(11110, startPos - "0 3.0 0", "ExpansionDebugNoticeMe_Blue", pathFinding.m_Unit.GetDirection());
000356 |     //EXTrace.Print(EXTrace.AI, pathFinding.m_Unit, "FindPath " + path.Count() + " points");
000357 | #endif
000358 |
000359 | #ifdef EXPANSION_AI_DEBUG_UNREACHABLE
000360 |     if (path.Count() == 0)
000361 |         ExpansionStatic.MessageNearPlayers(pathFinding.m_Unit.GetPosition(), 100.0, pathFinding.m_Unit.ToString() + " no path found");
000362 | #endif
000363 |
000364 |     return found;
000365 | }
000366 |
000367 | /**
000368 |  * @brief create copy of path with all intermediate points removed that are under water and can be connected without hitting any geo,
000369 |  * and insert points where necessary to allow climbing on blocking geo (very useful for Sakhal)
000370 |  */
000371 | array<vector> OptimizePathForSwimming(array<vector> path, ExpansionPathHandler pathFinding)
000372 | {
000373 |     int lastIdx = path.Count() - 1;
000374 |     array<vector> condensedPath = {};
000375 |     vector prev;
000376 |
000377 | #ifdef DIAG_DEVELOPER
000378 |     vector origin;
000379 | #endif
000380 |
000381 |     foreach (int i, vector point: path)
000382 |     {
000383 |         float waterDepth = g_Game.GetWaterDepth(point);
000384 |         if (waterDepth > 0.0)
000385 |             point[1] = point[1] + waterDepth;
000386 |
000387 |         if (i == 0 || i == lastIdx || waterDepth <= 0.0)
000388 |         {
000389 |             condensedPath.Insert(point);
000390 |
000391 |             prev = point;
000392 |             #ifdef DIAG_DEVELOPER
000393 |                 origin = point;
000394 |             #endif
000395 |         }
000396 |         else
000397 |         {
000398 |             vector next = path[i + 1];
000399 |             float waterDepthNext = g_Game.GetWaterDepth(next);
000400 |             if (waterDepthNext > 0.0)
000401 |                 next[1] = next[1] + waterDepthNext;
```



```
000403 |         if (IsBlockedGeom(prev, next, pathFinding.m_Unit))
000404 |         {
000405 |             condensedPath.Insert(point);
000406 |
000407 |             prev = point;
000408 |             #ifdef DIAG_DEVELOPER
000409 |                 origin = point;
000410 |             #endif
000411 |         }
000412 |     #ifdef DIAG_DEVELOPER
000413 |     else
000414 |     {
000415 |         pathFinding.m_Unit.Expansion_DebugObject(96969 + i, point, "ExpansionDebugConeSmall_Orange", point - origin, origin, 300.0, ShapeFlags.NOZBUFF
ER);
000416 |         origin = point;
000417 |     }
000418 |     #endif
000419 | }
000420 | }
000421 |
000422 |     return condensedPath;
000423 | }
000424 |
000425 | bool IsBlockedGeom(vector begPos, vector endPos, eAIBase ignore = null, out vector contactPos = vector.Zero, out vector contactDir = vector.Zero, out int cont
actComponent = 0, out Object blockingObject = null)
000426 | {
000427 |     PhxInteractionLayers layerMask;
000428 |     layerMask |= PhxInteractionLayers.BUILDING;
000429 |     layerMask |= PhxInteractionLayers.DOOR;
000430 |     layerMask |= PhxInteractionLayers.FENCE;
000431 |     layerMask |= PhxInteractionLayers.ITEM_LARGE;
000432 |     layerMask |= PhxInteractionLayers.VEHICLE;
000433 |     layerMask |= PhxInteractionLayers.ROADWAY;
000434 |     layerMask |= PhxInteractionLayers.TERRAIN;
000435 |     float hitFraction;
000436 |
000437 |     //! @note can not use RaycastRV here, would result in false positives near piers
000438 |     //! To test this on Chernarus, spawn AI at <14297.8, -0.36239, 13245.3> (in water) and set a waypoint
000439 |     //! at <14297.7, 3.31738, 13250.3> (on pier)
000440 |     if (DayZPhysics.RayCastBullet(begPos, endPos, layerMask, ignore, blockingObject, contactPos, contactDir, hitFraction))
000441 |         return true;
000442 |
000443 |     return false;
000444 | }
000445 | };
000446 |
```

0157. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpolyflags.c
Size bytes: 628
SHA-256: 7a990ce79a0a506346cbc29fb5b8254e0708d58f1a853c62ecb9329818e40aac
Decoded as: utf-8-sig
Line count shown: 37
Detected class declarations: 1
 L1: class ExpansionPolyFlags
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: static int ToFlag(string name)
 L26: static int ToFlag(TStringArray names)

Full file content

```
000001 | class ExpansionPolyFlags
000002 | {
000003 |     static int ToFlag(string name)
000004 |     {
000005 |         name.ToLower();
000006 |
000007 |         typename type = PGPolyFlags;
000008 |
000009 |         int count = type.GetVariableCount();
000010 |         int value;
000011 |
000012 |         for (int i = 0; i < count; i++)
000013 |         {
000014 |             string variableName = type.GetVariableName(i);
000015 |             variableName.ToLower();
000016 |
000017 |             if (type.GetVariableType(i) != int && type.GetVariableValue(null, i, value) && variableName == name)
000018 |             {
000019 |                 return value;
000020 |             }
000021 |         }
000022 |
000023 |         return PGPolyFlags.NONE;
000024 |     }
000025 |
000026 |     static int ToFlag(TStringArray names)
000027 |     {
000028 |         int flag = 0;
000029 |         foreach (auto name : names)
000030 |         {
000031 |             flag |= ToFlag(name);
000032 |         }
000033 |
000034 |         return flag;
000035 |     }
000036 | };
000037 |
```

0158. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/expansionpriorityqueue.c
Size bytes: 688
SHA-256: c5e3ealaccaedada5501481a0b80a4b44a79760f280d0dc6b8106c5d2c62d795
Decoded as: utf-8-sig
Line count shown: 42
Detected class declarations: 1
 L1: class ExpansionPriorityQueue<Class T>
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L5: int Count()
 L10: void Enqueue(T item, float priority)
 L15: T Dequeue()

Full file content

```
000001 | class ExpansionPriorityQueue<Class T>
000002 | {
000003 |     private ref array<ref Param2<ref T, float>> elements = new array<ref Param2<ref T, float>>();
000004 |
000005 |     int Count()
000006 |     {
000007 |         return elements.Count();
000008 |     }
000009 |
000010 |     void Enqueue(T item, float priority)
000011 |     {
000012 |         elements.Insert(new Param2<ref T, float>(item, priority));
000013 |     }
000014 |
000015 |     T Dequeue()
000016 |     {
000017 |         int bestIndex = 0;
000018 |
000019 |         int idx = 0;
000020 |
000021 |         for (int i = 0; i < elements.Count(); i++)
000022 |         {
000023 |             idx++;
000024 |
000025 |             if (idx > 20)
000026 |             {
000027 |                 //Sleep(1);
000028 |                 idx = 0;
000029 |             }
000030 |
000031 |             if (elements[i].param2 < elements[bestIndex].param2)
000032 |             {
000033 |                 bestIndex = i;
000034 |             }
000035 |         }
000036 |
000037 |         T bestItem = elements[bestIndex].param1;
000038 |         elements.Remove(bestIndex);
000039 |         return bestItem;
000040 |     }
000041 | }
000042 |
```

0159. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/pathfinding/pathnode.c

Size bytes: 863

SHA-256: 557768dbdfcd3313f11114ab51fd343c0cbe45b24b5d06b1fb6779e36bec255c

Decoded as: utf-8-sig

Line count shown: 49

Detected class declarations: 1

L1: class ExpansionPathNode

Detected enum declarations: 0

Detected function/method-like declarations: 6

L10: int Count()

L15: ExpansionPathNode Get(int index)

L20: int Find(ExpansionPathNode node)

L25: bool Contains(ExpansionPathNode node)

L30: void Add(ExpansionPathNode node)

L38: void Remove(ExpansionPathNode node)

Full file content

```
000001 | class ExpansionPathNode
000002 | {
000003 |     vector m_Position;
000004 |     float m_Radius;
000005 |
000006 |     int m_Flags;
000007 |
000008 |     ref set<ExpansionPathNode> m_Neighbours = new set<ExpansionPathNode>();
000009 |
000010 |     int Count()
000011 |     {
000012 |         return m_Neighbours.Count();
000013 |     }
000014 |
000015 |     ExpansionPathNode Get(int index)
000016 |     {
000017 |         return m_Neighbours[index];
000018 |     }
000019 |
000020 |     int Find(ExpansionPathNode node)
000021 |     {
000022 |         return m_Neighbours.Find(node);
000023 |     }
000024 |
000025 |     bool Contains(ExpansionPathNode node)
000026 |     {
000027 |         return m_Neighbours.Find(node) != -1;
000028 |     }
000029 |
000030 |     void Add(ExpansionPathNode node)
000031 |     {
000032 |         if (node == this) return;
000033 |
000034 |         m_Neighbours.Insert(node);
000035 |         node.m_Neighbours.Insert(this);
000036 |     }
000037 |
000038 |     void Remove(ExpansionPathNode node)
000039 |     {
000040 |         if (node == this) return;
000041 |     }
```

```
000042 |         int idx = m_Neighbours.Find(node);
000043 |         if (idx != -1) m_Neighbours.Remove(idx);
000044 |
000045 |         idx = node.m_Neighbours.Find(this);
000046 |         if (idx != -1) node.m_Neighbours.Remove(idx);
000047 |     }
000048 | };
000049 |
```

0160. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrol.c
Size bytes: 26773
SHA-256: e6e58a707d68c7a26685714851cb147456c9446feaed8f2937b6195c447a0904
Decoded as: utf-8-sig
Line count shown: 963
Detected class declarations: 2
  L1: class eAIDynamicPatrol : eAIPatrol
  L950: class eAIDynamicPatrolT<Class T>
Detected enum declarations: 0
Detected function/method-like declarations: 39
  L53: void ~eAIDynamicPatrol()
  L68: static eAIDynamicPatrol CreateEx(ExpansionAIDynamicSpawnBase config, vector startpos, bool autoStart = true)
  L73: bool Setup(ExpansionAIDynamicSpawnBase config, vector startpos, bool autoStart = true)
  L292: vector GetInitialSpawnPosition()
  L301: static bool InitSettings()
  L313: void SetAccuracy(float accuracyMin, float accuracyMax)
  L319: void SetThreatDistanceLimit(float distance)
  L324: void SetNoiseInvestigationDistanceLimit(float distance)
  L329: void SetDamageMultiplier(float multiplier)
  L334: void SetDamageReceivedMultiplier(float multiplier)
  L339: void SetUnits(TStringArray units)
  L349: private eAIBase CreateAI(vector pos)
  L365: private eAIBase SpawnAI(vector pos)
  L386: void SetupAI(eAIBase ai)
  L416: bool WasGroupDestroyed()
  L441: bool CanSpawn()
  L452: return CanStay(1);
  L455: bool CanStay(int delta)
  L473: override void LoadBalancing_Update()
  L493: static void LoadBalancing_Setup()
  L522: static void LoadBalancing_UpdateAll()
  L535: static void LoadBalancing_Schedule()
  L545: void Spawn()
  L578: else if (m_Config.NumberOfAIMax > 0)
  L657: void SpawnAI_Deferred(int i)
  L675: void Despawn(bool deferDespawnUntilLoosingAggro = false)
  L712: override void OnUpdate()
  L759: bool CanBeTriggeredBy(PlayerBase player)
  L794: bool AvoidPlayer(vector patrolPos, float radius)
  L809: return GetCEApi().AvoidPlayer(patrolPos, radius);
  L812: private void UpdatePatrolCount(int delta)
  L848: static void OnDebugAll()
  L860: override void Debug()
  L905: private void SetNameForLog()
  L914: string GetNameForLog()
  L919: static void Log(ExpansionAIDynamicSpawnBase config, string msg)
  L935: void Log(string msg)
  L943: else if (settings.AIPatrol)
  L952: static T CreateEx(ExpansionAIDynamicSpawnBase config, vector startpos, bool autoStart = true)

```

Full file content

```

000001 | class eAIDynamicPatrol : eAIPatrol
000002 | {
000003 |     static ExpansionAIPatrolSettings s_AIPatrolSettings;
000004 |     static int s_PatrolCount;
000005 |
000006 |     static ref map<string, ref ExpansionAIPatrolLoadBalancing> s_LoadBalancing = new map<string, ref ExpansionAIPatrolLoadBalancing>;
000007 |     static ref ExpansionAIPatrolLoadBalancing s_LoadBalancingGlobal;

```

```

000008 | static bool s_LoadBalancing_IsScheduled;
000009 | static ref set<eAIDynamicPatrol> s_QueuedForLeave = new set<eAIDynamicPatrol>;
000010 |
000011 | static ref map<string, ref array<ref ExpansionPrefab>> s_LootDropsOnDeath = new map<string, ref array<ref ExpansionPrefab>>;
000012 |
000013 | ref ExpansionAIDynamicSpawnBase m_Config;
000014 | ref array<ref ExpansionPrefab> m_LootDropOnDeath;
000015 | ref ExpansionAIPatrolLoadBalancing m_LoadBalancing;
000016 | ref ExpansionAIPatrolLoadBalancingTracker m_PatrolCountTracker;
000017 | vector m_Position;
000018 | float m_DefaultLookAngle;
000019 | autoptr array<vector> m_Waypoints;
000020 | eAIWaypointBehavior m_WaypointBehaviour;
000021 | int m_WaypointIdx;
000022 | float m_MinimumRadius;
000023 | float m_MaximumRadius;
000024 | float m_DespawnRadius;
000025 | float m_MovementSpeedLimit;
000026 | float m_MovementThreatSpeedLimit;
000027 | ref ExpansionArray<string> m_Units;
000028 | int m_NumberOfAI;
000029 | int m_RespawnTime; // negative respawn time = patrol won't respawn
000030 | int m_DespawnTime; // if all players outside despawn radius, ticks up time. When despawn time reached, patrol is deleted
000031 | ref eAIFaction m_Faction;
000032 | ref eAIFormation m_Formation;
000033 | float m_FormationScale;
000034 | float m_AccuracyMin; // zero or negative = use general setting
000035 | float m_AccuracyMax; // zero or negative = use general setting
000036 | float m_ThreatDistanceLimit; // zero or negative = use general setting
000037 | float m_NoiseInvestigationDistanceLimit; // zero or negative = use general setting
000038 | float m_MaxFlankingDistance; // zero or negative = use general setting
000039 | int m_EnableFlankingOutsideCombat; // zero or negative = use general setting
000040 | float m_DamageMultiplier; // zero or negative = use general setting
000041 | float m_DamageReceivedMultiplier; // zero or negative = use general setting
000042 | float m_ShoryukenChance; // negative = use general setting
000043 | float m_ShoryukenDamageMultiplier; // zero or negative = use general setting
000044 |
000045 | eAIGroup m_Group;
000046 | float m_TimeSinceLastSpawn;
000047 | bool m_CanSpawn;
000048 | private bool m_IsSpawned;
000049 | private bool m_WasGroupDestroyed;
000050 | private eAIDynamicPatrolSphereTrigger m_Trigger;
000051 | private string m_NameForLog;
000052 |
000053 | void ~eAIDynamicPatrol()
000054 | {
000055 |     if (g_Game && m_Trigger)
000056 |         g_Game.ObjectDelete(m_Trigger);
000057 | }
000058 |
000059 | /**
000060 |  * @brief Creates a dynamic patrol which spawns a patrol under the right conditions.
000061 |  *
000062 |  * @param config
000063 |  * @param startpos the position that the trigger distance is calculated from. If zero vector, waypoint from config is used
000064 |  * @param autoStart
000065 |  *
000066 |  * @return the patrol instance
000067 |  */
000068 | static eAIDynamicPatrol CreateEx(ExpansionAIDynamicSpawnBase config, vector startpos, bool autoStart = true)
000069 | {

```

```
000070 |     return eAIDynamicPatrolT<eAIDynamicPatrol>.CreateEx(config, startpos, autoStart);
000071 | }
000072 |
000073 | bool Setup(ExpansionAIDynamicSpawnBase config, vector startpos, bool autoStart = true)
000074 | {
000075 |     InitSettings();
000076 |
000077 |     m_Config = config;
000078 |
000079 |     if (!m_Config.LoadBalancingCategory)
000080 |     {
000081 |         if (m_Config.ObjectClassName)
000082 |         {
000083 |             m_Config.LoadBalancingCategory = "ObjectPatrol";
000084 |         }
000085 |         else
000086 |         {
000087 |             switch (m_Config.ClassName())
000088 |             {
000089 |                 case "ExpansionQuestAISpawn":
000090 |                     m_Config.LoadBalancingCategory = "Quest";
000091 |                     break;
000092 |
000093 |                 default:
000094 |                     m_Config.LoadBalancingCategory = "Patrol";
000095 |                     break;
000096 |             }
000097 |         }
000098 |     }
000099 |
000100 |     if (!s_AIPatrolSettings.LoadBalancingCategories[m_Config.LoadBalancingCategory])
000101 |         m_Config.LoadBalancingCategory = "Global";
000102 |
000103 |     LoadBalancing_Update();
000104 |
000105 |     if (config.NumberOfAI == 0)
000106 |     {
000107 |         EXError.Error(null, "NumberOfAI shouldn't be set to 0", {});
000108 |         return false;
000109 |     }
000110 |
000111 |     m_Waypoints = config.GetWaypoints(startpos);
000112 |     m_WaypointBehaviour = config.GetBehaviour();
000113 |
000114 |     if (config.Persist && config.m_BaseName)
000115 |     {
000116 |         string fileName = eAIGroup.GetStorageDirectory(config.m_BaseName) + eAIGroup.BASENAME;
000117 |         if (FileExist(fileName))
000118 |         {
000119 |             eAIGroup.ReadPosition(fileName, startpos);
000120 |
000121 |             if (m_WaypointBehaviour != eAIWaypointBehavior.ROAMING && m_WaypointBehaviour != eAIWaypointBehavior.ROAMING_LOCAL)
000122 |             {
000123 |                 ///! Since this patrol is using waypoints, find the closest one
000124 |                 float minDistSq = float.MAX;
000125 |                 foreach (int idx, vector waypoint: m_Waypoints)
000126 |                 {
000127 |                     float distSq = vector.DistanceSq(startpos, waypoint);
000128 |                     if (distSq < minDistSq)
000129 |                     {
000130 |                         minDistSq = distSq;
000131 |                         m_WaypointIdx = idx;
```



```
000132 |         }
000133 |     }
000134 | }
000135 | }
000136 | else
000137 | {
000138 |     startpos = GetInitialSpawnPosition();
000139 | }
000140 | }
000141 | else
000142 | {
000143 |     startpos = GetInitialSpawnPosition();
000144 | }
000145 |
000146 | if (startpos == vector.Zero)
000147 | {
000148 |     EXError.Error(null, "Invalid spawn position - waypoint is set to zero vector <0 0 0>", {});
000149 |     return false;
000150 | }
000151 |
000152 | m_Position = startpos;
000153 |
000154 | //! We use a separate default look angle variable on this specific patrol instance since config may be shared across different patrols
000155 | m_DefaultLookAngle = m_Config.DefaultLookAngle;
000156 |
000157 | if (config.FormationScale <= 0)
000158 |     m_FormationScale = s_AIPatrolSettings.FormationScale;
000159 | else
000160 |     m_FormationScale = config.FormationScale;
000161 |
000162 | if (config.RespawnTime == -2)
000163 |     m_RespawnTime = s_AIPatrolSettings.RespawnTime;
000164 | else
000165 |     m_RespawnTime = config.RespawnTime;
000166 |
000167 | if (config.DespawnTime < 0)
000168 |     m_DespawnTime = s_AIPatrolSettings.DespawnTime;
000169 | else
000170 |     m_DespawnTime = config.DespawnTime;
000171 |
000172 | if (config.MinDistRadius < 0)
000173 |     m_MinimumRadius = s_AIPatrolSettings.MinDistRadius;
000174 | else
000175 |     m_MinimumRadius = config.MinDistRadius;
000176 |
000177 | if (config.MaxDistRadius <= 0)
000178 |     m_MaximumRadius = s_AIPatrolSettings.MaxDistRadius;
000179 | else
000180 |     m_MaximumRadius = config.MaxDistRadius;
000181 |
000182 | if (config.DespawnRadius <= 0)
000183 |     m_DespawnRadius = s_AIPatrolSettings.DespawnRadius;
000184 | else
000185 |     m_DespawnRadius = config.DespawnRadius;
000186 |
000187 | if (m_MinimumRadius > m_MaximumRadius)
000188 | {
000189 |     EXError.Error(null, "MinDistRadius (" + m_MinimumRadius + ") should be smaller than MaxDistRadius (" + m_MaximumRadius + ")", {});
000190 |     float actualMax = m_MinimumRadius;
000191 |     m_MinimumRadius = m_MaximumRadius;
000192 |     m_MaximumRadius = actualMax;
000193 | }
```

```
000194 |
000195 |     float accuracyMin;
000196 |     if (config.AccuracyMin <= 0)
000197 |         accuracyMin = s_AIPatrolSettings.AccuracyMin;
000198 |     else
000199 |         accuracyMin = config.AccuracyMin;
000200 |
000201 |     float accuracyMax;
000202 |     if (config.AccuracyMax <= 0)
000203 |         accuracyMax = s_AIPatrolSettings.AccuracyMax;
000204 |     else
000205 |         accuracyMax = config.AccuracyMax;
000206 |
000207 |     float threatDistanceLimit;
000208 |     if (config.ThreatDistanceLimit <= 0)
000209 |         threatDistanceLimit = s_AIPatrolSettings.ThreatDistanceLimit;
000210 |     else
000211 |         threatDistanceLimit = config.ThreatDistanceLimit;
000212 |
000213 |     float noiseDistanceLimit;
000214 |     if (config.NoiseInvestigationDistanceLimit <= 0)
000215 |         noiseDistanceLimit = s_AIPatrolSettings.NoiseInvestigationDistanceLimit;
000216 |     else
000217 |         noiseDistanceLimit = config.NoiseInvestigationDistanceLimit;
000218 |
000219 |     float damageMultiplier;
000220 |     if (config.DamageMultiplier <= 0)
000221 |         damageMultiplier = s_AIPatrolSettings.DamageMultiplier;
000222 |     else
000223 |         damageMultiplier = config.DamageMultiplier;
000224 |
000225 |     float damageReceivedMultiplier;
000226 |     if ( config.DamageReceivedMultiplier <= 0 )
000227 |         damageReceivedMultiplier = s_AIPatrolSettings.DamageReceivedMultiplier;
000228 |     else
000229 |         damageReceivedMultiplier = config.DamageReceivedMultiplier;
000230 |
000231 |     SetAccuracy(accuracyMin, accuracyMax);
000232 |     SetThreatDistanceLimit(threatDistanceLimit);
000233 |     SetNoiseInvestigationDistanceLimit(noiseDistanceLimit);
000234 |     SetDamageMultiplier(damageMultiplier);
000235 |     SetDamageReceivedMultiplier(damageReceivedMultiplier);
000236 |
000237 |     if (config.ShoryukenChance < 0)
000238 |         m_ShoryukenChance = s_AIPatrolSettings.ShoryukenChance;
000239 |     else
000240 |         m_ShoryukenChance = config.ShoryukenChance;
000241 |
000242 |     if (config.ShoryukenDamageMultiplier <= 0)
000243 |         m_ShoryukenDamageMultiplier = s_AIPatrolSettings.ShoryukenDamageMultiplier;
000244 |     else
000245 |         m_ShoryukenDamageMultiplier = config.ShoryukenDamageMultiplier;
000246 |
000247 |     m_MaxFlankingDistance = config.MaxFlankingDistance;
000248 |     if (m_MaxFlankingDistance <= 0)
000249 |         m_MaxFlankingDistance = s_AIPatrolSettings.MaxFlankingDistance;
000250 |
000251 |     m_EnableFlankingOutsideCombat = config.EnableFlankingOutsideCombat;
000252 |     if (m_EnableFlankingOutsideCombat <= 0)
000253 |         m_EnableFlankingOutsideCombat = s_AIPatrolSettings.EnableFlankingOutsideCombat;
000254 |
000255 |     if (config.Units && config.Units.Count())
```

```
000256 |         SetUnits(config.Units);
000257 |
000258 |     m_CanSpawn = true;
000259 |
000260 |     if (config.LootDropOnDeath)
000261 |     {
000262 |         ExpansionString path = EXPANSION_AI_LOOTDROPS_FOLDER + config.LootDropOnDeath;
000263 |
000264 |         if (!path.EndsWithIgnoreCase(".json"))
000265 |             path += ".json";
000266 |
000267 |         if (!s_LootDropsOnDeath.Find(path, m_LootDropOnDeath))
000268 |         {
000269 |             string errorMsg;
000270 |             if (!JsonFileLoader<array<ref ExpansionPrefab>>.LoadFile(path, m_LootDropOnDeath, errorMsg))
000271 |             {
000272 |                 EXError.Error(this, string.Format("Couldn't load LootDropOnDeath '%1': %2", path, errorMsg), {});
000273 |             }
000274 |             else
000275 |             {
000276 |                 foreach (ExpansionPrefab lootDropOnDeath: m_LootDropOnDeath)
000277 |                     lootDropOnDeath.m_Name = config.LootDropOnDeath;
000278 |
000279 |                 s_LootDropsOnDeath[path] = m_LootDropOnDeath;
000280 |             }
000281 |         }
000282 |     }
000283 |
000284 |     ///! There are situations where no suitable waypoints could be generated (e.g. all waypoints in high water)
000285 |     ///! In this case, the patrol will not autostart and thus be inactive
000286 |     if (autoStart && m_Waypoints.Count() > 0) Start();
000287 |
000288 |     return true;
000289 | }
000290 |
000291 | vector GetInitialSpawnPosition()
000292 | {
000293 |     int startPosIndex;
000294 |     ///! For object patrols, we always use random waypoint as startpoint, for patrols with fixed waypoints, only if random is set
000295 |     if (m_Config.ObjectClassName || m_Config.UseRandomWaypointAsStartPoint)
000296 |         startPosIndex = Math.RandomInt(0, m_Waypoints.Count());
000297 |     return m_Waypoints[startPosIndex];
000298 | }
000299 |
000300 | static bool InitSettings()
000301 | {
000302 |     if ( !s_AIPatrolSettings )
000303 |     {
000304 |         s_AIPatrolSettings = GetExpansionSettings().GetAIPatrol();
000305 |
000306 |         LoadBalancing_Setup();
000307 |     }
000308 |
000309 |     return s_AIPatrolSettings.Enabled;
000310 | }
000311 |
000312 | void SetAccuracy(float accuracyMin, float accuracyMax)
000313 | {
000314 |     m_AccuracyMin = accuracyMin;
000315 |     m_AccuracyMax = accuracyMax;
000316 | }
000317 |
```

```
000318 |  
000319 | void SetThreatDistanceLimit(float distance)  
000320 | {  
000321 |     m_ThreatDistanceLimit = distance;  
000322 | }  
000323 |  
000324 | void SetNoiseInvestigationDistanceLimit(float distance)  
000325 | {  
000326 |     m_NoiseInvestigationDistanceLimit = distance;  
000327 | }  
000328 |  
000329 | void SetDamageMultiplier(float multiplier)  
000330 | {  
000331 |     m_DamageMultiplier = multiplier;  
000332 | }  
000333 |  
000334 | void SetDamageReceivedMultiplier(float multiplier)  
000335 | {  
000336 |     m_DamageReceivedMultiplier = multiplier;  
000337 | }  
000338 |  
000339 | void SetUnits(TStringArray units)  
000340 | {  
000341 |     if (m_Units)  
000342 |         m_Units.Clear();  
000343 |     else  
000344 |         m_Units = new ExpansionArray<string>;  
000345 |  
000346 |     m_Units.InsertAll(units);  
000347 | }  
000348 |  
000349 | private eAIBase CreateAI(vector pos)  
000350 | {  
000351 |     #ifdef EXTRACE_DIAG  
000352 |         auto trace = EXTrace.Start(EXTrace.AI, this);  
000353 |     #endif  
000354 |  
000355 |     string unit;  
000356 |  
000357 |     if (m_Units)  
000358 |         unit = m_Units.GetQuasiRandomElementAvoidRepetition();  
000359 |     else  
000360 |         unit = eAISurvivor.GetQuasiRandom();  
000361 |  
000362 |     return eAIBase.Cast(g_Game.CreateObject(unit, pos));  
000363 | }  
000364 |  
000365 | private eAIBase SpawnAI(vector pos)  
000366 | {  
000367 |     #ifdef EXTRACE_DIAG  
000368 |         auto trace = EXTrace.Start(EXTrace.AI, this);  
000369 |     #endif  
000370 |  
000371 |     pos = ExpansionAIPatrol.GetPlacementPosition(pos);  
000372 |  
000373 |     eAIBase ai = CreateAI(pos);  
000374 |     if (!ai)  
000375 |         return null;  
000376 |  
000377 |     ai.SetPosition(pos);  
000378 |  
000379 |     ExpansionHumanLoadout.Apply(ai, m_Config.Loadout, false);
```

```
000380 |
000381 |     SetupAI(ai);
000382 |
000383 |     return ai;
000384 | }
000385 |
000386 | void SetupAI(eAIBase ai)
000387 | {
000388 |     ai.SetMovementSpeedLimits(m_MovementSpeedLimit, m_MovementThreatSpeedLimit);
000389 |     ai.Expansion_SetCanBeLooted(m_Config.CanBeLooted);
000390 |     ai.eAI_SetUnlimitedReload(m_Config.UnlimitedReload);
000391 |     ai.eAI_SetAccuracy(m_AccuracyMin, m_AccuracyMax);
000392 |     ai.eAI_SetThreatDistanceLimit(m_ThreatDistanceLimit);
000393 |     ai.eAI_SetNoiseInvestigationDistanceLimit(m_NoiseInvestigationDistanceLimit);
000394 |     ai.eAI_SetDamageMultiplier(m_DamageMultiplier);
000395 |     ai.eAI_SetDamageReceivedMultiplier(m_DamageReceivedMultiplier);
000396 |     ai.m_eAI_HeadshotResistance = m_Config.HeadshotResistance;
000397 |     ai.eAI_SetSniperProneDistanceThreshold(m_Config.SniperProneDistanceThreshold);
000398 |     ai.eAI_SetLootingBehavior(m_Config.GetLootingBehaviour());
000399 |     ai.m_eAI_LootDropOnDeath = m_LootDropOnDeath;
000400 |     ai.m_eAI_DefaultStance = m_Config.GetDefaultStance();
000401 |     ai.m_eAI_DefaultLookAngle = m_DefaultLookAngle;
000402 |
000403 |     if (m_MaxFlankingDistance > 0)
000404 |         ai.m_eAI_MaxFlankingDistance = m_MaxFlankingDistance;
000405 |
000406 |     if (m_EnableFlankingOutsideCombat > 0)
000407 |         ai.m_eAI_EnableFlankingOutsideCombat = true;
000408 |
000409 |     if (m_ShoryukenChance >= 0)
000410 |         ai.m_eAI_MeleeFightLogic.m_eAI_ShoryukenChance = m_ShoryukenChance;
000411 |
000412 |     if (m_ShoryukenDamageMultiplier >= 0)
000413 |         ai.m_eAI_MeleeFightLogic.m_eAI_ShoryukenDamageMultiplier = m_ShoryukenDamageMultiplier;
000414 | }
000415 |
000416 | bool WasGroupDestroyed()
000417 | {
000418 |     if (!m_Group)
000419 |         return false;
000420 |
000421 |     if (m_WasGroupDestroyed)
000422 |         return true;
000423 |
000424 |     if (m_Group.Count())
000425 |         return false;
000426 |
000427 |     m_WasGroupDestroyed = true;
000428 |
000429 |     Log(m_NameForLog + " bots were wiped out (spawn position " + m_Position + ", " + (m_NumberOfAI - m_Group.Count()) + "/" + m_NumberOfAI + " deceased)");
000430 |
000431 |     m_Position = GetInitialSpawnPosition(); //! Reset spawn position for next spawn
000432 |
000433 |     if (s_PatrolCount)
000434 |         UpdatePatrolCount(-1);
000435 |
000436 |     s_QueueForLeave.RemoveItem(this);
000437 |
000438 |     return true;
000439 | }
000440 |
000441 | bool CanSpawn()
```

```
000442 | {
000443 |     if (m_Group)
000444 |         return false;
000445 |
000446 |     if (!m_CanSpawn)
000447 |         return false;
000448 |
000449 |     if (!m_Config.CanSpawnInContaminatedArea && EffectArea.s_Expansion_DangerousAreas.IsPointInside(m_Position))
000450 |         return false;
000451 |
000452 |     return CanStay(1);
000453 | }
000454 |
000455 | bool CanStay(int delta)
000456 | {
000457 | #ifdef SERVER
000458 |     delta -= s_QueuedForLeave.Count();
000459 |
000460 |     if (m_LoadBalancing && m_LoadBalancing != s_LoadBalancingGlobal)
000461 |     {
000462 |         if (m_LoadBalancing.MaxPatrols > -1 && m_PatrolCountTracker.m_PatrolCount + delta > m_LoadBalancing.MaxPatrols)
000463 |             return false;
000464 |     }
000465 |
000466 |     if (s_LoadBalancingGlobal && s_LoadBalancingGlobal.MaxPatrols > -1 && s_PatrolCount + delta > s_LoadBalancingGlobal.MaxPatrols)
000467 |         return false;
000468 | #endif
000469 |
000470 |     return true;
000471 | }
000472 |
000473 | override void LoadBalancing_Update()
000474 | {
000475 |     m_LoadBalancing = s_LoadBalancing[m_Config.LoadBalancingCategory];
000476 |
000477 |     if (m_LoadBalancing)
000478 |         m_PatrolCountTracker = m_LoadBalancing.m_PatrolCountTracker;
000479 |
000480 |     if (m_Group && !m_WasGroupDestroyed)
000481 |     {
000482 |         bool wasLeaving = m_Group.m_Leave;
000483 |         m_Group.m_Leave = !CanStay(0);
000484 |         if (!wasLeaving && m_Group.m_Leave)
000485 |             s_QueuedForLeave.Insert(this);
000486 |     }
000487 |
000488 | #ifdef DIAG_DEVELOPER
000489 |     EXTrace.Print(EXTrace.AI, this, m_Config.Name + " LoadBalancing_Update category " + m_Config.LoadBalancingCategory + " " + m_LoadBalancing);
000490 | #endif
000491 | }
000492 |
000493 | static void LoadBalancing_Setup()
000494 | {
000495 |     int playerCount = PlayerBase.Expansion_GetOnlinePlayersCount();
000496 |
000497 |     s_LoadBalancingGlobal = null;
000498 |
000499 |     foreach (string name, auto categories: s_AIPatrolSettings.LoadBalancingCategories)
000500 |     {
000501 |         s_LoadBalancing[name] = null;
000502 |
000503 |         foreach (auto loadBalancing: categories)
```

```
000504 |         {
000505 |             if (playerCount < loadBalancing.MinPlayers || (loadBalancing.MaxPlayers > 0 && playerCount > loadBalancing.MaxPlayers))
000506 |                 continue;
000507 |
000508 |             #ifdef DIAG_DEVELOPER
000509 |                 EXTrace.Print(EXTrace.AI, eAIDynamicPatrol, "LoadBalancing_Setup category " + name + " " + loadBalancing + " minPlayers " + loadBalancing.MinPlaye
rs + " maxPlayers " + loadBalancing.MaxPlayers + " maxPatrols " + loadBalancing.MaxPatrols);
000510 |             #endif
000511 |
000512 |             s_LoadBalancing[name] = loadBalancing;
000513 |
000514 |             if (name == "Global")
000515 |                 s_LoadBalancingGlobal = loadBalancing;
000516 |
000517 |             break;
000518 |         }
000519 |     }
000520 | }
000521 |
000522 | static void LoadBalancing_UpdateAll()
000523 | {
000524 |     LoadBalancing_Setup();
000525 |
000526 |     foreach (auto patrol: s_AllPatrols)
000527 |     {
000528 |         patrol.LoadBalancing_Update();
000529 |     }
000530 |
000531 |     s_LoadBalancing_IsScheduled = false;
000532 | }
000533 |
000534 | //! @note called everytime a player connects/disconnects
000535 | static void LoadBalancing_Schedule()
000536 | {
000537 |     if (s_LoadBalancing_IsScheduled)
000538 |         return;
000539 |
000540 |     s_LoadBalancing_IsScheduled = true;
000541 |
000542 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(LoadBalancing_UpdateAll, 10000, false);
000543 | }
000544 |
000545 | void Spawn()
000546 | {
000547 |     #ifdef EXTRACE_DIAG
000548 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000549 |     #endif
000550 |
000551 |     if (m_Group) return;
000552 |
000553 |     m_TimeSinceLastSpawn = 0;
000554 |     m_CanSpawn = false;
000555 |
000556 |     bool loaded;
000557 |     if (!m_WasGroupDestroyed && m_Config.Persist && m_Config.m_BaseName)
000558 |     {
000559 |         string fileName = eAIGroup.GetStorageDirectory(m_Config.m_BaseName) + eAIGroup.BASENAME;
000560 |         if (FileExist(fileName))
000561 |             loaded = eAIGroup.Load(fileName, m_Group);
000562 |     }
000563 |
000564 |     if (loaded)
```

```
000565 | {
000566 |     m_NumberOfAI = m_Group.Count();
000567 |     m_Faction = m_Group.GetFaction();
000568 |     m_Group.m_CurrentWaypointIndex = m_WaypointIdx;
000569 |
000570 |     SetNameForLog();
000571 |
000572 |     Log("Loaded " + m_NumberOfAI + " persistent " + m_NameForLog + " bots at " + m_Position);
000573 | }
000574 | else
000575 | {
000576 |     if (m_Config.NumberOfAI < 0)
000577 |         m_NumberOfAI = Math.RandomIntInclusive(1, -m_Config.NumberOfAI);
000578 |     else if (m_Config.NumberOfAIMax > 0)
000579 |         m_NumberOfAI = Math.RandomIntInclusive(m_Config.NumberOfAI, m_Config.NumberOfAIMax);
000580 |     else
000581 |         m_NumberOfAI = m_Config.NumberOfAI;
000582 |
000583 |     m_Faction = eAIFaction.Create(m_Config.Faction);
000584 |     if (m_Faction == null) m_Faction = new eAIFactionCivilian();
000585 |     if (m_Config.Loadout == "")
000586 |         m_Config.Loadout = m_Faction.GetDefaultLoadout();
000587 |
000588 |     SetNameForLog();
000589 |
000590 |     Log("Spawning " + m_NumberOfAI + " " + m_NameForLog + " bots at " + m_Position);
000591 | }
000592 |
000593 | m_WasGroupDestroyed = false;
000594 |
000595 | m_MovementSpeedLimit = m_Config.GetSpeed();
000596 | m_MovementThreatSpeedLimit = m_Config.GetThreatSpeed();
000597 |
000598 | eAIBase ai;
000599 | if (!loaded)
000600 | {
000601 |     ai = SpawnAI(m_Position);
000602 |     m_Group = ai.GetGroup();
000603 |     ai.m_eAI_GroupMemberID = m_Group.m_NextGroupMemberID++;
000604 | }
000605 | else
000606 | {
000607 |     for (int i = 0; i < m_Group.Count(); i++)
000608 |     {
000609 |         if (Class.CastTo(ai, m_Group.GetMember(i)))
000610 |         {
000611 |             SetupAI(ai);
000612 |         }
000613 |     }
000614 | }
000615 |
000616 | m_Group.m_Persist = m_Config.Persist;
000617 | m_Group.m_BaseName = m_Config.m_BaseName;
000618 | if (m_Group.m_Persist && m_Group.m_BaseName)
000619 |     eAIGroup.s_PersistentGroups.Insert(m_Group);
000620 |
000621 | m_Group.SetName(m_Config.Name);
000622 |
000623 | if (!loaded)
000624 |     m_Group.SetFaction(m_Faction);
000625 |
000626 | m_Formation = eAIFormation.Create(m_Config.Formation);
```



```
000627 |         if (m_Formation == null) m_Formation = new eAIFormationVee();
000628 |         m_Formation.SetScale(m_FormationScale);
000629 |         m_Formation.SetLooseness(m_Config.FormationLooseness);
000630 |         m_Group.SetFormation(m_Formation);
000631 |
000632 |         if (!loaded && m_NumberOfAI > 1)
000633 |             m_Group.SetWaypointBehaviour(eAIWaypointBehavior.HALT); //! Only start moving after all AI spawned
000634 |         else
000635 |             m_Group.SetWaypointBehaviour(m_WaypointBehaviour);
000636 |
000637 |         foreach (int idx, vector waypoint: m_Waypoints)
000638 |         {
000639 |             m_Group.AddWaypoint(waypoint);
000640 |             if (waypoint == m_Position)
000641 |             {
000642 |                 m_Group.m_CurrentWaypointIndex = idx;
000643 |                 m_Group.m_CurrentWaypoint = waypoint;
000644 |                 if (idx != 0 && Math.RandomIntInclusive(0, 1))
000645 |                     m_Group.m_BackTracking = true;
000646 |             }
000647 |         }
000648 |
000649 |         if (!loaded && m_NumberOfAI > 1)
000650 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(SpawnAI_Deferred, 1);
000651 |
000652 |         m_IsSpawned = true;
000653 |
000654 |         UpdatePatrolCount(1);
000655 |     }
000656 |
000657 |     void SpawnAI_Deferred(int i)
000658 |     {
000659 |         #ifdef EXTRACE_DIAG
000660 |             auto trace = EXTrace.Start(EXTrace.AI, this);
000661 |         #endif
000662 |
000663 |         if (m_Group)
000664 |         {
000665 |             eAIBase ai = SpawnAI(m_Formation.ToWorld(m_Formation.GetPosition(i)));
000666 |             ai.SetGroup(m_Group);
000667 |
000668 |             if (++i < m_NumberOfAI)
000669 |                 g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(SpawnAI_Deferred, i);
000670 |             else
000671 |                 m_Group.SetWaypointBehaviour(m_WaypointBehaviour); //! Only start moving after all AI spawned
000672 |         }
000673 |     }
000674 |
000675 |     void Despawn(bool deferDespawnUntilLoosingAggro = false)
000676 |     {
000677 |         #ifdef EXTRACE_DIAG
000678 |             auto trace = EXTrace.Start(EXTrace.AI, this);
000679 |         #endif
000680 |
000681 |         if (!m_IsSpawned)
000682 |             return;
000683 |
000684 |         m_IsSpawned = false;
000685 |         m_TimeSinceLastSpawn = 0;
000686 |
000687 |         if (m_Group)
000688 |         {
```

```

000689 |         Log("Despawning " + m_Group.Count() + " " + m_NameForLog + " bots (spawn position " + m_Position + ", " + (m_NumberOfAI - m_Group.Count()) + "/" + m_N
umberOfAI + " deceased)");
000690 |
000691 |         if (m_Group.m_Persist && m_Group.Count() && m_Group.m_BaseName)
000692 |         {
000693 |             m_Group.Save(true);
000694 |             m_TimeSinceLastSpawn = m_RespawnTime;  ///! Allow "respawn" instantly if persistent group wasn't killed
000695 |             m_Position = m_Group.GetFormationLeader().GetPosition();  ///! Update spawn position for next spawn
000696 |         }
000697 |
000698 |         m_Group.ClearAI(true, deferDespawnUntilLoosingAggro);
000699 |         m_Group = null;
000700 |     }
000701 |     else
000702 |     {
000703 |         Log("Despawning " + m_NameForLog + " patrol (spawn position " + m_Position + ")");
000704 |     }
000705 |
000706 |     if (!m_WasGroupDestroyed && s_PatrolCount)
000707 |         UpdatePatrolCount(-1);
000708 |
000709 |     s_QueuedForLeave.RemoveItem(this);
000710 | }
000711 |
000712 | override void OnUpdate()
000713 | {
000714 |     #ifdef EAI_TRACE
000715 |     auto trace = CF_Trace_0(this, "OnUpdate");
000716 |     #endif
000717 |
000718 |     if ( WasGroupDestroyed() && m_RespawnTime < 0 )
000719 |     {
000720 |         return;
000721 |     }
000722 |
000723 |     if (!m_Group || m_WasGroupDestroyed)
000724 |     {
000725 |         if (m_IsSpawned && !m_WasGroupDestroyed)  ///! Group is NULL but not killed so was deleted behind our back, need to do cleanup
000726 |             Despawn();
000727 |
000728 |         m_TimeSinceLastSpawn += eAIPatrol.UPDATE_RATE_IN_SECONDS;
000729 |         ///! https://feedback.bistudio.com/T173348
000730 |         if (!m_CanSpawn && m_RespawnTime > -1 && m_TimeSinceLastSpawn >= m_RespawnTime)
000731 |             m_CanSpawn = true;
000732 |     }
000733 |
000734 |     if (!m_Group)
000735 |     {
000736 |         if (!m_Trigger && CanSpawn())
000737 |         {
000738 |             m_Trigger = eAIDynamicPatrolSphereTrigger.Cast(g_Game.CreateObjectEx("eAIDynamicPatrolSphereTrigger", m_Position, ECE_LOCAL));
000739 |             m_Trigger.eAI_SetParams(this, m_MaximumRadius, m_MinimumRadius);
000740 |         }
000741 |     }
000742 |     else
000743 |     {
000744 |         vector patrolPos = m_Position;
000745 |         DayZPlayerImplement leader = m_Group.GetFormationLeader();
000746 |         if (leader)
000747 |             patrolPos = leader.GetPosition();
000748 |
000749 |         if ((m_WasGroupDestroyed && m_Group.DeceasedCount() == 0) || AvoidPlayer(patrolPos, m_DespawnRadius) || m_Group.m_ForcePatrolDespawn)

```

```
000750 |         {
000751 |             if (!m_WasGroupDestroyed)
000752 |                 m_TimeSinceLastSpawn += eAIPatrol.UPDATE_RATE_IN_SECONDS;
000753 |             if (m_TimeSinceLastSpawn >= m_DespawnTime || m_Group.m_ForcePatrolDespawn)
000754 |                 Despawn();
000755 |         }
000756 |     }
000757 | }
000758 |
000759 | bool CanBeTriggeredBy(PlayerBase player)
000760 | {
000761 |     if (!player.IsAlive())
000762 |         return false;
000763 |
000764 |     //! Actual players can always trigger
000765 |     if (player.GetIdentity())
000766 |         return true;
000767 |
000768 |     if (!m_Config.CanBeTriggeredByAI)
000769 |         return false;
000770 |
000771 |     //! Determine if AI can trigger
000772 |     eAIGroup group = player.GetGroup();
000773 |     if (!group)
000774 |         return false;
000775 |
000776 |     //! Can't trigger ourself or prevent from despawn
000777 |     if (group == m_Group)
000778 |         return false;
000779 |
000780 |     eAIFaction faction = group.GetFaction();
000781 |
000782 |     if (faction.IsInvincible())
000783 |         return false;
000784 |
000785 |     if (faction.IsObserver())
000786 |         return false;
000787 |
000788 |     if (faction.IsPassive())
000789 |         return false;
000790 |
000791 |     return true;
000792 | }
000793 |
000794 | bool AvoidPlayer(vector patrolPos, float radius)
000795 | {
000796 |     if (m_Config.CanBeTriggeredByAI || !GetCEApi())
000797 |     {
000798 |         set<PlayerBase> players = PlayerBase.Expansion_GetInCircle(patrolPos, radius);
000799 |
000800 |         foreach (auto player: players)
000801 |         {
000802 |             if (CanBeTriggeredBy(player))
000803 |                 return false;
000804 |         }
000805 |
000806 |         return true;
000807 |     }
000808 |
000809 |     return GetCEApi().AvoidPlayer(patrolPos, radius);
000810 | }
000811 |
```

```
000812 | private void UpdatePatrolCount(int delta)
000813 | {
000814 |     s_PatrolCount += delta;
000815 |     Log("Global patrol count: " + s_PatrolCount);
000816 |
000817 |     array<eAIBase> all = eAIBase.eAI_GetAll();
000818 |     int aliveCount;
000819 |     int deceasedCount;
000820 |     foreach (eAIBase ai: all)
000821 |     {
000822 |         if (ai.IsSetForDeletion())
000823 |             continue;
000824 |
000825 |         if (ai.IsDamageDestroyed())
000826 |             deceasedCount += 1;
000827 |         else
000828 |             aliveCount += 1;
000829 |     }
000830 |     Log(string.Format("Global Expansion AI count: %1 alive, %2 deceased", aliveCount, deceasedCount));
000831 |
000832 |     if (m_PatrolCountTracker && (!s_LoadBalancingGlobal || m_PatrolCountTracker != s_LoadBalancingGlobal.m_PatrolCountTracker))
000833 |     {
000834 |         m_PatrolCountTracker.m_PatrolCount += delta;
000835 |         Log(m_Config.LoadBalancingCategory + " category patrol count: " + m_PatrolCountTracker.m_PatrolCount);
000836 |     }
000837 |
000838 |     if (s_LoadBalancingGlobal)
000839 |     {
000840 |         s_LoadBalancingGlobal.m_PatrolCountTracker.m_PatrolCount += delta;
000841 |
000842 |         int patrolCount = s_LoadBalancingGlobal.m_PatrolCountTracker.m_PatrolCount;
000843 |         if (patrolCount != s_PatrolCount)
000844 |             CF.FormatError("Global category patrol count %1 doesn't match internal global patrol count %2", patrolCount.ToString(), s_PatrolCount.ToString());
000845 |     }
000846 | }
000847 |
000848 | static void OnDebugAll()
000849 | {
000850 |     Print(s_LoadBalancingGlobal);
000851 |     if (s_LoadBalancingGlobal)
000852 |     {
000853 |         Print(s_LoadBalancingGlobal.MinPlayers);
000854 |         Print(s_LoadBalancingGlobal.MaxPlayers);
000855 |         Print(s_LoadBalancingGlobal.MaxPatrols);
000856 |         Print(s_LoadBalancingGlobal.m_PatrolCountTracker.m_PatrolCount);
000857 |     }
000858 | }
000859 |
000860 | override void Debug()
000861 | {
000862 |     super.Debug();
000863 |
000864 |     Print(m_Config.Name);
000865 |     Print(m_NameForLog);
000866 |
000867 |     Print(m_Trigger);
000868 |     Print(m_Position);
000869 |     Print(m_MinimumRadius);
000870 |     Print(m_MaximumRadius);
000871 |     Print(m_DespawnRadius);
000872 |
000873 |     Print(m_Group);
```

```
000874 |         if (m_Group)
000875 |         {
000876 |             bool canStay = CanStay(0);
000877 |             Print(canStay);
000878 |             Print(m_Group.m_Leave);
000879 |         }
000880 |
000881 |         Print(m_TimeSinceLastSpawn);
000882 |         bool canSpawn = CanSpawn();
000883 |         Print(canSpawn);
000884 |         Print(m_CanSpawn);
000885 |         Print(m_IsSpawned);
000886 |
000887 |         Print(m_Config.NumberOfAI);
000888 |         Print(m_Config.NumberOfAIMax);
000889 |         Print(m_NumberOfAI);
000890 |         Print(m_RespawnTime);
000891 |         Print(m_DespawnTime);
000892 |         Print(m_WasGroupDestroyed);
000893 |
000894 |         Print(m_Config.LoadBalancingCategory);
000895 |         Print(m_LoadBalancing);
000896 |         if (m_LoadBalancing)
000897 |         {
000898 |             Print(m_LoadBalancing.MinPlayers);
000899 |             Print(m_LoadBalancing.MaxPlayers);
000900 |             Print(m_LoadBalancing.MaxPatrols);
000901 |             Print(m_LoadBalancing.m_PatrolCountTracker.m_PatrolCount);
000902 |         }
000903 |     }
000904 |
000905 | private void SetNameForLog()
000906 |     {
000907 |         m_NameForLog = m_Config.Name;
000908 |         if (m_NameForLog == string.Empty)
000909 |             m_NameForLog = m_Faction.GetName();
000910 |         else
000911 |             m_NameForLog = string.Format("%1 (%2)", m_NameForLog, m_Faction.GetName());
000912 |     }
000913 |
000914 | string GetNameForLog()
000915 |     {
000916 |         return m_NameForLog;
000917 |     }
000918 |
000919 | static void Log(ExpansionAIDynamicSpawnBase config, string msg)
000920 |     {
000921 |         Error("DEPRECATED, use ExpansionAISpawnBase::Log");
000922 |
000923 |         if (config)
000924 |         {
000925 |             config.Log(msg);
000926 |         }
000927 |         else
000928 |         {
000929 |             auto settings = GetExpansionSettings().GetLog();
000930 |             if (settings.AIPatrol)
000931 |                 settings.PrintLog("[AI Patrol] %1", msg);
000932 |         }
000933 |     }
000934 |
000935 | void Log(string msg)
```

```
000936 | {
000937 |     auto settings = GetExpansionSettings().GetLog();
000938 |     if (m_Config && m_Config.ObjectClassName)
000939 |     {
000940 |         if (settings.AIObjectPatrol)
000941 |             settings.PrintLog("[AI Object Patrol %1] %2", m_ID.ToStringLen(5), msg);
000942 |     }
000943 |     else if (settings.AIPatrol)
000944 |     {
000945 |         settings.PrintLog("[AI Patrol %1] %2", m_ID.ToStringLen(5), msg);
000946 |     }
000947 | }
000948 | };
000949 |
000950 | class eAIDynamicPatrolT<Class T>
000951 | {
000952 |     static T CreateEx(ExpansionAIDynamicSpawnBase config, vector startpos, bool autoStart = true)
000953 |     {
000954 |         T patrol;
000955 |         Class.CastTo(patrol, ((typename)T).Spawn());
000956 |
000957 |         if (patrol.Setup(config, startpos, autoStart))
000958 |             return patrol;
000959 |
000960 |         return null;
000961 |     }
000962 | }
000963 |
```

0161. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrolspawner.c

Size bytes: 3317

SHA-256: e8e21f9fe39974fdb84dc05fecc801f623da06bf24218551f39104cc88a315a

Decoded as: utf-8-sig

Line count shown: 136

Detected class declarations: 1

L1: class eAIDynamicPatrolSpawner<Class T>

Detected enum declarations: 0

Detected function/method-like declarations: 6

L14: void eAIDynamicPatrolSpawner(T object)

L19: void Init()

L94: else if (m_Object.IsInherited(EffectArea))

L99: else if (type.IndexOf("Land_Wreck_") == 0 && type.Contains("police"))

L114: void ~eAIDynamicPatrolSpawner()

L131: void SetDeferDespawnUntilLoosingAggro(bool state)

Full file content

```

000001 | class eAIDynamicPatrolSpawner<Class T>
000002 | {
000003 |     #ifdef EAI_DEBUG_EVENTPATROL
000004 |         ExpansionMarkerModule m_MarkerModule;
000005 |         ExpansionMarkerData m_ServerMarker;
000006 |     #endif
000007 |
000008 |     eAIDynamicPatrol m_ExpansionAIPatrol;
000009 |     bool m_Initialized;
000010 |     bool m_DeferDespawnUntilLoosingAggro;
000011 |
000012 |     T m_Object;
000013 |
000014 |     void eAIDynamicPatrolSpawner(T object)
000015 |     {
000016 |         m_Object = object;
000017 |     }
000018 |
000019 |     void Init()
000020 |     {
000021 |         if (m_Initialized)
000022 |             return;
000023 |
000024 |         m_Initialized = true;
000025 |
000026 |         string type = m_Object.GetType();
000027 |
000028 |         m_ExpansionAIPatrol = ExpansionAIPatrolManager.InitObjectPatrol(type, m_Object.GetPosition());
000029 |         if (!m_ExpansionAIPatrol)
000030 |             return;
000031 |
000032 |         ExpansionAIDynamicSpawnBase config = m_ExpansionAIPatrol.m_Config;
000033 |         if (config.Waypoints)
000034 |         {
000035 |             int count = config.Waypoints.Count();
000036 |
000037 |             if (count > 0)
000038 |             {
000039 |                 TVectorArray waypoints = {};
000040 |
000041 |                 //! Convert relative to world coordinates

```

```
000042 |         foreach (vector relativePosition: config.Waypoints)
000043 |         {
000044 |             vector waypoint = m_Object.ModelToWorld(relativePosition);
000045 |
000046 |             if (config.MaxSpreadRadius > 0)
000047 |                 waypoint = ExpansionMath.GetRandomPointInRing(waypoint, config.MinSpreadRadius, config.MaxSpreadRadius);
000048 |
000049 |             waypoints.Insert(waypoint);
000050 |         }
000051 |
000052 |         m_ExpansionAIPatrol.m_Waypoints = waypoints;
000053 |         m_ExpansionAIPatrol.m_Position = m_ExpansionAIPatrol.GetInitialSpawnPosition();
000054 |
000055 |         //! If we have a single waypoint and behavior is HALT, adjust default look angle relative to object orientation
000056 |         if (count == 1 && m_ExpansionAIPatrol.m_WaypointBehaviour == eAIWaypointBehavior.HALT)
000057 |         {
000058 |             float angle = m_ExpansionAIPatrol.m_DefaultLookAngle;
000059 |             m_ExpansionAIPatrol.m_DefaultLookAngle = ExpansionMath.AngleDiff2(0, angle + m_Object.GetOrientation()[0]);
000060 |         }
000061 |     }
000062 | }
000063 |
000064 | EXTrace.Print(EXTrace.AI, this, "::Init " + type);
000065 |
000066 | #ifdef EAI_DEBUG_EVENTPATROL
000067 | if (!CF_Modules<ExpansionMarkerModule>.Get(m_MarkerModule))
000068 |     return;
000069 |
000070 | string icon;
000071 | int color;
000072 |
000073 | //color = m_Object.GetType().Hash();
000074 | //int a, r, g, b;
000075 |
000076 | //ExpansionStatic.IntToARGB(color, a, b, g, r);
000077 |
000078 | //float max;
000079 |
000080 | //if (r > g && r > b)
000081 | //    max = r;
000082 | //else if (g > r && g > b)
000083 | //    max = g;
000084 | //else
000085 | //    max = b;
000086 |
000087 | //color = ARGB(255, r / max * 255, g / max * 255, b / max * 255);
000088 |
000089 | if (m_Object.IsInherited(CrashBase))
000090 | {
000091 |     icon = "Helicopter";
000092 |     color = ARGB(255, 235, 90, 50);
000093 | }
000094 | else if (m_Object.IsInherited(EffectArea))
000095 | {
000096 |     icon = "Gas Mask";
000097 |     color = ARGB(255, 235, 220, 0);
000098 | }
000099 | else if (type.IndexOf("Land_Wreck_") == 0 && type.Contains("police"))
000100 | {
000101 |     icon = "Vehicle Crash";
000102 |     color = ARGB(255, 90, 90, 235);
000103 | }
```



```
000104 |         else
000105 |         {
000106 |             icon = "Grab";
000107 |             color = ARGB(255, 180, 180, 200);
000108 |         }
000109 |
000110 |         m_ServerMarker = m_MarkerModule.CreateServerMarker(type, icon, m_Object.GetPosition(), color, true);
000111 |     #endif
000112 | }
000113 |
000114 | void ~eAIDynamicPatrolSpawner()
000115 | {
000116 |     if (!g_Game || !g_Game.IsServer())
000117 |         return;
000118 |
000119 |     #ifdef EAI_DEBUG_EVENTPATROL
000120 |     if (m_ServerMarker && m_MarkerModule)
000121 |         m_MarkerModule.RemoveServerMarker(m_ServerMarker.GetUID());
000122 |     #endif
000123 |
000124 |     if (m_ExpansionAIPatrol)
000125 |     {
000126 |         m_ExpansionAIPatrol.Despawn(m_DeferDespawnUntilLoosingAggro);
000127 |         m_ExpansionAIPatrol.Delete();
000128 |     }
000129 | }
000130 |
000131 | void SetDeferDespawnUntilLoosingAggro(bool state)
000132 | {
000133 |     m_DeferDespawnUntilLoosingAggro = state;
000134 | }
000135 | };
000136 |
```

0162. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaidynamicpatrolspheretrigger.c

Size bytes: 4656

SHA-256: de901b750114b58c82dc0871ba94507d2907106f8a4ee5003523a5a76b2e0293

Decoded as: utf-8-sig

Line count shown: 150

Detected class declarations: 1

L13: class eAIDynamicPatrolSphereTrigger: Trigger

Detected enum declarations: 0

Detected function/method-like declarations: 11

L25: void eAI_SetParams(eAIDynamicPatrol patrol, float outerRadius, float innerRadius = 0.0)

L36: override void EOnFrame(IEntity other, float timeSlice)

L41: override protected bool CanAddObjectAsInsider(Object object)

L50: override protected bool ShouldRemoveInsider(TriggerInsider insider)

L59: override protected void OnEnterServerEvent(TriggerInsider insider)

L81: override protected void OnStayServerEvent(TriggerInsider insider, float deltaTime)

L87: override protected void OnLeaveServerEvent(TriggerInsider insider)

L99: protected bool eAI_UpdateInsidersInRingCount(TriggerInsider insider, int delta = 1)

L110: override protected void UpdateInsiders(int timeout)

L133: protected void eAI_PatrolSpawnCheck(bool checkCanSpawn = true)

L144: protected void eAI_PatrolSpawn()

Full file content

```
000001 | /**
000002 |  * eAIDynamicPatrolSphereTrigger.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class eAIDynamicPatrolSphereTrigger: Trigger
000014 | {
000015 |     static const float EAI_UPDATEINSIDERS_TICK = 1.0;
000016 |
000017 |     protected float m_eAI_UpdateInsiders_Time;
000018 |     protected eAIDynamicPatrol m_eAI_Patrol;
000019 |     protected float m_eAI_InnerRadiusSq;
000020 |     protected bool m_eAI_PatrolCanSpawn;
000021 |     protected int m_eAI_InsidersInRingCount;  //!< Number of insiders in ring defined by inner radius and outer radius that may trigger patrol spawn
000022 |     protected bool m_eAI_PatrolSpawnCheck;
000023 |     protected bool m_eAI_UpdatingInsiders;
000024 |
000025 |     void eAI_SetParams(eAIDynamicPatrol patrol, float outerRadius, float innerRadius = 0.0)
000026 |     {
000027 |         #ifdef EXTRACE_DIAG
000028 |             auto trace = EXTrace.Start(EXTrace.AI, this, "" + GetPosition());
000029 |         #endif
000030 |
000031 |         m_eAI_Patrol = patrol;
000032 |         m_eAI_InnerRadiusSq = innerRadius * innerRadius;
000033 |         SetCollisionSphere(outerRadius);
000034 |     }
000035 |
000036 |     override void EOnFrame(IEntity other, float timeSlice)
```

```

000037 | {
000038 |     m_eAI_UpdateInsiders_Time += timeSlice;
000039 | }
000040 |
000041 | override protected bool CanAddObjectAsInsider(Object object)
000042 | {
000043 |     PlayerBase player;
000044 |     if (Class.CastTo(player, object) && m_eAI_Patrol.CanBeTriggeredBy(player))
000045 |         return true;
000046 |
000047 |     return false;
000048 | }
000049 |
000050 | override protected bool ShouldRemoveInsider(TriggerInsider insider)
000051 | {
000052 |     ///! Remove insiders that no longer satisfy the CanAddObjectAsInsider condition (e.g. dead or faction changed to one that shouldn't trigger)
000053 |     if (!CanAddObjectAsInsider(insider.GetObject()))
000054 |         return true;
000055 |
000056 |     return false;
000057 | }
000058 |
000059 | override protected void OnEnterServerEvent(TriggerInsider insider)
000060 | {
000061 |     ///! If the inner radius is 0, then there can never be any insiders that will prevent spawn, so we can do spawn check right away
000062 |     if (m_eAI_InnerRadiusSq <= 0)
000063 |     {
000064 |         if (m_eAI_Patrol.CanSpawn())
000065 |             eAI_PatrolSpawn();
000066 |     }
000067 |     else
000068 |     {
000069 |         eAI_UpdateInsidersInRingCount(insider);
000070 |
000071 |         ///! Deferred patrol spawn check in case trigger was created when potential insiders were already in the area
000072 |         ///! (so that OnEnterServerEvent can fire for all insiders first, thus updating insiders in ring count which is then later checked in PatrolSpawnCheck)
000073 |         if (!m_eAI_PatrolSpawnCheck)
000074 |         {
000075 |             m_eAI_PatrolSpawnCheck = true;
000076 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_PatrolSpawnCheck, 34, false, true);
000077 |         }
000078 |     }
000079 | }
000080 |
000081 | override protected void OnStayServerEvent(TriggerInsider insider, float deltaTime)
000082 | {
000083 |     if (m_eAI_PatrolCanSpawn)
000084 |         eAI_UpdateInsidersInRingCount(insider);
000085 | }
000086 |
000087 | override protected void OnLeaveServerEvent(TriggerInsider insider)
000088 | {
000089 |     if (!m_eAI_UpdatingInsiders && m_eAI_InnerRadiusSq > 0)
000090 |     {
000091 |         ///! Check if insider that left the trigger was in ring.
000092 |         ///! If it was, there's no need to do a patrol spawn check (number of insiders that may block patrol spawn because they're inside trigger but outside r
ing i.e. too close to trigger center didn't change).
000093 |         ///! If it wasn't, do a patrol spawn check (number of insiders that may block patrol spawn because they're inside trigger but outside the ring changed)
000094 |
000095 |         if (!eAI_UpdateInsidersInRingCount(insider, -1))
000096 |             eAI_PatrolSpawnCheck(true);
000097 |     }

```

```
000097 |     }
000098 |
000099 |     protected bool eAI_UpdateInsidersInRingCount(TriggerInsider insider, int delta = 1)
000100 |     {
000101 |         if (vector.DistanceSq(insider.GetObject().GetPosition(), GetPosition()) >= m_eAI_InnerRadiusSq)
000102 |         {
000103 |             m_eAI_InvidersInRingCount += delta;
000104 |             return true;
000105 |         }
000106 |
000107 |         return false;
000108 |     }
000109 |
000110 |     override protected void UpdateInsiders(int timeout)
000111 |     {
000112 |         if (m_eAI_UpdateInsiders_Time < EAI_UPDATEINSIDERS_TICK)
000113 |             return;
000114 |
000115 |         m_eAI_UpdateInsiders_Time = 0.0;
000116 |
000117 |         if (m_eAI_InnerRadiusSq > 0)
000118 |         {
000119 |             m_eAI_PatrolCanSpawn = m_eAI_Patrol.CanSpawn();
000120 |             m_eAI_InvidersInRingCount = 0;
000121 |         }
000122 |
000123 |         m_eAI_UpdatingInsiders = true;
000124 |
000125 |         super.UpdateInsiders(timeout);
000126 |
000127 |         m_eAI_UpdatingInsiders = false;
000128 |
000129 |         if (m_eAI_InnerRadiusSq > 0)
000130 |             eAI_PatrolSpawnCheck(false);
000131 |     }
000132 |
000133 |     protected void eAI_PatrolSpawnCheck(bool checkCanSpawn = true)
000134 |     {
000135 |         if (checkCanSpawn)
000136 |             m_eAI_PatrolCanSpawn = m_eAI_Patrol.CanSpawn();
000137 |
000138 |         if (m_eAI_PatrolCanSpawn && m_eAI_InvidersInRingCount > 0 && m_eAI_InvidersInRingCount == GetInsiders().Count())
000139 |             eAI_PatrolSpawn();
000140 |
000141 |         m_eAI_PatrolSpawnCheck = false;
000142 |     }
000143 |
000144 |     protected void eAI_PatrolSpawn()
000145 |     {
000146 |         m_eAI_Patrol.Spawn();
000147 |         Delete(); //! Deletes trigger in next frame
000148 |     }
000149 | };
000150 |
```

0163. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/eaipatrol.c

Size bytes: 3436

SHA-256: a517e49e5998931e9442ed0b3f127759cc469b153dd5c352ac66dad11fb9795f

Decoded as: utf-8-sig

Line count shown: 163

Detected class declarations: 1

L1: class eAIPatrol : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 13

L17: static void DeletePatrol(eAIPatrol patrol)

L30: private void eAIPatrol()

L43: private void ~eAIPatrol()

L58: static void DebugAll()

L75: static void DeleteAll()

L80: void Debug()

L89: void LoadBalancing_Update()

L96: void Delete()

L109: bool IsBeingDestroyed()

L121: void Start()

L131: private void DelayedStart()

L146: void Stop()

L158: void OnUpdate()

Full file content

```

000001 | class eAIPatrol : Managed
000002 | {
000003 |     protected static autopttr array<ref eAIPatrol> s_AllPatrols = new array<ref eAIPatrol>();
000004 |     private static int s_NextID;
000005 |     static const float UPDATE_RATE_IN_SECONDS = 5.0;
000006 |
000007 |     private ref Timer m_Timer;
000008 |     private bool m_IsBeingDestroyed;
000009 |
000010 |     protected int m_ID;
000011 |
000012 |     /**
000013 |      * @brief Destroys a patrol
000014 |      *
000015 |      * @param patrol the patrol to destroy
000016 |      */
000017 |     static void DeletePatrol(eAIPatrol patrol)
000018 |     {
000019 |         #ifdef EAI_TRACE
000020 |             auto trace = CF_Trace_1("eAIPatrol", "DeletePatrol").Add(patrol);
000021 |         #endif
000022 |
000023 |         int index = s_AllPatrols.Find(patrol);
000024 |         s_AllPatrols.Remove(index);
000025 |     }
000026 |
000027 |     /**
000028 |      * @brief Privated constructor to prevent calling/storing in ref. The instance is managed through 'Create(X)Patrol' and 'DeletePatrol'
000029 |      */
000030 |     private void eAIPatrol()
000031 |     {
000032 |         #ifdef EAI_TRACE
000033 |             auto trace = CF_Trace_0(this, "eAIPatrol");
000034 |         #endif

```

```
000035 |  
000036 |     s_AllPatrols.Insert(this);  
000037 |     m_ID = s_NextID++;  
000038 | }  
000039 |  
000040 | /**  
000041 |  * @brief Privated destructor to prevent calling/storing in ref. The instance is managed through 'Create(X)Patrol' and 'DeletePatrol'  
000042 |  */  
000043 | private void ~eAIPatrol()  
000044 | {  
000045 |     #ifdef EAI_TRACE  
000046 |     auto trace = CF_Trace_0(this, "~eAIPatrol");  
000047 |     #endif  
000048 |  
000049 |     if (!g_Game)  
000050 |         return;  
000051 |  
000052 |     int idx = s_AllPatrols.Find(this);  
000053 |     if (idx != -1) s_AllPatrols.RemoveOrdered(idx);  
000054 |  
000055 |     Stop();  
000056 | }  
000057 |  
000058 | static void DebugAll()  
000059 | {  
000060 |     Print("=== eAIPatrol::DebugAll =====");  
000061 |  
000062 |     int allPatrols_Count = s_AllPatrols.Count();  
000063 |     Print(allPatrols_Count);  
000064 |  
000065 |     eAIDynamicPatrol.OnDebugAll();  
000066 |  
000067 |     foreach (auto patrol : s_AllPatrols)  
000068 |     {  
000069 |         patrol.Debug();  
000070 |     }  
000071 |  
000072 |     Print("=====");  
000073 | }  
000074 |  
000075 | static void DeleteAll()  
000076 | {  
000077 |     s_AllPatrols.Clear();  
000078 | }  
000079 |  
000080 | void Debug()  
000081 | {  
000082 |     string title = string.Format("--- %1::Debug ", this);  
000083 |     for (int i = title.Length(); i < 65; i++) title += "-";  
000084 |     PrintFormat(title);  
000085 |     Print(m_Timer);  
000086 |     Print(m_ID);  
000087 | }  
000088 |  
000089 | void LoadBalancing_Update()  
000090 | {  
000091 | }  
000092 |  
000093 | /**  
000094 |  * @brief Destroys this patrol on the next frame  
000095 |  */  
000096 | void Delete()
```

```
000097 | {
000098 |     #ifdef EAI_TRACE
000099 |         auto trace = CF_Trace_0(this, "Delete");
000100 |     #endif
000101 |
000102 |     m_IsBeingDestroyed = true;
000103 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(DeletePatrol, this);
000104 | }
000105 |
000106 | /**
000107 |  * @brief Returns true if the patrol is being destroyed
000108 |  */
000109 | bool IsBeingDestroyed()
000110 | {
000111 |     #ifdef EAI_TRACE
000112 |         auto trace = CF_Trace_0(this, "IsBeingDestroyed");
000113 |     #endif
000114 |
000115 |     return m_IsBeingDestroyed;
000116 | }
000117 |
000118 | /**
000119 |  * @brief Waits around a second and then calls OnUpdate at a frequency specified in UPDATE_RATE_IN_SECONDS in a new timer
000120 |  */
000121 | void Start()
000122 | {
000123 |     #ifdef EAI_TRACE
000124 |         auto trace = CF_Trace_0(this, "Start");
000125 |     #endif
000126 |
000127 |     //DelayedStart();
000128 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(this.DelayedStart, Math.RandomInt(1, 1000), false);
000129 | }
000130 |
000131 | private void DelayedStart()
000132 | {
000133 |     #ifdef EAI_TRACE
000134 |         auto trace = CF_Trace_0(this, "DelayedStart");
000135 |     #endif
000136 |
000137 |     OnUpdate();
000138 |
000139 |     if (!m_Timer) m_Timer = new Timer(CALL_CATEGORY_GAMEPLAY);
000140 |     m_Timer.Run(UPDATE_RATE_IN_SECONDS, this, "OnUpdate", null, true);
000141 | }
000142 |
000143 | /**
000144 |  * @brief Stops the timer and OnUpdate from being called.
000145 |  */
000146 | void Stop()
000147 | {
000148 |     #ifdef EAI_TRACE
000149 |         auto trace = CF_Trace_0(this, "Stop");
000150 |     #endif
000151 |
000152 |     if (m_Timer && m_Timer.IsRunning()) m_Timer.Stop();
000153 | }
000154 |
000155 | /**
000156 |  * @brief Abstract function.
000157 |  */
000158 | void OnUpdate()
```

```
000159 |    {  
000160 |  
000161 |    }  
000162 | };  
000163 |
```


0164. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/patrols/patrolmanager.c

Size bytes: 1462

SHA-256: 4ca40110668c013f6783d5cb63266525b42a6f357963b5939c4781641cdc65a2

Decoded as: utf-8-sig

Line count shown: 55

Detected class declarations: 1

L1: class ExpansionAIPatrolManager

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: static eAIDynamicPatrol InitObjectPatrol(string type, vector position)

L25: static eAIDynamicPatrol InitPatrol(ExpansionAIDynamicSpawnBase patrol, vector position = vector.Zero)

L33: static void InitPatrols()

Full file content

```
000001 | class ExpansionAIPatrolManager
000002 | {
000003 |     static eAIDynamicPatrol InitObjectPatrol(string type, vector position)
000004 |     {
000005 |         if (!eAIDynamicPatrol.InitSettings())
000006 |             return NULL;
000007 |
000008 |         type.ToLower();
000009 |
000010 |         array<ref ExpansionAIDynamicSpawnBase> patrols;
000011 |         if (!eAIDynamicPatrol.s_AIPatrolSettings.m_ObjectPatrols.Find(type, patrols))
000012 |             return null;
000013 |
000014 |         //! Find object patrol with a chance to spawn
000015 |         foreach (ExpansionAIDynamicSpawnBase patrol: patrols)
000016 |         {
000017 |             auto dynPatrol = InitPatrol(patrol, position);
000018 |             if (dynPatrol)
000019 |                 return dynPatrol;
000020 |         }
000021 |
000022 |         return null;
000023 |     }
000024 |
000025 |     static eAIDynamicPatrol InitPatrol(ExpansionAIDynamicSpawnBase patrol, vector position = vector.Zero)
000026 |     {
000027 |         if (patrol.Chance == 0.0 || patrol.Chance < Math.RandomFloat(0.0, 1.0))
000028 |             return null;
000029 |
000030 |         return eAIDynamicPatrol.CreateEx(patrol, position);
000031 |     }
000032 |
000033 |     static void InitPatrols()
000034 |     {
000035 |         if (!eAIDynamicPatrol.InitSettings())
000036 |             return;
000037 |
000038 |         //! Init patrols w/ waypoints
000039 |         foreach (int i, ExpansionAIDynamicSpawnBase patrol: eAIDynamicPatrol.s_AIPatrolSettings.m_Patrols)
000040 |         {
000041 |             if (!patrol.Waypoints || !patrol.Waypoints.Count())
000042 |             {
000043 |                 if (patrol.Name)
000044 |                     EXError.Error(null, "AIPatrolSettings.json: Patrol '" + patrol.Name + "' at index " + i + " has no waypoints", {});
```

```
000045 |           else
000046 |               EXError.Error(null, "AIPatrolSettings.json: Patrol at index " + i + " has no waypoints", {});
000047 |           continue;
000048 |       }
000049 |
000050 |       if (!InitPatrol(patrol))
000051 |           continue;
000052 |   }
000053 | }
000054 | }
000055 |
```

0165. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playermodifiers/modifierbase.c

Size bytes: 1077

SHA-256: 9fd1b2ef66cb676777da903cc658e83ef4a4c5a405c79e1708d8e4347982af0e

Decoded as: utf-8-sig

Line count shown: 50

Detected class declarations: 1

L1: modded class ModifierBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

L6: override void Tick(float delta_time)

L43: override void ResetLastTickTime()

Full file content

```
000001 | modded class ModifierBase
000002 | {
000003 |     int m_eAI_LastTickTime;
000004 |
000005 |     ///! Only allow modifiers that do not affect health/blood/energy/water negatively for AI if dmg is disabled
000006 |     override void Tick(float delta_time)
000007 |     {
000008 |         if (m_Player.IsAI())
000009 |         {
000010 |             typename type = Type();
000011 |             switch (type)
000012 |             {
000013 |                 case BloodRegenMdfr:
000014 |                 case SalineMdfr:
000015 |                 case HealthRegenMdfr:
000016 |                 case StomachMdfr:
000017 |                 case ImmunityBoost:
000018 |                 case AntibioticsMdfr:
000019 |                 case BreathVapourMdfr:
000020 |                 case ShockMdfr:
000021 |                 case CharcoalMdfr:
000022 |                 case MorphineMdfr:
000023 |                 case PainKillersMdfr:
000024 |                 case EpinephrineMdfr:
000025 |                 case DisinfectionMdfr:
000026 |                 case FatigueMdfr:
000027 |                 case MaskMdfr:
000028 |                 case FliesMdfr:
000029 |                     break;
000030 |                 case HeatComfortMdfr:
000031 |                 case HungerMdfr:
000032 |                 case ThirstMdfr:
000033 |                     return; ///! Maybe re-enable hunger/thirst when we teach AI to eat & drink?
000034 |                 default:
000035 |                     if (!m_Player.Expansion_CanBeDamaged())
000036 |                         return;
000037 |             }
000038 |         }
000039 |
000040 |         super.Tick(delta_time);
000041 |     }
000042 |
000043 |     override void ResetLastTickTime()
000044 |     {
000045 |         super.ResetLastTickTime();
```

```
000046 |  
000047 |     m_eAI_LastTickTime = 0;  
000048 | }  
000049 | }  
000050 |
```

0166. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/coughstate.c

Size bytes: 317

SHA-256: e8f25dd727187894d2ff77b4fa02935f152ab82345df528bdf09e5ff0ee82982

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class CoughSymptom

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override void OnGetActivatedServer(PlayerBase player)

Full file content

```
000001 | modded class CoughSymptom
000002 | {
000003 |     override void OnGetActivatedServer(PlayerBase player)
000004 |     {
000005 |         super.OnGetActivatedServer(player);
000006 |
000007 |         if (IsContaminationActive() && m_Player.IsAI())
000008 |             m_Player.InsertAgent(eAgents.CHEMICAL_POISON, -COUGH_BLOOD_LOSS * ActionGiveBloodSelf.CHEM_AGENT_BLOOD_REMOVAL_MODIFIER);
000009 |     }
000010 | }
000011 |
```

0167. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/primary/vomitstate.c

Size bytes: 424

SHA-256: 186525139f650e2a913a65f72a73996a3ee45f32217d656e855116c41facc340

Decoded as: utf-8-sig

Line count shown: 13

Detected class declarations: 1

 L1: modded class VomitSymptom

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override void OnAnimationStart()

Full file content

```
000001 | modded class VomitSymptom
000002 | {
000003 |     override void OnAnimationStart()
000004 |     {
000005 |         super.OnAnimationStart();
000006 |
000007 |         //!< AI can "puke out" chemical agents with the blood they vomit.
000008 |         //!< Would make sense to have this for players as well, maybe as an option?
000009 |         if (IsContaminationActive() && m_Player.IsAI())
000010 |             m_Player.InsertAgent(eAgents.CHEMICAL_POISON, -BLOOD_LOSS * ActionGiveBloodSelf.CHEM_AGENT_BLOOD_REMOVAL_MODIFIER);
000011 |     }
000012 | }
000013 |
```

0168. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/bloodloss.c

Size bytes: 217

SHA-256: e028f269b6ed2d233da42f8884f5ed9fe7fc3f6a9b55123f03593895ec1f8209

Decoded as: utf-8-sig

Line count shown: 10

Detected class declarations: 1

 L1: modded class BloodLoss

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override void OnUpdateClient(PlayerBase player, float deltatime)

Full file content

```
000001 | modded class BloodLoss
000002 | {
000003 |     //! Disable effects for AI in offline/SP
000004 |     override void OnUpdateClient(PlayerBase player, float deltatime)
000005 |     {
000006 |         if (!player.Expansion_IsAI())
000007 |             super.OnUpdateClient(player, deltatime);
000008 |     }
000009 | }
000010 |
```

0169. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/deafnesscompletesymptom.c

Size bytes: 352

SHA-256: 5a5ede38852be23641dfa5792a0c2e79013b8f6217ecf6e0e5bc1baf5d405d20

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 1

 L1: modded class DeafnessCompleteSymptom

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnGetActivatedClient(PlayerBase player)

 L10: override void OnGetDeactivatedClient(PlayerBase player)

Full file content

```
000001 | modded class DeafnessCompleteSymptom
000002 | {
000003 |     //! Disable effects for AI in offline/SP
000004 |     override void OnGetActivatedClient(PlayerBase player)
000005 |     {
000006 |         if (!player.Expansion_IsAI())
000007 |             super.OnGetActivatedClient(player);
000008 |     }
000009 |
000010 |     override void OnGetDeactivatedClient(PlayerBase player)
000011 |     {
000012 |         if (!player.Expansion_IsAI())
000013 |             super.OnGetDeactivatedClient(player);
000014 |     }
000015 | }
000016 |
```


0170. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/feverblursymptom.c
Size bytes: 361
SHA-256: 62bf3541fc87116ac281546700a7cb38a2c8c5b94962072b85ceab722eaeff8b
Decoded as: utf-8-sig
Line count shown: 16
Detected class declarations: 1
 L1: modded class FeverBlurSymptom
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnUpdateClient(PlayerBase player, float deltatime)
 L10: override void OnGetDeactivatedClient(PlayerBase player)

Full file content

```
000001 | modded class FeverBlurSymptom
000002 | {
000003 |     //! Disable effects for AI in offline/SP
000004 |     override void OnUpdateClient(PlayerBase player, float deltatime)
000005 |     {
000006 |         if (!player.Expansion_IsAI())
000007 |             super.OnUpdateClient(player, deltatime);
000008 |     }
000009 |
000010 |     override void OnGetDeactivatedClient(PlayerBase player)
000011 |     {
000012 |         if (!player.Expansion_IsAI())
000013 |             super.OnGetDeactivatedClient(player);
000014 |     }
000015 | }
000016 |
```

0171. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/playersymptoms/states/secondary/hmp3symptom.c
Size bytes: 489
SHA-256: 0aef59d25d4faa976111696186b7a9fec2cfc40821c838bc24a95866b8d9d20a
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L1: modded class HMP3Symptom
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L4: override void OnUpdateClient(PlayerBase player, float deltatime)
 L10: override void OnGetActivatedClient(PlayerBase player)
 L16: override void OnGetDeactivatedClient(PlayerBase player)

Full file content

```
000001 | modded class HMP3Symptom
000002 | {
000003 |     ///! Disable effects for AI in offline/SP
000004 |     override void OnUpdateClient(PlayerBase player, float deltatime)
000005 |     {
000006 |         if (!player.Expansion_IsAI())
000007 |             super.OnUpdateClient(player, deltatime);
000008 |     }
000009 |
000010 |     override void OnGetActivatedClient(PlayerBase player)
000011 |     {
000012 |         if (!player.Expansion_IsAI())
000013 |             super.OnGetActivatedClient(player);
000014 |     }
000015 |
000016 |     override void OnGetDeactivatedClient(PlayerBase player)
000017 |     {
000018 |         if (!player.Expansion_IsAI())
000019 |             super.OnGetDeactivatedClient(player);
000020 |     }
000021 | }
000022 |
```

0172. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/plugindiagmenu.c

Size bytes: 1234

SHA-256: ef82d320f033a9c046780eb5d9adcef5c9d031e45cadd21a92f3f0c735c4334

Decoded as: utf-8-sig

Line count shown: 36

Detected class declarations: 1

L2: modded class PluginDiagMenu

Detected enum declarations: 0

Detected function/method-like declarations: 2

L12: override protected void RegisterModdedDiagsIDs()

L23: override protected void RegisterModdedDiags()

Full file content

```
000001 | #ifdef DIAG_DEVELOPER
000002 | modded class PluginDiagMenu
000003 | {
000004 |     protected string m_ExpansionTextDiagsAIMenu          = "EXP AI";
000005 |
000006 |     // AI
000007 |     protected int m_ExpansionDiagsRootMenu_AI;
000008 |     protected int m_ExpansionDiagsEnum_AIClimb;
000009 |     protected int m_ExpansionDiagsEnum_AIVehicle;
000010 |     protected int m_ExpansionDiagsEnum_AIServerStats;
000011 |
000012 |     override protected void RegisterModdedDiagsIDs()
000013 |     {
000014 |         super.RegisterModdedDiagsIDs();
000015 |
000016 |         // AI
000017 |         m_ExpansionDiagsRootMenu_AI = GetModdedDiagID();
000018 |         m_ExpansionDiagsEnum_AIClimb = GetModdedDiagID();
000019 |         m_ExpansionDiagsEnum_AIVehicle = GetModdedDiagID();
000020 |         m_ExpansionDiagsEnum_AIServerStats = GetModdedDiagID();
000021 |     }
000022 |
000023 |     override protected void RegisterModdedDiags()
000024 |     {
000025 |         super.RegisterModdedDiags();
000026 |
000027 |         // AI
000028 |         DiagMenu.RegisterMenu(m_ExpansionDiagsRootMenu_AI, m_ExpansionTextDiagsAIMenu, GetModdedRootMenu());
000029 |         {
000030 |             DiagMenu.RegisterRange(m_ExpansionDiagsEnum_AIClimb, "", "AI CLIMB", m_ExpansionDiagsRootMenu_AI, "0,0x10,0,0x01");
000031 |             DiagMenu.RegisterBool(m_ExpansionDiagsEnum_AIVehicle, "", "AI VEHICLE", m_ExpansionDiagsRootMenu_AI);
000032 |             DiagMenu.RegisterBool(m_ExpansionDiagsEnum_AIServerStats, "", "Server Stats in DbgMon", m_ExpansionDiagsRootMenu_AI);
000033 |         }
000034 |     }
000035 | };
000036 | #endif
```

0173. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/plugins/plugindiagmenuclient.c

Size bytes: 1064

SHA-256: 16b82f5549d4705b2e6851e49a431c3d0f6ba6b8ea8a1898625a192098767415

Decoded as: utf-8-sig

Line count shown: 38

Detected class declarations: 1

L2: modded class PluginDiagMenuClient

Detected enum declarations: 0

Detected function/method-like declarations: 4

L4: override protected void BindCallbacks()

L13: static void ExpansionAI_Climb(float value)

L21: static void ExpansionAI_Vehicle(bool state)

L29: static void ExpansionAI_ServerStats(bool state)

Full file content

```
000001 | #ifdef DIAG_DEVELOPER
000002 | modded class PluginDiagMenuClient
000003 | {
000004 |     override protected void BindCallbacks()
000005 |     {
000006 |         super.BindCallbacks();
000007 |
000008 |         DiagMenu.BindCallback(m_ExpansionDiagsEnum_AIClimb, ExpansionAI_Climb);
000009 |         DiagMenu.BindCallback(m_ExpansionDiagsEnum_AIVehicle, ExpansionAI_Vehicle);
000010 |         DiagMenu.BindCallback(m_ExpansionDiagsEnum_AIServerStats, ExpansionAI_ServerStats);
000011 |     }
000012 |
000013 |     static void ExpansionAI_Climb(float value)
000014 |     {
000015 |         DayZPlayerImplement player;
000016 |         Class.CastTo(player, g_Game.GetPlayer());
000017 |
000018 |         player.DEBUG_EXPANSION_AI_CLIMB = value;
000019 |     }
000020 |
000021 |     static void ExpansionAI_Vehicle(bool state)
000022 |     {
000023 |         DayZPlayerImplement player;
000024 |         Class.CastTo(player, g_Game.GetPlayer());
000025 |
000026 |         player.DEBUG_EXPANSION_AI_VEHICLE = state;
000027 |     }
000028 |
000029 |     static void ExpansionAI_ServerStats(bool state)
000030 |     {
000031 |         ExpansionWorld.s_DebugMonitor_ShowServerStats = state;
000032 |
000033 |         auto rpc = GetDayZGame().GetExpansionGame().m_RPCManager.CreateRPC("RPC_DebugMonitor_ShowServerStats");
000034 |         rpc.Write(state);
000035 |         rpc.Expansion_Send(true);
000036 |     }
000037 | };
000038 | #endif
```

0174. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/propertymodifiers.c

Size bytes: 863

SHA-256: 5da19f287a01a707e7631387b0eb5cdalc98ef2e77c248c447de673609272824

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L1: modded class PropertyModifiers

Detected enum declarations: 0

Detected function/method-like declarations: 2

L5: override void UpdateModifiers()

L29: float eAI_GetNoiseShootModifier()

Full file content

```
000001 | modded class PropertyModifiers
000002 | {
000003 |     protected float m_eAI_NoiseShootModifier;
000004 |
000005 |     override void UpdateModifiers()
000006 |     {
000007 |         super.UpdateModifiers();
000008 |
000009 |         m_eAI_NoiseShootModifier = 1.0;
000010 |
000011 |         ///! Bit ugly to have to do this again, but fine
000012 |         for (int i = 0; i < m_OwnerItem.GetInventory().AttachmentCount(); i++)
000013 |         {
000014 |             EntityAI att = m_OwnerItem.GetInventory().GetAttachmentFromIndex(i);
000015 |
000016 |             if (att.IsDamageDestroyed())
000017 |                 continue;
000018 |
000019 |             m_eAI_NoiseShootModifier += att.ConfigGetFloat("noiseShootModifier");
000020 |             if (m_eAI_NoiseShootModifier < 1.0)
000021 |                 break; ///! Guns can only have one suppressor, ok to break
000022 |         }
000023 |
000024 |         ///! This should not be possible to happen, but better safe than sorry
000025 |         if (m_eAI_NoiseShootModifier < 0.0)
000026 |             m_eAI_NoiseShootModifier = 0.0;
000027 |     }
000028 |
000029 |     float eAI_GetNoiseShootModifier()
000030 |     {
000031 |         return m_eAI_NoiseShootModifier;
000032 |     }
000033 | }
000034 |
```

0175. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnetwork.c

Size bytes: 19832

SHA-256: 154282ee778801a9bf2069e534dabf48dd64f92a4981820d8e529f3e5e547c8c

Decoded as: utf-8-sig

Line count shown: 820

Detected class declarations: 1

L1: class eAIRoadNetwork

Detected enum declarations: 0

Detected function/method-like declarations: 29

L25: void eAIRoadNetwork()

L58: void ~eAIRoadNetwork()

L64: static void DS_Add(Shape shape)

L70: void DS_Destroy()

L81: void DS_Create(vector position, float radius)

L84: array<ExpansionPathNode> visited();

L109: void DS_SectionCreate(vector position, float radius)

L136: void DS_SectionEndsCreate(vector position, float radius)

L139: array<ExpansionPathNode> visited();

L164: void Init()

L192: void GenerateSections()

L280: eAIRoadSection CreateSection()

L287: void MergeSections(eAIRoadSection a, eAIRoadSection b)

L298: private void Resize(int width, int height)

L308: void NotifyGenerate(vector position, float radius)

L320: private void Generate()

L328: private void _Generate(vector position, float radius)

L351: array<ref eAIRoadConnection> connections();

L353: array<Object> objects();

L354: array<CargoBase> proxyCargos();

L663: private void Save()

L684: private bool OnLoad(FileHandle file_handle, out int version)

L713: array<ref eAIRoadNodeJoinMap> connections();

L733: private bool Load(bool saveOnFail = true)

L754: eAIRoadNode GetClosestNode(vector position)

L771: Param2<eAIRoadNode, eAIRoadNodeSection> _GetClosestNode(vector position)

L775: array<eAIRoadNode> nodes();

L805: void FindPath(vector start, vector end, ExpansionPathHandler pathFinding)

L816: void _FindPath(Param3<vector, vector, ExpansionPathHandler> param)

Full file content

```
000001 | class eAIRoadNetwork
000002 | {
000003 |     const static int LATEST_VERSION = 4;
000004 |
000005 |     private static eAIRoadNetwork INSTANCE;
000006 |
000007 |     private bool m_IsEnabled;
000008 |
000009 |     private int m_Width;
000010 |     private int m_Height;
000011 |     private ref array<ref eAIRoadNode> m_Roads;
000012 |     private ref set<ref eAIRoadSection> m_Sections;
000013 |     private ref array<ref eAIRoadNodeSection> m_SectionEnds;
000014 |
000015 |     private ref array<string> m_Directories;
000016 |     private string m_FilePath;
000017 |
000018 |     private string m_WorldName;
```

```
000019 | private vector m_CenterPoint;
000020 |
000021 | #ifndef SERVER
000022 | private ref array<Shape> m_DebugShapes = new array<Shape>();
000023 | #endif
000024 |
000025 | void eAIRoadNetwork()
000026 | {
000027 |     INSTANCE = this;
000028 |
000029 |     m_IsEnabled = false;
000030 |
000031 |     m_Roads = new array<ref eAIRoadNode>();
000032 |     m_Sections = new set<ref eAIRoadSection>();
000033 |     m_SectionEnds = new array<ref eAIRoadNodeSection>();
000034 |     m_Directories = new array<string>();
000035 |
000036 |     m_WorldName = g_Game.GetWorldName();
000037 |     m_CenterPoint = g_Game.ConfigGetVector("CfgWorlds " + m_WorldName + " centerPosition");
000038 |
000039 |     m_Directories.Insert("DayZExpansion/AI/Scripts/Data/Roads");
000040 |
000041 |     int mod_count = g_Game.ConfigGetChildrenCount("CfgMods");
000042 |     for (int i = 0; i < mod_count; i++)
000043 |     {
000044 |         string mod_name;
000045 |         g_Game.ConfigGetChildName("CfgMods", i, mod_name);
000046 |
000047 |         if (g_Game.ConfigIsExisting("CfgMods " + mod_name + " roadNetworkDirectory"))
000048 |         {
000049 |             string directory;
000050 |             g_Game.ConfigGetText("CfgMods " + mod_name + " roadNetworkDirectory", directory);
000051 |             m_Directories.Insert(directory);
000052 |         }
000053 |     }
000054 |
000055 |     Resize(0, 0);
000056 | }
000057 |
000058 | void ~eAIRoadNetwork()
000059 | {
000060 |     DS_Destroy();
000061 | }
000062 |
000063 | #ifndef SERVER
000064 | static void DS_Add(Shape shape)
000065 | {
000066 |     INSTANCE.m_DebugShapes.Insert(shape);
000067 | }
000068 | #endif
000069 |
000070 | void DS_Destroy()
000071 | {
000072 |     #ifndef SERVER
000073 |         for (int i = 0; i < m_DebugShapes.Count(); i++)
000074 |         {
000075 |             m_DebugShapes[i].Destroy();
000076 |         }
000077 |         m_DebugShapes.Clear();
000078 |     #endif
000079 | }
000080 |
```

```

000081 | void DS_Create(vector position, float radius)
000082 | {
000083 |     #ifndef SERVER
000084 |     array<ExpansionPathNode> visited();
000085 |     for (int i = 0; i < m_Roads.Count(); i++)
000086 |     {
000087 |         if (visited.Find(m_Roads[i]) != -1) continue;
000088 |         vector p1 = m_Roads[i].m_Position;
000089 |         p1[1] = 0;
000090 |         position[1] = 0;
000091 |         if (vector.Distance(p1, position) > radius) continue;
000092 |         visited.Insert(m_Roads[i]);
000093 |
000094 |         m_DebugShapes.Insert(Shape.CreateSphere(0xFF0000FF, ShapeFlags.VISIBLE | ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Roads[i].m_Position, 0.5));
000095 |
000096 |         for (int j = 0; j < m_Roads[i].m_Neighbours.Count(); j++)
000097 |         {
000098 |             if (visited.Find(m_Roads[i].m_Neighbours[j]) != -1) continue;
000099 |
000100 |             vector points[2];
000101 |             points[0] = m_Roads[i].m_Position;
000102 |             points[1] = m_Roads[i].m_Neighbours[j].m_Position;
000103 |             m_DebugShapes.Insert(Shape.CreateLines(0xFFFF0000, ShapeFlags.VISIBLE | ShapeFlags.NOZBUFFER, points, 2));
000104 |         }
000105 |     }
000106 |     #endif
000107 | }
000108 |
000109 | void DS_SectionCreate(vector position, float radius)
000110 | {
000111 |     #ifndef SERVER
000112 |     for (int i = 0; i < m_Sections.Count(); i++)
000113 |     {
000114 |         if (m_Sections[i] == null) continue;
000115 |
000116 |         vector p1 = m_Sections[i].m_Position;
000117 |         p1[1] = 0;
000118 |         position[1] = 0;
000119 |
000120 |         if (vector.Distance(p1, position) > radius) continue;
000121 |
000122 |         m_DebugShapes.Insert(Shape.CreateSphere(0xFF00FFFF, ShapeFlags.VISIBLE | ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Sections[i].m_Position + "0 0.
5 0", 0.5));
000123 |         m_DebugShapes.Insert(Shape.CreateSphere(0xFFFFFFFF, ShapeFlags.NOCULL | ShapeFlags TRANSP | ShapeFlags.NOZWRITE | ShapeFlags.DOUBLESIDE | ShapeFlags.W
IREFRAME, m_Sections[i].m_Position, m_Sections[i].m_Radius));
000124 |
000125 |         ExpansionPathNode s = m_Sections[i].m_Head;
000126 |         ExpansionPathNode e = m_Sections[i].m_Tail;
000127 |
000128 |         vector points[2];
000129 |         points[0] = s.m_Position + "0 0.1 0";
000130 |         points[1] = e.m_Position + "0 0.1 0";
000131 |         m_DebugShapes.Insert(Shape.CreateLines(0xFFFFFFFF00, ShapeFlags.VISIBLE | ShapeFlags.NOZBUFFER, points, 2));
000132 |     }
000133 |     #endif
000134 | }
000135 |
000136 | void DS_SectionEndsCreate(vector position, float radius)
000137 | {
000138 |     #ifndef SERVER
000139 |     array<ExpansionPathNode> visited();
000140 |     for (int i = 0; i < m_SectionEnds.Count(); i++)

```



```
000141 |     {
000142 |         if (visited.Find(m_SectionEnds[i]) != -1) continue;
000143 |         vector p1 = m_SectionEnds[i].m_Position;
000144 |         p1[1] = 0;
000145 |         position[1] = 0;
000146 |         if (vector.Distance(p1, position) > radius) continue;
000147 |         visited.Insert(m_SectionEnds[i]);
000148 |
000149 |         m_DebugShapes.Insert(Shape.CreateSphere(0xFFFF00FF, ShapeFlags.VISIBLE | ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_SectionEnds[i].m_Position, 0.5
000150 |     ));
000151 |
000152 |     for (int j = 0; j < m_SectionEnds[i].m_Neighbours.Count(); j++)
000153 |     {
000154 |         if (visited.Find(m_SectionEnds[i].m_Neighbours[j]) != -1) continue;
000155 |
000156 |         vector points[2];
000157 |         points[0] = m_SectionEnds[i].m_Position;
000158 |         points[1] = m_SectionEnds[i].m_Neighbours[j].m_Position;
000159 |         m_DebugShapes.Insert(Shape.CreateLines(0xFFFFFFFF00, ShapeFlags.VISIBLE | ShapeFlags.NOZBUFFER, points, 2));
000160 |     }
000161 | }
000162 | #endif
000163 | }
000164 | void Init()
000165 | {
000166 |     m_IsEnabled = true;
000167 |
000168 |     bool loaded = false;
000169 |     foreach (string directory : m_Directories)
000170 |     {
000171 |         m_FilePath = directory + "/" + m_WorldName + ".roads";
000172 |         if (FileExist(m_FilePath))
000173 |         {
000174 |             if (Load(m_Directories[0] == directory))
000175 |             {
000176 |                 loaded = true;
000177 |                 break;
000178 |             }
000179 |         }
000180 |     }
000181 |
000182 |     if (!loaded)
000183 |     {
000184 |         m_FilePath = m_Directories[0] + "/" + m_WorldName + ".roads";
000185 |         Generate();
000186 |         Save();
000187 |     }
000188 |
000189 |     //GenerateSections();
000190 | }
000191 |
000192 | void GenerateSections()
000193 | {
000194 |     int i;
000195 |     int j;
000196 |     int k;
000197 |
000198 |     eAIRoadSection section;
000199 |
000200 |     // Generate a section for every node that has only two connecting neighbours
000201 |     Print("Generating new sections for each road");
```

```
000202 |         for (i = 0; i < m_Roads.Count(); i++)
000203 |     {
000204 |         m_Roads[i].ClearSections();
000205 |         if (m_Roads[i].Count() != 2) continue;
000206 |
000207 |         m_Roads[i].InsertSection(CreateSection());
000208 |     }
000209 |
000210 |     // Connect the unconnected sections
000211 |     Print("Connecting section pieces");
000212 |     for (i = 0; i < m_Roads.Count(); i++)
000213 |     {
000214 |         if (m_Roads[i].Count() != 2) continue;
000215 |
000216 |         for (j = 0; j < m_Roads[i].Count(); j++)
000217 |         {
000218 |             if (m_Roads[i][j].Count() != 2) continue;
000219 |             if (m_Roads[i].GetSection(0) == eAIRoadNode.Cast(m_Roads[i][j]).GetSection(0)) continue;
000220 |
000221 |             MergeSections(eAIRoadNode.Cast(m_Roads[i][j]).GetSection(0), m_Roads[i].GetSection(0));
000222 |         }
000223 |     }
000224 |
000225 |     // Connect the unconnected sections
000226 |     Print("Connecting sections into nodes of neighbours");
000227 |     for (i = 0; i < m_Roads.Count(); i++)
000228 |     {
000229 |         if (m_Roads[i].Count() == 2) continue;
000230 |
000231 |         eAIRoadNodeSection roadNodeSection = new eAIRoadNodeSection();
000232 |         m_SectionEnds.Insert(roadNodeSection);
000233 |
000234 |         roadNodeSection.m_Radius = 0.0;
000235 |         roadNodeSection.m_Position = m_Roads[i].m_Position;
000236 |         m_Roads[i].m_SectionNode = roadNodeSection;
000237 |
000238 |         for (j = 0; j < m_Roads[i].Count(); j++)
000239 |         {
000240 |             if (m_Roads[i][j].Count() != 2)
000241 |             {
000242 |                 Error("Expected 2 connecting nodes");
000243 |             }
000244 |
000245 |             section = eAIRoadNode.Cast(m_Roads[i][j]).GetSection(0);
000246 |             roadNodeSection.m_Sections.Insert(section);
000247 |             m_Roads[i].InsertSection(section);
000248 |         }
000249 |     }
000250 |
000251 |     Print("Initializing sections");
000252 |     for (i = m_Sections.Count(); i >= 0; i--)
000253 |     {
000254 |         Print("INITIALIZING");
000255 |         Print(" INDEX: " + i);
000256 |         if (m_Sections[i] == null)
000257 |         {
000258 |             Print(" REMOVING");
000259 |             m_Sections.Remove(i);
000260 |             continue;
000261 |         }
000262 |
000263 |         m_Sections[i].Init();
```

```
000264 |     }
000265 |
000266 |     for (i = 0; i < m_Roads.Count(); i++)
000267 |     {
000268 |         if (m_Roads[i].Count() == 2) continue;
000269 |
000270 |         for (j = 0; j < m_Roads[i].Count(); j++)
000271 |         {
000272 |             section = eAIRoadNode.Cast(m_Roads[i][j]).GetSection(0);
000273 |             if (section.m_Radius > m_Roads[i].m_SectionNode.m_Radius) m_Roads[i].m_SectionNode.m_Radius = section.m_Radius;
000274 |         }
000275 |     }
000276 |
000277 |     Print("Finished generating sections");
000278 | }
000279 |
000280 | eAIRoadSection CreateSection()
000281 | {
000282 |     eAIRoadSection section = new eAIRoadSection();
000283 |     m_Sections.Insert(section);
000284 |     return section;
000285 | }
000286 |
000287 | void MergeSections(eAIRoadSection a, eAIRoadSection b)
000288 | {
000289 |     for (int i = 0; i < a.m_Nodes.Count(); i++)
000290 |     {
000291 |         a.m_Nodes[i].RemoveSection(a);
000292 |         a.m_Nodes[i].InsertSection(b);
000293 |     }
000294 |
000295 |     delete a;
000296 | }
000297 |
000298 | private void Resize(int width, int height)
000299 | {
000300 |     m_Roads.Clear();
000301 |     m_Sections.Clear();
000302 |     m_SectionEnds.Clear();
000303 |
000304 |     m_Width = width;
000305 |     m_Height = height;
000306 | }
000307 |
000308 | void NotifyGenerate(vector position, float radius)
000309 | {
000310 |     if (!m_IsEnabled) return;
000311 |
000312 |     _Generate(position, radius);
000313 |
000314 |     GenerateSections();
000315 |
000316 |     DS_Create(position, radius);
000317 |     DS_SectionCreate(position, radius);
000318 | }
000319 |
000320 | private void Generate()
000321 | {
000322 |     float radius = m_CenterPoint[0] * 2;
000323 |     if (radius < m_CenterPoint[1] * 2) radius = m_CenterPoint[1] * 2;
000324 |
000325 |     _Generate(m_CenterPoint, radius * 2.5);
```

```
000326 |     }
000327 |
000328 | private void _Generate(vector position, float radius)
000329 | {
000330 |     Print("Generating");
000331 |
000332 |     Resize(position[0] * 2, position[1] * 2);
000333 |
000334 |     PGFilter pathFilter = new PGFilter();
000335 |     AIWorld aiWorld = g_Game.GetWorld().GetAIWorld();
000336 |     vector nmHitPos;
000337 |     vector nmHitNormal;
000338 |
000339 |     int inFlags = PGPolyFlags.WALK | PGPolyFlags.DOOR;
000340 |     int exFlags = PGPolyFlags.CLIMB;
000341 |
000342 |     pathFilter.SetFlags(inFlags, exFlags, PGPolyFlags.NONE);
000343 |     pathFilter.SetCost(PGAreaType.NONE, 0.0);
000344 |     pathFilter.SetCost(PGAreaType.TERRAIN, 1.0);
000345 |     //pathFilter.SetCost(PGAreaType.OBJECTS, 1.0);
000346 |     //pathFilter.SetCost(PGAreaType.BUILDING, 1.0);
000347 |
000348 |     int x, z, i, j, k;
000349 |
000350 |     Print("Finding Objects");
000351 |     array<ref eAIRoadConnection> connections();
000352 |
000353 |     array<Object> objects();
000354 |     array<CargoBase> proxyCargos();
000355 |
000356 |     g_Game.GetObjectsAtPosition(position, radius, objects, proxyCargos);
000357 |
000358 |     for (i = 0; i < objects.Count(); i++)
000359 |     {
000360 |         Object obj = objects[i];
000361 |         if (obj.IsInherited(Camera)) continue;
000362 |         if (obj.IsInherited(Particle)) continue;
000363 |         if (obj.IsInherited(DayZCreature)) continue;
000364 |         if (obj.IsMan()) continue;
000365 |         if (obj.IsTransport()) continue;
000366 |         if (obj.IsItemBase()) continue;
000367 |
000368 |         LOD geometry = obj.GetLODByName("geometry");
000369 |         if (!geometry || !eAIRoadNode.ObjectIsRoad(obj, geometry)) continue;
000370 |
000371 |         eAIRoadNode road = new eAIRoadNode();
000372 |         if (road.Generate(obj, connections))
000373 |         {
000374 |             m_Roads.Insert(road);
000375 |         }
000376 |     }
000377 |
000378 |
000379 |     eAIRoadConnection a;
000380 |     eAIRoadConnection b;
000381 |
000382 |     int best;
000383 |     float dist;
000384 |     float minDistBest;
000385 |     float connectionRadius;
000386 |
000387 |     ExpansionPathNode nodeA;
```

```
000388 |     ExpansionPathNode nodeB;
000389 |
000390 |     //if (false)
000391 |     {
000392 |         Print("Connecting Roads (Memory Points)");
000393 |         connectionRadius = 1.0;
000394 |
000395 |         //! Connect roads that were placed properly
000396 |         for (i = connections.Count() - 1; i >= 0; i--)
000397 |         {
000398 |             a = connections[i];
000399 |
000400 |             if (a.m_Completed) continue;
000401 |             a.m_Completed = true;
000402 |
000403 |             minDistBest = (a.m_Node.m_Radius * a.m_Node.m_Radius) * 1.5;
000404 |
000405 |             for (j = connections.Count() - 1; j >= 0; j--)
000406 |             {
000407 |                 b = connections[j];
000408 |
000409 |                 if (b.m_Completed) continue;
000410 |                 if (a.m_Node == b.m_Node) continue;
000411 |                 if (!b.m_Node.CanConnectToTarget(a.m_Node)) continue;
000412 |
000413 |                 if (aiWorld.RaycastNavMesh(a.m_Node.m_Position, b.m_Node.m_Position, pathFilter, nmHitPos, nmHitNormal)) continue;
000414 |
000415 |
000416 |                 vector aPos = a.m_Position;
000417 |                 vector bPos = b.m_Position;
000418 |
000419 |                 aPos[1] = 0.0;
000420 |                 bPos[1] = 0.0;
000421 |
000422 |                 dist = vector.DistanceSq(aPos, bPos);
000423 |                 if (dist < 0.0) continue;
000424 |
000425 |                 if (dist < minDistBest)
000426 |                 {
000427 |                     b.m_Completed = true;
000428 |                     a.m_Node.Add(b.m_Node);
000429 |                 }
000430 |             }
000431 |         }
000432 |     }
000433 |
000434 |     //if (false)
000435 |     {
000436 |         Print("Connecting Roads (Far)");
000437 |
000438 |         connectionRadius = 20.0;
000439 |
000440 |         for (i = connections.Count() - 1; i >= 0; i--)
000441 |         {
000442 |             a = connections[i];
000443 |
000444 |             if (a.m_Node.Count() > 1) continue;
000445 |
000446 |             best = -1;
000447 |             connectionRadius = a.m_Node.m_Radius * 15.0;
000448 |             minDistBest = connectionRadius * connectionRadius;
000449 |         }
```

```
000450 |         for (j = connections.Count() - 1; j >= 0; j--)
000451 |         {
000452 |             b = connections[j];
000453 |
000454 |             if (a.m_Node == b.m_Node) continue;
000455 |             //if (b.m_Node.Count() > 1) continue;
000456 |             if (!b.m_Node.CanConnectToTarget(a.m_Node)) continue;
000457 |
000458 |             aPos = a.m_Position;
000459 |             bPos = b.m_Position;
000460 |
000461 |             aPos[1] = 0.0;
000462 |             bPos[1] = 0.0;
000463 |
000464 |             dist = vector.DistanceSq(aPos, bPos);
000465 |             if (dist < 0.0) continue;
000466 |
000467 |             if (dist < minDistBest)
000468 |             {
000469 |                 minDistBest = dist;
000470 |                 best = j;
000471 |             }
000472 |         }
000473 |
000474 |         if (best != -1)
000475 |         {
000476 |             b = connections[best];
000477 |             a.m_Node.Add(b.m_Node);
000478 |         }
000479 |     }
000480 | }
000481 |
000482 | if (false)
000483 | {
000484 |     Print("Connecting Roads (Remaining unconnected)");
000485 |
000486 |     Print(connections.Count());
000487 |     for (i = connections.Count() - 1; i >= 0; i--)
000488 |     {
000489 |         a = connections[i];
000490 |
000491 |         if (a.m_Node.Count() > 1) continue;
000492 |
000493 |         nodeA = null;
000494 |         nodeB = null;
000495 |
000496 |         best = -1;
000497 |         minDistBest = (connectionRadius * connectionRadius);
000498 |
000499 |         float minDistA = 10.0;
000500 |         float minDistB = minDistA;
000501 |         float distA;
000502 |         float distB;
000503 |
000504 |         ExpansionPathNode temp_nodeA;
000505 |         ExpansionPathNode temp_nodeB;
000506 |
000507 |         for (j = 0; j < m_Roads.Count(); j++)
000508 |         {
000509 |             distA = vector.Distance(m_Roads[j].m_Position, a.m_Position);
000510 |             if (distA > minDistA) continue;
000511 |
```

```
000512 |         temp_nodeA = m_Roads[j];
000513 |         temp_nodeB = null;
000514 |
000515 |         for (k = 0; k < m_Roads[j].Count(); k++)
000516 |         {
000517 |             distB = vector.Distance(m_Roads[j][k].m_Position, a.m_Position);
000518 |             if (distB > minDistB) continue;
000519 |             minDistB = distB;
000520 |
000521 |             temp_nodeB = m_Roads[j][k];
000522 |         }
000523 |
000524 |         if (temp_nodeB)
000525 |         {
000526 |             minDistA = distA;
000527 |             nodeA = temp_nodeA;
000528 |             nodeB = temp_nodeB;
000529 |         }
000530 |     }
000531 |
000532 |     if (!nodeA || !nodeB) continue;
000533 |
000534 |     nodeA.Remove(nodeB);
000535 |     nodeB.Remove(nodeA);
000536 |
000537 |     road = new eAIRoadNode();
000538 |     m_Roads.Insert(road);
000539 |
000540 |     road.m_Position = (nodeA.m_Position + nodeB.m_Position) * 0.5;
000541 |
000542 |     road.Add(nodeA);
000543 |     road.Add(nodeB);
000544 |     road.Add(a.m_Node);
000545 | }
000546 | }
000547 |
000548 | //if (false)
000549 | {
000550 |     Print("Connecting Roads (Nearby)");
000551 |
000552 |     connectionRadius = 10.0;
000553 |
000554 |     //! Connect roads that weren't placed properly
000555 |     for (i = 0; i < m_Roads.Count(); i++)
000556 |     {
000557 |         //! we have more than 1 neighbour, we are probably fine
000558 |         if (m_Roads[i].Count() > 1) continue;
000559 |
000560 |         best = -1;
000561 |         minDistBest = connectionRadius * connectionRadius;
000562 |
000563 |         for (j = 0; j < m_Roads.Count(); j++)
000564 |         {
000565 |             if (m_Roads[i] == m_Roads[j]) continue;
000566 |
000567 |             // check if the road was already added
000568 |             if (m_Roads[i].Contains(m_Roads[j])) continue;
000569 |
000570 |             if (!m_Roads[i].CanConnectToTarget(m_Roads[j])) continue;
000571 |
000572 |             if (m_Roads[i].RoadAlreadyConnectedWithin(m_Roads[j], aPos, connectionRadius)) continue;
000573 |         }
```

```
000574 |             //if (aiWorld.RaycastNavMesh(m_Roads[i].m_Position, m_Roads[j].m_Position, pathFilter, nmHitPos, nmHitNormal)) continue;
000575 |
000576 |             dist = vector.DistanceSq(m_Roads[i].m_Position, m_Roads[j].m_Position);
000577 |             if (dist >= 0 && dist < minDistBest)
000578 |             {
000579 |                 minDistBest = dist;
000580 |                 best = j;
000581 |             }
000582 |         }
000583 |
000584 |         if (best != -1)
000585 |         {
000586 |             m_Roads[i].Add(m_Roads[best]);
000587 |         }
000588 |     }
000589 | }
000590 |
000591 | //if (false)
000592 | {
000593 |     Print("Removing triangles");
000594 |
000595 |     for (i = m_Roads.Count() - 1; i >= 0; i--)
000596 |     {
000597 |         if (m_Roads[i].Count() != 2) continue;
000598 |
000599 |         nodeA = m_Roads[i][0];
000600 |         nodeB = m_Roads[i][1];
000601 |
000602 |         if (nodeA.Contains(nodeB))
000603 |         {
000604 |             nodeB.Remove(m_Roads[i]);
000605 |             nodeA.Remove(m_Roads[i]);
000606 |
000607 |             m_Roads.RemoveOrdered(i);
000608 |         }
000609 |     }
000610 | }
000611 |
000612 | //if (false)
000613 | {
000614 |     Print("Fixing missing links");
000615 |
000616 |     for (i = m_Roads.Count() - 1; i >= 0; i--)
000617 |     {
000618 |         if (m_Roads[i].Count() == 2) continue;
000619 |
000620 |         for (j = m_Roads[i].Count() - 1; j >= 0; j--)
000621 |         {
000622 |             if (m_Roads[i][j].Count() <= 2) continue;
000623 |
000624 |             nodeA = m_Roads[i];
000625 |             nodeB = m_Roads[i][j];
000626 |             vector nPos = (nodeA.m_Position + nodeB.m_Position) * 0.5;
000627 |
000628 |             nodeA.Remove(nodeB);
000629 |
000630 |             eAIRoadNode nodeC = new eAIRoadNode();
000631 |             m_Roads.Insert(nodeC);
000632 |             nodeC.m_Position = nPos;
000633 |
000634 |             nodeB.Add(nodeC);
000635 |             nodeA.Add(nodeC);
```



```
000636 |         }
000637 |     }
000638 | }
000639 |
000640 | //if (false)
000641 | {
000642 |     Print("Optimizing");
000643 |
000644 |     for (i = m_Roads.Count() - 1; i >= 0; i--)
000645 |     {
000646 |         if (!m_Roads[i] || (m_Roads[i] && m_Roads[i].Optimize()))
000647 |         {
000648 |             m_Roads.RemoveOrdered(i);
000649 |         }
000650 |     }
000651 | }
000652 |
000653 | Print("Fixing indices");
000654 |
000655 | for (i = 0; i < m_Roads.Count(); i++)
000656 | {
000657 |     m_Roads[i].m_Index = i;
000658 | }
000659 |
000660 | Print("Finished Generating");
000661 | }
000662 |
000663 | private void Save()
000664 | {
000665 |     MakeDirectory(m_Directories[0]);
000666 |
000667 |     FileHandle file_handle = OpenFile(m_FilePath, FileMode.WRITE);
000668 |
000669 |     int version = LATEST_VERSION;
000670 |
000671 |     FPrintln(file_handle, LATEST_VERSION);
000672 |     FPrintln(file_handle, m_Width);
000673 |     FPrintln(file_handle, m_Height);
000674 |     FPrintln(file_handle, m_Roads.Count());
000675 |
000676 |     for (int i = 0; i < m_Roads.Count(); i++)
000677 |     {
000678 |         m_Roads[i].Save(file_handle, LATEST_VERSION);
000679 |     }
000680 |
000681 |     CloseFile(file_handle);
000682 | }
000683 |
000684 | private bool OnLoad(FileHandle file_handle, out int version)
000685 | {
000686 |     m_Roads.Clear();
000687 |
000688 |     string line_content;
000689 |     int x;
000690 |     int z;
000691 |     int i;
000692 |     int count;
000693 |
000694 |     FGets(file_handle, line_content);
000695 |     version = line_content.ToInt();
000696 |
000697 |     if (version < 4) return false;
```

```
000698 |
000699 |     FGets(file_handle, line_content);
000700 |     m_Width = line_content.ToInt();
000701 |
000702 |     FGets(file_handle, line_content);
000703 |     m_Height = line_content.ToInt();
000704 |
000705 |     if (m_Width != m_CenterPoint[0] * 2) return false;
000706 |     if (m_Height != m_CenterPoint[1] * 2) return false;
000707 |
000708 |     Resize(m_Width, m_Height);
000709 |
000710 |     FGets(file_handle, line_content);
000711 |     count = line_content.ToInt();
000712 |
000713 |     array<ref eAIRoadNodeJoinMap> connections();
000714 |
000715 |     for (i = 0; i < count; i++)
000716 |     {
000717 |         eAIRoadNode road = new eAIRoadNode();
000718 |         road.Load(file_handle, version, connections);
000719 |         m_Roads.Insert(road);
000720 |     }
000721 |
000722 |     for (i = 0; i < connections.Count(); i++)
000723 |     {
000724 |         foreach (int index : connections[i].indices)
000725 |         {
000726 |             connections[i].node.Add(m_Roads[index]);
000727 |         }
000728 |     }
000729 |
000730 |     return true;
000731 | }
000732 |
000733 | private bool Load(bool saveOnFail = true)
000734 | {
000735 |     FileHandle file_handle = OpenFile(m_FilePath, FileMode.READ);
000736 |     int version;
000737 |
000738 |     if (!OnLoad(file_handle, version))
000739 |     {
000740 |         CloseFile(file_handle);
000741 |         return false;
000742 |     }
000743 |
000744 |     CloseFile(file_handle);
000745 |
000746 |     if (version != LATEST_VERSION && saveOnFail)
000747 |     {
000748 |         Save();
000749 |     }
000750 |
000751 |     return true;
000752 | }
000753 |
000754 | eAIRoadNode GetClosestNode(vector position)
000755 | {
000756 |     float minDistance = m_CenterPoint.Length() * 4.0;
000757 |     eAIRoadNode closest = null;
000758 |     for (int i = 0; i < m_Roads.Count(); i++)
000759 |     {
```

```
000760 |         float dist = vector.Distance(m_Roads[i].m_Position, position);
000761 |         if (dist < minDistance)
000762 |         {
000763 |             closest = m_Roads[i];
000764 |             minDistance = dist;
000765 |         }
000766 |     }
000767 |
000768 |     return closest;
000769 | }
000770 |
000771 | Param2<eAIRoadNode, eAIRoadNodeSection> _GetClosestNode(vector position)
000772 | {
000773 |     Param2<eAIRoadNode, eAIRoadNodeSection> closest = new Param2<eAIRoadNode, eAIRoadNodeSection>(null, null);
000774 |
000775 |     array<eAIRoadNode> nodes();
000776 |
000777 |     float minDistance = m_CenterPoint.Length() * 4.0;
000778 |     for (int i = 0; i < m_SectionEnds.Count(); i++)
000779 |     {
000780 |         float dist = vector.Distance(m_SectionEnds[i].m_Position, position);
000781 |         if (dist > (m_SectionEnds[i].m_Radius)) continue;
000782 |
000783 |         set<eAIRoadSection> sections = m_SectionEnds[i].m_Sections;
000784 |         for (int j = 0; j < sections.Count(); j++)
000785 |         {
000786 |             if (sections[j]) sections[j].UpdateNodeClosest(position, nodes);
000787 |         }
000788 |     }
000789 |
000790 |     minDistance = m_CenterPoint.Length() * 4.0;
000791 |     for (i = 0; i < nodes.Count(); i++)
000792 |     {
000793 |         dist = vector.Distance(nodes[i].m_Position, position);
000794 |         if (dist < minDistance)
000795 |         {
000796 |             minDistance = dist;
000797 |             closest.param1 = nodes[i];
000798 |             closest.param2 = nodes[i].m_Sections[0].m_Head.m_SectionNode;
000799 |         }
000800 |     }
000801 |
000802 |     return closest;
000803 | }
000804 |
000805 | void FindPath(vector start, vector end, ExpansionPathHandler pathFinding)
000806 | {
000807 |     if (!m_IsEnabled) return;
000808 |
000809 |     //Print("+eAIRoadNetwork::FindPath");
000810 |     //auto param = new Param3<vector, vector, ExpansionPathHandler>(start, end, pathFinding);
000811 |     //g_Game.GameScript.Call(this, "_FindPath", param);
000812 |     //thread _FindPath(start, end, pathFinding);
000813 |     //Print("-eAIRoadNetwork::FindPath");
000814 | }
000815 |
000816 | void _FindPath(Param3<vector, vector, ExpansionPathHandler> param)
000817 | {
000818 | }
000819 | };
000820 |
```

0176. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnode.c
Size bytes: 8941
SHA-256: 2e6df22ba442e5c52de5fcfb7ce8c9d88f5105972c82da145757d7c1354a0410
Decoded as: utf-8-sig
Line count shown: 338
Detected class declarations: 1
  L1: class eAIRoadNode: eAIRoadNodeBase
Detected enum declarations: 0
Detected function/method-like declarations: 17
  L15: void InsertSection(eAIRoadSection section)
  L29: void RemoveSection(eAIRoadSection section)
  L35: int CountSection()
  L40: eAIRoadSection GetSection(int index)
  L45: bool ContainsSection(eAIRoadSection section)
  L50: void ClearSections()
  L55: void PathTo(ExpansionPathNode target, inout array<ExpansionPathNode> path)
  L62: else if (path.Find(current[1]) == -1) current = current[1];
  L73: bool CanConnectToTarget(ExpansionPathNode target)
  L75: array<ExpansionPathNode> path();
  L83: bool RoadAlreadyConnectedWithin(eAIRoadNode node, vector position, float radius, eAIRoadNode parent = null)
  L100: bool Generate(Object obj, inout array<ref eAIRoadConnection> connections)
  L109: array<ref Param2<int, vector>> debugs();
  L213: bool Optimize()
  L281: void Save(FileHandle file_handle, int version)
  L293: void Load(FileHandle file_handle, int version, out array<ref eAIRoadNodeJoinMap> connections)
  L322: static bool ObjectIsRoad(Object obj, LOD geometry)
```

Full file content

```
000001 | class eAIRoadNode: eAIRoadNodeBase
000002 | {
000003 |     static ref array<string> ROAD_MEMORY_POINT_PAIRS =
000004 |     {
000005 |         "LB", "PB",
000006 |         "LE", "PE",
000007 |         "LD", "LH",
000008 |         "PD", "PH",
000009 |     };
000010 |
000011 |     int m_Index;
000012 |
000013 |     eAIRoadNodeSection m_SectionNode;
000014 |
000015 |     void InsertSection(eAIRoadSection section)
000016 |     {
000017 |         if (section == null) return;
000018 |
000019 |         for (int i = 0; i < m_Sections.Count(); i++)
000020 |         {
000021 |             section.Add(m_Sections[i]);
000022 |             m_Sections[i].Add(section);
000023 |         }
000024 |
000025 |         m_Sections.Insert(section);
000026 |         section.m_Nodes.Insert(this);
000027 |     }
000028 |
000029 |     void RemoveSection(eAIRoadSection section)
000030 |     {
```

```
000031 |         int idx = m_Sections.Find(section);
000032 |         if (idx != -1) m_Sections.Remove(idx);
000033 |     }
000034 |
000035 |     int CountSection()
000036 |     {
000037 |         return m_Sections.Count();
000038 |     }
000039 |
000040 |     eAIRoadSection GetSection(int index)
000041 |     {
000042 |         return m_Sections[index];
000043 |     }
000044 |
000045 |     bool ContainsSection(eAIRoadSection section)
000046 |     {
000047 |         return m_Sections.Find(section) != -1;
000048 |     }
000049 |
000050 |     void ClearSections()
000051 |     {
000052 |         m_Sections.Clear();
000053 |     }
000054 |
000055 |     void PathTo(ExpansionPathNode target, inout array<ExpansionPathNode> path)
000056 |     {
000057 |         ExpansionPathNode current = this;
000058 |
000059 |         while (current != target)
000060 |         {
000061 |             if (path.Find(current[0]) == -1) current = current[0];
000062 |             else if (path.Find(current[1]) == -1) current = current[1];
000063 |             else return;
000064 |
000065 |             if (current == null) return;
000066 |
000067 |             path.InsertAt(current, 0);
000068 |
000069 |             if (current.Count() != 2) return;
000070 |         }
000071 |     }
000072 |
000073 |     bool CanConnectToTarget(ExpansionPathNode target)
000074 |     {
000075 |         array<ExpansionPathNode> path();
000076 |         PathTo(target, path);
000077 |
000078 |         if (path.Find(target) != -1) return false;
000079 |
000080 |         return true;
000081 |     }
000082 |
000083 |     bool RoadAlreadyConnectedWithin(eAIRoadNode node, vector position, float radius, eAIRoadNode parent = null)
000084 |     {
000085 |         if (vector.Distance(Vector(m_Position[0], 0, m_Position[2]), position) > radius) return false;
000086 |
000087 |         if (m_Neighbours.Find(node) != -1) return true;
000088 |
000089 |         for (int i = 0; i < m_Neighbours.Count(); i++)
000090 |         {
000091 |             if (m_Neighbours[i] == parent) continue;
000092 |         }
```

```
000093 |         eAIRoadNode neighbourNode;
000094 |         if (Class.CastTo(neighbourNode, m_Neighbours[i]) && neighbourNode.RoadAlreadyConnectedWithin(node, position, radius, this)) return true;
000095 |     }
000096 |
000097 |     return false;
000098 | }
000099 |
000100 | bool Generate(Object obj, inout array<ref eAIRoadConnection> connections)
000101 | {
000102 |     int count = 0;
000103 |     eAIRoadConnection connection;
000104 |
000105 |     int colours[] = {0xFFFF0000, 0xFF00FF00, 0xFF0000FF, 0xFF000000, 0xFFFFFFFF};
000106 |
000107 |     //m_Position = obj.GetPosition();
000108 |
000109 |     array<ref Param2<int, vector>> debugs();
000110 |
000111 |     for (int i = 0; i < 4; i++)
000112 |     {
000113 |         string lName = ROAD_MEMORY_POINT_PAIRS[i * 2];
000114 |         string rName = ROAD_MEMORY_POINT_PAIRS[i * 2 + 1];
000115 |
000116 |         if (!obj.MemoryPointExists(lName) || !obj.MemoryPointExists(rName)) continue;
000117 |
000118 |         vector lPos = obj.ModelToWorld(obj.GetMemoryPointPos(lName));
000119 |         vector rPos = obj.ModelToWorld(obj.GetMemoryPointPos(rName));
000120 |         vector pos = (lPos + rPos) * 0.5;
000121 |
000122 |         if (i < 2) m_Position = m_Position + pos;
000123 |
000124 |         connection = new eAIRoadConnection();
000125 |         connection.m_Node = this;
000126 |         connection.m_Position = pos;
000127 |         connections.Insert(connection);
000128 |
000129 |         debugs.Insert(new Param2<int, vector>(i, connection.m_Position));
000130 |
000131 |         count++;
000132 |     }
000133 |
000134 |     vector min_max[2];
000135 |     float radius = obj.ClippingInfo(min_max);
000136 |     m_Radius = (Math.AbsFloat(min_max[0][0]) + Math.AbsFloat(min_max[1][0])) * 0.5;
000137 |
000138 |     //! The object doesn't have any valid memory points, it can't be a road
000139 |     if (count == 0)
000140 |     {
000141 |         m_Position = obj.GetPosition();
000142 |
000143 |         //float tempRadius = (Math.AbsFloat(min_max[0][2]) + Math.AbsFloat(min_max[1][2])) * 0.1;
000144 |         //if (tempRadius > m_Radius) m_Radius = tempRadius;
000145 |
000146 |         connection = new eAIRoadConnection();
000147 |         connection.m_Node = this;
000148 |         connection.m_Position = obj.ModelToWorld(Vector(0, 0, min_max[0][2]));
000149 |         connections.Insert(connection);
000150 |         debugs.Insert(new Param2<int, vector>(0, connection.m_Position));
000151 |
000152 |         connection = new eAIRoadConnection();
000153 |         connection.m_Node = this;
000154 |         connection.m_Position = obj.ModelToWorld(Vector(0, 0, min_max[1][2]));
```

```

000155 |         connections.Insert(connection);
000156 |         debugs.Insert(new Param2<int, vector>(1, connection.m_Position));
000157 |
000158 |         /*
000159 |         connection = new eAIRoadConnection();
000160 |         connection.m_Node = this;
000161 |         connection.m_Position = obj.ModelToWorld(Vector(min_max[0][0], 0, 0));
000162 |         connections.Insert(connection);
000163 |         debugs.Insert(new Param2<int, vector>(2, connection.m_Position));
000164 |
000165 |         connection = new eAIRoadConnection();
000166 |         connection.m_Node = this;
000167 |         connection.m_Position = obj.ModelToWorld(Vector(min_max[1][0], 0, 0));
000168 |         connections.Insert(connection);
000169 |         debugs.Insert(new Param2<int, vector>(3, connection.m_Position));
000170 |         */
000171 |     }
000172 |     else
000173 |     {
000174 |         //! The position is derived from the average of all the valid snapping memory points
000175 |         if (count >= 2) count = 2;
000176 |         m_Position = m_Position * (1.0 / count);
000177 |
000178 |         if (count == 2)
000179 |         {
000180 |             connection = new eAIRoadConnection();
000181 |             connection.m_Node = this;
000182 |             connection.m_Position = obj.ModelToWorld(Vector(min_max[0][0], 0, 0));
000183 |             connection.m_Completed = true;
000184 |             connections.Insert(connection);
000185 |             debugs.Insert(new Param2<int, vector>(2, connection.m_Position));
000186 |
000187 |             connection = new eAIRoadConnection();
000188 |             connection.m_Node = this;
000189 |             connection.m_Position = obj.ModelToWorld(Vector(min_max[1][0], 0, 0));
000190 |             connection.m_Completed = true;
000191 |             connections.Insert(connection);
000192 |             debugs.Insert(new Param2<int, vector>(3, connection.m_Position));
000193 |         }
000194 |     }
000195 |
000196 |     //eAIRoadNetwork.DS_Add(Shape.CreateSphere(colours[4], ShapeFlags.VISIBLE | ShapeFlags TRANSP | ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, m_Position +
"0 2.0 0", 0.3));
000197 |
000198 |     for (i = 0; i < debugs.Count(); i++)
000199 |     {
000200 |         vector debugLines[2];
000201 |         debugLines[0] = m_Position + "0 2.0 0";
000202 |         debugLines[1] = debugs[i].param2 + "0 2.0 0";
000203 |
000204 |         //eAIRoadNetwork.DS_Add(Shape.CreateLines(0xFFFF00FF, ShapeFlags.VISIBLE | ShapeFlags TRANSP | ShapeFlags.NOZBUFFER, debugLines, 2));
000205 |
000206 |         //eAIRoadNetwork.DS_Add(Shape.CreateSphere(colours[debugs[i].param1], ShapeFlags.VISIBLE | ShapeFlags TRANSP | ShapeFlags.WIREFRAME | ShapeFlags.NOZBU
FFER, debugs[i].param2 + "0 2.0 0", (0.25 * (i + 1))));
000207 |     }
000208 |
000209 |     return true;
000210 | }
000211 |
000212 | bool Optimize()
000213 | {
000214 |

```

```
000215 |      //!< If we don't have 2 neighbours, then this node may be important
000216 |      if (m_Neighbours.Count() != 2)
000217 |      {
000218 |          return false;
000219 |      }
000220 |
000221 |      ExpansionPathNode a = m_Neighbours[0];
000222 |      ExpansionPathNode b = m_Neighbours[1];
000223 |
000224 |      if (a.m_Neighbours.Count() == 2 && b.m_Neighbours.Count() == 2)
000225 |      {
000226 |          vector dirA = vector.Direction(a.m_Position, m_Position);
000227 |          vector dirB = vector.Direction(m_Position, b.m_Position);
000228 |
000229 |          dirA[1] = 0;
000230 |          dirB[1] = 0;
000231 |
000232 |          dirA.Normalize();
000233 |          dirB.Normalize();
000234 |
000235 |          float minDist = 50.0;
000236 |
000237 |          float distSq = vector.DistanceSq(a.m_Position, b.m_Position);
000238 |
000239 |          //!< If the angle of change is too small to notice and the distance is close enough, remove this node
000240 |          if ((vector.Dot(dirA, dirB) > 0.998 && distSq < (minDist * minDist)))
000241 |          {
000242 |              a.Remove(this);
000243 |              b.Remove(this);
000244 |
000245 |              a.Add(b);
000246 |
000247 |              m_Neighbours.Clear();
000248 |              return true;
000249 |          }
000250 |      }
000251 |
000252 |      return false;
000253 |
000254 |      distSq = vector.DistanceSq(m_Position, a.m_Position);
000255 |      if (distSq < 10.0)
000256 |      {
000257 |          a.Remove(this);
000258 |          b.Remove(this);
000259 |
000260 |          a.Add(b);
000261 |
000262 |          m_Neighbours.Clear();
000263 |          return true;
000264 |      }
000265 |
000266 |      distSq = vector.DistanceSq(m_Position, b.m_Position);
000267 |      if (distSq < 10.0)
000268 |      {
000269 |          a.Remove(this);
000270 |          b.Remove(this);
000271 |
000272 |          a.Add(b);
000273 |
000274 |          m_Neighbours.Clear();
000275 |          return true;
000276 |      }
}
```



```
000277 |  
000278 |     return false;  
000279 | }  
000280 |  
000281 | void Save(FileHandle file_handle, int version)  
000282 | {  
000283 |     FPrintln(file_handle, m_Index);  
000284 |     FPrintln(file_handle, m_Position);  
000285 |     FPrintln(file_handle, m_Flags);  
000286 |     FPrintln(file_handle, m_Neighbours.Count());  
000287 |     for (int i = 0; i < m_Neighbours.Count(); i++)  
000288 |     {  
000289 |         FPrintln(file_handle, eAIRoadNode.Cast(m_Neighbours[i]).m_Index);  
000290 |     }  
000291 | }  
000292 |  
000293 | void Load(FileHandle file_handle, int version, out array<ref eAIRoadNodeJoinMap> connections)  
000294 | {  
000295 |     string line_content;  
000296 |     int count;  
000297 |  
000298 |     FGets(file_handle, line_content);  
000299 |     m_Index = line_content.ToInt();  
000300 |  
000301 |     FGets(file_handle, line_content);  
000302 |     m_Position = line_content.ToVector();  
000303 |  
000304 |     FGets(file_handle, line_content);  
000305 |     m_Flags = line_content.ToInt();  
000306 |  
000307 |     FGets(file_handle, line_content);  
000308 |     count = line_content.ToInt();  
000309 |  
000310 |     eAIRoadNodeJoinMap loadCon = new eAIRoadNodeJoinMap();  
000311 |     loadCon.node = this;  
000312 |     for (int i = 0; i < count; i++)  
000313 |     {  
000314 |         FGets(file_handle, line_content);  
000315 |         int conIdx = line_content.ToInt();  
000316 |         if (conIdx != m_Index) loadCon.Add(conIdx);  
000317 |     }  
000318 |  
000319 |     connections.Insert(loadCon);  
000320 | }  
000321 |  
000322 | static bool ObjectIsRoad(Object obj, LOD geometry)  
000323 | {  
000324 |     for (int i = 0; i < geometry.GetPropertyCount(); ++i )  
000325 |     {  
000326 |         string name = geometry.GetPropertyName(i);  
000327 |         string value = geometry.GetPropertyValue(i);  
000328 |         name.ToLower();  
000329 |         value.ToLower();  
000330 |         if (name == "class")  
000331 |         {  
000332 |             return value == "road";  
000333 |         }  
000334 |     }  
000335 |  
000336 |     return false;  
000337 | }  
000338 | };
```

0177. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodebase.c
Size bytes: 113
SHA-256: b00ca89e96ac643ec6bcfd051fcb9fc968f0ccca291e469d49ff6af2623715bb
Decoded as: utf-8-sig
Line count shown: 4
Detected class declarations: 1
 L1: class eAIRoadNodeBase: ExpansionPathNode
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | class eAIRoadNodeBase: ExpansionPathNode
000002 | {
000003 |     ref set<eAIRoadSection> m_Sections = new set<eAIRoadSection>();
000004 | };
```

0178. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodejoinmap.c

Size bytes: 251

SHA-256: d6bb1f617c660edc1319992866cd0de3767562382c239b03323beecf36756b72

Decoded as: utf-8-sig

Line count shown: 17

Detected class declarations: 2

 L1: class eAIRoadNodeJoinMap

 L12: class eAIRoadConnection

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L6: void Add(int index)

Full file content

```
000001 | class eAIRoadNodeJoinMap
000002 | {
000003 |     eAIRoadNode node;
000004 |     ref array<int> indices = new array<int>();
000005 |
000006 |     void Add(int index)
000007 |     {
000008 |         indices.Insert(index);
000009 |     }
000010 | };
000011 |
000012 | class eAIRoadConnection
000013 | {
000014 |     eAIRoadNode m_Node;
000015 |     vector m_Position;
000016 |     bool m_Completed;
000017 | };
```

0179. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadnodesection.c

Size bytes: 443

SHA-256: def4d863ea8eb60a992480042c22d5a3783a0b3f94c17fb20128e15e6bda0081

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L1: class eAIRoadNodeSection: eAIRoadNodeBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

L5: void PathTo(eAIRoadNodeSection target, inout array<ExpansionPathNode> path)

Full file content

```
000001 | class eAIRoadNodeSection: eAIRoadNodeBase
000002 | {
000003 |     eAIRoadNode m_Node;
000004 |
000005 |     void PathTo(eAIRoadNodeSection target, inout array<ExpansionPathNode> path)
000006 |     {
000007 |         eAIRoadSection section = m_Sections[m_Neighbours.Find(target)];
000008 |
000009 |         if (target.m_Node == section.m_Tail)
000010 |         {
000011 |             m_Node.PathTo(section.m_Head, path);
000012 |
000013 |             return;
000014 |         }
000015 |
000016 |         if (target.m_Node == section.m_Head)
000017 |         {
000018 |             m_Node.PathTo(section.m_Tail, path);
000019 |
000020 |             return;
000021 |         }
000022 |     }
000023 | };
```

0180. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/roads/eairoadsection.c
 Size bytes: 3614
 SHA-256: 808739f97ee8d23b25ef53277b26c2a15a32f7b3bab8958b0addff4e3436694b
 Decoded as: utf-8-sig
 Line count shown: 147
 Detected class declarations: 1
 L1: class eAIRoadSection: eAIRoadNodeBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 4
 L12: void Init()
 L97: else if (m_Nodes.Find(current1) == -1) current = current1;
 L124: bool ContainsPath(eAIRoadNode node)
 L129: void UpdateNodeClosest(vector position, inout array<eAIRoadNode> foundNodes)

Full file content

```
000001 | class eAIRoadSection: eAIRoadNodeBase
000002 | {
000003 |     ref array<eAIRoadNode> m_Nodes = new array<eAIRoadNode>();
000004 |
000005 |     eAIRoadNode m_Head;
000006 |     eAIRoadNode m_HeadNext;
000007 |     eAIRoadNode m_Tail;
000008 |     eAIRoadNode m_TailNext;
000009 |
000010 |     ref array<vector> m_Points = new array<vector>();
000011 |
000012 |     void Init()
000013 |     {
000014 |         int i;
000015 |         int j;
000016 |
000017 |         Print("  COUNT: " + m_Nodes.Count());
000018 |         for (j = 0; j < m_Nodes.Count(); j++)
000019 |         {
000020 |             Print("    m_Nodes[" + j + "]: " + m_Nodes[j]);
000021 |             Print("    m_Nodes[" + j + "].m_Index: " + m_Nodes[j].m_Index);
000022 |             Print("    m_Nodes[" + j + "].m_SectionNode: " + m_Nodes[j].m_SectionNode);
000023 |         }
000024 |
000025 |         if (m_Nodes.Count() < 3)
000026 |         {
000027 |             Error("Sections must have 3 or more nodes.");
000028 |             return;
000029 |         }
000030 |
000031 |         m_Radius = 0;
000032 |
000033 |         m_Head = null;
000034 |         m_Tail = null;
000035 |
000036 |         m_Position = "0 0 0";
000037 |         int count = m_Nodes.Count();
000038 |         for (i = 0; i < count; i++)
000039 |         {
000040 |             if (!m_Head && m_Nodes[i].m_SectionNode)
000041 |             {
000042 |                 m_Head = m_Nodes[i];
000043 |             }
```

```
000044 |         int idx;
000045 |         for (j = 0; j < m_Head.Count(); j++)
000046 |         {
000047 |             idx = m_Nodes.Find(eAIRoadNode.Cast(m_Head[j]));
000048 |             if (idx != -1)
000049 |             {
000050 |                 m_HeadNext = eAIRoadNode.Cast(m_Head[j]);
000051 |                 break;
000052 |             }
000053 |         }
000054 |     }
000055 |
000056 |     for (j = 0; j < count; j++)
000057 |     {
000058 |         float dist = vector.Distance(m_Nodes[i].m_Position, m_Nodes[j].m_Position) * 0.5;
000059 |         if (dist > m_Radius)
000060 |         {
000061 |             m_Position = (m_Nodes[i].m_Position + m_Nodes[j].m_Position) * 0.5;
000062 |             m_Radius = dist;
000063 |         }
000064 |     }
000065 | }
000066 |
000067 | m_Radius *= 1.1;
000068 |
000069 | Print("  m_Head: " + m_Head);
000070 | Print("  m_HeadNext: " + m_HeadNext);
000071 |
000072 | m_Nodes.Clear();
000073 |
000074 | m_Nodes.Insert(m_Head);
000075 | m_Nodes.Insert(m_HeadNext);
000076 |
000077 | int INDEX = 0;
000078 | eAIRoadNode current;
000079 |
000080 | current = m_Nodes[INDEX];
000081 | Print("    m_Nodes[" + INDEX + "]: " + current);
000082 | Print("    m_Nodes[" + INDEX + "].m_Index: " + current.m_Index);
000083 | Print("    m_Nodes[" + INDEX + "].m_SectionNode: " + current.m_SectionNode);
000084 | INDEX++;
000085 |
000086 | current = m_Nodes[INDEX];
000087 | Print("    m_Nodes[" + INDEX + "]: " + current);
000088 | Print("    m_Nodes[" + INDEX + "].m_Index: " + current.m_Index);
000089 | Print("    m_Nodes[" + INDEX + "].m_SectionNode: " + current.m_SectionNode);
000090 | INDEX++;
000091 |
000092 | while (true)
000093 | {
000094 |     eAIRoadNode current0 = eAIRoadNode.Cast(current[0]);
000095 |     eAIRoadNode current1 = eAIRoadNode.Cast(current[1]);
000096 |     if (m_Nodes.Find(current0) == -1) current = current0;
000097 |     else if (m_Nodes.Find(current1) == -1) current = current1;
000098 |     else break;
000099 |
000100 |     m_Nodes.Insert(current);
000101 |
000102 |     Print("    m_Nodes[" + INDEX + "]: " + current);
000103 |     Print("    m_Nodes[" + INDEX + "].m_Index: " + current.m_Index);
000104 |     Print("    m_Nodes[" + INDEX + "].m_SectionNode: " + current.m_SectionNode);
000105 |     INDEX++;
```

```
000106 |
000107 |         if (current.Count() != 2) break;
000108 |     }
000109 |
000110 |     Print("  NEW COUNT: " + m_Nodes.Count());
000111 |
000112 |     m_Tail = m_Nodes[m_Nodes.Count() - 1];
000113 |     m_TailNext = m_Nodes[m_Nodes.Count() - 2];
000114 |
000115 |     Print("  m_Tail: " + m_Tail);
000116 |     Print("  m_TailNext: " + m_TailNext);
000117 |
000118 |     Print("  m_Head.m_SectionNode: " + m_Head.m_SectionNode);
000119 |     Print("  m_Tail.m_SectionNode: " + m_Tail.m_SectionNode);
000120 |
000121 |     m_Head.m_SectionNode.Add(m_Tail.m_SectionNode);
000122 | }
000123 |
000124 | bool ContainsPath(eAIRoadNode node)
000125 | {
000126 |     return m_Nodes.Find(node) != -1;
000127 | }
000128 |
000129 | void UpdateNodeClosest(vector position, inout array<eAIRoadNode> foundNodes)
000130 | {
000131 |     eAIRoadNode node = null;
000132 |     float distance = m_Radius * 2.0;
000133 |     for (int i = 1; i < m_Nodes.Count() - 1; i++)
000134 |     {
000135 |         float dist = vector.Distance(m_Nodes[i].m_Position, position);
000136 |         if (dist < distance)
000137 |         {
000138 |             node = m_Nodes[i];
000139 |             distance = dist;
000140 |         }
000141 |     }
000142 |     if (node)
000143 |     {
000144 |         foundNodes.Insert(node);
000145 |     }
000146 | }
000147 | };
```

0181. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/staminahandler.c

Size bytes: 5243

SHA-256: 9acfe98558b46e6b639186e1d5a1111656180c29b18cddd164d82b535efffa2d

Decoded as: utf-8-sig

Line count shown: 176

Detected class declarations: 1

L15: modded class StaminaHandler

Detected enum declarations: 0

Detected function/method-like declarations: 7

L17: override void Update(float deltaT, int pCurrentCommandID)

L23: bool eAI_HasUnlimitedStamina()

L42: override void DepleteStaminaEx(ESTaminaModifiers modifier, float dT = -1, float coef = 1.0)

L48: override protected void StaminaProcessor_Move(HumanMovementState pHumanMovementState)

L67: else if (pHumanMovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_CROUCH)

L116: override protected void StaminaProcessor_Ladder(HumanMovementState pHumanMovementState)

L146: override protected void StaminaProcessor_Swimming(HumanMovementState pHumanMovementState)

Full file content

```

000001 | /**
000002 |  * StaminaHandler.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2023 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 |  */
000014 |
000015 | modded class StaminaHandler
000016 | {
000017 |     override void Update(float deltaT, int pCurrentCommandID)
000018 |     {
000019 |         if (!eAI_HasUnlimitedStamina())
000020 |             super.Update(deltaT, pCurrentCommandID);
000021 |     }
000022 |
000023 |     bool eAI_HasUnlimitedStamina()
000024 |     {
000025 |         if (m_Player && m_Player.IsAI() && !m_Player.IsDamageDestroyed())
000026 |         {
000027 |             eAIGroup group = m_Player.GetGroup();
000028 |
000029 |             if (!group)
000030 |             {
000031 |                 CF.FormatError("%l group is NULL", m_Player.ToString());
000032 |                 return false;
000033 |             }
000034 |
000035 |             if (group.GetFaction().HasUnlimitedStamina())
000036 |                 return true;
000037 |         }
000038 |
000039 |         return false;
000040 |     }

```



```
000041 |
000042 | override void DepleteStaminaEx(EStaminaModifiers modifier, float dT = -1, float coef = 1.0)
000043 | {
000044 |     if (!eAI_HasUnlimitedStamina())
000045 |         super.DepleteStaminaEx(modifier, dT, coef);
000046 | }
000047 |
000048 | override protected void StaminaProcessor_Move(HumanMovementState pHumanMovementState)
000049 | {
000050 |     if (!m_Player.IsAI())
000051 |     {
000052 |         super.StaminaProcessor_Move(pHumanMovementState);
000053 |         return;
000054 |     }
000055 |
000056 |     switch (pHumanMovementState.m_iMovement)
000057 |     {
000058 |         case DayZPlayerConstants.MOVEMENTIDX_SPRINT:
000059 |             /*! Uncomment below to make AI deplete stamina from sprinting
000060 |             /*
000061 |                 if (pHumanMovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_ERECT)
000062 |                 {
000063 |                     m_StaminaDelta = -GameConstants.STAMINA_DRAIN_STANDING_SPRINT_PER_SEC * CfgGameplayHandler.GetSprintStaminaModifierErc();
000064 |                     SetCooldown(GameConstants.STAMINA_REGEN_COOLDOWN_DEPLETION);
000065 |                     break;
000066 |                 }
000067 |                 else if (pHumanMovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_CROUCH)
000068 |                 {
000069 |                     m_StaminaDelta = -GameConstants.STAMINA_DRAIN_CROUCHED_SPRINT_PER_SEC * CfgGameplayHandler.GetSprintStaminaModifierCro();
000070 |                     SetCooldown(GameConstants.STAMINA_REGEN_COOLDOWN_DEPLETION);
000071 |                     break;
000072 |                 }
000073 |             */
000074 |
000075 |             if (!m_IsInCooldown || pHumanMovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_PRONE)
000076 |                 m_StaminaDelta = GameConstants.STAMINA_GAIN_JOG_PER_SEC;
000077 |             break;
000078 |
000079 |         case DayZPlayerConstants.MOVEMENTIDX_RUN:
000080 |             /*! Uncomment below to make AI deplete stamina from jogging in water
000081 |             /*
000082 |                 if (m_Player.GetCurrentWaterLevel() >= m_HumanMoveSettings.m_fWaterLevelSpeedRestrictionHigh)
000083 |                 {
000084 |                     m_StaminaDelta = -GameConstants.STAMINA_DRAIN_STANDING_SPRINT_PER_SEC * CfgGameplayHandler.GetSprintStaminaModifierErc();
000085 |                     break;
000086 |                 }
000087 |             */
000088 |
000089 |             if (!m_IsInCooldown)
000090 |                 m_StaminaDelta = (GameConstants.STAMINA_GAIN_JOG_PER_SEC + CalcStaminaGainBonus());
000091 |             break;
000092 |
000093 |         case DayZPlayerConstants.MOVEMENTIDX_WALK:
000094 |             if (!m_IsInCooldown)
000095 |                 m_StaminaDelta = (GameConstants.STAMINA_GAIN_WALK_PER_SEC + CalcStaminaGainBonus());
000096 |             break;
000097 |
000098 |         case DayZPlayerConstants.MOVEMENTIDX_IDLE:
000099 |             if (m_Player.IsRolling())
000100 |             {
000101 |                 m_StaminaDelta = GameConstants.STAMINA_GAIN_ROLL_PER_SEC;
000102 |                 break;
```

```
000103 |         }
000104 |
000105 |         if (!m_IsInCooldown)
000106 |             m_StaminaDelta = (GameConstants.STAMINA_GAIN_IDLE_PER_SEC + CalcStaminaGainBonus());
000107 |         break;
000108 |
000109 |     default:
000110 |         if (!m_IsInCooldown)
000111 |             m_StaminaDelta = GameConstants.STAMINA_GAIN_IDLE_PER_SEC;
000112 |         break;
000113 |     }
000114 | }
000115 |
000116 | override protected void StaminaProcessor_Ladder(HumanMovementState pHumanMovementState)
000117 | {
000118 |     if (!m_Player.IsAI())
000119 |     {
000120 |         super.StaminaProcessor_Ladder(pHumanMovementState);
000121 |         return;
000122 |     }
000123 |
000124 |     switch (pHumanMovementState.m_iMovement)
000125 |     {
000126 |         case 2: //climb up (fast)
000127 |             /*! Uncomment below to make AI deplete stamina from climbing ladder fast
000128 |             */
000129 |             m_StaminaDelta = -GameConstants.STAMINA_DRAIN_LADDER_FAST_PER_SEC * CfgGameplayHandler.GetSprintLadderStaminaModifier();
000130 |             SetCooldown(GameConstants.STAMINA_REGEN_COOLDOWN_DEPLETION);
000131 |             break;
000132 |             */
000133 |
000134 |         case 1: //climb up (slow)
000135 |             if (!m_IsInCooldown)
000136 |                 m_StaminaDelta = (GameConstants.STAMINA_GAIN_LADDER_PER_SEC + CalcStaminaGainBonus());
000137 |             break;
000138 |
000139 |         default:
000140 |             if (!m_IsInCooldown)
000141 |                 m_StaminaDelta = GameConstants.STAMINA_GAIN_IDLE_PER_SEC + CalcStaminaGainBonus();
000142 |             break;
000143 |     }
000144 | }
000145 |
000146 | override protected void StaminaProcessor_Swimming(HumanMovementState pHumanMovementState)
000147 | {
000148 |     if (!m_Player.IsAI())
000149 |     {
000150 |         super.StaminaProcessor_Swimming(pHumanMovementState);
000151 |         return;
000152 |     }
000153 |
000154 |     switch (pHumanMovementState.m_iMovement)
000155 |     {
000156 |         case 3: //swim fast
000157 |             /*! Uncomment below to make AI deplete stamina from swimming fast
000158 |             */
000159 |             m_StaminaDelta = -GameConstants.STAMINA_DRAIN_SWIM_FAST_PER_SEC * CfgGameplayHandler.GetSprintSwimmingStaminaModifier();
000160 |             SetCooldown(GameConstants.STAMINA_REGEN_COOLDOWN_DEPLETION);
000161 |             break;
000162 |             */
000163 |
000164 |         case 2: //swim slow
```

```
000165 |         if (!m_IsInCooldown)
000166 |             m_StaminaDelta = (GameConstants.STAMINA_GAIN_SWIM_PER_SEC + CalcStaminaGainBonus());
000167 |         break;
000168 |
000169 |     default:
000170 |         if (!m_IsInCooldown)
000171 |             m_StaminaDelta = GameConstants.STAMINA_GAIN_IDLE_PER_SEC + CalcStaminaGainBonus();
000172 |         break;
000173 |     }
000174 | }
000175 | }
000176 |
```

0182. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/static/miscgameplayfunctions.c

Size bytes: 1266

SHA-256: ce9933f42c6302bdc8704afdc8dd75369189bc814d369200d33f6b1931d5f0c1

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L1: modded class MiscGameplayFunctions

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override static void TeleportCheck(notnull PlayerBase player, notnull array<ref array<float>> safe_positions)

Full file content

```
000001 | modded class MiscGameplayFunctions
000002 | {
000003 |     override static void TeleportCheck(notnull PlayerBase player, notnull array<ref array<float>> safe_positions)
000004 |     {
000005 |         if ( player.IsAI() )
000006 |             return;
000007 |
000008 |         if( player.GetSimulationTimeStamp() < 20 && !player.IsPersistentFlag(PersistentFlag.AREA_PRESENCE) )
000009 |         {
000010 |             //simulation time is bellow a threshold, which means the player has recently connected,
000011 |             //the player does not have the AREA_PRESENCE flag set, which means they were not inside the area when they disconnected,
000012 |             //that means they just spawned into a contaminated area, lets move them somewhere safe
000013 |             vector player_pos = player.GetPosition();
000014 |             vector closest_safe_pos = MiscGameplayFunctions.GetClosestSafePos(player_pos, safe_positions);
000015 |
000016 |             if (player_pos!=closest_safe_pos)
000017 |             {
000018 |                 closest_safe_pos[1] = g_Game.SurfaceY(closest_safe_pos[0], closest_safe_pos[2]);
000019 |
000020 |                 player.SetPosition( closest_safe_pos );//...so lets teleport them somewhere safe
000021 |                 //DeveloperTeleport.SetPlayerPosition(player, closest_safe_pos);
000022 |                 g_Game.RPCSingleParam(player, ERPCs.RPC_WARNING_TELEPORT, null, true, player.GetIdentity());
000023 |             }
000024 |
000025 |             player.SetPersistentFlag(PersistentFlag.AREA_PRESENCE, false);
000026 |         }
000027 |     }
000028 | };
```

0183. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicreaturetargetinformation.c
Size bytes: 4535
SHA-256: 4291eebc9396d433f47328474c4f4cec8e389eef8637c4cf04ffec3fae37dff0
Decoded as: utf-8-sig
Line count shown: 183
Detected class declarations: 1
  L1: class eAICreatureTargetInformation: eAIEntityTargetInformation
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L6: void eAICreatureTargetInformation(EntityAI target)
  L11: override bool IsCreature()
  L16: override bool IsFighting()
  L24: override bool IsAcuteDanger(eAIBase ai = null)
  L29: override float GetAttackCooldown()
  L34: override vector GetAimOffset(eAIBase ai = null)
  L54: override void PlayFireParticles()
  L61: override int GetBoneIndexByName(string boneName)
  L66: override vector GetBonePositionMS(int boneIdx)
  L71: override bool IsActive()
  L79: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
  L150: override bool ShouldRemove(eAIBase ai = null)
  L152: return GetThreat(ai) <= 0.1;
  L155: override float GetMinDistance(eAIBase ai = null, float distance = 0.0)
  L175: override bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)

```

Full file content

```

000001 | class eAICreatureTargetInformation: eAIEntityTargetInformation
000002 | {
000003 |     private AnimalBase m_Creature;
000004 |     bool m_IsActive = true;
000005 |
000006 |     void eAICreatureTargetInformation(EntityAI target)
000007 |     {
000008 |         Class.CastTo(m_Creature, target);
000009 |     }
000010 |
000011 |     override bool IsCreature()
000012 |     {
000013 |         return true;
000014 |     }
000015 |
000016 |     override bool IsFighting()
000017 |     {
000018 |         if (m_Creature.m_eAI_AttackCooldown > 0)
000019 |             return true;
000020 |
000021 |         return false;
000022 |     }
000023 |
000024 |     override bool IsAcuteDanger(eAIBase ai = null)
000025 |     {
000026 |         return m_Creature.Expansion_IsDanger();
000027 |     }
000028 |
000029 |     override float GetAttackCooldown()
000030 |     {
000031 |         return m_Creature.m_eAI_AttackCooldown;
000032 |     }

```

```
000033 |
000034 |     override vector GetAimOffset(eAIBase ai = null)
000035 |     {
000036 |         vector pos;
000037 |
000038 |         int index = m_Creature.GetBoneIndexByName("Chest");
000039 |         if (index > -1)
000040 |             pos = m_Creature.GetBonePositionWS(index);
000041 |         else
000042 |             pos = m_Creature.GetCenter();
000043 |
000044 |         pos = pos - m_Creature.GetPosition();
000045 |
000046 |         #ifdef DIAG_DEVELOPER
000047 |             if (EXTrace.AI && ai)
000048 |                 ai.Expansion_DebugObject(1234567890, m_Creature.GetPosition() + pos, "ExpansionDebugSphereSmall_Orange", m_Creature.GetDirection(), ai.GetPosition() +
000049 | "0 1.5 0", 3.0, ShapeFlags.NOZBUFFER);
000050 |         #endif
000051 |
000052 |         return pos;
000053 |     }
000054 |
000055 |     override void PlayFireParticles()
000056 |     {
000057 |         PlayFireParticleOnBone("pelvis");
000058 |         PlayFireParticleOnBone("chest");
000059 |         PlayFireParticleOnBone("head");
000060 |     }
000061 |
000062 |     override int GetBoneIndexByName(string boneName)
000063 |     {
000064 |         return m_Creature.GetBoneIndexByName(boneName);
000065 |     }
000066 |
000067 |     override vector GetBonePositionMS(int boneIdx)
000068 |     {
000069 |         return m_Creature.GetBonePositionMS(boneIdx);
000070 |     }
000071 |
000072 |     override bool IsActive()
000073 |     {
000074 |         if (!m_Creature)
000075 |             return false;
000076 |
000077 |         return m_IsActive;
000078 |     }
000079 |
000080 |     override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000081 |     {
000082 |         if (m_Creature.IsDamageDestroyed())
000083 |         {
000084 |             if (ai && ai.eAI_ShouldProcureFood() && ai.m_eAI_MeleeWeapons.Count() > 0)
000085 |             {
000086 |                 float dist = GetDistance(ai, true);
000087 |                 if (dist > 4.0)
000088 |                     return ExpansionMath.PowerConversion(0.0, 227.968982, dist, 1.0, 0.0, 3.0); //! Go skinning
000089 |             }
000090 |
000091 |             m_IsActive = false;
000092 |
000093 |             return 0.0;
000094 |         }
000095 |     }
```

```
000094 |
000095 |     if (!m_Creature.Expansion_IsDanger())
000096 |     {
000097 |         if (ai)
000098 |         {
000099 |             if (ai.eAI_ShouldProcureFood() && ai.m_eAI_Firearms.Count() > 0 && ai.m_eAI_MeleeWeapons.Count() > 0)
000100 |                 return ExpansionMath.PowerConversion(0.0, 227.968982, GetDistance(ai, true), 1.0, 0.0, 3.0);    //!< Go hunting
000101 |
000102 |             if (GetVelocity(m_Creature).LengthSq() > 0.277777)    //!< 1 km/h
000103 |                 return ExpansionMath.LinearConversion(0.0, 90.0, GetDistance(ai, true), 0.15, 0.0);    //!< 0.1 at 30 m
000104 |         }
000105 |
000106 |         return 0.0;
000107 |     }
000108 |
000109 |     float levelFactor = 0.5;
000110 |
000111 |     if (ai)
000112 |     {
000113 | #ifdef TRACE_DIAG
000114 |         auto hitch = new EXHitch(ai.ToString() + " eAICreatureTargetInformation::CalculateThreat ", 20000);
000115 | #endif
000116 |         if (ai.eAI_GetThreatOverride(m_Target))
000117 |             return 0.0;
000118 |
000119 |         // the further away the creature, the less likely it will be a threat
000120 |         float distance = GetDistance(ai, true);
000121 |
000122 |         if (ai.IsSwimming())
000123 |             return ExpansionMath.LinearConversion(0, 100, distance, 0.15, 0.1);
000124 |
000125 |         //!< If not reachable, ignore if we don't have a gun
000126 |         if (!ai.m_eAI_HasProjectileWeaponInHands && ai.eAI_IsUnreachable(2.0, m_Target.GetPosition()))
000127 |         {
000128 |             ai.eAI_ThreatOverride(m_Target, true);
000129 |             return 0.0;
000130 |         }
000131 |
000132 |         levelFactor = 10 / (distance + 0.1);
000133 |         if (levelFactor > 1.0)
000134 |             levelFactor = Math.Pow(levelFactor, 2.0);
000135 |
000136 |         if (levelFactor >= 0.4)
000137 |         {
000138 |             levelFactor *= 2.0;
000139 |             auto hands = ai.GetHumanInventory().GetEntityInHands();
000140 |             if (hands && hands.IsWeapon())
000141 |                 eAIPlayerTargetInformation.AdjustThreatLevelBasedOnWeapon(hands, distance, levelFactor);
000142 |         }
000143 |
000144 |         levelFactor *= ai.eAI_GetThreatDistanceFactor(distance);
000145 |     }
000146 |
000147 |     return Math.Clamp(levelFactor, 0.0, 1000000.0);
000148 | }
000149 |
000150 | override bool ShouldRemove(eAIBase ai = null)
000151 | {
000152 |     return GetThreat(ai) <= 0.1;
000153 | }
000154 |
000155 | override float GetMinDistance(eAIBase ai = null, float distance = 0.0)
```

```
000156 | {
000157 |     if (ai && m_Creature.IsAlive())
000158 |     {
000159 |         if (ai.m_eAI_AcuteDangerTargetCount > ai.GetGroup().Count() + 1)
000160 |             return 100.0;  //!< Flee
000161 |
000162 |         if (ai.eAI_IsLowVitals())
000163 |             return 100.0;  //!< Flee
000164 |
000165 |         if (!ai.m_eAI_HasProjectileWeaponInHands && m_Creature.m_Expansion_IsBigGame)
000166 |         {
000167 |             if (ai.GetGroup().GetFaction().GetMeleeDamageMultiplier() < 100)
000168 |                 return 100.0;  //!< Flee
000169 |         }
000170 |     }
000171 |
000172 |     return m_MinDistance;
000173 | }
000174 |
000175 | override bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)
000176 | {
000177 |     if (ai && !ai.IsRaised() && GetMinDistance(ai, distance) > 0.0)
000178 |         return true;
000179 |
000180 |     return false;
000181 | }
000182 | };
000183 |
```


0184. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicustomcreaturetargetinformation.c

Size bytes: 3661

SHA-256: 1fcbb1de7f4cb77e791c43ebd20e3e66283e82728067a699bbd70bfd5c2a2f14

Decoded as: utf-8-sig

Line count shown: 145

Detected class declarations: 1

L1: class eAICustomCreatureTargetInformation: eAIEntityTargetInformation

Detected enum declarations: 0

Detected function/method-like declarations: 10

L10: void eAICustomCreatureTargetInformation(EntityAI target)

L16: void ~eAICustomCreatureTargetInformation()

L27: override void RemoveFromAll()

L40: override bool IsAcuteDanger(eAIBase ai = null)

L48: override vector GetAimOffset(eAIBase ai = null)

L77: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)

L117: override bool ShouldRemove(eAIBase ai = null)

L119: return GetThreat(ai) <= 0.1;

L122: override float GetMinDistance(eAIBase ai = null, float distance = 0.0)

L137: override bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)

Full file content

```
000001 | class eAICustomCreatureTargetInformation: eAIEntityTargetInformation
000002 | {
000003 |     static const float CREATURE_AGGRO_RANGE = 100.0;
000004 |
000005 |     static ref CF_DoublyLinkedNodes_WeakRef<eAICustomCreatureTargetInformation> s_AllCustomCreatures = new CF_DoublyLinkedNodes_WeakRef<eAICustomCreatureTargetInf
ormation>;
000006 |
000007 |     ref CF_DoublyLinkedNode_WeakRef<eAICustomCreatureTargetInformation> m_Node;
000008 |     private DayZCreature m_Creature;
000009 |
000010 |     void eAICustomCreatureTargetInformation(EntityAI target)
000011 |     {
000012 |         m_Node = s_AllCustomCreatures.Add(this);
000013 |         Class.CastTo(m_Creature, target);
000014 |     }
000015 |
000016 |     void ~eAICustomCreatureTargetInformation()
000017 |     {
000018 |         #ifndef DIAG_DEVELOPER
000019 |             if (!g_Game)
000020 |                 return;
000021 |         #endif
000022 |
000023 |         if (s_AllCustomCreatures)
000024 |             s_AllCustomCreatures.Remove(m_Node);
000025 |     }
000026 |
000027 |     override void RemoveFromAll()
000028 |     {
000029 |         super.RemoveFromAll();
000030 |
000031 |         if (m_Target && s_CustomAI.Contains(m_Target))
000032 |         {
000033 |             s_CustomAI.Remove(m_Target);
000034 |             #ifdef DIAG_DEVELOPER
000035 |                 EXPrint(this, "[CustomAI] removed " + m_Target);
000036 |             #endif
```

```
000037 |     }
000038 | }
000039 |
000040 | override bool IsAcuteDanger(eAIBase ai = null)
000041 | {
000042 |     if (ai)
000043 |         return ai.CanBeTargetedByAI(m_Creature);
000044 |
000045 |     return true;
000046 | }
000047 |
000048 | override vector GetAimOffset(eAIBase ai = null)
000049 | {
000050 |     string boneName;
000051 |
000052 |     Weapon_Base weapon;
000053 |     if (ai && Class.CastTo(weapon, ai.GetHumanInventory().GetEntityInHands()))
000054 |     {
000055 |         if (weapon.ShootsExplosiveAmmo())
000056 |             boneName = "spine3";
000057 |         else
000058 |             boneName = "neck";
000059 |     }
000060 |     else
000061 |     {
000062 |         boneName = "spine3";  //!< Aim lower for melee
000063 |     }
000064 |
000065 |     vector pos;
000066 |     int index = m_Creature.GetBoneIndexByName(boneName);
000067 |     if (index > -1)
000068 |         pos = m_Creature.GetBonePositionWS(index);
000069 |     else
000070 |         pos = m_Creature.GetCenter();
000071 |
000072 |     pos = pos - m_Creature.GetPosition();
000073 |
000074 |     return pos;
000075 | }
000076 |
000077 | override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000078 | {
000079 |     if (m_Creature.IsDamageDestroyed())
000080 |         return 0.0;
000081 |
000082 |     float levelFactor = CREATURE_AGGRO_RANGE * 0.022;
000083 |
000084 |     if (ai)
000085 |     {
000086 |         if (ai.eAI_GetThreatOverride(m_Target))
000087 |             return 0.0;
000088 |
000089 |         if (!ai.CanBeTargetedByAI(m_Creature))
000090 |             return 0.0;
000091 |
000092 |         //!< The further away the creature, the less likely it will be a threat
000093 |         float distance = GetDistance(ai, true);
000094 |
000095 |         if (ai.IsSwimming())
000096 |             return ExpansionMath.LinearConversion(0, 100, distance, 0.15, 0.1);
000097 |
000098 |         levelFactor *= 10 / (distance + 0.1);  //!< Threat level 0.2 at 110 m, 0.1 at 220 m (removal threshold)
```

```
000099 |
000100 |         if (levelFactor > 0.152)
000101 |         {
000102 |             levelFactor *= 2.0;
000103 |             EntityAI hands = ai.GetHumanInventory().GetEntityInHands();
000104 |             bool hasLOS;
000105 |             if (state)
000106 |                 hasLOS = state.m_SearchOnLOSLost;
000107 |             if (hands)
000108 |                 eAIPlayerTargetInformation.AdjustThreatLevelBasedOnWeapon(hands, distance, levelFactor, hasLOS);
000109 |         }
000110 |
000111 |         levelFactor *= ai.eAI_GetThreatDistanceFactor(distance);
000112 |     }
000113 |
000114 |     return Math.Clamp(levelFactor, 0.0, 1000000.0);
000115 | }
000116 |
000117 | override bool ShouldRemove(eAIBase ai = null)
000118 | {
000119 |     return GetThreat(ai) <= 0.1;
000120 | }
000121 |
000122 | override float GetMinDistance(eAIBase ai = null, float distance = 0.0)
000123 | {
000124 |     //! @note at health below 30%, we are too slow to flee from creatures that are close and are better off fighting
000125 |     if (ai)
000126 |     {
000127 |         if (ai.m_eAI_AcuteDangerTargetCount > 2 && (ai.GetHealth01("", "") >= 0.3 || GetDistanceSq(ai, true) > 25))
000128 |             return 100.0;  //! Flee
000129 |
000130 |         if (ai.m_eAI_AcuteDangerTargetCount <= 1 && ai.eAI_IsLowVitals() && GetDistanceSq(ai, true) > 25)
000131 |             return 100.0;  //! Flee
000132 |     }
000133 |
000134 |     return m_MinDistance;
000135 | }
000136 |
000137 | override bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)
000138 | {
000139 |     if (ai && !ai.IsRaised() && GetMinDistance(ai, distance) > 0.0)
000140 |         return true;
000141 |
000142 |     return false;
000143 | }
000144 | };
000145 |
```

0185. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaicustominfectedtargetinformation.c
Size bytes: 340
SHA-256: 16686a4a0d0409b2693921f88d9a5a74c5eb376c2012abffb81732855b9fff11
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L1: class eAICustomInfectedTargetInformation: eAICustomCreatureTargetInformation
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L5: void eAICustomInfectedTargetInformation(EntityAI target)
 L10: override bool IsFighting()

Full file content

```
000001 | class eAICustomInfectedTargetInformation: eAICustomCreatureTargetInformation
000002 | {
000003 |     private DayZInfected m_Infected;
000004 |
000005 |     void eAICustomInfectedTargetInformation(EntityAI target)
000006 |     {
000007 |         Class.CastTo(m_Infected, target);
000008 |     }
000009 |
000010 |     override bool IsFighting()
000011 |     {
000012 |         if (m_Infected.GetCommand_Attack())
000013 |             return true;
000014 |
000015 |         return false;
000016 |     }
000017 | };
000018 |
```

0186. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaidoortargetinformation.c
 Size bytes: 2085
 SHA-256: 3454cc44ff320412a065a54e27377400dec016558fb973fa6e136faee44aaf51
 Decoded as: utf-8-sig
 Line count shown: 90
 Detected class declarations: 1
 L1: class eAIDoorTargetInformation: eAIEntityTargetInformation
 Detected enum declarations: 0
 Detected function/method-like declarations: 9
 L7: void eAIDoorTargetInformation(EntityAI target, int doorIndex, vector position)
 L14: override bool IsDoor()
 L19: override bool IsInanimate()
 L24: override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
 L29: override bool IsActive()
 L49: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
 L80: override bool ShouldRemove(eAIBase ai = null)
 L82: return GetThreat(ai) <= 0.1;
 L85: override float GetMinDistance(eAIBase ai = null, float distance = 0.0)

Full file content

```
000001 | class eAIDoorTargetInformation: eAIEntityTargetInformation
000002 | {
000003 |     protected BuildingBase m_Building;
000004 |     protected int m_DoorIndex;
000005 |     protected vector m_Position;
000006 |
000007 |     void eAIDoorTargetInformation(EntityAI target, int doorIndex, vector position)
000008 |     {
000009 |         Class.CastTo(m_Building, target);
000010 |         m_DoorIndex = doorIndex;
000011 |         m_Position = position;
000012 |     }
000013 |
000014 |     override bool IsDoor()
000015 |     {
000016 |         return true;
000017 |     }
000018 |
000019 |     override bool IsInanimate()
000020 |     {
000021 |         return true;
000022 |     }
000023 |
000024 |     override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
000025 |     {
000026 |         return m_Position;
000027 |     }
000028 |
000029 |     override bool IsActive()
000030 |     {
000031 |         if (!super.IsActive())
000032 |             return false;
000033 |
000034 |         if (!m_Building.GetAllowDamage())
000035 |             return false;
000036 |
000037 |         if (!m_Building.IsDoorLocked(m_DoorIndex))
000038 |             return false;
```

```
000039 |  
000040 |         if ((m_Building.GetLockCompatibilityType(m_DoorIndex) & (1 << EBuildingLockType.LOCKPICK)) == 0)  
000041 |             return false;  
000042 |  
000043 |         if (!m_Building.CanDoorBeOpened(m_DoorIndex, false))  
000044 |             return false;  
000045 |  
000046 |         return true;  
000047 |     }  
000048 |  
000049 |     override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)  
000050 |     {  
000051 |         if (ai)  
000052 |         {  
000053 |             /// If AI was recently hit, ignore this door  
000054 |             if (g_Game.GetTickTime() - ai.m_eAI_LastHitTime < 3.0)  
000055 |                 return 0.0;  
000056 |  
000057 |             float distance = Math.Max(GetDistance(ai), 1.0);  
000058 |             float levelFactor = Math.Pow(2.281109 / distance, 10.0); /// 0.4 at 2.5m, 3814.7 at 1m  
000059 |  
000060 |             float threat = ai.GetThreatToSelf(true);  
000061 |             if (levelFactor >= 0.4 && levelFactor < threat)  
000062 |             {  
000063 |                 /// If current AI target is not a door and path to target is blocked,  
000064 |                 /// increase threat lvl so AI targets this door  
000065 |                 eAITarget target = ai.GetTarget();  
000066 |                 if (target && !target.IsDoor())  
000067 |                 {  
000068 |                     auto pathHandler = ai.GetPathFinding();  
000069 |                     if (pathHandler.m_IsBlocked)  
000070 |                         levelFactor = threat * 2.0;  
000071 |                 }  
000072 |             }  
000073 |  
000074 |             return levelFactor;  
000075 |         }  
000076 |  
000077 |         return 0.0;  
000078 |     }  
000079 |  
000080 |     override bool ShouldRemove(eAIBase ai = null)  
000081 |     {  
000082 |         return GetThreat(ai) <= 0.1;  
000083 |     }  
000084 |  
000085 |     override float GetMinDistance(eAIBase ai = null, float distance = 0.0)  
000086 |     {  
000087 |         return 1.0;  
000088 |     }  
000089 | };  
000090 |
```

0187. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaientitytargetinformation.c
Size bytes: 4331
SHA-256: 972efdfab1dcdbd6498ef1aa0b9108516e1af57e51bc2f19807816d386c483ee4
Decoded as: utf-8-sig
Line count shown: 191
Detected class declarations: 2
  L1: class eAIEntityTargetInformation: eAITargetInformation
  L184: class eAIEntity<Class T>
Detected enum declarations: 0
Detected function/method-like declarations: 22
  L8: void eAIEntityTargetInformation(EntityAI target)
  L14: override string GetDebugName()
  L24: override EntityAI GetEntity()
  L29: override IEntity GetParent()
  L34: override string GetEntityDebugName()
  L51: override bool CanPutInCargo(EntityAI parent)
  L56: override bool IsEntity()
  L61: override bool IsActive()
  L69: override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
  L85: override float GetThreat(eAIBase ai = null, eAITargetInformationState state = null)
  L93: override vector GetDirection(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
  L99: override float GetDistance(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
  L105: override float GetDistanceSq(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
  L111: override void OnVariablesSynchronized()
  L120: void PlayFireParticles()
  L124: void PlayFireParticleOnBone(string boneName)
  L139: int GetBoneIndexByName(string boneName)
  L144: vector GetBonePositionMS(int boneIdx)
  L149: override void OnHit(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mode)
  L172: void ResetShoryukenHit()
  L177: override void OnHealthLevelChanged(int oldLevel, int newLevel, string zone)
  L186: static eAIEntityTargetInformation GetTargetInformation(T entity)

```

Full file content

```

000001 | class eAIEntityTargetInformation: eAITargetInformation
000002 | {
000003 |     protected EntityAI m_Target;
000004 |     private string m_TargetDebugName;
000005 |     bool m_Killed;
000006 |     bool m_ShoryukenHit;
000007 |
000008 |     void eAIEntityTargetInformation(EntityAI target)
000009 |     {
000010 |         m_Target = target;
000011 |         m_TargetDebugName = "" + m_Target;  /// Useful for logging even after entity has been deleted
000012 |     }
000013 |
000014 |     override string GetDebugName()
000015 |     {
000016 |         string str = super.GetDebugName();
000017 |
000018 |         str += ", ";
000019 |         str += "entity=" + GetEntityDebugName();
000020 |
000021 |         return str;
000022 |     }
000023 |
000024 |     override EntityAI GetEntity()

```

```
000025 | {
000026 |     return m_Target;
000027 | }
000028 |
000029 | override IEntity GetParent()
000030 | {
000031 |     return m_Target.GetParent();
000032 | }
000033 |
000034 | override string GetEntityDebugName()
000035 | {
000036 |     string str = m_Target.DebugName;
000037 |
000038 |     if (m_Target)
000039 |     {
000040 |         str += ", ";
000041 |         str += "position=" + GetPosition();
000042 |     }
000043 |     else
000044 |     {
000045 |         str += "(deleted)";
000046 |     }
000047 |
000048 |     return str;
000049 | }
000050 |
000051 | override bool CanPutInCargo(EntityAI parent)
000052 | {
000053 |     return m_Target.CanPutInCargo(parent);
000054 | }
000055 |
000056 | override bool IsEntity()
000057 | {
000058 |     return true;
000059 | }
000060 |
000061 | override bool IsActive()
000062 | {
000063 |     if (!m_Target)
000064 |         return false;
000065 |
000066 |     return !m_Target.IsDamageDestroyed();
000067 | }
000068 |
000069 | override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
000070 | {
000071 |     if (actual || !ai)
000072 |         return m_Target.GetPosition();
000073 |
000074 |     bool created;
000075 |
000076 |     if (!state)
000077 |         state = GetTargetForAIEx(ai, true, created);
000078 |
000079 |     if (!created)
000080 |         state.UpdatePosition();
000081 |
000082 |     return state.m_SearchPosition;
000083 | }
000084 |
000085 | override float GetThreat(eAIBase ai = null, eAITargetInformationState state = null)
000086 | {
```



```
000087 |         if (!IsActive())
000088 |             return 0.0;
000089 |
000090 |         return super.GetThreat(ai, state);
000091 |     }
000092 |
000093 |     override vector GetDirection(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000094 |     {
000095 |         vector position = GetPosition(ai, actual, state);
000096 |         return vector.Direction(ai.GetPosition(), position);
000097 |     }
000098 |
000099 |     override float GetDistance(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000100 |     {
000101 |         vector position = GetPosition(ai, actual, state);
000102 |         return vector.Distance(ai.GetPosition(), position);
000103 |     }
000104 |
000105 |     override float GetDistanceSq(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000106 |     {
000107 |         vector position = GetPosition(ai, actual, state);
000108 |         return vector.DistanceSq(ai.GetPosition(), position);
000109 |     }
000110 |
000111 |     override void OnVariablesSynchronized()
000112 |     {
000113 |         if (m_ShoryukenHit && m_Target.IsInitialized())
000114 |         {
000115 |             m_ShoryukenHit = false;
000116 |             PlayFireParticles();
000117 |         }
000118 |     }
000119 |
000120 |     void PlayFireParticles()
000121 |     {
000122 |     }
000123 |
000124 |     void PlayFireParticleOnBone(string boneName)
000125 |     {
000126 |         int boneIdx = GetBoneIndexByName(boneName);
000127 |         PrintFormat("%1 %2 %3", m_Target, boneName, boneIdx);
000128 |         if (boneIdx == -1)
000129 |             return;
000130 |
000131 |         vector pos = GetBonePositionMS(boneIdx);
000132 |
000133 |         ParticleManager mgr = ParticleManager.GetInstance();
000134 |         ParticleSource particle = mgr.PlayOnObject(ParticleList.EXPANSION_AI_SHORYUKEN_FIRE, m_Target, pos, "0 0 0", true);
000135 |
000136 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(particle.StopParticle, 1500, false, 0);
000137 |     }
000138 |
000139 |     int GetBoneIndexByName(string boneName)
000140 |     {
000141 |         return -1;
000142 |     }
000143 |
000144 |     vector GetBonePositionMS(int boneIdx)
000145 |     {
000146 |         return vector.Zero;
000147 |     }
000148 |
```

```
000149 |     override void OnHit(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedC
000150 |     oef)
000151 |     {
000152 |         eAIBase ai;
000153 |         if (source && Class.CastTo(ai, source.GetHierarchyRoot()))
000154 |             ai.m_eAI_HitObject = m_Target;
000155 |
000156 |         if (ammo == "MeleeShoryuken")
000157 |         {
000158 |             m_ShoryukenHit = true;
000159 |             m_Target.SetSynchDirty();
000160 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(ResetShoryukenHit, 1000, false);
000161 |             ExpansionWorld.s_eAI_Heavy_Punch_SoundSet.Play(m_Target);
000162 |         }
000163 |
000164 |         if (m_Target.IsDamageDestroyed() && !m_Killed)
000165 |         {
000166 |             m_Killed = true;
000167 |
000168 |             if (ammo == "MeleeShoryuken")
000169 |                 ExpansionWorld.s_eAI_UahUahUahM_SoundSet.Play(m_Target);
000170 |         }
000171 |     }
000172 |
000173 |     void ResetShoryukenHit()
000174 |     {
000175 |         m_ShoryukenHit = false;
000176 |     }
000177 |
000178 |     override void OnHealthLevelChanged(int oldLevel, int newLevel, string zone)
000179 |     {
000180 |         if (g_Game.IsClient() && m_Target.m_Initialized)
000181 |             GetDayZGame().GetExpansionGame().m_FirearmFXHitObject = m_Target;
000182 |     }
000183 | };
000184 |
000185 | class eAIEntity<Class T>
000186 | {
000187 |     static eAIEntityTargetInformation GetTargetInformation(T entity)
000188 |     {
000189 |         return entity.GetTargetInformation();
000190 |     }
000191 | };
```

0188. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaigrouptargetinformation.c
Size bytes: 499
SHA-256: a574807e879a4e6d04cd26c040f8a5e536bfd838b88371fd30f6b18c169ca31b
Decoded as: utf-8-sig
Line count shown: 28
Detected class declarations: 1
 L1: class eAIGroupTargetInformation: eAITargetInformation
Detected enum declarations: 0
Detected function/method-like declarations: 5
 L5: void eAIGroupTargetInformation(eAIGroup target)
 L10: override bool IsGroup()
 L15: override EntityAI GetEntity()
 L20: override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
 L25: return GetEntity().GetPosition();

Full file content

```
000001 | class eAIGroupTargetInformation: eAITargetInformation
000002 | {
000003 |     private eAIGroup m_Target;
000004 |
000005 |     void eAIGroupTargetInformation(eAIGroup target)
000006 |     {
000007 |         m_Target = target;
000008 |     }
000009 |
000010 |     override bool IsGroup()
000011 |     {
000012 |         return true;
000013 |     }
000014 |
000015 |     override EntityAI GetEntity()
000016 |     {
000017 |         return m_Target.GetLeader();
000018 |     }
000019 |
000020 |     override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
000021 |     {
000022 |         if (!GetEntity())
000023 |             return "0 0 0";
000024 |
000025 |         return GetEntity().GetPosition();
000026 |     }
000027 | };
000028 |
```

0189. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaiitemhazardtargetinformation.c

Size bytes: 2489

SHA-256: f2a6f330610f9746ae94f7bf0bc5897d6c684abdb0fb47713e2e91beb81a9ce4

Decoded as: utf-8-sig

Line count shown: 107

Detected class declarations: 1

L1: class eAIItemHazardTargetInformation: eAIItemTargetInformation

Detected enum declarations: 0

Detected function/method-like declarations: 6

L5: override void DeferredInit()

L12: override void UpdateItemInfo()

L55: override bool IsHazard()

L60: override bool IsActive()

L74: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)

L98: override bool ShouldRemove(eAIBase ai = null)

Full file content

```

000001 | class eAIItemHazardTargetInformation: eAIItemTargetInformation
000002 | {
000003 |     float m_Range;
000004 |
000005 |     override void DeferredInit()
000006 |     {
000007 |         super.DeferredInit();
000008 |
000009 |         UpdateItemInfo();
000010 |     }
000011 |
000012 |     override void UpdateItemInfo()
000013 |     {
000014 |         TStringArray ammoTypes = m_Item.Expansion_GetAmmoTypes();
000015 |
000016 |         if (!ammoTypes)
000017 |         {
000018 |             EXError.Warn(this, "WARNING: " + m_Item + " (" + m_Item.GetType() + ") has no ammo types!", {});
000019 |             m_Range = 30.0;
000020 |         }
000021 |         else
000022 |         {
000023 |             float range;
000024 |             float mult;
000025 |
000026 |             m_Range = 0.0;
000027 |
000028 |             foreach (string ammoType: ammoTypes)
000029 |             {
000030 |                 if (!ammoType)
000031 |                     continue;
000032 |
000033 |                 //! @note ammo for mechanical traps (e.g. bear trap, tripwire) doesn't have range
000034 |                 range = g_Game.ConfigGetFloat(CFG_AMMO + " " + ammoType + " indirectHitRange");
000035 |                 mult = g_Game.ConfigGetFloat(CFG_AMMO + " " + ammoType + " indirectHitRangeMultiplier");
000036 |
000037 |                 if (mult)
000038 |                     range *= mult;
000039 |
000040 |                 if (range > m_Range)
000041 |                     m_Range = range;

```

```
000042 |     }
000043 | }
000044 |
000045 |     m_MinDistance = m_Range;
000046 |
000047 |     if (m_Item.Expansion_IsExplosive())
000048 |         m_MinDistance += 5.0;  //!< +5 m safety margin for explosives
000049 |     else
000050 |         m_MinDistance += 1.2;  //!< +1.2 m safety margin for anything else
000051 |
000052 |     EXTrace.Print(EXTrace.AI, this, m_Item.ToString() + " (" + m_Item.GetType() + ") range " + m_Range + " min distance " + m_MinDistance);
000053 | }
000054 |
000055 | override bool IsHazard()
000056 | {
000057 |     return true;
000058 | }
000059 |
000060 | override bool IsActive()
000061 | {
000062 |     if (!super.IsActive())
000063 |         return false;
000064 |
000065 |     if (!m_MinDistance)
000066 |         return false;
000067 |
000068 |     if (m_Item.Expansion_IsDanger())
000069 |         return true;
000070 |
000071 |     return false;
000072 | }
000073 |
000074 | override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000075 | {
000076 |     if (m_Item.IsDamageDestroyed() || m_Item.IsSetForDeletion())
000077 |         return 0.0;
000078 |
000079 |     if (ai)
000080 |     {
000081 |         float dist = GetDistance(ai, true);
000082 |
000083 |         if (dist < 1.0)
000084 |             dist = 1.0;
000085 |
000086 |         float minDist = GetMinDistance(ai);
000087 |
000088 |         if (!m_Item.Expansion_IsExplosive() || ((!m_Item.IsInherited(Grenade_Base) || !dBodyIsActive(m_Item)) && dist > minDist))
000089 |             return Math.Max(minDist, 2.0) / dist;
000090 |
000091 |         float distSq = dist * dist;
000092 |         return 1000000.0 / distSq;
000093 |     }
000094 |
000095 |     return 0.0;
000096 | }
000097 |
000098 | override bool ShouldRemove(eAIBase ai = null)
000099 | {
000100 |     //!< Remove if distance is twice minimum distance, or farther than 30 m, whichever is larger
000101 |     if (GetDistanceSq(ai, true) > Math.Max(m_MinDistance * m_MinDistance * 2, 900))
000102 |         return true;
000103 | }
```

```
000104 |      return false; //! @note will also be removed if no longer active (i.e. not armed/destroyed)
000105 |    }
000106 | };
000107 |
```

0190. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaiitemtargetinformation.c

Size bytes: 9255

SHA-256: aedflc76aacce9b92334bd53a46b18057466d508975b9cc88274f161f49ef3bb

Decoded as: utf-8-sig

Line count shown: 304

Detected class declarations: 1

L1: class eAIItemTargetInformation: eAIEntityTargetInformation

Detected enum declarations: 0

Detected function/method-like declarations: 26

L5: void eAIItemTargetInformation(EntityAI target)

L10: void UpdateItemInfo()

L14: override bool IsInanimate()

L19: override bool IsItem()

L24: override bool IsExplosive()

L29: override bool IsMechanicalTrap()

L34: override bool IsActive()

L46: override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)

L51: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)

L125: else if (m_Item.IsWeapon() || m_Item.Expansion_IsMeleeWeapon() || canBandage || (Class.CastTo(targetMag, m_Item) && targetMag.GetAmmoCount()

L157: else if (!hasAmmoForTargetFirearm || (mag && mag.IsAmmoPile() && !gun.HasInternalMagazine(gun.GetCurrentMuzzle()))) || !ai.eAI_WeaponSelectio

L169: else if (itemInHands.Expansion_IsMeleeWeapon() && m_Item.Expansion_IsMeleeWeapon() && itemInHands.Expansion_CompareDPS(m_Item) >= 0)

L173: else if (gunInHands && m_Item.Expansion_IsMeleeWeapon())

L190: else if ((ai.m_eAI_LootingBehavior & eAILootingBehavior.UPGRADE) == 0)

L195: else if (ai.eAI_GetMagazineTypeWithAmmoCount(m_Item.GetType()) >= 3)

L215: else if (m_Item.IsKindOf("Pistol_Base"))

L220: else if (ai.m_eAI_Firearms.Count() > 0)

L239: else if (m_Item.IsAmmoPile())

L243: else if (m_Item.Expansion_IsMeleeWeapon() || m_Item.IsMagazine())

L247: else if (canBandage && shouldBandage)

L262: else if (m_Item.IsInherited(WeaponCleaningKit))

L269: else if (m_Item.IsInherited(Edible_Base))

L278: else if (m_Item.IsFood())

L289: override bool ShouldRemove(eAIBase ai = null)

L295: return GetThreat(ai) <= 0.1;

L298: override void OnHealthLevelChanged(int oldLevel, int newLevel, string zone)

Full file content

```

000001 | class eAIItemTargetInformation: eAIEntityTargetInformation
000002 | {
000003 |     protected ItemBase m_Item;
000004 |
000005 |     void eAIItemTargetInformation(EntityAI target)
000006 |     {
000007 |         Class.CastTo(m_Item, target);
000008 |     }
000009 |
000010 |     void UpdateItemInfo()
000011 |     {
000012 |     }
000013 |
000014 |     override bool IsInanimate()
000015 |     {
000016 |         return true;
000017 |     }
000018 |
000019 |     override bool IsItem()
000020 |     {
000021 |         return true;

```

```
000022 |     }
000023 |
000024 |     override bool IsExplosive()
000025 |     {
000026 |         return m_Item.Expansion_IsExplosive();
000027 |     }
000028 |
000029 |     override bool IsMechanicalTrap()
000030 |     {
000031 |         return m_Item.Expansion_IsMechanicalTrap();
000032 |     }
000033 |
000034 |     override bool IsActive()
000035 |     {
000036 |         if (!super.IsActive())
000037 |             return false;
000038 |
000039 |         Man player = m_Item.GetHierarchyRootPlayer();
000040 |         if (player && player.IsAlive() && (!player.IsUnconscious() || !player.GetIdentity()))
000041 |             return false;
000042 |
000043 |         return true;
000044 |     }
000045 |
000046 |     override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
000047 |     {
000048 |         return m_Item.GetCenter();
000049 |     }
000050 |
000051 |     override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000052 |     {
000053 |         if (m_Item.IsDamageDestroyed() || m_Item.IsSetForDeletion())
000054 |             return 0.0;
000055 |
000056 |         Man player = m_Item.GetHierarchyRootPlayer();
000057 |         if (player && player.IsAlive() && (!player.IsUnconscious() || !player.GetIdentity()))
000058 |             return 0.0; //! Has been picked up since we last saw it
000059 |
000060 |         if (ai)
000061 |         {
000062 |             if (ai.eAI_GetThreatOverride(m_Item) || ai.IsRestrained())
000063 |                 return 0.1;
000064 |
000065 |             float distance = GetDistanceSq(ai, true);
000066 |
000067 |             //if (distance > 900.0)
000068 |                 //return 0.0;
000069 |
000070 |             eAITarget target = ai.GetTarget();
000071 |             //! @note The dBodyIsActive check is to avoid checking items while they are thrown physically
000072 |             if (target && target.m_Info == this && !dBodyIsActive(m_Item))
000073 |             {
000074 |                 ExpansionPathHandler pathFinding = ai.GetPathFinding();
000075 |
000076 |                 vector tgtPos = pathFinding.m_CurrentTargetPosition;
000077 |                 vector itemPos = GetPosition(ai);
000078 |
000079 |                 //! Account for tide if swimming
000080 |                 if (ai.IsSwimming() && Math.AbsFloat(tgtPos[1] - itemPos[1]) < 0.5)
000081 |                     tgtPos[1] = itemPos[1];
000082 |
000083 |                 if (tgtPos == itemPos)
```



```

000084 |         {
000085 |             bool isUnreachable;
000086 |             bool isNear;
000087 |
000088 |             if (pathFinding.m_IsUnreachable || pathFinding.m_IsTargetUnreachable)
000089 |             {
000090 |                 isUnreachable = true;
000091 |             }
000092 |             else
000093 |             {
000094 |                 vector waypoint = ai.GetPosition();
000095 |                 if (pathFinding.GetNext(waypoint) <= 2 && Math.IsPointInCircle(ai.GetPosition(), 0.55, waypoint))
000096 |                     isNear = true;
000097 |             }
000098 |
000099 |             if (isUnreachable || (isNear && (distance > 4.0 || ai.eAI_IsItemObstructed(m_Item))) || g_Game.GetTime() - target.m_FoundAtTime > target.m_Max
Time)
000100 |             {
000101 |                 //! Item is above or below where AI can reach or item is obstructed
000102 |                 ai.eAI_ThreatOverride(m_Item, true);
000103 |                 return 0.1;
000104 |             }
000105 |         }
000106 |     }
000107 |
000108 |     bool canBandage;
000109 |     bool shouldBandage;
000110 |     //! https://feedback.bistudio.com/T173348
000111 |     if (m_Item.Expansion_CanBeUsedToBandage())
000112 |     {
000113 |         canBandage = true;
000114 |         shouldBandage = ai.eAI_ShouldBandage();
000115 |     }
000116 |
000117 |     Magazine targetMag;
000118 |
000119 |     if (canBandage && ((shouldBandage && ai.GetBandageToUse()) || (ai.m_eAI_Bandages.Count() >= 3 && !m_Item.IsClothing()))
000120 |     {
000121 |         //! Don't need to pick up bandage if AI should bandage and already has at least one in inventory,
000122 |         //! or if AI shouldn't bandage and has 3 or more
000123 |         return 0.0;
000124 |     }
000125 |     else if (m_Item.IsWeapon() || m_Item.Expansion_IsMeleeWeapon() || canBandage || (Class.CastTo(targetMag, m_Item) && targetMag.GetAmmoCount()) || m_Item
m.IsClothing())
000126 |     {
000127 |         ItemBase itemInHands = ai.GetItemInHands();
000128 |         Weapon_Base gunInHands;
000129 |         Weapon_Base gun;
000130 |         bool hasAmmoForTargetFirearm;
000131 |
000132 |         Magazine mag;
000133 |         if (Class.CastTo(gun, m_Item))
000134 |         {
000135 |             hasAmmoForTargetFirearm = ai.eAI_HasAmmoForFirearm(gun, mag, false);
000136 |         }
000137 |
000138 |         if (!canBandage && itemInHands && !itemInHands.IsDamageDestroyed())
000139 |         {
000140 |             if (Class.CastTo(gunInHands, itemInHands) && m_Item.IsWeapon())
000141 |             {
000142 |                 //! Ignore item while weapon manager or action is running (e.g. reload etc.)
000143 |                 if (ai.IsRaised() || ai.GetWeaponManager().IsRunning() || ai.GetActionManager().GetRunningAction())

```

```

000144 |         return 0.0;
000145 |
000146 |         if (gunInHands.Expansion_HasAmmo())
000147 |         {
000148 |             if (ai.eAI_ShouldPreferExplosiveAmmo())
000149 |             {
000150 |                 //EXTrace.Print(EXTrace.AI, this, "Prefer explosive ammo, target " + ai.GetTarget().GetDebugName());
000151 |                 if (gunInHands.ShootsExplosiveAmmo() || !m_Item.ShootsExplosiveAmmo())
000152 |                 {
000153 |                     //EXTrace.Print(EXTrace.AI, this, "Shoots explosive ammo: In hands " + gunInHands.ShootsExplosiveAmmo() + " on ground " + m_Item.ShootsExplosiveAmmo());
000154 |                     return 0.0;
000155 |                 }
000156 |             }
000157 |             else if (!hasAmmoForTargetFirearm || (mag && mag.IsAmmoPile() && !gun.HasInternalMagazine(gun.GetCurrentMuzzle())) || !ai.eAI_WeaponSection(gunInHands, gun))
000158 |             {
000159 |                 //! Ignore gun if we have no ammo/mag for it, or the mag we have for it is an ammo pile but the gun doesn't have an internal magazine, or our current gun in hands is considered better
000160 |                 //EXTrace.Print(EXTrace.AI, this, "Prefer non-explosive ammo, target " + ai.GetTarget().GetDebugName());
000161 |                 if (!gunInHands.ShootsExplosiveAmmo() || m_Item.ShootsExplosiveAmmo())
000162 |                 {
000163 |                     //EXTrace.Print(EXTrace.AI, this, "Shoots explosive ammo: In hands " + gunInHands.ShootsExplosiveAmmo() + " on ground " + m_Item.ShootsExplosiveAmmo());
000164 |                     return 0.0;
000165 |                 }
000166 |             }
000167 |         }
000168 |     }
000169 |     else if (itemInHands.Expansion_IsMeleeWeapon() && m_Item.Expansion_IsMeleeWeapon() && itemInHands.Expansion_CompareDPS(m_Item) >= 0)
000170 |     {
000171 |         return 0.0;
000172 |     }
000173 |     else if (gunInHands && m_Item.Expansion_IsMeleeWeapon())
000174 |     {
000175 |         return 0.0;
000176 |     }
000177 | }
000178 |
000179 | //! Ignore magazines and ammo if AI has no gun for it, or we have enough ammo
000180 | if (targetMag)
000181 | {
000182 |     if (!ai.eAI_HasWeaponForMagazine(targetMag))
000183 |         return 0.0;
000184 |
000185 |     if (ai.m_eAI_IsUnlimitedReloadAll)
000186 |     {
000187 |         if (ai.eAI_HasMagazineType(m_Item.GetType()))
000188 |             return 0.0;
000189 |     }
000190 |     else if ((ai.m_eAI_LootingBehavior & eAILootingBehavior.UPGRADE) == 0)
000191 |     {
000192 |         if (ai.eAI_HasMagazineTypeWithAmmo(m_Item.GetType()))
000193 |             return 0.0;
000194 |     }
000195 |     else if (ai.eAI_GetMagazineTypeWithAmmoCount(m_Item.GetType()) >= 3)
000196 |     {
000197 |         return 0.0;
000198 |     }
000199 | }
000200 |
000201 | if (gun)

```

```
000202 |         {
000203 |             if (target && target.IsMechanicalTrap() && (!itemInHands || itemInHands.Expansion_IsMeleeWeapon()))
000204 |                 return 0.0;
000205 |
000206 |             ///! Ignore guns we don't have ammo for so we don't keep picking up guns that we can't use
000207 |             ///! unless we don't yet have a weapon of that type (firearm or launcher)
000208 |             if (!hasAmmoForTargetFirearm)
000209 |             {
000210 |                 if (m_Item.ShootsExplosiveAmmo())
000211 |                 {
000212 |                     if (ai.m_eAI_Launchers.Count() > 0)
000213 |                         return 0.0;
000214 |                 }
000215 |                 else if (m_Item.IsKindOf("Pistol_Base"))
000216 |                 {
000217 |                     if (ai.m_eAI_Handguns.Count() > 0)
000218 |                         return 0.0;
000219 |                 }
000220 |                 else if (ai.m_eAI_Firearms.Count() > 0)
000221 |                 {
000222 |                     return 0.0;
000223 |                 }
000224 |             }
000225 |         }
000226 |
000227 |         if (!ai.IsUnconscious() && m_Item.m_Expansion_PreviousOwner != ai && !state.m_LOS)
000228 |         {
000229 |             ///! Make sure we can react to other targets first
000230 |             distance = Math.Sqrt(distance);
000231 |             return ExpansionMath.PowerConversion(0.0, 227.968982, distance, 1.0, 0.0, 3.0); ///! Threat level 0.4 at 60 m
000232 |         }
000233 |
000234 |         float q;
000235 |         if (m_Item.IsWeapon())
000236 |         {
000237 |             q = 1000000;
000238 |         }
000239 |         else if (m_Item.IsAmmoPile())
000240 |         {
000241 |             q = 1000;
000242 |         }
000243 |         else if (m_Item.Expansion_IsMeleeWeapon() || m_Item.IsMagazine())
000244 |         {
000245 |             q = 10000;
000246 |         }
000247 |         else if (canBandage && shouldBandage)
000248 |         {
000249 |             q = 900000900; ///! URGENT - other targets are clamped to 1000000, maxdist squared = 900 (30m) so adding 1 to make AI go for the bandage
000250 |         }
000251 |         else
000252 |         {
000253 |             distance = Math.Sqrt(distance);
000254 |             return ExpansionMath.PowerConversion(0.0, 227.968982, distance, 1.0, 0.0, 3.0); ///! Threat level 0.4 at 60 m
000255 |         }
000256 |
000257 |         if (distance < 1.0)
000258 |             distance = 1.0;
000259 |
000260 |         return q / distance;
000261 |     }
000262 |     else if (m_Item.IsInherited(WeaponCleaningKit))
000263 |     {
```

```
000264 |         //EntityAI entityInHands = ai.GetHumanInventory().GetEntityInHands();
000265 |         //if (entityInHands && entityInHands.IsWeapon())
000266 |         if (ai.m_eAI_RepairKits.Count() == 0)
000267 |             return ExpansionMath.PowerConversion(0.0, 227.968982, Math.Sqrt(distance), 1.0, 0.0, 3.0);
000268 |     }
000269 |     else if (m_Item.IsInherited(Edible_Base))
000270 |     {
000271 |         if (ai.eAI_ShouldProcureFood())
000272 |         {
000273 |             if (m_Item.IsCorpse())
000274 |             {
000275 |                 if (ai.m_eAI_MeleeWeapons.Count() > 0)
000276 |                     return ExpansionMath.PowerConversion(0.0, 227.968982, Math.Sqrt(distance), 1.0, 0.0, 3.0); //! Go skinning
000277 |             }
000278 |             else if (m_Item.IsFood())
000279 |             {
000280 |                 return ExpansionMath.PowerConversion(0.0, 227.968982, Math.Sqrt(distance), 1.0, 0.0, 3.0);
000281 |             }
000282 |         }
000283 |     }
000284 | }
000285 |
000286 |     return 0.0;
000287 | }
000288 |
000289 |     override bool ShouldRemove(eAIBase ai = null)
000290 |     {
000291 | #ifdef EAI_TRACE
000292 |         auto trace = CF_Trace_1(this, "ShouldRemove").Add(ai);
000293 | #endif
000294 |
000295 |         return GetThreat(ai) <= 0.1;
000296 |     }
000297 |
000298 |     override void OnHealthLevelChanged(int oldLevel, int newLevel, string zone)
000299 |     {
000300 |         if (g_Game.IsClient())
000301 |             GetDayZGame().GetExpansionGame().m_FirearmFXHitObject = m_Item.GetHierarchyRoot();
000302 |     }
000303 | };
000304 |
```

0191. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eainoisetargetinformation.c
 Size bytes: 2496
 SHA-256: 28152a172f2dde81e4abc8a0a09f5bf4aeb5a67ac5b69cada49b4f15ad841a9
 Decoded as: utf-8-sig
 Line count shown: 115
 Detected class declarations: 1
 L1: class eAINoiseTargetInformation: eAITargetInformation
 Detected enum declarations: 0
 Detected function/method-like declarations: 15
 L9: override string GetDebugName()
 L19: override bool IsNoise()
 L24: void SetNoiseParams(EntityAI source, vector position, float strength, float lifetime, float threatLevel)
 L33: EntityAI GetSource()
 L38: eAINoiseType GetNoiseType()
 L44: else if (m_Source.IsInherited(ExplosivesBase))
 L51: float GetStrength()
 L56: override float GetLifetime()
 L61: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
 L66: override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
 L82: override vector GetDirection(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
 L87: override float GetDistance(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
 L92: override float GetDistanceSq(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
 L97: override bool ShouldRemove(eAIBase ai = null)
 L103: override vector GetAimOffset(eAIBase ai = null)

Full file content

```
000001 | class eAINoiseTargetInformation: eAITargetInformation
000002 | {
000003 |     protected EntityAI m_Source;
000004 |     protected vector m_Position;
000005 |     protected float m_Strength;
000006 |     protected float m_Lifetime = -1.0;
000007 |     protected float m_ThreatLevel;
000008 |
000009 |     override string GetDebugName()
000010 |     {
000011 |         string str = super.GetDebugName();
000012 |
000013 |         str += ", source=" + m_Source;
000014 |         str += ", position=" + m_Position;
000015 |
000016 |         return str;
000017 |     }
000018 |
000019 |     override bool IsNoise()
000020 |     {
000021 |         return true;
000022 |     }
000023 |
000024 |     void SetNoiseParams(EntityAI source, vector position, float strength, float lifetime, float threatLevel)
000025 |     {
000026 |         m_Source = source;
000027 |         m_Position = position;
000028 |         m_Strength = strength;
000029 |         m_Lifetime = lifetime;
000030 |         m_ThreatLevel = threatLevel;
000031 |     }
000032 | }
```

```
000033 | EntityAI GetSource()
000034 | {
000035 |     return m_Source;
000036 | }
000037 |
000038 | eAINoiseType GetNoiseType()
000039 | {
000040 |     if (m_Source)
000041 |     {
000042 |         if (m_Source.IsWeapon())
000043 |             return eAINoiseType.SHOT;
000044 |         else if (m_Source.IsInherited(ExplosivesBase))
000045 |             return eAINoiseType.EXPLOSION;
000046 |     }
000047 |
000048 |     return eAINoiseType.SOUND;
000049 | }
000050 |
000051 | float GetStrength()
000052 | {
000053 |     return m_Strength;
000054 | }
000055 |
000056 | override float GetLifetime()
000057 | {
000058 |     return m_Lifetime;
000059 | }
000060 |
000061 | override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000062 | {
000063 |     return m_ThreatLevel;
000064 | }
000065 |
000066 | override vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
000067 | {
000068 |     if (actual || !ai)
000069 |         return m_Position;
000070 |
000071 |     bool created;
000072 |
000073 |     if (!state)
000074 |         state = GetTargetForAIEx(ai, true, created);
000075 |
000076 |     if (!created)
000077 |         state.UpdatePosition();
000078 |
000079 |     return state.m_SearchPosition;
000080 | }
000081 |
000082 | override vector GetDirection(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000083 | {
000084 |     return vector.Direction(ai.GetPosition(), m_Position);
000085 | }
000086 |
000087 | override float GetDistance(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000088 | {
000089 |     return vector.Distance(ai.GetPosition(), m_Position);
000090 | }
000091 |
000092 | override float GetDistanceSq(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000093 | {
000094 |     return vector.DistanceSq(ai.GetPosition(), m_Position);
```

```
000095 |     }
000096 |
000097 |     override bool ShouldRemove(eAIBase ai = null)
000098 |     {
000099 |         //! Will remove when lifetime is up
000100 |         return true;
000101 |     }
000102 |
000103 |     override vector GetAimOffset(eAIBase ai = null)
000104 |     {
000105 |         vector pos;
000106 |         Human player;
000107 |         if (m_Source && Class.CastTo(player, m_Source.GetHierarchyRoot()))
000108 |         {
000109 |             pos = player.GetBonePositionWS(player.GetBoneIndexByName("neck"));
000110 |             pos = pos - player.GetPosition();
000111 |         }
000112 |         return pos;
000113 |     }
000114 | };
000115 |
```

0192. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaiplyertargetinformation.c
Size bytes: 13636
SHA-256: 9d17fe2d75644d7912f99031f62fe6b81e7f9e7cec5eb1406b7dc2c0334ccdaf
Decoded as: utf-8-sig
Line count shown: 434
Detected class declarations: 1
  L1: class eAIPlayerTargetInformation: eAIEntityTargetInformation
Detected enum declarations: 0
Detected function/method-like declarations: 27
  L7: void eAIPlayerTargetInformation(EntityAI target)
  L12: override IEntity GetParent()
  L17: override bool IsPlayer()
  L22: override bool IsUnconscious()
  L27: override bool IsRaised()
  L35: override bool IsFighting()
  L43: override bool IsAcuteDanger(eAIBase ai = null)
  L48: override bool IsLit()
  L53: override float GetAttackCooldown()
  L58: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
  L135: else if (!targetIsAI && m_Player.GetGroup() != group && distance <= 2.33)
  L171: else if (m_Player.eAI_UpdateAggressionTimeout(ExpansionAISettings.Get().GuardAggressionTimeout - distance))
  L180: else if (!faction.IsObserver()) && !m_Player.Expansion_IsInSafeZone())
  L186: else if (targeted)
  L251: override float GetMinDistance(eAIBase ai = null, float distance = 0.0)
  L277: float ProcessVehicleThreat(eAIBase ai, float distance)
  L292: static bool AdjustThreatLevelBasedOnWeapon(EntityAI weapon, float distance, inout float levelFactor, bool hasLOS = true, out float distanceT
  L314: else if (gun.IsInherited(Rifle_Base)) //!< Rifle_Base also includes shotguns
  L320: else if (gun.IsKindOf("Pistol_Base"))
  L355: override bool ShouldRemove(eAIBase ai = null)
  L357: return GetThreat(ai) <= 0.02; //!< Will remove if 500 m away and no LOS
  L360: override vector GetAimOffset(eAIBase ai = null)
  L383: override void PlayFireParticles()
  L394: override int GetBoneIndexByName(string boneName)
  L399: override vector GetBonePositionMS(int boneIdx)
  L404: override void OnRemove(eAIBase ai, eAITarget target)
  L411: void CheckResetAggressionCooldown(eAIBase ai, eAITarget target)
```

Full file content

```
000001 | class eAIPlayerTargetInformation: eAIEntityTargetInformation
000002 | {
000003 |     private DayZPlayerImplement m_Player;
000004 |     bool m_HasProjectileWeaponInHands;
000005 |     float m_DistanceThreshold = 1000.0;
000006 |
000007 |     void eAIPlayerTargetInformation(EntityAI target)
000008 |     {
000009 |         Class.CastTo(m_Player, target);
000010 |     }
000011 |
000012 |     override IEntity GetParent()
000013 |     {
000014 |         return m_Player.Expansion_GetParent();
000015 |     }
000016 |
000017 |     override bool IsPlayer()
000018 |     {
000019 |         return true;
000020 |     }
```



```
000021 |
000022 |     override bool IsUnconscious()
000023 |     {
000024 |         return m_Player.IsUnconscious();
000025 |     }
000026 |
000027 |     override bool IsRaised()
000028 |     {
000029 |         if (m_Player.IsRaised())
000030 |             return true;
000031 |
000032 |         return false;
000033 |     }
000034 |
000035 |     override bool IsFighting()
000036 |     {
000037 |         if (m_Player.m_eAI_AttackCooldown > 0 || m_Player.IsFighting())
000038 |             return true;
000039 |
000040 |         return false;
000041 |     }
000042 |
000043 |     override bool IsAcuteDanger(eAIBase ai = null)
000044 |     {
000045 |         return true;
000046 |     }
000047 |
000048 |     override bool IsLit()
000049 |     {
000050 |         return m_Player.eAI_IsLit();
000051 |     }
000052 |
000053 |     override float GetAttackCooldown()
000054 |     {
000055 |         return m_Player.m_eAI_AttackCooldown;
000056 |     }
000057 |
000058 |     override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000059 |     {
000060 |         if (m_Player.IsDamageDestroyed())
000061 |             return 0.0;
000062 |
000063 |         if (m_Player.Expansion_HasAdminToolInvisibility())
000064 |             return 0.0;
000065 |
000066 |         float levelFactor = 0.1;
000067 |
000068 |         if (ai)
000069 |         {
000070 |             if (ai == m_Player)
000071 |                 return 0.0;
000072 |
000073 | #ifdef DIAG_DEVELOPER
000074 |             auto hitch = new EXHitch(ai.ToString() + " eAIPlayerTargetInformation::CalculateThreat ", 20000);
000075 | #endif
000076 |
000077 |             // the further away the player, the less likely they will be a threat
000078 |             float distance = GetDistance(ai, true) + 0.1;
000079 |
000080 |             bool targetIsAI = m_Player.IsAI();
000081 |
000082 |             if (m_Player.IsUnconscious() && !targetIsAI)
```

```
000083 |         return ExpansionMath.LinearConversion(0, 100, distance, 0.4, 0.3, false);
000084 |
000085 |     if (m_Player.IsRestrained() || (m_Player.IsSwimming() && ai.IsSwimming()))
000086 |         return ExpansionMath.LinearConversion(0, 100, distance, 0.15, 0.1);
000087 |
000088 |     IEntity playerParent;
000089 |     bool differentParent;
000090 |
000091 |     if (distance <= 100.0)
000092 |     {
000093 |         playerParent = m_Player.Expansion_GetParent();
000094 |
000095 |         if (playerParent != ai.Expansion_GetParent())
000096 |         {
000097 |             differentParent = true;
000098 |
000099 |             ///! Any AI, even passive, will react if vehicle is speeding towards them
000100 |             ///! Vehicles WITHOUT drivers are handled by vehicle target info
000101 |             levelFactor = ProcessVehicleThreat(ai, distance);
000102 |             if (!levelFactor)
000103 |                 levelFactor = 10 / distance;
000104 |         }
000105 |         else
000106 |         {
000107 |             levelFactor = 10 / distance;
000108 |         }
000109 |     }
000110 |     else
000111 |     {
000112 |         levelFactor = 10 / distance;
000113 |     }
000114 |
000115 |     eAIGroup group = ai.GetGroup();
000116 |     eAIFaction faction = group.GetFaction();
000117 |
000118 |     bool isPlayerMoving;
000119 |     bool friendly;
000120 |     bool targeted;
000121 |     ///! @note order matters! PlayerIsEnemy check needs to come first because it sets the passed in out variables,
000122 |     ///! AI check 2nd, group check 3rd, aggression cooldown check last to prevent own group becoming hostile on accidental friendly fire
000123 |     if (!ai.PlayerIsEnemy(m_Player, false, isPlayerMoving, friendly, targeted) && (targetIsAI || m_Player.GetGroup() == group || !state || state.GetAggres-
sionCooldown() <= 0))
000124 |     {
000125 |         ///! They eyeball you menacingly if you move, or if another friendly AI moves that is not in same group,
000126 |         ///! or if you're standing close to them
000127 |
000128 |         bool turnTowardsTarget;
000129 |
000130 |         if (isPlayerMoving)
000131 |         {
000132 |             if ((!targetIsAI && (!playerParent || differentParent)) || m_Player.GetGroup() != group)
000133 |                 turnTowardsTarget = true;
000134 |         }
000135 |         else if (!targetIsAI && m_Player.GetGroup() != group && distance <= 2.33)
000136 |         {
000137 |             turnTowardsTarget = true;
000138 |         }
000139 |
000140 |         if (turnTowardsTarget)
000141 |             return ExpansionMath.PowerConversion(0.5, 30, distance, 0.152, 0.0, 0.1);
000142 |
000143 |         return ExpansionMath.LinearConversion(0, 30, distance, 0.1, 0.0);
```

```
000144 |     }
000145 |
000146 |     vector fromTargetDirection = vector.Direction(m_Player.GetPosition(), ai.GetPosition()).Normalized();
000147 |     float fromTargetDot = vector.Dot(m_Player.Expansion_GetAimDirection(), fromTargetDirection);
000148 |
000149 |     //! Enemy weapon
000150 |     auto enemyHands = m_Player.GetHumanInventory().GetEntityInHands();
000151 |
000152 |     if (enemyHands && enemyHands.IsWeapon())
000153 |         m_HasProjectileWeaponInHands = true;
000154 |     else
000155 |         m_HasProjectileWeaponInHands = false;
000156 |
000157 |     float lastAggressionTimeout = m_Player.m_eAI_LastAggressionTimeout;
000158 |
000159 |     //! Guards won't aggro until the other player raises their weapon in their direction, starts melee fighting or shoots another player
000160 |     //! Observers will never aggro and just look at the player
000161 |     //! Others will attack if not friendly or temporarily hostile
000162 |     if (group)
000163 |     {
000164 |         bool canEnterFightingState;
000165 |
000166 |         if (faction.IsGuard())
000167 |         {
000168 |             if (m_Player.IsRaised() && fromTargetDot >= 0.9 && (m_HasProjectileWeaponInHands || m_Player.IsFighting()))
000169 |                 canEnterFightingState = true;
000170 |             //! Update aggression timeout regardless if targeted or not
000171 |             else if (m_Player.eAI_UpdateAggressionTimeout(ExpansionAISettings.Get().GuardAggressionTimeout - distance))
000172 |                 canEnterFightingState = true;
000173 |
000174 |             if (!canEnterFightingState && (m_Player.IsRaised() || ai.IsRaised()))
000175 |             {
000176 |                 //! They aim at you
000177 |                 return ExpansionMath.PowerConversion(0.5, 30, distance, 0.2, 0.0, 0.1);
000178 |             }
000179 |         }
000180 |         else if (!faction.IsObserver() && !m_Player.Expansion_IsInSafeZone())
000181 |         {
000182 |             if (!friendly)
000183 |             {
000184 |                 canEnterFightingState = true;
000185 |             }
000186 |             else if (targeted)
000187 |             {
000188 |                 //! Only update aggression timeout if targeted
000189 |                 if (targetIsAI || m_Player.eAI_UpdateAggressionTimeout(ExpansionAISettings.Get().AggressionTimeout))
000190 |                     canEnterFightingState = true;
000191 |             }
000192 |         }
000193 |
000194 |         if (!canEnterFightingState)
000195 |         {
000196 |             //! They eyeball you menacingly
000197 |             return ExpansionMath.PowerConversion(0.5, 15, distance, 0.152, 0.0, 0.1);
000198 |         }
000199 |     }
000200 |
000201 |     if (m_Player.m_eAI_LastAggressionTimeout > lastAggressionTimeout)
000202 |     {
000203 |         state.m_AggressionTimeout = m_Player.m_eAI_LastAggressionTimeout;
000204 |
000205 |         eAITarget target;
```

```

000206 |         if (Class.CastTo(target, state))
000207 |         {
000208 |             int cooldown = m_Player.eAI_GetLastAggressionCooldown() * 1000;
000209 |             if (cooldown > target.GetRemainingTime())
000210 |                 target.m_MaxTime = g_Game.GetTime() - target.m_FoundAtTime + cooldown;
000211 |         }
000212 |     }
000213 |
000214 |     if (distance > 30)
000215 |     {
000216 |         PlayerBase pb;
000217 |         if (Class.CastTo(pb, m_Player))
000218 |             levelFactor *= ExpansionMath.LinearConversion(1.0, 3.0, pb.Expansion_GetMovementSpeed(), Math.Max(0.2, pb.GetVisibilityCoef()), 1.0);
000219 |     }
000220 |
000221 |     ///! Only adjust threat level based on enemy weapon if AI has a weapon in hands to fight back to begin with
000222 |     ///! Threat level from lowest to highest:
000223 |     ///! AI bare fists: Distance, look direction and enemy weapon if close affect threat level
000224 |     ///! AI weapon, enemy bare fists or unraised weapon: Distance, look direction and AI weapon affect threat level
000225 |     ///! AI weapon, enemy raised weapon: Distance, look direction, AI weapon and enemy weapon affect threat level
000226 |     ///! This should ensure that AI doesn't take fist fights over long distances or against armed enemies unless they are close,
000227 |     ///! and prioritizes enemies with raised weapons
000228 |     auto hands = ai.GetHumanInventory().GetEntityInHands();
000229 |     bool hasLOS = state.m_SearchOnLOSlost; ///! True if LOS or we had LOS. It's OK if LOS state is stale at this point
000230 |     if ((hands && AdjustThreatLevelBasedOnWeapon(hands, distance, levelFactor, hasLOS)) || distance <= 30 || hasLOS)
000231 |     {
000232 |         if (enemyHands)
000233 |         {
000234 |             ///! Enemy weapon is raised or enemy is close
000235 |             if (m_Player.IsRaised() || distance <= 30 || hasLOS)
000236 |             {
000237 |                 AdjustThreatLevelBasedOnWeapon(enemyHands, distance, levelFactor, hasLOS, m_DistanceThreshold);
000238 |
000239 |                 if (m_Player.IsRaised())
000240 |                     levelFactor *= ExpansionMath.LinearConversion(0, 1000, distance, 2.0, 1.0);
000241 |             }
000242 |         }
000243 |     }
000244 |
000245 |     levelFactor *= ai.eAI_GetThreatDistanceFactor(distance);
000246 | }
000247 |
000248 | return Math.Clamp(levelFactor, 0.0, 1000000.0);
000249 | }
000250 |
000251 | override float GetMinDistance(eAIBase ai = null, float distance = 0.0)
000252 | {
000253 |     if (ai)
000254 |     {
000255 |         if (distance > m_DistanceThreshold)
000256 |         {
000257 |             if (ai.eAI_IsLowVitals())
000258 |                 return 1000.0; ///! Flee
000259 |
000260 |             if (m_HasProjectileWeaponInHands && !ai.m_eAI_HasProjectileWeaponInHands)
000261 |             {
000262 |                 if (m_Player.IsRaised())
000263 |                     return 1000.0; ///! Flee
000264 |
000265 |                 if (m_Player.GetGroup() && m_Player.GetGroup().Count() > ai.GetGroup().Count())
000266 |                     return 1000.0; ///! Flee
000267 |             }

```

```
000268 |     }
000269 |
000270 |         if (ai.m_eAI_HasProjectileWeaponInHands)  //!< Only reset after AI has projectile weapon, irrespective of enemy weapon
000271 |             return 0.0;
000272 |     }
000273 |
000274 |     return m_MinDistance;
000275 | }
000276 |
000277 | float ProcessVehicleThreat(eAIBase ai, float distance)
000278 | {
000279 |     Transport transport;
000280 |     if (!Class.CastTo(transport, m_Player.GetParent()))
000281 |         return 0.0;
000282 |
000283 |     if (transport.CrewMemberIndex(m_Player) != DayZPlayerConstants.VEHICLESEAT_DRIVER)
000284 |         return 0.0;
000285 |
000286 |     float speed, fromTargetDot;
000287 |     float levelFactor = eAIVehicleTargetInformation.ProcessVehicleThreat(transport, ai, distance, speed, fromTargetDot);
000288 |     //PrintFormat("eAIPlayerTargetInformation dist %1 spd %2 dot %3 lvl %4", distance, speed, fromTargetDot, levelFactor);
000289 |     return levelFactor;
000290 | }
000291 |
000292 | static bool AdjustThreatLevelBasedOnWeapon(EntityAI weapon, float distance, inout float levelFactor, bool hasLOS = true, out float distanceThreshold = 0.0)
000293 | {
000294 |     Weapon_Base gun;
000295 |     if (!Class.CastTo(gun, weapon))
000296 |         return false;
000297 |
000298 |     int mi = gun.GetCurrentMuzzle();
000299 |
000300 |     //!< Check if gun has available bullets either in chamber or internal/attached mag
000301 |     /* XXX: Not sure if going to use this, seems a bit redundant. Disabled for now
000302 |     if (!gun.Expansion_HasAmmo())
000303 |         return;
000304 |     */
000305 |
000306 |     //!< Multiplicator based on weapon and attachments
000307 |     ItemOptics optics;
000308 |     if (gun.IsInherited(BoltActionRifle_Base) || gun.IsInherited(BoltRifle_Base) || (Class.CastTo(optics, gun.GetAttachedOptics()) && optics.GetZeroingDistance() >= distance))
000309 |     {
000310 |         levelFactor *= 7.333333;  //!< If either AI or target have a 7.62x54 mm bolt rifle, threat level 0.4 at 500 m
000311 |
000312 |         distanceThreshold = 75.0;
000313 |     }
000314 |     else if (gun.IsInherited(Rifle_Base))  //!< Rifle_Base also includes shotguns
000315 |     {
000316 |         levelFactor *= 5.0;  //!< If either AI or target have a 5.56x45 mm rifle, threat level 0.4 at 250 m
000317 |
000318 |         distanceThreshold = 55.0;
000319 |     }
000320 |     else if (gun.IsKindOf("Pistol_Base"))
000321 |     {
000322 |         levelFactor *= 5.0;  //!< If either AI or target have a 19x9 mm pistol, threat level 0.4 at 50 m
000323 |
000324 |         distanceThreshold = 35.0;
000325 |     }
000326 |     else  //!< Archery or unknown
000327 |     {
000328 |         levelFactor *= 5.0;
```

```
000329 |
000330 |         distanceThreshold = 100.0;
000331 |     }
000332 |
000333 |     if (!hasLOS)
000334 |         levelFactor *= 0.5;
000335 |
000336 |     ///! Now the fun part, scale threat level by health damage applied by ammo.
000337 |     ///! Use 110 damage w/ 1.0 init speed mult as baseline (1.0).
000338 |     string ammoTypeName = gun.GetChamberAmmoTypeName(mi);
000339 |     if (ammoTypeName)
000340 |     {
000341 |         float damage = ExpansionWeaponUtils.GetDamageAppliedByAmmo(ammoTypeName);
000342 |
000343 |         if (damage)
000344 |         {
000345 |             float initSpeedMult = ExpansionWeaponUtils.GetWeaponInitSpeedMultiplier(gun.GetType());
000346 |             damage *= initSpeedMult;
000347 |             ///! In combination with lowest multiplicator above, makes sure overall level factor can not go lower than input value
000348 |             levelFactor *= Math.Clamp(damage, 22.0, 300.0) / 55.0;
000349 |         }
000350 |     }
000351 |
000352 |     return true;
000353 | }
000354 |
000355 | override bool ShouldRemove(eAIBase ai = null)
000356 | {
000357 |     return GetThreat(ai) <= 0.02; ///! Will remove if 500 m away and no LOS
000358 | }
000359 |
000360 | override vector GetAimOffset(eAIBase ai = null)
000361 | {
000362 |     string boneName;
000363 |
000364 |     Weapon_Base weapon;
000365 |     if (ai && Class.CastTo(weapon, ai.GetHumanInventory().GetEntityInHands()))
000366 |     {
000367 |         if (weapon.ShootsExplosiveAmmo())
000368 |             boneName = "spine3";
000369 |         else
000370 |             boneName = "neck";
000371 |     }
000372 |     else
000373 |     {
000374 |         boneName = "spine3"; ///! Aim lower for melee
000375 |     }
000376 |
000377 |     vector pos = m_Player.GetBonePositionWS(m_Player.GetBoneIndexByName(boneName));
000378 |     pos = pos - m_Player.GetPosition();
000379 |
000380 |     return pos;
000381 | }
000382 |
000383 | override void PlayFireParticles()
000384 | {
000385 |     PlayFireParticleOnBone("lefthand");
000386 |     PlayFireParticleOnBone("righthand");
000387 |     PlayFireParticleOnBone("leftfoot");
000388 |     PlayFireParticleOnBone("rightfoot");
000389 |     PlayFireParticleOnBone("pelvis");
000390 |     PlayFireParticleOnBone("spine3");
000391 | }
```

```
000391 |         PlayFireParticleOnBone("head");
000392 |     }
000393 |
000394 |     override int GetBoneIndexByName(string boneName)
000395 |     {
000396 |         return m_Player.GetBoneIndexByName(boneName);
000397 |     }
000398 |
000399 |     override vector GetBonePositionMS(int boneIdx)
000400 |     {
000401 |         return m_Player.GetBonePositionMS(boneIdx);
000402 |     }
000403 |
000404 |     override void OnRemove(eAIBase ai, eAITarget target)
000405 |     {
000406 |         super.OnRemove(ai, target);
000407 |
000408 |         CheckResetAggressionCooldown(ai, target);
000409 |     }
000410 |
000411 |     void CheckResetAggressionCooldown(eAIBase ai, eAITarget target)
000412 |     {
000413 |         ///! If a target is removed from an AI, we check if it is a player target that has an aggro cooldown.
000414 |         ///! If all targets with aggro cooldown targeting that player are removed (i.e. no more witnesses),
000415 |         ///! we remove the aggro cooldown from the player itself as well.
000416 |         if (target.GetAggressionCooldown() > 0 && target.m_Info == this && m_Player && m_Player.eAI_GetLastAggressionCooldown() > 0)
000417 |         {
000418 |             ///! Guards are special. Even if all the targets are removed from currently aggroed guards, the next guard the player runs into
000419 |             ///! will aggro regardless because of the previous aggression, so we can just stop here if the AI is a guard.
000420 |             eAIGroup group = ai.GetGroup();
000421 |             if (group.GetFaction().IsGuard())
000422 |                 return;
000423 |
000424 |             foreach (eAIBase otherAI, eAITarget otherTarget: target.m_Info.m_Targets)
000425 |             {
000426 |                 if (otherTarget.GetAggressionCooldown() > 0 && otherAI != ai && !otherAI.IsSetForDeletion())
000427 |                     return;
000428 |             }
000429 |
000430 |             m_Player.eAI_ResetLastAggressionTimeout();
000431 |         }
000432 |     }
000433 | };
000434 |
```

0193. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitargetinformation.c

Size bytes: 15753

SHA-256: ce2c5700115093cd71274e082af358c9161b01686c1bff65594821a6c3c60a23

Decoded as: utf-8-sig

Line count shown: 711

Detected class declarations: 1

L6: class eAITargetInformation

Detected enum declarations: 0

Detected function/method-like declarations: 69

L17: void ~eAITargetInformation()

L29: void DeferredInit();

L31: override string GetDebugName()

L33: return ToString();

L41: EntityAI GetEntity()

L50: IEntity GetParent()

L55: string GetEntityDebugName()

L60: float GetLifetime()

L65: bool CanPutInCargo(EntityAI parent)

L70: bool IsCreature()

L75: bool IsDoor()

L80: bool IsEntity()

L85: bool IsExplosive()

L90: bool IsGroup()

L95: bool IsHazard()

L100: bool IsInanimate()

L105: bool IsItem()

L110: bool IsMechanicalTrap()

L115: bool IsNoise()

L120: bool IsPlayer()

L125: bool IsVehicle()

L130: bool IsZombie()

L140: bool IsActive()

L149: bool IsUnconscious()

L154: bool IsCrawling()

L160: bool IsRaised()

L166: bool IsFighting()

L171: bool IsAcuteDanger(eAIBase ai = null)

L176: bool IsLit()

L181: float GetAttackCooldown()

L192: vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)

L207: vector GetAimOffset(eAIBase ai = null)

L222: float GetThreat(eAIBase ai = null, eAITargetInformationState state = null)

L229: return CalculateThreat();

L242: float GetCachedThreat(eAIBase ai, bool ignoreLOS = false)

L252: float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)

L257: bool ShouldRemove(eAIBase ai = null)

L266: bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)

L271: float GetMinDistance(eAIBase ai = null, float distance = 0.0)

L276: float GetMinDistanceSq(eAIBase ai = null, float distance = 0.0)

L282: vector GetDirection(eAIBase ai, bool actual = false, eAITargetInformationState state = null)

L293: float GetDistance(eAIBase ai, bool actual = false, eAITargetInformationState state = null)

L302: float GetDistanceSq(eAIBase ai, bool actual = false, eAITargetInformationState state = null)

L317: eAITarget InsertAI(eAIBase ai, bool initialUpdate = true)

L339: eAITarget AddAI(eAIBase ai, int maxTime = -1, bool initialUpdate = true, out bool created = false)

L351: else if (maxTime != -1)

L360: eAITarget GetTargetForAI(eAIBase ai)

L368: eAITarget GetTargetForAIEx(eAIBase ai, bool initialUpdate = true, out bool created = false)

L388: void AddFriendlyAI(DayZPlayerImplement player, int maxTime = -1, bool update = true, float threat = 0.0)


```

L445: else if (update)
L481: bool RemoveAI(eAIBase ai)
L497: void OnRemove(eAIBase ai, eAITarget target)
L522: else if (count < 0)
L533: void RemoveFromAll()
L543: else if (ai)
L556: bool IsTracked()
L567: bool IsTrackedBy(int group_id)
L578: bool IsTrackedBy(notnull eAIGroup group)
L590: bool IsTrackedBy(int group_id, out int num_ai)
L604: bool IsTrackedBy(notnull eAIGroup group, out int num_ai)
L618: bool IsTrackedBy(eAIBase ai)
L627: void OnVariablesSynchronized()
L632: void OnDeath(Object killer)
L641: void OnHit(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, flo
L645: void OnHealthLevelChanged(int oldLevel, int newLevel, string zone)
L654: static eAITargetInformation GetTargetInformation(EntityAI entity)
L677: return GetCustomCreatureTargetInformation(entity);
L682: static eAITargetInformation GetCustomCreatureTargetInformation(EntityAI entity)
L698: static void PurgeCustomAI()

```

Full file content

```

000001 | /**
000002 |  * @class eAITargetInformation
000003 |  *
000004 |  * @brief Is an abstract class
000005 |  */
000006 | class eAITargetInformation
000007 | {
000008 |     //! Catch-all for custom 3rd party modded AI that's not inheriting from ZombieBase or AnimalBase but DayZCreature
000009 |     static ref map<EntityAI, ref eAITargetInformation> s_CustomAI = new map<EntityAI, ref eAITargetInformation>;
000010 |
000011 |     // in most circumstances an entity should only be in 1 group
000012 |     ref map<int, int> m_Groups = new map<int, int>;    //! Contains all groups actively tracking this target
000013 |     ref map<eAIBase, ref eAITarget> m_Targets = new map<eAIBase, ref eAITarget>;    //! Contains all AI that know about this target (not necessarily actively tracki
ng it)
000014 |
000015 |     float m_MinDistance;
000016 |
000017 |     void ~eAITargetInformation()
000018 |     {
000019 |         if (!g_Game)
000020 |             return;
000021 |
000022 |     #ifdef EXTRACE_DIAG
000023 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000024 |     #endif
000025 |
000026 |         RemoveFromAll();
000027 |     }
000028 |
000029 |     void DeferredInit();
000030 |
000031 |     override string GetDebugName()
000032 |     {
000033 |         return ToString();
000034 |     }
000035 |
000036 |     /**
000037 |     * @brief Get the entity that this target belongs to, if it does so
000038 |     *

```

```
000039 |     * @return EntityAI
000040 |     */
000041 |     EntityAI GetEntity()
000042 |     {
000043 | #ifdef EAI_TRACE
000044 |         auto trace = CF_Trace_0(this, "GetEntity");
000045 | #endif
000046 |
000047 |         return null;
000048 |     }
000049 |
000050 |     IEntity GetParent()
000051 |     {
000052 |         return null;
000053 |     }
000054 |
000055 |     string GetEntityDebugName()
000056 |     {
000057 |         return "";
000058 |     }
000059 |
000060 |     float GetLifetime()
000061 |     {
000062 |         return 0.0;
000063 |     }
000064 |
000065 |     bool CanPutInCargo(EntityAI parent)
000066 |     {
000067 |         return false;
000068 |     }
000069 |
000070 |     bool IsCreature()
000071 |     {
000072 |         return false;
000073 |     }
000074 |
000075 |     bool IsDoor()
000076 |     {
000077 |         return false;
000078 |     }
000079 |
000080 |     bool IsEntity()
000081 |     {
000082 |         return false;
000083 |     }
000084 |
000085 |     bool IsExplosive()
000086 |     {
000087 |         return false;
000088 |     }
000089 |
000090 |     bool IsGroup()
000091 |     {
000092 |         return false;
000093 |     }
000094 |
000095 |     bool IsHazard()
000096 |     {
000097 |         return false;
000098 |     }
000099 |
000100 |     bool IsInanimate()
```

```
000101 | {
000102 |     return false;
000103 | }
000104 |
000105 | bool IsItem()
000106 | {
000107 |     return false;
000108 | }
000109 |
000110 | bool IsMechanicalTrap()
000111 | {
000112 |     return false;
000113 | }
000114 |
000115 | bool IsNoise()
000116 | {
000117 |     return false;
000118 | }
000119 |
000120 | bool IsPlayer()
000121 | {
000122 |     return false;
000123 | }
000124 |
000125 | bool IsVehicle()
000126 | {
000127 |     return false;
000128 | }
000129 |
000130 | bool IsZombie()
000131 | {
000132 |     return false;
000133 | }
000134 |
000135 | /**
000136 |  * @brief Abstract function. If the target is active or not.
000137 |  *
000138 |  * @return bool
000139 |  */
000140 | bool IsActive()
000141 | {
000142 | #ifdef EAI_TRACE
000143 |     auto trace = CF_Trace_0(this, "IsActive");
000144 | #endif
000145 |
000146 |     return true;
000147 | }
000148 |
000149 | bool IsUnconscious()
000150 | {
000151 |     return false;
000152 | }
000153 |
000154 | bool IsCrawling()
000155 | {
000156 |     return false;
000157 | }
000158 |
000159 | //! Players only
000160 | bool IsRaised()
000161 | {
000162 |     return false;
```

```
000163 |     }
000164 |
000165 |     //! Creatures/Players
000166 |     bool IsFighting()
000167 |     {
000168 |         return false;
000169 |     }
000170 |
000171 |     bool IsAcuteDanger(eAIBase ai = null)
000172 |     {
000173 |         return false;
000174 |     }
000175 |
000176 |     bool IsLit()
000177 |     {
000178 |         return false;
000179 |     }
000180 |
000181 |     float GetAttackCooldown()
000182 |     {
000183 |         return 0;
000184 |     }
000185 |
000186 |     /**
000187 |      * @brief Abstract function. Get the position for the AI within the target. Each AI could have their own position for the target.
000188 |      *
000189 |      * @param ai null default, gets the position for the AI if specified, otherwise returns a default value
000190 |      * @return EntityAI
000191 |      */
000192 |     vector GetPosition(eAIBase ai = null, bool actual = false, eAITargetInformationState state = null)
000193 |     {
000194 | #ifdef EAI_TRACE
000195 |         auto trace = CF_Trace_1(this, "GetPosition").Add(ai);
000196 | #endif
000197 |
000198 |         return "0 0 0";
000199 |     }
000200 |
000201 |     /**
000202 |      * @brief Abstract function. Get the aim offset for the AI within the target. Each AI could have their own offset for the target.
000203 |      *
000204 |      * @param ai null default, gets the aim offset for the AI if specified, otherwise returns a default value
000205 |      * @return EntityAI
000206 |      */
000207 |     vector GetAimOffset(eAIBase ai = null)
000208 |     {
000209 | #ifdef EAI_TRACE
000210 |         auto trace = CF_Trace_1(this, "GetAimOffset").Add(ai);
000211 | #endif
000212 |
000213 |         return "0 0 0";
000214 |     }
000215 |
000216 |     /**
000217 |      * @brief Abstract function. Get the threat level for the AI within the target. Each AI could have their own threat level for the target.
000218 |      *
000219 |      * @param ai null default, if given includes the AI in threat calculation
000220 |      * @return int
000221 |      */
000222 |     float GetThreat(eAIBase ai = null, eAITargetInformationState state = null)
000223 |     {
000224 | #ifdef EAI_TRACE
```

```
000225 |     auto trace = CF_Trace_1(this, "GetThreat").Add(ai);
000226 | #endif
000227 |
000228 |     if (!ai)
000229 |         return CalculateThreat();
000230 |
000231 |     bool created;
000232 |
000233 |     if (!state)
000234 |         state = GetTargetForAIEx(ai, true, created);
000235 |
000236 |     if (!created)
000237 |         state.UpdateThreat();
000238 |
000239 |     return state.m_ThreatLevel;
000240 | }
000241 |
000242 | float GetCachedThreat(eAIBase ai, bool ignoreLOS = false)
000243 | {
000244 |     eAITargetInformationState state = GetTargetForAI(ai);
000245 |
000246 |     if (state)
000247 |         return state.GetCachedThreat(ignoreLOS);
000248 |
000249 |     return 0.0;
000250 | }
000251 |
000252 | float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000253 | {
000254 |     return 0.0;
000255 | }
000256 |
000257 | bool ShouldRemove(eAIBase ai = null)
000258 | {
000259 | #ifdef EAI_TRACE
000260 |     auto trace = CF_Trace_1(this, "ShouldRemove").Add(ai);
000261 | #endif
000262 |
000263 |     return 0;
000264 | }
000265 |
000266 | bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)
000267 | {
000268 |     return false;
000269 | }
000270 |
000271 | float GetMinDistance(eAIBase ai = null, float distance = 0.0)
000272 | {
000273 |     return m_MinDistance;
000274 | }
000275 |
000276 | float GetMinDistanceSq(eAIBase ai = null, float distance = 0.0)
000277 | {
000278 |     float minDist = GetMinDistance(ai, distance);
000279 |     return minDist * minDist;
000280 | }
000281 |
000282 | vector GetDirection(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000283 | {
000284 |     return vector.Zero;
000285 | }
000286 |
```

```
000287 | /**
000288 |  * @brief Abstract function. Get the distance to the target.
000289 |  *
000290 |  * @param ai
000291 |  * @return float
000292 |  */
000293 | float GetDistance(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000294 | {
000295 | #ifdef EAI_TRACE
000296 |     auto trace = CF_Trace_1(this, "GetDistance").Add(ai);
000297 | #endif
000298 |
000299 |     return 0;
000300 | }
000301 |
000302 | float GetDistanceSq(eAIBase ai, bool actual = false, eAITargetInformationState state = null)
000303 | {
000304 | #ifdef EAI_TRACE
000305 |     auto trace = CF_Trace_1(this, "GetDistanceSq").Add(ai);
000306 | #endif
000307 |
000308 |     return 0;
000309 | }
000310 |
000311 | /**
000312 |  * @brief Tells the target that the AI knows about it (not actively tracking)
000313 |  *
000314 |  * @param ai eAIBase object
000315 |  * @param initialUpdate whether to update threat level and position on target creation
000316 |  */
000317 | eAITarget InsertAI(eAIBase ai, bool initialUpdate = true)
000318 | {
000319 | #ifdef EXTRACE_DIAG
000320 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + ai, "" + initialUpdate);
000321 | #endif
000322 |
000323 |     eAITarget target = new eAITarget(ai, this, initialUpdate);
000324 |
000325 |     m_Targets.Insert(ai, target);
000326 |
000327 |     ai.m_eAI_TargetInformationStates.Insert(this, target);
000328 |
000329 |     return target;
000330 | }
000331 |
000332 | /**
000333 |  * @brief Tells the target that the AI is tracking it and returns a target object for the AI (creates if it doesn't exist)
000334 |  *
000335 |  * @param ai eAIBase object
000336 |  * @param maxTime time the eAIBase will be tracking this target for, if -1 then the time isn't updated
000337 |  * @param initialUpdate whether to update threat level and position on target creation
000338 |  */
000339 | eAITarget AddAI(eAIBase ai, int maxTime = -1, bool initialUpdate = true, out bool created = false)
000340 | {
000341 |     eAITarget target;
000342 |
000343 |     if (!m_Targets.Find(ai, target))
000344 |     {
000345 |         target = InsertAI(ai, initialUpdate);
000346 |         created = true;
000347 |     }
000348 | }
```

```
000349 |         if (!target.m_IsTracked)
000350 |             target.Track(maxTime);
000351 |         else if (maxTime != -1)
000352 |             target.m_MaxTime = maxTime;
000353 |
000354 |         return target;
000355 |     }
000356 |
000357 |     /**
000358 |      * @brief return target state for AI if it exists
000359 |      */
000360 |     eAITarget GetTargetForAI(eAIBase ai)
000361 |     {
000362 |         return m_Targets[ai];
000363 |     }
000364 |
000365 |     /**
000366 |      * @brief return target state for AI (create if it doesn't exist)
000367 |      */
000368 |     eAITarget GetTargetForAIEx(eAIBase ai, bool initialUpdate = true, out bool created = false)
000369 |     {
000370 |         eAITarget target;
000371 |
000372 |         if (!m_Targets.Find(ai, target))
000373 |         {
000374 |             target = InsertAI(ai, initialUpdate);
000375 |             created = true;
000376 |         }
000377 |
000378 |         return target;
000379 |     }
000380 |
000381 |     /**
000382 |      * @brief Add/update target (attacker) for all AI friendly to attacked player
000383 |      *
000384 |      * @param player Attacked player
000385 |      * @param update If true (default) and AI is already targeting the target, update foundAtTime and maxTime
000386 |      * @param threat Initial threat level if non-zero
000387 |      */
000388 |     void AddFriendlyAI(DayZPlayerImplement player, int maxTime = -1, bool update = true, float threat = 0.0)
000389 |     {
000390 | #ifdef TRACE_DIAG
000391 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + player, "" + maxTime, "" + update, "" + threat);
000392 | #endif
000393 |
000394 |         eAIBase ai;
000395 |         if (Class.CastTo(ai, player))
000396 |             GetTargetForAIEx(ai, false);
000397 |
000398 |         eAITargetInformation info = player.GetTargetInformation();
000399 |
000400 |         eAIGroup group = player.GetGroup();
000401 |         eAIFaction faction = group.GetFaction();
000402 |         eAIGroup otherGroup;
000403 |
000404 |         DayZPlayerImplement aggressorPlayer;
000405 |         eAIGroup aggressorGroup;
000406 |         if (Class.CastTo(aggressorPlayer, GetEntity()))
000407 |             aggressorGroup = aggressorPlayer.GetGroup();
000408 |
000409 |         string aggressorPrefix;
000410 |         string victimPrefix;
```

```
000411 |
000412 |     foreach (eAIBase other, eAITarget target: m_Targets)
000413 |     {
000414 |     #ifdef DIAG_DEVELOPER
000415 |         EXTrace.Print(EXTrace.AI, this, "" + other);
000416 |     #endif
000417 |
000418 |         if (!other)
000419 |             continue;
000420 |
000421 |         otherGroup = other.GetGroup();
000422 |
000423 |         ///! The group of the aggressor will not be able to turn hostile on another member anyway,
000424 |         ///! but we can early skip here to prevent the misleading log message
000425 |         if (otherGroup == aggressorGroup)
000426 |             continue;
000427 |
000428 |         ///! Only skip aggro check if other is not attacked player
000429 |         if (other != player)
000430 |         {
000431 |             if (otherGroup != group)
000432 |             {
000433 |                 ///! Don't aggro on attacker if other faction is not friendly to attacked player's faction or vice versa
000434 |                 if (!otherGroup.GetFaction().IsFriendly(faction) || !faction.IsFriendly(otherGroup.GetFaction()))
000435 |                     continue;
000436 |
000437 |                 ///! If other AI is considering attacked player a threat, don't aggro on attacker
000438 |                 if (other.eAI_GetCachedThreat(info, true) > 0.2)
000439 |                     continue;
000440 |             }
000441 |         }
000442 |
000443 |         if (!target.m_IsTracked)
000444 |             target.Track(maxTime);
000445 |         else if (update)
000446 |             target.Update(maxTime);
000447 |
000448 |         if (threat > target.m_ThreatLevelActive)
000449 |         {
000450 |             if (!target.m_SearchOnLOSLost)
000451 |             {
000452 |                 if (other == player)
000453 |                     target.SetInitial(threat, GetPosition(ai, true)); ///! Make hit AI search for attacker
000454 |                 else
000455 |                     target.SetInitial(threat, player.GetPosition()); ///! We deliberately don't use attacker position but victim position
000456 |
000457 |                 target.m_SearchOnLOSLost = true;
000458 |             }
000459 |             else
000460 |             {
000461 |                 target.SetThreat(threat);
000462 |             }
000463 |         }
000464 |
000465 |         if (ExpansionAISettings.Get().LogAIHitBy && aggressorPlayer && target.m_ThreatLevelActive > 0.2)
000466 |         {
000467 |             ///! If we already see the attacker as enemy (i.e. their faction is hostile to ours), don't log aggro
000468 |             if (aggressorGroup && !aggressorGroup.GetFaction().IsFriendly(otherGroup.GetFaction()))
000469 |                 continue;
000470 |
000471 |             target.LogFriendlyAggro(player, aggressorPrefix, victimPrefix);
000472 |         }
000472 |     }
```



```
000473 |     }
000474 | }
000475 |
000476 | /**
000477 |  * @brief Tells the target that the AI is no longer tracking it
000478 |  *
000479 |  * @param ai eAIBase object
000480 |  */
000481 | bool RemoveAI(eAIBase ai)
000482 | {
000483 | #ifdef EXTRACE_DIAG
000484 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + ai);
000485 | #endif
000486 |
000487 |     eAITarget target;
000488 |     if (!m_Targets.Find(ai, target))
000489 |         return false;
000490 |
000491 |     OnRemove(ai, target);
000492 |     m_Targets.Remove(ai);
000493 |
000494 |     return true;
000495 | }
000496 |
000497 | void OnRemove(eAIBase ai, eAITarget target)
000498 | {
000499 |     if (ai)
000500 |         ai.eAI_RemoveTarget(target);
000501 |
000502 |     int groupID = target.m_GroupID;
000503 |
000504 |     eAIGroup group = target.m_Group;
000505 |     if (!group)
000506 |     {
000507 |         m_Groups.Remove(target.m_GroupID);
000508 |         return;
000509 |     }
000510 |
000511 |     int count;
000512 |
000513 |     if (m_Groups.Find(groupID, count))
000514 |     {
000515 |         --count;
000516 |
000517 |         if (count == 0)
000518 |         {
000519 |             group.OnTargetTrackingEnd(this);
000520 |             m_Groups.Remove(groupID);
000521 |         }
000522 |         else if (count < 0)
000523 |         {
000524 |             EXError.Error(this, string.Format("Number of AI tracking %1 can't be below zero", GetDebugName()));
000525 |         }
000526 |         else
000527 |         {
000528 |             m_Groups[groupID] = count;
000529 |         }
000530 |     }
000531 | }
000532 |
000533 | void RemoveFromAll()
000534 | {
```

```
000535 | #ifdef EXTRACE_DIAG
000536 |     auto trace = EXTrace.Start(EXTrace.AI, this, GetEntityDebugName(), "" + m_Targets.Count());
000537 | #endif
000538 |
000539 |     foreach (eAIBase ai, eAITarget target: m_Targets)
000540 |     {
000541 |         if (target.m_IsTracked)
000542 |             OnRemove(ai, target);
000543 |         else if (ai)
000544 |             ai.eAI_RemoveTargetInfoState(this);
000545 |     }
000546 |
000547 |     m_Groups.Clear();
000548 |     m_Targets.Clear();
000549 | }
000550 |
000551 | /**
000552 |  * @brief Checks to see if any group/ai is currently tracking this target
000553 |  *
000554 |  * @return bool true if being tracked, false otherwise
000555 |  */
000556 | bool IsTracked()
000557 | {
000558 |     return m_Groups.Count() > 0;
000559 | }
000560 |
000561 | /**
000562 |  * @brief Checks to see if the group specified is currently tracking this target
000563 |  *
000564 |  * @param group_id the group id of the eAIGroup
000565 |  * @return bool true if being tracked, false otherwise
000566 |  */
000567 | bool IsTrackedBy(int group_id)
000568 | {
000569 |     return m_Groups.Contains(group_id);
000570 | }
000571 |
000572 | /**
000573 |  * @brief Checks to see if the group specified is currently tracking this target
000574 |  *
000575 |  * @param group the eAIGroup
000576 |  * @return bool true if being tracked, false otherwise
000577 |  */
000578 | bool IsTrackedBy(notnull eAIGroup group)
000579 | {
000580 |     return m_Groups.Contains(group.GetID());
000581 | }
000582 |
000583 | /**
000584 |  * @brief Checks to see if the group specified is currently tracking this target
000585 |  *
000586 |  * @param group_id the group id of the eAIGroup
000587 |  * @param [out] num_ai number of AI tracking this target
000588 |  * @return bool true if being tracked, false otherwise
000589 |  */
000590 | bool IsTrackedBy(int group_id, out int num_ai)
000591 | {
000592 |     if (!m_Groups.Find(group_id, num_ai))
000593 |         return false;
000594 |
000595 |     return true;
000596 | }
```

```
000597 |
000598 | /**
000599 |  * @brief Checks to see if the group specified is currently tracking this target
000600 |  *
000601 |  * @param group the eAIGroup
000602 |  * @return bool true if being tracked, false otherwise
000603 |  */
000604 | bool IsTrackedBy(notnull eAIGroup group, out int num_ai)
000605 | {
000606 |     if (!m_Groups.Find(group.GetID(), num_ai))
000607 |         return false;
000608 |
000609 |     return true;
000610 | }
000611 |
000612 | /**
000613 |  * @brief Checks to see if the AI specified is currently tracking this target
000614 |  *
000615 |  * @param group the eAIGroup
000616 |  * @return bool true if being tracked, false otherwise
000617 |  */
000618 | bool IsTrackedBy(eAIBase ai)
000619 | {
000620 |     eAITarget target;
000621 |     if (!m_Targets.Find(ai, target))
000622 |         return false;
000623 |
000624 |     return target.m_IsTracked;
000625 | }
000626 |
000627 | void OnVariablesSynchronized()
000628 | {
000629 | }
000630 |
000631 | //! entity specific implementations for abstracted call in eAIEntityTargetInformation
000632 | void OnDeath(Object killer)
000633 | {
000634 | #ifdef TRACE_DIAG
000635 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000636 | #endif
000637 |
000638 |     RemoveFromAll();
000639 | }
000640 |
000641 | void OnHit(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000642 | {
000643 | }
000644 |
000645 | void OnHealthLevelChanged(int oldLevel, int newLevel, string zone)
000646 | {
000647 | }
000648 |
000649 | // this is really bad but unfortunately we can't reasonably mod the Object class
000650 | // and for some circumstances using templates just won't work.
000651 | //
000652 | // wherever possible, please use
000653 | // 'eAIEntity<DayZPlayerImplement>.GetTargetInformation(g_Game.GetPlayer())'
000654 | static eAITargetInformation GetTargetInformation(EntityAI entity)
000655 | {
000656 |     DayZPlayerImplement player;
000657 |     if (Class.CastTo(player, entity))
000658 |         return player.GetTargetInformation();
```

```
000659 |
000660 |     ZombieBase zombie;
000661 |     if (Class.CastTo(zombie, entity))
000662 |         return zombie.GetTargetInformation();
000663 |
000664 |     AnimalBase animal;
000665 |     if (Class.CastTo(animal, entity))
000666 |         return animal.GetTargetInformation();
000667 |
000668 |     ItemBase item;
000669 |     if (Class.CastTo(item, entity))
000670 |         return item.GetTargetInformation();
000671 |
000672 |     CarScript car;
000673 |     if (Class.CastTo(car, entity))
000674 |         return car.GetTargetInformation();
000675 |
000676 |     if (entity.IsDayZCreature())
000677 |         return GetCustomCreatureTargetInformation(entity);
000678 |
000679 |     return null;
000680 | }
000681 |
000682 | static eAITargetInformation GetCustomCreatureTargetInformation(EntityAI entity)
000683 | {
000684 |     eAITargetInformation info;
000685 |
000686 |     if (!s_CustomAI.Find(entity, info))
000687 |     {
000688 |         if (entity.IsInherited(DayZInfected))
000689 |             info = new eAICustomInfectedTargetInformation(entity);
000690 |         else
000691 |             info = new eAICustomCreatureTargetInformation(entity);
000692 |         s_CustomAI[entity] = info;
000693 |     }
000694 |
000695 |     return info;
000696 | }
000697 |
000698 | static void PurgeCustomAI()
000699 | {
000700 |     auto customAI = new map<EntityAI, ref eAITargetInformation>;
000701 |
000702 |     foreach (EntityAI entity, eAITargetInformation info: s_CustomAI)
000703 |     {
000704 |         if (entity)
000705 |             customAI[entity] = info;
000706 |     }
000707 |
000708 |     s_CustomAI = customAI;
000709 | }
000710 | };
000711 |
```

0194. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaitargetinformationstate.c
Size bytes: 6192
SHA-256: 18d749bfc6ea163573d1b80ac70ad3a30185220a1bdf929c5185aec58dcf31ac
Decoded as: utf-8-sig
Line count shown: 181
Detected class declarations: 1
  L1: class eAITargetInformationState
Detected enum declarations: 0
Detected function/method-like declarations: 9
  L23: void eAITargetInformationState(eAIBase ai, eAITargetInformation info, bool initialUpdate = true)
  L35: void SetInitial(float threat, vector position)
  L50: void SetThreat(float threat)
  L58: void UpdateThreat(bool force = false)
  L89: else if (!force)
  L106: void UpdatePosition(bool force = false)
  L126: else if (m_ThreatLevelActive > 0.2 && m_AI.m_eAI_FlankTime == 0.0)
  L165: float GetCachedThreat(bool ignoreLOS = false)
  L173: int GetAggressionCooldown()
```

Full file content

```
000001 | class eAITargetInformationState
000002 | {
000003 |     eAIBase m_AI;
000004 |     eAITargetInformation m_Info;
000005 |
000006 |     int m_ThreatLevelUpdateTimestamp;
000007 |     float m_ThreatLevel;
000008 |     float m_ThreatLevelActive;
000009 |     vector m_LastKnownPosition;
000010 |     int m_SearchPositionUpdateCount;
000011 |     int m_SearchPositionUpdateTimestamp;
000012 |     vector m_SearchPosition;
000013 |     vector m_SearchDirection;
000014 |     bool m_SearchOnLOSLost;
000015 |     bool m_LOS;  ///! LOS state (may be stale if not current target for AI)
000016 | #ifdef DIAG_DEVELOPER
000017 |     Object m_LOSRaycastHitObject;
000018 |     vector m_LOSRaycastHitPosition;
000019 | #endif
000020 |     bool m_SkipMelee;
000021 |     int m_AggressionTimeout;
000022 |
000023 |     void eAITargetInformationState(eAIBase ai, eAITargetInformation info, bool initialUpdate = true)
000024 |     {
000025 |         m_AI = ai;
000026 |         m_Info = info;
000027 |
000028 |         if (initialUpdate)
000029 |         {
000030 |             UpdatePosition(true);
000031 |             UpdateThreat(true);
000032 |         }
000033 |     }
000034 |
000035 |     void SetInitial(float threat, vector position)
000036 |     {
000037 |         int time = g_Game.GetTime();
000038 |     }
```

```

000039 |         m_ThreatLevelUpdateTimestamp = time;
000040 |         if (threat > m_ThreatLevel)
000041 |             m_ThreatLevel = threat;
000042 |         m_ThreatLevelActive = threat;
000043 |
000044 |         m_SearchPositionUpdateTimestamp = time;
000045 |         m_LastKnownPosition = position;
000046 |         m_SearchPosition = position;
000047 |         m_SearchDirection = vector.Direction(m_AI.GetPosition(), m_SearchPosition);
000048 |     }
000049 |
000050 | void SetThreat(float threat)
000051 | {
000052 |     m_ThreatLevelUpdateTimestamp = g_Game.GetTime();
000053 |     if (threat > m_ThreatLevel)
000054 |         m_ThreatLevel = threat;
000055 |     m_ThreatLevelActive = threat;
000056 | }
000057 |
000058 | void UpdateThreat(bool force = false)
000059 | {
000060 |     int time = g_Game.GetTime();
000061 |     int diff = time - m_ThreatLevelUpdateTimestamp;
000062 |     if (force || diff > Math.RandomIntInclusive(250, 300))
000063 |     {
000064 |         m_ThreatLevelUpdateTimestamp = time;
000065 |         m_ThreatLevel = m_Info.CalculateThreat(m_AI, this);
000066 |
000067 |         //! Make active threat level rise depending on distance if LOS, fall slowly if no LOS
000068 |         #ifdef EXPANSION_AI_ITEM_TARGET_REQUIRE_LOS
000069 |             if (m_LOS || !m_Info.IsEntity())
000070 |             #else
000071 |             if (m_LOS || !m_Info.IsEntity() || m_Info.IsItem())
000072 |             #endif
000073 |             {
000074 |                 //! Threat level rises slowly if below fighting threshold and AI has not been attacked by player,
000075 |                 //! unless player is in vehicle (parent non-null)
000076 |                 float distanceFactor;
000077 |                 DayZPlayerImplement player;
000078 |                 if (m_ThreatLevelActive < 0.4 && !m_AI.GetGroup().GetFaction().IsObserver() && Class.CastTo(player, m_Info.GetEntity()) && !player.GetParent() &&
ExpansionStatic.GetTimestamp(true) - player.m_eAI_LastAggressionTime > 1)
000079 |                     distanceFactor = m_SearchDirection.Length() * 3;
000080 |                 if (distanceFactor > 0)
000081 |                 {
000082 |                     m_ThreatLevelActive = Math.Min(m_ThreatLevelActive + m_ThreatLevel / distanceFactor, m_ThreatLevel);
000083 |                 }
000084 |                 else
000085 |                 {
000086 |                     m_ThreatLevelActive = m_ThreatLevel;
000087 |                 }
000088 |             }
000089 |             else if (!force)
000090 |             {
000091 |                 float threatMin;
000092 |                 if (m_AI.m_eAI_FlankTime == 0.0 || !m_SearchOnLOSLost)
000093 |                     threatMin = 0.0999;
000094 |                 else
000095 |                     threatMin = 0.4; //! Prevent leaving combat state while flanking
000096 |                 #ifdef EXPANSION_AI_ITEM_TARGET_REQUIRE_LOS
000097 |                     if (m_Info.IsItem())
000098 |                         m_ThreatLevelActive = Math.Min(0.3999, m_ThreatLevel); //! No interpolation for item targets
000099 |                     else

```

```

000100 |         #endif
000101 |         m_ThreatLevelActive = Math.Lerp(m_ThreatLevelActive, Math.Min(threatMin, m_ThreatLevel), diff * 0.00003333);
000102 |     }
000103 | }
000104 | }
000105 |
000106 | void UpdatePosition(bool force = false)
000107 | {
000108 |     int time = g_Game.GetTime();
000109 |     if (force || m_LOS || time - m_SearchPositionUpdateTimestamp > Math.RandomIntInclusive(250, 300))
000110 |     {
000111 | #ifdef DIAG_DEVELOPER
000112 |         auto hitch = new EXHitch(m_AI.ToString() + " eAITargetInformationState::UpdatePosition ", 20000);
000113 | #endif
000114 |
000115 |         if (force || (m_LOS && m_AI.eAI_GetTargetInformation() == m_Info))
000116 |         {
000117 |             //! Update last known target position
000118 |             m_LastKnownPosition = m_Info.GetPosition(m_AI, true);
000119 |             m_SearchPositionUpdateCount = 0;
000120 |             m_SearchPositionUpdateTimestamp = time;
000121 |             m_SearchPosition = m_LastKnownPosition;
000122 |             m_SearchDirection = vector.Direction(m_AI.GetPosition(), m_SearchPosition);
000123 |             if (!force)
000124 |                 m_AI.GetGroup().m_UpdateSearchPosition = false;
000125 |         }
000126 |         else if (m_ThreatLevelActive > 0.2 && m_AI.m_eAI_FlankTime == 0.0)
000127 |         {
000128 |             //! Make AI search the area by moving in direction of last known target position
000129 |             //! Start search after first AI in group reaches initial search position
000130 |             bool updateSearchPosition = m_AI.GetGroup().m_UpdateSearchPosition;
000131 |
000132 |             if (m_Info.IsNoise())
000133 |             {
000134 |                 //! The distance check may not work for noise targets since position is randomly generated
000135 |                 //! in a radius around actual noise source and may not be reachable, so we rely on time-based updates.
000136 |                 //! Also, this helps further spread search position in case we are far from noise target.
000137 |                 updateSearchPosition = true;
000138 |                 m_SearchPositionUpdateCount++;
000139 |             }
000140 |
000141 |             if ((updateSearchPosition && !m_SearchPositionUpdateCount) || (updateSearchPosition && time - m_SearchPositionUpdateTimestamp > 10000) || vector.D
istanceSq(m_AI.GetPosition(), m_SearchPosition) < 1.0)
000142 |             {
000143 |                 m_SearchPositionUpdateCount++;
000144 |                 m_SearchPositionUpdateTimestamp = time;
000145 |                 if (m_SearchPositionUpdateCount <= 3)
000146 |                 {
000147 |                     //! Directional search
000148 |                     vector angles = m_SearchDirection.Normalized().VectorToAngles();
000149 |                     angles[0] = ExpansionMath.AbsAngle(ExpansionMath.RelAngle(angles[0] + Math.RandomFloat(-33.75, 33.75)));
000150 |                     vector dir = angles.AnglesToVector();
000151 |                     m_SearchPosition = ExpansionStatic.GetSurfaceRoadPosition(m_SearchPosition + dir * Math.RandomFloat(5.0, 10.0), RoadSurfaceDetection.CLOSE
ST);
000152 |                 }
000153 |                 else
000154 |                 {
000155 |                     //! Radial search after three updates
000156 |                     m_SearchPosition = ExpansionStatic.GetSurfaceRoadPosition(ExpansionMath.GetRandomPointInCircle(m_SearchPosition + m_SearchDirection.Normal
ized(), 30), RoadSurfaceDetection.CLOSEST);
000157 |                 }
000158 |                 m_AI.GetGroup().m_UpdateSearchPosition = true;

```

```
000159 |         }
000160 |     }
000161 | }
000162 | }
000163 |
000164 | //! Return cached threat level (may be 0.0 if not yet calculated)
000165 | float GetCachedThreat(bool ignoreLOS = false)
000166 | {
000167 |     if (ignoreLOS)
000168 |         return m_ThreatLevel;
000169 |
000170 |     return m_ThreatLevelActive;
000171 | }
000172 |
000173 | int GetAggressionCooldown()
000174 | {
000175 |     if (m_AggressionTimeout > 0)
000176 |         return m_AggressionTimeout - ExpansionStatic.GetTimestamp(true);
000177 |
000178 |     return 0;
000179 | }
000180 | };
000181 |
```


0195. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaivehicletargetinformation.c
Size bytes: 7112
SHA-256: 199ad1dbdacf080b120ad6cfblac0d6cd9214d587ee98ac7ce99bdf178bd1020
Decoded as: utf-8-sig
Line count shown: 211
Detected class declarations: 1
  L4: class eAIVehicleTargetInformation: eAIEntityTargetInformation
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L8: void eAIVehicleTargetInformation(EntityAI target)
  L13: override bool IsVehicle()
  L18: override bool IsInanimate()
  L23: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
  L52: static float ProcessVehicleThreat(Transport transport, eAIBase ai, float distance, out float speed = 0.0, out float fromTargetDot = 0.0)
  L75: else if (distance > Math.Max(speedAbs, 1.11111) * 9) /// 10 m at 4 km/h
  L182: else if (!ai.GetHumanInventory().GetEntityInHands() || !ai.GetHumanInventory().GetEntityInHands().IsWeapon())
  L194: override bool ShouldRemove(eAIBase ai = null)
  L196: return GetThreat(ai) <= 0.1;
  L199: override vector GetAimOffset(eAIBase ai = null)

```

Full file content

```

000001 | /// @note vehicles are only targeted by AI if a targeted player jumps out a moving vehicle (ActionGetOutTransport) or gets hit by it,
000002 | /// otherwise they are dealt with by player target info
000003 |
000004 | class eAIVehicleTargetInformation: eAIEntityTargetInformation
000005 | {
000006 |     Transport m_Transport;
000007 |
000008 |     void eAIVehicleTargetInformation(EntityAI target)
000009 |     {
000010 |         Class.CastTo(m_Transport, target);
000011 |     }
000012 |
000013 |     override bool IsVehicle()
000014 |     {
000015 |         return true;
000016 |     }
000017 |
000018 |     override bool IsInanimate()
000019 |     {
000020 |         return true;
000021 |     }
000022 |
000023 |     override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000024 |     {
000025 |         if (m_Transport.IsDamageDestroyed())
000026 |             return 0.0;
000027 |
000028 |         float levelFactor = 0.15;
000029 |
000030 |         if (ai)
000031 |         {
000032 |             if (m_Transport == ai.Expansion_GetParent())
000033 |                 return 0.0;
000034 |
000035 |             ///! Any AI, even passive, will react if vehicle is speeding towards them
000036 |             ///! Vehicles WITH drivers are handled by player target info
000037 |             if (m_Transport.CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER))

```

```
000038 |         return 0.100001;  //!< Just above threshold so it doesn't get removed prematurely
000039 |
000040 |         float distance = GetDistance(ai, true) + 0.1;
000041 |
000042 |         float speed, fromTargetDot;
000043 |         levelFactor = ProcessVehicleThreat(m_Transport, ai, distance, speed, fromTargetDot);
000044 |         //PrintFormat("eAIVehicleTargetInformation dist %1 spd %2 dot %3 lvl %4", distance, speed, fromTargetDot, levelFactor);
000045 |
000046 |         levelFactor *= ai.eAI_GetThreatDistanceFactor(distance);
000047 |     }
000048 |
000049 |     return Math.Clamp(levelFactor, 0.0, 1000000.0);
000050 | }
000051 |
000052 | static float ProcessVehicleThreat(Transport transport, eAIBase ai, float distance, out float speed = 0.0, out float fromTargetDot = 0.0)
000053 | {
000054 |     vector velocity = GetVelocity(transport);
000055 |
000056 |     speed = velocity.Length();  //!< m/s
000057 |
000058 |     float speedAbs = Math.AbsFloat(speed);
000059 |
000060 |     if (speedAbs < 0.555555)  //!< RegisterTransportHit tolerance 2 km/h = 0.5555 m/s
000061 |         return 0.0;
000062 |
000063 |     if (!ai.Expansion_CanBeDamaged())
000064 |         return ExpansionMath.LinearConversion(0.5, 100, distance, 0.199999, 0.15);
000065 |
000066 |     vector minMax[2];
000067 |     float radius = transport.ClippingInfo(minMax);
000068 |
000069 |     if (distance > radius + 0.1)
000070 |     {
000071 |         distance -= radius;
000072 |
000073 |         if (distance > 100.0)
000074 |             return 15.0 / distance;  //!< 0.1 at 200 m
000075 |         else if (distance > Math.Max(speedAbs, 1.111111) * 9)  //!< 10 m at 4 km/h
000076 |             return ExpansionMath.LinearConversion(0.5, 100, distance, 0.199999, 0.15);
000077 |     }
000078 |     else
000079 |     {
000080 |         distance = 0.1;
000081 |     }
000082 |
000083 |     if (ai.GetMovementSpeedLimitUnderThreat() > 0)
000084 |     {
000085 |         vector angularVelocity = dBodyGetAngularVelocity(transport);
000086 |         vector fullVelocity = (velocity + angularVelocity).Normalized();
000087 |
000088 |         vector pos = ai.GetPosition();
000089 |         vector tpos = transport.GetPosition();
000090 |
000091 |         vector fromTargetDirection = vector.Direction(tpos, pos).Normalized();
000092 |
000093 |         fromTargetDot = vector.Dot(fullVelocity, fromTargetDirection);
000094 |
000095 |         float travelTime = 3.0;
000096 |         float minDist = radius * travelTime;
000097 |
000098 |         if (fromTargetDot < 0.97 && (distance > minDist || fromTargetDot < 0.25))
000099 |             return ExpansionMath.LinearConversion(0.5, 100, distance, 0.199999, 0.15);
```

```

000100 |
000101 |
000102 |     //!< If AI is within distance that vehicle can travel in travelTime seconds, sidestep
000103 |     if (distance < Math.Max(speedAbs * travelTime, minDist))
000104 |     {
000105 |         bool vehicleCanHit = true;
000106 |
000107 |         vector begPos = pos + "0 0.9 0";
000108 |         vector endPos = tpos + "0 0.9 0";
000109 |
000110 |         vector contactPos;
000111 |         vector contactDir;
000112 |         int contactComponent;
000113 |
000114 |         set<Object> results = new set<Object>;
000115 |
000116 |         if (DayZPhysics.RaycastRV(begPos, endPos, contactPos, contactDir, contactComponent, results, null, ai, false, false, ObjIntersectGeom, 0.2, Collis
ionFlags.ALLOBJECTS))
000117 |         {
000118 |             foreach (Object result: results)
000119 |             {
000120 |                 if (result.IsBuilding() || (result.IsPlainObject() && !result.IsScenery()) || result.IsInherited(BaseBuildingBase))
000121 |                 {
000122 |                     vehicleCanHit = false;
000123 |                     break;
000124 |                 }
000125 |             }
000126 |         }
000127 |
000128 |         if (!vehicleCanHit)
000129 |             return ExpansionMath.LinearConversion(0.5, 100, distance, 0.199999, 0.15);
000130 |
000131 |         vector lr = fromTargetDirection.Perpend();
000132 |
000133 |         #ifdef DIAG_DEVELOPER
000134 |         ai.Expansion_DebugObject(98, pos, "ExpansionDebugBox_Red", fromTargetDirection);
000135 |         ai.Expansion_DebugObject(100, tpos + fullVelocity, "ExpansionDebugNoticeMe_Orange", fullVelocity);
000136 |         #endif
000137 |
000138 |         float duration = ExpansionMath.LinearConversion(0, speedAbs * travelTime, distance, 1.0, travelTime);
000139 |         float sideStepAngle;
000140 |         float d = Math.Max(distance, 30);
000141 |         float dn = d * -0.5;
000142 |
000143 |         //vector dir = transport.GetDirection();
000144 |         //vector ori = transport.GetOrientation();
000145 |         //vector futureOrientation = (dir + angularVelocity * travelTime).VectorToAngles();
000146 |         //float angleDiff = Math.Round(ExpansionMath.AngleDiff2(ori[0], futureOrientation[0]));
000147 |         //EXTrace.Print(EXTrace.AI, ai, "cur ori " + ori.AnglesToVector().VectorToAngles() + " future " + futureOrientation + " yaw diff " + angleDiff);
000148 |         //bool evadeR;
000149 |
000150 |         //!< If AI is on the left of vehicle movement axis (vehicle viewpoint), go right (AI viewpoint)
000151 |         //!< except if AI is directly in front of vehicle and vehicle turns to the left
000152 |         //if (ExpansionMath.Side(tpos - velocity * 1000, tpos + velocity * 1000, pos) > 0 && (fromTargetDot < 0.97 || angleDiff >= 0))
000153 |             //evadeR = true;
000154 |
000155 |         if (ExpansionMath.Side(tpos - fullVelocity * 1000, tpos + fullVelocity * 1000, pos) > 0 && ExpansionMath.Side(tpos - velocity * 1000, tpos + veloc
ity * 1000, pos) > 0)
000156 |             //if (evadeR)
000157 |             {
000158 |                 //sideStepAngle = 90; //!< If AI is on the left of vehicle movement axis (vehicle viewpoint), go right (AI viewpoint)
000159 |                 sideStepAngle = 0.0001; //!< Non-zero so ForceSideStep doesn't override it

```

```
000160 |
000161 |         #ifdef DIAG_DEVELOPER
000162 |         ai.Expansion_DebugObject(99, pos + lr * 2, "ExpansionDebugArrow", lr);
000163 |         #endif
000164 |
000165 |         ai.GetPathFinding().OverridePosition(pos + fromTargetDirection * dn + lr * d, true);
000166 |     }
000167 |     else
000168 |     {
000169 |         //sideStepAngle = -90;  //!< If AI is on the right of vehicle movement axis (vehicle viewpoint), go left (AI viewpoint)
000170 |         sideStepAngle = -0.0001;  //!< Non-zero so ForceSideStep doesn't override it
000171 |
000172 |         #ifdef DIAG_DEVELOPER
000173 |         ai.Expansion_DebugObject(99, pos - lr * 2, "ExpansionDebugArrow", -lr);
000174 |         #endif
000175 |
000176 |         ai.GetPathFinding().OverridePosition(pos + fromTargetDirection * dn - lr * d, true);
000177 |     }
000178 |
000179 |     ai.RaiseWeapon(false);
000180 |     ai.eAI_ForceSideStep(duration, transport, sideStepAngle, false);
000181 | }
000182 | else if (!ai.GetHumanInventory().GetEntityInHands() || !ai.GetHumanInventory().GetEntityInHands().IsWeapon())
000183 | {
000184 |     return ExpansionMath.LinearConversion(0.5, 100, distance, 0.199999, 0.15);
000185 | }
000186 | }
000187 |
000188 | float levelFactor = speedAbs / 5.555555;  //!< 0.4 at 8 km/h
000189 | levelFactor *= 100.0 / distance;
000190 |
000191 | return levelFactor;
000192 | }
000193 |
000194 | override bool ShouldRemove(eAIBase ai = null)
000195 | {
000196 |     return GetThreat(ai) <= 0.1;
000197 | }
000198 |
000199 | override vector GetAimOffset(eAIBase ai = null)
000200 | {
000201 |     vector minMax[2];
000202 |     if (m_Transport.GetCollisionBox(minMax))
000203 |     {
000204 |         vector offset = Vector(0, (minMax[1][1] - minMax[0][1]) / 2.0, 0);
000205 |         return offset;
000206 |     }
000207 |
000208 |     return "0 0 0";
000209 | }
000210 | };
000211 |
```

0196. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/targets/eaizombietargetinformation.c

Size bytes: 5193

SHA-256: af1e7e7be18333b03ed921c02489c8f8597ddb8e0de1dcb08c538caee45da03

Decoded as: utf-8-sig

Line count shown: 208

Detected class declarations: 1

L1: class eAIZombieTargetInformation: eAIEntityTargetInformation

Detected enum declarations: 0

Detected function/method-like declarations: 16

L7: void eAIZombieTargetInformation(EntityAI target)

L12: override bool IsZombie()

L17: override bool IsCrawling()

L22: override bool IsFighting()

L30: override bool IsAcuteDanger(eAIBase ai = null)

L38: override float GetAttackCooldown()

L43: override vector GetAimOffset(eAIBase ai = null)

L55: else if (m_Crawling)

L76: override void PlayFireParticles()

L87: override int GetBoneIndexByName(string boneName)

L92: override vector GetBonePositionMS(int boneIdx)

L98: override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)

L180: override bool ShouldRemove(eAIBase ai = null)

L182: return GetThreat(ai) <= 0.1;

L185: override float GetMinDistance(eAIBase ai = null, float distance = 0.0)

L200: override bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)

Full file content

```
000001 | class eAIZombieTargetInformation: eAIEntityTargetInformation
000002 | {
000003 |     private ZombieBase m_Zombie;
000004 |
000005 |     bool m_Crawling;
000006 |
000007 |     void eAIZombieTargetInformation(EntityAI target)
000008 |     {
000009 |         Class.CastTo(m_Zombie, target);
000010 |     }
000011 |
000012 |     override bool IsZombie()
000013 |     {
000014 |         return true;
000015 |     }
000016 |
000017 |     override bool IsCrawling()
000018 |     {
000019 |         return m_Crawling;
000020 |     }
000021 |
000022 |     override bool IsFighting()
000023 |     {
000024 |         if (m_Zombie.m_eAI_AttackCooldown > 0 || m_Zombie.GetCommand_Attack())
000025 |             return true;
000026 |
000027 |         return false;
000028 |     }
000029 |
000030 |     override bool IsAcuteDanger(eAIBase ai = null)
000031 |     {
```

```
000032 |         if (m_Zombie.Expansion_GetTarget() == ai)
000033 |             return true;
000034 |
000035 |         return false;
000036 |     }
000037 |
000038 |     override float GetAttackCooldown()
000039 |     {
000040 |         return m_Zombie.m_eAI_AttackCooldown;
000041 |     }
000042 |
000043 |     override vector GetAimOffset(eAIBase ai = null)
000044 |     {
000045 |         string boneName;
000046 |
000047 |         Weapon_Base weapon;
000048 |         if (ai && Class.CastTo(weapon, ai.GetHumanInventory().GetEntityInHands()))
000049 |         {
000050 |             if (weapon.ShootsExplosiveAmmo())
000051 |                 boneName = "spine3";
000052 |             else
000053 |                 boneName = "neck";
000054 |         }
000055 |         else if (m_Crawling)
000056 |         {
000057 |             boneName = "pelvis";  //!< Aim even lower for melee if crawling
000058 |         }
000059 |         else
000060 |         {
000061 |             boneName = "spine3";  //!< Aim lower for melee
000062 |         }
000063 |
000064 |         vector pos;
000065 |         int index = m_Zombie.GetBoneIndexByName(boneName);
000066 |         if (index > -1)
000067 |             pos = m_Zombie.GetBonePositionWS(index);
000068 |         else
000069 |             pos = m_Zombie.GetCenter();
000070 |
000071 |         pos = pos - m_Zombie.GetPosition();
000072 |
000073 |         return pos;
000074 |     }
000075 |
000076 |     override void PlayFireParticles()
000077 |     {
000078 |         PlayFireParticleOnBone("lefthand");
000079 |         PlayFireParticleOnBone("righthand");
000080 |         PlayFireParticleOnBone("leftfoot");
000081 |         PlayFireParticleOnBone("rightfoot");
000082 |         PlayFireParticleOnBone("pelvis");
000083 |         PlayFireParticleOnBone("spine3");
000084 |         PlayFireParticleOnBone("head");
000085 |     }
000086 |
000087 |     override int GetBoneIndexByName(string boneName)
000088 |     {
000089 |         return m_Zombie.GetBoneIndexByName(boneName);
000090 |     }
000091 |
000092 |     override vector GetBonePositionMS(int boneIdx)
000093 |     {
```

```
000094 |     return m_Zombie.GetBonePositionMS(boneIdx);
000095 | }
000096 |
000097 | // https://www.desmos.com/calculator/r4mq9lqff
000098 | override float CalculateThreat(eAIBase ai = null, eAITargetInformationState state = null)
000099 | {
000100 |     if (m_Zombie.IsDamageDestroyed())
000101 |         return 0.0;
000102 |
000103 |     if (!m_Zombie.Expansion_IsDanger())
000104 |     {
000105 |         if (ai && GetVelocity(m_Zombie).LengthSq() > 0.1388) //! 0.5 km/h
000106 |             return ExpansionMath.LinearConversion(0.0, 15.0, GetDistance(ai, true), 0.15, 0.0); //! 0.1 at 5 m
000107 |
000108 |         return 0.0;
000109 |     }
000110 |
000111 |     float levelFactor;
000112 |
000113 |     int level = m_Zombie.Expansion_GetMindState();
000114 |     switch (level)
000115 |     {
000116 |     case DayZInfectedConstants.MINDSTATE_CALM:
000117 |         levelFactor = 0.00;
000118 |         break;
000119 |     case DayZInfectedConstants.MINDSTATE_DISTURBED:
000120 |         levelFactor = 0.25; //! Threat level 0.4 at 6.25m
000121 |         break;
000122 |     case DayZInfectedConstants.MINDSTATE_ALERTED:
000123 |         levelFactor = 0.60; //! Threat level 0.4 at 15m
000124 |         break;
000125 |     case DayZInfectedConstants.MINDSTATE_CHASE:
000126 |         levelFactor = 1.20; //! Threat level 0.4 at 30m
000127 |         break;
000128 |     case DayZInfectedConstants.MINDSTATE_FIGHT:
000129 |         levelFactor = 2.00;
000130 |         break;
000131 |     }
000132 |
000133 |     if (ai)
000134 |     {
000135 |         if (ai.eAI_GetThreatOverride(m_Target))
000136 |             return 0.0;
000137 |
000138 |         //! The further away the zombie, the less likely it will be a threat
000139 |         float distance = GetDistance(ai, true);
000140 |
000141 |         if (ai.IsSwimming())
000142 |             return ExpansionMath.LinearConversion(0, 100, distance, 0.15, 0.1);
000143 |
000144 |         //! If not reachable, ignore if we don't have a gun
000145 |         if (!ai.m_eAI_HasProjectileWeaponInHands && ai.eAI_IsUnreachable(2.0, m_Target.GetPosition()))
000146 |         {
000147 |             ai.eAI_ThreatOverride(m_Target, true);
000148 |             return 0.0;
000149 |         }
000150 |
000151 |         EntityAI hands;
000152 |
000153 |         if (!levelFactor)
000154 |         {
000155 |             //! Exception: Zombie is near, not (yet) aggroed and AI has no weapon - pre-empt zombie attacking by going on the offense
```

```
000156 |         hands = ai.GetHumanInventory().GetEntityInHands();
000157 |         if (distance <= 6.25 && (!hands || !hands.IsWeapon()))
000158 |             levelFactor = 0.25;
000159 |         else
000160 |             return ExpansionMath.LinearConversion(0.0, 45.0, distance, 0.15, 0.0); //! 0.1 at 15 m
000161 |     }
000162 |
000163 |     levelFactor *= 10 / (distance + 0.1);
000164 |     if (levelFactor > 1.0)
000165 |         levelFactor = Math.Pow(levelFactor, 2.0);
000166 |
000167 |     if (m_Zombie.Expansion_GetActualTarget() == ai)
000168 |     {
000169 |         levelFactor *= 2.0;
000170 |         if (hands && hands.IsWeapon())
000171 |             eAIPlayerTargetInformation.AdjustThreatLevelBasedOnWeapon(hands, distance, levelFactor);
000172 |     }
000173 |
000174 |     levelFactor *= ai.eAI_GetThreatDistanceFactor(distance);
000175 | }
000176 |
000177 | return Math.Clamp(levelFactor, 0.0, 1000000.0);
000178 | }
000179 |
000180 | override bool ShouldRemove(eAIBase ai = null)
000181 | {
000182 |     return GetThreat(ai) <= 0.1;
000183 | }
000184 |
000185 | override float GetMinDistance(eAIBase ai = null, float distance = 0.0)
000186 | {
000187 |     //! @note at health below 30%, we are too slow to flee from Zs that are close and are better off fighting
000188 |     if (ai)
000189 |     {
000190 |         if (ai.m_eAI_AcuteDangerTargetCount > 1 && (ai.GetHealth01("", "") >= 0.3 || GetDistanceSq(ai, true) > 25))
000191 |             return 100.0; //! Flee
000192 |
000193 |         if (ai.m_eAI_AcuteDangerTargetCount <= 1 && ai.eAI_IsLowVitals() && GetDistanceSq(ai, true) > 25)
000194 |             return 100.0; //! Flee
000195 |     }
000196 |
000197 |     return m_MinDistance;
000198 | }
000199 |
000200 | override bool ShouldAvoid(eAIBase ai = null, float distance = 0.0)
000201 | {
000202 |     if (ai && !ai.IsRaised() && GetMinDistance(ai, distance) > 0.0)
000203 |         return true;
000204 |
000205 |     return false;
000206 | }
000207 | };
000208 |
```


0197. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/eaiaimingprofile.c

Size bytes: 3948

SHA-256: df1c6c23aa3ad4694c85c45b600b097d60c77d86de7f36145a4e650c2e5be2dd

Decoded as: utf-8-sig

Line count shown: 115

Detected class declarations: 1

L1: class eAIAimingProfile

Detected enum declarations: 0

Detected function/method-like declarations: 4

L6: void eAIAimingProfile(eAIBase ai)

L11: vector GetAimDirection()

L16: void Update()

L97: else if (targetMovementAngleMult > 1)

Full file content

```
000001 | class eAIAimingProfile
000002 | {
000003 |     eAIBase m_Unit;
000004 |     vector m_AimDirection;
000005 |
000006 |     void eAIAimingProfile(eAIBase ai)
000007 |     {
000008 |         m_Unit = ai;
000009 |     }
000010 |
000011 |     vector GetAimDirection()
000012 |     {
000013 |         return m_AimDirection;
000014 |     }
000015 |
000016 |     void Update()
000017 |     {
000018 |         vector transform[4];
000019 |         m_Unit.GetTransform(transform);
000020 |
000021 |         //! TODO: Accuracy could be influenced by stamina and status effects
000022 |         // m_Unit.GetStatStamina().Get();
000023 |         // m_Unit.GetHealth("", "");
000024 |         // m_Unit.GetStatHeatComfort().Get(); <= freezing ?
000025 |         // m_Unit.GetAimingModel().GetSwayWeight();
000026 |
000027 |         vector position = m_Unit.GetBonePositionWS(m_Unit.GetBoneIndexByName("neck"));
000028 |
000029 |         //! 100% guarantee to hit target
000030 |         vector direction = vector.Direction(position, m_Unit.GetAimPosition());
000031 |
000032 |         eAITarget target = m_Unit.GetTarget();
000033 |         if (target && !target.IsCreature() && !target.IsZombie())
000034 |         {
000035 |             //! More complex accuracy if target is not animal/zombie
000036 |
000037 |             float distSq = direction.LengthSq();
000038 |
000039 |             float accuracyMin = m_Unit.m_eAI_AccuracyMin;
000040 |             float accuracyMax = m_Unit.m_eAI_AccuracyMax;
000041 |
000042 |             Weapon_Base weapon;
000043 |             ItemOptics optics;
```

```
000044 |         if (accuracyMin < 1 && Class.CastTo(weapon, m_Unit.GetHumanInventory().GetEntityInHands()))
000045 |         {
000046 |             if (Class.CastTo(optics, weapon.GetAttachedOptics()))
000047 |             {
000048 |                 float zoomMin = optics.GetZeroingDistanceZoomMin();
000049 |                 float zoomMax = optics.GetZeroingDistanceZoomMax();
000050 |                 float zoomMinSq = zoomMin * zoomMin;
000051 |                 float zoomMaxSq = zoomMax * zoomMax;
000052 |
000053 |                 ///! If target distance is within zeroing range, give accuracy bonus.
000054 |                 ///! Gradual dropoff due to squared values.
000055 |                 if (zoomMaxSq > 0 && distSq >= zoomMinSq)
000056 |                 {
000057 |                     accuracyMin = ExpansionMath.LinearConversion(0, zoomMaxSq + zoomMinSq, distSq, accuracyMax, accuracyMin);
000058 |                     if (distSq <= zoomMaxSq)
000059 |                         accuracyMax = ExpansionMath.LinearConversion(zoomMinSq, zoomMaxSq, distSq, 1.0, accuracyMax);
000060 |                 }
000061 |             }
000062 |
000063 |             if (weapon.ShootsExplosiveAmmo())
000064 |             {
000065 |                 ///! Increase accuracy if shooting explosive ammo to offset for slow projectile and other factors
000066 |                 accuracyMin = ExpansionMath.LinearConversion(0, 1.0, accuracyMin, 0.5, 1.0);
000067 |                 accuracyMax = ExpansionMath.LinearConversion(0, 1.0, accuracyMax, 0.5, 1.0);
000068 |             }
000069 |         }
000070 |
000071 |         float dist = Math.Sqrt(distSq);
000072 |         float visibility = m_Unit.eAI_GetVisibility(dist, target);
000073 |         float inaccuracyLR = 1.0 - Math.RandomFloat(accuracyMin, accuracyMax) * visibility;
000074 |         float inaccuracyUD = 1.0 - Math.RandomFloat(accuracyMin, accuracyMax) * visibility;
000075 |
000076 |         ///! Accuracy influenced by target movement speed and angle
000077 |         vector aimOrientation = direction.InvMultiply3(transform).VectorToAngles();
000078 |         float distClamped = Math.Clamp(dist, 100, 1000);
000079 |
000080 |         float targetSpeedMult;
000081 |         float targetMovementAngle;
000082 |         float targetMovementAngleMult;
000083 |
000084 |         DayZPlayerImplement targetPlayer;
000085 |         if (Class.CastTo(targetPlayer, target.GetEntity()))
000086 |         {
000087 |             ///! Adjust accuracy by movement speed + angle if target is player/AI
000088 |
000089 |             targetSpeedMult = targetPlayer.Expansion_GetMovementSpeed() / 3.0;
000090 |             targetMovementAngle = targetPlayer.Expansion_GetMovementAngle();
000091 |
000092 |             if (Math.AbsFloat(targetMovementAngle) < 180)
000093 |             {
000094 |                 targetMovementAngleMult = targetMovementAngle / 90.0;
000095 |                 if (targetMovementAngleMult < -1)
000096 |                     targetMovementAngleMult += 2;
000097 |                 else if (targetMovementAngleMult > 1)
000098 |                     targetMovementAngleMult -= 2;
000099 |             }
000100 |         }
000101 |
000102 |         if (Math.RandomIntInclusive(0, 1))
000103 |             inaccuracyLR = -inaccuracyLR;
000104 |         if (Math.RandomIntInclusive(0, 10))
000105 |             inaccuracyUD = -inaccuracyUD * 1.5;
```

```
000106 |         aimOrientation[0] = aimOrientation[0] + inaccuracyLR * (281.25 / distClamped) * (1 + targetSpeedMult * targetMovementAngleMult);
000107 |         aimOrientation[1] = aimOrientation[1] + inaccuracyUD * (281.25 / distClamped) * (0.5 + targetSpeedMult);
000108 |         direction = aimOrientation.AnglesToVector().Multiply3(transform);
000109 |     }
000110 |
000111 |     direction.Normalize();
000112 |
000113 |     m_AimDirection = direction;
000114 | }
000115 | };
```

0198. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/weapons/eaiweaponmanager.c
 Size bytes: 9731
 SHA-256: eaebf16c51af72bc1daf823c90ba720395dcc9fc73c833f56edb0a2b7251422
 Decoded as: utf-8-sig
 Line count shown: 377
 Detected class declarations: 1
 L15: class eAIWeaponManager: WeaponManager
 Detected enum declarations: 0
 Detected function/method-like declarations: 10
 L17: override bool StartAction(int action, Magazine mag, InventoryLocation il, ActionBase control_action = NULL)
 L47: override void StartPendingAction()
 L112: void PostWeaponEvent(WeaponEventBase e)
 L121: override void OnWeaponActionEnd()
 L167: override void Update(float deltaT)
 L218: else if(m_justStart)
 L255: bool CanAttachMagazine_NoHandsCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)
 L289: bool CanSwapMagazine_NoHandsCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)
 L326: bool CanLoadBullet_NoHandsCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)
 L352: bool CanLoadBullet_NoHandsCheck_NoChamberCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)

Full file content

```
000001 | /**
000002 |  * eAIWeaponManager.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2022 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 |  */
000014 |
000015 | class eAIWeaponManager: WeaponManager
000016 | {
000017 |     override bool StartAction(int action, Magazine mag, InventoryLocation il, ActionBase control_action = NULL)
000018 |     {
000019 |         //if it is controled by action inventory reservation and synchronization provide action itself
000020 |         if(control_action)
000021 |         {
000022 |             m_ControlAction = ActionBase.Cast(control_action);
000023 |             m_PendingWeaponAction = action;
000024 |             m_InProgress = true;
000025 |             m_IsEventSended = false;
000026 |             m_PendingTargetMagazine = mag;
000027 |             m_PendingInventoryLocation = il;
000028 |             StartPendingAction();
000029 |
000030 |             return true;
000031 |         }
000032 |
000033 |         if ( !InventoryReservation(mag, il) )
000034 |             return false;
000035 |
000036 |         m_PendingWeaponAction = action;
000037 |         m_InProgress = true;
```

```
000038 |         m_IsEventSended = false;
000039 |
000040 |         m_readyToStart = true;
000041 |
000042 |         return true;
000043 |     }
000044 |
000045 |     ///! @note only difference to vanilla StartPendingAction is that we check if pending event was already posted
000046 |     ///! and turn the vanilla error into a warning in that case
000047 |     override void StartPendingAction()
000048 |     {
000049 |         m_WeaponInHand = Weapon_Base.Cast(m_player.GetHumanInventory().GetEntityInHands());
000050 |         if(!m_WeaponInHand)
000051 |         {
000052 |             OnWeaponActionEnd();
000053 |             return;
000054 |         }
000055 |         switch (m_PendingWeaponAction)
000056 |         {
000057 |             case AT_WPN_ATTACH_MAGAZINE:
000058 |             {
000059 |                 PostWeaponEvent( new WeaponEventAttachMagazine(m_player, m_PendingTargetMagazine) );
000060 |                 break;
000061 |             }
000062 |             case AT_WPN_SWAP_MAGAZINE:
000063 |             {
000064 |                 PostWeaponEvent( new WeaponEventSwapMagazine(m_player, m_PendingTargetMagazine, m_PendingInventoryLocation) );
000065 |                 break;
000066 |             }
000067 |             case AT_WPN_DETACH_MAGAZINE:
000068 |             {
000069 |                 Magazine mag = Magazine.Cast(m_PendingInventoryLocation.GetItem());
000070 |                 PostWeaponEvent( new WeaponEventDetachMagazine(m_player, mag, m_PendingInventoryLocation) );
000071 |                 break;
000072 |             }
000073 |             case AT_WPN_LOAD_BULLET:
000074 |             {
000075 |                 m_WantContinue = false;
000076 |                 PostWeaponEvent( new WeaponEventLoad1Bullet(m_player, m_PendingTargetMagazine) );
000077 |                 break;
000078 |             }
000079 |             case AT_WPN_LOAD_MULTI_BULLETS_START:
000080 |             {
000081 |                 PostWeaponEvent( new WeaponEventLoad1Bullet(m_player, m_PendingTargetMagazine) );
000082 |                 break;
000083 |             }
000084 |             case AT_WPN_LOAD_MULTI_BULLETS_END:
000085 |             {
000086 |                 PostWeaponEvent( new WeaponEventContinuousLoadBulletEnd(m_player) );
000087 |                 break;
000088 |             }
000089 |             case AT_WPN_UNJAM:
000090 |             {
000091 |                 PostWeaponEvent( new WeaponEventUnjam(m_player, NULL) );
000092 |                 break;
000093 |             }
000094 |             case AT_WPN_EJECT_BULLET:
000095 |             {
000096 |                 PostWeaponEvent( new WeaponEventMechanism(m_player, NULL) );
000097 |                 break;
000098 |             }
000099 |             case AT_WPN_SET_NEXT_MUZZLE_MODE:
```

```
000100 |         {
000101 |             PostWeaponEvent( new WeaponEventSetNextMuzzleMode(m_player, NULL) );
000102 |             break;
000103 |         }
000104 |         default:
000105 |             m_InProgress = false;
000106 |             Error("unknown actionID=" + m_PendingWeaponAction);
000107 |     }
000108 |     m_IsEventSended = true;
000109 |     m_canEnd = false;
000110 | }
000111 |
000112 | void PostWeaponEvent(WeaponEventBase e)
000113 | {
000114 |     DayZPlayerInventory inventory = m_player.GetDayZPlayerInventory();
000115 |     if (!inventory.m_DeferredWeaponEvent)
000116 |         inventory.PostWeaponEvent(e);
000117 |     else
000118 |         EXError.Warn(null, "[wpnfsm] " + Object.GetDebugName(inventory.GetInventoryOwner()) + " warning - pending event already posted, curr_event=" + inventory.m_DeferredWeaponEvent.DumpToString() + " new_event=" + e.DumpToString());
000119 | }
000120 |
000121 | override void OnWeaponActionEnd()
000122 | {
000123 |     if ( !m_InProgress )
000124 |         return;
000125 |
000126 |     if (!m_ControlAction)
000127 |     {
000128 |         InventoryLocation il = new InventoryLocation();
000129 |         il.SetHands(m_player, m_player.GetItemInHands());
000130 |         m_player.GetInventory().ClearInventoryReservation(m_player.GetItemInHands(), il);
000131 |
000132 |         if( m_PendingTargetMagazine )
000133 |         {
000134 |             m_player.GetInventory().ClearInventoryReservation(m_PendingTargetMagazine, m_TargetInventoryLocation );
000135 |         }
000136 |
000137 |         if( m_PendingInventoryLocation )
000138 |         {
000139 |             m_player.GetInventory().ClearInventoryReservation( m_PendingInventoryLocation.GetItem(), m_PendingInventoryLocation );
000140 |         }
000141 |     }
000142 |
000143 |     if(m_WeaponInHand && !m_justStart && m_player.IsRaised())
000144 |     {
000145 |         if(m_InIronSight)
000146 |             m_player.SetIronsights(m_InIronSight);
000147 |         if(m_InOptic)
000148 |         {
000149 |             ItemOptics optic = m_WeaponInHand.GetAttachedOptics();
000150 |             if(optic)
000151 |                 m_player.SwitchOptics(optic, true);
000152 |         }
000153 |     }
000154 |     m_ControlAction = NULL;
000155 |     m_PendingWeaponAction = -1;
000156 |     m_PendingTargetMagazine = NULL;
000157 |     m_PendingInventoryLocation = NULL;
000158 |     m_TargetInventoryLocation = NULL;
000159 |     m_PendingWeaponActionAcknowledgmentID = -1;
000160 |     //m_WeaponInHand = NULL;
```

```
000161 |         m_InProgress = false;
000162 |         m_readyToStart = false;
000163 |         m_WantContinue = true;
000164 |     }
000165 |
000166 |
000167 | override void Update( float deltaT )
000168 | {
000169 |
000170 |     if ( m_WeaponInHand != m_player.GetItemInHands() )
000171 |     {
000172 |         if( m_WeaponInHand )
000173 |         {
000174 |             m_SuitableMagazines.Clear();
000175 |             OnWeaponActionEnd();
000176 |         }
000177 |         m_WeaponInHand = Weapon_Base.Cast(m_player.GetItemInHands());
000178 |         if ( m_WeaponInHand )
000179 |         {
000180 |             m_MagazineInHand = null;
000181 |             //SET new magazine
000182 |             SetSutableMagazines();
000183 |             m_WeaponInHand.SetSyncJammingChance(0);
000184 |         }
000185 |         m_AnimationRefreshCooldown = 0;
000186 |     }
000187 |
000188 |     if (m_WeaponInHand)
000189 |     {
000190 |         if(m_AnimationRefreshCooldown)
000191 |         {
000192 |             m_AnimationRefreshCooldown--;
000193 |
000194 |             if( m_AnimationRefreshCooldown == 0 )
000195 |             {
000196 |                 RefreshAnimationState();
000197 |             }
000198 |         }
000199 |
000200 |         m_WeaponInHand.SetSyncJammingChance(m_WeaponInHand.GetChanceToJam());
000201 |
000202 |         if(m_readyToStart)
000203 |         {
000204 |             StartPendingAction();
000205 |             m_readyToStart = false;
000206 |             return;
000207 |         }
000208 |
000209 |         if( !m_InProgress || !m_IsEventSended )
000210 |             return;
000211 |
000212 |         if(m_canEnd)
000213 |         {
000214 |             if(m_WeaponInHand.IsIdle())
000215 |             {
000216 |                 OnWeaponActionEnd();
000217 |             }
000218 |             else if(m_justStart)
000219 |             {
000220 |                 m_InIronSight = m_player.IsInIronsights();
000221 |                 m_InOptic = m_player.IsInOptics();
000222 |             }
```

```
000223 |         if(m_InIronSight || m_InOptic)
000224 |         {
000225 |             m_player.GetInputController().ResetADS();
000226 |             m_player.ExitSights();
000227 |             //CF_Log.Debug("exitsights");
000228 |         }
000229 |
000230 |         m_justStart = false;
000231 |     }
000232 |
000233 |     }
000234 |     else
000235 |     {
000236 |         m_canEnd = true;
000237 |         m_justStart = true;
000238 |     }
000239 | }
000240 | else
000241 | {
000242 |     if ( m_MagazineInHand != m_player.GetItemInHands() )
000243 |     {
000244 |         m_MagazineInHand = MagazineStorage.Cast(m_player.GetItemInHands());
000245 |         if ( m_MagazineInHand )
000246 |         {
000247 |             SetSutableMagazines();
000248 |         }
000249 |     }
000250 |
000251 | }
000252 | }
000253 |
000254 |
000255 | bool CanAttachMagazine_NoHandsCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true )
000256 | {
000257 |     if ( !wpn || !mag || mag.IsAmmoPile() )
000258 |         return false;
000259 |
000260 |     if ( wpn.IsDamageDestroyed() )
000261 |         return false;
000262 |
000263 |     if( m_player.IsItemsToDelete() )
000264 |         return false;
000265 |
000266 |     if ( reservationCheck && (m_player.GetInventory().HasInventoryReservation(wpn, null) || m_player.GetInventory().HasInventoryReservation(mag, null)) )
000267 |         return false;
000268 |
000269 |     InventoryLocation invLoc;
000270 |     invLoc = new InventoryLocation;
000271 |
000272 |     mag.GetInventory().GetCurrentInventoryLocation(invLoc);
000273 |     Weapon_Base wnp2;
000274 |
000275 |
000276 |     //magazine is already in weapon
000277 |     if ( Class.CastTo(wnp2, invLoc.GetParent()) )
000278 |         return false;
000279 |
000280 |     int muzzleIndex = wpn.GetCurrentMuzzle();
000281 |
000282 |     if (wpn.CanAttachMagazine(muzzleIndex, mag))
000283 |         return true;
000284 | }
```



```
000285 |         return false;
000286 |
000287 |     }
000288 |
000289 | bool CanSwapMagazine_NoHandsCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)
000290 | {
000291 |     if ( !wpn || !mag || mag.IsAmmoPile() )
000292 |         return false;
000293 |
000294 |     if ( mag.IsDamageDestroyed() || wpn.IsDamageDestroyed() )
000295 |         return false;
000296 |
000297 |     if( m_player.IsItemsToDelete() )
000298 |         return false;
000299 |
000300 |     if ( reservationCheck && (m_player.GetInventory().HasInventoryReservation(wpn, null) || m_player.GetInventory().HasInventoryReservation(mag, null)))
000301 |         return false;
000302 |
000303 |
000304 |     InventoryLocation invLoc;
000305 |     invLoc = new InventoryLocation;
000306 |
000307 |     mag.GetInventory().GetCurrentInventoryLocation(invLoc);
000308 |     Weapon_Base wnp2;
000309 |
000310 |     //second magazine is already in weapon
000311 |     if( Class.CastTo(wnp2, invLoc.GetParent()) )
000312 |         return false;
000313 |
000314 |     int muzzleIndex = wpn.GetCurrentMuzzle();
000315 |
000316 |     Magazine mag2;
000317 |     if( !Class.CastTo(mag2, wpn.GetMagazine(muzzleIndex)) )
000318 |         return false;
000319 |
000320 |     if (wpn.TestAttachMagazine(muzzleIndex, mag, false, true))
000321 |         return true;
000322 |
000323 |     return false;
000324 | }
000325 |
000326 | bool CanLoadBullet_NoHandsCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)
000327 | {
000328 |     if ( !wpn || !mag )
000329 |         return false;
000330 |
000331 |     if( mag.IsDamageDestroyed() || wpn.IsDamageDestroyed() )
000332 |         return false;
000333 |
000334 |     if( wpn.IsJammed(/*wpn.GetCurrentMuzzle()*/) )
000335 |         return false;
000336 |
000337 |     if( m_player.IsItemsToDelete() )
000338 |         return false;
000339 |
000340 |     if ( reservationCheck && (m_player.GetInventory().HasInventoryReservation(wpn,null) || m_player.GetInventory().HasInventoryReservation(mag,null)))
000341 |         return false;
000342 |
000343 |     for( int i = 0; i < wpn.GetMuzzleCount(); i++)
000344 |     {
000345 |         if( wpn.CanChamberBullet( i, mag ) )
000346 |             return true;
```

```
000347 |     }
000348 |
000349 |     return false;
000350 | }
000351 |
000352 | bool CanLoadBullet_NoHandsCheck_NoChamberCheck(Weapon_Base wpn, Magazine mag, bool reservationCheck = true)
000353 | {
000354 |     if ( !wpn || !mag )
000355 |         return false;
000356 |
000357 |     if( mag.IsDamageDestroyed() || wpn.IsDamageDestroyed())
000358 |         return false;
000359 |
000360 |     if( wpn.IsJammed(/*wpn.GetCurrentMuzzle()*/) )
000361 |         return false;
000362 |
000363 |     if( m_player.IsItemsToDelete())
000364 |         return false;
000365 |
000366 |     if ( reservationCheck && (m_player.GetInventory().HasInventoryReservation(wpn,null) || m_player.GetInventory().HasInventoryReservation(mag,null)))
000367 |         return false;
000368 |
000369 |     for( int i = 0; i < wpn.GetMuzzleCount(); i++)
000370 |     {
000371 |         if( wpn.CanChamberFromMag( i, mag ) )
000372 |             return true;
000373 |     }
000374 |
000375 |     return false;
000376 | }
000377 | };
```

0199. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eaibase.c
Size bytes: 363889
SHA-256: af4794589765486eba8089bd073d826a080aa236364b0845d7b625b54dcc1def
Decoded as: utf-8-sig
Line count shown: 11788
Detected class declarations: 1
  L20: class eAIBase: PlayerBase
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L417: void eAIBase()
  L451: static eAIBase Get(int index)
  L465: static array<eAIBase> eAI_GetAll()
  L470: static void eAI_ToggleFT0()
  L502: override void Init()
  L573: override void Expansion_Init()
  L595: override void OnPlayerLoaded()
  L632: static void ReloadAllFSM()
  L634: array<eAIBase> ai();
  L655: void eAI_ResetPathfinding()
  L661: void LoadFSM()
  L676: void ~eAIBase()
  L697: protected override void EOnInit(IEntity other, int extra)
  L704: override void OnSelectPlayer()
  L739: override void DeferredInit()
  L753: override void EEOnCECreate()
  L767: override void OnDebugSpawn()
  L779: override void OnCEUpdate()
  L795: else if (eAIGroup.s_eAI_CurrentPersistIndex == lastPersistIndex)
  L845: override void InsertAgent(int agent, float count = 1)
  L856: void eAI_Recreate()
  L936: void eAI_UpdatePlayerIsEnemyStatus(EntityAI player, bool state, string reason)
  L956: bool PlayerIsEnemy(EntityAI other, bool track = false, out bool isPlayerMoving = false, out bool friendly = false, out bool targeted = false)
  L1112: void TryFireWeapon()
  L1176: void eAI_FireWeaponOnClient(int muzzleIndex, int shotID)
  L1196: else if (GetExpansionSettings().GetAI().RecreateWeaponNetworkRepresentation)
  L1210: void RPC_eAI_FireWeaponOnClient(PlayerIdentity sender, ParamsReadContext ctx)
  L1223: void RPC_eAI_RemoteRecreateWeapon(PlayerIdentity sender, ParamsReadContext ctx)
  L1245: void eAI_SelectFireMode(eAITarget target, float distSq, Weapon_Base weapon)
  L1263: bool eAI_CanFire(Weapon_Base weapon)
  L1287: bool eAI_ShouldBandage()
  L1307: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L1331: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L1345: override void EEHitByRemote(int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos)
  L1350: else if (m_MeleeFightLogic.IsInBlock())
  L1355: override void EEKilled(Object killer)
  L1386: override protected void eAI_Cleanup(bool autoDeleteGroup = false)
  L1433: void eAI_DebugTargetInformationStates()
  L1448: override bool IsAI()
  L1453: override bool Expansion_IsAI()
  L1459: ExpansionPathHandler GetPathFinding()
  L1461: eAIPathFinding GetPathFinding()
  L1467: eAIFSM GetFSM()
  L1472: ItemBase GetBandageToUse()
  L1494: ItemBase eAI_GetRepairKit(EntityAI entity)
  L1515: Weapon_Base eAI_GetAnyWeaponToUse(bool requireAmmo = false, bool preferExplosiveAmmo = false)
  L1528: Weapon_Base eAI_GetWeaponToUse(bool requireAmmo = false, bool preferExplosiveAmmo = false)
  L1531: return eAI_GetWeaponToUse(m_eAI_Launchers, requireAmmo);
  L1537: return eAI_GetWeaponToUse(m_eAI_Handguns, requireAmmo);
```

```

L1540: Weapon_Base eAI_GetWeaponToUse(array<Weapon_Base> weapons, bool requireAmmo = false)
L1562: ItemBase GetMeleeWeaponToUse()
L1583: Magazine eAI_GetMagazineToReload(Weapon_Base weapon, bool unlimitedReload = false)
L1628: else if (weapon_manager.CanLoadBullet_NoHandsCheck_NoChamberCheck(weapon, magazine))
L1687: void eAI_SetUnlimitedReload(int unlimitedReload)
L1697: bool eAI_IsTargetUnlimitedReload()
L1738: void eAI_SetAccuracy(float accuracyMin, float accuracyMax)
L1764: void eAI_SetThreatDistanceLimit(float distance)
L1790: void eAI_SetNoiseInvestigationDistanceLimit(float distance)
L1807: void eAI_SetMaxFlankingDistance(float distance)
L1825: void eAI_SetEnableFlankingOutsideCombat(int option)
L1843: void eAI_SetDamageMultiplier(float multiplier)
L1860: void eAI_SetDamageReceivedMultiplier(float multiplier)
L1877: void eAI_SetLootingBehavior(int bitmask)
L1895: override void SetFallyYDiff(float value)
L1904: override ItemBase.GetItemInHands()
L1913: eAIAimingProfile GetAimingProfile()
L1918: array<ref eAITarget> GetTargets()
L1923: int TargetCount()
L1928: eAITarget GetTarget(int index = 0)
L1933: eAITargetInformation eAI_GetTargetInformation(int index = 0)
L1942: void eAI_AddTarget(eAITarget target)
L1953: void eAI_RemoveTarget(eAITarget target)
L1977: void eAI_RemoveTargetInfoState(eAITargetInformation info)
L1990: void eAI_UpdateAcuteDangerTargetCount(eAITarget target, int delta)
L2007: bool eAI_IsLowVitals()
L2015: float GetThreatToSelf(bool ignoreLOS = false)
L2023: EntityAI eAI_GetTargetEntity()
L2040: bool eAI_IsCurrentTarget(EntityAI entity, float threatLevelMin = 0.0)
L2050: float eAI_GetCachedThreat(eAITargetInformation info, bool ignoreLOS = false)
L2064: void DetermineThreatToSelf(float pDt)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * eAIBase.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2022 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 |  */
000014 |
000015 | typedef map<BuildingBase, ref map<int, ref ExpansionLadder>> eAILadders;
000016 | typedef map<EntityAI, bool> eAIThreatOverride;
000017 | typedef map<string, float> eAIRecentlyDroppedItems;
000018 | typedef map<eAITargetInformation, ref eAITarget> eAITargetInformationStates;
000019 |
000020 | class eAIBase: PlayerBase
000021 | {
000022 |     const int EAI_COMMANDID_MOVE = 1;
000023 |
000024 |     static float LOS_CHECK_INTERVAL = 0.15;
000025 |
000026 |     static bool AI_HANDLED00RS = true;
000027 |     static bool AI_HANDLEVAULTING = true;

```

```
000028 |
000029 | static int s_eAI_UnlimitedReload;
000030 | static int s_eAI_UnlimitedReloadAll;
000031 | static int s_eAI_FTO = 2;
000032 |
000033 | private static autoptr array<eAIBase> s_AllAI = new array<eAIBase>();
000034 | static ref CF_DoublyLinkedNodes_WeakRef<eAIBase> s_eAI_Alive = new CF_DoublyLinkedNodes_WeakRef<eAIBase>;
000035 | ref CF_DoublyLinkedNode_WeakRef<eAIBase> m_eAI_Alive_Node = s_eAI_Alive.Add(this);
000036 |
000037 | static float s_eAI_LastCEUpdateTime;
000038 | static ref set<Object> s_eAI_TakenCoverObjects = new set<Object>;
000039 |
000040 | //! model name w/o .p3d ext, can be partial
000041 | static ref TStringArray s_eAI_PreventClimb = {
000042 |     "pole",
000043 |     "sign",
000044 |     "busstop",
000045 |     "stairs",
000046 |     "farm_strawstack",
000047 |     "misc_walkover",
000048 |     "rubble_dirtpile_large",
000049 |     "stockyard_oremound",
000050 |     "wall_canal_10"
000051 | };
000052 |
000053 | //! model name w/o .p3d ext, can be partial
000054 | static ref TStringArray s_eAI_PreventClimbOver = {
000055 |     "container",
000056 |     "tank_small",
000057 |     "misc_haybale",
000058 |     "misc_woodreserve",
000059 |     "misc_advertcolumn",
000060 |     "misc_coil",
000061 |     "ice_sea"
000062 | };
000063 |
000064 | ref SHumanCommandClimbResult m_eAI_LastSuccessfulClimbTestResult;
000065 |
000066 | static string s_Expansion_SurvivorDisplayName = g_Game.ConfigGetTextOut(CFG_VEHICLESPATH + " SurvivorBase displayName");
000067 |
000068 | private ref eAICallbacks m_eAI_Callbacks = new eAICallbacks(this);
000069 |
000070 | protected autoptr eAIFSM m_FSM;
000071 | bool m_eAI_IsFightingFSM;
000072 | bool m_eAI_ShouldTakeCover;
000073 | bool m_eAI_UpdatePotentialCoverObjects;
000074 |
000075 | //! Fighting FSM variables
000076 | int m_eAI_LastFireTime;
000077 | int m_eAI_TimeBetweenFiring = 10000;
000078 | int m_eAI_TimeBetweenFiringAndGettingUp = 15000;
000079 | int m_eAI_LastEvadeTime;
000080 | float m_eAI_DistanceToTargetSq;
000081 |
000082 | // Targeting data
000083 | private autoptr array<ref eAITarget> m_eAI_Targets;
000084 | bool m_eAI_TargetChanged;
000085 | ref eAITarget m_eAI_ItemTargetHistory[3];
000086 | typename m_eAI_LastEngagedTargetType;
000087 | int m_eAI_AcuteDangerTargetCount;
000088 | int m_eAI_AcuteDangerPlayerTargetCount;
000089 | float m_eAI_SilentAttackViabilityTime;
```

```
000090 | #ifdef DIAG_DEVELOPER
000091 |     bool m_eAI_PrintCurrentTarget;
000092 | #endif
000093 |     ref eAITargetInformationStates m_eAI_TargetInformationStates = new eAITargetInformationStates;
000094 |     float m_ThreatClearedTimeout;
000095 |     float m_eAI_CurrentThreatToSelf;
000096 |     float m_eAI_PreviousThreatToSelf;
000097 |     float m_eAI_CurrentThreatToSelfActive;
000098 |     float m_eAI_PreviousThreatToSelfActive;
000099 |
000100 |     //[eAIAttribute<float>.Register("m_eAI_AccuracyMin")]
000101 |     float m_eAI_AccuracyMin;
000102 |
000103 |     //[eAIAttribute<float>.Register("m_eAI_AccuracyMax")]
000104 |     float m_eAI_AccuracyMax;
000105 |
000106 |     //[eAIAttribute<float>.Register("m_eAI_ThreatDistanceLimit")]
000107 |     float m_eAI_ThreatDistanceLimit;
000108 |
000109 |     //[eAIAttribute<float>.Register("m_eAI_NoiseInvestigationDistanceLimit")]
000110 |     float m_eAI_NoiseInvestigationDistanceLimit;
000111 |
000112 |     //[eAIAttribute<float>.Register("m_eAI_DamageMultiplier")]
000113 |     float m_eAI_DamageMultiplier;
000114 |
000115 |     bool m_eAI_SyncCurrentTarget;
000116 |     int m_eAI_CurrentTarget_NetIDLow;
000117 |     int m_eAI_CurrentTarget_NetIDHigh;
000118 |     int m_eAI_CurrentTarget_NetIDLowSync;
000119 |     int m_eAI_CurrentTarget_NetIDHighSync;
000120 |     ref eAINoiseTargetInformation m_eAI_NoiseTargetInfo = new eAINoiseTargetInformation();
000121 |     int m_eAI_NoiseTarget;
000122 |     private bool m_eAI_HasLOS;
000123 |     ref array<ref eAIShot> m_eAI_FiredShots = {};
000124 |     float m_eAI_PurgeFiredShotsTick;
000125 |     Object m_eAI_HitObject;
000126 |     int m_eAI_DiscardedShot_DbgIdx = -8;
000127 |     float m_eAI_DbgThreshAngleH;
000128 |     float m_eAI_DbgLookAngleH;
000129 |     int m_eAI_DbgLOSAngles = -1;
000130 |
000131 |     // Command handling
000132 |     ref eAICommandMove m_eAI_CommandMove;
000133 |     private int m_eAI_CurrentCommandID;
000134 |     float m_eAI_LOSCheckDT;
000135 |     float m_eAI_CommandTime;
000136 |     bool m_eAI_DeathHandled;
000137 |     bool m_eAI_SkipScript;
000138 |     bool m_eAI_JumpClimb;
000139 |     bool m_eAI_IsOnLadder;
000140 |     float m_eAI_LadderTime;
000141 |     int m_eAI_LadderClimbDirection;  //!< 1 = up, -1 = down
000142 |     ExpansionLadder m_eAI_Ladder;
000143 |     vector m_eAI_LadderEntryPoint;
000144 |     vector m_eAI_LadderDirPoint;
000145 |
000146 |     //[eAIAttribute<BuildingBase>.Register("m_eAI_BuildingWithLadder")]
000147 |     BuildingBase m_eAI_BuildingWithLadder;
000148 |     bool m_eAI_FloorIsBuildingWithLadder;
000149 |     bool m_eAI_TargetIsInBuildingWithLadderRadius;
000150 |
000151 |     //[eAIAttribute<eAILadders>.Register("m_eAI_Ladders")]
```

```
000152 |     ref eAILadders m_eAI_Ladders = new eAILadders;
000153 |
000154 |     //[eAIAttribute<int>.Register("m_eAI_LadderLoops")]
000155 |     int m_eAI_LadderLoops;
000156 |
000157 |     //[eAIAttribute<BuildingBase>.Register("m_eAI_LastClimbedBuildingWithLadder")]
000158 |     BuildingBase m_eAI_LastClimbedBuildingWithLadder;
000159 |
000160 |     //[eAIAttribute<ExpansionLadder>.Register("m_eAI_LastClimbedLadder")]
000161 |     ref ExpansionLadder m_eAI_LastClimbedLadder;
000162 |
000163 |     bool m_eAI_PreferLadder;
000164 |     bool m_eAI_Recreate;
000165 |     bool m_eAI_Recreating;
000166 |
000167 |     private Transport m_eAI_Transport;
000168 |     private int m_eAI_Transport_SeatIndex;
000169 |
000170 |     bool m_eAI_IsPreparingMelee;
000171 |     int m_eAI_MeleeTime;
000172 |
000173 |     private ref eAIAimingProfile m_AimingProfile;
000174 |
000175 |     private ref eAIActionManager m_eActionManager;
000176 |     ref eAIMeleeCombat m_eMeleeCombat;
000177 |     ref eAIMeleeFightLogic_LightHeavy m_eAI_MeleeFightLogic;
000178 |
000179 |     bool m_eAI_FallHasLanded;
000180 |     float m_eAI_FallYVelZeroTime;
000181 |
000182 |     private bool m_eAI_IsChangingStance;
000183 |     private bool m_eAI_ShouldGetUp = true;
000184 |     eAIStance m_eAI_StancePreference = -1;
000185 |     eAIStance m_eAI_DefaultStance = eAIStance.STANDING;
000186 |     float m_eAI_DefaultLookAngle;
000187 |
000188 |     bool m_eAI_IsRestrained;
000189 |     bool m_eAI_IsInventoryVisible;
000190 |
000191 |     // Position for aiming/looking in the world
000192 |     private vector m_eAI_LookPosition_WorldSpace;
000193 |     private vector m_eAI_AimPosition_WorldSpace;
000194 |
000195 |     // A direction vector (not YPR) in Model Space, not World Space
000196 |     private vector m_eAI_LookRelAngles;
000197 |     private vector m_eAI_LookDirectionTarget_ModelSpace;
000198 |     private bool m_eAI_LookDirection_Recalculate;
000199 |     float m_eAI_LookVelLR[1];
000200 |     float m_eAI_LookVelUD[1];
000201 |
000202 |     private vector m_eAI_AimRelAngles;
000203 |     protected float m_eAI_AimRelAngleLR;
000204 |     protected float m_eAI_AimRelAngleUD;
000205 |     private vector m_eAI_AimDirectionTarget_ModelSpace;
000206 |     private bool m_eAI_AimDirection_Recalculate;
000207 |     private vector m_eAI_AimDirectionPrev;
000208 |     float m_eAI_AimVelLR[1];
000209 |     float m_eAI_AimVelUD[1];
000210 |
000211 |     //! Dynamic FOV (detection angle) depending on distance to target
000212 |     static float m_eAI_FOVNear_DistThreshold = 0;
000213 |     static float m_eAI_FOVFar_DistThreshold = 125;
```

```
000214 | static float m_eAI_FOVNear_HalfAngleH = 120; //!< Half angle! FOV = angle * 2
000215 | static float m_eAI_FOVFar_HalfAngleH = 45; //!< Half angle! FOV = angle * 2
000216 | static float m_eAI_FOVTransitionExponent = 2.0; //!< 1.0 = linear
000217 |
000218 | private bool m_MovementSpeedActive;
000219 | private int m_MovementSpeed;
000220 |
000221 | //[eAIAttribute<int>.Register("m_MovementSpeedLimit")]
000222 | private int m_MovementSpeedLimit = 3;
000223 |
000224 | //[eAIAttribute<int>.Register("m_MovementSpeedLimitUnderThreat")]
000225 | private int m_MovementSpeedLimitUnderThreat = 3;
000226 |
000227 | //[eAIAttribute<int>.Register("m_eAI_RoamingMovementSpeedLimit")]
000228 | int m_eAI_RoamingMovementSpeedLimit;
000229 |
000230 | //[eAIAttribute<int>.Register("m_eAI_SpeedLimitPreference")]
000231 | int m_eAI_SpeedLimitPreference = 3;
000232 |
000233 | bool m_eAI_IsAttachedToMovingParent;
000234 |
000235 | private bool m_MovementDirectionActive;
000236 | protected bool m_eAI_ResetMovementDirectionActive;
000237 | private float m_MovementDirection;
000238 | private float m_SideStepAngle;
000239 | private bool m_eAI_TurnTargetActive;
000240 | private float m_eAI_TurnTarget;
000241 | bool m_eAI_Halt;
000242 | bool m_eAI_ResetInteractionLayer;
000243 | float m_eAI_PositionTime;
000244 | float m_eAI_BlockedTime;
000245 | float m_eAI_LastDoorInteractionTime;
000246 |
000247 | float m_eAI_FormationPositionUpdateTime;
000248 | vector m_eAI_FormationPosition;
000249 | vector m_eAI_FormationDirection;
000250 |
000251 | float m_eAI_FormationDirectionUpdateTime;
000252 | float m_eAI_FormationDirectionNextUpdateTime;
000253 | float m_eAI_MovementSpeedPrev;
000254 |
000255 | bool m_eAI_HasProjectileWeaponInHands;
000256 | private bool m_WeaponRaised;
000257 | private bool m_WeaponRaisedPrev;
000258 |
000259 | private float m_WeaponRaisedTimer;
000260 | private float m_WeaponLowerTimeout;
000261 |
000262 | int m_eAI_FireWeaponOnClient_RPCID;
000263 | int m_eAI_RemoteRecreateWeapon_RPCID;
000264 |
000265 | ref array<Weapon_Base> m_eAI_Firearms = {};
000266 | ref array<Weapon_Base> m_eAI_Handguns = {};
000267 | ref array<Weapon_Base> m_eAI_Launchers = {};
000268 | ref array<ItemBase> m_eAI_MeleeWeapons = {};
000269 | ref array<ItemBase> m_eAI_Bandages = {};
000270 | ref array<ItemBase> m_eAI_RepairKits = {};
000271 | ref array<Magazine> m_eAI_Magazines = {};
000272 | ref array<ItemBase> m_eAI_Food = {};
000273 | ref array<ItemBase> m_eAI_ItemsToDrop = {};
000274 | ItemBase m_eAI_BandageToUse;
000275 | int m_eAI_MaxFoodCount;
```



```
000276 |
000277 |     ref map<typename, Magazine> m_eAI_EvaluatedFirearmTypes = new map<typename, Magazine>;
000278 |
000279 |     int m_eAI_AccessibleCargoSpaceTaken;
000280 |     int m_eAI_AccessibleCargoSpaceTotal;
000281 |
000282 |     ref set<Clothing> m_eAI_CargosToTidy = new set<Clothing>;
000283 |
000284 | #ifdef DIAG_DEVELOPER
000285 |     EntityAI m_eAI_CompareWeapon;
000286 |     EntityAI m_eAI_CurrentWeapon;
000287 | #endif
000288 |
000289 |     Object m_eAI_SideStepObject;
000290 |     private float m_eAI_SideStepTimeout;
000291 |     private bool m_eAI_SideStepCancelOnLOS;
000292 |     private float m_eAI_PositionOverrideTimeout;
000293 |
000294 |     //[eAIAttribute<int>.Register("m_eAI_UnlimitedReload")]
000295 |     private int m_eAI_UnlimitedReload;
000296 |
000297 |     bool m_eAI_IsUnlimitedReloadAll;
000298 |
000299 |     //[eAIAttribute<float>.Register("m_eAI_SniperProneDistanceThreshold")]
000300 |     private float m_eAI_SniperProneDistanceThreshold;
000301 |
000302 |     //[eAIAttribute<int>.Register("m_eAI_LootingBehavior")]
000303 |     int m_eAI_LootingBehavior = eAILootingBehavior.DEFAULT;
000304 |
000305 |     // Path Finding
000306 | #ifndef EAI_USE_LEGACY_PATHFINDING
000307 |     /*private*/ ref ExpansionPathHandler m_PathFinding;
000308 | #else
000309 |     /*private*/ ref eAIPathFinding m_PathFinding;
000310 | #endif
000311 |     vector m_eAI_TargetPosition;
000312 |     bool m_eAI_TargetPositionIsFinal = true;
000313 |     bool m_eAI_PositionIsFinal = true;
000314 |     int m_eAI_PrevHCCState = -1;
000315 |     float m_eAI_SurfaceY;
000316 |     //! @note we track the last entered area and NOT the cluster directly because it is a mutable property of the area
000317 |     //! and WILL be recreated whenever dynamic areas get spawned/despawned by CE!
000318 |     EffectArea m_eAI_EffectArea;
000319 |     int m_eAI_DangerousAreaCount;
000320 |     vector m_eAI_DangerousAreaAvoidancePosition;
000321 |     ref map<int, float> m_eAI_ProtectionLevels;
000322 |     bool m_eAI_IsInDangerByArea;
000323 |
000324 |     private Apple m_DebugTargetApple;
000325 |     private vector m_DebugTargetOrientation;
000326 |
000327 |     float m_eAI_UpdateTargetsTick;
000328 |     autoptr array<EntityAI> m_eAI_PotentialTargetEntities = new array<EntityAI>();
000329 |     ref array<EntityAI> m_eAI_TrackedBodies = {};
000330 |     int m_eAI_CurrentPotentialTargetIndex;
000331 |     CF_DoublyLinkedNode_WeakRef<PlayerBase> m_eAI_PotentialTargetPlayer;
000332 |     ref set<CF_DoublyLinkedNode_WeakRef<PlayerBase>> m_eAI_PlayersWithinVisibilityDistanceLimit = new set<CF_DoublyLinkedNode_WeakRef<PlayerBase>>;
000333 |     CF_DoublyLinkedNode_WeakRef<eAICustomCreatureTargetInformation> m_eAI_PotentialTargetCustomCreature;
000334 |     float m_eAI_UpdateNearTargetsTime;
000335 |     int m_eAI_UpdateNearTargetsCount;
000336 |     ref set<Object> m_eAI_PotentialCoverObjects = new set<Object>;
000337 |     Object m_eAI_CurrentCoverObject;
```

```
000338 |     vector m_eAI_CurrentCoverPosition;
000339 |     bool m_eAI_IsInCover;
000340 |     float m_eAI_MaxFlankingDistance = 200;
000341 |     bool m_eAI_EnableFlankingOutsideCombat;
000342 |     float m_eAI_FlankAngle;
000343 |     float m_eAI_FlankTime;
000344 |     float m_eAI_FlankTimeMax;
000345 |
000346 |     int m_Expansion_EmoteID;
000347 |     bool m_Expansion_EmoteAutoCancel;
000348 |     int m_Expansion_EmoteAutoCancelDelay; /// ms
000349 |
000350 |     int m_eAI_MinTimeTillNextFire;
000351 |     int m_eAI_QueuedShots;
000352 |
000353 |     private float m_eAI_UpdateVisibilityTime = 5.0; /// Force 1st update
000354 |     private float m_eAI_UpdateVisibilityTimeThreshold = 5.0;
000355 |
000356 |     float m_Expansion_DaylightVisibility;
000357 |     float m_Expansion_Visibility = 0.1;
000358 |     float m_Expansion_VisibilityDistThreshold = 90.0;
000359 |     float m_eAI_DayNightThreshold = 0.4; /// below threshold = night, above = day
000360 |     int m_eAI_IsDay = -1; /// -1 = not set (implicit daytime), 0 = night, 1 = day
000361 |     float m_eAI_MinVisibility;
000362 |     float m_eAI_NightVisibility;
000363 |     float m_eAI_FogVisibility;
000364 |     float m_eAI_OvercastVisibility;
000365 |     float m_eAI_RainVisibility;
000366 |     float m_eAI_SnowVisibility;
000367 |     float m_eAI_DynVolFogVisibility;
000368 |     float m_eAI_ContaminatedAreaVisibility;
000369 |     float m_eAI_BaseVisibility;
000370 |     float m_eAI_VisibilityLimit;
000371 |     ref array<ItemBase> m_Expansion_ActiveVisibilityEnhancers = {};
000372 |     bool m_Expansion_TriedTurningOnVisibilityEnhancers;
000373 |     bool m_eAI_IsActiveVisibilityEnhancerTemporary;
000374 |
000375 |     string m_eAI_TypeSwitchedOnDuringCombat;
000376 |
000377 |     ref set<Man> m_eAI_InteractingPlayers = new set<Man>;
000378 |
000379 |     ///[eAIAttribute<bool>.Register("m_eAI_DespawnOnLoosingAggro")]
000380 |     bool m_eAI_DespawnOnLoosingAggro;
000381 |
000382 |     ///ref IsObjectObstructedCache m_eAI_IsItemObstructedCache = new IsObjectObstructedCache(vector.Zero, 1);
000383 |     ///[eAIAttribute<eAIThreatOverride>.Register("m_eAI_ThreatOverride")]
000384 |     ref eAIThreatOverride m_eAI_ThreatOverride = new eAIThreatOverride;
000385 |
000386 |     ///[eAIAttribute<ItemBase>.Register("m_eAI_LastDroppedItem")]
000387 |     ItemBase m_eAI_LastDroppedItem;
000388 |
000389 |     ///[eAIAttribute<eAIRecentlyDroppedItems>.Register("m_eAI_RecentlyDroppedItems")]
000390 |     ref eAIRecentlyDroppedItems m_eAI_RecentlyDroppedItems = new eAIRecentlyDroppedItems;
000391 |
000392 |     ref Timer m_eAI_ClientUpdateTimer;
000393 |
000394 |     static ref ExpansionSoundSet s_eAI_LoveSound01_SoundSet = ExpansionSoundSet.Register("Expansion_AI_The_Sound_Of_Love_01_SoundSet");
000395 |     static ref ExpansionSoundSet s_eAI_LoveSound02_SoundSet = ExpansionSoundSet.Register("Expansion_AI_The_Sound_Of_Love_02_SoundSet");
000396 |     static ref ExpansionSoundSet s_eAI_ShoryukenF_SoundSet = ExpansionSoundSet.Register("Expansion_AI_ShoryukenF_SoundSet");
000397 |     static ref ExpansionSoundSet s_eAI_ShoryukenM_SoundSet = ExpansionSoundSet.Register("Expansion_AI_ShoryukenM_SoundSet");
000398 |
000399 |     int m_eAI_Meme;
```

```
000400 |
000401 |     //[eAIAttribute<int>.Register("m_eAI_MemeLevel")]
000402 |     int m_eAI_MemeLevel;
000403 |
000404 |     float m_eAI_Lean;
000405 |     float m_eAI_LeanTarget;
000406 |
000407 |     bool m_eAI_Unbug;
000408 |
000409 | #ifndef DAYZ_1_25
000410 |     vector m_ExTransformPlayer[4];
000411 | #endif
000412 |
000413 |     ref set<PlayerBase> m_eAI_Spectators = new set<PlayerBase>;
000414 |
000415 |     ref array<ref ExpansionPrefab> m_eAI_LootDropOnDeath;
000416 |
000417 |     void eAIBase()
000418 |     {
000419 | #ifdef EAI_TRACE
000420 |         auto trace = CF_Trace_0(this, "eAIBase");
000421 | #endif
000422 |
000423 | #ifdef CF_DEBUG
000424 |         CF_Debug.Create(this);
000425 | #endif
000426 |
000427 |         s_AllAI.Insert(this);
000428 |
000429 |         if (g_Game.IsServer())
000430 |         {
000431 |             ExpansionAISettings settings = GetExpansionSettings().GetAI();
000432 |             AI_HANDLEVAULTING = settings.Vaulting;
000433 |             m_eAI_MemeLevel = settings.MemeLevel;
000434 |         }
000435 |
000436 |         SetEventMask(EntityEvent.INIT);
000437 |
000438 | #ifdef AdmiralsDivingMod
000439 |         m_Swimming = new eAIImplementSwimming(this);
000440 | #endif
000441 |
000442 | /*
000443 |     if (g_Game.IsClient())
000444 |     {
000445 |         m_eAI_ClientUpdateTimer = new Timer(CALL_CATEGORY_SYSTEM);
000446 |         m_eAI_ClientUpdateTimer.Run(1.0 / 30.0, this, "eAI_ClientUpdate", NULL, true);
000447 |     }
000448 | */
000449 | }
000450 |
000451 | static eAIBase Get(int index)
000452 | {
000453 | #ifdef EAI_TRACE
000454 |     auto trace = CF_Trace_1("eAIBase", "Get").Add(index);
000455 | #endif
000456 |
000457 |     if (index >= s_AllAI.Count())
000458 |     {
000459 |         return null;
000460 |     }
000461 | }
```

```
000462 |     return s_AllAI[index];
000463 | }
000464 |
000465 | static array<eAIBase> eAI_GetAll()
000466 | {
000467 |     return s_AllAI;
000468 | }
000469 |
000470 | static void eAI_ToggleFT0()
000471 | {
000472 |     if (s_eAI_FT0 == 2)
000473 |         s_eAI_FT0 = 0;
000474 |     else
000475 |         ++s_eAI_FT0;
000476 |
000477 |     ExpansionWorld world;
000478 |     Class.CastTo(world, GetDayZGame().GetExpansionGame());
000479 |
000480 |     if (s_eAI_FT0 > 0)
000481 |     {
000482 |         eAICommandMove.OBSTACLE_AVOIDANCE_INTERVAL = 0.1;
000483 |
000484 |         world.m_LastAIUpdateTime = 0;
000485 |
000486 |         auto node = s_eAI_Alive.m_Head;
000487 |         while (node)
000488 |         {
000489 |             node.m_Value.m_eAI_LastUpdateTime = 0;
000490 |             node = node.m_Next;
000491 |         }
000492 |     }
000493 |     else
000494 |     {
000495 |         eAICommandMove.OBSTACLE_AVOIDANCE_INTERVAL = 0.12;
000496 |
000497 |         world.DbgAIUpdate();
000498 |     }
000499 | }
000500 |
000501 | //! @note Init is called from vanilla PlayerBase ctor, so runs before eAIBase ctor!
000502 | override void Init()
000503 | {
000504 | #ifdef EAI_TRACE
000505 |     auto trace = CF_Trace_0(this, "Init");
000506 | #endif
000507 |
000508 |     super.Init();
000509 |
000510 |     m_eAI_Targets = {};
000511 |
000512 |     m_eAI_ProtectionLevels = new map<int, float>;
000513 |
000514 |     m_AimingProfile = new eAIAimingProfile(this);
000515 |
000516 |     m_eMeleeCombat = new eAIMeleeCombat(this);
000517 |     m_MeleeCombat = m_eMeleeCombat;
000518 |
000519 |     m_eAI_MeleeFightLogic = new eAIMeleeFightLogic_LightHeavy(this);
000520 |     m_MeleeFightLogic = m_eAI_MeleeFightLogic;
000521 |     RegisterNetSyncVariableBool("m_eAI_MeleeFightLogic.m_eAI_Shoryuken");
000522 |
000523 |     m_WeaponManager = new eAIWeaponManager(this);
```

```
000524 |         m_ShockHandler = new eAIShockHandler(this);
000525 |
000526 |         if (g_Game.IsServer())
000527 |         {
000528 |             eAI_SetAccuracy(-1, -1);
000529 |             eAI_SetThreatDistanceLimit(-1);
000530 |             eAI_SetNoiseInvestigationDistanceLimit(-1);
000531 |             eAI_SetMaxFlankingDistance(-1);
000532 |             eAI_SetEnableFlankingOutsideCombat(-1);
000533 |             eAI_SetDamageMultiplier(-1);
000534 |             eAI_SetDamageReceivedMultiplier(-1);
000535 |             m_eAI_SniperProneDistanceThreshold = GetExpansionSettings().GetAI().SniperProneDistanceThreshold;
000536 |
000537 | #ifndef EAI_USE_LEGACY_PATHFINDING
000538 |         m_PathFinding = new ExpansionPathHandler(this);
000539 | #else
000540 |         m_PathFinding = new eAIPathFinding(this);
000541 | #endif
000542 |
000543 |         LoadFSM();
000544 |
000545 |         s_Expansion_AllPlayers.m_OnRemove.Insert(eAI_OnRemovePlayer);
000546 |         eAICustomCreatureTargetInformation.s_AllCustomCreatures.m_OnRemove.Insert(eAI_OnRemoveCustomCreature);
000547 |
000548 |         GetStatWater().Set(GetStatWater().GetMax());
000549 |         GetStatEnergy().Set(GetStatEnergy().GetMax());
000550 |     }
000551 |
000552 |     LookAtDirection("0 0 1");
000553 |     AimAtDirection("0 0 1");
000554 |
000555 |     //! Vehicles mod will set this in PlayerBase::Init if loaded
000556 |     if (!m_ExpansionST)
000557 |         m_ExpansionST = new ExpansionHumanST(this);
000558 |
000559 |     if (g_Game.IsServer())
000560 |     {
000561 |         m_eAI_CommandMove = new eAICommandMove(this, m_ExpansionST, DayZPlayerConstants.STANCEIDX_ERECT);
000562 |
000563 |         eAINoiseSystem.SI_OnNoiseAdded.Insert(eAI_OnNoiseEvent);
000564 |     }
000565 |
000566 |     m_Expansion_EnableBonePositionUpdate = true;
000567 |
000568 |     m_Expansion_RPCManager.RegisterServer("RPC_eAI_SetIsInventoryVisible");
000569 |     m_eAI_FireWeaponOnClient_RPCID = m_Expansion_RPCManager.RegisterClient("RPC_eAI_FireWeaponOnClient");
000570 |     m_eAI_RemoteRecreateWeapon_RPCID = m_Expansion_RPCManager.RegisterServer("RPC_eAI_RemoteRecreateWeapon");
000571 | }
000572 |
000573 | override void Expansion_Init()
000574 | {
000575 |     if (g_Game.IsServer() && !m_eAI_FactionType)
000576 |     {
000577 |         m_eAI_FactionType = eAIFactionRaiders;
000578 |     }
000579 |
000580 |     super.Expansion_Init();
000581 |
000582 |     RegisterNetSyncVariableBool("m_Expansion_CanBeLooted");
000583 |     //RegisterNetSyncVariableFloat("m_eAI_AccuracyMin");
000584 |     //RegisterNetSyncVariableFloat("m_eAI_AccuracyMax");
000585 |     //RegisterNetSyncVariableInt("m_eAI_CurrentTarget_NetIDLow");
```

```
000586 | //RegisterNetSyncVariableInt("m_eAI_CurrentTarget_NetIDHigh");
000587 | //ifndef DIAG_DEVELOPER
000588 | //RegisterNetSyncVariableInt("m_eAI_DbgLOSAngles");
000589 | //endif
000590 | RegisterNetSyncVariableBool("m_eAI_IsInventoryVisible");
000591 |
000592 | m_Expansion_NetsyncData = new ExpansionNetsyncData(this);
000593 | }
000594 |
000595 | override void OnPlayerLoaded()
000596 | {
000597 |     if (m_Environment)
000598 |         m_Environment.Init();
000599 |
000600 |     if (g_Game.IsMultiplayer() || g_Game.IsServer())
000601 |         Expansion_SynchLifespanVisual();
000602 |
000603 |     if (!g_Game.IsDedicatedServer())
000604 |     {
000605 |         g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseStateVisual, 2000, false);
000606 |         m_PlayerSoundEventHandler = new PlayerSoundEventHandler(this);
000607 |         m_ReplaceSoundEventHandler = new ReplaceSoundEventHandler(this);
000608 |     }
000609 |
000610 |     int slotId = InventorySlots.GetSlotIdFromString("Head");
000611 |     m_ChactersHead = Head_Default.Cast(GetInventory().FindPlaceholderForSlot(slotId));
000612 |     CheckHairClippingOnCharacterLoad();
000613 |     UpdateHairSelectionVisibility();
000614 |     PreloadDecayTexture();
000615 |
000616 |     Weapon_Base wpn = Weapon_Base.Cast(GetItemInHands());
000617 |     if (wpn)
000618 |     {
000619 |         if (GetInstanceType() == DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE)
000620 |         {
000621 |             wpn.DelayedValidateAndRepair();
000622 |         }
000623 |         else
000624 |         {
000625 |             wpn.ValidateAndRepair();
000626 |         }
000627 |     }
000628 |
000629 |     m_PlayerLoaded = true;
000630 | }
000631 |
000632 | static void ReloadAllFSM()
000633 | {
000634 |     array<eAIBase> ai();
000635 |     foreach (auto ai0 : s_AllAI)
000636 |     {
000637 |         if (!ai0.GetFSM())
000638 |         {
000639 |             continue;
000640 |         }
000641 |
000642 |         ai0.m_FSM = null;
000643 |
000644 |         ai.Insert(ai0);
000645 |     }
000646 |
000647 |     ExpansionFSMType.UnloadAll();
```

```
000648 |
000649 |     foreach (auto ail : ai)
000650 |     {
000651 |         ail.LoadFSM();
000652 |     }
000653 | }
000654 |
000655 | void eAI_ResetPathfinding()
000656 | {
000657 |     m_PathFinding.ResetUnreachable();
000658 |     m_eAI_LadderLoops = 0;
000659 | }
000660 |
000661 | void LoadFSM()
000662 | {
000663 |     ExpansionFSMType type = ExpansionFSMType.LoadXML("DayZExpansion/AI/scripts/FSM", "Master");
000664 |     ExpansionFSMOwnerType owner = this;
000665 |     if (type && Class.CastTo(m_FSM, type.Spawn(owner, null)))
000666 |     {
000667 |         m_FSM.StartDefault();
000668 |     }
000669 |     else
000670 |     {
000671 |         CF_Log.Error("Invalid FSM");
000672 |         Delete();
000673 |     }
000674 | }
000675 |
000676 | void ~eAIBase()
000677 | {
000678 | #ifdef EAI_TRACE
000679 |     auto trace = CF_Trace_0(this, "~eAIBase");
000680 | #endif
000681 |
000682 | #ifndef DIAG_DEVELOPER
000683 |     if (!g_Game)
000684 |         return;
000685 | #endif
000686 |
000687 | #ifdef CF_DEBUG
000688 |     CF_Debug.Destroy(this);
000689 | #endif
000690 |
000691 |     s_AllAI.RemoveItem(this);
000692 |
000693 |     if (s_eAI_Alive)
000694 |         s_eAI_Alive.Remove(m_eAI_Alive_Node);
000695 | }
000696 |
000697 | protected override void EOnInit(IEntity other, int extra)
000698 | {
000699 |     EXTrace.Print(EXTrace.AI, this, "EOnInit");
000700 |
000701 |     OnSelectPlayer();
000702 | }
000703 |
000704 | override void OnSelectPlayer()
000705 | {
000706 |     EXTrace.Print(EXTrace.AI, this, "OnSelectPlayer");
000707 |
000708 |     if (g_Game.IsServer() && !m_PlayerSelected)
000709 |     {
```

```
000710 |         s_eAI_TickSchedulerPlayers.Insert(this);
000711 |     #ifdef DIAG_DEVELOPER
000712 |         EXPrint(this, "TickScheduler players +1 count=" + s_eAI_TickSchedulerPlayers.Count());
000713 |     #endif
000714 | }
000715 |
000716 | m_QuickBarBase.updateSlotsCount();
000717 |
000718 | m_PlayerSelected = true;
000719 |
000720 | m_WeaponManager.SortMagazineAfterLoad();
000721 |
000722 | if (g_Game.IsServer())
000723 | {
000724 |     //! add callbacks for ai target system
000725 |     SetAITargetCallbacks(new AITargetCallbacksPlayer(this));
000726 |
000727 |     GetSoftSkillsManager().InitSpecialty(GetStatSpecialty().Get());
000728 |     GetModifiersManager().SetModifiers(true);
000729 |
000730 |     SetSynchDirty();
000731 | }
000732 |
000733 | CheckForGag();
000734 |
000735 | m_eActionManager = new eAIActionManager(this);
000736 | m_ActionManager = m_eActionManager;
000737 | }
000738 |
000739 | override void DeferredInit()
000740 | {
000741 |     super.DeferredInit();
000742 |
000743 |     if (g_Game.IsServer() && !m_eMeleeCombat.eAI_GetWeapon())
000744 |     {
000745 |         m_eMeleeCombat.Reset(null, EMeleeHitType.NONE, false);
000746 |
000747 |         #ifdef EXPANSION_AI_MELEEDBG_CHATTY
000748 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 100, ToString() + " DeferredInit - melee weapon (in hands) null range " + m_eMeleeCombat.eAI_GetRang
e());
000749 |         #endif
000750 |     }
000751 | }
000752 |
000753 | override void EEOnCECreate()
000754 | {
000755 |     #ifdef EXTRACE_DIAG
000756 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000757 |     #endif
000758 |
000759 |     super.EEOnCECreate();
000760 |
000761 |     ExpansionHumanLoadout.Apply(this, "FreshSpawnLoadout");
000762 |     eAI_SetLootingBehavior(eAILootingBehavior.ALL);
000763 |     SetMovementSpeedLimits(2, 3);
000764 |     GetGroup().SetWaypointBehaviour(eAIWaypointBehavior.ROAMING);
000765 | }
000766 |
000767 | override void OnDebugSpawn()
000768 | {
000769 |     #ifdef EXTRACE_DIAG
000770 |         auto trace = EXTrace.Start(EXTrace.AI, this);
```



```
000771 | #endif
000772 |
000773 |     ExpansionHumanLoadout.Apply(this, "FreshSpawnLoadout");
000774 |     eAI_SetLootingBehavior(eAILootingBehavior.ALL);
000775 |     SetMovementSpeedLimits(2, 3);
000776 |     GetGroup().AddWaypoint(ExpansionMath.GetRandomPointInCircle(GetPosition(), 5.0));
000777 | }
000778 |
000779 | override void OnCEUpdate()
000780 | {
000781 |     super.OnCEUpdate();
000782 |
000783 |     int persistentCount = eAIGroup.s_PersistentGroups.Count();
000784 |
000785 |     if (persistentCount > 0)
000786 |     {
000787 |         int time = g_Game.GetTickTime();
000788 |
000789 |         if (time - s_eAI_LastCEUpdateTime > 3.0)
000790 |         {
000791 |             int lastPersistIndex = persistentCount - 1;
000792 |
000793 |             if (eAIGroup.s_eAI_CurrentPersistIndex > lastPersistIndex)
000794 |                 eAIGroup.s_eAI_CurrentPersistIndex = lastPersistIndex;
000795 |             else if (eAIGroup.s_eAI_CurrentPersistIndex == lastPersistIndex)
000796 |                 eAIGroup.s_eAI_CurrentPersistIndex = 0;
000797 |             else
000798 |                 eAIGroup.s_eAI_CurrentPersistIndex += 1;
000799 |
000800 |             s_eAI_LastCEUpdateTime = time;
000801 |         }
000802 |     }
000803 |
000804 |     if (!IsAlive())
000805 |         return;
000806 |
000807 |     eAIGroup group = GetGroup();
000808 |     if (group && group.m_Persist && group.m_BaseName && group.GetFormationLeader() == this)
000809 |     {
000810 |         //! Persist one AI group per CE update interval (except if no players online, always persist)
000811 |
000812 |         int idx = eAIGroup.s_PersistentGroups.Find(group);
000813 |
000814 | #ifdef EXTRACE
000815 |         auto trace = EXTrace.Start(EXTrace.AI, this, "persistent group '" + group.GetName() + "' index " + idx + " current " + eAIGroup.s_eAI_CurrentPersistIn
000816 | dex);
000817 | #endif
000818 |
000819 |         if (idx != eAIGroup.s_eAI_CurrentPersistIndex && PlayerBase.Expansion_GetOnlinePlayersCount() > 0)
000820 |             return;
000821 |
000822 | #ifdef EXTRACE
000823 |         EXTrace.Add(trace, "PERSIST");
000824 | #endif
000825 |
000826 |         group.Save(true);
000827 |
000828 |         //#ifdef DIAG_DEVELOPER
000829 |         //ExpansionNotification("EXPANSION AI", "Saved group " + group.GetName()).Info();
000830 |         //#endif
000831 |     }
000832 | }
```

```
000832 |         if (IsAlive())
000833 |         {
000834 |             string basePath = group.GetStorageDirectory();
000835 |             if (FileExist(basePath) || ExpansionStatic.MakeDirectoryRecursive(basePath))
000836 |             {
000837 |                 string path = basePath + m_eAI_GroupMemberID.ToString() + ".bin";
000838 |                 ExpansionEntityStorageModule.SaveToFile(this, path);
000839 |             }
000840 |         }
000841 |     */
000842 | }
000843 | }
000844 |
000845 | override void InsertAgent(int agent, float count = 1)
000846 | {
000847 |     switch (agent)
000848 |     {
000849 |         case eAgents.WOUND_AGENT:
000850 |             return;
000851 |     }
000852 |
000853 |     super.InsertAgent(agent, count);
000854 | }
000855 |
000856 | void eAI_Recreate()
000857 | {
000858 |     InventoryLocation loc = new InventoryLocation();
000859 |
000860 |     if (GetInventory().GetCurrentInventoryLocation(loc))
000861 |     {
000862 |         SetPosition(vector.Zero);
000863 |
000864 |         EntityAI clone = ExpansionItemSpawnHelper.Clone(this, true, loc);
000865 |
000866 |         if (clone)
000867 |         {
000868 |             eAIBase ai;
000869 |             if (Class.CastTo(ai, clone))
000870 |             {
000871 |                 eAIGroup group = GetGroup();
000872 |
000873 |                 ai.SetGroup(group, true, group.GetIndex(this));
000874 |
000875 |                 /*
000876 |                 foreach (string name, eAIAttributeBase attribute: eAIAttributeBase.s_Attributes)
000877 |                 {
000878 |                     attribute.Sync(this, ai);  //! Crashes for some people!?!
000879 |                 }
000880 |                 */
000881 |
000882 |                 ai.m_eAI_BuildingWithLadder = m_eAI_BuildingWithLadder;
000883 |                 ai.m_eAI_LadderLoops = m_eAI_LadderLoops;
000884 |                 ai.m_eAI_Ladders = m_eAI_Ladders;
000885 |                 ai.m_eAI_LastClimbedBuildingWithLadder = m_eAI_LastClimbedBuildingWithLadder;
000886 |                 ai.m_eAI_LastClimbedLadder = m_eAI_LastClimbedLadder;
000887 |                 ai.eAI_SetSniperProneDistanceThreshold(m_eAI_SniperProneDistanceThreshold);
000888 |                 ai.Expansion_SetCanBeLooted(m_Expansion_CanBeLooted);
000889 |                 ai.Expansion_SetFormerGroup(Expansion_GetFormerGroup());
000890 |                 ai.m_eAI_DespawnOnLoosingAggro = m_eAI_DespawnOnLoosingAggro;
000891 |                 ai.SetMovementSpeedLimits(m_eAI_SpeedLimitPreference, GetMovementSpeedLimitUnderThreat());
000892 |                 ai.m_eAI_RoamingMovementSpeedLimit = m_eAI_RoamingMovementSpeedLimit;
000893 |                 ai.m_eAI_RecentlyDroppedItems = m_eAI_RecentlyDroppedItems;
```

```

000894 |         ai.m_eAI_LastDroppedItem = m_eAI_LastDroppedItem;
000895 |         ai.m_eAI_DamageMultiplier = m_eAI_DamageMultiplier;
000896 |         ai.m_eAI_DamageReceivedMultiplier = m_eAI_DamageReceivedMultiplier;
000897 |         ai.m_eAI_AccuracyMin = m_eAI_AccuracyMin;
000898 |         ai.m_eAI_AccuracyMax = m_eAI_AccuracyMax;
000899 |         ai.m_eAI_ThreatOverride = m_eAI_ThreatOverride;
000900 |         ai.m_eAI_MemeLevel = m_eAI_MemeLevel;
000901 |         ai.m_eAI_NoiseInvestigationDistanceLimit = m_eAI_NoiseInvestigationDistanceLimit;
000902 |         ai.eAI_SetUnlimitedReload(m_eAI_UnlimitedReload);
000903 |         ai.m_eAI_GroupMemberID = m_eAI_GroupMemberID;
000904 |         ai.m_eAI_LootingBehavior = m_eAI_LootingBehavior;
000905 |         ai.m_eAI_ThreatDistanceLimit = m_eAI_ThreatDistanceLimit;
000906 |
000907 |     #ifdef JM_COT
000908 |         foreach (PlayerBase spectator: m_eAI_Spectators)
000909 |         {
000910 |             GetDayZGame().GetExpansionGame().SpectateAI(spectator.GetIdentity(), ai, null);
000911 |         }
000912 |     #endif
000913 |
000914 |         ///! Since threat overrides point to same instance on original and cloned AI,
000915 |         ///! we have to sever this connection before original AI deletion because
000916 |         ///! threat overrides are cleared on AI destruction
000917 |         m_eAI_ThreatOverride = new eAIThreatOverride;
000918 |
000919 |         g_Game.ObjectDelete(this);
000920 |
000921 |         return;
000922 |     }
000923 |     else
000924 |     {
000925 |         clone.SetPosition(vector.Zero);
000926 |         g_Game.ObjectDelete(clone);
000927 |     }
000928 | }
000929 |
000930 |     SetPosition(loc.GetPos());
000931 | }
000932 | }
000933 |
000934 | #ifdef DIAG_DEVELOPER
000935 |     ref map<EntityAI, bool> m_eAI_PlayerIsEnemyStatus = new map<EntityAI, bool>;
000936 |     void eAI_UpdatePlayerIsEnemyStatus(EntityAI player, bool state, string reason)
000937 |     {
000938 |         bool currentState;
000939 |         if (!m_eAI_PlayerIsEnemyStatus.Find(player, currentState) || state != currentState)
000940 |         {
000941 |             EXPrint(ToString() + " ::eAI_UpdatePlayerIsEnemyStatus " + GetGroup().GetFaction() + " | " + reason + " | " + player.ToString() + " | is enemy? " + state);
000942 |             m_eAI_PlayerIsEnemyStatus[player] = state;
000943 |         }
000944 |     }
000945 | #endif
000946 |
000947 | /**
000948 |  * @brief check if other player is currently considered an enemy
000949 |  *
000950 |  * @param other Other player entity
000951 |  * @param track Track movement (will return true also for friendly targets)
000952 |  * @param[out] isPlayerMoving Is other player moving?
000953 |  * @param[out] friendly Are we normally friendly towards other player?
000954 |  * @param[out] targeted Are we currently targeting/targeted by other player? (our threat to them or theirs to us above 0.2)

```

```
000955 |     */
000956 |     bool PlayerIsEnemy(EntityAI other, bool track = false, out bool isPlayerMoving = false, out bool friendly = false, out bool targeted = false)
000957 |     {
000958 |     #ifdef EAI_TRACE
000959 |         auto trace = CF_Trace_1(this, "PlayerIsEnemy").Add(other);
000960 |     #endif
000961 |
000962 |         PlayerBase player;
000963 |         if (!Class.CastTo(player, other))
000964 |         {
000965 |     #ifdef DIAG_DEVELOPER
000966 |         eAI_UpdatePlayerIsEnemyStatus(player, true, "target not a player");
000967 |     #endif
000968 |         return true;
000969 |     }
000970 |
000971 |     if (player.Expansion_GetActualVelocity().LengthSq() > 0 || player.IsClimbing() || player.IsFalling() || player.IsFighting() || player.IsLeaning())
000972 |         isPlayerMoving = true;
000973 |
000974 |     if (GetGroup().GetFaction().IsObserver())
000975 |     {
000976 |         friendly = true;
000977 |
000978 |         //! Interacting players are always "enemies" to observers (will be looked at)
000979 |         if (m_eAI_InteractingPlayers.Find(player) > -1)
000980 |             return true;
000981 |
000982 |         //! Look at others if they move
000983 |         return isPlayerMoving;
000984 |     }
000985 |
000986 |     //! Are we targeting them and aggro?
000987 |     if (eAI_GetCachedThreat(player.GetTargetInformation()) > 0.2)
000988 |         targeted = true;
000989 |
000990 |     if (player.GetGroup())
000991 |     {
000992 |         if (player.GetGroup() == GetGroup())
000993 |         {
000994 |     #ifdef DIAG_DEVELOPER
000995 |         eAI_UpdatePlayerIsEnemyStatus(player, false, "target has same group");
000996 |     #endif
000997 |         friendly = true;
000998 |
000999 |         if (track && GetExpansionSettings().GetAI().MemeLevel > 0 && isPlayerMoving)
001000 |             return true;
001001 |
001002 |         return false;
001003 |     }
001004 |
001005 |     //! If we are not targeting them, are they targeting us?
001006 |     eAIBase ai;
001007 |     float ourThreatToThem;
001008 |     if (Class.CastTo(ai, player))
001009 |         ourThreatToThem = ai.eAI_GetCachedThreat(GetTargetInformation());
001010 |     if (!targeted && !player.GetGroup().GetFaction().IsObserver() && ourThreatToThem > 0.2)
001011 |         targeted = true;
001012 |
001013 |     //! Other faction friendly to our faction or this specific AI?
001014 |     if (player.GetGroup().GetFaction().IsFriendly(GetGroup().GetFaction()) || player.GetGroup().GetFaction().IsFriendlyEntity(this, player))
001015 |     {
001016 |     #ifdef DIAG_DEVELOPER
```

```
001017 |         if (eAI_IsPassive())
001018 |             eAI_UpdatePlayerIsEnemyStatus(player, targeted, "passive | target is friendly " + player.GetGroup().GetFaction());
001019 |         else
001020 |             eAI_UpdatePlayerIsEnemyStatus(player, targeted, "target is friendly " + player.GetGroup().GetFaction());
001021 | #endif
001022 |         friendly = true;
001023 |
001024 |         if (track && GetExpansionSettings().GetAI().MemeLevel > 0 && isPlayerMoving)
001025 |             return true;
001026 |
001027 |         return targeted;
001028 |     }
001029 |
001030 |     ///! If the other player is a guard and we are not, consider them an enemy if they raised their weapon and
001031 |     ///! either aren't AI or consider us a threat
001032 |     if (player.GetGroup().GetFaction().IsGuard())
001033 |     {
001034 |         bool hostile;
001035 |         ///! https://feedback.bistudio.com/T173348
001036 |         if ((player.IsRaised() || player.IsFighting()) && (!ai || ourThreatToThem >= 0.4))
001037 |             hostile = true;
001038 | #ifdef DIAG_DEVELOPER
001039 |         eAI_UpdatePlayerIsEnemyStatus(player, hostile, "target is guard");
001040 | #endif
001041 |         return hostile;
001042 |     }
001043 | }
001044 | else
001045 | {
001046 |     if (!player.GetIdentity() && !player.CanBeTargetedByAI(this))
001047 |     {
001048 |         if (track && GetExpansionSettings().GetAI().MemeLevel > 0 && isPlayerMoving)
001049 |             return true;
001050 |
001051 |         return targeted;
001052 |     }
001053 | }
001054 |
001055 |     ///! Our faction fiendly to specific player?
001056 |     if (GetGroup().GetFaction().IsFriendlyEntity(other, this))
001057 |     {
001058 | #ifdef DIAG_DEVELOPER
001059 |         if (eAI_IsPassive())
001060 |             eAI_UpdatePlayerIsEnemyStatus(player, targeted, "passive | friendly | target has no group");
001061 |         else
001062 |             eAI_UpdatePlayerIsEnemyStatus(player, targeted, "friendly");
001063 | #endif
001064 |         friendly = true;
001065 |
001066 |         if (track && GetExpansionSettings().GetAI().MemeLevel > 0 && isPlayerMoving)
001067 |             return true;
001068 |
001069 |         return targeted;
001070 |     }
001071 | }
001072 | #ifdef EXPANSIONMODGROUPS
001073 |     if (g_Game.IsServer())
001074 |     {
001075 |         PlayerBase leader;
001076 |         PlayerBase otherLeader;
001077 |         if (player.GetGroup())
001078 |             Class.CastTo(otherLeader, player.GetGroup().GetLeader());
```

```
001079 |         else
001080 |             otherLeader = player;
001081 |         if (otherLeader && otherLeader.Expansion_GetParty() && Class.CastTo(leader, GetGroup().GetLeader()) && leader.Expansion_GetParty())
001082 |         {
001083 |             //! If leaders of both AI groups are actual players or other player has no AI group,
001084 |             //! check if they are in the same Expansion party, and if so,
001085 |             //! AI will not be hostile to the other group/player
001086 |             if (leader.Expansion_GetParty() == otherLeader.Expansion_GetParty())
001087 |             {
001088 | #ifdef DIAG_DEVELOPER
001089 |                 eAI_UpdatePlayerIsEnemyStatus(player, targeted, "target party is leader party");
001090 | #endif
001091 |                 friendly = true;
001092 |
001093 |                 if (track && GetExpansionSettings().GetAI().MemeLevel > 0 && isPlayerMoving)
001094 |                     return true;
001095 |
001096 |                 return targeted;
001097 |             }
001098 |         }
001099 |     }
001100 | #endif
001101 |
001102 |     // at this point we know both we and they have groups, and the groups aren't friendly towards each other
001103 | #ifdef DIAG_DEVELOPER
001104 |     if (player.Expansion_HasAdminToolInvisibility())
001105 |         eAI_UpdatePlayerIsEnemyStatus(player, false, "target invisible");
001106 |     else
001107 |         eAI_UpdatePlayerIsEnemyStatus(player, true, "not friendly");
001108 | #endif
001109 |     return true;
001110 | }
001111 |
001112 | void TryFireWeapon()
001113 | {
001114 | #ifdef EAI_TRACE
001115 |     auto trace = CF_Trace_0(this, "TryFireWeapon");
001116 | #endif
001117 |
001118 |     if (g_Game.GetTime() < m_eAI_MinTimeTillNextFire)
001119 |         return;
001120 |
001121 |     Weapon_Base weapon = Weapon_Base.Cast(GetHumanInventory().GetEntityInHands());
001122 |     if (!weapon)
001123 |         return;
001124 |
001125 |     if (!eAI_CanFire(weapon))
001126 |         return;
001127 |
001128 |     if (!eAI_HasLOS())
001129 |         return;
001130 |
001131 |     if (m_eAI_QueuedShots == 0)
001132 |     {
001133 |         //! Determine firing mode
001134 |
001135 |         int burst;
001136 |
001137 |         switch (weapon.Expansion_GetFireMode())
001138 |         {
001139 |             case ExpansionFireMode.Burst:
001140 |                 burst = weapon.GetCurrentModeBurstSize(weapon.GetCurrentMuzzle());
```

```
001141 |         if (weapon.GetBurstCount() == burst)
001142 |             weapon.ResetBurstCount();
001143 |         break;
001144 |
001145 |         case ExpansionFireMode.FullAuto:
001146 |             Magazine mag;
001147 |             if (Class.CastTo(mag, weapon.GetMagazine(weapon.GetCurrentMuzzle())))
001148 |                 burst = mag.GetAmmoMax() * 0.25;
001149 |             break;
001150 |     }
001151 |
001152 |     m_eAI_QueuedShots = 1;
001153 |
001154 |     if (burst > 1)
001155 |     {
001156 |         if (m_eAI_DistanceToTargetSq < 200)
001157 |             m_eAI_QueuedShots = Math.Ceil(((200 - m_eAI_DistanceToTargetSq) / 200) * burst);
001158 |     }
001159 | }
001160 |
001161 | #ifdef DIAG_DEVELOPER
001162 |     EXTrace.Print(EXTrace.AI, this, "Firing, queued shots: " + m_eAI_QueuedShots);
001163 | #endif
001164 |
001165 |     GetWeaponManager().Fire(weapon);
001166 |
001167 |     if (m_eAI_QueuedShots > 0)
001168 |         m_eAI_QueuedShots--;
001169 |
001170 |     if (m_eAI_QueuedShots > 0)
001171 |         m_eAI_MinTimeTillNextFire = g_Game.GetTime() + weapon.GetReloadTime(weapon.GetCurrentMuzzle()) * 1000;
001172 |     else
001173 |         m_eAI_MinTimeTillNextFire = g_Game.GetTime() + Math.RandomIntInclusive(200, 300);
001174 | }
001175 |
001176 | void eAI_FireWeaponOnClient(int muzzleIndex, int shotID)
001177 | {
001178 | #ifdef SERVER
001179 |     auto rpc = ExpansionScriptRPC.Create(m_eAI_FireWeaponOnClient_RPCID);
001180 |     //! Pack muzzleIndex and shotID into one integer.
001181 |     //! 8 bits should be enough for muzzleIndex and 24 for shotID seems sufficient as well
001182 |     //! (no issue either if the latter wraps)
001183 |     int packed = ((muzzleIndex & 0xff) << 24) | (shotID & 0xffffffff);
001184 |     rpc.Write(packed);
001185 |     rpc.Expansion_Send(this, true);
001186 | #else
001187 |     Weapon_Base weapon;
001188 |     if (Class.CastTo(weapon, GetHumanInventory().GetEntityInHands()))
001189 |     {
001190 |         //! Since muzzleIndex can come from RPC, check it (better safe than sorry, game could CTD if muzzleIndex is invalid otherwise)
001191 |         if (muzzleIndex >= weapon.GetMuzzleCount())
001192 |             CF.FormatError("Invalid muzzle index %1 for %2", muzzleIndex.ToString(), weapon.ToString());
001193 |         else
001194 |             weapon.eAI_FireOnClient(muzzleIndex, this, shotID);
001195 |     }
001196 |     else if (GetExpansionSettings().GetAI().RecreateWeaponNetworkRepresentation)
001197 |     {
001198 |         EXError.Warn(this, "Couldn't fire weapon (NULL), attempting to recreate network representation");
001199 |         auto rpc = ExpansionScriptRPC.Create(m_eAI_RemoteRecreateWeapon_RPCID);
001200 |         rpc.Expansion_Send(this, true);
001201 |     }
001202 |     else
```

```
001203 |     {
001204 |         EXError.Error(this, "Couldn't fire weapon (NULL)");
001205 |     }
001206 | #endif
001207 | }
001208 |
001209 | //! Client
001210 | void RPC_eAI_FireWeaponOnClient(PlayerIdentity sender, ParamsReadContext ctx)
001211 | {
001212 |     int packed;
001213 |     if (!ctx.Read(packed))
001214 |         return;
001215 |
001216 |     int muzzleIndex = (packed >> 24) & 0xff;
001217 |     int shotID = packed & 0xfffff;
001218 |
001219 |     eAI_FireWeaponOnClient(muzzleIndex, shotID);
001220 | }
001221 |
001222 | //! Server
001223 | void RPC_eAI_RemoteRecreateWeapon(PlayerIdentity sender, ParamsReadContext ctx)
001224 | {
001225 |     Weapon_Base weapon;
001226 |     if (Class.CastTo(weapon, GetHumanInventory().GetEntityInHands()))
001227 |     {
001228 |         weapon.eAI_RemoteRecreate();
001229 |         EXError.Warn(this, "Recreated network representation of " + weapon);
001230 |     }
001231 |     else
001232 |     {
001233 |         EXError.Warn(this, "No weapon in hands");
001234 |     }
001235 | }
001236 |
001237 | /**
001238 |  * @brief select firemode based on target, distance, and weapon
001239 |  *
001240 |  * @note currently only deals with double barrel (i.e. Blaze and BK-43) as there is no real need to ever change firemode on any other gun
001241 |  * because when gun enters AI hands, firemode is set to fullauto (e.g. M4A1) or burst (e.g. M16) if supported.
001242 |  * The firing code in TryFireWeapon deals with the amount of, and time between, shots fired in fullauto and burst modes,
001243 |  * which gives the appearance of semi-auto in those modes if only one shot is queued.
001244 |  */
001245 | void eAI_SelectFireMode(eAITarget target, float distSq, Weapon_Base weapon)
001246 | {
001247 |     bool changedFireMode;
001248 |
001249 |     if (weapon.m_Expansion_WeaponInfo.m_FireModes.Contains(ExpansionFireMode.Double))
001250 |     {
001251 |         if (distSq <= 30 && target.IsPlayer())
001252 |             weapon.Expansion_SetFireMode(ExpansionFireMode.Double, changedFireMode);
001253 |         else
001254 |             weapon.Expansion_SetFireMode(ExpansionFireMode.Single, changedFireMode);
001255 |
001256 |         m_eAI_QueuedShots = 1; //! @note for firemode double, one queued shot is two projectiles
001257 |     }
001258 |
001259 |     if (changedFireMode)
001260 |         m_eAI_MinTimeTillNextFire = g_Game.GetTime() + Math.RandomIntInclusive(200, 300);
001261 | }
001262 |
001263 | bool eAI_CanFire(Weapon_Base weapon)
001264 | {
```



```
001265 |         if (IsClimbing() || IsFalling() || IsFighting() || IsSwimming())
001266 |             return false;
001267 |
001268 |         if (GetDayZPlayerInventory().IsProcessing())
001269 |             return false;
001270 |
001271 |         if (!IsRaised())
001272 |             return false;
001273 |
001274 |         if (!weapon.CanFire())
001275 |             return false;
001276 |
001277 |         if (GetWeaponManager().IsRunning())
001278 |             return false;
001279 |
001280 |         int muzzleIndex = weapon.GetCurrentMuzzle();
001281 |         if (!weapon.CanFire(muzzleIndex))
001282 |             return false;
001283 |
001284 |         return true;
001285 |     }
001286 |
001287 |     bool eAI_ShouldBandage()
001288 |     {
001289 |         if (!IsBleeding())
001290 |             return false;
001291 |
001292 |         if (m_eAI_DangerousAreaCount > 0 && m_eAI_IsInDangerByArea)
001293 |             return false;
001294 |
001295 |         if (m_eAI_CurrentThreatToSelfActive >= 0.4 || m_eAI_IsFightingFSM)
001296 |         {
001297 |             if (g_Game.GetTickTime() - m_eAI_LastHitTime <= 10)
001298 |                 return false;
001299 |
001300 |             if (GetHealth01("", "Blood") >= 0.7 && m_eAI_Targets.Count() > 0 && !GetTarget().IsItem() && !GetTarget().IsNoise())
001301 |                 return false;
001302 |         }
001303 |
001304 |         return true;
001305 |     }
001306 |
001307 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
001308 | s, float speedCoef)
001309 |     {
001310 |         ///! Detect improper 3rd party mod damage handling
001311 |         if (!dmgZone && source && source.IsDayZCreature())
001312 |         {
001313 |             IEntity child = source.GetChildren();
001314 |             while (child)
001315 |             {
001316 |                 Weapon weapon;
001317 |                 if (Class.CastTo(weapon, child))
001318 |                 {
001319 |                     ///! Set source to weapon to prevent improper 3rd party mod damage handling
001320 |                     ///! (proper damage handled in eAIDamageHandler)
001321 |                     source = weapon;
001322 |                     break;
001323 |                 }
001324 |                 child = child.GetSibling();
001325 |             }
```

```
001326 |     }
001327 |
001328 |     return super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
001329 | }
001330 |
001331 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
001332 | {
001333 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
001334 |
001335 |     m_eAI_FlankTime = 0.0;
001336 |
001337 |     if (source && source.IsDayZCreature() && m_eAI_ThreatOverride.Contains(source))
001338 |         eAI_ThreatOverride(source, false);
001339 |
001340 |     /// If we are currently blocking, go out of block so we can start going on offense
001341 |     if (m_eAI_MeleeFightLogic.IsInBlock())
001342 |         m_eAI_MeleeFightLogic.eAI_EndBlock();
001343 | }
001344 |
001345 | override void EEHitByRemote(int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos)
001346 | {
001347 |     if (!g_Game.IsDedicatedServer())
001348 |         super.EEHitByRemote(damageType, source, component, dmgZone, ammo, modelPos);
001349 | #ifdef DIAG_DEVELOPER
001350 |     else if (m_MeleeFightLogic.IsInBlock())
001351 |         EXError.Warn(this, "EEHitByRemote called on server while in block");
001352 | #endif
001353 | }
001354 |
001355 | override void EEKilled(Object killer)
001356 | {
001357 | #ifdef EXTRACE_DIAG
001358 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + killer);
001359 | #endif
001360 |
001361 |     super.EEKilled(killer);
001362 |
001363 |     if (s_eAI_Alive)
001364 |         s_eAI_Alive.Remove(m_eAI_Alive_Node);
001365 |
001366 |     if (g_Game.IsServer())
001367 |     {
001368 |         if (!m_Expansion_EmoteAutoCancel)
001369 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_PlayEmote);
001370 |
001371 |         eAIGroup group = GetGroup();
001372 |         if (group && group.m_Persist && group.m_BaseName)
001373 |             eAI_DeletePersistentFiles();
001374 |     }
001375 |
001376 |     if (m_eAI_LootDropOnDeath)
001377 |     {
001378 |         foreach (ExpansionPrefab lootDropOnDeath: m_eAI_LootDropOnDeath)
001379 |         {
001380 |             if (lootDropOnDeath.CanSpawn())
001381 |                 Object obj = lootDropOnDeath.Spawn(ExpansionMath.GetRandomPointInCircle(GetPosition(), 0.5), vector.Zero);
001382 |         }
001383 |     }
001384 | }
001385 |
001386 | override protected void eAI_Cleanup(bool autoDeleteGroup = false)
```

```
001387 | {
001388 | #ifdef EXTRACE_DIAG
001389 |     auto trace = EXTrace.Start(EXTrace.AI, this);
001390 | #endif
001391 |
001392 |     array<ref eAITargetInformation> targets = {};
001393 |     foreach (eAITargetInformation info, eAITarget state: m_eAI_TargetInformationStates)
001394 |     {
001395 |         if (info)
001396 |             targets.Insert(info);
001397 |     }
001398 |
001399 |     foreach (eAITargetInformation target: targets)
001400 |     {
001401 |         target.RemoveAI(this);
001402 |     }
001403 |
001404 |     if (m_eAI_TargetInformationStates.Count())
001405 |     {
001406 |         eAI_DebugTargetInformationStates();
001407 |
001408 |         m_eAI_TargetInformationStates.Clear();
001409 |     }
001410 |
001411 |     super.eAI_Cleanup(autoDeleteGroup);
001412 |
001413 |     eAIGroup group = GetGroup();
001414 |     if (group)
001415 |         group.SetIsInCombat(false);
001416 |
001417 |     if (g_Game.IsServer() && ((!IsDamageDestroyed() && autoDeleteGroup) || (IsDamageDestroyed() && !autoDeleteGroup)))
001418 |     {
001419 |         s_Expansion_AllPlayers.m_OnRemove.Remove(eAI_OnRemovePlayer);
001420 |         eAICustomCreatureTargetInformation.s_AllCustomCreatures.m_OnRemove.Remove(eAI_OnRemoveCustomCreature);
001421 |     }
001422 |
001423 |     if (m_eAI_ClientUpdateTimer && m_eAI_ClientUpdateTimer.IsRunning())
001424 |         m_eAI_ClientUpdateTimer.Stop();
001425 |
001426 |     if (g_Game.IsServer())
001427 |         eAINoiseSystem.SI_OnNoiseAdded.Remove(eAI_OnNoiseEvent);
001428 |
001429 |     if (m_eAI_CurrentCoverObject)
001430 |         s_eAI_TakenCoverObjects.RemoveItem(m_eAI_CurrentCoverObject);
001431 | }
001432 |
001433 | void eAI_DebugTargetInformationStates()
001434 | {
001435 |     int i;
001436 |
001437 |     foreach (eAITargetInformation info, eAITarget state: m_eAI_TargetInformationStates)
001438 |     {
001439 |         if (info)
001440 |             EXPrint(this, "Debug: Not removed during target cleanup " + info.GetDebugName() + " " + state);
001441 |         else
001442 |             EXPrint(this, "Debug: NULL key in target information at index " + i + " " + state);
001443 |
001444 |         ++i;
001445 |     }
001446 | }
001447 |
001448 | override bool IsAI()
```

```
001449 | {
001450 |     return true;
001451 | }
001452 |
001453 | override bool Expansion_IsAI()
001454 | {
001455 |     return true;
001456 | }
001457 |
001458 | #ifndef EAI_USE_LEGACY_PATHFINDING
001459 |     ExpansionPathHandler GetPathFinding()
001460 | #else
001461 |     eAIPathFinding GetPathFinding()
001462 | #endif
001463 | {
001464 |     return m_PathFinding;
001465 | }
001466 |
001467 | eAIFSM GetFSM()
001468 | {
001469 |     return m_FSM;
001470 | }
001471 |
001472 | ItemBase GetBandageToUse()
001473 | {
001474 |     if (m_eAI_BandageToUse)
001475 |     {
001476 |         if (m_eAI_BandageToUse.IsDamageDestroyed())
001477 |             m_eAI_BandageToUse = null;
001478 |         else
001479 |             return m_eAI_BandageToUse;
001480 |     }
001481 |
001482 |     foreach (ItemBase bandage: m_eAI_Bandages)
001483 |     {
001484 |         if (bandage && !bandage.IsDamageDestroyed())
001485 |         {
001486 |             m_eAI_BandageToUse = bandage;
001487 |             return bandage;
001488 |         }
001489 |     }
001490 |
001491 |     return null;
001492 | }
001493 |
001494 | ItemBase eAI_GetRepairKit(EntityAI entity)
001495 | {
001496 |     foreach (ItemBase repairKit: m_eAI_RepairKits)
001497 |     {
001498 |         if (repairKit && !repairKit.IsDamageDestroyed() && repairKit.Expansion_CanRepair(entity))
001499 |             return repairKit;
001500 |     }
001501 |
001502 |     eAITarget target = GetTarget();
001503 |
001504 |     if (target && target.GetDistanceSq(true) <= 4.0)
001505 |     {
001506 |         EntityAI targetEntity = target.GetEntity();
001507 |         ItemBase item;
001508 |         if (Class.CastTo(item, targetEntity) && item.Expansion_CanRepair(entity))
001509 |             return item;
001510 |     }
```

```
001511 |  
001512 |     return null;  
001513 | }  
001514 |  
001515 |     Weapon_Base eAI_GetAnyWeaponToUse(bool requireAmmo = false, bool preferExplosiveAmmo = false)  
001516 |     {  
001517 | #ifdef EAI_TRACE  
001518 |         auto trace = CF_Trace_1(EXTrace.AI, this).Add(requireAmmo);  
001519 | #endif  
001520 |  
001521 |         Weapon_Base weapon = eAI_GetWeaponToUse(requireAmmo, preferExplosiveAmmo);  
001522 |         if (!weapon)  
001523 |             weapon = eAI_GetWeaponToUse(requireAmmo, !preferExplosiveAmmo);  
001524 |  
001525 |         return weapon;  
001526 |     }  
001527 |  
001528 |     Weapon_Base eAI_GetWeaponToUse(bool requireAmmo = false, bool preferExplosiveAmmo = false)  
001529 |     {  
001530 |         if (preferExplosiveAmmo)  
001531 |             return eAI_GetWeaponToUse(m_eAI_Launchers, requireAmmo);  
001532 |  
001533 |         Weapon_Base weapon = eAI_GetWeaponToUse(m_eAI_Firearms, requireAmmo);  
001534 |         if (weapon)  
001535 |             return weapon;  
001536 |  
001537 |         return eAI_GetWeaponToUse(m_eAI_Handguns, requireAmmo);  
001538 |     }  
001539 |  
001540 |     Weapon_Base eAI_GetWeaponToUse(array<Weapon_Base> weapons, bool requireAmmo = false)  
001541 |     {  
001542 |         Magazine mag;  
001543 |  
001544 |         //! Iteration in reverse order so last weapon added is the preferred one  
001545 |         for (int i = weapons.Count() - 1; i >= 0; --i)  
001546 |         {  
001547 |             Weapon_Base weapon = weapons[i];  
001548 |  
001549 |             if (weapon && !weapon.IsDamageDestroyed())  
001550 |             {  
001551 |                 if (!requireAmmo)  
001552 |                     return weapon;  
001553 |  
001554 |                 if (eAI_HasAmmoForFirearm(weapon, mag, false))  
001555 |                     return weapon;  
001556 |             }  
001557 |         }  
001558 |  
001559 |         return null;  
001560 |     }  
001561 |  
001562 |     ItemBase GetMeleeWeaponToUse()  
001563 |     {  
001564 | #ifdef EAI_TRACE  
001565 |         auto trace = CF_Trace_0(this, "GetMeleeWeaponToUse");  
001566 | #endif  
001567 |  
001568 |         //! Iteration in reverse order so last melee weapon added is the preferred one  
001569 |         for (int i = m_eAI_MeleeWeapons.Count() - 1; i >= 0; --i)  
001570 |         {  
001571 |             ItemBase melee = m_eAI_MeleeWeapons[i];  
001572 |
```

```
001573 |         if (melee && !melee.IsDamageDestroyed())
001574 |         {
001575 |             return melee;
001576 |         }
001577 |     }
001578 |
001579 |     return null;
001580 | }
001581 |
001582 |     //! Unlike GetMagazineToReload, this can be used to check if there is a mag/ammo for a weapon that is not in hands
001583 |     Magazine eAI_GetMagazineToReload(Weapon_Base weapon, bool unlimitedReload = false)
001584 |     {
001585 | #ifdef EXTRACE
001586 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase, weapon.ToString(), "unlimitedReload " + unlimitedReload);
001587 | #endif
001588 |
001589 |     eAIWeaponManager weapon_manager = eAIWeaponManager.Cast(GetWeaponManager());
001590 |
001591 |     Magazine ammo_magazine; // magazine
001592 |     int last_ammo_magazine_count;
001593 |     int ammo_magazine_count;
001594 |
001595 |     Magazine ammo_pile; // ammo pile
001596 |     int last_ammo_pile_count;
001597 |     int ammo_pile_count;
001598 |
001599 |     // Get all magazines in (player) inventory
001600 |     foreach (Magazine magazine: m_eAI_Magazines)
001601 |     {
001602 |         if (!magnetic)
001603 |             continue;
001604 |
001605 |         ammo_pile_count = magazine.GetAmmoCount();
001606 |
001607 |         // magazines (get magazine with max ammo count)
001608 |         if (weapon_manager.CanAttachMagazine_NoHandsCheck(weapon, magazine) || weapon_manager.CanSwapMagazine_NoHandsCheck(weapon, magazine))
001609 |         {
001610 |             if (ammo_pile_count > 0 || unlimitedReload)
001611 |             {
001612 |                 if (last_ammo_magazine_count == 0)
001613 |                 {
001614 |                     ammo_magazine = magazine;
001615 |                     last_ammo_magazine_count = ammo_pile_count;
001616 |                 }
001617 |                 else
001618 |                 {
001619 |                     if (last_ammo_magazine_count < ammo_pile_count)
001620 |                     {
001621 |                         ammo_magazine = magazine;
001622 |                         last_ammo_magazine_count = ammo_pile_count;
001623 |                     }
001624 |                 }
001625 |             }
001626 |         }
001627 |         // bullets (get ammo pile with min ammo count)
001628 |         else if (weapon_manager.CanLoadBullet_NoHandsCheck_NoChamberCheck(weapon, magazine))
001629 |         {
001630 |             if (ammo_pile_count > 0 || unlimitedReload)
001631 |             {
001632 |                 if (last_ammo_pile_count == 0)
001633 |                 {
001634 |                     ammo_pile = magazine;
```

```
001635 |         last_ammo_pile_count = ammo_pile_count;
001636 |     }
001637 |     else
001638 |     {
001639 |         if (last_ammo_pile_count > ammo_pile_count)
001640 |         {
001641 |             ammo_pile = magazine;
001642 |             last_ammo_pile_count = ammo_pile_count;
001643 |         }
001644 |     }
001645 | }
001646 | }
001647 | #ifdef DIAG_DEVELOPER
001648 |     else
001649 |     {
001650 |         EXTrace.Print(EXTrace.AI, this, "eAI_GetMagazineToReload - can not attach/swap/load " + magazine.GetType());
001651 |     }
001652 | #endif
001653 | }
001654 |
001655 | // prioritize magazine
001656 | Magazine chosen = ammo_pile;
001657 |
001658 | if (ammo_magazine)
001659 | {
001660 |     if (ammo_pile)
001661 |     {
001662 |         int mi = weapon.GetCurrentMuzzle();
001663 |         Magazine currentMag = weapon.GetMagazine(mi);
001664 |
001665 |         //! Prefer larger or same size mag if we have current attached mag
001666 |         //! @note ReloadWeaponAI deals with detaching & filling up current attached mag
001667 |         //! if its capacity is larger and ammo pile is larger than mag in inventory
001668 |         if (!currentMag || currentMag.GetAmmoMax() <= ammo_magazine.GetAmmoMax() || (!unlimitedReload && last_ammo_magazine_count >= last_ammo_pile_count)
001669 |     )
001670 |         chosen = ammo_magazine;
001671 |     }
001672 |     else
001673 |     {
001674 |         chosen = ammo_magazine;
001675 |     }
001676 | }
001677 | #ifdef DIAG_DEVELOPER
001678 |     if (chosen == ammo_magazine)
001679 |         EXTrace.Print(EXTrace.AI, this, "eAI_GetMagazineToReload " + ammo_magazine + " ammo count " + last_ammo_magazine_count);
001680 |     else
001681 |         EXTrace.Print(EXTrace.AI, this, "eAI_GetMagazineToReload " + ammo_pile + " ammo count " + last_ammo_pile_count);
001682 | #endif
001683 |
001684 |     return chosen;
001685 | }
001686 |
001687 | void eAI_SetUnlimitedReload(int unlimitedReload)
001688 | {
001689 |     m_eAI_UnlimitedReload = unlimitedReload;
001690 |
001691 |     if (unlimitedReload == eAITargetType.ALL || unlimitedReload == eAITargetType.ALL_OR)
001692 |         m_eAI_IsUnlimitedReloadAll = true;
001693 |     else
001694 |         m_eAI_IsUnlimitedReloadAll = false;
001695 | }
```

```
001696 |
001697 |     bool eAI_IsTargetUnlimitedReload()
001698 |     {
001699 |         if (s_eAI_UnlimitedReloadAll)
001700 |             return true;
001701 |
001702 |         if (m_eAI_IsUnlimitedReloadAll)
001703 |             return true;
001704 |
001705 |         if (!m_eAI_LastEngagedTargetType)
001706 |             return false;
001707 |
001708 |         int unlimitedReload = s_eAI_UnlimitedReload | m_eAI_UnlimitedReload;
001709 |
001710 |         switch (m_eAI_LastEngagedTargetType)
001711 |         {
001712 |             case eAICreatureTargetInformation:
001713 |             case eAICustomCreatureTargetInformation:
001714 |                 if (unlimitedReload & eAITargetType.ANIMAL)
001715 |                     return true;
001716 |                 break;
001717 |
001718 |             case eAIZombieTargetInformation:
001719 |             case eAICustomInfectedTargetInformation:
001720 |                 if (unlimitedReload & eAITargetType.INFECTED)
001721 |                     return true;
001722 |                 break;
001723 |
001724 |             case eAIPlayerTargetInformation:
001725 |                 if (unlimitedReload & eAITargetType.PLAYER)
001726 |                     return true;
001727 |                 break;
001728 |
001729 |             case eAIVehicleTargetInformation:
001730 |                 if (unlimitedReload & eAITargetType.VEHICLE)
001731 |                     return true;
001732 |                 break;
001733 |         }
001734 |
001735 |         return false;
001736 |     }
001737 |
001738 |     void eAI_SetAccuracy(float accuracyMin, float accuracyMax)
001739 |     {
001740 | #ifdef EXTRACE
001741 |         auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001742 |         EXTrace.Add(trace, accuracyMin);
001743 |         EXTrace.Add(trace, accuracyMax);
001744 | #endif
001745 |
001746 |         if (accuracyMin <= 0)
001747 |             accuracyMin = GetExpansionSettings().GetAI().AccuracyMin;
001748 |
001749 |         m_eAI_AccuracyMin = accuracyMin;
001750 |
001751 |         if (accuracyMax <= 0)
001752 |             accuracyMax = GetExpansionSettings().GetAI().AccuracyMax;
001753 |
001754 |         m_eAI_AccuracyMax = accuracyMax;
001755 |
001756 | #ifdef EXTRACE
001757 |         EXTrace.Add(trace, m_eAI_AccuracyMin);
```



```
001758 |     EXTrace.Add(trace, m_eAI_AccuracyMax);
001759 | #endif
001760 |
001761 |     SetSynchDirty();
001762 | }
001763 |
001764 |     void eAI_SetThreatDistanceLimit(float distance)
001765 |     {
001766 | #ifdef EXTRACE
001767 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001768 |     EXTrace.Add(trace, distance);
001769 | #endif
001770 |
001771 |     if (distance <= 0)
001772 |     {
001773 |         auto settings = GetExpansionSettings().GetAI();
001774 |         distance = settings.ThreatDistanceLimit;
001775 |
001776 |         if (distance <= 0)
001777 |         {
001778 |             EXError.Error(this, "Invalid ThreatDistanceLimit value " + settings.ThreatDistanceLimit);
001779 |             distance = 1000;
001780 |         }
001781 |     }
001782 |
001783 |     m_eAI_ThreatDistanceLimit = distance;
001784 |
001785 | #ifdef EXTRACE
001786 |     EXTrace.Add(trace, distance);
001787 | #endif
001788 | }
001789 |
001790 |     void eAI_SetNoiseInvestigationDistanceLimit(float distance)
001791 |     {
001792 | #ifdef EXTRACE
001793 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001794 |     EXTrace.Add(trace, distance);
001795 | #endif
001796 |
001797 |     if (distance <= 0)
001798 |         distance = GetExpansionSettings().GetAI().NoiseInvestigationDistanceLimit;
001799 |
001800 |     m_eAI_NoiseInvestigationDistanceLimit = distance;
001801 |
001802 | #ifdef EXTRACE
001803 |     EXTrace.Add(trace, distance);
001804 | #endif
001805 | }
001806 |
001807 |     void eAI_SetMaxFlankingDistance(float distance)
001808 |     {
001809 | #ifdef EXTRACE
001810 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001811 |     EXTrace.Add(trace, distance);
001812 | #endif
001813 |
001814 |     if (distance <= 0)
001815 |         distance = GetExpansionSettings().GetAI().MaxFlankingDistance;
001816 |
001817 |     if (distance > 0)
001818 |         m_eAI_MaxFlankingDistance = distance;
001819 | }
```

```
001820 | #ifdef EXTRACE
001821 |     EXTrace.Add(trace, m_eAI_MaxFlankingDistance);
001822 | #endif
001823 | }
001824 |
001825 | void eAI_SetEnableFlankingOutsideCombat(int option)
001826 | {
001827 | #ifdef EXTRACE
001828 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001829 |     EXTrace.Add(trace, option);
001830 | #endif
001831 |
001832 |     if (option <= 0)
001833 |         option = GetExpansionSettings().GetAI().EnableFlankingOutsideCombat;
001834 |
001835 |     if (option > 0)
001836 |         m_eAI_EnableFlankingOutsideCombat = true;
001837 |
001838 | #ifdef EXTRACE
001839 |     EXTrace.Add(trace, m_eAI_EnableFlankingOutsideCombat);
001840 | #endif
001841 | }
001842 |
001843 | void eAI_SetDamageMultiplier(float multiplier)
001844 | {
001845 | #ifdef EXTRACE
001846 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001847 |     EXTrace.Add(trace, multiplier);
001848 | #endif
001849 |
001850 |     if (multiplier <= 0)
001851 |         multiplier = GetExpansionSettings().GetAI().DamageMultiplier;
001852 |
001853 |     m_eAI_DamageMultiplier = multiplier;
001854 |
001855 | #ifdef EXTRACE
001856 |     EXTrace.Add(trace, multiplier);
001857 | #endif
001858 | }
001859 |
001860 | void eAI_SetDamageReceivedMultiplier(float multiplier)
001861 | {
001862 | #ifdef EXTRACE
001863 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
001864 |     EXTrace.Add(trace, multiplier);
001865 | #endif
001866 |
001867 |     if (multiplier <= 0)
001868 |         multiplier = GetExpansionSettings().GetAI().DamageReceivedMultiplier;
001869 |
001870 |     m_eAI_DamageReceivedMultiplier = multiplier;
001871 |
001872 | #ifdef EXTRACE
001873 |     EXTrace.Add(trace, multiplier);
001874 | #endif
001875 | }
001876 |
001877 | void eAI_SetLootingBehavior(int bitmask)
001878 | {
001879 |     m_eAI_LootingBehavior = bitmask;
001880 |
001881 |     array<EntityAI> toRemove = {};
```

```
001882 |  
001883 |         foreach (EntityAI entity, bool state: m_eAI_ThreatOverride)  
001884 |         {  
001885 |             if (entity && entity.IsItemBase())  
001886 |                 toRemove.Insert(entity);  
001887 |         }  
001888 |  
001889 |         foreach (EntityAI item: toRemove)  
001890 |         {  
001891 |             m_eAI_ThreatOverride.Remove(item);  
001892 |         }  
001893 |     }  
001894 |  
001895 |     override void SetFallyYDiff(float value)  
001896 |     {  
001897 |         super.SetFallyYDiff(value);  
001898 |  
001899 |         m_eAI_FallHasLanded = false;  
001900 |         m_eAI_FallyVelZeroTime = 0;  
001901 |     }  
001902 |  
001903 |     ///! 1.29 CTD fix for Man::GetEntityInHands used by vanilla  
001904 |     override ItemBase GetItemInHands()  
001905 |     {  
001906 |         HumanInventory humanInventory = GetHumanInventory();  
001907 |         if (humanInventory)  
001908 |             return ItemBase.Cast(humanInventory.GetEntityInHands());  
001909 |  
001910 |         return null;  
001911 |     }  
001912 |  
001913 |     eAIAimingProfile GetAimingProfile()  
001914 |     {  
001915 |         return m_AimingProfile;  
001916 |     }  
001917 |  
001918 |     array<ref eAITarget> GetTargets()  
001919 |     {  
001920 |         return m_eAI_Targets;  
001921 |     }  
001922 |  
001923 |     int TargetCount()  
001924 |     {  
001925 |         return m_eAI_Targets.Count();  
001926 |     }  
001927 |  
001928 |     eAITarget GetTarget(int index = 0)  
001929 |     {  
001930 |         return m_eAI_Targets[index];  
001931 |     }  
001932 |  
001933 |     eAITargetInformation eAI_GetTargetInformation(int index = 0)  
001934 |     {  
001935 |         eAITarget target = m_eAI_Targets[index];  
001936 |         if (target)  
001937 |             return target.m_Info;  
001938 |  
001939 |         return null;  
001940 |     }  
001941 |  
001942 |     void eAI_AddTarget(eAITarget target)  
001943 |     {
```

```
001944 |         m_eAI_Targets.Insert(target);
001945 |         if (m_eAI_Targets.Count() == 1)
001946 |             m_eAI_SyncCurrentTarget = true;
001947 | #ifdef DIAG_DEVELOPER
001948 |     m_eAI_PrintCurrentTarget = true;
001949 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddTarget " + target.GetDebugName() + " - found at time " + target.m_FoundAtTime + " - max time " + target.m_MaxTime
+ " - target count " + m_eAI_Targets.Count());
001950 | #endif
001951 |     }
001952 |
001953 |     void eAI_RemoveTarget(eAITarget target)
001954 |     {
001955 |         int removeIndex = m_eAI_Targets.Find(target);
001956 |         if (removeIndex >= 0)
001957 |         {
001958 |             m_eAI_Targets.RemoveOrdered(removeIndex);
001959 |             if (removeIndex == 0)
001960 |                 m_eAI_SyncCurrentTarget = true;
001961 |             if (removeIndex < m_eAI_NoiseTarget)
001962 |                 m_eAI_NoiseTarget--;
001963 |         }
001964 |         eAI_RemoveTargetInfoState(target.m_Info);
001965 |         if (target.IsNoise())
001966 |         {
001967 |             if (m_eAI_CurrentThreatToSelfActive < 0.4 && !Math.RandomInt(0, 3))
001968 |                 Expansion_SetEmote(EmoteConstants.ID_EMOTE_SHRUG, true);
001969 |             m_eAI_NoiseTargetInfo.SetNoiseParams(null, vector.Zero, 0.0, 0.0, 0.0);
001970 |         }
001971 | #ifdef DIAG_DEVELOPER
001972 |     m_eAI_PrintCurrentTarget = true;
001973 |     EXTrace.Print(EXTrace.AI, this, "eAI_RemoveTarget " + target.GetDebugName() + " - time remaining " + (target.m_FoundAtTime + target.m_MaxTime - g_Game.Get
Time()) + " - target count " + m_eAI_Targets.Count());
001974 | #endif
001975 |     }
001976 |
001977 |     void eAI_RemoveTargetInfoState(eAITargetInformation info)
001978 |     {
001979 | #ifdef DIAG_DEVELOPER
001980 |         EXTrace.Print(EXTrace.AI, this, "eAI_RemoveTargetInfoState " + info.GetDebugName());
001981 | #endif
001982 |         m_eAI_TargetInformationStates.Remove(info);
001983 |         ItemBase item;
001984 |         if (Class.CastTo(item, info.GetEntity()))
001985 |         {
001986 |             eAI_ThreatOverride(item, false);
001987 |         }
001988 |     }
001989 |
001990 |     void eAI_UpdateAcuteDangerTargetCount(eAITarget target, int delta)
001991 |     {
001992 |         switch (target.m_Info.Type())
001993 |         {
001994 |             case eAICreatureTargetInformation:
001995 |             case eAIZombieTargetInformation:
001996 |             case eAICustomCreatureTargetInformation:
001997 |             case eAICustomInfectedTargetInformation:
001998 |                 m_eAI_AcuteDangerTargetCount += delta;
001999 |                 break;
002000 |
002001 |             case eAIPlayerTargetInformation:
002002 |                 m_eAI_AcuteDangerPlayerTargetCount += delta;
002003 |                 break;
```

```
002004 |     }
002005 | }
002006 |
002007 | bool eAI_IsLowVitals()
002008 | {
002009 |     if (GetHealth01("", "") <= 0.5 || GetHealth01("", "Blood") < 0.7)
002010 |         return true;
002011 |
002012 |     return false;
002013 | }
002014 |
002015 | float GetThreatToSelf(bool ignoreLOS = false)
002016 | {
002017 |     if (ignoreLOS)
002018 |         return m_eAI_CurrentThreatToSelf;
002019 |
002020 |     return m_eAI_CurrentThreatToSelfActive;
002021 | }
002022 |
002023 | EntityAI eAI_GetTargetEntity()
002024 | {
002025 |     eAITarget target = GetTarget();
002026 |     if (target)
002027 |         return target.GetEntity();
002028 |
002029 |     return null;
002030 | }
002031 |
002032 | /**
002033 |  * @brief check whether entity is current target
002034 |  *
002035 |  * @param entity
002036 |  * @param threatLevelMin
002037 |  *
002038 |  * @return true if current target and threat level above threatLevelMin
002039 |  */
002040 | bool eAI_IsCurrentTarget(EntityAI entity, float threatLevelMin = 0.0)
002041 | {
002042 |     eAITarget target = GetTarget();
002043 |     if (target && target.GetEntity() == entity && target.m_ThreatLevel > threatLevelMin)
002044 |         return true;
002045 |
002046 |     return false;
002047 | }
002048 |
002049 | ///! @note all targets except item targets (no state)
002050 | float eAI_GetCachedThreat(eAITargetInformation info, bool ignoreLOS = false)
002051 | {
002052 |     eAITarget state;
002053 |     if (m_eAI_TargetInformationStates.Find(info, state))
002054 |     {
002055 |         if (ignoreLOS)
002056 |             return state.m_ThreatLevel;
002057 |
002058 |         return state.m_ThreatLevelActive;
002059 |     }
002060 |
002061 |     return 0.0;
002062 | }
002063 |
002064 | void DetermineThreatToSelf(float pDt)
002065 | {
```

```
002066 |         m_eAI_PreviousThreatToSelf = m_eAI_CurrentThreatToSelf;
002067 |         m_eAI_PreviousThreatToSelfActive = m_eAI_CurrentThreatToSelfActive;
002068 |
002069 |         if (m_eAI_Targets.Count() > 0)
002070 |         {
002071 |             auto target = GetTarget();
002072 |
002073 |             eAITargetInformationState state = target;
002074 |             m_eAI_CurrentThreatToSelf = target.GetThreat();
002075 |
002076 |             if (!state)
002077 |             {
002078 |                 m_eAI_CurrentThreatToSelfActive = m_eAI_CurrentThreatToSelf;
002079 |             }
002080 |             else
002081 |             {
002082 |                 m_eAI_CurrentThreatToSelfActive = state.m_ThreatLevelActive;
002083 |             }
002084 |         }
002085 |         else
002086 |         {
002087 |             m_eAI_CurrentThreatToSelf = 0.0;
002088 |             m_eAI_CurrentThreatToSelfActive = 0.0;
002089 |         }
002090 |
002091 |         if (m_eAI_PreviousThreatToSelf != m_eAI_CurrentThreatToSelf)
002092 |             m_eAI_Callbacks.OnThreatLevelChanged(m_eAI_PreviousThreatToSelf, m_eAI_CurrentThreatToSelf);
002093 |
002094 |         if (m_eAI_PreviousThreatToSelfActive != m_eAI_CurrentThreatToSelfActive)
002095 |             m_eAI_Callbacks.OnActiveThreatLevelChanged(m_eAI_PreviousThreatToSelfActive, m_eAI_CurrentThreatToSelfActive);
002096 |     }
002097 |
002098 |     /*!
002099 |     * @brief Get state for given target info.
002100 |     * New state will be created if none exists.
002101 |     *
002102 |     * @param[out] created Will be set to true if new state was created.
002103 |     *
002104 |     * @return eAITarget
002105 |     */
002106 |     eAITarget eAI_GetTargetInformationState(eAITargetInformation info, bool initialUpdate = true, out bool created = false)
002107 |     {
002108 |         eAITarget state;
002109 |         if (!m_eAI_TargetInformationStates.Find(info, state))
002110 |         {
002111 | #ifdef DIAG_DEVELOPER
002112 |             EXTrace.Print(EXTrace.AI, this, "Adding new target info state for " + info.GetDebugName());
002113 | #endif
002114 |             return info.GetTargetForAIEx(this, initialUpdate, created);
002115 |         }
002116 |
002117 |         return state;
002118 |     }
002119 |
002120 |     bool eAI_SkipMelee(string msg, eAITarget state, bool skip = false)
002121 |     {
002122 |         if ((skip && !state.m_SkipMelee) || (!skip && state.m_SkipMelee))
002123 |         {
002124 | #ifdef DIAG_DEVELOPER
002125 |             msg = string.Format("[MELEE] %1 (pos=%2) %3 (tgt=%4)", this, ExpansionStatic.VectorToString(GetPosition()), msg, state.GetEntity());
002126 |             EXPrint(msg);
002127 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 100, msg);
```

```

002128 |         #endif
002129 |
002130 |             state.m_SkipMelee = skip;
002131 |
002132 |             return true;
002133 |         }
002134 |
002135 |         return false;
002136 |     }
002137 |
002138 | void eAI_SetDespawnOnLoosingAggro(bool state)
002139 | {
002140 |     m_eAI_DespawnOnLoosingAggro = state;
002141 | }
002142 |
002143 | void eAI_Despawn()
002144 | {
002145 |     Delete();
002146 | }
002147 |
002148 | TStringArray eAI_DumpState(PlayerIdentity identity, bool includeGroup = true, string indent = string.Empty)
002149 | {
002150 |     bool isAdmin;
002151 |     if (GetExpansionSettings().GetAI().IsAdmin(identity))
002152 |         isAdmin = true;
002153 |
002154 |     TStringArray report = {};
002155 |
002156 |     report.Insert(indent + string.Format("%1", ExpansionStatic.GetDebugInfo(this)));
002157 |
002158 |     if (indent)
002159 |     {
002160 |         indent.Replace("\\", ".");
002161 |         indent.Replace("-", " ");
002162 |     }
002163 |
002164 |     report.Insert(indent + string.Format("|- Name %1", GetCachedName()));
002165 |
002166 |     report.Insert(indent + string.Format("|- Position %1", ExpansionStatic.VectorToString(GetPosition(), ExpansionVectorToString.Plain)));
002167 |
002168 |     float visibility = Math.Round(m_Expansion_Visibility * 1100);
002169 |     report.Insert(indent + string.Format("|- Visibility %1 m", visibility));
002170 |     report.Insert(indent + string.Format("|- Visibility distance threshold %1 m", m_Expansion_VisibilityDistThreshold));
002171 |     report.Insert(indent + string.Format("|- Visibility distance limit %1 m", eAI_GetVisibilityDistanceLimit(this)));
002172 |     report.Insert(indent + string.Format("|- Visibility limits", visibility));
002173 |     report.Insert(indent + string.Format("|   |- Daylight %1 (threshold %2)", m_Expansion_DaylightVisibility, m_eAI_DayNightThreshold));
002174 |     report.Insert(indent + string.Format("|   |- Night %1", m_eAI_NightVisibility));
002175 |     report.Insert(indent + string.Format("|   |- Overcast %1", m_eAI_OvercastVisibility));
002176 |     report.Insert(indent + string.Format("|   |- Rain %1", m_eAI_RainVisibility));
002177 |     report.Insert(indent + string.Format("|   |- Snow %1", m_eAI_SnowVisibility));
002178 |     report.Insert(indent + string.Format("|   |- Fog %1", m_eAI_FogVisibility));
002179 |     report.Insert(indent + string.Format("|   |- Volumetric fog %1", m_eAI_DynVolFogVisibility));
002180 |     report.Insert(indent + string.Format("|   |- Contaminated area %1", m_eAI_ContaminatedAreaVisibility));
002181 |     report.Insert(indent + string.Format("|   |- Minimum %1", m_eAI_MinVisibility));
002182 |     report.Insert(indent + string.Format("|   |- Maximum %1", m_eAI_VisibilityLimit));
002183 |     report.Insert(indent + string.Format("|   \\- Base %1", m_eAI_BaseVisibility));
002184 |     report.Insert(indent + string.Format("|- Active visibility enhancers %1", m_Expansion_ActiveVisibilityEnhancers.Count()));
002185 |     foreach (ItemBase visEnh: m_Expansion_ActiveVisibilityEnhancers)
002186 |     {
002187 |         report.Insert(indent + string.Format("|   |- %1 (on %2) %3", ExpansionStatic.GetDebugInfo(visEnh), ExpansionStatic.GetDebugInfo(visEnh.GetHierarchyParent()), visEnh.eAI_GetNightVisibility()));
002188 |     }

```

```

002189 |         if (m_Expansion_ActiveVisibilityEnhancers.Count() > 0)
002190 |             eAI_FixupLastReportEntry(report);
002191 |
002192 |         report.Insert(indent + string.Format("|- Players within visibility distance limit %1", m_eAI_PlayersWithinVisibilityDistanceLimit.Count()));
002193 |
002194 |         report.Insert(indent + string.Format("|- Stance %1", typename.EnumToString(eAIStance, eAI_GetStance())));
002195 |
002196 |         ItemBase itemInHands = GetItemInHands();
002197 |
002198 |         if (IsRaised())
002199 |         {
002200 |             if (itemInHands && (itemInHands.IsWeapon() || itemInHands.Expansion_IsMeleeWeapon()))
002201 |                 report.Insert(indent + "| \\- Weapon raised");
002202 |             else
002203 |                 report.Insert(indent + "| \\- Hands raised");
002204 |         }
002205 |
002206 |         report.Insert(indent + string.Format("|- Speed limit normal/combat %1/%2", typename.EnumToString(eAIMovementSpeed, m_MovementSpeedLimit), typename.EnumToS-
tring(eAIMovementSpeed, m_MovementSpeedLimitUnderThreat)));
002207 |         report.Insert(indent + string.Format("|- Current velocity %1 m/s", ExpansionStatic.FloatToString(Expansion_GetActualVelocity().Length())));
002208 |
002209 |         if (includeGroup)
002210 |             report.InsertAll(GetGroup().DumpState(identity, false, indent + "|- "));
002211 |
002212 |         bool isGroupLeader;
002213 |         if (GetGroup().GetLeader() == this)
002214 |             isGroupLeader = true;
002215 |         report.Insert(indent + string.Format("|- Is group leader %1", isGroupLeader.ToString()));
002216 |
002217 |         bool isFormLeader;
002218 |         if (GetGroup().GetFormationLeader() == this)
002219 |             isFormLeader = true;
002220 |         report.Insert(indent + string.Format("|- Is formation leader %1", isFormLeader.ToString()));
002221 |
002222 |         report.Insert(indent + string.Format("|- Accuracy min %1%% max %2%%", ExpansionStatic.FloatToString(m_eAI_AccuracyMin * 100), ExpansionStatic.FloatToStrin-
g(m_eAI_AccuracyMax * 100)));
002223 |         report.Insert(indent + string.Format("|- Damage in %1%% out %2%%", m_eAI_DamageReceivedMultiplier * 100, m_eAI_DamageMultiplier * 100));
002224 |         report.Insert(indent + string.Format("|- Headshot resistance %1%", m_eAI_HeadshotResistance * 100));
002225 |         report.Insert(indent + string.Format("|- Threat distance limit %1 m", ExpansionStatic.FloatToString(m_eAI_ThreatDistanceLimit)));
002226 |         report.Insert(indent + string.Format("|- Noise investigation distance limit %1 m", ExpansionStatic.FloatToString(m_eAI_NoiseInvestigationDistanceLimit)));
002227 |         report.Insert(indent + string.Format("|- Sniper prone distance threshold %1 m", ExpansionStatic.FloatToString(m_eAI_SniperProneDistanceThreshold)));
002228 |
002229 |         report.Insert(indent + "|- FOV");
002230 |         report.Insert(indent + string.Format("|   |- Near to far FOV transition exponent %1", ExpansionStatic.FormatFloat(m_eAI_FOVTransitionExponent, 4, false, fa-
lse)));
002231 |         report.Insert(indent + string.Format("|   \\- Distance (m)   FOV (°)"));
002232 |
002233 |         if (m_eAI_FOVFar_DistThreshold != m_eAI_FOVNear_DistThreshold && m_eAI_FOVFar_HalfAngleH != m_eAI_FOVNear_HalfAngleH)
002234 |         {
002235 |             float fovDistRange = m_eAI_FOVFar_DistThreshold - m_eAI_FOVNear_DistThreshold;
002236 |             int fovIndexMax = 8;
002237 |             float fovDistInc = fovDistRange / fovIndexMax;
002238 |             for (int fovIndex = 0; fovIndex <= fovIndexMax; ++fovIndex)
002239 |             {
002240 |                 float fovDist = m_eAI_FOVNear_DistThreshold + fovDistInc * fovIndex;
002241 |                 float fovHalfAngleH = eAI_CalculateFOVHalfAngleH(fovDist);
002242 |                 report.Insert(indent + string.Format("|           |- %1           %2",
002243 |                     ExpansionString.JustifyLeft(ExpansionStatic.FormatFloat(fovDist, 3, false, false), 8, " "),
002244 |                     ExpansionStatic.FormatFloat(fovHalfAngleH * 2, 2, false, false)));
002245 |             }
002246 |         }
002247 |         eAI_FixupLastReportEntry(report);

```



```
002248 |
002249 |     report.Insert(indent + "|- Looting behavior");
002250 |     TStringArray lootingBehaviors = {};
002251 |     ExpansionStatic.BitmaskEnumToString(eAILootingBehavior, m_eAI_LootingBehavior).Split("|", lootingBehaviors);
002252 |     foreach (string behavior: lootingBehaviors)
002253 |     {
002254 |         report.Insert(indent + string.Format("|  |- %1", behavior));
002255 |     }
002256 |     eAI_FixupLastReportEntry(report);
002257 |
002258 |     report.Insert(indent + "|- Unlimited reload");
002259 |     TStringArray unlimitedReload = {};
002260 |     ExpansionStatic.BitmaskEnumToString(eAITargetType, m_eAI_UnlimitedReload).Split("|", unlimitedReload);
002261 |     foreach (string targetType: unlimitedReload)
002262 |     {
002263 |         report.Insert(indent + string.Format("|  |- %1", targetType));
002264 |     }
002265 |     eAI_FixupLastReportEntry(report);
002266 |
002267 |     auto fsmState = GetFSM().GetState();
002268 |     if (fsmState)
002269 |     {
002270 |         auto subFSM = fsmState.GetSubFSM();
002271 |         ExpansionState subFSMState;
002272 |         if (subFSM)
002273 |             subFSMState = subFSM.GetState();
002274 |         if (subFSMState)
002275 |             report.Insert(indent + string.Format("|- FSM state %1->%2", fsmState.GetName(), subFSMState.GetName()));
002276 |         else
002277 |             report.Insert(indent + string.Format("|- FSM state %1", fsmState.GetName()));
002278 |     }
002279 |
002280 |     int pointIdx = m_PathFinding.m_PointIdx;
002281 |     if (m_PathFinding.m_Count >= 2)
002282 |         pointIdx += 2;
002283 |
002284 |     report.Insert(indent + string.Format("|- Path progression %1/%2", pointIdx, m_PathFinding.m_Count));
002285 |
002286 |     auto hcm = GetCommand_Move();
002287 |     if (hcm)
002288 |     {
002289 |         report.Insert(indent + string.Format("|  |- Current point %1",
002290 |             ExpansionStatic.VectorToString(m_eAI_CommandMove.GetWaypoint(),
002291 |             ExpansionVectorToString.Plain)));
002292 |         report.Insert(indent + string.Format("|  |  \\- 2D distance to AI %1 m", m_eAI_CommandMove.GetWaypointDistance2D()));
002293 |     }
002294 |
002295 |     report.Insert(indent + string.Format("|  |- Endpoint %1",
002296 |         ExpansionStatic.VectorToString(m_PathFinding.GetEnd(),
002297 |         ExpansionVectorToString.Plain)));
002298 |     report.Insert(indent + string.Format("|  |  \\- 2D distance to AI %1 m",
002299 |         ExpansionMath.Distance2D(GetPosition(), m_PathFinding.GetEnd())));
002300 |     report.Insert(indent + string.Format("|  |- Target position %1 (%2)",
002301 |         ExpansionStatic.VectorToString(m_PathFinding.GetTarget(),
002302 |         ExpansionVectorToString.Plain),
002303 |         ExpansionStatic.VectorToString(m_PathFinding.m_TargetPosition,
002304 |         ExpansionVectorToString.Plain)));
002305 |     report.Insert(indent + string.Format("|  |  |- 2D distance to AI %1 m",
002306 |         ExpansionMath.Distance2D(GetPosition(), m_PathFinding.GetTarget())));
002307 |
002308 |     bool reachable;
002309 |     if (!m_PathFinding.m_IsUnreachable)
```

```

002310 |         reachable = true;
002311 |
002312 |     bool targetReachable;
002313 |     if (!m_PathFinding.m_IsTargetUnreachable)
002314 |         targetReachable = true;
002315 |
002316 |     report.Insert(indent + string.Format("| | |- Is reachable %1 (%2)", reachable.ToString(), targetReachable.ToString()));
002317 |     report.Insert(indent + string.Format("| | \\- Is final %1", m_eAI_TargetPositionIsFinal.ToString()));
002318 |
002319 |     report.Insert(indent + string.Format("| \\- Is AI position final %1", m_eAI_PositionIsFinal.ToString()));
002320 |
002321 |     report.Insert(indent + string.Format("|- Allow jump/climb %1", m_PathFinding.m_AllowJumpClimb.ToString()));
002322 |     report.Insert(indent + string.Format("|- Path segment blocked %1", m_PathFinding.m_IsBlocked.ToString()));
002323 |     report.Insert(indent + string.Format("|- Path segment blocked physically %1", m_PathFinding.m_IsBlockedPhysically.ToString()));
002324 |     report.Insert(indent + string.Format("|- Path segment jump/climb %1", m_PathFinding.m_IsJumpClimb.ToString()));
002325 |     report.Insert(indent + string.Format("|- Movement blocked %1", m_eAI_CommandMove.IsBlocked().ToString()));
002326 |
002327 |     SHumanCommandClimbResult climbResult = m_eAI_LastSuccessfulClimbTestResult;
002328 |     if (climbResult)
002329 |     {
002330 |         report.Insert(indent + "|- Last successful climb test result");
002331 |         report.Insert(indent + string.Format("| | |- Is climb %1", climbResult.m_bIsClimb.ToString()));
002332 |         report.Insert(indent + string.Format("| | |- Is climb over %1", climbResult.m_bIsClimbOver.ToString()));
002333 |         report.Insert(indent + string.Format("| | |- Finish with fall %1", climbResult.m_bFinishWithFall.ToString()));
002334 |         report.Insert(indent + string.Format("| | |- Has parent %1", climbResult.m_bHasParent.ToString()));
002335 |         report.Insert(indent + string.Format("| | |- Climb height %1", climbResult.m_fClimbHeight));
002336 |         report.Insert(indent + string.Format("| | |- Climb grab point %1",
002337 |             ExpansionStatic.VectorToString(climbResult.m_ClimbGrabPoint,
002338 |             ExpansionVectorToString.Plain)));
002339 |         report.Insert(indent + string.Format("| | |- Climb grab point normal %1",
002340 |             ExpansionStatic.VectorToString(climbResult.m_ClimbGrabPointNormal,
002341 |             ExpansionVectorToString.Plain)));
002342 |         report.Insert(indent + string.Format("| | |- Climb stand point %1",
002343 |             ExpansionStatic.VectorToString(climbResult.m_ClimbStandPoint,
002344 |             ExpansionVectorToString.Plain)));
002345 |         report.Insert(indent + string.Format("| | |- Climb over stand point %1",
002346 |             ExpansionStatic.VectorToString(climbResult.m_ClimbOverStandPoint,
002347 |             ExpansionVectorToString.Plain)));
002348 |         report.Insert(indent + string.Format("| | |- Grab point parent %1", Debug.GetDebugName(climbResult.m_GrabPointParent)));
002349 |         report.Insert(indent + string.Format("| | |- Climb stand point parent %1", Debug.GetDebugName(climbResult.m_ClimbStandPointParent)));
002350 |         report.Insert(indent + string.Format("| \\- Climb over stand point parent %1", Debug.GetDebugName(climbResult.m_ClimbOverStandPointParent)));
002351 |     }
002352 |
002353 |     if (m_eAI_CurrentCoverObject)
002354 |     {
002355 |         report.Insert(indent + string.Format("|- Current cover object %1", ExpansionStatic.GetDebugInfo(m_eAI_CurrentCoverObject)));
002356 |         report.Insert(indent + string.Format("| | |- Position %1",
002357 |             ExpansionStatic.VectorToString(m_eAI_CurrentCoverObject.GetPosition(),
002358 |             ExpansionVectorToString.Plain)));
002359 |         report.Insert(indent + string.Format("| \\- 2D distance to AI %1 m",
002360 |             ExpansionMath.Distance2D(GetPosition(), m_eAI_CurrentCoverObject.GetPosition())));
002361 |     }
002362 |
002363 |     if (m_eAI_CurrentCoverPosition != vector.Zero)
002364 |     {
002365 |         report.Insert(indent + string.Format("|- Current cover position %1",
002366 |             ExpansionStatic.VectorToString(m_eAI_CurrentCoverPosition,
002367 |             ExpansionVectorToString.Plain)));
002368 |         report.Insert(indent + string.Format("| | |- 2D distance to AI %1 m", ExpansionMath.Distance2D(GetPosition(), m_eAI_CurrentCoverPosition)));
002369 |         report.Insert(indent + string.Format("| \\- Is AI in cover %1", m_eAI_IsInCover.ToString()));
002370 |     }
002371 |

```

```

002372 |
002373 |     vector lookAnglesTarget = m_eAI_LookDirectionTarget_ModelSpace.VectorToAngles();
002374 |     string look = string.Format("%1° %2°", ExpansionMath.RelAngle(lookAnglesTarget[0]), ExpansionMath.RelAngle(lookAnglesTarget[1]));
002375 |     if (m_eAI_LookDirection_Recalculate)
002376 |         look += " (tracking)";
002377 |     else
002378 |         look += " (static)";
002379 |
002380 |     report.Insert(indent + string.Format("|- Target look H V %1", look));
002381 |
002382 |     vector lookAngles = GetLookDirection().VectorToAngles();
002383 |     report.Insert(indent + string.Format("|- Current look H V %1° %2°", ExpansionMath.RelAngle(lookAngles[0]), ExpansionMath.RelAngle(lookAngles[1])));
002384 |
002385 |     vector aimAnglesTarget = m_eAI_AimDirectionTarget_ModelSpace.VectorToAngles();
002386 |     string aim = string.Format("%1° %2°", ExpansionMath.RelAngle(aimAnglesTarget[0]), ExpansionMath.RelAngle(aimAnglesTarget[1]));
002387 |     if (m_eAI_AimDirection_Recalculate)
002388 |         aim += " (tracking)";
002389 |     else
002390 |         aim += " (static)";
002391 |
002392 |     report.Insert(indent + string.Format("|- Target aim H V %1", aim));
002393 |
002394 |     vector aimAngles = GetAimDirection().VectorToAngles();
002395 |     report.Insert(indent + string.Format("|- Current aim H V %1° %2°", ExpansionMath.RelAngle(aimAngles[0]), ExpansionMath.RelAngle(aimAngles[1])));
002396 |
002397 |     report.Insert(indent + string.Format("|- Current absolute threat to AI %1", GetThreatToSelf(true)));
002398 |     report.Insert(indent + string.Format("|- Current active threat to AI %1", GetThreatToSelf()));
002399 |
002400 |     report.Insert(indent + string.Format("|- Current acute creature threats to AI %1", m_eAI_AcuteDangerTargetCount));
002401 |     report.Insert(indent + string.Format("|- Current acute player threats to AI %1", m_eAI_AcuteDangerPlayerTargetCount));
002402 |     report.Insert(indent + string.Format("|- Silent attack viability time %1 s", m_eAI_SilentAttackViabilityTime));
002403 |
002404 |     report.Insert(indent + string.Format("|- Tracked/stateful targets %1/%2", m_eAI_Targets.Count(), m_eAI_TargetInformationStates.Count()));
002405 |
002406 |     array<ref eAITarget> targets = {};
002407 |     ExpansionArray<eAITarget>.RefCopy(m_eAI_Targets, targets);
002408 |
002409 |     foreach (eAITargetInformation info, eAITarget state: m_eAI_TargetInformationStates)
002410 |     {
002411 |         bool tracked = state.m_IsTracked;
002412 |
002413 |         if (!tracked)
002414 |             targets.Insert(state);
002415 |     }
002416 |
002417 |     foreach (int i, eAITarget target: targets)
002418 |     {
002419 |         if (!target)
002420 |             continue;
002421 |
002422 |         DayZPlayerImplement player = null;
002423 |         ItemBase item = null;
002424 |
002425 |         string targetInfo = target.m_Info.ClassName().Substring(3, target.m_Info.ClassName().Length() - 20);
002426 |         if (target.GetEntity())
002427 |         {
002428 |             if (Class.CastTo(player, target.GetEntity()) && player.GetIdentity())
002429 |                 targetInfo += " " + player.GetIdentity().GetName();
002430 |             else
002431 |                 targetInfo += " " + ExpansionStatic.GetDebugInfo(target.GetEntity());
002432 |
002433 |             if (!target.m_IsTracked)

```

```

002434 |         targetInfo += " (untracked)";
002435 |
002436 |         Class.CastTo(item, target.GetEntity());
002437 |     }
002438 |
002439 |     report.Insert(indent + string.Format("|- Target %1 %2", i, targetInfo));
002440 |
002441 |     if (player)
002442 |     {
002443 |         if (player.GetGroup())
002444 |             //report.InsertAll(player.GetGroup().DumpState(identity, false, indent + "| |- ");
002445 |             report.Insert(indent + "| |- " + string.Format("Group ID %1 %2", player.GetGroup().GetID(), player.GetGroup().GetName()));
002446 |
002447 |         bool moving = false;
002448 |         bool friendly = false;
002449 |         bool targeted = false;
002450 |         bool enemy = PlayerIsEnemy(player, false, moving, friendly, targeted);
002451 |         string standing;
002452 |         if (!enemy || (friendly && !targeted))
002453 |             standing = "neutral";
002454 |         else
002455 |             standing = "enemy";
002456 |         report.Insert(indent + string.Format("| |- Is seen as %1", standing));
002457 |         if (isAdmin)
002458 |             report.Insert(indent + string.Format("| |- Is moving %1", moving.ToString()));
002459 |         report.Insert(indent + string.Format("| |- Can be friendly %1", friendly.ToString()));
002460 |         report.Insert(indent + string.Format("| |- Is targeted %1", targeted.ToString()));
002461 |     }
002462 |     else if (item)
002463 |     {
002464 |         bool hasFreeInvLoc = eAI_FindFreeInventoryLocationFor(item);
002465 |         report.Insert(indent + string.Format("| |- Fits in AI inventory %1", hasFreeInvLoc.ToString()));
002466 |         bool isIgnoredItem = eAI_GetThreatOverride(item);
002467 |         report.Insert(indent + string.Format("| |- Is ignored item %1", isIgnoredItem.ToString()));
002468 |     }
002469 |
002470 |     eAITargetInformationState targetInfoState = target;
002471 |     report.Insert(indent + string.Format("| |- Absolute threat to AI %1", target.GetThreat()));
002472 |
002473 |     if (targetInfoState)
002474 |     {
002475 |         report.Insert(indent + string.Format("| |- Active threat to AI %1", targetInfoState.m_ThreatLevelActive));
002476 |
002477 |         string losState = targetInfoState.m_LOS.ToString();
002478 |         if (i > 0)
002479 |             losState += " (stale)";
002480 |
002481 |         report.Insert(indent + string.Format("| |- LOS state %1", losState));
002482 |     }
002483 |
002484 |     if (isAdmin)
002485 |     {
002486 |         #ifdef DIAG_DEVELOPER
002487 |             if (targetInfoState)
002488 |             {
002489 |                 report.Insert(indent + string.Format("| |- LOS ray hit position %1", ExpansionStatic.VectorToString(targetInfoState.m_LOSRaycastHitPosition,
ExpansionVectorToString.Plain)));
002490 |                 report.Insert(indent + string.Format("| |- LOS ray hit object %1", ExpansionStatic.GetDebugInfo(targetInfoState.m_LOSRaycastHitObject)));
002491 |             }
002492 |             #endif
002493 |
002494 |             report.Insert(indent + string.Format("| |- Actual position %1", ExpansionStatic.VectorToString(target.GetPosition(true), ExpansionVectorToString.

```

```

Plain));
002495 |         report.Insert(indent + string.Format("|  |- Actual distance to AI %1 m", target.GetDistance(true)));
002496 |
002497 |         if (targetInfoState)
002498 |         {
002499 |             report.Insert(indent + string.Format("|  |- Search position %1", ExpansionStatic.VectorToString(target.GetPosition()), ExpansionVectorToString.
Plain));
002500 |             report.Insert(indent + string.Format("|  |- Search distance to AI %1 m", target.GetDistance()));
002501 |         }
002502 |     }
002503 |
002504 |     if (target.m_IsTracked)
002505 |     {
002506 |         string foundAtTime = ExpansionStatic.FormatTime(GetDayZGame().ExpansionGetStartTimestamp(true) + target.m_FoundAtTime * 0.001, true, true, true);
002507 |         report.Insert(indent + string.Format("|  |- Found at time %1 UTC", foundAtTime));
002508 |         report.Insert(indent + string.Format("|  \\- Max time %1s", target.m_MaxTime * 0.001));
002509 |     }
002510 |     else
002511 |     {
002512 |         eAI_FixupLastReportEntry(report);
002513 |     }
002514 | }
002515 |
002516 | string water = ExpansionStatic.FormatFloat(GetStatWater().Get() / GetStatWater().GetMax() * 100, 3, false, false);
002517 | string energy = ExpansionStatic.FormatFloat(GetStatEnergy().Get() / GetStatEnergy().GetMax() * 100, 4, false, false);
002518 | string heatComfort = ExpansionStatic.FormatFloat(GetStatHeatComfort().Get() / GetStatHeatComfort().GetMax() * 100, 1, false, false);
002519 | report.Insert(indent + string.Format("|- Water %1%% Energy %2%% Heat %3%", water, energy, heatComfort));
002520 |
002521 | string health = ExpansionStatic.FormatFloat(GetHealth01() * 100, 1, false, false);
002522 | string blood = ExpansionStatic.FormatFloat(GetHealth01("", "Blood") * 100, 1, false, false);
002523 | string shock = ExpansionStatic.FormatFloat(GetHealth01("", "Shock") * 100, 1, false, false);
002524 | report.Insert(indent + string.Format("|- Health %1%% Blood %2%% Shock %3%", health, blood, shock));
002525 |
002526 | if (IsUnconscious())
002527 |     report.Insert(indent + "|- Unconscious");
002528 |
002529 | if (IsBleeding())
002530 | {
002531 |     report.Insert(indent + string.Format("|- Bleeding %1", GetBleedingSourceCount()));
002532 |
002533 |     foreach (int bleedingBit, BleedingSource bleedingSource: m_BleedingManagerServer.m_BleedingSources)
002534 |     {
002535 |         float blood_scale = Math.InverseLerp(PlayerConstants.BLOOD_THRESHOLD_FATAL, PlayerConstants.BLEEDING_LOW_PRESSURE_BLOOD, GetHealth("GlobalHealth",
"Blood"));
002536 |         blood_scale = Math.Clamp(blood_scale, PlayerConstants.BLEEDING_LOW_PRESSURE_MIN_MOD, 1);
002537 |         float flow = bleedingSource.m_FlowModifier;
002538 |         switch (bleedingSource.m_Type)
002539 |         {
002540 |             case eBleedingSourceType.CONTAMINATED:
002541 |                 flow *= PlayerConstants.BLEEDING_SOURCE_BURN_MODIFIER;
002542 |                 break;
002543 |             }
002544 |         int bloodLoss = Math.Round(-PlayerConstants.BLEEDING_SOURCE_BLOODLOSS_PER_SEC * blood_scale * flow);
002545 |         report.Insert(indent + string.Format("|  |- %1 %2 ml/s duration %3/%4 s %5", bleedingSource.m_Bone, bloodLoss, ExpansionStatic.FormatFloat(bleedin
gSource.m_ActiveTime, 3, false, false), bleedingSource.m_MaxTime, typename.EnumToString(eBleedingSourceType, bleedingSource.m_Type)));
002546 |     }
002547 |
002548 |     eAI_FixupLastReportEntry(report);
002549 | }
002550 |
002551 | if (GetBrokenLegs() == eBrokenLegs.BROKEN_LEGS)
002552 |     report.Insert(indent + "|- Broken legs");

```

```

002553 |
002554 |     if (GetAgents() > 0)
002555 |     {
002556 |         int totalAgents = m_AgentPool.m_VirusPool.Count();
002557 |         report.Insert(indent + string.Format("|- Pathogens %1", totalAgents));
002558 |
002559 |         foreach (int agentId, float agentCount: m_AgentPool.m_VirusPool)
002560 |         {
002561 |             string agentName = typename.EnumToString(eAgents, agentId);
002562 |             int agentMax = PluginTransmissionAgents.GetAgentMaxCount(agentId);
002563 |             int agentCountPrecision = Math.Max(5 - agentMax.ToString().Length(), 1);
002564 |
002565 |             EStatLevels immunityLevel = GetImmunityLevel();
002566 |             EStatLevels agentPotency = m_AgentPool.m_PluginTransmissionAgents.GetAgentPotencyEx(agentId, this);
002567 |
002568 |             float growDelta;
002569 |             if (agentPotency <= immunityLevel)
002570 |             {
002571 |                 //! Agent can grow unless prevented by one of the active medical drugs
002572 |                 if (Expansion_CanAgentGrow(agentId))
002573 |                     growDelta = m_AgentPool.m_PluginTransmissionAgents.GetAgentInvasibilityEx(agentId, this);
002574 |                 else
002575 |                     growDelta = 0;
002576 |             }
002577 |             else
002578 |             {
002579 |                 growDelta = -m_AgentPool.m_PluginTransmissionAgents.GetAgentDieOffSpeedEx(agentId, this);
002580 |             }
002581 |
002582 |             string deltaIndicator;
002583 |             if (growDelta > 0 && agentCount < agentMax)
002584 |                 deltaIndicator = "(+)";
002585 |             else if (growDelta < 0)
002586 |                 deltaIndicator = "(-)";
002587 |             else
002588 |                 deltaIndicator = "(=)";
002589 |
002590 |             report.Insert(indent + string.Format("|  %- %1 %2/%3 %4", agentName, ExpansionStatic.FormatFloat(agentCount, agentCountPrecision, false, false), a
gentMax, deltaIndicator));
002591 |         }
002592 |
002593 |         eAI_FixupLastReportEntry(report);
002594 |     }
002595 |
002596 |     eAI_SymptomReport(m_SymptomManager.m_SymptomQueuePrimary, report, "Primary symptoms", indent);
002597 |
002598 |     array<ref SymptomBase> secondarySymptoms = {};
002599 |
002600 |     foreach (SymptomBase symptom: m_SymptomManager.m_SymptomQueueSecondary)
002601 |     {
002602 |         if (symptom.GetType() == SymptomIDs.SYMPTOM_BLOODLOSS)  //! Always active, ignore. See SymptomManager::AutoactivateSymptoms
002603 |             continue;
002604 |
002605 |         secondarySymptoms.Insert(symptom);
002606 |     }
002607 |
002608 |     eAI_SymptomReport(secondarySymptoms, report, "Secondary symptoms", indent);
002609 |
002610 |     if (m_MedicalDrugsActive)
002611 |     {
002612 |         TStringArray medicalDrugs = {};
002613 |         ExpansionStatic.BitmaskEnumToString(EMedicalDrugsType, m_MedicalDrugsActive).Split("|", medicalDrugs);

```

```
002614 |
002615 |         report.Insert(indent + "|- Active medication " + medicalDrugs.Count());
002616 |
002617 |         foreach (string medicalDrug: medicalDrugs)
002618 |         {
002619 |             report.Insert(indent + string.Format("|  %-1", medicalDrug));
002620 |         }
002621 |
002622 |         eAI_FixupLastReportEntry(report);
002623 |     }
002624 |
002625 |     TIntArray ignoreModifiers = {
002626 |         eModifiers.MDF_TEMPERATURE,
002627 |         eModifiers.MDF_HUNGER,
002628 |         eModifiers.MDF_THIRST,
002629 |         eModifiers.MDF_HEALTH,
002630 |         eModifiers.MDF_STOMACH,
002631 |         eModifiers.MDF_IMMUNE_SYSTEM,
002632 |         eModifiers.MDF_SHOCK,
002633 |         eModifiers.MDF_TOXICITY,
002634 |         eModifiers.MDF_BREATH_VAPOUR
002635 |     };
002636 |
002637 |     if (IsUnconscious())
002638 |         ignoreModifiers.Insert(eModifiers.MDF_UNCONSCIOUSNESS);
002639 |
002640 |     if (GetBrokenLegs())
002641 |         ignoreModifiers.Insert(eModifiers.MDF_BROKEN_LEGS);
002642 |
002643 |     array<ModifierBase> activeModifiers = {};
002644 |
002645 |     foreach (ModifierBase modifier: m_ModifiersManager.m_ModifierListArray)
002646 |     {
002647 |         if (ignoreModifiers.Find(modifier.GetModifierID()) > -1)
002648 |             continue;
002649 |
002650 |         if (modifier.IsActive())
002651 |         {
002652 |             if (modifier.GetModifierID() == eModifiers.MDF_BLOOD_REGEN && GetHealth01("", "Blood") == 1.0)
002653 |                 continue;
002654 |
002655 |             if (modifier.GetModifierID() == eModifiers.MDF_HEALTH_REGEN && GetHealth01() == 1.0)
002656 |                 continue;
002657 |
002658 |             activeModifiers.Insert(modifier);
002659 |         }
002660 |     }
002661 |
002662 |     if (activeModifiers.Count() > 0)
002663 |     {
002664 |         report.Insert(indent + "|- Active modifiers " + activeModifiers.Count());
002665 |
002666 |         foreach (ModifierBase activeModifier: activeModifiers)
002667 |         {
002668 |             string modifierActiveTime = ExpansionStatic.FormatFloat(activeModifier.GetAttachedTime(), 3, false, false);
002669 |             report.Insert(indent + string.Format("|  %-1 duration %2 s", activeModifier.ClassName(), modifierActiveTime));
002670 |         }
002671 |
002672 |         eAI_FixupLastReportEntry(report);
002673 |     }
002674 |
002675 |     string itemName;
```

```

002676 |         if (itemInHands)
002677 |             itemName = ExpansionStatic.GetDebugInfo(itemInHands);
002678 |         else
002679 |             itemName = "NONE";
002680 |         report.Insert(indent + string.Format("|- Item in hands %1", itemName));
002681 |
002682 |         eAI_WeaponReport(m_eAI_Firearms, report, indent);
002683 |         eAI_WeaponReport(m_eAI_Handguns, report, indent);
002684 |         eAI_WeaponReport(m_eAI_Launchers, report, indent);
002685 |
002686 |         report.Insert(indent + string.Format("|- Melee weapons %1", m_eAI_MeleeWeapons.Count()));
002687 |         foreach (ItemBase meleeWeapon: m_eAI_MeleeWeapons)
002688 |         {
002689 |             report.Insert(indent + string.Format("|   %- %1", ExpansionStatic.GetDebugInfo(meleeWeapon)));
002690 |         }
002691 |         if (m_eAI_MeleeWeapons.Count())
002692 |             eAI_FixupLastReportEntry(report);
002693 |
002694 |         report.Insert(indent + string.Format("|- Firearm types and ammo/mags to reload %1", m_eAI_EvaluatedFirearmTypes.Count()));
002695 |         foreach (typename weaponType, Magazine magToReload: m_eAI_EvaluatedFirearmTypes)
002696 |         {
002697 |             report.Insert(indent + string.Format("|   %- %1 -> %2", weaponType, ExpansionStatic.GetDebugInfo(magToReload)));
002698 |         }
002699 |         if (m_eAI_EvaluatedFirearmTypes.Count())
002700 |             eAI_FixupLastReportEntry(report);
002701 |
002702 |         report.Insert(indent + string.Format("|- Ammo/mags %1", m_eAI_Magazines.Count()));
002703 |         foreach (Magazine candidateMag: m_eAI_Magazines)
002704 |         {
002705 |             report.Insert(indent + string.Format("|   %- %1 (%2/%3)", ExpansionStatic.GetDebugInfo(candidateMag), candidateMag.GetAmmoCount(), candidateMag.GetAmmo
Max()));
002706 |         }
002707 |         if (m_eAI_Magazines.Count())
002708 |             eAI_FixupLastReportEntry(report);
002709 |
002710 |         report.Insert(indent + string.Format("|- Food %1/%2", m_eAI_Food.Count(), m_eAI_MaxFoodCount));
002711 |         foreach (ItemBase food: m_eAI_Food)
002712 |         {
002713 |             report.Insert(indent + string.Format("|   %- %1", ExpansionStatic.GetDebugInfo(food)));
002714 |         }
002715 |         if (m_eAI_Food.Count())
002716 |             eAI_FixupLastReportEntry(report);
002717 |
002718 |         report.Insert(indent + string.Format("|- Cargo space taken %1/%2", m_eAI_AccessibleCargoSpaceTaken, m_eAI_AccessibleCargoSpaceTotal));
002719 |
002720 |         array<EntityAI> cargoItems = MiscGameplayFunctions.Expansion_GetCargoItems(this);
002721 |         report.Insert(indent + string.Format("\\- Items in cargo %1", cargoItems.Count()));
002722 |
002723 |         Magazine mag;
002724 |         ItemBase cargoItemBase;
002725 |         foreach (EntityAI cargoItem: cargoItems)
002726 |         {
002727 |             if (Class.CastTo(mag, cargoItem))
002728 |                 report.Insert(indent + string.Format("|   %- %1 (%2/%3)", ExpansionStatic.GetDebugInfo(cargoItem), mag.GetAmmoCount(), mag.GetAmmoMax()));
002729 |             else if (Class.CastTo(cargoItemBase, cargoItem) && cargoItemBase.HasQuantity())
002730 |             {
002731 |                 if (cargoItemBase.Expansion_IsStackable())
002732 |                     report.Insert(indent + string.Format("|   %- %1 (%2/%3)", ExpansionStatic.GetDebugInfo(cargoItem), cargoItem.GetQuantity(), cargoItem.GetQuanti
tyMax()));
002733 |                 else
002734 |                     report.Insert(indent + string.Format("|   %- %1 (%2%%)", ExpansionStatic.GetDebugInfo(cargoItem), cargoItem.GetQuantityNormalized() * 100));
002735 |             }

```



```

002736 |         else
002737 |             report.Insert(indent + string.Format(".  |- %1", ExpansionStatic.GetDebugInfo(cargoItem)));
002738 |     }
002739 |     if (cargoItems.Count())
002740 |         eAI_FixupLastReportEntry(report);
002741 |     return report;
002742 | }
002743 |
002744 | void eAI_SymptomReport(array<ref SymptomBase> symptoms, TStringArray report, string label, string indent = string.Empty)
002745 | {
002746 |     int symptomCount = symptoms.Count();
002747 |     if (symptomCount > 0)
002748 |     {
002749 |         report.Insert(indent + string.Format("|- %1 %2", label, symptomCount));
002750 |
002751 |         foreach (SymptomBase symptom: symptoms)
002752 |         {
002753 |             if (symptom.IsActivated())
002754 |             {
002755 |                 if (symptom.m_Duration > 0)
002756 |                     report.Insert(indent + string.Format("|  |- %1 duration %2/%3 s", symptom.ClassName(), ExpansionStatic.FormatFloat(symptom.m_ActivatedTime
002757 | , 3, false, false), symptom.m_Duration));
002758 |                 else
002759 |                     report.Insert(indent + string.Format("|  |- %1 duration %2 s", symptom.ClassName(), ExpansionStatic.FormatFloat(symptom.m_ActivatedTime, 3
002760 | , false, false)));
002761 |             }
002762 |             else
002763 |             {
002764 |                 report.Insert(indent + string.Format("|  |- %1 (inactive)", symptom.ClassName()));
002765 |             }
002766 |         }
002767 |         eAI_FixupLastReportEntry(report);
002768 |     }
002769 | }
002770 |
002771 | void eAI_WeaponReport(array<Weapon_Base> weapons, TStringArray report, string indent = string.Empty)
002772 | {
002773 |     foreach (Weapon_Base weapon: weapons)
002774 |     {
002775 |         report.Insert(indent + string.Format("|- Weapon %1", ExpansionStatic.GetDebugInfo(weapon)));
002776 |
002777 |         int mi = weapon.GetCurrentMuzzle();
002778 |
002779 |         report.Insert(indent + string.Format("|  |- Is chambered %1", weapon.Expansion_IsChambered(mi).ToString()));
002780 |
002781 |         Magazine attachedMag = null;
002782 |         int ammoCount = weapon.Expansion_GetMagazineAmmoCount(mi, attachedMag);
002783 |
002784 |         if (attachedMag)
002785 |             report.Insert(indent + string.Format("|  |- Has attached mag %1 (%2/%3)", ExpansionStatic.GetDebugInfo(attachedMag), ammoCount, attachedMag.GetAmm
002786 | oMax()));
002787 |         else if (weapon.GetMagazineTypeCount(mi) > 0)
002788 |             report.Insert(indent + "|  |- Has no attached mag");
002789 |         else if (weapon.HasInternalMagazine(mi))
002790 |             report.Insert(indent + string.Format("|  |- Has internal mag (%1/%2)", ammoCount, weapon.GetInternalMagazineMaxCartridgeCount(mi)));
002791 |
002792 |         Magazine mag = null;
002793 |         if (!m_eAI_EvaluatedFirearmTypes.Find(weapon.Type(), mag))
002794 |             report.Insert(indent + "|  \\- Ammo/mag to reload not evaluated");
002795 |         else if (!mag)

```

```
002795 |         report.Insert(indent + "|  \\- Has no ammo/mag to reload");
002796 |     else
002797 |         report.Insert(indent + string.Format("|  \\- Has ammo/mag to reload %1 (%2/%3)", ExpansionStatic.GetDebugInfo(mag), mag.GetAmmoCount(), mag.GetAmmoMax()));
002798 |     }
002799 | }
002800 |
002801 | void eAI_FixupLastReportEntry(TStringArray report)
002802 | {
002803 |     int index = report.Count() - 1;
002804 |     string last = report[index];
002805 |     last.Replace("|-", "\\-");
002806 |     report[index] = last;
002807 | }
002808 |
002809 | void ReactToThreatChange(float pDt, EntityAI entityInHands = null)
002810 | {
002811 |     if (m_eAI_CurrentThreatToSelf >= 0.2)
002812 |     {
002813 |         if (m_eAI_PreviousThreatToSelf < 0.2)
002814 |             EXTrace.Print(EXTrace.AI, this, "current threat to self >= 0.2 (active " + m_eAI_CurrentThreatToSelfActive + ")");
002815 |
002816 |         if (!m_eAI_IsDay && m_eAI_CurrentThreatToSelfActive >= 0.4 && m_eAI_PreviousThreatToSelfActive < 0.4 && !m_Expansion_ActiveVisibilityEnhancers.Count())
002817 |         {
002818 |             Expansion_TryTurningOnAnyLightsOrNVGEx(false, true); //! Switch on lights at night (skip NVG)
002819 |             if (m_Expansion_ActiveVisibilityEnhancers.Count())
002820 |             {
002821 |                 m_eAI_IsActiveVisibilityEnhancerTemporary = true;
002822 |                 Expansion_UpdateVisibility();
002823 |             }
002824 |         }
002825 |     }
002826 |     else
002827 |     {
002828 |         if (m_eAI_PreviousThreatToSelf >= 0.2)
002829 |         {
002830 |             EXTrace.Print(EXTrace.AI, this, "current threat to self < 0.2 (active " + m_eAI_CurrentThreatToSelfActive + ")");
002831 |
002832 |             if (!m_eAI_IsDay && m_eAI_IsActiveVisibilityEnhancerTemporary)
002833 |             {
002834 |                 Expansion_TryTurningOffAnyLightsOrNVG(true); //! Switch off any lights (skip NVG)
002835 |                 m_eAI_IsActiveVisibilityEnhancerTemporary = false;
002836 |                 Expansion_UpdateVisibility();
002837 |             }
002838 |         }
002839 |     }
002840 |
002841 |     if (m_eAI_CurrentThreatToSelfActive >= 0.4)
002842 |     {
002843 |         if (m_eAI_PreviousThreatToSelfActive < 0.4)
002844 |             EXTrace.Print(EXTrace.AI, this, "current active threat to self >= 0.4 (" + m_eAI_CurrentThreatToSelfActive + ")");
002845 |
002846 |         if (m_ThreatClearedTimeout <= 0)
002847 |             m_ThreatClearedTimeout = Math.RandomFloat(1, 3);
002848 |     }
002849 |     else
002850 |     {
002851 |         if (m_eAI_PreviousThreatToSelfActive >= 0.4)
002852 |             EXTrace.Print(EXTrace.AI, this, "current active threat to self < 0.4 (" + m_eAI_CurrentThreatToSelfActive + ")");
002853 |
002854 |         if (!m_eAI_Meme && m_eAI_CurrentThreatToSelfActive > 0.15 && m_eAI_PreviousThreatToSelfActive < 0.15 && !Math.RandomInt(0, 3))
```

```

002855 |         m_eAI_Meme = Math.RandomInt(2, 4);
002856 |
002857 |     if (m_ThreatClearedTimeout > 0)
002858 |     {
002859 |         m_ThreatClearedTimeout -= pDt;
002860 |         if (m_ThreatClearedTimeout <= 0)
002861 |         {
002862 |             if (m_eAI_DespawnOnLoosingAggro)
002863 |             {
002864 |                 eAI_Despawn();
002865 |             }
002866 |             else if (m_eAI_CurrentThreatToSelf <= 0.2 && !GetExpansionSettings().GetAI().Manners)
002867 |             {
002868 |                 int maxEmote;
002869 |
002870 |                 if (Expansion_GetMovementSpeed() == 0.0 && Math.RandomInt(0, 101) <= 10) //! 10% chance to dance
002871 |                     maxEmote = 5;
002872 |                 else
002873 |                     maxEmote = 4;
002874 |
002875 |                 int emoteId;
002876 |                 switch (Math.RandomIntInclusive(1, maxEmote))
002877 |                 {
002878 |                     case 0:
002879 |                         emoteId = EmoteConstants.ID_EMOTE_TAUNT;
002880 |                         break;
002881 |                     case 1:
002882 |                         emoteId = EmoteConstants.ID_EMOTE_TAUNTELBOW;
002883 |                         break;
002884 |                     case 2:
002885 |                         emoteId = EmoteConstants.ID_EMOTE_THROAT;
002886 |                         break;
002887 |                     case 3:
002888 |                         emoteId = EmoteConstants.ID_EMOTE_DABBING;
002889 |                         break;
002890 |                     case 4:
002891 |                         emoteId = EmoteConstants.ID_EMOTE_CLAP;
002892 |                         break;
002893 |                     case 5:
002894 |                         emoteId = EmoteConstants.ID_EMOTE_DANCE;
002895 |                         break;
002896 |                 }
002897 |                 //EXPrint(ToString() + " can play emote? " + m_EmoteManager.CanPlayEmote(emoteId));
002898 |                 Expansion_SetEmote(emoteId, true);
002899 |             }
002900 |         }
002901 |     }
002902 |     else if (m_eAI_PreviousThreatToSelf < 0.15 && m_eAI_CurrentThreatToSelf >= 0.15 && m_eAI_CurrentThreatToSelf < 0.2 && !m_Expansion_EmoteID && Math.Ran
domFloat(0.0, 1.0) < 0.05)
002903 |     {
002904 |         eAI_RandomGreeting(true);
002905 |     }
002906 | }
002907 |
002908 | if (IsRaised() && !GetWeaponManager().IsRunning())
002909 | {
002910 |     //! CanRaiseWeapon will return false if getting out of way of vehicle so we are able to lower weapon instantly to move faster
002911 |     if (!CanRaiseWeapon())
002912 |     {
002913 |         RaiseWeapon(false);
002914 |     }
002915 |     else if (m_eAI_CurrentThreatToSelfActive < 0.2 && !m_eAI_IsInCover)

```

```
002916 |         {
002917 |             if (!entityInHands || !entityInHands.IsWeapon())
002918 |             {
002919 |                 m_WeaponLowerTimeout = 0.0;
002920 |                 RaiseWeapon(false);
002921 |             }
002922 |             else
002923 |             {
002924 |                 if (m_eAI_PreviousThreatToSelfActive >= 0.2)
002925 |                     m_WeaponLowerTimeout = Math.RandomFloat(15.0, 30.0);
002926 |
002927 |                 m_WeaponLowerTimeout -= pDt;
002928 |
002929 |                 if (m_WeaponLowerTimeout <= 0)
002930 |                     RaiseWeapon(false);
002931 |             }
002932 |         }
002933 |     }
002934 | }
002935 |
002936 | void UpdateTargets(float pDt, EntityAI entityInHands = null)
002937 | {
002938 | #ifdef EXTRACE_DIAG
002939 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "eAI_Targeting -> UpdateTargets");
002940 | #endif
002941 |
002942 | #ifdef EAI_TRACE
002943 |     int ticks;
002944 |     int elapsed;
002945 | #endif
002946 |     // TODO: use particle system instead
002947 |     // XXX: I have no clue what the above comment means -lava76
002948 |
002949 |     eAIGroup group = GetGroup();
002950 |     if (!group) //! This should never happen
002951 |         return;
002952 |
002953 |     if (eAI_IsPassive())
002954 |         return;
002955 |
002956 |     int i;
002957 |
002958 |     eAIFaction faction = group.GetFaction();
002959 |
002960 |     vector center = GetPosition();
002961 |
002962 |     m_eAI_UpdateTargetsTick += pDt;
002963 |     if (m_eAI_CurrentPotentialTargetIndex >= m_eAI_PotentialTargetEntities.Count() && m_eAI_UpdateTargetsTick > Math.RandomFloat(0.1, 0.2))
002964 |     {
002965 |         m_eAI_UpdateTargetsTick = 0;
002966 |         m_eAI_CurrentPotentialTargetIndex = 0;
002967 |
002968 |         //! Get objects in near range (30 m)
002969 |
002970 | #ifdef EAI_TRACE
002971 |         ticks = TickCount(0);
002972 | #endif
002973 |
002974 |         vector min = Vector(center[0] - 30, center[1] - 30, center[2] - 30);
002975 |         vector max = Vector(center[0] + 30, center[1] + 30, center[2] + 30);
002976 |
002977 |         bool updateCoverObjects;
```

```

002978 |
002979 |         if (m_eAI_ShouldTakeCover)
002980 |             updateCoverObjects = true;
002981 |         else if (group.GetWaypointBehaviour() == eAIWaypointBehavior.ROAMING && group.GetFormationLeader() == this)
002982 |             updateCoverObjects = true;
002983 |
002984 |         int flags = QueryFlags.DYNAMIC;
002985 |         if (updateCoverObjects && (m_eAI_UpdateNearTargetsCount % 33 == 0 || m_eAI_UpdatePotentialCoverObjects))
002986 |         {
002987 |             m_eAI_PotentialCoverObjects.Clear();
002988 |             //flags |= QueryFlags.STATIC;
002989 |             DayZPlayerUtils.PhysicsGetEntitiesInBox(min, max, m_eAI_PotentialTargetEntities);
002990 |             m_eAI_UpdatePotentialCoverObjects = false;
002991 |             for (i = m_eAI_PotentialTargetEntities.Count() - 1; i >= 0; i--)
002992 |             {
002993 |                 EntityAI potentialCoverObj = m_eAI_PotentialTargetEntities[i];
002994 |
002995 |                 bool isPotentialCoverObject = false;
002996 |
002997 |                 if (potentialCoverObj.IsBuilding())
002998 |                 {
002999 |                     string type = potentialCoverObj.GetType();
003000 |                     if ((type.IndexOf("Land_") == 0 || type.IndexOf("Wreck_") == 0) && type.IndexOf("Gate") == -1)
003001 |                     {
003002 |                         #ifdef DIAG_DEVELOPER
003003 |                             EXTrace.Print(EXTrace.AI, this, "Potential cover object (building): " + type + " " + potentialCoverObj);
003004 |                         #endif
003005 |                         isPotentialCoverObject = true;
003006 |                     }
003007 |                 }
003008 |                 else if (!m_eAI_ShouldTakeCover)
003009 |                 {
003010 |                     //! Ignore all non-building objects if not seeking cover
003011 |                     continue;
003012 |                 }
003013 |                 else if (potentialCoverObj.IsRock())
003014 |                 {
003015 |                     //! @note rocks are not picked up by SceneGetEntitiesInBox even with QueryFlags.STATIC
003016 |                     #ifdef DIAG_DEVELOPER
003017 |                         EXTrace.Print(EXTrace.AI, this, "Potential cover object (rock): " + potentialCoverObj);
003018 |                     #endif
003019 |                     isPotentialCoverObject = true;
003020 |                 }
003021 |                 else if (potentialCoverObj.IsTree())
003022 |                 {
003023 |                     //! @note trees are not picked up by SceneGetEntitiesInBox even with QueryFlags.STATIC
003024 |                     #ifdef DIAG_DEVELOPER
003025 |                         EXTrace.Print(EXTrace.AI, this, "Potential cover object (tree): " + potentialCoverObj);
003026 |                     #endif
003027 |                     isPotentialCoverObject = true;
003028 |                 }
003029 |                 else if (potentialCoverObj.IsTransport())
003030 |                 {
003031 |                     #ifdef DIAG_DEVELOPER
003032 |                         EXTrace.Print(EXTrace.AI, this, "Potential cover object (transport): " + potentialCoverObj);
003033 |                     #endif
003034 |                     isPotentialCoverObject = true;
003035 |                 }
003036 |
003037 |                 if (isPotentialCoverObject)
003038 |                 {
003039 |                     m_eAI_PotentialCoverObjects.Insert(potentialCoverObj);

```

```
003040 |             //!< Remove from potential target entities
003041 |             m_eAI_PotentialTargetEntities.Remove(i);
003042 |         }
003043 |     }
003044 | }
003045 | else
003046 | {
003047 |     DayZPlayerUtils.SceneGetEntitiesInBox(min, max, m_eAI_PotentialTargetEntities, flags);
003048 | }
003049 |
003050 |     m_eAI_UpdateNearTargetsCount++;
003051 |
003052 | #ifdef EAI_TRACE
003053 |     elapsed = TickCount(ticks);
003054 |     float time = elapsed / 10000.0;
003055 |     m_eAI_UpdateNearTargetsTime += time;
003056 |     float timeAvg = m_eAI_UpdateNearTargetsTime / m_eAI_UpdateNearTargetsCount;
003057 |
003058 |     EXTrace.Add(trace, "objects in near range " + m_eAI_PotentialTargetEntities.Count() + " time (ms) " + time + " timeAvg (ms) " + timeAvg);
003059 | #endif
003060 |
003061 |     eAI_PurgeThreatOverride();
003062 | }
003063 |
003064 |     //!< Get other players/AI in extended range (1000 m radius) - check one player per tick (30 players per second)
003065 |
003066 | #ifdef EAI_TRACE
003067 |     ticks = TickCount(0);
003068 | #endif
003069 |
003070 |     if (!m_eAI_PotentialTargetPlayer)
003071 |         m_eAI_PotentialTargetPlayer = s_Expansion_AllPlayers.m_Head;
003072 |
003073 |     PlayerBase player = m_eAI_PotentialTargetPlayer.m_Value;
003074 |
003075 |     EntityAI playerEntity = player;
003076 |     if (player && player != this && Math.IsPointInCircle(center, eAI_GetVisibilityDistanceLimit(player), player.GetPosition()))
003077 |     {
003078 |         if (!faction.IsObserver() && m_eAI_PotentialTargetEntities.Find(playerEntity) == -1)
003079 |             m_eAI_PotentialTargetEntities.Insert(playerEntity);
003080 |
003081 |         #ifdef SERVER
003082 |             if (player.GetIdentity())
003083 |                 #endif
003084 |                 m_eAI_PlayersWithinVisibilityDistanceLimit.Insert(m_eAI_PotentialTargetPlayer);
003085 |
003086 | #ifdef EAI_TRACE
003087 |         elapsed = TickCount(ticks);
003088 |
003089 |         EXTrace.Add(trace, "player/AI in extended range " + player.GetType() + " time (ms) " + (elapsed / 10000.0).ToString());
003090 | #endif
003091 |     }
003092 |     else
003093 |     {
003094 |         m_eAI_PlayersWithinVisibilityDistanceLimit.RemoveItem(m_eAI_PotentialTargetPlayer);
003095 |     }
003096 |
003097 |     m_eAI_PotentialTargetPlayer = m_eAI_PotentialTargetPlayer.m_Next;
003098 |
003099 |     if (!faction.IsObserver()) //!< Observers only react to near creatures
003100 |     {
003101 |         //!< Custom creatures
```

```
003102 |         if (!m_eAI_PotentialTargetCustomCreature)
003103 |             m_eAI_PotentialTargetCustomCreature = eAICustomCreatureTargetInformation.s_AllCustomCreatures.m_Head;
003104 |
003105 |         if (m_eAI_PotentialTargetCustomCreature)
003106 |         {
003107 |             EntityAI creature = m_eAI_PotentialTargetCustomCreature.m_Value.GetEntity();
003108 |             if (creature && m_eAI_PotentialTargetEntities.Find(creature) == -1)
003109 |             {
003110 |                 float creatureDetectionLimit = eAICustomCreatureTargetInformation.CREATURE_AGGRO_RANGE * 2.2;
003111 |                 if (Math.IsPointInCircle(center, creatureDetectionLimit, creature.GetPosition()))
003112 |                     m_eAI_PotentialTargetEntities.Insert(creature);
003113 |             }
003114 |
003115 |             m_eAI_PotentialTargetCustomCreature = m_eAI_PotentialTargetCustomCreature.m_Next;
003116 |         }
003117 |
003118 |     }
003119 |
003120 |     PlayerBase playerThreat;
003121 |     eAIBase ai;
003122 |     ItemBase targetItem;
003123 |     Weapon_Base targetWeapon;
003124 |     Magazine mag;
003125 |     Edible_Base food;
003126 |
003127 |     Weapon_Base fireArm;
003128 |     ItemBase itemInHands;
003129 |     Class.CastTo(itemInHands, entityInHands);
003130 |     bool hasFirearmWithAmmo;
003131 |     bool hasMeleeWeapon;
003132 |
003133 |     if (!Class.CastTo(fireArm, entityInHands))
003134 |         fireArm = eAI_GetAnyWeaponToUse(false);
003135 |
003136 |     if (fireArm)
003137 |     {
003138 |         if (fireArm.Expansion_HasAmmo())
003139 |             hasFirearmWithAmmo = true;
003140 |     }
003141 |     else if ((itemInHands && itemInHands.Expansion_IsMeleeWeapon()) || GetMeleeWeaponToUse())
003142 |     {
003143 |         hasMeleeWeapon = true;
003144 |     }
003145 |
003146 |     float group_count = group.Count();
003147 |     bool playerIsEnemy;
003148 |
003149 |     while (m_eAI_CurrentPotentialTargetIndex < m_eAI_PotentialTargetEntities.Count())
003150 |     {
003151 |         EntityAI entity = m_eAI_PotentialTargetEntities[m_eAI_CurrentPotentialTargetIndex++];
003152 |         if (!entity)
003153 |             continue;
003154 |
003155 |         if (Class.CastTo(playerThreat, entity))
003156 |         {
003157 |             if (playerThreat == this)
003158 |                 continue;
003159 |             if (playerThreat.eAI_IsPassive())
003160 |                 continue;
003161 |             if (!playerThreat.IsPlayerLoaded())
003162 |                 continue;
003163 |             playerIsEnemy = PlayerIsEnemy(playerThreat, true);
```

```
003164 |         if (!playerThreat.IsAlive() || (playerThreat.IsUnconscious() && playerThreat.IsAI() && playerIsEnemy))
003165 |         {
003166 |             if (m_eAI_TrackedBodies.Find(entity) > -1)
003167 |                 continue;
003168 |
003169 |             m_eAI_TrackedBodies.Insert(entity);
003170 |
003171 |             if (Class.CastTo(ai, playerThreat))
003172 |             {
003173 |                 ///! Allow to loot anything from dead/uncon AI
003174 |
003175 |                 ExpansionArrayTools<Weapon_Base, EntityAI>.InsertAll_UpCast(ai.m_eAI_Firearms, m_eAI_PotentialTargetEntities);
003176 |                 ExpansionArrayTools<Weapon_Base, EntityAI>.InsertAll_UpCast(ai.m_eAI_Handguns, m_eAI_PotentialTargetEntities);
003177 |                 ExpansionArrayTools<Weapon_Base, EntityAI>.InsertAll_UpCast(ai.m_eAI_Launchers, m_eAI_PotentialTargetEntities);
003178 |                 ExpansionArrayTools<ItemBase, EntityAI>.InsertAll_UpCast(ai.m_eAI_MeleeWeapons, m_eAI_PotentialTargetEntities);
003179 |                 ExpansionArrayTools<ItemBase, EntityAI>.InsertAll_UpCast(ai.m_eAI_Bandages, m_eAI_PotentialTargetEntities);
003180 |                 ExpansionArrayTools<Magazine, EntityAI>.InsertAll_UpCast(ai.m_eAI_Magazines, m_eAI_PotentialTargetEntities);
003181 |                 ExpansionArrayTools<ItemBase, EntityAI>.InsertAll_UpCast(ai.m_eAI_RepairKits, m_eAI_PotentialTargetEntities);
003182 |
003183 |                 for (i = 0; i < ai.GetInventory().AttachmentCount(); i++)
003184 |                 {
003185 |                     EntityAI attachment = ai.GetInventory().GetAttachmentFromIndex(i);
003186 |                     if (attachment && attachment.IsClothing())
003187 |                         m_eAI_PotentialTargetEntities.Insert(attachment);
003188 |                 }
003189 |             }
003190 |             else if (group.m_Persist && group.m_BaseName)
003191 |             {
003192 |                 ///! Allow to loot shoulder/melee slots from dead players if this AI is in a persistent group
003193 |
003194 |                 EntityAI shoulder = playerThreat.FindAttachmentBySlotName("Shoulder");
003195 |                 if (shoulder)
003196 |                     m_eAI_PotentialTargetEntities.Insert(shoulder);
003197 |
003198 |                 EntityAI melee = playerThreat.FindAttachmentBySlotName("Melee");
003199 |                 if (melee)
003200 |                     m_eAI_PotentialTargetEntities.Insert(melee);
003201 |             }
003202 |
003203 |             continue;
003204 |         }
003205 | #ifdef SERVER
003206 |         if (playerThreat.GetIdentity())
003207 | #endif
003208 |             m_eAI_PlayersWithinVisibilityDistanceLimit.Insert(playerThreat.m_Expansion_Node);
003209 |         if (!playerIsEnemy)
003210 |             continue;
003211 |     }
003212 |     else if (entity.IsInherited(DayZPlayerImplement))
003213 |         continue; ///! Ignore non PlayerBase NPCs
003214 |     else if (Class.CastTo(targetItem, entity))
003215 |     {
003216 |         ///! If the object is an item, ignore it if any of the following conditions are met.
003217 |         ///! Note these should be roughly in sync with what's in eAIItemTargetInformation::CalculateThreat,
003218 |         ///! but the latter can be more specific
003219 |
003220 |         if (targetItem.IsDamageDestroyed() || targetItem.IsSetForDeletion() || eAI_GetThreatOverride(targetItem))
003221 |             continue;
003222 |
003223 |         if (targetItem.Expansion_IsDanger())
003224 |         {
003225 |             if (!Expansion_CanBeDamaged())
```



```

003226 |         continue;
003227 |     }
003228 |     else
003229 |     {
003230 |         //! Check if we're interested in the item
003231 |
003232 |         if (targetItem.IsWeapon())
003233 |         {
003234 |             if (eAI_CanLootWeapon(targetItem, faction))
003235 |             {
003236 |                 //! Flaregun is simply too low damage to be of any use, we're better off even with melee.
003237 |                 //! Also, it causes NULL ptrs if fired on server side.
003238 |                 //! TODO: Maybe have a list of excludes?
003239 |                 if (targetItem.IsInherited(Flaregun))
003240 |                     continue;
003241 |
003242 |                 if (eAI_WasItemRecentlyDropped(targetItem))
003243 |                 {
003244 |                     EXPrint(this, "Ignoring weapon because it was recently dropped: " + targetItem + " (type=" + targetItem.GetType() + " health=" + t
003245 | argetItem.GetHealth() + ")");
003246 |                     eAI_ThreatOverride(targetItem, true); //! Ignore by overriding threat so we don't have to do above checks again
003247 |                     continue;
003248 |                 }
003249 |
003250 |                 if (hasFirearmWithAmmo)
003251 |                 {
003252 |                     if ((m_eAI_LootingBehavior & eAILootingBehavior.UPGRADE) == 0)
003253 |                         continue;
003254 |
003255 |                     if (!itemInHands || !itemInHands.IsWeapon())
003256 |                         continue;
003257 |
003258 |                     if (!eAI_WeaponSelection(itemInHands, targetItem))
003259 |                         continue;
003260 |                 }
003261 |                 else if (targetItem.Expansion_GetDPS() <= 0)
003262 |                 {
003263 |                     continue;
003264 |                 }
003265 |             }
003266 |             else
003267 |             {
003268 |                 continue;
003269 |             }
003270 |         }
003271 |         else if (targetItem.Expansion_IsMeleeWeapon())
003272 |         {
003273 |             if (eAI_CanLootMeleeWeapon(targetItem, faction))
003274 |             {
003275 |                 if (eAI_WasItemRecentlyDropped(targetItem))
003276 |                 {
003277 |                     EXPrint(this, "Ignoring melee weapon because it was recently dropped: " + targetItem + " (type=" + targetItem.GetType() + " health
003278 | =" + targetItem.GetHealth() + ")");
003279 |                     eAI_ThreatOverride(targetItem, true); //! Ignore by overriding threat so we don't have to do above checks again
003280 |                     continue;
003281 |                 }
003282 |
003283 |                 if (hasFirearmWithAmmo)
003284 |                     continue;
003285 |
003286 |                 if (hasMeleeWeapon)
003287 |                 {

```

```
003286 |         if ((m_eAI_LootingBehavior & eAILootingBehavior.UPGRADE) == 0)
003287 |             continue;
003288 |
003289 |         if (!itemInHands || !itemInHands.Expansion_IsMeleeWeapon())
003290 |             continue;
003291 |
003292 |         if (itemInHands.Expansion_CompareDPS(targetItem) >= 0)
003293 |             continue;
003294 |     }
003295 | }
003296 | else
003297 | {
003298 |     continue;
003299 | }
003300 | }
003301 | else if (targetItem.IsMagazine())
003302 | {
003303 |     if (faction.IsWeaponPickupEnabled() && (!targetItem.IsAmmoPile() || targetItem.Expansion_GetHealthDamage() > 0))
003304 |     {
003305 |         if ((m_eAI_LootingBehavior & eAILootingBehavior.WEAPONS_FIREARMS) == 0)
003306 |         {
003307 |             if ((m_eAI_LootingBehavior & eAILootingBehavior.WEAPONS_LAUNCHERS) == 0)
003308 |                 continue;
003309 |         }
003310 |
003311 |         if (!fireArm || !Class.CastTo(mag, targetItem) || mag.GetAmmoCount() == 0)
003312 |             continue;
003313 |     }
003314 |     else
003315 |     {
003316 |         continue;
003317 |     }
003318 | }
003319 | else if (targetItem.Expansion_CanBeUsedToBandage())
003320 | {
003321 |     if (!eAI_ShouldPickupBandage(targetItem))
003322 |         continue;
003323 | }
003324 | else if (targetItem.IsInherited(WeaponCleaningKit))
003325 | {
003326 |     if (!faction.IsWeaponPickupEnabled() || !fireArm || m_eAI_RepairKits.Count() > 0)
003327 |         continue;
003328 | }
003329 | else if (targetItem.IsClothing())
003330 | {
003331 |     if ((m_eAI_LootingBehavior & eAILootingBehavior.CLOTHING) == 0)
003332 |         continue;
003333 |
003334 |     /// Ignore hockey mask since it blocks certain helmets from being worn and due to its armor value
003335 |     /// will only be swapped out for a different mask when it's ruined
003336 |     /// (hockey mask is the only vanilla mask with armor)
003337 |     if (targetItem.IsInherited(HockeyMask))
003338 |         continue;
003339 |
003340 |     TStringArray inventorySlots = targetItem.Expansion_GetInventorySlots();
003341 |     bool canWear = false;
003342 |     ItemBase slotGear;
003343 |     ItemBase currentlyWornGear;
003344 |     int slotID = 0;
003345 |     bool preferLargerCargo = false;
003346 |
003347 |     foreach (string slot: inventorySlots)
```

```
003348 |         {
003349 |             slotID = InventorySlots.GetSlotIdFromString(slot);
003350 |             if (GetInventory().HasAttachmentSlot(slotID))
003351 |             {
003352 |                 switch (slotID)
003353 |                 {
003354 |                     case InventorySlots.BODY:
003355 |                     case InventorySlots.BACK:
003356 |                     case InventorySlots.HIPS:
003357 |                     case InventorySlots.LEGS:
003358 |                         preferLargerCargo = true;
003359 |                         break;
003360 |                 }
003361 |
003362 |                 if (!Class.CastTo(slotGear, GetInventory().FindAttachment(slotID)))
003363 |                 {
003364 |                     ///! Found empty slot
003365 |
003366 |                     if (!eAI_ClothingLootingBehaviorCheck_Slot(slot, targetItem))
003367 |                         continue;
003368 |
003369 |                     canWear = true;
003370 |                     currentlyWornGear = null; ///! null any gear that was found in another slot
003371 |
003372 |                     break;
003373 |                 }
003374 |                 else if (eAI_ClothingLootingBehaviorCheck_Slot(slot, targetItem))
003375 |                 {
003376 |                     ///! Found taken slot, potential upgrade
003377 |
003378 |                     canWear = true;
003379 |                     currentlyWornGear = slotGear;
003380 |                 }
003381 |             }
003382 |         }
003383 |
003384 |         if (!canWear || !eAI_ClothingSelection(currentlyWornGear, targetItem, preferLargerCargo))
003385 |         {
003386 |             eAI_ThreatOverride(targetItem, true); ///! Ignore by overriding threat so we don't have to do above checks again
003387 |             continue;
003388 |         }
003389 |     }
003390 |     else if (Class.CastTo(food, targetItem))
003391 |     {
003392 |         if (!eAI_ShouldProcureFood())
003393 |             continue;
003394 |
003395 |         if (targetItem.IsCorpse() && m_eAI_MeleeWeapons.Count() == 0)
003396 |             continue;
003397 |
003398 |         if (!targetItem.IsFood())
003399 |             continue;
003400 |
003401 |         if (food.GetFoodStage() && food.GetFoodStageType() == FoodStageType.ROTTEN)
003402 |             continue;
003403 |     }
003404 |     else
003405 |     {
003406 |         ///! Ignore everything else
003407 |         continue;
003408 |     }
003409 | }
```

```
003410 |         }
003411 |         else if (entity.IsBuilding())
003412 |             continue;
003413 |         else if (entity.IsInherited(Transport))
003414 |             continue;
003415 |         else if (faction.IsFriendlyEntity(entity, this))
003416 |             continue;
003417 |
003418 |         if (!eAI_ProcessTarget(entity, group))
003419 |             continue;
003420 |
003421 |         if (m_eAI_Targets.Count() * 2 > group_count)
003422 |             break;
003423 |     }
003424 |
003425 |     if (m_eAI_CurrentPotentialTargetIndex >= m_eAI_PotentialTargetEntities.Count())
003426 |     {
003427 |         m_eAI_PotentialTargetEntities.Clear();
003428 |         m_eAI_TrackedBodies.Clear();
003429 |     }
003430 |
003431 |     ///! Since item target info states are only removed if the item is deleted or picked up,
003432 |     ///! we periodically purge states to avoid accumulating a lot of stale states over time
003433 |
003434 |     float timestamp = g_Game.GetTickTime();
003435 |
003436 |     i = 0;
003437 |
003438 |     foreach (eAITargetInformation info, eAITarget state: m_eAI_TargetInformationStates)
003439 |     {
003440 |         if (!info)
003441 |         {
003442 |             ///! This shouldn't be possible to happen, but let's see...
003443 |             EXPrint(this, "Removing target info state without info: #" + i + " " + state);
003444 |             m_eAI_TargetInformationStates.RemoveElement(i);
003445 |             break;
003446 |         }
003447 |         ///! Purge if out of range
003448 |         else if (info.IsItem() && !Math.IsPointInCircle(center, 500.0, info.GetPosition()))
003449 |             ///! Purge if last threat level update was longer than 120 s ago
003450 |             ///! else if (info.IsItem() && timestamp - state.m_ThreatLevelUpdateTimestamp > 120.0)
003451 |             {
003452 |                 eAI_RemoveTargetInfoState(info);
003453 |                 break;
003454 |             }
003455 |
003456 |             i++;
003457 |             if (i == 50)
003458 |                 break;
003459 |         }
003460 |     }
003461 |
003462 |     bool eAI_ProcessTarget(EntityAI entity, eAIGroup group, out eAITargetInformation info = null)
003463 |     {
003464 |         info = eAITargetInformation.GetTargetInformation(entity);
003465 |         if (!info)
003466 |             return false;
003467 |
003468 |         if (!info.IsActive())
003469 |         {
003470 |             if (entity.IsDayZCreature())
003471 |             {
```

```
003472 |         if (m_eAI_TrackedBodies.Find(entity) == -1)
003473 |         {
003474 |             m_eAI_TrackedBodies.Insert(entity);
003475 |
003476 |             array<EntityAI> cargoItems = MiscGameplayFunctions.Expansion_GetCargoItems(entity, true);
003477 |             foreach (EntityAI cargoItem: cargoItems)
003478 |             {
003479 |                 m_eAI_PotentialTargetEntities.Insert(cargoItem);
003480 |             }
003481 |         }
003482 |     }
003483 |
003484 |     return false;
003485 | }
003486 |
003487 | if (entity.IsItemBase() || entity.IsDayZCreature())
003488 | {
003489 |     if (info.ShouldRemove(this))
003490 |         return false;
003491 | }
003492 | else if (info.ShouldRemove())
003493 | {
003494 |     return false;
003495 | }
003496 |
003497 | int num_ai_in_group_tracking = 0;
003498 | if (m_eAI_Targets.Count() > 0 && m_eAI_CurrentThreatToSelf >= 0.4 && info.IsTrackedBy(group, num_ai_in_group_tracking))
003499 | {
003500 |     int group_count = group.Count();
003501 |     int num_ai_in_group_not_tracking = group_count - num_ai_in_group_tracking;
003502 |     if (!num_ai_in_group_not_tracking)
003503 |         return false;
003504 |     float threatLevel = info.GetThreat(this);
003505 |     float frac = num_ai_in_group_not_tracking / group_count;
003506 |     if ((frac * threatLevel) < (1.0 / group_count))
003507 |         return false;
003508 | }
003509 |
003510 | info.AddAI(this);
003511 |
003512 | return true;
003513 | }
003514 |
003515 | void eAI_OnRemovePlayer(CF_DoublyLinkedListNode_WeakRef<PlayerBase> node)
003516 | {
003517 |     if (node == m_eAI_PotentialTargetPlayer)
003518 |         m_eAI_PotentialTargetPlayer = node.m_Next;
003519 |
003520 |     m_eAI_PlayersWithinVisibilityDistanceLimit.RemoveItem(node);
003521 | }
003522 |
003523 | void eAI_OnRemoveCustomCreature(CF_DoublyLinkedListNode_WeakRef<eAICustomCreatureTargetInformation> node)
003524 | {
003525 |     if (node == m_eAI_PotentialTargetCustomCreature)
003526 |         m_eAI_PotentialTargetCustomCreature = node.m_Next;
003527 | }
003528 |
003529 | /**
003530 |  * @brief select between current and compared weapon.
003531 |  *
003532 |  * @return true if compared weapon was selected
003533 |  */
```

```

003534 | bool eAI_WeaponSelection(ItemBase currentItem, ItemBase compareItem)
003535 | {
003536 |     Weapon_Base currentWeapon;
003537 |     Weapon_Base compareWeapon;
003538 |
003539 |     if (!Class.CastTo(compareWeapon, compareItem))
003540 |         return false; /// If compared item is not weapon, prefer current item (even if null)
003541 |
003542 |     float compareDPS = eAI_GetCurrentDPS(compareWeapon);
003543 |
003544 |     /// If compared weapon DPS is equal or below 10 and doesn't shoot explosive ammo, we're better off with melee even
003545 |     if (compareDPS <= 10.0 && !compareWeapon.ShootsExplosiveAmmo())
003546 |         return false;
003547 |
003548 |     if (!Class.CastTo(currentWeapon, currentItem))
003549 |         return true; /// If current item is not weapon, prefer compared item (weapon, not null)
003550 |
003551 |     ExpansionWeaponType currentWeaponType = currentWeapon.Expansion_GetWeaponType();
003552 |     ExpansionWeaponType compareWeaponType = compareWeapon.Expansion_GetWeaponType();
003553 |
003554 |     if (compareWeaponType == ExpansionWeaponType.Handgun && currentWeaponType != ExpansionWeaponType.Handgun)
003555 |         return false; /// Don't replace non-handgun with handgun
003556 |
003557 |     if (currentWeaponType == ExpansionWeaponType.Marksman && currentWeapon.GetAttachedOptics())
003558 |     {
003559 |         if (compareWeaponType == ExpansionWeaponType.Marksman)
003560 |         {
003561 |             if (!compareWeapon.GetAttachedOptics())
003562 |                 return false; /// Don't replace marksman rifle w/ optics with marksman rifle w/o optics
003563 |             }
003564 |             else if (compareWeapon.m_Expansion_WeaponInfo.m_AvgDmg <= currentWeapon.m_Expansion_WeaponInfo.m_AvgDmg)
003565 |             {
003566 |                 return false; /// Don't replace marksman rifle w/ optics with non-marksman weapon unless other weapon avg dmg per shot is higher
003567 |             }
003568 |         }
003569 |         else if (compareWeapon.IsInherited(RifleSingleShot_Base) && !currentWeapon.IsInherited(RifleSingleShot_Base))
003570 |         {
003571 |             return false; /// Don't replace non-single-shot rifle with single-shot-rifle
003572 |         }
003573 |
003574 |         float currentDPS = eAI_GetCurrentDPS(currentWeapon);
003575 |
003576 |         #ifdef DIAG_DEVELOPER
003577 |             string curWpnInfo;
003578 |             string cmpWpnInfo;
003579 |         #endif
003580 |
003581 |         if (compareDPS == currentDPS)
003582 |         {
003583 |             /// If DPS is equal, only select other weapon if it has more health and equal or more atts, or equal health and more atts
003584 |
003585 |             /// @note higher health level = worse! 0 = pristine, 1 = worn, 2 = damaged, 3 = badly damaged, 4 = ruined
003586 |             int currentHealthLv = currentWeapon.GetHealthLevel();
003587 |             int compareHealthLv = compareWeapon.GetHealthLevel();
003588 |             int currentAttCount = currentWeapon.GetInventory().AttachmentCount();
003589 |             int compareAttCount = compareWeapon.GetInventory().AttachmentCount();
003590 |
003591 |             if ((currentHealthLv > compareHealthLv && currentAttCount <= compareAttCount) || (currentHealthLv == compareHealthLv && currentAttCount < compareAttCo
unt))
003592 |             {
003593 |                 #ifdef DIAG_DEVELOPER
003594 |                     if (m_eAI_CompareWeapon != compareWeapon || m_eAI_CurrentWeapon != currentWeapon)

```

```

003595 |         {
003596 |             m_eAI_CompareWeapon = compareWeapon;
003597 |             m_eAI_CurrentWeapon = currentWeapon;
003598 |
003599 |             curWpnInfo = string.Format("%1 type=%2 dmg=%3 dps=%4 health=%5 attCount=%6", ExpansionStatic.GetHierarchyInfo(currentWeapon), typename.EnumToS
tring(ExpansionWeaponType, currentWeaponType), currentWeapon.m_Expansion_WeaponInfo.m_AvgDmg, currentWeapon.Expansion_GetDPS(), currentWeapon.GetHealth(), current
Weapon.GetInventory().AttachmentCount());
003600 |
003601 |             cmpWpnInfo = string.Format("%1 type=%2 dmg=%3 dps=%4 health=%5 attCount=%6", ExpansionStatic.GetHierarchyInfo(compareWeapon), typename.EnumToS
tring(ExpansionWeaponType, compareWeaponType), compareWeapon.m_Expansion_WeaponInfo.m_AvgDmg, compareWeapon.Expansion_GetDPS(), compareWeapon.GetHealth(), compare
Weapon.GetInventory().AttachmentCount());
003602 |
003603 |             EXTrace.Print(EXTrace.AI, this, string.Format("eAI_WeaponSelection cur=%1 cmp=%2 curDPS == cmpDPS", curWpnInfo, cmpWpnInfo));
003604 |         }
003605 |     #endif
003606 |     return true;
003607 | }
003608 | }
003609 | else if (compareDPS > currentDPS)
003610 | {
003611 |     #ifdef DIAG_DEVELOPER
003612 |         if (m_eAI_CompareWeapon != compareWeapon || m_eAI_CurrentWeapon != currentWeapon)
003613 |         {
003614 |             m_eAI_CompareWeapon = compareWeapon;
003615 |             m_eAI_CurrentWeapon = currentWeapon;
003616 |
003617 |             curWpnInfo = string.Format("%1 type=%2 dmg=%3 dps=%4 health=%5 attCount=%6", ExpansionStatic.GetHierarchyInfo(currentWeapon), typename.EnumToStrin
g(ExpansionWeaponType, currentWeaponType), currentWeapon.m_Expansion_WeaponInfo.m_AvgDmg, currentWeapon.Expansion_GetDPS(), currentWeapon.GetHealth(), currentWeap
on.GetInventory().AttachmentCount());
003618 |
003619 |             cmpWpnInfo = string.Format("%1 type=%2 dmg=%3 dps=%4 health=%5 attCount=%6", ExpansionStatic.GetHierarchyInfo(compareWeapon), typename.EnumToStrin
g(ExpansionWeaponType, compareWeaponType), compareWeapon.m_Expansion_WeaponInfo.m_AvgDmg, compareWeapon.Expansion_GetDPS(), compareWeapon.GetHealth(), compareWeap
on.GetInventory().AttachmentCount());
003620 |
003621 |             EXTrace.Print(EXTrace.AI, this, string.Format("eAI_WeaponSelection cur=%1 cmp=%2 cmpDPS > curDPS", curWpnInfo, cmpWpnInfo));
003622 |         }
003623 |     #endif
003624 |     return true;
003625 | }
003626 |
003627 | return false;
003628 | }
003629 |
003630 | bool eAI_ClothingSelection(ItemBase currentlyWornGear, ItemBase targetItem, bool preferLargerCargo = false)
003631 | {
003632 |     if (!currentlyWornGear)
003633 |     {
003634 |         if (!eAI_WasItemRecentlyDropped(targetItem))
003635 |         {
003636 |             return true;
003637 |         }
003638 |     }
003639 |     else
003640 |     {
003641 |         EXPrint(this, "Ignoring item because it was recently dropped: " + targetItem + " (type=" + targetItem.GetType() + " health=" + targetItem.GetHealt
h() + ")");
003642 |         return false;
003643 |     }
003644 | }
003645 |
003646 | if (targetItem.IsInherited(NVGHeadstrap) && targetItem.GetInventory().AttachmentCount() == 0)
003647 |     return false;

```

```
003648 |         if (!currentlyWornGear.IsInherited(HelmetBase) || targetItem.IsInherited(HelmetBase))
003649 |         {
003650 |             if (eAI_ClothingLootingBehaviorCheck_Selection(currentlyWornGear, targetItem))
003651 |             {
003652 |                 ///! Is target item better than what we currently have in some capacity?
003653 |
003654 |                 if (preferLargerCargo)
003655 |                 {
003656 |                     int curCargoSize = currentlyWornGear.eAI_GetCargoSize();
003657 |                     int tgtCargoSize = targetItem.eAI_GetCargoSize();
003658 |
003659 |                     ///! Prefer larger cargo space which usually also reflects the other attributes of clothing
003660 |                     ///! (military clothing usually has the largest cargo capacity and best protection)
003661 |                     if (tgtCargoSize < curCargoSize)
003662 |                         return false;
003663 |                     else if (tgtCargoSize > curCargoSize)
003664 |                         return true;
003665 |                 }
003666 |
003667 |                 ///! Since destroyed clothing provides no protection whatsoever, always prefer target item if same or bigger cargo size,
003668 |                 ///! even if recently dropped
003669 |                 if (currentlyWornGear.IsDamageDestroyed())
003670 |                     return true;
003671 |
003672 |                 string curGearArmorPath = "CfgVehicles " + currentlyWornGear.GetType() + " DamageSystem GlobalArmor";
003673 |                 string tgtGearArmorPath = "CfgVehicles " + targetItem.GetType() + " DamageSystem GlobalArmor";
003674 |                 string curGearDmgPath;
003675 |                 string tgtGearDmgPath;
003676 |
003677 |                 ///! Always prefer comparing to current gear projectile health damage even if target item doesn't have any,
003678 |                 ///! That way we don't downgrade from an item that has projectile armor to one that doesn't
003679 |                 if (g_Game.ConfigIsExisting(curGearArmorPath + " Projectile"))
003680 |                 {
003681 |                     curGearDmgPath = curGearArmorPath + " Projectile Health damage";
003682 |                     tgtGearDmgPath = tgtGearArmorPath + " Projectile Health damage";
003683 |                 }
003684 |                 else
003685 |                 {
003686 |                     curGearDmgPath = curGearArmorPath + " Melee Health damage";
003687 |                     tgtGearDmgPath = tgtGearArmorPath + " Melee Health damage";
003688 |                 }
003689 |
003690 |                 float curGearDmg = 1.0;
003691 |                 float tgtGearDmg = 1.0;
003692 |
003693 |                 if (g_Game.ConfigIsExisting(curGearDmgPath))
003694 |                 {
003695 |                     curGearDmg = g_Game.ConfigGetFloat(curGearDmgPath);
003696 |                     #ifdef DIAG_DEVELOPER
003697 |                         EXTrace.Print(EXTrace.AI, this, "Current gear " + currentlyWornGear.GetType() + " armor dmg " + curGearDmg);
003698 |                     #endif
003699 |                 }
003700 |
003701 |                 if (g_Game.ConfigIsExisting(tgtGearDmgPath))
003702 |                 {
003703 |                     tgtGearDmg = g_Game.ConfigGetFloat(tgtGearDmgPath);
003704 |                     #ifdef DIAG_DEVELOPER
003705 |                         EXTrace.Print(EXTrace.AI, this, "Target gear " + targetItem.GetType() + " armor dmg " + tgtGearDmg);
003706 |                     #endif
003707 |                 }
003708 |
003709 |                 ///! @note higher health level = worse! 0 = pristine, 1 = worn, 2 = damaged, 3 = badly damaged, 4 = ruined
```



```
003710 |         if (tgtGearDmg < curGearDmg || (tgtGearDmg == curGearDmg && targetItem.GetHealthLevel() < currentlyWornGear.GetHealthLevel()))
003711 |         {
003712 |             if (!eAI_WasItemRecentlyDropped(targetItem))
003713 |                 return true;
003714 |             #ifdef DIAG_DEVELOPER
003715 |                 else
003716 |                     EXPrint(this, "Ignoring item for swap because it was recently dropped: " + targetItem + " (type=" + targetItem.GetType() + " health=" + ta
rgetItem.GetHealth() + ")");
003717 |             #endif
003718 |         }
003719 |     }
003720 | }
003721 |
003722 |     return false;
003723 | }
003724 |
003725 | bool eAI_ClothingLootCheck(string slot, ItemBase item)
003726 | {
003727 |     EXError.Error(this, "DEPRECATED - use eAI_ClothingLootingBehaviorCheck_Slot");
003728 |     return eAI_ClothingLootingBehaviorCheck_Slot(slot, item);
003729 | }
003730 |
003731 | /**
003732 |  * @brief Check if looting behavior allows respective slot
003733 |  *
003734 |  * @param slot
003735 |  * @param item
003736 |  */
003737 | bool eAI_ClothingLootingBehaviorCheck_Slot(string slot, ItemBase item)
003738 | {
003739 |     slot.ToUpper();
003740 |
003741 |     int behavior;
003742 |
003743 |     switch (slot)
003744 |     {
003745 |         case "BACK":
003746 |             int itemWidth;
003747 |             int itemHeight;
003748 |
003749 |             g_Game.GetInventoryItemSize(item, itemWidth, itemHeight);
003750 |
003751 |             int itemSize = itemWidth * itemHeight;
003752 |
003753 |             vector minMax[2];
003754 |             if (item.GetCollisionBox(minMax))
003755 |             {
003756 |                 float w = minMax[1][0] - minMax[0][0];
003757 |                 float h = minMax[1][1] - minMax[0][1];
003758 |                 float d = minMax[1][2] - minMax[0][2];
003759 |
003760 |                 float max = Math.Max(Math.Max(w, h), d);
003761 |
003762 |                 if (itemSize >= 30 && w > 0.3 && max > 0.55 && d > 0.2)
003763 |                     behavior = eAILootingBehavior.CLOTHING_BACK_LARGE;
003764 |                 else if (itemSize > 20 && w > 0.3 && h > 0.39 && d > 0.2)
003765 |                     behavior = eAILootingBehavior.CLOTHING_BACK_MEDIUM;
003766 |                 else
003767 |                     behavior = eAILootingBehavior.CLOTHING_BACK_SMALL;
003768 |             }
003769 |             else
003770 |             {
```

```
003771 |         if (itemSize >= 30) //! e.g. ghillie suit
003772 |             behavior = eAILootingBehavior.CLOTHING_BACK_LARGE;
003773 |         else if (itemSize >= 16) //! e.g. ghillie cloak
003774 |             behavior = eAILootingBehavior.CLOTHING_BACK_MEDIUM;
003775 |         else //! e.g. ghillie shrug
003776 |             behavior = eAILootingBehavior.CLOTHING_BACK_SMALL;
003777 |     }
003778 |
003779 |     break;
003780 |
003781 |     default:
003782 |         behavior = typename.StringToEnum(eAILootingBehavior, "CLOTHING_" + slot);
003783 |         break;
003784 |     }
003785 |
003786 |     if (m_eAI_LootingBehavior & behavior)
003787 |         return true;
003788 |
003789 |     return false;
003790 | }
003791 |
003792 | /**
003793 |  * @brief Check if looting behavior generally allows identical or similar clothing
003794 |  */
003795 | bool eAI_ClothingLootingBehaviorCheck_Similarity()
003796 | {
003797 |     if (m_eAI_LootingBehavior & (eAILootingBehavior.CLOTHING_IDENTICAL | eAILootingBehavior.CLOTHING_SIMILAR))
003798 |         return true;
003799 |
003800 |     return false;
003801 | }
003802 |
003803 | bool eAI_ClothingLootingBehaviorCheck_Selection(ItemBase currentlyWornGear, ItemBase targetItem)
003804 | {
003805 |     //! @note similarity takes precedence and overrides upgrade!
003806 |     if (eAI_ClothingLootingBehaviorCheck_Similarity())
003807 |         return eAI_ClothingSimilarityCheck(currentlyWornGear, targetItem);
003808 |     else if (m_eAI_LootingBehavior & eAILootingBehavior.UPGRADE)
003809 |         return true;
003810 |
003811 |     return false;
003812 | }
003813 |
003814 | /**
003815 |  * @brief Check if clothing item is identical (same type) or similar (same base type, e.g. TShirt_ColorBase) to currently worn gear
003816 |  */
003817 | bool eAI_ClothingSimilarityCheck(ItemBase currentlyWornGear, ItemBase targetItem)
003818 | {
003819 |     if (m_eAI_LootingBehavior & eAILootingBehavior.CLOTHING_IDENTICAL)
003820 |     {
003821 |         if (targetItem.GetType() == currentlyWornGear.GetType())
003822 |             return true;
003823 |     }
003824 |     else if (m_eAI_LootingBehavior & eAILootingBehavior.CLOTHING_SIMILAR)
003825 |     {
003826 |         string baseName;
003827 |         if (g_Game.ConfigGetBaseName(CFG_VEHICLESPATH + " " + currentlyWornGear.GetType(), baseName))
003828 |         {
003829 |             if (ExpansionString.EndsWith(baseName, "_ColorBase") && ExpansionStatic.Is(targetItem, baseName))
003830 |                 return true;
003831 |         }
003832 |     }
```

```
003833 |
003834 |     return false;
003835 | }
003836 |
003837 | /**
003838 |  * @brief forget recently dropped item
003839 |  *
003840 |  * @return true if item was previously remembered
003841 |  *
003842 |  * @note items are remembered by their type name and position (fractional digits rounded to two decimals)
003843 |  */
003844 | bool eAI_ForgetRecentlyDroppedItem(ItemBase item)
003845 | {
003846 |     string key = string.Format("%1@%2", item.GetType(), ExpansionStatic.VectorToString(item.GetPosition()));
003847 |     if (m_eAI_RecentlyDroppedItems.Contains(key))
003848 |     {
003849 |         m_eAI_RecentlyDroppedItems.Remove(key);
003850 |         return true;
003851 |     }
003852 |
003853 |     return false;
003854 | }
003855 |
003856 | /**
003857 |  * @brief forget items dropped more than 5 minutes ago
003858 |  *
003859 |  * @return number of stale items removed from memory
003860 |  */
003861 | int eAI_ForgetStaleRecentlyDroppedItems()
003862 | {
003863 |     float time = g_Game.GetTickTime();
003864 |
003865 |     TStringArray staleRecentlyDroppedItems = {};
003866 |
003867 |     foreach (string key, float timeDropped: m_eAI_RecentlyDroppedItems)
003868 |     {
003869 |         if (time - timeDropped > 300.0)
003870 |             staleRecentlyDroppedItems.Insert(key);
003871 |     }
003872 |
003873 |     foreach (string toRemove: staleRecentlyDroppedItems)
003874 |     {
003875 |         m_eAI_RecentlyDroppedItems.Remove(toRemove);
003876 |     }
003877 |
003878 |     return staleRecentlyDroppedItems.Count();
003879 | }
003880 |
003881 | /**
003882 |  * @brief remember recently dropped item
003883 |  *
003884 |  * @note items are remembered by their type name and position (fractional digits rounded to two decimals)
003885 |  */
003886 | void eAI_RememberRecentlyDroppedItem(ItemBase item)
003887 | {
003888 |     eAI_ForgetStaleRecentlyDroppedItems();
003889 |
003890 |     string key = string.Format("%1@%2", item.GetType(), ExpansionStatic.VectorToString(item.GetPosition()));
003891 |     m_eAI_RecentlyDroppedItems[key] = g_Game.GetTickTime();
003892 |
003893 |     EXTrace.Print(EXTrace.AI, this, "Recently dropped items: " + m_eAI_RecentlyDroppedItems.Count());
003894 | }
```

```
003895 |
003896 | /**
003897 |  * @brief check if item was recently dropped
003898 |  *
003899 |  * @return true if item was dropped 5 minutes ago or less
003900 |  *
003901 |  * @note items are remembered by their type name and position (fractional digits rounded to two decimals)
003902 |  */
003903 | bool eAI_WasItemRecentlyDropped(ItemBase item)
003904 | {
003905 |     string key = string.Format("%l@%2", item.GetType(), ExpansionStatic.VectorToString(item.GetPosition()));
003906 |     float timeDropped;
003907 |     if (m_eAI_RecentlyDroppedItems.Find(key, timeDropped) && g_Game.GetTickTime() - timeDropped <= 300.0)
003908 |         return true;
003909 |
003910 |     return false;
003911 | }
003912 |
003913 | override void SetGroup(eAIGroup group, bool autoDeleteFormerGroupIfEmpty = true, int groupMemberIndex = -1)
003914 | {
003915 |     if (!group)
003916 |     {
003917 |         Error("Group cannot be NULL");
003918 |         return;
003919 |     }
003920 |
003921 |     if (GetGroup() == group)
003922 |         return;
003923 |
003924 |     ///! Since target information is tracked per-group, need to clear if group changed.
003925 |     ///! m_eAI_Targets can be NULL at this point because it's set in Init which is called from vanilla PlayerBase ctor,
003926 |     ///! but group is assigned in DayZPlayerImplement ctor
003927 |     if (m_eAI_Targets)
003928 |     {
003929 |         for (int i = m_eAI_Targets.Count() - 1; i >= 0; i--)
003930 |         {
003931 |             eAITarget target = m_eAI_Targets[i];
003932 |             target.Remove();
003933 |         }
003934 |     }
003935 |
003936 |     super.SetGroup(group, autoDeleteFormerGroupIfEmpty, groupMemberIndex);
003937 | }
003938 |
003939 | bool eAI_RemoveTargets()
003940 | {
003941 | #ifdef EAI_TRACE
003942 |     auto trace = CF_Trace_0(this, "eAI_RemoveTargets");
003943 | #endif
003944 |
003945 | #ifdef EXTRACE_DIAG
003946 |     auto hitch = new EXHitch(ToString() + "::eAI_RemoveTargets ", 20000);
003947 | #endif
003948 |
003949 |     int count = m_eAI_Targets.Count();
003950 |
003951 |     for (int i = count - 1; i >= 0; i--)
003952 |     {
003953 |         eAITarget target = m_eAI_Targets[i];
003954 |         if (target.ShouldRemove())
003955 |         {
003956 | #ifdef DIAG_DEVELOPER
```

```
003957 |         EXTrace.Print(EXTrace.AI, this, "eAI_RemoveTargets - removing target " + target.GetDebugName());
003958 |     #endif
003959 |         target.Remove();
003960 |     }
003961 | }
003962 |
003963 | #ifdef DIAG_DEVELOPER
003964 |     if (count > 0 && m_eAI_Targets.Count() == 0)
003965 |         EXTrace.Print(EXTrace.AI, this, "eAI_RemoveTargets - no more targets");
003966 | #endif
003967 |
003968 |     return count != m_eAI_Targets.Count();
003969 | }
003970 |
003971 | void eAI_PrioritizeTargets()
003972 | {
003973 |     #ifdef EXTRACE_DIAG
003974 |         auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "eAI_Targeting -> eAI_PrioritizeTargets");
003975 |     #endif
003976 |
003977 |     //! find the target with the highest threat level, no sorting
003978 |     //! (sorting performance would be abysmal if there are many targets due to processing n*(n/2)-n/2 targets when comparing threat levels)
003979 |
003980 |     float threat;
003981 |     float max_threat = 0.099999;    //! 0.1 is the 'look at' threshold
003982 |     float noise_max_threat;
003983 |     int max_threat_idx;
003984 |
003985 |     m_eAI_NoiseTarget = 0;
003986 |     m_eAI_AcuteDangerTargetCount = 0;
003987 |     m_eAI_AcuteDangerPlayerTargetCount = 0;
003988 |
003989 |     foreach (int i, eAITarget target: m_eAI_Targets)
003990 |     {
003991 |         threat = target.GetThreat();
003992 |         if (threat > max_threat)
003993 |         {
003994 |             max_threat_idx = i;
003995 |             max_threat = threat;
003996 |         }
003997 |         else if (target.IsNoise() && !IsUnconscious())
003998 |         {
003999 |             m_eAI_NoiseTarget = i;
004000 |         }
004001 |
004002 |         if (threat >= 0.4 && target.IsAcuteDanger())
004003 |             eAI_UpdateAcuteDangerTargetCount(target, 1);
004004 |
004005 |     #ifdef DIAG_DEVELOPER
004006 |         if (m_eAI_PrintCurrentTarget)
004007 |             EXTrace.Print(EXTrace.AI, this, "eAI_PrioritizeTargets - target " + i + " " + target.GetDebugName() + " threat lvl " + threat);
004008 |     #endif
004009 | }
004010 |
004011 | m_eAI_TargetChanged = false;
004012 |
004013 | if (max_threat_idx > 0)
004014 | {
004015 |     eAITarget selectedTarget = m_eAI_Targets[max_threat_idx];
004016 |
004017 |     if (selectedTarget.IsItem() && selectedTarget != m_eAI_ItemTargetHistory[0])
004018 |     {
```

```

004019 |         //! Avoid switching between same two item targets in alternating fashion as it can cause AI
004020 |         //! to move between these two items endlessly when it doesn't get close enough for pickup
004021 |         if (selectedTarget == m_eAI_ItemTargetHistory[1] && m_eAI_ItemTargetHistory[0] == m_eAI_ItemTargetHistory[2])
004022 |         {
004023 |             #ifdef DIAG_DEVELOPER
004024 |                 EXTrace.Print(EXTrace.AI, this, "selectedTarget = " + selectedTarget);
004025 |                 EXTrace.Print(EXTrace.AI, this, "m_eAI_ItemTargetHistory[0] = " + m_eAI_ItemTargetHistory[0]);
004026 |             #endif
004027 |             return;
004028 |         }
004029 |
004030 |         m_eAI_ItemTargetHistory[2] = m_eAI_ItemTargetHistory[1];
004031 |         m_eAI_ItemTargetHistory[1] = m_eAI_ItemTargetHistory[0];
004032 |         m_eAI_ItemTargetHistory[0] = selectedTarget;
004033 |
004034 |         #ifdef DIAG_DEVELOPER
004035 |             EXTrace.Print(EXTrace.AI, this, "selectedTarget = " + selectedTarget);
004036 |             EXTrace.Print(EXTrace.AI, this, "m_eAI_ItemTargetHistory[1] = " + m_eAI_ItemTargetHistory[1]);
004037 |             EXTrace.Print(EXTrace.AI, this, "m_eAI_ItemTargetHistory[2] = " + m_eAI_ItemTargetHistory[2]);
004038 |         #endif
004039 |     }
004040 |
004041 |     eAITarget previousTarget = m_eAI_Targets[0];
004042 |     m_eAI_Targets[0] = selectedTarget;
004043 |     if (m_eAI_NoiseTarget == max_threat_idx)
004044 |         m_eAI_NoiseTarget = 0;
004045 |     else if (previousTarget.IsNoise() && !IsUnconscious())
004046 |         m_eAI_NoiseTarget = max_threat_idx;
004047 |     m_eAI_Targets[max_threat_idx] = previousTarget;
004048 |     m_eAI_TargetChanged = true;
004049 |     m_eAI_SyncCurrentTarget = true;
004050 | #ifdef DIAG_DEVELOPER
004051 |     m_eAI_PrintCurrentTarget = true;
004052 | }
004053 |
004054 |     if (m_eAI_PrintCurrentTarget && m_eAI_Targets[0])
004055 |     {
004056 |         m_eAI_PrintCurrentTarget = false;
004057 |         EXTrace.Print(EXTrace.AI, this, "eAI_PrioritizeTargets - prioritizing target " + max_threat_idx + " " + m_eAI_Targets[0].GetDebugName() + " threat lvl
" + max_threat);
004058 |     #endif
004059 |     }
004060 | }
004061 |
004062 | void eAI_SyncCurrentTarget()
004063 | {
004064 |     m_eAI_SyncCurrentTarget = false;
004065 |
004066 | #ifdef SERVER
004067 |     eAITarget target = GetTarget();
004068 |
004069 |     EntityAI targetEntity;
004070 |     if (target)
004071 |         targetEntity = target.GetEntity();
004072 |
004073 |     if (targetEntity && !targetEntity.IsItemBase())
004074 |     {
004075 |         targetEntity.GetNetworkID(m_eAI_CurrentTarget_NetIDLow, m_eAI_CurrentTarget_NetIDHigh);
004076 |     }
004077 |     else
004078 |     {
004079 |         m_eAI_CurrentTarget_NetIDLow = 0;

```

```
004080 |         m_eAI_CurrentTarget_NetIDHigh = 0;
004081 |     }
004082 |
004083 |     SetSynchDirty();
004084 | #endif
004085 | }
004086 |
004087 | void eAI_UpdateCurrentTarget_Client()
004088 | {
004089 |     eAITarget target = GetTarget();
004090 |     if (target)
004091 |         target.Remove();
004092 |     if (m_eAI_CurrentTarget_NetIDLow == 0 && m_eAI_CurrentTarget_NetIDHigh == 0)
004093 |         return;
004094 |     EntityAI entity ;
004095 |     if (!Class.CastTo(entity, g_Game.GetObjectByNetworkId(m_eAI_CurrentTarget_NetIDLow, m_eAI_CurrentTarget_NetIDHigh)))
004096 |         return;
004097 |     eAITargetInformation info = eAITargetInformation.GetTargetInformation(entity);
004098 |     if (!info)
004099 |         return;
004100 |     target = info.AddAI(this);
004101 |
004102 |     EXTrace.Print(EXTrace.AI, this, "Prioritizing target " + info.GetDebugName());
004103 | }
004104 |
004105 | void eAI_OnNoiseEvent(EntityAI source, vector position, float lifetime, eAINoiseParams params, float strengthMultiplier)
004106 | {
004107 | #ifdef EXTRACE_DIAG
004108 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "eAI_OnNoiseEvent");
004109 | #endif
004110 |
004111 |     if (m_eAI_NoiseInvestigationDistanceLimit <= 0)
004112 |         return;
004113 |
004114 |     if (IsUnconscious())
004115 |         return;
004116 |
004117 |     float strength = params.m_Strength * strengthMultiplier;
004118 |     if (strength <= 0)
004119 |         return;
004120 |
004121 |     EntityAI root;
004122 |     if (source)
004123 |     {
004124 |         root = source.GetHierarchyRoot();
004125 |
004126 |         if (root == this)
004127 |             return;
004128 |
004129 |         if (m_eAI_CurrentThreatToSelfActive >= 0.4 && m_eAI_HasLOS)
004130 |         {
004131 |             eAITarget currentTarget = GetTarget();
004132 |             if (currentTarget && currentTarget.GetEntity() == root)
004133 |                 return; //! Already targeting the source entity and have line of sight
004134 |         }
004135 |     }
004136 |
004137 |     //! Friendly checks. Not using PlayerIsEnemy here is intentional.
004138 |     //! We ignore noises made by friendlies.
004139 |     DayZPlayerImplement player;
004140 |     eAIGroup ourGroup = GetGroup();
004141 |     eAIFaction faction = ourGroup.GetFaction();
```

```
004142 |         eAIPlayerTargetInformation info;
004143 |         if (Class.CastTo(player, root))
004144 |         {
004145 |             if (params.m_Type != eAINoiseType.BULLETIMPACT)
004146 |             {
004147 |                 eAIGroup theirGroup = player.GetGroup();
004148 |                 if (theirGroup)
004149 |                 {
004150 |                     if (theirGroup == ourGroup || theirGroup.GetFaction().IsFriendly(faction) || theirGroup.GetFaction().IsFriendlyEntity(this))
004151 |                         return;
004152 |                 }
004153 |             }
004154 |
004155 |             info = player.GetTargetInformation();
004156 |
004157 |             ///! We ignore the noise if noise source is a player that we have line of sight to
004158 |             if (eAI_HasLOS(info))
004159 |                 return;
004160 |         }
004161 |
004162 |         if (source && position == vector.Zero)
004163 |             position = source.GetPosition();
004164 |
004165 |         float strengthSq = strength * strength;
004166 |         float distSq = vector.DistanceSq(GetPosition(), position);
004167 |         if (distSq > strengthSq)
004168 |             return;
004169 |
004170 |         ///! If noise was bullet impact and source root is player, add/update player as target
004171 |         if (params.m_Type == eAINoiseType.BULLETIMPACT && info)
004172 |         {
004173 |             bool created;
004174 |             eAITarget target = info.AddAI(this, -1, true, created);
004175 |
004176 |             ///! If target threat level is above 0.2, player is enemy
004177 |             if (target.m_ThreatLevel > 0.2)
004178 |             {
004179 |                 float threat = 1.0;
004180 |
004181 |                 ///! Add for searching if desired threat is above active threat
004182 |                 if (threat > target.m_ThreatLevelActive)
004183 |                 {
004184 |                     ///! If m_SearchOnLOSlost is false, this means we never had LOS to this target,
004185 |                     ///! so we set initial position to noise position for searching
004186 |                     if (!target.m_SearchOnLOSlost)
004187 |                     {
004188 |                         target.SetInitial(threat, position);
004189 |                         target.m_SearchOnLOSlost = true;
004190 |                     }
004191 |                     else
004192 |                     {
004193 |                         target.SetThreat(threat);
004194 |                     }
004195 |                 }
004196 |             }
004197 |
004198 |             if (!created)
004199 |                 target.Update();
004200 |
004201 |             return;
004202 |         }
004203 |     }
```



```
004204 |         float distance = Math.Sqrt(distSq);
004205 |
004206 |         ///! Now, convert strength (range) to threat.
004207 |         ///! @note noise threat is capped at 0.4 so entity targets can take precedence.
004208 |         float threatLevel;
004209 |         if (eAI_IsPassive() || faction.IsObserver() || faction.IsGuard())
004210 |         {
004211 |             threatLevel = ExpansionMath.PowerConversion(0.5, Math.Max(strength, 30.0), distance, 0.152, 0.1, 0.1);
004212 |         }
004213 |         else
004214 |         {
004215 |             /*
004216 |             if (root && !root.IsItemBase())
004217 |             {
004218 |                 eAITargetInformation info;
004219 |                 eAI_ProcessTarget(root, ourGroup, info);
004220 |                 eAITargetInformationState state = eAI_GetTargetInformationState(info);
004221 |                 if (state.m_ThreatLevel >= 0.4)
004222 |                 {
004223 |                     state.m_ThreatLevelActive = state.m_ThreatLevel;
004224 |                     state.m_SearchPosition = ExpansionMath.GetRandomPointInCircle(position, distance * 0.05);
004225 |                     state.m_SearchDirection = vector.Direction(GetPosition(), state.m_SearchPosition);
004226 |                     return;
004227 |                 }
004228 |             }
004229 |             */
004230 |
004231 |             float distMin;
004232 |             float threatLevelMax;
004233 |
004234 |             if (params.m_Type == eAINoiseType.BULLETIMPACT)
004235 |             {
004236 |                 distMin = 0.5;
004237 |                 threatLevelMax = 0.2;
004238 |             }
004239 |             else
004240 |             {
004241 |                 distMin = Math.Min(strength, m_eAI_NoiseInvestigationDistanceLimit);
004242 |                 threatLevelMax = 0.4;
004243 |             }
004244 |
004245 |             threatLevel = ExpansionMath.LinearConversion(distMin, strength * 1.1, distance, threatLevelMax, 0.1024);
004246 |         }
004247 |
004248 |         ///! Update noise target info
004249 |         if (threatLevel >= m_eAI_NoiseTargetInfo.GetThreat())
004250 |         {
004251 |             position = ExpansionMath.GetRandomPointInCircle(position, distance * 0.05);
004252 |
004253 |             if (threatLevel >= 0.4)
004254 |                 lifetime = ExpansionMath.LinearConversion(0.0, 500.0, distance, 3.0, 240.0); ///! Leave enough time to run there and check it out
004255 |             else
004256 |                 lifetime = Math.RandomFloat(2.0, 4.0); ///! Just look briefly
004257 |
004258 |             m_eAI_NoiseTargetInfo.SetNoiseParams(source, position, strength, lifetime, threatLevel);
004259 |
004260 |             ///! 2.915452 = 1000 / (speed of sound = 343 m/s)
004261 |             ///! avg human reaction time to sound = 170 ms
004262 |             int delay = distance * 2.915452 + 170;
004263 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_AddNoiseTarget, delay, false, threatLevel);
004264 |         }
004265 |     }
```

```
004266 | #ifdef DIAG_DEVELOPER
004267 |     string fmt = "::eAI_OnNoiseEvent %1 %2 %3 m %4 %5 s %6 x %7 %8 %9";
004268 |     string pos = position.ToString();
004269 |     string type = typename.EnumToString(eAINoiseType, params.m_Type);
004270 |     float paramStrength = params.m_Strength;
004271 |     string msg = string.Format(fmt, source, pos, distance, threatLevel, lifetime, paramStrength, strengthMultiplier, params.m_Path, type);
004272 |
004273 |     EXTrace.Print(EXTrace.AI, this, msg);
004274 |
004275 |     if (params.m_Type == eAINoiseType.BULLETIMPACT)
004276 |         ExpansionStatic.MessageNearPlayers(GetPosition(), 100, ToString() + msg);
004277 | #endif
004278 | }
004279 |
004280 | void eAI_AddNoiseTarget(float threatLevel)
004281 | {
004282 |     if (IsDamageDestroyed())
004283 |         return;
004284 |
004285 |     if (threatLevel >= m_eAI_NoiseTargetInfo.GetThreat())
004286 |     {
004287 |         int maxTime = m_eAI_NoiseTargetInfo.GetLifetime() * 1000;
004288 |         bool created;
004289 |
004290 |         eAITarget state = m_eAI_NoiseTargetInfo.AddAI(this, maxTime, true, created);
004291 |
004292 |         if (!created)
004293 |         {
004294 |             state.UpdatePosition(true);
004295 |             state.UpdateFoundAtTime();
004296 |         }
004297 |     }
004298 | }
004299 |
004300 | override void OnVariablesSynchronized()
004301 | {
004302 |     super.OnVariablesSynchronized();
004303 |
004304 |     if (m_eAI_CurrentTarget_NetIDLowSync != m_eAI_CurrentTarget_NetIDLow || m_eAI_CurrentTarget_NetIDHighSync != m_eAI_CurrentTarget_NetIDHigh)
004305 |     {
004306 |         m_eAI_CurrentTarget_NetIDLowSync = m_eAI_CurrentTarget_NetIDLow;
004307 |         m_eAI_CurrentTarget_NetIDHighSync = m_eAI_CurrentTarget_NetIDHigh;
004308 |         eAI_UpdateCurrentTarget_Client();
004309 |     }
004310 |
004311 |     if (m_eAI_MeleeFightLogic.m_eAI_Shoryuken)
004312 |     {
004313 |         ParticleManager mgr = ParticleManager.GetInstance();
004314 |         string boneName = "lefthand";
004315 |         int boneIdx = GetBoneIndexByName(boneName);
004316 |         vector pos = GetBonePositionMS(boneIdx);
004317 |
004318 |         ParticleSource particle = mgr.PlayOnObject(ParticleList.EXPANSION_AI_SHORYUKEN_FIRE, this, pos, "0 0 0", true);
004319 |
004320 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(particle.StopParticle, 1500, false, 0);
004321 |     }
004322 | }
004323 |
004324 | override void OnInputForRemote(ParamsReadContext ctx)
004325 | {
004326 |     int userDataType = 0;
004327 |     if (!ctx.Read(userDataType))
```

```
004328 |     {
004329 |         Error("DayZPlayer: OnInputForRemote - cannot read input type");
004330 |         return;
004331 |     }
004332 |
004333 |     switch (userDataType)
004334 |     {
004335 |         case INPUT_UDT_WEAPON_REMOTE_EVENT:
004336 |             if (GetHumanInventory().GetEntityInHands())
004337 |                 GetDayZPlayerInventory().OnEventForRemoteWeapon(ctx);
004338 |             break;
004339 |         case INPUT_UDT_HAND_REMOTE_EVENT:
004340 |             GetDayZPlayerInventory().OnHandEventForRemote(ctx);
004341 |             break;
004342 |         case INPUT_UDT_INVENTORY:
004343 |             GetDayZPlayerInventory().OnInputUserDataForRemote(ctx);
004344 |             break;
004345 |         default:
004346 |             Error("OnInputForRemote - unknown userDataType=" + userDataType);
004347 |             break;
004348 |     }
004349 | }
004350 |
004351 | HumanCommandMove GetCommand_MoveAI()
004352 | {
004353 |     EXError.ErrorOnce(this, "DEPRECATED, use GetCommand_Move()");
004354 |     return GetCommand_Move();
004355 | }
004356 |
004357 | HumanCommandMove StartCommand_MoveAI()
004358 | {
004359 |     int stance = -1;
004360 |     if (GetCommand_Unconscious() && !IsSwimming() && m_LastCommandBeforeUnconscious != DayZPlayerConstants.COMMANDID_VEHICLE)
004361 |     {
004362 |         stance = DayZPlayerConstants.STANCEIDX_PRONE;
004363 |     }
004364 |     else if (GetCommand_Move() || GetCommand_Action() || GetCommand_Damage())
004365 |     {
004366 |         stance = m_MovementState.m_iStanceIdx;
004367 |         if (m_MovementState.IsRaised())
004368 |             stance -= DayZPlayerConstants.STANCEIDX_RAISED;
004369 |     }
004370 |     EXTrace.Print(EXTrace.AI, this, "StartCommand_MoveAI " + typename.EnumToString(eAIStance, stance) + " (" + stance + ")");
004371 |     HumanCommandMove cmd = StartCommand_Move();
004372 |     if (stance != -1)
004373 |         m_eAI_CommandMove.SetStance(stance);
004374 |     if (m_WeaponRaised)
004375 |         AnimSetBool(m_ExpansionST.m_VAR_Raised, m_WeaponRaised);
004376 |     return cmd;
004377 | }
004378 |
004379 | HumanCommandVehicle GetCommand_VehicleAI()
004380 | {
004381 |     EXError.ErrorOnce(this, "DEPRECATED, use GetCommand_Vehicle()");
004382 |     return GetCommand_Vehicle();
004383 | }
004384 |
004385 | HumanCommandVehicle StartCommand_VehicleAI(Transport vehicle, int seatIdx, int seat_anim, bool fromUnconscious = false)
004386 | {
004387 |     EXError.ErrorOnce(this, "DEPRECATED, use StartCommand_Vehicle()");
004388 |     return StartCommand_Vehicle(vehicle, seatIdx, seat_anim, fromUnconscious);
004389 | }
```

```
004390 |
004391 |     void Notify_Transport(Transport vehicle, int seatIndex)
004392 |     {
004393 | #ifdef EAI_TRACE
004394 |     auto trace = CF_Trace_2(this, "Notify_Transport").Add(vehicle).Add(seatIndex);
004395 | #endif
004396 |
004397 |     m_eAI_Transport = vehicle;
004398 |     m_eAI_Transport_SeatIndex = seatIndex;
004399 | }
004400 |
004401 | Transport eAI_GetTransport()
004402 | {
004403 |     return m_eAI_Transport;
004404 | }
004405 |
004406 | void Notify_Melee(bool melee = true)
004407 | {
004408 |     if (melee && !m_eAI_MeleeFightLogic.m_eAI_Melee)
004409 |     {
004410 |         m_eAI_IsPreparingMelee = true;
004411 |         Expansion_GetUp();
004412 |
004413 |         if (!IsFighting() && GetExpansionSettings().GetAI().MemeLevel > 9000)
004414 |             s_eAI_LoveSound02_SoundSet.Play(this);
004415 |     }
004416 |
004417 |     m_eAI_MeleeFightLogic.m_eAI_Melee = melee;
004418 | }
004419 |
004420 | override void OnCommandMelee2Start()
004421 | {
004422 |     super.OnCommandMelee2Start();
004423 |     EXTrace.Print(EXTrace.AI, this, "OnCommandMelee2Start");
004424 |     m_eAI_MeleeTime = g_Game.GetTime();
004425 | }
004426 |
004427 | override void EndFighting()
004428 | {
004429 |     super.EndFighting();
004430 |     EXTrace.Print(EXTrace.AI, this, "EndFighting - melee time " + (g_Game.GetTime() - m_eAI_MeleeTime) + " ms");
004431 | }
004432 |
004433 | override void OnCommandLadderFinish()
004434 | {
004435 |     super.OnCommandLadderFinish();
004436 |
004437 |     m_PathFinding.ForceRecalculate(true);
004438 | }
004439 |
004440 | bool eAI_CanEnableSwimming()
004441 | {
004442 |     ///! @note order matters! To preserve intent, conditions that return false need to come first,
004443 |     ///! then those that return true followed by final return false
004444 |
004445 |     if (IsSwimming())
004446 |         return false;
004447 |
004448 |     if (IsRestrained())
004449 |         return false;
004450 |
004451 |     if (m_PathFinding.m_IsSwimmingEnabled)
```

```
004452 |         return false;
004453 |
004454 |     if (IsBleeding() && m_eAI_DangerousAreaCount == 0)
004455 |         return false;
004456 |
004457 |     if (m_eAI_EffectArea)
004458 |         return true;
004459 |
004460 |     if (GetCurrentWaterLevel() >= -0.5 || m_eAI_SurfaceY < g_Game.SurfaceGetSeaLevelMin())
004461 |     {
004462 |         if (GetThreatToSelf() < 0.2)
004463 |             return true;
004464 |     }
004465 |
004466 |     return false;
004467 | }
004468 |
004469 | override void OnCommandSwimStart()
004470 | {
004471 | #ifdef EXTRACE
004472 |     auto trace = EXTrace.Start(EXTrace.AI, this);
004473 | #endif
004474 |
004475 |     ItemBase itemInHands = GetItemInHands();
004476 |
004477 |     //! Switch off hand item when starting to swim
004478 |     if (itemInHands && itemInHands.Expansion_TryTurningOffAnyLightOrNVG(true))
004479 |         itemInHands = GetItemInHands();  //! In case switching off hands item replaces it with something else
004480 |
004481 |     if (itemInHands)
004482 |     {
004483 |         if (itemInHands.IsHeavyBehaviour())
004484 |         {
004485 |             TryHideItemInHands(false);
004486 |             eAI_DropItemInHandsImpl(true);
004487 |         }
004488 |         else
004489 |         {
004490 |             TryHideItemInHands(true);
004491 |         }
004492 |         itemInHands.OnItemInHandsPlayerSwimStart(this);
004493 |     }
004494 |     m_AnimCommandStarting = HumanMoveCommandID.CommandSwim;
004495 |
004496 |     AbortWeaponEvent();
004497 |     GetWeaponManager().DelayedRefreshAnimationState(10);
004498 |     RequestHandAnimationStateRefresh();
004499 |
004500 |     if (!g_Game.IsServer())
004501 |         return;
004502 |
004503 |     bool wasSwimmingEnabled = m_PathFinding.m_IsSwimmingEnabled;
004504 |
004505 |     if (GetGroup().GetFormationLeader() == this)
004506 |         GetGroup().EnableSwimming(true);  //! Enable swimming for the whole group so they can follow the leader
004507 |     else
004508 |         m_PathFinding.EnableSwimming(true);
004509 |
004510 |     if (wasSwimmingEnabled && !m_Swimming.m_bWasSwimming)
004511 |         m_PathFinding.ForceRecalculate(true);
004512 | }
004513 |
```

```
004514 |     override void OnCommandSwimFinish()
004515 |     {
004516 | #ifdef EXTRACE
004517 |     auto trace = EXTrace.Start(EXTrace.AI, this);
004518 | #endif
004519 |
004520 |     TryHideItemInHands(false, true);
004521 |
004522 |     GetWeaponManager().RefreshAnimationState();
004523 |
004524 |     //auto leader = GetGroup().GetFormationLeader();
004525 |     //if (leader == this)
004526 |     //    GetGroup().EnableSwimming(false); //! Disable swimming for the whole group (unless they are currently swimming)
004527 |     //else if (!leader.IsSwimming())
004528 |     //    m_PathFinding.EnableSwimming(false);
004529 | }
004530 |
004531 | override void EEItemAttached(EntityAI item, string slot_name)
004532 | {
004533 |     super.EEItemAttached(item, slot_name);
004534 |
004535 |     if (g_Game.IsServer())
004536 |         eAI_UpdateProtectionLevels(item, 1, slot_name);
004537 | }
004538 |
004539 | override void EEItemDetached(EntityAI item, string slot_name)
004540 | {
004541 |     super.EEItemDetached(item, slot_name);
004542 |
004543 |     if (g_Game.IsServer())
004544 |         eAI_UpdateProtectionLevels(item, -1, slot_name);
004545 | }
004546 |
004547 | override void EEItemIntoHands(EntityAI item)
004548 | {
004549 |     super.EEItemIntoHands(item);
004550 |
004551 |     //! Set melee weapon so we can use GetRange()
004552 |     m_eMeleeCombat.Reset(InventoryItem.Cast(item), EMeleeHitType.NONE, false);
004553 |
004554 | #ifdef EXPANSION_AI_MELEEDBG_CHATTY
004555 |     ExpansionStatic.MessageNearPlayers(GetPosition(), 100, ToString() + " EEItemIntoHands " + item + " melee range " + m_eMeleeCombat.eAI_GetRange());
004556 | #endif
004557 |
004558 |     Weapon_Base weapon;
004559 |     if (Class.CastTo(weapon, item))
004560 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(weapon.eAI_SetFireModeAuto);
004561 |
004562 |     if (g_Game.IsServer() && item.IsInherited(RestrainingToolLocked))
004563 |     {
004564 |         if (AI_HANDLED00RS)
004565 |             m_PathFinding.AllowClosedDoors(false, 0.0);
004566 |
004567 |         if (AI_HANDLEVAULTING)
004568 |             m_PathFinding.SetAllowJumpClimb(false, 0.0);
004569 |
004570 |         m_PathFinding.EnableSwimming(false);
004571 |     }
004572 | }
004573 |
004574 | override void EEItemOutOfHands(EntityAI item)
004575 | {
```

```
004576 |         super.EEItemOutOfHands(item);
004577 |
004578 |         if (!ToDelete() && m_eMeleeCombat.eAI_GetWeapon() == item)
004579 |         {
004580 |             ///! Set melee so we can use GetRange()
004581 |             m_eMeleeCombat.Reset(null, EMeleeHitType.NONE, false);
004582 |
004583 |             #ifdef EXPANSION_AI_MELEEDBG_CHATTY
004584 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 100, ToString() + " EEItemOutOfHands " + item + " melee range (fists) " + m_eMeleeCombat.eAI_GetRang
e());
004585 |             #endif
004586 |         }
004587 |
004588 |         if (g_Game.IsServer() && item.IsInherited(RestrainingToolLocked))
004589 |         {
004590 |             if (AI_HANDLED00RS)
004591 |                 m_PathFinding.AllowClosedDoors(true, 0.0);
004592 |
004593 |             if (AI_HANDLEVAULTING)
004594 |                 m_PathFinding.SetAllowJumpClimb(true, 0.0);
004595 |         }
004596 |     }
004597 |
004598 | void eAI_UpdateProtectionLevels(EntityAI entity, int value, string slotName = string.Empty)
004599 | {
004600 |     if (slotName)
004601 |     {
004602 |         if (!GetBleedingManagerServer()) ///! Vanilla deletes BleedingManagerServer in EEKilled
004603 |             return;
004604 |
004605 |         set<int> slotIDs = GetBleedingManagerServer().GetBleedingSourcesLocations();
004606 |         int slotID = InventorySlots.GetSlotIdFromString(slotName);
004607 |         if (slotIDs.Find(slotID) == -1)
004608 |             return;
004609 |     }
004610 |
004611 |     ItemBase item;
004612 |     if (Class.CastTo(item, entity))
004613 |     {
004614 |         eAI_UpdateProtectionLevel(DEF_BIOLOGICAL, item, value);
004615 |         eAI_UpdateProtectionLevel(DEF_CHEMICAL, item, value);
004616 |     }
004617 | }
004618 |
004619 | void eAI_UpdateProtectionLevel(int type, ItemBase item, int value)
004620 | {
004621 |     float level = item.GetProtectionLevel(type, true) * value;
004622 |
004623 |     m_eAI_ProtectionLevels[type] = m_eAI_ProtectionLevels[type] + level;
004624 |
004625 |     #ifdef DIAG_DEVELOPER
004626 |     if (level != 0)
004627 |     {
004628 |         if (type == DEF_CHEMICAL)
004629 |             EXTrace.Print(EXTrace.AI, this, "Chemical protection level: " + m_eAI_ProtectionLevels[type]);
004630 |         else
004631 |             EXTrace.Print(EXTrace.AI, this, "Biological protection level: " + m_eAI_ProtectionLevels[type]);
004632 |     }
004633 |     #endif
004634 | }
004635 |
004636 | void eAI_UpdateProtectionLevels()
```

```
004637 | {
004638 |     if (!GetBleedingManagerServer()) //! Vanilla deletes BleedingManagerServer in EEKilled
004639 |         return;
004640 |
004641 |     set<int> slotIDs = GetBleedingManagerServer().GetBleedingSourcesLocations();
004642 |
004643 |     m_eAI_ProtectionLevels[DEF_BIOLOGICAL] = 0;
004644 |     m_eAI_ProtectionLevels[DEF_CHEMICAL] = 0;
004645 |
004646 |     foreach (int slotID: slotIDs)
004647 |     {
004648 |         EntityAI attachment = GetInventory().FindAttachment(slotID);
004649 |
004650 |         eAI_UpdateProtectionLevels(attachment, 1);
004651 |     }
004652 | }
004653 |
004654 | override void Expansion_OnDangerousAreaEnterServer(EffectArea area, Trigger trigger)
004655 | {
004656 |     #ifdef DIAG_DEVELOPER
004657 |         ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " Expansion_OnDangerousAreaEnterServer " + area + " " + area.m_Position + " " + area.
m_Radius);
004658 |     #endif
004659 |
004660 |     m_eAI_DangerousAreaCount++;
004661 |
004662 |     if (!m_eAI_EffectArea || area.m_Expansion_MergedCluster != m_eAI_EffectArea.m_Expansion_MergedCluster)
004663 |     {
004664 |         #ifdef DIAG_DEVELOPER
004665 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " Expansion_OnDangerousAreaEnterServer " + area.m_Expansion_MergedCluster + " " +
area.m_Expansion_MergedCluster.m_Position + " " + area.m_Expansion_MergedCluster.m_Radius);
004666 |         #endif
004667 |
004668 |         ExpansionEffectAreaMergedCluster cluster = area.m_Expansion_MergedCluster;
004669 |         EffectArea closestArea;
004670 |         vector position = GetPosition();
004671 |         vector target = m_PathFinding.GetTarget();
004672 |         vector left = target;
004673 |         vector right = target;
004674 |
004675 |         cluster.FindClosestPointOutsideCluster(position, left, 1.0, true, closestArea);
004676 |         cluster.FindClosestPointOutsideCluster(position, right, -1.0, true, closestArea);
004677 |
004678 |         float distToTargetLeft = vector.DistanceSq(left, target);
004679 |         float distToTargetRight = vector.DistanceSq(right, target);
004680 |
004681 |         if (distToTargetLeft < distToTargetRight)
004682 |         {
004683 |             GetGroup().m_DangerousAreaAvoidanceDirection = 1.0;
004684 |
004685 |             #ifdef DIAG_DEVELOPER
004686 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " Expansion_OnDangerousAreaEnterServer avoid left");
004687 |             #endif
004688 |         }
004689 |         else if (distToTargetLeft > distToTargetRight)
004690 |         {
004691 |             GetGroup().m_DangerousAreaAvoidanceDirection = -1.0;
004692 |
004693 |             #ifdef DIAG_DEVELOPER
004694 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " Expansion_OnDangerousAreaEnterServer avoid right");
004695 |             #endif
004696 |         }
004697 |     }
```



```
004697 |         else
004698 |         {
004699 |             GetGroup().RandomizeDangerousAreaAvoidanceDirection();
004700 |
004701 |             #ifdef DIAG_DEVELOPER
004702 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " Expansion_OnDangerousAreaEnterServer avoid random");
004703 |             #endif
004704 |         }
004705 |     }
004706 |
004707 |     m_eAI_EffectArea = area;
004708 | }
004709 |
004710 | override void Expansion_OnDangerousAreaExitServer(EffectArea area, Trigger trigger)
004711 | {
004712 |     #ifdef DIAG_DEVELOPER
004713 |         ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " Expansion_OnDangerousAreaExitServer " + area + " " + area.m_Position + " " + area.m
004714 |     _Radius);
004715 |     #endif
004716 |
004717 |     m_eAI_DangerousAreaCount--;
004718 |     if (m_eAI_DangerousAreaCount < 0)
004719 |         m_eAI_DangerousAreaCount = 0;
004720 | }
004721 |
004722 | void eAI_ForgetDangerousAreaCluster()
004723 | {
004724 |     if (m_eAI_DangerousAreaCount == 0)
004725 |     {
004726 |         #ifdef DIAG_DEVELOPER
004727 |             auto cluster = m_eAI_EffectArea.m_Expansion_MergedCluster;
004728 |             if (cluster)
004729 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " eAI_ForgetDangerousAreaCluster " + cluster + " " + cluster.m_Position + " "
004730 |             + cluster.m_Radius);
004731 |             else
004732 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 1000, ToString() + " eAI_ForgetDangerousAreaCluster");
004733 |         #endif
004734 |
004735 |         m_eAI_EffectArea = null;
004736 |     }
004737 | }
004738 |
004739 | /**
004740 |  * @brief Overrides the desired position to generate a new path
004741 |  *
004742 |  * @param pPosition the target position for path finding
004743 |  */
004744 | void OverrideTargetPosition(vector pPosition, bool isFinal = true, float maxDistance = 1.0, bool allowJumpClimb = true)
004745 | {
004746 |     #ifdef EAI_TRACE
004747 |         auto trace = CF_Trace_1(this, "OverrideTargetPosition").Add(pPosition);
004748 |     #endif
004749 |
004750 |     vector oPos = pPosition;
004751 |     vector position = m_ExTransformPlayer[3];
004752 |
004753 |     if (m_eAI_Ladder && eAI_CheckShouldUseBuildingWithLadder(pPosition))
004754 |     {
004755 |         if (m_eAI_IsOnLadder)
004756 |         {
004757 |             //!< Allow changing direction (up/down) while climbing ladder if target position changes
```

```

004757 |         //!< Currently problematic if there is more than one ladder e.g. if we need to go up one and down the next to get to target,
004758 |         //!< so we limit to buildings with just one ladder
004759 |         //!< DISABLED for now, since pPosition is NOT suitable to check whether we need to go down or not
004760 |     /*
004761 |         if (m_eAI_BuildingWithLadder.Expansion_GetLaddersCount() == 1)
004762 |         {
004763 |             vector modelTgtPos = m_eAI_BuildingWithLadder.WorldToModel(pPosition);
004764 |             vector btm = m_eAI_Ladder.m_Con[0];
004765 |             vector top = m_eAI_Ladder.m_Con[1];
004766 |             float middle = btm[1] + (top[1] - btm[1]) * 0.5;
004767 |             if (modelTgtPos[1] > middle)
004768 |                 m_eAI_LadderClimbDirection = 1;
004769 |             else if (modelTgtPos[1] < middle)
004770 |                 m_eAI_LadderClimbDirection = -1;
004771 |         }
004772 |     */
004773 |
004774 |     Expansion_DebugObject(740038, vector.Zero, "ExpansionDebugBox_Yellow");
004775 |
004776 |     return;
004777 | }
004778 | else
004779 | {
004780 |     pPosition = m_eAI_LadderEntryPoint;
004781 |
004782 |     Expansion_DebugObject(740038, pPosition, "ExpansionDebugBox_Yellow", vector.Direction(position, pPosition), position);
004783 | }
004784 | }
004785 | else if (eAI_CheckShouldClimbLadderToReachPosition(pPosition))
004786 | {
004787 |     //!< Traverse ladders by a process of elimination. This means we won't necessarily be taking the optimal path,
004788 |     //!< but makes it unlikely to get stuck permanently.
004789 |     //!< Ladders that have been used or are not reachable are removed from the pool if there is more than one ladder,
004790 |     //!< when count reaches zero, all ladders are added back into the pool.
004791 |
004792 |     map<int, ref ExpansionLadder> ladders;
004793 |     if (!m_eAI_Ladders.Find(m_eAI_BuildingWithLadder, ladders))
004794 |     {
004795 |         ladders = new map<int, ref ExpansionLadder>;
004796 |         m_eAI_Ladders[m_eAI_BuildingWithLadder] = ladders;
004797 |     }
004798 |
004799 |     if (ladders.Count() == 0)
004800 |     {
004801 |         ExpansionUtil2<int, ExpansionLadder>.RefCopy(m_eAI_BuildingWithLadder.m_Expansion_Ladders, ladders);
004802 |         m_eAI_LadderLoops++;
004803 | #ifdef DIAG_DEVELOPER
004804 |         string msg = "Ladder loops " + m_eAI_LadderLoops;
004805 |         EXTrace.Print(EXTrace.AI, this, msg);
004806 |         ExpansionStatic.MessageNearPlayers(position, 100, ToString() + " " + msg);
004807 | #endif
004808 |     }
004809 |
004810 |     TIntArray distancesSqBtm = {};
004811 |     TIntArray distancesSqTop = {};
004812 |
004813 |     map<int, ref ExpansionLadder> laddersByDistSqBtm = new map<int, ref ExpansionLadder>;
004814 |     map<int, ref ExpansionLadder> laddersByDistSqTop = new map<int, ref ExpansionLadder>;
004815 |
004816 |     vector modelPos = m_eAI_BuildingWithLadder.WorldToModel(position);
004817 |
004818 |     float lowestLadderBtm = float.MAX;

```

```
004819 |         //float lowestLadderTop = float.MAX;
004820 |
004821 |     foreach (int ladderIndex, ExpansionLadder ladder: ladders)
004822 |     {
004823 |         vector btm = ladder.m_Con[0];
004824 |         vector top = ladder.m_Con[1];
004825 |
004826 |         lowestLadderBtm = Math.Min(btm[1], lowestLadderBtm);
004827 |         //lowestLadderTop = Math.Min(top[1], lowestLadderTop);
004828 |
004829 |         //! @note the Y difference is used for weighting
004830 |         int distSqBtm = ExpansionMath.Distance2DSq(modelPos, btm) * Math.AbsFloat(modelPos[1] - btm[1]);
004831 |         int distSqTop = ExpansionMath.Distance2DSq(modelPos, top) * Math.AbsFloat(modelPos[1] - top[1]);
004832 |
004833 |         distancesSqBtm.Insert(distSqBtm);
004834 |         distancesSqTop.Insert(distSqTop);
004835 |
004836 |         laddersByDistSqBtm[distSqBtm] = ladder;
004837 |         laddersByDistSqTop[distSqTop] = ladder;
004838 |     }
004839 |
004840 |     vector modelTgtPos = m_eAI_BuildingWithLadder.WorldToModel(pPosition);
004841 |
004842 |     if (modelTgtPos[1] < lowestLadderBtm || !m_eAI_TargetIsInBuildingWithLadderRadius)
004843 |     {
004844 |         if (!m_eAI_FloorIsBuildingWithLadder || (Math.AbsFloat(modelTgtPos[1] - modelPos[1]) < 0.5 && modelPos[1] < lowestLadderBtm && m_eAI_LastClimbedBu
ildingWithLadder != m_eAI_BuildingWithLadder))
004845 |             m_eAI_PreferLadder = false;
004846 |     }
004847 |
004848 |     if (m_eAI_PreferLadder)
004849 |     {
004850 |         distancesSqBtm.Sort();
004851 |         distancesSqTop.Sort();
004852 |
004853 |         int closestBtm = distancesSqBtm[0];
004854 |         int closestTop = distancesSqTop[0];
004855 |
004856 |         ExpansionLadder closestLadder;
004857 |         vector entryPoint;
004858 |         vector dirPoint;
004859 |         int climbDir;
004860 |
004861 |         if (closestBtm < closestTop)
004862 |         {
004863 |             //! Go to btm pos
004864 |             closestLadder = laddersByDistSqBtm[closestBtm];
004865 |             entryPoint = m_eAI_BuildingWithLadder.ModelToWorld(closestLadder.m_Con[0]);
004866 |             dirPoint = m_eAI_BuildingWithLadder.ModelToWorld(closestLadder.m_ConDir[0]);
004867 |             climbDir = 1;
004868 |         }
004869 |         else
004870 |         {
004871 |             //! Go to top pos
004872 |             closestLadder = laddersByDistSqTop[closestTop];
004873 |             entryPoint = m_eAI_BuildingWithLadder.ModelToWorld(closestLadder.m_Con[1]);
004874 |             dirPoint = m_eAI_BuildingWithLadder.ModelToWorld(closestLadder.m_ConDir[1]);
004875 |             climbDir = -1;
004876 |         }
004877 |
004878 |         if (g_Game.GetWaterDepth(m_eAI_LadderEntryPoint) < 1.0 || eAI_IsInLadderRadius(entryPoint))
004879 |         {
```

```

004880 |         ///! Only use ladder if entry point is not underwater or we are in radius
004881 |
004882 |         m_eAI_Ladder = closestLadder;
004883 |         m_eAI_LadderEntryPoint = entryPoint;
004884 |         m_eAI_LadderDirPoint = dirPoint;
004885 |         m_eAI_LadderClimbDirection = climbDir;
004886 |
004887 |         pPosition = m_eAI_LadderEntryPoint;
004888 |
004889 |         Expansion_DebugObject(740038, pPosition, "ExpansionDebugBox_Yellow", vector.Direction(position, pPosition), position);
004890 |     }
004891 |     else
004892 |     {
004893 |         Expansion_DebugObject(740038, vector.Zero, "ExpansionDebugBox_Yellow");
004894 |     }
004895 | }
004896 | }
004897 | else
004898 | {
004899 |     m_eAI_Ladder = null;
004900 |
004901 | #ifdef DIAG_DEVELOPER
004902 |     Expansion_DebugObject(740038, vector.Zero, "ExpansionDebugBox_Yellow");
004903 | #endif
004904 | }
004905 |
004906 | ///! Try and go around any contaminated area if not fully protected by following the outer edge
004907 | if (!m_eAI_Ladder && m_eAI_IsInDangerByArea)
004908 | {
004909 |     ExpansionEffectAreaMergedCluster cluster = m_eAI_EffectArea.m_Expansion_MergedCluster;
004910 |     EffectArea closestArea;
004911 |     float tolerance = cluster.GetAvoidanceDistance(m_eAI_EffectArea.m_Radius);
004912 |
004913 | #ifdef DIAG_DEVELOPER
004914 |     Object dbgObj;
004915 |     vector dir;
004916 | #endif
004917 |
004918 |     if (m_eAI_DangerousAreaAvoidancePosition != vector.Zero && !Math.IsPointInCircle(m_eAI_DangerousAreaAvoidancePosition, 2.0, position) && !m_PathFindin
g.m_IsTargetUnreachable && Math.IsPointInCircle(m_eAI_TargetPosition, tolerance, pPosition))
004919 |     {
004920 |         pPosition = m_eAI_DangerousAreaAvoidancePosition;
004921 |         isFinal = false;
004922 |     }
004923 |     else if (cluster.FindClosestPointOutsideCluster(position, pPosition, GetGroup().m_DangerousAreaAvoidanceDirection, true, closestArea))
004924 |     {
004925 |         pPosition = ExpansionStatic.GetSurfaceRoadPosition(pPosition, RoadSurfaceDetection.CLOSEST);
004926 |
004927 |         float waterDepth = g_Game.GetWaterDepth(pPosition);
004928 |         if (waterDepth > 0)
004929 |             pPosition[1] = pPosition[1] + waterDepth;
004930 |
004931 | #ifdef DIAG_DEVELOPER
004932 |         dir = pPosition - position;
004933 |         dir[1] = 0;
004934 |         Expansion_DebugObject(3142, pPosition, "ExpansionDebugNoticeMe_Cyan", dir);
004935 |         //Expansion_DebugObject(3141, vector.Zero, "ExpansionDebugNoticeMe_Black");
004936 |         dbgObj = Expansion_DebugObject(3143 + cluster.m_Areas.Count(), closestArea.m_Position, "ExpansionDebugNoticeMe_White", vector.Zero, pPosition, 300
.0, ShapeFlags.NOZBUFFER);
004937 |         if (dbgObj)
004938 |         {
004939 |             dir = closestArea.m_Position - pPosition;

```

```

004940 |         dir[1] = 0;
004941 |         dbgObj.SetOrientation(dir.VectorToAngles());
004942 |     }
004943 |     dbgObj = Expansion_DebugObject(3143, closestArea.m_Position - "0 1.5 0", "ExpansionDebugNoticeMe_Yellow", vector.Zero, position, 300.0, ShapeFlags
    .NOZBUFFER);
004944 |     if (dbgObj)
004945 |     {
004946 |         dir = closestArea.m_Position - position;
004947 |         dir[1] = 0;
004948 |         dbgObj.SetOrientation(dir.VectorToAngles());
004949 |     }
004950 | #endif
004951 |
004952 |     ///! If the original target position is inside the closest area, stop unless we are attempting to flank
004953 |     if (m_eAI_DangerousAreaCount == 0 && Math.IsPointInCircle(closestArea.m_Position, closestArea.m_Radius + ExpansionEffectAreaMergedCluster.IS_INSID
E_MARGIN, oPos) && !m_eAI_ShouldTakeCover)
004954 |     {
004955 |         isFinal = true;
004956 |         m_PathFinding.m_IsTargetUnreachable = true;
004957 |         m_PathFinding.m_IsUnreachable = true;
004958 |         pPosition = oPos;
004959 |     }
004960 |     else
004961 |     {
004962 |         m_eAI_DangerousAreaAvoidancePosition = pPosition;
004963 |         isFinal = false;
004964 |
004965 |         m_PathFinding.ForceRecalculate(true);
004966 |     }
004967 | }
004968 | else
004969 | {
004970 |     m_eAI_DangerousAreaAvoidancePosition = vector.Zero;
004971 |
004972 | #ifdef DIAG_DEVELOPER
004973 |     Expansion_DebugObject(3142, vector.Zero, "ExpansionDebugNoticeMe_Cyan");
004974 |     //dir = pPosition - position;
004975 |     //dir[1] = 0;
004976 |     //player.Expansion_DebugObject(3141, pPosition - "0 1.5 0", "ExpansionDebugNoticeMe_Black", dir, position);
004977 |     Expansion_DebugObject(3143 + cluster.m_Areas.Count(), vector.Zero, "ExpansionDebugNoticeMe_White");
004978 | #endif
004979 |
004980 |     if (!Math.IsPointInCircle(cluster.m_Position, cluster.m_Radius + 100.0, position))
004981 |         eAI_ForgetDangerousAreaCluster();
004982 | }
004983 | }
004984 |
004985 | #ifndef EAI_USE_LEGACY_PATHFINDING
004986 |     m_PathFinding.SetTarget(pPosition, maxDistance, allowJumpClimb);
004987 | #else
004988 |     m_PathFinding.OverridePosition(pPosition);
004989 | #endif
004990 |
004991 |     m_eAI_TargetPosition = oPos;
004992 |     m_eAI_TargetPositionIsFinal = isFinal;
004993 | }
004994 |
004995 | bool eAI_CheckShouldClimbLadderToReachPosition(vector targetPos)
004996 | {
004997 |     if (m_eAI_IsOnLadder)
004998 |         return true;
004999 |

```

```
005000 |         if (m_eAI_IsFightingFSM && m_eAI_AcuteDangerPlayerTargetCount > 0)
005001 |             return false;
005002 |
005003 |         vector position = m_ExTransformPlayer[3];
005004 |
005005 |         if (!m_eAI_BuildingWithLadder)
005006 |         {
005007 |             if (Math.AbsFloat(targetPos[1] - position[1]) <= 1.5)
005008 |                 return false;
005009 |         }
005010 |         else if (!m_PathFinding.m_IsUnreachable && !Math.IsPointInCircle(m_PathFinding.GetEnd(), 0.55, position))
005011 |         {
005012 |             return false;
005013 |         }
005014 |
005015 |         IEntity floor = PhysicsGetFloorEntity();
005016 |         BuildingBase building;
005017 |         if (Class.CastTo(building, floor) && building != m_eAI_BuildingWithLadder && building.Expansion_GetLaddersCount() > 0 && !eAI_IsExcludedBuildingWithLadder
005018 | (building))
005019 |         {
005020 |             #ifdef DIAG_DEVELOPER
005021 |                 string msg = "Physics floor entity " + building.GetType() + " is building with ladder";
005022 |                 if (m_eAI_BuildingWithLadder)
005023 |                     msg += " and different from " + m_eAI_BuildingWithLadder.GetType();
005024 |                 EXTrace.Print(EXTrace.AI, this, msg);
005025 |                 ExpansionStatic.MessageNearPlayers(position, 100, ToString() + " " + msg);
005026 |             #endif
005027 |
005028 |             m_eAI_BuildingWithLadder = building;
005029 |             m_eAI_LadderLoops = 0;
005030 |         }
005031 |         else if (!m_eAI_BuildingWithLadder)
005032 |         {
005033 |             return false;
005034 |         }
005035 |         if (building == m_eAI_BuildingWithLadder)
005036 |             m_eAI_FloorIsBuildingWithLadder = true;
005037 |         else
005038 |             m_eAI_FloorIsBuildingWithLadder = false;
005039 |
005040 |         if (!eAI_CheckShouldUseBuildingWithLadder(targetPos))
005041 |             return false;
005042 |
005043 |         if (m_PathFinding.m_IsTargetUnreachable)
005044 |             m_eAI_PreferLadder = true;
005045 |
005046 |         return m_eAI_PreferLadder;
005047 |     }
005048 |
005049 |     bool eAI_IsExcludedBuildingWithLadder(Object building)
005050 |     {
005051 |         string type = building.GetType();
005052 |
005053 |         switch (type)
005054 |         {
005055 |             case "Land_Pier_Crane2_Base":
005056 |                 if (m_eAI_LastClimbedLadder)
005057 |                 {
005058 |                     if (m_eAI_LastClimbedBuildingWithLadder == building && m_eAI_LastClimbedLadder.m_Index == 2)
005059 |                     {
005060 |                         //!< Allow transition to top half of crane
```

```
005061 |         return true;
005062 |     }
005063 | }
005064 | break;
005065 |
005066 | case "Land_Pier_Crane2_Top":
005067 |     if (m_eAI_LastClimbedLadder)
005068 |     {
005069 |         if (m_eAI_LastClimbedBuildingWithLadder == building && m_eAI_LastClimbedLadder.m_Index == 3)
005070 |         {
005071 |             ///! Allow transition to btm half of crane
005072 |             return true;
005073 |         }
005074 |     }
005075 | break;
005076 |
005077 | case "Land_Pier_Crane_A":
005078 |     if (m_eAI_LastClimbedLadder)
005079 |     {
005080 |         if (m_eAI_LastClimbedBuildingWithLadder == building && m_eAI_LastClimbedLadder.m_Index == 2)
005081 |         {
005082 |             ///! Allow transition to top half of crane
005083 |             return true;
005084 |         }
005085 |     }
005086 | break;
005087 |
005088 | case "Land_Pier_Crane_B":
005089 |     if (m_eAI_LastClimbedLadder)
005090 |     {
005091 |         if (m_eAI_LastClimbedBuildingWithLadder == building && m_eAI_LastClimbedLadder.m_Index == 1)
005092 |         {
005093 |             ///! Allow transition to btm half of crane
005094 |             return true;
005095 |         }
005096 |     }
005097 | break;
005098 |
005099 | case "Land_Geoplant_PipeHall":
005100 |     ///! Incorrect navmesh on top of accessory towers
005101 |     return true;
005102 |
005103 | case "Land_Geoplant_CoolingStack":
005104 |     ///! Ladder unreachable via navmesh
005105 |     return true;
005106 | }
005107 |
005108 | return false;
005109 | }
005110 |
005111 | bool eAI_CheckShouldUseBuildingWithLadder(vector targetPos)
005112 | {
005113 |     if (m_eAI_IsFightingFSM && m_eAI_AcuteDangerPlayerTargetCount > 0)
005114 |         return false;
005115 |
005116 |     vector center = m_eAI_BuildingWithLadder.GetPosition();
005117 |     float radius = ExpansionStatic.GetBoundingRadius(m_eAI_BuildingWithLadder);
005118 |     vector position = m_ExTransformPlayer[3];
005119 |
005120 | #ifdef DIAG_DEVELOPER
005121 |     string msg;
005122 | #endif
```

```
005123 |
005124 |     if (Math.IsPointInCircle(center, radius, targetPos))
005125 |         m_eAI_TargetIsInBuildingWithLadderRadius = true;
005126 |     else
005127 |         m_eAI_TargetIsInBuildingWithLadderRadius = false;
005128 |
005129 |     //! If neither target position nor player position is in radius of building, ignore building and ladders
005130 |     if (((!m_eAI_TargetIsInBuildingWithLadderRadius || m_eAI_DangerousAreaAvoidancePosition != vector.Zero) && !Math.IsPointInCircle(center, radius, position)
005131 | ))
005132 |     {
005133 |         #ifdef DIAG_DEVELOPER
005134 |             msg = "Target position or AI no longer in radius of " + m_eAI_BuildingWithLadder.GetType();
005135 |             EXTrace.Print(EXTrace.AI, this, msg);
005136 |             ExpansionStatic.MessageNearPlayers(position, 100, ToString() + " " + msg);
005137 |         #endif
005138 |
005139 |         m_eAI_BuildingWithLadder = null;
005140 |         m_eAI_Ladder = null;
005141 |         m_eAI_PreferLadder = false;
005142 |         m_eAI_LadderLoops = 0;
005143 |         return false;
005144 |     }
005145 |
005146 |     if (m_eAI_LadderLoops == 10)
005147 |     {
005148 |         #ifdef DIAG_DEVELOPER
005149 |             if (m_eAI_Ladder)
005150 |             {
005151 |                 msg = "Exceeded maximum ladder loops";
005152 |                 EXTrace.Print(EXTrace.AI, this, msg);
005153 |                 ExpansionStatic.MessageNearPlayers(position, 100, ToString() + " " + msg);
005154 |             }
005155 |         #endif
005156 |
005157 |         m_eAI_Ladder = null;
005158 |         m_eAI_PreferLadder = false;
005159 |
005160 |         return false;
005161 |     }
005162 |     return true;
005163 | }
005164 |
005165 | bool eAI_CanReachLadderEntryPoint()
005166 | {
005167 |     vector begPos = m_ExTransformPlayer[3];
005168 |
005169 |     begPos[1] = begPos[1] + 1.1;
005170 |
005171 |     PhxInteractionLayers collisionLayerMask;
005172 |     collisionLayerMask |= PhxInteractionLayers.ROADWAY;
005173 |     collisionLayerMask |= PhxInteractionLayers.BUILDING;
005174 |     collisionLayerMask |= PhxInteractionLayers.DOOR;
005175 |     collisionLayerMask |= PhxInteractionLayers.FENCE;
005176 |     collisionLayerMask |= PhxInteractionLayers.VEHICLE;
005177 |     collisionLayerMask |= PhxInteractionLayers.TERRAIN;
005178 |     collisionLayerMask |= PhxInteractionLayers.ITEM_LARGE;
005179 |
005180 |     vector contactPos;
005181 |     vector contactDir;
005182 |     Object hitObj;
005183 |     float hitFraction;
```



```
005184 |
005185 |     //!< Have to use RayCastBullet/SphereCastBullet because raycastRV can not ignore water so won't work as intended while swimming
005186 |     if (DayZPhysics.SphereCastBullet(begPos, m_eAI_LadderEntryPoint, 0.1, collisionLayerMask, this, hitObj, contactPos, contactDir, hitFraction))
005187 |     {
005188 |     #ifdef DIAG_DEVELOPER
005189 |         Expansion_DebugObject(740039, contactPos, "ExpansionDebugBox_Cyan", vector.Direction(begPos, contactPos), begPos);
005190 |     #endif
005191 |
005192 |         vector dir = vector.Direction(m_eAI_LadderDirPoint, m_eAI_LadderEntryPoint).Normalized();
005193 |         vector perpend = dir.Perpend();
005194 |         vector min = m_eAI_LadderEntryPoint - perpend * 0.35 - dir * 0.45;
005195 |         vector max = m_eAI_LadderEntryPoint + perpend * 0.35 + dir * 0.15;
005196 |
005197 |     #ifdef DIAG_DEVELOPER
005198 |         Expansion_DebugObject(740040, min, "ExpansionDebugBox_White", vector.Direction(m_eAI_LadderEntryPoint, m_eAI_LadderDirPoint));
005199 |         Expansion_DebugObject(740041, max, "ExpansionDebugBox_White", vector.Direction(m_eAI_LadderEntryPoint, m_eAI_LadderDirPoint));
005200 |     #endif
005201 |
005202 |         if (Math.IsPointInRotatedRectangle(min, max, 0.6, contactPos))
005203 |             return true;
005204 |
005205 |         return false;
005206 |     }
005207 |
005208 |     return true;
005209 | }
005210 |
005211 | bool eAI_IsCloseToLadderEntryPoint(float maxDist = 2.282542)
005212 | {
005213 |     vector begPos = m_ExTransformPlayer[3];
005214 |
005215 |     if (m_eAI_LadderEntryPoint[1] > begPos[1])
005216 |         begPos[1] = begPos[1] + 1.1;
005217 |
005218 |     if (vector.DistanceSq(begPos, m_eAI_LadderEntryPoint) < maxDist * maxDist)
005219 |     {
005220 |     #ifdef DIAG_DEVELOPER
005221 |         Expansion_DebugObject(740043, vector.Zero, "ExpansionDebugBox_Orange");
005222 |     #endif
005223 |         return true;
005224 |     }
005225 |
005226 |     #ifdef DIAG_DEVELOPER
005227 |         Expansion_DebugObject(740043, begPos, "ExpansionDebugBox_Orange", vector.Direction(begPos, m_eAI_LadderEntryPoint), m_eAI_LadderEntryPoint);
005228 |     #endif
005229 |
005230 |     return false;
005231 | }
005232 |
005233 | bool eAI_IsInLadderRadius(vector entryPoint)
005234 | {
005235 |     vector begPos = m_ExTransformPlayer[3];
005236 |
005237 |     if (Math.IsPointInCircle(entryPoint, UMaxDistances.LADDERS, begPos))
005238 |     {
005239 |     #ifdef DIAG_DEVELOPER
005240 |         Expansion_DebugObject(740044, vector.Zero, "ExpansionDebugBox_Red");
005241 |     #endif
005242 |         return true;
005243 |     }
005244 |
005245 |     #ifdef DIAG_DEVELOPER
```

```
005246 |     Expansion_DebugObject(740044, begPos, "ExpansionDebugBox_Red", vector.Direction(begPos, entryPoint), entryPoint);
005247 | #endif
005248 |
005249 |     return false;
005250 | }
005251 |
005252 | void eAI_CheckIsInCover()
005253 | {
005254 |     if (m_eAI_CurrentCoverObject && Math.IsPointInCircle(GetPosition(), 0.55, m_eAI_CurrentCoverPosition))
005255 |     {
005256 |         if (!m_eAI_IsInCover)
005257 |             m_eAI_Callbacks.OnEnterCover(m_eAI_CurrentCoverObject);
005258 |         m_eAI_IsInCover = true;
005259 |     }
005260 |     else
005261 |     {
005262 |         if (m_eAI_IsInCover)
005263 |             m_eAI_Callbacks.OnLeaveCover(m_eAI_CurrentCoverObject);
005264 |         m_eAI_IsInCover = false;
005265 |     }
005266 | }
005267 |
005268 | //! @note in danger by area doesn't necessarily mean currently in area
005269 | void eAI_CheckIsInDangerByArea()
005270 | {
005271 |     if (m_eAI_EffectArea && m_eAI_EffectArea.eAI_IsDangerousToAI(this))
005272 |         m_eAI_IsInDangerByArea = true;
005273 |     else
005274 |         m_eAI_IsInDangerByArea = false;
005275 | }
005276 |
005277 | void eAI_CheckIsAttachedToMovingParent()
005278 | {
005279 |     IEntity parent = Expansion_GetParent();
005280 |
005281 |     if (parent && GetVelocity(parent).LengthSq() > 0.3)
005282 |     {
005283 |         #ifdef DIAG_DEVELOPER
005284 |             if (!m_eAI_IsAttachedToMovingParent)
005285 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 100, ToString() + " attached to moving parent " + parent);
005286 |         #endif
005287 |         m_eAI_IsAttachedToMovingParent = true;
005288 |     }
005289 |     else
005290 |     {
005291 |         #ifdef DIAG_DEVELOPER
005292 |             if (m_eAI_IsAttachedToMovingParent)
005293 |                 ExpansionStatic.MessageNearPlayers(GetPosition(), 100, ToString() + " No longer attached or parent is no longer moving");
005294 |         #endif
005295 |         m_eAI_IsAttachedToMovingParent = false;
005296 |     }
005297 | }
005298 |
005299 |
005300 | void OverrideTargetPosition(eAITarget target, bool isFinal = true)
005301 | {
005302 |     if (m_eAI_IsOnLadder)
005303 |         return;
005304 |
005305 |     vector pos;
005306 |     vector dir = target.GetDirection();
005307 | }
```

```

005308 |         float dist = dir.Length();
005309 |         float minDist = target.GetMinDistance(dist);
005310 |         bool allowJumpClimb = true;
005311 |         bool keepMinDistToTarget;
005312 |         bool cannotMelee;
005313 |         bool flank;
005314 |
005315 |         if (minDist)
005316 |         {
005317 |             //! Return early if we are already overriding position and not yet near endpoint
005318 |             if (!eAI_ShouldUpdatePosition())
005319 |             {
005320 |                 if (m_eAI_IsInDangerByArea)
005321 |                     OverrideTargetPosition(m_eAI_TargetPosition, m_eAI_TargetPositionIsFinal, 1.0, m_PathFinding.m_AllowJumpClimb);
005322 |                 return;
005323 |             }
005324 |
005325 |             keepMinDistToTarget = true;
005326 |             //EXTrace.Print(EXTrace.AI, this, "Positioning - min dist " + minDist);
005327 |         }
005328 |         else
005329 |         {
005330 |             if (!IsRaised() && target.IsEntity() && !target.CanMeleeIfClose())
005331 |                 cannotMelee = true;
005332 |
005333 |             //! While weapon is raised and we have LOS or action/weapon manager is running (e.g. reload/unjam), reposition/seek cover
005334 |             if ((IsRaised() && target.m_LOS) || GetActionManager().GetRunningAction() || GetWeaponManager().IsRunning() || cannotMelee)
005335 |             {
005336 |                 allowJumpClimb = false;
005337 |                 //EXTrace.Print(EXTrace.AI, this, "Positioning - flank time reset " + m_eAI_FlankTime);
005338 |                 m_eAI_FlankTime = 0.0;
005339 |                 m_eAI_FlankTimeMax = 0.0;
005340 |             }
005341 |             else if (eAI_IsInFlankRange(dist) && !eAI_IsDangerousAltitude())
005342 |             {
005343 |                 if (m_eAI_FlankTime <= 0.0)
005344 |                 {
005345 |                     if (Math.RandomInt(0, 2))
005346 |                         m_eAI_FlankAngle = Math.RandomFloat(56.25, 67.5);
005347 |                     else
005348 |                         m_eAI_FlankAngle = -Math.RandomFloat(56.25, 67.5);
005349 |
005350 |                     m_eAI_FlankTimeMax = Math.RandomFloat(dist * 0.3, dist * 0.6);
005351 |                     //EXTrace.Print(EXTrace.AI, this, "Positioning - flank angle " + m_eAI_FlankAngle + ", time max " + m_eAI_FlankTimeMax);
005352 |                 }
005353 |
005354 |                 m_eAI_FlankTime += m_dT;
005355 |
005356 |                 //! Return early if we are already overriding position and not yet near endpoint and not in cover
005357 |                 if (m_eAI_FlankTimeMax > 0.0 && !eAI_ShouldUpdatePosition() && !m_eAI_IsInCover)
005358 |                 {
005359 |                     //EXTrace.Print(EXTrace.AI, this, "Positioning - flanking, not updating pos tmax=" + m_eAI_FlankTime + " timeout=" + m_eAI_PositionOverrideTim
eout + " inCover=" + m_eAI_IsInCover);
005360 |                     if (m_eAI_IsInDangerByArea)
005361 |                         OverrideTargetPosition(m_eAI_TargetPosition, m_eAI_TargetPositionIsFinal, 1.0, m_PathFinding.m_AllowJumpClimb);
005362 |                     return;
005363 |                 }
005364 |
005365 |                 //! Flank time is based on a random speed estimate.
005366 |                 //! Sprint = 6.66 m/s avg or factor 0.3, half speed = 3.33 m/s avg or factor 0.6 (lower speed = more time)
005367 |                 if (m_eAI_FlankTime >= m_eAI_FlankTimeMax)
005368 |                 {

```

```
005369 |         //EXTrace.Print(EXTrace.AI, this, "Positioning - flank time exceeded " + m_eAI_FlankTime);
005370 |
005371 |         if ((m_eAI_FlankTime >= m_eAI_FlankTimeMax * 2 && Math.RandomInt(0, 3000) < 1) || m_PathFinding.m_IsUnreachable)
005372 |         {
005373 |             m_eAI_FlankTime = 0.0;
005374 |             Expansion_GetUp();
005375 |             if (m_eAI_IsInDangerByArea)
005376 |                 OverrideTargetPosition(m_eAI_TargetPosition, m_eAI_TargetPositionIsFinal, 1.0, m_PathFinding.m_AllowJumpClimb);
005377 |             return;
005378 |         }
005379 |
005380 |         if (m_eAI_IsInCover)
005381 |         {
005382 |             if (m_eAI_CurrentCoverObject && m_eAI_CurrentCoverObject.IsRock())
005383 |                 OverrideStance(DayZPlayerConstants.STANCEIDX_PRONE);
005384 |             else if (eAI_GetStance() == DayZPlayerConstants.STANCEIDX_ERECT && m_eAI_StancePreference != DayZPlayerConstants.STANCEIDX_PRONE)
005385 |                 OverrideStance(DayZPlayerConstants.STANCEIDX_CROUCH);
005386 |
005387 |             EntityAI hands = GetHumanInventory().GetEntityInHands();
005388 |             if (hands && hands.IsWeapon())
005389 |                 RaiseWeapon(true);
005390 |
005391 |             m_eAI_TargetPositionIsFinal = true;
005392 |
005393 |             return;
005394 |         }
005395 |     }
005396 |
005397 |     flank = true;
005398 |     isFinal = false;
005399 |     Expansion_GetUp();
005400 |     //EXTrace.Print(EXTrace.AI, this, "Positioning - flanking " + m_eAI_FlankTime);
005401 | }
005402 | else
005403 | {
005404 |     //EXTrace.Print(EXTrace.AI, this, "Positioning - dist " + dist);
005405 |     m_eAI_FlankTime = 0.0; //! Allow switch to search if flanking previously
005406 | }
005407 |
005408 |
005409 | Weapon_Base weapon;
005410 | if (Class.CastTo(weapon, GetHumanInventory().GetEntityInHands()))
005411 | {
005412 |     if (weapon.ShootsExplosiveAmmo())
005413 |     {
005414 |         minDist = Math.Max(weapon.Expansion_GetMinSafeFiringDistance(), minDist);
005415 |         keepMinDistToTarget = true;
005416 |     }
005417 | }
005418 |
005419 | if (!keepMinDistToTarget && !allowJumpClimb)
005420 | {
005421 |     if (dist < 3.0 && !cannotMelee)
005422 |     {
005423 |         //! If the distance to target is already less than 3 m, don't take cover, just try to keep the distance
005424 |         minDist = 3.0; //! Potentially backpedal
005425 |     }
005426 |     else
005427 |     {
005428 |         //! Return early if we are already overriding position and not yet near endpoint
005429 |         if (!eAI_ShouldUpdatePosition())
005430 |         {
```

```
005431 |         if (m_eAI_IsInDangerByArea)
005432 |             OverrideTargetPosition(m_eAI_TargetPosition, m_eAI_TargetPositionIsFinal, 1.0, m_PathFinding.m_AllowJumpClimb);
005433 |         return;
005434 |     }
005435 |
005436 |     if (weapon)
005437 |     {
005438 |         ///! Determine min distance range based on zeroing range.
005439 |         ///! Final min distance will be chosen to be lower or equal to this range.
005440 |
005441 |         ItemOptics optics = weapon.GetAttachedOptics();
005442 |
005443 |         if (optics)
005444 |             minDist = optics.GetZeroingDistanceZoomMax();
005445 |         else
005446 |             minDist = weapon.GetZeroingDistanceZoomMax(weapon.GetCurrentMuzzle()) * 0.3;
005447 |
005448 |         if (minDist > 1000)
005449 |             minDist = 1000;
005450 |     }
005451 |
005452 |     ///! Stay at current distance if lower than min distance range
005453 |     ///! (roughly, may take cover or reposition to random point if no cover available)
005454 |     if (dist <= minDist)
005455 |         minDist = dist;
005456 |     else if (cannotMelee)
005457 |         minDist = 30.0;
005458 | }
005459 |
005460 | //EXTrace.Print(EXTrace.AI, this, "Positioning - no jump/climb, min dist " + minDist);
005461 | }
005462 |
005463 | Object currentCoverObj = m_eAI_CurrentCoverObject;
005464 |
005465 | if (minDist || flank)
005466 | {
005467 |     pos = GetPosition();
005468 |
005469 |     if (flank)
005470 |     {
005471 |         vector ori = dir.VectorToAngles();
005472 |
005473 |         ori[0] = ExpansionMath.RelAngle(ori[0] + m_eAI_FlankAngle);
005474 |
005475 |         dir = ori.AnglesToVector();
005476 |     }
005477 |
005478 |     if (m_eAI_CurrentCoverObject)
005479 |     {
005480 |         s_eAI_TakenCoverObjects.RemoveItem(m_eAI_CurrentCoverObject);
005481 |         m_eAI_CurrentCoverObject = null;
005482 |     }
005483 |
005484 |     if (m_eAI_PotentialCoverObjects.Count() && (!target.IsMechanicalTrap() || target.IsExplosive()))
005485 |     {
005486 |         vector aimDirectionTarget = GetAimDirectionTarget();
005487 |         vector forwardPos = GetPosition();
005488 |
005489 |         vector toObjDir;
005490 |         vector toObjDirNorm;
005491 |         float dot;
005492 |         int coverObjKey;
```

```
005493 |         float distSq = dist * dist;
005494 |         float objDistSq;
005495 |
005496 |         vector targetPos;
005497 |         float minDistSq;
005498 |         float objToTargetDistSq;
005499 |
005500 |         if (keepMinDistToTarget)
005501 |         {
005502 |             targetPos = target.GetPosition(true);
005503 |             minDistSq = minDist * minDist;
005504 |         }
005505 |
005506 |         TIntArray distances = {};
005507 |         map<int, Object> potentialCoverObjs = new map<int, Object>;
005508 |
005509 |         foreach (Object obj: m_eAI_PotentialCoverObjects)
005510 |         {
005511 |             if (!obj)
005512 |                 continue;
005513 |
005514 |             ///! Don't try to find cover behind objects with active physics
005515 |             if (dBodyIsActive(obj))
005516 |                 continue;
005517 |
005518 |             if (flank)
005519 |             {
005520 |                 if (obj == currentCoverObj)
005521 |                     continue;
005522 |             }
005523 |
005524 |             if (s_eAI_TakenCoverObjects.Find(obj) > -1)
005525 |                 continue;
005526 |
005527 |             toObjDir = vector.Direction(forwardPos, obj.GetPosition());
005528 |             toObjDirNorm = toObjDir.Normalized();
005529 |
005530 |             objDistSq = toObjDir.LengthSq();
005531 |
005532 |             if (flank)
005533 |             {
005534 |                 dot = vector.Dot(dir, toObjDirNorm);
005535 |
005536 |                 ///! Select object if in direction of flank angle
005537 |                 if (dot < 0.75)
005538 |                     continue;
005539 |             }
005540 |             else
005541 |             {
005542 |                 dot = vector.Dot(aimDirectionTarget, toObjDirNorm);
005543 |
005544 |                 ///! Select object if closer than target or if opposite of AI aim direction target
005545 |                 if ((keepMinDistToTarget || distSq <= objDistSq) && dot >= 0.0)
005546 |                     continue;
005547 |             }
005548 |
005549 |             if (keepMinDistToTarget)
005550 |                 objToTargetDistSq = vector.DistanceSq(obj.GetPosition(), targetPos);
005551 |
005552 |             if (!keepMinDistToTarget || objToTargetDistSq > minDistSq)
005553 |             {
005554 |                 coverObjKey = Math.Round(objDistSq);
```

```
005555 |         distances.Insert(coverObjKey);
005556 |         potentialCoverObjs[coverObjKey] = obj;
005557 |     }
005558 | }
005559 |
005560 | if (distances.Count())
005561 | {
005562 |     ///! Select closest potential cover
005563 |     distances.Sort();
005564 |
005565 |     coverObjKey = distances[0];
005566 |
005567 |     m_eAI_CurrentCoverObject = potentialCoverObjs[coverObjKey];
005568 |     //m_eAI_PotentialCoverObjects.Clear();
005569 |     //m_eAI_PotentialCoverObjects.Insert(m_eAI_CurrentCoverObject);
005570 |     s_eAI_TakenCoverObjects.Insert(m_eAI_CurrentCoverObject);
005571 |
005572 | #ifdef DIAG_DEVELOPER
005573 |     EXTrace.Print(EXTrace.AI, this, "New cover object selected: " + m_eAI_CurrentCoverObject + " " + m_eAI_CurrentCoverObject.GetPosition());
005574 | #endif
005575 |
005576 |     BuildingBase building;
005577 |     bool houseWithDoors;
005578 |     float extension;
005579 |     vector minMax[2];
005580 |     if (m_eAI_CurrentCoverObject.IsTree())
005581 |     {
005582 |         extension = 2.0;
005583 |     }
005584 |     else if (Class.CastTo(building, m_eAI_CurrentCoverObject) && building.Expansion_IsEnterable())
005585 |     {
005586 |         houseWithDoors = true;
005587 |     }
005588 |     else if (m_eAI_CurrentCoverObject.GetCollisionBox(minMax))
005589 |     {
005590 |         minMax[0][1] = 0.0;
005591 |         minMax[1][1] = 0.0;
005592 |         extension = vector.Distance(minMax[0], minMax[1]) * 0.5 + 1.0;
005593 |     }
005594 |     else
005595 |     {
005596 |         extension = m_eAI_CurrentCoverObject.ClippingInfo(minMax);
005597 |     }
005598 |
005599 |     vector objPos = m_eAI_CurrentCoverObject.GetPosition();
005600 |
005601 |     if (houseWithDoors)
005602 |     {
005603 |         pos = objPos;
005604 |     }
005605 |     else
005606 |     {
005607 |         objPos[1] = m_eAI_AimPosition_WorldSpace[1];
005608 |         vector objToTargetDir = vector.Direction(objPos, m_eAI_AimPosition_WorldSpace);
005609 |         vector objToTargetDirNorm = objToTargetDir.Normalized();
005610 |         pos = objPos - objToTargetDirNorm * extension;
005611 |     }
005612 |
005613 |     if (flank)
005614 |     {
005615 |         m_eAI_FlankTimeMax = Math.RandomFloat(dist * 0.3, dist * 0.6);
005616 |         m_eAI_PositionOverrideTimeout = m_eAI_FlankTimeMax;
```

```

005617 |         }
005618 |         else
005619 |         {
005620 |             m_eAI_PositionOverrideTimeout = 3.0;
005621 |         }
005622 |     }
005623 | }
005624 |
005625 | if (!m_eAI_CurrentCoverObject)
005626 | {
005627 |     //EXTrace.Print(EXTrace.AI, this, "Positioning - no cover obj");
005628 |
005629 |     if (dist != minDist)
005630 |     {
005631 |         //EXTrace.Print(EXTrace.AI, this, "Positioning - dist != min dist, AI pos=" + pos);
005632 |
005633 |         pos = pos + dir.Normalized() * (dist - minDist * Math.RandomFloat(1.0, 2.0));
005634 |     }
005635 |
005636 |     if (flank)
005637 |     {
005638 |         m_eAI_FlankTimeMax = Math.RandomFloat(dist * 0.3, dist * 0.6);
005639 |         m_eAI_PositionOverrideTimeout = m_eAI_FlankTimeMax;
005640 |     }
005641 |     else
005642 |     {
005643 |         if (keepMinDistToTarget)
005644 |         {
005645 |             m_eAI_PositionOverrideTimeout = 3.0;
005646 |         }
005647 |         else
005648 |         {
005649 |             if (minDist > 3.0)
005650 |                 pos = ExpansionMath.GetRandomPointInCircle(pos, minDist);
005651 |
005652 |             m_eAI_PositionOverrideTimeout = Math.RandomFloat(5.0, 10.0);
005653 |         }
005654 |     }
005655 | }
005656 | }
005657 | else
005658 | {
005659 |     pos = target.GetPosition();
005660 | }
005661 |
005662 | //EXTrace.Print(EXTrace.AI, this, "Positioning - pos " + pos + " dist " + dist + " minDist " + minDist + " cover obj " + m_eAI_CurrentCoverObject);
005663 | OverrideTargetPosition(pos, isFinal, 1.0, allowJumpClimb);
005664 |
005665 | if ((minDist || flank) && m_eAI_CurrentCoverObject && m_eAI_CurrentCoverObject != currentCoverObj)
005666 | {
005667 |     m_PathFinding.OnUpdate(m_dT, -1.0);
005668 |     m_eAI_CurrentCoverPosition = m_PathFinding.GetEnd();
005669 | #ifdef DIAG_DEVELOPER
005670 |     //EXTrace.Print(EXTrace.AI, this, "Positioning - cover obj " + m_eAI_CurrentCoverObject + " pos " + m_eAI_CurrentCoverObject.GetPosition() + " cover p
os " + m_eAI_CurrentCoverPosition + " dist to cover pos " + vector.Distance(m_eAI_CurrentCoverObject.GetPosition(), m_eAI_CurrentCoverPosition));
005671 |     Expansion_DebugObject_Deferred(20, m_eAI_CurrentCoverPosition, "ExpansionDebugNoticeMe", GetDirection());
005672 | }
005673 | else if (!m_eAI_CurrentCoverObject)
005674 | {
005675 |     Expansion_DebugObject_Deferred(20, "0 0 0", "ExpansionDebugNoticeMe");
005676 | #endif
005677 | }

```



```
005678 |     }
005679 |
005680 |     bool eAI_ShouldUpdatePosition()
005681 |     {
005682 |         if (m_eAI_PositionOverrideTimeout > 0 && (!Math.IsPointInCircle(GetPosition(), 0.55, m_PathFinding.GetEnd()) || m_eAI_IsInCover))
005683 |             return false;
005684 |
005685 |         return true;
005686 |     }
005687 |
005688 |     bool eAI_IsInFlankRange(eAITarget target)
005689 |     {
005690 |         return eAI_IsInFlankRange(target.GetDistance());
005691 |     }
005692 |
005693 |     bool eAI_IsInFlankRange(float dist)
005694 |     {
005695 |         if (dist > 5.0 && dist <= m_eAI_MaxFlankingDistance)
005696 |             return true;
005697 |
005698 |         return false;
005699 |     }
005700 |
005701 |     void OverrideTurnTarget(bool pActive, float angle)
005702 |     {
005703 |         m_eAI_TurnTargetActive = pActive;
005704 |         m_eAI_TurnTarget = angle;
005705 |     }
005706 |
005707 |     /**
005708 |     * @brief Overrides speed target at which the ai wants to move at
005709 |     *
005710 |     * @param pActive is the override active
005711 |     * @param pPosition 0 = IDLE, 1 = WALK, 2 = RUN, 3 = SPRINT
005712 |     */
005713 |     void OverrideMovementSpeed(bool pActive, int pSpeed)
005714 |     {
005715 | #ifdef EAI_TRACE
005716 |         auto trace = CF_Trace_2(this, "OverrideMovementSpeed").Add(pActive).Add(pSpeed);
005717 | #endif
005718 |
005719 |         if (EXTrace.AI && (pActive != m_MovementSpeedActive || pSpeed != m_MovementSpeed))
005720 |             EXTrace.Print(true, this, "OverrideMovementSpeed " + m_MovementSpeedActive + " -> " + pActive + " " + m_MovementSpeed + " -> " + pSpeed);
005721 |
005722 |         m_MovementSpeedActive = pActive;
005723 |         m_MovementSpeed = pSpeed;
005724 |     }
005725 |
005726 |     /**
005727 |     * @brief Overrides movement direction (forwards, backwards or strafing)
005728 |     *
005729 |     * @param pActive is the override active
005730 |     * @param pDirection Relative angle on current model orientation from [-180, 180] where 0 is forward.
005731 |     */
005732 |     void OverrideMovementDirection(bool pActive, float pDirection)
005733 |     {
005734 | #ifdef EAI_TRACE
005735 |         auto trace = CF_Trace_2(this, "OverrideMovementDirection").Add(pActive).Add(pDirection);
005736 | #endif
005737 |
005738 |         if (!pActive && m_SideStepAngle)
005739 |             return;
```

```
005740 |
005741 |         if (EXTrace.AI && (pActive != m_MovementDirectionActive || pDirection != m_MovementDirection))
005742 |             EXTrace.Print(true, this, "OverrideMovementDirection " + m_MovementDirectionActive + " -> " + pActive + " " + m_MovementDirection + " -> " + pDirectio
n);
005743 |
005744 |         m_MovementDirectionActive = pActive;
005745 |         m_MovementDirection = pDirection;
005746 |     }
005747 |
005748 |     //! @note returns whether stance was changed or not
005749 |     bool OverrideStance(int pStanceIdx, bool force = false)
005750 |     {
005751 |         if (IsClimbing() || IsFalling() || IsFighting() || IsSwimming() || IsUnconscious())
005752 |             return false;
005753 |
005754 |         auto move = GetCommand_Move();
005755 |
005756 |         if (move)
005757 |         {
005758 |             //int stanceIdx = m_eAI_CommandMove.GetStance();
005759 |             int stanceIdx = eAI_GetStance();
005760 |             int pStanceIdxOrig = pStanceIdx;
005761 |
005762 |             if (pStanceIdx < m_eAI_DefaultStance)
005763 |             {
005764 |                 if (g_Game.GetTickTime() - m_eAI_LastHitTime > 10.0 && !m_eAI_IsPreparingMelee && GetCurrentWaterLevel() < 0.3)
005765 |                     pStanceIdx = m_eAI_DefaultStance;
005766 |             }
005767 |
005768 |             if (m_eAI_CommandMove.OverrideStance(pStanceIdx, force))
005769 |             {
005770 |                 if (pStanceIdxOrig == DayZPlayerConstants.STANCEIDX_ERECT)
005771 |                     m_eAI_ShouldGetUp = true;
005772 |                 else
005773 |                     m_eAI_ShouldGetUp = false;
005774 |
005775 |                 if (EXTrace.AI)
005776 |                     EXTrace.Print(true, this, "OverrideStance " + typename.EnumToString(eAIStance, stanceIdx) + " (" + stanceIdx + ") -> " + typename.EnumToString
(eAIStance, pStanceIdx) + " (" + pStanceIdx + ") " + force);
005777 |
005778 |                 return true;
005779 |             }
005780 |         }
005781 |
005782 |         return false;
005783 |     }
005784 |
005785 |     bool eAI_IsChangingStance()
005786 |     {
005787 |         auto cmd = GetCommand_Move();
005788 |         return cmd && m_eAI_CommandMove.IsChangingStance();
005789 |     }
005790 |
005791 |     bool eAI_ShouldGetUp()
005792 |     {
005793 |         return m_eAI_ShouldGetUp;
005794 |     }
005795 |
005796 |     void eAI_SetSniperProneDistanceThreshold(float distance)
005797 |     {
005798 |         m_eAI_SniperProneDistanceThreshold = distance;
005799 |     }
```

```
005800 |
005801 | bool eAI_AdjustStance(Weapon_Base gun, float distToTargetSq)
005802 | {
005803 |     //! Go prone if target is farther than threshold, we weren't hit in the last 10 s, we face the target, and we have a long range optic,
005804 |     //! otherwise stand back up
005805 |
005806 |     float distThreshSq = m_eAI_SniperProneDistanceThreshold * m_eAI_SniperProneDistanceThreshold;
005807 |     if (distThreshSq > 0.0 && distToTargetSq > distThreshSq && g_Game.GetTickTime() - m_eAI_LastHitTime > 10.0)
005808 |     {
005809 |         vector targetDirection = vector.Direction(GetPosition(), m_eAI_AimPosition_WorldSpace).Normalized();
005810 |         ItemOptics optics;
005811 |         if (vector.Dot(GetDirection(), targetDirection) > 0.9 && Class.CastTo(optics, gun.GetAttachedOptics()) && optics.GetZeroingDistanceZoomMax() >= 800)
005812 |             return OverrideStance(DayZPlayerConstants.STANCEIDX_PRONE);
005813 |     }
005814 |
005815 |     if (m_eAI_IsInCover)
005816 |         return false;
005817 |
005818 |     return OverrideStance(DayZPlayerConstants.STANCEIDX_ERECT);
005819 | }
005820 |
005821 | bool eAI_AdjustStance(int lastFireTime, int timeSinceLastFire, int timeBetweenFiringAndGettingUp)
005822 | {
005823 |     bool getUp;
005824 |
005825 |     if (lastFireTime > 0 && timeSinceLastFire > timeBetweenFiringAndGettingUp && !m_eAI_IsInCover)
005826 |     {
005827 |         getUp = Expansion_GetUp();
005828 |         if (getUp && EXTrace.AI)
005829 |             EXTrace.Print(true, this, "eAI_AdjustStance " + timeSinceLastFire + " > " + timeBetweenFiringAndGettingUp);
005830 |     }
005831 |
005832 |     return getUp;
005833 | }
005834 |
005835 | /**
005836 |  * @brief Return stance in range DayZPlayerConstants.STANCEIDX_RAISED..STANCEIDX_PRONE
005837 |  *
005838 |  * @note if raised, STANCEIDX_RAISED is subtracted, so the return value is guaranteed to be in aforementioned range
005839 |  */
005840 | int eAI_GetStance()
005841 | {
005842 |     int stance = m_MovementState.m_iStanceIdx;
005843 |
005844 |     if (stance >= DayZPlayerConstants.STANCEIDX_RAISED)
005845 |         stance -= DayZPlayerConstants.STANCEIDX_RAISED;
005846 |
005847 |     return stance;
005848 | }
005849 |
005850 | void SetMovementSpeedLimit(int pSpeed, bool roaming = false)
005851 | {
005852 |     m_MovementSpeedLimit = eAI_GetMovementSpeed(pSpeed);
005853 |
005854 |     if (roaming)
005855 |         m_eAI_RoamingMovementSpeedLimit = m_MovementSpeedLimit;
005856 | }
005857 |
005858 | void SetMovementSpeedLimits(int pSpeed, int pSpeedUnderThreat = -1)
005859 | {
005860 |     eAI_SetSpeedLimitPreference(pSpeed);
005861 |     if (pSpeedUnderThreat == -1)
```

```
005862 |         pSpeedUnderThreat = pSpeed;
005863 |         m_MovementSpeedLimitUnderThreat = eAI_GetMovementSpeed(pSpeedUnderThreat);
005864 |     }
005865 |
005866 | /**
005867 |  * @brief set best speed limit based on member state (broken legs etc)
005868 |  */
005869 | void eAI_SetBestSpeedLimit(int speedLimit)
005870 | {
005871 |     if (speedLimit <= 1)
005872 |         return;
005873 |
005874 |     eAIGroup group = GetGroup();
005875 |     eAIBase ai;
005876 |
005877 |     if (group.GetWaypointBehaviour() == eAIWaypointBehavior.ROAMING && speedLimit < m_eAI_RoamingMovementSpeedLimit)
005878 |         speedLimit = m_eAI_RoamingMovementSpeedLimit;
005879 |
005880 |     for (int i = 0; i < group.Count(); i++)
005881 |     {
005882 |         if (Class.CastTo(ai, group.GetMember(i)) && ai != this)
005883 |         {
005884 |             if (ai.GetBrokenLegs() == eBrokenLegs.BROKEN_LEGS || (!IsSwimming() && ai.IsSwimming()))
005885 |             {
005886 |                 if (m_MovementSpeedLimit > 1)
005887 |                     SetMovementSpeedLimit(1);
005888 |
005889 |                 return;
005890 |             }
005891 |
005892 |             //! If any other AI in group is more than 30 m from leader, slow down enough for them to be able to catch up
005893 |             if (speedLimit > 2 && vector.DistanceSq(GetPosition(), ai.GetPosition()) > 900)
005894 |             {
005895 |                 if (m_MovementSpeedLimit > 2)
005896 |                     SetMovementSpeedLimit(2);
005897 |
005898 |                 return;
005899 |             }
005900 |         }
005901 |     }
005902 |
005903 |     if (m_MovementSpeedLimit < speedLimit)
005904 |         SetMovementSpeedLimit(speedLimit);
005905 | }
005906 |
005907 | void eAI_SetSpeedLimitPreference(int speedLimit)
005908 | {
005909 |     SetMovementSpeedLimit(speedLimit);
005910 |     m_eAI_SpeedLimitPreference = m_MovementSpeedLimit;
005911 | }
005912 |
005913 | int GetMovementSpeedLimit()
005914 | {
005915 |     return m_MovementSpeedLimit;
005916 | }
005917 |
005918 | int GetMovementSpeedLimitUnderThreat()
005919 | {
005920 |     return m_MovementSpeedLimitUnderThreat;
005921 | }
005922 |
005923 | float eAI_GetCurrentMovementSpeedLimit()
```

```
005924 | {
005925 |     auto cmd = GetCommand_Move();
005926 |     if (cmd)
005927 |         return m_eAI_CommandMove.GetSpeedLimit();
005928 |
005929 |     return -1;
005930 | }
005931 |
005932 | static int eAI_GetMovementSpeed(eAIMovementSpeed pSpeed)
005933 | {
005934 |     switch (pSpeed)
005935 |     {
005936 |         case eAIMovementSpeed.RANDOM:
005937 |             return Math.RandomIntInclusive(0, 3);
005938 |         case eAIMovementSpeed.RANDOM_NONSTATIC:
005939 |             return Math.RandomIntInclusive(1, 3);
005940 |     }
005941 |
005942 |     return pSpeed;
005943 | }
005944 |
005945 | void CreateDebugApple()
005946 | {
005947 |     Class.CastTo(m_DebugTargetApple, g_Game.CreateObject("Apple", GetPosition(), true));
005948 | }
005949 |
005950 | void DestroyDebugApple()
005951 | {
005952 |     if (m_DebugTargetApple)
005953 |         m_DebugTargetApple.Delete();
005954 | }
005955 |
005956 | EntityAI Expansion_CloneItemToHands(EntityAI src)
005957 | {
005958 |     InventoryLocation il_dst = new InventoryLocation();
005959 |
005960 |     il_dst.SetHands(this, src);
005961 |
005962 |     return Expansion_CloneItemToLocation(src, il_dst);
005963 | }
005964 |
005965 | EntityAI Expansion_CloneItemToGround(EntityAI src, vector position = "0 0 0")
005966 | {
005967 |     InventoryLocation ground();
005968 |
005969 |     vector mat[4];
005970 |     Math3D.MatrixIdentity4(mat);
005971 |     mat[3] = position;
005972 |
005973 |     ground.SetGround(NULL, mat);
005974 |
005975 |     return Expansion_CloneItemToLocation(src, ground);
005976 | }
005977 |
005978 | EntityAI Expansion_CloneItemToInventory(EntityAI src, FindInventoryLocationType flags = 0)
005979 | {
005980 |     InventoryLocation location();
005981 |
005982 |     /*!
005983 |     * ATTACHMENT          = 4
005984 |     * CARGO               = 8
005985 |     * HANDS               = 16
```

```

005986 |         * PROXYCARGO           = 32
005987 |         * ANY_CARGO           = 40 (CARGO | PROXYCARGO)
005988 |         * ANY                 = 60 (ATTACHMENT | ANY_CARGO | HANDS)
005989 |         * NO_SLOT_AUTO_ASSIGN = 64
005990 |     */
005991 |     if (!flags)
005992 |         flags = FindInventoryLocationType.ATTACHMENT | FindInventoryLocationType.CARGO;
005993 |
005994 |     if (!GetInventory().FindFirstFreeLocationForNewEntity(src.GetType(), flags, location))
005995 |         return null;
005996 |
005997 |     return Expansion_CloneItemToLocation(src, location);
005998 | }
005999 |
006000 | EntityAI Expansion_CloneItemToLocation(EntityAI src, InventoryLocation location)
006001 | {
006002 |     if (!src || src.IsSetForDeletion())
006003 |         return null;
006004 |
006005 |     InventoryLocation il_src = new InventoryLocation();
006006 |
006007 |     src.GetInventory().GetCurrentInventoryLocation(il_src);
006008 |
006009 |     if (il_src.GetType() == InventoryLocationType.HANDS)
006010 |     {
006011 |         if (GetWeaponManager().IsRunning())
006012 |             GetWeaponManager().OnWeaponActionEnd(); //! Prevent getting stuck in running state
006013 |     }
006014 |
006015 |     //! Needs to be 'lootable' while in AI inventory, else AI won't be able to properly interact with item
006016 |     //! (e.g. won't be able to detach/attach mag to firearm)
006017 |     EntityAI dst = ExpansionItemSpawnHelper.Clone(src, true, location, false);
006018 |     if (dst)
006019 |     {
006020 |         ItemBase item;
006021 |         ItemBase dstItem;
006022 |         if (Class.CastTo(dstItem, dst) && Class.CastTo(item, src))
006023 |             dstItem.m_Expansion_IsOwnerPlayer = item.m_Expansion_IsOwnerPlayer;
006024 |
006025 | #ifdef JM_COT
006026 |         set<PlayerBase> spectators;
006027 |         if (src.GetHierarchyRootPlayer() != this && dstItem)
006028 |         {
006029 |             eAIGroup group = GetGroup();
006030 |             eAIBase ai;
006031 |             for (int i = 0; i < group.Count(); i++)
006032 |             {
006033 |                 if (Class.CastTo(ai, group.GetMember(i)) && ai.m_eAI_Spectators.Count() > 0)
006034 |                 {
006035 |                     spectators = ai.m_eAI_Spectators;
006036 |                     break;
006037 |                 }
006038 |             }
006039 |         }
006040 | #endif
006041 |
006042 |         g_Game.ObjectDelete(src);
006043 |
006044 |         if (location.GetType() == InventoryLocationType.HANDS)
006045 |         {
006046 |             //! Forcing switch to HumanCommandMove before taking to hands,
006047 |             //! and hiding/showing item in hands after, unbreaks hand anim state

```

```
006048 |         GetItemAccessor().HideItemInHands(true);
006049 |         GetItemAccessor().HideItemInHands(false);
006050 |     }
006051 |     else if (location.GetType() == InventoryLocationType.GROUND && !m_Expansion_CanBeLooted)
006052 |     {
006053 |         if (dstItem && !dstItem.m_Expansion_IsOwnerPlayer)
006054 |         {
006055 |             ExpansionItemBaseModule.SetLootable(dst, false);
006056 |             dst.SetLifetimeMax(120); //! Make sure it despawns quickly when left alone
006057 |         }
006058 |     }
006059 |
006060 | #ifdef JM_COT
006061 |     if (spectators)
006062 |     {
006063 |         string itemName = dstItem.Expansion_GetDisplayNameRaw();
006064 |
006065 |         foreach (PlayerBase spectator: spectators)
006066 |         {
006067 |             if (spectator)
006068 |                 ExpansionNotification(GetCachedName(), itemName, "Open Hand", ARGB(255, 248, 228, 51), 1.0, ExpansionNotificationType.ACTIVITY).Create(spe
ctator.GetIdentity());
006069 |         }
006070 |     }
006071 | #endif
006072 | }
006073 |
006074 |     return dst;
006075 | }
006076 |
006077 | override string GetCachedName()
006078 | {
006079 |     m_CachedPlayerName = GetDisplayName();
006080 |
006081 |     if (m_CachedPlayerName == s_Expansion_SurvivorDisplayName)
006082 |         m_CachedPlayerName = Expansion_GetSurvivorName();
006083 |
006084 |     return m_CachedPlayerName;
006085 | }
006086 |
006087 | //! @note INTERNAL USE ONLY
006088 | void eAI_OnInventoryEnter(ItemBase item)
006089 | {
006090 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(eAI_AddItem, item); //! Add in next tick to make sure we're not instantly adding items created by ObjectCr
eate(Ex) and similar methods where item setup (quantity etc) is performed in script after creation
006091 | }
006092 |
006093 | //! @note INTERNAL USE ONLY
006094 | void eAI_OnInventoryExit(ItemBase item)
006095 | {
006096 |     eAI_RemoveItem(item);
006097 | }
006098 |
006099 | //! @note INTERNAL USE ONLY
006100 | void eAI_OnItemDestroyed(ItemBase item)
006101 | {
006102 |     EXTrace.Print(EXTrace.AI, this, "eAI_OnItemDestroyed " + item);
006103 |     if (!item.GetInventory().GetCargo())
006104 |     {
006105 |         eAI_RemoveItem(item);
006106 |         m_eAI_ItemsToDrop.Insert(item);
006107 |     }
```

```

006108 |     }
006109 |
006110 |     void eAI_OnCargoEnter(EntityAI parent, ItemBase item)
006111 |     {
006112 |     }
006113 |
006114 |     void eAI_OnCargoExit(EntityAI parent, ItemBase item)
006115 |     {
006116 |         if (!parent.GetInventory().IsInCargo())
006117 |         {
006118 |             EXTrace.Print(EXTrace.AI, this, "eAI_OnCargoExit " + parent + " " + item);
006119 |             m_eAI_AccessibleCargoSpaceTaken -= item.Expansion_GetItemSize();
006120 |             m_eAI_MaxFoodCount = Math.Ceil((m_eAI_AccessibleCargoSpaceTotal - m_eAI_AccessibleCargoSpaceTaken) * 0.05);
006121 |         }
006122 |     }
006123 |
006124 | #ifdef DIAG_DEVELOPER
006125 |     bool m_eAI_AccessibleCargoSpaceDbg;
006126 | #endif
006127 |
006128 |     ///! @note INTERNAL USE ONLY
006129 |     private void eAI_AddItem(ItemBase item)
006130 |     {
006131 |         ///! @note since call to eAI_AddItem is deferred, we need to do these checks here
006132 |         if (!item || item.GetHierarchyRootPlayer() != this || item.IsDamageDestroyed())
006133 |             return;
006134 |
006135 |         if (item.GetInventory().IsInCargo() && item.GetHierarchyParent().IsClothing() && !item.GetHierarchyParent().GetInventory().IsInCargo())
006136 |         {
006137 |             EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - cargo " + item);
006138 |             m_eAI_AccessibleCargoSpaceTaken += item.Expansion_GetItemSize();
006139 |
006140 |             #ifdef DIAG_DEVELOPER
006141 |                 if (m_eAI_AccessibleCargoSpaceTaken > m_eAI_AccessibleCargoSpaceTotal)
006142 |                 {
006143 |                     vector itemSize = item.ConfigGetVector("itemSize");
006144 |                     string warning = string.Format("m_eAI_AccessibleCargoSpaceTaken(%1) > m_eAI_AccessibleCargoSpaceTotal(%2) | item %3 %4x%5 | parent %6 | initialize
d %7", m_eAI_AccessibleCargoSpaceTaken, m_eAI_AccessibleCargoSpaceTotal, item, itemSize[0], itemSize[1], item.GetHierarchyParent(), IsInitialized()).ToString());
006145 |                     EXError.Warn(this, warning, {});
006146 |                     m_eAI_AccessibleCargoSpaceDbg = true;
006147 |                 }
006148 |             #endif
006149 |
006150 |             m_eAI_MaxFoodCount = Math.Ceil((m_eAI_AccessibleCargoSpaceTotal - m_eAI_AccessibleCargoSpaceTaken) * 0.05);
006151 |
006152 |             if (IsInitialized() && m_eAI_MaxFoodCount >= 0)
006153 |             {
006154 |                 while (m_eAI_Food.Count() > m_eAI_MaxFoodCount)
006155 |                 {
006156 |                     m_eAI_ItemsToDrop.Insert(m_eAI_Food[0]);
006157 |                     m_eAI_Food.Remove(0);
006158 |                 }
006159 |             }
006160 |         }
006161 |     }
006162 |
006163 |     Weapon_Base weapon;
006164 |     if (Class.CastTo(weapon, item))
006165 |     {
006166 |         EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - weapon " + item);
006167 |         if (item.ShootsExplosiveAmmo())
006168 |         {
006169 |             m_eAI_Launchers.Insert(weapon);

```



```
006169 |         }
006170 |     else
006171 |     {
006172 |         if (item.IsKindOf("Pistol_Base"))
006173 |             m_eAI_Handguns.Insert(weapon);
006174 |         else
006175 |             m_eAI_Firearms.Insert(weapon);
006176 |     }
006177 |     return;
006178 | }
006179 |
006180 | //! When item is cloned to a shoulder slot or similar, GetInventory().IsAttachment() is true, but GetHierarchyRootPlayer() is NULL
006181 | //! GetHierarchyRoot() is the item itself in that case
006182 | if (item.Expansion_IsMeleeWeapon() && (!item.GetInventory().IsAttachment() || !item.GetHierarchyRootPlayer() || item.GetHierarchyRootPlayer() == this))
006183 | {
006184 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - melee weapon " + item);
006185 |     m_eAI_MeleeWeapons.Insert(item);
006186 |     return;
006187 | }
006188 |
006189 | if (item.Expansion_CanBeUsedToBandage())
006190 | {
006191 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - bandage/rag " + item);
006192 |     m_eAI_Bandages.Insert(item);
006193 |     return;
006194 | }
006195 |
006196 | if (item.IsInherited(WeaponCleaningKit))
006197 | {
006198 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - repair kit " + item);
006199 |     m_eAI_RepairKits.Insert(item);
006200 |     return;
006201 | }
006202 |
006203 | Edible_Base food;
006204 | if (Class.CastTo(food, item) && !item.IsCorpse() && item.IsFood())
006205 | {
006206 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - food " + item);
006207 |     if (food.GetFoodStage() && food.GetFoodStageType() == FoodStageType.ROTTEN)
006208 |         m_eAI_ItemsToDrop.Insert(item);
006209 |     else
006210 |         m_eAI_Food.Insert(item);
006211 |     return;
006212 | }
006213 |
006214 | if (item.IsClothing() && !item.GetInventory().IsInCargo())
006215 | {
006216 |     int w, h;
006217 |     CargoBase cargo = item.GetInventory().GetCargo();
006218 |     if (cargo)
006219 |     {
006220 |         w = cargo.GetWidth();
006221 |         h = cargo.GetHeight();
006222 |
006223 |         #ifdef DIAG_DEVELOPER
006224 |         if (m_eAI_AccessibleCargoSpaceTaken > m_eAI_AccessibleCargoSpaceTotal || m_eAI_AccessibleCargoSpaceDbg)
006225 |         {
006226 |             string cmp;
006227 |
006228 |             if (m_eAI_AccessibleCargoSpaceTaken > m_eAI_AccessibleCargoSpaceTotal + w * h)
006229 |             {
006230 |                 cmp = ">";
```

```
006231 |         }
006232 |         else
006233 |         {
006234 |             cmp = "<=";
006235 |             m_eAI_AccessibleCargoSpaceDbg = false;
006236 |         }
006237 |
006238 |         EXError.Warn(this, string.Format("m_eAI_AccessibleCargoSpaceTaken(%1) %2 m_eAI_AccessibleCargoSpaceTotal(%3) | clothing %4 cargo size %5x%6 |
initialized %7", m_eAI_AccessibleCargoSpaceTaken, cmp, m_eAI_AccessibleCargoSpaceTotal + w * h, item, w, h, IsInitialized().ToString()), {});
006239 |     }
006240 | #endif
006241 |
006242 |     m_eAI_AccessibleCargoSpaceTotal += w * h;
006243 |
006244 |     m_eAI_MaxFoodCount = Math.Ceil((m_eAI_AccessibleCargoSpaceTotal - m_eAI_AccessibleCargoSpaceTaken) * 0.05);
006245 | }
006246 | EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - clothing " + item + " " + w + "x" + h);
006247 | return;
006248 | }
006249 |
006250 | //! Ammo/magazines
006251 | Magazine mag;
006252 | if (Class.CastTo(mag, item) && !item.GetInventory().IsAttachment())
006253 | {
006254 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddItem - mag " + item);
006255 |     eAI_AddMag(mag, true);
006256 | }
006257 | }
006258 |
006259 | //! @note INTERNAL USE ONLY
006260 | void eAI_OnMagAttached(EntityAI parent, int slot_id, Magazine mag)
006261 | {
006262 |     //! If mag is attached to weapon, remove from available mags
006263 |     if (parent.IsWeapon())
006264 |         eAI_RemoveMag(mag);
006265 | }
006266 |
006267 | //! @note INTERNAL USE ONLY
006268 | void eAI_OnMagDetached(EntityAI parent, int slot_id, Magazine mag)
006269 | {
006270 |     //! If mag is detached from weapon and still on player, add to available mags
006271 |     if (parent.IsWeapon() && mag.GetHierarchyRootPlayer() == this && !mag.IsDamageDestroyed())
006272 |         eAI_AddMag(mag, false, false);
006273 | }
006274 |
006275 | //! @note INTERNAL USE ONLY
006276 | private void eAI_AddMag(Magazine mag, bool fillAnyCompatibleMag = false, bool forceEvaluateFirearmTypes = true)
006277 | {
006278 |     EXTrace.Print(EXTrace.AI, this, "eAI_AddMag - " + mag + " " + mag.GetType() + " ammo count " + mag.GetAmmoCount());
006279 |
006280 |     if (mag.GetAmmoCount() == 0 && eAI_GetMagazineTypeCount(mag.GetType()) > 1)
006281 |     {
006282 |         EXTrace.Print(EXTrace.AI, this, "Deleting empty duplicate " + mag);
006283 |         g_Game.ObjectDelete(mag);
006284 |         return;
006285 |     }
006286 |
006287 |     //! If current weapon doesn't have internal mag, fill any compatible mag in inventory from mag entering inv
006288 |     //! (and delete afterwards if empty)
006289 |     Weapon_Base weapon;
006290 |     if (fillAnyCompatibleMag && Class.CastTo(weapon, GetHumanInventory().GetEntityInHands()) && !weapon.HasInternalMagazine(weapon.GetCurrentMuzzle()))
006291 |         eAI_FillAnyCompatibleMag(weapon, mag, true);
```

```
006292 |
006293 |         if (mag && !mag.IsSetForDeletion())    //!< eAI_FillMag may delete mag if empty
006294 |             m_eAI_Magazines.Insert(mag);
006295 |
006296 |         //!< Force re-evaluation of any gun/mag (loot) targets and guns/mags in inventory
006297 |         eAI_EvaluateFirearmTypes(forceEvaluateFirearmTypes);
006298 |     }
006299 |
006300 |     //!< @note INTERNAL USE ONLY
006301 |     private void eAI_RemoveItem(ItemBase item)
006302 |     {
006303 |         eAI_RemoveActiveVisibilityEnhancer(item);
006304 |
006305 |         if (item.GetInventory().IsInCargo() && item.GetHierarchyParent().IsClothing() && !item.GetHierarchyParent().GetInventory().IsInCargo())
006306 |         {
006307 |             EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - cargo " + item);
006308 |             m_eAI_AccessibleCargoSpaceTaken -= item.Expansion_GetItemSize();
006309 |             m_eAI_MaxFoodCount = Math.Ceil((m_eAI_AccessibleCargoSpaceTotal - m_eAI_AccessibleCargoSpaceTaken) * 0.05);
006310 |         }
006311 |
006312 |         m_eAI_ItemsToDrop.RemoveItemUnOrdered(item);
006313 |
006314 |         Weapon_Base weapon;
006315 |         if (Class.CastTo(weapon, item))
006316 |         {
006317 |             EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - gun " + item);
006318 |             if (item.ShootsExplosiveAmmo())
006319 |             {
006320 |                 m_eAI_Launchers.RemoveItem(weapon);
006321 |             }
006322 |             else
006323 |             {
006324 |                 if (item.IsKindOf("Pistol_Base"))
006325 |                     m_eAI_Handguns.RemoveItem(weapon);
006326 |                 else
006327 |                     m_eAI_Firearms.RemoveItem(weapon);
006328 |             }
006329 |             m_eAI_EvaluatedFirearmTypes.Remove(item.Type());
006330 |             return;
006331 |         }
006332 |
006333 |         if (item.Expansion_IsMeleeWeapon())
006334 |         {
006335 |             EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - melee weapon " + item);
006336 |             m_eAI_MeleeWeapons.RemoveItem(item);
006337 |             return;
006338 |         }
006339 |
006340 |         if (item.Expansion_CanBeUsedToBandage())
006341 |         {
006342 |             EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - bandage/rag " + item);
006343 |             m_eAI_Bandages.RemoveItem(item);
006344 |             if (item == m_eAI_BandageToUse)
006345 |                 m_eAI_BandageToUse = null;
006346 |             return;
006347 |         }
006348 |
006349 |         if (item.IsInherited(WeaponCleaningKit))
006350 |         {
006351 |             EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - repair kit " + item);
006352 |             m_eAI_RepairKits.RemoveItem(item);
006353 |             return;
```

```

006354 |     }
006355 |
006356 |     Edible_Base food;
006357 |     if (Class.CastTo(food, item) && !item.IsCorpse() && item.IsFood())
006358 |     {
006359 |         EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - food " + item);
006360 |         if (!food.GetFoodStage() || food.GetFoodStageType() != FoodStageType.ROTTEN)
006361 |             m_eAI_Food.RemoveItemUnOrdered(item);
006362 |         return;
006363 |     }
006364 |
006365 |     if (item.IsClothing() && !item.GetInventory().IsInCargo())
006366 |     {
006367 |         int w, h;
006368 |         CargoBase cargo = item.GetInventory().GetCargo();
006369 |         if (cargo)
006370 |         {
006371 |             w = cargo.GetWidth();
006372 |             h = cargo.GetHeight();
006373 |             m_eAI_AccessibleCargoSpaceTotal -= w * h;
006374 |         }
006375 |         EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - clothing " + item + " " + w + "x" + h);
006376 |         return;
006377 |     }
006378 |
006379 |     //! Ammo/magazines
006380 |     Magazine mag;
006381 |     if (Class.CastTo(mag, item))
006382 |     {
006383 |         EXTrace.Print(EXTrace.AI, this, "eAI_RemoveItem - mag " + item);
006384 |         eAI_RemoveMag(mag, true);
006385 |     }
006386 | }
006387 |
006388 | //! @note INTERNAL USE ONLY
006389 | private void eAI_RemoveMag(Magazine mag, bool checkAttached = false)
006390 | {
006391 |     int removeIndex = m_eAI_Magazines.Find(mag);
006392 |     if (removeIndex >= 0)
006393 |     {
006394 |         m_eAI_Magazines.RemoveOrdered(removeIndex);
006395 |         //! Warn if removed mag is attached to weapon
006396 |         if (checkAttached)
006397 |         {
006398 |             InventoryLocation lcn = new InventoryLocation();
006399 |             mag.GetInventory().GetCurrentInventoryLocation(lcn);
006400 |             if (lcn.GetType() == InventoryLocationType.ATTACHMENT)
006401 |             {
006402 |                 EntityAI parent = lcn.GetParent();
006403 |                 if (parent && parent.IsWeapon())
006404 |                     EXError.Warn(this, "Removed mag is attached to weapon but was tracked as available for reload " + ExpansionStatic.GetDebugInfo(mag) + ", p
arent " + ExpansionStatic.GetDebugInfo(parent));
006405 |             }
006406 |         }
006407 |     }
006408 | }
006409 |
006410 | EXTrace.Print(EXTrace.AI, this, "eAI_RemoveMag - " + mag + " index " + removeIndex + " remaining " + m_eAI_Magazines.Count());
006411 |
006412 | for (int i = m_eAI_Magazines.Count() - 1; i >= 0; i--)
006413 | {
006414 |     mag = m_eAI_Magazines[i];
006415 |     if (!mag)

```

```
006415 |         {
006416 |             EXError.Warn(this, "NULL entry found in magazines tracked for reload at index " + i);
006417 |             m_eAI_Magazines.Remove(i);
006418 |         }
006419 |     }
006420 |
006421 |     ///! Force re-evaluation of any gun (loot) targets/guns in inventory
006422 |     eAI_EvaluateFirearmTypes();
006423 | }
006424 |
006425 | void eAI_OnFoodExpired(ItemBase food)
006426 | {
006427 |     int index = m_eAI_Food.Find(food);
006428 |
006429 |     if (index >= 0)
006430 |     {
006431 |         m_eAI_Food.Remove(index);
006432 |         m_eAI_ItemsToDrop.Insert(food);
006433 |     }
006434 | }
006435 |
006436 | float eAI_GetCurrentDPS(Weapon_Base weapon)
006437 | {
006438 |     int muzzleIndex = weapon.GetCurrentMuzzle();
006439 |
006440 |     if (eAI_HasMagazineForWeapon(weapon, muzzleIndex))
006441 |         return weapon.Expansion_GetDPS();
006442 |
006443 |     return weapon.Expansion_GetAvgDmgPerShot();
006444 | }
006445 |
006446 | bool eAI_HasMagazineForWeapon(Weapon_Base weapon, int muzzleIndex)
006447 | {
006448 |     if (weapon.HasInternalMagazine(muzzleIndex) || weapon.GetMagazine(muzzleIndex))
006449 |         return true;
006450 |
006451 |     typename type = weapon.Type();
006452 |     Magazine evaluated = m_eAI_EvaluatedFirearmTypes[type];
006453 |     if (evaluated && !evaluated.IsAmmoPile())
006454 |         return true;
006455 |
006456 |     foreach (Magazine mag: m_eAI_Magazines)
006457 |     {
006458 |         if (!mag)
006459 |             continue;
006460 |
006461 |         if (mag.IsAmmoPile())
006462 |             continue;
006463 |
006464 |         if (weapon.TestAttachMagazine(muzzleIndex, mag, false, true))
006465 |         {
006466 |             m_eAI_EvaluatedFirearmTypes[type] = mag;
006467 |             return true;
006468 |         }
006469 |     }
006470 |
006471 |     return false;
006472 | }
006473 |
006474 | bool eAI_HasMagazineType(string type)
006475 | {
006476 |     foreach (Magazine mag: m_eAI_Magazines)
```

```
006477 |     {
006478 |         if (!mag)
006479 |             continue;
006480 |
006481 |         if (mag.GetType() == type)
006482 |             return true;
006483 |     }
006484 |
006485 |     return false;
006486 | }
006487 |
006488 | bool eAI_HasMagazineTypeWithAmmo(string type)
006489 | {
006490 |     foreach (Magazine mag: m_eAI_Magazines)
006491 |     {
006492 |         if (!mag)
006493 |             continue;
006494 |
006495 |         if (mag.GetType() == type && mag.GetAmmoCount() > 0)
006496 |             return true;
006497 |     }
006498 |
006499 |     return false;
006500 | }
006501 |
006502 | bool eAI_HasWeaponForMagazine(Magazine mag)
006503 | {
006504 |     if (eAI_HasWeaponForMagazine(m_eAI_Firearms, mag))
006505 |         return true;
006506 |
006507 |     if (eAI_HasWeaponForMagazine(m_eAI_Handguns, mag))
006508 |         return true;
006509 |
006510 |     if (eAI_HasWeaponForMagazine(m_eAI_Launchers, mag))
006511 |         return true;
006512 |
006513 |     return false;
006514 | }
006515 |
006516 | bool eAI_HasWeaponForMagazine(array<Weapon_Base> weapons, Magazine mag)
006517 | {
006518 |     foreach (Weapon_Base weapon: weapons)
006519 |     {
006520 |         if (weapon.Expansion_IsCompatibleMag(weapon.GetCurrentMuzzle(), mag))
006521 |             return true;
006522 |     }
006523 |
006524 |     return false;
006525 | }
006526 |
006527 | int eAI_GetMagazineTypeAmmoCount(string type)
006528 | {
006529 |     int ammoCount;
006530 |
006531 |     foreach (Magazine mag: m_eAI_Magazines)
006532 |     {
006533 |         if (!mag)
006534 |             continue;
006535 |
006536 |         if (mag.GetType() == type)
006537 |             ammoCount += mag.GetAmmoCount();
006538 |     }
```

```
006539 |  
006540 |     return ammoCount;  
006541 | }  
006542 |  
006543 | int eAI_GetMagazineTypeCount(string type)  
006544 | {  
006545 |     int count;  
006546 |  
006547 |     foreach (Magazine mag: m_eAI_Magazines)  
006548 |     {  
006549 |         if (!mag)  
006550 |             continue;  
006551 |  
006552 |         if (mag.GetType() == type)  
006553 |             count++;  
006554 |     }  
006555 |  
006556 |     return count;  
006557 | }  
006558 |  
006559 | int eAI_GetMagazineTypeWithAmmoCount(string type)  
006560 | {  
006561 |     int count;  
006562 |  
006563 |     foreach (Magazine mag: m_eAI_Magazines)  
006564 |     {  
006565 |         if (!mag)  
006566 |             continue;  
006567 |  
006568 |         if (mag.GetType() == type && mag.GetAmmoCount() > 0)  
006569 |             count++;  
006570 |     }  
006571 |  
006572 |     return count;  
006573 | }  
006574 |  
006575 | bool eAI_HasWeaponInInventory(bool requireAmmo = false)  
006576 | {  
006577 |     if (m_eAI_Firearms.Count() == 0 && m_eAI_Handguns.Count() == 0 && m_eAI_Launchers.Count() == 0)  
006578 |         return false;  
006579 |  
006580 |     if (requireAmmo && !eAI_GetAnyWeaponToUse(true))  
006581 |         return false;  
006582 |  
006583 |     return true;  
006584 | }  
006585 |  
006586 | bool eAI_HasFirearm(bool requireAmmo = false)  
006587 | {  
006588 |     if (m_eAI_Launchers.Count() == 0)  
006589 |         return false;  
006590 |  
006591 |     if (requireAmmo && !eAI_GetWeaponToUse(true, false))  
006592 |         return false;  
006593 |  
006594 |     return true;  
006595 | }  
006596 |  
006597 | bool eAI_HasLauncher(bool requireAmmo = false)  
006598 | {  
006599 |     if (m_eAI_Launchers.Count() == 0)  
006600 |         return false;
```

```
006601 |
006602 |     if (requireAmmo && !eAI_GetWeaponToUse(true, true))
006603 |         return false;
006604 |
006605 |     return true;
006606 | }
006607 |
006608 | /**
006609 |  * @brief check if we have ammo for firearm
006610 |  *
006611 |  * @param gun
006612 |  * @param [out] mag Magazine that contains ammo (may be attached to this gun) for guns that don't have internal mag,
006613 |  *                               or ammo pile
006614 |  * @param checkMagsInInventory If true, check mags/ammo in inventory even if gun is chambered or internal/attached mag is not empty
006615 |  *                               If false, only check mags/ammo in inventory if gun is not chambered and internal/attached mag is empty
006616 |  *
006617 |  * @return true if we have ammo
006618 |  */
006619 | bool eAI_HasAmmoForFirearm(Weapon_Base gun, out Magazine mag, bool checkMagsInInventory = true)
006620 | {
006621 |     if (!checkMagsInInventory && gun.Expansion_HasAmmo(mag))
006622 |         return true;
006623 |
006624 |     typename type = gun.Type();
006625 |
006626 |     bool found = m_eAI_EvaluatedFirearmTypes.Find(type, mag);
006627 |
006628 |     bool unlimitedReload;
006629 |
006630 |     if (found && mag)
006631 |     {
006632 |         int ammoCount = mag.GetAmmoCount();
006633 |
006634 |         unlimitedReload = eAI_IsTargetUnlimitedReload();
006635 |
006636 |         if (ammoCount > 0 || unlimitedReload)
006637 |             return true;
006638 |     }
006639 |
006640 |     //! Mag not found or has no ammo and no unlimited reload
006641 |     if (!found || !mag)
006642 |     {
006643 |         if (!found)
006644 |             unlimitedReload = eAI_IsTargetUnlimitedReload();
006645 |
006646 |         //! eAI_GetMagazineToReload will only return non-empty mags/ammo (unless unlimited reload) or null. EXPENSIVE, use with care.
006647 |         mag = eAI_GetMagazineToReload(gun, unlimitedReload);
006648 |
006649 |         EXTrace.Print(EXTrace.AI, this, "eAI_HasAmmoForFirearm - inserting " + type + " " + mag);
006650 |         m_eAI_EvaluatedFirearmTypes[type] = mag;
006651 |
006652 |         return mag != null;
006653 |     }
006654 |
006655 |     return false;
006656 | }
006657 |
006658 | void eAI_EvaluateFirearmTypes(bool force = false)
006659 | {
006660 |     TTypeNameArray toRemove();
006661 |
006662 |     foreach (typename type, Magazine mag: m_eAI_EvaluatedFirearmTypes)
```



```
006663 |     {
006664 |         if (force || !mag || mag.GetHierarchyRootPlayer() != this || mag.GetHierarchyParent().IsWeapon())
006665 |             toRemove.Insert(type);
006666 |     }
006667 |
006668 |     foreach (typename removeType: toRemove)
006669 |     {
006670 |         EXTrace.Print(EXTrace.AI, this, "eAI_EvaluateFirearmTypes - removing " + removeType + " " + m_eAI_EvaluatedFirearmTypes[removeType]);
006671 |         m_eAI_EvaluatedFirearmTypes.Remove(removeType);
006672 |
006673 |         if (eAI_HasAmmoForFirearmType(m_eAI_Firearms, removeType))
006674 |             continue;
006675 |         if (eAI_HasAmmoForFirearmType(m_eAI_Handguns, removeType))
006676 |             continue;
006677 |         if (eAI_HasAmmoForFirearmType(m_eAI_Launchers, removeType))
006678 |             continue;
006679 |     }
006680 | }
006681 |
006682 | bool eAI_HasAmmoForFirearmType(array<Weapon_Base> weapons, typename type)
006683 | {
006684 |     Magazine mag;
006685 |     foreach (Weapon_Base weapon: weapons)
006686 |     {
006687 |         if (weapon.Type() == type)
006688 |         {
006689 |             if (eAI_HasAmmoForFirearm(weapon, mag, true))
006690 |                 return true;
006691 |
006692 |             ///! When eAI_HasAmmoForFirearm returns false, it has inserted a NULL mag entry for the weapon type,
006693 |             ///! which we need to remove again so the next call to eAI_HasAmmoForFirearm with the same type
006694 |             ///! checks mags in inventory
006695 |             m_eAI_EvaluatedFirearmTypes.Remove(type);
006696 |             break;
006697 |         }
006698 |     }
006699 |
006700 |     return false;
006701 | }
006702 |
006703 | bool eAI_ShouldPreferExplosiveAmmo()
006704 | {
006705 |     eAITarget target = GetTarget();
006706 |
006707 |     if (target)
006708 |     {
006709 |         if (target.IsPlayer() && target.GetParent() && target.GetCachedThreat(true) > 0.2)
006710 |             return true;
006711 |     }
006712 |
006713 |     return false;
006714 | }
006715 |
006716 | string Expansion_CommandIDToString(int cmdID)
006717 | {
006718 |     string cmd;
006719 |     switch (cmdID)
006720 |     {
006721 |         case DayZPlayerConstants.COMMANDID_NONE:
006722 |             cmd = "COMMANDID_NONE";
006723 |             break;
006724 |         case DayZPlayerConstants.COMMANDID_MOVE:
```

```
006725 |         cmd = "COMMANDID_MOVE";
006726 |         break;
006727 |     case DayZPlayerConstants.COMMANDID_ACTION:
006728 |         cmd = "COMMANDID_ACTION";
006729 |         break;
006730 |     case DayZPlayerConstants.COMMANDID_MELEE:
006731 |         cmd = "COMMANDID_MELEE";
006732 |         break;
006733 |     case DayZPlayerConstants.COMMANDID_MELEE2:
006734 |         cmd = "COMMANDID_MELEE2";
006735 |         break;
006736 |     case DayZPlayerConstants.COMMANDID_FALL:
006737 |         cmd = "COMMANDID_FALL";
006738 |         break;
006739 |     case DayZPlayerConstants.COMMANDID_DEATH:
006740 |         cmd = "COMMANDID_DEATH";
006741 |         break;
006742 |     case DayZPlayerConstants.COMMANDID_DAMAGE:
006743 |         cmd = "COMMANDID_DAMAGE";
006744 |         break;
006745 |     case DayZPlayerConstants.COMMANDID_LADDER:
006746 |         cmd = "COMMANDID_LADDER";
006747 |         break;
006748 |     case DayZPlayerConstants.COMMANDID_UNCONSCIOUS:
006749 |         cmd = "COMMANDID_UNCONSCIOUS";
006750 |         break;
006751 |     case DayZPlayerConstants.COMMANDID_SWIM:
006752 |         cmd = "COMMANDID_SWIM";
006753 |         break;
006754 |     case DayZPlayerConstants.COMMANDID_VEHICLE:
006755 |         cmd = "COMMANDID_VEHICLE";
006756 |         break;
006757 |     case DayZPlayerConstants.COMMANDID_CLIMB:
006758 |         cmd = "COMMANDID_CLIMB";
006759 |         break;
006760 |     case DayZPlayerConstants.COMMANDID_SCRIPT:
006761 |         cmd = "COMMANDID_SCRIPT";
006762 |         break;
006763 |     }
006764 |
006765 |     cmd += "(" + cmdID.ToString() + ")";
006766 |
006767 |     return cmd;
006768 | }
006769 |
006770 | void eAI_ClientUpdate()
006771 | {
006772 |     float pDt = 1.0 / 30.0;
006773 |
006774 |     GetTransform(m_ExTransformPlayer);
006775 |
006776 |     if (!eAI_HandleAiming(pDt))
006777 |         return;
006778 |
006779 |     HumanInputController hic = GetInputController();
006780 |     EntityAI entityInHands = GetHumanInventory().GetEntityInHands();
006781 |
006782 |     if (hic && entityInHands && entityInHands.IsInherited(Weapon_Base))
006783 |     {
006784 |         bool exitIronSights = false;
006785 |         HandleWeapons(pDt, entityInHands, hic, exitIronSights);
006786 |     }
```

```
006787 | }
006788 |
006789 | bool eAI_HandleAiming(float pDt, bool hasLOS = false)
006790 | {
006791 | #ifdef EXTRACE_DIAG
006792 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "eAI_OnUpdate -> eAI_HandleAiming");
006793 | #endif
006794 |
006795 |     auto vehCmd = GetCommand_Vehicle();
006796 |     if (vehCmd && (vehCmd.IsGettingIn() || vehCmd.IsGettingOut()))
006797 |     {
006798 |         LookAtDirection("0 0 1");
006799 |         AimAtDirection("0 0 1");
006800 |         return false;
006801 |     }
006802 |
006803 |     eAITarget target = m_eAI_Targets[0];
006804 |
006805 |     bool isServer = g_Game.IsServer();
006806 |     bool lookAim;
006807 |     bool lookDirectionRecalculate;
006808 |     bool aimDirectionRecalculate;
006809 |
006810 |     //! Aim from, not to! Has to be "neck" because that's how player model holds gun, everything else will break aiming
006811 |     vector neck = GetBonePositionWS(GetBoneIndexByName("neck"));
006812 |
006813 |     if (target)
006814 |     {
006815 |         //! If we have LOS, or active threat level is equal to or above 0.4 (meaning we had LOS before), or target is noise,
006816 |         //! look/aim in (last known) target direction
006817 |         if (hasLOS || (m_eAI_CurrentThreatToSelfActive >= 0.4 && !target.IsItem()) || target.IsNoise())
006818 |             lookAim = true;
006819 |
006820 |         //! If we don't have LOS, are in cover and in a building with doors, then look in direction of previous waypoint,
006821 |         //! which is guaranteed to be the direction of a door
006822 |         BuildingBase building;
006823 |         bool houseWithDoors;
006824 |         vector prevWaypoint;
006825 |         if (!hasLOS && m_eAI_IsInCover && Class.CastTo(building, m_eAI_CurrentCoverObject) && building.Expansion_IsEnterable())
006826 |         {
006827 |             prevWaypoint = m_PathFinding.m_PrevPoint;
006828 |             if (ExpansionMath.Distance2DSq(GetPosition(), prevWaypoint) > 0.0001)
006829 |             {
006830 |                 houseWithDoors = true;
006831 |                 lookAim = true;
006832 |             }
006833 |         }
006834 |
006835 |         vector aimPosition;
006836 |
006837 |         if (houseWithDoors)
006838 |             aimPosition = prevWaypoint + (neck - GetPosition());
006839 |         else
006840 |             aimPosition = target.GetPosition(!isServer) + target.GetAimOffset();
006841 |
006842 |         if ((!isServer || (IsRaised() && m_eAI_CurrentThreatToSelfActive > 0.152) || (!IsRaised() && m_eAI_CurrentThreatToSelfActive > 0.15) || houseWithDoors
006843 | ) && lookAim)
006844 |             aimDirectionRecalculate = true;
006845 |
006846 |         if (isServer)
006847 |         {
006848 |             if (aimDirectionRecalculate || (!IsRaised() && (m_eAI_CurrentThreatToSelfActive > 0.1 || houseWithDoors) && lookAim))
```

```

006848 |         lookDirectionRecalculate = true;
006849 |
006850 |         LookAtPosition(aimPosition, lookDirectionRecalculate);
006851 |     }
006852 |
006853 |     AimAtPosition(aimPosition, aimDirectionRecalculate);
006854 | }
006855 |
006856 | if (!target || (!lookDirectionRecalculate && !aimDirectionRecalculate))
006857 | {
006858 |     if (!isServer || !eAI_UpdateLookDirectionPreference())
006859 |     {
006860 |         if (isServer && m_eAI_LookDirection_Recalculate)
006861 |             LookAtDirection("0 0 1");
006862 |
006863 |         if (m_eAI_AimDirection_Recalculate)
006864 |             AimAtDirection("0 0 1");
006865 |     }
006866 | }
006867 |
006868 | if (isServer && m_eAI_LookDirection_Recalculate)
006869 | {
006870 |     m_eAI_LookDirectionTarget_ModelSpace = vector.Direction(neck, m_eAI_LookPosition_WorldSpace).Normalized().InvMultiply3(m_ExTransformPlayer);
006871 | }
006872 |
006873 | if (m_eAI_AimDirection_Recalculate)
006874 | {
006875 |     m_eAI_AimDirectionTarget_ModelSpace = vector.Direction(neck, m_eAI_AimPosition_WorldSpace).Normalized().InvMultiply3(m_ExTransformPlayer);
006876 | }
006877 |
006878 | #ifdef DIAG_DEVELOPER
006879 | #ifdef SERVER
006880 |     vector dir = GetLookDirection();
006881 |     dir[1] = 0;
006882 |     vector fwd = neck + dir;
006883 |     Expansion_DebugObject(-100, fwd, "ExpansionDebugSphereSmall_Blue", vector.Zero, neck);
006884 |     dir = Vector(m_eAI_LookRelAngles[0] - m_eAI_DbgThreshAngleH, 0, 0).AnglesToVector().Multiply3(m_ExTransformPlayer);
006885 |     dir[1] = 0;
006886 |     vector left = neck + dir;
006887 |     Expansion_DebugObject(-101, left, "ExpansionDebugSphereSmall", vector.Zero, neck);
006888 |     dir = Vector(m_eAI_LookRelAngles[0] + m_eAI_DbgThreshAngleH, 0, 0).AnglesToVector().Multiply3(m_ExTransformPlayer);
006889 |     dir[1] = 0;
006890 |     vector right = neck + dir;
006891 |     Expansion_DebugObject(-102, right, "ExpansionDebugSphereSmall", vector.Zero, neck);
006892 | /*
006893 | #else
006894 |     if (m_eAI_DbgLOSAngles != -1)
006895 |     {
006896 |         float decodedThreshAngleH = (int)(m_eAI_DbgLOSAngles & 0x0000ffff);
006897 |         decodedThreshAngleH = decodedThreshAngleH / 65535 * 360;
006898 |
006899 |         float decodedLookAngleH = (int)((m_eAI_DbgLOSAngles & 0xffff0000) >> 16);
006900 |         decodedLookAngleH = decodedLookAngleH / 65535 * 360;
006901 |
006902 |         ///! @note doesn't really work well with half angles >= 90 deg
006903 |         Debug.DrawCone(neck, 1.0, decodedThreshAngleH * Math.DEG2RAD, -decodedLookAngleH * Math.DEG2RAD + Math.PI_HALF, Colors.GREEN, ShapeFlags.ONCE);
006904 |     }
006905 | */
006906 | #endif
006907 | #endif
006908 |
006909 |     if (target)

```

```
006910 |         return true;
006911 |
006912 |         return false;
006913 |     }
006914 |
006915 | EntityAI eAI_SetHasProjectileWeaponInHands()
006916 | {
006917 |     EntityAI entityInHands = GetHumanInventory().GetEntityInHands();
006918 |
006919 |     if (entityInHands && entityInHands.IsWeapon())
006920 |         m_eAI_HasProjectileWeaponInHands = true;
006921 |     else
006922 |         m_eAI_HasProjectileWeaponInHands = false;
006923 |
006924 |     return entityInHands;
006925 | }
006926 |
006927 | void eAI_Targeting(float pDt, EntityAI entityInHands, bool checkLOS = true)
006928 | {
006929 |     eAITarget previousTarget = m_eAI_Targets[0];
006930 |     UpdateTargets(pDt, entityInHands);
006931 |     if (eAI_RemoveTargets() || m_eAI_UpdateTargetsTick == 0)
006932 |         eAI_PrioritizeTargets();
006933 |     //if (m_eAI_SyncCurrentTarget)
006934 |         //eAI_SyncCurrentTarget();
006935 |
006936 |     bool hadLOS = m_eAI_HasLOS;
006937 |
006938 |     if (checkLOS)
006939 |         m_eAI_HasLOS = EnforceLOS(pDt);
006940 |
006941 |     //ifdef EXTRACE_DIAG
006942 |         //auto trace5 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "eAI_Targeting(02)");
006943 |     //endif
006944 |
006945 |     #ifdef DIAG_DEVELOPER
006946 |         if (!m_eAI_Targets.Count())
006947 |         {
006948 |             Expansion_DeleteDebugObject(18);
006949 |             Expansion_DeleteDebugObject(19);
006950 |         }
006951 |     #endif
006952 |
006953 |     eAITarget currentTarget;
006954 |     if (!m_eAI_HasLOS && m_eAI_NoiseTarget > 0)
006955 |     {
006956 |         currentTarget = m_eAI_Targets[0];
006957 |         m_eAI_Targets[0] = m_eAI_Targets[m_eAI_NoiseTarget];
006958 |         m_eAI_Targets[m_eAI_NoiseTarget] = currentTarget;
006959 |     #ifdef DIAG_DEVELOPER
006960 |         float noiseThreatLevelActive = m_eAI_Targets[0].m_ThreatLevelActive;
006961 |         EXTrace.Print(EXTrace.AI, this, "eAI_PrioritizeTargets - prioritizing noise target " + m_eAI_NoiseTarget + " " + m_eAI_Targets[0].GetDebugName() + " t
hreat lvl " + m_eAI_CurrentThreatToSelfActive + " -> " + noiseThreatLevelActive);
006962 |     #endif
006963 |         m_eAI_NoiseTarget = 0;
006964 |     }
006965 |
006966 |     currentTarget = m_eAI_Targets[0];
006967 |
006968 |     if (!currentTarget)
006969 |     {
006970 |         if (previousTarget)
```

```
006971 |         m_eAI_Callbacks.OnNoMoreTargets();
006972 |     }
006973 |     else if (currentTarget != previousTarget)
006974 |     {
006975 |         m_eAI_Callbacks.OnTargetSelected(currentTarget);
006976 |     }
006977 |
006978 |     if (m_eAI_HasLOS != hadLOS)
006979 |     {
006980 |         if (m_eAI_HasLOS)
006981 |             m_eAI_Callbacks.OnLOS(currentTarget);
006982 |         else
006983 |             m_eAI_Callbacks.OnLOSLost(currentTarget);
006984 |     }
006985 |
006986 |     DetermineThreatToSelf(pDt);
006987 |
006988 |     if (!IsUnconscious() && !IsRestrained())
006989 |         ReactToThreatChange(pDt, entityInHands);
006990 |
006991 |     if (m_eAI_HasLOS && m_eAI_CurrentThreatToSelfActive > 0.1 && m_eAI_AcuteDangerTargetCount <= 1 && m_eAI_AcuteDangerPlayerTargetCount == 0)
006992 |         m_eAI_SilentAttackViabilityTime += pDt; //!< Prefer melee if gun not silenced
006993 |     else
006994 |         m_eAI_SilentAttackViabilityTime = 0;
006995 | }
006996 |
006997 | int m_eAI_LastUpdateTime;
006998 | void eAI_OnUpdate(float pDt)
006999 | {
007000 |     if (!m_eAI_CurrentCommandID)
007001 |         return; //!< Exit if CmdHandler not (yet) running
007002 |
007003 | #ifdef EXTRACE_DIAG
007004 |     EXTrace trace;
007005 |     if (EXTrace.AI_PROFILE)
007006 |     {
007007 |         string fn;
007008 |         if (s_eAI_FT0 == 0)
007009 |             fn = "CommandHandler(03) -> eAI_OnUpdate";
007010 |         else
007011 |             fn = "ExpansionWorld::eAI_OnUpdate -> eAI_OnUpdate";
007012 |         trace = EXTrace.Profile(true, this, fn);
007013 |     }
007014 | #endif
007015 |
007016 |     eAI_CheckIsInCover();
007017 |     eAI_CheckIsInDangerByArea();
007018 |     eAI_CheckIsAttachedToMovingParent();
007019 |
007020 |     EntityAI entityInHands = eAI_SetHasProjectileWeaponInHands();
007021 |
007022 |     eAI_Targeting(pDt, entityInHands);
007023 |
007024 |     int simulationPrecision = 0;
007025 |
007026 |     int actualCommandID = m_eAI_CurrentCommandID;
007027 |     if (actualCommandID != DayZPlayerConstants.COMMANDID_LADDER)
007028 |     {
007029 |         eAI_HandleAiming(pDt, m_eAI_HasLOS);
007030 |
007031 |         if (actualCommandID != DayZPlayerConstants.COMMANDID_CLIMB && !m_eAI_IsAttachedToMovingParent && (m_eAI_IsInDangerByArea || m_PathFinding.GetOverride(
) || !m_FSM.IsInState("Idle")))
```

```
007032 |         m_PathFinding.OnUpdate(pDt, simulationPrecision);
007033 |     #ifdef DIAG_DEVELOPER
007034 |     else
007035 |         m_PathFinding.DrawDebug();
007036 |     #endif
007037 | }
007038 | else
007039 | {
007040 |     LookAtDirection("0 0 1");
007041 |     AimAtDirection("0 0 1");
007042 | }
007043 | }
007044 |
007045 | void eAI_OnWeaponAimUpdate()
007046 | {
007047 |     if (m_WeaponRaised)
007048 |     {
007049 |         GetAimingProfile().Update();
007050 |         vector direction = GetAimingProfile().GetAimDirection();
007051 |         vector orientation = direction.VectorToAngles();
007052 |         m_eAI_AimRelAngleLR = orientation[0];
007053 |         m_eAI_AimRelAngleUD = orientation[1];
007054 |     }
007055 | }
007056 |
007057 | void eAI_UpdateFSM(float pDt, int simulationPrecision)
007058 | {
007059 |     #ifdef EXTRACE_DIAG
007060 |         EXTrace trace;
007061 |         if (EXTrace.AI_PROFILE)
007062 |         {
007063 |             string fn;
007064 |             if (s_eAI_FT0 == 0)
007065 |                 fn = "CommandHandler(11) -> eAIFSM::Update";
007066 |             else
007067 |                 fn = "ExpansionWorld::eAI_OnUpdate -> eAIFSM::Update";
007068 |             trace = EXTrace.Profile(true, this, fn);
007069 |         }
007070 |     #endif
007071 |
007072 |     //! Do FSM update only after current command has been running for at least one command handler tick, else initial gun holding will look scuffed
007073 |     if (m_FSM && m_eAI_CommandTime > pDt)
007074 |         m_FSM.Update(pDt, simulationPrecision);
007075 | }
007076 |
007077 | override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
007078 | {
007079 |     if (!g_Game)
007080 |         return;
007081 |
007082 |     if (m_eAI_MeleeFightLogic.m_eAI_Shoryuken)
007083 |         return;
007084 |
007085 |     #ifdef EXTRACE_DIAG
007086 |         auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler");
007087 |     #endif
007088 |
007089 |     /*
007090 |     if (GetIdentity())
007091 |     {
007092 |         super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
007093 |         return;
```

```

007094 |     }
007095 |     */
007096 |
007097 |     // CarScript car;
007098 |     // if (Class.CastTo(car, GetParent()))
007099 |     //{
007100 |     //     car.Control(pDt);
007101 |     // }
007102 |
007103 |     int i;
007104 |
007105 |     if (pCurrentCommandID != m_eAI_CurrentCommandID)
007106 |     {
007107 |         #ifdef DIAG_DEVELOPER
007108 |             if (EXTrace.AI)
007109 |                 EXTrace.Print(true, this, "CommandHandler " + Expansion_CommandIDToString(m_eAI_CurrentCommandID) + " -> " + Expansion_CommandIDToString(pCurrentC
ommandID) + " finished " + pCurrentCommandFinished);
007110 |         #endif
007111 |
007112 |         m_eAI_CurrentCommandID = pCurrentCommandID;
007113 |         m_eAI_CommandTime = 0.0;
007114 |     }
007115 |     else if (pCurrentCommandFinished && EXTrace.AI)
007116 |     {
007117 |         EXTrace.Print(true, this, "CommandHandler " + Expansion_CommandIDToString(pCurrentCommandID) + " finished " + pCurrentCommandFinished);
007118 |     }
007119 |
007120 |     m_eAI_CommandTime += pDt;
007121 |
007122 |     m_eAI_SkipScript = false;
007123 |
007124 |     #ifdef EXTRACE_DIAG
007125 |         auto trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(02) -> super");
007126 |     #endif
007127 |
007128 |     super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
007129 |
007130 |     #ifdef EXTRACE_DIAG
007131 |         trace2 = null;
007132 |     #endif
007133 |
007134 |     ///! @note CommandHandler super may have started different command!
007135 |     ///! Use pCurrentCommandID/pCurrentCommandFinished only to check for previous command,
007136 |     ///! and actualCommandID for actual currently running command!
007137 |
007138 |     ///! <-----
007139 |
007140 |     GetMovementState(m_MovementState);
007141 |
007142 |     int actualCommandID = m_MovementState.m_CommandTypeId;
007143 |
007144 |     if (actualCommandID != pCurrentCommandID)
007145 |     {
007146 |         #ifdef DIAG_DEVELOPER
007147 |             if (EXTrace.AI)
007148 |                 EXTrace.Print(true, this, "CommandHandler super " + Expansion_CommandIDToString(pCurrentCommandID) + " -> " + Expansion_CommandIDToString(actualCo
mmandID));
007149 |         #endif
007150 |
007151 |         if (m_eAI_MeleeFightLogic.m_eAI_ShoryukenSpin)
007152 |         {
007153 |             if (pCurrentCommandID == DayZPlayerConstants.COMMANDID_FALL || actualCommandID == DayZPlayerConstants.COMMANDID_MOVE)

```



```
007154 |         m_eAI_MeleeFightLogic.m_eAI_ShoryukenSpin = false;
007155 |     }
007156 |
007157 |     m_eAI_CurrentCommandID = actualCommandID;
007158 |     m_eAI_CommandTime = 0.0;
007159 | }
007160 |
007161 | //! ----->
007162 |
007163 | if (m_eAI_DeathHandled)
007164 |     return;
007165 |
007166 | if (!g_Game.IsServer()) //! @note ComandHandler will not run on MP client for AI anyway
007167 |     return;
007168 |
007169 | if (m_eAI_Recreate)
007170 | {
007171 |     if (!m_eAI_Recreating)
007172 |     {
007173 |         m_eAI_Recreating = true;
007174 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_Recreate, 34, false);
007175 |     }
007176 |
007177 |     return;
007178 | }
007179 |
007180 | //#ifdef EXTRACE_DIAG
007181 |     //auto trace3 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(03)");
007182 | //#endif
007183 |
007184 |     int simulationPrecision = 0;
007185 |
007186 |     GetTransform(m_ExTransformPlayer);
007187 |
007188 |     vector playerPosition = m_ExTransformPlayer[3];
007189 |     m_eAI_SurfaceY = g_Game.SurfaceY(playerPosition[0], playerPosition[2]);
007190 |
007191 |     if (playerPosition[1] < m_eAI_SurfaceY - 0.5)
007192 |     {
007193 |         playerPosition[1] = m_eAI_SurfaceY;
007194 |         EXTrace.Print(EXTrace.AI, this, "below surface - teleporting from " + m_ExTransformPlayer[3] + " to " + playerPosition);
007195 |         SetPosition(playerPosition);
007196 |         return;
007197 |     }
007198 |
007199 |     //! Needed because vanilla only checks for INSTANCETYPE_SERVER
007200 |     GetPlayerSoundManagerServer().Update();
007201 |     ShockRefill(pDt);
007202 |     FreezeCheck();
007203 |
007204 | //#ifdef EXTRACE_DIAG
007205 |     //trace3 = null;
007206 | //#endif
007207 |
007208 |     EntityAI entityInHands = GetHumanInventory().GetEntityInHands();
007209 |
007210 |     if (s_eAI_FT0 == 0)
007211 |         eAI_OnUpdate(pDt);
007212 |
007213 |     if (m_eAI_ResetMovementDirectionActive)
007214 |     {
007215 |         m_MovementDirectionActive = false;
```

```

007216 |         m_eAI_ResetMovementDirectionActive = false;
007217 |     }
007218 |
007219 |     if (m_eAI_SideStepTimeout > 0)
007220 |     {
007221 |         if (m_eAI_HasLOS && m_eAI_SideStepCancelOnLOS)
007222 |             m_eAI_SideStepTimeout = 0.0;
007223 |         else
007224 |             m_eAI_SideStepTimeout -= pDt;
007225 |
007226 |         if (m_eAI_SideStepTimeout <= 0)
007227 |         {
007228 |             eAI_ResetSidestep();
007229 |         }
007230 |     }
007231 |
007232 |     if (m_eAI_PositionOverrideTimeout > 0)
007233 |         m_eAI_PositionOverrideTimeout -= pDt;
007234 |
007235 |     HumanInputController hic = GetInputController();
007236 |
007237 |     if (hic && !pCurrentCommandFinished)
007238 |     {
007239 |         //HumanCommandVehicle vehicleCmd = GetCommand_Vehicle();
007240 |         //if (!vehicleCmd || !vehicleCmd.IsGettingIn())
007241 |         //{
007242 |             bool exitIronSights = false;
007243 |             //! @note HandleWeapons also deals with hands lowering/raising if no weapon in hands
007244 |             eAI_HandleWeapons(pDt, entityInHands, hic, exitIronSights);
007245 |         }
007246 |     }
007247 |
007248 |     //#ifdef TRACE_DIAG
007249 |     //auto traceI0 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(10)");
007250 |     //#endif
007251 |
007252 |     m_eAI_PurgeFiredShotsTick += pDt;
007253 |     if (m_eAI_PurgeFiredShotsTick > 1.0)
007254 |     {
007255 |         m_eAI_PurgeFiredShotsTick = 0;
007256 |
007257 |         int time = g_Game.GetTime();
007258 |
007259 |         #ifdef DIAG_DEVELOPER
007260 |             bool dbgObjEnabled = s_Expansion_DebugObjects_Enabled;
007261 |             s_Expansion_DebugObjects_Enabled = s_eAI_DebugDamage;
007262 |         #endif
007263 |
007264 |         for (i = m_eAI_FiredShots.Count() - 1; i >= 0; i--)
007265 |         {
007266 |             eAIShot shot = m_eAI_FiredShots[i];
007267 |             float elapsed = (time - shot.m_Time) * 0.001;
007268 |             //! If shot has been processed or flight time exceeds 6 seconds (DayZ max), remove shot
007269 |             if ((shot.m_ProcessedTime && (time - shot.m_ProcessedTime) * 0.001 > 0.005) || elapsed > 6.0)
007270 |             {
007271 |                 #ifdef DIAG_DEVELOPER
007272 |                     if (!shot.m_ProcessedTime)
007273 |                     {
007274 |                         EXTrace.Print(EXTrace.AI, this, "Discarding unprocessed " + shot.GetInfo());
007275 |                         vector dir = Vector(shot.m_Direction[0], 0, shot.m_Direction[2]);
007276 |                         Expansion_DebugObject(m_eAI_DiscardedShot_DbgIdx--, shot.m_HitPosition - "0 1.5 0", "ExpansionDebugNoticeMe_Orange", dir, vector.Zero, 5);
007277 |                         Expansion_DebugObject(m_eAI_DiscardedShot_DbgIdx--, shot.m_HitPosition, "ExpansionDebugBox_Orange", dir, vector.Zero, 5);

```

```

007278 |
007279 |         #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
007280 |             ExpansionStatic.MessageNearPlayers(shot.m_HitPosition, 100.0, "[" + shot.m_Time + " ms] timeout " + shot.m_HitObject + " travel " + Expans
ionStatic.FormatFloat(shot.m_TravelTime * 1000, 4, false) + " ms elapsed " + (elapsed * 1000) + " ms");
007281 |         #endif
007282 |     }
007283 |     #endif
007284 |         m_eAI_FiredShots.Remove(i);
007285 |     }
007286 | }
007287 |
007288 | #ifdef DIAG_DEVELOPER
007289 |     s_Expansion_DebugObjects_Enabled = dbgObjEnabled;
007290 | #endif
007291 | }
007292 |
007293 | // #ifdef EXTRACE_DIAG
007294 | // trace10 = null;
007295 | // #endif
007296 |
007297 |     if (s_eAI_FTO == 0)
007298 |         eAI_UpdateFSM(pDt, simulationPrecision);
007299 |
007300 | // #ifdef EXTRACE_DIAG
007301 | // auto trace12 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(12)");
007302 | // #endif
007303 |
007304 |     if (m_ActionManager)
007305 |     {
007306 |         if (actualCommandID != DayZPlayerConstants.COMMANDID_UNCONSCIOUS)
007307 |         {
007308 |             if (m_ShouldBeUnconscious || m_IsUnconscious)
007309 |                 m_eAI_SkipScript = true;
007310 |         }
007311 |     }
007312 |
007313 |     //! For the following if-else cascade, order matters!
007314 |     if (pCurrentCommandFinished)
007315 |     {
007316 |         if (m_eAI_IsOnLadder)
007317 |         {
007318 |             //! Finished climbing ladder
007319 |             m_eAI_IsOnLadder = false;
007320 |             m_eAI_Ladder = null;
007321 |             m_eAI_PreferLadder = false;
007322 |             // if (m_eAI_LadderClimbDirection < 0)
007323 |             //     m_eAI_Recreate = true; //! Hack fix for vanilla bug with spinning while falling (each time) after climbing ladder
007324 |             m_eAI_LadderLoops = 0;
007325 |         }
007326 |
007327 |         return;
007328 |     }
007329 |     else if (actualCommandID == DayZPlayerConstants.COMMANDID_VEHICLE)
007330 |     {
007331 |         //! Nothing
007332 |     }
007333 |     else if (actualCommandID == DayZPlayerConstants.COMMANDID_LADDER)
007334 |     {
007335 |         m_eAI_LadderTime += pDt;
007336 |     }
007337 |     else if (actualCommandID == DayZPlayerConstants.COMMANDID_CLIMB)
007338 |     {

```

```

007339 |         HumanCommandClimb hcc = GetCommand_Climb();
007340 |
007341 |         if (hcc)
007342 |         {
007343 |             int hccState = hcc.GetState();
007344 |
007345 |             /**
007346 |              * @note
007347 |              * For vaulting: MOVE -> TAKEOFF -> ONTOP -> FALLING -> FINISH
007348 |              * For climbing: MOVE -> TAKEOFF -> ONTOP
007349 |              */
007350 |
007351 |             if (hccState != m_eAI_PrevHCCState)
007352 |             {
007353 |                 #ifdef DIAG_DEVELOPER
007354 |                     EXTrace.Print(EXTrace.AI, this, "CommandClimb -> " + typename.EnumToString(ClimbStates, hccState) + "(" + hccState + ")");
007355 |                 #endif
007356 |                 m_eAI_PrevHCCState = hccState;
007357 |
007358 |                 if (hccState == ClimbStates.STATE_ONTOP)
007359 |                 {
007360 |                     float dist2DSq = ExpansionMath.Distance2DSq(playerPosition, m_PathFinding.GetNextPoint());
007361 |                     #ifdef DIAG_DEVELOPER
007362 |                         EXTrace.Print(EXTrace.AI, this, "pos " + playerPosition + " next waypoint " + m_PathFinding.GetNextPoint() + " dist2DSq " + dist2DSq);
007363 |                     #endif
007364 |                     if (dist2DSq < 4.0)
007365 |                     {
007366 |                         #ifdef DIAG_DEVELOPER
007367 |                             Expansion_DebugObject(-1000, m_PathFinding.GetNextPoint(), "ExpansionDebugNoticeMe_Blue", GetDirection());
007368 |                         #endif
007369 |                         m_PathFinding.UpdateNext(true);
007370 |                     }
007371 |                 }
007372 |             }
007373 |         }
007374 |     }
007375 | else if (actualCommandID == DayZPlayerConstants.COMMANDID_ACTION)
007376 | {
007377 |     ///! Nothing
007378 | }
007379 | else if (actualCommandID == DayZPlayerConstants.COMMANDID_UNCONSCIOUS)
007380 | {
007381 |     ///! Nothing
007382 | }
007383 | else if (actualCommandID == DayZPlayerConstants.COMMANDID_DAMAGE)
007384 | {
007385 |     ///! Nothing
007386 | }
007387 | else if (actualCommandID == DayZPlayerConstants.COMMANDID_FALL)
007388 | {
007389 |     m_eAI_Ladder = null;
007390 |     m_eAI_LadderLoops = 0;
007391 |
007392 |     if (m_eAI_IsOnLadder)
007393 |     {
007394 |         m_eAI_IsOnLadder = false;
007395 |         //m_eAI_Recreate = true; ///! Hack fix for vanilla bug with spinning while falling (each time) after climbing ladder
007396 |     }
007397 |
007398 |     return;
007399 | }
007400 | else if (actualCommandID == DayZPlayerConstants.COMMANDID_MELEE2)

```

```
007401 | {
007402 |     ///! Nothing
007403 | }
007404 | else if (m_eAI_Transport)
007405 | {
007406 |     int seat_anim_type = m_eAI_Transport.GetSeatAnimationType(m_eAI_Transport_SeatIndex);
007407 |     auto vehCommand = StartCommand_Vehicle(m_eAI_Transport, m_eAI_Transport_SeatIndex, seat_anim_type);
007408 |     vehCommand.SetVehicleType(m_eAI_Transport.GetAnimInstance());
007409 |
007410 |     m_eAI_Transport = null;
007411 |     return;
007412 | }
007413 | else if (m_eAI_Ladder && m_eAI_BuildingWithLadder && m_eAI_CommandTime > 1.0)
007414 | {
007415 |     if (eAI_IsInLadderRadius(m_eAI_LadderEntryPoint) && Math.IsPointInCircle(m_PathFinding.GetEnd(), 0.55, playerPosition) && !eAI_IsChangingStance())
007416 |     {
007417 |         bool ladderUnreachable;
007418 |
007419 |         if (eAI_IsCloseToLadderEntryPoint() && eAI_CanReachLadderEntryPoint())
007420 |         {
007421 |             m_eAI_LastClimbedLadder = m_eAI_Ladder;
007422 |             m_eAI_LastClimbedBuildingWithLadder = m_eAI_BuildingWithLadder;
007423 |             m_eAI_IsOnLadder = true;
007424 |             m_eAI_LadderTime = 0;
007425 |             SetClimbingLadderType(m_eAI_Ladder.m_Type);
007426 |             eAI_ResetRaised();
007427 |             StartCommand_Ladder(m_eAI_BuildingWithLadder, m_eAI_Ladder.m_Index);
007428 |             m_eAI_CommandMove.ResetIsBlockedByBuildingWithLadder();
007429 |             m_eAI_SkipScript = true;
007430 |         }
007431 |         else
007432 |         {
007433 |             ladderUnreachable = true;
007434 |             m_PathFinding.m_IsUnreachable = true;
007435 |         }
007436 |
007437 |         if (m_eAI_BuildingWithLadder.Expansion_GetLaddersCount() > 1)
007438 |             m_eAI_Ladders[m_eAI_BuildingWithLadder].Remove(m_eAI_Ladder.m_Index);
007439 |
007440 |         if (ladderUnreachable)
007441 |             m_eAI_Ladder = null;
007442 |     }
007443 | }
007444 | else if (actualCommandID == DayZPlayerConstants.COMMANDID_SWIM)
007445 | {
007446 |     ///! Nothing
007447 | }
007448 | else if (m_eAI_Unbug)
007449 | {
007450 |     m_eAI_Unbug = false;
007451 |
007452 |     if (actualCommandID == DayZPlayerConstants.COMMANDID_MOVE || actualCommandID == DayZPlayerConstants.COMMANDID_ACTION)
007453 |     {
007454 |         EXTrace.Print(true, this, "Applying SMACK OF GOD (='-')-o )'~'");
007455 |         StartCommand_Damage(1, 180);
007456 |         return;
007457 |     }
007458 |     else if (GetActionManager().GetRunningAction() && actualCommandID != DayZPlayerConstants.COMMANDID_ACTION)
007459 |     {
007460 |         GetActionManager().OnActionEnd();
007461 |     }
007462 |     else if (GetEmoteManager().IsEmotePlaying())
```

```
007463 |         {
007464 |             GetEmoteManager().ServerRequestEmoteCancel();
007465 |         }
007466 |     }
007467 |
007468 |     vector lookTargetRelAngles = m_eAI_LookDirectionTarget_ModelSpace.VectorToAngles();
007469 |     vector aimTargetRelAngles = m_eAI_AimDirectionTarget_ModelSpace.VectorToAngles();
007470 |
007471 |     ///! We want to interpolate rel angles for looking! Otherwise, if the conversion to rel angles happens later,
007472 |     ///! there will be a sudden jump in the unit's head rotation between 180 and -180 due to the way the head animation is set up
007473 |     eAI_InterpolateYawPitch(m_eAI_LookRelAngles, lookTargetRelAngles, m_eAI_LookVelLR, m_eAI_LookVelUD, pDt);
007474 |
007475 |     float lookLR = m_eAI_LookRelAngles[0];
007476 |     float lookUD = m_eAI_LookRelAngles[1];
007477 |
007478 |     if (IsRaised())
007479 |     {
007480 |         ///! Need to adjust look direction when aiming
007481 |         float lookAimLR = ExpansionMath.AngleDiff2(0, lookLR - m_eAI_AimRelAngles[0]); ///! AngleDiff2 ensures range [-180, 180]
007482 |         float t = Math.Min(m_WeaponRaisedTimer * 2, 1.0);
007483 |         lookLR = Math.Lerp(lookLR, lookAimLR, t);
007484 |         if (entityInHands && entityInHands.IsWeapon())
007485 |             lookUD = Math.Lerp(lookUD, 0, t);
007486 |     }
007487 |
007488 |     m_eAI_CommandMove.SetLookAnglesRel(lookLR, lookUD);
007489 |
007490 |     ///#ifndef EXTRACE_DIAG
007491 |     ///#define TRACE12 = null;
007492 |     ///#endif
007493 |
007494 |     if (!m_eAI_SkipScript && eAI_IsLocomotionCmd(actualCommandID))
007495 |     {
007496 |         if (actualCommandID != DayZPlayerConstants.COMMANDID_VEHICLE)
007497 |         {
007498 |             if (m_eAI_IsOnLadder)
007499 |             {
007500 |                 HumanCommandLadder hcl = GetCommand_Ladder();
007501 |                 if (!hcl)
007502 |                 {
007503 |                     m_eAI_IsOnLadder = false;
007504 |                     m_eAI_Ladder = null;
007505 |                     m_eAI_PreferLadder = false;
007506 |                     m_eAI_LadderLoops = 0;
007507 |                 }
007508 |                 else if (hcl.CanExit() && m_eAI_LadderTime > 2.0)
007509 |                 {
007510 |                     hcl.Exit();
007511 |                 }
007512 |             }
007513 |         }
007514 |
007515 |         if (s_eAI_FT0 == 0)
007516 |         {
007517 |             m_eAI_CommandMove.AvoidObstacles(pDt);
007518 |             eAI_OnMovementUpdate(pDt);
007519 |         }
007520 |
007521 |         if (m_eAI_JumpClimb)
007522 |         {
007523 |             m_eAI_JumpClimb = false;
007524 |         }
```

```

007525 |         if (actualCommandID != DayZPlayerConstants.COMMANDID_VEHICLE && !IsRestrained() && !m_WeaponManager.IsRunning() && !m_JumpClimb.Expansion_Climb())
007526 |         {
007527 |             ///! If we didn't vault or climb, find way around obstacle, but only if path is not blocked physically
007528 |             ///! (path blocked physically is only set on pathfinding if navmesh isn't blocked,
007529 |             ///! so in that case we won't find an alternative path)
007530 |             if (m_PathFinding.m_AllowJumpClimb && !m_PathFinding.m_IsBlockedPhysically && !IsSwimming())
007531 |                 m_PathFinding.SetAllowJumpClimb(false, 15.0);
007532 |         }
007533 |     }
007534 |
007535 |     m_eAI_CommandMove.PreAnimUpdate(pDt);
007536 | }
007537 |
007538 | void eAI_OnMovementUpdate(float pDt)
007539 | {
007540 |     int actualCommandID = GetCurrentCommandID();
007541 |
007542 |     if (!m_eAI_SkipScript && eAI_IsLocomotionCmd(actualCommandID))
007543 |     {
007544 |         eAICommandMove ecm;
007545 |
007546 |         int performCommand;
007547 |         if (actualCommandID != DayZPlayerConstants.COMMANDID_VEHICLE)
007548 |             performCommand = EAI_COMMANDID_MOVE;
007549 |
007550 |         ecm = m_eAI_CommandMove;
007551 |
007552 |         switch (performCommand)
007553 |         {
007554 |             case EAI_COMMANDID_MOVE:
007555 |                 if (m_eAI_IsOnLadder)
007556 |                 {
007557 |                     ///! Do nothing
007558 |                 }
007559 |                 else if (m_eAI_CommandMove.m_CDT > 0)
007560 |                 {
007561 |                     ///! Do nothing
007562 |                 }
007563 |                 else if (AI_HANDLED00RS && HandleBuildingDoors(ecm, pDt))
007564 |                 {
007565 |                     break;
007566 |                 }
007567 |                 else if (AI_HANDLEVAULTING && (m_eAI_JumpClimb || HandleVaulting(ecm, pDt)))
007568 |                 {
007569 |                     ///! Unsafe to call animation-related commands outside cmdhandler, can break character animation
007570 |                     m_eAI_JumpClimb = true;
007571 |                     break;
007572 |                 }
007573 |                 else if (m_PathFinding.m_IsJumpClimb && m_PathFinding.m_AllowJumpClimb && !m_PathFinding.m_IsBlockedPhysically && ecm.IsBlocked() && m_eAI_Blocked
007574 | Time > pDt && !IsSwimming())
007575 |                 {
007576 |                     ///! If we are still blocked, find way around obstacle
007577 |                     ///! (need to be blocked for at least one commandhandler tick
007578 |                     ///! else it messes with climbing after door interaction)
007579 |                     m_PathFinding.SetAllowJumpClimb(false, 15.0);
007580 |                 }
007581 |
007582 |         float speedLimit;
007583 |         if (m_eAI_Halt)
007584 |             speedLimit = 0.0;
007585 |         else if (eAI_IsSideSteppingVehicle())

```

```
007586 |         speedLimit = 3.0;
007587 |     else if (m_eAI_CurrentThreatToSelfActive >= 0.4 || m_FSM.IsInState("Flank"))
007588 |     {
007589 |         speedLimit = m_MovementSpeedLimitUnderThreat;
007590 |     }
007591 |     else if (m_eAI_IsInDangerByArea)
007592 |     {
007593 |         speedLimit = 3.0;
007594 |     }
007595 |     else
007596 |     {
007597 |         speedLimit = m_MovementSpeedLimit;
007598 |     }
007599 |
007600 |     if (m_WeaponRaised)
007601 |     {
007602 |         speedLimit = Math.Min(speedLimit, 2);
007603 |     }
007604 |
007605 |     vector lookTargetRelAngles = m_eAI_LookDirectionTarget_ModelSpace.VectorToAngles();
007606 |     vector aimTargetRelAngles = m_eAI_AimDirectionTarget_ModelSpace.VectorToAngles();
007607 |
007608 |     float turnTarget;
007609 |     bool setTurnTarget;
007610 |
007611 |     if (m_eAI_TurnTargetActive)
007612 |     {
007613 |         turnTarget = m_eAI_TurnTarget;
007614 |         setTurnTarget = true;
007615 |     }
007616 |     else if (m_eAI_AimDirection_Recalculate || (Math.AbsFloat(m_eAI_AimRelAngles[0]) > 90 && aimTargetRelAngles[0] != 0))
007617 |     {
007618 |         turnTarget = GetAimDirectionTarget().VectorToAngles()[0];
007619 |         setTurnTarget = true;
007620 |
007621 |         if (!m_eAI_LookDirection_Recalculate)
007622 |         {
007623 |             lookTargetRelAngles[0] = 0.0;
007624 |             m_eAI_LookDirectionTarget_ModelSpace = lookTargetRelAngles.AnglesToVector();
007625 |         }
007626 |
007627 |         if (!m_eAI_AimDirection_Recalculate)
007628 |         {
007629 |             aimTargetRelAngles[0] = 0.0;
007630 |             m_eAI_AimDirectionTarget_ModelSpace = aimTargetRelAngles.AnglesToVector();
007631 |         }
007632 |     }
007633 |
007634 |     else if (IsInherited(eAINPCBase) && ecm.GetCurrentMovementSpeed() == 0.0)
007635 |     {
007636 |         turnTarget = GetOrientation()[0];
007637 |         setTurnTarget = true;
007638 |     }
007639 |     else if (speedLimit == 0 && GetGroup().GetWaypointBehaviour() == eAIWaypointBehavior.HALT)
007640 |     {
007641 |         turnTarget = m_eAI_DefaultLookAngle;
007642 |         setTurnTarget = true;
007643 |     }
007644 |
007645 |     if (setTurnTarget && !m_eAI_IsOnLadder)
007646 |     {
007647 |         ecm.SetTurnTarget(turnTarget, m_eAI_TurnTargetActive);
007648 |     }
007649 |
007650 |     if (GetInputController().LimitsIsSprintDisabled())
007651 |     {
007652 |         speedLimit = Math.Min(speedLimit, 2);
007653 |     }
007654 |
007655 |     if (!m_MovementDirectionActive)
007656 |     {
007657 |         m_MovementDirection = 0;
007658 |     }
007659 |
007660 |     ecm.SetSpeed0verrider(m_MovementSpeedActive);
```



```

007648 |         ecm.SetTargetSpeed(m_MovementSpeed);
007649 |         ecm.SetSpeedLimit(speedLimit);
007650 |         ecm.SetTargetDirection(m_MovementDirection, m_MovementDirectionActive);
007651 |
007652 |         if (ecm.GetCurrentMovementSpeed() >= 0.5 && m_eAI_PositionTime > 4.98 && Expansion_IsAnimationIdle())
007653 |         {
007654 |             vector playerPosition = m_ExTransformPlayer[3];
007655 |
007656 |             #ifdef DIAG_DEVELOPER
007657 |                 string pos = ExpansionStatic.VectorToString(playerPosition);
007658 |                 string msg = "Movement speed " + ecm.GetCurrentMovementSpeed() + " but not moving for " + m_eAI_PositionTime + " s " + Debug.GetDebugName(this
) + " (pos=" + pos + "), item in hands " + ExpansionStatic.GetDebugInfo(GetItemInHands());
007659 |
007660 |                 EXPrint(this, msg);
007661 |
007662 |                 msg.Replace("<", "<");
007663 |                 msg.Replace(">", ">");
007664 |                 ExpansionNotification("NOT MOVING", msg).Error();
007665 |             #endif
007666 |
007667 |             Object blockingObject = m_eAI_CommandMove.GetBlockingObject();
007668 |             if ((blockingObject && !blockingObject.IsPlainObject() && !blockingObject.IsRock()) || m_PathFinding.m_PathGlueIdx != -1)
007669 |             {
007670 |                 vector waypoint = m_eAI_CommandMove.GetWaypoint();
007671 |                 if (waypoint != playerPosition && waypoint != vector.Zero)
007672 |                 {
007673 |                     m_eAI_PositionTime = 0;
007674 |                     SetPosition(waypoint); //! OH GOD THE HACKS
007675 |
007676 |                     #ifdef DIAG_DEVELOPER
007677 |                         pos = ExpansionStatic.VectorToString(waypoint);
007678 |                         float dist = vector.Distance(playerPosition, waypoint);
007679 |                         msg = "Teleporting " + Debug.GetDebugName(this) + " to " + pos + " (distance " + dist + " m)";
007680 |
007681 |                         EXPrint(this, msg);
007682 |
007683 |                         msg.Replace("<", "<");
007684 |                         msg.Replace(">", ">");
007685 |                         ExpansionNotification("TELEPORTING", msg).Error();
007686 |                     #endif
007687 |                 }
007688 |             }
007689 |             else
007690 |             {
007691 |                 m_eAI_PositionTime = 0;
007692 |                 eAI_ResetPathfinding();
007693 |             }
007694 |         }
007695 |         else
007696 |         {
007697 |             m_eAI_PositionTime = 0;
007698 |             eAI_ResetPathfinding();
007699 |         }
007700 |     }
007701 |     break;
007702 | default:
007703 |     #ifdef DIAG_DEVELOPER
007704 |         Expansion_DebugObject(22222, "0 0 0", "ExpansionDebugSphereSmall_White");
007705 |         Expansion_DebugObject(22223, "0 0 0", "ExpansionDebugSphereSmall_Black");
007706 |     #endif
007707 |     break;
007708 | }

```

```
007709 |     }
007710 | }
007711 |
007712 | override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
007713 | {
007714 |     //if (!GetIdentity())
007715 |         return false;
007716 |
007717 |     //return super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished);
007718 | }
007719 |
007720 | override bool ModCommandHandlerInside(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
007721 | {
007722 |     //if (!GetIdentity())
007723 |         return false;
007724 |
007725 |     //return super.ModCommandHandlerInside(pDt, pCurrentCommandID, pCurrentCommandFinished);
007726 | }
007727 |
007728 | override bool ModCommandHandlerAfter(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
007729 | {
007730 |     //if (!GetIdentity())
007731 |         return false;
007732 |
007733 |     //return super.ModCommandHandlerAfter(pDt, pCurrentCommandID, pCurrentCommandFinished);
007734 | }
007735 |
007736 | bool eAI_IsLocomotionCmd(int cmdID)
007737 | {
007738 |     switch (cmdID)
007739 |     {
007740 |         case DayZPlayerConstants.COMMANDID_MELEE2:
007741 |         case DayZPlayerConstants.COMMANDID_MOVE:
007742 |         case DayZPlayerConstants.COMMANDID_LADDER:
007743 |         case DayZPlayerConstants.COMMANDID_SWIM:
007744 |         case DayZPlayerConstants.COMMANDID_VEHICLE:
007745 |             return true;
007746 |     }
007747 |
007748 |     return false;
007749 | }
007750 |
007751 | bool eAI_ShouldStartFalling()
007752 | {
007753 |     vector position = m_ExTransformPlayer[3];
007754 |     if (!IsSwimming() && position[1] - ExpansionStatic.GetSurfaceRoadY3D(position[0], position[1], position[2], RoadSurfaceDetection.UNDER) >= 0.5)
007755 |         return true;
007756 |
007757 |     return false;
007758 | }
007759 |
007760 | bool eAI_ShouldStartSwimming(bool checkSwimming = true)
007761 | {
007762 |     vector w1;
007763 |
007764 |     if (!checkSwimming || !IsSwimming()) && DayZPlayerUtils.CheckWaterLevel(this, w1) == EWaterLevels.LEVEL_SWIM_START)
007765 |         return true;
007766 |
007767 |     return false;
007768 | }
007769 |
007770 | #ifdef DIAG_DEVELOPER
```

```
007771 |     static float s_eAI_UpdateLookFrequencyMult = 1.0;
007772 | #endif
007773 |
007774 |     bool eAI_UpdateLookDirectionPreference()
007775 |     {
007776 |         eAIGroup group = GetGroup();
007777 |
007778 |         if (!group || IsUnconscious())
007779 |             return false;
007780 |
007781 |         float time = g_Game.GetTickTime();
007782 |         bool force;
007783 |
007784 |         if (m_eAI_FormationDirectionUpdateTime == 0.0)
007785 |             force = true;
007786 |
007787 |         float speed = Expansion_GetMovementSpeed();
007788 |         if (m_eAI_MovementSpeedPrev == 0.0 && speed > 0.0)
007789 |             force = true;
007790 |
007791 |         if (!force && time - m_eAI_FormationDirectionUpdateTime < m_eAI_FormationDirectionNextUpdateTime)
007792 |             return true;
007793 |
007794 |         int count = group.Count();
007795 |
007796 |         m_eAI_MovementSpeedPrev = speed;
007797 |         float f = 4.0 - speed;
007798 | #ifdef DIAG_DEVELOPER
007799 |         f *= s_eAI_UpdateLookFrequencyMult;
007800 | #endif
007801 |         if (speed > 0.0)
007802 |             m_eAI_FormationDirectionNextUpdateTime = Math.RandomFloat(0.5, 0.333333 * f);
007803 |         else
007804 |             m_eAI_FormationDirectionNextUpdateTime = Math.RandomFloat(2.0, 6.666666 * f);
007805 |         m_eAI_FormationDirectionUpdateTime = time;
007806 |         vector pos, ori, dir;
007807 |         float angle;
007808 |         bool isDir;
007809 |         bool isDirWS;
007810 |
007811 |         auto hcv = GetCommand_Vehicle();
007812 |         auto hcm = GetCommand_Move();
007813 |
007814 |         if (speed > 0 || !hcm)
007815 |         {
007816 |             isDir = true;
007817 |             if (!hcv)
007818 |             {
007819 |                 Object blockingObject = m_eAI_CommandMove.GetBlockingObject();
007820 |
007821 |                 if (blockingObject)
007822 |                 {
007823 |                     pos = blockingObject.GetPosition();
007824 |                     pos[1] = GetPosition()[1];
007825 |                 }
007826 |                 else
007827 |                 {
007828 |                     pos = m_eAI_CommandMove.GetWaypoint() + GetDirection();
007829 |                 }
007830 |
007831 |                 dir = vector.Direction(GetPosition(), pos);
007832 |                 if (dir.LengthSq() > 0.01)
```

```

007833 |         {
007834 |             angle = ExpansionMath.AngleDiff2(GetOrientation()[0], dir.VectorToAngles()[0]);
007835 |             ori[0] = Math.Clamp(angle, -45.0, 45.0);
007836 |
007837 |             /// We use the up/down angle of the path segment direction because direction from AI to waypoint
007838 |             /// may otherwise be steeper than intended as AI position is on surface while waypoint is on navmesh,
007839 |             /// which can lead to a significant height difference.
007840 |             angle = ExpansionMath.RelAngle(m_PathFinding.m_PathSegmentDirection.VectorToAngles()[1]);
007841 |             ori[1] = Math.Clamp(angle, -45.0, 45.0);
007842 |
007843 |             if (speed >= 2)
007844 |                 ori[1] = ori[1] + 8 * speed; /// The faster we go, the more we lean forward, compensate this by looking up slightly
007845 |
007846 |             //EXTrace.Print(EXTrace.AI, this, "look u/d to wp " + ori[1]);
007847 |         }
007848 |         else
007849 |         {
007850 |             return true;
007851 |         }
007852 |     }
007853 |     else
007854 |     {
007855 |         ori[0] = Math.RandomFloat(-72.0, 72.0);
007856 |     }
007857 | }
007858 | else if (m_PathFinding.GetRemainingCount() == 2 && m_PathFinding.m_IsUnreachable && !Math.IsPointInCircle(m_PathFinding.GetEnd(), 0.55, m_ExTransformPlaye
r[3]) && !m_FSM.IsInState("Idle"))
007859 | {
007860 |     /// Look and aim towards current waypoint so we turn in direction we can go.
007861 |     /// This helps with movement towards ladder or when unreachable due to fallheight check
007862 |     pos = m_PathFinding.GetCurrentPoint();
007863 |     pos[1] = GetBonePositionWS(GetBoneIndexByName("neck"))[1];
007864 | }
007865 | else if (m_PathFinding.GetRemainingCount() > 2 && m_PathFinding.m_IsUnreachable && !m_FSM.IsInState("Idle"))
007866 | {
007867 |     /// Look and aim towards next waypoint so we turn in direction we can go.
007868 |     /// This helps with movement towards ladder or when unreachable due to fallheight check
007869 |     pos = m_PathFinding.GetNextPoint();
007870 |     pos[1] = GetBonePositionWS(GetBoneIndexByName("neck"))[1];
007871 | }
007872 | else if (group.GetWaypointBehaviour() == eAIWaypointBehavior.HALT)
007873 | {
007874 |     ori[0] = m_eAI_DefaultLookAngle;
007875 |     isDir = true;
007876 |     isDirWS = true;
007877 | }
007878 | else
007879 | {
007880 |     /// Roll dice for a random look at behaviour
007881 |     int diceRoll = Math.RandomIntInclusive(1, 100);
007882 |
007883 |     /// 4% to look at another member and Emote if weapon not raised (we don't want to aim gun at friendly)
007884 |     if (diceRoll < 4 && count > 1 && !IsRaised())
007885 |     {
007886 |         pos = group.GetRandomMemberExcluding(this).GetPosition() + "0 1.5 0";
007887 |         ori = vector.Direction(GetPosition() + "0 1.5 0", pos).VectorToAngles();
007888 |
007889 |         if (Math.AbsFloat(ori[1]) > 45.0)
007890 |             return true; /// Don't look up or down at steep angles
007891 |
007892 |         angle = ExpansionMath.AngleDiff2(GetOrientation()[0], ori[0]);
007893 |

```

```
007894 |         if (!m_Expansion_EmoteID && angle > -30 && angle < 30)
007895 |         {
007896 |             isDir = true;
007897 |             ori[0] = angle;
007898 |
007899 |             eAI_RandomGreeting();
007900 |         }
007901 |     }
007902 |     ///! 12% to look at another member if weapon not raised (we don't want to aim gun at friendly)
007903 |     else if (diceRoll < 16 && count > 1 && !IsRaised())
007904 |     {
007905 |         pos = group.GetRandomMemberExcluding(this).GetPosition() + "0 1.5 0";
007906 |         ori = vector.Direction(GetPosition() + "0 1.5 0", pos).VectorToAngles();
007907 |
007908 |         if (Math.AbsFloat(ori[1]) > 45.0)
007909 |             return true;    ///! Don't look up or down at steep angles
007910 |
007911 |         angle = ExpansionMath.AngleDiff2(GetOrientation()[0], ori[0]);
007912 |
007913 |         if (angle < -80 || angle > 80)
007914 |         {
007915 |             isDir = true;
007916 |             ori[0] = angle;
007917 |         }
007918 |         else
007919 |         {
007920 |             pos[1] = pos[1] + Math.RandomFloat(0.1, 0.2);
007921 |         }
007922 |     }
007923 |     ///! 84% to look in formation direction, ahead or around (100% if no other group members)
007924 |     else
007925 |     {
007926 |         isDir = true;
007927 |
007928 |         ///! 41% to look in formation direction (56% if no other group members)
007929 |         if (diceRoll < 57)
007930 |         {
007931 |             ori[0] = Math.RandomFloat(-54.0, 54.0);
007932 |
007933 |             if (count > 1 && group.GetFormationState() == eAIGroupFormationState.IN)
007934 |             {
007935 |                 isDirWS = true;
007936 |
007937 |                 vector formPos = group.GetFormation().ToWorld(m_eAI_FormationPosition);
007938 |                 dir = vector.Direction(formPos, GetGroup().GetFormation().ToWorld(m_eAI_FormationPosition + m_eAI_FormationDirection));
007939 |                 ori[0] = ori[0] + dir.VectorToAngles()[0];
007940 |
007941 |                 #ifdef DIAG_DEVELOPER
007942 |                     Expansion_DebugObject(987654321, formPos + "0 1.5 0" + dir, "ExpansionDebugSphereSmall_Orange", dir, formPos + "0 1.5 0");
007943 |                 #endif
007944 |             }
007945 |
007946 |             if (!m_Expansion_EmoteID && Math.RandomFloat(0.0, 1.0) < 0.05)
007947 |                 Expansion_SetEmote(EmoteConstants.ID_EMOTE_WATCHING, true);
007948 |         }
007949 |         ///! 43% to look ahead if NPC or around if not NPC
007950 |         else if (IsInherited(eAINPCBase))
007951 |         {
007952 |             ori[0] = Math.RandomFloat(-72.0, 72.0);
007953 |         }
007954 |         else
007955 |         {
```

```

007956 |         ori[0] = Math.RandomFloat(-144.0, 144.0);
007957 |     }
007958 | }
007959 | }
007960 |
007961 | if (isDir)
007962 | {
007963 |     if (IsRaised())
007964 |         ori[1] = Math.RandomFloat(-3.0, 0.0);
007965 |     else if ((hcm && speed == 0) || hcv)
007966 |         ori[1] = Math.RandomFloat(-36.0, 18.0);
007967 |
007968 |     dir = ori.AnglesToVector();
007969 |
007970 |     if (isDirWS)
007971 |         dir = dir.InvMultiply3(m_ExTransformPlayer);
007972 |
007973 |     LookAtDirection(dir);
007974 |     AimAtDirection(dir);
007975 | }
007976 | else
007977 | {
007978 |     LookAtPosition(pos, true);
007979 |     AimAtPosition(pos, true);
007980 | }
007981 |
007982 | return true;
007983 | }
007984 |
007985 | #ifdef DIAG_DEVELOPER
007986 |     static bool s_eAI_UseInterpolateAngles;
007987 | #endif
007988 |
007989 |     /*! @brief interpolate yaw/pitch angles for looking/aiming
007990 |     static void eAI_InterpolateYawPitch(inout vector relAngles, inout vector targetRelAngles, inout float velH[], inout float velV[], float dt)
007991 |     {
007992 |         targetRelAngles[0] = ExpansionMath.RelAngle(targetRelAngles[0]);
007993 |         targetRelAngles[1] = ExpansionMath.RelAngle(targetRelAngles[1]);
007994 |
007995 |         targetRelAngles[1] = Math.Clamp(targetRelAngles[1], -85.0, 85.0);  /*! Valid range is [-85, 85]
007996 |
007997 | #ifdef DIAG_DEVELOPER
007998 |     if (s_eAI_UseInterpolateAngles)
007999 |     {
008000 |         /*! This is the old method. Should no longer be used, kept it in for comparison in diag
008001 |         relAngles = ExpansionMath.InterpolateAngles(relAngles, targetRelAngles, dt, Math.RandomFloat(3.0, 5.0), Math.RandomFloat(1.0, 3.0));
008002 |         return;
008003 |     }
008004 | #endif
008005 |
008006 |     relAngles[0] = Math.SmoothCD(relAngles[0], targetRelAngles[0], velH, 0.283333, 180, dt);
008007 |     relAngles[1] = Math.SmoothCD(relAngles[1], targetRelAngles[1], velV, 0.283333, 180, dt);
008008 | }
008009 |
008010 | void eAI_RandomGreeting(bool excludeWatching = false)
008011 | {
008012 |     bool manners = GetExpansionSettings().GetAI().Manners;
008013 |
008014 |     int emoteId;
008015 |     int min;
008016 |     int max;
008017 |

```

```
008018 |         if (manners)
008019 |             min = 4;
008020 |
008021 |         if (Expansion_GetMovementSpeed() > 0.0)
008022 |             max = 8;
008023 |         else
008024 |             max = 9;  /// Only include salute if not moving
008025 |
008026 |         switch (Math.RandomIntInclusive(min, max))
008027 |         {
008028 |             case 0:
008029 |                 emoteId = EmoteConstants.ID_EMOTE_TAUNT;
008030 |                 break;
008031 |             case 1:
008032 |                 emoteId = EmoteConstants.ID_EMOTE_TAUNTELBOW;
008033 |                 break;
008034 |             case 2:
008035 |                 emoteId = EmoteConstants.ID_EMOTE_THROAT;
008036 |                 break;
008037 |             case 3:
008038 |                 emoteId = EmoteConstants.ID_EMOTE_TAUNTTHINK;
008039 |                 break;
008040 |             case 4:
008041 |                 emoteId = EmoteConstants.ID_EMOTE_GREETING;
008042 |                 break;
008043 |             case 5:
008044 |                 emoteId = EmoteConstants.ID_EMOTE_TAUNKISS;
008045 |                 break;
008046 |             case 6:
008047 |                 emoteId = EmoteConstants.ID_EMOTE_POINT;
008048 |                 break;
008049 |             case 7:
008050 |                 if (excludeWatching)
008051 |                     return;
008052 |                 emoteId = EmoteConstants.ID_EMOTE_WATCHING;
008053 |                 break;
008054 |             case 8:
008055 |                 emoteId = EmoteConstants.ID_EMOTE_HEART;
008056 |                 break;
008057 |             case 9:
008058 |                 emoteId = EmoteConstants.ID_EMOTE_SALUTE;
008059 |                 break;
008060 |         }
008061 |
008062 |         Expansion_SetEmote(emoteId, true);
008063 |     }
008064 |
008065 |     bool EnforceLOS(float pDt)
008066 |     {
008067 |         /// Prevent core dump on server shutdown
008068 |         if (!g_Game)
008069 |             return false;
008070 |
008071 |         if (!m_eAI_Targets.Count())
008072 |         {
008073 |             return false;
008074 |         }
008075 |
008076 |         auto target = GetTarget();
008077 |
008078 |         EntityAI targetEntity = target.GetEntity();
008079 |     }
```

```
008080 |         if (!targetEntity)
008081 |         {
008082 |             return false;
008083 |         }
008084 |
008085 |         eAITargetInformationState state = target;
008086 |
008087 |         float interval;
008088 |
008089 |         if (s_eAI_FT0 < 2)
008090 |             interval = LOS_CHECK_INTERVAL;
008091 |         else
008092 |             interval = LOS_CHECK_INTERVAL * (pDt / ExpansionWorld.AI_UPDATE_INTERVAL);
008093 |
008094 |         if (m_eAI_LOSCheckDT >= interval)
008095 |             m_eAI_LOSCheckDT = 0;
008096 |         m_eAI_LOSCheckDT += pDt;
008097 |
008098 |         if (m_eAI_LOSCheckDT < interval && !m_eAI_TargetChanged)
008099 |             return state.m_LOS;
008100 |
008101 |         PlayerBase targetPlayer;
008102 |         if (Class.CastTo(targetPlayer, targetEntity) && targetPlayer.Expansion_HasAdminToolInvisibility())
008103 |         {
008104 | #ifdef DIAG_DEVELOPER
008105 |             eAI_UpdatePlayerIsEnemyStatus(targetPlayer, false, "target invisible");
008106 | #endif
008107 |             state.m_LOS = false;
008108 |             return false;
008109 |         }
008110 |
008111 |         if (IsUnconscious())
008112 |         {
008113 |             state.m_LOS = false;
008114 |             return false;
008115 |         }
008116 |
008117 | #ifdef EXTRACE_DIAG
008118 |         auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "eAI_Targeting -> EnforceLOS");
008119 | #endif
008120 |
008121 |         string boneName;
008122 |         if (IsRaised())
008123 |             boneName = "Neck";
008124 |         else
008125 |             boneName = "Head";
008126 |
008127 |         vector begPos = GetBonePositionWS(GetBoneIndexByName(boneName));
008128 |         vector aimOffset = target.GetAimOffset();
008129 |         vector aimPosition = target.GetPosition(true) + aimOffset;
008130 |         vector dir = vector.Direction(begPos, aimPosition);
008131 |         float targetDist = dir.Length();
008132 |         float dist = eAI_GetVisibilityDistance(targetDist, target);
008133 |         dir.Normalize();
008134 |         //! Extend LOS ray by some amount because some targets like doors have inaccurate position and ray would not hit otherwise
008135 |         vector endPos = begPos + dir * dist + dir * 0.5;
008136 |
008137 |         Object parent;
008138 |
008139 |         vector toTargetAngles = dir.VectorToAngles();
008140 |         float toTargetAngleH = toTargetAngles[0];
008141 |
```



```

008142 |         if (targetPlayer)
008143 |         {
008144 |             ///! If targeting a player, and player is not in vehicle, or vehicle engine is not on,
008145 |             ///! or vehicle is farther away than 150 m and not a helicopter, check if we are facing target
008146 |             ///! (look direction, not movement direction)
008147 |             ExpansionVehicle vehicle;
008148 |             if (!Class.CastTo(parent, targetPlayer.Expansion_GetParent()) || !ExpansionVehicle.Get(vehicle, parent) || !vehicle.EngineIsOn() || (dist > 150 && !ve
hicle.IsHelicopter()))
008149 |             {
008150 |                 //float toTargetAngleV = toTargetAngles[1];
008151 |                 vector lookAngles = GetLookDirection().VectorToAngles();
008152 |                 float lookAngleH = lookAngles[0];
008153 |                 //float lookAngleV = lookAngles[1];
008154 |                 float angleDiffH = ExpansionMath.AngleDiff2(toTargetAngleH, lookAngleH);
008155 |                 //float angleDiffV = ExpansionMath.AngleDiff2(toTargetAngleV, lookAngleV);
008156 |                 float threshAngleH = eAI_CalculateFOVHalfAngleH(dist);
008157 |                 #ifdef DIAG_DEVELOPER
008158 |                     m_eAI_DbgThreshAngleH = threshAngleH;
008159 |                     m_eAI_DbgLookAngleH = lookAngleH;
008160 |                     //int encodedThreshAngleH = threshAngleH / 360.0 * 65535;
008161 |                     //int encodedLookAngleH = lookAngleH / 360.0 * 65535;
008162 |                     //encodedLookAngleH = encodedLookAngleH << 16;
008163 |                     //m_eAI_DbgLOSAngles = encodedThreshAngleH | encodedLookAngleH;
008164 |                 #endif
008165 |                 //if (Math.AbsFloat(angleDiffH) > threshH || Math.AbsFloat(angleDiffV) > threshV) ///! Player is outside AI FOV
008166 |                 if (Math.AbsFloat(angleDiffH) > threshAngleH) ///! Player is outside AI FOV
008167 |                 {
008168 |                     #ifdef DIAG_DEVELOPER
008169 |                         Expansion_DebugObject_Deferred(18, "0 0 0", "ExpansionDebugSphereSmall");
008170 |                         Expansion_DebugObject_Deferred(19, endPos, "ExpansionDebugSphereSmall_Red", dir, begPos);
008171 |                     #endif
008172 |                 }
008173 |                 state.m_LOS = false;
008174 |                 return false;
008175 |             }
008176 |         }
008177 |     }
008178 |
008179 |     bool isItemTarget = targetEntity.IsItemBase();
008180 |
008181 |     vector contactPos;
008182 |     vector contactDir;
008183 |     int contactComponent;
008184 |
008185 |     set< Object > results = new set< Object >;
008186 |     float radius;
008187 |     #ifdef EXPANSION_AI_ITEM_TARGET_REQUIRE_LOS
008188 |         if (isItemTarget)
008189 |             radius = 0.15;
008190 |         else
008191 |             #endif
008192 |             radius = 0.05;
008193 |     bool hadLOS = state.m_LOS;
008194 |     state.m_LOS = DayZPhysics.RaycastRV(begPos, endPos, contactPos, contactDir, contactComponent, results, null, this, false, false, ObjIntersectView, radius)
;
008195 |     if (!state.m_LOS)
008196 |     {
008197 |         if (hadLOS && m_eAI_IsFightingFSM)
008198 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_UpdateLeanTarget, 1000, false);
008199 |
008200 |     #ifdef DIAG_DEVELOPER
008201 |         if (hadLOS)

```

```

008202 |         {
008203 |             EXTrace.Print(EXTrace.AI, this, "lost line of sight to target " + targetEntity);
008204 |             EXTrace.Print(EXTrace.AI, this, "aim offset " + aimOffset + " end pos " + endPos);
008205 |         }
008206 |
008207 |         state.m_LOSRaycastHitObject = null;
008208 |         state.m_LOSRaycastHitPosition = vector.Zero;
008209 |
008210 |         Expansion_DebugObject_Deferred(18, "0 0 0", "ExpansionDebugSphereSmall");
008211 |         Expansion_DebugObject_Deferred(19, "0 0 0", "ExpansionDebugSphereSmall_Red");
008212 |     #endif
008213 |     return false;
008214 | }
008215 |
008216 |     //! Reset state for further checks
008217 |     state.m_LOS = false;
008218 |
008219 |     bool isCreatureTarget = targetEntity.IsDayZCreature();
008220 |
008221 |     if (results.Count() && results[0].IsBuilding())
008222 |     {
008223 |         //! Check again in case view is "blocked" by a window/other see-through object
008224 |         //! TODO: If a player is behind an Expansion BaseBuilding wall, the AI will "see" the player if he is standing next to a window position
008225 |         //! (regardless if the wall actually has windows or not or if they are closed) due to the wall's firegeo and use of ObjIntersectFire
008226 |         results.Clear();
008227 |         //Expansion_DebugObject_Deferred(1819, contactPos, "ExpansionDebugSphereSmall_Red", contactDir);
008228 |         DayZPhysics.RaycastRV(contactPos - dir * 0.1, endPos, contactPos, contactDir, contactComponent, results, null, this, false, false, ObjIntersectFire, r
008229 |         adius);
008230 |     }
008231 |
008232 |     float targetDistSq = targetDist * targetDist;
008233 |     float contactToTargetDistSq = vector.DistanceSq(contactPos, aimPosition);
008234 |
008235 |     DayZPlayerImplement player;
008236 |
008237 |     bool sideStep;
008238 |
008239 |     Object hitObj;
008240 |     EntityAI hitEntity;
008241 |     EntityAI hitEntityRoot;
008242 |     bool isCreatureHit;
008243 |     foreach (Object obj: results)
008244 |     {
008245 |         hitObj = obj;
008246 |
008247 |         if (Class.CastTo(hitEntity, obj))
008248 |         {
008249 |             hitEntityRoot = hitEntity.GetHierarchyRoot();
008250 |             isCreatureHit = hitEntityRoot.IsDayZCreature();
008251 |             obj = hitEntityRoot;
008252 |         }
008253 |
008254 |         float toObjAngleH = (obj.GetPosition() - begPos).VectorToAngles()[0];
008255 |         float toObjAngleDiffHAbs = Math.AbsFloat(ExpansionMath.AngleDiff2(toTargetAngleH, toObjAngleH));
008256 |         vector contactObjPos = obj.GetPosition();
008257 |         contactObjPos[1] = contactPos[1];
008258 |         float toContactObjDistSq = vector.DistanceSq(begPos, contactObjPos);
008259 |
008260 |         //! Target behind tree
008261 |         if (obj.IsTree() && toObjAngleDiffHAbs <= 22.5 && targetDistSq > toContactObjDistSq && !state.m_SearchPositionUpdateCount)
008262 |         {
008263 |             if (!isItemTarget)

```

```
008263 |         sideStep = state.m_ThreatLevelActive >= 0.4;
008264 |         break;
008265 |     }
008266 |
008267 |     //if (obj.IsBuilding())
008268 |     //{
008269 |     //    state.m_LOS = false;
008270 |     //    break;
008271 |     //}
008272 |
008273 |     if (obj == targetEntity)
008274 |     {
008275 |         //! Right on target
008276 |         state.m_LOS = true;
008277 |     }
008278 |     else if (obj == parent)
008279 |     {
008280 |         state.m_LOS = true;
008281 |     }
008282 |     else
008283 |     {
008284 |         if (Class.CastTo(player, obj))
008285 |         {
008286 |             if (isItemTarget && !player.IsAlive() && targetEntity.GetHierarchyRootPlayer() == player)
008287 |             {
008288 |                 //! Target is item and item is in player inventory
008289 |                 state.m_LOS = true;
008290 |             }
008291 |             else if (!isItemTarget && eAI_GetCachedThreat(player.GetTargetInformation()) < 0.2)
008292 |             {
008293 |                 sideStep = m_eAI_IsFightingFSM;  //! Sidestep if we are in fighting FSM
008294 |             }
008295 |         }
008296 |         else if (isCreatureTarget && isCreatureHit)
008297 |         {
008298 |             //! If object is zombie or animal but not the target or its parent, we don't care if they get shot when they are in the way
008299 |             state.m_LOS = true;
008300 |         }
008301 |         else if (contactToTargetDistSq <= 0.04)
008302 |         {
008303 |             state.m_LOS = true;
008304 |         }
008305 |         else if (obj.IsTree() || obj.IsBush())
008306 |         {
008307 |             if (toObjAngleDiffHAbs > 22.5)
008308 |             {
008309 |                 //! Tree/bush position is behind or to side of AI look direction
008310 |
008311 |                 if (contactToTargetDistSq <= 16.0)
008312 |                 {
008313 |                     //! Target is somewhere near tree/bush or within its foliage
008314 |
008315 |                     vector contactPosTmp;
008316 |                     vector contactDirTmp;
008317 |                     int contactComponentTmp;
008318 |                     set<Object> resultsTmp = new set<Object>;
008319 |
008320 |                     if (DayZPhysics.RaycastRV(contactPos, contactPos + dir * 4, contactPosTmp, contactDirTmp, contactComponentTmp, resultsTmp, obj, this,
false, false, ObjIntersectGeom))
008321 |                     {
008322 |                         hitObj = resultsTmp[0];
008323 |
```

```
008324 |         if (hitObj == targetEntity || hitObj == parent)
008325 |             state.m_LOS = true;
008326 |         }
008327 |         else
008328 |         {
008329 |             state.m_LOS = true;
008330 |         }
008331 |     }
008332 | }
008333 | else if (targetDistSq < toContactObjDistSq)
008334 | {
008335 |     //! Target is in front of tree/bush position but within its foliage
008336 |     state.m_LOS = true;
008337 | }
008338 | }
008339 | }
008340 |
008341 | break;
008342 | }
008343 |
008344 | if (state.m_LOS)
008345 |     state.m_SearchOnLOSLost = true;
008346 |
008347 | if (state.m_LOS && !hadLOS)
008348 | {
008349 |     m_eAI_PositionOverrideTimeout = 0.0;
008350 |     if (m_eAI_LeanTarget)
008351 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_ResetLeanTarget, 1000, false);
008352 | }
008353 | else if (hadLOS && !state.m_LOS && m_eAI_IsFightingFSM)
008354 | {
008355 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_UpdateLeanTarget, 1000, false);
008356 | }
008357 |
008358 | #ifdef DIAG_DEVELOPER
008359 |     if (state.m_LOS != hadLOS)
008360 |     {
008361 |         EXTrace.Print(EXTrace.AI, this, "has line of sight to target (" + targetEntity + ")? " + state.m_LOS);
008362 |         EXTrace.Print(EXTrace.AI, this, "aim offset " + aimOffset + " end pos " + endPos);
008363 |     }
008364 |
008365 |     state.m_LOSRaycastHitObject = hitObj;
008366 |     state.m_LOSRaycastHitPosition = contactPos;
008367 |
008368 |     if (state.m_LOS)
008369 |     {
008370 |         Expansion_DebugObject_Deferred(18, contactPos, "ExpansionDebugSphereSmall", dir, begPos);
008371 |         Expansion_DebugObject_Deferred(19, "0 0 0", "ExpansionDebugSphereSmall_Red");
008372 |     }
008373 |     else
008374 |     {
008375 |         Expansion_DebugObject_Deferred(18, "0 0 0", "ExpansionDebugSphereSmall");
008376 |         Expansion_DebugObject_Deferred(19, contactPos, "ExpansionDebugSphereSmall_Red", dir, begPos);
008377 |     }
008378 | #endif
008379 |
008380 |     if (sideStep)
008381 |     {
008382 |         if (m_eAI_SideStepTimeout > 0 || m_MovementDirectionActive)
008383 |             return state.m_LOS;
008384 |
008385 |         //! First check if we are roughly moving in target direction
```

```
008386 |         //!< note vector.Direction(GetPosition(), GetTarget().GetPosition()).Normalized() returns zero vector,
008387 |         //!< have to first assign target position to variable. Why is this language so INCREDIBLY fucked? :(
008388 |         vector targetPos = state.m_SearchPosition;
008389 |         vector targetDirection = vector.Direction(GetPosition(), targetPos).Normalized();
008390 |         float dot = vector.Dot(GetDirection(), targetDirection);
008391 |         if (dot >= 0.75)
008392 |         {
008393 |             eAI_ForceSideStep(1.5, hitObj, 0.0, false, true);
008394 |         }
008395 |     }
008396 |
008397 |     return state.m_LOS;
008398 | }
008399 |
008400 | float eAI_CalculateFOVHalfAngleH(float dist)
008401 | {
008402 |     float nearHalfAngleH = Math.Max(m_eAI_FOVNear_HalfAngleH, 95);
008403 |     float farHalfAngleH = Math.Max(m_eAI_FOVFar_HalfAngleH, 45);
008404 |
008405 |     if (farHalfAngleH == nearHalfAngleH || dist <= m_eAI_FOVNear_DistThreshold)
008406 |     {
008407 |         return nearHalfAngleH;
008408 |     }
008409 |     else
008410 |     {
008411 |         float farDistThresh = Math.Max(m_eAI_FOVFar_DistThreshold, 60);
008412 |
008413 |         if (dist < farDistThresh)
008414 |         {
008415 |             float range = farDistThresh - m_eAI_FOVNear_DistThreshold;
008416 |             float t = Easing.EaseInOutPow(dist / range, m_eAI_FOVTransitionExponent);
008417 |             return ExpansionMath.LinearConversion(0, 1, t, nearHalfAngleH, farHalfAngleH);
008418 |         }
008419 |     }
008420 |
008421 |     return farHalfAngleH;
008422 | }
008423 |
008424 | //!< @note when leaning, aim animation direction needs to be adjusted for character rotation, see HandleWeapons
008425 | void eAI_UpdateLeanTarget()
008426 | {
008427 |     eAITarget target = GetTarget();
008428 |     if (!target)
008429 |         return;
008430 |
008431 |     vector p1 = GetPosition();
008432 |     vector p2 = p1 + m_PathFinding.m_PathSegmentDirection;
008433 |     vector p = target.GetPosition();
008434 |
008435 |     if (vector.DistanceSq(p1, p) < vector.DistanceSq(p2, p))
008436 |     {
008437 |         //!< Moving away from target
008438 |         p1 = p2;
008439 |         p2 = GetPosition();
008440 |     }
008441 |
008442 |     if (ExpansionMath.Side(p1, p2, p) < 0)
008443 |         m_eAI_LeanTarget = -1.0; //!< target is on the right, lean left
008444 |     else
008445 |         m_eAI_LeanTarget = 1.0;  //!< target is on the left, lean right
008446 |
008447 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_ResetLeanTarget, Math.RandomInt(1000, 2000), false);
```

```
008448 | }
008449 |
008450 | void eAI_ResetLeanTarget()
008451 | {
008452 |     m_eAI_LeanTarget = 0.0;
008453 | }
008454 |
008455 | void eAI_ForceSideStep(float duration, Object obj = null, float angle = 0.0, bool allowBackPedaling = true, bool sideStepCancelOnLOS = false)
008456 | {
008457 |     bool blockedLeft;
008458 |     bool blockedRight;
008459 |
008460 |     if (angle == 0.0)
008461 |     {
008462 |         auto cmd = GetCommand_Move();
008463 |         if (cmd)
008464 |         {
008465 |             blockedLeft = m_eAI_CommandMove.CheckBlockedLeft();
008466 |             blockedRight = m_eAI_CommandMove.CheckBlockedRight();
008467 |         }
008468 |
008469 |         vector transform[4];
008470 |         GetTransform(transform);
008471 |
008472 |         if (!blockedLeft)
008473 |             blockedLeft = m_PathFinding.IsBlocked(transform[3], transform[3] + (-0.5 * transform[0]));
008474 |
008475 |         if (!blockedRight)
008476 |             blockedRight = m_PathFinding.IsBlocked(transform[3], transform[3] + (0.5 * transform[0]));
008477 |
008478 | #ifdef DIAG_DEVELOPER
008479 |     if (blockedLeft)
008480 |         Expansion_DebugObject(9999, transform[3] + (-0.5 * transform[0]) + "0 1.5 0", "ExpansionDebugBox_Red", GetDirection());
008481 |     else
008482 |         Expansion_DebugObject(9999, "0 0 0", "ExpansionDebugBox_Red", GetDirection());
008483 |
008484 |     if (blockedRight)
008485 |         Expansion_DebugObject(10000, transform[3] + (0.5 * transform[0]) + "0 1.5 0", "ExpansionDebugBox_Blue", GetDirection());
008486 |     else
008487 |         Expansion_DebugObject(10000, "0 0 0", "ExpansionDebugBox_Blue", GetDirection());
008488 | #endif
008489 |
008490 |     if (blockedLeft && blockedRight)
008491 |     {
008492 |         if (!allowBackPedaling)
008493 |             return;
008494 |
008495 |         //! Backpedal
008496 |         m_SideStepAngle = -180;
008497 |     }
008498 |     else if (blockedLeft || (!blockedRight && Math.RandomIntInclusive(0, 1)))
008499 |     {
008500 |         //! Go right if only blocked left or 50% chance go right if neither blocked left/right
008501 |         m_SideStepAngle = 90;
008502 |     }
008503 |     else
008504 |     {
008505 |         //! Go left
008506 |         m_SideStepAngle = -90;
008507 |     }
008508 | }
008509 | else
```

```
008510 |     {
008511 |         m_SideStepAngle = angle;
008512 |     }
008513 |
008514 |     //! Move, b*tch, get out the way :-)
008515 |     m_eAI_SideStepObject = obj;
008516 |     m_eAI_SideStepTimeout = duration;
008517 |     m_eAI_SideStepCancelOnLOS = sideStepCancelOnLOS;
008518 |
008519 |     if (m_EmoteManager.IsEmotePlaying())
008520 |         m_EmoteManager.ServerRequestEmoteCancel();
008521 |
008522 |     EXTrace.Print(EXTrace.AI, this, "sidestep " + m_SideStepAngle + " " + obj);
008523 |     OverrideMovementDirection(true, m_SideStepAngle);
008524 | }
008525 |
008526 | void eAI_CancelSidestep()
008527 | {
008528 |     m_eAI_SideStepTimeout = 0.0;
008529 |     eAI_ResetSidestep();
008530 | }
008531 |
008532 | protected void eAI_ResetSidestep()
008533 | {
008534 |     EXTrace.Print(EXTrace.AI, this, "sidestep 0");
008535 |
008536 |     m_SideStepAngle = 0.0;
008537 |     m_eAI_SideStepCancelOnLOS = false;
008538 |     m_eAI_SideStepObject = null;
008539 |
008540 |     OverrideMovementDirection(true, 0.0);
008541 |     m_eAI_ResetMovementDirectionActive = true; //! Next call to cmdhandler
008542 |
008543 |     m_PathFinding.StopOverride();
008544 | }
008545 |
008546 | bool eAI_IsSideStepping()
008547 | {
008548 |     return m_eAI_SideStepTimeout > 0.0;
008549 | }
008550 |
008551 | float eAI_GetSideStepTimeout()
008552 | {
008553 |     return m_eAI_SideStepTimeout;
008554 | }
008555 |
008556 | override bool eAI_IsSideSteppingObstacles()
008557 | {
008558 |     auto cmd = GetCommand_Move();
008559 |     return cmd && m_eAI_CommandMove.IsSideSteppingObstacles();
008560 | }
008561 |
008562 | bool eAI_IsSideSteppingVehicle()
008563 | {
008564 |     if (m_eAI_SideStepObject && m_eAI_SideStepObject.IsTransport())
008565 |         return true;
008566 |
008567 |     return false;
008568 | }
008569 |
008570 | bool eAI_IsUnreachable(float minDistance, vector position)
008571 | {
```

```
008572 |         vector aiPosition = GetPosition();
008573 |
008574 |         if (Math.AbsFloat(position[1] - aiPosition[1]) > minDistance && Math.IsPointInCircle(position, minDistance, aiPosition))
008575 |             return true;
008576 |
008577 |         return false;
008578 |     }
008579 |
008580 |     bool eAI_ShouldUseSurfaceUnderWaterForPathFinding()
008581 |     {
008582 |         if (m_eAI_SurfaceY < g_Game.SurfaceGetSeaLevelMin())
008583 |         {
008584 |             if (IsSwimming())
008585 |                 return true;
008586 |
008587 |             IEntity floor = PhysicsGetFloorEntity();
008588 |
008589 |             if (eAI_IsSeaIce(floor))
008590 |                 return true;
008591 |         }
008592 |
008593 |         return false;
008594 |     }
008595 |
008596 |     bool eAI_IsSeaIce(IEntity entity)
008597 |     {
008598 |         if (entity)
008599 |         {
008600 |             string name = entity.GetDebugName();
008601 |
008602 |             name.ToLower();
008603 |
008604 |             //! Sakhal ice floes
008605 |             if (name.Contains(": ice_sea"))
008606 |                 return true;
008607 |         }
008608 |
008609 |         return false;
008610 |     }
008611 |
008612 |     void eAI_ThreatOverride(EntityAI entity, bool state)
008613 |     {
008614 |     #ifdef EXTRACE_DIAG
008615 |         //EXTrace.Print(EXTrace.AI, this, "eAI_ThreatOverride " + entity + " " + state);
008616 |         auto trace = EXTrace.StartStack(EXTrace.AI, this, entity.ToString() + " " + state);
008617 |     #endif
008618 |
008619 |         if (state)
008620 |             m_eAI_ThreatOverride[entity] = true;
008621 |         else
008622 |             m_eAI_ThreatOverride.Remove(entity);
008623 |     }
008624 |
008625 |     bool eAI_GetThreatOverride(EntityAI entity)
008626 |     {
008627 |         return m_eAI_ThreatOverride[entity];
008628 |     }
008629 |
008630 |     /**
008631 |     * @brief purge no longer existing or far (distance > 1000 m) entities from threat overrides
008632 |     */
008633 |     void eAI_PurgeThreatOverride()
```



```
008634 | {
008635 |     int currentCount = m_eAI_ThreatOverride.Count();
008636 |
008637 |     if (currentCount < 10)
008638 |         return;
008639 |
008640 | #ifdef DIAG_DEVELOPER
008641 |     auto timeIt = new EXTimeIt();
008642 | #endif
008643 |
008644 |     array<EntityAI> threats = {};
008645 |
008646 |     foreach (EntityAI threat, bool state: m_eAI_ThreatOverride)
008647 |     {
008648 |         if (threat)
008649 |             threats.Insert(threat);
008650 |     }
008651 |
008652 |     int nullCount = currentCount - threats.Count();
008653 |
008654 |     if (nullCount > 0)
008655 |     {
008656 |         #ifdef DIAG_DEVELOPER
008657 |             int farCount;
008658 |         #endif
008659 |
008660 |         vector position = GetPosition();
008661 |
008662 |         m_eAI_ThreatOverride.Clear();
008663 |
008664 |         foreach (EntityAI candidate: threats)
008665 |         {
008666 |             if (Math.IsPointInCircle(position, 1000.0, candidate.GetPosition()))
008667 |                 m_eAI_ThreatOverride[candidate] = true;
008668 |             #ifdef DIAG_DEVELOPER
008669 |                 else
008670 |                     farCount++;
008671 |             #endif
008672 |         }
008673 |
008674 |         #ifdef DIAG_DEVELOPER
008675 |             EXTrace.Print(EXTrace.AI, this, string.Format("eAI_PurgeThreatOverride - purged %1 NULL and %2 far threat overrides in %3 ms", nullCount, farCount, ti
meIt.GetElapsedMS()));
008676 |         #endif
008677 |     }
008678 | }
008679 |
008680 | bool eAI_HasLOS()
008681 | {
008682 |     return m_eAI_HasLOS;
008683 | }
008684 |
008685 | /**
008686 |  * @brief Return whether or not we have LOS to this target
008687 |  *
008688 |  * @note WARNING: When not passing in current target, returns cached (last calculated) LOS info which may be stale!
008689 |  * Use with care!
008690 |  */
008691 | bool eAI_HasLOS(eAITargetInformation info)
008692 | {
008693 |     if (!info.IsEntity())
008694 |         return false;
```

```
008695 |
008696 |         eAITarget target = info.GetTargetForAI(this);
008697 |         if (target)
008698 |             return target.m_LOS;
008699 |
008700 |         return false;
008701 |     }
008702 |
008703 |     void eAI_SetIsFightingFSM(bool state)
008704 |     {
008705 |     #ifdef DIAG_DEVELOPER
008706 |         EXTrace.Print(EXTrace.AI, this, "SetIsFightingFSM " + state);
008707 |     #endif
008708 |         m_eAI_IsFightingFSM = state;
008709 |
008710 |         eAITarget target = GetTarget();
008711 |         if (!state || !target || !target.IsItem())
008712 |         {
008713 |             GetGroup().SetIsInCombat(state);
008714 |
008715 |             eAI_SetShouldTakeCover(state);
008716 |         }
008717 |
008718 |         if (m_eAI_IsFightingFSM && GetExpansionSettings().GetAI().MemeLevel > 9000)
008719 |             eAI_PlayRandomLoveSound();
008720 |     }
008721 |
008722 |     void eAI_SetShouldTakeCover(bool state)
008723 |     {
008724 |         if (state)
008725 |         {
008726 |             m_eAI_ShouldTakeCover = true;
008727 |             m_eAI_UpdatePotentialCoverObjects = true;
008728 |         }
008729 |         else
008730 |         {
008731 |             m_eAI_ShouldTakeCover = false;
008732 |         }
008733 |     }
008734 |
008735 |     void eAI_LeaveCover()
008736 |     {
008737 |         if (m_eAI_CurrentCoverObject)
008738 |         {
008739 |             s_eAI_TakenCoverObjects.RemoveItem(m_eAI_CurrentCoverObject);
008740 |             m_eAI_CurrentCoverObject = null;
008741 |         }
008742 |     }
008743 |
008744 |     void eAI_PlayRandomLoveSound()
008745 |     {
008746 |         if (Math.RandomInt(0, 2))
008747 |             s_eAI_LoveSound01_SoundSet.Play(this);
008748 |         else
008749 |             s_eAI_LoveSound02_SoundSet.Play(this);
008750 |     }
008751 |
008752 |     override void OnScheduledTick(float deltaTime)
008753 |     {
008754 |     // #ifdef EXTRACE_DIAG
008755 |         // auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "OnScheduledTick");
008756 |     // #endif
```

```
008757 |
008758 |         if (!IsPlayerSelected() || !IsAlive())
008759 |             return;
008760 |
008761 | #ifdef EXTRACE_DIAG
008762 |     auto trace2 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "OnScheduledTick(2) -> ModifiersManager::OnScheduledTick");
008763 | #endif
008764 |
008765 |     if (m_ModifiersManager)
008766 |         m_ModifiersManager.OnScheduledTick(deltaTime);
008767 |
008768 | #ifdef EXTRACE_DIAG
008769 |     trace2 = null;
008770 | #endif
008771 |
008772 |     //if (m_NotifiersManager)
008773 |         //m_NotifiersManager.OnScheduledTick();
008774 |     //! These send RPC to identity which is NULL for AI and thus affects all actual players HUDs (shows AI values instead of player)
008775 |     // if( m_TrasferValues )
008776 |         //m_TrasferValues.OnScheduledTick(deltaTime);
008777 |     // if( m_VirtualHud )
008778 |         //m_VirtualHud.OnScheduledTick();
008779 |
008780 | //#ifdef EXTRACE_DIAG
008781 |     //auto trace3 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "OnScheduledTick(3) -> BleedingSourcesManagerServer::OnTick");
008782 | //#endif
008783 |
008784 |     if (GetBleedingManagerServer())
008785 |         GetBleedingManagerServer().OnTick(deltaTime);
008786 |
008787 | //#ifdef EXTRACE_DIAG
008788 |     //trace3 = null;
008789 | //#endif
008790 |
008791 |     if (m_Environment)
008792 |     {
008793 |         #ifdef EXTRACE_DIAG
008794 |             auto trace4 = EXTrace.Profile(EXTrace.AI_PROFILE, this, "OnScheduledTick(4) -> Environment::Update");
008795 |         #endif
008796 |
008797 |         m_Environment.Update(deltaTime);
008798 |
008799 |         #ifdef EXTRACE_DIAG
008800 |             trace4 = null;
008801 |         #endif
008802 |     }
008803 |
008804 |     // Check if electric device needs to be unplugged
008805 |     ItemBase heldItem = GetItemInHands();
008806 |     if (heldItem && heldItem.HasEnergyManager() && heldItem.GetCompEM().IsPlugged())
008807 |     {
008808 |         // Now we know we are working with an electric device which is plugged into a power source.
008809 |         EntityAI placed_entity = heldItem;
008810 |
008811 |         // Unplug the device when the player is too far from the power source.
008812 |         placed_entity.GetCompEM().UpdatePlugState();
008813 |     }
008814 |
008815 |     m_eAI_UpdateVisibilityTime += deltaTime;
008816 |     if (m_eAI_UpdateVisibilityTime > m_eAI_UpdateVisibilityTimeThreshold)
008817 |     {
008818 |         m_eAI_UpdateVisibilityTime = 0;
```

```

008819 |         Expansion_UpdateVisibility();
008820 |     }
008821 |
008822 | }
008823 |
008824 | // We should integrate this into ReloadWeapon
008825 | void ReloadWeaponAI(EntityAI weapon, EntityAI magazine)
008826 | {
008827 | #ifdef EXTRACE
008828 |     EXTrace trace;
008829 | #endif
008830 |
008831 |     m_eAI_PositionOverrideTimeout = 0; //! Reset so we prioritize taking cover during reload
008832 |
008833 |     // CF_Log.Debug(this.ToString() + "(DayZPlayerInstanceType." + GetInstanceType().ToString() + ") is trying to reload " + magazine.ToString() + " into " +
008834 | weapon.ToString());
008835 |     eAIActionManager mngr_ai;
008836 |     CastTo(mngr_ai, GetActionManager());
008837 |
008838 |     if (mngr_ai && FirearmActionLoadMultiBulletRadial.Cast(mngr_ai.GetRunningAction()))
008839 |     {
008840 | #ifdef EXTRACE
008841 |         trace = EXTrace.Start0(EXTrace.AI, this, "Interrupting current reload action for " + weapon);
008842 | #endif
008843 |         mngr_ai.Interrupt();
008844 |     }
008845 |     else if (GetHumanInventory().GetEntityInHands() != magazine)
008846 |     {
008847 |         Weapon_Base wpn;
008848 |         Magazine mag;
008849 |         Class.CastTo(wpn, weapon);
008850 |         Class.CastTo(mag, magazine);
008851 |         int mi = wpn.GetCurrentMuzzle();
008852 |         Magazine currentMag = wpn.GetMagazine(mi);
008853 |         EXTrace.Print(EXTrace.AI, this, "ReloadWeaponAI - wpn " + wpn + " attached mag " + currentMag + " internal mag cartridge count " + wpn.GetInternalMaga
008854 | zineCartridgeCount(mi) + " - reload from " + mag);
008855 |
008856 |         if (mag && mag.GetAmmoCount() < mag.GetAmmoMax() && eAI_IsTargetUnlimitedReload())
008857 |         {
008858 |             mag.ServerSetAmmoMax();
008859 |             mag.SetSynchDirty();
008860 |         }
008861 |
008862 |         if (GetWeaponManager().CanUnjam(wpn))
008863 |         {
008864 | #ifdef EXTRACE
008865 |             //! NEVER unjam while reloading, unjamming should ALWAYS be handled by unjamming state in FSM so that weapon manager timeout can be dealt with
008866 |             trace = EXTrace.Start0(EXTrace.AI, this, "Not reloading jammed " + wpn);
008867 | #endif
008868 |             return;
008869 |         }
008870 |         else if (wpn.IsChamberFiredOut(mi) && wpn.GetInternalMagazineCartridgeCount(mi) > 0 && GetWeaponManager().CanEjectBullet(wpn))
008871 |         {
008872 | #ifdef EXTRACE
008873 |             trace = EXTrace.Start0(EXTrace.AI, this, "Ejecting bullet and chambering from internal mag " + wpn);
008874 | #endif
008875 |             GetWeaponManager().EjectBullet();
008876 |             return;
008877 |         }
008878 |         else if (GetWeaponManager().CanAttachMagazine(wpn, mag))
008879 |         {

```

```

008879 | #ifdef EXTRACE
008880 |         trace = EXTrace.Start0(EXTrace.AI, this, "Attaching mag to " + wpn + " " + mag);
008881 | #endif
008882 |         GetWeaponManager().AttachMagazine(mag);
008883 |         return;
008884 |     }
008885 |     else if (GetWeaponManager().CanSwapMagazine(wpn, mag))
008886 |     {
008887 |         #ifdef EXTRACE
008888 |             trace = EXTrace.Start0(EXTrace.AI, this, "Swapping mag " + wpn + " " + mag);
008889 |         #endif
008890 |             GetWeaponManager().SwapMagazine(mag);
008891 |             return;
008892 |     }
008893 |     else if (mag && currentMag && eAI_ShouldDetachMag(currentMag, mag) && GetWeaponManager().CanDetachMagazine(wpn, currentMag))
008894 |     {
008895 |         InventoryLocation il = new InventoryLocation();
008896 |
008897 |         if (mag.IsAmmoPile() && eAI_GetMagTempDetachLocation(currentMag, il))
008898 |         {
008899 |             #ifdef EXTRACE
008900 |                 trace = EXTrace.Start0(EXTrace.AI, this, "Detaching mag " + wpn + " " + currentMag);
008901 |             #endif
008902 |
008903 |             //! TODO: Proper fill up of current mag from ammo pile after detach (put gun away, take mag to hand, fill mag, reattach to wpn)
008904 |             eAI_FillMag(currentMag, mag, true);
008905 |
008906 |             GetWeaponManager().DetachMagazine(il);
008907 |
008908 |             //! Force re-evaluation of mag to use for reloading
008909 |             typename removeType = wpn.Type();
008910 |             EXTrace.Print(EXTrace.AI, this, "ReloadWeaponAI - removing " + removeType + " " + m_eAI_EvaluatedFirearmTypes[removeType]);
008911 |             m_eAI_EvaluatedFirearmTypes.Remove(removeType);
008912 |             return;
008913 |         }
008914 |         else if (!mag.IsAmmoPile())
008915 |         {
008916 |             #ifdef EXTRACE
008917 |                 trace = EXTrace.Start0(EXTrace.AI, this, "Attached mag doesn't fit in inventory, dropping " + wpn + " " + currentMag);
008918 |             #endif
008919 |
008920 |             //! Could also use PredictiveDropEntity, but let's be explicit for maximum control
008921 |             vector m4[4];
008922 |             Math3D.MatrixIdentity4(m4);
008923 |
008924 |             //! We don't care if a valid transform couldn't be found, we just want to preferably use it instead of placing on the player
008925 |             GameInventory.PrepareDropEntityPos(this, currentMag, m4, false, GameConstants.INVENTORY_ENTITY_DROP_OVERLAP_DEPTH);
008926 |             il.SetGround(currentMag, m4);
008927 |
008928 |             GetWeaponManager().DetachMagazine(il);
008929 |             return;
008930 |         }
008931 |         else
008932 |         {
008933 |             #ifdef EXTRACE
008934 |                 trace = EXTrace.Start0(EXTrace.AI, this, "Attached mag doesn't fit in inventory " + wpn + " " + currentMag);
008935 |             #endif
008936 |
008937 |             //! Inventory is full, drop sth we don't need
008938 |             foreach (Magazine othermag: m_eAI_Magazines)
008939 |             {
008940 |                 if (!othermag)

```

```

008941 |         continue;
008942 |
008943 |         if (!eAI_HasWeaponForMagazine(othermag))
008944 |         {
008945 |             eAI_DropItemImpl(othermag);
008946 |             break;
008947 |         }
008948 |     }
008949 | }
008950 |
008951 |     ///! If mag to reload from is ammo pile but current mag doesn't fit in inventory,
008952 |     ///! we fall through here to load single bullet or eject casing
008953 | }
008954 |
008955 |     if (GetWeaponManager().CanLoadBullet(wpn, mag))
008956 |     {
008957 | #ifdef EXTRACE
008958 |         trace = EXTrace.Start0(EXTrace.AI, this, "Loading bullet " + wpn + " " + mag);
008959 | #endif
008960 |         // GetWeaponManager().LoadMultiBullet(mag);
008961 |
008962 |         if (mag.IsAmmoPile() && eAI_IsTargetUnlimitedReload() && mag.GetAmmoMax() == 1)
008963 |             GetInventory().CreateInInventory(mag.GetType());
008964 |
008965 |         ActionTarget atrg = new ActionTarget(mag, this, -1, vector.Zero, -1.0);
008966 |         if (mngr_ai && !mngr_ai.GetRunningAction() && mngr_ai.GetAction(FirearmActionLoadMultiBulletRadial).Can(this, atrg, wpn))
008967 |             mngr_ai.PerformActionStart(mngr_ai.GetAction(FirearmActionLoadMultiBulletRadial), atrg, wpn);
008968 |     }
008969 |     else if ((wpn.IsChamberEmpty(mi) || wpn.IsChamberFiredOut(mi)) && GetWeaponManager().CanEjectBullet(wpn))
008970 |     {
008971 | #ifdef EXTRACE
008972 |         ///! @note WeaponManager::EjectBullet also deals with loading bullet from attached or internal mag into chamber
008973 |         trace = EXTrace.Start0(EXTrace.AI, this, "Ejecting bullet/cycling action " + wpn + " chamber empty? " + wpn.IsChamberEmpty(mi) + " fired out? " +
wpn.IsChamberFiredOut(mi));
008974 | #endif
008975 |         GetWeaponManager().EjectBullet();
008976 |     }
008977 |     else
008978 |     {
008979 |         if (mag)
008980 |             EXError.Error(this, "Can't reload " + wpn + " from " + mag + " (" + mag.GetType() + ") - not implemented");
008981 |         else
008982 |             EXError.Error(this, "Can't reload " + wpn + " - not implemented");
008983 |     }
008984 | }
008985 | }
008986 |
008987 | bool eAI_GetMagTempDetachLocation(Magazine currentMag, InventoryLocation il)
008988 | {
008989 |     if (GetInventory().FindFreeLocationFor(currentMag, FindInventoryLocationType.CARGO, il))
008990 |         return true;
008991 |
008992 |     if (!GetInventory().FindAttachment(InventorySlots.LEFTHAND))
008993 |     {
008994 |         il.SetAttachment(this, currentMag, InventorySlots.LEFTHAND);
008995 |         return true;
008996 |     }
008997 |
008998 |     return false;
008999 | }
009000 |
009001 | bool eAI_ShouldDetachMag(Magazine currentMag, Magazine mag)

```

```
009002 | {
009003 |     if (currentMag.GetAmmoCount() == 0)
009004 |         return true;
009005 |
009006 |     if (mag != currentMag)
009007 |         return true;
009008 |
009009 |     return false;
009010 | }
009011 |
009012 | bool eAI_IsSafeToFillMag()
009013 | {
009014 |     if (m_eAI_CurrentThreatToSelfActive >= 0.4)
009015 |         return false;
009016 |
009017 |     if (g_Game.GetTime() - m_eAI_LastFireTime < Math.RandomFloat(m_eAI_TimeBetweenFiring, m_eAI_TimeBetweenFiringAndGettingUp))
009018 |         return false;
009019 |
009020 |     return true;
009021 | }
009022 |
009023 | /**
009024 |  * @brief Fill mag from ammo source
009025 |  *
009026 |  * @param magToFill
009027 |  * @param ammoSource
009028 |  * @param deleteSourceIfDepleted If ammo source is depleted during this operation, it is deleted
009029 |  *
009030 |  * @return number of transferred cartridges
009031 |  */
009032 | int eAI_FillMag(Magazine magToFill, Magazine ammoSource, bool deleteSourceIfDepleted = false)
009033 | {
009034 |     int ammoCount = ammoSource.GetAmmoCount();
009035 |     float totalDamage;
009036 |     int reloadAmmo = MiscGameplayFunctions.Expansion_TransferCartridges(ammoSource, magToFill, ammoCount, false, totalDamage);
009037 |
009038 | #ifdef DIAG_DEVELOPER
009039 |     EXTrace.Print(EXTrace.AI, this, "Filled mag " + magToFill + " with " + reloadAmmo + " cartridges from " + ammoSource);
009040 | #endif
009041 |
009042 |     ammoCount -= reloadAmmo;
009043 |     if (ammoCount == 0 && deleteSourceIfDepleted && ammoSource && !ammoSource.IsSetForDeletion())
009044 |         g_Game.ObjectDelete(ammoSource);
009045 |
009046 |     return reloadAmmo;
009047 | }
009048 |
009049 | /**
009050 |  * @brief Fill any non-full mag in inventory which is compatible with weapon from ammo source
009051 |  *
009052 |  * @param weapon
009053 |  * @param ammoSource
009054 |  * @param deleteSourceIfDepleted If ammo source is depleted during this operation, it is deleted
009055 |  *
009056 |  * @note If ammo source is a mag and its health is higher and ammo max is higher or equal than mag in inv,
009057 |  * the operation is swapped and ammo source is filled from mag
009058 |  *
009059 |  * @return number of transferred cartridges
009060 |  */
009061 | int eAI_FillAnyCompatibleMag(Weapon_Base weapon, Magazine ammoSource, bool deleteSourceIfDepleted = false)
009062 | {
009063 | #ifdef EXTRACE
```

```
009064 |     auto trace = EXTrace.Start(EXTrace.AI, this);
009065 | #endif
009066 |
009067 |     int numberOfTransferredCartridges;
009068 |
009069 |     foreach (Magazine magToFill: m_eAI_Magazines)
009070 |     {
009071 |         if (!magToFill)
009072 |             continue;
009073 |
009074 |         if (magToFill.IsAmmoPile())
009075 |             continue;
009076 |
009077 |         if (magToFill.IsFullQuantity())
009078 |             continue;
009079 |
009080 |         if (!magToFill.IsCompatiableAmmo(ammoSource))
009081 |             continue;
009082 |
009083 |         if (!ammoSource.IsAmmoPile() && ammoSource.GetHealthLevel() < magToFill.GetHealthLevel() && ammoSource.GetAmmoMax() >= magToFill.GetAmmoMax())
009084 |         {
009085 |             if (weapon.TestAttachMagazine(weapon.GetCurrentMuzzle(), ammoSource, false, true))
009086 |             {
009087 |                 numberOfTransferredCartridges += eAI_FillMag(ammoSource, magToFill, deleteSourceIfDepleted);
009088 |                 if (!magToFill || magToFill.IsSetForDeletion() || magToFill.GetAmmoCount() == 0)
009089 |                     break;
009090 |
009091 |                 continue;
009092 |             }
009093 |         }
009094 |
009095 |         if (weapon.TestAttachMagazine(weapon.GetCurrentMuzzle(), magToFill, false, true))
009096 |         {
009097 |             numberOfTransferredCartridges += eAI_FillMag(magToFill, ammoSource, deleteSourceIfDepleted);
009098 |             if (!ammoSource || ammoSource.IsSetForDeletion() || ammoSource.GetAmmoCount() == 0)
009099 |                 break;
009100 |         }
009101 |     }
009102 |
009103 |     return numberOfTransferredCartridges;
009104 | }
009105 |
009106 | // Returns true only if there is a weapon in hands, and the weapon has no rounds ready,
009107 | // and the inventory does have magazines to reload to.
009108 | bool ShouldReload(out EntityAI magazine, out EntityAI weapon)
009109 | {
009110 |     Weapon weapon_in_hands;
009111 |     if (!Class.CastTo(weapon_in_hands, GetItemInHands()))
009112 |         return false;
009113 |
009114 |     int mi = weapon_in_hands.GetCurrentMuzzle();
009115 |     Magazine mag = weapon_in_hands.GetMagazine(mi);
009116 |     if (mag && mag.GetAmmoCount() > 0)
009117 |         return false;
009118 |
009119 |     magazine = GetMagazineToReload(weapon_in_hands);
009120 |     weapon = weapon_in_hands;
009121 |     if (!magazine || !weapon)
009122 |         return false;
009123 |
009124 |     return true;
009125 | }
```



```
009126 |
009127 | #ifdef CF_DEBUG
009128 |     override bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
009129 |     {
009130 |         super.CF_OnDebugUpdate(instance, type);
009131 |
009132 |         instance.Add("FSM", m_FSM);
009133 |         if (m_FSM)
009134 |         {
009135 |             instance.IncrementTab();
009136 |             instance.Add(m_FSM);
009137 |             instance.DecrementTab();
009138 |         }
009139 |
009140 |         return true;
009141 |     }
009142 | #endif
009143 |
009144 |     void Expansion_OnAIUpdate()
009145 |     {
009146 |         Error("DEPRECATED");
009147 |     }
009148 |
009149 |     void eAI_ForceVisibilityUpdate()
009150 |     {
009151 |         m_eAI_UpdateVisibilityTime = m_eAI_UpdateVisibilityTimeThreshold;
009152 |     }
009153 |
009154 |     void Expansion_TryTurningOnAnyLightsOrNVG(out float nightVisibility, bool skipNonNVG = false, bool skipNVG = false)
009155 |     {
009156 |         EXError.Error(this, "DEPRECATED, use Expansion_TryTurningOnAnyLightsOrNVGEx(bool skipNonNVG, ...)");
009157 |         Expansion_TryTurningOnAnyLightsOrNVGEx(skipNonNVG, skipNVG);
009158 |     }
009159 |
009160 |     void Expansion_TryTurningOnAnyLightsOrNVGEx(bool skipNonNVG = false, bool skipNVG = false)
009161 |     {
009162 | #ifdef EXTRACE
009163 |         auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
009164 | #endif
009165 |
009166 |         if (IsUnconscious() || IsRestrained())
009167 |             return;
009168 |
009169 |         array<ItemBase> items = {};
009170 |
009171 |         ItemBase headGear = GetItemOnHead();
009172 |         if (headGear)
009173 |             items.Insert(headGear);
009174 |
009175 |         ItemBase eyeWear = GetItemOnSlot("Eyewear");
009176 |         if (eyeWear)
009177 |             items.Insert(eyeWear);
009178 |
009179 |         ItemBase handItem = GetItemInHands();
009180 |         if (handItem && !GetItemAccessor().IsItemInHandsHidden())
009181 |             items.Insert(handItem);
009182 |
009183 |         array<ItemBase> optics = {};
009184 |         array<ItemBase> lights = {};
009185 |
009186 |         foreach (ItemBase item: items)
009187 |         {
```

```
009188 |         ItemBase visEnh = item.Expansion_GetAnyLightOrNVG(skipNonNVG, skipNVG);
009189 |
009190 |         if (visEnh)
009191 |         {
009192 |             //! Prefer night vision over lights
009193 |             //! @note both weapon optics as well as NVGoggles inherit from ItemOptics
009194 |             if (visEnh.IsInherited(ItemOptics))
009195 |                 optics.Insert(visEnh);
009196 |             else
009197 |                 lights.Insert(visEnh);
009198 |         }
009199 |     }
009200 |
009201 |     m_Expansion_ActiveVisibilityEnhancers.Clear();
009202 |
009203 |     foreach (ItemBase optic: optics)
009204 |     {
009205 |         //! If optic can be switched on, will add itself to vis enhancers in OnSwitchedOn, else have to add it explicitly
009206 |         if (!optic.Expansion_TryTurningOn())
009207 |             eAI_AddActiveVisibilityEnhancer(optic);
009208 |     }
009209 |
009210 |     if (m_Expansion_ActiveVisibilityEnhancers.Count() == 0)
009211 |     {
009212 |         foreach (ItemBase light: lights)
009213 |         {
009214 |             //! If light can be switched on, will add itself to vis enhancers in OnSwitchedOn, else have to add it explicitly
009215 |             if (!light.Expansion_TryTurningOn())
009216 |                 eAI_AddActiveVisibilityEnhancer(light);
009217 |         }
009218 |     }
009219 |
009220 |     m_Expansion_TriedTurningOnVisibilityEnhancers = true;
009221 |
009222 |     eAI_UpdateNightVisibility();
009223 | }
009224 |
009225 | void Expansion_TryTurningOffAnyLightsOrNVG(bool skipNVG = false)
009226 | {
009227 | #ifdef EXTRACE
009228 |     auto trace = EXTrace.Start(EXTrace.AI, eAIBase);
009229 | #endif
009230 |
009231 |     if (IsUnconscious() || IsRestrained())
009232 |         return;
009233 |
009234 |     for (int i = m_Expansion_ActiveVisibilityEnhancers.Count() - 1; i >= 0; --i)
009235 |     {
009236 |         ItemBase visEnhActive = m_Expansion_ActiveVisibilityEnhancers[i];
009237 |
009238 |         //! @note both weapon optics as well as NVGoggles inherit from ItemOptics
009239 |         if (!skipNVG || !visEnhActive.IsInherited(ItemOptics))
009240 |         {
009241 |             if (!visEnhActive.Expansion_TryTurningOff())
009242 |                 eAI_RemoveActiveVisibilityEnhancerAtIndex(i);
009243 |         }
009244 |     }
009245 |
009246 |     eAI_UpdateNightVisibility();
009247 | }
009248 |
009249 | void eAI_AddActiveVisibilityEnhancer(ItemBase visEnh)
```

```
009250 | {
009251 |     int index = m_Expansion_ActiveVisibilityEnhancers.Insert(visEnh);
009252 |
009253 | #ifdef DIAG_DEVELOPER
009254 |     EXTrace.Print(EXTrace.AI, this, "Added active visibility enhancer " + visEnh + " at index " + index);
009255 | #endif
009256 | }
009257 |
009258 | void eAI_RemoveActiveVisibilityEnhancer(ItemBase visEnh)
009259 | {
009260 |     int index = m_Expansion_ActiveVisibilityEnhancers.Find(visEnh);
009261 |
009262 |     if (index >= 0)
009263 |         eAI_RemoveActiveVisibilityEnhancerAtIndex(index);
009264 | }
009265 |
009266 | void eAI_RemoveActiveVisibilityEnhancerAtIndex(int index)
009267 | {
009268 | #ifdef DIAG_DEVELOPER
009269 |     EXTrace.Print(EXTrace.AI, this, "Removing active visibility enhancer " + m_Expansion_ActiveVisibilityEnhancers[index] + " at index " + index);
009270 | #endif
009271 |
009272 |     m_Expansion_ActiveVisibilityEnhancers.Remove(index);
009273 | }
009274 |
009275 | void eAI_UpdateNightVisibility()
009276 | {
009277 | #ifdef DIAG_DEVELOPER
009278 |     float nightVisibility = m_eAI_NightVisibility;
009279 |     bool isLit = m_eAI_IsLit;
009280 | #endif
009281 |
009282 |     m_eAI_NightVisibility = m_eAI_MinVisibility;
009283 |     m_eAI_IsLit = false;
009284 |
009285 |     foreach (ItemBase visEnhActive: m_Expansion_ActiveVisibilityEnhancers)
009286 |     {
009287 |         float visEnhNightVisibility = visEnhActive.eAI_GetNightVisibility();
009288 |
009289 |         if (visEnhNightVisibility > 0 && visEnhNightVisibility <= m_eAI_MinVisibility)
009290 |             visEnhNightVisibility += m_eAI_MinVisibility;
009291 |
009292 |         if (visEnhNightVisibility > m_eAI_NightVisibility)
009293 |             m_eAI_NightVisibility = visEnhNightVisibility;
009294 |
009295 |         if (!visEnhActive.IsInherited(ItemOptics))
009296 |             m_eAI_IsLit = true;
009297 |     }
009298 |
009299 | #ifdef DIAG_DEVELOPER
009300 |     if (m_eAI_NightVisibility != nightVisibility)
009301 |         EXTrace.Print(EXTrace.AI, this, "nighttime base visibility " + m_eAI_NightVisibility);
009302 |
009303 |     if (m_eAI_IsLit != isLit)
009304 |         EXTrace.Print(EXTrace.AI, this, "lit " + m_eAI_IsLit);
009305 | #endif
009306 | }
009307 |
009308 | void Expansion_UpdateVisibility(bool force = false)
009309 | {
009310 | #ifdef EXTRACE_DIAG
009311 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "OnScheduledTick(5) -> Expansion_UpdateVisibility");
```

```
009312 | #endif
009313 |
009314 |     m_Expansion_DaylightVisibility = m_Environment.Expansion_GetDaylightVisibility();
009315 |
009316 |     m_Environment.Expansion_GetWeatherVisibility(m_eAI_FogVisibility, m_eAI_OvercastVisibility, m_eAI_RainVisibility, m_eAI_SnowVisibility);
009317 |
009318 |     if (!m_eAI_FogVisibility)
009319 |     {
009320 |         EXError.Error(this, "Fog visibility is zero!");
009321 |         m_eAI_FogVisibility = 1.0;
009322 |     }
009323 |
009324 |     if (!m_eAI_OvercastVisibility)
009325 |     {
009326 |         EXError.Error(this, "Overcast visibility is zero!");
009327 |         m_eAI_OvercastVisibility = 1.0;
009328 |     }
009329 |
009330 |     if (!m_eAI_RainVisibility)
009331 |     {
009332 |         EXError.Error(this, "Rain visibility is zero!");
009333 |         m_eAI_RainVisibility = 1.0;
009334 |     }
009335 |
009336 |     if (!m_eAI_SnowVisibility)
009337 |     {
009338 |         EXError.Error(this, "Snow visibility is zero!");
009339 |         m_eAI_SnowVisibility = 1.0;
009340 |     }
009341 |
009342 |     m_eAI_DynVolFogVisibility = 0.001 + m_Environment.Expansion_GetDynVolFogVisibility() * 0.999;
009343 |
009344 |     float minVisibility;
009345 |
009346 |     int lightingConfig = CfgGameplayHandler.GetLightingConfig();
009347 |     auto settings = GetExpansionSettings().GetAI();
009348 |     float minVisibilityMeters;
009349 |     if (settings.LightingConfigMinNightVisibilityMeters.Find(lightingConfig, minVisibilityMeters))
009350 |     {
009351 |         minVisibility = minVisibilityMeters * 0.001;
009352 |
009353 |         if (minVisibility <= 0 || minVisibility > 1)
009354 |         {
009355 |             EXError.ErrorOnce(this, "Invalid LightingConfigMinNightVisibilityMeters value " + minVisibilityMeters);
009356 |             minVisibility = settings.GetDefaultMinVisibility(lightingConfig);
009357 |         }
009358 |     }
009359 |     else
009360 |     {
009361 |         minVisibility = settings.GetDefaultMinVisibility(lightingConfig);
009362 |     }
009363 |
009364 |     m_eAI_MinVisibility = minVisibility;
009365 |
009366 |     bool isDay;
009367 |
009368 |     if (m_Expansion_DaylightVisibility < m_eAI_DayNightThreshold)
009369 |         isDay = false;
009370 |     else
009371 |         isDay = true;
009372 |
009373 |     if (force || isDay != m_eAI_IsDay)
```

```
009374 | {
009375 |     m_eAI_IsDay = isDay;
009376 |     m_Expansion_TriedTurningOnVisibilityEnhancers = false;
009377 | }
009378 |
009379 | if (!isDay)
009380 | {
009381 |     if (!m_Expansion_TriedTurningOnVisibilityEnhancers)
009382 |     {
009383 |         ///! Try switching on any lights or NVG at night
009384 |         Expansion_TryTurningOnAnyLightsOrNVGEx();
009385 |         m_eAI_IsActiveVisibilityEnhancerTemporary = false;
009386 |     }
009387 |     else
009388 |     {
009389 |         eAI_UpdateNightVisibility();
009390 |     }
009391 |
009392 |     if (m_eAI_NightVisibility > minVisibility)
009393 |         minVisibility = m_eAI_NightVisibility;
009394 | }
009395 | else if (m_Expansion_ActiveVisibilityEnhancers.Count())
009396 | {
009397 |     Expansion_TryTurningOffAnyLightsOrNVG();
009398 | }
009399 |
009400 | m_eAI_BaseVisibility = minVisibility + m_Expansion_DaylightVisibility * (1 - minVisibility);
009401 |
009402 | if (!m_eAI_BaseVisibility)
009403 | {
009404 |     EXError.Error(this, "Base visibility is zero!");
009405 |     m_eAI_BaseVisibility = 1.0;
009406 | }
009407 |
009408 | m_eAI_VisibilityLimit = m_eAI_ThreatDistanceLimit * 0.001;
009409 | if (!m_eAI_VisibilityLimit)
009410 | {
009411 |     EXError.Error(this, "Visibility limit is zero! Threat distance limit: " + m_eAI_ThreatDistanceLimit);
009412 |     m_eAI_VisibilityLimit = 1.0;
009413 | }
009414 |
009415 | ///! Limit visibility in contaminated areas due to gas clouds
009416 | if (GetModifiersManager().IsModifierActive(eModifiers.MDF_AREAEXPOSURE))
009417 |     m_eAI_ContaminatedAreaVisibility = 0.2; ///! 200 m
009418 | else
009419 |     m_eAI_ContaminatedAreaVisibility = 1.0;
009420 |
009421 | ///! Final visibility
009422 | TFloatArray visibilities = {
009423 |     m_eAI_FogVisibility,
009424 |     m_eAI_OvercastVisibility,
009425 |     m_eAI_RainVisibility,
009426 |     m_eAI_SnowVisibility,
009427 |     m_eAI_DynVolFogVisibility,
009428 |     m_eAI_ContaminatedAreaVisibility,
009429 |     m_eAI_BaseVisibility,
009430 |     m_eAI_VisibilityLimit
009431 | };
009432 |
009433 | m_Expansion_Visibility = ExpansionMath.Min(visibilities);
009434 |
009435 | m_Expansion_VisibilityDistThreshold = 900 * m_Expansion_Visibility;
```

```
009436 |     }
009437 |
009438 |     float Expansion_GetVisibility(float distance)
009439 |     {
009440 |         EXError.ErrorOnce(this, "DEPRECATED, use eAI_GetVisibility");
009441 |
009442 |         return eAI_GetVisibility(distance, GetTarget());
009443 |     }
009444 |
009445 |     float eAI_GetThreatDistanceFactor(float distance)
009446 |     {
009447 |         float threatDistanceThreshold = 900;
009448 |
009449 |         if (distance > threatDistanceThreshold)
009450 |             return ExpansionMath.PowerConversion(1100, threatDistanceThreshold, distance, 0.0, 1.0, 2.0);
009451 |
009452 |         return 1.0;
009453 |     }
009454 |
009455 |     float eAI_GetVisibility(float distance, eAITarget target)
009456 |     {
009457 |         if (distance > m_Expansion_VisibilityDistThreshold)
009458 |         {
009459 |             if (m_Expansion_Visibility <= m_eAI_NightVisibility)
009460 |             {
009461 |                 if (target.IsLit())
009462 |                     return ExpansionMath.PowerConversion(250, 200, distance, 0.0, 1.0, 2.0);
009463 |             }
009464 |
009465 |             return ExpansionMath.PowerConversion(1100 * m_Expansion_Visibility, m_Expansion_VisibilityDistThreshold, distance, 0.0, 1.0, 2.0);
009466 |         }
009467 |
009468 |         return 1.0;
009469 |     }
009470 |
009471 |     float eAI_GetVisibilityDistance(float distance, eAITarget target)
009472 |     {
009473 |         if (distance > m_Expansion_VisibilityDistThreshold)
009474 |         {
009475 |             if (m_Expansion_Visibility <= m_eAI_NightVisibility)
009476 |             {
009477 |                 if (target.IsLit())
009478 |                     return Math.Min(distance, Math.Min(m_eAI_ThreatDistanceLimit, 250));
009479 |             }
009480 |
009481 |             return Math.Min(distance, 1100 * m_Expansion_Visibility);
009482 |         }
009483 |
009484 |         return distance;
009485 |     }
009486 |
009487 |     float eAI_GetVisibilityDistanceLimit(PlayerBase player)
009488 |     {
009489 |         if (m_Expansion_Visibility <= m_eAI_NightVisibility)
009490 |         {
009491 |             if (player.eAI_IsLit())
009492 |                 return Math.Min(m_eAI_ThreatDistanceLimit, 250);
009493 |         }
009494 |
009495 |         return 1100 * m_Expansion_Visibility;
009496 |     }
009497 |
```

```
009498 | float Expansion_GetVisibilityDistThreshold()
009499 | {
009500 |     return m_Expansion_VisibilityDistThreshold;
009501 | }
009502 |
009503 | override void HandleWeapons(float pDt, Entity pInHands, HumanInputController pInputs, out bool pExitIronSights)
009504 | {
009505 | #ifdef EAI_TRACE
009506 |     auto trace = CF_Trace_3(this, "HandleWeapons").Add(pDt).Add(pInHands).Add(pInputs);
009507 | #endif
009508 |
009509 |     //if (GetIdentity())
009510 |     //{
009511 |         //super.HandleWeapons(pDt, pInHands, pInputs, pExitIronSights);
009512 |         //return;
009513 |     //}
009514 |
009515 |     GetDayZPlayerInventory().HandleWeaponEvents(pDt, pExitIronSights);
009516 | }
009517 |
009518 | void eAI_HandleWeapons(float pDt, Entity pInHands, HumanInputController pInputs, out bool pExitIronSights)
009519 | {
009520 | #ifdef EXTRACE_DIAG
009521 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(08) -> eAI_HandleWeapons");
009522 | #endif
009523 |
009524 |     HumanCommandWeapons hcw = GetCommandModifier_Weapons();
009525 |
009526 |     Weapon_Base weapon;
009527 |     Class.CastTo(weapon, pInHands);
009528 |
009529 |     if (m_WeaponRaised != m_WeaponRaisedPrev)
009530 |     {
009531 |         m_WeaponRaisedPrev = m_WeaponRaised;
009532 |         m_WeaponRaisedTimer = 0.0;
009533 |
009534 |         if (g_Game.IsServer())
009535 |         {
009536 |             AnimSetBool(m_ExpansionST.m_VAR_Raised, m_WeaponRaised);
009537 |             if (!m_WeaponRaised)
009538 |             {
009539 |                 //AnimSetBool(m_ExpansionST.m_VAR_ADS, false);
009540 |                 if (hcw)
009541 |                     hcw.SetADS(false);
009542 |             }
009543 |         }
009544 |     }
009545 |
009546 |     if (m_WeaponRaised || g_Game.IsClient())
009547 |     {
009548 |         if (g_Game.IsServer())
009549 |             m_WeaponRaisedTimer += pDt;
009550 |
009551 |         vector aimTargetRelAngles = m_eAI_AimDirectionTarget_ModelSpace.VectorToAngles();
009552 |
009553 |         m_eAI_CommandMove.AdjustAimAngles(m_eAI_AimRelAngles, m_eAI_LookRelAngles, m_WeaponRaisedTimer);
009554 |
009555 |         ///! We want to interpolate rel angles for aiming! Otherwise, if the conversion to rel angles happens later,
009556 |         ///! there will be a sudden jump in the unit's rotation between 180 and -180 due to the way the animation is set up
009557 |         eAI_InterpolateYawPitch(m_eAI_AimRelAngles, aimTargetRelAngles, m_eAI_AimVelLR, m_eAI_AimVelUD, pDt);
009558 |
009559 |         if (s_eAI_FT0 == 0)
```

```

009560 |         eAI_OnWeaponAimUpdate();
009561 |
009562 |     /*
009563 |     #ifndef SERVER
009564 |     #ifdef DIAG_DEVELOPER
009565 |         vector position = GetBonePositionWS(GetBoneIndexByName("neck"));
009566 |
009567 |         vector points[2];
009568 |         points[0] = position;
009569 |         points[1] = position + (direction * 1000.0);
009570 |         m_Expansion_DebugShapes.Insert(Shape.CreateLines(COLOR_BLUE, ShapeFlags.VISIBLE, points, 2));
009571 |     #endif
009572 |     #endif
009573 |     */
009574 |
009575 |     if (g_Game.IsServer())
009576 |     {
009577 |         float dist = vector.Distance(GetBonePositionWS(GetBoneIndexByName("neck")), m_eAI_AimPosition_WorldSpace);
009578 |         float distClamped = Math.Clamp(dist, 1.0, 360.0);
009579 |
009580 |         float aimX = ExpansionMath.RelAngle(ExpansionMath.AbsAngle(m_eAI_AimRelAngles[0]) + (-15.0 / distClamped));
009581 |         float aimY = m_eAI_AimRelAngles[1];
009582 |
009583 |         //! When leaning, aim animation direction needs to be adjusted for character rotation
009584 |         if (m_eAI_Lean)
009585 |             aimY += Math.Clamp(aimX, -45.0, 45.0) * Math.Clamp(m_eAI_Lean, -1.0, 1.0);
009586 |
009587 |         AnimSetFloat(m_ExpansionST.m_VAR_AimX, aimX);
009588 |         AnimSetFloat(m_ExpansionST.m_VAR_AimY, aimY);
009589 |
009590 |         bool ads;
009591 |         if (weapon && !GetWeaponManager().IsRunning() && Math.AbsFloat(ExpansionMath.AngleDiff2(m_eAI_AimRelAngles[0], aimTargetRelAngles[0])) < 45.0)
009592 |         {
009593 |             ItemOptics optics = weapon.GetAttachedOptics();
009594 |
009595 |             float zeroingDistanceZoomMin;
009596 |
009597 |             if (optics)
009598 |                 zeroingDistanceZoomMin = optics.GetZeroingDistanceZoomMin();
009599 |             else
009600 |                 zeroingDistanceZoomMin = weapon.GetZeroingDistanceZoomMin(weapon.GetCurrentMuzzle());
009601 |
009602 |             if (zeroingDistanceZoomMin * 0.3 < dist)
009603 |                 ads = true;
009604 |         }
009605 |
009606 |         //AnimSetBool(m_ExpansionST.m_VAR_ADS, ads);
009607 |         if (hwcw)
009608 |             hwcw.SetADS(ads);
009609 |     }
009610 | }
009611 | else if (g_Game.IsServer())
009612 | {
009613 |     //! Interpolate to look direction if not raised so the next time we raise it animates in the direction we are looking
009614 |
009615 |     vector lookTargetRelAngles = m_eAI_LookDirectionTarget_ModelSpace.VectorToAngles();
009616 |
009617 |     eAI_InterpolateYawPitch(m_eAI_AimRelAngles, lookTargetRelAngles, m_eAI_AimVelLR, m_eAI_AimVelUD, pDt);
009618 | }
009619 |
009620 | m_eAI_AimDirectionPrev = GetAimDirection();
009621 | }

```



```
009622 |
009623 | override void HandleOptic(notnull ItemOptics optic, bool inHands, HumanInputController pInputs, out bool pExitOptics)
009624 | {
009625 |     //if (GetIdentity())
009626 |         //super.HandleOptic(optic, inHands, pInputs, pExitOptics);
009627 | }
009628 |
009629 | override void HandleADS()
009630 | {
009631 |     //if (GetIdentity())
009632 |         //super.HandleADS();
009633 | }
009634 |
009635 | override void HandleView()
009636 | {
009637 |     //if (GetIdentity())
009638 |         //super.HandleView();
009639 | }
009640 |
009641 | override bool HandleDeath(int pCurrentCommandID)
009642 | {
009643 |     if (super.HandleDeath(pCurrentCommandID))
009644 |     {
009645 |         m_eAI_DeathHandled = true;
009646 |         return true;
009647 |     }
009648 |
009649 |     return false;
009650 | }
009651 |
009652 | override bool HandleDamageHit(int pCurrentCommandID)
009653 | {
009654 |     if (super.HandleDamageHit(pCurrentCommandID))
009655 |     {
009656 |         m_eAI_SkipScript = true;
009657 |         return true;
009658 |     }
009659 |
009660 |     return false;
009661 | }
009662 |
009663 | // As with many things we do, this is an almagomation of the client and server code
009664 | override void CheckLiftWeapon()
009665 | {
009666 |     //if (GetIdentity())
009667 |     //{
009668 |         //super.CheckLiftWeapon();
009669 |         //return;
009670 |     //}
009671 |
009672 |     if (!g_Game.IsServer())
009673 |         return;
009674 |
009675 |     Weapon_Base weap;
009676 |     if (Weapon_Base.CastTo(weap, GetItemInHands()))
009677 |     {
009678 |         m_LiftWeapon_player = weap.LiftWeaponCheck(this);
009679 |     }
009680 | }
009681 |
009682 | override bool CanConsumeStamina(ESTaminaConsumers consumer)
009683 | {
```

```
009684 |         switch (consumer)
009685 |         {
009686 |             //! Don't consume stamina for melee against creatures/Zs
009687 |             case EStaminaConsumers.MELEE_HEAVY:
009688 |             case EStaminaConsumers.MELEE_EVADE:
009689 |                 eAITarget target = GetTarget(); //! The current prioritized target
009690 |                 if (target && (target.IsCreature() || target.IsZombie()))
009691 |                     return true;
009692 |                 break;
009693 |         }
009694 |
009695 |         return super.CanConsumeStamina(consumer);
009696 |     }
009697 |
009698 |     //! @note this is marked as deprecated in vanilla but still used by vanilla melee fight logic...
009699 |     override void DepleteStamina(EStaminaModifiers modifier, float dT = -1)
009700 |     {
009701 |         switch (modifier)
009702 |         {
009703 |             //! Don't consume stamina for melee against creatures/Zs
009704 |             case EStaminaModifiers.MELEE_LIGHT:
009705 |             case EStaminaModifiers.MELEE_HEAVY:
009706 |             case EStaminaModifiers.MELEE_EVADE:
009707 |                 EntityAI targetEntity = m_MeleeCombat.GetTargetEntity(); //! The actual melee target
009708 |                 if (targetEntity && targetEntity.IsDayZCreature())
009709 |                     return;
009710 |                 break;
009711 |         }
009712 |
009713 |         super.DepleteStamina(modifier, dT);
009714 |     }
009715 |
009716 |     bool CanRaiseWeapon()
009717 |     {
009718 |         if (IsClimbing() || IsFalling() || IsSwimming() || m_eAI_IsOnLadder)
009719 |             return false;
009720 |
009721 |         if (eAI_IsSideSteppingVehicle())
009722 |             return false;
009723 |
009724 |         return true;
009725 |     }
009726 |
009727 |     // @param true to put weapon up, false to lower
009728 |     void RaiseWeapon(bool up = true)
009729 |     {
009730 |         m_WeaponRaised = up;
009731 |         if (!up)
009732 |             m_eAI_QueuedShots = 0;
009733 |     }
009734 |
009735 |     void eAI_ResetRaised()
009736 |     {
009737 |         if (g_Game.IsServer())
009738 |         {
009739 |             m_WeaponRaised = false;
009740 |             m_WeaponRaisedPrev = false;
009741 |             m_WeaponRaisedTimer = 0.0;
009742 |             AnimSetBool(m_ExpansionST.m_VAR_Raised, false);
009743 |         }
009744 |     }
009745 | }
```

```
009746 | override bool IsRaised()
009747 | {
009748 |     return m_WeaponRaised;
009749 | }
009750 |
009751 | override bool IsWeaponRaiseCompleted()
009752 | {
009753 |     return m_WeaponRaisedTimer > 0.5;
009754 | }
009755 |
009756 | void eAI_AddInteractingPlayer(Man player)
009757 | {
009758 |     m_eAI_InteractingPlayers.Insert(player);
009759 | }
009760 |
009761 | void eAI_RemoveInteractingPlayer(Man player)
009762 | {
009763 | #ifdef DAYZ_1_20
009764 |     int remove_index = m_eAI_InteractingPlayers.Find(player);
009765 |     if (remove_index >= 0)
009766 |         m_eAI_InteractingPlayers.Remove(remove_index);
009767 | #else
009768 |     ///! 1.21+
009769 |     m_eAI_InteractingPlayers.RemoveItem(player);
009770 | #endif
009771 | }
009772 |
009773 | bool eAI_HasInteractingPlayers()
009774 | {
009775 |     for (int i = m_eAI_InteractingPlayers.Count() - 1; i >= 0; i--)
009776 |     {
009777 |         Man player = m_eAI_InteractingPlayers[i];
009778 |         if (player && player.IsAlive() && !player.IsUnconscious())
009779 |             return true;
009780 |         else
009781 |             m_eAI_InteractingPlayers.Remove(i);
009782 |     }
009783 |
009784 |     return false;
009785 | }
009786 |
009787 | override void SetActions(out TInputActionMap InputActionMap)
009788 | {
009789 |     super.SetActions(InputActionMap);
009790 |
009791 |     AddAction(eAIActionTakeItemToHands, InputActionMap);
009792 |     AddAction(eAIActionTakeItem, InputActionMap);
009793 |     AddAction(eAIActionDropItem, InputActionMap);
009794 |     AddAction(eAIActionOpenDoorsDummy, InputActionMap);
009795 |     AddAction(eAIActionCloseDoorsDummy, InputActionMap);
009796 | }
009797 |
009798 | ActionBase StartAction(typename actionType, ActionTarget target, ItemBase mainItem = null)
009799 | {
009800 |     ActionBase action = m_eActionManager.GetAction(actionType);
009801 |
009802 |     if (!mainItem)
009803 |         mainItem = GetItemInHands();
009804 |
009805 |     m_eActionManager.PerformActionStart(action, target, mainItem);
009806 |
009807 |     m_eAI_PositionOverrideTimeout = 0; ///! Reset so we prioritize taking cover during actions
```

```
009808 |
009809 |     return action;
009810 | }
009811 |
009812 | ActionBase StartActionObject(typename actionType, Object target, ItemBase mainItem = null)
009813 | {
009814 |     ActionTarget actionTgt = new ActionTarget(target, null, -1, vector.Zero, -1.0);
009815 |     return StartAction(actionType, actionTgt, mainItem);
009816 | }
009817 |
009818 | override void SetRestrained(bool is_restrained)
009819 | {
009820 |     //! Set this flag to signify if we're not fake restrained (server only)
009821 |     m_eAI_IsRestrained = is_restrained;
009822 |
009823 |     if (is_restrained)
009824 |     {
009825 |         m_eAI_IsInventoryVisible = false;
009826 |
009827 |         if (GetEmoteManager().IsEmotePlaying())
009828 |             GetEmoteManager().ServerRequestEmoteCancel();
009829 |     }
009830 |
009831 |     super.SetRestrained(is_restrained);
009832 |
009833 |     m_eAI_InteractingPlayers.Clear();
009834 | }
009835 |
009836 | override bool IsRestrained()
009837 | {
009838 |     if (!super.IsRestrained())
009839 |         return false;
009840 |
009841 |     if (!eAI_IsInventoryVisible())
009842 |         return false; //! Don't show "unrestrain" action if we're fake restrained while a player accesses AI inventory
009843 |
009844 |     return true;
009845 | }
009846 |
009847 | override bool IsInventoryVisible()
009848 | {
009849 |     if (!super.IsInventoryVisible())
009850 |         return false;
009851 |
009852 |     if (!eAI_IsInventoryVisible())
009853 |         return false;
009854 |
009855 |     return m_Expansion_CanBeLooted;
009856 | }
009857 |
009858 | void eAI_SetIsInventoryVisible(bool visible, notnull PlayerBase player)
009859 | {
009860 |     if (g_Game.IsClient())
009861 |     {
009862 |         auto rpc = m_Expansion_RPCManager.CreateRPC("RPC_eAI_SetIsInventoryVisible");
009863 |         rpc.Write(visible);
009864 |         rpc.Expansion_Send(true);
009865 |     }
009866 |     else
009867 |     {
009868 |         if (!visible)
009869 |             eAI_RemoveInteractingPlayer(player);
```

```
009870 |
009871 |         if (m_eAI_InteractingPlayers.Count() == 0)
009872 |         {
009873 |             //! Fake restrain to make inventory accessible
009874 |             //! Hacky, but works
009875 |             m_IsRestrained = visible;
009876 |             m_eAI_IsInventoryVisible = visible;
009877 |             SetSynchDirty();
009878 |         }
009879 |
009880 |         if (visible)
009881 |             eAI_AddInteractingPlayer(player);
009882 |     }
009883 | }
009884 |
009885 | bool eAI_IsInventoryVisible()
009886 | {
009887 |     if (!g_Game.IsDedicatedServer() && m_eAI_IsInventoryVisible)
009888 |     {
009889 |         //! Prevent other players not in group from seeing AI inventory
009890 |         PlayerBase player;
009891 |         if (Class.CastTo(player, g_Game.GetPlayer()) && player.GetGroup() != GetGroup())
009892 |             return false;
009893 |     }
009894 |
009895 |     return true;
009896 | }
009897 |
009898 | void RPC_eAI_SetIsInventoryVisible(PlayerIdentity sender, ParamsReadContext ctx)
009899 | {
009900 |     PlayerBase player;
009901 |     bool visible;
009902 |     if (Class.CastTo(player, sender.GetPlayer()) && player.GetGroup() == GetGroup() && ctx.Read(visible))
009903 |     {
009904 |         if (!m_eAI_IsRestrained && m_Expansion_CanBeLooted)
009905 |             eAI_SetIsInventoryVisible(visible, player);
009906 |     }
009907 | }
009908 |
009909 | // @param LookWS a position in WorldSpace to look at
009910 | void LookAtPosition(vector pPositionWS, bool recalculate = true)
009911 | {
009912 |     m_eAI_LookPosition_WorldSpace = pPositionWS;
009913 |     m_eAI_LookDirection_Recalculate = recalculate;
009914 | }
009915 |
009916 | // @param AimWS a position in WorldSpace to Aim at
009917 | void AimAtPosition(vector pPositionWS, bool recalculate = true)
009918 | {
009919 |     m_eAI_AimPosition_WorldSpace = pPositionWS;
009920 |     m_eAI_AimDirection_Recalculate = recalculate;
009921 | }
009922 |
009923 | void LookAtDirection(vector pDirectionMS)
009924 | {
009925 |     m_eAI_LookDirectionTarget_ModelSpace = pDirectionMS;
009926 |     m_eAI_LookDirection_Recalculate = false;
009927 | }
009928 |
009929 | void AimAtDirection(vector pDirectionMS)
009930 | {
009931 |     m_eAI_AimDirectionTarget_ModelSpace = pDirectionMS;
```

```
009932 |         m_eAI_AimDirection_Recalculate = false;
009933 |     }
009934 |
009935 |     vector GetLookRelAngles()
009936 |     {
009937 |         return m_eAI_LookRelAngles;
009938 |     }
009939 |
009940 |     vector GetLookDirection()
009941 |     {
009942 |         return m_eAI_LookRelAngles.AnglesToVector().Multiply3(m_ExTransformPlayer);
009943 |     }
009944 |
009945 |     bool GetLookDirectionRecalculate()
009946 |     {
009947 |         return m_eAI_LookDirection_Recalculate;
009948 |     }
009949 |
009950 |     //! Used to calculate aim in aiming profile
009951 |     vector GetAimRelAngles()
009952 |     {
009953 |         return m_eAI_AimRelAngles;
009954 |     }
009955 |
009956 |     vector GetAimDirection()
009957 |     {
009958 |         return m_eAI_AimRelAngles.AnglesToVector().Multiply3(m_ExTransformPlayer);
009959 |     }
009960 |
009961 |     vector GetAimDirectionTarget()
009962 |     {
009963 |         return m_eAI_AimDirectionTarget_ModelSpace.Multiply3(m_ExTransformPlayer);
009964 |     }
009965 |
009966 |     //! Only valid while weapon raised
009967 |     vector GetWeaponAimDirection()
009968 |     {
009969 |         vector aimRelAngles = Vector(m_eAI_AimRelAngleLR, m_eAI_AimRelAngleUD, 0.0);
009970 |         return aimRelAngles.AnglesToVector();
009971 |     }
009972 |
009973 |     override vector Expansion_GetAimDirection()
009974 |     {
009975 |         return GetAimDirection();
009976 |     }
009977 |
009978 |     vector Expansion_GetAimDirectionClient()
009979 |     {
009980 |         return super.Expansion_GetAimDirection();
009981 |     }
009982 |
009983 |     override vector GetAimPosition()
009984 |     {
009985 |         return m_eAI_AimPosition_WorldSpace;
009986 |     }
009987 |
009988 |     bool GetAimDirectionRecalculate()
009989 |     {
009990 |         return m_eAI_AimDirection_Recalculate;
009991 |     }
009992 |
009993 |     override bool AimingModel(float pDt, SDayZPlayerAimingModel pModel)
```

```
009994 | {
009995 |     return false;
009996 | }
009997 |
009998 | override bool HeadingModel(float pDt, SDayZPlayerHeadingModel pModel)
009999 | {
010000 |     if (!IsAlive())
010001 |     {
010002 |         return false;
010003 |     }
010004 |
010005 |     GetMovementState(m_MovementState);
010006 |
010007 |     float angle;
010008 |
010009 |     switch (m_MovementState.m_CommandTypeId)
010010 |     {
010011 |         //! Vanilla
010012 |         case DayZPlayerConstants.COMMANDID_VEHICLE:
010013 |             HumanCommandVehicle hmv = GetCommand_Vehicle();
010014 |             if (hmv.IsGettingOut() || hmv.IsGettingIn())
010015 |             {
010016 |                 return DayZPlayerImplementHeading.NoHeading(pDt, pModel, m_fLastHeadingDiff);
010017 |             }
010018 |
010019 |             m_fLastHeadingDiff = 0;
010020 |             return false;
010021 |
010022 |         case DayZPlayerConstants.COMMANDID_UNCONSCIOUS:
010023 |             //! Vanilla
010024 |             HumanCommandUnconscious hcu = GetCommand_Unconscious();
010025 |             if (!hcu.IsWakingUp())
010026 |             {
010027 |                 m_fLastHeadingDiff = 0;
010028 |                 //pModel.m_iCamMode = DayZPlayerConstants.CAMERAMODE_HEAD;
010029 |                 return false;
010030 |             }
010031 |             //! Needed to prevent AI spinning in place while waking up in vehicle
010032 |             else if (m_LastCommandBeforeUnconscious == DayZPlayerConstants.COMMANDID_VEHICLE)
010033 |             {
010034 |                 m_fLastHeadingDiff = 0;
010035 |                 return false;
010036 |             }
010037 |
010038 |             break;
010039 |
010040 |         //case DayZPlayerConstants.COMMANDID_ACTION:
010041 |         //! Vanilla
010042 |         case DayZPlayerConstants.COMMANDID_CLIMB:
010043 |         case DayZPlayerConstants.COMMANDID_LADDER:
010044 |             m_fLastHeadingDiff = 0;
010045 |             return false;
010046 |
010047 |         case DayZPlayerConstants.COMMANDID_MOVE:
010048 |             //! Vanilla
010049 |             HumanCommandMove hcm = GetCommand_Move();
010050 |             if (hcm.IsStandingFromBack())
010051 |             {
010052 |                 m_fLastHeadingDiff = 0;
010053 |                 return false;
010054 |             }
010055 |     }
```

```

010056 |         //! Needed to place AI in correct orientation while moving
010057 |         //if (!PhysicsIsFalling(false))
010058 |         //{
010059 |             m_fLastHeadingDiff = 0;
010060 |             if (Expansion_GetParent())
010061 |                 return false;
010062 |             angle = GetOrientation()[0] * Math.DEG2RAD;
010063 |             pModel.m_fHeadingAngle = angle;
010064 |             pModel.m_fOrientationAngle = angle;
010065 |             return true;
010066 |         //}
010067 |     //#ifdef DIAG_DEVELOPER
010068 |     //else
010069 |     //{
010070 |         //EXTrace.Print(EXTrace.AI, this, "HeadingModel PhysicsIsFalling " + Expansion_CommandIDToString(m_MovementState.m_CommandTypeId) + " headingA
nngle=" + pModel.m_fHeadingAngle + " orientationAngle=" + pModel.m_fOrientationAngle);
010071 |         //}
010072 |     //#endif
010073 |
010074 |         //break;
010075 |
010076 |     case DayZPlayerConstants.COMMANDID_SWIM:
010077 |         //! Needed to place AI in correct orientation while moving
010078 |         if (m_MovementState.m_iMovement > 0)
010079 |         {
010080 |             angle = GetOrientation()[0] * Math.DEG2RAD;
010081 |             pModel.m_fHeadingAngle = angle;
010082 |             pModel.m_fOrientationAngle = angle;
010083 |             m_fLastHeadingDiff = 0;
010084 |             return true;
010085 |         }
010086 |
010087 |         //! Needed to prevent AI from spinning in place after going down ladder
010088 |         pModel.m_fOrientationAngle = pModel.m_fHeadingAngle;
010089 |         SetOrientation(Vector(pModel.m_fHeadingAngle * Math.RAD2DEG, 0, 0));
010090 |         m_fLastHeadingDiff = 0;
010091 |         return true;
010092 |
010093 |         //! Needed to prevent AI from spinning in place after going down ladder
010094 |     case DayZPlayerConstants.COMMANDID_MELEE:
010095 |     case DayZPlayerConstants.COMMANDID_MELEE2:
010096 |     case DayZPlayerConstants.COMMANDID_FALL:
010097 |         if (m_eAI_MeleeFightLogic.m_eAI_ShoryukenSpin)
010098 |             pModel.m_fHeadingAngle = m_eAI_MeleeFightLogic.m_eAI_ShoryukenSpinAngle;
010099 |         pModel.m_fOrientationAngle = pModel.m_fHeadingAngle;
010100 |         SetOrientation(Vector(pModel.m_fHeadingAngle * Math.RAD2DEG, 0, 0));
010101 |         m_fLastHeadingDiff = 0;
010102 |         return false;
010103 |     }
010104 |
010105 |     /*
010106 |     #ifdef DEVELOPER
010107 |         int actMenuValue = DiagMenu.GetEngineValue(DayZPlayerConstants.DEBUG_TURNSLIDE);
010108 |         if (actMenuValue != 0)
010109 |         {
010110 |             //! this clamps heading
010111 |             return DayZPlayerImplementHeading.ClampHeading(pDt, pModel, m_fLastHeadingDiff);
010112 |         }
010113 |     #endif
010114 |
010115 |     if (m_MovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_RAISEDPRONE)
010116 |     {

```



```

010117 |         m_fLastHeadingDiff = 0;
010118 |         return false;
010119 |     }
010120 |
010121 |     HumanItemAccessor hia = GetItemAccessor();
010122 |     HumanItemBehaviorCfg hibcfg = hia.GetItemInHandsBehaviourCfg();
010123 |     if (hibcfg && hibcfg.m_StanceRotation[m_MovementState.m_iStanceIdx] == DayZPlayerConstants.ROTATION_DISABLE)
010124 |     {
010125 |         return DayZPlayerImplementHeading.NoHeading(pDt, pModel, m_fLastHeadingDiff);
010126 |     }
010127 |     if (IsUnconscious() || (GetCommand_Move() && GetCommand_Move().IsLeavingUncon()))
010128 |     {
010129 |         return DayZPlayerImplementHeading.NoHeading(pDt, pModel, m_fLastHeadingDiff);
010130 |     }
010131 |
010132 |     return DayZPlayerImplementHeading.RotateOrient(pDt, pModel, m_fLastHeadingDiff);
010133 | */
010134 |
010135 |     return DayZPlayerImplementHeading.NoHeading(pDt, pModel, m_fLastHeadingDiff);
010136 | }
010137 |
010138 | ///! Hack to make AI responsive again when weapon manager or action bugs out.
010139 | ///! Starts the damage hit animation (fullbody forward) w/o actually applying any damage, afterwards it should be fine again.
010140 | ///! @note (for documentation purposes) other tried and tested workarounds that are less desirable:
010141 | ///! - Send AI uncon and wake it up again (more awkward and takes more time)
010142 | ///! - Let AI fall a short distance (unreliable in fixing the bug)
010143 | void eAI_Unbug(string what)
010144 | {
010145 |     string pos = ExpansionStatic.VectorToString(GetPosition());
010146 |     string msg = "Action failed for " + Debug.GetDebugName(this) + " (pos=" + pos + ") - " + what + " - item in hands " + ExpansionStatic.GetDebugInfo(GetItem
InHands());
010147 |     EXTrace.Print(true, this, msg);
010148 |
010149 | #ifdef DIAG_DEVELOPER
010150 |     msg.Replace("<", "<");
010151 |     msg.Replace(">", ">");
010152 |     ExpansionNotification("ACTION FAILED", msg).Error();
010153 | #endif
010154 |
010155 |     m_eAI_Unbug = true;
010156 | }
010157 |
010158 | override void OnUnconsciousStart()
010159 | {
010160 |     eAI_ResetRaised();
010161 |
010162 |     if (!IsRestrained())
010163 |         eAI_DropItemInHandsImpl(false, false, false);
010164 |
010165 |     super.OnUnconsciousStart();
010166 |
010167 |     ///! Needed because vanilla only checks for INSTANCETYPE_SERVER
010168 |
010169 |     ///! <-----
010170 |
010171 |     SetSynchDirty();
010172 |
010173 |     if (m_LastCommandBeforeUnconscious == DayZPlayerConstants.COMMANDID_VEHICLE)
010174 |     {
010175 |         if (m_TransportCache)
010176 |             m_TransportCache.MarkCrewMemberUnconscious(m_TransportCache.CrewMemberIndex(this));
010177 |     }

```

```
010178 |  
010179 |         if (m_AdminLog)  
010180 |             m_AdminLog.UnconStart(this);  
010181 |  
010182 |         if (GetMeleeFightLogic())  
010183 |             GetMeleeFightLogic().SetBlock(false);  
010184 |  
010185 |         //! ----->  
010186 |     }  
010187 |  
010188 |     override void OnUnconsciousStop(int pCurrentCommandID)  
010189 |     {  
010190 |         super.OnUnconsciousStop(pCurrentCommandID);  
010191 |  
010192 |         //! Needed because vanilla only checks for INSTANCETYPE_SERVER  
010193 |         if (m_AdminLog)  
010194 |             m_AdminLog.UnconStop(this);  
010195 |     }  
010196 |  
010197 |     bool eAI_DropItemInHands(bool useAction = true)  
010198 |     {  
010199 | #ifdef EXTRACE  
010200 |         auto trace = EXTrace.Start(EXTrace.AI, this);  
010201 | #endif  
010202 |  
010203 |         ItemBase itemInHands = GetItemInHands();  
010204 |         if (itemInHands)  
010205 |             return eAI_DropItem(itemInHands, useAction);  
010206 |  
010207 |         return false;  
010208 |     }  
010209 |  
010210 |     bool eAI_DropItemInHandsImpl(bool overrideThreat = false, bool switchOff = true, bool remember = true)  
010211 |     {  
010212 | #ifdef EXTRACE  
010213 |         auto trace = EXTrace.Start(EXTrace.AI, this);  
010214 | #endif  
010215 |  
010216 |         ItemBase itemInHands = GetItemInHands();  
010217 |         if (itemInHands)  
010218 |             return eAI_DropItemImpl(itemInHands, overrideThreat, switchOff, remember);  
010219 |  
010220 |         return false;  
010221 |     }  
010222 |  
010223 |     bool eAI_DropItem(ItemBase item, bool useAction = true, bool switchOff = true, bool remember = true)  
010224 |     {  
010225 | #ifdef EXTRACE  
010226 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + item);  
010227 | #endif  
010228 |  
010229 |         if (!useAction || item != GetItemInHands())  
010230 |             return eAI_DropItemImpl(item, eAI_GetThreatOverride(item), switchOff, remember);  
010231 |         else if (StartAction(eAIActionDropItem, null, item))  
010232 |             return true;  
010233 |  
010234 |         return false;  
010235 |     }  
010236 |  
010237 |     bool eAI_DropItemImpl(ItemBase item, bool overrideThreat = false, bool switchOff = true, bool remember = true)  
010238 |     {  
010239 | #ifdef EXTRACE
```

```
010240 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + item);
010241 | #endif
010242 |
010243 |     InventoryLocation il_dst = new InventoryLocation();
010244 |
010245 |     GameInventory.SetGroundPosByOwner(this, item, il_dst);
010246 |
010247 |     if (switchOff)
010248 |         item.Expansion_TryTurningOffAnyLightOrNVG();
010249 |
010250 |     //!< 1) Remove from active visibility enhancers if present will happen in eAI_RemoveItem when item leaves inventory
010251 |
010252 |     bool result;
010253 |
010254 |     if (item != GetItemInHands())
010255 |     {
010256 |         if (eAI_TakeItemToLocation(item, il_dst))
010257 |         {
010258 |             result = true;
010259 |
010260 |             if (Class.CastTo(m_eAI_LastDroppedItem, item))
010261 |                 eAI_ThreatOverride(m_eAI_LastDroppedItem, overrideThreat);
010262 |
010263 |             item.SetLifetime(300);
010264 |         }
010265 |     }
010266 |     else
010267 |     {
010268 |         EntityAI dst = Expansion_CloneItemToLocation(item, il_dst);
010269 |         if (dst)
010270 |         {
010271 |             result = true;
010272 |
010273 |             if (Class.CastTo(m_eAI_LastDroppedItem, dst))
010274 |                 eAI_ThreatOverride(m_eAI_LastDroppedItem, overrideThreat);
010275 |
010276 |             dst.SetLifetime(300);
010277 |         }
010278 |     }
010279 |
010280 |     //!< 2) Update visibility regardless of result because of 1)
010281 |     Expansion_UpdateVisibility(true);
010282 |
010283 |     if (result && remember)
010284 |         eAI_RememberRecentlyDroppedItem(m_eAI_LastDroppedItem);
010285 |
010286 |     return result;
010287 | }
010288 |
010289 | bool eAI_TakeItemToHands(ItemBase item, bool useAction = true)
010290 | {
010291 | #ifdef EXTRACE
010292 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + item);
010293 | #endif
010294 |
010295 |     if (item.GetHierarchyRootPlayer() == this || !useAction)
010296 |         return eAI_TakeItemToHandsImpl(item);
010297 |     else if (StartActionObject(eAIActionTakeItemToHands, item))
010298 |         return true;
010299 |
010300 |     return false;
010301 | }
```

```
010302 |
010303 |     bool eAI_TakeItemToHandsImpl(ItemBase item)
010304 |     {
010305 | #ifdef EXTRACE
010306 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + item);
010307 | #endif
010308 |
010309 |     if (!item)
010310 |         return false;
010311 |
010312 |     if (item.GetHierarchyRoot() != this)  //!< Item not in AI inventory, so we are looting
010313 |         eAI_UpdateVisitedBuildings();
010314 |
010315 |     EntityAI hands = GetHumanInventory().GetEntityInHands();
010316 |     if (hands)
010317 |     {
010318 | #ifdef DIAG_DEVELOPER
010319 |         EXError.Error(this, string.Format("Cannot take %1 to hands - current hands entity: %2", item, hands));
010320 | #endif
010321 |         return false;
010322 |     }
010323 |
010324 |     InventoryLocation il_dst = new InventoryLocation;
010325 |     il_dst.SetHands(this, item);
010326 |
010327 |     if (il_dst.IsValid())
010328 |     {
010329 |         if (!item.IsTakeable() || item.Expansion_IsInventoryLocked())
010330 |             item.Expansion_SetLootable(true);
010331 |
010332 | #ifdef EXPANSIONMODAI_TAKETOLOCATION
010333 |         hands = eAI_TakeItemToLocation(item, il_dst);
010334 | #else
010335 |         hands = Expansion_CloneItemToLocation(item, il_dst);
010336 | #endif
010337 |         if (hands)
010338 |         {
010339 |             if (m_eAI_Targets.Count() > 1 && GetExpansionSettings().GetAI().MemeLevel > 9000)
010340 |                 eAI_PlayRandomLoveSound();
010341 |
010342 |             m_eAI_PositionOverrideTimeout = 0;  //!< Reset so we prioritize taking cover during actions
010343 |
010344 |             Expansion_UpdateVisibility(true);
010345 |
010346 |             return true;
010347 |         }
010348 |     }
010349 |
010350 | #ifdef DIAG_DEVELOPER
010351 |     InventoryLocation il_src = new InventoryLocation;
010352 |     item.GetInventory().GetCurrentInventoryLocation(il_src);
010353 |     EXError.Error(this, string.Format("Cannot take %1 to hands - src %2 dst %3", item, ExpansionStatic.DumpToString(il_src), ExpansionStatic.DumpToString(il_d
010354 | st)));
010355 | #endif
010356 |
010357 |     //!< If we couldn't take, make sure we don't try again
010358 |     if (item && !item.IsSetForDeletion())
010359 |         eAI_ThreatOverride(item, true);
010360 |
010361 |     return false;
010362 | }
```

```
010363 | bool eAI_FindFreeInventoryLocationFor(ItemBase item, FindInventoryLocationType flags = 0, out InventoryLocation il_dst = null)
010364 | {
010365 |     /*!
010366 |     * ATTACHMENT          = 4
010367 |     * CARGO                = 8
010368 |     * HANDS                = 16
010369 |     * PROXYCARGO          = 32
010370 |     * ANY_CARGO            = 40 (CARGO | PROXYCARGO)
010371 |     * ANY                  = 60 (ATTACHMENT | ANY_CARGO | HANDS)
010372 |     * NO_SLOT_AUTO_ASSIGN = 64
010373 |     */
010374 |     if (!flags)
010375 |         flags = FindInventoryLocationType.ATTACHMENT | FindInventoryLocationType.CARGO;
010376 |
010377 |     il_dst = new InventoryLocation();
010378 |
010379 |     if (GetInventory().FindFreeLocationFor(item, flags, il_dst))
010380 |     {
010381 |         if (GameInventory.LocationCanAddEntity(il_dst))
010382 |             return true;
010383 |
010384 |         il_dst.Reset(); //! Invalidate location
010385 |     }
010386 |
010387 |     return false;
010388 | }
010389 |
010390 | bool eAI_TakeItemToInventory(ItemBase item, bool useAction = true)
010391 | {
010392 | #ifdef EXTRACE
010393 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + item);
010394 | #endif
010395 |
010396 |     if (!item)
010397 |         return false;
010398 |
010399 |     if (item == GetItemInHands() || !useAction)
010400 |     {
010401 |         if (eAI_TakeItemToInventoryImpl(item))
010402 |             return true;
010403 |     }
010404 |     else if (StartActionObject(eAIFactionTakeItem, item))
010405 |     {
010406 |         return true;
010407 |     }
010408 |
010409 |     return false;
010410 | }
010411 |
010412 | bool eAI_CanLootWeapon(ItemBase weapon, eAIFaction faction)
010413 | {
010414 |     if (weapon.m_Expansion_PreviousOwner == this)
010415 |         return true;
010416 |
010417 |     if (faction.IsWeaponPickupEnabled())
010418 |     {
010419 |         if (weapon.ShootsExplosiveAmmo())
010420 |         {
010421 |             if (m_eAI_LootingBehavior & eAILootingBehavior.WEAPONS_LAUNCHERS)
010422 |                 return true;
010423 |         }
010424 |         else if (m_eAI_LootingBehavior & eAILootingBehavior.WEAPONS_FIREARMS)
```

```
010425 |         {
010426 |             return true;
010427 |         }
010428 |     }
010429 |
010430 |     return false;
010431 | }
010432 |
010433 | bool eAI_CanLootMeleeWeapon(ItemBase weapon, eAIFaction faction)
010434 | {
010435 |     if (weapon.m_Expansion_PreviousOwner == this)
010436 |         return true;
010437 |
010438 |     if (faction.IsWeaponPickupEnabled() && (m_eAI_LootingBehavior & eAILootingBehavior.WEAPONS_MELEE))
010439 |         return true;
010440 |
010441 |     return false;
010442 | }
010443 |
010444 | bool eAI_ShouldPickupBandage(ItemBase item)
010445 | {
010446 |     int bandages = m_eAI_Bandages.Count();
010447 |
010448 |     if ((IsBleeding() && bandages == 0) || (!IsBleeding() && (m_eAI_LootingBehavior & eAILootingBehavior.BANDAGES) && bandages < 3))
010449 |         return true;
010450 |
010451 |     return false;
010452 | }
010453 |
010454 | bool eAI_ShouldTreatItemAsBandage(ItemBase item)
010455 | {
010456 |     if (item.Expansion_CanBeUsedToBandage())
010457 |     {
010458 |         if ((m_eAI_LootingBehavior & eAILootingBehavior.CLOTHING) == 0)
010459 |             return true;
010460 |
010461 |         if ((m_eAI_LootingBehavior & eAILootingBehavior.BANDAGES) && (m_eAI_Bandages.Count() < 3 || item == GetItemInHands()))
010462 |             return true;
010463 |     }
010464 |
010465 |     return false;
010466 | }
010467 |
010468 | bool eAI_ShouldProcureFood()
010469 | {
010470 |     if ((m_eAI_LootingBehavior & eAILootingBehavior.FOOD) && m_eAI_Food.Count() < m_eAI_MaxFoodCount)
010471 |         return true;
010472 |
010473 |     return false;
010474 | }
010475 |
010476 | bool eAI_TakeItemToInventoryImpl(ItemBase item, FindInventoryLocationType flags = 0, bool threatOverrideOnFailure = true)
010477 | {
010478 | #ifdef EXTRACE
010479 |     auto trace = EXTrace.Start(EXTrace.AI, this, "" + item);
010480 | #endif
010481 |
010482 |     if (!item)
010483 |         return false;
010484 |
010485 |     if (item.GetHierarchyRoot() != this)  ///! Item not in AI inventory, so we are looting
010486 |         eAI_UpdateVisitedBuildings();
```

```
010487 |
010488 |     InventoryLocation il_dst;
010489 |
010490 |     ItemBase currentlyWornGear;
010491 |     bool transferCargo;
010492 |
010493 |     if (eAI_ShouldTreatItemAsBandage(item))
010494 |     {
010495 |         flags = FindInventoryLocationType.CARGO;
010496 |     }
010497 |     else if (item.IsClothing())
010498 |     {
010499 |         TStringArray inventorySlots = item.Expansion_GetInventorySlots();
010500 |
010501 |         foreach (string slot: inventorySlots)
010502 |         {
010503 |             int slotId = InventorySlots.GetSlotIdFromString(slot);
010504 |             if (GetInventory().HasAttachmentSlot(slotId))
010505 |             {
010506 |                 if (!eAI_ClothingLootingBehaviorCheck_Slot(slot, item))
010507 |                     continue;
010508 |
010509 |                 if (!Class.CastTo(currentlyWornGear, GetInventory().FindAttachment(slotId)))
010510 |                 {
010511 |                     ///! Found empty slot
010512 |                     currentlyWornGear = null; ///! null any gear that was found in another slot
010513 |                     il_dst = new InventoryLocation();
010514 |                     il_dst.SetAttachment(this, item, slotId);
010515 |                     break;
010516 |                 }
010517 |                 else if (!eAI_ClothingLootingBehaviorCheck_Selection(currentlyWornGear, item))
010518 |                 {
010519 |                     currentlyWornGear = null;
010520 |                 }
010521 |             }
010522 |         }
010523 |
010524 |         if (currentlyWornGear)
010525 |         {
010526 |             il_dst = new InventoryLocation();
010527 |
010528 |             if (currentlyWornGear.GetInventory().GetCurrentInventoryLocation(il_dst) && eAI_DropItemImpl(currentlyWornGear, true) && CanReceiveAttachment(item
, il_dst.GetSlot()))
010529 |             {
010530 |                 ///! Drop whole cargo of target item before taking
010531 |                 item.Expansion_DropAllCargo();
010532 |
010533 |                 il_dst.SetItem(item);
010534 |
010535 |                 EXTrace.Print(EXTrace.AI, this, "Swapping " + currentlyWornGear + " for " + item);
010536 |
010537 |                 transferCargo = true;
010538 |             }
010539 |             else if (il_dst.IsValid())
010540 |             {
010541 |                 il_dst.Reset(); ///! Invalidate location
010542 |             }
010543 |         }
010544 |         else if (!il_dst)
010545 |         {
010546 |             eAI_ThreatOverride(item, true);
010547 |             return false;
```

```
010548 |     }
010549 | }
010550 |
010551 | if (!il_dst)
010552 |     eAI_FindFreeInventoryLocationFor(item, flags, il_dst);
010553 |
010554 | bool result;
010555 |
010556 | if (il_dst.IsValid())
010557 | {
010558 |     if (!item.IsTakeable() || item.Expansion_IsInventoryLocked())
010559 |         item.Expansion_SetLootable(true);
010560 |
010561 |     item.Expansion_TryTurningOffAnyLightOrNVG();
010562 |
010563 |     ///! 1) Remove from active visibility enhancers if present
010564 |     eAI_RemoveActiveVisibilityEnhancer(item);
010565 |
010566 | #ifdef EXPANSIONMODAI_TAKETOLOCATION
010567 |     if (eAI_TakeItemToLocation(item, il_dst))
010568 |     {
010569 |         result = true;
010570 |
010571 |         if (transferCargo && !MiscGameplayFunctions.Expansion_MoveCargo(currentlyWornGear, item))
010572 |             currentlyWornGear.Expansion_DropAllCargo(300);
010573 |     }
010574 | #else
010575 |     EntityAI clone = Expansion_CloneItemToLocation(item, il_dst);
010576 |     if (clone)
010577 |     {
010578 |         result = true;
010579 |
010580 |         if (transferCargo && !MiscGameplayFunctions.Expansion_MoveCargo(currentlyWornGear, clone))
010581 |             currentlyWornGear.Expansion_DropAllCargo(300);
010582 |     }
010583 | #endif
010584 |
010585 |     ///! 2) Update visibility regardless of result because of 1)
010586 |     Expansion_UpdateVisibility(true);
010587 | }
010588 |
010589 | if (!result)
010590 | {
010591 |     ///! If we couldn't take to inventory, make sure we don't try again
010592 |     if (threatOverrideOnFailure && !item.IsSetForDeletion())
010593 |         eAI_ThreatOverride(item, true);
010594 |
010595 |     if (currentlyWornGear)
010596 |     {
010597 |         eAI_ThreatOverride(currentlyWornGear, false); ///! Enable taking what we dropped earlier
010598 |         eAI_ForgetRecentlyDroppedItem(currentlyWornGear);
010599 |     }
010600 | }
010601 |
010602 | return result;
010603 | }
010604 |
010605 | bool eAI_TakeItemToLocation(ItemBase item, InventoryLocation il_dst)
010606 | {
010607 |     InventoryLocation il_src = new InventoryLocation();
010608 |
010609 |     item.GetInventory().GetCurrentInventoryLocation(il_src);
```



```
010610 |
010611 |     if (il_src.CompareLocationOnly(il_dst) && il_src.GetFlip() == il_dst.GetFlip())
010612 |         return false;
010613 |
010614 |     if (il_dst.GetType() != InventoryLocationType.GROUND)
010615 |     {
010616 |         if (il_src.GetType() == InventoryLocationType.HANDS)
010617 |         {
010618 |             if (m_WeaponManager.IsRunning())
010619 |                 m_WeaponManager.OnWeaponActionEnd(); //! Prevent getting stuck in running state
010620 |
010621 |             //! Forcing switch to HumanCommandMove before taking from hands,
010622 |             //! and hiding item in hands before, unbreaks hand anim state
010623 |             GetItemAccessor().HideItemInHands(true);
010624 |         }
010625 |
010626 |         if (il_dst.GetType() == InventoryLocationType.HANDS)
010627 |         {
010628 |             //! Needs to be 'lootable' while in AI inventory, else AI won't be able to properly interact with item
010629 |             //! (e.g. won't be able to detach/attach mag to firearm)
010630 |             ExpansionItemBaseModule.SetLootable(item, true);
010631 |         }
010632 |     }
010633 |
010634 |     if (g_Game.IsMultiplayer())
010635 |         g_Game.RemoteObjectTreeDelete(item);
010636 |
010637 |     bool result = LocalTakeToDst(il_src, il_dst);
010638 |
010639 |     if (il_src.GetType() == InventoryLocationType.HANDS && il_dst.GetType() != InventoryLocationType.GROUND)
010640 |     {
010641 |         //! Forcing switch to HumanCommandMove before taking from hands,
010642 |         //! and showing item in hands after, unbreaks hand anim state
010643 |         GetItemAccessor().HideItemInHands(false);
010644 |     }
010645 |
010646 |     if (result)
010647 |     {
010648 |         if (il_dst.GetType() == InventoryLocationType.HANDS)
010649 |         {
010650 |             //! Forcing switch to HumanCommandMove before taking to hands,
010651 |             //! and hiding/showing item in hands after, unbreaks hand anim state
010652 |             GetItemAccessor().HideItemInHands(true);
010653 |             GetItemAccessor().HideItemInHands(false);
010654 |         }
010655 |         else if (il_src.GetType() != InventoryLocationType.GROUND && il_dst.GetType() == InventoryLocationType.GROUND)
010656 |         {
010657 |             ItemBase itemBs;
010658 |             if (Class.CastTo(itemBs, item))
010659 |             {
010660 |                 if (!m_Expansion_CanBeLooted && !itemBs.m_Expansion_IsOwnerPlayer)
010661 |                 {
010662 |                     ExpansionItemBaseModule.SetLootable(item, false);
010663 |                     item.SetLifetimeMax(120); //! Make sure it despawns quickly when left alone
010664 |                 }
010665 |             }
010666 |         }
010667 |     }
010668 |
010669 |     if (g_Game.IsMultiplayer())
010670 |         g_Game.RemoteObjectTreeCreate(item);
010671 |
```

```
010672 |         return result;
010673 |     }
010674 |
010675 |     bool eAI_TakeItemToInventoryDropShoulderImpl(ItemBase item, bool threatOverrideOnFailureToTakeToInv = true)
010676 |     {
010677 |         if (item.IsWeapon())
010678 |         {
010679 |             array<Weapon_Base> weapons;
010680 |             if (item.IsKindOf("Pistol_Base"))
010681 |                 weapons = m_eAI_Handguns;
010682 |             else if (item.ShootsExplosiveAmmo())
010683 |                 weapons = m_eAI_Launchers;
010684 |             else
010685 |                 weapons = m_eAI_Firearms;
010686 |
010687 |             foreach (Weapon_Base weapon: weapons)
010688 |             {
010689 |                 if (weapon.IsDamageDestroyed())
010690 |                 {
010691 |                     eAI_DropItemImpl(weapon);
010692 |                     break;
010693 |                 }
010694 |
010695 |                 if (item != weapon && item.GetType() == weapon.GetType())
010696 |                 {
010697 |                     ///! We already have a weapon of that type in inventory
010698 |
010699 |                     if (weapon.GetHealthLevel() > item.GetHealthLevel())
010700 |                     {
010701 |                         ///! Existing weapon is in worse condition, drop it
010702 |                         eAI_DropItemImpl(weapon, true);
010703 |                         break;
010704 |                     }
010705 |
010706 |                     ///! Existing weapon is in equal or better condition, don't take item
010707 |                     eAI_ThreatOverride(item, true);
010708 |                     return false;
010709 |                 }
010710 |             }
010711 |         }
010712 |
010713 |         if (!eAI_TakeItemToInventoryImpl(item, 0, threatOverrideOnFailureToTakeToInv))
010714 |         {
010715 |             ///! If we failed to take item to inv, item is weapon and both shoulder and melee slots are taken,
010716 |             ///! drop one to make space for item and try again
010717 |             if (item.IsWeapon() && item.Expansion_HasInventorySlot((TStringArray){ "Shoulder", "Melee" }))
010718 |             {
010719 |                 ItemBase shoulder;
010720 |                 ItemBase melee;
010721 |
010722 |                 if (Class.CastTo(shoulder, FindAttachmentBySlotName("Shoulder")) && Class.CastTo(melee, FindAttachmentBySlotName("Melee")))
010723 |                 {
010724 |                     ItemBase other;
010725 |
010726 |                     if (eAI_WeaponSelection(melee, shoulder))
010727 |                         other = melee;
010728 |                     else
010729 |                         other = shoulder;
010730 |
010731 |                     if (eAI_DropIfLessDPS(item, other))
010732 |                         return eAI_TakeItemToInventoryImpl(item);
010733 |                 }
010734 |             }
010735 |         }
010736 |     }
010737 | }
```

```

010734 |         }
010735 |
010736 |         return false;
010737 |     }
010738 |
010739 |     return true;
010740 | }
010741 |
010742 | /**
010743 |  * @brief drop other item if not a weapon or less DPS than item
010744 |  */
010745 | bool eAI_DropIfLessDPS(ItemBase item, ItemBase other)
010746 | {
010747 |     if ((!other.IsWeapon() || !eAI_WeaponSelection(item, other)) && eAI_DropItemImpl(other))
010748 |     {
010749 |         eAI_ThreatOverride(other, false);
010750 |         return true;
010751 |     }
010752 |
010753 |     return false;
010754 | }
010755 |
010756 | bool eAI_IsItemObstructed(ItemBase item)
010757 | {
010758 |     vector begPos;
010759 |     MiscGameplayFunctions.GetHeadBonePos(this, begPos);
010760 |     vector endPos = item.GetCenter();
010761 |
010762 |     //! @note cannot use IsObjectObstructedFilterEx
010763 |     //! (uses vanilla ItemBase::CanObstruct which will always return true on server as it is only meant to be called on client because it relies on g_Game.Get
010764 | Player)
010765 |     //m_eAI_IsItemObstructedCache.ClearCache();
010766 |     //m_eAI_IsItemObstructedCache.RaycastStart = begPos;
010767 |     //m_eAI_IsItemObstructedCache.ObjectCenterPos = endPos;
010768 |
010769 |     //if (MiscGameplayFunctions.IsObjectObstructedFilterEx(item, m_eAI_IsItemObstructedCache, this))
010770 |         //return true;
010771 |
010772 |     vector contactPos, contactDir;
010773 |     int contactComponent;
010774 |     set<Object> results = new set<Object>;
010775 |     if (DayZPhysics.RaycastRV(begPos, endPos, contactPos, contactDir, contactComponent, results, item, this, false, false, ObjIntersectFire, 0.0, CollisionFla
010776 | gs.ALLOBJECTS))
010777 |     {
010778 |         if (results.Count() == 0)
010779 |             return true;
010780 |
010781 |         EntityAI entity;
010782 |
010783 |         foreach (Object obj: results)
010784 |         {
010785 |             if (Class.CastTo(entity, obj))
010786 |                 obj = entity.GetHierarchyRoot();
010787 |
010788 |             if (ExpansionStatic.CanObstruct(obj))
010789 |                 return true;
010790 |         }
010791 |     }
010792 |     return false;
010793 | }

```

```
010794 |
010795 | bool Expansion_GetUp(bool force = false)
010796 | {
010797 |     if (!force)
010798 |     {
010799 |         int stanceMask;
010800 |         eAIStance defaultStance;
010801 |
010802 |         if (m_eAI_DefaultStance > eAIStance.STANDING)
010803 |         {
010804 |             if (g_Game.GetTickTime() - m_eAI_LastHitTime > 10.0 && !m_eAI_IsPreparingMelee && GetCurrentWaterLevel() < 0.3)
010805 |                 defaultStance = m_eAI_DefaultStance;
010806 |         }
010807 |
010808 |         switch (defaultStance)
010809 |         {
010810 |             case eAIStance.CROUCHED:
010811 |                 stanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_RAISED_CROUCH;
010812 |                 break;
010813 |
010814 |             case eAIStance.PRONE:
010815 |                 stanceMask = DayZPlayerConstants.STANCEMASK_PRONE | DayZPlayerConstants.STANCEMASK_RAISED_PRONE;
010816 |                 break;
010817 |
010818 |             default:
010819 |                 stanceMask = DayZPlayerConstants.STANCEMASK_ERECT | DayZPlayerConstants.STANCEMASK_RAISED_ERECT;
010820 |                 break;
010821 |         }
010822 |
010823 |         if (IsPlayerInStance(stanceMask))
010824 |             return false;
010825 |     }
010826 |
010827 |     return OverrideStance(DayZPlayerConstants.STANCEIDX_ERECT, force);
010828 | }
010829 |
010830 | /// @brief Set emote for playing
010831 | /// Setting autoCancel to true will automatically cancel the emote if it is a static pose
010832 | /// @note Emote will not play instantly! Will play when AI FSM can transition to PlayEmote state
010833 | void Expansion_SetEmote(int emoteID, bool autoCancel = false, int autoCancelDelay = 0)
010834 | {
010835 |     m_Expansion_EmoteID = emoteID;
010836 |     m_Expansion_EmoteAutoCancel = autoCancel;
010837 |     m_Expansion_EmoteAutoCancelDelay = autoCancelDelay;
010838 | }
010839 |
010840 | void Expansion_PlayEmote()
010841 | {
010842 |     if (!m_Expansion_EmoteID)
010843 |         return;
010844 |
010845 |     if (!m_EmoteManager.IsEmotePlaying() && m_EmoteManager.CanPlayEmote(m_Expansion_EmoteID))
010846 |     {
010847 |         m_EmoteManager.PlayEmote(m_Expansion_EmoteID);
010848 |         if (m_Expansion_EmoteAutoCancel)
010849 |         {
010850 |             int delay;
010851 |             switch (m_Expansion_EmoteID)
010852 |             {
010853 |                 ///! These emotes are temporary poses and don't need to be canceled
010854 |                 case EmoteConstants.ID_EMOTE_TAUNT_KISS:
010855 |                 case EmoteConstants.ID_EMOTE_TAUNT_ELBOW:
```

```
010856 |         case EmoteConstants.ID_EMOTE_THROAT:
010857 |         case EmoteConstants.ID_EMOTE_DANCE:
010858 |         case EmoteConstants.ID_EMOTE_DABBING:
010859 |         case EmoteConstants.ID_EMOTE_CLAP:
010860 |         case EmoteConstants.ID_EMOTE_TAUNTTHINK:
010861 |         case EmoteConstants.ID_EMOTE_MOVE:
010862 |         case EmoteConstants.ID_EMOTE_DOWN:
010863 |         case EmoteConstants.ID_EMOTE_COME:
010864 |         case EmoteConstants.ID_EMOTE_NOD:
010865 |         case EmoteConstants.ID_EMOTE_SHAKE:
010866 |         case EmoteConstants.ID_EMOTE_SHRUG:
010867 |         case EmoteConstants.ID_EMOTE_VOMIT:
010868 |             break;
010869 |
010870 |         ///! These emotes are static poses with looping animation
010871 |         case EmoteConstants.ID_EMOTE_SOS:
010872 |             if (m_Expansion_EmoteAutoCancelDelay)
010873 |                 delay = m_Expansion_EmoteAutoCancelDelay;
010874 |             else
010875 |                 delay = 4000;
010876 |             break;
010877 |
010878 |         ///! Assume static pose
010879 |         default:
010880 |             if (m_Expansion_EmoteAutoCancelDelay)
010881 |                 delay = m_Expansion_EmoteAutoCancelDelay;
010882 |             else
010883 |                 delay = 2000;
010884 |             break;
010885 |     }
010886 |     if (delay)
010887 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(m_EmoteManager.ServerRequestEmoteCancel, delay);
010888 |     }
010889 | }
010890 |
010891 |     if (m_Expansion_EmoteAutoCancel)
010892 |         m_Expansion_EmoteID = 0;
010893 | }
010894 |
010895 | ///! Radians!
010896 | override float Expansion_GetHeadingAngle()
010897 | {
010898 |     ///! XXX: Should we sync m_eAI_AimRelAngles[0] to client? Seems overkill though
010899 |     //return (m_eAI_AimRelAngles[0] - GetOrientation()[0]) * Math.DEG2RAD;
010900 |     return -GetOrientation()[0] * Math.DEG2RAD;
010901 | }
010902 |
010903 | override vector Expansion_GetHeadingVector()
010904 | {
010905 |     vector dir = vector.Zero;
010906 |     ///! XXX: Should we sync m_eAI_AimRelAngles[0] to client? Seems overkill though
010907 |     //float headingAngle = (m_eAI_AimRelAngles[0] - GetOrientation()[0]) * Math.DEG2RAD;
010908 |     float headingAngle = -GetOrientation()[0] * Math.DEG2RAD;
010909 |     dir[0] = Math.Cos(headingAngle + Math.PI_HALF);
010910 |     dir[2] = Math.Sin(headingAngle + Math.PI_HALF);
010911 |     return dir.Normalized();
010912 | }
010913 |
010914 | override float Expansion_GetMovementSpeed()
010915 | {
010916 |     auto cmd = GetCommand_Move();
010917 |     if (cmd)
```

```
010918 |     {
010919 |         float speed = m_eAI_CommandMove.GetCurrentMovementSpeed();
010920 |         if (speed > 2.0 && m_WeaponRaised)
010921 |             speed = 2.0;
010922 |         return speed;
010923 |     }
010924 |
010925 |     return 0.0;
010926 | }
010927 |
010928 | override float Expansion_GetMovementAngle()
010929 | {
010930 |     auto cmd = GetCommand_Move();
010931 |     if (cmd)
010932 |         return m_eAI_CommandMove.GetCurrentMovementAngle();
010933 |
010934 |     return 0.0;
010935 | }
010936 |
010937 | float Expansion_GetTargetMovementAngle()
010938 | {
010939 |     auto cmd = GetCommand_Move();
010940 |     if (cmd)
010941 |         return m_eAI_CommandMove.GetTargetDirection();
010942 |
010943 |     return 0.0;
010944 | }
010945 |
010946 | bool HandleVaulting(eAICommandMove hcm, float pDt)
010947 | {
010948 |     //if (!m_PathFinding.IsVault())
010949 |     //{
010950 |     //    return false;
010951 |     //}
010952 |
010953 |     if (IsRestrained())
010954 |         return false;
010955 |
010956 |     if (m_eAI_PositionIsFinal && Math.Round(Expansion_GetMovementSpeed()) == 0.0)
010957 |         return false;
010958 |
010959 |     if (!IsSwimming() && !m_PathFinding.m_AllowJumpClimb && !m_PathFinding.m_IsBlockedPhysically)
010960 |         return false;
010961 |
010962 |     if (Math.AbsFloat(ExpansionMath.AngleDiff2(GetOrientation()[0], m_PathFinding.m_PathSegmentDirection.VectorToAngles()[0])) > 45.0)
010963 |         return false;
010964 |
010965 |     if (m_WeaponManager.IsRunning())
010966 |         return false;
010967 |
010968 |     Object blockingObject = hcm.GetBlockingObject();
010969 |
010970 |     bool isBlockingItem;
010971 |     bool climbFloatingItem;
010972 |     bool isBlockingVehicle;
010973 |
010974 |     //! Offset is because AI, like players, can just run over small height differences unless walking slowly
010975 |     //! 0.49 instead of 0.5 because of platform2_wall.p3d (e.g. at <1057.06, 157.539, 6692.51> in Camp Metalurg on Chernarus)
010976 |     float offset = 0.49;
010977 |
010978 |     //! Superjanky but allows climbing floating items with collision, e.g. Expansion basebuilding floors,
010979 |     //! while preventing unwanted climbing on other items.
```

```

010980 |         if (blockingObject)
010981 |         {
010982 |             if (blockingObject.IsTransport())
010983 |             {
010984 |                 isBlockingVehicle = true;
010985 |             }
010986 |             else if (blockingObject.IsInventoryItem() && ExpansionStatic.CanObstruct(blockingObject))
010987 |             {
010988 |                 isBlockingItem = true;
010989 |
010990 |                 if (GetPosition()[1] + offset < blockingObject.GetPosition()[1] || IsSwimming() || m_MovementState.m_iMovement == DayZPlayerConstants.MOVEMENTIDX_
WALK)
010991 |                     climbFloatingItem = true;
010992 |             }
010993 |         }
010994 |
010995 |         //! If blocking object is NOT a floating item that should be climbed/jumped and is NOT a vehicle...
010996 |         if (!climbFloatingItem && !isBlockingVehicle)
010997 |         {
010998 |             //! ...don't allow jump/climb if blocking object is an item
010999 |             if (isBlockingItem)
011000 |                 return false;
011001 |
011002 |             //! If pathfinding doesn't indicate jump/climb...
011003 |             if (!m_PathFinding.m_IsJumpClimb)
011004 |             {
011005 |                 //! ...don't allow jump/climb if movement NOT blocked
011006 |                 if (!hcm.IsBlocked())
011007 |                     return false;
011008 |
011009 |                 //! ...don't allow jump/climb if NOT on inverse path and NOT using underwater surface for pathfinding
011010 |                 //! and NOT blocked by sea ice
011011 |                 if (m_PathFinding.m_PathGlueIdx == -1 && !eAI_ShouldUseSurfaceUnderWaterForPathFinding())
011012 |                 {
011013 |                     //! @note if not using underwater surface for pathfinding, we're also not swimming but might be in shallow water
011014 |                     if (!eAI_IsSeaIce(blockingObject))
011015 |                         return false;
011016 |                 }
011017 |             }
011018 |         }
011019 |
011020 |         #ifdef TRACE_DIAG
011021 |             auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(14) -> HandleVaulting");
011022 |         #endif
011023 |
011024 |         SHumanCommandClimbSettings hcls = GetDayZPlayerType().CommandClimbSettingsW();
011025 |
011026 |         if ( m_MovementState.m_iMovement != DayZPlayerConstants.MOVEMENTIDX_IDLE )
011027 |             hcls.m_fFwMaxDistance = 2.5;
011028 |         else
011029 |             hcls.m_fFwMaxDistance = 1.2;
011030 |
011031 |         if (m_MovementState.m_CommandTypeId == DayZPlayerConstants.COMMANDID_SWIM)
011032 |             hcls.m_fBackwardsCheckDist = 0.35;
011033 |         else
011034 |             hcls.m_fBackwardsCheckDist = 0;
011035 |
011036 |         SetOrientation(GetOrientation());
011037 |
011038 |         //! These two NEED to be reset to zero vector else they may carry previous values if new result climb/climbover differs from previous!
011039 |         //! Other SHumanCommandClimbResult values are set appropriately by DoClimbTest
011040 |         m_ExClimbResult.m_ClimbOverStandPoint = vector.Zero;

```

```
011041 |         m_ExClimbResult.m_ClimbStandPoint = vector.Zero;
011042 |
011043 |         HumanCommandClimb.DoClimbTest(this, m_ExClimbResult, 0);
011044 |
011045 |         if (m_ExClimbResult.m_bIsClimb || m_ExClimbResult.m_bIsClimbOver)
011046 |         {
011047 |             m_eAI_LastSuccessfulClimbTestResult = m_ExClimbResult;
011048 |
011049 |             ///! AI, like players, can just run over small height differences unless walking slowly (avoids awkwardly climbing stairs)
011050 |             ///! @note hcls.m_fFwMinHeight cannot be used for this since it is too high (0.7)
011051 |             ///! @note this check is only needed for vanilla DoClimbTest, ExpansionClimb::DoClimbTest checks height internally
011052 |             if ((m_ExClimbResult.m_fClimbHeight < offset && !IsSwimming()) && m_MovementState.m_iMovement != DayZPlayerConstants.MOVEMENTIDX_WALK) || m_ExClimbResu
lt.m_fClimbHeight > hcls.m_fFwMaxHeight)
011053 |                 return false;
011054 |
011055 |             return true;
011056 |         }
011057 |
011058 |         ///! As we are essentially using Zombie pathfinding, we may encounter situations where the path will go through a fence
011059 |         ///! that Zs would be able to jump (e.g. wall_indfnc_9.p3d) but player AI would not due to HumanCommandClimb.DoClimbTest not letting us.
011060 |         ///! Use ExpansionClimb.DoClimbTest with alwaysAllowClimb = true instead.
011061 |         if (m_PathFinding.m_DoClimbTestEx)
011062 |         {
011063 |             ExpansionClimb.DoClimbTest(this, m_ExClimbResult, true);
011064 |             if (m_ExClimbResult.m_bIsClimb || m_ExClimbResult.m_bIsClimbOver)
011065 |             {
011066 |                 m_eAI_LastSuccessfulClimbTestResult = m_ExClimbResult;
011067 |                 return true;
011068 |             }
011069 |         }
011070 |
011071 |         return false;
011072 |     }
011073 |
011074 |     override bool ProcessJumpOrClimb(float pDt, int pCurrentCommandID)
011075 |     {
011076 |         ///if (GetIdentity())
011077 |             ///return super.ProcessJumpOrClimb(pDt, pCurrentCommandID);
011078 |
011079 |         return false;
011080 |     }
011081 |
011082 |     override bool CanJump()
011083 |     {
011084 |         ///! Following is equivalent to vanilla PlayerBase::CanJump
011085 |
011086 |         if (GetBrokenLegs() != eBrokenLegs.NO_BROKEN_LEGS)
011087 |         {
011088 |             return false;
011089 |         }
011090 |
011091 |         if (!CanConsumeStamina(ESTaminaConsumers.JUMP))
011092 |             return false;
011093 |
011094 |         ///! disables jump when player is significantly injured
011095 |         if (m_InjuryHandler && m_InjuryHandler.GetInjuryAnimValue() >= InjuryAnimValues.LVL3)
011096 |             return false;
011097 |
011098 |         if (IsInFBEmoteState() || m_EmoteManager.m_MenuEmote)
011099 |         {
011100 |             return false;
011101 |         }
011101 |     }
```



```
011102 |
011103 |     //!< Following is roughly equivalent to vanilla DayZPlayerImplement::CanJump
011104 |
011105 |     if (IsFBSymptomPlaying() || IsRestrained() || IsUnconscious())
011106 |         return false;
011107 |
011108 |     if (m_MovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_PRONE || m_MovementState.m_iStanceIdx == DayZPlayerConstants.STANCEIDX_RAISEDPRONE)
011109 |         return false;
011110 |
011111 |     HumanItemBehaviorCfg hibcfg = GetItemAccessor().GetItemInHandsBehaviourCfg();
011112 |     if (!hibcfg.m_bJumpAllowed)
011113 |         return false;
011114 |
011115 |     if (!DayZPlayerUtils.PlayerCanChangeStance(this, DayZPlayerConstants.STANCEIDX_ERECT) || !DayZPlayerUtils.PlayerCanChangeStance(this, DayZPlayerConstants.
STANCEIDX_RAISEDERECT))
011116 |         return false;
011117 |
011118 |     return true;
011119 | }
011120 |
011121 | override bool CanClimb(int climbType, SHumanCommandClimbResult climbRes)
011122 | {
011123 |     //!< Following is roughly equivalent to vanilla PlayerBase::CanClimb
011124 |
011125 |     if (GetBrokenLegs() == eBrokenLegs.BROKEN_LEGS)
011126 |         return false;
011127 |
011128 |     if (climbType == 1 && !CanConsumeStamina(ESTaminaConsumers.VAULT))
011129 |         return false;
011130 |
011131 |     //!< vault from water allowed - only check if not swimming
011132 |     if (!IsSwimming())
011133 |     {
011134 |         if (climbType == 2 && (!CanConsumeStamina(ESTaminaConsumers.CLIMB) || GetBrokenLegs() != eBrokenLegs.NO_BROKEN_LEGS))
011135 |             return false;
011136 |
011137 |         if (climbType > 0 && m_InjuryHandler && m_InjuryHandler.GetInjuryAnimValue() >= InjuryAnimValues.LVL3)
011138 |             return false;
011139 |     }
011140 |
011141 |     //!< Following is roughly equivalent to vanilla DayZPlayerImplement::CanClimb
011142 |
011143 |     if (IsFBSymptomPlaying() || IsRestrained() || IsUnconscious() || IsInFBEmoteState())
011144 |         return false;
011145 |
011146 |     if (m_MovementState.IsInProne() || m_MovementState.IsInRaisedProne())
011147 |         return false;
011148 |
011149 |     HumanItemBehaviorCfg hibcfg = GetItemAccessor().GetItemInHandsBehaviourCfg();
011150 |     if (!hibcfg.m_bJumpAllowed)
011151 |         return false;
011152 |
011153 |     if (climbRes)
011154 |     {
011155 |         if (!eAI_CanClimbOn(climbRes.m_GrabPointParent, climbRes))
011156 |             return false;
011157 |         if (!eAI_CanClimbOn(climbRes.m_ClimbStandPointParent, climbRes))
011158 |             return false;
011159 |         if (!eAI_CanClimbOn(climbRes.m_ClimbOverStandPointParent, climbRes))
011160 |             return false;
011161 |
011162 |         IEntity standPointParent;
```

```
011163 |         vector standPoint;
011164 |         vector checkPosition;
011165 |         vector checkDirection;
011166 |         vector unitPosition = GetPosition();
011167 |
011168 |         if (climbRes.m_ClimbOverStandPoint != vector.Zero)
011169 |         {
011170 |             standPointParent = climbRes.m_ClimbOverStandPointParent;
011171 |             standPoint = climbRes.m_ClimbOverStandPoint;
011172 |         }
011173 |         else if (climbRes.m_ClimbStandPoint != vector.Zero)
011174 |         {
011175 |             standPointParent = climbRes.m_ClimbStandPointParent;
011176 |             standPoint = climbRes.m_ClimbStandPoint;
011177 |         }
011178 |         else
011179 |         {
011180 |             checkDirection = GetDirection() * 1.5;
011181 |         }
011182 |
011183 |         if (standPoint != vector.Zero)
011184 |         {
011185 |             Object standPointObject;
011186 |             if (Class.CastTo(standPointObject, standPointParent))
011187 |             {
011188 |                 ///! Standpoint parent is object, local coordinates unequal world coordinates
011189 |                 vector transform[4];
011190 |                 standPointParent.GetTransform(transform);
011191 |                 checkPosition = standPoint.Multiply4(transform);
011192 |             }
011193 |             else
011194 |             {
011195 |                 ///! No standpoint parent or part of world, local coordinates equal world coordinates
011196 |                 checkPosition = standPoint;
011197 |             }
011198 |             checkPosition[1] = unitPosition[1];
011199 |             checkDirection = vector.Direction(unitPosition, checkPosition);
011200 |         }
011201 |
011202 |         vector surfacePosition = ExpansionStatic.GetSurfaceRoadPosition(unitPosition + checkDirection);
011203 |         ///! Swim start water level = 1.5 m, see DayZPlayerUtils::CheckWaterLevel
011204 |         if (!m_PathFinding.m_IsSwimmingEnabled && g_Game.GetWaterDepth(surfacePosition) > 1.5)
011205 |         {
011206 |             #ifdef DIAG_DEVELOPER
011207 |                 Expansion_DebugObject(1344, unitPosition + checkDirection, "ExpansionDebugRodBig_Blue", checkDirection, surfacePosition);
011208 |             #endif
011209 |             return false;
011210 |         }
011211 |         #ifdef DIAG_DEVELOPER
011212 |         else
011213 |         {
011214 |             Expansion_DebugObject(1344, "0 0 0", "ExpansionDebugRodBig_Blue");
011215 |         }
011216 |         #endif
011217 |
011218 |         if (!IsSwimming() || climbRes.m_bIsClimbOver)
011219 |         {
011220 |             float heightThresh;
011221 |
011222 |             if (climbRes.m_bIsClimbOver)
011223 |                 heightThresh = 1.0; ///! should prevent unwanted vaulting of stair-rails
011224 |             else
```

```

011225 |             heightThresh = DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW - climbRes.m_fClimbHeight;
011226 |
011227 |             if (!eAI_IsFallSafe(checkDirection, false, heightThresh, false))
011228 |                 return false;
011229 |         }
011230 |     }
011231 |
011232 |     return true;
011233 | }
011234 |
011235 | bool eAI_CanClimbOn(IEntity parent, SHumanCommandClimbResult climbRes)
011236 | {
011237 |     EntityAI entity;
011238 |     if (Class.CastTo(entity, parent) && entity.IsHologram())
011239 |         return false;
011240 |
011241 |     Object object;
011242 |     bool isPathEndPointCollidingObject;
011243 |     if (Class.CastTo(object, parent) && ExpansionStatic.IsColliding(object, m_PathFinding.GetEnd()))
011244 |         isPathEndPointCollidingObject = true;
011245 |
011246 |     if ((m_WeaponRaised || (m_eAI_IsFightingFSM && !IsSwimming())) && !isPathEndPointCollidingObject && !climbRes.m_bIsClimbOver && !m_PathFinding.m_IsBlocked
Physically)
011247 |         return false;
011248 |
011249 |     if (object)
011250 |     {
011251 |         if (object.IsTree() || object.IsBush() || object.IsMan())
011252 |             return false;
011253 |
011254 |         BuildingBase building;
011255 |         if (Class.CastTo(building, object))
011256 |         {
011257 |             if (building.m_eAI_PreventClimb || building.IsInherited(ExpansionDebugObject))
011258 |                 return false;
011259 |
011260 |             if (climbRes.m_bIsClimbOver)
011261 |             {
011262 |                 //! This should prevent AI from vaulting open doors...
011263 |                 if (climbRes.m_fClimbHeight >= 1.7)
011264 |                     return false;
011265 |
011266 |                 //! Don't allow vaulting unenterable building unless path endpoint is within building or we are within building
011267 |                 if (!building.Expansion_IsEnterable() && !isPathEndPointCollidingObject && !ExpansionStatic.IsColliding(object, GetPosition()))
011268 |                 {
011269 |                     auto move = GetCommand_Move();
011270 |                     if (!move || !m_eAI_CommandMove.IsBlocked())
011271 |                     {
011272 |                         if (EXTrace.AI)
011273 |                             EXTrace.Print(true, this, "eAI_CanClimbOn false " + Debug.GetDebugName(parent) + " is scenery? " + object.IsScenery() + " is plain
? " + object.IsPlainObject());
011274 |
011275 |                         return false;
011276 |                     }
011277 |                 }
011278 |             }
011279 |         }
011280 |     }
011281 |     else if (object.IsTransport() || object.IsInventoryItem())
011282 |     {
011283 |         if (climbRes.m_bIsClimbOver && !isPathEndPointCollidingObject && !ExpansionStatic.IsColliding(object, GetPosition()))
011284 |             return false;
011285 |     }

```

```

011285 |         else if (!object.IsScenery())
011286 |         {
011287 |             //! This should prevent AI from vaulting open gates unless blocked...
011288 |             if (climbRes.m_bIsClimbOver && climbRes.m_fClimbHeight >= 1.7 && (!m_PathFinding.m_IsBlocked || !m_PathFinding.m_IsJumpClimb))
011289 |                 return false;
011290 |
011291 |             string debugName = object.GetDebugName();
011292 |             debugName.ToLower();
011293 |
011294 |             //! Things we should never attempt to vault
011295 |             if (climbRes.m_bIsClimbOver && ExpansionString.ContainsAny(debugName, s_eAI_PreventClimbOver))
011296 |             {
011297 |                 if (EXTrace.AI)
011298 |                     EXTrace.Print(true, this, "eAI_CanClimbOn false " + Debug.GetDebugName(parent) + " is scenery? " + object.IsScenery() + " is plain? " + ob
ject.IsPlainObject());
011299 |
011300 |                 return false;
011301 |             }
011302 |
011303 |             if (ExpansionString.ContainsAny(debugName, s_eAI_PreventClimb))
011304 |             {
011305 |                 if (EXTrace.AI)
011306 |                     EXTrace.Print(true, this, "eAI_CanClimbOn false " + Debug.GetDebugName(parent) + " is scenery? " + object.IsScenery() + " is plain? " + ob
ject.IsPlainObject());
011307 |
011308 |                 return false;
011309 |             }
011310 |         }
011311 |     }
011312 |
011313 |     if (EXTrace.AI && parent)
011314 |         EXTrace.Print(true, this, "eAI_CanClimbOn " + Debug.GetDebugName(parent) + " is scenery? " + object.IsScenery() + " is plain? " + object.IsPlainObject
());
011315 |
011316 |     return true;
011317 | }
011318 |
011319 | bool eAI_IsFallSafe(vector checkDirection, bool checkBlocking = true, float heightThresh = 0, bool checkHealth = true, int dbgIndex = 1337)
011320 | {
011321 |     if (heightThresh == 0)
011322 |         heightThresh = DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW;
011323 |
011324 |     vector position = GetPosition();
011325 |     vector checkPosition = position + checkDirection;
011326 |
011327 |     vector hitPosition;
011328 |     vector hitNormal;
011329 |     int contactComponent;
011330 |     set<Object> results = new set<Object>;
011331 |
011332 |     //! Is there a physical object blocking check direction (e.g. a wall)?
011333 |     //! @note vertical offset of 0.76 m and radius of 0.26 m is chosen so that it can still hit the railing of various buildings
011334 |     //! (e.g. Land_Pier_Crane2_Base and Land_Factory_Small), else AI could get stuck due to unsafe fallheight
011335 |     if (checkBlocking && DayZPhysics.RaycastRV(checkPosition + "0 0.76 0", position + "0 0.76 0", hitPosition, hitNormal, contactComponent, results, null, thi
s, false, false, ObjIntersectGeom, 0.26))
011336 |     {
011337 |         //vector fromHit = hitPosition - checkDirection.Normalized() * 0.2;
011338 |
011339 |         //! Is there a physical object blocking up direction from hit pos (e.g. a ceiling)?
011340 |         //if (DayZPhysics.RaycastRV(fromHit, fromHit + "0 3.5 0", hitPosition, hitNormal, contactComponent, results, null, this, false, false, ObjIntersectGeo
m))
011341 |             return true;

```

```

011342 |     }
011343 |     #ifdef DIAG_DEVELOPER
011344 |         else if (checkBlocking)
011345 |         {
011346 |             Expansion_DebugObject(dbgIndex + 3, checkPosition + "0 0.76 0", "ExpansionDebugSphereSmall_Red", vector.Zero, position + "0 0.76 0");
011347 |         }
011348 |     #endif
011349 |
011350 |     /// @note the 1.5m vertical offset has been added for the top floor of Land_HouseBlock_2F3, else surface won't be detected properly
011351 |     /// (doesn't matter if via SurfaceRoad3D or raycast)
011352 |     float offsetY = 1.5;
011353 |
011354 |     /*
011355 |         vector begPos = Vector(checkPosition[0], checkPosition[1] + offsetY, checkPosition[2]);
011356 |     */
011357 |
011358 |     checkPosition[1] = ExpansionStatic.GetSurfaceRoadY3D(checkPosition[0], checkPosition[1] + offsetY, checkPosition[2], RoadSurfaceDetection.UNDER);
011359 |
011360 |     float fallHeight = position[1] - checkPosition[1];
011361 |     /*
011362 |         if (fallHeight > DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW)
011363 |         {
011364 |             PhxInteractionLayers collisionLayerMask;
011365 |             collisionLayerMask |= PhxInteractionLayers.ROADWAY;
011366 |             collisionLayerMask |= PhxInteractionLayers.BUILDING;
011367 |             collisionLayerMask |= PhxInteractionLayers.FENCE;
011368 |             collisionLayerMask |= PhxInteractionLayers.VEHICLE;
011369 |             collisionLayerMask |= PhxInteractionLayers.TERRAIN;
011370 |
011371 |             Object hitObject;
011372 |             #ifdef DIAG_DEVELOPER
011373 |                 string type;
011374 |             #endif
011375 |
011376 |             if (DayZPhysics.RayCastBullet(begPos, checkPosition, collisionLayerMask, this, hitObject, hitPosition, null, null))
011377 |             {
011378 |                 checkPosition = hitPosition;
011379 |
011380 |                 fallHeight = position[1] - checkPosition[1];
011381 |
011382 |                 #ifdef DIAG_DEVELOPER
011383 |                     if (fallHeight > DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW)
011384 |                     {
011385 |                         if (hitObject)
011386 |                             type = hitObject.GetType();
011387 |                         EXTrace.Print(EXTrace.AI, this, "eAI_IsFallSafe RayCastBullet hitObject " + hitObject + " " + type + " " + hitPosition);
011388 |                     }
011389 |                 #endif
011390 |             }
011391 |
011392 |             if (fallHeight > DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW)
011393 |             {
011394 |                 results = new set<Object>;
011395 |
011396 |                 if (DayZPhysics.RaycastRV(begPos, checkPosition, hitPosition, hitNormal, contactComponent, results, null, this, false, false, ObjIntersectFire, 0.
011397 | 0))
011398 |                 {
011399 |                     checkPosition = hitPosition;
011400 |
011401 |                     fallHeight = position[1] - checkPosition[1];
011402 |
011402 |                 #ifdef DIAG_DEVELOPER

```

```

011403 |         if (fallHeight > DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW)
011404 |         {
011405 |             hitObject = results[0];
011406 |             if (hitObject)
011407 |                 type = hitObject.GetType();
011408 |             EXTrace.Print(EXTrace.AI, this, "eAI_IsFallSafe RaycastRV hitObject " + hitObject + " " + type + " " + hitPosition);
011409 |         }
011410 |     #endif
011411 | }
011412 | }
011413 | }
011414 | */
011415 | bool isFallSafe;
011416 |
011417 | vector waterCheckPosition = checkPosition;
011418 | float waterDepth = g_Game.GetWaterDepth(checkPosition);
011419 | if (waterDepth > 0.0)
011420 | {
011421 |     waterCheckPosition[1] = waterCheckPosition[1] + waterDepth;
011422 |     fallHeight -= waterDepth;
011423 | }
011424 |
011425 | if (waterDepth > 1.5 && ExpansionStatic.SurfaceIsWater(waterCheckPosition))
011426 |     isFallSafe = m_PathFinding.m_IsSwimmingEnabled; //! Falling into water that is deep enough for swimming is safe if swimming enabled
011427 | else if (fallHeight <= heightThresh || (checkHealth && GetHealth01() - Math.InverseLerp(heightThresh, DayZPlayerImplementFallDamage.HEALTH_HEIGHT_HIGH, fa
llHeight) >= 0.90))
011428 |     isFallSafe = true;
011429 |
011430 | #ifdef DIAG_DEVELOPER
011431 |     //EXTrace.Print(EXTrace.AI, this, "eAI_IsFallSafe position " + ExpansionStatic.VectorToString(position, ExpansionVectorToString.Plain) + " checkDirection
" + ExpansionStatic.VectorToString(checkDirection, ExpansionVectorToString.Plain) + " " + ExpansionStatic.VectorToString(checkDirection.VectorToAngles(), Expansio
nVectorToString.Plain) + " checkPosition " + ExpansionStatic.VectorToString(checkPosition, ExpansionVectorToString.Plain) + " fallHeight " + fallHeight + " safe "
+ isFallSafe);
011432 |     vector arrowPos = checkPosition;
011433 |     arrowPos[1] = position[1] + 0.3;
011434 |     vector arrowOri = checkDirection.VectorToAngles();
011435 |     arrowOri[1] = -90.0;
011436 |     if (isFallSafe)
011437 |     {
011438 |         Expansion_DebugObject(dbgIndex, arrowPos, "ExpansionDebugArrow", arrowOri.AnglesToVector());
011439 |         Expansion_DebugObject(dbgIndex + 1, "0 0 0", "ExpansionDebugArrow_Red");
011440 |         Expansion_DebugObject(dbgIndex + 2, "0 0 0", "ExpansionDebugArrow_Red");
011441 |     }
011442 |     else
011443 |     {
011444 |         Expansion_DebugObject(dbgIndex, "0 0 0", "ExpansionDebugArrow");
011445 |         Expansion_DebugObject(dbgIndex + 1, arrowPos, "ExpansionDebugArrow_Red", arrowOri.AnglesToVector());
011446 |         arrowPos[1] = checkPosition[1] + 0.3;
011447 |         Expansion_DebugObject(dbgIndex + 2, arrowPos, "ExpansionDebugArrow_Red", arrowOri.AnglesToVector());
011448 |     }
011449 | #endif
011450 |
011451 |     return isFallSafe;
011452 | }
011453 |
011454 | bool eAI_IsDangerousAltitude()
011455 | {
011456 |     if (IsSwimming())
011457 |         return false;
011458 |
011459 |     vector position = m_ExTransformPlayer[3];
011460 |     float fallHeight = position[1] - m_eAI_SurfaceY;

```

```
011461 |
011462 |     if (fallHeight < DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW)
011463 |         return false;
011464 |
011465 |     if (m_PathFinding.m_IsSwimmingEnabled)
011466 |     {
011467 |         vector surfacePosition = Vector(position[0], m_eAI_SurfaceY, position[2]);
011468 |         float waterDepth = Math.Max(g_Game.GetWaterDepth(surfacePosition), 0.0);
011469 |         if (fallHeight - waterDepth < DayZPlayerImplementFallDamage.HEALTH_HEIGHT_LOW)
011470 |             return false;
011471 |     }
011472 |
011473 |     return true;
011474 | }
011475 |
011476 | void eAI_JumpOrClimb()
011477 | {
011478 |     m_JumpClimb.JumpOrClimb();
011479 | }
011480 |
011481 | bool eAI_IsLargeGate(Object obj)
011482 | {
011483 |     string type = obj.GetType();
011484 |
011485 |     type.ToLower();
011486 |
011487 |     if (type.IndexOf("gate") > -1)
011488 |     {
011489 |         vector minMax[2];
011490 |         if (obj.GetCollisionBox(minMax) && vector.DistanceSq(minMax[0], minMax[1]) > 9.0)
011491 |             return true;
011492 |     }
011493 |
011494 |     return false;
011495 | }
011496 |
011497 | bool HandleBuildingDoors(eAICommandMove hcm, float pDt)
011498 | {
011499 |     //if (!m_PathFinding.IsDoor())
011500 |         //return;
011501 |
011502 |     if (IsRestrained())
011503 |         return false;
011504 |
011505 |     float speed = hcm.GetCurrentMovementSpeed();
011506 |     if (m_eAI_PositionIsFinal && Math.Round(speed) == 0.0)
011507 |         return false;
011508 |
011509 |     int time = g_Game.GetTime();
011510 |
011511 |     if (time - m_eAI_LastDoorInteractionTime < 1000)
011512 |         return false;
011513 |
011514 |     BuildingBase cover;
011515 |     if (!hcm.IsBlockedByBuildingWithDoor() && (!m_eAI_CurrentCoverObject || !Class.CastTo(cover, m_eAI_CurrentCoverObject) || cover.Expansion_IsEnterable()))
011516 |         return false;
011517 |
011518 |     vector position = m_ExTransformPlayer[3] + (m_ExTransformPlayer[1] * 1.1);
011519 |     vector direction = m_ExTransformPlayer[2];
011520 |
011521 |     float fwdBwd = 1.0;
011522 |     if (Math.AbsFloat(Expansion_GetMovementAngle()) > 135.0)
```

```
011523 |         fwdBwd = -1.0;
011524 |
011525 |         vector p0 = position;
011526 |         vector p1 = position + (direction * 1.5 * Math.Clamp(speed, 1.0, 1.333) * fwdBwd);
011527 |
011528 |         if (GetWeaponManager().IsRunning())
011529 |         {
011530 |             #ifdef DIAG_DEVELOPER
011531 |                 Expansion_DebugObject(22222, "0 0 0", "ExpansionDebugSphereSmall_White");
011532 |                 Expansion_DebugObject(22223, p1, "ExpansionDebugSphereSmall_Black", direction, position);
011533 |             #endif
011534 |             return false;
011535 |         }
011536 |
011537 | #ifdef EXTRACE_DIAG
011538 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "CommandHandler(13) -> HandleBuildingDoors");
011539 | #endif
011540 |
011541 | #ifdef DIAG_DEVELOPER
011542 |     Expansion_DebugObject(22222, p1, "ExpansionDebugSphereSmall_White", direction, position);
011543 |     Expansion_DebugObject(22223, "0 0 0", "ExpansionDebugSphereSmall_Black");
011544 | #endif
011545 |
011546 |     RaycastRVParams params = new RaycastRVParams(p0, p1, this, 0.5);
011547 |     array<ref RaycastRVResult> results();
011548 |     array<Object> excluded();
011549 |     excluded.Insert(this);
011550 |
011551 |     params.with = this;
011552 |     params.flags = CollisionFlags.ALLOBJECTS;
011553 |     params.type = ObjIntersectView;
011554 |
011555 |     if (!DayZPhysics.RaycastRVProxy(params, results, excluded))
011556 |         return false;
011557 |
011558 |     int inactiveDuration; //!< ms
011559 |
011560 |     foreach (auto result : results)
011561 |     {
011562 |         BuildingBase building;
011563 |         if (!Class.CastTo(building, result.obj))
011564 |             continue;
011565 |
011566 |         int doorIndex = building.GetDoorIndex(result.component);
011567 |         if (doorIndex == -1)
011568 |         {
011569 |             //!< Why has everything to be a special case in vanilla >:(
011570 |             //!< GetDoorIndex can not be used, and these special doors are not included in GetDoorCount either
011571 |             if (building.Expansion_IsUndergroundEntrance() && building.GetActionComponentName(result.component).IndexOf("door") == 0)
011572 |             {
011573 |                 Land_Underground_EntranceBase entrance;
011574 |                 //!< CanManipulate == true means door is closed
011575 |                 if (Class.CastTo(entrance, building) && entrance.CanManipulate())
011576 |                 {
011577 |                     if (m_PathFinding.m_IsBlocked)
011578 |                     {
011579 |                         m_PathFinding.m_IsUnreachable = true;
011580 |                         m_PathFinding.m_IsTargetUnreachable = true;
011581 |                     }
011582 |
011583 |                     if (m_PathFinding.m_AllowClosedDoors)
011584 |                         m_PathFinding.AllowClosedDoors(false, 15.0);
```



```

011585 |         }
011586 |
011587 |         break;
011588 |     }
011589 |
011590 |     continue;
011591 | }
011592 |
011593 | bool isDoorOpen = building.IsDoorOpen(doorIndex);
011594 | bool isEnterable = building.Expansion_IsEnterable();
011595 |
011596 | bool canInteract = true;
011597 |
011598 | if (isDoorOpen)
011599 | {
011600 |     if (isEnterable)
011601 |     {
011602 |         Object blockingObject = hcm.GetBlockingObject();
011603 |         if (blockingObject || !hcm.CheckBlocked())
011604 |         {
011605 |             //! If we're blocked less than 3 seconds, and there's enough free space to move fwd/left/right,
011606 |             //! and speed limit is zero or movement speed is zero or velocity is higher than 0.001 m/s, ignore opened door
011607 |             if (m_eAI_BlockedTime < 3.0 && (CheckFreeSpace(vector.Forward, 0.3, false) || CheckFreeSpace(vector.Aside, 0.5, false) || CheckFreeSpace(-
vector.Aside, 0.5, false)) && (m_MovementSpeedLimit == 0 || Math.Floor(speed) == 0.0 || m_eAI_PositionTime < 1.5))
011608 |             {
011609 |                 if (hcm.IsBlocked() && m_eAI_BlockedTime > 0.5)
011610 |                 {
011611 |                     m_PathFinding.ForceRecalculate(true);
011612 |                     break;
011613 |                 }
011614 |                 else if (m_eAI_BlockedTime < 4.0 - speed)
011615 |                 {
011616 |                     break;
011617 |                 }
011618 |             }
011619 |         }
011620 |     }
011621 |
011622 |     if (!building.CanDoorBeClosed(doorIndex))
011623 |     {
011624 |         break;
011625 |     }
011626 | }
011627 | else if (!isEnterable)
011628 | {
011629 |     //! Do not open doors on structures that cannot be entered, e.g. wrecks (less chance of getting stuck on them when closed)
011630 |     break;
011631 | }
011632 | //! @note vanilla Building::CanDoorBeOpened is implemented awkwardly: If you pass `true` in the 2nd argument (`checkIfLocked`),
011633 | //! then it will return false if the door is closed and locked.
011634 | //! But if you pass in `false` for `checkIfLocked` (which is also the default), then it will return false if the door is
011635 | //! closed and *not* locked, which is unexpected.
011636 | //! The only reason we use it to begin with is because mods can override it.
011637 | else if (building.IsDoorLocked(doorIndex) && building.CanDoorBeOpened(doorIndex, false))
011638 | {
011639 |     bool canHitToUnlock = building.GetAllowDamage();
011640 |
011641 | #ifdef EXPANSIONMOD
011642 |     if (GetExpansionSettings().GetGeneral().DisableShootToUnlock)
011643 |         canHitToUnlock = false;
011644 | #endif
011645 |

```

```

011646 |         if (canHitToUnlock && (building.GetLockCompatibilityType(doorIndex) & (1 << EBuildingLockType.LOCKPICK)))
011647 |         {
011648 |             //auto info = building.eAI_GetDoorTargetInformation(doorIndex, result.pos);
011649 |             auto info = building.eAI_GetDoorTargetInformation(doorIndex, building.GetDoorSoundPos(doorIndex));
011650 |             info.AddAI(this);
011651 |             break;
011652 |         }
011653 |     else
011654 |     {
011655 |         ///! If door cannot be opened and path is blocked, stop moving
011656 |         if (m_PathFinding.m_IsBlocked)
011657 |         {
011658 |             m_PathFinding.m_IsUnreachable = true;
011659 |             m_PathFinding.m_IsTargetUnreachable = true;
011660 |         }
011661 |
011662 |         canInteract = false;
011663 |     }
011664 | }
011665 | else if (!building.CanDoorBeOpened(doorIndex, true))
011666 | {
011667 |     ///! If door cannot be opened and path is blocked, stop moving
011668 |     if (m_PathFinding.m_IsBlocked)
011669 |     {
011670 |         m_PathFinding.m_IsUnreachable = true;
011671 |
011672 |         canInteract = false;
011673 |     }
011674 |
011675 |     int timeTresh = building.eAI_GetDoorAnimationTime(doorIndex) * 1000;
011676 |     if (time - building.m_eAI_LastDoorInteractionTime[doorIndex] < timeTresh + 500)
011677 |         break;
011678 |
011679 |     /**
011680 |      * TODO0: Use FSM events to notify that the door should be opened.
011681 |      * TODO0: Add support for animation action logic to FSM states
011682 |      * TODO0: FSM file just for doors. Opening, picking, breaking, closing. Vehicles and Buildings.
011683 |      *
011684 |      *     GetFSM().Start("OpenDoor")
011685 |      *
011686 |      * Events are stored in the transitions
011687 |      */
011688 |
011689 |     ///! Decrease chance of AI getting stuck between wall and opened door by temporarily stopping before opening
011690 |     if (!isDoorOpen && !m_eAI_Halt)
011691 |     {
011692 |         eAI_SetHalt(true);
011693 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_SetHalt, timeTresh * 0.65, false, false);
011694 |     }
011695 |
011696 |     ///! Prevent AI getting pushed by opening/closing door by temporarily disabling collision
011697 |     /*
011698 |     PhxInteractionLayers layer = dBodyGetInteractionLayer(this);
011699 |     if (layer != PhxInteractionLayers.AI && !m_eAI_ResetInteractionLayer)
011700 |     {
011701 |         m_eAI_ResetInteractionLayer = true;
011702 |
011703 |         if (m_eAI_Halt)
011704 |             inactiveDuration = Math.Min(timeTresh, 1000);
011705 |         else
011706 |             inactiveDuration = ExpansionMath.PowerConversion(1, 3, m_MovementSpeedLimit, Math.Min(timeTresh, 1000), timeTresh * 0.2, 2.6);
011707 |
011708 |         dBodySetInteractionLayer(this, PhxInteractionLayers.AI);

```

```
011708 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_dBodySetInteractionLayer, inactiveDuration, false, layer);
011709 |     }
011710 |     */
011711 |
011712 |     if (isDoorOpen)
011713 |     {
011714 |         StartActionObject(eAIActionCloseDoorsDummy, building);
011715 |         building.CloseDoor(doorIndex);
011716 |     }
011717 |     else
011718 |     {
011719 |         StartActionObject(eAIActionOpenDoorsDummy, building);
011720 |         /// @note if the door cannot be opened because it is locked,
011721 |         /// the game will prevent opening and play the usual "doorknob rattle" sound
011722 |         if (canInteract || building.IsDoorLocked(doorIndex))
011723 |             building.OpenDoor(doorIndex);
011724 |     }
011725 |
011726 |     if (canInteract)
011727 |     {
011728 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(m_PathFinding.ForceRecalculate, 34, false, true);
011729 |     }
011730 |     else
011731 |     {
011732 |         if (m_PathFinding.m_AllowClosedDoors)
011733 |             m_PathFinding.AllowClosedDoors(false, 15.0);
011734 |     }
011735 |
011736 |     building.m_eAI_LastDoorInteractionTime[doorIndex] = time; /// To prevent any AI from interacting with this specific door (cooldown)
011737 |     m_eAI_LastDoorInteractionTime = time; /// To prevent this AI from interacting with any door (cooldown)
011738 |     return canInteract;
011739 | }
011740 |
011741 | return false;
011742 | }
011743 |
011744 | void eAI_SetHalt(bool halt)
011745 | {
011746 |     m_eAI_Halt = halt;
011747 | }
011748 |
011749 | void eAI_dBodySetInteractionLayer(PhxInteractionLayers layer)
011750 | {
011751 |     m_eAI_ResetInteractionLayer = false;
011752 |
011753 |     if (!IsDamageDestroyed())
011754 |         dBodySetInteractionLayer(this, layer);
011755 | }
011756 |
011757 | void eAI_UpdateVisitedBuildings()
011758 | {
011759 |     if (GetGroup().GetWaypointBehaviour() == eAIWaypointBehavior.ROAMING && GetGroup().GetFormationLeader() == this)
011760 |     {
011761 |         vector begPos = GetPosition() - "0 0.1 0"; /// Start raycast slightly under ground in case building has no roof
011762 |         /// Raycast up instead of down because not all buildings have floors (e.g. sheds)
011763 |         /// Raycast height is chosen so that it can still hit ceiling of Land_Cementworks_Hall2 from floor
011764 |         vector endPos = GetPosition() + "0 11 0";
011765 |         vector hitPosition;
011766 |         vector hitNormal;
011767 |         int contactComponent;
011768 |         set<Object> results = new set<Object>;
011769 |     }
```

```
011770 |         if (DayZPhysics.RaycastRV(begPos, endPos, hitPosition, hitNormal, contactComponent, results, null, this, false, false, ObjIntersectGeom, 0.0, Collisio
011771 |         nFlags.ALLOBJECTS))
011772 |         {
011773 |             BuildingBase building;
011774 |             foreach (Object obj: results)
011775 |             {
011776 |                 if (Class.CastTo(building, obj))
011777 |                 {
011778 |                     GetGroup().m_VisitedBuildings.Insert(building);
011779 |                     #ifdef DIAG_DEVELOPER
011780 |                         EXTrace.Print(EXTrace.AI, this, "Looted " + ExpansionStatic.GetDebugInfo(building));
011781 |                     #endif
011782 |                     break;
011783 |                 }
011784 |             }
011785 |         }
011786 |     }
011787 | };
011788 |
```

0200. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eainpcbase.c

Size bytes: 361

SHA-256: c89e151e43157d5afe0ff8a0dd9ce1b8d94caa803cbc7293d08e1e3c752f1764

Decoded as: utf-8-sig

Line count shown: 18

Detected class declarations: 2

 L1: class eAINPCBase: eAIBase

 L5: class eAINPCPassive: eAINPCBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L7: override void Expansion_Init()

Full file content

```
000001 | class eAINPCBase: eAIBase
000002 | {
000003 | }
000004 |
000005 | class eAINPCPassive: eAINPCBase
000006 | {
000007 |     override void Expansion_Init()
000008 |     {
000009 |         if (g_Game.IsServer())
000010 |         {
000011 |             m_eAI_FactionType = eAIFactionPassive;
000012 |             eAI_SetPassive(); //!< In case this NPC joins another group that's part of a non-passive faction, we still want the NPC to be passive
000013 |         }
000014 |
000015 |         super.Expansion_Init();
000016 |     }
000017 | }
000018 |
```

0201. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/ai/eaisurvivor.c

Size bytes: 2947

SHA-256: 6a9f678bc00008e6475d09db401293123d195f5bc63bbe18abe9e10490d4f72d

Decoded as: utf-8-sig

Line count shown: 110

Detected class declarations: 32

```
L1: class eAISurvivor
L79: class eAI_SurvivorM_Mirek: eAIBase {};
L80: class eAI_SurvivorM_Denis: eAIBase {};
L81: class eAI_SurvivorM_Boris: eAIBase {};
L82: class eAI_SurvivorM_Cyril: eAIBase {};
L83: class eAI_SurvivorM_Elias: eAIBase {};
L84: class eAI_SurvivorM_Francis: eAIBase {};
L85: class eAI_SurvivorM_Guo: eAIBase {};
L86: class eAI_SurvivorM_Hassan: eAIBase {};
L87: class eAI_SurvivorM_Indar: eAIBase {};
L88: class eAI_SurvivorM_Jose: eAIBase {};
L89: class eAI_SurvivorM_Kaito: eAIBase {};
L90: class eAI_SurvivorM_Lewis: eAIBase {};
L91: class eAI_SurvivorM_Manua: eAIBase {};
L92: class eAI_SurvivorM_Niki: eAIBase {};
L93: class eAI_SurvivorM_Oliver: eAIBase {};
L94: class eAI_SurvivorM_Peter: eAIBase {};
L95: class eAI_SurvivorM_Quinn: eAIBase {};
L96: class eAI_SurvivorM_Rolf: eAIBase {};
L97: class eAI_SurvivorM_Seth: eAIBase {};
L98: class eAI_SurvivorM-Taiki: eAIBase {};
L99: class eAI_SurvivorF_Linda: eAIBase {};
L100: class eAI_SurvivorF_Maria: eAIBase {};
L101: class eAI_SurvivorF_Frida: eAIBase {};
L102: class eAI_SurvivorF_Gabi: eAIBase {};
L103: class eAI_SurvivorF_Helga: eAIBase {};
L104: class eAI_SurvivorF_Irena: eAIBase {};
L105: class eAI_SurvivorF_Judy: eAIBase {};
L106: class eAI_SurvivorF_Keiko: eAIBase {};
L107: class eAI_SurvivorF_Eva: eAIBase {};
L108: class eAI_SurvivorF_Naomi: eAIBase {};
L109: class eAI_SurvivorF_Baty: eAIBase {};
```

Detected enum declarations: 0

Detected function/method-like declarations: 14

```
L8: static bool Init()
L27: static string GetQuasiRandom()
L30: return GetQuasiRandomFemale();
L32: return GetQuasiRandomMale();
L35: static string GetQuasiRandomFemale()
L40: static string GetQuasiRandomMale()
L45: static string GetRandom()
L48: return GetRandomFemale();
L50: return GetRandomMale();
L53: static string GetRandomFemale()
L58: static string GetRandomMale()
L64: string GetRandomAI()
L69: string GetRandomAIFemale()
L74: string GetRandomAIMale()
```

Full file content

```
000001 | class eAISurvivor
000002 | {
```

```
000003 | static ref ExpansionArray<string> s_Females = new ExpansionArray<string>;
000004 | static ref ExpansionArray<string> s_Males = new ExpansionArray<string>;
000005 |
000006 | static bool s_Initialized = Init();
000007 |
000008 | static bool Init()
000009 | {
000010 |     TStringArray females = {"Eva", "Frida", "Gabi", "Helga",
000011 |                             "Irena", "Judy", "Keiko", "Linda",
000012 |                             "Maria", "Naomi", "Baty"};
000013 |
000014 |     s_Females.InsertAll(females);
000015 |
000016 |     TStringArray males = {"Boris", "Cyril", "Denis", "Elias",
000017 |                           "Francis", "Guo", "Hassan", "Indar",
000018 |                           "Jose", "Kaito", "Lewis", "Manua",
000019 |                           "Mirek", "Niki", "Oliver", "Peter",
000020 |                           "Quinn", "Rolf", "Seth", "Taiki"};
000021 |
000022 |     s_Males.InsertAll(males);
000023 |
000024 |     return true;
000025 | }
000026 |
000027 | static string GetQuasiRandom()
000028 | {
000029 |     if (Math.RandomIntInclusive(0, 1) == 1)
000030 |         return GetQuasiRandomFemale();
000031 |     else
000032 |         return GetQuasiRandomMale();
000033 | }
000034 |
000035 | static string GetQuasiRandomFemale()
000036 | {
000037 |     return "eAI_SurvivorF_" + s_Females.GetQuasiRandomElementAvoidRepetition();
000038 | }
000039 |
000040 | static string GetQuasiRandomMale()
000041 | {
000042 |     return "eAI_SurvivorM_" + s_Males.GetQuasiRandomElementAvoidRepetition();
000043 | }
000044 |
000045 | static string GetRandom()
000046 | {
000047 |     if (Math.RandomIntInclusive(0, 1) == 1)
000048 |         return GetRandomFemale();
000049 |     else
000050 |         return GetRandomMale();
000051 | }
000052 |
000053 | static string GetRandomFemale()
000054 | {
000055 |     return "eAI_SurvivorF_" + s_Females.GetRandomElement();
000056 | }
000057 |
000058 | static string GetRandomMale()
000059 | {
000060 |     return "eAI_SurvivorM_" + s_Males.GetRandomElement();
000061 | }
000062 | }
000063 |
000064 | string GetRandomAI()
```

```
000065 | {
000066 |     return eAISurvivor.GetQuasiRandom();
000067 | }
000068 |
000069 | string GetRandomAIFemale()
000070 | {
000071 |     return eAISurvivor.GetQuasiRandomFemale();
000072 | }
000073 |
000074 | string GetRandomAIMale()
000075 | {
000076 |     return eAISurvivor.GetQuasiRandomMale();
000077 | }
000078 |
000079 | class eAI_SurvivorM_Mirek: eAIBase {};
000080 | class eAI_SurvivorM_Denis: eAIBase {};
000081 | class eAI_SurvivorM_Boris: eAIBase {};
000082 | class eAI_SurvivorM_Cyril: eAIBase {};
000083 | class eAI_SurvivorM_Elias: eAIBase {};
000084 | class eAI_SurvivorM_Francis: eAIBase {};
000085 | class eAI_SurvivorM_Guo: eAIBase {};
000086 | class eAI_SurvivorM_Hassan: eAIBase {};
000087 | class eAI_SurvivorM_Indar: eAIBase {};
000088 | class eAI_SurvivorM_Jose: eAIBase {};
000089 | class eAI_SurvivorM_Kaito: eAIBase {};
000090 | class eAI_SurvivorM_Lewis: eAIBase {};
000091 | class eAI_SurvivorM_Manua: eAIBase {};
000092 | class eAI_SurvivorM_Niki: eAIBase {};
000093 | class eAI_SurvivorM_Oliver: eAIBase {};
000094 | class eAI_SurvivorM_Peter: eAIBase {};
000095 | class eAI_SurvivorM_Quinn: eAIBase {};
000096 | class eAI_SurvivorM_Rolf: eAIBase {};
000097 | class eAI_SurvivorM_Seth: eAIBase {};
000098 | class eAI_SurvivorM-Taiki: eAIBase {};
000099 | class eAI_SurvivorF_Linda: eAIBase {};
000100 | class eAI_SurvivorF_Maria: eAIBase {};
000101 | class eAI_SurvivorF_Frida: eAIBase {};
000102 | class eAI_SurvivorF_Gabi: eAIBase {};
000103 | class eAI_SurvivorF_Helga: eAIBase {};
000104 | class eAI_SurvivorF_Irena: eAIBase {};
000105 | class eAI_SurvivorF_Judy: eAIBase {};
000106 | class eAI_SurvivorF_Keiko: eAIBase {};
000107 | class eAI_SurvivorF_Eva: eAIBase {};
000108 | class eAI_SurvivorF_Naomi: eAIBase {};
000109 | class eAI_SurvivorF_Baty: eAIBase {};
000110 |
```


0202. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/animalbase.c
Size bytes: 4330
SHA-256: c38d165ceeb046c19b180bf7c0dd7d1f885124f02ed99c6281602c47bb868a43
Decoded as: utf-8-sig
Line count shown: 139
Detected class declarations: 1
  L1: modded class AnimalBase
Detected enum declarations: 0
Detected function/method-like declarations: 12
  L10: void AnimalBase()
  L38: eAICreatureTargetInformation GetTargetInformation()
  L47: override void OnVariablesSynchronized()
  L54: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L65: override void EEKilled(Object killer)
  L72: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L79: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
  L86: override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L99: override bool ModCommandHandlerInside(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L111: override void CommandHandler(float dt, int currentCommandID, bool currentCommandFinished)
  L119: override protected void EOnContact IEntity other, Contact extra)
  L134: void Expansion_SetAirborne(bool state)
```

Full file content

```
000001 | modded class AnimalBase
000002 | {
000003 |     private ref eAICreatureTargetInformation m_TargetInformation = new eAICreatureTargetInformation(this);
000004 |     ref eAIDamageHandler m_eAI_DamageHandler;
000005 |     bool m_Expansion_Airborne;
000006 |     float m_Expansion_AirbornePeakAltitude;
000007 |     bool m_Expansion_IsBigGame;
000008 |     float m_eAI_AttackCooldown;
000009 |
000010 |     void AnimalBase()
000011 |     {
000012 |         if (g_Game.IsServer())
000013 |             m_eAI_DamageHandler = new eAIDamageHandler(this, m_TargetInformation);
000014 |
000015 |         vector minMax[2];
000016 |         float radius;
000017 |
000018 |         //! @note bounding radius returned by ClippingInfo is very inaccurate for animals, so we use collision box to calculate it
000019 |         if (GetCollisionBox(minMax))
000020 |         {
000021 |             float w = minMax[1][0] - minMax[0][0];
000022 |             float h = minMax[1][1] - minMax[0][1];
000023 |             float d = minMax[1][2] - minMax[0][2];
000024 |
000025 |             radius = Math.Sqrt(Math.Pow(w, 2.0) + Math.Pow(h, 2.0) + Math.Pow(d, 2.0)) * 0.5;
000026 |
000027 |             if (radius > 1.3)
000028 |                 m_Expansion_IsBigGame = true;
000029 |         }
000030 |
000031 |         RegisterNetSyncVariableBool("m_TargetInformation.m_ShoryukenHit");
000032 |
000033 |         #ifdef DIAG_DEVELOPER
000034 |             EXTrace.Print(EXTrace.AI, this, "Bounding radius: " + radius + " | Big game: " + m_Expansion_IsBigGame);
000035 |         #endif
```

```
000036 |     }
000037 |
000038 |     eAICreatureTargetInformation GetTargetInformation()
000039 |     {
000040 | #ifdef EAI_TRACE
000041 |     auto trace = CF_Trace_0(this, "GetTargetInformation");
000042 | #endif
000043 |
000044 |     return m_TargetInformation;
000045 | }
000046 |
000047 | override void OnVariablesSynchronized()
000048 | {
000049 |     m_TargetInformation.OnVariablesSynchronized();
000050 |
000051 |     super.OnVariablesSynchronized();
000052 | }
000053 |
000054 | override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000055 | {
000056 |     if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000057 |         return false;
000058 |
000059 |     if (!m_eAI_DamageHandler.OnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000060 |         return false;
000061 |
000062 |     return true;
000063 | }
000064 |
000065 | override void EEKilled(Object killer)
000066 | {
000067 |     m_TargetInformation.OnDeath(killer);
000068 |
000069 |     super.EEKilled(killer);
000070 | }
000071 |
000072 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000073 | {
000074 |     m_TargetInformation.OnHit(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000075 |
000076 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000077 | }
000078 |
000079 | override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000080 | {
000081 |     m_TargetInformation.OnHealthLevelChanged(oldLevel, newLevel, zone);
000082 |
000083 |     super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000084 | }
000085 |
000086 | override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000087 | {
000088 |     if (m_Expansion_Airborne)
000089 |     {
000090 |         float altitude = GetPosition()[1];
000091 |         if (altitude > m_Expansion_AirbornePeakAltitude)
000092 |             m_Expansion_AirbornePeakAltitude = altitude;
000093 |         return false;
000094 |     }
000095 | }
```

```
000096 |         return super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished);
000097 |     }
000098 |
000099 |     override bool ModCommandHandlerInside(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000100 |     {
000101 |         if (super.ModCommandHandlerInside(pDt, pCurrentCommandID, pCurrentCommandFinished))
000102 |             return true;
000103 |
000104 |         DayZAnimalInputController inputController = GetInputController();
000105 |         if (inputController.IsAttack())
000106 |             m_eAI_AttackCooldown = 0.500001; //!< Just above EVADE_COOLDOWN
000107 |
000108 |         return false;
000109 |     }
000110 |
000111 |     override void CommandHandler(float dt, int currentCommandID, bool currentCommandFinished)
000112 |     {
000113 |         if (m_eAI_AttackCooldown > 0)
000114 |             m_eAI_AttackCooldown -= dt;
000115 |
000116 |         super.CommandHandler(dt, currentCommandID, currentCommandFinished);
000117 |     }
000118 |
000119 |     override protected void EOnContact(IEntity other, Contact extra)
000120 |     {
000121 |         if (!IsAlive() || !m_Expansion_Airborne || m_Expansion_AirbornePeakAltitude == 0)
000122 |             return;
000123 |
000124 |         float falldmg = (m_Expansion_AirbornePeakAltitude - GetPosition()[1]) * 0.333333;
000125 |
000126 |         EXTrace.Print(EXTrace.AI, this, "::EOnContact falldmg " + falldmg);
000127 |
000128 |         m_Expansion_Airborne = false;
000129 |         m_Expansion_AirbornePeakAltitude = 0.0;
000130 |
000131 |         ProcessDirectDamage(DT_CUSTOM, this, "Zone_Belly", "FallDamageHealth", "0 0 0", falldmg);
000132 |     }
000133 |
000134 |     void Expansion_SetAirborne(bool state)
000135 |     {
000136 |         m_Expansion_Airborne = state;
000137 |     }
000138 | };
000139 |
```

0203. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/buildingbase.c
Size bytes: 12230
SHA-256: 3de4e56f5710b4b7d4896bb8d03a6d0e72c1547a113fc336304f9971269cf20e
Decoded as: utf-8-sig
Line count shown: 443
Detected class declarations: 3
  L1: class ExpansionLadder
  L47: modded class BuildingBase
  L440: modded class House
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L16: void ExpansionLadder(string name, int index, string type)
  L23: static void InsertVertex(vector vertex, inout vector target[2], inout int count)
  L60: void BuildingBase()
  L66: override void DeferredInit()
  L160: else if (type.IndexOf(preventClimb) >= 0)
  L168: override void EEOnCECreate()
  L175: override void AfterStoreLoad()
  L183: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L191: eAIDoorTargetInformation eAI_GetDoorTargetInformation(int doorIndex, vector position)
  L206: float eAI_GetDoorAnimationTime(int doorIndex)
  L236: vector eAI_GetRoamingPosition(vector position)
  L258: bool Expansion_IsEnterable()
  L281: bool Expansion_IsWreck()
  L291: bool Expansion_IsUndergroundEntrance()
  L297: int Expansion_GetLaddersCount()
  L354: else if (name.Length() > 6)

```

Full file content

```

000001 | class ExpansionLadder
000002 | {
000003 |     string m_Name;
000004 |     int m_Index;
000005 |     string m_Type;
000006 |     //int m_PosCount;
000007 |     int m_ConCount;
000008 |     int m_ConDirCount;
000009 |     //vector m_Pos[2];
000010 |     vector m_Con[2];
000011 |     vector m_ConDir[2];
000012 |     //vector m_Btm;
000013 |     //vector m_Top;
000014 |     //vector m_Dir;
000015 |
000016 |     void ExpansionLadder(string name, int index, string type)
000017 |     {
000018 |         m_Name = name;
000019 |         m_Index = index;
000020 |         m_Type = type;
000021 |     }
000022 |
000023 |     static void InsertVertex(vector vertex, inout vector target[2], inout int count)
000024 |     {
000025 |         if (count == 0)
000026 |         {
000027 |             target[count++] = vertex;
000028 |         }
000029 |         else

```

```
000030 |     {
000031 |         vector v0 = target[0];
000032 |
000033 |         if (vertex[1] < v0[1])
000034 |         {
000035 |             target[0] = vertex;
000036 |             target[1] = v0;
000037 |         }
000038 |         else
000039 |         {
000040 |             target[1] = vertex;
000041 |         }
000042 |     }
000043 | }
000044 | }
000045 |
000046 | [eAIRegisterDynamicPatrolSpawner(BuildingBase)]
000047 | modded class BuildingBase
000048 | {
000049 |     static ref TStringArray s_eAI_PreventClimb;
000050 |     static ref map<string, ref map<int, ref ExpansionLadder>> s_Expansion_BuildingsWithLadders = new map<string, ref map<int, ref ExpansionLadder>>;
000051 |
000052 |     ref eAIDynamicPatrolSpawner<BuildingBase> m_eAI_DynamicPatrolSpawner;
000053 |     ref map<int, int> m_eAI_LastDoorInteractionTime = new map<int, int>;
000054 |     ref map<int, ref eAIDoorTargetInformation> m_eAI_DoorTargetInformation;
000055 |     bool m_eAI_PreventClimb;
000056 |     ref map<int, float> m_eAI_DoorAnimationTime;
000057 |     ref map<int, ref ExpansionLadder> m_Expansion_Ladders;
000058 |     int m_Expansion_LaddersCount = -1;
000059 |
000060 |     void BuildingBase()
000061 |     {
000062 |         if (g_Game.IsServer())
000063 |             m_eAI_DynamicPatrolSpawner = new eAIDynamicPatrolSpawner<BuildingBase>(this);
000064 |     }
000065 |
000066 |     override void DeferredInit()
000067 |     {
000068 |         super.DeferredInit();
000069 |
000070 |         if (!g_Game.IsServer())
000071 |             return;
000072 |
000073 |         ///! Do not init patrols on CrashBase unless created by CE (EEOnCECreate/AfterStoreLoad will take care of init in that case)
000074 |         if (!IsInherited(CrashBase) && m_eAI_DynamicPatrolSpawner)
000075 |         {
000076 |             m_eAI_DynamicPatrolSpawner.Init();
000077 |         }
000078 |
000079 |         if (!s_eAI_PreventClimb)
000080 |         {
000081 |             ///! Hardcoded defaults (AI will vault those buildings' edges otherwise or climb on ledges unnecessarily)
000082 |             ///! Entries ending with $ will match to end, others can match anywhere
000083 |             ///! "foo_bar" will match "foo_bar", "xyz_foo_bar_baz" etc.
000084 |             ///! "foo_bar$" will match "foo_bar", "xyz_foo_bar", but not "foo_bar_baz" etc.
000085 |             s_eAI_PreventClimb = {
000086 |                 "land_boat_", ///! Sakhal, pathfinding won't find a path off the boat
000087 |                 "land_busstop",
000088 |                 "land_camp_house",
000089 |                 "land_castle_bergfrit",
000090 |                 //"land_cementworks",
000091 |                 "land_city_firestation",
```

```
000092 |         "land_city_stand",
000093 |         "land_container",
000094 |         "land_dieselpowerplant_tank_big",
000095 |         //"land_farm_cowsheda",
000096 |         //"land_farm_cowshedb",
000097 |         //"land_farm_cowshedc",
000098 |         "land_garage",
000099 |         //"land_geoplant_coolingstack", /// Sakhal
000100 |         //"land_geoplant_mainhall_right", /// Sakhal
000101 |         "land_guardhouse",
000102 |         "land_house",
000103 |         "land_lighthouse",
000104 |         "land_misc_polytunnel",
000105 |         "land_misc_greenhouse",
000106 |         "land_misc_trailroof",
000107 |         "land_mil_airfield_hq",
000108 |         "land_mil_atc",
000109 |         "land_mil_barracks",
000110 |         "land_mil_camonet_roof",
000111 |         "land_mil_firestation",
000112 |         "land_mil_guardbox",
000113 |         "land_mil_guardhouse",
000114 |         "land_mil_guardshed",
000115 |         "land_mil_tent",
000116 |         "land_office1",
000117 |         "land_office2",
000118 |         "land_pier_crane2_base", /// Sakhal
000119 |         "land_rail_station",
000120 |         "land_shed",
000121 |         "land_slum_house2",
000122 |         "land_slum_house6",
000123 |         "land_tank_big3", /// Sakhal
000124 |         "land_tenement",
000125 |         "land_train_wagon_box", /// Pathfinding won't find a path out of the wagon, that's the only reason it's excluded
000126 |         "land_village_healthcare",
000127 |         "land_village_store",
000128 |         "land_wall_fenforest_gate",
000129 |         "land_wall_gate_feng$",
000130 |         "land_wall_gate_feng_open$",
000131 |         "land_wall_gate_fenr$",
000132 |         "land_wall_gate_fenr_open$",
000133 |         "land_wall_gate_opendam",
000134 |         "land_wall_gate_wood",
000135 |         "land_warheadstorage_entrance", /// Sakhal
000136 |         "land_water_station",
000137 |         "land_workshop",
000138 |         "sign"
000139 |     };
000140 |
000141 |     s_eAI_PreventClimb.InsertAll(GetExpansionSettings().GetAI().PreventClimb);
000142 | }
000143 |
000144 | string type = GetType();
000145 | type.ToLower();
000146 | int len = type.Length();
000147 | foreach (string preventClimb: s_eAI_PreventClimb)
000148 | {
000149 |     int lastChar = preventClimb.Length() - 1;
000150 |     if (preventClimb[lastChar] == "$")
000151 |     {
000152 |         preventClimb = preventClimb.Substring(0, lastChar);
000153 |         int index = preventClimb.IndexOf(type);
```

```
000154 |         if (index > -1 && index == preventClimb.Length() - len)
000155 |         {
000156 |             m_eAI_PreventClimb = true;
000157 |             break;
000158 |         }
000159 |     }
000160 |     else if (type.IndexOf(preventClimb) >= 0)
000161 |     {
000162 |         m_eAI_PreventClimb = true;
000163 |         break;
000164 |     }
000165 | }
000166 | }
000167 |
000168 | override void EEOnCECreate()
000169 | {
000170 |     super.EEOnCECreate();
000171 |
000172 |     m_eAI_DynamicPatrolSpawner.Init();
000173 | }
000174 |
000175 | override void AfterStoreLoad()
000176 | {
000177 |     super.AfterStoreLoad();
000178 |
000179 |     m_eAI_DynamicPatrolSpawner.Init();
000180 | }
000181 |
000182 | #ifdef DIAG_DEVELOPER
000183 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000184 | {
000185 |     EXTrace.PrintHit(EXTrace.AI, this, "EEHitBy", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000186 |
000187 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000188 | }
000189 | #endif
000190 |
000191 | eAIDoorTargetInformation eAI_GetDoorTargetInformation(int doorIndex, vector position)
000192 | {
000193 |     if (!m_eAI_DoorTargetInformation)
000194 |         m_eAI_DoorTargetInformation = new map<int, ref eAIDoorTargetInformation>;
000195 |
000196 |     eAIDoorTargetInformation info;
000197 |     if (!m_eAI_DoorTargetInformation.Find(doorIndex, info))
000198 |     {
000199 |         info = new eAIDoorTargetInformation(this, doorIndex, position);
000200 |         m_eAI_DoorTargetInformation[doorIndex] = info;
000201 |     }
000202 |
000203 |     return info;
000204 | }
000205 |
000206 | float eAI_GetDoorAnimationTime(int doorIndex)
000207 | {
000208 |     float time;
000209 |
000210 |     if (!m_eAI_DoorAnimationTime)
000211 |         m_eAI_DoorAnimationTime = new map<int, float>;
000212 |
000213 |     if (!m_eAI_DoorAnimationTime.Find(doorIndex, time))
000214 |     {
```

```
000215 |         string path = CFG_VEHICLESPATH + " " + GetType() + " Doors";
000216 |         int count = g_Game.ConfigGetChildrenCount(path);
000217 |
000218 |         if (doorIndex < count)
000219 |         {
000220 |             string name;
000221 |             g_Game.ConfigGetChildName(path, doorIndex, name);
000222 |             time = g_Game.ConfigGetFloat(path + " " + name + " animPeriod");
000223 |             #ifdef DIAG_DEVELOPER
000224 |                 EXTrace.Print(EXTrace.AI, this, "eAI_GetDoorAnimationTime(" + doorIndex + ") " + GetType() + " Doors " + name + " animPeriod " + time);
000225 |             #endif
000226 |         }
000227 |
000228 |         time = Math.Max(time, 1.0);
000229 |
000230 |         m_eAI_DoorAnimationTime[doorIndex] = time;
000231 |     }
000232 |
000233 |     return time;
000234 | }
000235 |
000236 | vector eAI_GetRoamingPosition(vector position)
000237 | {
000238 |     vector destinationPosition = GetPosition();
000239 |
000240 |     vector minMax[2];
000241 |     if (!Expansion_IsEnterable() && GetCollisionBox(minMax))
000242 |     {
000243 |         minMax[0][1] = 0.0;
000244 |         minMax[1][1] = 0.0;
000245 |         float extension = vector.Distance(minMax[0], minMax[1]) * 0.5 + 1.0;
000246 |
000247 |         position[1] = destinationPosition[1];
000248 |         vector dir = vector.Direction(position, destinationPosition);
000249 |         destinationPosition = destinationPosition - dir.Normalized() * extension;
000250 |     }
000251 |
000252 |     return destinationPosition;
000253 | }
000254 |
000255 | /**
000256 |  * @brief If this is a building, return whether it can be entered or not
000257 |  */
000258 | bool Expansion_IsEnterable()
000259 | {
000260 |     ///! If it has no doors, assume not enterable
000261 |     if (GetDoorCount() == 0)
000262 |         return false;
000263 |
000264 |     ///! Ugly to have to hardcode this, but I fail to see a better way
000265 |     string type = GetType();
000266 |     type.ToLower();
000267 |     if (type.IndexOf("land_wreck_") == 0)
000268 |     {
000269 |         if (type.IndexOf("land_wreck_caravan") == 0)
000270 |             return true;
000271 |
000272 |         if (type.IndexOf("land_wreck_v3s") == 0)
000273 |             return true;
000274 |
000275 |         return false;
000276 |     }
}
```



```
000277 |  
000278 |     return true;  
000279 | }  
000280 |  
000281 | bool Expansion_IsWreck()  
000282 | {  
000283 |     string type = GetType();  
000284 |     type.ToLower();  
000285 |     if (type.IndexOf("land_wreck_") == 0)  
000286 |         return true;  
000287 |  
000288 |     return false;  
000289 | }  
000290 |  
000291 | bool Expansion_IsUndergroundEntrance()  
000292 | {  
000293 |     return false;  
000294 | }  
000295 |  
000296 | //! Vanilla GetLaddersCount seems to always return 0?  
000297 | int Expansion_GetLaddersCount()  
000298 | {  
000299 |     if (m_Expansion_LaddersCount != -1)  
000300 |         return m_Expansion_LaddersCount;  
000301 |  
000302 |     string type = GetType();  
000303 |     if (s_Expansion_BuildingsWithLadders.Find(type, m_Expansion_Ladders))  
000304 |     {  
000305 |         m_Expansion_LaddersCount = m_Expansion_Ladders.Count();  
000306 |         return m_Expansion_LaddersCount;  
000307 |     }  
000308 |  
000309 | #ifdef EXTRACE_DIAG  
000310 |     auto trace = EXTrace.Start(EXTrace.AI, this, type);  
000311 | #endif  
000312 |  
000313 |     m_Expansion_Ladders = new map<int, ref ExpansionLadder>;  
000314 |     s_Expansion_BuildingsWithLadders[type] = m_Expansion_Ladders;  
000315 |     m_Expansion_LaddersCount = 0;  
000316 |  
000317 |     int i;  
000318 |  
000319 |     LOD memory = GetLODByName(LOD.NAME_MEMORY);  
000320 |     if (memory)  
000321 |     {  
000322 |         array<Selection> selections = {};  
000323 |         if (memory.GetSelections(selections))  
000324 |         {  
000325 |             LOD geometry = GetLODByName(LOD.NAME_GEOMETRY);  
000326 |             string ladderType = "metal";  
000327 |  
000328 |             for (i = 0; i < geometry.GetPropertyCount(); i++)  
000329 |             {  
000330 |                 if (geometry.GetPropertyName(i) == "laddertype")  
000331 |                 {  
000332 |                     ladderType = geometry.GetPropertyValue(i);  
000333 |                     break;  
000334 |                 }  
000335 |             }  
000336 |  
000337 |             ExpansionLadder currentLadder;  
000338 |
```

```

000339 |         foreach (Selection selection: selections)
000340 |         {
000341 |             string name = selection.GetName();
000342 |
000343 |             if (name.IndexOf("ladder") == 0)
000344 |             {
000345 |                 string ladderName;
000346 |                 int ladderIndex = -1;
000347 |
000348 |                 int underscoreIndex = name.IndexOf("_");
000349 |                 if (underscoreIndex > 6)
000350 |                 {
000351 |                     ladderName = name.Substring(0, underscoreIndex);
000352 |                     ladderIndex = name.Substring(6, underscoreIndex - 6).ToInt();
000353 |                 }
000354 |                 else if (name.Length() > 6)
000355 |                 {
000356 |                     ladderName = name;
000357 |                     ladderIndex = name.Substring(6, name.Length() - 6).ToInt();
000358 |                 }
000359 |
000360 |                 if (ladderIndex > -1)
000361 |                 {
000362 |                     if (!m_Expansion_Ladders.Find(ladderIndex, currentLadder))
000363 |                     {
000364 |                         currentLadder = new ExpansionLadder(ladderName, ladderIndex, ladderType);
000365 |                         m_Expansion_Ladders[ladderIndex] = currentLadder;
000366 |
000367 |                         #ifdef DIAG_DEVELOPER
000368 |                             EXTrace.Print(EXTrace.AI, this, ladderName);
000369 |                             EXTrace.Print(EXTrace.AI, this, " index " + ladderIndex);
000370 |                         #endif
000371 |                     }
000372 |
000373 |                     #ifdef DIAG_DEVELOPER
000374 |                         EXTrace.Print(EXTrace.AI, this, " " + name);
000375 |                     #endif
000376 |
000377 |                     int vertexCount = selection.GetVertexCount();
000378 |                     for (i = 0; i < vertexCount; i++)
000379 |                     {
000380 |                         int vertexIndex = selection.GetLODVertexIndex(i);
000381 |                         if (vertexIndex > -1)
000382 |                         {
000383 |                             vector vertex = memory.GetVertexPosition(vertexIndex);
000384 |
000385 |                             switch (name)
000386 |                             {
000387 |                                 //case ladderName:
000388 |                                     //currentLadder.InsertVertex(vertex, currentLadder.m_Pos, currentLadder.m_PosCount);
000389 |                                     //break;
000390 |                                 //case ladderName + "_bottom_front":
000391 |                                     //currentLadder.m_Btm = vertex;
000392 |                                     //break;
000393 |                                 //case ladderName + "_top_front":
000394 |                                     //currentLadder.m_Top = vertex;
000395 |                                     //break;
000396 |                                 case ladderName + "_con":
000397 |                                     currentLadder.InsertVertex(vertex, currentLadder.m_Con, currentLadder.m_ConCount);
000398 |                                     break;
000399 |                                 case ladderName + "_con_dir":
000400 |                                     currentLadder.InsertVertex(vertex, currentLadder.m_ConDir, currentLadder.m_ConDirCount);

```

```
000401 |         break;
000402 |         //case ladderName + "_dir":
000403 |         //currentLadder.m_Dir = vertex;
000404 |         //break;
000405 |     }
000406 |
000407 |     #ifdef DIAG_DEVELOPER
000408 |     EXTrace.Print(EXTrace.AI, this, " vertex " + vertex);
000409 |     #endif
000410 |     }
000411 | }
000412 | }
000413 | }
000414 | }
000415 |
000416 | #ifdef DIAG_DEVELOPER
000417 |     foreach (ExpansionLadder ladder: m_Expansion_Ladders)
000418 |     {
000419 |         EXTrace.Print(EXTrace.AI, this, ladder.m_Name);
000420 |         EXTrace.Print(EXTrace.AI, this, " index " + ladder.m_Index);
000421 |         EXTrace.Print(EXTrace.AI, this, " type " + ladder.m_Type);
000422 |         EXTrace.Print(EXTrace.AI, this, " con[0] " + ladder.m_Con[0]);
000423 |         EXTrace.Print(EXTrace.AI, this, " con[1] " + ladder.m_Con[1]);
000424 |         EXTrace.Print(EXTrace.AI, this, " con_dir[0] " + ladder.m_ConDir[0]);
000425 |         EXTrace.Print(EXTrace.AI, this, " con_dir[1] " + ladder.m_ConDir[1]);
000426 |     }
000427 | #endif
000428 |
000429 |     m_Expansion_LaddersCount = m_Expansion_Ladders.Count();
000430 | }
000431 | }
000432 |
000433 |     return m_Expansion_LaddersCount;
000434 | }
000435 | };
000436 |
000437 | ///! Bit annoying to have to do this, it's just for error checking of AI patrol settings which uses IsKindOf
000438 | ///! and BuildingBase is not an rvConfig type...
000439 | [eAIRegisterDynamicPatrolSpawner(House)]
000440 | modded class House
000441 | {
000442 | };
000443 |
```

0204. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/crashbase.c

Size bytes: 221

SHA-256: 8d56311a31750416bb864734dc31660bfb3dfc25bb3387ccef779ab12fe8a3e4

Decoded as: utf-8-sig

Line count shown: 7

Detected class declarations: 1

 L1: modded class CrashBase

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | modded class CrashBase
000002 | {
000003 |     static ref CF_DoublyLinkedNodes_WeakRef<CrashBase> s_Expansion_HeliCrashes = new CF_DoublyLinkedNodes_WeakRef<CrashBase>();
000004 |
000005 |     ref CF_DoublyLinkedNode_WeakRef<CrashBase> m_Expansion_Node;
000006 | }
000007 |
```

0205. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/underground/land_underground_entrancebase.c

Size bytes: 124

SHA-256: 7a1cac7a282c62a02e5cb300a227110fbf725af228fcc28d33d7ae9f07f14cf9

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: modded class Land_Underground_EntranceBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override bool Expansion_IsUndergroundEntrance()

Full file content

```
000001 | modded class Land_Underground_EntranceBase
000002 | {
000003 |     override bool Expansion_IsUndergroundEntrance()
000004 |     {
000005 |         return true;
000006 |     }
000007 | }
000008 |
```

0206. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_mi8.c

Size bytes: 478

SHA-256: e34da9867316b1bbd8473733b7b568201d0d28cb7a0d7852c268e185321788ff

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L1: modded class Wreck_Mi8_Crashed

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: override void EEOnCECreate()

L10: override void AfterStoreLoad()

L17: void ~Wreck_Mi8_Crashed()

Full file content

```
000001 | modded class Wreck_Mi8_Crashed
000002 | {
000003 |     override void EEOnCECreate()
000004 |     {
000005 |         super.EEOnCECreate();
000006 |
000007 |         m_Expansion_Node = s_Expansion_HeliCrashes.Add(this);
000008 |     }
000009 |
000010 |     override void AfterStoreLoad()
000011 |     {
000012 |         super.AfterStoreLoad();
000013 |
000014 |         m_Expansion_Node = s_Expansion_HeliCrashes.Add(this);
000015 |     }
000016 |
000017 |     void ~Wreck_Mi8_Crashed()
000018 |     {
000019 |         #ifndef DIAG_DEVELOPER
000020 |             if (!g_Game)
000021 |                 return;
000022 |         #endif
000023 |
000024 |         if (s_Expansion_HeliCrashes)
000025 |             s_Expansion_HeliCrashes.Remove(m_Expansion_Node);
000026 |     }
000027 | }
000028 |
```

0207. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_santassleigh.c
Size bytes: 480
SHA-256: 28b2b192a48fd92e2b326bde1392babe11f93fb43db8cb6074cafab5f49b4901
Decoded as: utf-8-sig
Line count shown: 28
Detected class declarations: 1
 L1: modded class Wreck_SantasSleigh
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L3: override void EEOnCECreate()
 L10: override void AfterStoreLoad()
 L17: void ~Wreck_SantasSleigh()

Full file content

```
000001 | modded class Wreck_SantasSleigh
000002 | {
000003 |     override void EEOnCECreate()
000004 |     {
000005 |         super.EEOnCECreate();
000006 |
000007 |         m_Expansion_Node = s_Expansion_HeliCrashes.Add(this);
000008 |     }
000009 |
000010 |     override void AfterStoreLoad()
000011 |     {
000012 |         super.AfterStoreLoad();
000013 |
000014 |         m_Expansion_Node = s_Expansion_HeliCrashes.Add(this);
000015 |     }
000016 |
000017 |     void ~Wreck_SantasSleigh()
000018 |     {
000019 |         #ifndef DIAG_DEVELOPER
000020 |             if (!g_Game)
000021 |                 return;
000022 |         #endif
000023 |
000024 |         if (s_Expansion_HeliCrashes)
000025 |             s_Expansion_HeliCrashes.Remove(m_Expansion_Node);
000026 |     }
000027 | }
000028 |
```

0208. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/buildings/wrecks/wreck_uhly.c

Size bytes: 464

SHA-256: ee94a825b82d6767ac9eb9f343cd9e78b140e27d1030e7d12104ae823d085ae0

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L1: modded class Wreck_UH1Y

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: override void EEOnCECreate()

L10: override void AfterStoreLoad()

L17: void ~Wreck_UH1Y()

Full file content

```
000001 | modded class Wreck_UH1Y
000002 | {
000003 |     override void EEOnCECreate()
000004 |     {
000005 |         super.EEOnCECreate();
000006 |
000007 |         m_Expansion_Node = s_Expansion_HeliCrashes.Add(this);
000008 |     }
000009 |
000010 |     override void AfterStoreLoad()
000011 |     {
000012 |         super.AfterStoreLoad();
000013 |
000014 |         m_Expansion_Node = s_Expansion_HeliCrashes.Add(this);
000015 |     }
000016 |
000017 |     void ~Wreck_UH1Y()
000018 |     {
000019 |         #ifndef DIAG_DEVELOPER
000020 |             if (!g_Game)
000021 |                 return;
000022 |         #endif
000023 |
000024 |         if (s_Expansion_HeliCrashes)
000025 |             s_Expansion_HeliCrashes.Remove(m_Expansion_Node);
000026 |     }
000027 | }
000028 |
```


0209. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/carscript.c

Size bytes: 3341

SHA-256: 55c75e8c445c9806c40dfe3e72ebce310e32820395aa08f9da585037f081e781

Decoded as: utf-8-sig

Line count shown: 116

Detected class declarations: 1

L1: modded class CarScript

Detected enum declarations: 0

Detected function/method-like declarations: 7

L6: void CarScript()

L12: eAIVehicleTargetInformation GetTargetInformation()

L21: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am

L32: override void EEKilled(Object killer)

L39: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo

L51: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)

L58: override void OnInput(float dt)

Full file content

```
000001 | modded class CarScript
000002 | {
000003 |     private ref eAIVehicleTargetInformation m_TargetInformation = new eAIVehicleTargetInformation(this);
000004 |     ref eAIDamageHandler m_eAI_DamageHandler;
000005 |
000006 |     void CarScript()
000007 |     {
000008 |         if (g_Game.IsServer())
000009 |             m_eAI_DamageHandler = new eAIDamageHandler(this, m_TargetInformation);
000010 |     }
000011 |
000012 |     eAIVehicleTargetInformation GetTargetInformation()
000013 |     {
000014 | #ifdef EAI_TRACE
000015 |         auto trace = CF_Trace_0(this, "GetTargetInformation");
000016 | #endif
000017 |
000018 |         return m_TargetInformation;
000019 |     }
000020 |
000021 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
s, float speedCoef)
000022 |     {
000023 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000024 |             return false;
000025 |
000026 |         if (!m_eAI_DamageHandler.OnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000027 |             return false;
000028 |
000029 |         return true;
000030 |     }
000031 |
000032 |     override void EEKilled(Object killer)
000033 |     {
000034 |         m_TargetInformation.OnDeath(killer);
000035 |
000036 |         super.EEKilled(killer);
000037 |     }
000038 |
000039 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float spee
```

```
dCoef)
000040 | {
000041 |     #ifdef DIAG_DEVELOPER
000042 |         if (ammo != "EnviroDmg")
000043 |             EXTrace.PrintHit(EXTrace.AI, this, "EEHitBy", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000044 |     #endif
000045 |
000046 |     m_TargetInformation.OnHit(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000047 |
000048 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000049 | }
000050 |
000051 | override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000052 | {
000053 |     m_TargetInformation.OnHealthLevelChanged(oldLevel, newLevel, zone);
000054 |
000055 |     super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000056 | }
000057 |
000058 | override void OnInput(float dt)
000059 | {
000060 |     super.OnInput(dt);
000061 |
000062 |     eAIBase driver;
000063 |     if (!Class.CastTo(driver, CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER)))
000064 |     {
000065 |         return;
000066 |     }
000067 |
000068 |     SetBrake(1);
000069 |     SetHandbrake(1);
000070 |
000071 |     if (!EngineIsOn())
000072 |     {
000073 |         EngineStart();
000074 |         return;
000075 |     }
000076 |
000077 |     vector position = GetPosition();
000078 |     vector direction = GetDirection();
000079 |
000080 |     vector wayPoint = position;
000081 |     bool isFinal = driver.m_PathFinding.GetNext(wayPoint);
000082 |
000083 |     vector pathDir2D = vector.Direction(position, Vector(wayPoint[0], position[1], wayPoint[2]));
000084 |     float distance = pathDir2D.Normalize();
000085 |
000086 |     float turn = vector.Dot(direction, pathDir2D);
000087 |
000088 |     CarGear gear = CarGear.FIRST;
000089 |
000090 |     if (turn < 0)
000091 |     {
000092 |         turn = -turn;
000093 |
000094 |         gear = CarGear.REVERSE;
000095 |     }
000096 |
000097 |     float steering = Math3D.AngleFromPosition(position, GetDirection(), wayPoint) / Math.PI;
000098 |
000099 |     float rpmCoef = ExpansionMath.LinearConversion(0.0, EngineGetRPMRedline(), EngineGetRPM(), 1.0, 0.0);
000100 |     float turnCoef = Math.Max(turn, 0.1);
```

```
000101 | float speedCoef = ExpansionMath.LinearConversion(0.0, 50.0, GetSpeedometerAbsolute(), 1.0, 0.0);
000102 | float distanceCoef = ExpansionMath.LinearConversion(0.0, 50.0, distance, 0.0, 1.0);
000103 |
000104 | float throttle = turnCoef * speedCoef * distanceCoef * rpmCoef;
000105 | float brake = (1.0 - speedCoef) * (1.0 - distanceCoef);
000106 |
000107 | SetSteering(steering);
000108 | SetThrottle(throttle);
000109 | SetBrake(brake);
000110 |
000111 | ShiftTo(gear);
000112 |
000113 | SetHandbrake(0);
000114 | }
000115 | };
000116 |
```

0210. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/carscript_zombietargeting.c
Size bytes: 732
SHA-256: bcbaee762ef6401eb1ea055c5e4b3d5efaf09fc80a5b733b0a2a03197044e94d
Decoded as: utf-8-sig
Line count shown: 30
Detected class declarations: 1
 L1: modded class CarScript
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override bool CanBeTargetedByAI(EntityAI ai)

Full file content

```
000001 | modded class CarScript
000002 | {
000003 |     override bool CanBeTargetedByAI(EntityAI ai)
000004 |     {
000005 |         if (!super.CanBeTargetedByAI(ai))
000006 |             return false;
000007 |
000008 |         ZombieBase zombie;
000009 |         if (Class.CastTo(zombie, ai) && zombie.GetExpansionInfectedType())
000010 |         {
000011 |             for (int i = 0; i < CrewSize(); ++i)
000012 |             {
000013 |                 PlayerBase pb;
000014 |                 if (Class.CastTo(pb, CrewMember(i)))
000015 |                 {
000016 |                     ///! Allow targeting vehicle if a targetable player is inside
000017 |                     if (pb.Expansion_OverrideIsInVehicle_CanBeTargetedByAI(ai))
000018 |                         return true;
000019 |                 }
000020 |             }
000021 |
000022 |             ///! Disallow targeting vehicle if no targetable player inside and velocity is below 1 km/h
000023 |             if (dBodyIsActive(this) && GetVelocity(this).LengthSq() < 0.277778)
000024 |                 return false;
000025 |         }
000026 |
000027 |         return true;
000028 |     }
000029 | }
000030 |
```

0211. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/dayzplayerimplement.c
Size bytes: 19168
SHA-256: 0c64d5549c281a2705e9b213f483e6b53ffed641694df0df00bef661ada645d0
Decoded as: utf-8-sig
Line count shown: 694
Detected class declarations: 1
  L1: modded class DayZPlayerImplement
Detected enum declarations: 0
Detected function/method-like declarations: 46
  L51: void DayZPlayerImplement()
  L57: void ~DayZPlayerImplement()
  L70: override void Expansion_Init()
  L95: override bool CanBeTargetedByAI(EntityAI ai)
  L106: eAIPlayerTargetInformation GetTargetInformation()
  L115: bool IsAI()
  L124: override bool Expansion_IsAI()
  L126: return IsAI();
  L129: override int Expansion_GetEntityStorageAdditionalDataVersion()
  L134: override void Expansion_OnEntityStorageAdditionalDataSave(ParamsWriteContext ctx)
  L141: override bool Expansion_OnEntityStorageAdditionalDataLoad(ParamsWriteContext ctx, int version)
  L165: void SetGroup(eAIGroup group, bool autoDeleteFormerGroupIfEmpty = true, int groupMemberIndex = -1)
  L213: else if (m_eAI_FactionTypeID != -1)
  L222: void eAI_DeletePersistentFiles()
  L234: eAIGroup GetGroup()
  L243: void Expansion_SetFormerGroup(eAIGroup group)
  L248: eAIGroup Expansion_GetFormerGroup()
  L253: int GetGroupID()
  L262: void SetGroupMemberIndex(int index)
  L275: void eAI_SetFactionTypeID(int id)
  L291: void eAI_OnFactionChange(int oldFactionTypeID, int newFactionTypeID)
  L295: int eAI_GetFactionTypeID()
  L300: override void OnVariablesSynchronized()
  L318: else if (m_eAI_Group && m_eAI_Group.GetID() != m_eAI_GroupID)
  L330: else if (m_eAI_GroupID != -1 && !m_eAI_Group)
  L340: else if (m_eAI_Group && m_eAI_GroupMemberIndexSynch != m_eAI_GroupMemberIndex)
  L372: void eAI_SetPassive(bool state = true)
  L377: bool eAI_IsPassive()
  L386: bool eAI_IsSideSteppingObstacles()
  L391: bool eAI_IsLit()
  L396: override bool Expansion_CanBeDamaged(string ammo = string.Empty)
  L407: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L419: Hive GetHive()
  L428: return Expansion_GlobalGetHive();
  L431: override void EEKilled(Object killer)
  L450: protected void eAI_Cleanup(bool autoDeleteGroup = false)
  L472: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L549: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
  L560: bool eAI_UpdateAgressionTimeout(int timeThreshold)
  L580: int eAI_GetLastAggressionCooldown()
  L589: void eAI_ResetLastAggressionTimeout()
  L595: override void AddNoise(NoiseParams noisePar, float noiseMultiplier = 1.0)
  L647: void eAI_AttenuateSoundIfNecessary(SoundObject soundObject)
  L654: void AddShape(Shape shape)
  L660: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L675: SHumanCommandClimbResult result();

```

Full file content

```
000001 | modded class DayZPlayerImplement
```

```
000002 | {
000003 | #ifdef DIAG_DEVELOPER
000004 |     static int DEBUG_EXPANSION_AI_CLIMB;
000005 |     static bool DEBUG_EXPANSION_AI_VEHICLE;
000006 | #endif
000007 |
000008 |     static bool s_eAI_DebugDamage;
000009 |
000010 |     private ref eAIPlayerTargetInformation m_TargetInformation = new eAIPlayerTargetInformation(this);
000011 |     ref eAIDamageHandler m_eAI_DamageHandler;
000012 |
000013 |     private eAIGroup m_eAI_Group;
000014 |
000015 |     [eAIAttribute<eAIGroup>.Register("m_Expansion_FormerGroup")]
000016 |     private eAIGroup m_Expansion_FormerGroup;
000017 |
000018 |     protected typename m_eAI_FactionType;
000019 |     private int m_eAI_GroupID;
000020 |
000021 |     [eAIAttribute<int>.Register("m_eAI_GroupMemberID")]
000022 |     int m_eAI_GroupMemberID = -1; //!< Only unique within current group
000023 |
000024 |     private int m_eAI_FactionTypeID;
000025 |     private int m_eAI_FactionTypeIDSynch;
000026 |     private int m_eAI_GroupMemberIndex;
000027 |     private int m_eAI_GroupMemberIndexSynch;
000028 |
000029 |     private bool m_eAI_IsPassive;
000030 |
000031 |     int m_eAI_LastAggressionTime;
000032 |     int m_eAI_LastAggressionTimeout;
000033 |
000034 |     float m_eAI_LastHitTime;
000035 |     float m_eAI_LastNoiseTime;
000036 |
000037 |     [eAIAttribute<float>.Register("m_eAI_DamageReceivedMultiplier")]
000038 |     float m_eAI_DamageReceivedMultiplier = 1.0;
000039 |     float m_eAI_HeadshotResistance;
000040 |
000041 |     float m_eAI_AttackCooldown; //!< Melee attack cooldown
000042 |
000043 |     private bool m_eAI_IsBeingDestroyed;
000044 |
000045 | #ifdef DIAG_DEVELOPER
000046 | #ifndef SERVER
000047 |     autoptr array<Shape> m_Expansion_DebugShapes = new array<Shape>();
000048 | #endif
000049 | #endif
000050 |
000051 |     void DayZPlayerImplement()
000052 |     {
000053 |         if (g_Game.IsServer())
000054 |             m_eAI_DamageHandler = new eAIDamageHandler(this, m_TargetInformation);
000055 |     }
000056 |
000057 |     void ~DayZPlayerImplement()
000058 |     {
000059 |         if (!g_Game)
000060 |             return;
000061 |
000062 | #ifdef DIAG_DEVELOPER
000063 |         EXTrace.Print(EXTrace.AI, this, "~DayZPlayerImplement");
```

```
000064 |     #endif
000065 |
000066 |         m_eAI_IsBeingDestroyed = true;
000067 |         eAI_Cleanup(true);
000068 |     }
000069 |
000070 |     override void Expansion_Init()
000071 |     {
000072 | #ifdef EXTRACE_DIAG
000073 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000074 | #endif
000075 |
000076 |         super.Expansion_Init();
000077 |
000078 |         RegisterNetSyncVariableInt("m_eAI_GroupID", -1, int.MAX);
000079 |         RegisterNetSyncVariableInt("m_eAI_FactionTypeIDSynch");
000080 |         RegisterNetSyncVariableInt("m_eAI_GroupMemberIndexSynch", 0, 0xffff);
000081 |
000082 |         m_eAI_GroupID = -1;
000083 |         m_eAI_FactionTypeID = -1;
000084 |
000085 |         if (g_Game.IsServer() && m_eAI_FactionType)
000086 |         {
000087 |             //! @note w/o the cast to eAIFaction, the compiler warns about unsafe downcasting.
000088 |             //! Of course the compiler is wrong, because we're casting up, not down, so this cast here is just there to satisfy compiler shortcomings.
000089 |             //! Yes I wrote this comment for the sole reason that I'm annoyed by this.
000090 |             SetGroup(eAIGroup.CreateGroup(eAIFaction.Cast(m_eAI_FactionType.Spawn())));
000091 |         }
000092 |     }
000093 |
000094 |     //! Vanilla, can this AI be targeted by Zs/Animals?
000095 |     override bool CanBeTargetedByAI(EntityAI ai)
000096 |     {
000097 |         if (!super.CanBeTargetedByAI(ai))
000098 |             return false;
000099 |
000100 |         if (GetGroup())
000101 |             return !GetGroup().GetFaction().IsFriendlyEntity(ai, this);
000102 |
000103 |         return true;
000104 |     }
000105 |
000106 |     eAIPlayerTargetInformation GetTargetInformation()
000107 |     {
000108 | #ifdef EAI_TRACE
000109 |         auto trace = CF_Trace_0(this, "GetTargetInformation");
000110 | #endif
000111 |
000112 |         return m_TargetInformation;
000113 |     }
000114 |
000115 |     bool IsAI()
000116 |     {
000117 | #ifdef EAI_TRACE
000118 |         auto trace = CF_Trace_0(this, "IsAI");
000119 | #endif
000120 |
000121 |         return false;
000122 |     }
000123 |
000124 |     override bool Expansion_IsAI()
000125 |     {
```

```
000126 |         return IsAI();
000127 |     }
000128 |
000129 |     override int Expansion_GetEntityStorageAdditionalDataVersion()
000130 |     {
000131 |         return 1;
000132 |     }
000133 |
000134 |     override void Expansion_OnEntityStorageAdditionalDataSave(ParamsWriteContext ctx)
000135 |     {
000136 |         super.Expansion_OnEntityStorageAdditionalDataSave(ctx);
000137 |
000138 |         ctx.Write(m_eAI_FactionTypeID);
000139 |     }
000140 |
000141 |     override bool Expansion_OnEntityStorageAdditionalDataLoad(ParamsWriteContext ctx, int version)
000142 |     {
000143 |         if (!super.Expansion_OnEntityStorageAdditionalDataLoad(ctx, version))
000144 |             return false;
000145 |
000146 |         if (!ctx.Read(m_eAI_FactionTypeID))
000147 |             return false;
000148 |
000149 |         if (!m_eAI_Group || m_eAI_Group.GetFaction().GetTypeID() != m_eAI_FactionTypeID)
000150 |         {
000151 |             eAIFaction faction = eAIFaction.CreateByID(m_eAI_FactionTypeID);
000152 |
000153 |             if (faction)
000154 |             {
000155 |                 if (m_eAI_Group)
000156 |                     m_eAI_Group.SetFaction(faction);
000157 |                 else
000158 |                     eAIGroup.GetGroupByLeader(this, true, faction);
000159 |             }
000160 |         }
000161 |
000162 |         return true;
000163 |     }
000164 |
000165 |     void SetGroup(eAIGroup group, bool autoDeleteFormerGroupIfEmpty = true, int groupMemberIndex = -1)
000166 |     {
000167 | #ifdef TRACE_DIAG
000168 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + group, "" + autoDeleteFormerGroupIfEmpty);
000169 | #endif
000170 |
000171 |         if (!group && Expansion_IsAI())
000172 |         {
000173 |             EXError.Error(this, "Setting AI group to NULL is NOT allowed");
000174 |             return;
000175 |         }
000176 |
000177 |         if (m_eAI_Group == group)
000178 |             return;
000179 |
000180 |         if (m_eAI_Group)
000181 |         {
000182 |             m_eAI_Group.RemoveMember(this, autoDeleteFormerGroupIfEmpty);
000183 |
000184 |             if (IsAI() && m_eAI_Group.m_Persist && m_eAI_Group.m_BaseName)
000185 |                 eAI_DeletePersistentFiles();
000186 |
000187 |             m_eAI_GroupID = -1;
```



```
000188 |         m_eAI_GroupMemberID = -1;
000189 |
000190 |         EXTrace.Print(EXTrace.AI, this, "Current AI group: " + m_eAI_Group);
000191 |         if (!autoDeleteFormerGroupIfEmpty)
000192 |             m_Expansion_FormerGroup = m_eAI_Group;
000193 |     }
000194 |
000195 |     EXTrace.Print(EXTrace.AI, this, "Setting AI group: " + group);
000196 |     m_eAI_Group = group;
000197 |
000198 |     if (m_eAI_Group)
000199 |     {
000200 |         m_eAI_GroupID = m_eAI_Group.GetID();
000201 |         m_eAI_GroupMemberID = m_eAI_Group.m_NextGroupMemberID++;
000202 |         int factionTypeID = m_eAI_Group.GetFaction().GetTypeID();
000203 |         if (factionTypeID != m_eAI_FactionTypeID)
000204 |             eAI_SetFactionTypeID(factionTypeID);
000205 |
000206 |         if (groupMemberIndex == -1)
000207 |             SetGroupMemberIndex(m_eAI_Group.AddMember(this));
000208 |         else
000209 |             m_eAI_Group.SetGroupMemberIndex(this, groupMemberIndex);
000210 |
000211 |         EXTrace.Print(EXTrace.AI, this, "Group ID: " + m_eAI_GroupID);
000212 |     }
000213 |     else if (m_eAI_FactionTypeID != -1)
000214 |     {
000215 |         eAI_SetFactionTypeID(-1);
000216 |     }
000217 |
000218 |     if (g_Game.IsDedicatedServer())
000219 |         SetSynchDirty();
000220 | }
000221 |
000222 | void eAI_DeletePersistentFiles()
000223 | {
000224 |     string path = m_eAI_Group.GetStorageDirectory() + m_eAI_GroupMemberID.ToString();
000225 |
000226 |     string aiDir = path + "\\";
000227 |     ExpansionStatic.DeleteDirectoryStructureRecursive(aiDir, ".bin");
000228 |
000229 |     string aiPath = path + ".bin";
000230 |     if (FileExist(aiPath))
000231 |         DeleteFile(aiPath);
000232 | }
000233 |
000234 | eAIGroup GetGroup()
000235 | {
000236 | #ifdef EAI_TRACE
000237 |     auto trace = CF_Trace_0(this, "GetGroup");
000238 | #endif
000239 |
000240 |     return m_eAI_Group;
000241 | }
000242 |
000243 | void Expansion_SetFormerGroup(eAIGroup group)
000244 | {
000245 |     m_Expansion_FormerGroup = group;
000246 | }
000247 |
000248 | eAIGroup Expansion_GetFormerGroup()
000249 | {
```

```
000250 |         return m_Expansion_FormerGroup;
000251 |     }
000252 |
000253 |     int GetGroupID()
000254 |     {
000255 |     #ifdef EAI_TRACE
000256 |         auto trace = CF_Trace_0(this, "GetGroupID");
000257 |     #endif
000258 |
000259 |         return m_eAI_GroupID;
000260 |     }
000261 |
000262 |     void SetGroupMemberIndex(int index)
000263 |     {
000264 |     #ifdef EAI_TRACE
000265 |         auto trace = CF_Trace_1(this, "SetGroupMemberIndex").Add(index);
000266 |     #endif
000267 |
000268 |         m_eAI_GroupMemberIndex = index;
000269 |         m_eAI_GroupMemberIndexSynch = index;
000270 |
000271 |         if (g_Game.IsDedicatedServer())
000272 |             SetSynchDirty();
000273 |     }
000274 |
000275 |     void eAI_SetFactionTypeID(int id)
000276 |     {
000277 |     #ifdef EXTRACE_DIAG
000278 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + eAIFaction.GetTypeByID(id), "" + id);
000279 |     #endif
000280 |
000281 |         int oldFactionTypeID = m_eAI_FactionTypeID;
000282 |         m_eAI_FactionTypeID = id;
000283 |         m_eAI_FactionTypeIDSynch = id;
000284 |
000285 |         eAI_OnFactionChange(oldFactionTypeID, id);
000286 |
000287 |         if (g_Game.IsDedicatedServer())
000288 |             SetSynchDirty();
000289 |     }
000290 |
000291 |     void eAI_OnFactionChange(int oldFactionTypeID, int newFactionTypeID)
000292 |     {
000293 |     }
000294 |
000295 |     int eAI_GetFactionTypeID()
000296 |     {
000297 |         return m_eAI_FactionTypeID;
000298 |     }
000299 |
000300 |     override void OnVariablesSynchronized()
000301 |     {
000302 |         m_TargetInformation.OnVariablesSynchronized();
000303 |
000304 |         super.OnVariablesSynchronized();
000305 |
000306 |         if (m_eAI_GroupID == -1 && m_eAI_Group)
000307 |         {
000308 |             //! @note this is only ever to be used for players, not AI! AI may NEVER not have a group!
000309 |
000310 |             EXTrace.Print(EXTrace.AI, this, "left group ID " + m_eAI_Group.GetID());
000311 |         }
```

```
000312 |         m_eAI_Group.RemoveMember(this);
000313 |
000314 |         m_eAI_Group = null;
000315 |
000316 |         m_eAI_FactionTypeID = -1; //!< Make sure faction is updated if necessary
000317 |     }
000318 | else if (m_eAI_Group && m_eAI_Group.GetID() != m_eAI_GroupID)
000319 | {
000320 |     EXTrace.Print(EXTrace.AI, this, "moved from group ID " + m_eAI_Group.GetID() + " -> " + m_eAI_GroupID);
000321 |
000322 |     m_eAI_Group.RemoveMember(this);
000323 |
000324 |     m_eAI_Group = eAIGroup.GetGroupByID(m_eAI_GroupID, true);
000325 |
000326 |     m_eAI_Group.Client_SetMemberIndex(this, m_eAI_GroupMemberIndexSynch);
000327 |
000328 |     m_eAI_FactionTypeID = -1; //!< Make sure faction is updated if necessary
000329 | }
000330 | else if (m_eAI_GroupID != -1 && !m_eAI_Group)
000331 | {
000332 |     EXTrace.Print(EXTrace.AI, this, "joined group ID " + m_eAI_GroupID);
000333 |
000334 |     m_eAI_Group = eAIGroup.GetGroupByID(m_eAI_GroupID, true);
000335 |
000336 |     m_eAI_Group.Client_SetMemberIndex(this, m_eAI_GroupMemberIndexSynch);
000337 |
000338 |     m_eAI_FactionTypeID = -1; //!< Make sure faction is updated if necessary
000339 | }
000340 | else if (m_eAI_Group && m_eAI_GroupMemberIndexSynch != m_eAI_GroupMemberIndex)
000341 | {
000342 |     EXTrace.Print(EXTrace.AI, this, "moved within group, member index " + m_eAI_GroupMemberIndex + " -> " + m_eAI_GroupMemberIndexSynch);
000343 |
000344 |     // @note: this has to be the last check as when moving/joining groups
000345 |     // the index is out of synch and will be handled in the above checks
000346 |
000347 |     m_eAI_Group.Client_SetMemberIndex(this, m_eAI_GroupMemberIndexSynch);
000348 | }
000349 |
000350 | if (m_eAI_Group && m_eAI_GroupMemberIndexSynch != m_eAI_GroupMemberIndex)
000351 |     m_eAI_GroupMemberIndex = m_eAI_GroupMemberIndexSynch;
000352 |
000353 | if (m_eAI_Group && m_eAI_FactionTypeID != m_eAI_FactionTypeIDSynch)
000354 | {
000355 |     EXTrace.Print(EXTrace.AI, this, "changing faction ID from " + m_eAI_FactionTypeID + " -> " + m_eAI_FactionTypeIDSynch);
000356 |
000357 |     m_eAI_FactionTypeID = m_eAI_FactionTypeIDSynch;
000358 |
000359 |     typename factionType = eAIFaction.GetTypeByID(m_eAI_FactionTypeIDSynch);
000360 |
000361 |     if (factionType && m_eAI_Group.GetFaction().Type() != factionType)
000362 |     {
000363 |         EXTrace.Print(EXTrace.AI, this, "changing faction from " + m_eAI_Group.GetFaction().Type() + " -> " + factionType);
000364 |
000365 |         auto faction = eAIFaction.Cast(factionType.Spawn());
000366 |         if (faction)
000367 |             m_eAI_Group.SetFaction(faction);
000368 |     }
000369 | }
000370 | }
000371 |
000372 | void eAI_SetPassive(bool state = true)
000373 | {
```

```
000374 |         m_eAI_IsPassive = state;
000375 |     }
000376 |
000377 |     bool eAI_IsPassive()
000378 |     {
000379 |         if (m_eAI_IsPassive)
000380 |             return true;
000381 |         if (m_eAI_Group)
000382 |             return m_eAI_Group.GetFaction().IsPassive();
000383 |         return false;
000384 |     }
000385 |
000386 |     bool eAI_IsSideSteppingObstacles()
000387 |     {
000388 |         return false;
000389 |     }
000390 |
000391 |     bool eAI_IsLit()
000392 |     {
000393 |         return false;
000394 |     }
000395 |
000396 |     override bool Expansion_CanBeDamaged(string ammo = string.Empty)
000397 |     {
000398 |         if (!super.Expansion_CanBeDamaged(ammo))
000399 |             return false;
000400 |
000401 |         if (m_eAI_Group)
000402 |             return !m_eAI_Group.GetFaction().IsInvincible();
000403 |
000404 |         return true;
000405 |     }
000406 |
000407 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000408 |     {
000409 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000410 |             return false;
000411 |
000412 |         if (!m_eAI_DamageHandler.OnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000413 |             return false;
000414 |
000415 |         return true;
000416 |     }
000417 |
000418 |     //! Suppress "couldn't kill player" in server logs when AI gets killed
000419 |     Hive GetHive()
000420 |     {
000421 |         #ifdef EXTRACE_DIAG
000422 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000423 |         #endif
000424 |
000425 |         if (IsAI())
000426 |             return null;
000427 |
000428 |         return Expansion_GlobalGetHive();
000429 |     }
000430 |
000431 |     override void EEKilled(Object killer)
000432 |     {
000433 |         m_TargetInformation.OnDeath(killer);
000434 |     }
```

```

000435 |         super.EEKilled(killer);
000436 |
000437 |         //! Since we're going to remove this player from their group, do it in next frame so other mods can still access group in EEKilled
000438 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(eAI_Cleanup, false);
000439 |     }
000440 |
000441 |     /**
000442 |     * @brief Do cleanup after AI is killed or destroyed.
000443 |     *
000444 |     * @param autoDeleteGroup Will be false when player is killed (called after EEKilled), true when player is being destroyed (called from DTOR)
000445 |     *
000446 |     * @note If player is killed before being destroyed, then GetGroup().RemoveMember will return false on 2nd invocation of eAI_Cleanup
000447 |     * from DTOR, and if there are still other alive group members, then the killed player is removed from deceased group members.
000448 |     * If there are no other alive group members, then group is just destroyed (in the next frame).
000449 |     */
000450 | protected void eAI_Cleanup(bool autoDeleteGroup = false)
000451 | {
000452 |     if (autoDeleteGroup && !m_eAI_IsBeingDestroyed)
000453 |     {
000454 |         string tmp;
000455 |         DumpStackString(tmp);
000456 |         TStringArray stack = {};
000457 |         tmp.Split("\n", stack);
000458 |         stack.RemoveOrdered(0);
000459 |         EXError.Error(this, "Invalid call", stack);
000460 |         return;
000461 |     }
000462 |
000463 |     if (GetGroup() && !GetGroup().RemoveMember(this, autoDeleteGroup) && autoDeleteGroup)
000464 |     {
000465 |         if (GetGroup().Count())
000466 |             GetGroup().RemoveDeceased(this);
000467 |         else
000468 |             GetGroup().Delete();
000469 |     }
000470 | }
000471 |
000472 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000473 | {
000474 |     #ifdef DIAG_DEVELOPER
000475 |         EXTrace.PrintHit(EXTrace.AI, this, "EEHitBy[" + m_eAI_DamageHandler.m_HitCounter + "]", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000476 |
000477 |         #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
000478 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 100.0, "[" + ExpansionStatic.FormatFloat(g_Game.GetTickTime(), 3, false) + "] hit " + ToString() + " " + dmgZone);
000479 |         #endif
000480 |         #endif
000481 |
000482 |         m_eAI_LastHitTime = g_Game.GetTickTime();
000483 |
000484 |         m_TargetInformation.OnHit(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000485 |
000486 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000487 |
000488 |         if (IsDamageDestroyed())
000489 |             return;
000490 |
000491 |         eAIGroup group = GetGroup();
000492 |         if (!group)
000493 |             return;

```

```
000494 |
000495 |     group.m_LastHitTime = m_eAI_LastHitTime;
000496 |
000497 |     ZombieBase zmb;
000498 |     if (Class.CastTo(zmb, source))
000499 |     {
000500 |         zmb.GetTargetInformation().AddFriendlyAI(this);
000501 |
000502 |         return;
000503 |     }
000504 |
000505 |     EntityAI root = source.GetHierarchyRoot();
000506 |
000507 |     PlayerBase attacker;
000508 |     if (Class.CastTo(attacker, root) && attacker != this)
000509 |     {
000510 |         ///! If attacker is not AI, or we are their current target (else it was accidental friendly fire),
000511 |         ///! target attacker for up to 2 minutes
000512 |         eAIBase ai;
000513 |         if (!Class.CastTo(ai, attacker) || ai.eAI_IsCurrentTarget(this, 0.2))
000514 |         {
000515 |             if (!ai || IsAI()) ///! If attacker is not AI or victim is AI
000516 |                 attacker.GetTargetInformation().AddFriendlyAI(this, 120000, true, 1.0); ///! Attacker will be attacked by friendly AI
000517 |             else ///! If attacker is AI and victim is not AI
000518 |                 group.AddTarget(this, attacker.GetTargetInformation(), 120000, true, 1.0); ///! Attacking AI will be attacked by group members of player
000519 |         }
000520 |
000521 |         return;
000522 |     }
000523 |
000524 |     AnimalBase animal;
000525 |     if (Class.CastTo(animal, source))
000526 |     {
000527 |         animal.GetTargetInformation().AddFriendlyAI(this);
000528 |
000529 |         return;
000530 |     }
000531 |
000532 |     ///! If we loose 5.55555% of current damage zone health or more by vehicle hit, add vehicle as target
000533 |     CarScript vehicle;
000534 |     if (Class.CastTo(vehicle, source) && damageResult.GetDamage(dmgZone, "Health") >= GetHealth(dmgZone, "Health") * 0.055555)
000535 |     {
000536 |         vehicle.GetTargetInformation().AddFriendlyAI(this);
000537 |
000538 |         return;
000539 |     }
000540 |
000541 |     if (root.IsDayZCreature())
000542 |     {
000543 |         eAITargetInformation.GetTargetInformation(root).AddFriendlyAI(this);
000544 |
000545 |         return;
000546 |     }
000547 | }
000548 |
000549 | override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000550 | {
000551 |     #ifdef DIAG_DEVELOPER
000552 |         EXTrace.Print(EXTrace.AI, this, "EEHealthLevelChanged " + oldLevel + " -> " + newLevel + " " + zone);
000553 |     #endif
000554 |
000555 |     m_TargetInformation.OnHealthLevelChanged(oldLevel, newLevel, zone);
```

```
000556 |
000557 |     super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000558 | }
000559 |
000560 | bool eAI_UpdateAgressionTimeout(int timeThreshold)
000561 | {
000562 |     if (!m_eAI_LastAggressionTime)
000563 |         return false;
000564 |
000565 |     int time = ExpansionStatic.GetTimestamp(true);
000566 |     int timeout = timeThreshold - (time - m_eAI_LastAggressionTime);
000567 |     bool active;
000568 |     if (timeout > 0)
000569 |         active = true;
000570 |
000571 |     if (active && time + timeout > m_eAI_LastAggressionTimeout)
000572 |     {
000573 |         m_eAI_LastAggressionTimeout = time + timeout;
000574 |         SetSynchDirty();
000575 |     }
000576 |
000577 |     return active;
000578 | }
000579 |
000580 | int eAI_GetLastAggressionCooldown()
000581 | {
000582 |     int cooldown = m_eAI_LastAggressionTimeout - ExpansionStatic.GetTimestamp(true);
000583 |     if (cooldown > 0)
000584 |         return cooldown;
000585 |
000586 |     return 0;
000587 | }
000588 |
000589 | void eAI_ResetLastAggressionTimeout()
000590 | {
000591 |     m_eAI_LastAggressionTimeout = 0;
000592 |     SetSynchDirty();
000593 | }
000594 |
000595 | override void AddNoise(NoiseParams noisePar, float noiseMultiplier = 1.0)
000596 | {
000597 |     super.AddNoise(noisePar, noiseMultiplier);
000598 |
000599 |     //! Because noises may fire rapidly, we only update this once every second
000600 |     float time = g_Game.GetTickTime();
000601 |     if (time - m_eAI_LastNoiseTime < 1.0)
000602 |         return;
000603 |
000604 |     m_eAI_LastNoiseTime = time;
000605 |
000606 |     DayZPlayerType type = GetDayZPlayerType();
000607 |     string cfgPath = "CfgVehicles SurvivorBase ";
000608 |     switch (noisePar)
000609 |     {
000610 |         case type.GetNoiseParamsStand():
000611 |             if (Expansion_GetMovementSpeed() > 2.0)
000612 |                 noiseMultiplier *= 2.25;
000613 |             else
000614 |                 noiseMultiplier *= 1.75;
000615 |             eAINoiseSystem.AddNoise(this, cfgPath + "NoiseStepStand", noiseMultiplier);
000616 |             break;
000617 |             case type.GetNoiseParamsCrouch():
```

```
000618 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseStepCrouch", noiseMultiplier * 4);
000619 |         break;
000620 |     case type.GetNoiseParamsProne():
000621 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseStepProne", noiseMultiplier * 4.8);
000622 |         break;
000623 |     case type.GetNoiseParamsLandLight():
000624 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseLandLight", noiseMultiplier * 3);
000625 |         break;
000626 |     case type.GetNoiseParamsLandHeavy():
000627 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseLandHeavy", noiseMultiplier * 2.25);
000628 |         break;
000629 |     case type.GetNoiseParamsWhisper():
000630 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseWhisper", noiseMultiplier);
000631 |         break;
000632 |     case type.GetNoiseParamsTalk():
000633 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseTalk", noiseMultiplier);
000634 |         break;
000635 |     case type.GetNoiseParamsShout():
000636 |         eAINoiseSystem.AddNoise(this, cfgPath + "NoiseShout", noiseMultiplier);
000637 |         break;
000638 | #ifdef DIAG_DEVELOPER
000639 |     default:
000640 |         if (noisePar)
000641 |             EXTrace.Print(EXTrace.AI, this, "::AddNoise " + noisePar + " " + noiseMultiplier);
000642 |         break;
000643 | #endif
000644 | }
000645 |
000646 | void eAI_AttenuateSoundIfNecessary(SoundObject soundObject)
000647 | {
000648 |     AttenuateSoundIfNecessary(soundObject);
000649 | }
000650 |
000651 |
000652 | #ifdef DIAG_DEVELOPER
000653 | #ifndef SERVER
000654 |     void AddShape(Shape shape)
000655 |     {
000656 |         m_Expansion_DebugShapes.Insert(shape);
000657 |     }
000658 | #endif
000659 |
000660 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000661 |     {
000662 |         if (m_eAI_AttackCooldown > 0)
000663 |             m_eAI_AttackCooldown -= pDt;
000664 |
000665 | #ifndef SERVER
000666 |         for (int i = m_Expansion_DebugShapes.Count() - 1; i >= 0; i--)
000667 |             m_Expansion_DebugShapes[i].Destroy();
000668 |         m_Expansion_DebugShapes.Clear();
000669 | #endif
000670 |
000671 |         if (DEBUG_EXPANSION_AI_CLIMB != 0)
000672 |         {
000673 |             PlayerBase playerPB = PlayerBase.Cast(this);
000674 |
000675 |             SHumanCommandClimbResult result();
000676 |
000677 |             if (DEBUG_EXPANSION_AI_CLIMB & 0x01 != 0)
000678 |             {
000679 |                 HumanCommandClimb.DoClimbTest(playerPB, result, 0);
```



```
000680 |         ExpansionClimb.DebugClimb(playerPB, result, 0xAFFFFFF0, 0xAA00FFFF);
000681 |     }
000682 |
000683 |     if (DEBUG_EXPANSION_AI_CLIMB & 0x10 != 0)
000684 |     {
000685 |         ExpansionClimb.DoClimbTest(playerPB, result);
000686 |         ExpansionClimb.DebugClimb(playerPB, result, 0xAFF0000, 0xAA0000FF);
000687 |     }
000688 | }
000689 |
000690 | super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000691 | }
000692 | #endif
000693 | };
000694 |
```

0212. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/eaidummy.c

Size bytes: 145

SHA-256: 30fd362c99efb920b494a51da2329b5260e97a5f0c56e4a1db5e36792d1d51f3

Decoded as: utf-8-sig

Line count shown: 10

Detected class declarations: 2

 L1: class eAIDummy: PlayerBase

 L9: class eAIDummy_SurvivorM_Mirek: eAIDummy {};

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override bool CanBeTargetedByAI(EntityAI ai)

Full file content

```
000001 | class eAIDummy: PlayerBase
000002 | {
000003 |     override bool CanBeTargetedByAI(EntityAI ai)
000004 |     {
000005 |         return false;
000006 |     }
000007 | }
000008 |
000009 | class eAIDummy_SurvivorM_Mirek: eAIDummy {};
```

0213. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/eaiimplementswimming.c

Size bytes: 261

SHA-256: 95f40f5d9bbd30c4f82892e76bdd68bd20ea016a02f67cb1f5f927dcc5a334fe

Decoded as: utf-8-sig

Line count shown: 10

Detected class declarations: 1

 L2: class eAIImplementSwimming: DayZPlayerImplementSwimming

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override bool CheckSwimmingStart(out vector waterLevel)

Full file content

```
000001 | #ifdef AdmiralsDivingMod
000002 | class eAIImplementSwimming: DayZPlayerImplementSwimming
000003 | {
000004 |     override bool CheckSwimmingStart(out vector waterLevel)
000005 |     {
000006 |         return DayZPlayerUtils.CheckWaterLevel(m_pPlayer,waterLevel) == EWaterLevels.LEVEL_SWIM_START;
000007 |     }
000008 | }
000009 | #endif
000010 |
```

0214. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/edible_base.c
Size bytes: 313
SHA-256: 615a087c6ecfde4a4443ad987ca93336e6a8e3309166cbce0bb1615826ce3a79
Decoded as: utf-8-sig
Line count shown: 15
Detected class declarations: 1
 L1: modded class Edible_Base
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void ChangeFoodStage(FoodStageType new_food_stage_type)

Full file content

```
000001 | modded class Edible_Base
000002 | {
000003 |     override void ChangeFoodStage(FoodStageType new_food_stage_type)
000004 |     {
000005 |         super.ChangeFoodStage(new_food_stage_type);
000006 |
000007 |         if (new_food_stage_type == FoodStageType.ROTTEN)
000008 |         {
000009 |             eAIBase ai;
000010 |             if (Class.CastTo(ai, GetHierarchyRoot()))
000011 |                 ai.eAI_OnFoodExpired(this);
000012 |         }
000013 |     }
000014 | }
000015 |
```

0215. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/expansionbarbedwire.c

Size bytes: 327

SHA-256: 8040b129eaa64a9aa56cf853abbf1bf6c8537db381f92912cf80847462464927

Decoded as: utf-8-sig

Line count shown: 17

Detected class declarations: 1

 L2: modded class ExpansionBarbedWire

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override protected eAIItemTargetInformation CreateTargetInformation()

 L11: override bool Expansion_IsDanger()

Full file content

```
000001 | #ifdef DZ_Expansion_BaseBuilding
000002 | modded class ExpansionBarbedWire
000003 | {
000004 |     override protected eAIItemTargetInformation CreateTargetInformation()
000005 |     {
000006 |         auto info = new eAIItemHazardTargetInformation(this);
000007 |         info.m_MinDistance = 2.0;
000008 |         return info;
000009 |     }
000010 |
000011 |     override bool Expansion_IsDanger()
000012 |     {
000013 |         return true;
000014 |     }
000015 | }
000016 | #endif
000017 |
```

0216. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/explosivesbase.c

Size bytes: 626

SHA-256: 0a8a3e264877f259ccaef89862b9ed6d976d3bb79e40e7ba9be825491b181084

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L1: modded class ExplosivesBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: override void DeferredInit()

L15: override protected eAIItemTargetInformation CreateTargetInformation()

L21: return new eAIItemHazardTargetInformation(this);

Full file content

```
000001 | modded class ExplosivesBase
000002 | {
000003 |     override void DeferredInit()
000004 |     {
000005 |         super.DeferredInit();
000006 |
000007 |         ///! For ExplosivesBase, ammo types are set in respective explosive constructor,
000008 |         ///! but target info is initialized in ExplosivesBase constructor,
000009 |         ///! so we need a delay to get correct ammo types
000010 |         eAIItemTargetInformation info = GetTargetInformation();
000011 |         if (info)
000012 |             info.DeferredInit();
000013 |     }
000014 |
000015 |     override protected eAIItemTargetInformation CreateTargetInformation()
000016 |     {
000017 |         #ifdef EAI_TRACE
000018 |             auto trace = CF_Trace_0(this, "CreateTargetInformation");
000019 |         #endif
000020 |
000021 |         return new eAIItemHazardTargetInformation(this);
000022 |     }
000023 | };
000024 |
```

0217. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase.c
Size bytes: 11755
SHA-256: 2091117599b982f7897283e6d1ce891466fb5032a46d0a334deec0de011ab58d
Decoded as: utf-8-sig
Line count shown: 464
Detected class declarations: 1
  L1: modded class ItemBase
Detected enum declarations: 0
Detected function/method-like declarations: 39
  L9: void ItemBase()
  L17: protected eAIItemTargetInformation CreateTargetInformation()
  L19: return new eAIItemTargetInformation(this);
  L22: eAIItemTargetInformation GetTargetInformation()
  L31: override void EEKilled(Object killer)
  L45: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L56: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L71: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
  L85: override void EEItemAttached(EntityAI item, string slot_name)
  L97: override void EEItemDetached(EntityAI item, string slot_name)
  L109: override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
  L132: void eAI_OnCargoEnter(Man owner, EntityAI parent)
  L142: void eAI_OnCargoExit(Man owner, EntityAI parent)
  L152: override void OnInventoryEnter(Man player)
  L173: override void OnInventoryExit(Man player)
  L189: override void OnWasAttached(EntityAI parent, int slot_id)
  L209: override void OnWasDetached(EntityAI parent, int slot_id)
  L229: override void EOnContact IEntity other, Contact extra)
  L245: else if (IsMagazine())
  L258: override bool AreChildrenAccessible()
  L267: override void OnEnergyConsumed()
  L276: override void OnSwitchOn()
  L283: override void OnSwitchOff()
  L290: void eAI_OnSwitchOn()
  L297: void eAI_OnSwitchOff()
  L304: bool Expansion_TryTurningOn()
  L318: bool Expansion_TryTurningOff()
  L332: bool Expansion_TryTurningOnAnyLightsOrNVG(inout float nightVisibility, PlayerBase player, bool skipNonNVG = false, bool skipNVG = false)
  L340: ItemBase Expansion_TryTurningOnAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
  L350: ItemBase Expansion_GetAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
  L374: bool Expansion_TryTurningOffAnyLightsOrNVG(PlayerBase player, bool skipNVG = false, bool force = false)
  L382: ItemBase Expansion_TryTurningOffAnyLightOrNVG(bool skipNVG = false)
  L392: float eAI_GetNightVisibility(bool checkWorking = true)
  L405: bool Expansion_CanRepair(EntityAI entity)
  L420: Man Expansion_GetRootPlayerAliveExcluding(Man player)
  L429: float Expansion_GetHealthDamage()
  L434: bool eAI_IsSilent()
  L439: eAIBase eAI_GetHierarchyRootAI()
  L445: int eAI_GetCargoSize()

```

Full file content

```

000001 | modded class ItemBase
000002 | {
000003 |     private ref eAIItemTargetInformation m_TargetInformation;
000004 |     ref eAIDamageHandler m_eAI_DamageHandler;
000005 |
000006 |     bool m_Expansion_IsOwnerPlayer;
000007 |     float m_eAI_LastRecordedImpactTime;
000008 |

```

```
000009 | void ItemBase()
000010 | {
000011 |     m_TargetInformation = CreateTargetInformation();
000012 |
000013 |     if (g_Game.IsServer())
000014 |         m_eAI_DamageHandler = new eAIDamageHandler(this, m_TargetInformation);
000015 | }
000016 |
000017 | protected eAIItemTargetInformation CreateTargetInformation()
000018 | {
000019 |     return new eAIItemTargetInformation(this);
000020 | }
000021 |
000022 | eAIItemTargetInformation GetTargetInformation()
000023 | {
000024 | #ifdef EAI_TRACE
000025 |     auto trace = CF_Trace_0(this, "GetTargetInformation");
000026 | #endif
000027 |
000028 |     return m_TargetInformation;
000029 | }
000030 |
000031 | override void EEKilled(Object killer)
000032 | {
000033 |     m_TargetInformation.OnDeath(killer);
000034 |
000035 |     super.EEKilled(killer);
000036 |
000037 |     eAIBase ai;
000038 |     if (Class.CastTo(ai, GetHierarchyRootPlayer()))
000039 |     {
000040 |         EXTrace.Print(EXTrace.AI, this, "::EEKilled - " + ai);
000041 |         ai.eAI_OnItemDestroyed(this);
000042 |     }
000043 | }
000044 |
000045 | override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000046 | {
000047 |     if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000048 |         return false;
000049 |
000050 |     if (!m_eAI_DamageHandler.OnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000051 |         return false;
000052 |
000053 |     return true;
000054 | }
000055 |
000056 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000057 | {
000058 |     #ifdef DIAG_DEVELOPER
000059 |         EXTrace.PrintHit(EXTrace.AI, this, "EEHitBy[" + m_eAI_DamageHandler.m_HitCounter + "]", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000060 |
000061 |         #ifdef EXPANSION_AI_DMGDEBUG_CHATTY
000062 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 100.0, "[" + ExpansionStatic.FormatFloat(g_Game.GetTickTime(), 3, false) + "] hit " + ToString() + " " + dmgZone);
000063 |         #endif
000064 |     #endif
000065 |
000066 |     m_TargetInformation.OnHit(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
```



```
000067 |
000068 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000069 |     }
000070 |
000071 |     override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000072 |     {
000073 |         m_TargetInformation.OnHealthLevelChanged(oldLevel, newLevel, zone);
000074 |
000075 |         super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000076 |
000077 |         if (!g_Game.IsServer())
000078 |             return;
000079 |
000080 |         eAIBase ai;
000081 |         if (Class.CastTo(ai, GetHierarchyRootPlayer()) && GetInventory().IsAttachment() && m_Initialized)
000082 |             ai.eAI_UpdateProtectionLevels();
000083 |     }
000084 |
000085 |     override void EEItemAttached(EntityAI item, string slot_name)
000086 |     {
000087 |         super.EEItemAttached(item, slot_name);
000088 |
000089 |         if (!g_Game.IsServer())
000090 |             return;
000091 |
000092 |         eAIBase ai;
000093 |         if (Class.CastTo(ai, GetHierarchyParent()))
000094 |             ai.eAI_UpdateProtectionLevels(this, 1);
000095 |     }
000096 |
000097 |     override void EEItemDetached(EntityAI item, string slot_name)
000098 |     {
000099 |         super.EEItemDetached(item, slot_name);
000100 |
000101 |         if (!g_Game.IsServer())
000102 |             return;
000103 |
000104 |         eAIBase ai;
000105 |         if (Class.CastTo(ai, GetHierarchyParent()))
000106 |             ai.eAI_UpdateProtectionLevels(this, -1);
000107 |     }
000108 |
000109 |     override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
000110 |     {
000111 |         super.EEItemLocationChanged(oldLoc, newLoc);
000112 |
000113 |         EntityAI oldParent = oldLoc.GetParent();
000114 |         EntityAI newParent = newLoc.GetParent();
000115 |
000116 |         Man oldOwner;
000117 |         Man newOwner;
000118 |
000119 |         if (oldParent)
000120 |             oldOwner = oldParent.GetHierarchyRootPlayer();
000121 |
000122 |         if (newParent)
000123 |             newOwner = newParent.GetHierarchyRootPlayer();
000124 |
000125 |         if (oldLoc.GetType() == InventoryLocationType.CARGO && oldOwner != newOwner)
000126 |             eAI_OnCargoExit(oldOwner, oldParent);
000127 |
000128 |         if (newLoc.GetType() == InventoryLocationType.CARGO && oldOwner != newOwner)
```

```
000129 |         eAI_OnCargoEnter(newOwner, newParent);
000130 |     }
000131 |
000132 |     void eAI_OnCargoEnter(Man owner, EntityAI parent)
000133 |     {
000134 |         if (!g_Game.IsServer())
000135 |             return;
000136 |
000137 |         eAIBase ai;
000138 |         if (Class.CastTo(ai, owner))
000139 |             ai.eAI_OnCargoEnter(parent, this);
000140 |     }
000141 |
000142 |     void eAI_OnCargoExit(Man owner, EntityAI parent)
000143 |     {
000144 |         if (!g_Game.IsServer())
000145 |             return;
000146 |
000147 |         eAIBase ai;
000148 |         if (Class.CastTo(ai, owner))
000149 |             ai.eAI_OnCargoExit(parent, this);
000150 |     }
000151 |
000152 |     override void OnInventoryEnter(Man player)
000153 |     {
000154 |         super.OnInventoryEnter(player);
000155 |
000156 |         m_TargetInformation.RemoveFromAll();
000157 |
000158 |         eAIBase ai;
000159 |         if (!Class.CastTo(ai, player))
000160 |         {
000161 |             m_Expansion_IsOwnerPlayer = true;
000162 |             return;
000163 |         }
000164 |
000165 |         if (!g_Game.IsServer())
000166 |             return;
000167 |
000168 |         EXTrace.Print(EXTrace.AI, this, "::OnInventoryEnter - " + player);
000169 |
000170 |         ai.eAI_OnInventoryEnter(this);
000171 |     }
000172 |
000173 |     override void OnInventoryExit(Man player)
000174 |     {
000175 |         super.OnInventoryExit(player);
000176 |
000177 |         if (!g_Game.IsServer())
000178 |             return;
000179 |
000180 |         eAIBase ai;
000181 |         if (!Class.CastTo(ai, player))
000182 |             return;
000183 |
000184 |         EXTrace.Print(EXTrace.AI, this, "::OnInventoryExit - " + player);
000185 |
000186 |         ai.eAI_OnInventoryExit(this);
000187 |     }
000188 |
000189 |     override void OnWasAttached(EntityAI parent, int slot_id)
000190 |     {
```

```
000191 |         super.OnWasAttached(parent, slot_id);
000192 |
000193 |         if (!g_Game.IsServer())
000194 |             return;
000195 |
000196 |         eAIBase ai;
000197 |         if (!Class.CastTo(ai, parent.GetHierarchyRootPlayer()))
000198 |             return;
000199 |
000200 |         ///! If mag was attached to item that's in AI possession, remove from tracked list
000201 |         Magazine mag;
000202 |         if (Class.CastTo(mag, this))
000203 |         {
000204 |             EXTrace.Print(EXTrace.AI, this, "::OnWasAttached - " + ai + " " + parent + " " + InventorySlots.GetSlotName(slot_id));
000205 |             ai.eAI_OnMagAttached(parent, slot_id, mag);
000206 |         }
000207 |     }
000208 |
000209 |     override void OnWasDetached(EntityAI parent, int slot_id)
000210 |     {
000211 |         super.OnWasDetached(parent, slot_id);
000212 |
000213 |         if (!g_Game.IsServer())
000214 |             return;
000215 |
000216 |         eAIBase ai;
000217 |         if (!Class.CastTo(ai, parent.GetHierarchyRootPlayer()))
000218 |             return;
000219 |
000220 |         ///! If mag was detached from item that's in AI possession, add to tracked list
000221 |         Magazine mag;
000222 |         if (Class.CastTo(mag, this))
000223 |         {
000224 |             EXTrace.Print(EXTrace.AI, this, "::OnWasDetached - " + ai + " " + parent + " " + InventorySlots.GetSlotName(slot_id));
000225 |             ai.eAI_OnMagDetached(parent, slot_id, mag);
000226 |         }
000227 |     }
000228 |
000229 |     override void EOnContact(IEntity other, Contact extra)
000230 |     {
000231 |         if (m_CanPlayImpactSound && g_Game.IsServer())
000232 |         {
000233 |             float time = g_Game.GetTickTime();
000234 |             if (time - m_eAI_LastRecordedImpactTime > 1.0)
000235 |             {
000236 |                 ///! Because impacts may happen rapidly, we only update this once every second
000237 |                 m_eAI_LastRecordedImpactTime = time;
000238 |
000239 |                 /*
000240 |                 ///! This WOULD work if all items had NoiseImpact...
000241 |                 string path;
000242 |
000243 |                 if (IsWeapon())
000244 |                     path = CFG_WEAPONSPATH;
000245 |                 else if (IsMagazine())
000246 |                     path = CFG_MAGAZINESPATH;
000247 |                 else
000248 |                     path = CFG_VEHICLESPTH;
000249 |
000250 |                 eAINoiseSystem.AddNoise(this, path + " " + GetType() + " NoiseImpact", m_ImpactSpeed, eAINoiseType.SOUND);
000251 |                 */
000252 |             }
```

```
000253 |         eAINoiseSystem.AddNoise(this, CFG_VEHICLESPATH + " Bone NoiseImpact", 0.1, eAINoiseType.SOUND);
000254 |     }
000255 | }
000256 | }
000257 |
000258 | override bool AreChildrenAccessible()
000259 | {
000260 |     eAIBase ai;
000261 |     if (Class.CastTo(ai, GetHierarchyRootPlayer()))
000262 |         return true;
000263 |
000264 |     return super.AreChildrenAccessible();
000265 | }
000266 |
000267 | override void OnEnergyConsumed()
000268 | {
000269 |     //! Refill energy while in AI inventory, essentially disabling energy consumption
000270 |     if (eAIBase.Cast(GetHierarchyRoot()))
000271 |         GetCompEM().SetEnergy0Tol(1.0);
000272 |     else
000273 |         super.OnEnergyConsumed();
000274 | }
000275 |
000276 | override void OnSwitchOn()
000277 | {
000278 |     super.OnSwitchOn();
000279 |
000280 |     eAI_OnSwitchOn();
000281 | }
000282 |
000283 | override void OnSwitchOff()
000284 | {
000285 |     super.OnSwitchOff();
000286 |
000287 |     eAI_OnSwitchOff();
000288 | }
000289 |
000290 | void eAI_OnSwitchOn()
000291 | {
000292 |     eAIBase ai = eAI_GetHierarchyRootAI();
000293 |     if (ai && eAI_GetNightVisibility() > 0)
000294 |         ai.eAI_AddActiveVisibilityEnhancer(this);
000295 | }
000296 |
000297 | void eAI_OnSwitchOff()
000298 | {
000299 |     eAIBase ai = eAI_GetHierarchyRootAI();
000300 |     if (ai)
000301 |         ai.eAI_RemoveActiveVisibilityEnhancer(this);
000302 | }
000303 |
000304 | bool Expansion_TryTurningOn()
000305 | {
000306 |     if ( HasEnergyManager() )
000307 |     {
000308 |         if ( GetCompEM().CanSwitchOn() && GetCompEM().CanWork() )
000309 |         {
000310 |             GetCompEM().SwitchOn();
000311 |             EXTrace.Print(EXTrace.AI, GetHierarchyRootPlayer(), "switched on " + ToString());
000312 |             return true;
000313 |         }
000314 |     }
```

```
000315 |         return false;
000316 |     }
000317 |
000318 |     bool Expansion_TryTurningOff()
000319 |     {
000320 |         if ( HasEnergyManager() )
000321 |         {
000322 |             if ( GetCompEM().CanSwitchOff() )
000323 |             {
000324 |                 GetCompEM().SwitchOff();
000325 |                 EXTrace.Print(EXTrace.AI, GetHierarchyRootPlayer(), "switched off " + ToString());
000326 |                 return true;
000327 |             }
000328 |         }
000329 |         return false;
000330 |     }
000331 |
000332 |     bool Expansion_TryTurningOnAnyLightsOrNVG(inout float nightVisibility, PlayerBase player, bool skipNonNVG = false, bool skipNVG = false)
000333 |     {
000334 |         EXError.Error(this, "DEPRECATED, use Expansion_TryTurningOnAnyLightOrNVG(bool skipNonNVG, ...)");
000335 |         if (Expansion_TryTurningOnAnyLightOrNVG(skipNonNVG, skipNVG))
000336 |             return true;
000337 |         return false;
000338 |     }
000339 |
000340 |     ItemBase Expansion_TryTurningOnAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
000341 |     {
000342 |         ItemBase item = Expansion_GetAnyLightOrNVG(skipNonNVG, skipNVG);
000343 |
000344 |         if (item && item.Expansion_TryTurningOn())
000345 |             return item;
000346 |
000347 |         return null;
000348 |     }
000349 |
000350 |     ItemBase Expansion_GetAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
000351 |     {
000352 |         if (!skipNVG)
000353 |         {
000354 |             NVGoggles goggles = NVGoggles.Cast(FindAttachmentBySlotName("NVG"));
000355 |             if (goggles)
000356 |                 return goggles;
000357 |         }
000358 |
000359 |         if (!skipNonNVG)
000360 |         {
000361 |             ItemBase candidate;
000362 |
000363 |             if (!Class.CastTo(candidate, FindAttachmentBySlotName("helmetFlashlight")))
000364 |                 candidate = this;
000365 |
000366 |             TTypeNameArray lights = {Flashlight, Headtorch_ColorBase, TLRLight, FlammableBase, UniversallLight};
000367 |             if (ExpansionStatic.IsAnyOf(candidate, lights))
000368 |                 return candidate;
000369 |         }
000370 |
000371 |         return null;
000372 |     }
000373 |
000374 |     bool Expansion_TryTurningOffAnyLightsOrNVG(PlayerBase player, bool skipNVG = false, bool force = false)
000375 |     {
000376 |         EXError.Error(this, "DEPRECATED, use Expansion_TryTurningOffAnyLightOrNVG(bool skipNVG)");
```

```
000377 |         if (Expansion_TryTurningOffAnyLightOrNVG(skipNVG))
000378 |             return true;
000379 |         return false;
000380 |     }
000381 |
000382 | ItemBase Expansion_TryTurningOffAnyLightOrNVG(bool skipNVG = false)
000383 | {
000384 |     ItemBase item = Expansion_GetAnyLightOrNVG(false, skipNVG);
000385 |
000386 |     if (item && item.Expansion_TryTurningOff())
000387 |         return item;
000388 |
000389 |     return null;
000390 | }
000391 |
000392 | float eAI_GetNightVisibility(bool checkWorking = true)
000393 | {
000394 |     //! Have to deal with NV optics here since ItemOptics is not moddable...
000395 |     ItemOptics optic;
000396 |     if (Class.CastTo(optic, this) && optic.GetCurrentNVType() != NVTypes.NONE)
000397 |     {
000398 |         if (!checkWorking || !HasEnergyManager() || GetCompEM().CanWork())
000399 |             return Math.Min(optic.GetZeroingDistanceZoomMax() * 0.001, 1.0);
000400 |     }
000401 |
000402 |     return 0.0;
000403 | }
000404 |
000405 | bool Expansion_CanRepair(EntityAI entity)
000406 | {
000407 |     int repairKitType = ConfigGetInt("repairKitType");
000408 |
000409 |     if (repairKitType != 0)
000410 |     {
000411 |         TIntArray repairableWithKits = {};
000412 |         entity.ConfigGetIntArray("repairableWithKits", repairableWithKits);
000413 |
000414 |         return repairableWithKits.Find(repairKitType) != -1;
000415 |     }
000416 |
000417 |     return false;
000418 | }
000419 |
000420 | Man Expansion_GetRootPlayerAliveExcluding(Man player)
000421 | {
000422 |     Man owner = GetHierarchyRootPlayer();
000423 |     if (owner && owner != player && owner.IsAlive())
000424 |         return owner;
000425 |
000426 |     return null;
000427 | }
000428 |
000429 | float Expansion_GetHealthDamage()
000430 | {
000431 |     return 0;
000432 | }
000433 |
000434 | bool eAI_IsSilent()
000435 | {
000436 |     return true;
000437 | }
000438 |
```

```
000439 |     eAIBase eAI_GetHierarchyRootAI()
000440 |     {
000441 |         return eAIBase.Cast(GetHierarchyRootPlayer());
000442 |     }
000443 |
000444 |     ///! @brief returns cargo size (including attachments)
000445 |     int eAI_GetCargoSize()
000446 |     {
000447 |         int cargoSize;
000448 |
000449 |         CargoBase cargo = GetInventory().GetCargo();
000450 |         if (cargo)
000451 |             cargoSize += cargo.GetWidth() * cargo.GetHeight();
000452 |
000453 |         for (int i = 0; i < GetInventory().AttachmentCount(); ++i)
000454 |         {
000455 |             EntityAI att = GetInventory().GetAttachmentFromIndex(i);
000456 |             cargo = att.GetInventory().GetCargo();
000457 |             if (cargo)
000458 |                 cargoSize += cargo.GetWidth() * cargo.GetHeight();
000459 |         }
000460 |
000461 |         return cargoSize;
000462 |     }
000463 | };
000464 |
```

0218. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/chemlight.c

Size bytes: 199

SHA-256: b0fe441aec15b75a7e92268e405db35b5ab2ff2f778fa5249d7013359a3f5438

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

L1: modded class Chemlight_ColorBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class Chemlight_ColorBase
000002 | {
000003 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000004 |     {
000005 |         if (!checkWorking || GetCompEM().IsWorking())
000006 |             return 0.0075;
000007 |
000008 |         return 0.0;
000009 |     }
000010 | }
000011 |
```


0219. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/expansion_pressvest_blue_yeet.c
Size bytes: 816
SHA-256: 93ea8cac848991b824b4440ee0d185d67cdc280d3740f8ce060d96d5f006b452
Decoded as: utf-8-sig
Line count shown: 31
Detected class declarations: 1
 L1: class Expansion_PressVest_Blue_Yeet: PressVest_ColorBase
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
 L24: void Expansion_SetObjectMaterial(string name)

Full file content

```
000001 | class Expansion_PressVest_Blue_Yeet: PressVest_ColorBase
000002 | {
000003 |     override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000004 |     {
000005 |         super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000006 |
000007 |         switch (newLevel)
000008 |         {
000009 |             case GameConstants.STATE_DAMAGED:
000010 |             case GameConstants.STATE_BADLY_DAMAGED:
000011 |                 Expansion_SetObjectMaterial("DayZExpansion\\AI\\Gear\\Data\\pressvest_yeet_damage.rvmat");
000012 |                 break;
000013 |
000014 |             case GameConstants.STATE_RUINED:
000015 |                 Expansion_SetObjectMaterial("DayZExpansion\\AI\\Gear\\Data\\pressvest_yeet_destruct.rvmat");
000016 |                 break;
000017 |
000018 |             default:
000019 |                 Expansion_SetObjectMaterial("DayZExpansion\\AI\\Gear\\Data\\pressvest_yeet.rvmat");
000020 |                 break;
000021 |         }
000022 |     }
000023 |
000024 |     void Expansion_SetObjectMaterial(string name)
000025 |     {
000026 |         SetObjectMaterial(0, name);
000027 |         SetObjectMaterial(1, name);
000028 |         SetObjectMaterial(2, name);
000029 |     }
000030 | }
000031 |
```

0220. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/headtorch_colorbase.c
Size bytes: 199
SHA-256: cd36b5ac8cbc7c061936967707620b34e0b94aca9241c76aad1687484af925fb
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class Headtorch_ColorBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class Headtorch_ColorBase
000002 | {
000003 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000004 |     {
000005 |         if (!checkWorking || GetCompEM().IsWorking())
000006 |             return 0.0255;
000007 |
000008 |         return 0.0;
000009 |     }
000010 | }
000011 |
```

0221. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing/maskbase.c

Size bytes: 261

SHA-256: b96783f35ed0d4a686f4d1a023227691443ce0cb4dc86045a3651e8bf08a07d4

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class MaskBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override bool ConsumeQuantity(float quantity, PlayerBase consumer_player)

Full file content

```
000001 | modded class MaskBase
000002 | {
000003 |     override bool ConsumeQuantity(float quantity, PlayerBase consumer_player)
000004 |     {
000005 |         //! AI don't consume gasmask/filter
000006 |         if (consumer_player.IsAI())
000007 |             return false;
000008 |
000009 |         return super.ConsumeQuantity(quantity, consumer_player);
000010 |     }
000011 | }
```

0222. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/clothing_base.c

Size bytes: 755

SHA-256: 41291c32876339b44410a667f8c827088e12e65dccd0d757da164d79f518e847

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L1: modded class Clothing

Detected enum declarations: 0

Detected function/method-like declarations: 4

L5: override void EECargoIn(EntityAI item)

L12: override void EECargoOut(EntityAI item)

L19: override void EECargoMove(EntityAI item)

L26: void eAI_OnCargoChanged()

Full file content

```
000001 | modded class Clothing
000002 | {
000003 |     int m_eAI_CargoChangedCount;
000004 |
000005 |     override void EECargoIn(EntityAI item)
000006 |     {
000007 |         super.EECargoIn(item);
000008 |
000009 |         eAI_OnCargoChanged();
000010 |     }
000011 |
000012 |     override void EECargoOut(EntityAI item)
000013 |     {
000014 |         super.EECargoOut(item);
000015 |
000016 |         eAI_OnCargoChanged();
000017 |     }
000018 |
000019 |     override void EECargoMove(EntityAI item)
000020 |     {
000021 |         super.EECargoMove(item);
000022 |
000023 |         eAI_OnCargoChanged();
000024 |     }
000025 |
000026 |     void eAI_OnCargoChanged()
000027 |     {
000028 |         if (!g_Game.IsServer() || !IsInitialized() || IsPendingDeletion() || ExpansionInventoryTools.IsTidyInProgress(this))
000029 |             return;
000030 |
000031 |         eAIBase ai;
000032 |         if (Class.CastTo(ai, GetHierarchyRoot()) && !ai.IsDamageDestroyed() && !ai.IsPendingDeletion())
000033 |         {
000034 |             if (++m_eAI_CargoChangedCount == 3)
000035 |                 ai.m_eAI_CargosToTidy.Insert(this);
000036 |         }
000037 |     }
000038 | }
000039 |
```

0223. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/flammablebase.c
Size bytes: 436
SHA-256: 546447ce99b23a4572eeb9474367157e292dffe6d891e08e9ee4f1fe501d60e1
Decoded as: utf-8-sig
Line count shown: 27
Detected class declarations: 1
 L1: modded class FlammableBase
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L4: override void OnSwitchOn()
 L12: override void OnSwitchOff()
 L19: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class FlammableBase
000002 | {
000003 |     //! Vanilla doesn't call super...
000004 |     override void OnSwitchOn()
000005 |     {
000006 |         super.OnSwitchOn();
000007 |
000008 |         eAI_OnSwitchOn();
000009 |     }
000010 |
000011 |     //! Vanilla doesn't call super...
000012 |     override void OnSwitchOff()
000013 |     {
000014 |         super.OnSwitchOff();
000015 |
000016 |         eAI_OnSwitchOff();
000017 |     }
000018 |
000019 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000020 |     {
000021 |         if (!checkWorking || GetCompEM().IsWorking())
000022 |             return 0.03;
000023 |
000024 |         return 0.0;
000025 |     }
000026 | }
000027 |
```

0224. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/flashlight.c
Size bytes: 190
SHA-256: f0bd943b4ea438b0853a24ba3179b446336eff5b32225b074c21240a91f8f322
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class Flashlight
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class Flashlight
000002 | {
000003 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000004 |     {
000005 |         if (!checkWorking || GetCompEM().IsWorking())
000006 |             return 0.0255;
000007 |
000008 |         return 0.0;
000009 |     }
000010 | }
000011 |
```

0225. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/gear/tools/alarmclock.c

Size bytes: 476

SHA-256: da4d613fc1bc7f944848b18a5baf1833d70d600058ef0e6e78a800bf87cb8fa6

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 2

L1: modded class AlarmClock_ColorBase

L14: modded class KitchenTimer

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override void OnUpdate()

L16: override void OnUpdate()

Full file content

```
000001 | modded class AlarmClock_ColorBase
000002 | {
000003 |     override void OnUpdate()
000004 |     {
000005 |         super.OnUpdate();
000006 |
000007 |         if (IsRinging())
000008 |         {
000009 |             eAINoiseSystem.AddNoise(GetPosition(), UPDATE_TICK_RATE, "cfgVehicles " + GetType() + " NoiseAlarmClock");
000010 |         }
000011 |     }
000012 | }
000013 |
000014 | modded class KitchenTimer
000015 | {
000016 |     override void OnUpdate()
000017 |     {
000018 |         super.OnUpdate();
000019 |
000020 |         if (IsRinging())
000021 |         {
000022 |             eAINoiseSystem.AddNoise(GetPosition(), UPDATE_TICK_RATE, "cfgVehicles " + GetType() + " NoiseKitchenTimer");
000023 |         }
000024 |     }
000025 | }
000026 |
```

0226. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/magazine/ammunitionpiles.c
Size bytes: 844
SHA-256: 47fbad566793293642e26f58683743ae6c63f094bc114935d1e05d3f1facacb4
Decoded as: utf-8-sig
Line count shown: 29
Detected class declarations: 1
 L1: modded class Ammunition_Base
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L6: void Ammunition_Base()
 L24: override float Expansion_GetHealthDamage()

Full file content

```
000001 | modded class Ammunition_Base
000002 | {
000003 |     static ref map<string, float> s_Expansion_HealthDamage = new map<string, float>();
000004 |     float m_Expansion_HealthDamage;
000005 |
000006 |     void Ammunition_Base()
000007 |     {
000008 |         string ammoType = GetType();
000009 |
000010 |         if (!s_Expansion_HealthDamage.Find(ammoType, m_Expansion_HealthDamage))
000011 |         {
000012 |             string bulletType;
000013 |             if (g_Game.ConfigGetText(CFG_MAGAZINESPATH + " " + ammoType + " ammo", bulletType))
000014 |                 m_Expansion_HealthDamage = g_Game.ConfigGetFloat(CFG_AMMO + " " + bulletType + " DamageApplied Health damage");
000015 |
000016 |             #ifdef DIAG_DEVELOPER
000017 |                 EXTrace.Print(EXTrace.AI, null, ammoType + " " + bulletType + " health dmg " + m_Expansion_HealthDamage);
000018 |             #endif
000019 |
000020 |             s_Expansion_HealthDamage[ammoType] = m_Expansion_HealthDamage;
000021 |         }
000022 |     }
000023 |
000024 |     override float Expansion_GetHealthDamage()
000025 |     {
000026 |         return m_Expansion_HealthDamage;
000027 |     }
000028 | }
000029 |
```


0227. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/meleefox.c
Size bytes: 104
SHA-256: b1681abc7620c3010bda23d02e015dbcff1b52ebbb4909543f087229e6861e7d
Decoded as: utf-8-sig
Line count shown: 9
Detected class declarations: 1
 L1: modded class DeadFox
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override bool Expansion_IsMeleeWeapon()

Full file content

```
000001 | modded class DeadFox
000002 | {
000003 |     //! lol
000004 |     override bool Expansion_IsMeleeWeapon()
000005 |     {
000006 |         return true;
000007 |     }
000008 | }
000009 |
```

0228. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/nvgoggles.c
Size bytes: 600
SHA-256: be3504ab7073d9f8c84f4df90003bad143e568bcc5043f8b9e3c5696a6020bb0
Decoded as: utf-8-sig
Line count shown: 31
Detected class declarations: 1
 L1: modded class NVGoggles
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L3: override bool Expansion_TryTurningOn()
 L13: override bool Expansion_TryTurningOff()
 L23: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class NVGoggles
000002 | {
000003 |     override bool Expansion_TryTurningOn()
000004 |     {
000005 |         if (HasEnergyManager() && (!GetCompEM().CanSwitchOn() || !GetCompEM().CanWork()))
000006 |             return false;
000007 |
000008 |         RotateGoggles(false);
000009 |
000010 |         return true;
000011 |     }
000012 |
000013 |     override bool Expansion_TryTurningOff()
000014 |     {
000015 |         if (HasEnergyManager() && !GetCompEM().CanSwitchOff())
000016 |             return false;
000017 |
000018 |         RotateGoggles(true);
000019 |
000020 |         return true;
000021 |     }
000022 |
000023 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000024 |     {
000025 |         if (!checkWorking || (m_IsLowered && (!HasEnergyManager() || GetCompEM().IsWorking())))
000026 |             return 0.35;
000027 |
000028 |         return 0.0;
000029 |     }
000030 | }
000031 |
```

0229. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/roadflare.c
Size bytes: 187
SHA-256: 0e730b91d6493465e99d3022bab3f413ae577650695c32294af431e048bef61
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class Roadflare
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class Roadflare
000002 | {
000003 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000004 |     {
000005 |         if (!checkWorking || GetCompEM().IsWorking())
000006 |             return 0.03;
000007 |
000008 |         return 0.0;
000009 |     }
000010 | }
000011 |
```

0230. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/tlrlight.c
Size bytes: 188
SHA-256: 451523c51484b8d318ef9d825dced6d8f4d3508472867c7ab415f81d0bcc592d
Decoded as: utf-8-sig
Line count shown: 11
Detected class declarations: 1
 L1: modded class TLRLight
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class TLRLight
000002 | {
000003 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000004 |     {
000005 |         if (!checkWorking || GetCompEM().IsWorking())
000006 |             return 0.0185;
000007 |
000008 |         return 0.0;
000009 |     }
000010 | }
000011 |
```

0231. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/itembase/switchable_base/universallight.c
Size bytes: 503
SHA-256: bf956ab7233ae7aac7bd25ffc79f658f13007990a652ec3fb1e2f6bffbff6dd0
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class UniversalLight
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override float eAI_GetNightVisibility(bool checkWorking = true)

Full file content

```
000001 | modded class UniversalLight
000002 | {
000003 |     override float eAI_GetNightVisibility(bool checkWorking = true)
000004 |     {
000005 |         if (!checkWorking || GetCompEM().IsWorking())
000006 |         {
000007 |             //! If attached to a weapon, the universal light has significantly more illumination power
000008 |             //! than held in hands or attached to helmet (see vanilla UniversalLightLight.c, UpdateLightMode)
000009 |             EntityAI parent = GetHierarchyParent();
000010 |             if (parent && parent.IsWeapon())
000011 |                 return 0.045;
000012 |
000013 |             return 0.0255;
000014 |         }
000015 |
000016 |         return 0.0;
000017 |     }
000018 | }
000019 |
```

0232. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/playerbase.c
Size bytes: 14568
SHA-256: a094053f5ce3d11c9152f39fa6854b228dc8e712bc10ad12006b3d4b37a8e205
Decoded as: utf-8-sig
Line count shown: 555
Detected class declarations: 1
  L8: modded class PlayerBase
Detected enum declarations: 1
  L1: enum ExpansionPositionKnowledgeType
Detected function/method-like declarations: 34
  L26: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L33: void eAI_AddLightIfPlayerInLight(ScriptedLightBase light)
  L42: void eAI_RemoveLightsIfPlayerNotInLight(bool isNight = false)
  L56: void eAI_AddLight(ScriptedLightBase light)
  L72: void eAI_RemoveLight(ScriptedLightBase light, bool removePlayerFromLight = true)
  L82: void eAI_RemoveLightAtIndex(int index, bool removePlayerFromLight = true)
  L96: void eAI_ProcessLights()
  L137: void ~PlayerBase()
  L166: override void EEKilled(Object killer)
  L173: void eAI_RemoveFromTickScheduler()
  L191: override void OnSelectPlayer()
  L205: override void OnScheduledTick(float deltaTime)
  L213: override void Init()
  L228: override void SetActions(out TInputActionMap InputActionMap)
  L239: override bool ModCommandHandlerInside(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L251: override void OnCommandSwimStart()
  L263: override void OnCommandSwimFinish()
  L275: override void eAI_SetFactionTypeID(int id)
  L290: void eAI_ApplyFactionModifiers(eAIFaction faction)
  L331: void eAI_RemoveFactionModifiers()
  L362: void RPC_eAI_SetLit(PlayerIdentity sender, ParamsReadContext ctx)
  L372: override bool eAI_IsLit()
  L377: void Expansion_OnDangerousAreaEnterServer(EffectArea area, Trigger trigger)
  L381: void Expansion_OnDangerousAreaExitServer(EffectArea area, Trigger trigger)
  L385: void Expansion_SynchLifespanVisual()
  L393: static set<PlayerBase> Expansion_GetInCircle(vector center, float radius)
  L410: bool Expansion_CanAgentGrow(int agentId)
  L432: bool Expansion_HasEnergy(notnull ExpansionInventoryItemType itemType)
  L443: ExpansionPositionKnowledgeType Expansion_GetPositionKnowledgeType()
  L486: bool Expansion_CanKnowGroupMemberDistance()
  L506: override bool Expansion_IsHelper(PlayerBase other, bool checkIfWeAreHelper = false)
  L520: else if (checkIfWeAreHelper && Class.CastTo(ai, this))
  L532: void eAI_Message(eAIBase sender, string fmt, Class p1 = null, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null)
  L539: void eAI_Message(eAIBase sender, string fmt, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "",

```

Full file content

```

000001 | enum ExpansionPositionKnowledgeType
000002 | {
000003 |     NONE,
000004 |     COORDS_GRIDSECTOR,
000005 |     COORDS_METERS
000006 | }
000007 |
000008 | modded class PlayerBase
000009 | {
000010 |     static ref array<PlayerBase> s_eAI_TickSchedulerPlayers = {};
000011 |
000012 |     ref TIntArray m_eAI_FactionModifiers;

```

```
000013 |
000014 |     bool m_eAI_IsLit;
000015 |
000016 | #ifndef SERVER
000017 |     //! Client only!
000018 |
000019 |     //! Lights the player is in radius of
000020 |     ref array<ScriptedLightBase> m_eAI_Lights;
000021 |
000022 |     ref ScriptCaller m_eAI_AddLightIfPlayerInLight = ScriptCaller.Create(eAI_AddLightIfPlayerInLight);
000023 |
000024 |     int m_eAI_ProcessedLights;
000025 |
000026 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000027 |     {
000028 |         super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000029 |
000030 |         eAI_ProcessLights();
000031 |     }
000032 |
000033 |     void eAI_AddLightIfPlayerInLight(ScriptedLightBase light)
000034 |     {
000035 |         if (light.Type() != PersonalLight && light.eAI_IsVisible(true) && (light.eAI_IsLightOnPlayer(this) || light.eAI_IsPlayerInLight(this)))
000036 |         {
000037 |             if (!m_eAI_Lights || m_eAI_Lights.Find(light) == -1)
000038 |                 eAI_AddLight(light);
000039 |         }
000040 |     }
000041 |
000042 |     void eAI_RemoveLightsIfPlayerNotInLight(bool isNight = false)
000043 |     {
000044 |         for (int i = m_eAI_Lights.Count() - 1; i >= 0; --i)
000045 |         {
000046 |             ScriptedLightBase light = m_eAI_Lights[i];
000047 |
000048 |             if (!light.eAI_IsVisible(isNight) || (!light.eAI_IsLightOnPlayer(this) && !light.eAI_IsPlayerInLight(this)))
000049 |                 eAI_RemoveLightAtIndex(i);
000050 |         }
000051 |
000052 |         if (m_eAI_IsLit && m_eAI_Lights.Count() == 0)
000053 |             m_eAI_IsLit = false;
000054 |     }
000055 |
000056 |     void eAI_AddLight(ScriptedLightBase light)
000057 |     {
000058 |         if (!m_eAI_Lights)
000059 |             m_eAI_Lights = {};
000060 |
000061 |         int index = m_eAI_Lights.Insert(light);
000062 |
000063 |         light.eAI_AddPlayer(this);
000064 |
000065 | #ifdef DIAG_DEVELOPER
000066 |         EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] added %1 at index %2", light, index));
000067 | #endif
000068 |
000069 |         m_eAI_IsLit = true;
000070 |     }
000071 |
000072 |     void eAI_RemoveLight(ScriptedLightBase light, bool removePlayerFromLight = true)
000073 |     {
000074 |         if (m_eAI_Lights)
```

```

000075 |     {
000076 |         int index = m_eAI_Lights.Find(light);
000077 |
000078 |         eAI_RemoveLightAtIndex(index, removePlayerFromLight);
000079 |     }
000080 | }
000081 |
000082 | void eAI_RemoveLightAtIndex(int index, bool removePlayerFromLight = true)
000083 | {
000084 |     ScriptedLightBase light = m_eAI_Lights[index];
000085 |
000086 |     m_eAI_Lights.Remove(index);
000087 |
000088 |     if (removePlayerFromLight)
000089 |         light.eAI_RemovePlayer(this);
000090 |
000091 | #ifdef DIAG_DEVELOPER
000092 |     EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] removed %1 at index %2", light, index));
000093 | #endif
000094 | }
000095 |
000096 | void eAI_ProcessLights()
000097 | {
000098 |     bool isLit = m_eAI_IsLit;
000099 |     bool isNight = g_Game.GetWorld().IsNight();
000100 |
000101 |     if (isLit)
000102 |         eAI_RemoveLightsIfPlayerNotInLight(isNight);
000103 |
000104 |     if (!ScriptedLightBase.s_eAI_LightNodes.m_Current)
000105 |     {
000106 |         // #ifdef DIAG_DEVELOPER
000107 |         // EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] processed %1 lights", m_eAI_ProcessedLights));
000108 |         // #endif
000109 |         m_eAI_ProcessedLights = 0;
000110 |     }
000111 |
000112 | #ifdef EXTRACE
000113 |     auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, ScriptedLightBase, "s_eAI_LightNodes::Each");
000114 | #endif
000115 |
000116 |     if (isNight && !m_eAI_IsLit)
000117 |         m_eAI_ProcessedLights += ScriptedLightBase.s_eAI_LightNodes.Each(m_eAI_AddLightIfPlayerInLight, 30);
000118 |
000119 | #ifdef EXTRACE
000120 |     trace = null;
000121 | #endif
000122 |
000123 |     if (m_eAI_IsLit != isLit)
000124 |     {
000125 |         #ifdef DIAG_DEVELOPER
000126 |         MessageStatus(string.Format("[CLIENT] %1 lit %2", GetIdentityName(), m_eAI_IsLit.ToString()));
000127 |         EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] %1 lit %2", GetIdentityName(), m_eAI_IsLit.ToString()));
000128 |         #endif
000129 |
000130 |         auto rpc = m_Expansion_RPCManager.CreateRPC("RPC_eAI_SetLit");
000131 |         rpc.Write(m_eAI_IsLit);
000132 |         rpc.Expansion_Send(true);
000133 |     }
000134 | }
000135 | #endif
000136 |

```



```
000137 | void ~PlayerBase()
000138 | {
000139 |     if (!g_Game)
000140 |         return;
000141 |
000142 | #ifndef SERVER
000143 |     if (m_eAI_Lights)
000144 |     {
000145 |         foreach (ScriptedLightBase light: m_eAI_Lights)
000146 |         {
000147 |             light.eAI_RemovePlayer(this);
000148 |         }
000149 |     }
000150 | #endif
000151 |
000152 |     if (g_Game.IsServer())
000153 |     {
000154 |         ///! Get players. Vanilla does this in TickScheduler (which we override),
000155 |         ///! but it's more efficient to do it only when player count actually changes.
000156 |         ///! We don't use this array, this is just to avoid potential compat issues
000157 |         ///! with 3rd party mods that may expect it to be filled
000158 |         MissionBaseWorld mission;
000159 |         if (Class.CastTo(mission, g_Game.GetMission()))
000160 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(mission.eAI_GetPlayers);
000161 |
000162 |         eAI_RemoveFromTickScheduler();
000163 |     }
000164 | }
000165 |
000166 | override void EEKilled(Object killer)
000167 | {
000168 |     super.EEKilled(killer);
000169 |
000170 |     eAI_RemoveFromTickScheduler();
000171 | }
000172 |
000173 | void eAI_RemoveFromTickScheduler()
000174 | {
000175 |     if (g_Game.IsServer())
000176 |     {
000177 |         if (s_eAI_TickSchedulerPlayers)
000178 |         {
000179 |             int index = s_eAI_TickSchedulerPlayers.Find(this); ///! AI and non-AI players
000180 |             if (index > -1)
000181 |             {
000182 |                 s_eAI_TickSchedulerPlayers.Remove(index);
000183 |                 #ifdef DIAG_DEVELOPER
000184 |                     EXPrint(this, "TickScheduler players -1 count=" + s_eAI_TickSchedulerPlayers.Count());
000185 |                 #endif
000186 |             }
000187 |         }
000188 |     }
000189 | }
000190 |
000191 | override void OnSelectPlayer()
000192 | {
000193 |     if (g_Game.IsServer() && !m_PlayerSelected)
000194 |     {
000195 |         s_eAI_TickSchedulerPlayers.Insert(this); ///! non-AI player
000196 |         #ifdef DIAG_DEVELOPER
000197 |             EXPrint(this, "TickScheduler players +1 count=" + s_eAI_TickSchedulerPlayers.Count());
000198 |         #endif
000199 |     }
000200 | }
```

```
000199 |     }
000200 |
000201 |     super.OnSelectPlayer();
000202 | }
000203 |
000204 | #ifdef EXTRACE_DIAG
000205 |     override void OnScheduledTick(float deltaTime)
000206 |     {
000207 |         auto trace = EXTrace.Profile(EXTrace.AI_PROFILE, this, "OnScheduledTick");
000208 |
000209 |         super.OnScheduledTick(deltaTime);
000210 |     }
000211 | #endif
000212 |
000213 |     override void Init()
000214 |     {
000215 |         super.Init();
000216 |
000217 |         if (!IsAI())
000218 |             RegisterNetSyncVariableInt("m_eAI_LastAggressionTimeout");
000219 |
000220 |         if (!m_Expansion_RPCManager)
000221 |             m_Expansion_RPCManager = new ExpansionRPCManager(this, ExpansionWorld.GetModdableRootType(this));
000222 |
000223 |         m_Expansion_RPCManager.RegisterServer("RPC_eAI_SetLit");
000224 |
000225 |         RegisterNetSyncVariableBool("m_TargetInformation.m_ShoryukenHit");
000226 |     }
000227 |
000228 |     override void SetActions(out TInputActionMap InputActionMap)
000229 |     {
000230 |         super.SetActions(InputActionMap);
000231 |
000232 |         AddAction(ExpansionActionRecruitAI, InputActionMap);
000233 |         AddAction(ExpansionActionDismissAI, InputActionMap);
000234 |         AddAction(ExpansionActionOpenAIInventory, InputActionMap);
000235 |     }
000236 |
000237 |     ///! @note Only called for players not eAIBase since the latter overrides the commandhandler completely,
000238 |     ///! formation update if AI is leader is dealt with in eAICommandMove
000239 |     override bool ModCommandHandlerInside(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000240 |     {
000241 |         if (pCurrentCommandID == DayZPlayerConstants.COMMANDID_MOVE && !pCurrentCommandFinished)
000242 |         {
000243 |             eAIGroup group = GetGroup();
000244 |             if (group && group.GetFormationLeader() == this && group.Count() > 1)
000245 |                 group.GetFormation().Update(pDt);
000246 |         }
000247 |
000248 |         return super.ModCommandHandlerInside(pDt, pCurrentCommandID, pCurrentCommandFinished);
000249 |     }
000250 |
000251 |     override void OnCommandSwimStart()
000252 |     {
000253 |         #ifdef EXTRACE
000254 |             auto trace = EXTrace.Start(EXTrace.AI, this);
000255 |         #endif
000256 |
000257 |         super.OnCommandSwimStart();
000258 |
000259 |         if (g_Game.IsServer() && GetGroup())
000260 |             GetGroup().EnableSwimming(true);    ///! Enable swimming for the whole group so they can follow the leader
```

```
000261 |     }
000262 |
000263 |     override void OnCommandSwimFinish()
000264 |     {
000265 | #ifdef EXTRACE
000266 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000267 | #endif
000268 |
000269 |         super.OnCommandSwimFinish();
000270 |
000271 |         //if (g_Game.IsServer() && GetGroup())
000272 |             //GetGroup().EnableSwimming(false); //! Disable swimming for the whole group (unless they are currently swimming)
000273 |     }
000274 |
000275 |     override void eAI_SetFactionTypeID(int id)
000276 |     {
000277 |         super.eAI_SetFactionTypeID(id);
000278 |
000279 |         if (g_Game.IsServer())
000280 |         {
000281 |             eAI_RemoveFactionModifiers();
000282 |             if (GetGroup())
000283 |                 eAI_ApplyFactionModifiers(GetGroup().GetFaction());
000284 |         }
000285 |     }
000286 |
000287 | /**
000288 |  * @brief Apply faction modifiers (if any) e.g. brain disease, flies
000289 |  */
000290 |     void eAI_ApplyFactionModifiers(eAIFaction faction)
000291 |     {
000292 | #ifdef EXTRACE
000293 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000294 | #endif
000295 |
000296 |         TIntArray modifiers = faction.GetModifiers();
000297 |
000298 |         if (!modifiers || !modifiers.Count())
000299 |             return;
000300 |
000301 | #ifdef EXTRACE
000302 |         EXTrace.Add(trace, modifiers.Count());
000303 | #endif
000304 |
000305 |         m_eAI_FactionModifiers = {};
000306 |
000307 |         foreach (int modifier: modifiers)
000308 |         {
000309 |             //! Don't track if already active
000310 |             ModifierBase modifierBase = m_ModifiersManager.GetModifier(modifier);
000311 |             if (modifierBase && modifierBase.IsActive())
000312 |                 continue;
000313 |
000314 |             EXTrace.Print(EXTrace.AI, this, typename.EnumToString(eModifiers, modifier));
000315 |
000316 |             switch (modifier)
000317 |             {
000318 |                 case eModifiers.MDF_BRAIN:
000319 |                     InsertAgent(eAgents.BRAIN, PluginTransmissionAgents.GetAgentMaxCount(eAgents.BRAIN));
000320 |                     break;
000321 |             }
000322 |         }
```

```
000323 |         m_ModifiersManager.ActivateModifier(modifier);
000324 |         m_eAI_FactionModifiers.Insert(modifier);
000325 |     }
000326 | }
000327 |
000328 | /**
000329 |  * @brief Remove faction modifiers (if any) e.g. brain disease, flies
000330 |  */
000331 | void eAI_RemoveFactionModifiers()
000332 | {
000333 | #ifdef EXTRACE
000334 |     auto trace = EXTrace.Start(EXTrace.AI,this);
000335 | #endif
000336 |
000337 |     if (!m_eAI_FactionModifiers)
000338 |         return;
000339 |
000340 | #ifdef EXTRACE
000341 |     EXTrace.Add(trace, m_eAI_FactionModifiers.Count());
000342 | #endif
000343 |
000344 |     foreach (int modifier: m_eAI_FactionModifiers)
000345 |     {
000346 |         if (!m_ModifiersManager.GetModifier(modifier).IsActive())
000347 |             continue;
000348 |
000349 |         switch (modifier)
000350 |         {
000351 |             case eModifiers.MDF_BRAIN:
000352 |                 RemoveAgent(eAgents.BRAIN);
000353 |                 break;
000354 |         }
000355 |
000356 |         m_ModifiersManager.DeactivateModifier(modifier);
000357 |     }
000358 |
000359 |     m_eAI_FactionModifiers = null;
000360 | }
000361 |
000362 | void RPC_eAI_SetLit(PlayerIdentity sender, ParamsReadContext ctx)
000363 | {
000364 |     ctx.Read(m_eAI_IsLit);
000365 |
000366 | #ifdef DIAG_DEVELOPER
000367 |     MessageStatus(string.Format("[SERVER] %1 lit %2", GetIdentityName(), m_eAI_IsLit.ToString()));
000368 |     EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] %1 lit %2", GetIdentityName(), m_eAI_IsLit.ToString()));
000369 | #endif
000370 | }
000371 |
000372 | override bool eAI_IsLit()
000373 | {
000374 |     return m_eAI_IsLit;
000375 | }
000376 |
000377 | void Expansion_OnDangerousAreaEnterServer(EffectArea area, Trigger trigger)
000378 | {
000379 | }
000380 |
000381 | void Expansion_OnDangerousAreaExitServer(EffectArea area, Trigger trigger)
000382 | {
000383 | }
000384 |
```

```
000385 | void Expansion_SynchLifespanVisual()
000386 | {
000387 |     if (m_ModuleLifespan)
000388 |     {
000389 |         m_ModuleLifespan.SynchLifespanVisual(this, m_LifeSpanState, m_HasBloodyHandsVisible, m_HasBloodTypeVisible, m_BloodType);
000390 |     }
000391 | }
000392 |
000393 | static set<PlayerBase> Expansion_GetInCircle(vector center, float radius)
000394 | {
000395 |     set<PlayerBase> players = new set<PlayerBase>;
000396 |
000397 |     auto node = s_Expansion_AllPlayers.m_Head;
000398 |
000399 |     while (node)
000400 |     {
000401 |         if (Math.IsPointInCircle(center, radius, node.m_Value.GetPosition()))
000402 |             players.Insert(node.m_Value);
000403 |
000404 |         node = node.m_Next;
000405 |     }
000406 |
000407 |     return players;
000408 | }
000409 |
000410 | bool Expansion_CanAgentGrow(int agentId)
000411 | {
000412 |     typename e = EMedicalDrugsType;
000413 |     int count = e.GetVariableCount();
000414 |     for (int vIdx = 0; vIdx < count; ++vIdx)
000415 |     {
000416 |         int drugType;
000417 |         if (e.GetVariableType(vIdx) == int && e.GetVariableValue(null, vIdx, drugType) && drugType != EMedicalDrugsType.NONE)
000418 |         {
000419 |             if ((m_MedicalDrugsActive & drugType) == drugType)
000420 |             {
000421 |                 if (!m_AgentPool.m_PluginTransmissionAgents.GrowDuringMedicalDrugsAttack(agentId, drugType, this))
000422 |                 {
000423 |                     return false;
000424 |                 }
000425 |             }
000426 |         }
000427 |     }
000428 |
000429 |     return true;
000430 | }
000431 |
000432 | bool Expansion_HasEnergy(notnull ExpansionInventoryItemType itemType)
000433 | {
000434 |     foreach (ItemBase item: itemType.Items)
000435 |     {
000436 |         if (item.GetCompEM() && item.GetCompEM().CanWork())
000437 |             return true;
000438 |     }
000439 |
000440 |     return false;
000441 | }
000442 |
000443 | ExpansionPositionKnowledgeType Expansion_GetPositionKnowledgeType()
000444 | {
000445 |     ExpansionInventoryItemType itemType;
000446 | }
```

```
000447 | #ifdef EXPANSIONMODNAVIGATION
000448 |     itemType = Expansion_GetInventoryItemType(ExpansionGPS);
000449 |     if (itemType && Expansion_HasEnergy(itemType))
000450 |         return ExpansionPositionKnowledgeType.COORDS_METERS;
000451 |
000452 |     auto mapSettings = GetExpansionSettings().GetMap();
000453 |     if (mapSettings.EnableMap)
000454 |     {
000455 |         bool canUseMap = !mapSettings.NeedMapItemForKeyBinding;
000456 |
000457 |         if (!canUseMap && Expansion_GetInventoryCount(ItemMap) > 0)
000458 |             canUseMap = true;
000459 |
000460 |         if (canUseMap)
000461 |         {
000462 |             //! We really should have an enum for ShowPlayerPosition in Navigation mod...
000463 |             switch (mapSettings.ShowPlayerPosition)
000464 |             {
000465 |                 case 1:
000466 |                     //! Player position is visible
000467 |                     return ExpansionPositionKnowledgeType.COORDS_METERS;
000468 |
000469 |                 case 2:
000470 |                     //! Player position is visible if player has a compass
000471 |                     if (Expansion_GetInventoryCount(ItemCompass) > 0)
000472 |                         return ExpansionPositionKnowledgeType.COORDS_METERS;
000473 |                     break;
000474 |             }
000475 |         }
000476 |     }
000477 | #endif
000478 |
000479 |     itemType = Expansion_GetInventoryItemType(GPSReceiver);
000480 |     if (itemType && Expansion_HasEnergy(itemType))
000481 |         return ExpansionPositionKnowledgeType.COORDS_GRIDSECTOR;
000482 |
000483 |     return ExpansionPositionKnowledgeType.NONE;
000484 | }
000485 |
000486 | bool Expansion_CanKnowGroupMemberDistance()
000487 | {
000488 | #ifdef EXPANSIONMODGROUPS
000489 |     auto groupSettings = GetExpansionSettings().GetParty();
000490 |
000491 |     if (groupSettings.ShowPartyMember3DMarkers && groupSettings.ShowDistanceUnderPartyMembersMarkers)
000492 |         return true;
000493 |
000494 |     if (groupSettings.ShowPartyMemberHUD && groupSettings.ShowHUDMemberDistance)
000495 |         return true;
000496 | #endif
000497 |
000498 |     return false;
000499 | }
000500 |
000501 | /**
000502 |  * @brief Check if other player is considered a helper.
000503 |  *
000504 |  * Currently, AI that are friendly towards the player as well as guards not actively threatened by the player are considered helpers.
000505 |  */
000506 | override bool Expansion_IsHelper(PlayerBase other, bool checkIfWeAreHelper = false)
000507 | {
000508 |     if (super.Expansion_IsHelper(other, checkIfWeAreHelper))
```

```
000509 |         return true;
000510 |
000511 |         eAIBase ai;
000512 |         if (Class.CastTo(ai, other))
000513 |         {
000514 |             if (!ai.PlayerIsEnemy(this))
000515 |                 return true;
000516 |
000517 |             if (ai.GetGroup().GetFaction().IsGuard() && ai.eAI_GetCachedThreat(GetTargetInformation()) < 0.4)
000518 |                 return true;
000519 |         }
000520 |     else if (checkIfWeAreHelper && Class.CastTo(ai, this))
000521 |     {
000522 |         if (!ai.PlayerIsEnemy(other))
000523 |             return true;
000524 |
000525 |         if (ai.GetGroup().GetFaction().IsGuard() && ai.eAI_GetCachedThreat(other.GetTargetInformation()) < 0.4)
000526 |             return true;
000527 |     }
000528 |
000529 |     return false;
000530 | }
000531 |
000532 | void eAI_Message(eAIBase sender, string fmt, Class p1 = null, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 =
000533 | null, Class p8 = null, Class p9 = null)
000534 | {
000535 |     string text = ExpansionStatic.FormatString(fmt, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000536 |     eAI_Message(sender, "%1", text);
000537 | }
000538 |
000539 | void eAI_Message(eAIBase sender, string fmt, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", s
000540 | tring p8 = "", string p9 = "")
000541 | {
000542 |     string name = sender.GetCachedName();
000543 |     string body = string.Format(fmt, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000544 |     string text = string.Format("%1: %2", name, body);
000545 |
000546 |     string style;
000547 |
000548 |     if (sender.GetGroup() == GetGroup())
000549 |         style = "friendlyAI";
000550 |     else
000551 |         style = "AI";
000552 |
000553 |     Message(text, style);
000554 | }
000555 | };
```

0233. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/playerbase_zombietargeting.c
Size bytes: 745
SHA-256: 6692a527ac50aa06e3392776be697edcba803a345bd4e6a2fb1b671ad3d276dd
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: modded class PlayerBase
Detected enum declarations: 0
Detected function/method-like declarations: 4
 L5: override bool IsInVehicle()
 L14: override bool CanBeTargetedByAI(EntityAI ai)
 L18: return Expansion_OverrideIsInVehicle_CanBeTargetedByAI(ai);
 L23: bool Expansion_OverrideIsInVehicle_CanBeTargetedByAI(EntityAI ai)

Full file content

```
000001 | modded class PlayerBase
000002 | {
000003 |     protected bool m_Expansion_OverrideIsInVehicle;
000004 |
000005 |     override bool IsInVehicle()
000006 |     {
000007 |         if (m_Expansion_OverrideIsInVehicle)
000008 |             return false;
000009 |
000010 |         return super.IsInVehicle();
000011 |     }
000012 |
000013 |     ///! Allow targeting by zombies while in vehicle
000014 |     override bool CanBeTargetedByAI(EntityAI ai)
000015 |     {
000016 |         ZombieBase zombie;
000017 |         if (Class.CastTo(zombie, ai) && zombie.GetExpansionInfectedType())
000018 |             return Expansion_OverrideIsInVehicle_CanBeTargetedByAI(ai);
000019 |
000020 |         return super.CanBeTargetedByAI(ai);
000021 |     }
000022 |
000023 |     bool Expansion_OverrideIsInVehicle_CanBeTargetedByAI(EntityAI ai)
000024 |     {
000025 |         m_Expansion_OverrideIsInVehicle = true;
000026 |
000027 |         bool ret = super.CanBeTargetedByAI(ai);
000028 |
000029 |         m_Expansion_OverrideIsInVehicle = false;
000030 |
000031 |         return ret;
000032 |     }
000033 | }
000034 |
```


0234. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/scriptedlightbase.c

Size bytes: 4179

SHA-256: e18e2b23863f4dfe6ad8393340fe024b201650e0580cd3b7a94c404c3f239c34

Decoded as: utf-8-sig

Line count shown: 161

Detected class declarations: 1

L7: modded class ScriptedLightBase

Detected enum declarations: 0

Detected function/method-like declarations: 9

L17: void ScriptedLightBase()

L23: void ~ScriptedLightBase()

L49: void eAI_DeferredInit()

L54: bool eAI_IsVisible(bool isNight = false)

L73: bool eAI_IsLightOnPlayer(PlayerBase player)

L82: bool eAI_IsPlayerInLight(PlayerBase player)

L110: bool eAI_IsPositionInLight(vector position)

L133: void eAI_AddPlayer(PlayerBase player)

L145: void eAI_RemovePlayer(PlayerBase player)

Full file content

```
000001 | #ifndef SERVER
000002 | /// Client only!
000003 |
000004 | typedef CF_DoublyLinkedNodes_WeakRef<ScriptedLightBase> eAI_ScriptedLightNodes;
000005 | typedef CF_DoublyLinkedNode_WeakRef<ScriptedLightBase> eAI_ScriptedLightNode;
000006 |
000007 | modded class ScriptedLightBase
000008 | {
000009 |     static ref eAI_ScriptedLightNodes s_eAI_LightNodes = new eAI_ScriptedLightNodes();
000010 |
000011 |     ref eAI_ScriptedLightNode m_eAI_LightNode = s_eAI_LightNodes.Add(this);
000012 |
000013 |     /// Players in radius of light
000014 |     ref array<PlayerBase> m_eAI_Players;
000015 |
000016 | #ifdef DIAG_DEVELOPER
000017 |     void ScriptedLightBase()
000018 |     {
000019 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAI_DeferredInit, 34);
000020 |     }
000021 | #endif
000022 |
000023 |     void ~ScriptedLightBase()
000024 |     {
000025 |         #ifndef DIAG_DEVELOPER
000026 |             if (!g_Game)
000027 |                 return;
000028 |         #endif
000029 |
000030 |         if (s_eAI_LightNodes)
000031 |             s_eAI_LightNodes.Remove(m_eAI_LightNode);
000032 |
000033 |         if (m_eAI_Players)
000034 |         {
000035 |             for (int i = m_eAI_Players.Count() - 1; i >= 0; --i)
000036 |             {
000037 |                 PlayerBase player = m_eAI_Players[i];
000038 |             }
```

```

000039 |         if (player)
000040 |             player.eAI_RemoveLight(this, false);
000041 |     }
000042 | }
000043 |
000044 | #ifdef DIAG_DEVELOPER
000045 |     EXTrace.Print(EXTrace.AI, null, string.Format("~%1 pos=%2 radius=%3 enabled=%4", this, GetWorldPosition().ToString(), GetRadius(), IsEnabled()));
000046 | #endif
000047 | }
000048 |
000049 | void eAI_DeferredInit()
000050 | {
000051 |     EXTrace.Print(EXTrace.AI, this, string.Format("pos=%1 radius=%2 enabled=%3", GetWorldPosition().ToString(), GetRadius(), IsEnabled()));
000052 | }
000053 |
000054 | bool eAI_IsVisible(bool isNight = false)
000055 | {
000056 |     if (!IsEnabled())
000057 |         return false;
000058 |
000059 |     if (!isNight && !IsVisibleDuringDaylight())
000060 |         return false;
000061 |
000062 |     EntityAI parentEntity;
000063 |     if (Class.CastTo(parentEntity, GetParent()))
000064 |     {
000065 |         GameInventory inventory = parentEntity.GetInventory();
000066 |         if (inventory && inventory.IsInCargo())
000067 |             return false;
000068 |     }
000069 |
000070 |     return true;
000071 | }
000072 |
000073 | bool eAI_IsLightOnPlayer(PlayerBase player)
000074 | {
000075 |     EntityAI parentEntity;
000076 |     if (Class.CastTo(parentEntity, GetParent()) && parentEntity.GetHierarchyRootPlayer() == player)
000077 |         return true;
000078 |
000079 |     return false;
000080 | }
000081 |
000082 | bool eAI_IsPlayerInLight(PlayerBase player)
000083 | {
000084 |     if (eAI_IsPositionInLight(player.GetPosition()))
000085 |     {
000086 |         vector position = GetWorldPosition();
000087 |         vector endPos = player.GetBonePositionWS(player.GetBoneIndexByName("pelvis"));
000088 |         vector dir = endPos - position;
000089 |         vector begPos = position + dir.Normalized() * 0.1;
000090 |         vector contactPos;
000091 |         vector contactDir;
000092 |         int contactComponent;
000093 |         set<Object> results = new set<Object>;
000094 |
000095 |         if (DayZPhysics.RaycastRV(begPos, endPos, contactPos, contactDir, contactComponent, results, null, null, false, false, ObjIntersectGeom) && results.Co
000096 |     unt() > 0)
000097 |     {
000098 |         EntityAI parent;
000099 |         if (!Class.CastTo(parent, player.GetParent()))
000100 |             parent = player;

```

```
000100 |
000101 |         EntityAI entity;
000102 |         if (Class.CastTo(entity, results[0]) && entity.GetHierarchyRoot() == parent)
000103 |             return true;
000104 |     }
000105 | }
000106 |
000107 |     return false;
000108 | }
000109 |
000110 | bool eAI_IsPositionInLight(vector position)
000111 | {
000112 |     vector lightPosition = GetWorldPosition();
000113 |     float f = 0.95;  //!< Account for light intensity fall-off
000114 |     float radius = GetRadius() * f;
000115 |
000116 |     if (vector.DistanceSq(position, lightPosition) <= radius * radius)
000117 |     {
000118 |         if (GetLightType() != LightSourceType.SpotLight)  //!< Don't do angle check if not spotlight
000119 |             return true;
000120 |
000121 |         vector dir = vector.Direction(lightPosition, position).Normalized();
000122 |         float dot = vector.Dot(GetDirection(), dir);
000123 |         float angle = Math.Acos(dot) * Math.RAD2DEG;
000124 |
000125 |         //!< @note dot angle is half angle, so need to halve light angle as well for comparison
000126 |         if (angle <= GetSpotLightAngle() * 0.5)
000127 |             return true;
000128 |     }
000129 |
000130 |     return false;
000131 | }
000132 |
000133 | void eAI_AddPlayer(PlayerBase player)
000134 | {
000135 |     if (!m_eAI_Players)
000136 |         m_eAI_Players = {};
000137 |
000138 |     int index = m_eAI_Players.Insert(player);
000139 |
000140 | #ifdef DIAG_DEVELOPER
000141 |     EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] added %1 at index %2", player, index));
000142 | #endif
000143 | }
000144 |
000145 | void eAI_RemovePlayer(PlayerBase player)
000146 | {
000147 |     if (m_eAI_Players)
000148 |     {
000149 |         int index = m_eAI_Players.Find(player);
000150 |
000151 |         if (index > -1)
000152 |             m_eAI_Players.Remove(index);
000153 |
000154 |         #ifdef DIAG_DEVELOPER
000155 |             EXTrace.Print(EXTrace.AI, this, string.Format("[Lights] removed %1 at index %2", player, index));
000156 |         #endif
000157 |     }
000158 | }
000159 | }
000160 | #endif
000161 |
```

0235. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase.c

Size bytes: 1144

SHA-256: 683fbel360cefc8c811d82bda209fd904e50ae575178af43ef8d1e5c06ab63ae

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L1: modded class TrapBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override protected eAIItemTargetInformation CreateTargetInformation()

L10: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo

Full file content

```
000001 | modded class TrapBase
000002 | {
000003 |     override protected eAIItemTargetInformation CreateTargetInformation()
000004 |     {
000005 |         auto info = new eAIItemHazardTargetInformation(this);
000006 |         info.UpdateItemInfo();
000007 |         return info;
000008 |     }
000009 |
000010 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000011 |     {
000012 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000013 |
000014 |         if (damageType == DamageType.CLOSE_COMBAT && source && Expansion_IsMechanicalTrap() && !Expansion_IsExplosive() && IsActive())
000015 |         {
000016 |             //eAIBase ai;
000017 |             //if (Class.CastTo(ai, source.GetHierarchyRootPlayer()))
000018 |             //{
000019 |                 //! Only AI can disarm mechanical traps by melee hit
000020 |                 Disarm();
000021 |
000022 |                 //! Damage source (tool/weapon or hands)
000023 |                 if (source.IsMan())
000024 |                 {
000025 |                     TStringArray dmgZones = {"LeftHand", "RightHand", "LeftArm", "RightArm"};
000026 |                     dmgZone = dmgZones.GetRandomElement();
000027 |                 }
000028 |
000029 |                 source.ProcessDirectDamage(DamageType.CLOSE_COMBAT, this, dmgZone, Expansion_GetAmmoTypes().GetRandomElement(), "0 0 0", 1);
000030 |             //}
000031 |         }
000032 |     }
000033 | };
000034 |
```

0236. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/trapbase/trap_tripwire.c
Size bytes: 545
SHA-256: 478d5d75a52fc2b51afe7d88864f16cc1183f4b6d2044c9be3d6503da85d3237
Decoded as: utf-8-sig
Line count shown: 20
Detected class declarations: 1
 L1: modded class TripwireTrap
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override void EEItemAttached(EntityAI item, string slot_name)
 L12: override void EEItemDetached(EntityAI item, string slot_name)

Full file content

```
000001 | modded class TripwireTrap
000002 | {
000003 |     override void EEItemAttached(EntityAI item, string slot_name)
000004 |     {
000005 |         super.EEItemAttached(item, slot_name);
000006 |
000007 |         ItemBase itemBase;
000008 |         if (Class.CastTo(itemBase, item) && itemBase.Expansion_IsExplosive())
000009 |             GetTargetInformation().UpdateItemInfo();
000010 |     }
000011 |
000012 |     override void EEItemDetached(EntityAI item, string slot_name)
000013 |     {
000014 |         super.EEItemDetached(item, slot_name);
000015 |
000016 |         ItemBase itemBase;
000017 |         if (Class.CastTo(itemBase, item) && itemBase.Expansion_IsExplosive())
000018 |             GetTargetInformation().UpdateItemInfo();
000019 |     }
000020 | }
```

0237. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/vehicles/carscript.c
Size bytes: 648
SHA-256: 7b8ae50892109a03951829ad22e85987858c31c3963a0e19cfbd33632b662829
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L5: modded class CarScript
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L9: override void EEInit()
 L19: override protected void GenerateCarHornAINoise(int pState)

Full file content

```
000001 | #ifndef EXPANSIONMODVEHICLE
000002 | CarScript g_Expansion_Car;
000003 | #endif
000004 |
000005 | modded class CarScript
000006 | {
000007 |     string m_eAI_NoiseParamsPath;
000008 |
000009 |     override void EEInit()
000010 |     {
000011 |         super.EEInit();
000012 |
000013 |         if (g_Game.IsServer())
000014 |         {
000015 |             m_eAI_NoiseParamsPath = "cfgVehicles " + GetType() + " NoiseCarHorn";
000016 |         }
000017 |     }
000018 |
000019 |     override protected void GenerateCarHornAINoise(int pState)
000020 |     {
000021 |         super.GenerateCarHornAINoise(pState);
000022 |
000023 |         if (pState != ECarHornState.OFF)
000024 |         {
000025 |             float noiseMultiplier = 1.0;
000026 |             if (pState == ECarHornState.LONG)
000027 |                 noiseMultiplier = 2.0;
000028 |
000029 |             eAINoiseSystem.AddNoise(GetPosition(), 5.0, m_eAI_NoiseParamsPath, noiseMultiplier);
000030 |         }
000031 |     }
000032 | }
000033 |
```

0238. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/akm_eai_debug.c
Size bytes: 1537
SHA-256: 30c1588427eca094f4db1bdbcaa9d13e0f59ae8a9340a6bc44656793628431ec
Decoded as: utf-8-sig
Line count shown: 58
Detected class declarations: 3
 L1: class AKM_eAI_Debug: RifleBoltFree_Base
 L56: class Ammo_762x39Tracer_eAI_Debug: Ammunition_Base {};
 L57: class Mag_AKM_Drum_eAI_Debug: MagazineStorage {};
Detected enum declarations: 0
Detected function/method-like declarations: 6
 L3: void AKM_eAI_Debug()
 L9: override RecoilBase SpawnRecoilObject()
 L11: return new AkmRecoil(this);
 L14: override bool CanEnterIronsights()
 L22: override void OnDebugSpawn()
 L37: override void EEFired(int muzzleType, int mode, string ammoType)

Full file content

```
000001 | class AKM_eAI_Debug: RifleBoltFree_Base
000002 | {
000003 |     void AKM_eAI_Debug()
000004 |     {
000005 |         if (g_Game.IsServer())
000006 |             SetAllowDamage(false);
000007 |     }
000008 |
000009 |     override RecoilBase SpawnRecoilObject()
000010 |     {
000011 |         return new AkmRecoil(this);
000012 |     }
000013 |
000014 |     override bool CanEnterIronsights()
000015 |     {
000016 |         ItemOptics optic = GetAttachedOptics();
000017 |         if (optic && PS010ptic.Cast(optic) || PS0110ptic.Cast(optic) || KazuarOptic.Cast(optic))
000018 |             return true;
000019 |         return super.CanEnterIronsights();
000020 |     }
000021 |
000022 |     override void OnDebugSpawn()
000023 |     {
000024 |         GameInventory inventory = GetInventory();
000025 |
000026 |         inventory.CreateInInventory( "AK_WoodBttstck" );
000027 |         inventory.CreateInInventory( "AK_RailHndgrd" );
000028 |         inventory.CreateInInventory( "AK_Suppressor" );
000029 |         inventory.CreateInInventory( "UnİversallLight" );
000030 |         inventory.CreateInInventory( "KobraOptic" );
000031 |         inventory.CreateInInventory( "Battery9V" );
000032 |         inventory.CreateInInventory( "Battery9V" );
000033 |
000034 |         SpawnAttachedMagazine("Mag_AKM_Drum_eAI_Debug");
000035 |     }
000036 |
000037 |     override void EEFired(int muzzleType, int mode, string ammoType)
000038 |     {
000039 |         super.EEFired(muzzleType, mode, ammoType);
```

```
000040 |  
000041 |     //! Always have unlimited ammo, even if vanilla debug option is disabled  
000042 |     if ((ItemBase.GetDebugActionsMask() & DebugActionType.UNLIMITED_AMMO) == 0)  
000043 |     {  
000044 |         Magazine magazine = GetMagazine(GetCurrentMuzzle());  
000045 |         if (magazine)  
000046 |         {  
000047 |             if (g_Game.IsServer())  
000048 |                 magazine.ServerSetAmmoMax();  
000049 |             else  
000050 |                 magazine.LocalSetAmmoMax();  
000051 |         }  
000052 |     }  
000053 | }  
000054 | };  
000055 |  
000056 | class Ammo_762x39Tracer_eAI_Debug: Ammunition_Base {};  
000057 | class Mag_AKM_Drum_eAI_Debug: MagazineStorage {};  
000058 |
```


0239. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponattachmagazine.c

Size bytes: 5549

SHA-256: 5bec76b69fe060c1f585e958b5390e99095527531dff73baa02316d2fa137440

Decoded as: utf-8-sig

Line count shown: 124

Detected class declarations: 1

L1: modded class WeaponAttachMagazine

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override void OnEntry (WeaponEventBase e)

L84: void eAI_HandleMag(WeaponEventBase e, InventoryLocation newSrc)

Full file content

```
000001 | modded class WeaponAttachMagazine
000002 | {
000003 |     override void OnEntry (WeaponEventBase e)
000004 |     {
000005 |         eAIBase p;
000006 |         if (e && Class.CastTo(p, e.m_player))
000007 |         {
000008 |             Magazine mag = e.m_magazine;
000009 |
000010 |             InventoryLocation newSrc = new InventoryLocation();
000011 |             InventoryLocation lhand;
000012 |             if (mag.GetInventory().GetCurrentInventoryLocation(newSrc))
000013 |             {
000014 |                 eAI_HandleMag(e, newSrc);
000015 |
000016 |                 /*
000017 |                 EntityAI lhandEntity = e.m_player.GetInventory().FindAttachment(InventorySlots.LEFTHAND);
000018 |                 if (lhandEntity)
000019 |                 {
000020 |                     EXError.Warn(this, ExpansionStatic.GetDebugInfo(e.m_player) + "WeaponAttachMagazine, warning - entity in LHand " + ExpansionStatic.GetDebugInfo(lhandEntity) + ", entity to be attached " + ExpansionStatic.DumpToString(newSrc));
000021 |
000022 |                     if (g_Game.IsServer())
000023 |                     {
000024 |                         vector m4[4];
000025 |                         Math3D.MatrixIdentity4(m4);
000026 |
000027 |                         //! We don't care if a valid transform couldn't be found, we just want to preferably use it instead of placing on the player
000028 |                         GameInventory.PrepareDropEntityPos(e.m_player, lhandEntity, m4, false, GameConstants.INVENTORY_ENTITY_DROP_OVERLAP_DEPTH);
000029 |                         InventoryLocation ground = new InventoryLocation();
000030 |                         ground.SetGround(lhandEntity, m4);
000031 |
000032 |                         EXPrint(this, "Cloning to ground " + ExpansionStatic.DumpToString(ground));
000033 |
000034 |                         if (ExpansionItemSpawnHelper.Clone(lhandEntity, true, ground, true) == null)
000035 |                             Error("Cloning failed " + ExpansionStatic.GetDebugInfo(lhandEntity) + " " + ExpansionStatic.DumpToString(ground));
000036 |
000037 |                         g_Game.ObjectDelete(lhandEntity); //! Whether cloning succeeded or not, always delete the offending entity
000038 |                     }
000039 |                 }
000040 |             */
000041 |
000042 |             // move to LH - but only if not already in LH
000043 |             if (newSrc.GetSlot() != InventorySlots.LEFTHAND)
000044 |             {
```

```

000045 |         lhand = new InventoryLocation;
000046 |         lhand.SetAttachment(e.m_player, mag, InventorySlots.LEFTHAND);
000047 |         if (GameInventory.LocationSyncMoveEntity(newSrc, lhand))
000048 |         {
000049 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponAttachMagazine, ok - new magazin
e removed from inv (inv->LHand)"); }
000050 |         }
000051 |         else
000052 |             Error("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponAttachMagazine, error - cannot new remove mag from inv");
000053 |     }
000054 |
000055 |     InventoryLocation il = new InventoryLocation;
000056 |     il.SetAttachment(m_weapon, mag, InventorySlots.MAGAZINE);
000057 |     m_attach.m_newMagazine = mag;
000058 |     m_attach.m_newDst = il;
000059 | }
000060 | else
000061 | {
000062 |     Error(ExpansionStatic.GetDebugInfo(e.m_player) + " [wpnfsm] " + ExpansionStatic.GetDebugInfo(m_weapon) + " WeaponAttachMagazine, error - cannot ge
t curr location of " + ExpansionStatic.GetDebugInfo(mag) + " " + ExpansionStatic.DumpToString(newSrc));
000063 |
000064 |     EntityAI lhandEntity = e.m_player.GetInventory().FindAttachment(InventorySlots.LEFTHAND);
000065 |     if (!lhandEntity)
000066 |     {
000067 |         lhand = new InventoryLocation;
000068 |         lhand.SetAttachment(e.m_player, mag, InventorySlots.LEFTHAND);
000069 |
000070 |         ErrorEx(ExpansionStatic.GetDebugInfo(e.m_player) + " WeaponAttachMagazine - moving " + ExpansionStatic.GetDebugInfo(mag) + " to LHand " + Expans
ionStatic.DumpToString(lhand), ErrorExSeverity.WARNING);
000071 |
000072 |         if (!GameInventory.LocationAddEntity(lhand))
000073 |             Error(ExpansionStatic.GetDebugInfo(e.m_player) + " " + ExpansionStatic.GetDebugInfo(m_weapon) + " WeaponAttachMagazine, error - couldn't m
ove " + ExpansionStatic.GetDebugInfo(mag) + " to LHand " + ExpansionStatic.DumpToString(lhand));
000074 |     }
000075 | }
000076 |
000077 |     super.eAI_Vanilla_OnEntry(e);  //!< WeaponStateBase::eAI_Vanilla_OnEntry
000078 |     return;
000079 | }
000080 |     super.OnEntry(e); // @NOTE: super at the end (prevent override from submachine start)
000081 | }
000082 |
000083 |     //!< Like OnAbort, but w/o super call since we only want to deal with any mag stuck in LHand
000084 |     void eAI_HandleMag(WeaponEventBase e, InventoryLocation newSrc)
000085 |     {
000086 |         EntityAI leftHandItem = e.m_player.GetInventory().FindAttachment(InventorySlots.LEFTHAND);
000087 |
000088 |         if (leftHandItem && newSrc.GetSlot() != InventorySlots.LEFTHAND)
000089 |             EXError.Warn(this, ExpansionStatic.GetDebugInfo(e.m_player) + "WeaponAttachMagazine, warning - entity in LHand " + ExpansionStatic.GetDebugInfo(leftHa
ndItem) + ", entity to be attached " + ExpansionStatic.DumpToString(newSrc));
000090 |
000091 |         Magazine mag = Magazine.Cast(leftHandItem);
000092 |
000093 |         if(mag)
000094 |         {
000095 |             e.m_player.GetInventory().ClearInventoryReservationEx( mag , null );
000096 |             InventoryLocation il = new InventoryLocation;
000097 |             e.m_player.GetInventory().FindFreeLocationFor( mag, FindInventoryLocationType.CARGO, il );
000098 |
000099 |             if(!il || !il.IsValid())
000100 |             {
000101 |                 if (DayZPlayerUtils.HandleDropMagazine(e.m_player, mag))

```

```
000102 |         {
000103 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponAttachMagazine, ok - no inventory sp
000104 | ace for old magazine - dropped to ground"); }
000105 |         }
000106 |         else
000107 |             Error("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponAttachMagazine, error - cannot drop magazine from left hand after not found invent
000108 | ory space for old magazine");
000109 |     }
000110 |     else
000111 |     {
000112 |         InventoryLocation oldSrc = new InventoryLocation();
000113 |         mag.GetInventory().GetCurrentInventoryLocation(oldSrc);
000114 |         if (GameInventory.LocationSyncMoveEntity(oldSrc, il))
000115 |         {
000116 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponAttachMagazine, ok - old magazine re
000117 | moved from wpn (LHand->inv)"); }
000118 |         }
000119 |         else
000120 |             Error("[wpnfsm] " + Object.GetDebugName(m_weapon) + " WeaponAttachMagazine, error - cannot remove old mag from wpn");
000121 |     }
000122 | }
000123 | }
000124 | }
```

0240. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponfireandchambernext.c

Size bytes: 675

SHA-256: 8500bf67f8bab87a94ef100155d5e89231b775c9887af675b7ceae7c7c45cd5d

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L1: modded class WeaponFireAndChamberNext

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void OnUpdate(float dt)

Full file content

```
000001 | modded class WeaponFireAndChamberNext
000002 | {
000003 |     override void OnUpdate(float dt)
000004 |     {
000005 |         eAIBase p;
000006 |         if (Class.CastTo(p, m_weapon.GetHierarchyParent()))
000007 |         {
000008 |             m_dtAccumulator += dt;
000009 |
000010 |             int muzzleIndex = m_weapon.GetCurrentMuzzle();
000011 |             float reloadTime = m_weapon.GetReloadTime(muzzleIndex);
000012 |
000013 |             if (m_dtAccumulator >= reloadTime && (m_weapon.GetCurrentModeAutoFire(m_weapon.GetCurrentMuzzle()) || (m_weapon.GetBurstCount() < m_weapon.GetCurrentM
000014 |             odeBurstSize(muzzleIndex)))
000015 |             {
000016 |                 if (m_weapon.CanProcessWeaponEvents())
000017 |                 {
000018 |                     m_weapon.ProcessWeaponEvent(new WeaponEventReloadTimeout(p));
000019 |                 }
000020 |             }
000021 |             else
000022 |             {
000023 |                 super.OnUpdate(dt);
000024 |             }
000025 |         }
000026 |     }
000027 | }
```

0241. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponreplacingmagandchambernext.c

Size bytes: 9647

SHA-256: 986fc0bc33552105950d5e5078fed58ae8d28c8b3a5a24531475a82f899e515d

Decoded as: utf-8-sig

Line count shown: 246

Detected class declarations: 2

L1: modded class SwapOldAndNewMagazine

L71: modded class AttachNewMagazine

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: override void OnEntry (WeaponEventBase e)

L73: override void OnEntry (WeaponEventBase e)

Full file content

```
000001 | modded class SwapOldAndNewMagazine
000002 | {
000003 |     override void OnEntry (WeaponEventBase e)
000004 |     {
000005 |         eAIBase p;
000006 |         if (e && Class.CastTo(p, e.m_player))
000007 |         {
000008 |             super.eAI_Vanilla_OnEntry(e);  //!< WeaponStateBase::eAI_Vanilla_OnEntry
000009 |
000010 |             if (!m_newMagazine || !m_newDst || !m_newDst.IsValid())
000011 |             {
000012 |                 Error("[wpnfsm] " + Object.GetDebugName(m_weapon) + " SwapOldAndNewMagazine, error - m_newMagazine(" + m_newMagazine + ") or destination(" + Inven
toryLocation.DumpToStringNullSafe(m_newDst) + ") is not set ");
000013 |             }
000014 |             else
000015 |             {
000016 |                 e.m_player.GetInventory().ClearInventoryReservationEx( m_newMagazine , m_newDst );
000017 |                 m_weapon.ShowMagazine();
000018 |                 InventoryLocation lhand = new InventoryLocation();
000019 |                 lhand.SetAttachment(e.m_player, m_newMagazine, InventorySlots.LEFTHAND);
000020 |
000021 |                 if (GameInventory.LocationSyncMoveEntity(lhand, m_newDst))
000022 |                 {
000023 |                     if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " SwapOldAndNewMagazine, ok - new magazine r
emoved from inv (LHand->Att)"); }
000024 |                 }
000025 |                 else
000026 |                 {
000027 |                     InventoryLocation il = new InventoryLocation();
000028 |                     m_newMagazine.GetInventory().GetCurrentInventoryLocation(il);
000029 |
000030 |                     Error("[wpnfsm] " + Object.GetDebugName(m_weapon) + " SwapOldAndNewMagazine, error - cannot remove new mag from LHand and move " + ExpansionSt
atic.GetHierarchyInfo(m_newMagazine) + " from " + ExpansionStatic.DumpToString(il) + " to " + ExpansionStatic.DumpToString(m_newDst));
000031 |
000032 |                     il.Reset();
000033 |
000034 |                     bool keepUnlootable;
000035 |
000036 |                     //!< @note cloning doesn't really help but cloning to ground at least allows the AI to pick another interactable/target
000037 |                     //!< than the mag (unlike cloning to inventory). Always clone mag to ground for now.
000038 |                     //!< Try to clone to cargo, if no free loc, clone to ground
000039 |                     //!< if (!e.m_player.GetInventory().FindFreeLocationFor(m_newMagazine, FindInventoryLocationType.CARGO, il))
000040 |                     //{
000041 |                         vector m4[4];
```

```

000042 |         Math3D.MatrixIdentity4(m4);
000043 |
000044 |         //!< We don't care if a valid transform couldn't be found, we just want to preferably use it instead of placing on the player
000045 |         GameInventory.PrepareDropEntityPos(e.m_player, m_newMagazine, m4, false, GameConstants.INVENTORY_ENTITY_DROP_OVERLAP_DEPTH);
000046 |         il.SetGround(m_newMagazine, m4);
000047 |
000048 |         keepUnlootable = true;
000049 |
000050 |         EXPrint(this, "Cloning to ground " + ExpansionStatic.DumpToString(il));
000051 |     !!}
000052 |     //!< else
000053 |     //!< {
000054 |         //!< EXPrint(this, "Cloning to cargo " + ExpansionStatic.DumpToString(il));
000055 |     !!}
000056 |
000057 |     if (ExpansionItemSpawnHelper.Clone(m_newMagazine, true, il, keepUnlootable) == null)
000058 |         Error("Cloning failed " + ExpansionStatic.GetDebugInfo(m_newMagazine) + " " + ExpansionStatic.DumpToString(il));
000059 |
000060 |     g_Game.ObjectDelete(m_newMagazine); //!< Whether cloning succeeded or not, always delete the offending mag to break out of the event (else it
will repeat over and over...)
000061 |     }
000062 | }
000063 |
000064 |     return;
000065 | }
000066 |
000067 |     super.OnEntry(e);
000068 | }
000069 | }
000070 |
000071 | modded class AttachNewMagazine
000072 | {
000073 |     override void OnEntry (WeaponEventBase e)
000074 |     {
000075 |         eAIBase p;
000076 |         if (e && Class.CastTo(p, e.m_player))
000077 |         {
000078 |             super.eAI_Vanilla_OnEntry(e); //!< WeaponStateBase::eAI_Vanilla_OnEntry
000079 |
000080 |             if (m_newMagazine && m_newDst)
000081 |             {
000082 |                 EntityAI directParent;
000083 |
000084 |                 InventoryLocation il = new InventoryLocation();
000085 |                 if (!m_newMagazine.GetInventory().GetCurrentInventoryLocation(il))
000086 |                 {
000087 |                     //!< Getting current location of new mag sometimes fails. Reason seems to be that WeaponAttachMagazine::OnAbort
000088 |                     //!< doesn't seem to get called for AI when needed, which would deal with moving previous mag/ammo in LHand back to
000089 |                     //!< inventory/ground, and then any attempt to sync move new mag to already taken LHand loc in
000090 |                     //!< WeaponAttachMagazine::OnEntry seems to break getting loc for new mag.
000091 |                     //!< This is now dealt with in a (hacky) way in WeaponAttachMagazine::OnEntry, so the whole shenanigans below
000092 |                     //!< is probably not needed. Keeping it just in case.
000093 |
000094 |                     string notFoundLocInfo = ExpansionStatic.DumpToString(il);
000095 |
000096 |                     //!< Gather as much info as possible about mag + its parent(s). Note that so far when the issue happened,
000097 |                     //!< neither were any parent or mag pending deletion nor was their inventory (or their parents' inventory) locked.
000098 |
000099 |                     string dbgInfoMag = ExpansionStatic.GetDebugInfo(m_newMagazine);
000100 |
000101 |                     EntityAI parent = m_newMagazine.GetHierarchyParent();
000102 |                     directParent = parent;

```

```
000103 |         EntityAI child = m_newMagazine;
000104 |
000105 |     if (parent)
000106 |     {
000107 |         //! Try and brute force find the mag in cargo of direct parent
000108 |         CargoBase cargo = parent.GetInventory().GetCargo();
000109 |         if (cargo)
000110 |         {
000111 |             int cargoWidth = cargo.GetWidth();
000112 |             int cargoHeight = cargo.GetHeight();
000113 |
000114 |             bool found;
000115 |             int idx;
000116 |
000117 |             for (int row = 0; row < cargoWidth; row++)
000118 |             {
000119 |                 for (int col = 0; col < cargoHeight; col++)
000120 |                 {
000121 |                     if (parent.GetInventory().HasEntityInCargoEx(m_newMagazine, idx, row, col))
000122 |                     {
000123 |                         found = true;
000124 |                         il.SetCargo(parent, m_newMagazine, idx, row, col, false);
000125 |                         break;
000126 |                     }
000127 |
000128 |                     idx++;
000129 |                 }
000130 |
000131 |                 if (found)
000132 |                     break;
000133 |             }
000134 |         }
000135 |
000136 |         while (parent)
000137 |         {
000138 |             if (parent == p)
000139 |                 dbgInfoMag += " on ";
000140 |             else
000141 |                 dbgInfoMag += " in ";
000142 |
000143 |             for (int i = 0; i < parent.GetInventory().GetAttachmentSlotsCount(); i++)
000144 |             {
000145 |                 int slotId = parent.GetInventory().GetAttachmentSlotId(i);
000146 |
000147 |                 if (parent.GetInventory().FindAttachment(slotId) == child)
000148 |                     dbgInfoMag += string.Format("slot %1 of ", InventorySlots.GetSlotName(slotId));
000149 |             }
000150 |
000151 |             dbgInfoMag += ExpansionStatic.GetDebugInfo(parent, false);
000152 |
000153 |             child = parent;
000154 |             parent = parent.GetHierarchyParent();
000155 |         }
000156 |     }
000157 |
000158 |     if (il.IsValid())
000159 |     {
000160 |         EXError.Warn(this, ExpansionStatic.GetDebugInfo(e.m_player) + " [wpnfsm] " + ExpansionStatic.GetDebugInfo(m_weapon) + " AttachNewMagazine,
warning - cannot get curr location of " + dbgInfoMag + " " + notFoundLocInfo + " but found via brute force " + ExpansionStatic.DumpToString(il));
000161 |     }
000162 |     else
000163 |     {
```

```

000164 |         Error(ExpansionStatic.GetDebugInfo(e.m_player) + " [wpnfsm] " + ExpansionStatic.GetDebugInfo(m_weapon) + " AttachNewMagazine, error - cann
ot get curr location of " + dbgInfoMag + " " + ExpansionStatic.DumpToString(il));
000165 |     }
000166 | }
000167 |
000168 |     bool success;
000169 |
000170 |     if (il.IsValid())
000171 |     {
000172 |         if (GameInventory.LocationSyncMoveEntity(il, m_newDst))
000173 |         {
000174 |             m_weapon.ShowMagazine();
000175 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " AttachNewMagazine, ok - attached new m
agazine (LHand->dst)"); }
000176 |
000177 |             success = true;
000178 |         }
000179 |         else
000180 |         {
000181 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " AttachNewMagazine, error - cannot atta
ch new magazine!"); }
000182 |
000183 |             Error("[wpnfsm] " + ExpansionStatic.GetDebugInfo(m_weapon) + " AttachNewMagazine, error - cannot attach new magazine! src=" + ExpansionSta
tic.DumpToString(il) + " dst=" + ExpansionStatic.DumpToString(m_newDst));
000184 |         }
000185 |     }
000186 |
000187 |     if (!success && g_Game.IsServer())
000188 |     {
000189 |         il.Reset();
000190 |
000191 |         bool keepUnlootable;
000192 |
000193 |         /// @note cloning doesn't really help but cloning to ground at least allows the AI to pick another interactable/target
000194 |         /// than the mag (unlike cloning to inventory). Always clone mag to ground for now.
000195 |         ///! Try to clone to cargo, if no free loc, clone to ground
000196 |         ///if (!e.m_player.GetInventory().FindFreeLocationFor(m_newMagazine, FindInventoryLocationType.CARGO, il))
000197 |         //{
000198 |             vector m4[4];
000199 |             Math3D.MatrixIdentity4(m4);
000200 |
000201 |             ///! We don't care if a valid transform couldn't be found, we just want to preferably use it instead of placing on the player
000202 |             GameInventory.PrepareDropEntityPos(e.m_player, m_newMagazine, m4, false, GameConstants.INVENTORY_ENTITY_DROP_OVERLAP_DEPTH);
000203 |             il.SetGround(m_newMagazine, m4);
000204 |
000205 |             keepUnlootable = true;
000206 |
000207 |             EXPrint(this, "Cloning to ground " + ExpansionStatic.DumpToString(il));
000208 |         }
000209 |         //else
000210 |         //{
000211 |             //EXPrint(this, "Cloning to cargo " + ExpansionStatic.DumpToString(il));
000212 |         }
000213 |
000214 |         if (ExpansionItemSpawnHelper.Clone(m_newMagazine, true, il, keepUnlootable) == null)
000215 |             Error("Cloning failed " + ExpansionStatic.GetDebugInfo(m_newMagazine) + " " + ExpansionStatic.DumpToString(il));
000216 |
000217 |         g_Game.ObjectDelete(m_newMagazine); ///! Whether cloning succeeded or not, always delete the offending mag to break out of the event (else it
will repeat over and over...)
000218 |
000219 |         /*
000220 |         if (directParent)

```



```
000221 |         {
000222 |             il.Reset();
000223 |
000224 |             //! To rule out the problem being the direct parent, clone it to ground as well
000225 |             il.SetGround(directParent, m4);
000226 |
000227 |             EXPrint(this, "Cloning to ground " + ExpansionStatic.DumpToString(il));
000228 |
000229 |             if (ExpansionItemSpawnHelper.Clone(directParent, true, il, keepUnlootable) == null)
000230 |                 Error("Cloning failed " + ExpansionStatic.GetDebugInfo(directParent) + " " + ExpansionStatic.DumpToString(il));
000231 |
000232 |             g_Game.ObjectDelete(directParent); //! Whether cloning succeeded or not, always delete the offending direct parent to break out of the ev
ent (else it will repeat over and over...)
000233 |         }
000234 |         */
000235 |     }
000236 | }
000237 | else
000238 |     Error("[wpnfsm] " + Object.GetDebugName(m_weapon) + " AttachNewMagazine, error - no magazines configured for replace (m_new=NULL)");
000239 |
000240 |     return;
000241 | }
000242 |
000243 |     super.OnEntry(e);
000244 | }
000245 | }
000246 |
```

0242. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponstartaction.c

Size bytes: 1429

SHA-256: e1d2854cbaf877b8b29b14ccb571dea414037ed0da5d69a2b1f32469ec48e04

Decoded as: utf-8-sig

Line count shown: 36

Detected class declarations: 1

L1: modded class WeaponStartAction

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void eAI_Vanilla_OnEntry(WeaponEventBase e)

Full file content

```
000001 | modded class WeaponStartAction
000002 | {
000003 |     override void eAI_Vanilla_OnEntry(WeaponEventBase e)
000004 |     {
000005 |         super.eAI_Vanilla_OnEntry(e);
000006 |         if (e)
000007 |         {
000008 |             if (e.m_player)
000009 |             {
000010 |                 HumanCommandWeapons hcw = e.m_player.GetCommandModifier_Weapons();
000011 |                 if (hcx)
000012 |                 {
000013 |                     HumanCommandAdditives ad = e.m_player.GetCommandModifier_Additives();
000014 |                     if (ad)
000015 |                         ad.CancelModifier();
000016 |
000017 |                     hcx.StartAction(m_action, m_actionType);
000018 |
000019 |                     if (hcx.GetRunningAction() == m_action && hcx.GetRunningActionType() == m_actionType)
000020 |                     {
000021 |                         if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("HCW: playing A=" + typename.EnumToString(WeaponActions, m_action) + " AT=" + WeaponAc
tionTypeToString(m_action, m_actionType) + " fini=" + hcx.IsActionFinished()); }
000022 |                     }
000023 |                     else
000024 |                         Error("HCW: NOT playing A=" + typename.EnumToString(WeaponActions, m_action) + " AT=" + WeaponActionTypeToString(m_action, m_actionType) +
" fini=" + hcx.IsActionFinished());
000025 |                     }
000026 |                     else
000027 |                         if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("---: remote playing A=" + typename.EnumToString(WeaponActions, m_action) + " AT=" + Weapo
nActionTypeToString(m_action, m_actionType)); }
000028 |                     }
000029 |                     else
000030 |                     {
000031 |                         if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("---: warning, no player wants to play A=" + typename.EnumToString(WeaponActions, m_action) +
" AT=" + WeaponActionTypeToString(m_action, m_actionType)); }
000032 |                     }
000033 |                 }
000034 |             }
000035 |         }
000036 |     }
```

0243. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponstatebase.c

Size bytes: 1077

SHA-256: fddc0ea988d4e1cb898fd8af68e8c911987692330b56903da777806cf52d24c6

Decoded as: utf-8-sig

Line count shown: 45

Detected class declarations: 1

L1: modded class WeaponStateBase

Detected enum declarations: 0

Detected function/method-like declarations: 5

L3: void eAI_Vanilla_OnEntry(WeaponEventBase e)

L14: void eAI_WpnPrint(string s)

L25: void wpnDebugPrint(string s)

L30: void wpnPrint(string s)

L36: void Error(string err)

Full file content

```
000001 | modded class WeaponStateBase
000002 | {
000003 |     void eAI_Vanilla_OnEntry(WeaponEventBase e)
000004 |     {
000005 |         if (HasFSM() && !m_fsm.IsRunning())
000006 |         {
000007 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " { " + this.Type().ToString() + " Has Sub-FSM! Sta
rting submachine..."); }
000008 |             m_fsm.Start(e);
000009 |         }
000010 |         else
000011 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " { " + this.Type().ToString()); }
000012 |     }
000013 |
000014 |     void eAI_WpnPrint(string s)
000015 |     {
000016 |         #ifdef WPN_DEBUG
000017 |             PrintToRPRT(s);
000018 |         #else
000019 |             eAIBase ai;
000020 |             if (Class.CastTo(ai, m_weapon.GetHierarchyParent()))
000021 |                 EXTrace.Print(EXTrace.AI, this, ai.ToString() + " " + s);
000022 |         #endif
000023 |     }
000024 |
000025 |     void wpnDebugPrint(string s)
000026 |     {
000027 |         eAI_WpnPrint(s);
000028 |     }
000029 |
000030 |     void wpnPrint(string s)
000031 |     {
000032 |         eAI_WpnPrint(s);
000033 |     }
000034 |
000035 |     //! Suppress crash.log debug spam by only printing to script log if AI on client
000036 |     void Error(string err)
000037 |     {
000038 |         eAIBase ai;
000039 |         if (Class.CastTo(ai, m_weapon.GetHierarchyRoot()) && g_Game.IsClient())
000040 |             Print(err);
000041 |     }
    else
```

```
000042 |           ErrrEx(err);
000043 |       }
000044 | }
000045 |
```

0244. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/fsm/states/weaponunjamming_start.c

Size bytes: 641

SHA-256: 5e4149d7e897befac1555ff8ceb6314b1d4418962b4776c1ec550f0b1424ea89

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 1

L1: modded class WeaponUnjamming_Start

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void OnUpdate(float dt)

Full file content

```
000001 | modded class WeaponUnjamming_Start
000002 | {
000003 |     override void OnUpdate(float dt)
000004 |     {
000005 |         eAIBase p;
000006 |         if (Class.CastTo(p, m_weapon.GetHierarchyParent()))
000007 |         {
000008 |             m_dtAccumulator += dt;
000009 |
000010 |             HumanInputController hic = p.GetInputController();
000011 |             HumanCommandWeapons hcw = p.GetCommandModifier_Weapons();
000012 |
000013 |             if (m_dtAccumulator >= m_jamTime)
000014 |             {
000015 |                 wpnDebugPrint("[wpnfsm] " + Object.GetDebugName(m_weapon) + " Unjammed!");
000016 |                 hcw.StartAction(WeaponActions.UNJAMMING, WeaponActionUnjammingTypes.UNJAMMING_END);
000017 |                 m_weapon.ProcessWeaponEvent(new WeaponEventUnjammingTimeout(p));
000018 |             }
000019 |
000020 |             return;
000021 |         }
000022 |
000023 |         super.OnUpdate(dt);
000024 |     }
000025 | };
000026 |
```

0245. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/weapons/firearms/weapon_base.c
Size bytes: 24869
SHA-256: 325cf79a6c1e039db86a748d881ddf0fda44bb8f8056e7cb41f60dbb6cc6f66
Decoded as: utf-8-sig
Line count shown: 782
Detected class declarations: 1
  L15: modded class Weapon_Base
Detected enum declarations: 0
Detected function/method-like declarations: 33
  L32: bool Hitscan(vector begin_point, vector direction, eAIBase ai, out Object hitObject, out vector hitPosition, out vector hitNormal, out int c
  L34: return Hitscan(begin_point, direction, 1100.0, ai, this, hitObject, hitPosition, hitNormal, contactComponent);
  L37: bool Hitscan(vector begin_point, vector direction, float distance, eAIBase ai, Object ignore, out Object hitObject, out vector hitPosition,
  L60: bool eAI_Fire(int muzzleIndex, eAIBase ai)
  L157: return Fire(muzzleIndex, pos, dir, dir);
  L162: return eAI_FireOnClient(muzzleIndex, ai, m_eAI_ShotID, true);
  L166: bool eAI_FireOnClient(int muzzleIndex, eAIBase ai, int shotID, bool fromFSM = false)
  L239: else if (m_eAI_ResyncAttempts > 0)
  L247: void eAI_PlayShotSound(DayZPlayerImplement player)
  L329: override void EEFired(int muzzleType, int mode, string ammoType)
  L358: override void EEParentedTo(EntityAI parent)
  L371: override void EEParentedFrom(EntityAI parent)
  L388: void ~Weapon_Base()
  L394: eAINoiseParams eAI_GetNoiseParams()
  L420: override bool eAI_IsSilent()
  L436: void eAI_DebugFire(bool hit, vector begin_point, vector direction, eAIBase ai, eAITarget target, Object hitObject, vector hitPosition)
  L490: void eAI_RemoteRecreate()
  L506: float eAI_CalculateProjectileSpeedCoefAtPosition(string ammoType, vector hitPosition, out float airFriction = 0.0, out float distance = 0.0)
  L511: return eAI_CalculateProjectileSpeedCoefAtPosition(origin, ammoType, hitPosition, airFriction, distance);
  L514: float eAI_CalculateProjectileSpeedCoefAtPosition(vector origin, string ammoType, vector hitPosition, out float airFriction = 0.0, out float
  L536: float eAI_CalculateProjectileDamageCoefAtPosition(string ammoType, vector hitPosition, float damageOverride = 1.0, out float airFriction = 0
  L541: return eAI_CalculateProjectileDamageCoefAtPosition(origin, ammoType, hitPosition, damageOverride, airFriction, distance, speedCoef, initSpee
  L544: float eAI_CalculateProjectileDamageCoefAtPosition(vector origin, string ammoType, vector hitPosition, float damageOverride = 1.0, out float
  L580: float eAI_CalculateProjectileTravelTime(float airFriction, float distance, float initSpeed, float simulationStep = 0.05)
  L611: float eAI_CalculateProjectileDrop(float travelTime)
  L621: void eAI_SetFireModeAuto()
  L632: override bool ProcessWeaponEvent(WeaponEventBase e)
  L662: override bool ProcessWeaponAbortEvent(WeaponEventBase e)
  L680: override ItemBase Expansion_TryTurningOnAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
  L699: override ItemBase Expansion_GetAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
  L715: else if (IsInherited(Pistol_Base))
  L725: override ItemBase Expansion_TryTurningOffAnyLightOrNVG(bool skipNVG = false)
  L748: float Expansion_GetMinSafeFiringDistance()

```

Full file content

```

000001 | /**
000002 |  * Weapon_Base.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2022 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 | */
000014 |

```

```
000015 | modded class Weapon_Base
000016 | {
000017 |     static const int MAX_RESYNC_ATTEMPTS = 12;
000018 |     static const int MIN_RESYNC_INTERVAL = 3000; //! ms
000019 |     static const int RESET_MAX_RESYNC_ATTEMPTS_THRESHOLD = 3600000; //! ms
000020 |
000021 |     static ref map<string, float> s_Expansion_MinSafeFiringDistance = new map<string, float>;
000022 |
000023 |     float m_eAI_LastFiredTime;
000024 |     float m_eAI_LastBulletImpactTime;
000025 |     int m_eAI_ShotID;
000026 |     int m_eAI_ResyncAttempts;
000027 |     int m_eAI_LastResyncTime;
000028 |
000029 |     eAINoiseParams m_eAI_NoiseParams;
000030 |     eAITargetInformation m_eAI_ParentTargetInformation;
000031 |
000032 |     bool Hitscan(vector begin_point, vector direction, eAIBase ai, out Object hitObject, out vector hitPosition, out vector hitNormal, out int contactComponent)
000033 |     {
000034 |         return Hitscan(begin_point, direction, 1100.0, ai, this, hitObject, hitPosition, hitNormal, contactComponent);
000035 |     }
000036 |
000037 |     bool Hitscan(vector begin_point, vector direction, float distance, eAIBase ai, Object ignore, out Object hitObject, out vector hitPosition, out vector hitNormal, out int contactComponent)
000038 |     {
000039 |         #ifdef EAI_TRACE
000040 |             auto trace = CF_Trace_0(this, "Hitscan");
000041 |         #endif
000042 |
000043 |         vector end_point = begin_point + direction * distance;
000044 |
000045 |         set<Object> results = new set<Object>();
000046 |         bool hit = DayZPhysics.RaycastRV(begin_point, end_point, hitPosition, hitNormal, contactComponent, results, ai, ignore, false, false, ObjIntersectFire, 0.01);
000047 |
000048 |         if (hit)
000049 |         {
000050 |             if (results.Count() > 0)
000051 |                 hitObject = results[0];
000052 |             return true;
000053 |         }
000054 |
000055 |         hitPosition = end_point;
000056 |
000057 |         return false;
000058 |     }
000059 |
000060 |     bool eAI_Fire(int muzzleIndex, eAIBase ai)
000061 |     {
000062 |         #ifdef SERVER
000063 |             vector pos = ai.GetBonePositionWS(ai.GetBoneIndexByName("neck"));
000064 |             vector dir = ai.GetWeaponAimDirection();
000065 |
000066 |             eAITarget target = ai.GetTarget();
000067 |             EntityAI targetEntity = target.GetEntity();
000068 |
000069 |             typename type = target.m_Info.Type();
000070 |
000071 |         #ifdef DIAG_DEVELOPER
000072 |             if (EXTrace.AI && ai.m_eAI_LastEngagedTargetType != type)
000073 |                 EXTrace.Print(true, this, "Last engaged target type " + type);
000074 |         #endif
000075 |     }
```

```
000075 |
000076 |     ai.m_eAI_LastEngagedTargetType = type;
000077 |
000078 |     Object ignore = this;
000079 |     Object hitObject;
000080 |     vector hitPosition;
000081 |     vector hitNormal;
000082 |     int contactComponent;
000083 |
000084 |     /// We check if we hit something in aim direction.
000085 |     /// Because projectiles may penetrate bushes, trees and even buildings,
000086 |     /// we continue the check until the hit object is not one of those, we exhaust the max distance or we reach max iterations.
000087 |     /// Note that it's not relevant here if the projectile cannot actually penetrate an obstacle, since that is checked by the damage handler.
000088 |     /// We are only interested in the object that could potentially be hit in the projectile's path.
000089 |     vector begPos = pos;
000090 |     float distance = 1100.0;
000091 |     bool hit;
000092 |
000093 |     for (int i = 0; i < 3; i++)
000094 |     {
000095 |         hit = Hitscan(begPos, dir, distance, ai, ignore, hitObject, hitPosition, hitNormal, contactComponent);
000096 |
000097 |         if (hitObject && hitObject != targetEntity)
000098 |         {
000099 |             if (hitObject.IsBush() || hitObject.IsTree() || hitObject.IsBuilding() || hitObject.IsPlainObject())
000100 |             {
000101 |                 float hitDist = vector.Distance(begPos, hitPosition);
000102 |
000103 |                 if (hitDist > 0)
000104 |                 {
000105 |                     distance -= hitDist;
000106 |
000107 |                     if (distance > 0)
000108 |                     {
000109 |                         begPos = begPos + dir * hitDist;
000110 |                         ignore = hitObject;
000111 |                         continue;
000112 |                     }
000113 |                 }
000114 |             }
000115 |         }
000116 |
000117 |         break;
000118 |     }
000119 |
000120 |     eAIShot shot;
000121 |
000122 |     if (hitObject)
000123 |     {
000124 |         shot = new eAIShot(this, muzzleIndex, pos, dir, hitObject, hitPosition, contactComponent);
000125 |         ai.m_eAI_FiredShots.Insert(shot);
000126 |     }
000127 |     else
000128 |     {
000129 |         /// We didn't hit a valid target, but we still want to correct for bullet drop.
000130 |         /// Just set hit position to aim position as we only use it for drop calc.
000131 |         shot = new eAIShot(this, muzzleIndex, pos, dir, null, ai.GetAimPosition(), contactComponent);
000132 |     }
000133 |
000134 | #ifdef DIAG_DEVELOPER
000135 |     EXTrace.Print(EXTrace.AI, ai, shot.GetInfo());
000136 | #endif
```



```

000137 |
000138 |     eAI_DebugFire(hit, pos, dir, ai, target, hitObject, hitPosition);
000139 |
000140 |     //! Compensate for bullet drop
000141 |     float drop = eAI_CalculateProjectileDrop(shot.m_TravelTime);
000142 |     if (drop > 0.1)
000143 |     {
000144 |         vector projectedPosition = pos + dir * shot.m_Distance;
000145 |         projectedPosition[1] = projectedPosition[1] + drop * 0.8;
000146 |         dir = vector.Direction(pos, projectedPosition).Normalized();
000147 |     }
000148 |
000149 |     pos = pos + dir * 0.2;
000150 |
000151 |     //! Hacky workaround for client FSM desync. Request firing of weapon on client outside FSM.
000152 |     if (GetExpansionSettings().GetAI().OverrideClientWeaponFiring)
000153 |         ai.eAI_FireWeaponOnClient(muzzleIndex, m_eAI_ShotID);
000154 |
000155 |     ++m_eAI_ShotID;
000156 |
000157 |     return Fire(muzzleIndex, pos, dir, dir);
000158 | #else
000159 |     if (GetExpansionSettings().GetAI().OverrideClientWeaponFiring)
000160 |         return true;
000161 |
000162 |     return eAI_FireOnClient(muzzleIndex, ai, m_eAI_ShotID, true);
000163 | #endif
000164 | }
000165 |
000166 | bool eAI_FireOnClient(int muzzleIndex, eAIBase ai, int shotID, bool fromFSM = false)
000167 | {
000168 |     //! XXX: Shot validation via ID doesn't work like this because obviously m_eAI_ShotID is reset on client when
000169 |     //! weapon leaves netbubble (and networking it would have the issue of potential desync).
000170 |     //! Maybe not really needed though, would just be nice to get an idea which shots are actually handled properly
000171 |     //! via client weapon FSM and which ones aren't.
000172 |     //!if (shotID != m_eAI_ShotID)
000173 |     //{
000174 |         //! Shot was already fired, can safely skip.
000175 |         //! We always return true; in case this was called from FSM, it will help maintain appropriate state.
000176 |         //!EXError.Warn(this, "Skip eAI_FireOnClient(fromFSM=" + fromFSM.ToString() + "), shotID " + shotID + " != " + m_eAI_ShotID + ", owner " + GetHierarchy
RootPlayer(), {}));
000177 |         //return true;
000178 |     //}
000179 |
000180 |     //++m_eAI_ShotID;
000181 |
000182 |     int mode = GetCurrentMode(muzzleIndex);
000183 |     string ammoType = GetChamberedCartridgeMagazineTypeName(muzzleIndex);
000184 |
000185 |     bool result = TryFireWeapon(this, muzzleIndex);
000186 |
000187 |     if (!result)
000188 |     {
000189 |         #ifdef DIAG_DEVELOPER
000190 |             EXError.Warn(ai, string.Format("TryFireWeapon(%1, %2) failed, shotID %3", this, muzzleIndex, shotID), {});
000191 |         #endif
000192 |
000193 |         string msg;
000194 |
000195 |         if (IsChamberEmpty(muzzleIndex) || IsChamberFiredOut(muzzleIndex))
000196 |         {
000197 |             //! Desynched - chamber - AI would not have fired if chamber was truly empty on authority (server)

```

```
000198 |         msg = "eAI_FireOnClient(fromFSM=" + fromFSM.ToString() + "), shotID " + shotID + ", owner " + GetHierarchyRootPlayer() + " - desynched (chamber em
000199 |         }
000200 |         else
000201 |         {
000202 |             ///! Desynched - other reason? (chamber still full)
000203 |             msg = "eAI_FireOnClient(fromFSM=" + fromFSM.ToString() + "), shotID " + shotID + ", owner " + GetHierarchyRootPlayer() + " - desynched (chamber fu
000204 |             ll and not fired out)";
000205 |         }
000206 |         ///! Ensure muzzle flash
000207 |         EEFired(muzzleIndex, mode, ammoType);
000208 |
000209 |         eAI_PlayShotSound(ai);
000210 |
000211 |         int currentTime = g_Game.GetTime();
000212 |         int timeDiff = currentTime - m_eAI_LastResyncTime;
000213 |
000214 |         ///! If the initial TryFireWeapon failed on client, we are definitely desynced since server side AI wouldn't have fired if
000215 |         ///! weapon truly wasn't able to. Force (re-)sync but limit max attempts and interval (mirroring values in vanilla WeaponFSM)
000216 |         if (m_eAI_ResyncAttempts < MAX_RESYNC_ATTEMPTS)
000217 |         {
000218 |             EXError.Warn(this, msg, {});
000219 |
000220 |             if (timeDiff > MIN_RESYNC_INTERVAL)
000221 |             {
000222 |                 if (timeDiff > RESET_MAX_RESYNC_ATTEMPTS_THRESHOLD)
000223 |                     m_eAI_ResyncAttempts = 0;
000224 |
000225 |                 Synchronize();
000226 |
000227 |                 ++m_eAI_ResyncAttempts;
000228 |                 m_eAI_LastResyncTime = currentTime;
000229 |             }
000230 |         }
000231 |         else
000232 |         {
000233 |             if (timeDiff > RESET_MAX_RESYNC_ATTEMPTS_THRESHOLD)
000234 |                 m_eAI_ResyncAttempts = 0;
000235 |             else
000236 |                 EXError.Error(this, msg + " - max resync attempts reached", {});
000237 |         }
000238 |     }
000239 |     else if (m_eAI_ResyncAttempts > 0)
000240 |     {
000241 |         --m_eAI_ResyncAttempts; ///! Re-allow one resync attempt per succesful shot
000242 |     }
000243 |
000244 |     return result;
000245 | }
000246 |
000247 | void eAI_PlayShotSound(DayZPlayerImplement player)
000248 | {
000249 |     ///! TODO: No way to get the contents of soundSetShotExt and soundSetShotExt1st in script (nested arrays in config.cpp),
000250 |     ///! so we have to employ some cursed logic to try and determine the correct silenced soundsets from the unsilenced ones
000251 |
000252 |     ExpansionFireMode mode = Expansion_GetFireMode();
000253 |
000254 |     switch (mode)
000255 |     {
000256 |         case ExpansionFireMode.INVALID:
000257 |             break;
```

```

000258 |         default:
000259 |             string modeClsName = typename.EnumToString(ExpansionFireMode, mode);
000260 |             string path = string.Format("%1 %2 %3 soundSetShot", CFG_WEAPONSPATH, GetType(), modeClsName);
000261 |
000262 |
000263 |             if (g_Game.ConfigIsExisting(path))
000264 |             {
000265 |                 TStringArray soundSetShot = {};
000266 |                 g_Game.ConfigGetTextArrayRaw(path, soundSetShot);
000267 |
000268 |                 bool isSuppressed;
000269 |                 string suppressorType;
000270 |
000271 |                 ItemSuppressor suppressor = GetAttachedSuppressor();
000272 |                 if (suppressor && !suppressor.IsDamageDestroyed())
000273 |                 {
000274 |                     isSuppressed = true;
000275 |                     if (suppressor.IsInherited(ImprovisedSuppressor))
000276 |                         suppressorType = "HomeMade";
000277 |                 }
000278 |
000279 |                 foreach (string soundSet: soundSetShot)
000280 |                 {
000281 |                     if (isSuppressed)
000282 |                     {
000283 |                         soundSet.ToLower();
000284 |
000285 |                         //! 'iterior' typo is vanilla
000286 |                         if (soundSet.IndexOf("_shot_iterior_") > -1)
000287 |                             continue;
000288 |
000289 |                         //! just in case w/o typo
000290 |                         if (soundSet.IndexOf("_shot_interior_") > -1)
000291 |                             continue;
000292 |
000293 |                         //! 1.29
000294 |                         if (soundSet.IndexOf("_slapback_") > -1)
000295 |                             continue;
000296 |
000297 |                         if (soundSet.IndexOf("_tail_2d_") > -1)
000298 |                             continue;
000299 |
000300 |                         soundSet.Replace("_shot_1st_", string.Format("_1st_silencer%1_", suppressorType)); //! 1.29
000301 |                         soundSet.Replace("_shot_", string.Format("_silencer%1_", suppressorType));
000302 |                         soundSet.Replace("_tail_", string.Format("_silencer%1Tail_", suppressorType));
000303 |                         soundSet.Replace("_interiortail_", string.Format("_silencerInterior%1Tail_", suppressorType));
000304 |                     }
000305 |
000306 |                     //! For some reason SEffectManager::PlaySound doesn't work for all shot soundsets and throws an error
000307 |                     //! e.g. SCRIPT (E): [EffectSound::SoundError] :: [ERROR] :: EffectSound<a43a3b30>: SoundSetName: 'IZH43_Shot_SoundSet' :: m_SoundObjec
000308 | t is null.
000309 |
000310 |                     //! so we build the sound ourselves (see DayZPlayerImplement::ProcessWeaponEvent for reference)
000311 |                     SoundParams soundParams = new SoundParams(soundSet);
000312 |                     if (soundParams.IsValid())
000313 |                     {
000314 |                         SoundObjectBuilder builder = new SoundObjectBuilder(soundParams);
000315 |                         builder.AddEnvSoundVariables(player.GetPosition());
000316 |
000317 |                         SoundObject soundObject = builder.BuildSoundObject();
000318 |                         if (soundObject)
000319 |                         {
000320 |                             player.eAI AttenuateSoundIfNecessary(soundObject);
000321 |                         }
000322 |                     }
000323 |                 }
000324 |             }
000325 |         }
000326 |     }
000327 | }
000328 |
000329 | #endif
000330 |
000331 | #endif
000332 |
000333 | #endif
000334 |
000335 | #endif
000336 |
000337 | #endif
000338 |
000339 | #endif
000340 |
000341 | #endif
000342 |
000343 | #endif
000344 |
000345 | #endif
000346 |
000347 | #endif
000348 |
000349 | #endif
000350 |
000351 | #endif
000352 |
000353 | #endif
000354 |
000355 | #endif
000356 |
000357 | #endif
000358 |
000359 | #endif
000360 |
000361 | #endif
000362 |
000363 | #endif
000364 |
000365 | #endif
000366 |
000367 | #endif
000368 |
000369 | #endif
000370 |
000371 | #endif
000372 |
000373 | #endif
000374 |
000375 | #endif
000376 |
000377 | #endif
000378 |
000379 | #endif
000380 |
000381 | #endif
000382 |
000383 | #endif
000384 |
000385 | #endif
000386 |
000387 | #endif
000388 |
000389 | #endif
000390 |
000391 | #endif
000392 |
000393 | #endif
000394 |
000395 | #endif
000396 |
000397 | #endif
000398 |
000399 | #endif
000400 |
000401 | #endif
000402 |
000403 | #endif
000404 |
000405 | #endif
000406 |
000407 | #endif
000408 |
000409 | #endif
000410 |
000411 | #endif
000412 |
000413 | #endif
000414 |
000415 | #endif
000416 |
000417 | #endif
000418 |
000419 | #endif
000420 |
000421 | #endif
000422 |
000423 | #endif
000424 |
000425 | #endif
000426 |
000427 | #endif
000428 |
000429 | #endif
000430 |
000431 | #endif
000432 |
000433 | #endif
000434 |
000435 | #endif
000436 |
000437 | #endif
000438 |
000439 | #endif
000440 |
000441 | #endif
000442 |
000443 | #endif
000444 |
000445 | #endif
000446 |
000447 | #endif
000448 |
000449 | #endif
000450 |
000451 | #endif
000452 |
000453 | #endif
000454 |
000455 | #endif
000456 |
000457 | #endif
000458 |
000459 | #endif
000460 |
000461 | #endif
000462 |
000463 | #endif
000464 |
000465 | #endif
000466 |
000467 | #endif
000468 |
000469 | #endif
000470 |
000471 | #endif
000472 |
000473 | #endif
000474 |
000475 | #endif
000476 |
000477 | #endif
000478 |
000479 | #endif
000480 |
000481 | #endif
000482 |
000483 | #endif
000484 |
000485 | #endif
000486 |
000487 | #endif
000488 |
000489 | #endif
000490 |
000491 | #endif
000492 |
000493 | #endif
000494 |
000495 | #endif
000496 |
000497 | #endif
000498 |
000499 | #endif
000500 |
000501 | #endif
000502 |
000503 | #endif
000504 |
000505 | #endif
000506 |
000507 | #endif
000508 |
000509 | #endif
000510 |
000511 | #endif
000512 |
000513 | #endif
000514 |
000515 | #endif
000516 |
000517 | #endif
000518 |
000519 | #endif
000520 |
000521 | #endif
000522 |
000523 | #endif
000524 |
000525 | #endif
000526 |
000527 | #endif
000528 |
000529 | #endif
000530 |
000531 | #endif
000532 |
000533 | #endif
000534 |
000535 | #endif
000536 |
000537 | #endif
000538 |
000539 | #endif
000540 |
000541 | #endif
000542 |
000543 | #endif
000544 |
000545 | #endif
000546 |
000547 | #endif
000548 |
000549 | #endif
000550 |
000551 | #endif
000552 |
000553 | #endif
000554 |
000555 | #endif
000556 |
000557 | #endif
000558 |
000559 | #endif
000560 |
000561 | #endif
000562 |
000563 | #endif
000564 |
000565 | #endif
000566 |
000567 | #endif
000568 |
000569 | #endif
000570 |
000571 | #endif
000572 |
000573 | #endif
000574 |
000575 | #endif
000576 |
000577 | #endif
000578 |
000579 | #endif
000580 |
000581 | #endif
000582 |
000583 | #endif
000584 |
000585 | #endif
000586 |
000587 | #endif
000588 |
000589 | #endif
000590 |
000591 | #endif
000592 |
000593 | #endif
000594 |
000595 | #endif
000596 |
000597 | #endif
000598 |
000599 | #endif
000600 |
000601 | #endif
000602 |
000603 | #endif
000604 |
000605 | #endif
000606 |
000607 | #endif
000608 |
000609 | #endif
000610 |
000611 | #endif
000612 |
000613 | #endif
000614 |
000615 | #endif
000616 |
000617 | #endif
000618 |
000619 | #endif
000620 |
000621 | #endif
000622 |
000623 | #endif
000624 |
000625 | #endif
000626 |
000627 | #endif
000628 |
000629 | #endif
000630 |
000631 | #endif
000632 |
000633 | #endif
000634 |
000635 | #endif
000636 |
000637 | #endif
000638 |
000639 | #endif
000640 |
000641 | #endif
000642 |
000643 | #endif
000644 |
000645 | #endif
000646 |
000647 | #endif
000648 |
000649 | #endif
000650 |
000651 | #endif
000652 |
000653 | #endif
000654 |
000655 | #endif
00
```

```
000319 |         player.PlaySound(soundObject, builder);
000320 |     }
000321 | }
000322 | }
000323 | }
000324 |
000325 |     break;
000326 | }
000327 | }
000328 |
000329 | override void EEFired(int muzzleType, int mode, string ammoType)
000330 | {
000331 |     super.EEFired(muzzleType, mode, ammoType);
000332 |
000333 |     if (g_Game.IsServer())
000334 |     {
000335 |         float time = g_Game.GetTickTime();
000336 |         if (time - m_eAI_LastFiredTime > 1.0)
000337 |         {
000338 |             //! Because shots may be fired rapidly, we only update this once every second
000339 |             m_eAI_LastFiredTime = time;
000340 |             float strengthMultiplier = GetPropertyModifierObject().eAI_GetNoiseShootModifier();
000341 |             if (strengthMultiplier)
000342 |                 eAINoiseSystem.AddNoiseEx(this, eAI_GetNoiseParams(), strengthMultiplier);
000343 |         }
000344 |     }
000345 |     else
000346 |     {
000347 |         Man owner = GetHierarchyRootPlayer();
000348 |
000349 |         if (!owner)
000350 |             return;
000351 |
000352 |         ExpansionGame exGame = GetDayZGame().GetExpansionGame();
000353 |         if (!exGame.m_FirearmFXSource || owner.GetIdentity())
000354 |             exGame.m_FirearmFXSource = this;
000355 |     }
000356 | }
000357 |
000358 | override void EEParentedTo(EntityAI parent)
000359 | {
000360 |     super.EEParentedTo(parent);
000361 |
000362 |     if (parent.IsDayZCreature())
000363 |     {
000364 |         #ifdef DIAG_DEVELOPER
000365 |             EXPrint(this, "[CustomAI] parented to " + parent);
000366 |         #endif
000367 |         m_eAI_ParentTargetInformation = eAITargetInformation.GetCustomCreatureTargetInformation(parent);
000368 |     }
000369 | }
000370 |
000371 | override void EEParentedFrom(EntityAI parent)
000372 | {
000373 |     super.EEParentedFrom(parent);
000374 |
000375 |     if (parent.IsDayZCreature())
000376 |     {
000377 |         #ifdef DIAG_DEVELOPER
000378 |             EXPrint(this, "[CustomAI] parented from " + parent);
000379 |         #endif
000380 |         if (m_eAI_ParentTargetInformation)
```

```

000381 |         {
000382 |             m_eAI_ParentTargetInformation.RemoveFromAll();
000383 |             m_eAI_ParentTargetInformation = null;
000384 |         }
000385 |     }
000386 | }
000387 |
000388 | void ~Weapon_Base()
000389 | {
000390 |     if (g_Game && m_eAI_ParentTargetInformation)
000391 |         m_eAI_ParentTargetInformation.RemoveFromAll();
000392 | }
000393 |
000394 | eAINoiseParams eAI_GetNoiseParams()
000395 | {
000396 |     if (!m_eAI_NoiseParams)
000397 |         m_eAI_NoiseParams = eAINoiseSystem.GetNoiseParams(CFG_WEAPONSPATH + " " + GetType() + " NoiseShoot", eAINoiseType.SHOT);
000398 |
000399 |     return m_eAI_NoiseParams;
000400 | }
000401 |
000402 | void eAI_FirearmEffects(Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,
000403 |     vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000404 | {
000405 |     float time = g_Game.GetTickTime();
000406 |     if (time - m_eAI_LastBulletImpactTime > 1.0)
000407 |     {
000408 |         //! Because shots may be fired rapidly, we only update this once every second
000409 |         m_eAI_LastBulletImpactTime = time;
000410 |
000411 |         float surfaceCoef = g_Game.SurfaceGetNoiseMultiplier(directHit, pos, componentIndex);
000412 |         float coefAdjusted = surfaceCoef * inSpeed.Length() / g_Game.ConfigGetFloat("cfgAmmo " + ammoType + " initSpeed");
000413 |         if (coefAdjusted == 0)
000414 |             coefAdjusted = 1;
000415 |         coefAdjusted *= g_Game.GetWeather().GetNoiseReductionByWeather();
000416 |         eAINoiseSystem.AddNoise(this, pos, string.Format("cfgAmmo %1 NoiseHit", ammoType), coefAdjusted, eAINoiseType.BULLETIMPACT);
000417 |     }
000418 | }
000419 |
000420 | override bool eAI_IsSilent()
000421 | {
000422 |     //! Vanilla suppressors reduce noise by -0.85 (improvised) to -0.93 (AK/M4/pistol)
000423 |     //! We consider anything that results in a noise strength below 250 as silent (to have some headroom)
000424 |     //! @note vanilla noise strength values are multiplied by a certain factor in eAINoiseSystem if noise type is shot!
000425 |     float strengthMultiplier = GetPropertyModifierObject().eAI_GetNoiseShootModifier();
000426 |     if (strengthMultiplier)
000427 |     {
000428 |         eAINoiseParams params = eAI_GetNoiseParams();
000429 |         if (params.m_Strength * strengthMultiplier >= 250)
000430 |             return false;
000431 |     }
000432 |
000433 |     return true;
000434 | }
000435 |
000436 | void eAI_DebugFire(bool hit, vector begin_point, vector direction, eAIBase ai, eAITarget target, Object hitObject, vector hitPosition)
000437 | {
000438 | #ifdef DIAG_DEVELOPER
000439 |     if (!EXTrace.AI)
000440 |         return;
000441 |
000442 |     EXTrace.Print(true, this, "eAI_DebugFire " + direction);

```

```

000443 |
000444 |     if (!hit) //! Nothing hit
000445 |     {
000446 |         vector aimPosition = ai.GetAimPosition();
000447 |         float aimDistance = vector.Distance(begin_point, aimPosition);
000448 |         vector missedPosition = begin_point + (direction * aimDistance);
000449 |         string missed;
000450 |         float missedUD = Math.AbsFloat(missedPosition[1] - aimPosition[1]);
000451 |         float missedLR = vector.Distance(missedPosition, aimPosition) - missedUD;
000452 |         if (missedUD > missedLR)
000453 |         {
000454 |             if (missedPosition[1] > aimPosition[1])
000455 |                 missed = "high";
000456 |             else
000457 |                 missed = "low";
000458 |         }
000459 |         else
000460 |         {
000461 |             if (ExpansionMath.Side(begin_point, aimPosition, missedPosition) > 0)
000462 |                 missed = "left";
000463 |             else
000464 |                 missed = "right";
000465 |         }
000466 |         EXTrace.Print(true, ai, "didn't hit because it was aiming " + missed + " (actual " + aimPosition + " missed " + missedPosition + ")");
000467 |
000468 |         ai.Expansion_DebugObject_Deferred(1818, "0 0 0", "ExpansionDebugBox");
000469 |         ai.Expansion_DebugObject_Deferred(1919, missedPosition, "ExpansionDebugBox_Red", direction, begin_point);
000470 |     }
000471 |     else
000472 |     {
000473 |         //EntityAI targetEntity = target.GetEntity();
000474 |         //if (targetEntity && targetEntity == hitObject)
000475 |         if (hitObject)
000476 |         {
000477 |             ai.Expansion_DebugObject_Deferred(1818, hitPosition, "ExpansionDebugBox", direction, begin_point);
000478 |             ai.Expansion_DebugObject_Deferred(1919, "0 0 0", "ExpansionDebugBox_Red");
000479 |         }
000480 |         else
000481 |         {
000482 |             ai.Expansion_DebugObject_Deferred(1818, "0 0 0", "ExpansionDebugBox");
000483 |             ai.Expansion_DebugObject_Deferred(1919, hitPosition, "ExpansionDebugBox_Red", direction, begin_point);
000484 |         }
000485 |     }
000486 | #endif
000487 | }
000488 |
000489 | //! @brief forces recreation of network representation (delete + create on client)
000490 | void eAI_RemoteRecreate()
000491 | {
000492 |     g_Game.RemoteObjectTreeDelete(this);
000493 |     g_Game.RemoteObjectTreeCreate(this);
000494 | }
000495 |
000496 | /**
000497 |  * @brief calculate projectile speed coefficient at position based on ammo
000498 |  *
000499 |  * @param ammoType e.g. "Bullet_308"
000500 |  * @param hitPosition position of bullet impact
000501 |  * @param [out] airFriction
000502 |  * @param [out] distance
000503 |  *
000504 |  * @return speed coefficient

```

```

000505 | */
000506 | float eAI_CalculateProjectileSpeedCoefAtPosition(string ammoType, vector hitPosition, out float airFriction = 0.0, out float distance = 0.0)
000507 | {
000508 |     //! Cannot use barrel position since highly inaccurate on server
000509 |     vector origin = GetPosition();
000510 |
000511 |     return eAI_CalculateProjectileSpeedCoefAtPosition(origin, ammoType, hitPosition, airFriction, distance);
000512 | }
000513 |
000514 | float eAI_CalculateProjectileSpeedCoefAtPosition(vector origin, string ammoType, vector hitPosition, out float airFriction = 0.0, out float distance = 0.0)
000515 | {
000516 |     airFriction = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " airFriction");
000517 |     distance = vector.Distance(origin, hitPosition);
000518 |
000519 |     return Math.Pow(Math.EULER, airFriction * distance);
000520 | }
000521 |
000522 | /**
000523 |  * @brief calculate projectile damage coefficient at position based on ammo
000524 |  *
000525 |  * @param ammoType e.g. "Bullet_308"
000526 |  * @param hitPosition position of bullet impact
000527 |  * @param damageOverride
000528 |  * @param [out] airFriction
000529 |  * @param [out] distance
000530 |  * @param [out] speedCoef
000531 |  * @param [out] initSpeed
000532 |  * @param [out] speed
000533 |  *
000534 |  * @return damage coefficient
000535 |  */
000536 | float eAI_CalculateProjectileDamageCoefAtPosition(string ammoType, vector hitPosition, float damageOverride = 1.0, out float airFriction = 0.0, out float distance = 0.0, out float speedCoef = 0.0, out float initSpeed = 0.0, out float speed = 0.0)
000537 | {
000538 |     //! Cannot use barrel position since highly inaccurate on server
000539 |     vector origin = GetPosition();
000540 |
000541 |     return eAI_CalculateProjectileDamageCoefAtPosition(origin, ammoType, hitPosition, damageOverride, airFriction, distance, speedCoef, initSpeed, speed);
000542 | }
000543 |
000544 | float eAI_CalculateProjectileDamageCoefAtPosition(vector origin, string ammoType, vector hitPosition, float damageOverride = 1.0, out float airFriction = 0.0, out float distance = 0.0, out float speedCoef = 0.0, out float initSpeed = 0.0, out float speed = 0.0)
000545 | {
000546 |     initSpeed = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " initSpeed");
000547 |     float initSpeedMultiplier = ConfigGetFloat("initSpeedMultiplier");
000548 |
000549 |     if (initSpeedMultiplier)
000550 |         initSpeed *= initSpeedMultiplier;
000551 |
000552 |     float typicalSpeed = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " typicalSpeed");
000553 |
000554 |     typicalSpeed *= damageOverride;
000555 |
000556 |     speedCoef = eAI_CalculateProjectileSpeedCoefAtPosition(origin, ammoType, hitPosition, airFriction, distance);
000557 |
000558 |     speed = initSpeed * speedCoef;
000559 |
000560 |     float dmgCoef;
000561 |
000562 |     if (typicalSpeed != initSpeed)
000563 |     {
000564 |         if (speed > typicalSpeed)

```

```
000565 |         dmgCoef = 1.0;
000566 |     else
000567 |         dmgCoef = speed / typicalSpeed;
000568 |     }
000569 |     else
000570 |     {
000571 |         dmgCoef = speedCoef;
000572 |     }
000573 |
000574 |     return dmgCoef;
000575 | }
000576 |
000577 | /**
000578 |  * @brief Calculate projectile travel time over distance in seconds
000579 |  */
000580 | float eAI_CalculateProjectileTravelTime(float airFriction, float distance, float initSpeed, float simulationStep = 0.05)
000581 | {
000582 |     float distanceTraveled;
000583 |     float distanceTraveledPrev;
000584 |
000585 |     float timeTraveled;
000586 |     float timeTraveledPrev;
000587 |
000588 |     float speed;
000589 |
000590 |     //! In DayZ, max projectile travel time is 6 seconds
000591 |     while (distanceTraveled < distance && timeTraveled < 6.0)
000592 |     {
000593 |         timeTraveledPrev = timeTraveled;
000594 |         timeTraveled += simulationStep;
000595 |         speed = Math.Pow(Math.EULER, airFriction * distanceTraveled) * initSpeed;
000596 |         if (speed <= 0) //! speed should never reach zero with properly configured airFriction, initSpeed and initSpeedMultiplier in ammo
000597 |             break;
000598 |         distanceTraveledPrev = distanceTraveled;
000599 |         distanceTraveled += speed * simulationStep;
000600 |     }
000601 |
000602 |     if (distanceTraveled > distanceTraveledPrev)
000603 |         return ExpansionMath.LinearConversion(distanceTraveledPrev, distanceTraveled, distance, timeTraveledPrev, timeTraveled);
000604 |
000605 |     return timeTraveled;
000606 | }
000607 |
000608 | /**
000609 |  * @brief Calculate projectile drop after travel time in meters
000610 |  */
000611 | float eAI_CalculateProjectileDrop(float travelTime)
000612 | {
000613 |     float g = 9.81; //! Gravity in m/s^2
000614 |
000615 |     return 0.5 * g * Math.Pow(travelTime, 2.0);
000616 | }
000617 |
000618 | /**
000619 |  * @brief Sets firemode to fullauto or burst, if supported
000620 |  */
000621 | void eAI_SetFireModeAuto()
000622 | {
000623 |     if (!Expansion_SetFireMode(ExpansionFireMode.FullAuto))
000624 |         Expansion_SetFireMode(ExpansionFireMode.Burst);
000625 | }
000626 |
```



```
000627 | /**
000628 |  * @fn    ProcessWeaponEvent
000629 |  * @brief  weapon's fsm handling of events
000630 |  * @NOTE: warning: ProcessWeaponEvent can be called only within DayZPlayer::HandleWeapons (or ::CommandHandler)
000631 |  */
000632 | override bool ProcessWeaponEvent(WeaponEventBase e)
000633 | {
000634 |     #ifdef EAI_TRACE
000635 |         auto trace = CF_Trace_1(this, "ProcessWeaponEvent").Add(e);
000636 |     #endif
000637 |
000638 |     eAIBase ai;
000639 |     if (Class.CastTo(ai, e.m_player))
000640 |     {
000641 |         ScriptRemoteInputUserData ctx = new ScriptRemoteInputUserData;
000642 |         ctx.Write(INPUT_UDT_WEAPON_REMOTE_EVENT);
000643 |         e.WriteToContext(ctx);
000644 |         ai.StoreInputForRemotes(ctx);
000645 |
000646 |         // @NOTE: synchronous events not handled by fsm
000647 |         if (e.GetEventID() == WeaponEventID.SET_NEXT_MUZZLE_MODE)
000648 |         {
000649 |             SetNextMuzzleMode(GetCurrentMuzzle());
000650 |             return true;
000651 |         }
000652 |
000653 |         if (m_fsm.ProcessEvent(e) == ProcessEventResult.FSM_OK)
000654 |             return true;
000655 |
000656 |         return false;
000657 |     }
000658 |
000659 |     return super.ProcessWeaponEvent(e);
000660 | }
000661 |
000662 | override bool ProcessWeaponAbortEvent(WeaponEventBase e)
000663 | {
000664 |     if (PlayerBase.Cast(e.m_player).IsAI())
000665 |     {
000666 |         if (g_Game.IsServer())
000667 |         {
000668 |             ProcessEventResult result;
000669 |             m_fsm.ProcessAbortEvent(e, result);
000670 |             if (result == ProcessEventResult.FSM_OK)
000671 |                 return true;
000672 |         }
000673 |
000674 |         return false;
000675 |     }
000676 |
000677 |     return super.ProcessWeaponAbortEvent(e);
000678 | }
000679 |
000680 | override ItemBase Expansion_TryTurningOnAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
000681 | {
000682 |     ItemBase item = Expansion_GetAnyLightOrNVG(skipNonNVG, skipNVG);
000683 |
000684 |     if (item)
000685 |     {
000686 |         if (item.IsInherited(ItemOptics) && (!item.HasEnergyManager() || item.GetCompEM().CanWork()))
000687 |             return item;
000688 |     }
```

```
000689 |         if (item.Expansion_TryTurningOn())
000690 |         {
000691 |             FlashlightOn();
000692 |             return item;
000693 |         }
000694 |     }
000695 |
000696 |     return null;
000697 | }
000698 |
000699 | override ItemBase Expansion_GetAnyLightOrNVG(bool skipNonNVG = false, bool skipNVG = false)
000700 | {
000701 | #ifdef EXTRACE
000702 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000703 | #endif
000704 |
000705 |     ItemOptics optic;
000706 |     if (!skipNVG && Class.CastTo(optic, GetAttachedOptics()) && optic.GetCurrentNVType() != NVTypes.NONE)
000707 |         return optic;
000708 |
000709 |     if (!skipNonNVG)
000710 |     {
000711 |         ItemBase flashlight;
000712 |
000713 |         if (IsInherited(Rifle_Base))
000714 |             flashlight = ItemBase.Cast(FindAttachmentBySlotName("weaponFlashlight"));
000715 |         else if (IsInherited(Pistol_Base))
000716 |             flashlight = ItemBase.Cast(FindAttachmentBySlotName("pistolFlashlight"));
000717 |
000718 |         if (flashlight)
000719 |             return flashlight;
000720 |     }
000721 |
000722 |     return null;
000723 | }
000724 |
000725 | override ItemBase Expansion_TryTurningOffAnyLightOrNVG(bool skipNVG = false)
000726 | {
000727 | #ifdef EXTRACE
000728 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000729 | #endif
000730 |
000731 |     ItemBase item = Expansion_GetAnyLightOrNVG(false, skipNVG);
000732 |
000733 |     if (item)
000734 |     {
000735 |         if (item.IsInherited(ItemOptics))
000736 |             return item;
000737 |
000738 |         if (item.Expansion_TryTurningOff())
000739 |         {
000740 |             FlashlightOff();
000741 |             return item;
000742 |         }
000743 |     }
000744 |
000745 |     return null;
000746 | }
000747 |
000748 | float Expansion_GetMinSafeFiringDistance()
000749 | {
000750 |     int muzzleIndex = GetCurrentMuzzle();
```

```
000751 |
000752 |     string projectile;
000753 |     if (!IsChamberEmpty(muzzleIndex))
000754 |         projectile = GetChamberedCartridgeMagazineTypeName(muzzleIndex);
000755 |
000756 |     float minDist;
000757 |
000758 |     if (projectile && !s_Expansion_MinSafeFiringDistance.Find(projectile, minDist))
000759 |     {
000760 |         float indirectHitRange = g_Game.ConfigGetFloat(CFG_AMMO + " " + projectile + " indirectHitRange");
000761 |         float indirectHitRangeMultiplier = g_Game.ConfigGetFloat(CFG_AMMO + " " + projectile + " indirectHitRangeMultiplier");
000762 |
000763 |         minDist = indirectHitRange;
000764 |         if (indirectHitRangeMultiplier)
000765 |             minDist *= indirectHitRangeMultiplier;
000766 |
000767 |         #ifdef DIAG_DEVELOPER
000768 |             EXTrace.Print(EXTrace.AI, this, projectile + " indirect hit range " + minDist);
000769 |         #endif
000770 |
000771 |         ///! TODO: Vanilla does this so awkward. The fired projectile is different from the explosive projectile
000772 |         ///! which is only referenced in DayZGame::FirearmEffects, and there is no canonical way to get it from the fired projectile.
000773 |         ///! Need to fall back to a hardcoded value for now :-(
000774 |         minDist = Math.Max(minDist, 20.0);
000775 |
000776 |         s_Expansion_MinSafeFiringDistance[projectile] = minDist;
000777 |     }
000778 |
000779 |     return minDist;
000780 | }
000781 | };
000782 |
```

0246. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zmbm_gamedev_base.c
 Size bytes: 1066
 SHA-256: 9ce106ed91ccd96f8bb63f5317641e8d7acdd627ccf5c07bdc77a04294f4e07
 Decoded as: utf-8-sig
 Line count shown: 42
 Detected class declarations: 1
 L2: modded class ZmbM_Gamedev_Base
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L4: override bool HandleMindStateChange(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)

Full file content

```
000001 | #ifdef DIAG_DEVELOPER
000002 | modded class ZmbM_Gamedev_Base
000003 | {
000004 |     override bool HandleMindStateChange(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000005 |     {
000006 |         int mindState = pInputController.GetMindState();
000007 |         EntityAI target = pInputController.GetTargetEntity();
000008 |
000009 |         if (mindState != m_LastMindState || target != m_Expansion_Target)
000010 |         {
000011 |             string ms;
000012 |
000013 |             switch (mindState)
000014 |             {
000015 |                 case DayZInfectedConstants.MINDSTATE_CALM:
000016 |                     ms = "CALM";
000017 |                     break;
000018 |                 case DayZInfectedConstants.MINDSTATE_DISTURBED:
000019 |                     ms = "DISTURBED";
000020 |                     break;
000021 |                 case DayZInfectedConstants.MINDSTATE_ALERTED:
000022 |                     ms = "ALERTED";
000023 |                     break;
000024 |                 case DayZInfectedConstants.MINDSTATE_CHASE:
000025 |                     ms = "CHASE";
000026 |                     break;
000027 |                 case DayZInfectedConstants.MINDSTATE_FIGHT:
000028 |                     ms = "FIGHT";
000029 |                     break;
000030 |                 default:
000031 |                     ms = "UNKNOWN";
000032 |                     break;
000033 |             }
000034 |
000035 |             ExpansionStatic.MessageNearPlayers(GetPosition(), 100, "state=" + ms + "(" + mindState + ") target=" + target);
000036 |         }
000037 |
000038 |         return super.HandleMindStateChange(pCurrentCommandID, pInputController, pDt);
000039 |     }
000040 | }
000041 | #endif
000042 |
```

0247. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiebase.c
 Size bytes: 3409
 SHA-256: 47a2a97f287715b60bff4013e42c128021ea0ba1958152cc6bfde14fee2c5687
 Decoded as: utf-8-sig
 Line count shown: 109
 Detected class declarations: 1
 L1: modded class ZombieBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 11
 L8: void ZombieBase()
 L16: eAIZombieTargetInformation GetTargetInformation()
 L25: override void OnVariablesSynchronized()
 L32: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
 L43: override void EEKilled(Object killer)
 L50: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
 L61: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
 L68: override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
 L84: override protected void EOnContact IEntityAI other, Contact extra)
 L99: void Expansion_SetAirborne(bool state)
 L104: int Expansion_GetMindState()

Full file content

```
000001 | modded class ZombieBase
000002 | {
000003 |     private ref eAIZombieTargetInformation m_TargetInformation = new eAIZombieTargetInformation(this);
000004 |     ref eAIDamageHandler m_eAI_DamageHandler;
000005 |     bool m_Expansion_Airborne;
000006 |     float m_Expansion_AirbornePeakAltitude;
000007 |
000008 |     void ZombieBase()
000009 |     {
000010 |         if (g_Game.IsServer())
000011 |             m_eAI_DamageHandler = new eAIDamageHandler(this, m_TargetInformation);
000012 |
000013 |         RegisterNetSyncVariableBool("m_TargetInformation.m_ShoryukenHit");
000014 |     }
000015 |
000016 |     eAIZombieTargetInformation GetTargetInformation()
000017 |     {
000018 | #ifdef EAI_TRACE
000019 |         auto trace = CF_Trace_0(this, "GetTargetInformation");
000020 | #endif
000021 |
000022 |         return m_TargetInformation;
000023 |     }
000024 |
000025 |     override void OnVariablesSynchronized()
000026 |     {
000027 |         m_TargetInformation.OnVariablesSynchronized();
000028 |         super.OnVariablesSynchronized();
000029 |     }
000030 |
000031 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
000032 | s, float speedCoef)
000033 |     {
000034 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000035 |             return false;
```

```
000036 |
000037 |         if (!m_eAI_DamageHandler.OnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000038 |             return false;
000039 |
000040 |         return true;
000041 |     }
000042 |
000043 |     override void EEKilled(Object killer)
000044 |     {
000045 |         m_TargetInformation.OnDeath(killer);
000046 |
000047 |         super.EEKilled(killer);
000048 |     }
000049 |
000050 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000051 |     {
000052 |         #ifdef DIAG_DEVELOPER
000053 |             EXTrace.PrintHit(EXTrace.AI, this, "EEHitBy[" + m_eAI_DamageHandler.m_HitCounter + "]", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000054 |         #endif
000055 |
000056 |         m_TargetInformation.OnHit(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000057 |
000058 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000059 |     }
000060 |
000061 |     override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000062 |     {
000063 |         m_TargetInformation.OnHealthLevelChanged(oldLevel, newLevel, zone);
000064 |
000065 |         super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000066 |     }
000067 |
000068 |     override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000069 |     {
000070 |         if (m_Expansion_Airborne)
000071 |         {
000072 |             float altitude = GetPosition()[1];
000073 |             if (altitude > m_Expansion_AirbornePeakAltitude)
000074 |                 m_Expansion_AirbornePeakAltitude = altitude;
000075 |             return false;
000076 |         }
000077 |
000078 |         if (pCurrentCommandID == DayZInfectedConstants.COMMANDID_CRAWL)
000079 |             m_TargetInformation.m_Crawling = true;
000080 |
000081 |         return super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished);
000082 |     }
000083 |
000084 |     override protected void EOnContact(IEntity other, Contact extra)
000085 |     {
000086 |         if (!IsAlive() || !m_Expansion_Airborne || m_Expansion_AirbornePeakAltitude == 0)
000087 |             return;
000088 |
000089 |         float falldmg = (m_Expansion_AirbornePeakAltitude - GetPosition()[1]) * 0.333333;
000090 |
000091 |         EXTrace.Print(EXTrace.AI, this, "EOnContact falldmg " + falldmg);
000092 |
000093 |         m_Expansion_Airborne = false;
000094 |         m_Expansion_AirbornePeakAltitude = 0.0;
000095 |     }
```

```
000096 |         ProcessDirectDamage(DT_CUSTOM, this, "Torso", "FallDamageHealth", "0 0 0", falldmg);
000097 |     }
000098 |
000099 |     void Expansion_SetAirborne(bool state)
000100 |     {
000101 |         m_Expansion_Airborne = state;
000102 |     }
000103 |
000104 |     int Expansion_GetMindState()
000105 |     {
000106 |         return m_MindState;    //!< Vanilla variable, but no vanilla getter
000107 |     }
000108 | };
000109 |
```

0248. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiebase_fightlogic.c
Size bytes: 3419
SHA-256: 58222666bfalaf760ab5457b3b228e857cea45fcb58aaea7237d46efe980b784
Decoded as: utf-8-sig
Line count shown: 91
Detected class declarations: 1
  L1: modded class ZombieBase
Detected enum declarations: 0
Detected function/method-like declarations: 8
  L8: void ZombieBase()
  L17: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L26: override bool FightLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
  L36: override bool ChaseAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
  L53: override bool FightAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
  L70: ExpansionInfectedType GetExpansionInfectedType()
  L78: EntityAI Expansion_GetActualTarget()
  L86: EntityAI Expansion_GetTarget()

```

Full file content

```

000001 | modded class ZombieBase
000002 | {
000003 |     protected ref ExpansionInfectedType m_Expansion_InfectedType;
000004 |     protected ref ExpansionZombieFightLogic m_Expansion_ZombieFightLogic;
000005 |     float m_eAI_AttackCooldown;  //!< vanilla m_AttackCoolDownTime unfortunately only ticks down in FightAttackLogic, not ChaseAttackLogic, and is sped up
000006 |     EntityAI m_Expansion_Target;
000007 |
000008 |     void ZombieBase()
000009 |     {
000010 |         if (g_Game.IsServer() && GetExpansionSettings().GetAI().EnableZombieVehicleAttackHandler)
000011 |         {
000012 |             m_Expansion_InfectedType = ExpansionInfectedType.Get(Type());
000013 |             m_Expansion_ZombieFightLogic = new ExpansionZombieFightLogic(this);
000014 |         }
000015 |     }
000016 |
000017 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000018 |     {
000019 |         //!< @note attack starts *after* cooldown reaches zero
000020 |         if (m_eAI_AttackCooldown > 0)
000021 |             m_eAI_AttackCooldown -= pDt;
000022 |
000023 |         super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000024 |     }
000025 |
000026 |     override bool FightLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000027 |     {
000028 |         m_Expansion_Target = pInputController.GetTargetEntity();
000029 |
000030 |         if (m_Expansion_ZombieFightLogic && m_Expansion_ZombieFightLogic.FightLogic(pCurrentCommandID, pInputController, pDt))
000031 |             return true;
000032 |
000033 |         return super.FightLogic(pCurrentCommandID, pInputController, pDt);
000034 |     }
000035 |
000036 |     override bool ChaseAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000037 |     {
000038 |         if (m_Expansion_ZombieFightLogic && m_Expansion_ZombieFightLogic.ChaseAttackLogic(pCurrentCommandID, pInputController, pDt))
000039 |             return true;

```



```
000040 |
000041 |         if (super.ChaseAttackLogic(pCurrentCommandID, pInputController, pDt))
000042 |         {
000043 |             if (EXTrace.AI)
000044 |                 PrintFormat("%1 ChaseAttackLogic distance=%2 pitch=%3 type=%4 subtype=%5 %6 heavy=%7 cooldown=%8 probability=%9", this, m_ActualAttackType.m_Distance, m_ActualAttackType.m_Pitch, m_ActualAttackType.m_Type, m_ActualAttackType.m_Subtype, m_ActualAttackType.m_AmmoType, m_ActualAttackType.m_IsHeavy, m_ActualAttackType.m_Cooldown, m_ActualAttackType.m_Probability);
000045 |
000046 |                 m_eAI_AttackCooldown = m_ActualAttackType.m_Cooldown;
000047 |                 return true;
000048 |         }
000049 |
000050 |         return false;
000051 |     }
000052 |
000053 |     override bool FightAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000054 |     {
000055 |         if (m_Expansion_ZombieFightLogic && m_Expansion_ZombieFightLogic.FightAttackLogic(pCurrentCommandID, pInputController, pDt))
000056 |             return true;
000057 |
000058 |         if (super.FightAttackLogic(pCurrentCommandID, pInputController, pDt))
000059 |         {
000060 |             if (EXTrace.AI)
000061 |                 PrintFormat("%1 FightAttackLogic distance=%2 pitch=%3 type=%4 subtype=%5 %6 heavy=%7 cooldown=%8 probability=%9", this, m_ActualAttackType.m_Distance, m_ActualAttackType.m_Pitch, m_ActualAttackType.m_Type, m_ActualAttackType.m_Subtype, m_ActualAttackType.m_AmmoType, m_ActualAttackType.m_IsHeavy, m_ActualAttackType.m_Cooldown, m_ActualAttackType.m_Probability);
000062 |
000063 |                 m_eAI_AttackCooldown = m_ActualAttackType.m_Cooldown;
000064 |                 return true;
000065 |             }
000066 |
000067 |             return false;
000068 |         }
000069 |
000070 |     ExpansionInfectedType GetExpansionInfectedType()
000071 |     {
000072 |         return m_Expansion_InfectedType;
000073 |     }
000074 |
000075 |     /**
000076 |      * @brief get target entity during chase/attack
000077 |      */
000078 |     EntityAI Expansion_GetActualTarget()
000079 |     {
000080 |         return m_ActualTarget;    //!< Vanilla variable, but no vanilla getter
000081 |     }
000082 |
000083 |     /**
000084 |      * @brief get current target entity irrespective of mindstate
000085 |      */
000086 |     EntityAI Expansion_GetTarget()
000087 |     {
000088 |         return m_Expansion_Target;
000089 |     }
000090 | }
000091 |
```

0249. ZIP TEXT FILE

```
Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/entities/zombiefightlogic.c
Size bytes: 20516
SHA-256: 1249a7e3647a3abdd60ffe43fec8b82a1bccb933bb20ea685578e44ce6f45a8d
Decoded as: utf-8-sig
Line count shown: 637
Detected class declarations: 1
  L8: class ExpansionZombieFightLogic
Detected enum declarations: 0
Detected function/method-like declarations: 9
  L16: void ExpansionZombieFightLogic(ZombieBase zombie)
  L21: protected bool TargetSelection(vector origin, vector dirNorm, float maxDist, out vector ray, out vector hitPos, out int component, out EntityAI hitEnt, Object ignore = null, float radius = 0.0, CollisionFlags flags = CollisionFlags.NEARESTCONTACT, bool validateDistance = false)
  L163: bool FightLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
  L412: void DestroyDebugObjects(PlayerBase pb, int index)
  L433: bool AttackLogic(DayZInfectedAttackGroupType type, float angle, DayZInfectedInputController pInputController, float pDt)
  L615: bool ChaseAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
  L617: return AttackLogic(DayZInfectedAttackGroupType.CHASE, m_Zombie.TARGET_CONE_ANGLE_CHASE, pInputController, pDt);
  L620: bool FightAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
  L634: return AttackLogic(DayZInfectedAttackGroupType.FIGHT, m_Zombie.TARGET_CONE_ANGLE_FIGHT, pInputController, pDt);
```

Full file content

```
000001 | /**
000002 |  * @brief Enables zombies hitting vehicles and players inside
000003 |  *
000004 |  * ONLY deals with the case not handled by vanilla (player in vehicle or target is vehicle)
000005 |  *
000006 |  * @note car doors/windows will protect players until destroyed/broken
000007 |  */
000008 | class ExpansionZombieFightLogic
000009 | {
000010 |     protected static ref array<typename> s_TargetableTypes = {PlayerBase, AnimalBase, CarScript};
000011 |
000012 |     protected ZombieBase m_Zombie;
000013 |     protected EntityAI m_OriginalTarget;
000014 |     protected EntityAI m_RecentTarget;
000015 |
000016 |     void ExpansionZombieFightLogic(ZombieBase zombie)
000017 |     {
000018 |         m_Zombie = zombie;
000019 |     }
000020 |
000021 |     protected bool TargetSelection(vector origin, vector dirNorm, float maxDist, out vector ray, out vector hitPos, out int component, out EntityAI hitEnt, Object
ignore = null, float radius = 0.0, CollisionFlags flags = CollisionFlags.NEARESTCONTACT, bool validateDistance = false)
000022 |     {
000023 |         vector begPos = origin + dirNorm * radius;
000024 |         vector endPos = begPos + dirNorm * (maxDist - radius * 2);
000025 |
000026 |         RaycastRVParams params = new RaycastRVParams(begPos, endPos, ignore, radius);
000027 |         params.with = m_Zombie;
000028 |         params.flags = flags;
000029 |         params.type = ObjIntersectIFire;
000030 |         if (flags != CollisionFlags.NEARESTCONTACT && flags != CollisionFlags.FIRSTCONTACT)
000031 |             params.sorted = true; //!< @note sorted by distance in descending order!
000032 |
000033 |         array<ref RaycastRVResult> results = {};
000034 |         array<Object> excluded;
000035 |         if (ignore)
000036 |             excluded = {ignore};
000037 |     }
```

```

000038 | ray = vector.Zero;
000039 | hitPos = vector.Zero;
000040 | component = -1;
000041 | hitEnt = null;
000042 |
000043 | if (DayZPhysics.RaycastRVProxy(params, results, excluded))
000044 | {
000045 |     /**
000046 |      * @note raycast result entries are sometimes improperly sorted due to hit position not being correct.
000047 |      * We ignore these entries if validateDistance = true (only for attachments).
000048 |      *
000049 |      * 9 HatchbackDoors_CoDriver<4cd9f170> hierLevel=1 distance=0.00109183 <-- incorrect (raycast from driver side)
000050 |      * 8 OffroadHatchback<b1401410> hierLevel=0 distance=0.451828
000051 |      * 7 OffroadHatchback<b1401410> hierLevel=0 distance=0.456719
000052 |      * 6 OffroadHatchback<b1401410> hierLevel=0 distance=1.62744
000053 |      * 5 SurvivorBase<795d5160> hierLevel=0 distance=1.70653
000054 |      * 4 SurvivorBase<795d5160> hierLevel=0 distance=1.79095
000055 |      * 3 SurvivorBase<795d5160> hierLevel=0 distance=1.83849
000056 |      * 2 SurvivorBase<795d5160> hierLevel=0 distance=1.84204
000057 |      * 1 HatchbackDoors_CoDriver<4cd9f170> hierLevel=1 distance=2.32233
000058 |      * 0 HatchbackDoors_CoDriver<4cd9f170> hierLevel=1 distance=2.36941
000059 |     */
000060 |
000061 |     int count = results.Count();
000062 |     RaycastRVResult result;
000063 |     RaycastRVResult selected;
000064 |     EntityAI entity;
000065 |
000066 | #ifdef DIAG_DEVELOPER
000067 |     bool dbg;
000068 |     if (radius == 0)
000069 |         dbg = true;
000070 |     if (dbg)
000071 |         PrintFormat("%l <<< RAY", m_Zombie);
000072 | #endif
000073 |
000074 |     for (int i = count - 1; i >= 0; --i)
000075 |     {
000076 |         result = results[i];
000077 |
000078 | #ifdef DIAG_DEVELOPER
000079 |         if (dbg)
000080 |             PrintFormat("    %l %2 hierLevel=%3 distance=%4", i, result.obj, result.hierLevel, vector.Distance(origin, result.pos));
000081 | #endif
000082 |
000083 |         if (!result.obj)
000084 |             continue;
000085 |
000086 |         if (result.obj.IsBush())
000087 |             continue;
000088 |
000089 |         if (result.obj.IsTree() || result.obj.IsBuilding())
000090 |             break;
000091 |
000092 |         if (!Class.CastTo(entity, result.obj))
000093 |             continue;
000094 |
000095 |         EntityAI root = entity.GetHierarchyRoot();
000096 |
000097 |         foreach (typename targetableType: s_TargetableTypes)
000098 |         {
000099 |             if (root.IsInherited(targetableType))

```

```
000100 |         {
000101 |             if (result.pos == origin)
000102 |             {
000103 |                 #ifdef DIAG_DEVELOPER
000104 |                     PrintFormat("%1 SKIP %2 parent %3 pos == origin", m_Zombie, result.obj, result.parent);
000105 |                 #endif
000106 |                 continue;
000107 |             }
000108 |
000109 |             if (!hitEnt || (validateDistance && result.hierLevel > 0 && result.parent != selected.obj && vector.DistanceSq(origin, entity.GetPosition(
)) < vector.DistanceSq(origin, hitEnt.GetPosition()))
000110 |             {
000111 |                 #ifdef DIAG_DEVELOPER
000112 |                     if (dbg && selected)
000113 |                         PrintFormat("%1 OVERRIDE %2 hierLevel=%3 distance=%4 -> %5 hierLevel=%6 distance=%7", m_Zombie, selected.obj, selected.hierLevel,
vector.Distance(origin, hitEnt.GetPosition()), result.obj, result.hierLevel, vector.Distance(origin, entity.GetPosition()));
000114 |                 #endif
000115 |
000116 |                 hitEnt = entity;
000117 |                 selected = result;
000118 |
000119 |                 if (!validateDistance)
000120 |                     break;
000121 |             }
000122 |         }
000123 |     }
000124 | }
000125 |
000126 | #ifdef DIAG_DEVELOPER
000127 |     if (dbg)
000128 |     {
000129 |         PrintFormat("%1 RAY >>>", m_Zombie);
000130 |         if (validateDistance && selected)
000131 |             PrintFormat("%1 SELECTED %2 hierLevel=%3 distance=%4", m_Zombie, selected.obj, selected.hierLevel, vector.Distance(origin, selected.pos));
000132 |     }
000133 |
000134 |     if (count > 0 && params.flags != CollisionFlags.NEARESTCONTACT)
000135 |     {
000136 |         params.flags = CollisionFlags.NEARESTCONTACT;
000137 |         array<ref RaycastRVResult> dbgResults = {};
000138 |         if (DayZPhysics.RaycastRVProxy(params, dbgResults))
000139 |         {
000140 |             result = dbgResults[0];
000141 |             if (result.obj != results[count - 1].obj)
000142 |             {
000143 |                 if (dbg)
000144 |                     PrintFormat("%1 NEAREST %2 hierLevel=%3 distance=%4", m_Zombie, result.obj, result.hierLevel, vector.Distance(origin, result.pos));
000145 |             }
000146 |         }
000147 |     }
000148 | #endif
000149 |
000150 |     if (selected)
000151 |     {
000152 |         hitPos = selected.pos;
000153 |         component = selected.component;
000154 |         ray = hitPos - origin;
000155 |
000156 |         return true;
000157 |     }
000158 | }
000159 |
```

```

000160         return false;
000161     }
000162
000163     bool FightLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000164     {
000165         if (pCurrentCommandID == DayZInfectedConstants.COMMANDID_ATTACK)
000166         {
000167             ///! @note calling DayZInfectedCommandAttack::WasHit RESETS its return value internally, so after calling it ONCE,
000168             ///! it will return false on subsequent invocations! This means we can't call the vanilla FightLogic first
000169             ///! but instead have to early return on all cases that should be handled by it
000170
000171             if (!m_OriginalTarget)
000172                 return false;
000173
000174             PlayerBase pb = PlayerBase.Cast(m_Zombie.m_ActualTarget);
000175
000176             ///! Let vanilla handle player targets that are not in vehicle command
000177             if (pb && !pb.GetCommand_Vehicle())
000178                 return false;
000179
000180             ///! Let vanilla handle non-transport targets if not a player
000181             if (!pb && !m_Zombie.m_ActualTarget.IsTransport())
000182                 return false;
000183
000184             DayZInfectedCommandAttack attackCommand = m_Zombie.GetCommand_Attack();
000185             if (attackCommand && attackCommand.WasHit())
000186             {
000187                 #ifdef DIAG_DEVELOPER
000188                     PrintFormat("%1 attack type=%2 hit", m_Zombie, m_Zombie.m_ActualAttackType.m_Type);
000189                 #endif
000190
000191                 vector origin;
000192                 EntityAI target;
000193                 vector targetPos;
000194
000195                 if (m_Zombie.IsCrawling())
000196                     origin = m_Zombie.GetPosition() + "0 0.3 0";
000197                 else
000198                     origin = m_Zombie.GetPosition() + "0 0.8 0";
000199
000200                 Transport transport;
000201                 if (Class.CastTo(transport, m_OriginalTarget))
000202                 {
000203                     float minDist = float.MAX;
000204                     Human closest;
000205
000206                     for (int i = 0; i < transport.CrewSize(); ++i)
000207                     {
000208                         Human crewMember = transport.CrewMember(i);
000209                         if (crewMember)
000210                         {
000211                             float distSq = vector.DistanceSq(origin, crewMember.GetPosition());
000212                             if (distSq < minDist)
000213                             {
000214                                 minDist = distSq;
000215                                 closest = crewMember;
000216                             }
000217                         }
000218                     }
000219
000220                     if (closest)
000221                         target = closest;

```

```
000222 |         else
000223 |             target = m_OriginalTarget;
000224 |     }
000225 |     else
000226 |     {
000227 |         target = m_OriginalTarget;
000228 |     }
000229 |
000230 |     m_OriginalTarget = null;
000231 |
000232 | #ifdef DIAG_DEVELOPER
000233 |     Class.CastTo(pb, target);
000234 |     TStringArray dbgSpheres = {
000235 |         "ExpansionDebugSphereSmall",
000236 |         "ExpansionDebugSphereSmall_Orange"
000237 |     };
000238 |     int hash = m_Zombie.ToString().Hash();
000239 | #endif
000240 |
000241 |     targetPos = target.GetPosition() + "0 0.3 0";
000242 |
000243 |     vector dir = vector.Direction(origin, targetPos);
000244 |
000245 |     /// Prevent targeting of objects behind zombie
000246 |     vector dirY0 = Vector(dir[0], 0, dir[2]);
000247 |     float thresh = 0.0;
000248 |     if (vector.Dot(m_Zombie.GetDirection(), dirY0.Normalized()) < thresh)
000249 |         return false;
000250 |
000251 |     vector dirNorm = dir.Normalized();
000252 |
000253 |     float maxDist = m_Zombie.m_ActualAttackType.m_Distance + 0.3;
000254 |
000255 |     float radius = 0.0; /// Radius 0, because it influences hitPos and thus where hit effects are shown
000256 |     vector ray;
000257 |     vector hitPosWS;
000258 |     int component;
000259 |     EntityAI hitEnt;
000260 |     array<ref Param3<vector, int, EntityAI>> hits = {};
000261 |     hits.Reserve(2);
000262 |
000263 |     /// re-target (enemy can have moved out of range or disappeared)
000264 |     if (TargetSelection(origin, dirNorm, maxDist, ray, hitPosWS, component, hitEnt, m_Zombie, radius, CollisionFlags.ALLOBJECTS, true))
000265 |     {
000266 |         hits.Insert(new Param3<vector, int, EntityAI>(hitPosWS, component, hitEnt));
000267 |
000268 |         string windowDmgZone = "";
000269 |         bool damageWindow;
000270 |
000271 |         if (hitEnt.IsInherited(CarDoor) && Math.RandomInt(0, 2))
000272 |         {
000273 |             DamageZoneMap zoneMap = hitEnt.GetEntityDamageZoneMap();
000274 |
000275 |             if (zoneMap.Contains("Window"))
000276 |             {
000277 |                 windowDmgZone = "Window";
000278 |             }
000279 |             else
000280 |             {
000281 |                 foreach (string zone, array<string> components: zoneMap)
000282 |                 {
000283 |                     if (zone.Contains("Window"))
```

```
000284 |         {
000285 |             windowDmgZone = zone;
000286 |             break;
000287 |         }
000288 |     }
000289 | }
000290 |
000291 | if (windowDmgZone)
000292 | {
000293 |     //! Allow hitting crew through destroyed window (if any)
000294 |     if (hitEnt.GetHealth("Window", "Health") == 0)
000295 |     {
000296 |         maxDist = Math.Min(0.6, maxDist - ray.Length());
000297 |         EntityAI hitEnt2;
000298 |         if (maxDist > 0 && TargetSelection(hitPosWS, dirNorm, maxDist, ray, hitPosWS, component, hitEnt2, hitEnt.GetHierarchyRoot(), radiu
s))
000299 |         {
000300 |             if (hitEnt2.GetHierarchyRoot().IsMan())
000301 |                 hits.Insert(new Param3<vector, int, EntityAI>(hitPosWS, component, hitEnt2));
000302 |         }
000303 |     }
000304 |     else
000305 |     {
000306 |         damageWindow = true;
000307 |     }
000308 | }
000309 | }
000310 |
000311 | foreach (int j, auto hit: hits)
000312 | {
000313 |     hitPosWS = hit.param1;
000314 |     component = hit.param2;
000315 |     hitEnt = hit.param3;
000316 |
000317 |     string dmgZone;
000318 |
000319 |     EntityAI root = hitEnt.GetHierarchyRoot();
000320 |     if (!root.IsMan())
000321 |     {
000322 |         if (hitEnt.IsInherited(CarDoor))
000323 |         {
000324 |             if (damageWindow)
000325 |             {
000326 |                 dmgZone = windowDmgZone;
000327 |                 hitPosWS = hitEnt.GetDamageZonePos(dmgZone);
000328 |
000329 |                 if (hitEnt.GetHierarchyParent())
000330 |                     hitPosWS = hitEnt.ModelToWorld(hitPosWS);
000331 |             }
000332 |             else
000333 |             {
000334 |                 dmgZone = hitEnt.GetDamageZoneNameByComponentIndex(component);
000335 |             }
000336 |         }
000337 |         else
000338 |         {
000339 |             dmgZone = hitEnt.GetDamageZoneNameByComponentIndex(component);
000340 |         }
000341 |
000342 |         TStringArray componentNames = {};
000343 |         DamageSystem.GetComponentNamesFromDamageZone(hitEnt, dmgZone, componentNames);
000344 |         foreach (string componentName: componentNames)
```

```

000345 |         {
000346 |         #ifdef DIAG_DEVELOPER
000347 |             string health = (hitEnt.GetHealth01(dmgZone, "Health") * 100).ToString() + "%%";
000348 |             PrintFormat("%1 HIT %2 hitComponent=%3 dmgZone=%4 health=%5 pos=%6", m_Zombie, hitEnt, componentName, dmgZone, health, hitPosWS.To
String());
000349 |         #endif
000350 |
000351 |             DamageSystem.CloseCombatDamageName(m_Zombie, hitEnt, componentName, m_Zombie.m_ActualAttackType.m_AmmoType, hitPosWS);
000352 |         }
000353 |
000354 |         CarScript cs;
000355 |         if (!hitEnt.IsInherited(CarWheel) && (Class.CastTo(cs, root) || Class.CastTo(cs, root.GetParent())) && GetExpansionSettings().GetAI().
EnableZombieVehicleAttackPhysics)
000356 |         {
000357 |             float bodyMass = dBodyGetMass(cs);
000358 |             float invBodyMass = 1.0 / bodyMass;
000359 |             //! Zombies have a mass of 70.8333 (for comparison: players have a mass of 87.5)
000360 |             float force = bodyMass * Math.Min(dBodyGetMass(m_Zombie) * 3, 300) * cs.GetPushForceCoefficientMultiplier();
000361 |             //vector impulse = dirNorm * force;
000362 |             vector impulse = vector.Up * force; //! Up vector gives the proper shaking up the vehicle feel
000363 |             impulse = impulse * invBodyMass;
000364 |
000365 |             dBodyApplyImpulseAt(cs, impulse, hitPosWS);
000366 |         }
000367 |     }
000368 |     else
000369 |     {
000370 |         string hitComponentName = root.GetHitComponentForAI();
000371 |
000372 |         string componentNameLower = hitComponentName;
000373 |         componentNameLower.ToLower();
000374 |         DamageSystem.GetDamageZoneFromComponentName(root, componentNameLower, dmgZone);
000375 |         hitPosWS = root.GetDamageZonePos(dmgZone);
000376 |
000377 |         #ifdef DIAG_DEVELOPER
000378 |             string bodyPartHealth = (root.GetHealth01(dmgZone, "Health") * 100).ToString() + "%%";
000379 |             PrintFormat("%1 HIT %2 hitComponent=%3 dmgZone=%4 health=%5 pos=%6", m_Zombie, root, hitComponentName, dmgZone, bodyPartHealth, hitPos
WS.ToString());
000380 |         #endif
000381 |
000382 |         DamageSystem.CloseCombatDamageName(m_Zombie, root, hitComponentName, m_Zombie.m_ActualAttackType.m_AmmoType, hitPosWS);
000383 |     }
000384 |
000385 |     #ifdef DIAG_DEVELOPER
000386 |         if (pb)
000387 |             pb.Expansion_DebugObject(hash + j, hitPosWS, dbgSpheres[j], vector.Zero, origin, 3.0, ShapeFlags.NOZBUFFER);
000388 |         #endif
000389 |     }
000390 |
000391 |     #ifdef DIAG_DEVELOPER
000392 |         DestroyDebugObjects(pb, hits.Count());
000393 |     #endif
000394 |
000395 |     return true;
000396 | }
000397 | #ifdef DIAG_DEVELOPER
000398 | else
000399 | {
000400 |     PrintFormat("%1 target selection failed (maxDist %2)", m_Zombie, maxDist);
000401 |     DestroyDebugObjects(pb, 1);
000402 |     if (pb)
000403 |         pb.Expansion_DebugObject(hash, origin + dirNorm * maxDist, "ExpansionDebugSphereSmall_Red", vector.Zero, origin, 3.0, ShapeFlags.NOZBUFFER

```



```
000404 | );
000405 |     }
000406 |     #endif
000407 | }
000408 |
000409 |     return false;
000410 | }
000411 |
000412 | void DestroyDebugObjects(PlayerBase pb, int index)
000413 | {
000414 |     if (pb)
000415 |     {
000416 |         int max = 2;
000417 |
000418 |         while (index >= max)
000419 |         {
000420 |             max++;
000421 |         }
000422 |
000423 |         for (int i = index; i < max; ++i)
000424 |         {
000425 |             int hash = m_Zombie.ToString().Hash() + index;
000426 |             Object dbgObj = pb.m_Expansion_DebugObjects[hash];
000427 |             if (dbgObj)
000428 |                 pb.Expansion_DebugObject(hash, vector.Zero, dbgObj.GetType());
000429 |         }
000430 |     }
000431 | }
000432 |
000433 | bool AttackLogic(DayZInfectedAttackGroupType type, float angle, DayZInfectedInputController pInputController, float pDt)
000434 | {
000435 |     m_Zombie.m_ActualTarget = pInputController.GetTargetEntity();
000436 |
000437 |     if (!m_Zombie.m_ActualTarget)
000438 |     {
000439 |         if (!m_RecentTarget || vector.DistanceSq(m_Zombie.GetPosition(), m_RecentTarget.GetPosition()) > 10000)
000440 |         {
000441 |             m_OriginalTarget = null;
000442 |             return false;
000443 |         }
000444 |
000445 |         m_Zombie.m_ActualTarget = m_RecentTarget;
000446 |     }
000447 |     else
000448 |     {
000449 |         m_RecentTarget = m_Zombie.m_ActualTarget;
000450 |     }
000451 |
000452 |     PlayerBase pb;
000453 |     if (!m_Zombie.m_ActualTarget.IsTransport())
000454 |     {
000455 |         if (!Class.CastTo(pb, m_Zombie.m_ActualTarget) || !pb.GetCommand_Vehicle())
000456 |         {
000457 |             //! If no player target or player not in vehicle, return
000458 |             return false;
000459 |         }
000460 |     }
000461 |
000462 |     vector origin;
000463 |     vector targetPos;
000464 | }
```

```
000465 |         if (m_Zombie.IsCrawling())
000466 |             origin = m_Zombie.GetPosition() + "0 0.3 0";
000467 |         else
000468 |             origin = m_Zombie.GetPosition() + "0 0.8 0";
000469 |
000470 |         targetPos = m_Zombie.m_ActualTarget.GetPosition() + "0 0.3 0";
000471 |
000472 |         vector dir = vector.Direction(origin, targetPos);
000473 |
000474 |         if (dir.LengthSq() > 19.36)
000475 |         {
000476 |             #ifdef DIAG_DEVELOPER
000477 |                 DestroyDebugObjects(pb, 0);
000478 |                 DestroyDebugObjects(pb, 2);
000479 |             #endif
000480 |             return false;
000481 |         }
000482 |
000483 |         vector dirNorm = dir.Normalized();
000484 |
000485 |         float maxDist = 2.4;
000486 |
000487 |         float radius = 0.3;
000488 |         vector ray;
000489 |         vector hitPosWS;
000490 |         int component;
000491 |         EntityAI hitEnt;
000492 |         vector zombieDir = m_Zombie.GetDirection();
000493 |         float zombieAngle = zombieDir.VectorToAngles()[0];
000494 |
000495 |         #ifdef DIAG_DEVELOPER
000496 |             string dbgObjType = "ExpansionDebugConeSmall";
000497 |             Object dbgObj;
000498 |             int dbgIndex_Show = 2;
000499 |             int dbgIndex_Hide = 3;
000500 |             int hash = m_Zombie.ToString().Hash();
000501 |         #endif
000502 |
000503 |         if (TargetSelection(origin, dirNorm, maxDist, ray, hitPosWS, component, hitEnt, m_Zombie, radius, CollisionFlags.ALLOBJECTS))
000504 |         {
000505 |             //! Prevent targeting of objects behind zombie
000506 |             float targetAngle = dir.VectorToAngles()[0];
000507 |             float angleDiff = ExpansionMath.AngleDiff2(zombieAngle, targetAngle);
000508 |             if (Math.AbsFloat(angleDiff) > 60)
000509 |             {
000510 |                 if (pInputController.GetMovementSpeed() == 0)
000511 |                 {
000512 |                     //! Help rotate zombie towards target
000513 |                     m_Zombie.SetOrientation(Vector(ExpansionMath.RelAngle(zombieAngle + angleDiff * pDt * 3), 0, 0));
000514 |                     #ifdef DIAG_DEVELOPER
000515 |                         if (pb)
000516 |                         {
000517 |                             dbgObjType = "ExpansionDebugConeSmall_Red";
000518 |                             dbgIndex_Hide = 2;
000519 |                             dbgIndex_Show = 3;
000520 |                         }
000521 |                     #endif
000522 |                 }
000523 |                 #ifdef DIAG_DEVELOPER
000524 |                     if (pb)
000525 |                     {
000526 |                         dbgObj = pb.m_Expansion_DebugObjects[hash + dbgIndex_Hide];
```

```

000527 |         if (dbgObj)
000528 |             pb.Expansion_DebugObject(hash + dbgIndex_Hide, vector.Zero, dbgObj.GetType());
000529 |         dbgObj = pb.Expansion_DebugObject(hash + dbgIndex_Show, m_Zombie.GetBonePositionWS(m_Zombie.GetBoneIndexByName("Head")) + "0 0.3 0", dbgObjType
e);
000530 |         if (dbgObj)
000531 |             dbgObj.SetOrientation(Vector(zombieAngle - 180, 90, 0));
000532 |     }
000533 | #endif
000534 |     return false;
000535 | }
000536 |
000537 | #ifdef DIAG_DEVELOPER
000538 |     if (pb)
000539 |     {
000540 |         dbgObj = pb.m_Expansion_DebugObjects[hash + dbgIndex_Hide];
000541 |         if (dbgObj)
000542 |             pb.Expansion_DebugObject(hash + dbgIndex_Hide, vector.Zero, dbgObj.GetType());
000543 |         dbgObj = pb.Expansion_DebugObject(hash + dbgIndex_Show, m_Zombie.GetBonePositionWS(m_Zombie.GetBoneIndexByName("Head")) + "0 0.3 0", dbgObjType);
000544 |         if (dbgObj)
000545 |             dbgObj.SetOrientation(Vector(zombieAngle - 180, 90, 0));
000546 |     }
000547 | #endif
000548 |
000549 |     m_OriginalTarget = m_Zombie.m_ActualTarget;
000550 |
000551 |     if (pb && hitEnt.GetHierarchyRoot() != pb)
000552 |     {
000553 |         ///! Override actual target to prevent attack damage handling in vanilla FightLogic
000554 |         ///! (vanilla FightLogic does nothing if in attack command and target is non-alignable like vehicles)
000555 |         m_Zombie.m_ActualTarget = pb.GetCommand_Vehicle().GetTransport();
000556 |     }
000557 |
000558 | #ifdef DIAG_DEVELOPER
000559 |     string dbg = string.Format("%1 %2 %3", m_Zombie, typename.EnumToString(DayZInfectedAttackGroupType, type), m_Zombie.m_ActualTarget);
000560 | #endif
000561 |
000562 |     float dist = ray.Length();
000563 |     int pitch;
000564 |     if (type == DayZInfectedAttackGroupType.CHASE)
000565 |         pitch = -1;
000566 |     else
000567 |         pitch = m_Zombie.GetAttackPitch(m_Zombie.m_ActualTarget);
000568 |
000569 |     if (Math.RandomInt(0, 2))
000570 |         m_Zombie.m_ActualAttackType = m_Zombie.GetDayZInfectedType().ChooseAttack(type, dist, pitch);
000571 |     else
000572 |         m_Zombie.m_ActualAttackType = null;
000573 |
000574 |     if (!m_Zombie.m_ActualAttackType)
000575 |         m_Zombie.m_ActualAttackType = m_Zombie.GetExpansionInfectedType().ChooseAttack(DayZInfectedAttackGroupType.FIGHT, 1.7, 0);
000576 |
000577 |     if (m_Zombie.m_ActualAttackType)
000578 |     {
000579 |         #ifdef DIAG_DEVELOPER
000580 |             DayZInfectedAttackType attackType = m_Zombie.m_ActualAttackType;
000581 |             PrintFormat("%1 distance=%2 pitch=%3 type=%4 subtype=%5 %6 heavy=%7 cooldown=%8 probability=%9", dbg, attackType.m_Distance, attackType.m_Pitch, a
ttackType.m_Type, attackType.m_Subtype, attackType.m_AmmoType, attackType.m_IsHeavy, attackType.m_Cooldown, attackType.m_Probability);
000582 |         #endif
000583 |
000584 |         m_Zombie.m_ActualAttackType.m_Distance = maxDist;
000585 |
000586 |         m_Zombie.StartCommand_Attack(m_Zombie.m_ActualTarget, m_Zombie.m_ActualAttackType.m_Type, m_Zombie.m_ActualAttackType.m_Subtype);

```

```
000587 |         m_Zombie.m_AttackCooldownTime = m_Zombie.m_ActualAttackType.m_Cooldown;
000588 |         return true;
000589 |     }
000590 |     #ifdef DIAG_DEVELOPER
000591 |     else
000592 |     {
000593 |         PrintFormat("%1 no attack type for dist=%2 pitch=%3", dbg, dist, pitch);
000594 |     }
000595 |     #endif
000596 | }
000597 |
000598 | #ifdef DIAG_DEVELOPER
000599 |     if (pb)
000600 |     {
000601 |         dbgObj = pb.m_Expansion_DebugObjects[hash + dbgIndex_Hide];
000602 |         if (dbgObj)
000603 |             pb.Expansion_DebugObject(hash + dbgIndex_Hide, vector.Zero, dbgObj.GetType());
000604 |         dbgObj = pb.Expansion_DebugObject(hash + dbgIndex_Show, m_Zombie.GetBonePositionWS(m_Zombie.GetBoneIndexByName("Head")) + "0 0.3 0", dbgObjType);
000605 |         if (dbgObj)
000606 |             dbgObj.SetOrientation(Vector(zombieAngle - 180, 90, 0));
000607 |         DestroyDebugObjects(pb, 1);
000608 |         pb.Expansion_DebugObject(hash, origin + dirNorm * maxDist, "ExpansionDebugSphereSmall_Red", vector.Zero, origin, 3.0, ShapeFlags.NOZBUFFER);
000609 |     }
000610 | #endif
000611 |
000612 |     return false;
000613 | }
000614 |
000615 | bool ChaseAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000616 | {
000617 |     return AttackLogic(DayZInfectedAttackGroupType.CHASE, m_Zombie.TARGET_CONE_ANGLE_CHASE, pInputController, pDt);
000618 | }
000619 |
000620 | bool FightAttackLogic(int pCurrentCommandID, DayZInfectedInputController pInputController, float pDt)
000621 | {
000622 |     PlayerBase pb = PlayerBase.Cast(pInputController.GetTargetEntity());
000623 |     if (pb && pb.GetCommand_Vehicle())
000624 |     {
000625 |         //! We only need to decrement attack cooldown if actual target is player in vehicle,
000626 |         //! else vanilla FightAttackLogic will handle it
000627 |         if (m_Zombie.m_AttackCooldownTime > 0)
000628 |         {
000629 |             m_Zombie.m_AttackCooldownTime -= pDt * GameConstants.AI_ATTACKSPEED;
000630 |             return false;
000631 |         }
000632 |     }
000633 |
000634 |     return AttackLogic(DayZInfectedAttackGroupType.FIGHT, m_Zombie.TARGET_CONE_ANGLE_FIGHT, pInputController, pDt);
000635 | }
000636 | }
000637 |
```

0250. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/eaifactioninfected.c
Size bytes: 505
SHA-256: ffb5ce81dee1c1bab3b71619a432f8965bf31dc24a00296d06f628ea5ac33db5
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L2: class eAIFactionInfected : eAIFaction
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L4: void eAIFactionInfected()
 L11: override bool IsFriendly(notnull eAIFaction other)
 L17: override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionInfected)]
000002 | class eAIFactionInfected : eAIFaction
000003 | {
000004 |     void eAIFactionInfected()
000005 |     {
000006 |         m_Loadout = "Humanloadout";
000007 |         AddModifier(eModifiers.MDF_BRAIN);
000008 |         AddModifier(eModifiers.MDF_FLIES);
000009 |     }
000010 |
000011 |     override bool IsFriendly(notnull eAIFaction other)
000012 |     {
000013 |         if (other.IsInherited(eAIFactionInfected)) return true;
000014 |         return false;
000015 |     }
000016 |
000017 |     override bool IsFriendlyEntity(EntityAI other, DayZPlayer factionMember = null)
000018 |     {
000019 |         return other.IsInherited(DayZInfected);
000020 |     }
000021 | };
000022 |
```

0251. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/factions/eaifactionlunatics.c

Size bytes: 192

SHA-256: 15629ec2c081109da2314ac27d6cf5d687b0cfc682d7d07f69f9189cd6b4c0f9

Decoded as: utf-8-sig

Line count shown: 10

Detected class declarations: 1

 L2: class eAIFactionLunatics: eAIFaction

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: void eAIFactionLunatics()

Full file content

```
000001 | [eAIRegisterFaction(eAIFactionLunatics)]
000002 | class eAIFactionLunatics: eAIFaction
000003 | {
000004 |     void eAIFactionLunatics()
000005 |     {
000006 |         m_Loadout = "Humanloadout";
000007 |         AddModifier(eModifiers.MDF_BRAIN);
000008 |     }
000009 | };
000010 |
```

0252. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/plugins/pluginadminlog.c
 Size bytes: 1908
 SHA-256: 562e0f4553ee076500c9117164ac8360d26e8f727f54cleae4078e5aae6a4118
 Decoded as: utf-8-sig
 Line count shown: 70
 Detected class declarations: 1
 L1: modded class PluginAdminLog
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L6: override void OnInit()
 L15: void eAI_OnAfterInit()
 L25: override string GetPlayerPrefix(PlayerBase player, PlayerIdentity identity)
 L56: override void PlayerHitBy(TotalDamageResult damageResult, int damageType, PlayerBase player, EntityAI source, int component, string dmgZone,
 L63: override void PlayerKilled(PlayerBase player, Object source)

Full file content

```
000001 | modded class PluginAdminLog
000002 | {
000003 |     bool m_eAI_LogAIHitBy;
000004 |     bool m_eAI_LogAIKilled;
000005 |
000006 |     override void OnInit()
000007 |     {
000008 |         super.OnInit();
000009 |
000010 |         //! Expansion settings get initialized in DayZExpansion constructor, which gets created in MissionBase constructor.
000011 |         //! Vanilla plugin init also happens in MissionBase constructor, so we have to delay accessing Expansion settings to next frame
000012 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(eAI_OnAfterInit);
000013 |     }
000014 |
000015 |     void eAI_OnAfterInit()
000016 |     {
000017 |         if (g_Game.IsServer())
000018 |         {
000019 |             auto settings = GetExpansionSettings().GetAI();
000020 |             m_eAI_LogAIHitBy = settings.LogAIHitBy;
000021 |             m_eAI_LogAIKilled = settings.LogAIKilled;
000022 |         }
000023 |     }
000024 |
000025 |     override string GetPlayerPrefix(PlayerBase player, PlayerIdentity identity)
000026 |     {
000027 |         string playerPrefix = super.GetPlayerPrefix(player, identity);
000028 |
000029 |         if (player.IsAI())
000030 |         {
000031 |             //! Replace "Player" with "AI"
000032 |             playerPrefix = "AI" + playerPrefix.Substring(6, playerPrefix.Length() - 6);
000033 |         }
000034 |
000035 |         eAIGroup group = player.GetGroup();
000036 |
000037 |         if (group)
000038 |         {
000039 |             string groupInfo = "group=" + group.GetID();
000040 |             string groupName = group.GetName();
000041 |
000042 |             if (groupName)
```

```
000043 |         groupInfo += ":\\" + groupName + "\\";
000044 |
000045 |         groupInfo += " faction=\\" + group.GetFaction().GetName() + "\\";
000046 |
000047 |         if (player.IsAI())
000048 |             playerPrefix.Replace("id=", groupInfo);
000049 |         else
000050 |             playerPrefix.Replace("pos=", groupInfo + " pos=");
000051 |     }
000052 |
000053 |     return playerPrefix;
000054 | }
000055 |
000056 | override void PlayerHitBy(TotalDamageResult damageResult, int damageType, PlayerBase player, EntityAI source, int component, string dmgZone, string ammo)
000057 | {
000058 |     if (player.IsAI() && !m_eAI_LogAIHitBy) return;
000059 |
000060 |     super.PlayerHitBy(damageResult, damageType, player, source, component, dmgZone, ammo);
000061 | }
000062 |
000063 | override void PlayerKilled(PlayerBase player, Object source)
000064 | {
000065 |     if (player.IsAI() && !m_eAI_LogAIKilled) return;
000066 |
000067 |     super.PlayerKilled(player, source);
000068 | }
000069 | };
000070 |
```


0253. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/static/miscgameplayfunctions.c
Size bytes: 286
SHA-256: b39b7c2f4b2ee7b43e3bbe4bc5ccad396e8dc1908c1af89520c4949e0f8eac1c
Decoded as: utf-8-sig
Line count shown: 13
Detected class declarations: 1
 L1: modded class MiscGameplayFunctions
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: override static vector GetHeadingVector(notnull PlayerBase player)
 L8: override static float GetHeadingAngle(notnull DayZPlayerImplement player)

Full file content

```
000001 | modded class MiscGameplayFunctions
000002 | {
000003 |     override static vector GetHeadingVector(notnull PlayerBase player)
000004 |     {
000005 |         return player.Expansion_GetHeadingVector();
000006 |     }
000007 |
000008 |     override static float GetHeadingAngle(notnull DayZPlayerImplement player)
000009 |     {
000010 |         return player.Expansion_GetHeadingAngle();
000011 |     }
000012 | }
000013 |
```

0254. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/jmplayerform.c

Size bytes: 2868

SHA-256: 94f0a235c2e21cc08d8cbb09c0a3999a4b3fbd677876dc266595c2edd5a7ed00

Decoded as: utf-8-sig

Line count shown: 115

Detected class declarations: 1

L14: modded class JMPlayerForm

Detected enum declarations: 0

Detected function/method-like declarations: 5

L19: override void OnClientPermissionsUpdated()

L27: override private Widget InitActionWidgetsStats(Widget actionsParent)

L58: override void RefreshStats(bool force = false)

L88: override void Click_ApplyStats(UIEvent eid, UIActionBase action)

L106: void Click_SetExpansionFaction(UIEvent eid, UIActionBase action)

Full file content

```
000001 | /**
000002 |  * JMPlayerForm.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef JM_COT
000014 | modded class JMPlayerForm
000015 | {
000016 |     private UIActionDropDownList m_ExpansionFaction;
000017 |     private bool m_ExpansionFactionUpdated;
000018 |
000019 |     override void OnClientPermissionsUpdated()
000020 |     {
000021 |         super.OnClientPermissionsUpdated();
000022 |
000023 |         // idk unify naming for the permission? rest of player permissions are parented here
000024 |         UpdatePermission(m_ExpansionFaction, "Admin.Player.Set.ExpansionFaction");
000025 |     }
000026 |
000027 |     override private Widget InitActionWidgetsStats(Widget actionsParent)
000028 |     {
000029 |         Widget parent = super.InitActionWidgetsStats(actionsParent);
000030 |
000031 |         Widget actions = m_Stamina.GetLayoutRoot().GetParent();
000032 |         if (actions)
000033 |         {
000034 |             TStringArray factions = {" "};
000035 |
000036 |             foreach (typename factionType: eAIRegisterFaction.s_FactionTypes)
000037 |             {
000038 |                 eAIFaction faction = eAIFaction.Cast(factionType.Spawn());
000039 |                 if (faction)
000040 |                     factions.Insert(faction.GetName());
000041 |             }
000042 |         }
```

```
000043 |         factions.Sort();
000044 |
000045 |         m_ExpansionFaction = UIActionManager.CreateDropDownBox(actions, GetLayoutRoot(), "Faction:", factions, this, "Click_SetExpansionFaction");
000046 |
000047 |         m_ExpansionFaction.SetEditBoxWidth(0.5);
000048 |
000049 |         Widget spacer = UIActionManager.CreatePanel(actions, 0, 1);
000050 |         int sort = spacer.GetSort();
000051 |         m_ApplyStats.GetLayoutRoot().SetSort(sort + 1);
000052 |         m_RefreshStats.GetLayoutRoot().SetSort(sort + 2);
000053 |     }
000054 |
000055 |     return parent;
000056 | }
000057 |
000058 | override void RefreshStats(bool force = false)
000059 | {
000060 |     super.RefreshStats(force);
000061 |
000062 |     if (force)
000063 |         m_ExpansionFactionUpdated = false;
000064 |
000065 |     if (!m_SelectedInstance)
000066 |         return;
000067 |
000068 |     if (m_ExpansionFaction && !m_ExpansionFactionUpdated)
000069 |     {
000070 |         string factionName;
000071 |
000072 |         int factionTypeID = m_SelectedInstance.GetExpansionFactionTypeID();
000073 |         if (factionTypeID)
000074 |         {
000075 |             typename factionType = eAIFaction.GetTypeByID(factionTypeID);
000076 |             if (factionType)
000077 |             {
000078 |                 eAIFaction faction = eAIFaction.Cast(factionType.Spawn());
000079 |                 if (faction)
000080 |                     factionName = faction.GetName();
000081 |             }
000082 |         }
000083 |
000084 |         m_ExpansionFaction.SetText(factionName);
000085 |     }
000086 | }
000087 |
000088 | override void Click_ApplyStats(UIEvent eid, UIActionBase action)
000089 | {
000090 |     super.Click_ApplyStats(eid, action);
000091 |
000092 |     if (eid != UIEvent.CLICK)
000093 |         return;
000094 |
000095 |     if (m_ExpansionFactionUpdated)
000096 |     {
000097 |         m_ExpansionFactionUpdated = false;
000098 |
000099 |         if (m_ExpansionFaction)
000100 |         {
000101 |             m_Module.SetExpansionFaction(m_ExpansionFaction.GetText(), JM_GetSelected().GetPlayers());
000102 |         }
000103 |     }
000104 | }
```

```
000105 |  
000106 |     void Click_SetExpansionFaction(UIEvent eid, UIActionBase action)  
000107 |     {  
000108 |         if (eid != UIEvent.CHANGE)  
000109 |             return;  
000110 |  
000111 |         m_ExpansionFactionUpdated = true;  
000112 |     }  
000113 | }  
000114 | #endif  
000115 |
```

0255. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/cot/jmplayermodule.c
Size bytes: 6083
SHA-256: fafd46e6f86c880a0b40e2f481f799deac0c077665dbf7145a26d0895b771442
Decoded as: utf-8-sig
Line count shown: 225
Detected class declarations: 1
  L14: modded class JMPlayerModule
Detected enum declarations: 0
Detected function/method-like declarations: 12
  L16: void JMPlayerModule()
  L21: override int GetRPCMax()
  L26: override void OnRPC(PlayerIdentity sender, Object target, int rpc_type, ParamsReadContext ctx)
  L38: void SetExpansionFaction(string factionName, array<string> guids)
  L68: private void Exec_SetExpansionFaction(int factionTypeID, array<string> guids, PlayerIdentity ident, JMPlayerInstance instance = null)
  L93: else if (factionType)
  L117: private void RPC_SetExpansionFaction(ParamsReadContext ctx, PlayerIdentity senderRPC, Object target)
  L135: override private void Server_StartSpectating(Object spectateObject, PlayerIdentity ident)
  L142: override void Server_OnStartSpectating(Object spectateObject, PlayerIdentity ident)
  L151: void StartSpectatingAI(eAIBase ai, PlayerIdentity ident)
  L203: PlayerBase eAI_RemoveSpectator(PlayerIdentity ident)
  L217: override private void Server_EndSpectating(PlayerIdentity ident)

```

Full file content

```

000001 | /**
000002 |  * JMPlayerModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef JM_COT
000014 | modded class JMPlayerModule
000015 | {
000016 |     void JMPlayerModule()
000017 |     {
000018 |         GetPermissionsManager().RegisterPermission("Admin.Player.Set.ExpansionFaction");
000019 |     }
000020 |
000021 |     override int GetRPCMax()
000022 |     {
000023 |         return Expansion_JMPlayerModuleRPC.EX_COUNT; // needs to have an int higher than the useable ones
000024 |     }
000025 |
000026 |     override void OnRPC(PlayerIdentity sender, Object target, int rpc_type, ParamsReadContext ctx)
000027 |     {
000028 |         super.OnRPC(sender, target, rpc_type, ctx);
000029 |
000030 |         switch (rpc_type)
000031 |         {
000032 |             case Expansion_JMPlayerModuleRPC.SetFaction:
000033 |                 RPC_SetExpansionFaction(ctx, sender, target);
000034 |                 break;
000035 |         }

```

```
000036 |     }
000037 |
000038 | void SetExpansionFaction(string factionName, array<string> guids)
000039 | {
000040 |     int factionTypeID;
000041 |
000042 |     if (factionName)
000043 |     {
000044 |         typename factionType = eAIFaction.GetType(factionName);
000045 |         if (!factionType)
000046 |         {
000047 |             Error("Invalid faction name " + factionName);
000048 |             return;
000049 |         }
000050 |
000051 |         factionTypeID = eAIRegisterFaction.s_FactionIDs[factionType];
000052 |         if (!factionTypeID)
000053 |             return;
000054 |     }
000055 |
000056 |     if (IsMissionHost())
000057 |     {
000058 |         Exec_SetExpansionFaction(factionTypeID, guids, null);
000059 |         return;
000060 |     }
000061 |
000062 |     ScriptRPC rpc = new ScriptRPC();
000063 |     rpc.Write(factionTypeID);
000064 |     rpc.Write(guids);
000065 |     rpc.Send(null, Expansion_JMPlayerModuleRPC.SetFaction, true, null);
000066 | }
000067 |
000068 | private void Exec_SetExpansionFaction(int factionTypeID, array<string> guids, PlayerIdentity ident, JMPlayerInstance instance = null)
000069 | {
000070 |     typename factionType;
000071 |
000072 |     if (factionTypeID)
000073 |         factionType = eAIFaction.GetTypeByID(factionTypeID);
000074 |
000075 |     array<JMPlayerInstance> players = GetPermissionsManager().GetPlayers(guids);
000076 |
000077 |     for (int i = 0; i < players.Count(); i++)
000078 |     {
000079 |         PlayerBase player = PlayerBase.Cast(players[i].PlayerObject);
000080 |         if (player == null)
000081 |             continue;
000082 |
000083 |         if (!factionTypeID)
000084 |         {
000085 |             player.SetGroup(null);
000086 |
000087 |             GetCommunityOnlineToolsBase().Log(ident, "Set Faction To NONE [guid=" + players[i].GetGUID() + "]");
000088 |
000089 |             SendWebhook("Set", instance, "Set " + players[i].FormatSteamWebhook() + " faction to NONE");
000090 |
000091 |             players[i].Update();
000092 |         }
000093 |         else if (factionType)
000094 |         {
000095 |             eAIFaction faction = eAIFaction.Cast(factionType.Spawn());
000096 |             if (faction)
000097 |             {
```

```
000098 |         if (player.GetGroup())
000099 |         {
000100 |             player.GetGroup().SetFaction(faction);
000101 |         }
000102 |         else
000103 |         {
000104 |             eAIGroup group = eAIGroup.GetGroupByLeader(player, true, faction);
000105 |         }
000106 |
000107 |         GetCommunityOnlineToolsBase().Log(ident, "Set Faction To " + faction.GetName() + " [guid=" + players[i].GetGUID() + "]");
000108 |
000109 |         SendWebhook("Set", instance, "Set " + players[i].FormatSteamWebhook() + " faction to " + faction.GetName());
000110 |
000111 |         players[i].Update();
000112 |     }
000113 | }
000114 | }
000115 | }
000116 |
000117 | private void RPC_SetExpansionFaction(ParamsReadContext ctx, PlayerIdentity senderRPC, Object target)
000118 | {
000119 |     int factionTypeID;
000120 |     if (!ctx.Read(factionTypeID))
000121 |         return;
000122 |
000123 |     array<string> guids;
000124 |     if (!ctx.Read(guids))
000125 |         return;
000126 |
000127 |     JMPlayerInstance instance;
000128 |     if (!GetPermissionsManager().HasPermission("Admin.Player.Set.ExpansionFaction", senderRPC, instance))
000129 |         return;
000130 |
000131 |     Exec_SetExpansionFaction(factionTypeID, guids, senderRPC, instance);
000132 | }
000133 |
000134 | #ifdef COT_ANYSPECTATE
000135 |     override private void Server_StartSpectating(Object spectateObject, PlayerIdentity ident)
000136 |     {
000137 |         eAI_RemoveSpectator(ident);
000138 |
000139 |         super.Server_StartSpectating(spectateObject, ident);
000140 |     }
000141 |
000142 |     override void Server_OnStartSpectating(Object spectateObject, PlayerIdentity ident)
000143 |     {
000144 |         PlayerBase spectator = PlayerBase.Cast(ident.GetPlayer());
000145 |         eAIBase ai;
000146 |         if (spectator && Class.CastTo(ai, spectateObject))
000147 |             ai.m_eAI_Spectators.Insert(spectator);
000148 |     }
000149 | #endif
000150 |
000151 |     void StartSpectatingAI(eAIBase ai, PlayerIdentity ident)
000152 |     {
000153 |         #ifdef SERVER
000154 |         #ifdef COT_ANYSPECTATE
000155 |             Server_StartSpectating(ai, ident);
000156 |         #else
000157 |             PlayerBase playerSpectator = eAI_RemoveSpectator(ident);
000158 |             if (!playerSpectator)
000159 |                 return;
```

```
000160 |
000161 |     if (m_Spectators[ident.GetId()] != playerSpectator)
000162 |     {
000163 |         playerSpectator.COT_RememberVehicle();
000164 |         playerSpectator.SetLastPosition();
000165 |
000166 |         m_Spectators[ident.GetId()] = playerSpectator;
000167 |     }
000168 |
000169 |     playerSpectator.m_JM_SpectatedPlayer = ai;
000170 |     playerSpectator.m_JM_CameraPosition = vector.Zero;
000171 |
000172 |     playerSpectator.COT_TempDisableOnSelectPlayer();
000173 |
000174 |     g_Game.SelectPlayer(ident, null);
000175 |
000176 |     vector position = ai.GetBonePositionWS(ai.GetBoneIndexByName("Head"));
000177 |     g_Game.SelectSpectator(ident, "JMSpectatorCamera", position);
000178 |
000179 |     playerSpectator.COTSetGodMode(true, false); /// Enable godmode and remember previous state of GetAllowDamage
000180 |     playerSpectator.COTUpdateSpectatorPosition();
000181 |
000182 |     ScriptRPC rpc = new ScriptRPC();
000183 |     int networkLow, networkHigh;
000184 |     ai.GetNetworkID(networkLow, networkHigh);
000185 |     rpc.Write(networkLow);
000186 |     rpc.Write(networkHigh);
000187 |     rpc.Send(null, JMPlayerModuleRPC.StartSpectating, true, ident);
000188 |
000189 |     ai.m_eAI_Spectators.Insert(playerSpectator);
000190 |
000191 |     GetCommunityOnlineToolsBase().Log(ident, "Spectating AI " + ai);
000192 | #endif
000193 | #else
000194 |     if (!g_Game.IsMultiplayer() || !g_Game.GetPlayer() || !ai)
000195 |         return;
000196 |
000197 |     m_SpectatorClient = PlayerBase.Cast(g_Game.GetPlayer());
000198 |     m_SpectatorClient.COT_TempDisableOnSelectPlayer();
000199 |     m_SpectatorClient.COT_RememberVehicle();
000200 | #endif
000201 | }
000202 |
000203 | PlayerBase eAI_RemoveSpectator(PlayerIdentity ident)
000204 | {
000205 |     PlayerBase spectator = PlayerBase.Cast(ident.GetPlayer());
000206 |     eAIBase ai;
000207 | #ifdef COT_ANYSPECTATE
000208 |     if (spectator && Class.CastTo(ai, spectator.m_JM_SpectatedObject))
000209 | #else
000210 |     if (spectator && Class.CastTo(ai, spectator.m_JM_SpectatedPlayer))
000211 | #endif
000212 |         ai.m_eAI_Spectators.RemoveItem(spectator);
000213 |
000214 |     return spectator;
000215 | }
000216 |
000217 | override private void Server_EndSpectating(PlayerIdentity ident)
000218 | {
000219 |     eAI_RemoveSpectator(ident);
000220 |
000221 |     super.Server_EndSpectating(ident);
```



```
000222 |    }  
000223 | }  
000224 | #endif  
000225 |
```

0256. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/dayzexpansion.c

Size bytes: 1811

SHA-256: beaba90818fba4d5b1e5b3941c7adee32412dce810fa65dcdc4e46e88f667864

Decoded as: utf-8-sig

Line count shown: 77

Detected class declarations: 1

L15: modded class DayZExpansion

Detected enum declarations: 0

Detected function/method-like declarations: 4

L21: void DayZExpansion()

L34: static DayZExpansion Get5()

L43: override void SpectateAI(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L65: else if (CurrentActiveCamera)

Full file content

```
000001 | /**
000002 |  * DayZExpansion.c
000003 |  *
000004 |  * Partly based on Enfusion AI Project Copyright 2021 William Bowers
000005 |  *
000006 |  * DayZ Expansion Mod
000007 |  * www.dayzexpansion.com
000008 |  * © 2022 DayZ Expansion Mod Team
000009 |  *
000010 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000011 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000012 |  *
000013 |  */
000014 |
000015 | modded class DayZExpansion
000016 | {
000017 |     private static DayZExpansion m_Instance_5; //!< weak ref
000018 |
000019 |     eAIBase m_eAI_SpectatedAI;
000020 |
000021 |     void DayZExpansion()
000022 |     {
000023 |         #ifdef EAI_TRACE
000024 |             auto trace = CF_Trace_0(this, "DayZExpansion");
000025 |         #endif
000026 |
000027 |         m_CommandManager = new eAICommandManagerImpl();
000028 |
000029 |         m_Instance_5 = this;
000030 |
000031 |         m_RPCManager.RegisterServer("SpectateAI");
000032 |     }
000033 |
000034 |     static DayZExpansion Get5()
000035 |     {
000036 |         #ifdef EAI_TRACE
000037 |             auto trace = CF_Trace_0("DayZExpansion", "Get5");
000038 |         #endif
000039 |
000040 |         return m_Instance_5;
000041 |     }
000042 |
000043 |     override void SpectateAI(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```

```
000044 | {
000045 |     if (g_Game.IsMultiplayer())
000046 |     {
000047 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000048 |             return;
000049 |     }
000050 |
000051 | #ifdef JM_COT
000052 |     JMPlayerModule module;
000053 |     if (CF_Modules<JMPlayerModule>.Get(module))
000054 |     {
000055 |         eAIBase ai;
000056 |         if (Class.CastTo(ai, target) && ai != m_eAI_SpectatedAI)
000057 |         {
000058 |             #ifndef SERVER
000059 |                 m_eAI_SpectatedAI = ai;
000060 |                 auto rpc = m_RPCManager.CreateRPC("SpectateAI");
000061 |                 rpc.Expansion_Send(ai, true);
000062 |             #endif
000063 |             module.StartSpectatingAI(ai, sender);
000064 |         }
000065 |         else if (CurrentActiveCamera)
000066 |         {
000067 |             if (CurrentActiveCamera.IsInherited(JMSpectatorCamera) || (COT_PreviousActiveCamera && COT_PreviousActiveCamera.IsInherited(JMSpectatorCamera)))
000068 |             {
000069 |                 m_eAI_SpectatedAI = null;
000070 |                 module.EndSpectating();
000071 |             }
000072 |         }
000073 |     }
000074 | #endif
000075 | }
000076 | };
000077 |
```

0257. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/eaicommandmanagerimpl.c

Size bytes: 43869

SHA-256: 25dccbl6221f12e20b7c6ae6db830321515ca28175bcc4ec8416d38ec512896f

Decoded as: utf-8-sig

Line count shown: 1557

Detected class declarations: 1

L2: class eAICommandManagerImpl: eAICommandManager

Detected enum declarations: 0

Detected function/method-like declarations: 53

L13: void eAICommandManagerImpl()

L55: override bool Send(int cmd, int category)

L260: else if (cmd >= eAICommands.DEB_DAMAGE && cmd < eAICommands.DEB_DAMAGE_COUNT)

L267: else if (category == eAICommandCategories.CAT_DAMAGE_OUT)

L279: else if (cmd - eAICommands.BEH_LOOT >= 0)

L285: else if ((m_LootingBehavior & lootingBehavior) == lootingBehavior)

L300: eAIBase GetAIAtCursorOrNearest()

L329: eAIBase SpawnAI_Helper(PlayerBase leader, string loadout = "HumanLoadout.json")

L356: void SpawnAI(int cmd)

L370: eAIBase SpawnAIEx(vector pos, string loadout = "HumanLoadout.json")

L381: eAIBase SpawnAI_Sentry(vector pos, string loadout = "WestLoadout.json")

L387: return SpawnAIEx(pos, loadout);

L390: eAIBase SpawnAI_Patrol(vector pos, string loadout = "HumanLoadout.json")

L396: return SpawnAIEx(pos, loadout);

L399: vector GetEntitySpawnPosition(DayZPlayer player)

L411: void RPC_SpawnAI(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L475: void RPC_SpawnZombie(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L500: void RPC_SpawnWolf(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L525: void RPC_SpawnBear(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L551: void RPC_ClearAllAI(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L566: void RPC_SetFaction(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L597: void RPC_UnlimitedReload(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L657: void RPC_ResetPathfinding(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L674: void RPC_DebugObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L711: void RPC_DebugDamage(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L734: void RPC_ToggleFTO(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L751: void RPC_SetDamageInOut(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L785: else if (category == eAICommandCategories.CAT_DAMAGE_OUT)

L814: else if (category == eAICommandCategories.CAT_DAMAGE_OUT)

L821: void RPC_ReqFormRejoin(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L839: void RPC_ReqFormStop(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L852: void RPC_ReqFormFlank(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L883: void RPC_ReqFormRoam(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L901: void RPC_ReqFormationChange(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L957: void RPC_SetFormationScale(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L975: void RPC_SetFormationLooseness(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1018: void RPC_SetWaypoint(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1046: void RPC_ExportPatrol(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1086: void RPC_ClearWaypoints(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1099: void RPC_SetMovementSpeed(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1116: void SetMovementSpeed(eAIGroup g, int speed)

L1150: void RPC_SetStance(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1176: void RPC_DumpState(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1241: void RPC_ForceWeaponResync(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1265: void SitRep_Client(notnull PlayerBase player, notnull eAIBase ai)

L1311: else if (iVisibility % 100 == 0)

L1333: void PlaySoundOnObject(string soundSet, Object obj)

L1338: void RPC_SitRep(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L1358: void SitRep_Server(notnull PlayerBase player, notnull eAIBase ai)

```
L1458: else if (ai.PlayerIsEnemy(targetEntity))
L1463: else if (target.GetThreat() >= 0.4)
L1484: else if (target.IsNoise())
L1506: void RPC_SetLootingBehavior(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```

Full file content

```
000001 | ///! This class handles the inputs from the eAICommandMenu
000002 | class eAICommandManagerImpl: eAICommandManager
000003 | {
000004 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000005 |
000006 |     int m_MovementSpeedLimit = eAIMovementSpeed.SPRINT; ///! Client
000007 |     int m_UnlimitedReload; ///! Client
000008 |     int m_LootingBehavior = eAILootingBehavior.DEFAULT; ///! Client
000009 |     int m_DamageIn = eAICommands.DEB_DAMAGE; ///! Client
000010 |     int m_DamageOut = eAICommands.DEB_DAMAGE; ///! Client
000011 |     int m_HeadshotResistance = eAICommands.DEB_DAMAGE; ///! Client
000012 |
000013 | void eAICommandManagerImpl()
000014 | {
000015 |     m_Expansion_RPCManager = new ExpansionRPCManager(this);
000016 |
000017 |     m_Expansion_RPCManager.RegisterServer("RPC_SpawnAI");
000018 |     m_Expansion_RPCManager.RegisterServer("RPC_SpawnZombie");
000019 |     m_Expansion_RPCManager.RegisterServer("RPC_SpawnWolf");
000020 |     m_Expansion_RPCManager.RegisterServer("RPC_SpawnBear");
000021 |     m_Expansion_RPCManager.RegisterServer("RPC_ClearAllAI");
000022 |
000023 |     m_Expansion_RPCManager.RegisterServer("RPC_SetFaction");
000024 |
000025 |     m_Expansion_RPCManager.RegisterServer("RPC_ReqFormationChange");
000026 |     m_Expansion_RPCManager.RegisterServer("RPC_ReqFormRejoin");
000027 |     m_Expansion_RPCManager.RegisterServer("RPC_ReqFormStop");
000028 |     m_Expansion_RPCManager.RegisterServer("RPC_ReqFormFlank");
000029 |     m_Expansion_RPCManager.RegisterServer("RPC_ReqFormRoam");
000030 |
000031 |     m_Expansion_RPCManager.RegisterServer("RPC_SetFormationScale");
000032 |     m_Expansion_RPCManager.RegisterServer("RPC_SetFormationLooseness");
000033 |
000034 |     m_Expansion_RPCManager.RegisterServer("RPC_SetWaypoint");
000035 |     m_Expansion_RPCManager.RegisterServer("RPC_ExportPatrol");
000036 |     m_Expansion_RPCManager.RegisterServer("RPC_ClearWaypoints");
000037 |
000038 |     m_Expansion_RPCManager.RegisterServer("RPC_SetMovementSpeed");
000039 |     m_Expansion_RPCManager.RegisterServer("RPC_SetStance");
000040 |
000041 |     m_Expansion_RPCManager.RegisterServer("RPC_DumpState");
000042 |     m_Expansion_RPCManager.RegisterServer("RPC_UnlimitedReload");
000043 |     m_Expansion_RPCManager.RegisterServer("RPC_ResetPathfinding");
000044 |     m_Expansion_RPCManager.RegisterServer("RPC_ForceWeaponResync");
000045 |     m_Expansion_RPCManager.RegisterServer("RPC_DebugObjects");
000046 |     m_Expansion_RPCManager.RegisterServer("RPC_DebugDamage");
000047 |     m_Expansion_RPCManager.RegisterServer("RPC_ToggleFT0");
000048 |     m_Expansion_RPCManager.RegisterServer("RPC_SetDamageInOut");
000049 |
000050 |     m_Expansion_RPCManager.RegisterServer("RPC_SitRep");
000051 |
000052 |     m_Expansion_RPCManager.RegisterServer("RPC_SetLootingBehavior");
000053 | }
000054 |
000055 | override bool Send(int cmd, int category)
```

```
000056 | {
000057 |     ExpansionScriptRPC rpc;
000058 |     Object target;
000059 |     eAIBase ai;
000060 |
000061 |     switch (cmd)
000062 |     {
000063 |         case eAICommands.DEB_SPAWNALLY:
000064 |             SpawnAI(cmd);
000065 |             return true;
000066 |
000067 |         case eAICommands.DEB_CLEARALL:
000068 |             m_Expansion_RPCManager.SendRPC("RPC_ClearAllAI");
000069 |             return true;
000070 |
000071 |         case eAICommands.DEB_SPAWNZOM:
000072 |             m_Expansion_RPCManager.SendRPC("RPC_SpawnZombie", new Param1<vector>(ExpansionStatic.GetCursorHitPos()));
000073 |             return true;
000074 |         case eAICommands.DEB_SPAWNWOLF:
000075 |             m_Expansion_RPCManager.SendRPC("RPC_SpawnWolf", new Param1<vector>(ExpansionStatic.GetCursorHitPos()));
000076 |             return true;
000077 |         case eAICommands.DEB_SPAWNBEAR:
000078 |             m_Expansion_RPCManager.SendRPC("RPC_SpawnBear", new Param1<vector>(ExpansionStatic.GetCursorHitPos()));
000079 |             return true;
000080 |
000081 |         case eAICommands.DEB_UNLIMITEDRELOAD_ALL:
000082 |         case eAICommands.DEB_UNLIMITEDRELOAD_ANIMALS:
000083 |         case eAICommands.DEB_UNLIMITEDRELOAD_INFECTED:
000084 |         case eAICommands.DEB_UNLIMITEDRELOAD_PLAYERS:
000085 |         case eAICommands.DEB_UNLIMITEDRELOAD_VEHICLES:
000086 |             int unlimitedReload = cmd - eAICommands.DEB_UNLIMITEDRELOAD_ALL;
000087 |
000088 |             if (!unlimitedReload)
000089 |                 unlimitedReload = eAITargetType.ALL_OR;
000090 |             else
000091 |                 unlimitedReload = Math.Pow(2, unlimitedReload);
000092 |
000093 |             if ((m_UnlimitedReload & unlimitedReload) == unlimitedReload)
000094 |                 m_UnlimitedReload &= ~unlimitedReload;
000095 |             else
000096 |                 m_UnlimitedReload |= unlimitedReload;
000097 |
000098 |             m_Expansion_RPCManager.SendRPC("RPC_UnlimitedReload", new Param1<int>(m_UnlimitedReload));
000099 |             return true;
000100 |
000101 |         case eAICommands.DEB_RESET_PATHFINDING:
000102 |             rpc = m_Expansion_RPCManager.CreateRPC("RPC_ResetPathfinding");
000103 |             rpc.Expansion_Send(GetAIAAtCursorOrNearest(), true);
000104 |             return true;
000105 |
000106 |         case eAICommands.DEB_FORCEWEAPONRESYNC:
000107 |             rpc = m_Expansion_RPCManager.CreateRPC("RPC_ForceWeaponResync");
000108 |             rpc.Expansion_Send(GetAIAAtCursorOrNearest(), true);
000109 |             return true;
000110 |
000111 |         case eAICommands.DEB_DBGOBJECTS:
000112 |             m_Expansion_RPCManager.SendRPC("RPC_DebugObjects");
000113 |             return true;
000114 |
000115 |         case eAICommands.DEB_DBGDAMAGE:
000116 |             m_Expansion_RPCManager.SendRPC("RPC_DebugDamage");
000117 |             return true;
```

```
000118 |
000119 |         case eAICommands.DEB_TOGGLEFT0:
000120 |             m_Expansion_RPCManager.SendRPC("RPC_ToggleFT0");
000121 |             return true;
000122 |
000123 |         case eAICommands.FOR_VEE:
000124 |         case eAICommands.FOR_INVVEE:
000125 |         case eAICommands.FOR_FILE:
000126 |         case eAICommands.FOR_INVFILE:
000127 |         case eAICommands.FOR_WALL:
000128 |         case eAICommands.FOR_COL:
000129 |         case eAICommands.FOR_INVCOL:
000130 |         case eAICommands.FOR_CIRCLE:
000131 |         case eAICommands.FOR_CIRCLEDOT:
000132 |         case eAICommands.FOR_STAR:
000133 |         case eAICommands.FOR_STARDOT:
000134 |             m_Expansion_RPCManager.SendRPC("RPC_ReqFormationChange", new Param1<int>(cmd));
000135 |             return true;
000136 |
000137 |         case eAICommands.FOR_SCALE_1X:
000138 |         case eAICommands.FOR_SCALE_2X:
000139 |         case eAICommands.FOR_SCALE_3X:
000140 |         case eAICommands.FOR_SCALE_4X:
000141 |         case eAICommands.FOR_SCALE_5X:
000142 |             m_Expansion_RPCManager.SendRPC("RPC_SetFormationScale", new Param1<int>(cmd));
000143 |             return true;
000144 |
000145 |         case eAICommands.FOR_LOOSENESS_00:
000146 |         case eAICommands.FOR_LOOSENESS_05:
000147 |         case eAICommands.FOR_LOOSENESS_10:
000148 |         case eAICommands.FOR_LOOSENESS_15:
000149 |         case eAICommands.FOR_LOOSENESS_20:
000150 |         case eAICommands.FOR_LOOSENESS_30:
000151 |         case eAICommands.FOR_LOOSENESS_40:
000152 |         case eAICommands.FOR_LOOSENESS_50:
000153 |             m_Expansion_RPCManager.SendRPC("RPC_SetFormationLooseness", new Param1<int>(cmd));
000154 |             return true;
000155 |
000156 |         case eAICommands.MOV_STOP:
000157 |             m_Expansion_RPCManager.SendRPC("RPC_ReqFormStop");
000158 |             return true;
000159 |
000160 |         case eAICommands.MOV_FLANK:
000161 |             m_Expansion_RPCManager.SendRPC("RPC_ReqFormFlank", new Param1<int>(m_MovementSpeedLimit));
000162 |             return true;
000163 |
000164 |         case eAICommands.MOV_ROAM:
000165 |             m_Expansion_RPCManager.SendRPC("RPC_ReqFormRoam", new Param1<int>(m_MovementSpeedLimit));
000166 |             return true;
000167 |
000168 |         case eAICommands.MOV_RTF:
000169 |             m_Expansion_RPCManager.SendRPC("RPC_ReqFormRejoin", new Param1<int>(m_MovementSpeedLimit));
000170 |             return true;
000171 |
000172 |         case eAICommands.MOV_SETWP:
000173 |             vector position = ExpansionStatic.GetCursorHitPos();
000174 |             if (position != vector.Zero)
000175 |                 m_Expansion_RPCManager.SendRPC("RPC_SetWaypoint", new Param1<vector>(position));
000176 |             return true;
000177 |
000178 |         case eAICommands.DEB_EXPORTPATROL:
000179 |             m_Expansion_RPCManager.SendRPC("RPC_ExportPatrol");
```

```
000180 |         return true;
000181 |
000182 |     case eAICommands.MOV_CLEARWP:
000183 |         m_Expansion_RPCManager.SendRPC("RPC_ClearWaypoints");
000184 |         return true;
000185 |
000186 |     case eAICommands.MOV_WALK:
000187 |     case eAICommands.MOV_JOG:
000188 |     case eAICommands.MOV_SPRINT:
000189 |         m_MovementSpeedLimit = cmd - eAICommands.MOV_WALK + 1;
000190 |         m_Expansion_RPCManager.SendRPC("RPC_SetMovementSpeed", new Param1<int>(m_MovementSpeedLimit));
000191 |         return true;
000192 |
000193 |     case eAICommands.MOV_ERECT:
000194 |     case eAICommands.MOV_CROUCH:
000195 |     case eAICommands.MOV_PRONE:
000196 |         m_Expansion_RPCManager.SendRPC("RPC_SetStance", new Param1<int>(cmd - eAICommands.MOV_ERECT));
000197 |         return true;
000198 |
000199 |     case eAICommands.DEB_TARGET_CREATE:
000200 |         eAIBase.Get(0).CreateDebugApple();
000201 |         return true;
000202 |
000203 |     case eAICommands.DEB_TARGET_DESTROY:
000204 |         eAIBase.Get(0).DestroyDebugApple();
000205 |         return true;
000206 |
000207 |     case eAICommands.STA_DUMP:
000208 |         rpc = m_Expansion_RPCManager.CreateRPC("RPC_DumpState");
000209 |         rpc.Expansion_Send(GetAIAtCursorOrNearest(), true);
000210 |         return true;
000211 |
000212 |     case eAICommands.STA_SITREP:
000213 |         /*! @note sitrep should not disclose information that a player couldn't have by looking at his own status
000214 |         PlayerBase player;
000215 |         if (Class.CastTo(player, g_Game.GetPlayer()))
000216 |         {
000217 |             bool isAdmin = GetExpansionSettings().GetAI().IsAdmin();
000218 |
000219 |             ai = GetAIAtCursorOrNearest();
000220 |
000221 |             /*! If not admin, only allow sitrep from AI in group
000222 |             if (ai && !isAdmin && ai.GetGroup() != player.GetGroup())
000223 |                 ai = null;
000224 |
000225 |             if (!ai && player.GetGroup())
000226 |             {
000227 |                 /*! Select 1st AI in group
000228 |                 for (int i = 0; i < player.GetGroup().Count(); ++i)
000229 |                 {
000230 |                     if (Class.CastTo(ai, player.GetGroup().GetMember(i)))
000231 |                         break;
000232 |                 }
000233 |             }
000234 |
000235 |             if (ai)
000236 |             {
000237 |                 #ifdef DIAG_DEVELOPER
000238 |                     SitRep_Client(player, ai);
000239 |                 #endif
000240 |
000241 |                 rpc = m_Expansion_RPCManager.CreateRPC("RPC_SitRep");
```



```
000242 |         rpc.Expansion_Send(ai, true);
000243 |     }
000244 | }
000245 | return true;
000246 |
000247 | case eAICommands.DEB_SPECTATE:
000248 |     GetDayZGame().GetExpansionGame().SpectateAI(null, GetAIAtCursorOrNearest(), null);
000249 |     return true;
000250 |
000251 | default:
000252 |     if (eAIRegisterFaction.s_FactionTypes.Contains(cmd))
000253 |     {
000254 |         if (category == eAICommandCategories.CAT_FACTION)
000255 |             m_Expansion_RPCManager.SendRPC("RPC_SetFaction", new Param1<int>(cmd));
000256 |         else
000257 |             SpawnAI(cmd);
000258 |         return true;
000259 |     }
000260 |     else if (cmd >= eAICommands.DEB_DAMAGE && cmd < eAICommands.DEB_DAMAGE_COUNT)
000261 |     {
000262 |         ai = GetAIAtCursorOrNearest();
000263 |         if (ai)
000264 |         {
000265 |             if (category == eAICommandCategories.CAT_DAMAGE_IN)
000266 |                 m_DamageIn = cmd;
000267 |             else if (category == eAICommandCategories.CAT_DAMAGE_OUT)
000268 |                 m_DamageOut = cmd;
000269 |             else
000270 |                 m_HeadshotResistance = cmd;
000271 |
000272 |             rpc = m_Expansion_RPCManager.CreateRPC("RPC_SetDamageInOut");
000273 |             rpc.Write(cmd);
000274 |             rpc.Write(category);
000275 |             rpc.Expansion_Send(ai, true);
000276 |         }
000277 |         return true;
000278 |     }
000279 |     else if (cmd - eAICommands.BEH_LOOT >= 0)
000280 |     {
000281 |         int lootingBehavior = cmd - eAICommands.BEH_LOOT;
000282 |
000283 |         if (lootingBehavior == eAILootingBehavior.NONE)
000284 |             m_LootingBehavior = eAILootingBehavior.NONE;
000285 |         else if ((m_LootingBehavior & lootingBehavior) == lootingBehavior)
000286 |             m_LootingBehavior &= ~lootingBehavior;
000287 |         else
000288 |             m_LootingBehavior |= lootingBehavior;
000289 |
000290 |         rpc = m_Expansion_RPCManager.SendRPC("RPC_SetLootingBehavior", new Param1<int>(m_LootingBehavior));
000291 |         return true;
000292 |     }
000293 |     break;
000294 | }
000295 |
000296 | return false;
000297 | }
000298 |
000299 | ///! @note returns only alive AI
000300 | eAIBase GetAIAtCursorOrNearest()
000301 | {
000302 |     Object target;
000303 |     ExpansionStatic.GetCursorHitPos(target);
```

```
000304 |  
000305 |     eAIBase targetAI;  
000306 |     if (!Class.CastTo(targetAI, target))  
000307 |     {  
000308 |         ///! Get nearest AI  
000309 |         vector cameraPosition = g_Game.GetCurrentCameraPosition();  
000310 |         float minDistSq = float.MAX;  
000311 |         array<eAIBase> allAI = eAIBase.eAI_GetAll();  
000312 |         foreach (eAIBase ai: allAI)  
000313 |         {  
000314 |             if (!ai.IsAlive())  
000315 |                 continue;  
000316 |  
000317 |             float distSq = vector.DistanceSq(cameraPosition, ai.GetPosition());  
000318 |             if (distSq < minDistSq)  
000319 |             {  
000320 |                 minDistSq = distSq;  
000321 |                 targetAI = ai;  
000322 |             }  
000323 |         }  
000324 |     }  
000325 |  
000326 |     return targetAI;  
000327 | }  
000328 |  
000329 | eAIBase SpawnAI_Helper(PlayerBase leader, string loadout = "HumanLoadout.json")  
000330 | {  
000331 | #ifdef EXTRACE  
000332 |     auto trace = EXTrace.Start(EXTrace.AI, this);  
000333 | #endif  
000334 |  
000335 |     auto group = leader.GetGroup();  
000336 |     if (group)  
000337 |     {  
000338 |         leader.Expansion_SetFormerGroup(group);  
000339 |         loadout = group.GetFaction().GetDefaultLoadout();  
000340 |     }  
000341 |     else  
000342 |     {  
000343 |         group = eAIGroup.GetGroupByLeader(leader);  
000344 |     }  
000345 |  
000346 |     auto form = group.GetFormation();  
000347 |     vector pos = ExpansionAISpawnBase.GetPlacementPosition(form.ToWorld(form.GetPosition(group.Count())));  
000348 |     auto ai = SpawnAIEx(pos, loadout);  
000349 |  
000350 |     if (ai)  
000351 |         ai.SetGroup(group);  
000352 |  
000353 |     return ai;  
000354 | }  
000355 |  
000356 | void SpawnAI(int cmd)  
000357 | {  
000358 |     auto rpc = m_Expansion_RPCManager.CreateRPC("RPC_SpawnAI");  
000359 |     rpc.Write(cmd);  
000360 |     rpc.Write(ExpansionStatic.GetCursorHitPos());  
000361 |     rpc.Write(m_MovementSpeedLimit);  
000362 |     rpc.Write(m_UnlimitedReload);  
000363 |     rpc.Write(m_LootingBehavior);  
000364 |     rpc.Write(m_DamageIn);  
000365 |     rpc.Write(m_DamageOut);
```

```
000366 |         rpc.Write(m_HeadshotResistance);
000367 |         rpc.Expansion_Send(null, true);
000368 |     }
000369 |
000370 |     eAIBase SpawnAIBase(vector pos, string loadout = "HumanLoadout.json")
000371 |     {
000372 |         eAIBase ai;
000373 |         if (Class.CastTo(ai, g_Game.CreateObject(GetRandomAI(), pos)))
000374 |             ExpansionHumanLoadout.Apply(ai, loadout, true);
000375 |
000376 |         EXTrace.Print(EXTrace.AI, null, "Spawned AI at " + pos);
000377 |
000378 |         return ai;
000379 |     }
000380 |
000381 |     eAIBase SpawnAISentry(vector pos, string loadout = "WestLoadout.json")
000382 |     {
000383 | #ifdef EXTRACE
000384 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000385 | #endif
000386 |
000387 |         return SpawnAIBase(pos, loadout);
000388 |     }
000389 |
000390 |     eAIBase SpawnAIPatrol(vector pos, string loadout = "HumanLoadout.json")
000391 |     {
000392 | #ifdef EXTRACE
000393 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000394 | #endif
000395 |
000396 |         return SpawnAIBase(pos, loadout);
000397 |     }
000398 |
000399 |     vector GetEntitySpawnPosition(DayZPlayer player)
000400 |     {
000401 |         vector position, direction, rotation;
000402 |         player.GetCurrentCameraTransform(position, direction, rotation);
000403 |         position = position + direction * 20;
000404 |         float surfaceY = g_Game.SurfaceY(position[0], position[2]);
000405 |         if (surfaceY > position[1])
000406 |             position[1] = surfaceY;
000407 |         return ExpansionAISpawnBase.GetPlacementPosition(position);
000408 |     }
000409 |
000410 |     // Server Side: This RPC spawns a helper AI next to the player, and tells them to join the player's formation.
000411 |     void RPC_SpawnAI(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000412 |     {
000413 | #ifdef EXTRACE
000414 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000415 | #endif
000416 |
000417 |         int command;
000418 |         if (!ctx.Read(command)) return;
000419 |
000420 |         vector pos;
000421 |         if (!ctx.Read(pos)) return;
000422 |
000423 |         int speed;
000424 |         if (!ctx.Read(speed)) return;
000425 |
000426 |         int unlimitedReload;
000427 |         if (!ctx.Read(unlimitedReload)) return;
```

```
000428 |
000429 |     int lootingBehavior;
000430 |     if (!ctx.Read(lootingBehavior)) return;
000431 |
000432 |     int damageIn;
000433 |     if (!ctx.Read(damageIn)) return;
000434 |
000435 |     int damageOut;
000436 |     if (!ctx.Read(damageOut)) return;
000437 |
000438 |     int headshotResistance;
000439 |     if (!ctx.Read(headshotResistance)) return;
000440 |
000441 |     if (g_Game.IsMultiplayer())
000442 |     {
000443 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000444 |             return;
000445 |     }
000446 |
000447 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000448 |
000449 |     if (pos == vector.Zero)
000450 |         pos = GetEntitySpawnPosition(player);
000451 |     else
000452 |         pos = ExpansionAISpawnBase.GetPlacementPosition(pos);
000453 |
000454 |     eAIBase ai;
000455 |     switch (command)
000456 |     {
000457 |         case eAICommands.DEB_SPAWNALLY:
000458 |             ai = SpawnAI_Helper(player);
000459 |             eAIGroup group = ai.GetGroup();
000460 |             SetMovementSpeed(group, speed);
000461 |             ai.eAI_SetUnlimitedReload(unlimitedReload);
000462 |             ai.eAI_SetLootingBehavior(lootingBehavior);
000463 |             ai.eAI_SetDamageReceivedMultiplier(1.0 - damageIn * (1.0 / eAICommands.DEB_DAMAGE_COUNT));
000464 |             ai.eAI_SetDamageMultiplier(1.0 - damageOut * (1.0 / eAICommands.DEB_DAMAGE_COUNT));
000465 |             ai.m_eAI_HeadshotResistance = headshotResistance * (1.0 / eAICommands.DEB_DAMAGE_COUNT);
000466 |             break;
000467 |         default:
000468 |             eAIFaction faction = eAIFaction.CreateByID(command);
000469 |             ai = SpawnAI_Sentry(pos, faction.GetDefaultLoadout());
000470 |             ai.GetGroup().SetFaction(faction);
000471 |             break;
000472 |     }
000473 | }
000474 |
000475 | void RPC_SpawnZombie(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000476 | {
000477 | #ifdef EXTRACE
000478 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000479 | #endif
000480 |
000481 |     vector pos;
000482 |     if (!ctx.Read(pos)) return;
000483 |
000484 |     if (g_Game.IsMultiplayer())
000485 |     {
000486 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000487 |             return;
000488 |     }
000489 | }
```

```
000490 |         auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000491 |
000492 |         if (pos == vector.Zero)
000493 |             pos = GetEntitySpawnPosition(player);
000494 |         else
000495 |             pos = ExpansionAISpawnBase.GetPlacementPosition(pos);
000496 |
000497 |         g_Game.CreateObject(ExpansionStatic.GetWorkingZombieClasses().GetRandomElement(), pos, false, true, true);
000498 |     }
000499 |
000500 | void RPC_SpawnWolf(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000501 | {
000502 | #ifdef EXTRACE
000503 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000504 | #endif
000505 |
000506 |     vector pos;
000507 |     if (!ctx.Read(pos)) return;
000508 |
000509 |     if (g_Game.IsMultiplayer())
000510 |     {
000511 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000512 |             return;
000513 |     }
000514 |
000515 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000516 |
000517 |     if (pos == vector.Zero)
000518 |         pos = GetEntitySpawnPosition(player);
000519 |     else
000520 |         pos = ExpansionAISpawnBase.GetPlacementPosition(pos);
000521 |
000522 |     g_Game.CreateObject("Animal_CanisLupus_Grey", pos, false, true, true);
000523 | }
000524 |
000525 | void RPC_SpawnBear(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000526 | {
000527 | #ifdef EXTRACE
000528 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000529 | #endif
000530 |
000531 |     vector pos;
000532 |     if (!ctx.Read(pos)) return;
000533 |
000534 |     if (g_Game.IsMultiplayer())
000535 |     {
000536 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000537 |             return;
000538 |     }
000539 |
000540 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000541 |
000542 |     if (pos == vector.Zero)
000543 |         pos = GetEntitySpawnPosition(player);
000544 |     else
000545 |         pos = ExpansionAISpawnBase.GetPlacementPosition(pos);
000546 |
000547 |     g_Game.CreateObject("Animal_UrsusArctos", pos, false, true, true);
000548 | }
000549 |
000550 | // Server Side: Delete AI.
000551 | void RPC_ClearAllAI(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```

```
000552 | {
000553 | #ifdef EXTRACE
000554 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000555 | #endif
000556 |
000557 |     if (g_Game.IsMultiplayer())
000558 |     {
000559 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000560 |             return;
000561 |     }
000562 |
000563 |     eAIGroup.Admin_ClearAllAI();
000564 | }
000565 |
000566 | void RPC_SetFaction(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000567 | {
000568 | #ifdef EXTRACE
000569 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000570 | #endif
000571 |
000572 |     int factionID;
000573 |     if (!ctx.Read(factionID)) return;
000574 |
000575 |     if (g_Game.IsMultiplayer())
000576 |     {
000577 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000578 |             return;
000579 |     }
000580 |
000581 |     typename factionType;
000582 |     if (!eAIRegisterFaction.s_FactionTypes.Find(factionID, factionType))
000583 |         return;
000584 |
000585 |     eAIFaction faction = eAIFaction.Cast(factionType.Spawn());
000586 |
000587 |     PlayerBase player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000588 |
000589 |     eAIGroup g = player.GetGroup();
000590 |
000591 |     if (g)
000592 |         g.SetFaction(faction);
000593 |     else
000594 |         player.SetGroup(eAIGroup.CreateGroup(faction));
000595 | }
000596 |
000597 | void RPC_UnlimitedReload(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000598 | {
000599 | #ifdef EXTRACE
000600 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000601 | #endif
000602 |
000603 |     int unlimitedReload;
000604 |     if (!ctx.Read(unlimitedReload)) return;
000605 |
000606 |     if (g_Game.IsMultiplayer())
000607 |     {
000608 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000609 |             return;
000610 |     }
000611 |
000612 |     PlayerBase player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000613 | }
```

```
000614 |         eAIGroup g = player.GetGroup();
000615 |
000616 |         if (g)
000617 |         {
000618 |             for (int i = 0; i < g.Count(); ++i)
000619 |             {
000620 |                 eAIBase ai;
000621 |                 if (Class.CastTo(ai, g.GetMember(i)))
000622 |                     ai.eAI_SetUnlimitedReload(unlimitedReload);
000623 |             }
000624 |         }
000625 |         else
000626 |         {
000627 |             eAIBase.s_eAI_UnlimitedReload = unlimitedReload;
000628 |
000629 |             if (unlimitedReload == eAITargetType.ALL || unlimitedReload == eAITargetType.ALL_OR)
000630 |                 eAIBase.s_eAI_UnlimitedReloadAll = true;
000631 |             else
000632 |                 eAIBase.s_eAI_UnlimitedReloadAll = false;
000633 |         }
000634 |
000635 |         string msg;
000636 |
000637 |         if (unlimitedReload)
000638 |         {
000639 |             string targetType = ExpansionStatic.BitmaskEnumToString(eAITargetType, unlimitedReload);
000640 |             targetType.Replace("|ALL_OR", "");
000641 |             targetType.Replace("|", ", ");
000642 |             msg = "for targets of type " + targetType;
000643 |         }
000644 |         else
000645 |         {
000646 |             msg = "OFF";
000647 |         }
000648 |
000649 |         if (g)
000650 |             msg += " (your group)";
000651 |         else
000652 |             msg += " (global)";
000653 |
000654 |         ExpansionNotification("EXPANSION AI", "Unlimited reload " + msg).Info(sender);
000655 |     }
000656 |
000657 |     void RPC_ResetPathfinding(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000658 |     {
000659 |         #ifdef EXTRACE
000660 |             auto trace = EXTrace.Start(EXTrace.AI, this);
000661 |         #endif
000662 |
000663 |         if (g_Game.IsMultiplayer())
000664 |         {
000665 |             if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000666 |                 return;
000667 |         }
000668 |
000669 |         eAIBase ai;
000670 |         if (Class.CastTo(ai, target))
000671 |             ai.eAI_ResetPathfinding();
000672 |     }
000673 |
000674 |     void RPC_DebugObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000675 |     {
```

```
000676 | #ifdef EXTRACE
000677 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000678 | #endif
000679 |
000680 |     if (g_Game.IsMultiplayer())
000681 |     {
000682 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000683 |             return;
000684 |     }
000685 |
000686 |     DayZPlayerImplement.s_Expansion_DebugObjects_Enabled = !DayZPlayerImplement.s_Expansion_DebugObjects_Enabled;
000687 |
000688 |     string onOff;
000689 |     if (DayZPlayerImplement.s_Expansion_DebugObjects_Enabled)
000690 |     {
000691 |         onOff = "ON";
000692 |
000693 |         if (g_Game.IsMultiplayer())
000694 |             onOff += "<br/>\nWARNING: Debug objects are server-side and thus visible to anyone!";
000695 |     }
000696 |     else
000697 |     {
000698 |         onOff = "OFF";
000699 |
000700 |         CF_DoublyLinkedListNode_WeakRef<PlayerBase> node = PlayerBase.s_Expansion_AllPlayers.m_Head;
000701 |         while (node)
000702 |         {
000703 |             node.m_Value.Expansion_DeleteDebugObjects();
000704 |             node = node.m_Next;
000705 |         }
000706 |     }
000707 |
000708 |     ExpansionNotification("EXPANSION AI", "Debug objects " + onOff).Info(sender);
000709 | }
000710 |
000711 | void RPC_DebugDamage(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000712 | {
000713 |     #ifdef EXTRACE
000714 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000715 |     #endif
000716 |
000717 |     if (g_Game.IsMultiplayer())
000718 |     {
000719 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000720 |             return;
000721 |     }
000722 |
000723 |     DayZPlayerImplement.s_eAI_DebugDamage = !DayZPlayerImplement.s_eAI_DebugDamage;
000724 |
000725 |     string onOff;
000726 |     if (DayZPlayerImplement.s_eAI_DebugDamage)
000727 |         onOff = "ON";
000728 |     else
000729 |         onOff = "OFF";
000730 |
000731 |     ExpansionNotification("EXPANSION AI", "Debug damage " + onOff).Info(sender);
000732 | }
000733 |
000734 | void RPC_ToggleFT0(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000735 | {
000736 |     #ifdef EXTRACE
000737 |         auto trace = EXTrace.Start(EXTrace.AI, this);
```



```
000738 | #endif
000739 |
000740 |     if (g_Game.IsMultiplayer())
000741 |     {
000742 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000743 |             return;
000744 |     }
000745 |
000746 |     eAIBase.eAI_ToggleFT0();
000747 |
000748 |     ExpansionNotification("EXPANSION AI", "Frame Time Optimization " + eAIBase.s_eAI_FT0).Info(sender);
000749 | }
000750 |
000751 | void RPC_SetDamageInOut(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000752 | {
000753 | #ifdef EXTRACE
000754 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000755 | #endif
000756 |
000757 |     int cmd;
000758 |     if (!ctx.Read(cmd)) return;
000759 |
000760 |     int category;
000761 |     if (!ctx.Read(category)) return;
000762 |
000763 |     if (g_Game.IsMultiplayer())
000764 |     {
000765 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
000766 |             return;
000767 |     }
000768 |
000769 |     eAIBase ai;
000770 |     if (Class.CastTo(ai, target))
000771 |     {
000772 |         eAIGroup group = ai.GetGroup();
000773 |
000774 |         int percent = cmd * (100 / eAICommands.DEB_DAMAGE_COUNT);
000775 |         if (category != eAICommandCategories.CAT_HEADSHOTRESISTANCE)
000776 |             percent = 100 - percent;
000777 |         float multiplier = percent * 0.01;
000778 |
000779 |         for (int i = 0; i < group.Count(); ++i)
000780 |         {
000781 |             if (Class.CastTo(ai, group.GetMember(i)))
000782 |             {
000783 |                 if (category == eAICommandCategories.CAT_DAMAGE_IN)
000784 |                     ai.eAI_SetDamageReceivedMultiplier(multiplier);
000785 |                 else if (category == eAICommandCategories.CAT_DAMAGE_OUT)
000786 |                     ai.eAI_SetDamageMultiplier(multiplier);
000787 |                 else
000788 |                     ai.m_eAI_HeadshotResistance = multiplier;
000789 |             }
000790 |         }
000791 |
000792 |         string groupdesc;
000793 |
000794 |         if (group.GetName())
000795 |             groupdesc = string.Format("\"%1\"", group.GetName());
000796 |         else
000797 |             groupdesc = string.Format("ID %1", group.GetID());
000798 |
000799 |         PlayerBase leader;
```

```
000800 |         if (Class.CastTo<leader, group.GetLeader()>())
000801 |         {
000802 |             groupdesc += " of ";
000803 |
000804 |             if (leader.Expansion_IsAI())
000805 |                 groupdesc += "AI ";
000806 |             else
000807 |                 groupdesc += "player ";
000808 |
000809 |             groupdesc += leader.GetCachedName();
000810 |         }
000811 |
000812 |         if (category == eAICommandCategories.CAT_DAMAGE_IN)
000813 |             ExpansionNotification("EXPANSION AI", "Damage In " + percent.ToString() + "% for group " + groupdesc).Info(sender);
000814 |         else if (category == eAICommandCategories.CAT_DAMAGE_OUT)
000815 |             ExpansionNotification("EXPANSION AI", "Damage Out " + percent.ToString() + "% for group " + groupdesc).Info(sender);
000816 |         else
000817 |             ExpansionNotification("EXPANSION AI", "Headshot Resistance " + percent.ToString() + "% for group " + groupdesc).Info(sender);
000818 |     }
000819 | }
000820 |
000821 | void RPC_ReqFormRejoin(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000822 | {
000823 |     #ifdef EXTRACE
000824 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000825 |     #endif
000826 |
000827 |     int speed;
000828 |     if (!ctx.Read(speed)) return;
000829 |
000830 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000831 |
000832 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000833 |     g.SetFormationState(eAIGroupFormationState.IN);
000834 |     g.SetWaypointBehaviourAuto(eAIWaypointBehavior.ONCE);
000835 |
000836 |     SetMovementSpeed(g, speed);
000837 | }
000838 |
000839 | void RPC_ReqFormStop(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000840 | {
000841 |     #ifdef EXTRACE
000842 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000843 |     #endif
000844 |
000845 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000846 |
000847 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000848 |     g.SetFormationState(eAIGroupFormationState.NONE);
000849 |     g.SetWaypointBehaviour(eAIWaypointBehavior.HALT);
000850 | }
000851 |
000852 | void RPC_ReqFormFlank(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000853 | {
000854 |     #ifdef EXTRACE
000855 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000856 |     #endif
000857 |
000858 |     int speed;
000859 |     if (!ctx.Read(speed)) return;
000860 |
000861 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
```

```
000862 |
000863 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000864 |
000865 |     eAIBase ai;
000866 |     for (int i = 0; i < g.Count(); i++)
000867 |     {
000868 |         if (!Class.CastTo(ai, g.GetMember(i)))
000869 |             continue;
000870 |
000871 |         eAITarget currentTarget = ai.GetTarget();
000872 |         if (currentTarget && currentTarget.m_SearchOnLOSLost && ai.eAI_IsInFlankRange(currentTarget))
000873 |         {
000874 |             g.SetFormationState(eAIGroupFormationState.FLANK);
000875 |             SetMovementSpeed(g, speed);
000876 |             return;
000877 |         }
000878 |     }
000879 |
000880 |     ExpansionNotification("EXPANSION AI", "No valid targets to flank").Info(sender);
000881 | }
000882 |
000883 | void RPC_ReqFormRoam(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000884 | {
000885 |     #ifdef EXTRACE
000886 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000887 |     #endif
000888 |
000889 |     int speed;
000890 |     if (!ctx.Read(speed)) return;
000891 |
000892 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000893 |
000894 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000895 |     g.SetFormationState(eAIGroupFormationState.IN);
000896 |     g.SetWaypointBehaviour(eAIWaypointBehavior.ROAMING);
000897 |
000898 |     SetMovementSpeed(g, speed);
000899 | }
000900 |
000901 | void RPC_ReqFormationChange(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000902 | {
000903 |     #ifdef EXTRACE
000904 |         auto trace = EXTrace.Start(EXTrace.AI, this);
000905 |     #endif
000906 |
000907 |     int command;
000908 |     if (!ctx.Read(command)) return;
000909 |
000910 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000911 |
000912 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000913 |     eAIFormation newForm;
000914 |     switch (command)
000915 |     {
000916 |         case eAICommands.FOR_INVVEE:
000917 |             newForm = new eAIFormationInvVee(g);
000918 |             break;
000919 |         case eAICommands.FOR_FILE:
000920 |             newForm = new eAIFormationFile(g);
000921 |             break;
000922 |         case eAICommands.FOR_INVFILE:
000923 |             newForm = new eAIFormationInvFile(g);
```

```
000924 |         break;
000925 |     case eAICommands.FOR_WALL:
000926 |         newForm = new eAIFormationWall(g);
000927 |         break;
000928 |     case eAICommands.FOR_COL:
000929 |         newForm = new eAIFormationColumn(g);
000930 |         break;
000931 |     case eAICommands.FOR_INVCOL:
000932 |         newForm = new eAIFormationInvColumn(g);
000933 |         break;
000934 |     case eAICommands.FOR_CIRCLE:
000935 |         newForm = new eAIFormationCircle(g);
000936 |         break;
000937 |     case eAICommands.FOR_CIRCLEDOT:
000938 |         newForm = new eAIFormationCircleDot(g);
000939 |         break;
000940 |     case eAICommands.FOR_STAR:
000941 |         newForm = new eAIFormationStar(g);
000942 |         break;
000943 |     case eAICommands.FOR_STARDOT:
000944 |         newForm = new eAIFormationStarDot(g);
000945 |         break;
000946 |     case eAICommands.FOR_VEE:
000947 |     default:
000948 |         newForm = new eAIFormationVee(g);
000949 |         break;
000950 |     }
000951 |
000952 |     newForm.SetScale(-1);
000953 |
000954 |     g.SetFormation(newForm);
000955 | }
000956 |
000957 | void RPC_SetFormationScale(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000958 | {
000959 | #ifdef EXTRACE
000960 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000961 | #endif
000962 |
000963 |     int command;
000964 |     if (!ctx.Read(command)) return;
000965 |
000966 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000967 |
000968 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000969 |
000970 |     float scale = command - eAICommands.FOR_SCALE_1X + 1;
000971 |
000972 |     g.GetFormation().SetScale(scale);
000973 | }
000974 |
000975 | void RPC_SetFormationLooseness(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000976 | {
000977 | #ifdef EXTRACE
000978 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000979 | #endif
000980 |
000981 |     int command;
000982 |     if (!ctx.Read(command)) return;
000983 |
000984 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
000985 |
```

```
000986 |         eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
000987 |
000988 |         float looseness;
000989 |
000990 |         switch (command)
000991 |         {
000992 |             case eAICommands.FOR_LOOSENESS_05:
000993 |                 looseness = 0.5;
000994 |                 break;
000995 |             case eAICommands.FOR_LOOSENESS_10:
000996 |                 looseness = 1.0;
000997 |                 break;
000998 |             case eAICommands.FOR_LOOSENESS_15:
000999 |                 looseness = 1.5;
001000 |                 break;
001001 |             case eAICommands.FOR_LOOSENESS_20:
001002 |                 looseness = 2.0;
001003 |                 break;
001004 |             case eAICommands.FOR_LOOSENESS_30:
001005 |                 looseness = 3.0;
001006 |                 break;
001007 |             case eAICommands.FOR_LOOSENESS_40:
001008 |                 looseness = 4.0;
001009 |                 break;
001010 |             case eAICommands.FOR_LOOSENESS_50:
001011 |                 looseness = 5.0;
001012 |                 break;
001013 |         }
001014 |
001015 |         g.GetFormation().SetLooseness(looseness);
001016 |     }
001017 |
001018 | void RPC_SetWaypoint(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001019 | {
001020 |     #ifdef EXTRACE
001021 |         auto trace = EXTrace.Start(EXTrace.AI, this);
001022 |     #endif
001023 |
001024 |     vector position;
001025 |     if (!ctx.Read(position))
001026 |         return;
001027 |
001028 |     position = ExpansionAISpawnBase.GetPlacementPosition(position);
001029 |
001030 |     #ifdef EXTRACE
001031 |         EXTrace.Add(trace, position);
001032 |     #endif
001033 |
001034 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
001035 |
001036 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
001037 |
001038 |     g.AddWaypoint(position);
001039 |     g.SetWaypointBehaviourAuto(eAIWaypointBehavior.ONCE);
001040 |
001041 |     eAIBase ai;
001042 |     if (g.GetWaypoints().Count() == 1 && Class.CastTo(ai, g.GetFormationLeader()))
001043 |         ai.GetPathFinding().ForceRecalculate(true);
001044 | }
001045 |
001046 | void RPC_ExportPatrol(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001047 | {
```

```
001048 | #ifdef EXTRACE
001049 |     auto trace = EXTrace.Start(EXTrace.AI, this);
001050 | #endif
001051 |
001052 |     if (g_Game.IsMultiplayer())
001053 |     {
001054 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
001055 |             return;
001056 |     }
001057 |
001058 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
001059 |
001060 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
001061 |
001062 |     eAIWaypointBehavior bhv = g.GetWaypointBehaviour();
001063 |
001064 |     if (bhv == eAIWaypointBehavior.ONCE)
001065 |         bhv = eAIWaypointBehavior.ALTERNATE;
001066 |
001067 |     string beh = typename.EnumToString(eAIWaypointBehavior, bhv);
001068 |
001069 |     eAIFaction faction = g.GetFaction();
001070 |
001071 |     ExpansionAIPatrol patrol = new ExpansionAIPatrol(g.Count(), "JOG", "SPRINT", beh, faction.GetName(), faction.GetDefaultLoadout());
001072 |     string formationClassName = g.GetFormation().ClassName();
001073 |     patrol.Formation = formationClassName.Substring(12, formationClassName.Length() - 12);
001074 |     patrol.FormationLooseness = 0.1;
001075 |     patrol.Waypoints = g.GetWaypoints();
001076 |
001077 | #ifdef SERVER
001078 |     ExpansionJsonFileParser<ExpansionAIPatrol>.Save("$profile:Expansion_AI_Patrol.json", patrol);
001079 |     ExpansionNotification("EXPANSION AI", "Patrol written to \"$profile:Expansion_AI_Patrol.json\".").Info(sender);
001080 | #else
001081 |     g_Game.CopyToClipboard(ExpansionJsonFileParser<ExpansionAIPatrol>.AsString(patrol));
001082 |     ExpansionNotification("EXPANSION AI", "Patrol copied to clipboard.").Info();
001083 | #endif
001084 | }
001085 |
001086 | void RPC_ClearWaypoints(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001087 | {
001088 |     #ifdef EXTRACE
001089 |         auto trace = EXTrace.Start(EXTrace.AI, this);
001090 |     #endif
001091 |
001092 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
001093 |
001094 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
001095 |
001096 |     g.ClearWaypoints();
001097 | }
001098 |
001099 | void RPC_SetMovementSpeed(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001100 | {
001101 |     #ifdef EXTRACE
001102 |         auto trace = EXTrace.Start(EXTrace.AI, this);
001103 |     #endif
001104 |
001105 |     int speed;
001106 |     if (!ctx.Read(speed))
001107 |         return;
001108 |
001109 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
```

```
001110 |
001111 |         eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
001112 |
001113 |         SetMovementSpeed(g, speed);
001114 |     }
001115 |
001116 | void SetMovementSpeed(eAIGroup g, int speed)
001117 | {
001118 |     eAIBase ai;
001119 |
001120 |     DayZPlayerImplement formationLeader = g.GetFormationLeader();
001121 |     if (formationLeader != g.GetLeader())
001122 |     {
001123 |         if (Class.CastTo(ai, formationLeader))
001124 |         {
001125 |             if (speed > 0)
001126 |             {
001127 |                 ai.SetMovementSpeedLimits(speed, eAIMovementSpeed.SPRINT);
001128 |                 if (speed < eAIMovementSpeed.SPRINT)
001129 |                     speed += 1; //! Allow other members to catch up with leader
001130 |             }
001131 |             else
001132 |             {
001133 |                 ai.SetMovementSpeedLimits(0, 0);
001134 |             }
001135 |         }
001136 |     }
001137 |
001138 |     for (int i = 0; i < g.Count(); i++)
001139 |     {
001140 |         if (Class.CastTo(ai, g.GetMember(i)) && ai != formationLeader)
001141 |         {
001142 |             if (speed > 0)
001143 |                 ai.SetMovementSpeedLimits(speed, eAIMovementSpeed.SPRINT);
001144 |             else
001145 |                 ai.SetMovementSpeedLimits(0, 0);
001146 |         }
001147 |     }
001148 | }
001149 |
001150 | void RPC_SetStance(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001151 | {
001152 | #ifdef EXTRACE
001153 |     auto trace = EXTrace.Start(EXTrace.AI, this);
001154 | #endif
001155 |
001156 |     int stance;
001157 |     if (!ctx.Read(stance))
001158 |         return;
001159 |
001160 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
001161 |
001162 |     eAIGroup g = eAIGroup.GetGroupByLeader(player, false);
001163 |
001164 |     eAIBase ai;
001165 |
001166 |     for (int i = 0; i < g.Count(); i++)
001167 |     {
001168 |         if (Class.CastTo(ai, g.GetMember(i)))
001169 |         {
001170 |             ai.m_eAI_DefaultStance = stance;
001171 |             ai.OverrideStance(stance);
```

```
001172 |     }
001173 |     }
001174 | }
001175 |
001176 | void RPC_DumpState(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001177 | {
001178 |     #ifdef EXTRACE
001179 |         auto trace = EXTrace.Start(EXTrace.AI, this, "" + target);
001180 |     #endif
001181 |
001182 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
001183 |
001184 |     TStringArray report;
001185 |
001186 |     eAIBase ai;
001187 |     if (Class.CastTo(ai, target))
001188 |     {
001189 |         if (GetExpansionSettings().GetAI().IsAdmin(sender) || player.GetGroup() == ai.GetGroup())
001190 |             report = ai.eAI_DumpState(sender);
001191 |     }
001192 |
001193 |     if (!report)
001194 |     {
001195 |         eAIGroup g = player.GetGroup();
001196 |
001197 |         if (!g)
001198 |         {
001199 |             ExpansionNotification("EXPANSION AI", "No group and no AI selected, nothing to dump").Error(sender);
001200 |             return;
001201 |         }
001202 |
001203 |         report = g.DumpState(sender);
001204 |     }
001205 |
001206 |     string fileName = string.Format("$profile:Expansion_AI_State_%1.txt", ExpansionStatic.GetISODate(false));
001207 |     bool fileExisted = FileExist(fileName);
001208 |
001209 |     FileHandle file = OpenFile(fileName, FileMode.APPEND);
001210 |     if (file)
001211 |     {
001212 |         if (fileExisted)
001213 |             FPrintln(file, "");
001214 |
001215 |         FPrintln(file, string.Format("State dump started at %1", ExpansionStatic.GetISODateTime(false, " ", ":", true)));
001216 |     }
001217 |
001218 |     int chatLineLimit = 100;
001219 |     if (report.Count() > chatLineLimit)
001220 |         chatLineLimit = 99;
001221 |
001222 |     foreach (int i, string msg: report)
001223 |     {
001224 |         if (file)
001225 |             FPrintln(file, msg);
001226 |
001227 |         if (i < chatLineLimit)
001228 |             g_Game.ChatMP(player, msg, "colorDefault");
001229 |     }
001230 |
001231 |     if (report.Count() > chatLineLimit)
001232 |         g_Game.ChatMP(player, "WARNING: State dump is too large for chat", "colorAction");
001233 |
```



```
001234 |         if (file)
001235 |         {
001236 |             CloseFile(file);
001237 |             ExpansionNotification("EXPANSION AI", string.Format("State dumped to %1", fileName)).Info(sender);
001238 |         }
001239 |     }
001240 |
001241 | void RPC_ForceWeaponResync(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001242 | {
001243 |     #ifdef EXTRACE
001244 |         auto trace = EXTrace.Start(EXTrace.AI, this);
001245 |     #endif
001246 |
001247 |     if (g_Game.IsMultiplayer())
001248 |     {
001249 |         if (!GetExpansionSettings().GetAI().IsAdmin(sender))
001250 |             return;
001251 |     }
001252 |
001253 |     eAIBase ai;
001254 |     if (Class.CastTo(ai, target))
001255 |     {
001256 |         Weapon_Base weapon;
001257 |         if (Class.CastTo(weapon, ai.GetHumanInventory().GetEntityInHands()) && !ai.GetWeaponManager().IsRunning())
001258 |         {
001259 |             weapon.eAI_RemoteRecreate();
001260 |             ExpansionNotification("EXPANSION AI", string.Format("Recreated network representation of %1 in hands of %2", weapon, ai)).Info(sender);
001261 |         }
001262 |     }
001263 | }
001264 |
001265 | void SitRep_Client(notnull PlayerBase player, notnull eAIBase ai)
001266 | {
001267 |     if (GetExpansionSettings().GetAI().IsAdmin(player.GetIdentity()) || player == ai.GetGroup().GetLeader())
001268 |     {
001269 |         float fVisibility = 1 + Environment.Expansion_GetDynVolFogVisibilityEx(ai.GetPosition()[1]) * 1099;
001270 |         int iVisibility = Math.Round(fVisibility);
001271 |         string sVisibility = iVisibility.ToString();
001272 |
001273 |         vector dir = g_Game.GetCurrentCameraDirection();
001274 |         vector ori = dir.VectorToAngles();
001275 |         ori[1] = 0;
001276 |         ori[2] = 0;
001277 |         dir = ori.AnglesToVector();
001278 |         vector pos = ai.GetPosition() + dir * fVisibility;
001279 |         ai.Expansion_DebugObject(30261796, pos, "ExpansionDebugRodBig_Red");
001280 |
001281 |         ///! The following is just for the memes
001282 |         string soundSetPrefix = "Expansion_AI_";
001283 |
001284 |         if (ai.ConfigGetBool("woman"))
001285 |             soundSetPrefix += "Female_";
001286 |         else
001287 |             return; ///! Didn't bother to create male soundsets for the meme
001288 |
001289 |         string soundSet;
001290 |
001291 |         PlaySoundOnObject(soundSetPrefix + "i_can_see", ai);
001292 |         int delay = 817;
001293 |
001294 |         if (iVisibility < 3)
001295 |         {
```

```

001296 |         soundSet = soundSetPrefix + "jack_shit";
001297 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(PlaySoundOnObject, delay, false, soundSet, ai);
001298 |     }
001299 |     else
001300 |     {
001301 |         soundSet = string.Format(soundSetPrefix + "%1", sVisibility[0]);
001302 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(PlaySoundOnObject, delay, false, soundSet, ai);
001303 |         delay += 730;
001304 |
001305 |         if (iVisibility % 1000 == 0)
001306 |         {
001307 |             soundSet = soundSetPrefix + "thousand";
001308 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(PlaySoundOnObject, delay, false, soundSet, ai);
001309 |             delay += 943;
001310 |         }
001311 |         else if (iVisibility % 100 == 0)
001312 |         {
001313 |             soundSet = soundSetPrefix + "hundred";
001314 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(PlaySoundOnObject, delay, false, soundSet, ai);
001315 |             delay += 887;
001316 |         }
001317 |         else
001318 |         {
001319 |             for (int i = 1; i < sVisibility.Length(); i++)
001320 |             {
001321 |                 soundSet = string.Format(soundSetPrefix + "%1", sVisibility[i]);
001322 |                 g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(PlaySoundOnObject, delay, false, soundSet, ai);
001323 |                 delay += 730;
001324 |             }
001325 |         }
001326 |
001327 |         soundSet = soundSetPrefix + "meters";
001328 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(PlaySoundOnObject, delay, false, soundSet, ai);
001329 |     }
001330 | }
001331 | }
001332 |
001333 | void PlaySoundOnObject(string soundSet, Object obj)
001334 | {
001335 |     SEffectManager.Expansion_PlaySoundOnObject(soundSet + "_SoundSet", obj);
001336 | }
001337 |
001338 | void RPC_SitRep(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001339 | {
001340 |     PlayerBase player;
001341 |     eAIBase ai;
001342 |     if (Class.CastTo(player, sender.GetPlayer()) && Class.CastTo(ai, target))
001343 |     {
001344 |         if (GetExpansionSettings().GetAI().IsAdmin(sender) || player == ai.GetGroup().GetLeader())
001345 |         {
001346 |             eAIGroup group = ai.GetGroup();
001347 |
001348 |             for (int i = 0; i < group.Count(); ++i)
001349 |             {
001350 |                 if (Class.CastTo(ai, group.GetMember(i)))
001351 |                     SitRep_Server(player, ai);
001352 |             }
001353 |         }
001354 |     }
001355 | }
001356 |
001357 | //! @note the number of lines is chosen such that it fits in the Expansion Chat box

```

```
001358 | void SitRep_Server(notnull PlayerBase player, notnull eAIBase ai)
001359 | {
001360 |     //! Position
001361 |     ExpansionPositionKnowledgeType pkt = ai.Expansion_GetPositionKnowledgeType();
001362 |     if (pkt != ExpansionPositionKnowledgeType.NONE)
001363 |     {
001364 |         vector position = ai.GetPosition();
001365 |         string positionInfo;
001366 |
001367 |         switch (pkt)
001368 |         {
001369 |             case ExpansionPositionKnowledgeType.COORDS_GRIDSECTOR:
001370 |                 array<int> coords = MapNavigationBehaviour.OrderedPositionNumbersFromGridCoords(ai);
001371 |                 string alt;
001372 |                 if (coords.Count() == MapNavigationBehaviour.DISPLAY_GRID_POS_MAX_CHARS_COUNT * 2 && coords[0] >= 0)
001373 |                 {
001374 |                     positionInfo = string.Format("X %1.%2%3 Y %4.%5%6", coords[0], coords[1], coords[2], coords[3], coords[4], coords[5]);
001375 |                     alt = string.Format("%1", Math.Round(position[1]));
001376 |                 }
001377 |                 else
001378 |                 {
001379 |                     positionInfo = "X --- Y ---";
001380 |                     alt = "---";
001381 |                 }
001382 |                 positionInfo = string.Format("Grid %1 alt. %2 m", alt);
001383 |                 break;
001384 |
001385 |             case ExpansionPositionKnowledgeType.COORDS_METERS:
001386 |                 positionInfo = string.Format("Pos. %1 : %2 alt. %3 m", Math.Round(position[0]), Math.Round(position[2]), Math.Round(position[1]));
001387 |                 break;
001388 |         }
001389 |
001390 |         if (ai.Expansion_CanKnowGroupMemberDistance() || player.Expansion_GetPositionKnowledgeType() != ExpansionPositionKnowledgeType.NONE)
001391 |             player.eAI_Message(ai, "%1 dist. %2 m", positionInfo, Math.Round(vector.Distance(player.GetPosition(), position)).ToString());
001392 |         else
001393 |             player.eAI_Message(ai, "%1", positionInfo);
001394 |     }
001395 |
001396 |     //! Visibility
001397 |     string visibility = Math.Round(ai.m_Expansion_Visibility * 1100).ToString();
001398 |     string volFogVisibility = Math.Round(ai.m_eAI_DynVolFogVisibility * 1100).ToString();
001399 |     player.eAI_Message(ai, "Visibility %1 m (volumetric fog %2 m)", visibility, volFogVisibility);
001400 |
001401 |     //! Health
001402 |     string health = Math.Round(ai.GetHealth01() * 100).ToString();
001403 |     string blood = Math.Round(ai.GetHealth01("", "Blood") * 100).ToString();
001404 |     TStringArray statusEffects = {};
001405 |     if (ai.IsUnconscious())
001406 |         statusEffects.Insert("unconscious");
001407 |     if (ai.IsBleeding())
001408 |         statusEffects.Insert(string.Format("bleeding %1", ai.GetBleedingSourceCount()));
001409 |     if (ai.GetBrokenLegs() == eBrokenLegs.BROKEN_LEGS)
001410 |         statusEffects.Insert("broken legs");
001411 |     if (ai.HasDisease())
001412 |         statusEffects.Insert("sick");
001413 |     if (ai.HasHealings())
001414 |         statusEffects.Insert("meds");
001415 |     if (statusEffects.Count() > 0)
001416 |         player.eAI_Message(ai, "Health %1% blood %2% (%3)", health, blood, ExpansionString.JoinStrings(statusEffects));
001417 |     else
001418 |         player.eAI_Message(ai, "Health %1% blood %2%", health, blood);
001419 | }
```

```
001420 |      //!< Weapon
001421 |      ItemBase itemInHands = ai.GetItemInHands();
001422 |      if (itemInHands)
001423 |      {
001424 |          Weapon_Base weapon;
001425 |          if (Class.CastTo(weapon, itemInHands))
001426 |          {
001427 |              int ammo = weapon.Expansion_GetMagazineAmmoCount();
001428 |
001429 |              if (ammo == 0 && weapon.Expansion_IsChambered())
001430 |                  ammo = 1;
001431 |
001432 |              player.eAI_Message(ai, "Weapon %1 (%2 rounds)", weapon.GetType(), ammo.ToString());
001433 |          }
001434 |          else
001435 |          {
001436 |              player.eAI_Message(ai, "Item in hands %1", itemInHands.GetType());
001437 |          }
001438 |      }
001439 |
001440 |      //!< Threats
001441 |      int threats = ai.m_eAI_AcuteDangerTargetCount + ai.m_eAI_AcuteDangerPlayerTargetCount;
001442 |      player.eAI_Message(ai, "Threats %1", threats.ToString());
001443 |
001444 |      //!< Current focus
001445 |      eAITarget target = ai.GetTarget();
001446 |      if (target && (target.m_LOS || ai.m_eAI_IsFightingFSM))
001447 |      {
001448 |          string desc;
001449 |          string info;
001450 |
001451 |          EntityAI targetEntity = target.GetEntity();
001452 |          if (targetEntity)
001453 |          {
001454 |              if (target.IsPlayer())
001455 |              {
001456 |                  if (ai.GetGroup() == DayZPlayerImplement.Cast(targetEntity).GetGroup())
001457 |                      info = "companion";
001458 |                  else if (ai.PlayerIsEnemy(targetEntity))
001459 |                      info = "hostile";
001460 |                  else
001461 |                      info = "neutral";
001462 |              }
001463 |              else if (target.GetThreat() >= 0.4)
001464 |              {
001465 |                  if (target.IsItem())
001466 |                  {
001467 |                      if (target.IsHazard())
001468 |                          info = "hazard";
001469 |                      else
001470 |                          info = "loot";
001471 |                  }
001472 |                  else
001473 |                  {
001474 |                      info = "hostile";
001475 |                  }
001476 |              }
001477 |              else
001478 |              {
001479 |                  info = "neutral";
001480 |              }
001481 |          }
```

```
001482 |         desc = string.Format("%1 (%2)", ExpansionStatic.FormatString("{1:name}", targetEntity), info);
001483 |     }
001484 |     else if (target.IsNoise())
001485 |     {
001486 |         switch (eAINoiseTargetInformation.Cast(target.m_Info).GetNoiseType())
001487 |         {
001488 |             case eAINoiseType.SHOT:
001489 |                 desc = "shot";
001490 |                 break;
001491 |
001492 |             case eAINoiseType.EXPLOSION:
001493 |                 desc = "explosion";
001494 |                 break;
001495 |
001496 |             default:
001497 |                 desc = "noise";
001498 |                 break;
001499 |         }
001500 |     }
001501 |
001502 |     player.eAI_Message(ai, "Current focus %1", desc);
001503 | }
001504 | }
001505 |
001506 | void RPC_SetLootingBehavior(PlayerIdentity sender, Object target, ParamsReadContext ctx)
001507 | {
001508 | #ifdef EXTRACE
001509 |     auto trace = EXTrace.Start(EXTrace.AI, this);
001510 | #endif
001511 |
001512 |     int lootingBehavior;
001513 |     if (!ctx.Read(lootingBehavior)) return;
001514 |
001515 |     auto player = PlayerBase.ExpansionGetPlayerByIdentity(sender);
001516 |
001517 |     eAIGroup g = player.GetGroup();
001518 |     if (g)
001519 |     {
001520 |         int bitmask = -1;
001521 |
001522 |         for (int i = 0; i < g.Count(); ++i)
001523 |         {
001524 |             eAIBase ai;
001525 |             if (Class.CastTo(ai, g.GetMember(i)))
001526 |             {
001527 |                 if (bitmask == -1)
001528 |                     bitmask = ai.m_eAI_LootingBehavior; //! Set all AI to the same looting behavior as the 1st AI in group
001529 |
001530 |                 ai.eAI_SetLootingBehavior(lootingBehavior);
001531 |             }
001532 |         }
001533 |
001534 |         if (bitmask > -1)
001535 |         {
001536 |             int behavior;
001537 |             string msg;
001538 |
001539 |             if (lootingBehavior && (bitmask & lootingBehavior) == bitmask)
001540 |             {
001541 |                 behavior = lootingBehavior & ~bitmask; //! The added behavior
001542 |                 msg = "+";
001543 |             }
001544 |         }
001545 |     }
001546 | }
```

```
001544 |         else
001545 |         {
001546 |             behavior = bitmask & ~lootingBehavior;  //! The removed behavior
001547 |             msg = "-";
001548 |         }
001549 |
001550 |         msg += ExpansionStatic.BitmaskEnumToString(eAILootingBehavior, behavior, ", " + msg);
001551 |
001552 |         ExpansionNotification("EXPANSION AI", "Looting behavior " + msg).Info(sender);
001553 |     }
001554 | }
001555 | }
001556 | };
001557 |
```

0258. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/expansioncooldownindicator.c

Size bytes: 1267

SHA-256: 3c8e5b07d432aed70ada7f65adc4c76bc7c16bf571956c16d11c53cc9ac8a2e1

Decoded as: utf-8-sig

Line count shown: 53

Detected class declarations: 1

L13: class ExpansionCooldownIndicator: ScriptedWidgetEventHandler

Detected enum declarations: 0

Detected function/method-like declarations: 4

L21: void ExpansionCooldownIndicator(Widget parent)

L27: void Show(bool state)

L33: bool IsVisible()

L38: void UpdateCooldown(PlayerBase player, int cooldown)

Full file content

```
000001 | /**
000002 |  * ExpansionCooldownIndicator.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCooldownIndicator: ScriptedWidgetEventHandler
000014 | {
000015 |     protected Widget m_LayoutRoot;
000016 |     protected TextWidget m_CooldownText;
000017 |
000018 |     protected int m_LastCooldown;
000019 |     protected bool m_IsVisible;
000020 |
000021 |     void ExpansionCooldownIndicator(Widget parent)
000022 |     {
000023 |         m_LayoutRoot = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/AI/GUI/layouts/expansion_cooldown_indicator.layout", parent);
000024 |         m_CooldownText = TextWidget.Cast(m_LayoutRoot.FindAnyWidget("CooldownText"));
000025 |     }
000026 |
000027 |     void Show(bool state)
000028 |     {
000029 |         m_IsVisible = state;
000030 |         m_LayoutRoot.Show(state);
000031 |     }
000032 |
000033 |     bool IsVisible()
000034 |     {
000035 |         return m_IsVisible;
000036 |     }
000037 |
000038 |     void UpdateCooldown(PlayerBase player, int cooldown)
000039 |     {
000040 |         if (cooldown != m_LastCooldown)
000041 |         {
000042 |             m_LastCooldown = cooldown;
000043 |         }
```

```
000044 |         string text;
000045 |         if (cooldown > 0)
000046 |         {
000047 |             text = ExpansionStatic.FormatTime(cooldown, false, false);
000048 |         }
000049 |
000050 |         m_CooldownText.SetText(text);
000051 |     }
000052 | }
000053 | }
```


0259. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/debugmonitor.c

Size bytes: 4627

SHA-256: ac90212f2c5385f54ffe200ccb76180a7970c67d0f6c13ac8ff2c0c337e613e1

Decoded as: utf-8-sig

Line count shown: 140

Detected class declarations: 1

L1: modded class DebugMonitor

Detected enum declarations: 0

Detected function/method-like declarations: 8

L10: void DebugMonitor()

L20: override void SetFramerate(float current, float min, float max, float avg)

L30: override string CalculateMapTile(vector pos)

L42: void Expansion_SetVersion()

L50: void Expansion_SetAICount()

L56: void Expansion_Update()

L119: override protected void SetFramerateText(TextWidget widget, float value)

L127: else if (value > world.GetServerFpsCriticalThreshold())

Full file content

```
000001 | modded class DebugMonitor
000002 | {
000003 |     protected TextWidget m_Expansion_VersionLabel;
000004 |     protected TextWidget m_Expansion_FPSLabel;
000005 |     protected TextWidget m_Expansion_HealthLabel;
000006 |     protected TextWidget m_Expansion_BloodLabel;
000007 |     protected TextWidget m_Expansion_DmgSourceLabel;
000008 |     protected TextWidget m_Expansion_MapTileLabel;
000009 |
000010 |     void DebugMonitor()
000011 |     {
000012 |         m_Expansion_VersionLabel = TextWidget.Cast(m_WidgetRoot.FindAnyWidget("VersionLabel"));
000013 |         m_Expansion_FPSLabel = TextWidget.Cast(m_WidgetRoot.FindAnyWidget("FPSLabel"));
000014 |         m_Expansion_HealthLabel = TextWidget.Cast(m_WidgetRoot.FindAnyWidget("HealthLabel"));
000015 |         m_Expansion_BloodLabel = TextWidget.Cast(m_WidgetRoot.FindAnyWidget("BloodLabel"));
000016 |         m_Expansion_DmgSourceLabel = TextWidget.Cast(m_WidgetRoot.FindAnyWidget("DmgSourceLabel"));
000017 |         m_Expansion_MapTileLabel = TextWidget.Cast(m_WidgetRoot.FindAnyWidget("MapTileLabel"));
000018 |     }
000019 |
000020 |     override void SetFramerate(float current, float min, float max, float avg)
000021 |     {
000022 |         if (ExpansionWorld.s_DebugMonitor_ShowServerStats)
000023 |             m_Expansion_FPSLabel.SetText("SERVER FPS:");
000024 |         else
000025 |             m_Expansion_FPSLabel.SetText("FPS:");
000026 |
000027 |         super.SetFramerate(current, min, max, avg);
000028 |     }
000029 |
000030 |     override string CalculateMapTile(vector pos)
000031 |     {
000032 |         if (ExpansionWorld.s_DebugMonitor_ShowServerStats)
000033 |         {
000034 |             m_Expansion_MapTileLabel.SetText("FT0 LEVEL:");
000035 |             return eAIBase.s_eAI_FT0.ToString();
000036 |         }
000037 |
000038 |         m_Expansion_MapTileLabel.SetText("MAP TILE:");
000039 |         return super.CalculateMapTile(pos);
```

```
000040 | }
000041 |
000042 | void Expansion_SetVersion()
000043 | {
000044 |     m_Expansion_VersionLabel.SetText("EXECUTABLE:");
000045 |     string version;
000046 |     g_Game.GetVersion(version);
000047 |     m_VersionValue.SetText(" " + version);
000048 | }
000049 |
000050 | void Expansion_SetAICount()
000051 | {
000052 |     m_Expansion_VersionLabel.SetText("EAI COUNT:");
000053 |     m_VersionValue.SetText(" " + ExpansionWorld.s_AI_Alive_Count.ToString() + " | PATROLS: " + eAIDynamicPatrol.s_PatrolCount);
000054 | }
000055 |
000056 | void Expansion_Update()
000057 | {
000058 |     float currFPS;
000059 |     float minFPS, maxFPS, avgFPS;
000060 |
000061 |     PlayerBase player = PlayerBase.Cast(g_Game.GetPlayer());
000062 |
000063 |     if (ExpansionWorld.s_DebugMonitor_ShowServerStats)
000064 |     {
000065 |         m_Expansion_HealthLabel.SetText("EAI UPD:");
000066 |         m_Expansion_BloodLabel.SetText("EAI UPD DT:");
000067 |         m_Expansion_DmgSourceLabel.SetText("EAI UPD COST:");
000068 |
000069 |         string aiUpd_Avg = ExpansionStatic.FormatFloat(ExpansionWorld.s_AIUpdate_Avg, 1);
000070 |         m_HealthValue.SetText(" " + ExpansionWorld.s_AIUpdate_Current.ToString() + " | Avg " + aiUpd_Avg);
000071 |
000072 |         string aiUpdDT_Cur = ExpansionStatic.FormatFloat(ExpansionWorld.s_AIUpdateDT_Current, 2);
000073 |         string aiUpdDT_Avg = ExpansionStatic.FormatFloat(ExpansionWorld.s_AIUpdateDT_Avg, 2);
000074 |         m_BloodValue.SetText(" " + aiUpdDT_Cur + " ms | Avg " + aiUpdDT_Avg + " ms");
000075 |
000076 |         string aiUpdCost_Cur = ExpansionStatic.FormatFloat(ExpansionWorld.s_AIUpdateCost_Current, 4);
000077 |         string aiUpdCost_Avg = ExpansionStatic.FormatFloat(ExpansionWorld.s_AIUpdateCost_Avg, 4);
000078 |         m_DmgSourceValue.SetText(" " + aiUpdCost_Cur + " ms | Avg " + aiUpdCost_Avg + " ms");
000079 |
000080 |         if (player)
000081 |             SetPosition(MiscGameplayFunctions.TruncateVec(player.GetPosition(), 1));
000082 |
000083 |         Expansion_SetAICount();
000084 |
000085 |         currFPS = ExpansionWorld.s_ServerFPS_Current;
000086 |         minFPS = ExpansionWorld.s_ServerFPS_Min;
000087 |         maxFPS = ExpansionWorld.s_ServerFPS_Max;
000088 |         avgFPS = ExpansionWorld.s_ServerFPS_Avg;
000089 |     }
000090 |     else
000091 |     {
000092 |         //! Vanilla, see MissionGameplay::UpdateDebugMonitor
000093 |
000094 |         m_Expansion_HealthLabel.SetText("HEALTH:");
000095 |         m_Expansion_BloodLabel.SetText("BLOOD:");
000096 |         m_Expansion_DmgSourceLabel.SetText("LAST DAMAGE:");
000097 |
000098 |         if (player)
000099 |         {
000100 |             DebugMonitorValues values = player.GetDebugMonitorValues();
000101 |             if (values)
```

```
000102 |         {
000103 |             SetHealth(values.GetHealth());
000104 |             SetBlood(values.GetBlood());
000105 |             SetLastDamage(values.GetLastDamage());
000106 |             SetPosition(MiscGameplayFunctions.TruncateVec(player.GetPosition(),1));
000107 |         }
000108 |     }
000109 |
000110 |     Expansion_SetVersion();
000111 |
000112 |     currFPS = g_Game.GetAvgFPS(10); // Not using last, but average of last x to prevent jitter
000113 |     g_Game.GetFPSStats(minFPS, maxFPS, avgFPS);
000114 | }
000115 |
000116 |     SetFramerate(currFPS, minFPS, maxFPS, avgFPS);
000117 | }
000118 |
000119 | override protected void SetFramerateText(TextWidget widget, float value)
000120 | {
000121 |     if (ExpansionWorld.s_DebugMonitor_ShowServerStats)
000122 |     {
000123 |         World world = g_Game.GetWorld();
000124 |
000125 |         if (value > world.GetServerFpsWarningThreshold())
000126 |             widget.SetColor(m_FPSTextDefaultColor);
000127 |         else if (value > world.GetServerFpsCriticalThreshold())
000128 |             widget.SetColor(0xffffcc00);
000129 |         else
000130 |             widget.SetColor(COLOR_RED);
000131 |
000132 |         widget.SetTextFormat("%1", Math.Round(value));
000133 |     }
000134 |     else
000135 |     {
000136 |         super.SetFramerateText(widget, value);
000137 |     }
000138 | }
000139 | }
000140 |
```

0260. ZIP TEXT FILE

```

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/gui/eaicommandmenu.c
Size bytes: 32737
SHA-256: 5dfdc2bf7b257c47a8c424508885376c1d16ddfef66802fa708e8eda5f08ad2f
Decoded as: utf-8-sig
Line count shown: 870
Detected class declarations: 2
  L1: class eAICommandMenuItem
  L75: class eAICommandMenu: UIScriptedMenu
Detected enum declarations: 0
Detected function/method-like declarations: 45
  L10: void eAICommandMenuItem(int id, string name, eAICommandCategories category)
  L17: void SetName(string name)
  L22: string GetName()
  L27: string GetCategoryName()
  L54: int GetID()
  L59: eAICommandCategories GetCategory()
  L64: Widget GetRadialItemCard()
  L69: void SetRadialItemCard(Widget widget)
  L100: void eAICommandMenu()
  L105: void ~eAICommandMenu() {};
  L107: static void OpenMenu()
  L120: override Widget Init()
  L147: override void OnShow()
  L160: override void OnHide()
  L176: override bool OnController(Widget w, int control, int value)
  L185: override bool OnMouseEnter(Widget w, int x, int y)
  L194: override bool UseMouse()
  L199: override bool UseGamepad()
  L207: protected void RefreshGestures(eAICommandCategories category_id = -1, string name = "")
  L245: protected void GetGestureItems(out array < ref eAICommandMenuItem > gesture_items, eAICommandCategories category)
  L329: else if (GetDayZGame().GetExpansionGame().InGroup())
  L533: protected void CreateGestureContent()
  L569: protected void UpdateQuickbarItemCard(eAICommandMenuItem gesture_item)
  L578: protected void DeleteGestureItems()
  L593: protected void UpdateToolbar()
  L641: protected void UpdateCategoryName(string name)
  L651: void OnControlsChanged(RadialMenuControlType type)
  L668: void OnMouseSelect(Widget w)
  L673: void OnMouseDeselect(Widget w)
  L679: void OnMouseExecute( Widget w )
  L684: void OnMousePressLeft( Widget w )
  L690: void OnMousePressRight( Widget w )
  L696: void OnControllerSelect(Widget w)
  L701: void OnControllerDeselect(Widget w)
  L707: void OnControllerExecute( Widget w )
  L711: void OnControllerPressSelect( Widget w )
  L716: void OnControllerPressBack( Widget w )
  L722: void OnMenuRelease()
  L727: protected void MarkSelected(Widget w)
  L749: protected void UnmarkSelected(Widget w)
  L771: protected void ExecuteSelected(Widget w)
  L791: protected void ExecuteSelectedItem()
  L846: protected void BackOneLevel()
  L860: bool IsMenuClosing()
  L865: void SetMenuClosing(bool state)

```

Full file content

```
000001 | class eAICommandMenuItem
```

```
000002 | {
000003 |     protected int m_ID;
000004 |     protected string m_Name;
000005 |     protected eAICommandCategories m_Category;
000006 |     //radial menu
000007 |     protected Widget m_RadialMenuSelector;
000008 |     protected Widget m_RadialMenuItemCard;
000009 |
000010 |     void eAICommandMenuItem(int id, string name, eAICommandCategories category)
000011 |     {
000012 |         m_ID = id;
000013 |         m_Name = name;
000014 |         m_Category = category;
000015 |     }
000016 |
000017 |     void SetName(string name)
000018 |     {
000019 |         m_Name = name;
000020 |     }
000021 |
000022 |     string GetName()
000023 |     {
000024 |         return m_Name;
000025 |     }
000026 |
000027 |     string GetCategoryName()
000028 |     {
000029 |         string name = m_Name;
000030 |
000031 |         eAIGroup group = eAIGroup.GetGamePlayerGroup();
000032 |
000033 |         switch (m_ID)
000034 |         {
000035 |             case eAICommandCategories.CAT_FACTION:
000036 |                 if (group)
000037 |                     name = group.GetFaction().GetName();
000038 |                 break;
000039 |
000040 |             //! Formation is not synced to client
000041 |             //case eAICommandCategories.CAT_FORMATION:
000042 |                 //if (group)
000043 |                     //name = group.GetFormation().GetName();
000044 |                 //break;
000045 |
000046 |             case eAICommandCategories.CAT_DAMAGE_IN:
000047 |                 name = "Damage In";
000048 |                 break;
000049 |         }
000050 |
000051 |         return name;
000052 |     }
000053 |
000054 |     int GetID()
000055 |     {
000056 |         return m_ID;
000057 |     }
000058 |
000059 |     eAICommandCategories GetCategory()
000060 |     {
000061 |         return m_Category;
000062 |     }
000063 | }
```

```
000064 | Widget GetRadialItemCard()
000065 | {
000066 |     return m_RadialMenuItemCard;
000067 | }
000068 |
000069 | void SetRadialItemCard(Widget widget)
000070 | {
000071 |     m_RadialMenuItemCard = widget;
000072 | }
000073 | };
000074 |
000075 | class eAICommandMenu: UIScriptedMenu
000076 | {
000077 |     protected Widget m_GestureItemCardPanel;
000078 |     protected ref array < ref eAICommandMenuItem > m_GestureItems;
000079 |
000080 |     protected ImageWidget m_CategoryBackground;
000081 |     protected TextWidget m_CategoryNameText;
000082 |
000083 |     //
000084 |     const string RADIAL_TEXT = "RadialText";
000085 |     const string CATEGORY_NAME = "CategoryName";
000086 |     //selections
000087 |     protected Widget m_SelectedItem;
000088 |     protected bool m_IsCategorySelected;
000089 |     protected bool m_IsMenuClosing;
000090 |     protected int m_CurrentCategory;
000091 |     protected ref TIntArray m_MenuPathCategories = {};
000092 |     protected ref TStringArray m_MenuPathNames = {};
000093 |
000094 |     //instance
000095 |     static ref eAICommandMenu instance;
000096 |
000097 |     //=====
000098 |     // eAICommandMenu
000099 |     //=====
000100 |     void eAICommandMenu()
000101 |     {
000102 |         m_GestureItems = new array < ref eAICommandMenuItem > ;
000103 |     }
000104 |
000105 |     void ~eAICommandMenu() {};
000106 |
000107 |     static void OpenMenu()
000108 |     {
000109 |         #ifndef EDITOR
000110 |         if (!instance)
000111 |             instance = new eAICommandMenu();
000112 |
000113 |         g_Game.GetUIManager().ShowScriptedMenu(instance, null);
000114 |         #endif
000115 |     }
000116 |
000117 |     //=====
000118 |     // Init &Widget Events
000119 |     //=====
000120 |     override Widget Init()
000121 |     {
000122 |         layoutRoot = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/AI/GUI/layouts/radial_menu/menu.layout");
000123 |         m_GestureItemCardPanel = layoutRoot.FindAnyWidget(RadialMenu.RADIAL_ITEM_CARD_CONTAINER);
000124 |         m_CategoryBackground = ImageWidget.Cast(layoutRoot.FindAnyWidget("CenterBackground"));
000125 |         m_CategoryNameText = TextWidget.Cast(layoutRoot.FindAnyWidget(CATEGORY_NAME));
```

```
000126 |  
000127 | //register gestures menu  
000128 | RadialMenu.GetInstance().RegisterClass(this);  
000129 |  
000130 | //delay updates until fully initialized  
000131 | RadialMenu.GetInstance().SetWidgetInitialized(false);  
000132 |  
000133 | //set radial menu properties  
000134 | RadialMenu.GetInstance().SetWidgetProperties("DayZExpansion/AI/GUI/layouts/radial_menu/delimiter.layout");  
000135 |  
000136 | //create content (widgets) for items  
000137 | RefreshGestures();  
000138 |  
000139 | #ifdef PLATFORM_WINDOWS  
000140 | Widget toolbar_panel = layoutRoot.FindAnyWidget("toolbar_bg");  
000141 | toolbar_panel.Show(!RadialMenu.GetInstance().IsUsingMouse());  
000142 | #endif  
000143 |  
000144 | return layoutRoot;  
000145 | }  
000146 |  
000147 | override void OnShow()  
000148 | {  
000149 |     super.OnShow();  
000150 |  
000151 |     if (g_Game.GetUIManager())  
000152 |         g_Game.GetUIManager().ShowCursor(true);  
000153 |  
000154 |     if (g_Game.GetMission())// thanks Wardog  
000155 |         g_Game.GetMission().PlayerControlDisable(INPUT_EXCLUDE_MOUSE_RADIAL);  
000156 |  
000157 |     m_IsMenuClosing = false;  
000158 | }  
000159 |  
000160 | override void OnHide()  
000161 | {  
000162 |     super.OnHide();  
000163 |  
000164 |     if (GetParentMenu()) // check if we're a child menu, we shouldn't give control back yet  
000165 |         return;  
000166 |  
000167 |     if (g_Game.GetUIManager())  
000168 |         g_Game.GetUIManager().ShowCursor(false);  
000169 |  
000170 |     if (g_Game.GetMission())  
000171 |         g_Game.GetMission().PlayerControlEnable(true);  
000172 |  
000173 |     m_IsMenuClosing = true;  
000174 | }  
000175 |  
000176 | override bool OnController(Widget w, int control, int value)  
000177 | {  
000178 |     super.OnController(w, control, value);  
000179 |  
000180 |     RadialMenu.GetInstance().SetControlType(RadialMenuControlType.CONTROLLER);  
000181 |  
000182 |     return false;  
000183 | }  
000184 |  
000185 | override bool OnMouseEnter(Widget w, int x, int y)  
000186 | {  
000187 |     super.OnMouseEnter(w, x, y);
```

```
000188 |
000189 |         RadialMenu.GetInstance().SetControlType(RadialMenuControlType.MOUSE);
000190 |
000191 |         return false;
000192 |     }
000193 |
000194 |     override bool UseMouse()
000195 |     {
000196 |         return true;
000197 |     }
000198 |
000199 |     override bool UseGamepad()
000200 |     {
000201 |         return true;
000202 |     }
000203 |
000204 |     //=====
000205 |     // Gestures
000206 |     //=====
000207 |     protected void RefreshGestures(eAICmdCategories category_id = -1, string name = "")
000208 |     {
000209 |         //create gestures content (widgets) based on categories
000210 |         if (category_id > -1)
000211 |         {
000212 |             GetGestureItems(m_GestureItems, category_id);
000213 |             m_CurrentCategory = category_id;
000214 |             instance.m_IsCategorySelected = true;
000215 |             if (m_MenuPathCategories.Find(category_id) == -1)
000216 |             {
000217 |                 m_MenuPathCategories.Insert(category_id);
000218 |                 m_MenuPathNames.Insert(name);
000219 |             }
000220 |             else
000221 |             {
000222 |                 int index = m_MenuPathCategories.Count() - 1;
000223 |                 m_MenuPathCategories.Remove(index);
000224 |                 m_MenuPathNames.Remove(index);
000225 |             }
000226 |         }
000227 |         else
000228 |         {
000229 |             GetGestureItems(m_GestureItems, eAICmdCategories.CATEGORIES);
000230 |             m_CurrentCategory = -1;
000231 |             instance.m_IsCategorySelected = false;
000232 |             m_MenuPathCategories.Clear();
000233 |             m_MenuPathNames.Clear();
000234 |
000235 |             if (!GetExpansionSettings().GetAI().IsAdmin() && !GetDayZGame().GetExpansionGame().InGroup())
000236 |                 name = "No AI companions";
000237 |         }
000238 |
000239 |         CreateGestureContent();
000240 |
000241 |         UpdateToolbar();
000242 |         UpdateCategoryName(name);
000243 |     }
000244 |
000245 |     protected void GetGestureItems(out array < ref eAICmdMenuItem > gesture_items, eAICmdCategories category)
000246 |     {
000247 |         gesture_items.Clear();
000248 |
000249 |         int i;
```



```

000250 |
000251 |     switch (category)
000252 |     {
000253 |     case eAICommandCategories.CATEGORIES:
000254 |         /**
000255 |          * @note the menu items are ordered in a way so that their positions in the menu
000256 |          *       are preserved as much as possible to aid muscle memory
000257 |          *
000258 |          *
000259 |          *       Admin w/o group:
000260 |          *
000261 |          *           Spawn
000262 |          *           -
000263 |          *       /           \
000264 |          *       |           |
000265 |          *       |           |
000266 |          *       |           |
000267 |          *       |           |
000268 |          *       |           |
000269 |          *       |           |
000270 |          *       |           |
000271 |          *       |           |
000272 |          *       |           |
000273 |          *       |           |
000274 |          *       |           |
000275 |          *       |           |
000276 |          *       |           |
000277 |          *       |           |
000278 |          *       |           |
000279 |          *       |           |
000280 |          *       |           |
000281 |          *       |           |
000282 |          *       |           |
000283 |          *       |           |
000284 |          *       |           |
000285 |          *       |           |
000286 |          *       |           |
000287 |          *       |           |
000288 |          *       |           |
000289 |          *       |           |
000290 |          *       |           |
000291 |          *       |           |
000292 |          *       |           |
000293 |          *       |           |
000294 |          *       |           |
000295 |          *       |           |
000296 |          *       |           |
000297 |          *       |           |
000298 |          *       |           |
000299 |          *       |           |
000300 |          *       |           |
000301 |          *       |           |
000302 |          *       |           |
000303 |          *       |           |
000304 |          *       |           |
000305 |          *       |           |
000306 |          *       |           |
000307 |          *       |           |
000308 |          *       |           |
000309 |          *       |           |
000310 |          *       |           |
000311 |          *       |           |

```

```
000312 |         gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_DEBUG, "Spawn", eAICommandCategories.CATEGORIES));
000313 |     }
000314 |
000315 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_FACTION, "Faction", eAICommandCategories.CATEGORIES));
000316 |
000317 |     if (GetDayZGame().GetExpansionGame().InGroup())
000318 |     {
000319 |         gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_LOOTINGBEHAVIOUR, "Looting", eAICommandCategories.CATEGORIES));
000320 |     }
000321 |
000322 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_STATUS, "Status", eAICommandCategories.CATEGORIES));
000323 |
000324 |     if (GetDayZGame().GetExpansionGame().InGroup())
000325 |     {
000326 |         gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_DEBUG, "Spawn", eAICommandCategories.CATEGORIES));
000327 |     }
000328 | }
000329 | else if (GetDayZGame().GetExpansionGame().InGroup())
000330 | {
000331 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_MOVEMENT, "Movement", eAICommandCategories.CATEGORIES));
000332 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_FORMATION, "Formation", eAICommandCategories.CATEGORIES));
000333 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_LOOTINGBEHAVIOUR, "Looting", eAICommandCategories.CATEGORIES));
000334 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.STA_SITREP, "Report", eAICommandCategories.CATEGORIES));
000335 | }
000336 | break;
000337 |
000338 | case eAICommandCategories.CAT_MOVEMENT:
000339 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_STOP, "Stop", eAICommandCategories.CAT_MOVEMENT));
000340 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_FLANK, "Flank", eAICommandCategories.CAT_MOVEMENT));
000341 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_ROAM, "Roam", eAICommandCategories.CAT_MOVEMENT));
000342 |     //gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_GOTO, "Go To...", eAICommandCategories.CAT_MOVEMENT));
000343 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_RTF, "Rejoin", eAICommandCategories.CAT_MOVEMENT));
000344 |     //gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_GETIN, "Get In", eAICommandCategories.CAT_MOVEMENT));
000345 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_SETWP, "Set\nWaypoint", eAICommandCategories.CAT_MOVEMENT));
000346 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_CLEARWP, "Clear\nWaypoints", eAICommandCategories.CAT_MOVEMENT));
000347 |     if (GetExpansionSettings().GetAI().IsAdmin())
000348 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_EXPORTPATROL, "Export\nPatrol", eAICommandCategories.CAT_MOVEMENT));
000349 |
000350 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_MOVEMENT_STANCE, "Stance", eAICommandCategories.CATEGORIES));
000351 |     gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_MOVEMENT_SPEED, "Speed", eAICommandCategories.CATEGORIES));
000352 |     break;
000353 |
000354 | case eAICommandCategories.CAT_MOVEMENT_SPEED:
000355 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_WALK, "Walk", eAICommandCategories.CAT_MOVEMENT_SPEED));
000356 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_JOG, "Jog", eAICommandCategories.CAT_MOVEMENT_SPEED));
000357 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_SPRINT, "Sprint", eAICommandCategories.CAT_MOVEMENT_SPEED));
000358 |     break;
000359 |
000360 | case eAICommandCategories.CAT_MOVEMENT_STANCE:
000361 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_ERECT, "Stand", eAICommandCategories.CAT_MOVEMENT_STANCE));
000362 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_CROUCH, "Crouch", eAICommandCategories.CAT_MOVEMENT_STANCE));
000363 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.MOV_PRONE, "Prone", eAICommandCategories.CAT_MOVEMENT_STANCE));
000364 |     break;
000365 |
000366 | case eAICommandCategories.CAT_FORMATION:
000367 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_VEE, "Vee", eAICommandCategories.CAT_FORMATION));
000368 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_INVVEE, "InvVee", eAICommandCategories.CAT_FORMATION));
000369 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_FILE, "File", eAICommandCategories.CAT_FORMATION));
000370 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_INVFILE, "InvFile", eAICommandCategories.CAT_FORMATION));
000371 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_WALL, "Wall", eAICommandCategories.CAT_FORMATION));
000372 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_COL, "Column", eAICommandCategories.CAT_FORMATION));
000373 |     gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_INVCOL, "InvColumn", eAICommandCategories.CAT_FORMATION));
```

```

000374 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_CIRCLE, "Circle", eAICommandCategories.CAT_FORMATION));
000375 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_CIRCLEDOT, "CircleDot", eAICommandCategories.CAT_FORMATION));
000376 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_STAR, "Star", eAICommandCategories.CAT_FORMATION));
000377 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_STARDOT, "StarDot", eAICommandCategories.CAT_FORMATION));
000378 |         break;
000379 |
000380 |     case eAICommandCategories.CAT_FORMATION_SCALE:
000381 |         for (i = 0; i < 5; i++)
000382 |         {
000383 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_SCALE_1X + i, string.Format("%1x", i + 1), eAICommandCategories.CAT_FORMATION_SCALE));
000384 |         }
000385 |         break;
000386 |
000387 |     case eAICommandCategories.CAT_FORMATION_LOOSENESS:
000388 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_00, "0 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000389 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_05, "0.5 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000390 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_10, "1 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000391 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_15, "1.5 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000392 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_20, "2 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000393 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_30, "3 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000394 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_40, "4 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000395 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.FOR_LOOSENESS_50, "5 m", eAICommandCategories.CAT_FORMATION_LOOSENESS));
000396 |         break;
000397 |
000398 |     case eAICommandCategories.CAT_LOOTINGBEHAVIOUR:
000399 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.ALL, "All", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000400 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.DEFAULT, "Default", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000401 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.BANDAGES, "Bandages", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000402 |     );
000403 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.FOOD, "Food", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000404 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.WEAPONS, "Weapons", eAICommandCategories.CATEGORIES));
000405 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING, "Clothing", eAICommandCategories.CATEGORIES));
000406 |         gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_LOOTINGBEHAVIOUR_CLOTHING_BACK, "Backwear", eAICommandCategories.CATEGORIES));
000407 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_SIMILAR, "Similar", eAICommandCategories.CAT_LOOTINGBEH
000408 | AVIOUR));
000409 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_IDENTICAL, "Identical", eAICommandCategories.CAT_LOOTIN
000410 | GBEHAVIOUR));
000411 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.UPGRADE, "Upgrade", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000412 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.NONE, "None", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000413 |         break;
000414 |
000415 |     case eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING:
000416 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING, "All", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000417 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_VEST, "Vests", eAICommandCategories.CAT_LOOTINGBEHAVIOU
000418 | R));
000419 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_BODY, "Tops", eAICommandCategories.CAT_LOOTINGBEHAVIOUR
000420 | ));
000421 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_HIPS, "Hipwear", eAICommandCategories.CAT_LOOTINGBEHAVI
000422 | OUR));
000423 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_LEGS, "Pants", eAICommandCategories.CAT_LOOTINGBEHAVIOU
000424 | R));
000425 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_HEADGEAR, "Headgear", eAICommandCategories.CAT_LOOTINGB
000426 | EHAVIOUR));
000427 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_MASK, "Masks", eAICommandCategories.CAT_LOOTINGBEHAVIOU
000428 | R));
000429 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_EYEWEAR, "Eyewear", eAICommandCategories.CAT_LOOTINGBEH
000430 | AVIOUR));
000431 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_GLOVES, "Gloves", eAICommandCategories.CAT_LOOTINGBEHAV
000432 | IOUR));
000433 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_FEET, "Shoes", eAICommandCategories.CAT_LOOTINGBEHAVIOU
000434 | R));
000435 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_ARMBAND, "Armbands", eAICommandCategories.CAT_LOOTINGBE

```

```
000424 |     HAVIOUR));
000425 |         break;
000426 |     case eAICommands.BEH_LOOT + eAILootingBehavior.WEAPONS:
000427 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.WEAPONS, "All", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000428 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.WEAPONS_FIREARMS, "Firearms", eAICommandCategories.CAT_LOOTINGBE
000429 |     HAVIOUR));
000429 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.WEAPONS_LAUNCHERS, "Launchers", eAICommandCategories.CAT_LOOTING
000430 |     BEHAVIOUR));
000430 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.WEAPONS_MELEE, "Melee", eAICommandCategories.CAT_LOOTINGBEHAVIOU
000431 |     R));
000431 |         break;
000432 |
000433 |     case eAICommandCategories.CAT_LOOTINGBEHAVIOUR_CLOTHING_BACK:
000434 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_BACK_LARGE + eAILootingBehavior.CLOTHING_BACK_MEDIUM +
000435 |     eAILootingBehavior.CLOTHING_BACK_SMALL, "All", eAICommandCategories.CAT_LOOTINGBEHAVIOUR));
000435 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_BACK_LARGE, "Large", eAICommandCategories.CAT_LOOTINGBE
000436 |     HAVIOUR));
000436 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_BACK_MEDIUM, "Medium", eAICommandCategories.CAT_LOOTING
000437 |     BEHAVIOUR));
000437 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.BEH_LOOT + eAILootingBehavior.CLOTHING_BACK_SMALL, "Small", eAICommandCategories.CAT_LOOTINGBE
000438 |     HAVIOUR));
000438 |         break;
000439 |
000440 |     case eAICommandCategories.CAT_STATUS:
000441 |         //gesture_items.Insert(new eAICommandMenuItem(eAICommands.STA_SITREP, "Report Situation", eAICommandCategories.CAT_STATUS));
000442 |         //gesture_items.Insert(new eAICommandMenuItem(eAICommands.STA_POSITION, "Report Position", eAICommandCategories.CAT_STATUS));
000443 |         //gesture_items.Insert(new eAICommandMenuItem(eAICommands.STA_THREATS, "Report Threats", eAICommandCategories.CAT_STATUS));
000444 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.STA_DUMP, "Dump State", eAICommandCategories.CAT_STATUS));
000445 |         if (GetExpansionSettings().GetAI().IsAdmin())
000446 |         {
000447 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_RESET_PATHFINDING, "Reset\nPathfinding", eAICommandCategories.CAT_STATUS));
000448 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_FORCEWEAPONRESYNC, "Force Weapon\nResync", eAICommandCategories.CAT_STATUS));
000449 |             #ifdef DIAG_DEVELOPER
000450 |                 gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_DBGOBJECTS, "Debug\nObjects", eAICommandCategories.CAT_STATUS));
000451 |                 gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_DBGDAMAGE, "Debug\nDamage", eAICommandCategories.CAT_STATUS));
000452 |                 gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_TOGGLEFTO, "Toggle\nFTO", eAICommandCategories.CAT_STATUS));
000453 |             #endif
000454 |             gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_DAMAGE_IN, "Damage\nIn/Out", eAICommandCategories.CATEGORIES));
000455 |             gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_UNLIMITEDRELOAD, "Unlimited\nReload", eAICommandCategories.CATEGORIES));
000456 |             #ifdef JM_COT
000457 |                 gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_SPECTATE, "Spectate AI", eAICommandCategories.CAT_STATUS));
000458 |             #endif
000459 |         }
000460 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.STA_SITREP, "Report", eAICommandCategories.CAT_STATUS));
000461 |         break;
000462 |
000463 |     case eAICommandCategories.CAT_UNLIMITEDRELOAD:
000464 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_UNLIMITEDRELOAD_ALL, "All", eAICommandCategories.CAT_DEBUG));
000465 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_UNLIMITEDRELOAD_ANIMALS, "Animals", eAICommandCategories.CAT_DEBUG));
000466 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_UNLIMITEDRELOAD_INFECTED, "Infected", eAICommandCategories.CAT_DEBUG));
000467 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_UNLIMITEDRELOAD_PLAYERS, "Players", eAICommandCategories.CAT_DEBUG));
000468 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_UNLIMITEDRELOAD_VEHICLES, "Vehicles", eAICommandCategories.CAT_DEBUG));
000469 |         break;
000470 |
000471 |     case eAICommandCategories.CAT_DAMAGE_IN:
000472 |     case eAICommandCategories.CAT_DAMAGE_OUT:
000473 |         for (i = 0; i < eAICommands.DEB_DAMAGE_COUNT; ++i)
000474 |         {
000475 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_DAMAGE + i, string.Format("%1%", 100 - i * 5), category));
000476 |         }
000477 |         break;
```

```
000478 |
000479 |     case eAICommandCategories.CAT_HEADSHOTRESISTANCE:
000480 |         for (i = 0; i < eAICommands.DEB_DAMAGE_COUNT; ++i)
000481 |         {
000482 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_DAMAGE + i, string.Format("%1%", i * 5), category));
000483 |         }
000484 |         break;
000485 |
000486 |     case eAICommandCategories.CAT_DEBUG:
000487 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_SPAWNALLY, "Companion", eAICommandCategories.CAT_DEBUG));
000488 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_CLEARALL, "Clear AI", eAICommandCategories.CAT_DEBUG));
000489 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_SPAWNBEAR, "Bear", eAICommandCategories.CAT_DEBUG));
000490 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_SPAWNWOLF, "Wolf", eAICommandCategories.CAT_DEBUG));
000491 |         gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_SPAWNZOM, "Zombie", eAICommandCategories.CAT_DEBUG));
000492 |         gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_SPAWNFACTION, "Other", eAICommandCategories.CATEGORIES));
000493 |         if (IsMissionOffline())
000494 |         {
000495 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_TARGET_CREATE, "Create Debug Apple", eAICommandCategories.CAT_DEBUG));
000496 |             gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_TARGET_DESTROY, "Destroy Debug Apple", eAICommandCategories.CAT_DEBUG));
000497 |         }
000498 |         //gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_AIMAP, "AI Menu", eAICommandCategories.CAT_DEBUG));
000499 |         //gesture_items.Insert(new eAICommandMenuItem(eAICommands.DEB_GRP_MGR, "Group Manager", eAICommandCategories.CAT_DEBUG));
000500 |         break;
000501 |
000502 |     case eAICommandCategories.CAT_FACTION:
000503 |     case eAICommandCategories.CAT_SPAWNFACTION:
000504 |         foreach (int factionId, typename factionType: eAIRegisterFaction.s_FactionTypes)
000505 |         {
000506 |             eAIFaction faction = eAIFaction.Cast(factionType.Spawn());
000507 |             if (!faction.IsInvincible())
000508 |             {
000509 |                 string name = faction.GetName();
000510 |                 switch (name)
000511 |                 {
000512 |                     case "YeetBrigade":
000513 |                         name = "Yeet";
000514 |                         break;
000515 |                 }
000516 |                 gesture_items.Insert(new eAICommandMenuItem(factionId, name, category));
000517 |             }
000518 |         }
000519 |         break;
000520 |
000521 |     case eAICommandCategories.CAT_EMPTY:
000522 |         Close();
000523 |         break;
000524 |     }
000525 |
000526 |     if (gesture_items.Count() == 1)
000527 |     {
000528 |         gesture_items.Insert(new eAICommandMenuItem(eAICommandCategories.CAT_EMPTY, "", eAICommandCategories.CATEGORIES));
000529 |     }
000530 | }
000531 |
000532 |
000533 | protected void CreateGestureContent()
000534 | {
000535 |     //delete existing gesture widgets
000536 |     DeleteGestureItems();
000537 |
000538 |     for (int i = 0; i < m_GestureItems.Count(); ++i)
000539 |     {
```

```
000540 |         eAICommandMenuItem gesture_item = m_GestureItems.Get(i);
000541 |
000542 |         //create item card
000543 |         Widget gesture_item_card_widget = Widget.Cast(g_Game.GetWorkspace()).CreateWidgets("DayZExpansion/AI/GUI/layouts/radial_menu/item_card.layout", m_Gestu
reItemCardPanel));
000544 |         gesture_item.SetRadialItemCard(gesture_item_card_widget);
000545 |
000546 |         //update item card widget
000547 |         UpdateQuickbarItemCard(gesture_item);
000548 |
000549 |         //set data
000550 |         gesture_item_card_widget.SetUserData(gesture_item);
000551 |     }
000552 |
000553 |     //set radial parameters for content
000554 |     if (m_GestureItems.Count() > 0)
000555 |     {
000556 |         RadialMenu radial_menu = RadialMenu.GetInstance();
000557 |         radial_menu.SetRadiusOffset(0);
000558 |         radial_menu.SetExecuteDistOffset(0.5);
000559 |         radial_menu.SetOffsetFromTop(0);
000560 |         radial_menu.SetItemCardRadiusOffset(0.25);
000561 |         radial_menu.ActivateControllerTimeout(false);
000562 |         radial_menu.SetSelectorColors(ARGB(255,21,84,21), ARGB(255,21,84,21));
000563 |     }
000564 |
000565 |     //refresh radial menu
000566 |     RadialMenu.GetInstance().Refresh();
000567 | }
000568 |
000569 | protected void UpdateQuickbarItemCard(eAICommandMenuItem gesture_item)
000570 | {
000571 |     Widget gesture_item_card_widget = gesture_item.GetRadialItemCard();
000572 |
000573 |     //set text
000574 |     ButtonWidget text_widget;
000575 |     if (Class.CastTo(text_widget, gesture_item_card_widget.FindAnyWidget(RADIAL_TEXT))) text_widget.SetText(gesture_item.GetName());
000576 | }
000577 |
000578 | protected void DeleteGestureItems()
000579 | {
000580 |     Widget child;
000581 |     Widget child_to_destroy;
000582 |
000583 |     child = m_GestureItemCardPanel.GetChildren();
000584 |     while (child)
000585 |     {
000586 |         child_to_destroy = child;
000587 |         child = child.GetSibling();
000588 |
000589 |         delete child_to_destroy;
000590 |     }
000591 | }
000592 |
000593 | protected void UpdateToolbar()
000594 | {
000595 |     #ifdef PLATFORM_CONSOLE
000596 |     //set controller toolbar icons
000597 |     string select_img;
000598 |     //string back_img;
000599 |
000600 |     ImageWidget toolbar_select = ImageWidget.Cast(layoutRoot.FindAnyWidget("SelectIcon"));
```

```
000601 |         //ImageWidget toolbar_back = ImageWidget.Cast(layoutRoot.FindAnyWidget("BackIcon"));
000602 |
000603 |         if (instance.m_IsCategorySelected)
000604 |         {
000605 |             #ifdef PLATFORM_XBOX
000606 |                 select_img = "set:xbox_buttons image:A";
000607 |                 //back_img = "set:xbox_buttons image:B";
000608 |             #endif
000609 |             #ifdef PLATFORM_PS4
000610 |                 string confirm = "cross";
000611 |                 if (g_Game.GetInput().GetEnterButton() == GamepadButton.A)
000612 |                 {
000613 |                     confirm = "cross";
000614 |                 }
000615 |             else
000616 |             {
000617 |                 confirm = "circle";
000618 |             }
000619 |
000620 |             select_img = "set:playstation_buttons image:" + confirm;
000621 |             //back_img = "set:playstation_buttons image:circle";
000622 |             #endif
000623 |         }
000624 |         else
000625 |         {
000626 |             #ifdef PLATFORM_XBOX
000627 |                 select_img = "set:xbox_buttons image:R_up";
000628 |                 //back_img = "set:xbox_buttons image:B";
000629 |             #endif
000630 |             #ifdef PLATFORM_PS4
000631 |                 select_img = "set:playstation_buttons image:R_up";
000632 |                 //back_img = "set:playstation_buttons image:circle";
000633 |             #endif
000634 |         }
000635 |
000636 |         toolbar_select.LoadImageFile(0, select_img);
000637 |         //toolbar_back.LoadImageFile(0, back_img);
000638 |         #endif
000639 |     }
000640 |
000641 |     protected void UpdateCategoryName(string name)
000642 |     {
000643 |         m_CategoryBackground.Show(name != string.Empty);
000644 |         m_CategoryNameText.SetText(name);
000645 |     }
000646 |
000647 |     //=====
000648 |     // Radial Menu Events
000649 |     //=====
000650 |     //Common
000651 |     void OnControlsChanged(RadialMenuControlType type)
000652 |     {
000653 |         //show/hide controller toolbar
000654 |         Widget toolbar_panel = layoutRoot.FindAnyWidget("toolbar_bg");
000655 |         if (type == RadialMenuControlType.CONTROLLER)
000656 |         {
000657 |             #ifdef PLATFORM_CONSOLE
000658 |                 toolbar_panel.Show(true);
000659 |             #endif
000660 |         }
000661 |         else
000662 |         {
```

```
000663 |         toolbar_panel.Show(false);
000664 |     }
000665 | }
000666 |
000667 | //Mouse
000668 | void OnMouseSelect(Widget w)
000669 | {
000670 |     MarkSelected(w);
000671 | }
000672 |
000673 | void OnMouseDeselect(Widget w)
000674 | {
000675 |     UnmarkSelected(w);
000676 | }
000677 |
000678 | // unused, press events used instead with 1.19
000679 | void OnMouseExecute( Widget w )
000680 | {
000681 | }
000682 |
000683 | //! LMB
000684 | void OnMousePressLeft( Widget w )
000685 | {
000686 |     ExecuteSelected(w);
000687 | }
000688 |
000689 | //! RMB
000690 | void OnMousePressRight( Widget w )
000691 | {
000692 |     BackOneLevel();
000693 | }
000694 |
000695 | //Controller
000696 | void OnControllerSelect(Widget w)
000697 | {
000698 |     MarkSelected(w);
000699 | }
000700 |
000701 | void OnControllerDeselect(Widget w)
000702 | {
000703 |     UnmarkSelected(w);
000704 | }
000705 |
000706 | // unused, press events used instead with 1.19
000707 | void OnControllerExecute( Widget w )
000708 | {
000709 | }
000710 |
000711 | void OnControllerPressSelect( Widget w )
000712 | {
000713 |     ExecuteSelected(w);
000714 | }
000715 |
000716 | void OnControllerPressBack( Widget w )
000717 | {
000718 |     BackOneLevel();
000719 | }
000720 |
000721 | //!DEPRECATED with 1.19
000722 | void OnMenuRelease()
000723 | {
000724 | }
```



```
000725 |
000726 | //Actions
000727 | protected void MarkSelected(Widget w)
000728 | {
000729 |     instance.m_SelectedItem = w;
000730 |
000731 |     if (w)
000732 |     {
000733 |         eAICommandMenuItem gesture_item;
000734 |         w.GetUserData(gesture_item);
000735 |
000736 |         //is not category
000737 |         /*
000738 |         if (gesture_item && gesture_item.GetCategory() != eAICommandCategories.CATEGORIES)
000739 |         {
000740 |             //alter item visual
000741 |             //TextWidget text_widget = TextWidget.Cast(gesture_item.GetRadialItemCard().FindAnyWidget(RADIAL_TEXT));
000742 |             //text_widget.SetColor(ARGB(255, 66, 175, 95));
000743 |         }
000744 |
000745 |         */
000746 |     }
000747 | }
000748 |
000749 | protected void UnmarkSelected(Widget w)
000750 | {
000751 |     instance.m_SelectedItem = NULL;
000752 |
000753 |     if (w)
000754 |     {
000755 |         eAICommandMenuItem gesture_item;
000756 |         w.GetUserData(gesture_item);
000757 |
000758 |         //is not category
000759 |         /*
000760 |         if (gesture_item && gesture_item.GetCategory() != eAICommandCategories.CATEGORIES)
000761 |         {
000762 |             //alter item visual
000763 |             //TextWidget text_widget = TextWidget.Cast(gesture_item.GetRadialItemCard().FindAnyWidget(RADIAL_TEXT));
000764 |             //text_widget.SetColor(ARGB(255, 255, 255, 255));
000765 |         }
000766 |
000767 |         */
000768 |     }
000769 | }
000770 |
000771 | protected void ExecuteSelected(Widget w)
000772 | {
000773 |     if (w)
000774 |     {
000775 |         eAICommandMenuItem gesture_item;
000776 |         w.GetUserData(gesture_item);
000777 |
000778 |         if (gesture_item.GetCategory() == eAICommandCategories.CATEGORIES)
000779 |         {
000780 |             string name = gesture_item.GetCategoryName();
000781 |
000782 |             RefreshGestures(gesture_item.GetID(), name);
000783 |         }
000784 |         else
000785 |         {
000786 |             ExecuteSelectedItem();
```

```
000787 |     }
000788 |     }
000789 | }
000790 |
000791 | protected void ExecuteSelectedItem()
000792 | {
000793 |     if (instance.m_IsCategorySelected && instance.m_SelectedItem)
000794 |     {
000795 |         if (!g_Game.IsDedicatedServer())
000796 |         {
000797 |             eAICommandMenuItem selected;
000798 |             instance.m_SelectedItem.GetUserData(selected);
000799 |
000800 |             if (selected)
000801 |             {
000802 |                 g_Game.GetExpansionGame().GetCommandManager().Send(selected.GetID(), selected.GetCategory());
000803 |
000804 |                 eAIGroup group = eAIGroup.GetGamePlayerGroup();
000805 |
000806 |                 switch (selected.GetCategory())
000807 |                 {
000808 |                     case eAICommandCategories.CAT_FACTION:
000809 |                     case eAICommandCategories.CAT_SPAWNFACTION:
000810 |                     case eAICommandCategories.CAT_FORMATION_LOOSENESS:
000811 |                         UpdateCategoryName(selected.GetName());
000812 |                         break;
000813 |
000814 |                     case eAICommandCategories.CAT_DAMAGE_IN:
000815 |                         RefreshGestures(eAICommandCategories.CAT_DAMAGE_OUT, "Damage Out");
000816 |                         break;
000817 |
000818 |                     case eAICommandCategories.CAT_DAMAGE_OUT:
000819 |                         RefreshGestures(eAICommandCategories.CAT_HEADSHOTRESISTANCE, "Headshot Resistance");
000820 |                         break;
000821 |
000822 |                     case eAICommandCategories.CAT_FORMATION:
000823 |                         RefreshGestures(eAICommandCategories.CAT_FORMATION_SCALE, "Scale");
000824 |                         //! Formation scale is not synced to client
000825 |                         //if (group)
000826 |                             //UpdateCategoryName("Scale " + group.GetFormation().GetScale() + "x");
000827 |                         break;
000828 |
000829 |                     case eAICommandCategories.CAT_FORMATION_SCALE:
000830 |                         RefreshGestures(eAICommandCategories.CAT_FORMATION_LOOSENESS, "Looseness");
000831 |                         //! Formation looseness is not synced to client
000832 |                         //if (group)
000833 |                         //{
000834 |                             //float looseness;
000835 |                             //eAIFormation form = group.GetFormation();
000836 |                             //EnScript.GetClassVar(form, "m_Looseness", 0, looseness);
000837 |                             //UpdateCategoryName("Looseness " + looseness + " m");
000838 |                         //}
000839 |                         break;
000840 |                 }
000841 |             }
000842 |         }
000843 |     }
000844 | }
000845 |
000846 | protected void BackOneLevel()
000847 | {
000848 |     eAICommandCategories category_id = -1;
```

```
000849 |         string name;
000850 |         int index = m_MenuPathCategories.Count() - 2;
000851 |         if (index >= 0)
000852 |         {
000853 |             category_id = m_MenuPathCategories[index];
000854 |             name = m_MenuPathNames[index];
000855 |         }
000856 |
000857 |         RefreshGestures(category_id, name);
000858 |     }
000859 |
000860 |     bool IsMenuClosing()
000861 |     {
000862 |         return m_IsMenuClosing;
000863 |     }
000864 |
000865 |     void SetMenuClosing(bool state)
000866 |     {
000867 |         m_IsMenuClosing = state;
000868 |     }
000869 | };
000870 |
```

0261. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/ingamehud.c

Size bytes: 1181

SHA-256: be634b5a8617c114d529800b19d221735739868132bb7770d74e876790d5765e

Decoded as: utf-8-sig

Line count shown: 49

Detected class declarations: 1

L13: modded class IngameHud

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: override void Init(Widget hud_panel_widget)

L26: void Expansion_UpdateAggressionCooldown(PlayerBase player, int cooldown)

L34: void Expansion_ShowAggressionCooldown(bool state)

L42: bool Expansion_IsAggressionCooldownVisible()

Full file content

```
000001 | /**
000002 |  * IngameHud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class IngameHud
000014 | {
000015 |     protected ref ExpansionCooldownIndicator m_CooldownIndicator;
000016 |
000017 |     override void Init(Widget hud_panel_widget)
000018 |     {
000019 |         super.Init(hud_panel_widget);
000020 |
000021 |         Widget leftHUDPanel = m_HudPanelWidget.FindAnyWidget("LeftHUDPanel");
000022 |         m_CooldownIndicator = new ExpansionCooldownIndicator(leftHUDPanel);
000023 |         m_CooldownIndicator.Show(false);
000024 |     }
000025 |
000026 |     void Expansion_UpdateAggressionCooldown(PlayerBase player, int cooldown)
000027 |     {
000028 |         if (!m_CooldownIndicator)
000029 |             return;
000030 |
000031 |         m_CooldownIndicator.UpdateCooldown(player, cooldown);
000032 |     }
000033 |
000034 |     void Expansion_ShowAggressionCooldown(bool state)
000035 |     {
000036 |         if (!m_CooldownIndicator)
000037 |             return;
000038 |
000039 |         m_CooldownIndicator.Show(state);
000040 |     }
000041 |
000042 |     bool Expansion_IsAggressionCooldownVisible()
000043 |     {
```

```
000044 |         if (m_CooldownIndicator)
000045 |             return m_CooldownIndicator.IsVisible();
000046 |
000047 |         return false;
000048 |     }
000049 | };
```

0262. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/missiongameplay.c
 Size bytes: 4485
 SHA-256: 1a3f6127aa9f02fa923f63622caf40fd01b6ceb127e07cf9148b8bad84420054
 Decoded as: utf-8-sig
 Line count shown: 156
 Detected class declarations: 1
 L1: modded class MissionGameplay
 Detected enum declarations: 0
 Detected function/method-like declarations: 7
 L3: void MissionGameplay()
 L12: override void OnMissionStart()
 L21: override void OnMissionFinish()
 L32: override void OnEvent(EventType eventType, Param params)
 L66: override void Expansion_OnUpdate(float timeslice, PlayerBase player, bool isAliveConscious, Input input, bool inputIsFocused, UIScriptedMenu
 L129: override void HideInventory()
 L149: override void UpdateDebugMonitor()

Full file content

```
000001 | modded class MissionGameplay
000002 | {
000003 |     void MissionGameplay()
000004 |     {
000005 |         #ifdef EAI_TRACE
000006 |         auto trace = CF_Trace_0(this, "MissionGameplay");
000007 |         #endif
000008 |
000009 |         CF_Log.Info("eAI - Loaded Client Mission");
000010 |     }
000011 |
000012 |     override void OnMissionStart()
000013 |     {
000014 |         #ifdef EAI_TRACE
000015 |         auto trace = CF_Trace_0(this, "OnMissionStart");
000016 |         #endif
000017 |
000018 |         super.OnMissionStart();
000019 |     }
000020 |
000021 |     override void OnMissionFinish()
000022 |     {
000023 |         #ifdef EAI_TRACE
000024 |         auto trace = CF_Trace_0(this, "OnMissionFinish");
000025 |         #endif
000026 |
000027 |         super.OnMissionFinish();
000028 |
000029 |         GetDayZGame().GetExpansionGame().SetInGroup(false);
000030 |     }
000031 |
000032 |     override void OnEvent(EventType eventType, Param params)
000033 |     {
000034 |         switch (eventType)
000035 |         {
000036 |             case ChatMessageEventTypeID:
000037 |                 ChatMessageEventParams chat_params = ChatMessageEventParams.Cast(params);
000038 |                 ///! Intercept AI messages and alter them in-place
000039 |                 if (chat_params.param1 == ChatChannelType.System && (chat_params.param4 == "AI" || chat_params.param4 == "friendlyAI"))
000040 |                 {
```

```
000041 |         int index = chat_params.param3.IndexOf(":");
000042 |         if (index > -1)
000043 |         {
000044 |             ///! Change channel type so that sender field is used by Expansion Chat
000045 |             if (chat_params.param4 == "friendlyAI")
000046 |                 chat_params.param1 = ExpansionChatChannels.CCTeam;
000047 |             else
000048 |                 chat_params.param1 = ChatChannelType.Direct;
000049 |
000050 |             ///! Extract AI name from message body and place into sender field
000051 |             chat_params.param2 = chat_params.param3.Substring(0, index);
000052 |
000053 |             ///! Remove AI name from message body
000054 |             chat_params.param3 = chat_params.param3.Substring(index + 1, chat_params.param3.Length() - index - 1);
000055 |         }
000056 |
000057 |         ///! Remove color style
000058 |         chat_params.param4 = "";
000059 |     }
000060 |     break;
000061 | }
000062 |
000063 |     super.OnEvent(eventTypeId, params);
000064 | }
000065 |
000066 |     override void Expansion_OnUpdate(float timeslice, PlayerBase player, bool isAliveConscious, Input input, bool inputIsFocused, UIScriptedMenu menu, ExpansionSc
riptViewMenuBase viewMenu)
000067 |     {
000068 |         #ifdef EAI_TRACE
000069 |         auto trace = CF_Trace_1(this, "OnUpdate").Add(timeslice);
000070 |         #endif
000071 |
000072 |         super.Expansion_OnUpdate(timeslice, player, isAliveConscious, input, inputIsFocused, menu, viewMenu);
000073 |
000074 |     #ifdef DIAG_DEVELOPER
000075 |         if (player && player.DEBUG_EXPANSION_AI_VEHICLE && g_Expansion_Car && g_ExpansionNavMesh)
000076 |         {
000077 |             g_ExpansionNavMesh.DebugScripts();
000078 |         }
000079 |     #endif
000080 |
000081 |         // If we want to open the command menu, and nothing else is open
000082 |         if (!inputIsFocused && input.LocalPress("eAICommandMenu", false) && !menu && !viewMenu)
000083 |         {
000084 |             auto settings = GetExpansionSettings().GetAI();
000085 |             if (settings.IsAdmin() || GetDayZGame().GetExpansionGame().InGroup() || ((settings.CanRecruitFriendly || settings.CanRecruitGuards) && settings.MaxRec
ruitableAI > 0))
000086 |             {
000087 |                 eAICommandMenu.OpenMenu();
000088 |             }
000089 |         }
000090 |
000091 |         // If we want to close the command menu, and our menu is open
000092 |         if (input.LocalRelease("eAICommandMenu", false) || input.LocalValue("eAICommandMenu", false) == 0)
000093 |         {
000094 |             if (menu && menu == eAICommandMenu.instance)
000095 |             {
000096 |                 eAICommandMenu.instance.OnMenuRelease();
000097 |                 GetUIManager().Back();
000098 |             }
000099 |         }
000100 |     }
```

```
000101 |         if (!inputIsFocused && input.LocalPress("eAISetWaypoint", false) && !menu && !viewMenu)
000102 |         {
000103 |             if (player && player.GetGroup() && !player.IsRaised())
000104 |             {
000105 |                 GetDayZExpansion().GetCommandManager().Send(eAICommands.MOV_SETWP, eAICommandCategories.CAT_MOVEMENT);
000106 |             }
000107 |         }
000108 |
000109 |         // Show/hide & update ai aggression cooldown timer
000110 |         if (player && player.GetHumanInventory())
000111 |         {
000112 |             bool cooldownVisible = m_Hud.Expansion_IsAggressionCooldownVisible();
000113 |             int aggressionCooldown = player.eAI_GetLastAggressionCooldown();
000114 |             if (m_Hud.Expansion_CanShowHUDElements(player) && aggressionCooldown > 0)
000115 |             {
000116 |                 if (!cooldownVisible)
000117 |                     m_Hud.Expansion_ShowAggressionCooldown(true);
000118 |
000119 |                 m_Hud.Expansion_UpdateAggressionCooldown(player, aggressionCooldown);
000120 |             }
000121 |             else
000122 |             {
000123 |                 if (cooldownVisible)
000124 |                     m_Hud.Expansion_ShowAggressionCooldown(false);
000125 |             }
000126 |         }
000127 |     }
000128 |
000129 |     override void HideInventory()
000130 |     {
000131 |         super.HideInventory();
000132 |
000133 |         PlayerBase player;
000134 |         if (Class.CastTo(player, g_Game.GetPlayer()))
000135 |         {
000136 |             eAIGroup group = player.GetGroup();
000137 |             if (group)
000138 |             {
000139 |                 for (int i = 0; i < group.Count(); ++i)
000140 |                 {
000141 |                     eAIBase ai;
000142 |                     if (Class.CastTo(ai, group.GetMember(i)) && ai.m_eAI_IsInventoryVisible)
000143 |                         ai.eAI_SetIsInventoryVisible(false, player);
000144 |                 }
000145 |             }
000146 |         }
000147 |     }
000148 |
000149 |     override void UpdateDebugMonitor()
000150 |     {
000151 |         if (!m_DebugMonitor) return;
000152 |
000153 |         m_DebugMonitor.Expansion_Update();
000154 |     }
000155 | };
000156 |
```


0263. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/5_mission/dayzexpansion_ai/mission/missionserver.c

Size bytes: 4447

SHA-256: b7cf0d159659d0b9727226dd927b6181e998a43a46e4b9e7fe1f8bbeb6d69928

Decoded as: utf-8-sig

Line count shown: 164

Detected class declarations: 1

L16: modded class MissionServer

Detected enum declarations: 0

Detected function/method-like declarations: 10

L25: void MissionServer()

L42: override void InvokeOnConnect(PlayerBase player, PlayerIdentity identity)

L83: override void SyncRespawnModeInfo(PlayerIdentity identity)

L94: override void OnMissionStart()

L101: void Expansion_CreateAINoGoAreas()

L113: override void OnMissionLoaded()

L123: override void PlayerDisconnected(PlayerBase player, PlayerIdentity identity, string uid)

L142: override void TickScheduler(float timeslice)

L152: override void eAI_GetPlayers()

L157: override void OnMissionFinish()

Full file content

```
000001 | /**
000002 |  * MissionServer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      MissionServer
000014 |  * @brief
000015 |  */
000016 | modded class MissionServer
000017 | {
000018 | #ifdef EXTRACE_DIAG
000019 |     bool m_eAI_PlayerConnected;
000020 | #endif
000021 |
000022 |     // -----
000023 |     // MissionServer Constructor
000024 |     // -----
000025 |     void MissionServer()
000026 |     {
000027 | #ifdef EXPANSIONTRACE
000028 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "MissionServer");
000029 | #endif
000030 |
000031 |         ExpansionHumanLoadout.Init();
000032 |         ExpansionHumanLoadout.DefaultFreshSpawnLoadout();
000033 |
000034 |         PlayerBase.Expansion_RegisterInventoryItemType(ItemCompass);
000035 |         PlayerBase.Expansion_RegisterInventoryItemType(ItemMap);
000036 |         PlayerBase.Expansion_RegisterInventoryItemType(GPSReceiver);
000037 | #ifdef EXPANSIONMODNAVIGATION
```

```
000038 |     PlayerBase.Expansion_RegisterInventoryItemType(ExpansionGPS);
000039 | #endif
000040 | }
000041 |
000042 | override void InvokeOnConnect(PlayerBase player, PlayerIdentity identity)
000043 | {
000044 |     super.InvokeOnConnect(player, identity);
000045 |
000046 | #ifdef EXTRACE_DIAG
000047 |     m_eAI_PlayerConnected = true;
000048 | #endif
000049 |
000050 |     ///! Get players. Vanilla does this in TickScheduler (which we override),
000051 |     ///! but it's more efficient to do it only when player count actually changes.
000052 |     ///! We don't use this array, this is just to avoid potential compat issues
000053 |     ///! with 3rd party mods that may expect it to be filled
000054 |     eAI_GetPlayers();
000055 |
000056 |     eAIDynamicPatrol.LoadBalancing_Schedule();
000057 |
000058 |     GetExpansionSettings().GetAI().OnPlayerConnected(player, identity);
000059 |
000060 |     if (player.GetGroup())
000061 |         return;
000062 |
000063 |     ///! ToDo: Need to add a setting for that maybe?!
000064 |     string factionName = GetExpansionSettings().GetAI().PlayerFactions.GetRandomElement();
000065 |     if (factionName)
000066 |     {
000067 |         eAIFaction faction = eAIFaction.Create(factionName);
000068 |         if (faction)
000069 |         {
000070 |             if (faction.IsInvincible() || faction.IsObserver() || faction.IsPassive())
000071 |             {
000072 |                 EXError.Warn(player, "Cannot set faction to invincible, observer or passive", {});
000073 |             }
000074 |             else
000075 |             {
000076 |                 EXTrace.Print(EXTrace.AI, player, "Setting faction " + faction.ToString());
000077 |                 eAIGroup group = eAIGroup.GetGroupByLeader(player, true, faction);
000078 |             }
000079 |         }
000080 |     }
000081 | }
000082 |
000083 | override void SyncRespawnModeInfo(PlayerIdentity identity)
000084 | {
000085 |     if (!identity)
000086 |     {
000087 |         EXTrace.Print(EXTrace.AI, this, "SyncRespawnModeInfo - NULL identity - return");
000088 |         return;
000089 |     }
000090 |
000091 |     super.SyncRespawnModeInfo(identity);
000092 | }
000093 |
000094 | override void OnMissionStart()
000095 | {
000096 |     super.OnMissionStart();
000097 |
000098 |     Expansion_CreateAINoGoAreas();
000099 | }
```

```
000100 |
000101 | void Expansion_CreateAINoGoAreas()
000102 | {
000103 |     auto excludedAreas = GetExpansionSettings().GetAILocation().NoGoAreas;
000104 |
000105 |     foreach (auto areaConfig: excludedAreas)
000106 |     {
000107 |         ExpansionAINoGoArea area;
000108 |         if (Class.CastTo(area, g_Game.CreateObjectEx("ExpansionAINoGoArea", areaConfig.Position, ECE_NONE)))
000109 |             area.Expansion_Init(areaConfig);
000110 |     }
000111 | }
000112 |
000113 | override void OnMissionLoaded()
000114 | {
000115 |     super.OnMissionLoaded();
000116 |
000117 |     //! Init patrols late so mapping already loaded
000118 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(ExpansionAIPatrolManager.InitPatrols, 10000, false);
000119 |
000120 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(eAITargetInformation.PurgeCustomAI, 60000, true);
000121 | }
000122 |
000123 | override void PlayerDisconnected( PlayerBase player, PlayerIdentity identity, string uid )
000124 | {
000125 | #ifdef EXTRACE
000126 |     auto trace = EXTrace.Start(EXTrace.AI, this);
000127 | #endif
000128 |
000129 |     super.PlayerDisconnected( player, identity, uid );
000130 |
000131 |     eAI_GetPlayers();
000132 |
000133 |     GetExpansionSettings().GetAI().OnPlayerDisconnected(player, identity, uid);
000134 |
000135 |     if (PlayerBase.Expansion_GetOnlinePlayersCount() == 0)
000136 |         eAIGroup.SaveAllPersistentGroups();
000137 |
000138 |     eAIDynamicPatrol.LoadBalancing_Schedule();
000139 | }
000140 |
000141 | #ifdef EXTRACE_DIAG
000142 | override void TickScheduler(float timeslice)
000143 | {
000144 |     EXTrace trace;
000145 |     if (EXTrace.AI_PROFILE && m_eAI_PlayerConnected)
000146 |         trace = EXTrace.Profile(true, this, "TickScheduler");
000147 |
000148 |     super.TickScheduler(timeslice);
000149 | }
000150 | #endif
000151 |
000152 | override void eAI_GetPlayers()
000153 | {
000154 |     g_Game.GetWorld().GetPlayerList(m_Players);
000155 | }
000156 |
000157 | override void OnMissionFinish()
000158 | {
000159 |     super.OnMissionFinish();
000160 |
000161 |     eAITargetInformation.s_CustomAI.Clear();
```

```
000162 |    }  
000163 | };  
000164 |
```

0264. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/common/dayzexpansion_ai_deferreddefines.c
Size bytes: 182
SHA-256: 0cad9bad734a18f252746f8e93763e47596e5c38140da8a0dde9bc1e419ad05e
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 0
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | //! Defines that depend on other mod's defines and thus need to load late
000002 |
000003 | #ifdef DIAG_DEVELOPER
000004 |     #ifdef EXPANSIONMODNAVIGATION
000005 |         #define EAI_DEBUG_EVENTPATROL
000006 |     #endif
000007 | #endif
000008 |
```

0265. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/config.cpp
Size bytes: 1542
SHA-256: c8c4c2f4c3f8388a78209db8d247b662ef29f1d21eab0732046df8dee95e08c4
Decoded as: utf-8-sig
Line count shown: 77

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_AI_Preload
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]={};
000009 |     };
000010 | };
000011 | class CfgMods
000012 | {
000013 |     class DZ_Expansion_AI_Preload
000014 |     {
000015 |         type="mod";
000016 |         dependencies[]=
000017 |         {
000018 |             "Game",
000019 |             "World",
000020 |             "Mission"
000021 |         };
000022 |         class defs
000023 |         {
000024 |             class engineScriptModule
000025 |             {
000026 |                 files[]=
000027 |                 {
000028 |                     "0_DayZExpansion_AI_Preload/Common",
000029 |                     "0_DayZExpansion_AI_Preload/1_Core",
000030 |                     "DayZExpansion/0_AI_Preload/Common",
000031 |                     "DayZExpansion/0_AI_Preload/1_Core"
000032 |                 };
000033 |             };
000034 |             class gameLibScriptModule
000035 |             {
000036 |                 files[]=
000037 |                 {
000038 |                     "0_DayZExpansion_AI_Preload/Common",
000039 |                     "0_DayZExpansion_AI_Preload/2_GameLib",
000040 |                     "DayZExpansion/0_AI_Preload/Common",
000041 |                     "DayZExpansion/0_AI_Preload/2_GameLib"
000042 |                 };
000043 |             };
000044 |             class gameScriptModule
000045 |             {
000046 |                 files[]=
000047 |                 {
000048 |                     "0_DayZExpansion_AI_Preload/Common",
000049 |                     "0_DayZExpansion_AI_Preload/3_Game",
000050 |                     "DayZExpansion/0_AI_Preload/Common",
000051 |                     "DayZExpansion/0_AI_Preload/3_Game"
```

```
000052 |         };
000053 |     };
000054 |     class worldScriptModule
000055 |     {
000056 |         files[]=
000057 |         {
000058 |             "0_DayZExpansion_AI_Preload/Common",
000059 |             "0_DayZExpansion_AI_Preload/4_World",
000060 |             "DayZExpansion/0_AI_Preload/Common",
000061 |             "DayZExpansion/0_AI_Preload/4_World"
000062 |         };
000063 |     };
000064 |     class missionScriptModule
000065 |     {
000066 |         files[]=
000067 |         {
000068 |             "0_DayZExpansion_AI_Preload/Common",
000069 |             "0_DayZExpansion_AI_Preload/5_Mission",
000070 |             "DayZExpansion/0_AI_Preload/Common",
000071 |             "DayZExpansion/0_AI_Preload/5_Mission"
000072 |         };
000073 |     };
000074 | };
000075 | };
000076 | };
000077 |
```

0266. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/config.cpp
Size bytes: 5923
SHA-256: cba08553e96d0f52ac74779899d7bbe80e9d2c3176d776f8d92e356e5e899d89
Decoded as: utf-8-sig
Line count shown: 268

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_AI_Animations
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]=
000009 |         {
000010 |             "DZ_Anims_AnM_Player",
000011 |             "DZ_Anims_Cfg",
000012 |             "DZ_Characters"
000013 |         };
000014 |     };
000015 | };
000016 | class CfgVehicles
000017 | {
000018 |     class enfAnimSys;
000019 |     class SurvivorM_Mirek;
000020 |     class SurvivorM_Denis;
000021 |     class SurvivorM_Boris;
000022 |     class SurvivorM_Cyril;
000023 |     class SurvivorM_Elias;
000024 |     class SurvivorM_Francis;
000025 |     class SurvivorM_Guo;
000026 |     class SurvivorM_Hassan;
000027 |     class SurvivorM_Indar;
000028 |     class SurvivorM_Jose;
000029 |     class SurvivorM_Kaito;
000030 |     class SurvivorM_Lewis;
000031 |     class SurvivorM_Manua;
000032 |     class SurvivorM_Niki;
000033 |     class SurvivorM_Oliver;
000034 |     class SurvivorM_Peter;
000035 |     class SurvivorM_Quinn;
000036 |     class SurvivorM_Rolf;
000037 |     class SurvivorM_Seth;
000038 |     class SurvivorM-Taiki;
000039 |     class SurvivorF_Linda;
000040 |     class SurvivorF_Maria;
000041 |     class SurvivorF_Frida;
000042 |     class SurvivorF_Gabi;
000043 |     class SurvivorF_Helga;
000044 |     class SurvivorF_Irena;
000045 |     class SurvivorF_Judy;
000046 |     class SurvivorF_Keiko;
000047 |     class SurvivorF_Eva;
000048 |     class SurvivorF_Naomi;
000049 |     class SurvivorF_Baty;
000050 |     class eAI_SurvivorM_Mirek: SurvivorM_Mirek
000051 |     {
```



```
000052 |         class enfAnimSys: enfAnimSys
000053 |         {
000054 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000055 |         };
000056 |     };
000057 |     class eAI_SurvivorM_Denis: SurvivorM_Denis
000058 |     {
000059 |         class enfAnimSys: enfAnimSys
000060 |         {
000061 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000062 |         };
000063 |     };
000064 |     class eAI_SurvivorM_Boris: SurvivorM_Boris
000065 |     {
000066 |         class enfAnimSys: enfAnimSys
000067 |         {
000068 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000069 |         };
000070 |     };
000071 |     class eAI_SurvivorM_Cyril: SurvivorM_Cyril
000072 |     {
000073 |         class enfAnimSys: enfAnimSys
000074 |         {
000075 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000076 |         };
000077 |     };
000078 |     class eAI_SurvivorM_Elias: SurvivorM_Elias
000079 |     {
000080 |         class enfAnimSys: enfAnimSys
000081 |         {
000082 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000083 |         };
000084 |     };
000085 |     class eAI_SurvivorM_Francis: SurvivorM_Francis
000086 |     {
000087 |         class enfAnimSys: enfAnimSys
000088 |         {
000089 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000090 |         };
000091 |     };
000092 |     class eAI_SurvivorM_Guo: SurvivorM_Guo
000093 |     {
000094 |         class enfAnimSys: enfAnimSys
000095 |         {
000096 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000097 |         };
000098 |     };
000099 |     class eAI_SurvivorM_Hassan: SurvivorM_Hassan
000100 |     {
000101 |         class enfAnimSys: enfAnimSys
000102 |         {
000103 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000104 |         };
000105 |     };
000106 |     class eAI_SurvivorM_Indar: SurvivorM_Indar
000107 |     {
000108 |         class enfAnimSys: enfAnimSys
000109 |         {
000110 |             graphName="DayZExpansion\AI\Animations\player_main.agr";
000111 |         };
000112 |     };
000113 |     class eAI_SurvivorM_Jose: SurvivorM_Jose
```

```
000114 | {
000115 |     class enfAnimSys: enfAnimSys
000116 |     {
000117 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000118 |     };
000119 | };
000120 | class eAI_SurvivorM_Kaito: SurvivorM_Kaito
000121 | {
000122 |     class enfAnimSys: enfAnimSys
000123 |     {
000124 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000125 |     };
000126 | };
000127 | class eAI_SurvivorM_Lewis: SurvivorM_Lewis
000128 | {
000129 |     class enfAnimSys: enfAnimSys
000130 |     {
000131 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000132 |     };
000133 | };
000134 | class eAI_SurvivorM_Manua: SurvivorM_Manua
000135 | {
000136 |     class enfAnimSys: enfAnimSys
000137 |     {
000138 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000139 |     };
000140 | };
000141 | class eAI_SurvivorM_Niki: SurvivorM_Niki
000142 | {
000143 |     class enfAnimSys: enfAnimSys
000144 |     {
000145 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000146 |     };
000147 | };
000148 | class eAI_SurvivorM_Oliver: SurvivorM_Oliver
000149 | {
000150 |     class enfAnimSys: enfAnimSys
000151 |     {
000152 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000153 |     };
000154 | };
000155 | class eAI_SurvivorM_Peter: SurvivorM_Peter
000156 | {
000157 |     class enfAnimSys: enfAnimSys
000158 |     {
000159 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000160 |     };
000161 | };
000162 | class eAI_SurvivorM_Quinn: SurvivorM_Quinn
000163 | {
000164 |     class enfAnimSys: enfAnimSys
000165 |     {
000166 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000167 |     };
000168 | };
000169 | class eAI_SurvivorM_Rolf: SurvivorM_Rolf
000170 | {
000171 |     class enfAnimSys: enfAnimSys
000172 |     {
000173 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000174 |     };
000175 | };
```

```
000176 | class eAI_SurvivorM_Seth: SurvivorM_Seth
000177 | {
000178 |     class enfAnimSys: enfAnimSys
000179 |     {
000180 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000181 |     };
000182 | };
000183 | class eAI_SurvivorM-Taiki: SurvivorM-Taiki
000184 | {
000185 |     class enfAnimSys: enfAnimSys
000186 |     {
000187 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000188 |     };
000189 | };
000190 | class eAI_SurvivorF_Linda: SurvivorF_Linda
000191 | {
000192 |     class enfAnimSys: enfAnimSys
000193 |     {
000194 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000195 |     };
000196 | };
000197 | class eAI_SurvivorF_Maria: SurvivorF_Maria
000198 | {
000199 |     class enfAnimSys: enfAnimSys
000200 |     {
000201 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000202 |     };
000203 | };
000204 | class eAI_SurvivorF_Frida: SurvivorF_Frida
000205 | {
000206 |     class enfAnimSys: enfAnimSys
000207 |     {
000208 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000209 |     };
000210 | };
000211 | class eAI_SurvivorF_Gabi: SurvivorF_Gabi
000212 | {
000213 |     class enfAnimSys: enfAnimSys
000214 |     {
000215 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000216 |     };
000217 | };
000218 | class eAI_SurvivorF_Helga: SurvivorF_Helga
000219 | {
000220 |     class enfAnimSys: enfAnimSys
000221 |     {
000222 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000223 |     };
000224 | };
000225 | class eAI_SurvivorF_Irena: SurvivorF_Irena
000226 | {
000227 |     class enfAnimSys: enfAnimSys
000228 |     {
000229 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000230 |     };
000231 | };
000232 | class eAI_SurvivorF_Judy: SurvivorF_Judy
000233 | {
000234 |     class enfAnimSys: enfAnimSys
000235 |     {
000236 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000237 |     };
000237 | };
```

```
000238 | };
000239 | class eAI_SurvivorF_Keiko: SurvivorF_Keiko
000240 | {
000241 |     class enfAnimSys: enfAnimSys
000242 |     {
000243 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000244 |     };
000245 | };
000246 | class eAI_SurvivorF_Eva: SurvivorF_Eva
000247 | {
000248 |     class enfAnimSys: enfAnimSys
000249 |     {
000250 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000251 |     };
000252 | };
000253 | class eAI_SurvivorF_Naomi: SurvivorF_Naomi
000254 | {
000255 |     class enfAnimSys: enfAnimSys
000256 |     {
000257 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000258 |     };
000259 | };
000260 | class eAI_SurvivorF_Baty: SurvivorF_Baty
000261 | {
000262 |     class enfAnimSys: enfAnimSys
000263 |     {
000264 |         graphName="DayZExpansion\AI\Animations\player_main.agr";
000265 |     };
000266 | };
000267 | };
000268 |
```

0267. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/DebugWeapons/config.cpp
Size bytes: 5074
SHA-256: c44e124fc87147e0f58b179b5f07d0a334def891a29219d6b7d707903329869b
Decoded as: utf-8-sig
Line count shown: 248

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DZ_Expansion_AI_Weapons_Debug
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]=
000009 |         {
000010 |             "DZ_Weapons_Ammunition",
000011 |             "DZ_Weapons_Firearms",
000012 |             "DZ_Weapons_Firearms_AKM",
000013 |             "DZ_Weapons_Magazines",
000014 |             "DZ_Weapons_Melee",
000015 |             "DZ_Weapons_Projectiles"
000016 |         };
000017 |     };
000018 | };
000019 | class CfgAmmoTypes
000020 | {
000021 |     class AType_Bullet_762x39Tracer_eAI_Debug
000022 |     {
000023 |         name="Bullet_762x39Tracer_eAI_Debug";
000024 |     };
000025 | };
000026 | class CfgAmmo
000027 | {
000028 |     class Bullet_762x39Tracer;
000029 |     class MeleeFist_Heavy;
000030 |     class Bullet_762x39Tracer_eAI_Debug: Bullet_762x39Tracer
000031 |     {
000032 |         spawnPileType="Ammo_762x39Tracer_eAI_Debug";
000033 |         damageBarrel=0;
000034 |         damageBarrelDestroyed=0;
000035 |         class DamageApplied
000036 |         {
000037 |             type="Projectile";
000038 |             dispersion=0;
000039 |             bleedThreshold=0;
000040 |             class Health
000041 |             {
000042 |                 damage=0;
000043 |             };
000044 |             class Blood
000045 |             {
000046 |                 damage=0;
000047 |             };
000048 |             class Shock
000049 |             {
000050 |                 damage=1;
000051 |             };
```

```
000052 |     };
000053 | };
000054 | class MeleeShoryuken: MeleeFist_Heavy
000055 | {
000056 | };
000057 | };
000058 | class CfgMagazines
000059 | {
000060 |     class Ammo_762x39Tracer;
000061 |     class Mag_AKM_Drum75Rnd;
000062 |     class Ammo_762x39Tracer_eAI_Debug: Ammo_762x39Tracer
000063 |     {
000064 |         scope=2;
000065 |         displayName="Expansion AI Debug AKM Tracer Ammo";
000066 |         descriptionShort="Special ammo that does no health damage.";
000067 |         ammo="Bullet_762x39Tracer_eAI_Debug";
000068 |     };
000069 |     class Mag_AKM_Drum_eAI_Debug: Mag_AKM_Drum75Rnd
000070 |     {
000071 |         scope=2;
000072 |         displayName="Expansion AI Debug AKM Mag";
000073 |         descriptionShort="Uses special ammo that does no health damage.";
000074 |         ammo="Bullet_762x39Tracer_eAI_Debug";
000075 |         ammoItems[]=
000076 |         {
000077 |             "Ammo_762x39Tracer_eAI_Debug"
000078 |         };
000079 |     };
000080 | };
000081 | class CfgWeapons
000082 | {
000083 |     class AKM_Base;
000084 |     class AKM_eAI_Debug: AKM_Base
000085 |     {
000086 |         scope=2;
000087 |         displayName="Expansion AI Debug AKM";
000088 |         descriptionShort="Uses special ammo that does no health damage.";
000089 |         model="\dz\weapons\firearms\AKM\AKM.p3d";
000090 |         attachments[]=
000091 |         {
000092 |             "weaponButtstockAK",
000093 |             "WeaponHandguardAK",
000094 |             "weaponWrap",
000095 |             "weaponOpticsAK",
000096 |             "weaponFlashlight",
000097 |             "weaponMuzzleAK",
000098 |             "weaponBayonetAK"
000099 |         };
000100 |         itemSize[]={8,3};
000101 |         hiddenSelectionsTextures[]=
000102 |         {
000103 |             "dz\weapons\firearms\AKM\data\akm_co.paa"
000104 |         };
000105 |         hiddenSelectionsMaterials[]=
000106 |         {
000107 |             "dz\weapons\firearms\AKM\data\AKM.rvmat"
000108 |         };
000109 |         chamberableFrom[]=
000110 |         {
000111 |             "Ammo_762x39Tracer_eAI_Debug"
000112 |         };
000113 |         magazines[]=
```

```
000114 | {
000115 |     "Mag_AKM_Drum_eAI_Debug"
000116 | };
000117 | class Particles
000118 | {
000119 |     class OnFire
000120 |     {
000121 |         class SmokeCloud
000122 |         {
000123 |             overrideParticle="weapon_shot_winded_smoke";
000124 |         };
000125 |         class MuzzleFlash
000126 |         {
000127 |             overrideParticle="weapon_shot_akm_01";
000128 |             ignoreIfSuppressed=1;
000129 |             illuminateWorld=1;
000130 |             positionOffset[]={-0.050000001,0,0};
000131 |         };
000132 |         class ChamberSmokeBurst
000133 |         {
000134 |             overrideParticle="weapon_shot_chamber_smoke";
000135 |             overridePoint="Nabojnicestart";
000136 |             overrideDirectionPoint="Nabojniceend";
000137 |         };
000138 |     };
000139 |     class OnOverheating
000140 |     {
000141 |         maxOverheatingValue=60;
000142 |         shotsToStartOverheating=25;
000143 |         overheatingDecayInterval=1;
000144 |         class SmokingBarrel1
000145 |         {
000146 |             overrideParticle="smoking_barrel_small";
000147 |             onlyWithinOverheatLimits[]={0,0.5};
000148 |             positionOffset[]={0.1,0,0};
000149 |             onlyWithinRainLimits[]={0,0.2};
000150 |         };
000151 |         class SmokingBarrelHot1
000152 |         {
000153 |             overrideParticle="smoking_barrel";
000154 |             onlyWithinOverheatLimits[]={0.5,0.80000001};
000155 |             positionOffset[]={0.1,0,0};
000156 |             onlyWithinRainLimits[]={0,0.2};
000157 |         };
000158 |         class SmokingBarrelHot3
000159 |         {
000160 |             overrideParticle="smoking_barrel_heavy";
000161 |             onlyWithinOverheatLimits[]={0.80000001,1};
000162 |             positionOffset[]={0.1,0,0};
000163 |             onlyWithinRainLimits[]={0,0.2};
000164 |         };
000165 |         class SmokingBarrelHotSteamSmall
000166 |         {
000167 |             overrideParticle="smoking_barrel_steam_small";
000168 |             positionOffset[]={0.30000001,0,0};
000169 |             onlyWithinRainLimits[]={0.2,0.5};
000170 |         };
000171 |         class SmokingBarrelHotSteam
000172 |         {
000173 |             overrideParticle="smoking_barrel_steam";
000174 |             positionOffset[]={0.30000001,0,0};
000175 |             onlyWithinRainLimits[]={0.5,1};
```

```
000176 |         };
000177 |         class OpenChamberSmoke
000178 |         {
000179 |             onlyIfBoltIsOpen=1;
000180 |             overrideParticle="smoking_barrel_small";
000181 |             overridePoint="Nabojnicestart";
000182 |         };
000183 |     };
000184 |     class OnBulletCasingEject
000185 |     {
000186 |         class ChamberSmokeRaise
000187 |         {
000188 |             overrideParticle="weapon_shot_chamber_smoke_raise";
000189 |             overridePoint="Nabojnicestart";
000190 |         };
000191 |     };
000192 | };
000193 | class DamageSystem
000194 | {
000195 |     class GlobalHealth
000196 |     {
000197 |         class Health
000198 |         {
000199 |             hitpoints=300;
000200 |             healthLevels[]=
000201 |             {
000202 |
000203 |                 {
000204 |                     1,
000205 |
000206 |                     {
000207 |                         "DZ\weapons\firearms\AKM\data\AKM.rvmat"
000208 |                     }
000209 |                 },
000210 |
000211 |                 {
000212 |                     0.69999999,
000213 |
000214 |                     {
000215 |                         "DZ\weapons\firearms\AKM\data\AKM.rvmat"
000216 |                     }
000217 |                 },
000218 |
000219 |                 {
000220 |                     0.5,
000221 |
000222 |                     {
000223 |                         "DZ\weapons\firearms\AKM\data\AKM_damage.rvmat"
000224 |                     }
000225 |                 },
000226 |
000227 |                 {
000228 |                     0.30000001,
000229 |
000230 |                     {
000231 |                         "DZ\weapons\firearms\AKM\data\AKM_damage.rvmat"
000232 |                     }
000233 |                 },
000234 |
000235 |                 {
000236 |                     0,
000237 |
```



```
000238 | {
000239 | "DZ\weapons\firearms\AKM\data\AKM_destruct.rvmat"
000240 | }
000241 | }
000242 | };
000243 | };
000244 | };
000245 | };
000246 | };
000247 | };
000248 |
```

0268. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Gear/config.cpp
Size bytes: 2491
SHA-256: 7f9f3d75dade285cac582e6cb51513bb2b8f7c4a0877e67f0b434c21adb34f2d
Decoded as: utf-8-sig
Line count shown: 121

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_AI_Gear
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]=
000009 |         {
000010 |             "DZ_Characters_Headgear",
000011 |             "DZ_Characters_Vests"
000012 |         };
000013 |     };
000014 | };
000015 | class CfgVehicles
000016 | {
000017 |     class GorkaHelmet;
000018 |     class PlateCarrierVest;
000019 |     class PressVest_ColorBase;
000020 |     class DamageSystem;
000021 |     class GlobalHealth;
000022 |     class Health;
000023 |     class Expansion_GorkaHelmet_Yeet: GorkaHelmet
000024 |     {
000025 |         scope=2;
000026 |         visibilityModifier=0.69999999;
000027 |         color="Black";
000028 |         lootCategory="Crafted";
000029 |         hiddenSelectionsTextures[]=
000030 |         {
000031 |             "\DayZExpansion\AI\Gear\Data\maska_yeet_co.paa",
000032 |             "\DayZExpansion\AI\Gear\Data\maska_yeet_co.paa",
000033 |             "\DayZExpansion\AI\Gear\Data\maska_yeet_co.paa"
000034 |         };
000035 |     };
000036 |     class Expansion_PlateCarrierVest_Yeet: PlateCarrierVest
000037 |     {
000038 |         hiddenSelections[]=
000039 |         {
000040 |             "camoGround",
000041 |             "camoMale",
000042 |             "camoFemale"
000043 |         };
000044 |         hiddenSelectionsTextures[]=
000045 |         {
000046 |             "\DayZExpansion\AI\Gear\Data\BallisticVest_Yeet_co.paa",
000047 |             "\DayZExpansion\AI\Gear\Data\BallisticVest_Yeet_co.paa",
000048 |             "\DayZExpansion\AI\Gear\Data\BallisticVest_Yeet_co.paa"
000049 |         };
000050 |     };
000051 |     class Expansion_PressVest_Blue_Yeet: PressVest_ColorBase
```

```
000052 | {
000053 |     scope=2;
000054 |     visibilityModifier=0.94999999;
000055 |     hiddenSelectionsTextures[]=
000056 |     {
000057 |         "\DayZExpansion\AI\Gear\Data\PressVest_Blue_Yeet_co.paa",
000058 |         "\DayZExpansion\AI\Gear\Data\PressVest_Blue_Yeet_co.paa",
000059 |         "\DayZExpansion\AI\Gear\Data\PressVest_Blue_Yeet_co.paa"
000060 |     };
000061 |     hiddenSelectionsMaterials[]=
000062 |     {
000063 |         "DayZExpansion\AI\Gear\Data\pressvest_yeet.rvmat",
000064 |         "DayZExpansion\AI\Gear\Data\pressvest_yeet.rvmat",
000065 |         "DayZExpansion\AI\Gear\Data\pressvest_yeet.rvmat"
000066 |     };
000067 |     class DamageSystem: DamageSystem
000068 |     {
000069 |         class GlobalHealth: GlobalHealth
000070 |         {
000071 |             class Health: Health
000072 |             {
000073 |                 healthLevels[]=
000074 |                 {
000075 |                     {
000076 |                         1,
000077 |                         {
000078 |                             "DayZExpansion\AI\Gear\Data\pressvest_yeet.rvmat"
000079 |                         }
000080 |                     },
000081 |                     {
000082 |                         0.69999999,
000083 |                         {
000084 |                             "DayZExpansion\AI\Gear\Data\pressvest_yeet.rvmat"
000085 |                         }
000086 |                     },
000087 |                     {
000088 |                         0.5,
000089 |                         {
000090 |                             "DayZExpansion\AI\Gear\Data\pressvest_yeet_damage.rvmat"
000091 |                         }
000092 |                     },
000093 |                     {
000094 |                         0.30000001,
000095 |                         {
000096 |                             "DayZExpansion\AI\Gear\Data\pressvest_yeet_damage.rvmat"
000097 |                         }
000098 |                     },
000099 |                     {
000100 |                         0,
000101 |                         {
000102 |                             "DayZExpansion\AI\Gear\Data\pressvest_yeet_destruct.rvmat"
000103 |                         }
000104 |                     },
000105 |                     {
000106 |                         "DayZExpansion\AI\Gear\Data\pressvest_yeet_destruct.rvmat"
000107 |                     }
000108 |                 }
000109 |             }
000110 |         }
000111 |     }
000112 | }
000113 | }
```

```
000114 |  
000115 |  
000116 |  
000117 |  
000118 |  
000119 |  
000120 |  
000121 |
```

0269. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/config.cpp

Size bytes: 165

SHA-256: 4eff5bf18c4126a8de389402f386a6bf6735fc7d2e837dd81eab42d2c96a21cf

Decoded as: utf-8-sig

Line count shown: 14

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_AI_GUI
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]=
000009 |         {
000010 |             "DZ_Data"
000011 |         };
000012 |     };
000013 | };
000014 |
```

0270. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Particles/config.cpp
Size bytes: 149
SHA-256: 929ad6343f5470e780190665884cb6fbe2c813f55d1d35d6539e2783f04fd04b
Decoded as: utf-8-sig
Line count shown: 11

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_AI_Particles
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]={};
000009 |     };
000010 | };
000011 |
```

0271. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/config.cpp
Size bytes: 4620
SHA-256: 8b7ead2e0cb35e70c19e7fe6093fa39cd2b52ad0d7a70a7583051fe4d03d7189
Decoded as: utf-8-sig
Line count shown: 253

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_AI_Scripts
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]=
000009 |         {
000010 |             "DZ_Characters",
000011 |             "DayZExpansion_Core_Scripts"
000012 |         };
000013 |     };
000014 | };
000015 | class CfgMods
000016 | {
000017 |     class DZ_Expansion_AI
000018 |     {
000019 |         dir="DayZExpansion/AI";
000020 |         picture="set:expansion_mod_imageset image:mod_ai";
000021 |         logo="set:expansion_mod_imageset image:mod_ai";
000022 |         logoSmall="set:expansion_mod_imageset image:mod_ai";
000023 |         logoOver="set:expansion_mod_imageset image:mod_ai";
000024 |         action="";
000025 |         hideName=0;
000026 |         hidePicture=0;
000027 |         name="DayZ Expansion - AI";
000028 |         credits="Enfusion AI and DayZ Expansion";
000029 |         author="Enfusion AI and DayZ Expansion";
000030 |         authorID="";
000031 |         version="0.1";
000032 |         extra=0;
000033 |         type="mod";
000034 |         inputs="DayZExpansion/AI/Scripts/inputs.xml";
000035 |         dependencies[]=
000036 |         {
000037 |             "Game",
000038 |             "World",
000039 |             "Mission"
000040 |         };
000041 |         defines[]=
000042 |         {
000043 |             "EXPANSIONAI_ONFACTIONCHANGE"
000044 |         };
000045 |         class defs
000046 |         {
000047 |             class engineScriptModule
000048 |             {
000049 |                 files[]=
000050 |                 {
000051 |                     "DayZExpansion/AI/Scripts/Common",
```

```
000052 |         "DayZExpansion/AI/Scripts/1_Core"
000053 |     };
000054 | };
000055 | class gameLibScriptModule
000056 | {
000057 |     files[]=
000058 |     {
000059 |         "DayZExpansion/AI/Scripts/Common",
000060 |         "DayZExpansion/AI/Scripts/2_GameLib"
000061 |     };
000062 | };
000063 | class gameScriptModule
000064 | {
000065 |     files[]=
000066 |     {
000067 |         "DayZExpansion/AI/Scripts/Common",
000068 |         "DayZExpansion/AI/Scripts/3_Game"
000069 |     };
000070 | };
000071 | class worldScriptModule
000072 | {
000073 |     files[]=
000074 |     {
000075 |         "DayZExpansion/AI/Scripts/Common",
000076 |         "DayZExpansion/AI/Scripts/4_World"
000077 |     };
000078 | };
000079 | class missionScriptModule
000080 | {
000081 |     files[]=
000082 |     {
000083 |         "DayZExpansion/AI/Scripts/Common",
000084 |         "DayZExpansion/AI/Scripts/5_Mission"
000085 |     };
000086 | };
000087 | };
000088 | };
000089 | };
000090 | class CfgVehicles
000091 | {
000092 |     class enfAnimSys;
000093 |     class SurvivorM_Mirek;
000094 |     class SurvivorM_Denis;
000095 |     class SurvivorM_Boris;
000096 |     class SurvivorM_Cyril;
000097 |     class SurvivorM_Elias;
000098 |     class SurvivorM_Francis;
000099 |     class SurvivorM_Guo;
000100 |     class SurvivorM_Hassan;
000101 |     class SurvivorM_Indar;
000102 |     class SurvivorM_Jose;
000103 |     class SurvivorM_Kaito;
000104 |     class SurvivorM_Lewis;
000105 |     class SurvivorM_Manua;
000106 |     class SurvivorM_Niki;
000107 |     class SurvivorM_Oliver;
000108 |     class SurvivorM_Peter;
000109 |     class SurvivorM_Quinn;
000110 |     class SurvivorM_Rolf;
000111 |     class SurvivorM_Seth;
000112 |     class SurvivorM-Taiki;
000113 |     class SurvivorF_Linda;
```



```
000114 | class SurvivorF_Maria;
000115 | class SurvivorF_Frida;
000116 | class SurvivorF_Gabi;
000117 | class SurvivorF_Helga;
000118 | class SurvivorF_Irena;
000119 | class SurvivorF_Judy;
000120 | class SurvivorF_Keiko;
000121 | class SurvivorF_Eva;
000122 | class SurvivorF_Naomi;
000123 | class SurvivorF_Baty;
000124 | class eAI_SurvivorM_Mirek: SurvivorM_Mirek
000125 | {
000126 |     scope=2;
000127 | };
000128 | class eAI_SurvivorM_Denis: SurvivorM_Denis
000129 | {
000130 |     scope=2;
000131 | };
000132 | class eAI_SurvivorM_Boris: SurvivorM_Boris
000133 | {
000134 |     scope=2;
000135 | };
000136 | class eAI_SurvivorM_Cyril: SurvivorM_Cyril
000137 | {
000138 |     scope=2;
000139 | };
000140 | class eAI_SurvivorM_Elias: SurvivorM_Elias
000141 | {
000142 |     scope=2;
000143 | };
000144 | class eAI_SurvivorM_Francis: SurvivorM_Francis
000145 | {
000146 |     scope=2;
000147 | };
000148 | class eAI_SurvivorM_Guo: SurvivorM_Guo
000149 | {
000150 |     scope=2;
000151 | };
000152 | class eAI_SurvivorM_Hassan: SurvivorM_Hassan
000153 | {
000154 |     scope=2;
000155 | };
000156 | class eAI_SurvivorM_Indar: SurvivorM_Indar
000157 | {
000158 |     scope=2;
000159 | };
000160 | class eAI_SurvivorM_Jose: SurvivorM_Jose
000161 | {
000162 |     scope=2;
000163 | };
000164 | class eAI_SurvivorM_Kaito: SurvivorM_Kaito
000165 | {
000166 |     scope=2;
000167 | };
000168 | class eAI_SurvivorM_Lewis: SurvivorM_Lewis
000169 | {
000170 |     scope=2;
000171 | };
000172 | class eAI_SurvivorM_Manua: SurvivorM_Manua
000173 | {
000174 |     scope=2;
000175 | };
```

```
000176 | class eAI_SurvivorM_Niki: SurvivorM_Niki
000177 | {
000178 |     scope=2;
000179 | };
000180 | class eAI_SurvivorM_Oliver: SurvivorM_Oliver
000181 | {
000182 |     scope=2;
000183 | };
000184 | class eAI_SurvivorM_Peter: SurvivorM_Peter
000185 | {
000186 |     scope=2;
000187 | };
000188 | class eAI_SurvivorM_Quinn: SurvivorM_Quinn
000189 | {
000190 |     scope=2;
000191 | };
000192 | class eAI_SurvivorM_Rolf: SurvivorM_Rolf
000193 | {
000194 |     scope=2;
000195 | };
000196 | class eAI_SurvivorM_Seth: SurvivorM_Seth
000197 | {
000198 |     scope=2;
000199 | };
000200 | class eAI_SurvivorM-Taiki: SurvivorM-Taiki
000201 | {
000202 |     scope=2;
000203 | };
000204 | class eAI_SurvivorF_Linda: SurvivorF_Linda
000205 | {
000206 |     scope=2;
000207 | };
000208 | class eAI_SurvivorF_Maria: SurvivorF_Maria
000209 | {
000210 |     scope=2;
000211 | };
000212 | class eAI_SurvivorF_Frida: SurvivorF_Frida
000213 | {
000214 |     scope=2;
000215 | };
000216 | class eAI_SurvivorF_Gabi: SurvivorF_Gabi
000217 | {
000218 |     scope=2;
000219 | };
000220 | class eAI_SurvivorF_Helga: SurvivorF_Helga
000221 | {
000222 |     scope=2;
000223 | };
000224 | class eAI_SurvivorF_Irena: SurvivorF_Irena
000225 | {
000226 |     scope=2;
000227 | };
000228 | class eAI_SurvivorF_Judy: SurvivorF_Judy
000229 | {
000230 |     scope=2;
000231 | };
000232 | class eAI_SurvivorF_Keiko: SurvivorF_Keiko
000233 | {
000234 |     scope=2;
000235 | };
000236 | class eAI_SurvivorF_Eva: SurvivorF_Eva
000237 | {
```

```
000238 |         scope=2;
000239 |     };
000240 |     class eAI_SurvivorF_Naomi: SurvivorF_Naomi
000241 |     {
000242 |         scope=2;
000243 |     };
000244 |     class eAI_SurvivorF_Baty: SurvivorF_Baty
000245 |     {
000246 |         scope=2;
000247 |     };
000248 |     class eAIDummy_SurvivorM_Mirek: SurvivorM_Mirek
000249 |     {
000250 |         scope=2;
000251 |     };
000252 | };
000253 |
```

0272. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Sounds/config.cpp
Size bytes: 7281
SHA-256: 4fe92fe03cdbf2b2c1213c69c87d9dbc3271ef101c0d162a666ea5441be733e6
Decoded as: utf-8-sig
Line count shown: 421

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_Sounds_AI
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]=
000009 |         {
000010 |             "DZ_Sounds_Effects"
000011 |         };
000012 |     };
000013 | };
000014 | class CfgSoundShaders
000015 | {
000016 |     class baseCharacter_SoundShader;
000017 |     class Expansion_AI_The_Sound_Of_Love_01_SoundShader: baseCharacter_SoundShader
000018 |     {
000019 |         samples[]=
000020 |         {
000021 |
000022 |             {
000023 |                 "\DayZExpansion\AI\Sounds\The_Sound_Of_Love_01",
000024 |                 1
000025 |             }
000026 |         };
000027 |         volume=1;
000028 |     };
000029 |     class Expansion_AI_The_Sound_Of_Love_02_SoundShader: baseCharacter_SoundShader
000030 |     {
000031 |         samples[]=
000032 |         {
000033 |
000034 |             {
000035 |                 "\DayZExpansion\AI\Sounds\The_Sound_Of_Love_02",
000036 |                 1
000037 |             }
000038 |         };
000039 |         volume=1;
000040 |     };
000041 |     class Expansion_AI_Female_0_SoundShader: baseCharacter_SoundShader
000042 |     {
000043 |         samples[]=
000044 |         {
000045 |
000046 |             {
000047 |                 "\DayZExpansion\AI\Sounds\o",
000048 |                 1
000049 |             }
000050 |         };
000051 |         volume=1;
```

```
000052 | };
000053 | class Expansion_AI_Female_1_SoundShader: baseCharacter_SoundShader
000054 | {
000055 |     samples[]=
000056 |     {
000057 |         {
000058 |             "\DayZExpansion\AI\Sounds\1",
000059 |             1
000060 |         }
000061 |     };
000062 |     volume=1;
000063 | };
000064 | class Expansion_AI_Female_2_SoundShader: baseCharacter_SoundShader
000065 | {
000066 |     samples[]=
000067 |     {
000068 |         {
000069 |             "\DayZExpansion\AI\Sounds\2",
000070 |             1
000071 |         }
000072 |     };
000073 |     volume=1;
000074 | };
000075 | class Expansion_AI_Female_3_SoundShader: baseCharacter_SoundShader
000076 | {
000077 |     samples[]=
000078 |     {
000079 |         {
000080 |             "\DayZExpansion\AI\Sounds\3",
000081 |             1
000082 |         }
000083 |     };
000084 |     volume=1;
000085 | };
000086 | class Expansion_AI_Female_4_SoundShader: baseCharacter_SoundShader
000087 | {
000088 |     samples[]=
000089 |     {
000090 |         {
000091 |             "\DayZExpansion\AI\Sounds\4",
000092 |             1
000093 |         }
000094 |     };
000095 |     volume=1;
000096 | };
000097 | class Expansion_AI_Female_5_SoundShader: baseCharacter_SoundShader
000098 | {
000099 |     samples[]=
000100 |     {
000101 |         {
000102 |             "\DayZExpansion\AI\Sounds\5",
000103 |             1
000104 |         }
000105 |     };
000106 |     volume=1;
000107 | };
000108 | class Expansion_AI_Female_6_SoundShader: baseCharacter_SoundShader
```

```
000114 | {
000115 |     samples[]=
000116 |     {
000117 |     {
000118 |         "\DayZExpansion\AI\Sounds\6",
000119 |         1
000120 |     }
000121 |     };
000122 |     volume=1;
000123 | };
000124 | class Expansion_AI_Female_7_SoundShader: baseCharacter_SoundShader
000125 | {
000126 |     samples[]=
000127 |     {
000128 |     {
000129 |         "\DayZExpansion\AI\Sounds\7",
000130 |         1
000131 |     }
000132 |     };
000133 |     volume=1;
000134 | };
000135 | class Expansion_AI_Female_8_SoundShader: baseCharacter_SoundShader
000136 | {
000137 |     samples[]=
000138 |     {
000139 |     {
000140 |         "\DayZExpansion\AI\Sounds\8",
000141 |         1
000142 |     }
000143 |     };
000144 |     volume=1;
000145 | };
000146 | class Expansion_AI_Female_9_SoundShader: baseCharacter_SoundShader
000147 | {
000148 |     samples[]=
000149 |     {
000150 |     {
000151 |         "\DayZExpansion\AI\Sounds\9",
000152 |         1
000153 |     }
000154 |     };
000155 |     volume=1;
000156 | };
000157 | class Expansion_AI_Female_i_can_see_SoundShader: baseCharacter_SoundShader
000158 | {
000159 |     samples[]=
000160 |     {
000161 |     {
000162 |         "\DayZExpansion\AI\Sounds\i_can_see",
000163 |         1
000164 |     }
000165 |     };
000166 |     volume=1;
000167 | };
000168 | class Expansion_AI_Female_hundred_SoundShader: baseCharacter_SoundShader
000169 | {
000170 |     samples[]=
```

```
000176 |     {
000177 |
000178 |         {
000179 |             "\DayZExpansion\AI\Sounds\hundred",
000180 |             1
000181 |         }
000182 |     };
000183 |     volume=1;
000184 | };
000185 | class Expansion_AI_Female_jack_shit_SoundShader: baseCharacter_SoundShader
000186 | {
000187 |     samples[]=
000188 |     {
000189 |
000190 |         {
000191 |             "\DayZExpansion\AI\Sounds\jack_shit",
000192 |             1
000193 |         }
000194 |     };
000195 |     volume=1;
000196 | };
000197 | class Expansion_AI_Female_meters_SoundShader: baseCharacter_SoundShader
000198 | {
000199 |     samples[]=
000200 |     {
000201 |
000202 |         {
000203 |             "\DayZExpansion\AI\Sounds\meters",
000204 |             1
000205 |         }
000206 |     };
000207 |     volume=1;
000208 | };
000209 | class Expansion_AI_Female_thousand_SoundShader: baseCharacter_SoundShader
000210 | {
000211 |     samples[]=
000212 |     {
000213 |
000214 |         {
000215 |             "\DayZExpansion\AI\Sounds\thousand",
000216 |             1
000217 |         }
000218 |     };
000219 |     volume=1;
000220 | };
000221 | class Expansion_AI_ShoryukenF_SoundShader: baseCharacter_SoundShader
000222 | {
000223 |     samples[]=
000224 |     {
000225 |
000226 |         {
000227 |             "\DayZExpansion\AI\Sounds\ShoryukenF",
000228 |             1
000229 |         }
000230 |     };
000231 |     volume=0.75;
000232 | };
000233 | class Expansion_AI_ShoryukenM_SoundShader: baseCharacter_SoundShader
000234 | {
000235 |     samples[]=
000236 |     {
000237 |
```

```
000238 |         {
000239 |             "\DayZExpansion\AI\Sounds\ShoryukenM",
000240 |             1
000241 |         }
000242 |     };
000243 |     volume=0.75;
000244 | };
000245 | class Expansion_AI_Heavy_Punch_SoundShader: baseCharacter_SoundShader
000246 | {
000247 |     samples[]=
000248 |     {
000249 |         {
000250 |             "\DayZExpansion\AI\Sounds\Heavy_Punch",
000251 |             1
000252 |         }
000253 |     };
000254 |     volume=1.25;
000255 | };
000256 | class Expansion_AI_UahUahUahM_SoundShader: baseCharacter_SoundShader
000257 | {
000258 |     samples[]=
000259 |     {
000260 |         {
000261 |             "\DayZExpansion\AI\Sounds\UahUahUahM",
000262 |             1
000263 |         }
000264 |     };
000265 |     volume=1.25;
000266 | };
000267 | };
000268 | };
000269 | };
000270 | class CfgSoundSets
000271 | {
000272 |     class baseCharacter_SoundSet;
000273 |     class Expansion_AI_The_Sound_Of_Love_01_SoundSet: baseCharacter_SoundSet
000274 |     {
000275 |         soundShaders[]=
000276 |         {
000277 |             "Expansion_AI_The_Sound_Of_Love_01_SoundShader"
000278 |         };
000279 |     };
000280 |     class Expansion_AI_The_Sound_Of_Love_02_SoundSet: baseCharacter_SoundSet
000281 |     {
000282 |         soundShaders[]=
000283 |         {
000284 |             "Expansion_AI_The_Sound_Of_Love_02_SoundShader"
000285 |         };
000286 |     };
000287 |     class Expansion_AI_Female_0_SoundSet: baseCharacter_SoundSet
000288 |     {
000289 |         soundShaders[]=
000290 |         {
000291 |             "Expansion_AI_Female_0_SoundShader"
000292 |         };
000293 |     };
000294 |     class Expansion_AI_Female_1_SoundSet: baseCharacter_SoundSet
000295 |     {
000296 |         soundShaders[]=
000297 |         {
000298 |             "Expansion_AI_Female_1_SoundShader"
000299 |         };
000299 |     };
000299 | }
```



```
000300 | };
000301 | class Expansion_AI_Female_2_SoundSet: baseCharacter_SoundSet
000302 | {
000303 |     soundShaders[]=
000304 |     {
000305 |         "Expansion_AI_Female_2_SoundShader"
000306 |     };
000307 | };
000308 | class Expansion_AI_Female_3_SoundSet: baseCharacter_SoundSet
000309 | {
000310 |     soundShaders[]=
000311 |     {
000312 |         "Expansion_AI_Female_3_SoundShader"
000313 |     };
000314 | };
000315 | class Expansion_AI_Female_4_SoundSet: baseCharacter_SoundSet
000316 | {
000317 |     soundShaders[]=
000318 |     {
000319 |         "Expansion_AI_Female_4_SoundShader"
000320 |     };
000321 | };
000322 | class Expansion_AI_Female_5_SoundSet: baseCharacter_SoundSet
000323 | {
000324 |     soundShaders[]=
000325 |     {
000326 |         "Expansion_AI_Female_5_SoundShader"
000327 |     };
000328 | };
000329 | class Expansion_AI_Female_6_SoundSet: baseCharacter_SoundSet
000330 | {
000331 |     soundShaders[]=
000332 |     {
000333 |         "Expansion_AI_Female_6_SoundShader"
000334 |     };
000335 | };
000336 | class Expansion_AI_Female_7_SoundSet: baseCharacter_SoundSet
000337 | {
000338 |     soundShaders[]=
000339 |     {
000340 |         "Expansion_AI_Female_7_SoundShader"
000341 |     };
000342 | };
000343 | class Expansion_AI_Female_8_SoundSet: baseCharacter_SoundSet
000344 | {
000345 |     soundShaders[]=
000346 |     {
000347 |         "Expansion_AI_Female_8_SoundShader"
000348 |     };
000349 | };
000350 | class Expansion_AI_Female_9_SoundSet: baseCharacter_SoundSet
000351 | {
000352 |     soundShaders[]=
000353 |     {
000354 |         "Expansion_AI_Female_9_SoundShader"
000355 |     };
000356 | };
000357 | class Expansion_AI_Female_hundred_SoundSet: baseCharacter_SoundSet
000358 | {
000359 |     soundShaders[]=
000360 |     {
000361 |         "Expansion_AI_Female_hundred_SoundShader"
```

```
000362 |     };
000363 | };
000364 | class Expansion_AI_Female_i_can_see_SoundSet: baseCharacter_SoundSet
000365 | {
000366 |     soundShaders[]=
000367 |     {
000368 |         "Expansion_AI_Female_i_can_see_SoundShader"
000369 |     };
000370 | };
000371 | class Expansion_AI_Female_jack_shit_SoundSet: baseCharacter_SoundSet
000372 | {
000373 |     soundShaders[]=
000374 |     {
000375 |         "Expansion_AI_Female_jack_shit_SoundShader"
000376 |     };
000377 | };
000378 | class Expansion_AI_Female_meters_SoundSet: baseCharacter_SoundSet
000379 | {
000380 |     soundShaders[]=
000381 |     {
000382 |         "Expansion_AI_Female_meters_SoundShader"
000383 |     };
000384 | };
000385 | class Expansion_AI_Female_thousand_SoundSet: baseCharacter_SoundSet
000386 | {
000387 |     soundShaders[]=
000388 |     {
000389 |         "Expansion_AI_Female_thousand_SoundShader"
000390 |     };
000391 | };
000392 | class Expansion_AI_ShoryukenF_SoundSet: baseCharacter_SoundSet
000393 | {
000394 |     soundShaders[]=
000395 |     {
000396 |         "Expansion_AI_ShoryukenF_SoundShader"
000397 |     };
000398 | };
000399 | class Expansion_AI_ShoryukenM_SoundSet: baseCharacter_SoundSet
000400 | {
000401 |     soundShaders[]=
000402 |     {
000403 |         "Expansion_AI_ShoryukenM_SoundShader"
000404 |     };
000405 | };
000406 | class Expansion_AI_Heavy_Punch_SoundSet: baseCharacter_SoundSet
000407 | {
000408 |     soundShaders[]=
000409 |     {
000410 |         "Expansion_AI_Heavy_Punch_SoundShader"
000411 |     };
000412 | };
000413 | class Expansion_AI_UahUahUahM_SoundSet: baseCharacter_SoundSet
000414 | {
000415 |     soundShaders[]=
000416 |     {
000417 |         "Expansion_AI_UahUahUahM_SoundShader"
000418 |     };
000419 | };
000420 | };
000421 |
```

0273. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/languagecore/AI/config.cpp
Size bytes: 152
SHA-256: 9b49f464ec313b1ffa42e5aae9c3e516496c0a44bd68cfa0475cd5c1dbebb891
Decoded as: utf-8-sig
Line count shown: 11

Full file content

```
000001 | class CfgPatches
000002 | {
000003 |     class DayZExpansion_LanguageCore_AI
000004 |     {
000005 |         units[]={};
000006 |         weapons[]={};
000007 |         requiredVersion=0.1;
000008 |         requiredAddons[]={};
000009 |     };
000010 | };
000011 |
```

0274. ZIP TEXT FILE

Path: ai c files expantion/0_ai_preload.txt

Size bytes: 36

SHA-256: 28ae1e8ce85060d8692d4a233a54e3f6331b5a463c0ea03b9647c6f87f023a18

Decoded as: utf-8-sig

Line count shown: 2

Full file content

```
000001 | prefix=0_DayZExpansion_AI_Preload\  
000002 |
```

0275. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/ai

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0276. ZIP TEXT FILE

Path: ai c files expantion/0_DayZExpansion_AI_Preload/rap.txt

Size bytes: 29

SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f

Decoded as: utf-8-sig

Line count shown: 4

Full file content

```
000001 | prefix=  
000002 | product=  
000003 | version=  
000004 |
```

0277. ZIP TEXT FILE

Path: ai c files expantion/ai_animations.txt
Size bytes: 37
SHA-256: 5d8cd8914d3b336022fae9c5aee0637e066395561c23b7f21a42bc0a6f126a43
Decoded as: utf-8-sig
Line count shown: 2

Full file content

000001 | prefix=DayZExpansion\AI\Animations\
000002 |

0278. ZIP TEXT FILE

Path: ai c files expantion/ai_debugweapons.txt

Size bytes: 39

SHA-256: 7a5492bf2fc056e7ef3f737afe25811515bf24a26cf3d51534d44edc1acdfc49

Decoded as: utf-8-sig

Line count shown: 2

Full file content

```
000001 | prefix=DayZExpansion\AI\DebugWeapons\  
000002 |
```


0279. ZIP TEXT FILE

Path: ai c files expantion/ai_gear.txt
Size bytes: 31
SHA-256: a70d21c9bd6439b6bc4788cfc41907a9d43775fb1fcd31e8cf789ec50dc89d64
Decoded as: utf-8-sig
Line count shown: 2

Full file content

000001 | prefix=DayZExpansion\AI\Gear\
000002 |

0280. ZIP TEXT FILE

Path: ai c files expantion/ai_gui.txt

Size bytes: 30

SHA-256: 0c9c188bfa88d38f363bb066206a6a8e1f83bc1a42e0c9f0bb73f22b0c639606

Decoded as: utf-8-sig

Line count shown: 2

Full file content

```
000001 | prefix=DayZExpansion\AI\GUI\  
000002 |
```

0281. ZIP TEXT FILE

Path: ai c files expantion/ai_particles.txt

Size bytes: 36

SHA-256: 65fb7a791e86fafdbb1c62d265826220ebf99a943fb75336da984a730cf3db9f

Decoded as: utf-8-sig

Line count shown: 2

Full file content

```
000001 | prefix=DayZExpansion\AI\Particles\  
000002 |
```

0282. ZIP TEXT FILE

Path: ai c files expantion/ai_scripts.txt

Size bytes: 34

SHA-256: 4e411cd2c22346717a4eb7042f833636e6bbae2be458e897f4504fad8a638fda

Decoded as: utf-8-sig

Line count shown: 2

Full file content

```
000001 | prefix=DayZExpansion\AI\Scripts\  
000002 |
```

0283. ZIP TEXT FILE

Path: ai c files expantion/ai_sounds.txt
Size bytes: 33
SHA-256: 1e698b6f7131f45d2bb141a8c254b5c547f61ce5a20e7ec7a3538b3d680c2006
Decoded as: utf-8-sig
Line count shown: 2

Full file content

000001 | prefix=DayZExpansion\AI\Sounds\
000002 |

0284. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/actions.agr
Size bytes: 224628
SHA-256: 7fa33f10014a7a23f5a5fa400c58e5c551c26d49da2f0182ac0c57865b2dfde3
Decoded as: utf-8-sig
Line count shown: 7649

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Actions" {
000003 |         $Node AnimNodeStateMachine {
000004 |             "ActionMaster" "TagActions"
000005 |             $States 184 {
000006 |                 $State {
000007 |                     "CodriverDoorOpen" "" "CodriverDoorOpenSrc" "GetCommandI(CMD_Action) == 402" "realtime" 1
000008 |                     $EditorData {
000009 |                         #EditorPos 86.7000046 0.3
000010 |                     }
000011 |                 }
000012 |                 $State {
000013 |                     "CodriverDoorClose" "" "CodriverDoorCloseSrc" "GetCommandI(CMD_Action) == 403" "realtime" 1
000014 |                     $EditorData {
000015 |                         #EditorPos 86.7000046 -0.4
000016 |                     }
000017 |                 }
000018 |                 $State {
000019 |                     "DriverDoorOpen" "" "DriverDoorOpenSrc" "GetCommandI(CMD_Action) == 400" "realtime" 1
000020 |                     $EditorData {
000021 |                         #EditorPos 84.5999985 0.3
000022 |                     }
000023 |                 }
000024 |                 $State {
000025 |                     "DriverDoorClose" "" "DriverDoorCloseSrc" "GetCommandI(CMD_Action) == 401" "realtime" 1
000026 |                     $EditorData {
000027 |                         #EditorPos 84.5999985 -0.4
000028 |                     }
000029 |                 }
000030 |                 $State {
000031 |                     "DriverEngineStop" "" "DriverEngineStopSrc" "GetCommandI(CMD_Action) == 404" "realtime" 1
000032 |                     $EditorData {
000033 |                         #EditorPos 88.9000015 0.3
000034 |                     }
000035 |                 }
000036 |                 $State {
000037 |                     "DriverEngineStartIn" "TagActionsIn" "DriverEngineStartInSrc" "GetCommandI(CMD_Action) == 300" "realtime" 0
000038 |                     $EditorData {
000039 |                         #EditorPos 78.0999985 0.3
000040 |                     }
000041 |                 }
000042 |                 $State {
000043 |                     "DriverEngineStartLoop" "TagActionsLoop" "DriverEngineStartLoopSrc" "" "realtime" 0
000044 |                     $EditorData {
000045 |                         #EditorPos 78.3000031 -0.4
000046 |                     }
000047 |                 }
000048 |                 $State {
000049 |                     "DriverEngineStartOut" "TagActionsEnd" "DriverEngineStartOutSrc" "" "realtime" 1
000050 |                     $EditorData {
000051 |                         #EditorPos 78.0999985 -1.1
```

```
000052 |     }
000053 | }
000054 | $State {
000055 |     "DriverShiftGear" "" "DriverShiftGearAnim" "GetCommandI(CMD_Action) == 405" "realtime" 1
000056 |     $EditorData {
000057 |         #EditorPos 91.0999985 0.3
000058 |     }
000059 | }
000060 | $State {
000061 |     "TauntThroatErc" "" "TauntThroatErc" "Stance == 0 && GetCommandI(CMD_Action) == 1100" "notime" 1
000062 |     $EditorData {
000063 |         #EditorPos 133.0 0.5
000064 |     }
000065 | }
000066 | $State {
000067 |     "GreetingErc" "" "GreetingErc" "Stance == 0 && GetCommandI(CMD_Action) == 1000" "notime" 1
000068 |     $EditorData {
000069 |         #EditorPos 96.7000046 0.5
000070 |     }
000071 | }
000072 | $State {
000073 |     "TauntThroatCro" "" "TauntThroatCro" "Stance == 1 && GetCommandI(CMD_Action) == 1100" "notime" 1
000074 |     $EditorData {
000075 |         #EditorPos 133.0 -0.4
000076 |     }
000077 | }
000078 | $State {
000079 |     "GreetingCro" "" "GreetingCro" "Stance == 1 && GetCommandI(CMD_Action) == 1000" "notime" 1
000080 |     $EditorData {
000081 |         #EditorPos 96.7000046 -0.4
000082 |     }
000083 | }
000084 | $State {
000085 |     "RPS" "" "RPSMaster" "GetCommandI(CMD_Action) == 10000" "notime" 1
000086 |     $EditorData {
000087 |         #EditorPos 180.4000092 0.5
000088 |     }
000089 | }
000090 | $State {
000091 |     "PointErc" "" "PointErc" "Stance == 0 && GetCommandI(CMD_Action) == 1001" "notime" 1
000092 |     $EditorData {
000093 |         #EditorPos 98.9000015 0.5
000094 |     }
000095 | }
000096 | $State {
000097 |     "PointCro" "" "PointCro" "Stance == 1 && GetCommandI(CMD_Action) == 1001" "notime" 1
000098 |     $EditorData {
000099 |         #EditorPos 98.9000015 -0.4
000100 |     }
000101 | }
000102 | $State {
000103 |     "ThumbUpErc" "" "ThumbUpErc" "Stance == 0 && GetCommandI(CMD_Action) == 1002" "notime" 1
000104 |     $EditorData {
000105 |         #EditorPos 101.0999985 0.5
000106 |     }
000107 | }
000108 | $State {
000109 |     "ThumbUpCro" "" "ThumbUpCro" "Stance == 1 && GetCommandI(CMD_Action) == 1002" "notime" 1
000110 |     $EditorData {
000111 |         #EditorPos 101.0999985 -0.4
000112 |     }
000113 | }
```

```
000114 |         $State {
000115 |             "SilenceErc" "" "SilenceErc" "Stance == 0 && GetCommandI(CMD_Action) == 1004" "notime" 1
000116 |             $EditorData {
000117 |                 #EditorPos 105.5 0.5
000118 |             }
000119 |         }
000120 |         $State {
000121 |             "SilenceCro" "" "SilenceCro" "Stance == 1 && GetCommandI(CMD_Action) == 1004" "notime" 1
000122 |             $EditorData {
000123 |                 #EditorPos 105.5 -0.4
000124 |             }
000125 |         }
000126 |         $State {
000127 |             "TauntFingerErc" "" "TauntFingerErc" "Stance == 0 && GetCommandI(CMD_Action) == 1005" "notime" 1
000128 |             $EditorData {
000129 |                 #EditorPos 107.7000046 0.5
000130 |             }
000131 |         }
000132 |         $State {
000133 |             "TauntFingerCro" "" "TauntFingerCro" "Stance == 1 && GetCommandI(CMD_Action) == 1005" "notime" 1
000134 |             $EditorData {
000135 |                 #EditorPos 107.7000046 -0.4
000136 |             }
000137 |         }
000138 |         $State {
000139 |             "TimeoutCro" "" "TimeoutCro" "Stance == 1 && GetCommandI(CMD_Action) == 1006" "notime" 1
000140 |             $EditorData {
000141 |                 #EditorPos 109.9000015 -0.4
000142 |             }
000143 |         }
000144 |         $State {
000145 |             "TimeoutErc" "" "TimeoutErc" "Stance == 0 && GetCommandI(CMD_Action) == 1006" "notime" 1
000146 |             $EditorData {
000147 |                 #EditorPos 109.9000015 0.5
000148 |             }
000149 |         }
000150 |         $State {
000151 |             "HeartErc" "" "HeartErc" "Stance == 0 && GetCommandI(CMD_Action) == 1007" "notime" 1
000152 |             $EditorData {
000153 |                 #EditorPos 112.0999985 0.5
000154 |             }
000155 |         }
000156 |         $State {
000157 |             "HeartCro" "" "HeartCro" "Stance == 1 && GetCommandI(CMD_Action) == 1007" "notime" 1
000158 |             $EditorData {
000159 |                 #EditorPos 112.0999985 -0.4
000160 |             }
000161 |         }
000162 |         $State {
000163 |             "FacepalmErc" "" "FacepalmErc" "Stance == 0 && GetCommandI(CMD_Action) == 1008" "notime" 1
000164 |             $EditorData {
000165 |                 #EditorPos 114.3000031 0.5
000166 |             }
000167 |         }
000168 |         $State {
000169 |             "FacepalmCro" "" "FacepalmCro" "Stance != 0 && GetCommandI(CMD_Action) == 1008" "notime" 1
000170 |             $EditorData {
000171 |                 #EditorPos 114.3000031 -0.4
000172 |             }
000173 |         }
000174 |         $State {
000175 |             "ClapErc" "" "ClapErc" "Stance == 0 && GetCommandI(CMD_Action) == 1101" "notime" 1
```



```
000176 |         $EditorData {
000177 |             #EditorPos 135.1999969 0.5
000178 |         }
000179 |     }
000180 |     $State {
000181 |         "ClapCro" "" "ClapCro" "Stance != 0 && GetCommandI(CMD_Action) == 1101" "notime" 1
000182 |         $EditorData {
000183 |             #EditorPos 135.1999969 -0.4
000184 |         }
000185 |     }
000186 |     $State {
000187 |         "DrinkErc" "" "DrinkErc" "Stance == 0 && GetCommandI(CMD_Action) == 0" "notime" 1
000188 |         $EditorData {
000189 |             #EditorPos -47.7999992 0.3
000190 |         }
000191 |     }
000192 |     $State {
000193 |         "DrinkCro" "" "DrinkCro" "Stance != 0 && GetCommandI(CMD_Action) == 0" "notime" 1
000194 |         $EditorData {
000195 |             #EditorPos -47.7999992 -0.6
000196 |         }
000197 |     }
000198 |     $State {
000199 |         "EatErc" "" "EatErc" "Stance == 0 && GetCommandI(CMD_Action) == 1" "notime" 1
000200 |         $EditorData {
000201 |             #EditorPos -45.6000023 0.3
000202 |         }
000203 |     }
000204 |     $State {
000205 |         "EatCro" "" "EatCro" "Stance != 0 && GetCommandI(CMD_Action) == 1" "notime" 1
000206 |         $EditorData {
000207 |             #EditorPos -45.6000023 -0.6
000208 |         }
000209 |     }
000210 |     $State {
000211 |         "LickBatteryErc" "" "LickBatteryErc" "Stance == 0 && GetCommandI(CMD_Action) == 502" "notime" 1
000212 |         $EditorData {
000213 |             #EditorPos 7.5999999 0.5
000214 |         }
000215 |     }
000216 |     $State {
000217 |         "LickBatteryCro" "" "LickBatteryCro" "Stance != 0 && GetCommandI(CMD_Action) == 502" "notime" 1
000218 |         $EditorData {
000219 |             #EditorPos 7.5999999 -0.4
000220 |         }
000221 |     }
000222 |     $State {
000223 |         "PickUpHandsErc" "" "PickUpHandsErc" "Stance == 0 && GetCommandI(CMD_Action) == 500" "notime" 1
000224 |         $EditorData {
000225 |             #EditorPos 3.0 0.4
000226 |         }
000227 |     }
000228 |     $State {
000229 |         "PickUpHandsCro" "" "PickUpHandsCro" "Stance != 0 && GetCommandI(CMD_Action) == 500" "notime" 1
000230 |         $EditorData {
000231 |             #EditorPos 3.0 -0.5
000232 |         }
000233 |     }
000234 |     $State {
000235 |         "EmptyVesselErc" "" "EmptyVesselErc" "Stance == 0 && GetCommandI(CMD_Action) == 2" "notime" 1
000236 |         $EditorData {
000237 |             #EditorPos -43.4000015 0.3
```

```
000238 |     }
000239 | }
000240 | $State {
000241 |     "EmptyVesselCro" "" "EmptyVesselCro" "Stance != 0 && GetCommandI(CMD_Action) == 2" "notime" 1
000242 |     $EditorData {
000243 |         #EditorPos -43.4000015 -0.6
000244 |     }
000245 | }
000246 | $State {
000247 |     "CatchRainErc" "" "CatchRainErc" "Stance == 0 && GetCommandI(CMD_Action) == 3" "notime" 1
000248 |     $EditorData {
000249 |         #EditorPos -41.2000008 0.3
000250 |     }
000251 | }
000252 | $State {
000253 |     "CatchRainCro" "" "CatchRainCro" "Stance == 1 && GetCommandI(CMD_Action) == 3" "notime" 1
000254 |     $EditorData {
000255 |         #EditorPos -41.2000008 -0.6
000256 |     }
000257 | }
000258 | $State {
000259 |     "LitFlareErc" "" "LitFlareErc" "Stance == 0 && GetCommandI(CMD_Action) == 503" "notime" 1
000260 |     $EditorData {
000261 |         #EditorPos 9.8000002 0.5
000262 |     }
000263 | }
000264 | $State {
000265 |     "LitFlareCro" "" "LitFlareCro" "Stance != 0 && GetCommandI(CMD_Action) == 503" "notime" 1
000266 |     $EditorData {
000267 |         #EditorPos 9.8000002 -0.4
000268 |     }
000269 | }
000270 | $State {
000271 |     "UnpinGrenadeErc" "" "UnpinGrenadeErc" "Stance == 0 && GetCommandI(CMD_Action) == 505" "notime" 1
000272 |     $EditorData {
000273 |         #EditorPos 14.1999998 0.5
000274 |     }
000275 | }
000276 | $State {
000277 |     "UnpinGrenadeCro" "" "UnpinGrenadeCro" "Stance != 0 && GetCommandI(CMD_Action) == 505" "notime" 1
000278 |     $EditorData {
000279 |         #EditorPos 14.1999998 -0.4
000280 |     }
000281 | }
000282 | $State {
000283 |     "LitChemlightErc" "" "LitChemlightErc" "Stance == 0 && GetCommandI(CMD_Action) == 504" "notime" 1
000284 |     $EditorData {
000285 |         #EditorPos 12.0 0.5
000286 |     }
000287 | }
000288 | $State {
000289 |     "LitChemlightCro" "" "LitChemlightCro" "Stance != 0 && GetCommandI(CMD_Action) == 504" "notime" 1
000290 |     $EditorData {
000291 |         #EditorPos 12.0 -0.4
000292 |     }
000293 | }
000294 | $State {
000295 |     "OpenDoorErc" "" "OpenDoorErc" "Stance == 0 && GetCommandI(CMD_Action) == 506" "notime" 1
000296 |     $EditorData {
000297 |         #EditorPos 16.3999996 0.5
000298 |     }
000299 | }
```

```
000300 |         $State {
000301 |             "OpenDoorCro" "" "OpenDoorCro" "Stance != 0 && GetCommandI(CMD_Action) == 506" "notime" 1
000302 |             $EditorData {
000303 |                 #EditorPos 16.3999996 -0.4
000304 |             }
000305 |         }
000306 |         $State {
000307 |             "OpenLidErc" "" "OpenLidErc" "Stance == 0 && GetCommandI(CMD_Action) == 507" "notime" 1
000308 |             $EditorData {
000309 |                 #EditorPos 18.6000004 0.5
000310 |             }
000311 |         }
000312 |         $State {
000313 |             "OpenLidCro" "" "OpenLidCro" "Stance != 0 && GetCommandI(CMD_Action) == 507" "notime" 1
000314 |             $EditorData {
000315 |                 #EditorPos 18.6000004 -0.4
000316 |             }
000317 |         }
000318 |         $State {
000319 |             "CloseLidCro" "" "CloseLidCro" "Stance != 0 && GetCommandI(CMD_Action) == 508" "notime" 1
000320 |             $EditorData {
000321 |                 #EditorPos 20.8000011 -0.4
000322 |             }
000323 |         }
000324 |         $State {
000325 |             "CloseLidErc" "" "CloseLidErc" "Stance == 0 && GetCommandI(CMD_Action) == 508" "notime" 1
000326 |             $EditorData {
000327 |                 #EditorPos 20.8000011 0.5
000328 |             }
000329 |         }
000330 |         $State {
000331 |             "GiveLErc" "" "GiveLErc" "Stance == 0 && GetCommandI(CMD_Action) == 10" "notime" 1
000332 |             $EditorData {
000333 |                 #EditorPos -34.6000023 0.3
000334 |             }
000335 |         }
000336 |         $State {
000337 |             "GiveLCro" "" "GiveLCro" "Stance == 1 && GetCommandI(CMD_Action) == 10" "notime" 1
000338 |             $EditorData {
000339 |                 #EditorPos -34.6000023 -0.6
000340 |             }
000341 |         }
000342 |         $State {
000343 |             "GiveRCro" "" "GiveRCro" "Stance == 1 && GetCommandI(CMD_Action) == 11" "notime" 1
000344 |             $EditorData {
000345 |                 #EditorPos -32.4000015 -0.6
000346 |             }
000347 |         }
000348 |         $State {
000349 |             "GiveRErc" "" "GiveRErc" "Stance == 0 && GetCommandI(CMD_Action) == 11" "notime" 1
000350 |             $EditorData {
000351 |                 #EditorPos -32.4000015 0.3
000352 |             }
000353 |         }
000354 |         $State {
000355 |             "ViewCompassErc" "" "ViewCompassErc" "Stance == 0 && GetCommandI(CMD_Action) == 7" "notime" 1
000356 |             $EditorData {
000357 |                 #EditorPos -39.0 0.3
000358 |             }
000359 |         }
000360 |         $State {
000361 |             "DabOnceErc" "" "DabOnceErc" "Stance == 0 && GetCommandI(CMD_Action) == 1102" "notime" 1
```

```
000362 |         $EditorData {
000363 |             #EditorPos 137.4000092 0.5
000364 |         }
000365 |     }
000366 |     $State {
000367 |         "DabOnceCro" "" "DabOnceCro" "Stance != 0 && GetCommandI(CMD_Action) == 1102" "notime" 1
000368 |         $EditorData {
000369 |             #EditorPos 137.4000092 -0.4
000370 |         }
000371 |     }
000372 |     $State {
000373 |         "ItemTuneErc" "" "ItemTuneErc" "Stance == 0 && GetCommandI(CMD_Action) == 9" "notime" 1
000374 |         $EditorData {
000375 |             #EditorPos -36.7999992 0.3
000376 |         }
000377 |     }
000378 |     $State {
000379 |         "ItemOnErc" "" "ItemOnErc" "Stance == 0 && GetCommandI(CMD_Action) == 509" "notime" 1
000380 |         $EditorData {
000381 |             #EditorPos 25.2000008 0.5
000382 |         }
000383 |     }
000384 |     $State {
000385 |         "ItemOnCro" "" "ItemOnCro" "Stance != 0 && GetCommandI(CMD_Action) == 509" "notime" 1
000386 |         $EditorData {
000387 |             #EditorPos 25.2000008 -0.4
000388 |         }
000389 |     }
000390 |     $State {
000391 |         "ItemOffCro" "" "ItemOffCro" "Stance != 0 && GetCommandI(CMD_Action) == 510" "notime" 1
000392 |         $EditorData {
000393 |             #EditorPos 23.0 -0.4
000394 |         }
000395 |     }
000396 |     $State {
000397 |         "ItemOffErc" "" "ItemOffErc" "Stance == 0 && GetCommandI(CMD_Action) == 510" "notime" 1
000398 |         $EditorData {
000399 |             #EditorPos 23.0 0.5
000400 |         }
000401 |     }
000402 |     $State {
000403 |         "BatonExtendErc" "" "BatonExtendErc" "Stance == 0 && GetCommandI(CMD_Action) == 511" "notime" 1
000404 |         $EditorData {
000405 |             #EditorPos 27.3999996 0.5
000406 |         }
000407 |     }
000408 |     $State {
000409 |         "BatonExtendCro" "" "BatonExtendCro" "Stance != 0 && GetCommandI(CMD_Action) == 511" "notime" 1
000410 |         $EditorData {
000411 |             #EditorPos 27.3999996 -0.4
000412 |         }
000413 |     }
000414 |     $State {
000415 |         "BatonRetractErc" "" "BatonRetractErc" "Stance == 0 && GetCommandI(CMD_Action) == 512" "notime" 1
000416 |         $EditorData {
000417 |             #EditorPos 29.6000004 0.5
000418 |         }
000419 |     }
000420 |     $State {
000421 |         "BatonRetractCro" "" "BatonRetractCro" "Stance != 0 && GetCommandI(CMD_Action) == 512" "notime" 1
000422 |         $EditorData {
000423 |             #EditorPos 29.6000004 -0.4
```

```
000424 |     }
000425 | }
000426 | $State {
000427 |     "ItemTuneCro" "" "ItemTuneCro" "Stance == 1 && GetCommandI(CMD_Action) == 9" "notime" 1
000428 |     $EditorData {
000429 |         #EditorPos -36.7999992 -0.6
000430 |     }
000431 | }
000432 | $State {
000433 |     "ShaveErc" "" "ShaveErc" "Stance == 0 && GetCommandI(CMD_Action) == 12" "notime" 1
000434 |     $EditorData {
000435 |         #EditorPos -30.2000008 0.3
000436 |     }
000437 | }
000438 | $State {
000439 |     "ShaveCro" "" "ShaveCro" "Stance != 0 && GetCommandI(CMD_Action) == 12" "notime" 1
000440 |     $EditorData {
000441 |         #EditorPos -30.2000008 -0.6
000442 |     }
000443 | }
000444 | $State {
000445 |     "UnlockHandcuffsTargetErc" "" "UnlockHandcuffsTargetErc" "Stance == 0 && GetCommandI(CMD_Action) == 513" "notime" 1
000446 |     $EditorData {
000447 |         #EditorPos 31.8000011 0.5
000448 |     }
000449 | }
000450 | $State {
000451 |     "UnlockHandcuffsTargetCro" "" "UnlockHandcuffsTargetCro" "Stance != 0 && GetCommandI(CMD_Action) == 513" "notime" 1
000452 |     $EditorData {
000453 |         #EditorPos 31.8000011 -0.4
000454 |     }
000455 | }
000456 | $State {
000457 |     "ThumbDownErc" "" "ThumbDownErc" "Stance == 0 && GetCommandI(CMD_Action) == 1003" "notime" 1
000458 |     $EditorData {
000459 |         #EditorPos 103.3000031 0.5
000460 |     }
000461 | }
000462 | $State {
000463 |     "ThumbDownCro" "" "ThumbDownCro" "Stance == 1 && GetCommandI(CMD_Action) == 1003" "notime" 1
000464 |     $EditorData {
000465 |         #EditorPos 103.3000031 -0.4
000466 |     }
000467 | }
000468 | $State {
000469 |     "WatchingErc" "" "WatchingErc" "Stance == 0 && GetCommandI(CMD_Action) == 1009" "notime" 1
000470 |     $EditorData {
000471 |         #EditorPos 116.5 0.5
000472 |     }
000473 | }
000474 | $State {
000475 |     "WatchingCro" "" "WatchingCro" "Stance == 1 && GetCommandI(CMD_Action) == 1009" "notime" 1
000476 |     $EditorData {
000477 |         #EditorPos 116.5 -0.4
000478 |     }
000479 | }
000480 | $State {
000481 |     "HoldErc" "" "HoldErc" "Stance == 0 && GetCommandI(CMD_Action) == 1010" "notime" 1
000482 |     $EditorData {
000483 |         #EditorPos 118.7000046 0.5
000484 |     }
000485 | }
```

```
000486 |         $State {
000487 |             "HoldCro" "" "HoldCro" "Stance == 1 && GetCommandI(CMD_Action) == 1010" "notime" 1
000488 |             $EditorData {
000489 |                 #EditorPos 118.7000046 -0.4
000490 |             }
000491 |         }
000492 |         $State {
000493 |             "ListeningErc" "" "ListeningErc" "Stance == 0 && GetCommandI(CMD_Action) == 1011" "notime" 1
000494 |             $EditorData {
000495 |                 #EditorPos 120.9000015 0.5
000496 |             }
000497 |         }
000498 |         $State {
000499 |             "ListeningCro" "" "ListeningCro" "Stance == 1 && GetCommandI(CMD_Action) == 1011" "notime" 1
000500 |             $EditorData {
000501 |                 #EditorPos 120.9000015 -0.4
000502 |             }
000503 |         }
000504 |         $State {
000505 |             "PointSelfErc" "" "PointSelfErc" "Stance == 0 && GetCommandI(CMD_Action) == 1012" "notime" 1
000506 |             $EditorData {
000507 |                 #EditorPos 123.0999985 0.5
000508 |             }
000509 |         }
000510 |         $State {
000511 |             "PointSelfCro" "" "PointSelfCro" "Stance == 1 && GetCommandI(CMD_Action) == 1012" "notime" 1
000512 |             $EditorData {
000513 |                 #EditorPos 123.0999985 -0.4
000514 |             }
000515 |         }
000516 |         $State {
000517 |             "FishingRodExtendErc" "" "FishingRodExtendErc" "Stance == 0 && GetCommandI(CMD_Action) == 514" "notime" 1
000518 |             $EditorData {
000519 |                 #EditorPos 34.0 0.5
000520 |             }
000521 |         }
000522 |         $State {
000523 |             "FishingRodExtendCro" "" "FishingRodExtendCro" "Stance != 0 && GetCommandI(CMD_Action) == 514" "notime" 1
000524 |             $EditorData {
000525 |                 #EditorPos 34.0 -0.4
000526 |             }
000527 |         }
000528 |         $State {
000529 |             "FishingRodRetractErc" "" "FishingRodRetractErc" "Stance == 0 && GetCommandI(CMD_Action) == 515" "notime" 1
000530 |             $EditorData {
000531 |                 #EditorPos 36.2000008 0.5
000532 |             }
000533 |         }
000534 |         $State {
000535 |             "FishingRodRetractCro" "" "FishingRodRetractCro" "Stance != 0 && GetCommandI(CMD_Action) == 515" "notime" 1
000536 |             $EditorData {
000537 |                 #EditorPos 36.2000008 -0.4
000538 |             }
000539 |         }
000540 |         $State {
000541 |             "MoveErc" "" "MoveErc" "Stance == 0 && GetCommandI(CMD_Action) == 1103" "notime" 1
000542 |             $EditorData {
000543 |                 #EditorPos 139.6000061 0.5
000544 |             }
000545 |         }
000546 |         $State {
000547 |             "MoveCro" "" "MoveCro" "Stance == 1 && GetCommandI(CMD_Action) == 1103" "notime" 1
```

```
000548 |         $EditorData {
000549 |             #EditorPos 139.6000061 -0.4
000550 |         }
000551 |     }
000552 |     $State {
000553 |         "DownErc" "" "DownErc" "Stance == 0 && GetCommandI(CMD_Action) == 1104" "notime" 1
000554 |         $EditorData {
000555 |             #EditorPos 141.8000031 0.5
000556 |         }
000557 |     }
000558 |     $State {
000559 |         "DownCro" "" "DownCro" "Stance == 1 && GetCommandI(CMD_Action) == 1104" "notime" 1
000560 |         $EditorData {
000561 |             #EditorPos 141.8000031 -0.4
000562 |         }
000563 |     }
000564 |     $State {
000565 |         "ComeErc" "" "ComeErc" "Stance == 0 && GetCommandI(CMD_Action) == 1105" "notime" 1
000566 |         $EditorData {
000567 |             #EditorPos 144.0 0.5
000568 |         }
000569 |     }
000570 |     $State {
000571 |         "ComeCro" "" "ComeCro" "Stance == 1 && GetCommandI(CMD_Action) == 1105" "notime" 1
000572 |         $EditorData {
000573 |             #EditorPos 144.0 -0.4
000574 |         }
000575 |     }
000576 |     $State {
000577 |         "LookAtMeErc" "" "LookAtMeErc" "Stance == 0 && GetCommandI(CMD_Action) == 1013" "notime" 1
000578 |         $EditorData {
000579 |             #EditorPos 125.3000031 0.5
000580 |         }
000581 |     }
000582 |     $State {
000583 |         "LookAtMeCro" "" "LookAtMeCro" "Stance != 0 && GetCommandI(CMD_Action) == 1013" "notime" 1
000584 |         $EditorData {
000585 |             #EditorPos 125.3000031 -0.4
000586 |         }
000587 |     }
000588 |     $State {
000589 |         "TauntKissErc" "" "TauntKissErc" "Stance == 0 && GetCommandI(CMD_Action) == 1106" "notime" 1
000590 |         $EditorData {
000591 |             #EditorPos 146.1999969 0.5
000592 |         }
000593 |     }
000594 |     $State {
000595 |         "TauntElbowErc" "" "TauntElbowErc" "Stance == 0 && GetCommandI(CMD_Action) == 1107" "notime" 1
000596 |         $EditorData {
000597 |             #EditorPos 148.4000092 0.5
000598 |         }
000599 |     }
000600 |     $State {
000601 |         "TauntThinkErc" "" "TauntThinkErc" "Stance == 0 && GetCommandI(CMD_Action) == 1108" "notime" 1
000602 |         $EditorData {
000603 |             #EditorPos 150.6000061 0.5
000604 |         }
000605 |     }
000606 |     $State {
000607 |         "TauntKissCro" "" "TauntKissCro" "Stance == 1 && GetCommandI(CMD_Action) == 1106" "notime" 1
000608 |         $EditorData {
000609 |             #EditorPos 146.1999969 -0.4
```

```
000610 |     }
000611 | }
000612 | $State {
000613 |     "TauntElbowCro" "" "TauntElbowCro" "Stance != 0 && GetCommandI(CMD_Action) == 1107" "notime" 1
000614 |     $EditorData {
000615 |         #EditorPos 148.4000092 -0.4
000616 |     }
000617 | }
000618 | $State {
000619 |     "TauntThinkCro" "" "TauntThinkCro" "Stance == 1 && GetCommandI(CMD_Action) == 1108" "notime" 1
000620 |     $EditorData {
000621 |         #EditorPos 150.6000061 -0.4
000622 |     }
000623 | }
000624 | $State {
000625 |     "FillMagErc" "" "FillMagErc" "Stance == 0 && GetCommandI(CMD_Action) == 13" "notime" 1
000626 |     $EditorData {
000627 |         #EditorPos -28.0 0.3
000628 |     }
000629 | }
000630 | $State {
000631 |     "FillMagCro" "" "FillMagCro" "Stance == 1 && GetCommandI(CMD_Action) == 13" "notime" 1
000632 |     $EditorData {
000633 |         #EditorPos -28.0 -0.6
000634 |     }
000635 | }
000636 | $State {
000637 |     "EmptyMagErc" "" "EmptyMagErc" "Stance == 0 && GetCommandI(CMD_Action) == 14" "notime" 1
000638 |     $EditorData {
000639 |         #EditorPos -25.8000011 0.3
000640 |     }
000641 | }
000642 | $State {
000643 |     "EmptyMagCro" "" "EmptyMagCro" "Stance == 1 && GetCommandI(CMD_Action) == 14" "notime" 1
000644 |     $EditorData {
000645 |         #EditorPos -25.8000011 -0.6
000646 |     }
000647 | }
000648 | $State {
000649 |     "TakeTempSelfErc" "" "TakeTempSelfErc" "Stance == 0 && GetCommandI(CMD_Action) == 18" "notime" 1
000650 |     $EditorData {
000651 |         #EditorPos -21.3999996 0.3
000652 |     }
000653 | }
000654 | $State {
000655 |     "TakeTempSelfCro" "" "TakeTempSelfCro" "Stance != 0 && GetCommandI(CMD_Action) == 18" "notime" 1
000656 |     $EditorData {
000657 |         #EditorPos -21.3999996 -0.6
000658 |     }
000659 | }
000660 | $State {
000661 |     "CleanHandsErc" "" "CleanHandsErc" "Stance == 0 && GetCommandI(CMD_Action) == 516" "notime" 1
000662 |     $EditorData {
000663 |         #EditorPos 38.4000015 0.5
000664 |     }
000665 | }
000666 | $State {
000667 |     "CleanHandsCro" "" "CleanHandsCro" "Stance != 0 && GetCommandI(CMD_Action) == 516" "notime" 1
000668 |     $EditorData {
000669 |         #EditorPos 38.4000015 -0.4
000670 |     }
000671 | }
```



```
000672 |         $State {
000673 |             "ViewMapErc" "" "ViewMapErc" "Stance == 0 && GetCommandI(CMD_Action) == 19" "notime" 1
000674 |             $EditorData {
000675 |                 #EditorPos -19.2000008 0.3
000676 |             }
000677 |         }
000678 |         $State {
000679 |             "ViewMapCro" "" "ViewMapCro" "Stance != 0 && GetCommandI(CMD_Action) == 19" "notime" 1
000680 |             $EditorData {
000681 |                 #EditorPos -19.2000008 -0.6
000682 |             }
000683 |         }
000684 |         $State {
000685 |             "NodHeadErc" "" "NodHeadErc" "GetCommandI(CMD_Action) == 1109" "notime" 1
000686 |             $EditorData {
000687 |                 #EditorPos 152.9000092 0.5
000688 |             }
000689 |         }
000690 |         $State {
000691 |             "ShakeHeadErc" "" "ShakeHeadErc" "GetCommandI(CMD_Action) == 1110" "notime" 1
000692 |             $EditorData {
000693 |                 #EditorPos 155.1000061 0.5
000694 |             }
000695 |         }
000696 |         $State {
000697 |             "ShrugErc" "" "ShrugErc" "Stance == 0 && GetCommandI(CMD_Action) == 1111" "notime" 1
000698 |             $EditorData {
000699 |                 #EditorPos 157.3000031 0.5
000700 |             }
000701 |         }
000702 |         $State {
000703 |             "ShrugCro" "" "ShrugCro" "Stance != 0 && GetCommandI(CMD_Action) == 1111" "notime" 1
000704 |             $EditorData {
000705 |                 #EditorPos 157.3000031 -0.4
000706 |             }
000707 |         }
000708 |         $State {
000709 |             "OKErc" "" "OKErc" "Stance == 0 && GetCommandI(CMD_Action) == 1014" "notime" 1
000710 |             $EditorData {
000711 |                 #EditorPos 127.5 0.5
000712 |             }
000713 |         }
000714 |         $State {
000715 |             "OKCro" "" "OKCro" "Stance != 0 && GetCommandI(CMD_Action) == 1014" "notime" 1
000716 |             $EditorData {
000717 |                 #EditorPos 127.5 -0.4
000718 |             }
000719 |         }
000720 |         $State {
000721 |             "PickUpInventoryCro" "" "PickUpInventoryCro" "Stance != 0 && GetCommandI(CMD_Action) == 501" "notime" 1
000722 |             $EditorData {
000723 |                 #EditorPos 5.3000002 -0.4
000724 |             }
000725 |         }
000726 |         $State {
000727 |             "PickUpInventoryErc" "" "PickUpInventoryErc" "Stance == 0 && GetCommandI(CMD_Action) == 501" "notime" 1
000728 |             $EditorData {
000729 |                 #EditorPos 5.3000002 0.5
000730 |             }
000731 |         }
000732 |         $State {
000733 |             "OpenItemOnceErc" "" "OpenItemOnceErc" "Stance == 0 && GetCommandI(CMD_Action) == 517" "notime" 1
```

```
000734 |         $EditorData {
000735 |             #EditorPos 40.6000023 0.5
000736 |         }
000737 |     }
000738 |     $State {
000739 |         "OpenItemOnceCro" "" "OpenItemOnceCro" "Stance == 1 && GetCommandI(CMD_Action) == 517" "notime" 1
000740 |         $EditorData {
000741 |             #EditorPos 40.6000023 -0.4
000742 |         }
000743 |     }
000744 |     $State {
000745 |         "ViewCompassCro" "" "ViewCompassCro" "Stance != 0 && GetCommandI(CMD_Action) == 7" "notime" 1
000746 |         $EditorData {
000747 |             #EditorPos -39.0 -0.6
000748 |         }
000749 |     }
000750 |     $State {
000751 |         "RaiseItemErc" "" "RaiseItemErc" "Stance == 0 && GetCommandI(CMD_Action) == 20" "notime" 1
000752 |         $EditorData {
000753 |             #EditorPos -17.0 0.3
000754 |         }
000755 |     }
000756 |     $State {
000757 |         "SearchInventoryErc" "" "SearchInventoryErc" "Stance == 0 && GetCommandI(CMD_Action) == 21" "notime" 1
000758 |         $EditorData {
000759 |             #EditorPos -14.8000002 0.3
000760 |         }
000761 |     }
000762 |     $State {
000763 |         "CraftingAddErc" "" "CraftingAddErc" "Stance == 0 && GetCommandI(CMD_Action) == 22" "notime" 1
000764 |         $EditorData {
000765 |             #EditorPos -12.6000004 0.3
000766 |         }
000767 |     }
000768 |     $State {
000769 |         "CraftingAddCro" "" "CraftingAddCro" "Stance != 0 && GetCommandI(CMD_Action) == 22" "notime" 1
000770 |         $EditorData {
000771 |             #EditorPos -12.6000004 -0.6
000772 |         }
000773 |     }
000774 |     $State {
000775 |         "SearchInventoryCro" "" "SearchInventoryCro" "Stance != 0 && GetCommandI(CMD_Action) == 21" "notime" 1
000776 |         $EditorData {
000777 |             #EditorPos -14.8000002 -0.6
000778 |         }
000779 |     }
000780 |     $State {
000781 |         "WpnAttachScopeErc" "" "WpnAttachScopeErc" "GetCommandI(CMD_Action) == 518" "notime" 1
000782 |         $EditorData {
000783 |             #EditorPos 42.7999992 0.5
000784 |         }
000785 |     }
000786 |     $State {
000787 |         "WpnAttachBarrelErc" "" "WpnAttachBarrelErc" "GetCommandI(CMD_Action) == 519" "notime" 1
000788 |         $EditorData {
000789 |             #EditorPos 45.0 0.5
000790 |         }
000791 |     }
000792 |     $State {
000793 |         "DropItemHandsErc" "" "DropItemHandsErc" "GetCommandI(CMD_Action) == 900 && Stance == 0 " "notime" 1
000794 |         $EditorData {
000795 |             #EditorPos 73.3000031 0.3
```

```
000796 |     }
000797 | }
000798 | $State {
000799 |     "DropItemHandsCro" "" "DropItemHandsCro" "GetCommandI(CMD_Action) == 900 && Stance != 0" "notime" 1
000800 |     $EditorData {
000801 |         #EditorPos 73.3000031 -0.6
000802 |     }
000803 | }
000804 | $State {
000805 |     "DropItemInventoryErc" "" "DropItemInventoryErc" "GetCommandI(CMD_Action) == 901 && Stance == 0 " "notime" 1
000806 |     $EditorData {
000807 |         #EditorPos 75.5 0.3
000808 |     }
000809 | }
000810 | $State {
000811 |     "DropItemInventoryCro" "" "DropItemInventoryCro" "GetCommandI(CMD_Action) == 901 && Stance != 0 " "notime" 1
000812 |     $EditorData {
000813 |         #EditorPos 75.5 -0.6
000814 |     }
000815 | }
000816 | $State {
000817 |     "EmptySeedsPackErc" "" "EmptySeedsPackErc" "Stance == 0 && GetCommandI(CMD_Action) == 520" "notime" 1
000818 |     $EditorData {
000819 |         #EditorPos 47.2000008 0.5
000820 |     }
000821 | }
000822 | $State {
000823 |     "EmptySeedsPackCro" "" "EmptySeedsPackCro" "Stance != 0 && GetCommandI(CMD_Action) == 520" "notime" 1
000824 |     $EditorData {
000825 |         #EditorPos 47.2000008 -0.4
000826 |     }
000827 | }
000828 | $State {
000829 |     "RaiseItemCro" "" "RaiseItemCro" "Stance != 0 && GetCommandI(CMD_Action) == 20" "notime" 1
000830 |     $EditorData {
000831 |         #EditorPos -17.0 -0.6
000832 |     }
000833 | }
000834 | $State {
000835 |     "InteractOnceErc" "" "InteractOnceErc" "Stance == 0 && GetCommandI(CMD_Action) == 521" "notime" 1
000836 |     $EditorData {
000837 |         #EditorPos 49.4000015 0.5
000838 |     }
000839 | }
000840 | $State {
000841 |     "InteractOnceCro" "" "InteractOnceCro" "Stance != 0 && GetCommandI(CMD_Action) == 521" "notime" 1
000842 |     $EditorData {
000843 |         #EditorPos 49.4000015 -0.4
000844 |     }
000845 | }
000846 | $State {
000847 |     "OpenItemErc" "" "OpenItemErc" "Stance == 0 && GetCommandI(CMD_Action) == 15" "notime" 1
000848 |     $EditorData {
000849 |         #EditorPos -23.6000004 0.3
000850 |     }
000851 | }
000852 | $State {
000853 |     "OpenItemCro" "" "OpenItemCro" "Stance != 0 && GetCommandI(CMD_Action) == 15" "notime" 1
000854 |     $EditorData {
000855 |         #EditorPos -23.6000004 -0.6
000856 |     }
000857 | }
```

```
000858 |         $State {
000859 |             "DriverLights" "" "DriverLightsAnim" "GetCommandI(CMD_Action) == 406" "realtime" 1
000860 |             $EditorData {
000861 |                 #EditorPos 93.3000031 0.3
000862 |             }
000863 |         }
000864 |         $State {
000865 |             "DriverHornIn" "" "DriverHornInAnim" "GetCommandI(CMD_Action) == 301" "realtime" 0
000866 |             $EditorData {
000867 |                 #EditorPos 80.4000015 0.3
000868 |             }
000869 |         }
000870 |         $State {
000871 |             "DriverHornLoop" "" "DriverHornLoopAnim" "" "realtime" 0
000872 |             $EditorData {
000873 |                 #EditorPos 80.7000046 -0.4
000874 |             }
000875 |         }
000876 |         $State {
000877 |             "DriverHornOut" "" "DriverHornOutAnim" "" "realtime" 1
000878 |             $EditorData {
000879 |                 #EditorPos 80.4000015 -1.1
000880 |             }
000881 |         }
000882 |         $State {
000883 |             "StruggleRestrainedErc" "" "StruggleRestrainedErc" "Stance == 0 && GetCommandI(CMD_Action) == 23" "notime" 1
000884 |             $EditorData {
000885 |                 #EditorPos -10.4000006 0.3
000886 |             }
000887 |         }
000888 |         $State {
000889 |             "StruggleRestrainedCro" "" "StruggleRestrainedCro" "Stance != 0 && GetCommandI(CMD_Action) == 23" "notime" 1
000890 |             $EditorData {
000891 |                 #EditorPos -10.4000006 -0.6
000892 |             }
000893 |         }
000894 |         $State {
000895 |             "AttachItemErc" "" "AttachItemErc" "Stance == 0 && GetCommandI(CMD_Action) == 522" "notime" 1
000896 |             $EditorData {
000897 |                 #EditorPos 51.6000023 0.5
000898 |             }
000899 |         }
000900 |         $State {
000901 |             "AttachItemCro" "" "AttachItemCro" "Stance != 0 && GetCommandI(CMD_Action) == 522" "notime" 1
000902 |             $EditorData {
000903 |                 #EditorPos 51.6000023 -0.4
000904 |             }
000905 |         }
000906 |         $State {
000907 |             "CoverHeadSelfErc" "" "CoverHeadSelfErc" "Stance == 0 && GetCommandI(CMD_Action) == 24" "notime" 1
000908 |             $EditorData {
000909 |                 #EditorPos -8.1999998 0.3
000910 |             }
000911 |         }
000912 |         $State {
000913 |             "CoverHeadSelfCro" "" "CoverHeadSelfCro" "Stance != 0 && GetCommandI(CMD_Action) == 24" "notime" 1
000914 |             $EditorData {
000915 |                 #EditorPos -8.1999998 -0.6
000916 |             }
000917 |         }
000918 |         $State {
000919 |             "CoverHeadTargetErc" "" "CoverHeadTargetErc" "Stance == 0 && GetCommandI(CMD_Action) == 25" "notime" 1
```

```
000920 |         $EditorData {
000921 |             #EditorPos -6.0 0.3
000922 |         }
000923 |     }
000924 |     $State {
000925 |         "CoverHeadTargetCro" "" "CoverHeadTargetCro" "Stance != 0 && GetCommandI(CMD_Action) == 25" "notime" 1
000926 |         $EditorData {
000927 |             #EditorPos -6.0 -0.6
000928 |         }
000929 |     }
000930 |     $State {
000931 |         "CloseItemOnceErc" "" "CloseItemOnceErc" "Stance == 0 && GetCommandI(CMD_Action) == 523" "notime" 1
000932 |         $EditorData {
000933 |             #EditorPos 53.7999992 0.5
000934 |         }
000935 |     }
000936 |     $State {
000937 |         "CloseItemOnceCro" "" "CloseItemOnceCro" "Stance == 1 && GetCommandI(CMD_Action) == 523" "notime" 1
000938 |         $EditorData {
000939 |             #EditorPos 53.7999992 -0.4
000940 |         }
000941 |     }
000942 |     $State {
000943 |         "CloseItemOncePne" "" "CloseItemOncePne" "Stance == 2 && GetCommandI(CMD_Action) == 523" "notime" 1
000944 |         $EditorData {
000945 |             #EditorPos 53.7999992 -1.2
000946 |         }
000947 |     }
000948 |     $State {
000949 |         "OpenItemOncePne" "" "OpenItemOncePne0" "Stance == 2 && GetCommandI(CMD_Action) == 517" "notime" 1
000950 |         $EditorData {
000951 |             #EditorPos 40.6000023 -1.2
000952 |         }
000953 |     }
000954 |     $State {
000955 |         "dz_xbox_dead" "" "dz_xbox_deadAnim" "" "notime" 1
000956 |         $EditorData {
000957 |             #EditorPos 163.6000061 0.6
000958 |         }
000959 |     }
000960 |     $State {
000961 |         "dz_xbox_dead_body" "" "dz_xbox_dead_bodyAnim" "" "notime" 1
000962 |         $EditorData {
000963 |             #EditorPos 166.0 0.6
000964 |         }
000965 |     }
000966 |     $State {
000967 |         "dz_xbox_wake_up" "" "dz_xbox_wake_upAnim" "" "notime" 1
000968 |         $EditorData {
000969 |             #EditorPos 168.4000092 0.6
000970 |         }
000971 |     }
000972 |     $State {
000973 |         "dz_xbox_walk_away" "" "dz_xbox_walk_awayanim" "GetCommandI(CMD_TRAILER_WALK_AWAY) == 3004" "notime" 1
000974 |         $EditorData {
000975 |             #EditorPos 170.6999969 0.6
000976 |         }
000977 |     }
000978 |     $State {
000979 |         "dz_xbox_walkie_talkie" "" "dz_xbox_walkie_talkieAnim" "" "notime" 1
000980 |         $EditorData {
000981 |             #EditorPos 173.0 0.6
```

```
000982 |     }
000983 | }
000984 | $State {
000985 |     "dz_xbox_wounded" "" "dz_xbox_woundedAnim" "" "notime" 1
000986 |     $EditorData {
000987 |         #EditorPos 175.4000092 0.6
000988 |     }
000989 | }
000990 | $State {
000991 |     "AlarmStopErc" "" "AlarmStopErcG" "Stance == 0 && GetCommandI(CMD_Action) == 251" "notime" 1
000992 |     $EditorData {
000993 |         #EditorPos 0.7 0.4
000994 |     }
000995 | }
000996 | $State {
000997 |     "AlarmStopCro" "" "AlarmStopCroG" "Stance == 1 && GetCommandI(CMD_Action) == 251" "notime" 1
000998 |     $EditorData {
000999 |         #EditorPos 0.7 -0.5
001000 |     }
001001 | }
001002 | $State {
001003 |     "SetAlarmErc" "" "SetAlarmErcG" "GetCommandI(CMD_Action) == 250 && Stance == 0" "notime" 1
001004 |     $EditorData {
001005 |         #EditorPos -50.1000023 0.3
001006 |     }
001007 | }
001008 | $State {
001009 |     "SetAlarmCro" "" "SetAlarmCroG" "GetCommandI(CMD_Action) == 250 && Stance == 1" "notime" 1
001010 |     $EditorData {
001011 |         #EditorPos -50.1000023 -0.6
001012 |     }
001013 | }
001014 | $State {
001015 |     "SetKitchenTimerErc" "" "SetKitchenTimerErcG" "GetCommandI(CMD_Action) == 252 && Stance == 0" "notime" 1
001016 |     $EditorData {
001017 |         #EditorPos -52.2999992 0.3
001018 |     }
001019 | }
001020 | $State {
001021 |     "SetKitchenTimerCro" "" "SetKitchenTimerCroG" "GetCommandI(CMD_Action) == 252 && Stance == 1" "notime" 1
001022 |     $EditorData {
001023 |         #EditorPos -52.2999992 -0.6
001024 |     }
001025 | }
001026 | $State {
001027 |     "ResetKitchenTimerErc" "" "ResetKitchenTimerErcG" "GetCommandI(CMD_Action) == 253 && Stance == 0" "notime" 1
001028 |     $EditorData {
001029 |         #EditorPos -1.5 0.4
001030 |     }
001031 | }
001032 | $State {
001033 |     "ResetKitchenTimerCro" "" "ResetKitchenTimerCroG" "GetCommandI(CMD_Action) == 253 && Stance == 1" "notime" 1
001034 |     $EditorData {
001035 |         #EditorPos -1.5 -0.5
001036 |     }
001037 | }
001038 | $State {
001039 |     "ItemTriggerErc" "" "ItemTriggerErcG" "Stance == 0 && GetCommandI(CMD_Action) == 526" "notime" 1
001040 |     $EditorData {
001041 |         #EditorPos 56.2999992 0.5
001042 |     }
001043 | }
```

```
001044 |         $State {
001045 |             "ItemTriggerCro" "" "ItemTriggerCroG" "Stance == 1 && GetCommandI(CMD_Action) == 526" "notime" 1
001046 |             $EditorData {
001047 |                 #EditorPos 56.2999992 -0.4
001048 |             }
001049 |         }
001050 |     $State {
001051 |         "EatPillErc" "" "EatPillErc" "Stance == 0 && GetCommandI(CMD_Action) == 527" "notime" 1
001052 |         $EditorData {
001053 |             #EditorPos 58.6000023 0.5
001054 |         }
001055 |     }
001056 |     $State {
001057 |         "EatPillCro" "" "EatPillCro" "Stance == 1 && GetCommandI(CMD_Action) == 527" "notime" 1
001058 |         $EditorData {
001059 |             #EditorPos 58.6000023 -0.4
001060 |         }
001061 |     }
001062 |     $State {
001063 |         "EatTabletErc" "" "EatTabletErc" "Stance == 0 && GetCommandI(CMD_Action) == 528" "notime" 1
001064 |         $EditorData {
001065 |             #EditorPos 60.9000015 0.5
001066 |         }
001067 |     }
001068 |     $State {
001069 |         "EatTabletCro" "" "EatTabletCro" "Stance == 1 && GetCommandI(CMD_Action) == 528" "notime" 1
001070 |         $EditorData {
001071 |             #EditorPos 60.9000015 -0.4
001072 |         }
001073 |     }
001074 |     $State {
001075 |         "HeatpackErc" "" "HeatpackErc" "Stance == 0 && GetCommandI(CMD_Action) == 529" "notime" 1
001076 |         $EditorData {
001077 |             #EditorPos 63.2000008 0.5
001078 |         }
001079 |     }
001080 |     $State {
001081 |         "HeatpackCro" "" "HeatpackCro" "Stance == 1 && GetCommandI(CMD_Action) == 529" "notime" 1
001082 |         $EditorData {
001083 |             #EditorPos 63.2000008 -0.4
001084 |         }
001085 |     }
001086 |     $State {
001087 |         "BloodTestErc" "" "BloodTestErc" "Stance == 0 && GetCommandI(CMD_Action) == 254" "notime" 1
001088 |         $EditorData {
001089 |             #EditorPos 65.5 0.5
001090 |         }
001091 |     }
001092 |     $State {
001093 |         "BloodTestCro" "" "BloodTestCro" "Stance == 1 && GetCommandI(CMD_Action) == 254" "notime" 1
001094 |         $EditorData {
001095 |             #EditorPos 65.5 -0.4
001096 |         }
001097 |     }
001098 |     $State {
001099 |         "BloodTestOtherErc" "" "BloodTestOtherErc" "Stance == 0 && GetCommandI(CMD_Action) == 255" "notime" 1
001100 |         $EditorData {
001101 |             #EditorPos 67.9000015 0.5
001102 |         }
001103 |     }
001104 |     $State {
001105 |         "BloodTestOtherCro" "" "BloodTestOtherCro" "Stance == 1 && GetCommandI(CMD_Action) == 255" "notime" 1
```

```
001106 |         $EditorData {
001107 |             #EditorPos 67.9000015 -0.4
001108 |         }
001109 |     }
001110 | }
001111 | $Transitions 164 {
001112 |     $Transition {
001113 |         "DrinkErc" "DrinkCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001114 |     }
001115 |     $Transition {
001116 |         "DrinkCro" "DrinkErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001117 |     }
001118 |     $Transition {
001119 |         "EatCro" "EatErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001120 |     }
001121 |     $Transition {
001122 |         "EatErc" "EatCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001123 |     }
001124 |     $Transition {
001125 |         "EmptyVesselErc" "EmptyVesselCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001126 |     }
001127 |     $Transition {
001128 |         "EmptyVesselCro" "EmptyVesselErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001129 |     }
001130 |     $Transition {
001131 |         "CatchRainErc" "CatchRainCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001132 |     }
001133 |     $Transition {
001134 |         "CatchRainCro" "CatchRainErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001135 |     }
001136 |     $Transition {
001137 |         "LickBatteryCro" "LickBatteryErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001138 |     }
001139 |     $Transition {
001140 |         "LickBatteryErc" "LickBatteryCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001141 |     }
001142 |     $Transition {
001143 |         "PickUpHandsCro" "PickUpHandsErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001144 |     }
001145 |     $Transition {
001146 |         "PickUpHandsErc" "PickUpHandsCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001147 |     }
001148 |     $Transition {
001149 |         "LitFlareCro" "LitFlareErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001150 |     }
001151 |     $Transition {
001152 |         "LitFlareErc" "LitFlareCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001153 |     }
001154 |     $Transition {
001155 |         "LitChemlightCro" "LitChemlightErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001156 |     }
001157 |     $Transition {
001158 |         "LitChemlightErc" "LitChemlightCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001159 |     }
001160 |     $Transition {
001161 |         "UnpinGrenadeCro" "UnpinGrenadeErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001162 |     }
001163 |     $Transition {
001164 |         "UnpinGrenadeErc" "UnpinGrenadeCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001165 |     }
001166 |     $Transition {
001167 |         "OpenDoorErc" "OpenDoorCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
```



```
001168 |     }
001169 |     $Transition {
001170 |         "OpenDoorCro" "OpenDoorErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001171 |     }
001172 |     $Transition {
001173 |         "OpenLidCro" "OpenLidErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001174 |     }
001175 |     $Transition {
001176 |         "OpenLidErc" "OpenLidCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001177 |     }
001178 |     $Transition {
001179 |         "CloseLidCro" "CloseLidErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001180 |     }
001181 |     $Transition {
001182 |         "CloseLidErc" "CloseLidCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001183 |     }
001184 |     $Transition {
001185 |         "GiveLErc" "GiveLCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001186 |     }
001187 |     $Transition {
001188 |         "GiveLCro" "GiveLErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001189 |     }
001190 |     $Transition {
001191 |         "GiveRErc" "GiveRCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001192 |     }
001193 |     $Transition {
001194 |         "GiveRCro" "GiveRErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001195 |     }
001196 |     $Transition {
001197 |         "GreetingErc" "GreetingCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001198 |     }
001199 |     $Transition {
001200 |         "GreetingCro" "GreetingErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001201 |     }
001202 |     $Transition {
001203 |         "PointErc" "PointCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001204 |     }
001205 |     $Transition {
001206 |         "PointCro" "PointErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001207 |     }
001208 |     $Transition {
001209 |         "ThumbUpErc" "ThumbUpCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001210 |     }
001211 |     $Transition {
001212 |         "ThumbUpCro" "ThumbUpErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001213 |     }
001214 |     $Transition {
001215 |         "SilenceErc" "SilenceCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001216 |     }
001217 |     $Transition {
001218 |         "SilenceCro" "SilenceErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001219 |     }
001220 |     $Transition {
001221 |         "TauntFingerErc" "TauntFingerCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001222 |     }
001223 |     $Transition {
001224 |         "TauntFingerCro" "TauntFingerErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001225 |     }
001226 |     $Transition {
001227 |         "HeartErc" "HeartCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001228 |     }
001229 |     $Transition {
```

```
001230 |         "HeartCro" "HeartErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001231 |     }
001232 |     $Transition {
001233 |         "FacepalmErc" "FacepalmCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001234 |     }
001235 |     $Transition {
001236 |         "FacepalmCro" "FacepalmErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001237 |     }
001238 |     $Transition {
001239 |         "TimeoutCro" "TimeoutErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001240 |     }
001241 |     $Transition {
001242 |         "TimeoutErc" "TimeoutCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001243 |     }
001244 |     $Transition {
001245 |         "ClapCro" "ClapErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001246 |     }
001247 |     $Transition {
001248 |         "ClapErc" "ClapCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001249 |     }
001250 |     $Transition {
001251 |         "TauntThroatCro" "TauntThroatErc" "Stance == 0" "0.35" "GetLowerRTime()" 1 "S"
001252 |     }
001253 |     $Transition {
001254 |         "TauntThroatErc" "TauntThroatCro" "Stance == 1" "0.35" "GetLowerRTime()" 1 "S"
001255 |     }
001256 |     $Transition {
001257 |         "DabOnceErc" "DabOnceCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001258 |     }
001259 |     $Transition {
001260 |         "DabOnceCro" "DabOnceErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001261 |     }
001262 |     $Transition {
001263 |         "ItemOnCro" "ItemOnErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001264 |     }
001265 |     $Transition {
001266 |         "ItemOnErc" "ItemOnCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001267 |     }
001268 |     $Transition {
001269 |         "ItemOffCro" "ItemOffErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001270 |     }
001271 |     $Transition {
001272 |         "ItemOffErc" "ItemOffCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001273 |     }
001274 |     $Transition {
001275 |         "BatonExtendCro" "BatonExtendErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001276 |     }
001277 |     $Transition {
001278 |         "BatonExtendErc" "BatonExtendCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001279 |     }
001280 |     $Transition {
001281 |         "BatonRetractCro" "BatonRetractErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001282 |     }
001283 |     $Transition {
001284 |         "BatonRetractErc" "BatonRetractCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001285 |     }
001286 |     $Transition {
001287 |         "ItemTuneErc" "ItemTuneCro" "Stance == 1" "GetLowerRTime()" "" 1 "S"
001288 |     }
001289 |     $Transition {
001290 |         "ItemTuneCro" "ItemTuneErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001291 |     }
```

```
001292 |         $Transition {
001293 |             "ShaveCro" "ShaveErc" "Stance == 0" "0.3" "GetLowerRTime()" 1 "S"
001294 |         }
001295 |     $Transition {
001296 |         "ShaveErc" "ShaveCro" "Stance == 1" "0.3" "GetLowerRTime()" 1 "S"
001297 |     }
001298 |     $Transition {
001299 |         "UnlockHandcuffsTargetCro" "UnlockHandcuffsTargetErc" "false" "" "" 0 "S"
001300 |     }
001301 |     $Transition {
001302 |         "UnlockHandcuffsTargetErc" "UnlockHandcuffsTargetCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
001303 |     }
001304 |     $Transition {
001305 |         "ThumbDownCro" "ThumbUpCro" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerRTime()" 1 "S"
001306 |     }
001307 |     $Transition {
001308 |         "ThumbUpCro" "ThumbDownCro" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerRTime()" 1 "S"
001309 |     }
001310 |     $Transition {
001311 |         "ThumbDownErc" "ThumbDownCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
001312 |     }
001313 |     $Transition {
001314 |         "ThumbDownCro" "ThumbDownErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001315 |     }
001316 |     $Transition {
001317 |         "ThumbDownErc" "ThumbUpErc" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerRTime()" 1 "S"
001318 |     }
001319 |     $Transition {
001320 |         "ThumbUpErc" "ThumbDownErc" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerRTime()" 1 "S"
001321 |     }
001322 |     $Transition {
001323 |         "WatchingErc" "WatchingCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
001324 |     }
001325 |     $Transition {
001326 |         "WatchingCro" "WatchingErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001327 |     }
001328 |     $Transition {
001329 |         "HoldCro" "HoldErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001330 |     }
001331 |     $Transition {
001332 |         "HoldErc" "HoldCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
001333 |     }
001334 |     $Transition {
001335 |         "ListeningErc" "ListeningCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
001336 |     }
001337 |     $Transition {
001338 |         "ListeningCro" "ListeningErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001339 |     }
001340 |     $Transition {
001341 |         "PointSelfErc" "PointSelfCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
001342 |     }
001343 |     $Transition {
001344 |         "PointSelfCro" "PointSelfErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001345 |     }
001346 |     $Transition {
001347 |         "FishingRodExtendErc" "FishingRodExtendCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
001348 |     }
001349 |     $Transition {
001350 |         "FishingRodExtendCro" "FishingRodExtendErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001351 |     }
001352 |     $Transition {
001353 |         "FishingRodRetractErc" "FishingRodRetractCro" "Stance == 1" "0.6" "GetLowerRTime()" 1 "S"
```

```
001354 |     }
001355 |     $Transition {
001356 |         "FishingRodRetractCro" "FishingRodRetractErc" "Stance == 0" "0.6" "GetLowerRTime()" 1 "S"
001357 |     }
001358 |     $Transition {
001359 |         "MoveErc" "MoveCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001360 |     }
001361 |     $Transition {
001362 |         "MoveCro" "MoveErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001363 |     }
001364 |     $Transition {
001365 |         "DownCro" "DownErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001366 |     }
001367 |     $Transition {
001368 |         "DownErc" "DownCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001369 |     }
001370 |     $Transition {
001371 |         "ComeErc" "ComeCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001372 |     }
001373 |     $Transition {
001374 |         "ComeCro" "ComeErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001375 |     }
001376 |     $Transition {
001377 |         "LookAtMeCro" "LookAtMeErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001378 |     }
001379 |     $Transition {
001380 |         "LookAtMeErc" "LookAtMeCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001381 |     }
001382 |     $Transition {
001383 |         "TauntKissCro" "TauntKissErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001384 |     }
001385 |     $Transition {
001386 |         "TauntKissErc" "TauntKissCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001387 |     }
001388 |     $Transition {
001389 |         "TauntElbowCro" "TauntElbowErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001390 |     }
001391 |     $Transition {
001392 |         "TauntElbowErc" "TauntElbowCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001393 |     }
001394 |     $Transition {
001395 |         "TauntThinkCro" "TauntThinkErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001396 |     }
001397 |     $Transition {
001398 |         "TauntThinkErc" "TauntThinkCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001399 |     }
001400 |     $Transition {
001401 |         "FillMagErc" "FillMagCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001402 |     }
001403 |     $Transition {
001404 |         "FillMagCro" "FillMagErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001405 |     }
001406 |     $Transition {
001407 |         "EmptyMagErc" "EmptyMagCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001408 |     }
001409 |     $Transition {
001410 |         "EmptyMagCro" "EmptyMagErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001411 |     }
001412 |     $Transition {
001413 |         "TakeTempSelfCro" "TakeTempSelfErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001414 |     }
001415 |     $Transition {
```

```
001416 |         "TakeTempSelfErc" "TakeTempSelfCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001417 |     }
001418 |     $Transition {
001419 |         "CleanHandsCro" "CleanHandsErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001420 |     }
001421 |     $Transition {
001422 |         "CleanHandsErc" "CleanHandsCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001423 |     }
001424 |     $Transition {
001425 |         "ViewMapCro" "ViewMapErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001426 |     }
001427 |     $Transition {
001428 |         "ViewMapErc" "ViewMapCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001429 |     }
001430 |     $Transition {
001431 |         "ShrugCro" "ShrugErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001432 |     }
001433 |     $Transition {
001434 |         "ShrugErc" "ShrugCro" "false" "" "" 0 "S"
001435 |     }
001436 |     $Transition {
001437 |         "OKCro" "OKErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001438 |     }
001439 |     $Transition {
001440 |         "OKErc" "OKCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001441 |     }
001442 |     $Transition {
001443 |         "PickUpInventoryCro" "PickUpInventoryErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001444 |     }
001445 |     $Transition {
001446 |         "PickUpInventoryErc" "PickUpInventoryCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001447 |     }
001448 |     $Transition {
001449 |         "OpenItemOnceCro" "OpenItemOnceErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001450 |     }
001451 |     $Transition {
001452 |         "OpenItemOnceErc" "OpenItemOnceCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001453 |     }
001454 |     $Transition {
001455 |         "ViewCompassCro" "ViewCompassErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001456 |     }
001457 |     $Transition {
001458 |         "ViewCompassErc" "ViewCompassCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001459 |     }
001460 |     $Transition {
001461 |         "CraftingAddCro" "CraftingAddErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001462 |     }
001463 |     $Transition {
001464 |         "CraftingAddErc" "CraftingAddCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001465 |     }
001466 |     $Transition {
001467 |         "SearchInventoryCro" "SearchInventoryErc" "false" "" "" 0 "S"
001468 |     }
001469 |     $Transition {
001470 |         "SearchInventoryErc" "SearchInventoryCro" "false" "" "" 0 "S"
001471 |     }
001472 |     $Transition {
001473 |         "DropItemHandsCro" "DropItemHandsErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001474 |     }
001475 |     $Transition {
001476 |         "DropItemHandsErc" "DropItemHandsCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001477 |     }
```

```
001478 |         $Transition {
001479 |             "DropItemInventoryCro" "DropItemInventoryErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001480 |         }
001481 |     $Transition {
001482 |         "DropItemInventoryErc" "DropItemInventoryCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001483 |     }
001484 |     $Transition {
001485 |         "EmptySeedsPackCro" "EmptySeedsPackErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001486 |     }
001487 |     $Transition {
001488 |         "EmptySeedsPackErc" "EmptySeedsPackCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001489 |     }
001490 |     $Transition {
001491 |         "RaiseItemCro" "RaiseItemErc" "Stance == 0" "0.5" "GetLowerRTime()" 1 "S"
001492 |     }
001493 |     $Transition {
001494 |         "RaiseItemErc" "RaiseItemCro" "Stance == 1" "0.5" "GetLowerRTime()" 1 "S"
001495 |     }
001496 |     $Transition {
001497 |         "InteractOnceCro" "InteractOnceErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001498 |     }
001499 |     $Transition {
001500 |         "InteractOnceErc" "InteractOnceCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001501 |     }
001502 |     $Transition {
001503 |         "OpenItemCro" "OpenItemErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001504 |     }
001505 |     $Transition {
001506 |         "OpenItemErc" "OpenItemCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001507 |     }
001508 |     $Transition {
001509 |         "DriverEngineStartIn" "DriverEngineStartLoop" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
001510 |     }
001511 |     $Transition {
001512 |         "DriverEngineStartLoop" "DriverEngineStartOut" "GetCommandI(CMD_InternalAction) == 0" "0.3" "" 0 "S"
001513 |     }
001514 |     $Transition {
001515 |         "DriverHornIn" "DriverHornLoop" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
001516 |     }
001517 |     $Transition {
001518 |         "DriverHornLoop" "DriverHornOut" "GetCommandI(CMD_InternalAction) == 0" "0.1" "" 1 "S"
001519 |     }
001520 |     $Transition {
001521 |         "DriverHornIn" "DriverHornOut" "GetCommandI(CMD_InternalAction) == 0" "0.2" "GetRemainingTime()" 1 "S"
001522 |     }
001523 |     $Transition {
001524 |         "DriverEngineStartIn" "DriverEngineStartOut" "GetCommandI(CMD_InternalAction) == 0" "0.2" "GetRemainingTime()" 1 "S"
001525 |     }
001526 |     $Transition {
001527 |         "StruggleRestrainedErc" "StruggleRestrainedCro" "Stance == 1" "0.35" "" 1 "S"
001528 |     }
001529 |     $Transition {
001530 |         "StruggleRestrainedCro" "StruggleRestrainedErc" "Stance == 0" "0.35" "" 1 "S"
001531 |     }
001532 |     $Transition {
001533 |         "CoverHeadSelfErc" "CoverHeadSelfCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001534 |     }
001535 |     $Transition {
001536 |         "CoverHeadSelfCro" "CoverHeadSelfErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001537 |     }
001538 |     $Transition {
001539 |         "CoverHeadTargetErc" "CoverHeadTargetCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
```

```
001540 |     }
001541 |     $Transition {
001542 |         "CoverHeadTargetCro" "CoverHeadTargetErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001543 |     }
001544 |     $Transition {
001545 |         "CloseItemOnceCro" "CloseItemOnceErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001546 |     }
001547 |     $Transition {
001548 |         "CloseItemOnceErc" "CloseItemOnceCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001549 |     }
001550 |     $Transition {
001551 |         "AlarmStopErc" "AlarmStopCro" "Stance == 1" "0.2" "GetLowerRTime()" 1 "S"
001552 |     }
001553 |     $Transition {
001554 |         "AlarmStopCro" "AlarmStopErc" "Stance == 0" "0.2" "GetLowerRTime()" 0 "S"
001555 |     }
001556 |     $Transition {
001557 |         "SetAlarmErc" "SetAlarmCro" "Stance == 1" "0.2" "GetLowerRTime()" 1 "S"
001558 |     }
001559 |     $Transition {
001560 |         "SetAlarmCro" "SetAlarmErc" "Stance == 0" "0.2" "GetLowerRTime()" 1 "S"
001561 |     }
001562 |     $Transition {
001563 |         "SetKitchenTimerErc" "SetKitchenTimerCro" "Stance == 1" "0.2" "GetLowerRTime()" 1 "S"
001564 |     }
001565 |     $Transition {
001566 |         "SetKitchenTimerCro" "SetKitchenTimerErc" "Stance == 0" "0.2" "GetLowerRTime()" 1 "S"
001567 |     }
001568 |     $Transition {
001569 |         "ResetKitchenTimerErc" "ResetKitchenTimerCro" "Stance == 1" "0.2" "GetLowerRTime()" 1 "S"
001570 |     }
001571 |     $Transition {
001572 |         "ResetKitchenTimerCro" "ResetKitchenTimerErc" "Stance == 0" "0.2" "GetLowerRTime()" 1 "S"
001573 |     }
001574 |     $Transition {
001575 |         "EatPillErc" "EatPillCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001576 |     }
001577 |     $Transition {
001578 |         "EatPillCro" "EatPillErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001579 |     }
001580 |     $Transition {
001581 |         "EatTabletErc" "EatTabletCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001582 |     }
001583 |     $Transition {
001584 |         "EatTabletCro" "EatTabletErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001585 |     }
001586 |     $Transition {
001587 |         "HeatpackErc" "HeatpackCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001588 |     }
001589 |     $Transition {
001590 |         "HeatpackCro" "HeatpackErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001591 |     }
001592 |     $Transition {
001593 |         "BloodTestErc" "BloodTestCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001594 |     }
001595 |     $Transition {
001596 |         "BloodTestCro" "BloodTestErc" "Stance == 0" "0.4" "GetLowerRTime()" 1 "S"
001597 |     }
001598 |     $Transition {
001599 |         "BloodTest0therErc" "BloodTest0therCro" "Stance == 1" "0.4" "GetLowerRTime()" 1 "S"
001600 |     }
001601 |     $Transition {
```

```

001602 |         "BloodTest0therCro" "BloodTest0therErc" "Stance == 0" "0.4" "GetLowerRTIME()" 1 "S"
001603 |     }
001604 | }
001605 | $EditorData {
001606 |     #EditorPos -39.7000008 2.6000001
001607 | }
001608 | }
001609 | $Node AnimNodeGroupSelect {
001610 |     "AlarmStopCroG" "" "ActionOnceSTM" "ActionOnce" "StopAlarmCro"
001611 |     $EditorData {
001612 |         #EditorPos 0.7 -3.8
001613 |     }
001614 | }
001615 | $Node AnimNodeGroupSelect {
001616 |     "AlarmStopErcG" "" "ActionOnceSTM" "ActionOnce" "StopAlarmErc"
001617 |     $EditorData {
001618 |         #EditorPos 0.7 -3.1000001
001619 |     }
001620 | }
001621 | $Node AnimNodeGroupSelect {
001622 |     "AlarmStopPneG" "" "ActionOnceSTM" "ActionOnce" "StopAlarmPne"
001623 |     $EditorData {
001624 |         #EditorPos 46.2000008 31.3000011
001625 |     }
001626 | }
001627 | $Node AnimNodeWeaponIK {
001628 |     "AnimNodeWeaponIK" "" "GestureContLook" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKTes
t" "// ik pose anim
001629 | // (root - means RightHand - but right hand is not exported)
001630 | // |- RightHand_Dummy (where Weapon is)
001631 | // | |- LeftHandIKTarget (where left hand is on weapon)
001632 | // |- RightHandOrigin ( inverse transform where hand originally was)
001633 |
001634 | // basic setup -
001635 | // hand - bone which represents hand holding weapon
001636 | // weapon - bone which represents weapon node in hand
001637 | // weaponrotator - bone - around which weapon rotates
001638 | hand = RightHand
001639 | weapon = RightHand_Dummy
001640 | weaponrotator = RightArm
001641 | weaponaxis= -x
001642 |
001643 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
001644 | chainaxis=-x
001645 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
001646 | secchainaxis=+x
001647 |
001648 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
001649 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
001650 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
001651 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
001652 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
001653 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
001654 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
001655 |
001656 | "
001657 |     $EditorData {
001658 |         #EditorPos 212.5 30.0
001659 |     }
001660 | }
001661 | $Node AnimNodeGroupSelect {
001662 |     "AnimalSkinningCro" "" "ActionContinuousLook" "ActionContinuous" "AnimalSkinningCro"

```



```
001663 |         $EditorData {
001664 |             #EditorPos -50.2999992 31.8999996
001665 |         }
001666 |     }
001667 |     $Node AnimNodeGroupSelect {
001668 |         "AssembleCro" "" "ActionInLoopOutSTM" "ActionInLoopOut" "AssembleCro"
001669 |         $EditorData {
001670 |             #EditorPos 34.2999992 31.8000011
001671 |         }
001672 |     }
001673 |     $Node AnimNodeGroupSelect {
001674 |         "AssembleErc" "" "ActionInLoopOutSTM" "ActionInLoopOut" "AssembleErc"
001675 |         $EditorData {
001676 |             #EditorPos 34.2999992 32.5
001677 |         }
001678 |     }
001679 |     $Node AnimNodeGroupSelect {
001680 |         "AttachItemCro" "" "ActionOnceSTM" "ActionOnce" "AttachItemCro"
001681 |         $EditorData {
001682 |             #EditorPos 51.6000023 -3.8
001683 |         }
001684 |     }
001685 |     $Node AnimNodeGroupSelect {
001686 |         "AttachItemErc" "" "ActionOnceSTM" "ActionOnce" "AttachItemErc"
001687 |         $EditorData {
001688 |             #EditorPos 51.6000023 -3.1000001
001689 |         }
001690 |     }
001691 |     $Node AnimNodeGroupSelect {
001692 |         "BandageTargetCro" "" "ActionContinuousLook" "ActionContinuous" "BandageTargetCro"
001693 |         $EditorData {
001694 |             #EditorPos -56.9000015 31.8999996
001695 |         }
001696 |     }
001697 |     $Node AnimNodeGroupSelect {
001698 |         "BandageTargetErc" "" "ActionContinuousLook" "ActionContinuous" "BandageTargetErc"
001699 |         $EditorData {
001700 |             #EditorPos -56.9000015 32.7000008
001701 |         }
001702 |     }
001703 |     $Node AnimNodeGroupSelect {
001704 |         "BatonExtendCro" "" "ActionOnceSTM" "ActionOnce" "BatonExtendCro"
001705 |         $EditorData {
001706 |             #EditorPos 27.3999996 -3.8
001707 |         }
001708 |     }
001709 |     $Node AnimNodeGroupSelect {
001710 |         "BatonExtendErc" "" "ActionOnceSTM" "ActionOnce" "BatonExtendErc"
001711 |         $EditorData {
001712 |             #EditorPos 27.3999996 -3.1000001
001713 |         }
001714 |     }
001715 |     $Node AnimNodeGroupSelect {
001716 |         "BatonRetractCro" "" "ActionOnceSTM" "ActionOnce" "BatonRetractCro"
001717 |         $EditorData {
001718 |             #EditorPos 29.6000004 -3.8
001719 |         }
001720 |     }
001721 |     $Node AnimNodeGroupSelect {
001722 |         "BatonRetractErc" "" "ActionOnceSTM" "ActionOnce" "BatonRetractErc"
001723 |         $EditorData {
001724 |             #EditorPos 29.6000004 -3.1000001
```

```
001725 |     }
001726 | }
001727 | $Node AnimNodeGroupSelect {
001728 |     "BloodTestCro" "" "ActionContinuousSTM" "ActionContinuous" "BloodTestCro"
001729 |     $EditorData {
001730 |         #EditorPos 65.5 -3.8
001731 |     }
001732 | }
001733 | $Node AnimNodeGroupSelect {
001734 |     "BloodTestErc" "" "ActionContinuousSTM" "ActionContinuous" "BloodTestErc"
001735 |     $EditorData {
001736 |         #EditorPos 65.5 -3.1000001
001737 |     }
001738 | }
001739 | $Node AnimNodeGroupSelect {
001740 |     "BloodTestOtherCro" "" "ActionContinuousSTM" "ActionContinuous" "BloodTestOtherCro"
001741 |     $EditorData {
001742 |         #EditorPos 67.9000015 -3.8
001743 |     }
001744 | }
001745 | $Node AnimNodeGroupSelect {
001746 |     "BloodTestOtherErc" "" "ActionContinuousSTM" "ActionContinuous" "BloodTestOtherErc"
001747 |     $EditorData {
001748 |         #EditorPos 67.9000015 -3.1000001
001749 |     }
001750 | }
001751 | $Node AnimNodeGroupSelect {
001752 |     "BlowFireplaceCro" "" "ActionContinuousSTM" "ActionContinuous" "BlowFireplaceCro"
001753 |     $EditorData {
001754 |         #EditorPos 1.2 32.0
001755 |     }
001756 | }
001757 | $Node AnimNodeGroupSelect {
001758 |     "BreakStickCro" "" "ActionContinuousLook" "ActionContinuous" "BreakStick"
001759 |     $EditorData {
001760 |         #EditorPos 122.4000015 31.1000004
001761 |     }
001762 | }
001763 | $Node AnimNodeGroupSelect {
001764 |     "CatchRainCro" "" "ActionContinuousSTM" "ActionContinuous" "CatchRainCro"
001765 |     $EditorData {
001766 |         #EditorPos -41.2000008 -4.0
001767 |     }
001768 | }
001769 | $Node AnimNodeGroupSelect {
001770 |     "CatchRainErc" "" "ActionContinuousSTM" "ActionContinuous" "CatchRainErc"
001771 |     $EditorData {
001772 |         #EditorPos -41.2000008 -3.3
001773 |     }
001774 | }
001775 | $Node AnimNodeGroupSelect {
001776 |     "CatchRainPne" "" "ActionContinuousLook" "ActionContinuous" "CatchRainPne"
001777 |     $EditorData {
001778 |         #EditorPos -99.5 31.1000004
001779 |     }
001780 | }
001781 | $Node AnimNodeGroupSelect {
001782 |     "CheckPulseCro" "" "ActionContinuousLook" "ActionContinuous" "CheckPulseCro"
001783 |     $EditorData {
001784 |         #EditorPos -30.2000008 31.8999996
001785 |     }
001786 | }
```

```
001787 |     $Node AnimNodeGroupSelect {
001788 |         "ClapCro" "" "GestureOnceSTM" "GestureOnce" "ClapCro"
001789 |         $EditorData {
001790 |             #EditorPos 135.1999969 -3.6000001
001791 |         }
001792 |     }
001793 |     $Node AnimNodeGroupSelect {
001794 |         "ClapErc" "" "GestureOnceSTM" "GestureOnce" "ClapErc"
001795 |         $EditorData {
001796 |             #EditorPos 135.1999969 -2.8
001797 |         }
001798 |     }
001799 |     $Node AnimNodeGroupSelect {
001800 |         "CleanHandsCro" "" "ActionContinuousSTM" "ActionContinuous" "CleanHandsCro"
001801 |         $EditorData {
001802 |             #EditorPos 38.4000015 -3.8
001803 |         }
001804 |     }
001805 |     $Node AnimNodeGroupSelect {
001806 |         "CleanHandsErc" "" "ActionContinuousSTM" "ActionContinuous" "CleanHandsErc"
001807 |         $EditorData {
001808 |             #EditorPos 38.4000015 -3.1000001
001809 |         }
001810 |     }
001811 |     $Node AnimNodeGroupSelect {
001812 |         "CleanHandsPne" "" "ActionContinuousLook" "ActionContinuous" "CleanHandsPne"
001813 |         $EditorData {
001814 |             #EditorPos 77.0999985 31.3000011
001815 |         }
001816 |     }
001817 |     $Node AnimNodeGroupSelect {
001818 |         "CleanHandsPneBack" "" "ActionOncePneBT" "ActionContinuous" "CleanHandsErc"
001819 |         $EditorData {
001820 |             #EditorPos 77.2000046 18.3999996
001821 |         }
001822 |     }
001823 |     $Node AnimNodeGroupSelect {
001824 |         "CleanWoundTargetCro" "" "ActionContinuousLook" "ActionContinuous" "CleanWoundTargetCro"
001825 |         $EditorData {
001826 |             #EditorPos -28.0 31.8999996
001827 |         }
001828 |     }
001829 |     $Node AnimNodeGroupSelect {
001830 |         "CleanWoundTargetErc" "" "ActionContinuousLook" "ActionContinuous" "CleanWoundTargetErc"
001831 |         $EditorData {
001832 |             #EditorPos -28.0 32.6000023
001833 |         }
001834 |     }
001835 |     $Node AnimNodeGroupSelect {
001836 |         "CleaningWeapon" "" "ActionContinuousLook" "ActionContinuous" "CleaningWeapon"
001837 |         $EditorData {
001838 |             #EditorPos 125.2000046 31.1000004
001839 |         }
001840 |     }
001841 |     $Node AnimNodeGroupSelect {
001842 |         "CloseItemOnceCro" "" "ActionOnceSTM" "ActionOnce" "CloseItemOnceCro"
001843 |         $EditorData {
001844 |             #EditorPos 53.7999992 -3.8
001845 |         }
001846 |     }
001847 |     $Node AnimNodeGroupSelect {
001848 |         "CloseItemOnceErc" "" "ActionOnceSTM" "ActionOnce" "CloseItemOnceErc"
```

```
001849 |         $EditorData {
001850 |             #EditorPos 53.7999992 -3.1000001
001851 |         }
001852 |     }
001853 |     $Node AnimNodeGroupSelect {
001854 |         "CloseItemOncePne" "" "ActionOnceSTM" "ActionOnce" "CloseItemOncePne"
001855 |         $EditorData {
001856 |             #EditorPos 53.7999992 -4.5
001857 |         }
001858 |     }
001859 |     $Node AnimNodeGroupSelect {
001860 |         "CloseLidCro" "" "ActionOnceSTM" "ActionOnce" "CloseLidCro"
001861 |         $EditorData {
001862 |             #EditorPos 20.8000011 -3.8
001863 |         }
001864 |     }
001865 |     $Node AnimNodeGroupSelect {
001866 |         "CloseLidErc" "" "ActionOnceSTM" "ActionOnce" "CloseLidErc"
001867 |         $EditorData {
001868 |             #EditorPos 20.8000011 -3.1000001
001869 |         }
001870 |     }
001871 |     $Node AnimNodeSource {
001872 |         "CodriverDoorCloseSrc" "" "VehicleActions.CodriverDoorClose" "nolooop"
001873 |         $Predictions {
001874 |         }
001875 |         $EditorData {
001876 |             #EditorPos 86.7000046 -3.7
001877 |         }
001878 |     }
001879 |     $Node AnimNodeSource {
001880 |         "CodriverDoorOpenSrc" "" "VehicleActions.CodriverDoorOpen" "nolooop"
001881 |         $Predictions {
001882 |         }
001883 |         $EditorData {
001884 |             #EditorPos 86.7000046 -3.0
001885 |         }
001886 |     }
001887 |     $Node AnimNodeGroupSelect {
001888 |         "CollectBloodCro" "" "ActionContinuousLook" "ActionContinuous" "CollectBloodCro"
001889 |         $EditorData {
001890 |             #EditorPos -25.7000008 31.8999996
001891 |         }
001892 |     }
001893 |     $Node AnimNodeGroupSelect {
001894 |         "CollectBloodErc" "" "ActionContinuousLook" "ActionContinuous" "CollectBloodErc"
001895 |         $EditorData {
001896 |             #EditorPos -25.7000008 32.6000023
001897 |         }
001898 |     }
001899 |     $Node AnimNodeGroupSelect {
001900 |         "ComeCro" "" "GestureOnceSTM" "GestureOnce" "ComeCro"
001901 |         $EditorData {
001902 |             #EditorPos 144.0 -3.6000001
001903 |         }
001904 |     }
001905 |     $Node AnimNodeGroupSelect {
001906 |         "ComeErc" "" "GestureOnceSTM" "GestureOnce" "ComeErc"
001907 |         $EditorData {
001908 |             #EditorPos 144.0 -2.8
001909 |         }
001910 |     }
```

```
001911 |     $Node AnimNodeGroupSelect {
001912 |         "ComePne" "" "GestureOnceLook" "GestureOnce" "ComePne"
001913 |         $EditorData {
001914 |             #EditorPos 150.1999969 31.1000004
001915 |         }
001916 |     }
001917 |     $Node AnimNodeGroupSelect {
001918 |         "ComePneBack" "" "GestureOncePneBSTM" "GestureOnce" "ComeErc"
001919 |         $EditorData {
001920 |             #EditorPos 106.5 18.3999996
001921 |         }
001922 |     }
001923 |     $Node AnimNodeGroupSelect {
001924 |         "CoverHeadSelfCro" "" "ActionContinuousSTM" "ActionContinuous" "CoverHeadSelfCro"
001925 |         $EditorData {
001926 |             #EditorPos -8.1999998 -4.0
001927 |         }
001928 |     }
001929 |     $Node AnimNodeGroupSelect {
001930 |         "CoverHeadSelfErc" "" "ActionContinuousSTM" "ActionContinuous" "CoverHeadSelfErc"
001931 |         $EditorData {
001932 |             #EditorPos -8.1999998 -3.3
001933 |         }
001934 |     }
001935 |     $Node AnimNodeGroupSelect {
001936 |         "CoverHeadTargetCro" "" "ActionContinuousSTM" "ActionContinuous" "CoverHeadTargetCro"
001937 |         $EditorData {
001938 |             #EditorPos -6.0 -4.0
001939 |         }
001940 |     }
001941 |     $Node AnimNodeGroupSelect {
001942 |         "CoverHeadTargetErc" "" "ActionContinuousSTM" "ActionContinuous" "CoverHeadTargetErc"
001943 |         $EditorData {
001944 |             #EditorPos -6.0 -3.3
001945 |         }
001946 |     }
001947 |     $Node AnimNodeGroupSelect {
001948 |         "CraftingAddCro" "" "ActionContinuousSTM" "ActionContinuous" "CraftingAddCro"
001949 |         $EditorData {
001950 |             #EditorPos -12.6000004 -4.0
001951 |         }
001952 |     }
001953 |     $Node AnimNodeGroupSelect {
001954 |         "CraftingAddErc" "" "ActionContinuousSTM" "ActionContinuous" "CraftingAddErc"
001955 |         $EditorData {
001956 |             #EditorPos -12.6000004 -3.3
001957 |         }
001958 |     }
001959 |     $Node AnimNodeGroupSelect {
001960 |         "CutBarkCro" "" "ActionInLoopOutLook" "ActionInLoopOut" "CutBarkCro"
001961 |         $EditorData {
001962 |             #EditorPos 16.6000004 31.8000011
001963 |         }
001964 |     }
001965 |     $Node AnimNodeGroupSelect {
001966 |         "CutBarkErc" "" "ActionInLoopOutLook" "ActionInLoopOut" "CutBarkErc"
001967 |         $EditorData {
001968 |             #EditorPos 16.6000004 32.5
001969 |         }
001970 |     }
001971 |     $Node AnimNodeGroupSelect {
001972 |         "DabOnceCro" "" "GestureOnceSTM" "GestureOnce" "DabbingCro"
```

```

001973 |         $EditorData {
001974 |             #EditorPos 137.4000092 -3.6000001
001975 |         }
001976 |     }
001977 |     $Node AnimNodeGroupSelect {
001978 |         "DabOnceErc" "" "GestureOnceSTM" "GestureOnce" "DabbingErc"
001979 |         $EditorData {
001980 |             #EditorPos 137.4000092 -2.8
001981 |         }
001982 |     }
001983 |     $Node AnimNodeGroupSelect {
001984 |         "Deploy1hdCro" "" "DeployMaster" "ActionContinuous" "Deploy1hdCro"
001985 |         $EditorData {
001986 |             #EditorPos -1.0 32.0
001987 |         }
001988 |     }
001989 |     $Node AnimNodeGroupSelect {
001990 |         "Deploy2hdCro" "" "DeployMaster" "ActionContinuous" "Deploy2hdCro"
001991 |         $EditorData {
001992 |             #EditorPos -3.2 32.0
001993 |         }
001994 |     }
001995 |     $Node AnimNodeWeaponIK {
001996 |         "DeployCancelIK" "" "ActionConAltOutAnim" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKT
est" "// ik pose anim
001997 | // (root - means RightHand - but right hand is not exported)
001998 | // |- RightHand_Dummy (where Weapon is)
001999 | // |         |- LeftHandIKTarget (where left hand is on weapon)
002000 | // |- RightHandOrigin ( inverse transform where hand originally was)
002001 |
002002 | // basic setup -
002003 | // hand - bone which represents hand holding weapon
002004 | // weapon - bone which represents weapon node in hand
002005 | // weaponrotator - bone - around which weapon rotates
002006 | hand = RightHand
002007 | weapon = RightHand_Dummy
002008 | weaponrotator = RightArm
002009 | weaponaxis= -x
002010 |
002011 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
002012 | chainaxis=-x
002013 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
002014 | secchainaxis=+x
002015 |
002016 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
002017 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
002018 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
002019 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
002020 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
002021 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
002022 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
002023 |
002024 | "
002025 |         $EditorData {
002026 |             #EditorPos 0.2 25.8000011
002027 |         }
002028 |     }
002029 |     $Node AnimNodeGroupSelect {
002030 |         "DeployHeavyErc" "" "DeployMaster" "ActionContinuous" "DeployHeavyErc"
002031 |         $EditorData {
002032 |             #EditorPos -5.4000001 32.6000023
002033 |         }

```

```

002034 |     }
002035 |     $Node AnimNodeWeaponIK {
002036 |         "DeployInIK" "" "ActionConInAnim" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "/"
002037 |         ik pose anim
002038 |         // (root - means RightHand - but right hand is not exported)
002039 |         // |- RightHand_Dummy (where Weapon is)
002040 |         // |   LeftHandIKTarget (where left hand is on weapon)
002041 |         // |- RightHandOrigin ( inverse transform where hand originally was)
002042 |         // basic setup -
002043 |         // hand - bone which represents hand holding weapon
002044 |         // weapon - bone which represents weapon node in hand
002045 |         // weaponrotator - bone - around which weapon rotates
002046 |         hand = RightHand
002047 |         weapon = RightHand_Dummy
002048 |         weaponrotator = RightArm
002049 |         weaponaxis= -x
002050 |
002051 |         chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
002052 |         chainaxis=-x
002053 |         secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
002054 |         secchainaxis=+x
002055 |
002056 |         ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
002057 |         ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
002058 |         ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
002059 |         ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
002060 |         ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
002061 |         ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
002062 |         ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
002063 |
002064 |         "
002065 |             $EditorData {
002066 |                 #EditorPos -4.9000001 25.8000011
002067 |             }
002068 |         }
002069 |         $Node AnimNodeStateMachine {
002070 |             "DeployMaster" ""
002071 |             $States 4 {
002072 |                 $State {
002073 |                     "In" "TagActionsIn" "DeployInIK" "" "realtime" 0
002074 |                     $EditorData {
002075 |                         #EditorPos -4.9000001 28.6000004
002076 |                     }
002077 |                 }
002078 |                 $State {
002079 |                     "Loop" "TagActionsLoop" "ActionConLoopAnim" "" "realtime" 0
002080 |                     $EditorData {
002081 |                         #EditorPos -2.4000001 27.5
002082 |                     }
002083 |                 }
002084 |                 $State {
002085 |                     "End" "TagActionsEnd" "ActionConOutAnim" "" "realtime" 1
002086 |                     $EditorData {
002087 |                         #EditorPos 0.2 28.6000004
002088 |                     }
002089 |                 }
002090 |                 $State {
002091 |                     "End2" "TagActionsEnd2" "DeployCancelIK" "" "realtime" 1
002092 |                     $EditorData {
002093 |                         #EditorPos 0.2 27.5
002094 |                     }

```

```
002095 |     }
002096 |   }
002097 |   $Transitions 4 {
002098 |     $Transition {
002099 |       "In" "End2" "GetCommandI(CMD_InternalAction) == -1" "0.4" "GetRemainingTime()" 1 "S"
002100 |     }
002101 |     $Transition {
002102 |       "Loop" "End2" "GetCommandI(CMD_InternalAction) == -1" "0.3" "" 0 "S"
002103 |     }
002104 |     $Transition {
002105 |       "In" "Loop" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
002106 |     }
002107 |     $Transition {
002108 |       "" "End" "GetCommandI(CMD_InternalAction) == 0" "0.3" "" 1 "S"
002109 |     }
002110 |   }
002111 |   $EditorData {
002112 |     #EditorPos -5.0999999 30.0
002113 |   }
002114 | }
002115 | $Node AnimNodeGroupSelect {
002116 |   "DigCacheErc" "" "ActionInLoopOutLook" "ActionInLoopOut" "DigCacheErc"
002117 |   $EditorData {
002118 |     #EditorPos -9.8000002 32.6000023
002119 |   }
002120 | }
002121 | $Node AnimNodeGroupSelect {
002122 |   "DigErc" "" "ActionInLoopOutLook" "ActionInLoopOut" "DigErc"
002123 |   $EditorData {
002124 |     #EditorPos -12.0 32.6000023
002125 |   }
002126 | }
002127 | $Node AnimNodeGroupSelect {
002128 |   "DigManipulateErc" "" "ActionInLoopOutLook" "ActionInLoopOut" "DigManipulateErc"
002129 |   $EditorData {
002130 |     #EditorPos -7.5999999 32.6000023
002131 |   }
002132 | }
002133 | $Node AnimNodeGroupSelect {
002134 |   "DigWormsErc_Cro" "" "ActionContinuousLook" "ActionContinuous" "DigWormsErc_Cro"
002135 |   $EditorData {
002136 |     #EditorPos 133.6999969 31.1000004
002137 |   }
002138 | }
002139 | $Node AnimNodeGroupSelect {
002140 |   "DisassembleCro" "" "ActionInLoopOutSTM" "ActionInLoopOut" "DisassembleCro"
002141 |   $EditorData {
002142 |     #EditorPos 36.5 31.8000011
002143 |   }
002144 | }
002145 | $Node AnimNodeGroupSelect {
002146 |   "DisassembleErc" "" "ActionInLoopOutSTM" "ActionInLoopOut" "DisassembleErc"
002147 |   $EditorData {
002148 |     #EditorPos 36.5 32.5
002149 |   }
002150 | }
002151 | $Node AnimNodeGroupSelect {
002152 |   "DownCro" "" "GestureOnceSTM" "GestureOnce" "DownCro"
002153 |   $EditorData {
002154 |     #EditorPos 141.8000031 -3.6000001
002155 |   }
002156 | }
```



```
002157 |     $Node AnimNodeGroupSelect {
002158 |         "DownErc" "" "GestureOnceSTM" "GestureOnce" "DownErc"
002159 |         $EditorData {
002160 |             #EditorPos 141.8000031 -2.8
002161 |         }
002162 |     }
002163 |     $Node AnimNodeGroupSelect {
002164 |         "DownPne" "" "GestureOnceLook" "GestureOnce" "DownPne"
002165 |         $EditorData {
002166 |             #EditorPos 148.0 31.1000004
002167 |         }
002168 |     }
002169 |     $Node AnimNodeGroupSelect {
002170 |         "DownPneBack" "" "GestureOncePneBSTM" "GestureOnce" "DownErc"
002171 |         $EditorData {
002172 |             #EditorPos 104.3000031 18.3999996
002173 |         }
002174 |     }
002175 |     $Node AnimNodeGroupSelect {
002176 |         "DrinkCro" "" "ActionContinuousSTM" "ActionContinuous" "DrinkCro"
002177 |         $EditorData {
002178 |             #EditorPos -47.7999992 -4.0
002179 |         }
002180 |     }
002181 |     $Node AnimNodeGroupSelect {
002182 |         "DrinkErc" "" "ActionContinuousSTM" "ActionContinuous" "DrinkErc"
002183 |         $EditorData {
002184 |             #EditorPos -47.7999992 -3.3
002185 |         }
002186 |     }
002187 |     $Node AnimNodeGroupSelect {
002188 |         "DrinkPne" "" "ActionContinuousSTM" "ActionContinuous" "DrinkPne"
002189 |         $EditorData {
002190 |             #EditorPos -104.0 31.1000004
002191 |         }
002192 |     }
002193 |     $Node AnimNodeGroupSelect {
002194 |         "DrinkPneBack" "" "ActionContPneBSTM" "ActionContinuous" "DrinkErc"
002195 |         $EditorData {
002196 |             #EditorPos -104.0999985 18.5
002197 |         }
002198 |     }
002199 |     $Node AnimNodeSource {
002200 |         "DriverDoorCloseSrc" "" "VehicleActions.DriverDoorClose" "noloop"
002201 |         $Predictions {
002202 |         }
002203 |         $EditorData {
002204 |             #EditorPos 84.5999985 -3.7
002205 |         }
002206 |     }
002207 |     $Node AnimNodeSource {
002208 |         "DriverDoorOpenSrc" "" "VehicleActions.DriverDoorOpen" "noloop"
002209 |         $Predictions {
002210 |         }
002211 |         $EditorData {
002212 |             #EditorPos 84.5999985 -3.0
002213 |         }
002214 |     }
002215 |     $Node AnimNodeSource {
002216 |         "DriverEngineStartInSrc" "" "VehicleActions.DriverEngineStartIn" "noloop"
002217 |         $Predictions {
002218 |         }
```

```
002219 |         $EditorData {
002220 |             #EditorPos 78.0999985 -3.0
002221 |         }
002222 |     }
002223 |     $Node AnimNodeSource {
002224 |         "DriverEngineStartLoopSrc" "" "VehicleActions.DriverEngineStartLoop" "loop"
002225 |         $Predictions {
002226 |         }
002227 |         $EditorData {
002228 |             #EditorPos 78.3000031 -3.6000001
002229 |         }
002230 |     }
002231 |     $Node AnimNodeSource {
002232 |         "DriverEngineStartOutSrc" "" "VehicleActions.DriverEngineStartOut" "nolooop"
002233 |         $Predictions {
002234 |         }
002235 |         $EditorData {
002236 |             #EditorPos 78.0999985 -4.2000003
002237 |         }
002238 |     }
002239 |     $Node AnimNodeSource {
002240 |         "DriverEngineStopSrc" "" "VehicleActions.DriverEngineStop" "nolooop"
002241 |         $Predictions {
002242 |         }
002243 |         $EditorData {
002244 |             #EditorPos 88.9000015 -3.0
002245 |         }
002246 |     }
002247 |     $Node AnimNodeSource {
002248 |         "DriverHornInAnim" "" "VehicleActions.DriverHornIn" "nolooop"
002249 |         $Predictions {
002250 |         }
002251 |         $EditorData {
002252 |             #EditorPos 80.4000015 -3.0
002253 |         }
002254 |     }
002255 |     $Node AnimNodeSource {
002256 |         "DriverHornLoopAnim" "" "VehicleActions.DriverHornLoop" "loop"
002257 |         $Predictions {
002258 |         }
002259 |         $EditorData {
002260 |             #EditorPos 80.7000046 -3.6000001
002261 |         }
002262 |     }
002263 |     $Node AnimNodeSource {
002264 |         "DriverHornOutAnim" "" "VehicleActions.DriverHornOut" "nolooop"
002265 |         $Predictions {
002266 |         }
002267 |         $EditorData {
002268 |             #EditorPos 80.4000015 -4.2000003
002269 |         }
002270 |     }
002271 |     $Node AnimNodeSource {
002272 |         "DriverLightsAnim" "" "VehicleActions.DriverLights" "nolooop"
002273 |         $Predictions {
002274 |         }
002275 |         $EditorData {
002276 |             #EditorPos 93.3000031 -3.0
002277 |         }
002278 |     }
002279 |     $Node AnimNodeSource {
002280 |         "DriverShiftGearAnim" "" "VehicleActions.DriverShiftGear" "nolooop"
```

```
002281 |         $Predictions {
002282 |     }
002283 |     $EditorData {
002284 |         #EditorPos 91.0999985 -3.0
002285 |     }
002286 | }
002287 | $Node AnimNodeGroupSelect {
002288 |     "DropItemHandsCro" "" "ActionOnceSTM" "ActionOnce" "DropItemHandsCro"
002289 |     $EditorData {
002290 |         #EditorPos 73.3000031 -4.0
002291 |     }
002292 | }
002293 | $Node AnimNodeGroupSelect {
002294 |     "DropItemHandsErc" "" "ActionOnceSTM" "ActionOnce" "DropItemHandsErc"
002295 |     $EditorData {
002296 |         #EditorPos 73.3000031 -3.3
002297 |     }
002298 | }
002299 | $Node AnimNodeGroupSelect {
002300 |     "DropItemHandsPne" "" "ActionOnceSTM" "ActionOnce" "DropItemHandsPne"
002301 |     $EditorData {
002302 |         #EditorPos 93.5999985 32.7000008
002303 |     }
002304 | }
002305 | $Node AnimNodeGroupSelect {
002306 |     "DropItemHandsPneBack" "" "ActionOncePneBT" "ActionOnce" "DropItemHandsErc"
002307 |     $EditorData {
002308 |         #EditorPos 94.2000046 18.3999996
002309 |     }
002310 | }
002311 | $Node AnimNodeGroupSelect {
002312 |     "DropItemInventoryCro" "" "ActionOnceSTM" "ActionOnce" "DropItemInventoryCro"
002313 |     $EditorData {
002314 |         #EditorPos 75.5 -4.0
002315 |     }
002316 | }
002317 | $Node AnimNodeGroupSelect {
002318 |     "DropItemInventoryErc" "" "ActionOnceSTM" "ActionOnce" "DropItemInventoryErc"
002319 |     $EditorData {
002320 |         #EditorPos 75.5 -3.3
002321 |     }
002322 | }
002323 | $Node AnimNodeGroupSelect {
002324 |     "EatCro" "" "ActionContinuousSTM" "ActionContinuous" "EatCro"
002325 |     $EditorData {
002326 |         #EditorPos -45.6000023 -4.0
002327 |     }
002328 | }
002329 | $Node AnimNodeGroupSelect {
002330 |     "EatErc" "" "ActionContinuousSTM" "ActionContinuous" "EatErc"
002331 |     $EditorData {
002332 |         #EditorPos -45.6000023 -3.3
002333 |     }
002334 | }
002335 | $Node AnimNodeGroupSelect {
002336 |     "EatPillCro" "" "ActionOnceSTM" "ActionOnce" "EatPillCro"
002337 |     $EditorData {
002338 |         #EditorPos 58.6000023 -3.8
002339 |     }
002340 | }
002341 | $Node AnimNodeGroupSelect {
002342 |     "EatPillErc" "" "ActionOnceSTM" "ActionOnce" "EatPillErc"
```

```
002343 |         $EditorData {
002344 |             #EditorPos 58.6000023 -3.1000001
002345 |         }
002346 |     }
002347 | $Node AnimNodeGroupSelect {
002348 |     "EatPillPne" "" "ActionOnceSTM" "ActionOnce" "EatPillPne"
002349 |     $EditorData {
002350 |         #EditorPos 98.7000046 32.6000023
002351 |     }
002352 | }
002353 | $Node AnimNodeGroupSelect {
002354 |     "EatPne" "" "ActionContinuousSTM" "ActionContinuous" "EatPne"
002355 |     $EditorData {
002356 |         #EditorPos -101.8000031 31.1000004
002357 |     }
002358 | }
002359 | $Node AnimNodeGroupSelect {
002360 |     "EatPneBack" "" "ActionContPneBSTM" "ActionContinuous" "EatErc"
002361 |     $EditorData {
002362 |         #EditorPos -101.9000015 18.5
002363 |     }
002364 | }
002365 | $Node AnimNodeGroupSelect {
002366 |     "EatSnowCro" "" "ActionContinuousSTM" "ActionContinuous" "EatSnowCro"
002367 |     $EditorData {
002368 |         #EditorPos 128.1999969 31.1000004
002369 |     }
002370 | }
002371 | $Node AnimNodeGroupSelect {
002372 |     "EatTabletCro" "" "ActionOnceSTM" "ActionOnce" "EatTabletCro"
002373 |     $EditorData {
002374 |         #EditorPos 60.9000015 -3.8
002375 |     }
002376 | }
002377 | $Node AnimNodeGroupSelect {
002378 |     "EatTabletErc" "" "ActionOnceSTM" "ActionOnce" "EatTabletErc"
002379 |     $EditorData {
002380 |         #EditorPos 60.9000015 -3.1000001
002381 |     }
002382 | }
002383 | $Node AnimNodeGroupSelect {
002384 |     "EatTabletPne" "" "ActionOnceSTM" "ActionOnce" "EatTabletPne"
002385 |     $EditorData {
002386 |         #EditorPos 101.3000031 32.6000023
002387 |     }
002388 | }
002389 | $Node AnimNodeGroupSelect {
002390 |     "EmptyMagCro" "" "ActionInLoopOutSTM" "ActionInLoopOut" "EmptyMagCro"
002391 |     $EditorData {
002392 |         #EditorPos -25.8000011 -4.0
002393 |     }
002394 | }
002395 | $Node AnimNodeGroupSelect {
002396 |     "EmptyMagErc" "" "ActionInLoopOutSTM" "ActionInLoopOut" "EmptyMagErc"
002397 |     $EditorData {
002398 |         #EditorPos -25.8000011 -3.3
002399 |     }
002400 | }
002401 | $Node AnimNodeGroupSelect {
002402 |     "EmptyMagPne" "" "ActionInLoopOutSTM" "ActionInLoopOut" "EmptyMagPne"
002403 |     $EditorData {
002404 |         #EditorPos -88.2000046 31.1000004
```

```
002405 |     }
002406 | }
002407 | $Node AnimNodeGroupSelect {
002408 |     "EmptyMagPneBack" "" "ActionContPneBLook" "ActionInLoopOut" "EmptyMagErc"
002409 |     $EditorData {
002410 |         #EditorPos -88.2000046 18.6000004
002411 |     }
002412 | }
002413 | $Node AnimNodeGroupSelect {
002414 |     "EmptySeedsPackCro" "" "ActionOnceSTM" "ActionOnce" "EmptySeedsPackCro"
002415 |     $EditorData {
002416 |         #EditorPos 47.2000008 -3.8
002417 |     }
002418 | }
002419 | $Node AnimNodeGroupSelect {
002420 |     "EmptySeedsPackErc" "" "ActionOnceSTM" "ActionOnce" "EmptySeedsPackErc"
002421 |     $EditorData {
002422 |         #EditorPos 47.2000008 -3.1000001
002423 |     }
002424 | }
002425 | $Node AnimNodeGroupSelect {
002426 |     "EmptyVesselCro" "" "ActionContinuousSTM" "ActionContinuous" "EmptyVesselCro"
002427 |     $EditorData {
002428 |         #EditorPos -43.4000015 -4.0
002429 |     }
002430 | }
002431 | $Node AnimNodeGroupSelect {
002432 |     "EmptyVesselErc" "" "ActionContinuousSTM" "ActionContinuous" "EmptyVesselErc"
002433 |     $EditorData {
002434 |         #EditorPos -43.4000015 -3.3
002435 |     }
002436 | }
002437 | $Node AnimNodeGroupSelect {
002438 |     "EmptyVesselFBCro" "" "ActionContinuousLook" "ActionContinuous" "EmptyVesselFBCro"
002439 |     $EditorData {
002440 |         #EditorPos -23.5 31.8999996
002441 |     }
002442 | }
002443 | $Node AnimNodeGroupSelect {
002444 |     "EmptyVesselFBErc" "" "ActionContinuousLook" "ActionContinuous" "EmptyVesselFBErc"
002445 |     $EditorData {
002446 |         #EditorPos -23.5 32.6000023
002447 |     }
002448 | }
002449 | $Node AnimNodeGroupSelect {
002450 |     "FBBandageCro" "" "ActionContinuousLook" "ActionContinuous" "BandageCro"
002451 |     $EditorData {
002452 |         #EditorPos -67.9000015 31.8999996
002453 |     }
002454 | }
002455 | $Node AnimNodeGroupSelect {
002456 |     "FBCPRCro" "" "ActionContinuousLook" "ActionContinuous" "CPRCro"
002457 |     $EditorData {
002458 |         #EditorPos -70.0999985 31.8999996
002459 |     }
002460 | }
002461 | $Node AnimNodeGroupSelect {
002462 |     "FBCampfireCro" "" "GestureContLook" "Gesture" "CampfireCro"
002463 |     $EditorData {
002464 |         #EditorPos 205.9000092 31.6000004
002465 |     }
002466 | }
```

```
002467 |     $Node AnimNodeGroupSelect {
002468 |         "FBCraftingCro" "" "ActionContinuousLook" "ActionContinuous" "CraftingCro"
002469 |         $EditorData {
002470 |             #EditorPos -65.7000046 31.8999996
002471 |         }
002472 |     }
002473 |     $Node AnimNodeGroupSelect {
002474 |         "FBDabbingCro" "" "GestureContinuousSTM" "Gesture" "DabbingCro"
002475 |         $EditorData {
002476 |             #EditorPos 216.9000092 31.6000004
002477 |         }
002478 |     }
002479 |     $Node AnimNodeGroupSelect {
002480 |         "FBDabbingErc" "" "GestureContinuousSTM" "Gesture" "DabbingErc"
002481 |         $EditorData {
002482 |             #EditorPos 216.9000092 32.4000015
002483 |         }
002484 |     }
002485 |     $Node AnimNodeGroupSelect {
002486 |         "FBDigShovelCro" "" "ActionContinuousLook" "ActionContinuous" "DigShovelCro"
002487 |         $EditorData {
002488 |             #EditorPos -74.7000046 31.8999996
002489 |         }
002490 |     }
002491 |     $Node AnimNodeGroupSelect {
002492 |         "FBDrinkPondCro" "" "ActionContinuousSTM" "ActionContinuous" "DrinkPondCro"
002493 |         $EditorData {
002494 |             #EditorPos -86.0 31.8999996
002495 |         }
002496 |     }
002497 |     $Node AnimNodeGroupSelect {
002498 |         "FBDrinkPondErc" "" "ActionContinuousSTM" "ActionContinuous" "DrinkPondErc"
002499 |         $EditorData {
002500 |             #EditorPos -86.0 32.6000023
002501 |         }
002502 |     }
002503 |     $Node AnimNodeGroupSelect {
002504 |         "FBDrinkWellCro" "" "ActionContinuousSTM" "ActionContinuous" "DrinkWellCro"
002505 |         $EditorData {
002506 |             #EditorPos -83.8000031 31.8999996
002507 |         }
002508 |     }
002509 |     $Node AnimNodeGroupSelect {
002510 |         "FBDrinkWellErc" "" "ActionContinuousSTM" "ActionContinuous" "DrinkWellErc"
002511 |         $EditorData {
002512 |             #EditorPos -83.8000031 32.6000023
002513 |         }
002514 |     }
002515 |     $Node AnimNodeGroupSelect {
002516 |         "FBFillBottleWellCro" "" "ActionContinuousSTM" "ActionContinuous" "FillBottleWellCro"
002517 |         $EditorData {
002518 |             #EditorPos -81.5999985 31.8999996
002519 |         }
002520 |     }
002521 |     $Node AnimNodeGroupSelect {
002522 |         "FBFireExtinguisherErc" "" "ActionContinuousSTM" "ActionContinuous" "FireExtinguisherErc"
002523 |         $EditorData {
002524 |             #EditorPos -79.3000031 32.7000008
002525 |         }
002526 |     }
002527 |     $Node AnimNodeGroupSelect {
002528 |         "FBFishingCro" "" "ActionContinuousLook" "ActionContinuous" "FishingCro"
```

```
002529 |         $EditorData {
002530 |             #EditorPos -72.3000031 31.8999996
002531 |         }
002532 |     }
002533 |     $Node AnimNodeGroupSelect {
002534 |         "FBGestureDanceErc" "" "GestureOnceLook" "GestureOnce" "DanceErc"
002535 |         $EditorData {
002536 |             #EditorPos 156.8000031 32.5
002537 |         }
002538 |     }
002539 |     $Node AnimNodeGroupSelect {
002540 |         "FBGestureLayingDownCro" "" "GestureContinuousSTM" "Gesture" "LayingDownCro"
002541 |         $EditorData {
002542 |             #EditorPos 208.1000061 31.6000004
002543 |         }
002544 |     }
002545 |     $Node AnimNodeGroupSelect {
002546 |         "FBGestureMilitarySaluteErc" "" "GestureContinuousSTM" "Gesture" "MilitarySaluteErc"
002547 |         $EditorData {
002548 |             #EditorPos 203.6999969 32.2999992
002549 |         }
002550 |     }
002551 |     $Node AnimNodeGroupSelect {
002552 |         "FBGestureS0SErc" "" "GestureContSpineLook" "Gesture" "S0SErc"
002553 |         $EditorData {
002554 |             #EditorPos 210.3000031 32.4000015
002555 |         }
002556 |     }
002557 |     $Node AnimNodeGroupSelect {
002558 |         "FBInjectionCro" "" "ActionOnceLook" "ActionOnce" "InjectionCro"
002559 |         $EditorData {
002560 |             #EditorPos 70.5 32.0
002561 |         }
002562 |     }
002563 |     $Node AnimNodeGroupSelect {
002564 |         "FBSitACro" "" "AnimNodeWeaponIK" "Gesture" "SitACro"
002565 |         $EditorData {
002566 |             #EditorPos 212.5 31.6000004
002567 |         }
002568 |     }
002569 |     $Node AnimNodeGroupSelect {
002570 |         "FBSitBCro" "" "GestureContLook" "Gesture" "SitBCro"
002571 |         $EditorData {
002572 |             #EditorPos 214.6999969 31.6000004
002573 |         }
002574 |     }
002575 |     $Node AnimNodeGroupSelect {
002576 |         "FBVomitingCro" "" "ActionContinuousSTM" "ActionContinuous" "VomitingCro"
002577 |         $EditorData {
002578 |             #EditorPos -36.9000015 31.8999996
002579 |         }
002580 |     }
002581 |     $Node AnimNodeGroupSelect {
002582 |         "FBWringCro" "" "ActionContinuousLook" "ActionContinuous" "WringCro"
002583 |         $EditorData {
002584 |             #EditorPos -76.9000015 31.8999996
002585 |         }
002586 |     }
002587 |     $Node AnimNodeGroupSelect {
002588 |         "FacepalmCro" "" "GestureContinuousSTM" "Gesture" "FacepalmCro"
002589 |         $EditorData {
002590 |             #EditorPos 114.3000031 -3.7
```

```
002591 |     }
002592 | }
002593 | $Node AnimNodeGroupSelect {
002594 |     "FacepalmErc" "" "GestureContinuousSTM" "Gesture" "FacepalmErc"
002595 |     $EditorData {
002596 |         #EditorPos 114.3000031 -2.9000001
002597 |     }
002598 | }
002599 | $Node AnimNodeGroupSelect {
002600 |     "FillBottlePondCro" "" "ActionContinuousLook" "ActionContinuous" "FillBottlePondCro"
002601 |     $EditorData {
002602 |         #EditorPos 7.8000002 31.8000011
002603 |     }
002604 | }
002605 | $Node AnimNodeGroupSelect {
002606 |     "FillBottlePondErc" "" "ActionContinuousLook" "ActionContinuous" "FillBottlePondErc"
002607 |     $EditorData {
002608 |         #EditorPos 7.8000002 32.5
002609 |     }
002610 | }
002611 | $Node AnimNodeGroupSelect {
002612 |     "FillContainerSnowCro" "" "ActionContinuousLook" "ActionContinuous" "FillContainerSnowCro"
002613 |     $EditorData {
002614 |         #EditorPos 130.9000092 31.1000004
002615 |     }
002616 | }
002617 | $Node AnimNodeGroupSelect {
002618 |     "FillMagCro" "" "ActionInLoopOutSTM" "ActionInLoopOut" "FillMagCro"
002619 |     $EditorData {
002620 |         #EditorPos -28.0 -4.0
002621 |     }
002622 | }
002623 | $Node AnimNodeGroupSelect {
002624 |     "FillMagErc" "" "ActionInLoopOutSTM" "ActionInLoopOut" "FillMagErc"
002625 |     $EditorData {
002626 |         #EditorPos -28.0 -3.3
002627 |     }
002628 | }
002629 | $Node AnimNodeGroupSelect {
002630 |     "FillMagPne" "" "ActionInLoopOutSTM" "ActionInLoopOut" "FillMagPne"
002631 |     $EditorData {
002632 |         #EditorPos -90.4000015 31.1000004
002633 |     }
002634 | }
002635 | $Node AnimNodeGroupSelect {
002636 |     "FillMagPneBack" "" "ActionContPneBLook" "ActionInLoopOut" "FillMagErc"
002637 |     $EditorData {
002638 |         #EditorPos -90.4000015 18.6000004
002639 |     }
002640 | }
002641 | $Node AnimNodeGroupSelect {
002642 |     "FishingRodExtendCro" "" "ActionOnceSTM" "ActionOnce" "FishingRodExtendCro"
002643 |     $EditorData {
002644 |         #EditorPos 34.0 -3.8
002645 |     }
002646 | }
002647 | $Node AnimNodeGroupSelect {
002648 |     "FishingRodExtendErc" "" "ActionOnceSTM" "ActionOnce" "FishingRodExtendCro"
002649 |     $EditorData {
002650 |         #EditorPos 34.0 -3.1000001
002651 |     }
002652 | }
```



```
002653 |     $Node AnimNodeGroupSelect {
002654 |         "FishingRodRetractCro" "" "ActionOnceSTM" "ActionOnce" "FishingRodRetractCro"
002655 |         $EditorData {
002656 |             #EditorPos 36.2000008 -3.8
002657 |         }
002658 |     }
002659 |     $Node AnimNodeGroupSelect {
002660 |         "FishingRodRetractErc" "" "ActionOnceSTM" "ActionOnce" "FishingRodRetractErc"
002661 |         $EditorData {
002662 |             #EditorPos 36.2000008 -3.1000001
002663 |         }
002664 |     }
002665 |     $Node AnimNodeGroupSelect {
002666 |         "ForceFeedCro" "" "ActionContinuousLook" "ActionContinuous" "ForceFeedCro"
002667 |         $EditorData {
002668 |             #EditorPos -59.1000023 31.8999996
002669 |         }
002670 |     }
002671 |     $Node AnimNodeGroupSelect {
002672 |         "ForceFeedErc" "" "ActionContinuousLook" "ActionContinuous" "ForceFeedErc"
002673 |         $EditorData {
002674 |             #EditorPos -59.1000023 32.7000008
002675 |         }
002676 |     }
002677 |     $Node AnimNodeStateMachine {
002678 |         "FullBodyActionMaster" "TagFullBodyActions"
002679 |         $States 193 {
002680 |             $State {
002681 |                 "LitChemlightPne" "" "LitChemlightPne" "GetCommandI(CMD_FullBodyAction) == 504" "notime" 1
002682 |                 $EditorData {
002683 |                     #EditorPos 57.2999992 34.5
002684 |                 }
002685 |             }
002686 |             $State {
002687 |                 "HeartPne" "" "HeartPne" "GetCommandI(CMD_FullBodyAction) == 1007" "notime" 1
002688 |                 $EditorData {
002689 |                     #EditorPos 188.1999969 34.2999992
002690 |                 }
002691 |             }
002692 |             $State {
002693 |                 "UnpinGrenadePne" "" "UnpinGrenadePne" "GetCommandI(CMD_FullBodyAction) == 505" "notime" 1
002694 |                 $EditorData {
002695 |                     #EditorPos 59.5 34.5
002696 |                 }
002697 |             }
002698 |             $State {
002699 |                 "LitFlarePne" "" "LitFlarePne" "GetCommandI(CMD_FullBodyAction) == 503" "notime" 1
002700 |                 $EditorData {
002701 |                     #EditorPos 55.1000023 34.5
002702 |                 }
002703 |             }
002704 |             $State {
002705 |                 "PickUpHandsPne" "" "PickUpHandsPne" "GetCommandI(CMD_FullBodyAction) == 500" "notime" 1
002706 |                 $EditorData {
002707 |                     #EditorPos 48.5 34.5
002708 |                 }
002709 |             }
002710 |             $State {
002711 |                 "LickBatteryPne" "" "LickBatteryPne" "GetCommandI(CMD_FullBodyAction) == 502" "notime" 1
002712 |                 $EditorData {
002713 |                     #EditorPos 52.9000015 34.5
002714 |                 }
002714 |             }
```

```
002715 |     }
002716 |     $State {
002717 |         "TimeoutPne" "" "TimeoutPne" "GetCommandI(CMD_FullBodyAction) == 1006" "notime" 1
002718 |         $EditorData {
002719 |             #EditorPos 186.0 34.2999992
002720 |         }
002721 |     }
002722 |     $State {
002723 |         "TauntFingerPne" "" "TauntFingerPne" "GetCommandI(CMD_FullBodyAction) == 1005" "notime" 1
002724 |         $EditorData {
002725 |             #EditorPos 183.8000031 34.2999992
002726 |         }
002727 |     }
002728 |     $State {
002729 |         "SilencePne" "" "SilencePne" "GetCommandI(CMD_FullBodyAction) == 1004" "notime" 1
002730 |         $EditorData {
002731 |             #EditorPos 181.6000061 34.2999992
002732 |         }
002733 |     }
002734 |     $State {
002735 |         "ThumbUpPne" "" "ThumbUpPne" "GetCommandI(CMD_FullBodyAction) == 1002" "notime" 1
002736 |         $EditorData {
002737 |             #EditorPos 177.1999969 34.2999992
002738 |         }
002739 |     }
002740 |     $State {
002741 |         "PointPne" "" "PointPne" "GetCommandI(CMD_FullBodyAction) == 1001" "notime" 1
002742 |         $EditorData {
002743 |             #EditorPos 175.0 34.2999992
002744 |         }
002745 |     }
002746 |     $State {
002747 |         "GreetingPne" "" "GreetingPne" "GetCommandI(CMD_FullBodyAction) == 1000" "notime" 1
002748 |         $EditorData {
002749 |             #EditorPos 172.8000031 34.2999992
002750 |         }
002751 |     }
002752 |     $State {
002753 |         "TauntThroatPne" "" "TauntThroatPne" "GetCommandI(CMD_FullBodyAction) == 1100" "notime" 1
002754 |         $EditorData {
002755 |             #EditorPos 143.6000061 34.2999992
002756 |         }
002757 |     }
002758 |     $State {
002759 |         "ItemOnPne" "" "ItemOnPne" "GetCommandI(CMD_FullBodyAction) == 506" "notime" 1
002760 |         $EditorData {
002761 |             #EditorPos 61.7000008 34.5
002762 |         }
002763 |     }
002764 |     $State {
002765 |         "ItemOffPne" "" "ItemOffPne" "GetCommandI(CMD_FullBodyAction) == 507" "notime" 1
002766 |         $EditorData {
002767 |             #EditorPos 63.9000015 34.5
002768 |         }
002769 |     }
002770 |     $State {
002771 |         "ThumbDownPne" "" "ThumbDownPne" "GetCommandI(CMD_FullBodyAction) == 1003" "notime" 1
002772 |         $EditorData {
002773 |             #EditorPos 179.4000092 34.2999992
002774 |         }
002775 |     }
002776 |     $State {
```

```
002777 |         "WatchingPne" "" "WatchingPne" "GetCommandI(CMD_FullBodyAction) == 1009" "notime" 1
002778 |         $EditorData {
002779 |             #EditorPos 190.4000092 34.2999992
002780 |         }
002781 |     }
002782 |     $State {
002783 |         "HoldPne" "" "HoldPne" "GetCommandI(CMD_FullBodyAction) == 1010" "notime" 1
002784 |         $EditorData {
002785 |             #EditorPos 192.6000061 34.2999992
002786 |         }
002787 |     }
002788 |     $State {
002789 |         "ListeningPne" "" "ListeningPne" "GetCommandI(CMD_FullBodyAction) == 1011" "notime" 1
002790 |         $EditorData {
002791 |             #EditorPos 194.8000031 34.2999992
002792 |         }
002793 |     }
002794 |     $State {
002795 |         "PointSelfPne" "" "PointSelfPne" "GetCommandI(CMD_FullBodyAction) == 1012" "notime" 1
002796 |         $EditorData {
002797 |             #EditorPos 197.0 34.2999992
002798 |         }
002799 |     }
002800 |     $State {
002801 |         "MovePne" "" "MovePne" "GetCommandI(CMD_FullBodyAction) == 1103" "notime" 1
002802 |         $EditorData {
002803 |             #EditorPos 145.8000031 34.2999992
002804 |         }
002805 |     }
002806 |     $State {
002807 |         "DownPne" "" "DownPne" "GetCommandI(CMD_FullBodyAction) == 1104" "notime" 1
002808 |         $EditorData {
002809 |             #EditorPos 148.0 34.2999992
002810 |         }
002811 |     }
002812 |     $State {
002813 |         "ComePne" "" "ComePne" "GetCommandI(CMD_FullBodyAction) == 1105" "notime" 1
002814 |         $EditorData {
002815 |             #EditorPos 150.1999969 34.2999992
002816 |         }
002817 |     }
002818 |     $State {
002819 |         "LookAtMePne" "" "LookAtMePne" "GetCommandI(CMD_FullBodyAction) == 1013" "notime" 1
002820 |         $EditorData {
002821 |             #EditorPos 199.1999969 34.2999992
002822 |         }
002823 |     }
002824 |     $State {
002825 |         "TauntKissPne" "" "TauntKissPne" "GetCommandI(CMD_FullBodyAction) == 1106" "notime" 1
002826 |         $EditorData {
002827 |             #EditorPos 152.4000092 34.2999992
002828 |         }
002829 |     }
002830 |     $State {
002831 |         "TauntThinkPne" "" "TauntThinkPne" "GetCommandI(CMD_FullBodyAction) == 1108" "notime" 1
002832 |         $EditorData {
002833 |             #EditorPos 154.6000061 34.2999992
002834 |         }
002835 |     }
002836 |     $State {
002837 |         "MilitarySaluteErc" "" "FBGestureMilitarySaluteErc" "GetCommandI(CMD_FullBodyAction) == 1050" "notime" 1
002838 |         $EditorData {
```

```
002839 |         #EditorPos 203.6999969 35.7999992
002840 |     }
002841 | }
002842 | $State {
002843 |     "DanceErc" "" "FBGestureDanceErc" "GetCommandI(CMD_FullBodyAction) == 1109" "notime" 1
002844 |     $EditorData {
002845 |         #EditorPos 156.8000031 35.7999992
002846 |     }
002847 | }
002848 | $State {
002849 |     "LyingDownCro" "" "FBGestureLayingDownCro" "GetCommandI(CMD_FullBodyAction) == 1052" "notime" 1
002850 |     $EditorData {
002851 |         #EditorPos 208.1000061 35.0
002852 |     }
002853 | }
002854 | $State {
002855 |     "S0SErc" "" "FBGestureS0SErc" "GetCommandI(CMD_FullBodyAction) == 1053" "notime" 1
002856 |     $EditorData {
002857 |         #EditorPos 210.3000031 35.7999992
002858 |     }
002859 | }
002860 | $State {
002861 |     "CampfireCro" "" "FBCampfireCro" "GetCommandI(CMD_FullBodyAction) == 1051" "notime" 1
002862 |     $EditorData {
002863 |         #EditorPos 205.9000092 35.0
002864 |     }
002865 | }
002866 | $State {
002867 |     "SitACro" "TagSitCrossed" "FBSitACro" "GetCommandI(CMD_FullBodyAction) == 1054" "notime" 1
002868 |     $EditorData {
002869 |         #EditorPos 212.5 35.0
002870 |     }
002871 | }
002872 | $State {
002873 |     "SitBCro" "" "FBSitBCro" "GetCommandI(CMD_FullBodyAction) == 1055" "notime" 1
002874 |     $EditorData {
002875 |         #EditorPos 214.6999969 35.0
002876 |     }
002877 | }
002878 | $State {
002879 |     "1HDSelect" "" "Suicide1HD" "GetCommandI(CMD_FullBodyAction) == 2000" "notime" 1
002880 |     $EditorData {
002881 |         #EditorPos 226.6999969 35.4000015
002882 |     }
002883 | }
002884 | $State {
002885 |     "FireaxeSelect" "" "SuicideFireaxe" "GetCommandI(CMD_FullBodyAction) == 2001" "notime" 1
002886 |     $EditorData {
002887 |         #EditorPos 228.8000031 35.4000015
002888 |     }
002889 | }
002890 | $State {
002891 |     "PitchForkSelect" "" "SuicidePitchfork" "GetCommandI(CMD_FullBodyAction) == 2002" "notime" 1
002892 |     $EditorData {
002893 |         #EditorPos 230.9000092 35.4000015
002894 |     }
002895 | }
002896 | $State {
002897 |     "PistolSelect" "" "SuicidePst" "GetCommandI(CMD_FullBodyAction) == 2003" "notime" 1
002898 |     $EditorData {
002899 |         #EditorPos 233.0 35.4000015
002900 |     }
}
```

```
002901 |     }
002902 |     $State {
002903 |         "RifleSelect" "" "SuicideRfl" "GetCommandI(CMD_FullBodyAction) == 2004" "notime" 1
002904 |         $EditorData {
002905 |             #EditorPos 235.1000061 35.4000015
002906 |         }
002907 |     }
002908 |     $State {
002909 |         "SwordSelect" "" "SuicideSword" "GetCommandI(CMD_FullBodyAction) == 2005" "notime" 1
002910 |         $EditorData {
002911 |             #EditorPos 237.1999969 35.4000015
002912 |         }
002913 |     }
002914 |     $State {
002915 |         "UnarmedSelect" "TagSuicideUnarmed" "SuicideUnarmed" "GetCommandI(CMD_FullBodyAction) == 2006" "notime" 1
002916 |         $EditorData {
002917 |             #EditorPos 239.3000031 35.4000015
002918 |         }
002919 |     }
002920 |     $State {
002921 |         "WoodaxeSelect" "" "SuicideWoodaxe" "GetCommandI(CMD_FullBodyAction) == 2007" "notime" 1
002922 |         $EditorData {
002923 |             #EditorPos 241.4000092 35.4000015
002924 |         }
002925 |     }
002926 |     $State {
002927 |         "SpearSelect" "" "SuicideSpear" "GetCommandI(CMD_FullBodyAction) == 2008" "notime" 1
002928 |         $EditorData {
002929 |             #EditorPos 243.5 35.4000015
002930 |         }
002931 |     }
002932 |     $State {
002933 |         "FillBottleWellCro" "" "FBFillBottleWellCro" "GetCommandI(CMD_FullBodyAction) == 52" "notime" 1
002934 |         $EditorData {
002935 |             #EditorPos -81.5999985 35.1000023
002936 |         }
002937 |     }
002938 |     $State {
002939 |         "DrinkPondCro" "" "FBDrinkPondCro" "GetCommandI(CMD_FullBodyAction) == 50 && Stance == 1" "notime" 1
002940 |         $EditorData {
002941 |             #EditorPos -86.0 35.1000023
002942 |         }
002943 |     }
002944 |     $State {
002945 |         "FireExtinguisherErc" "" "FBFireExtinguisherErc" "GetCommandI(CMD_FullBodyAction) == 53" "notime" 1
002946 |         $EditorData {
002947 |             #EditorPos -79.3000031 35.9000015
002948 |         }
002949 |     }
002950 |     $State {
002951 |         "WringCro" "" "FBWringCro" "GetCommandI(CMD_FullBodyAction) == 54" "notime" 1
002952 |         $EditorData {
002953 |             #EditorPos -76.9000015 35.0
002954 |         }
002955 |     }
002956 |     $State {
002957 |         "VomitingCro" "" "FBVomitingCro" "GetCommandI(CMD_FullBodyAction) == 72" "notime" 1
002958 |         $EditorData {
002959 |             #EditorPos -36.9000015 35.1000023
002960 |         }
002961 |     }
002962 |     $State {
```

```
002963 |         "FishingCro" "" "FBFishingCro" "GetCommandI(CMD_FullBodyAction) == 56" "notime" 1
002964 |         $EditorData {
002965 |             #EditorPos -72.3000031 35.1000023
002966 |         }
002967 |     }
002968 |     $State {
002969 |         "CPRCro" "" "FBCPRCro" "GetCommandI(CMD_FullBodyAction) == 57" "notime" 1
002970 |         $EditorData {
002971 |             #EditorPos -70.0999985 35.1000023
002972 |         }
002973 |     }
002974 |     $State {
002975 |         "BandageCro" "" "FBBandageCro" "GetCommandI(CMD_FullBodyAction) == 58" "notime" 1
002976 |         $EditorData {
002977 |             #EditorPos -67.9000015 35.1000023
002978 |         }
002979 |     }
002980 |     $State {
002981 |         "DrinkWellCro" "" "FBDrinkWellCro" "GetCommandI(CMD_FullBodyAction) == 51 && Stance == 1" "notime" 1
002982 |         $EditorData {
002983 |             #EditorPos -83.8000031 35.1000023
002984 |         }
002985 |     }
002986 |     $State {
002987 |         "CraftingCro" "" "FBCraftingCro" "GetCommandI(CMD_FullBodyAction) == 59" "notime" 1
002988 |         $EditorData {
002989 |             #EditorPos -65.7000046 35.1000023
002990 |         }
002991 |     }
002992 |     $State {
002993 |         "InjectionCro" "" "FBInjectionCro" "GetCommandI(CMD_FullBodyAction) == 510" "notime" 1
002994 |         $EditorData {
002995 |             #EditorPos 70.5 35.2000008
002996 |         }
002997 |     }
002998 |     $State {
002999 |         "InteractCro" "" "InteractCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 60" "notime" 1
003000 |         $EditorData {
003001 |             #EditorPos -63.5 35.1000023
003002 |         }
003003 |     }
003004 |     $State {
003005 |         "ForceFeedCro" "" "ForceFeedCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 62" "notime" 1
003006 |         $EditorData {
003007 |             #EditorPos -59.1000023 35.1000023
003008 |         }
003009 |     }
003010 |     $State {
003011 |         "ForceFeedErc" "" "ForceFeedErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 62" "notime" 1
003012 |         $EditorData {
003013 |             #EditorPos -59.1000023 35.9000015
003014 |         }
003015 |     }
003016 |     $State {
003017 |         "BandageTargetCro" "" "BandageTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 63" "notime" 1
003018 |         $EditorData {
003019 |             #EditorPos -56.9000015 35.1000023
003020 |         }
003021 |     }
003022 |     $State {
003023 |         "SprayPlantCro" "" "SprayPlantCro" "GetCommandI(CMD_FullBodyAction) == 64" "notime" 1
003024 |         $EditorData {
```

```
003025 |         #EditorPos -54.7000008 35.1000023
003026 |     }
003027 | }
003028 | $State {
003029 |     "StartFireCro" "" "StartFireCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 65" "notime" 1
003030 |     $EditorData {
003031 |         #EditorPos -52.5 35.1000023
003032 |     }
003033 | }
003034 | $State {
003035 |     "AnimalSkinningCro" "" "AnimalSkinningCro" "GetCommandI(CMD_FullBodyAction) == 66" "notime" 1
003036 |     $EditorData {
003037 |         #EditorPos -50.2999992 35.1000023
003038 |     }
003039 | }
003040 | $State {
003041 |     "BandageTargetErc" "" "BandageTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 63" "notime" 1
003042 |     $EditorData {
003043 |         #EditorPos -56.9000015 35.9000015
003044 |     }
003045 | }
003046 | $State {
003047 |     "WashHandsWellCro" "" "WashHandsWellCro" "GetCommandI(CMD_FullBodyAction) == 67" "notime" 1
003048 |     $EditorData {
003049 |         #EditorPos -48.1000023 35.1000023
003050 |     }
003051 | }
003052 | $State {
003053 |     "DabbingErc" "" "FBDabbingErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 1056" "notime" 1
003054 |     $EditorData {
003055 |         #EditorPos 216.9000092 35.7999992
003056 |     }
003057 | }
003058 | $State {
003059 |     "DabbingCro" "" "FBDabbingCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 1056" "notime" 1
003060 |     $EditorData {
003061 |         #EditorPos 216.9000092 35.0
003062 |     }
003063 | }
003064 | $State {
003065 |     "WashHandsPondCro" "" "WashHandsPondCro" "GetCommandI(CMD_FullBodyAction) == 68" "notime" 1
003066 |     $EditorData {
003067 |         #EditorPos -45.9000015 35.1000023
003068 |     }
003069 | }
003070 | $State {
003071 |     "SalineBloodBagTargetCro" "" "SalineBloodBagTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 69" "notime" 1
003072 |     $EditorData {
003073 |         #EditorPos -43.7000008 35.1000023
003074 |     }
003075 | }
003076 | $State {
003077 |     "SalineBloodBagTargetErc" "" "SalineBloodBagTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 69" "notime" 1
003078 |     $EditorData {
003079 |         #EditorPos -43.7000008 35.9000015
003080 |     }
003081 | }
003082 | $State {
003083 |     "StitchUpErc" "" "StitchUpErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 71" "notime" 1
003084 |     $EditorData {
003085 |         #EditorPos -39.1000023 35.9000015
003086 |     }
}
```

```
003087 |     }
003088 |     $State {
003089 |         "StitchUpCro" "" "StitchUpCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 71" "notime" 1
003090 |         $EditorData {
003091 |             #EditorPos -39.1000023 35.1000023
003092 |         }
003093 |     }
003094 |     $State {
003095 |         "UnrestrainTargetErc" "" "UnrestrainTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 73" "notime" 1
003096 |         $EditorData {
003097 |             #EditorPos -34.7000008 35.9000015
003098 |         }
003099 |     }
003100 |     $State {
003101 |         "UnrestrainTargetCro" "" "UnrestrainTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 73" "notime" 1
003102 |         $EditorData {
003103 |             #EditorPos -34.7000008 35.1000023
003104 |         }
003105 |     }
003106 |     $State {
003107 |         "RestrainingTargetCro" "" "RestrainingTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 74" "notime" 1
003108 |         $EditorData {
003109 |             #EditorPos -32.5 35.1000023
003110 |         }
003111 |     }
003112 |     $State {
003113 |         "RestrainingTargetErc" "" "RestrainingTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 74" "notime" 1
003114 |         $EditorData {
003115 |             #EditorPos -32.5 35.9000015
003116 |         }
003117 |     }
003118 |     $State {
003119 |         "CheckPulseCro" "" "CheckPulseCro" "GetCommandI(CMD_FullBodyAction) == 76" "notime" 1
003120 |         $EditorData {
003121 |             #EditorPos -30.2000008 35.1000023
003122 |         }
003123 |     }
003124 |     $State {
003125 |         "CleanWoundTargetErc" "" "CleanWoundTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 78" "notime" 1
003126 |         $EditorData {
003127 |             #EditorPos -28.0 35.9000015
003128 |         }
003129 |     }
003130 |     $State {
003131 |         "CleanWoundTargetCro" "" "CleanWoundTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 78" "notime" 1
003132 |         $EditorData {
003133 |             #EditorPos -28.0 35.1000023
003134 |         }
003135 |     }
003136 |     $State {
003137 |         "HandcuffTargetErc" "" "HandcuffTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 508" "notime" 1
003138 |         $EditorData {
003139 |             #EditorPos 66.0999985 36.0
003140 |         }
003141 |     }
003142 |     $State {
003143 |         "HandcuffTargetCro" "" "HandcuffTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 508" "notime" 1
003144 |         $EditorData {
003145 |             #EditorPos 66.2000046 35.2000008
003146 |         }
003147 |     }
003148 |     $State {
```



```
003149 |         "InjectionTargetCro" "" "InjectionTargetCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 511" "notime" 1
003150 |     $EditorData {
003151 |         #EditorPos 72.7000046 35.2000008
003152 |     }
003153 | }
003154 | $State {
003155 |     "InjectionTargetErc" "" "InjectionTargetErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 511" "notime" 1
003156 |     $EditorData {
003157 |         #EditorPos 72.7000046 36.0
003158 |     }
003159 | }
003160 | $State {
003161 |     "SalineBloodBagErc" "" "SalineBloodBagErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 70" "notime" 1
003162 |     $EditorData {
003163 |         #EditorPos -41.4000015 35.9000015
003164 |     }
003165 | }
003166 | $State {
003167 |     "SalineBloodBagCro" "" "SalineBloodBagCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 70" "notime" 1
003168 |     $EditorData {
003169 |         #EditorPos -41.4000015 35.1000023
003170 |     }
003171 | }
003172 | $State {
003173 |     "CollectBloodErc" "" "CollectBloodErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 81" "notime" 1
003174 |     $EditorData {
003175 |         #EditorPos -25.7000008 35.9000015
003176 |     }
003177 | }
003178 | $State {
003179 |     "CollectBloodCro" "" "CollectBloodCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 81" "notime" 1
003180 |     $EditorData {
003181 |         #EditorPos -25.7000008 35.1000023
003182 |     }
003183 | }
003184 | $State {
003185 |     "SipPondCro" "" "SipPondCro" "GetCommandI(CMD_FullBodyAction) == 512" "notime" 1
003186 |     $EditorData {
003187 |         #EditorPos 74.9000015 35.2000008
003188 |     }
003189 | }
003190 | $State {
003191 |     "DrinkPne" "" "DrinkPne" "GetCommandI(CMD_FullBodyAction) == 0" "notime" 1
003192 |     $EditorData {
003193 |         #EditorPos -104.0 34.2999992
003194 |     }
003195 | }
003196 | $State {
003197 |     "EatPne" "" "EatPne" "GetCommandI(CMD_FullBodyAction) == 1" "notime" 1
003198 |     $EditorData {
003199 |         #EditorPos -101.8000031 34.4000015
003200 |     }
003201 | }
003202 | $State {
003203 |     "CatchRainPne" "" "CatchRainPne" "GetCommandI(CMD_FullBodyAction) == 3" "notime" 1
003204 |     $EditorData {
003205 |         #EditorPos -99.5 34.4000015
003206 |     }
003207 | }
003208 | $State {
003209 |     "ItemTunePne" "" "ItemTunePne" "GetCommandI(CMD_FullBodyAction) == 9" "notime" 1
003210 |     $EditorData {
```

```
003211 |         #EditorPos -97.0 34.4000015
003212 |     }
003213 | }
003214 | $State {
003215 |     "GiveLPne" "" "GiveLPne" "GetCommandI(CMD_FullBodyAction) == 10" "notime" 1
003216 |     $EditorData {
003217 |         #EditorPos -94.8000031 34.4000015
003218 |     }
003219 | }
003220 | $State {
003221 |     "GiveRPne" "" "GiveRPne" "GetCommandI(CMD_FullBodyAction) == 11" "notime" 1
003222 |     $EditorData {
003223 |         #EditorPos -92.5999985 34.4000015
003224 |     }
003225 | }
003226 | $State {
003227 |     "FillMagPne" "" "FillMagPne" "GetCommandI(CMD_FullBodyAction) == 13" "notime" 1
003228 |     $EditorData {
003229 |         #EditorPos -90.4000015 34.4000015
003230 |     }
003231 | }
003232 | $State {
003233 |     "EmptyMagPne" "" "EmptyMagPne" "GetCommandI(CMD_FullBodyAction) == 14" "notime" 1
003234 |     $EditorData {
003235 |         #EditorPos -88.2000046 34.4000015
003236 |     }
003237 | }
003238 | $State {
003239 |     "EmptyVesselFBerc" "" "EmptyVesselFBerc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 82" "notime" 1
003240 |     $EditorData {
003241 |         #EditorPos -23.5 35.9000015
003242 |     }
003243 | }
003244 | $State {
003245 |     "EmptyVesselFBCro" "" "EmptyVesselFBCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 82" "notime" 1
003246 |     $EditorData {
003247 |         #EditorPos -23.5 35.1000023
003248 |     }
003249 | }
003250 | $State {
003251 |     "HackBusherc" "" "HackBusherc" "GetCommandI(CMD_FullBodyAction) == 85 && Stance == 0" "notime" 1
003252 |     $EditorData {
003253 |         #EditorPos -18.3999996 35.9000015
003254 |     }
003255 | }
003256 | $State {
003257 |     "HackTreeerc" "" "HackTreeerc" "GetCommandI(CMD_FullBodyAction) == 86 && Stance == 0" "notime" 1
003258 |     $EditorData {
003259 |         #EditorPos -16.2000008 35.9000015
003260 |     }
003261 | }
003262 | $State {
003263 |     "HackBushCro" "" "HackBushCro" "GetCommandI(CMD_FullBodyAction) == 85 && Stance != 0" "notime" 1
003264 |     $EditorData {
003265 |         #EditorPos -18.3999996 35.2999992
003266 |     }
003267 | }
003268 | $State {
003269 |     "HackTreeCro" "" "HackTreeCro" "GetCommandI(CMD_FullBodyAction) == 86 && Stance != 0" "notime" 1
003270 |     $EditorData {
003271 |         #EditorPos -16.2000008 35.2999992
003272 |     }
}
```

```
003273 |     }
003274 |     $State {
003275 |         "TakeTempSelfPne" "" "TakeTempSelfPne" "GetCommandI(CMD_FullBodyAction) == 87" "notime" 1
003276 |         $EditorData {
003277 |             #EditorPos -14.1000004 34.5
003278 |         }
003279 |     }
003280 |     $State {
003281 |         "DigErc" "" "DigErc" "GetCommandI(CMD_FullBodyAction) == 88" "notime" 1
003282 |         $EditorData {
003283 |             #EditorPos -12.0 35.9000015
003284 |         }
003285 |     }
003286 |     $State {
003287 |         "DigCacheErc" "" "DigCacheErc" "GetCommandI(CMD_FullBodyAction) == 89" "notime" 1
003288 |         $EditorData {
003289 |             #EditorPos -9.8000002 35.9000015
003290 |         }
003291 |     }
003292 |     $State {
003293 |         "BlowFireplaceCro" "" "BlowFireplaceCro" "GetCommandI(CMD_FullBodyAction) == 98" "notime" 1
003294 |         $EditorData {
003295 |             #EditorPos 1.2 35.1000023
003296 |         }
003297 |     }
003298 |     $State {
003299 |         "DeployHeavyErc" "" "DeployHeavyErc" "GetCommandI(CMD_FullBodyAction) == 95" "notime" 1
003300 |         $EditorData {
003301 |             #EditorPos -5.3000002 35.9000015
003302 |         }
003303 |     }
003304 |     $State {
003305 |         "Deploy1hdCro" "" "Deploy1hdCro" "GetCommandI(CMD_FullBodyAction) == 97" "notime" 1
003306 |         $EditorData {
003307 |             #EditorPos -1.0 35.1000023
003308 |         }
003309 |     }
003310 |     $State {
003311 |         "Deploy2hdCro" "" "Deploy2hdCro" "GetCommandI(CMD_FullBodyAction) == 96" "notime" 1
003312 |         $EditorData {
003313 |             #EditorPos -3.2 35.1000023
003314 |         }
003315 |     }
003316 |     $State {
003317 |         "CleanHandsPne" "" "CleanHandsPne" "GetCommandI(CMD_FullBodyAction) == 513" "notime" 1
003318 |         $EditorData {
003319 |             #EditorPos 77.0999985 34.5
003320 |         }
003321 |     }
003322 |     $State {
003323 |         "ViewMapPne" "" "ViewMapPne" "GetCommandI(CMD_FullBodyAction) == 99" "notime" 1
003324 |         $EditorData {
003325 |             #EditorPos 3.4000001 34.4000015
003326 |         }
003327 |     }
003328 |     $State {
003329 |         "ShrugPne" "" "ShrugPne" "GetCommandI(CMD_FullBodyAction) == 1112" "notime" 1
003330 |         $EditorData {
003331 |             #EditorPos 163.4000092 34.2999992
003332 |         }
003333 |     }
003334 |     $State {
```

```
003335 |         "NodHeadPne" "" "NodHeadPne" "GetCommandI(CMD_FullBodyAction) == 1110" "notime" 1
003336 |         $EditorData {
003337 |             #EditorPos 159.0 34.2999992
003338 |         }
003339 |     }
003340 |     $State {
003341 |         "ShakeHeadPne" "" "ShakeHeadPne" "GetCommandI(CMD_FullBodyAction) == 1111" "notime" 1
003342 |         $EditorData {
003343 |             #EditorPos 161.1999969 34.2999992
003344 |         }
003345 |     }
003346 |     $State {
003347 |         "OKPne" "" "OKPne" "GetCommandI(CMD_FullBodyAction) == 1014" "notime" 1
003348 |         $EditorData {
003349 |             #EditorPos 201.4000092 34.2999992
003350 |         }
003351 |     }
003352 |     $State {
003353 |         "PickUpInventoryPne" "" "PickUpInventoryPne" "GetCommandI(CMD_FullBodyAction) == 501" "notime" 1
003354 |         $EditorData {
003355 |             #EditorPos 50.7000008 34.5
003356 |         }
003357 |     }
003358 |     $State {
003359 |         "OpenItemOncePne" "" "OpenItemOncePne" "GetCommandI(CMD_FullBodyAction) == 514" "notime" 1
003360 |         $EditorData {
003361 |             #EditorPos 79.3000031 34.5
003362 |         }
003363 |     }
003364 |     $State {
003365 |         "ViewCompassPne" "" "ViewCompassPne" "GetCommandI(CMD_FullBodyAction) == 100" "notime" 1
003366 |         $EditorData {
003367 |             #EditorPos 5.5999999 34.4000015
003368 |         }
003369 |     }
003370 |     $State {
003371 |         "FillBottlePondCro" "" "FillBottlePondCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 101" "notime" 1
003372 |         $EditorData {
003373 |             #EditorPos 7.8000002 35.1000023
003374 |         }
003375 |     }
003376 |     $State {
003377 |         "FillBottlePondErc" "" "FillBottlePondErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 101" "notime" 1
003378 |         $EditorData {
003379 |             #EditorPos 7.8000002 35.7999992
003380 |         }
003381 |     }
003382 |     $State {
003383 |         "PlacingHeavyErc" "" "PlacingHeavyErc" "GetCommandI(CMD_FullBodyAction) == 102" "notime" 1
003384 |         $EditorData {
003385 |             #EditorPos 10.0 35.7999992
003386 |         }
003387 |     }
003388 |     $State {
003389 |         "Placing2hdCro" "" "Placing2hdCro" "GetCommandI(CMD_FullBodyAction) == 103" "notime" 1
003390 |         $EditorData {
003391 |             #EditorPos 12.1999998 35.1000023
003392 |         }
003393 |     }
003394 |     $State {
003395 |         "Placing1hdCro" "" "Placing1hdCro" "GetCommandI(CMD_FullBodyAction) == 104" "notime" 1
003396 |         $EditorData {
```

```
003397 |         #EditorPos 14.4000006 35.1000023
003398 |     }
003399 | }
003400 | $State {
003401 |     "CutBarkCro" "" "CutBarkCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 105" "notime" 1
003402 |     $EditorData {
003403 |         #EditorPos 16.6000004 35.1000023
003404 |     }
003405 | }
003406 | $State {
003407 |     "CutBarkErc" "" "CutBarkErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 105" "notime" 1
003408 |     $EditorData {
003409 |         #EditorPos 16.6000004 35.7999992
003410 |     }
003411 | }
003412 | $State {
003413 |     "ViewNoteErc" "" "ViewNoteErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 106" "notime" 1
003414 |     $EditorData {
003415 |         #EditorPos 18.8000011 35.7999992
003416 |     }
003417 | }
003418 | $State {
003419 |     "ViewNoteCro" "" "ViewNoteCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 106" "notime" 1
003420 |     $EditorData {
003421 |         #EditorPos 18.8000011 35.1000023
003422 |     }
003423 | }
003424 | $State {
003425 |     "ViewNotePne" "" "ViewNotePne" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 106" "notime" 1
003426 |     $EditorData {
003427 |         #EditorPos 18.8000011 34.4000015
003428 |     }
003429 | }
003430 | $State {
003431 |     "InteractErc" "" "InteractErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 60" "notime" 1
003432 |     $EditorData {
003433 |         #EditorPos -63.5 35.9000015
003434 |     }
003435 | }
003436 | $State {
003437 |     "PokeCro" "" "PokeCro" "GetCommandI(CMD_FullBodyAction) == 515" "notime" 1
003438 |     $EditorData {
003439 |         #EditorPos 81.5 35.2000008
003440 |     }
003441 | }
003442 | $State {
003443 |     "WpnAttachScopePne" "" "WpnAttachScopePne" "GetCommandI(CMD_FullBodyAction) == 516" "notime" 1
003444 |     $EditorData {
003445 |         #EditorPos 83.7000046 34.5
003446 |     }
003447 | }
003448 | $State {
003449 |     "WpnAttachBarrelPne" "" "WpnAttachBarrelPne" "GetCommandI(CMD_FullBodyAction) == 517" "notime" 1
003450 |     $EditorData {
003451 |         #EditorPos 85.9000015 34.5
003452 |     }
003453 | }
003454 | $State {
003455 |     "SearchInventoryPne" "" "SearchInventoryPne" "GetCommandI(CMD_FullBodyAction) == 107" "notime" 1
003456 |     $EditorData {
003457 |         #EditorPos 21.0 34.4000015
003458 |     }
003458 | }
```

```
003459 |     }
003460 |     $State {
003461 |         "LookOpticsPne" "" "LookOpticsPne" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 108" "notime" 1
003462 |         $EditorData {
003463 |             #EditorPos 23.2000008 34.4000015
003464 |         }
003465 |     }
003466 |     $State {
003467 |         "MineRockErc" "" "MineRockErc" "GetCommandI(CMD_FullBodyAction) == 109" "notime" 1
003468 |         $EditorData {
003469 |             #EditorPos 25.3999996 35.7999992
003470 |         }
003471 |     }
003472 |     $State {
003473 |         "DigManipulateErc" "" "DigManipulateErc" "GetCommandI(CMD_FullBodyAction) == 90" "notime" 1
003474 |         $EditorData {
003475 |             #EditorPos -7.5999999 35.9000015
003476 |         }
003477 |     }
003478 |     $State {
003479 |         "RaiseItemPne" "" "RaiseItemPne" "GetCommandI(CMD_FullBodyAction) == 110" "notime" 1
003480 |         $EditorData {
003481 |             #EditorPos 27.6000004 34.4000015
003482 |         }
003483 |     }
003484 |     $State {
003485 |         "OpenItemPne" "" "OpenItemPne" "GetCommandI(CMD_FullBodyAction) == 83" "notime" 1
003486 |         $EditorData {
003487 |             #EditorPos -21.3000011 34.4000015
003488 |         }
003489 |     }
003490 |     $State {
003491 |         "SurrenderInCro" "" "SurrenderInCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 1113" "notime" 1
003492 |         $EditorData {
003493 |             #EditorPos 165.6000061 35.0
003494 |         }
003495 |     }
003496 |     $State {
003497 |         "SurrenderInPne" "" "SurrenderInPne" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 1113" "notime" 1
003498 |         $EditorData {
003499 |             #EditorPos 165.6999969 34.2999992
003500 |         }
003501 |     }
003502 |     $State {
003503 |         "KneelCro" "" "KneelCro" "GetCommandI(CMD_FullBodyAction) == 1057" "notime" 1
003504 |         $EditorData {
003505 |             #EditorPos 219.9000092 34.7000008
003506 |         }
003507 |     }
003508 |     $State {
003509 |         "StruggleRestrainedPne" "" "StruggleRestrainedPne" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 111" "notime" 1
003510 |         $EditorData {
003511 |             #EditorPos 29.8000011 34.4000015
003512 |         }
003513 |     }
003514 |     $State {
003515 |         "RestrainedPne" "" "RestrainedPne" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 518" "notime" 1
003516 |         $EditorData {
003517 |             #EditorPos 88.0999985 34.5
003518 |         }
003519 |     }
003520 |     $State {
```

```
003521 |         "RestrainedCro" "" "RestrainedCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 518" "notime" 1
003522 |     $EditorData {
003523 |         #EditorPos 88.0999985 35.2000008
003524 |     }
003525 | }
003526 | $State {
003527 |     "RestrainedErc" "" "RestrainedErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 518" "notime" 1
003528 |     $EditorData {
003529 |         #EditorPos 88.0999985 35.9000015
003530 |     }
003531 | }
003532 | $State {
003533 |     "RestrainSelfCro" "" "RestrainSelfCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 112" "notime" 1
003534 |     $EditorData {
003535 |         #EditorPos 32.1000023 35.0
003536 |     }
003537 | }
003538 | $State {
003539 |     "RestrainSelfErc" "" "RestrainSelfErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 112" "notime" 1
003540 |     $EditorData {
003541 |         #EditorPos 32.1000023 35.7000008
003542 |     }
003543 | }
003544 | $State {
003545 |     "LookOpticsErc" "" "LookOpticsErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 108" "notime" 1
003546 |     $EditorData {
003547 |         #EditorPos 23.2000008 35.7999992
003548 |     }
003549 | }
003550 | $State {
003551 |     "LookOpticsCro" "" "LookOpticsCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 108" "notime" 1
003552 |     $EditorData {
003553 |         #EditorPos 23.2000008 35.1000023
003554 |     }
003555 | }
003556 | $State {
003557 |     "SurrenderOutCro" "" "SurrenderOutCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 1114" "notime" 1
003558 |     $EditorData {
003559 |         #EditorPos 167.8000031 35.0
003560 |     }
003561 | }
003562 | $State {
003563 |     "SurrenderOutPne" "" "SurrenderOutPne" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 1114" "notime" 1
003564 |     $EditorData {
003565 |         #EditorPos 167.8000031 34.2999992
003566 |     }
003567 | }
003568 | $State {
003569 |     "SurrenderInErc" "" "SurrenderInErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 1113" "notime" 1
003570 |     $EditorData {
003571 |         #EditorPos 165.6000061 35.7000008
003572 |     }
003573 | }
003574 | $State {
003575 |     "SurrenderOutErc" "" "SurrenderOutErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 1114" "notime" 1
003576 |     $EditorData {
003577 |         #EditorPos 167.8000031 35.7000008
003578 |     }
003579 | }
003580 | $State {
003581 |     "PickUpHeavyErc" "" "PickUpHeavyErc" "GetCommandI(CMD_FullBodyAction) == 519" "notime" 1
003582 |     $EditorData {
```

```
003583 |         #EditorPos 90.2000046 35.9000015
003584 |     }
003585 | }
003586 | $State {
003587 |     "AssembleErc" "" "AssembleErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 113" "notime" 1
003588 |     $EditorData {
003589 |         #EditorPos 34.2999992 35.7000008
003590 |     }
003591 | }
003592 | $State {
003593 |     "AssembleCro" "" "AssembleCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 113" "notime" 1
003594 |     $EditorData {
003595 |         #EditorPos 34.2999992 35.0
003596 |     }
003597 | }
003598 | $State {
003599 |     "DisassembleErc" "" "DisassembleErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 114" "notime" 1
003600 |     $EditorData {
003601 |         #EditorPos 36.5 35.7000008
003602 |     }
003603 | }
003604 | $State {
003605 |     "DisassembleCro" "" "DisassembleCro" "Stance != 0 && GetCommandI(CMD_FullBodyAction) == 114" "notime" 1
003606 |     $EditorData {
003607 |         #EditorPos 36.5 35.0
003608 |     }
003609 | }
003610 | $State {
003611 |     "StartFireErc" "" "StartFireErc" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 65" "notime" 1
003612 |     $EditorData {
003613 |         #EditorPos -52.5 35.7999992
003614 |     }
003615 | }
003616 | $State {
003617 |     "DropItemHandsPne" "" "DropItemHandsPne" "GetCommandI(CMD_FullBodyAction) == 900" "notime" 1
003618 |     $EditorData {
003619 |         #EditorPos 93.5999985 34.5
003620 |     }
003621 | }
003622 | $State {
003623 |     "DrinkPondErc" "" "FBDrinkPondErc" "GetCommandI(CMD_FullBodyAction) == 50 && Stance == 0" "notime" 1
003624 |     $EditorData {
003625 |         #EditorPos -86.0 35.7999992
003626 |     }
003627 | }
003628 | $State {
003629 |     "DrinkWellErc" "" "FBDrinkWellErc" "GetCommandI(CMD_FullBodyAction) == 51 && Stance == 0" "notime" 1
003630 |     $EditorData {
003631 |         #EditorPos -83.8000031 35.7999992
003632 |     }
003633 | }
003634 | $State {
003635 |     "PullOut" "" "PullOut" "GetCommandI(CMD_FullBodyAction) == 520" "notime" 1
003636 |     $EditorData {
003637 |         #EditorPos 96.0999985 34.5
003638 |     }
003639 | }
003640 | $State {
003641 |     "RaiseFlag" "" "RaiseFlagGroup" "GetCommandI(CMD_FullBodyAction) == 600" "notime" 1
003642 |     $EditorData {
003643 |         #EditorPos 39.2000008 35.0
003644 |     }
}
```



```
003645 |     }
003646 |     $State {
003647 |         "LowerFlag" "" "LowerFlagGroup" "GetCommandI(CMD_FullBodyAction) == 601" "notime" 1
003648 |         $EditorData {
003649 |             #EditorPos 41.5 35.0
003650 |         }
003651 |     }
003652 |     $State {
003653 |         "SickleSelect" "" "SuicideSickle" "GetCommandI(CMD_FullBodyAction) == 2009" "notime" 1
003654 |         $EditorData {
003655 |             #EditorPos 245.6000061 35.4000015
003656 |         }
003657 |     }
003658 |     $State {
003659 |         "FarmingHoeSelect" "" "SuicideFarmingHoe" "GetCommandI(CMD_FullBodyAction) == 2010" "notime" 1
003660 |         $EditorData {
003661 |             #EditorPos 247.8000031 35.4000015
003662 |         }
003663 |     }
003664 |     $State {
003665 |         "SetAlarmPne" "" "SetAlarmPneG" "GetCommandI(CMD_FullBodyAction) == 250 && Stance == 2" "notime" 1
003666 |         $EditorData {
003667 |             #EditorPos -106.3000031 34.2999992
003668 |         }
003669 |     }
003670 |     $State {
003671 |         "AlarmStopPne" "" "AlarmStopPneG" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 251" "notime" 1
003672 |         $EditorData {
003673 |             #EditorPos 46.2000008 34.5
003674 |         }
003675 |     }
003676 |     $State {
003677 |         "SetKitchenTimerPne" "" "SetKitchenTimerPneG" "GetCommandI(CMD_FullBodyAction) == 252 && Stance == 2" "notime" 1
003678 |         $EditorData {
003679 |             #EditorPos -108.7000046 34.2999992
003680 |         }
003681 |     }
003682 |     $State {
003683 |         "ResetKitchenTimerPne" "" "ResetKitchenTimerPneG" "GetCommandI(CMD_FullBodyAction ) == 253 && Stance == 2" "notime" 1
003684 |         $EditorData {
003685 |             #EditorPos 44.0 34.5
003686 |         }
003687 |     }
003688 |     $State {
003689 |         "ItemTriggerPne" "" "ItemTriggerPneG" "Stance == 2 && GetCommandI(CMD_FullBodyAction) == 526" "notime" 1
003690 |         $EditorData {
003691 |             #EditorPos -111.0999985 34.2999992
003692 |         }
003693 |     }
003694 |     $State {
003695 |         "RepairErc" "" "RepairErcG" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 115" "notime" 1
003696 |         $EditorData {
003697 |             #EditorPos -113.8000031 35.6000023
003698 |         }
003699 |     }
003700 |     $State {
003701 |         "RepairCro" "" "RepairCroG" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 115" "notime" 1
003702 |         $EditorData {
003703 |             #EditorPos -113.8000031 34.2999992
003704 |         }
003705 |     }
003706 |     $State {
```

```
003707 |         "ValveErc" "" "ValveErcG" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 116" "notime" 1
003708 |     $EditorData {
003709 |         #EditorPos -116.5 34.2999992
003710 |     }
003711 | }
003712 | $State {
003713 |     "EatPillPne" "" "EatPillPne" "GetCommandI(CMD_FullBodyAction) == 527" "notime" 1
003714 |     $EditorData {
003715 |         #EditorPos 98.7000046 34.5
003716 |     }
003717 | }
003718 | $State {
003719 |     "EatTabletPne" "" "EatTabletPne" "GetCommandI(CMD_FullBodyAction) == 528" "notime" 1
003720 |     $EditorData {
003721 |         #EditorPos 101.3000031 34.5
003722 |     }
003723 | }
003724 | $State {
003725 |     "HeatpackPne" "" "HeatpackPne" "GetCommandI(CMD_FullBodyAction) == 529" "notime" 1
003726 |     $EditorData {
003727 |         #EditorPos 103.8000031 34.5
003728 |     }
003729 | }
003730 | $State {
003731 |     "DigShovelCro" "" "FBDigShovelCro" "GetCommandI(CMD_FullBodyAction) == 117" "notime" 1
003732 |     $EditorData {
003733 |         #EditorPos -74.7000046 35.0
003734 |     }
003735 | }
003736 | $State {
003737 |     "VehiclePush" "" "VehiclePush" "Stance == 0 && GetCommandI(CMD_FullBodyAction) == 118" "notime" 1
003738 |     $EditorData {
003739 |         #EditorPos 107.2000046 34.5
003740 |     }
003741 | }
003742 | $State {
003743 |     "Trailer_Mask" "" "Trailer_Mask" "GetCommandI(CMD_FullBodyAction) == 3006" "notime" 1
003744 |     $EditorData {
003745 |         #EditorPos 254.1000061 35.4000015
003746 |     }
003747 | }
003748 | $State {
003749 |     "Trailer_Mask_02" "" "Trailer_Mask_02" "GetCommandI(CMD_FullBodyAction) == 3007" "notime" 1
003750 |     $EditorData {
003751 |         #EditorPos 256.7000122 35.4000015
003752 |     }
003753 | }
003754 | $State {
003755 |     "PatchingTireCro" "" "PatchingTireCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 119" "notime" 1
003756 |     $EditorData {
003757 |         #EditorPos 109.5999985 34.5
003758 |     }
003759 | }
003760 | $State {
003761 |     "PatchingDucttapeCro" "" "PatchingDucttapeCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 120" "notime" 1
003762 |     $EditorData {
003763 |         #EditorPos 112.0 34.5
003764 |     }
003765 | }
003766 | $State {
003767 |     "PatchingSewingCro" "" "PatchingSewingCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 121" "notime" 1
003768 |     $EditorData {
```

```
003769 |         #EditorPos 114.5 34.5
003770 |     }
003771 | }
003772 | $State {
003773 |     "PatchingLeatherSewingKit" "" "PatchingLeatherSewingKit" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 122" "notime" 1
003774 |     $EditorData {
003775 |         #EditorPos 117.0 34.5
003776 |     }
003777 | }
003778 | $State {
003779 |     "SplittingFirewoodCro" "" "SplittingFirewoodCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 123" "notime" 1
003780 |     $EditorData {
003781 |         #EditorPos 119.8000031 34.5
003782 |     }
003783 | }
003784 | $State {
003785 |     "BreakStickCro" "" "BreakStickCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 124" "notime" 1
003786 |     $EditorData {
003787 |         #EditorPos 122.4000015 34.5
003788 |     }
003789 | }
003790 | $State {
003791 |     "CleaningWeapon" "" "CleaningWeapon" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 125" "notime" 1
003792 |     $EditorData {
003793 |         #EditorPos 125.2000046 34.5
003794 |     }
003795 | }
003796 | $State {
003797 |     "EatSnowCro" "" "EatSnowCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 126" "notime" 1
003798 |     $EditorData {
003799 |         #EditorPos 128.1999969 34.5
003800 |     }
003801 | }
003802 | $State {
003803 |     "FillContainerSnowCro" "" "FillContainerSnowCro" "Stance == 1 && GetCommandI(CMD_FullBodyAction) == 127" "notime" 1
003804 |     $EditorData {
003805 |         #EditorPos 130.9000092 34.5
003806 |     }
003807 | }
003808 | $State {
003809 |     "DigWormsErc_Cro" "" "DigWormsErc_Cro" "Stance != 2 && GetCommandI(CMD_FullBodyAction) == 128" "notime" 1
003810 |     $EditorData {
003811 |         #EditorPos 133.6999969 34.5
003812 |     }
003813 | }
003814 | $State {
003815 |     "trailer_mask_Chains" "" "trailer_mask_Chains" "GetCommandI(CMD_FullBodyAction) == 3008" "notime" 1
003816 |     $EditorData {
003817 |         #EditorPos 259.2000122 35.4000015
003818 |     }
003819 | }
003820 | $State {
003821 |     "trailer_mask_Dallas" "" "trailer_mask_Dallas" "GetCommandI(CMD_FullBodyAction) == 3009" "notime" 1
003822 |     $EditorData {
003823 |         #EditorPos 261.8000183 35.4000015
003824 |     }
003825 | }
003826 | $State {
003827 |     "trailer_mask_Hoxton" "" "trailer_mask_Hoxton" "GetCommandI(CMD_FullBodyAction) == 3010" "notime" 1
003828 |     $EditorData {
003829 |         #EditorPos 264.5 35.4000015
003830 |     }
}
```

```
003831 |     }
003832 |     $State {
003833 |         "trailer_mask_Wolf" "" "trailer_mask_Wolf" "GetCommandI(CMD_FullBodyAction) == 3011" "notime" 1
003834 |         $EditorData {
003835 |             #EditorPos 267.1000061 35.4000015
003836 |         }
003837 |     }
003838 | }
003839 | $Transitions 36 {
003840 |     $Transition {
003841 |         "ForceFeedCro" "ForceFeedErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003842 |     }
003843 |     $Transition {
003844 |         "ForceFeedErc" "ForceFeedCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003845 |     }
003846 |     $Transition {
003847 |         "BandageTargetCro" "BandageTargetErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003848 |     }
003849 |     $Transition {
003850 |         "BandageTargetErc" "BandageTargetCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003851 |     }
003852 |     $Transition {
003853 |         "DabbingCro" "DabbingErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003854 |     }
003855 |     $Transition {
003856 |         "DabbingErc" "DabbingCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003857 |     }
003858 |     $Transition {
003859 |         "SalineBloodBagTargetErc" "SalineBloodBagTargetCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003860 |     }
003861 |     $Transition {
003862 |         "SalineBloodBagTargetCro" "SalineBloodBagTargetErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003863 |     }
003864 |     $Transition {
003865 |         "StitchUpErc" "StitchUpCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003866 |     }
003867 |     $Transition {
003868 |         "StitchUpCro" "StitchUpErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003869 |     }
003870 |     $Transition {
003871 |         "UnrestrainTargetCro" "UnrestrainTargetErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003872 |     }
003873 |     $Transition {
003874 |         "UnrestrainTargetErc" "UnrestrainTargetCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003875 |     }
003876 |     $Transition {
003877 |         "RestrainTargetCro" "RestrainTargetErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003878 |     }
003879 |     $Transition {
003880 |         "RestrainTargetErc" "RestrainTargetCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003881 |     }
003882 |     $Transition {
003883 |         "CleanWoundTargetCro" "CleanWoundTargetErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
003884 |     }
003885 |     $Transition {
003886 |         "CleanWoundTargetErc" "CleanWoundTargetCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
003887 |     }
003888 |     $Transition {
003889 |         "HandcuffTargetErc" "HandcuffTargetCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
003890 |     }
003891 |     $Transition {
003892 |         "HandcuffTargetCro" "HandcuffTargetErc" "Stance == 0" "0.5" "GetLowerTime()" 1 "S"
```

```
003893 |     }
003894 |     $Transition {
003895 |         "InjectionTargetCro" "InjectionTargetErc" "Stance == 0" "0.6" "GetLowerTime()" 1 "S"
003896 |     }
003897 |     $Transition {
003898 |         "InjectionTargetErc" "InjectionTargetCro" "Stance == 1" "0.6" "GetLowerTime()" 1 "S"
003899 |     }
003900 |     $Transition {
003901 |         "SalineBloodBagCro" "SalineBloodBagErc" "Stance == 0" "0.6" "GetLowerTime()" 1 "S"
003902 |     }
003903 |     $Transition {
003904 |         "SalineBloodBagErc" "SalineBloodBagCro" "Stance == 1" "0.6" "GetLowerTime()" 1 "S"
003905 |     }
003906 |     $Transition {
003907 |         "CollectBloodCro" "CollectBloodErc" "Stance == 0" "0.5" "GetLowerTime()" 1 "S"
003908 |     }
003909 |     $Transition {
003910 |         "CollectBloodErc" "CollectBloodCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
003911 |     }
003912 |     $Transition {
003913 |         "ThumbUpPne" "ThumbDownPne" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerTime()" 1 "S"
003914 |     }
003915 |     $Transition {
003916 |         "ThumbDownPne" "ThumbUpPne" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerTime()" 1 "S"
003917 |     }
003918 |     $Transition {
003919 |         "EmptyVesselFBErc" "EmptyVesselFBCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
003920 |     }
003921 |     $Transition {
003922 |         "EmptyVesselFBCro" "EmptyVesselFBErc" "Stance == 0" "0.5" "GetLowerTime()" 1 "S"
003923 |     }
003924 |     $Transition {
003925 |         "CutBarkCro" "CutBarkErc" "Stance == 0" "0.5" "GetLowerTime()" 1 "S"
003926 |     }
003927 |     $Transition {
003928 |         "CutBarkErc" "CutBarkCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
003929 |     }
003930 |     $Transition {
003931 |         "ViewNoteCro" "ViewNoteErc" "Stance == 0" "0.4" "GetLowerTime()" 1 "S"
003932 |     }
003933 |     $Transition {
003934 |         "ViewNoteErc" "ViewNoteCro" "Stance == 1" "0.4" "GetLowerTime()" 1 "S"
003935 |     }
003936 |     $Transition {
003937 |         "InteractCro" "InteractErc" "Stance == 0" "0.5" "GetLowerTime()" 1 "S"
003938 |     }
003939 |     $Transition {
003940 |         "InteractErc" "InteractCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
003941 |     }
003942 |     $Transition {
003943 |         "LookOpticsCro" "LookOpticsErc" "Stance == 0" "0.5" "GetLowerTime()" 1 "S"
003944 |     }
003945 |     $Transition {
003946 |         "LookOpticsErc" "LookOpticsCro" "Stance == 1" "0.5" "GetLowerTime()" 1 "S"
003947 |     }
003948 | }
003949 | $EditorData {
003950 |     #EditorPos -104.5999985 37.2999992
003951 | }
003952 | }
003953 | $Node AnimNodeStateMachine {
003954 |     "FullBodyPneBActionMaster" "TagFullBodyActions"
```

```
003955 |         $States 48 {
003956 |             $State {
003957 |                 "DrinkPneBack" "" "DrinkPneBack" "GetCommandI(CMD_FullBodyAction) == 0" "notime" 1
003958 |                 $EditorData {
003959 |                     #EditorPos -104.0999985 20.5
003960 |                 }
003961 |             }
003962 |             $State {
003963 |                 "EatPneBack" "" "EatPneBack" "GetCommandI(CMD_FullBodyAction) == 1" "notime" 1
003964 |                 $EditorData {
003965 |                     #EditorPos -101.9000015 20.5
003966 |                 }
003967 |             }
003968 |             $State {
003969 |                 "FillMagPneBack" "" "FillMagPneBack" "GetCommandI(CMD_FullBodyAction) == 13" "notime" 1
003970 |                 $EditorData {
003971 |                     #EditorPos -90.4000015 20.5
003972 |                 }
003973 |             }
003974 |             $State {
003975 |                 "EmptyMagPneBack" "" "EmptyMagPneBack" "GetCommandI(CMD_FullBodyAction) == 14" "notime" 1
003976 |                 $EditorData {
003977 |                     #EditorPos -88.2000046 20.5
003978 |                 }
003979 |             }
003980 |             $State {
003981 |                 "ItemTunePneBack" "" "ItemTunePneBack" "GetCommandI(CMD_FullBodyAction) == 9" "notime" 1
003982 |                 $EditorData {
003983 |                     #EditorPos -97.0 20.5
003984 |                 }
003985 |             }
003986 |             $State {
003987 |                 "PickUpHandsPneBack" "" "PickUpHandsPneBack" "GetCommandI(CMD_FullBodyAction) == 500" "notime" 1
003988 |                 $EditorData {
003989 |                     #EditorPos 48.6000023 20.3000011
003990 |                 }
003991 |             }
003992 |             $State {
003993 |                 "PickUpInventoryPneBack" "" "PickUpInventoryPneBack" "GetCommandI(CMD_FullBodyAction) == 501" "notime" 1
003994 |                 $EditorData {
003995 |                     #EditorPos 50.7999992 20.3000011
003996 |                 }
003997 |             }
003998 |             $State {
003999 |                 "OpenItemOncePneBack" "" "OpenItemOncePneBack" "GetCommandI(CMD_FullBodyAction) == 514" "notime" 1
004000 |                 $EditorData {
004001 |                     #EditorPos 79.4000015 20.3000011
004002 |                 }
004003 |             }
004004 |             $State {
004005 |                 "LickBatteryPneBack" "" "LickBatteryPneBack" "GetCommandI(CMD_FullBodyAction) == 502" "notime" 1
004006 |                 $EditorData {
004007 |                     #EditorPos 53.0 20.3000011
004008 |                 }
004009 |             }
004010 |             $State {
004011 |                 "LitFlarePneBack" "" "LitFlarePneBack" "GetCommandI(CMD_FullBodyAction) == 503" "notime" 1
004012 |                 $EditorData {
004013 |                     #EditorPos 55.2000008 20.3000011
004014 |                 }
004015 |             }
004016 |             $State {
```

```
004017 |         "LitChemlightPneBack" "" "LitChemlightPneBack" "GetCommandI(CMD_FullBodyAction) == 504" "notime" 1
004018 |         $EditorData {
004019 |             #EditorPos 57.4000015 20.3000011
004020 |         }
004021 |     }
004022 |     $State {
004023 |         "UnpinGrenadePneBack" "" "UnpinGrenadePneBack" "GetCommandI(CMD_FullBodyAction) == 505" "notime" 1
004024 |         $EditorData {
004025 |             #EditorPos 59.6000023 20.3000011
004026 |         }
004027 |     }
004028 |     $State {
004029 |         "ItemOnPneBack" "" "ItemOnPneBack" "GetCommandI(CMD_FullBodyAction) == 506" "notime" 1
004030 |         $EditorData {
004031 |             #EditorPos 61.7999992 20.3000011
004032 |         }
004033 |     }
004034 |     $State {
004035 |         "ItemOffPneBack" "" "ItemOffPneBack" "GetCommandI(CMD_FullBodyAction) == 507" "notime" 1
004036 |         $EditorData {
004037 |             #EditorPos 64.0 20.3000011
004038 |         }
004039 |     }
004040 |     $State {
004041 |         "ViewCompassPneBack" "" "ViewCompassPneBack" "GetCommandI(CMD_FullBodyAction) == 100" "notime" 1
004042 |         $EditorData {
004043 |             #EditorPos 5.8000002 20.6000004
004044 |         }
004045 |     }
004046 |     $State {
004047 |         "TauntThroatPneBack" "" "TauntThroatPneBack" "GetCommandI(CMD_FullBodyAction) == 1100" "notime" 1
004048 |         $EditorData {
004049 |             #EditorPos 99.9000015 20.3999996
004050 |         }
004051 |     }
004052 |     $State {
004053 |         "MovePneBack" "" "MovePneBack" "GetCommandI(CMD_FullBodyAction) == 1103" "notime" 1
004054 |         $EditorData {
004055 |             #EditorPos 102.0999985 20.3999996
004056 |         }
004057 |     }
004058 |     $State {
004059 |         "DownPneBack" "" "DownPneBack" "GetCommandI(CMD_FullBodyAction) == 1104" "notime" 1
004060 |         $EditorData {
004061 |             #EditorPos 104.3000031 20.3999996
004062 |         }
004063 |     }
004064 |     $State {
004065 |         "ComePneBack" "" "ComePneBack" "GetCommandI(CMD_FullBodyAction) == 1105" "notime" 1
004066 |         $EditorData {
004067 |             #EditorPos 106.5 20.3999996
004068 |         }
004069 |     }
004070 |     $State {
004071 |         "TauntKissPneBack" "" "TauntKissPneBack" "GetCommandI(CMD_FullBodyAction) == 1106" "notime" 1
004072 |         $EditorData {
004073 |             #EditorPos 108.7000046 20.3999996
004074 |         }
004075 |     }
004076 |     $State {
004077 |         "TauntThinkPneBack" "" "TauntThinkPneBack" "GetCommandI(CMD_FullBodyAction) == 1108" "notime" 1
004078 |         $EditorData {
```

```
004079 |         #EditorPos 110.9000015 20.3999996
004080 |     }
004081 | }
004082 | $State {
004083 |     "NodHeadPneBack" "" "NodHeadPneBack" "GetCommandI(CMD_FullBodyAction) == 1110" "notime" 1
004084 |     $EditorData {
004085 |         #EditorPos 115.3000031 20.3999996
004086 |     }
004087 | }
004088 | $State {
004089 |     "ShakeHeadPneBack" "" "ShakeHeadPneBack" "GetCommandI(CMD_FullBodyAction) == 1111" "notime" 1
004090 |     $EditorData {
004091 |         #EditorPos 117.5 20.3999996
004092 |     }
004093 | }
004094 | $State {
004095 |     "ShrugPneBack" "" "ShrugPneBack" "GetCommandI(CMD_FullBodyAction) == 1112" "notime" 1
004096 |     $EditorData {
004097 |         #EditorPos 119.7000046 20.3999996
004098 |     }
004099 | }
004100 | $State {
004101 |     "GreetingPneBack" "" "GreetingPneBack" "GetCommandI(CMD_FullBodyAction) == 1000" "notime" 1
004102 |     $EditorData {
004103 |         #EditorPos 130.6000061 20.3999996
004104 |     }
004105 | }
004106 | $State {
004107 |     "PointPneBack" "" "PointPneBack" "GetCommandI(CMD_FullBodyAction) == 1001" "notime" 1
004108 |     $EditorData {
004109 |         #EditorPos 132.8000031 20.3999996
004110 |     }
004111 | }
004112 | $State {
004113 |     "ThumbUpPneBack" "" "ThumbUpPneBack" "GetCommandI(CMD_FullBodyAction) == 1002" "notime" 1
004114 |     $EditorData {
004115 |         #EditorPos 135.0 20.3999996
004116 |     }
004117 | }
004118 | $State {
004119 |     "ThumbDownPneBack" "" "ThumbDownPneBack" "GetCommandI(CMD_FullBodyAction) == 1003" "notime" 1
004120 |     $EditorData {
004121 |         #EditorPos 137.1999969 20.3999996
004122 |     }
004123 | }
004124 | $State {
004125 |     "SilencePneBack" "" "SilencePneBack" "GetCommandI(CMD_FullBodyAction) == 1004" "notime" 1
004126 |     $EditorData {
004127 |         #EditorPos 139.4000092 20.3999996
004128 |     }
004129 | }
004130 | $State {
004131 |     "TauntFingerPneBack" "" "TauntFingerPneBack" "GetCommandI(CMD_FullBodyAction) == 1005" "notime" 1
004132 |     $EditorData {
004133 |         #EditorPos 141.6000061 20.3999996
004134 |     }
004135 | }
004136 | $State {
004137 |     "TimeoutPneBack" "" "TimeoutPneBack" "GetCommandI(CMD_FullBodyAction) == 1006" "notime" 1
004138 |     $EditorData {
004139 |         #EditorPos 143.8000031 20.3999996
004140 |     }
}
```



```
004141 |     }
004142 |     $State {
004143 |         "HeartPneBack" "" "HeartPneBack" "GetCommandI(CMD_FullBodyAction) == 1007" "notime" 1
004144 |         $EditorData {
004145 |             #EditorPos 146.0 20.3999996
004146 |         }
004147 |     }
004148 |     $State {
004149 |         "WatchingPneBack" "" "WatchingPneBack" "GetCommandI(CMD_FullBodyAction) == 1009" "notime" 1
004150 |         $EditorData {
004151 |             #EditorPos 148.1999969 20.3999996
004152 |         }
004153 |     }
004154 |     $State {
004155 |         "HoldPneBack" "" "HoldPneBack" "GetCommandI(CMD_FullBodyAction) == 1010" "notime" 1
004156 |         $EditorData {
004157 |             #EditorPos 150.4000092 20.3999996
004158 |         }
004159 |     }
004160 |     $State {
004161 |         "ListeningPneBack" "" "ListeningPneBack" "GetCommandI(CMD_FullBodyAction) == 1011" "notime" 1
004162 |         $EditorData {
004163 |             #EditorPos 152.6000061 20.3999996
004164 |         }
004165 |     }
004166 |     $State {
004167 |         "PointSelfPneBack" "" "PointSelfPneBack" "GetCommandI(CMD_FullBodyAction) == 1012" "notime" 1
004168 |         $EditorData {
004169 |             #EditorPos 154.8000031 20.3999996
004170 |         }
004171 |     }
004172 |     $State {
004173 |         "LookAtMePneBack" "" "LookAtMePneBack" "GetCommandI(CMD_FullBodyAction) == 1013" "notime" 1
004174 |         $EditorData {
004175 |             #EditorPos 157.0 20.3999996
004176 |         }
004177 |     }
004178 |     $State {
004179 |         "OKPneBack" "" "OKPneBack" "GetCommandI(CMD_FullBodyAction) == 1014" "notime" 1
004180 |         $EditorData {
004181 |             #EditorPos 159.1999969 20.3999996
004182 |         }
004183 |     }
004184 |     $State {
004185 |         "ViewMapPneBack" "" "ViewMapPneBack" "GetCommandI(CMD_FullBodyAction) == 99" "notime" 1
004186 |         $EditorData {
004187 |             #EditorPos 3.6000001 20.6000004
004188 |         }
004189 |     }
004190 |     $State {
004191 |         "CleanHandsPneBack" "" "CleanHandsPneBack" "GetCommandI(CMD_FullBodyAction) == 513" "notime" 1
004192 |         $EditorData {
004193 |             #EditorPos 77.2000046 20.3000011
004194 |         }
004195 |     }
004196 |     $State {
004197 |         "WpnAttachScopePneBack" "" "WpnAttachScopePneBack" "GetCommandI(CMD_FullBodyAction) == 516" "notime" 1
004198 |         $EditorData {
004199 |             #EditorPos 83.8000031 20.3000011
004200 |         }
004201 |     }
004202 |     $State {
```

```
004203 |         "WpnAttachBarrelPneBack" "" "WpnAttachBarrelPneBack" "GetCommandI(CMD_FullBodyAction) == 517" "notime" 1
004204 |         $EditorData {
004205 |             #EditorPos 86.0 20.3000011
004206 |         }
004207 |     }
004208 |     $State {
004209 |         "SearchInventoryPneBack" "" "SearchInventoryPneBack" "GetCommandI(CMD_FullBodyAction) == 107" "notime" 0
004210 |         $EditorData {
004211 |             #EditorPos 21.2000008 20.6000004
004212 |         }
004213 |     }
004214 |     $State {
004215 |         "RaiseItemPneBack" "" "RaiseItemPneBack" "GetCommandI(CMD_FullBodyAction) == 110" "notime" 1
004216 |         $EditorData {
004217 |             #EditorPos 32.2999992 20.5
004218 |         }
004219 |     }
004220 |     $State {
004221 |         "OpenItemPneBack" "" "OpenItemPneBack" "GetCommandI(CMD_FullBodyAction) == 83" "notime" 1
004222 |         $EditorData {
004223 |             #EditorPos -21.5 20.3000011
004224 |         }
004225 |     }
004226 |     $State {
004227 |         "SurrenderInPneBack" "" "SurrenderInPneBack" "GetCommandI(CMD_FullBodyAction) == 1113" "notime" 1
004228 |         $EditorData {
004229 |             #EditorPos 121.9000015 20.3999996
004230 |         }
004231 |     }
004232 |     $State {
004233 |         "SurrenderOutPneBack" "" "SurrenderOutPneBack" "GetCommandI(CMD_FullBodyAction) == 1114" "notime" 1
004234 |         $EditorData {
004235 |             #EditorPos 124.0999985 20.3999996
004236 |         }
004237 |     }
004238 |     $State {
004239 |         "DropItemHandsPneBack" "" "DropItemHandsPneBack" "GetCommandI(CMD_FullBodyAction) == 900" "notime" 1
004240 |         $EditorData {
004241 |             #EditorPos 94.2000046 20.3000011
004242 |         }
004243 |     }
004244 | }
004245 | $Transitions 2 {
004246 |     $Transition {
004247 |         "ThumbUpPneBack" "ThumbDownPneBack" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerTime()" 1 "S"
004248 |     }
004249 |     $Transition {
004250 |         "ThumbDownPneBack" "ThumbUpPneBack" "GetCommandI(CMD_InternalAction) == 1" "0.3" "GetLowerTime()" 1 "S"
004251 |     }
004252 | }
004253 | $EditorData {
004254 |     #EditorPos -104.5 21.7000008
004255 | }
004256 | }
004257 | $Node AnimNodeGroupSelect {
004258 |     "GiveLCro" "" "ActionContinuousSTM" "ActionContinuous" "GiveLCro"
004259 |     $EditorData {
004260 |         #EditorPos -34.6000023 -4.0
004261 |     }
004262 | }
004263 | $Node AnimNodeGroupSelect {
004264 |     "GiveLErc" "" "ActionContinuousSTM" "ActionContinuous" "GiveLErc"
```

```
004265 |         $EditorData {
004266 |             #EditorPos -34.6000023 -3.3
004267 |         }
004268 |     }
004269 |     $Node AnimNodeGroupSelect {
004270 |         "GiveLPne" "" "ActionContinuousLook" "ActionContinuous" "GiveLPne"
004271 |         $EditorData {
004272 |             #EditorPos -94.7000046 31.1000004
004273 |         }
004274 |     }
004275 |     $Node AnimNodeGroupSelect {
004276 |         "GiveRCro" "" "ActionContinuousSTM" "ActionContinuous" "GiveRCro"
004277 |         $EditorData {
004278 |             #EditorPos -32.4000015 -4.0
004279 |         }
004280 |     }
004281 |     $Node AnimNodeGroupSelect {
004282 |         "GiveRErc" "" "ActionContinuousSTM" "ActionContinuous" "GiveRErc"
004283 |         $EditorData {
004284 |             #EditorPos -32.4000015 -3.3
004285 |         }
004286 |     }
004287 |     $Node AnimNodeGroupSelect {
004288 |         "GiveRPne" "" "ActionContinuousLook" "ActionContinuous" "GiveRPne"
004289 |         $EditorData {
004290 |             #EditorPos -92.5999985 31.1000004
004291 |         }
004292 |     }
004293 |     $Node AnimNodeGroupSelect {
004294 |         "GreetingCro" "" "GestureContinuousSTM" "Gesture" "SaluteCro"
004295 |         $EditorData {
004296 |             #EditorPos 96.7000046 -3.7
004297 |         }
004298 |     }
004299 |     $Node AnimNodeGroupSelect {
004300 |         "GreetingErc" "" "GestureContinuousSTM" "Gesture" "SaluteErc"
004301 |         $EditorData {
004302 |             #EditorPos 96.7000046 -2.9000001
004303 |         }
004304 |     }
004305 |     $Node AnimNodeGroupSelect {
004306 |         "GreetingPne" "" "GestureContLook" "Gesture" "SalutePne"
004307 |         $EditorData {
004308 |             #EditorPos 172.8000031 30.8999996
004309 |         }
004310 |     }
004311 |     $Node AnimNodeGroupSelect {
004312 |         "GreetingPneBack" "" "GestureConPneBSTM" "Gesture" "SaluteErc"
004313 |         $EditorData {
004314 |             #EditorPos 130.6000061 18.3999996
004315 |         }
004316 |     }
004317 |     $Node AnimNodeGroupSelect {
004318 |         "HackBushCro" "" "ActionInLoopOutLook" "ActionInLoopOut" "HackBushCro"
004319 |         $EditorData {
004320 |             #EditorPos -18.3999996 31.8999996
004321 |         }
004322 |     }
004323 |     $Node AnimNodeGroupSelect {
004324 |         "HackBushErc" "" "ActionInLoopOutLook" "ActionInLoopOut" "HackBushErc"
004325 |         $EditorData {
004326 |             #EditorPos -18.3999996 32.6000023
```

```
004327 |     }
004328 | }
004329 | $Node AnimNodeGroupSelect {
004330 |     "HackTreeCro" "" "ActionInLoopOutLook" "ActionInLoopOut" "HackTreeCro"
004331 |     $EditorData {
004332 |         #EditorPos -16.2000008 31.8999996
004333 |     }
004334 | }
004335 | $Node AnimNodeGroupSelect {
004336 |     "HackTreeErc" "" "ActionInLoopOutLook" "ActionInLoopOut" "HackTreeErc"
004337 |     $EditorData {
004338 |         #EditorPos -16.2000008 32.6000023
004339 |     }
004340 | }
004341 | $Node AnimNodeGroupSelect {
004342 |     "HandcuffTargetCro" "" "ActionOnceLook" "ActionOnce" "HandcuffTargetCro"
004343 |     $EditorData {
004344 |         #EditorPos 66.0999985 32.0
004345 |     }
004346 | }
004347 | $Node AnimNodeGroupSelect {
004348 |     "HandcuffTargetErc" "" "ActionOnceLook" "ActionOnce" "HandcuffTargetErc"
004349 |     $EditorData {
004350 |         #EditorPos 66.0999985 32.7000008
004351 |     }
004352 | }
004353 | $Node AnimNodeGroupSelect {
004354 |     "HeartCro" "" "GestureContinuousSTM" "Gesture" "HeartCro"
004355 |     $EditorData {
004356 |         #EditorPos 112.0999985 -3.7
004357 |     }
004358 | }
004359 | $Node AnimNodeGroupSelect {
004360 |     "HeartErc" "" "GestureContinuousSTM" "Gesture" "HeartErc"
004361 |     $EditorData {
004362 |         #EditorPos 112.0999985 -2.9000001
004363 |     }
004364 | }
004365 | $Node AnimNodeGroupSelect {
004366 |     "HeartPne" "" "GestureContinuousSTM" "Gesture" "HeartPne"
004367 |     $EditorData {
004368 |         #EditorPos 188.1999969 30.8999996
004369 |     }
004370 | }
004371 | $Node AnimNodeGroupSelect {
004372 |     "HeartPneBack" "" "GestureConPneBSTM" "Gesture" "HeartErc"
004373 |     $EditorData {
004374 |         #EditorPos 146.0 18.3999996
004375 |     }
004376 | }
004377 | $Node AnimNodeGroupSelect {
004378 |     "HeatpackCro" "" "ActionOnceSTM" "ActionOnce" "HeatpackCro"
004379 |     $EditorData {
004380 |         #EditorPos 63.2000008 -3.8
004381 |     }
004382 | }
004383 | $Node AnimNodeGroupSelect {
004384 |     "HeatpackErc" "" "ActionOnceSTM" "ActionOnce" "HeatpackErc"
004385 |     $EditorData {
004386 |         #EditorPos 63.2000008 -3.1000001
004387 |     }
004388 | }
```

```
004389 |     $Node AnimNodeGroupSelect {
004390 |         "HeatpackPne" "" "ActionOnceSTM" "ActionOnce" "HeatpackPne"
004391 |     $EditorData {
004392 |         #EditorPos 103.8000031 32.6000023
004393 |     }
004394 | }
004395 | $Node AnimNodeGroupSelect {
004396 |     "HoldCro" "" "GestureContinuousSTM" "Gesture" "HoldCro"
004397 |     $EditorData {
004398 |         #EditorPos 118.7000046 -3.7
004399 |     }
004400 | }
004401 | $Node AnimNodeGroupSelect {
004402 |     "HoldErc" "" "GestureContinuousSTM" "Gesture" "HoldErc"
004403 |     $EditorData {
004404 |         #EditorPos 118.7000046 -2.9000001
004405 |     }
004406 | }
004407 | $Node AnimNodeGroupSelect {
004408 |     "HoldPne" "" "GestureContinuousSTM" "Gesture" "HoldPne"
004409 |     $EditorData {
004410 |         #EditorPos 192.6000061 30.8999996
004411 |     }
004412 | }
004413 | $Node AnimNodeGroupSelect {
004414 |     "HoldPneBack" "" "GestureConPneBSTM" "Gesture" "HoldErc"
004415 |     $EditorData {
004416 |         #EditorPos 150.4000092 18.3999996
004417 |     }
004418 | }
004419 | $Node AnimNodeGroupSelect {
004420 |     "InjectionTargetCro" "" "ActionOnceLook" "ActionOnce" "InjectionTargetCro"
004421 |     $EditorData {
004422 |         #EditorPos 72.7000046 32.0
004423 |     }
004424 | }
004425 | $Node AnimNodeGroupSelect {
004426 |     "InjectionTargetErc" "" "ActionOnceLook" "ActionOnce" "InjectionTargetErc"
004427 |     $EditorData {
004428 |         #EditorPos 72.7000046 32.7000008
004429 |     }
004430 | }
004431 | $Node AnimNodeGroupSelect {
004432 |     "InteractCro" "" "ActionContinuousLook" "ActionContinuous" "InteractCro"
004433 |     $EditorData {
004434 |         #EditorPos -63.5 31.8999996
004435 |     }
004436 | }
004437 | $Node AnimNodeGroupSelect {
004438 |     "InteractErc" "" "ActionContinuousLook" "ActionContinuous" "InteractErc"
004439 |     $EditorData {
004440 |         #EditorPos -63.5 32.7000008
004441 |     }
004442 | }
004443 | $Node AnimNodeGroupSelect {
004444 |     "InteractOnceCro" "" "ActionOnceSTM" "ActionOnce" "InteractOnceCro"
004445 |     $EditorData {
004446 |         #EditorPos 49.4000015 -3.8
004447 |     }
004448 | }
004449 | $Node AnimNodeGroupSelect {
004450 |     "InteractOnceErc" "" "ActionOnceSTM" "ActionOnce" "InteractOnceErc"
```

```
004451 |         $EditorData {
004452 |             #EditorPos 49.4000015 -3.1000001
004453 |         }
004454 |     }
004455 |     $Node AnimNodeGroupSelect {
004456 |         "ItemOffCro" "" "ActionOnceSTM" "ActionOnce" "ItemOffCro"
004457 |         $EditorData {
004458 |             #EditorPos 23.0 -3.8
004459 |         }
004460 |     }
004461 |     $Node AnimNodeGroupSelect {
004462 |         "ItemOffErc" "" "ActionOnceSTM" "ActionOnce" "ItemOffErc"
004463 |         $EditorData {
004464 |             #EditorPos 23.0 -3.1000001
004465 |         }
004466 |     }
004467 |     $Node AnimNodeGroupSelect {
004468 |         "ItemOffPne" "" "ActionOnceLook" "ActionOnce" "ItemOffPne"
004469 |         $EditorData {
004470 |             #EditorPos 63.9000015 31.3000011
004471 |         }
004472 |     }
004473 |     $Node AnimNodeGroupSelect {
004474 |         "ItemOffPneBack" "" "ActionOncePneBT" "ActionOnce" "ItemOffErc"
004475 |         $EditorData {
004476 |             #EditorPos 64.0 18.5
004477 |         }
004478 |     }
004479 |     $Node AnimNodeGroupSelect {
004480 |         "ItemOnCro" "" "ActionOnceSTM" "ActionOnce" "ItemOnCro"
004481 |         $EditorData {
004482 |             #EditorPos 25.2000008 -3.8
004483 |         }
004484 |     }
004485 |     $Node AnimNodeGroupSelect {
004486 |         "ItemOnErc" "" "ActionOnceSTM" "ActionOnce" "ItemOnErc"
004487 |         $EditorData {
004488 |             #EditorPos 25.2000008 -3.1000001
004489 |         }
004490 |     }
004491 |     $Node AnimNodeGroupSelect {
004492 |         "ItemOnPne" "" "ActionOnceLook" "ActionOnce" "ItemOnPne"
004493 |         $EditorData {
004494 |             #EditorPos 61.7000008 31.3000011
004495 |         }
004496 |     }
004497 |     $Node AnimNodeGroupSelect {
004498 |         "ItemOnPneBack" "" "ActionOncePneBT" "ActionOnce" "ItemOnErc"
004499 |         $EditorData {
004500 |             #EditorPos 61.7999992 18.5
004501 |         }
004502 |     }
004503 |     $Node AnimNodeGroupSelect {
004504 |         "ItemTriggerCroG" "" "ActionOnceSTM" "ActionOnce" "ItemTriggerCro"
004505 |         $EditorData {
004506 |             #EditorPos 56.2999992 -3.8
004507 |         }
004508 |     }
004509 |     $Node AnimNodeGroupSelect {
004510 |         "ItemTriggerErcG" "" "ActionOnceSTM" "ActionOnce" "ItemTriggerErc"
004511 |         $EditorData {
004512 |             #EditorPos 56.2999992 -3.1000001
```

```
004513 |     }
004514 | }
004515 | $Node AnimNodeGroupSelect {
004516 |     "ItemTriggerPneG" "" "ActionOnceSTM" "ActionOnce" "ItemTriggerPne"
004517 |     $EditorData {
004518 |         #EditorPos -111.0999985 31.2000008
004519 |     }
004520 | }
004521 | $Node AnimNodeGroupSelect {
004522 |     "ItemTuneCro" "" "ActionContinuousSTM" "ActionContinuous" "ItemTuneCro"
004523 |     $EditorData {
004524 |         #EditorPos -36.7999992 -4.0
004525 |     }
004526 | }
004527 | $Node AnimNodeGroupSelect {
004528 |     "ItemTuneErc" "" "ActionContinuousSTM" "ActionContinuous" "ItemTuneErc"
004529 |     $EditorData {
004530 |         #EditorPos -36.7999992 -3.3
004531 |     }
004532 | }
004533 | $Node AnimNodeGroupSelect {
004534 |     "ItemTunePne" "" "ActionContinuousLook" "ActionContinuous" "ItemTunePne"
004535 |     $EditorData {
004536 |         #EditorPos -97.0 31.1000004
004537 |     }
004538 | }
004539 | $Node AnimNodeGroupSelect {
004540 |     "ItemTunePneBack" "" "ActionContPneBLook" "ActionContinuous" "ItemTuneErc"
004541 |     $EditorData {
004542 |         #EditorPos -97.0 18.5
004543 |     }
004544 | }
004545 | $Node AnimNodeSource {
004546 |     "KneelActionLoop" "" "Kneeling.Cro.ActionLoop" "loop"
004547 |     $Predictions {
004548 |     }
004549 |     $EditorData {
004550 |         #EditorPos 220.6999969 19.3999996
004551 |     }
004552 | }
004553 | $Node AnimNodeGroupSelect {
004554 |     "KneelCro" "" "KneelingLook" "ActionContinuous" "KneelCro"
004555 |     $EditorData {
004556 |         #EditorPos 219.9000092 32.2999992
004557 |     }
004558 | }
004559 | $Node AnimNodeSource {
004560 |     "KneelInAnim" "" "Kneeling.Cro.In" "nolop"
004561 |     $Predictions {
004562 |     }
004563 |     $EditorData {
004564 |         #EditorPos 220.6999969 20.8000011
004565 |     }
004566 | }
004567 | $Node AnimNodeSource {
004568 |     "KneelLoopAnim" "" "Kneeling.Cro.Loop" "loop"
004569 |     $Predictions {
004570 |     }
004571 |     $EditorData {
004572 |         #EditorPos 220.6999969 20.1000004
004573 |     }
004574 | }
```

```

004575 |         $Node AnimNodeWeaponIK {
004576 |             "KneelingIK" "" "KneelingSTM" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.3 0.2 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "// ik po
se anim
004577 | // (root - means RightHand - but right hand is not exported)
004578 | // |- RightHand_Dummy (where Weapon is)
004579 | // |         |- LeftHandIKTarget (where left hand is on weapon)
004580 | // |- RightHandOrigin ( inverse transform where hand originally was)
004581 |
004582 | // basic setup -
004583 | // hand - bone which represents hand holding weapon
004584 | // weapon - bone which represents weapon node in hand
004585 | // weaponrotator - bone - around which weapon rotates
004586 | hand = RightHand
004587 | weapon = RightHand_Dummy
004588 | weaponrotator = RightArm
004589 | weaponaxis= -x
004590 |
004591 | ///!
004592 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
004593 | chainaxis=-x
004594 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
004595 | secchainaxis=+x
004596 |
004597 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
004598 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
004599 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
004600 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
004601 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
004602 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
004603 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
004604 |
004605 | "
004606 |         $EditorData {
004607 |             #EditorPos 220.3000031 27.1000004
004608 |         }
004609 |     }
004610 |     $Node AnimNodeBlendT {
004611 |         "KneelingLook" "" "KneelingMaster" "MoveLookPose" "" "" "Look" 0.3 "S" 1
004612 |         $EditorData {
004613 |             #EditorPos 219.9000092 31.3000011
004614 |         }
004615 |     }
004616 |     $Node AnimNodeStateMachine {
004617 |         "KneelingMaster" ""
004618 |         $States 2 {
004619 |             $State {
004620 |                 "Action" "TagCrouch" "KneelingIK" "" "notime" 1
004621 |                 $EditorData {
004622 |                     #EditorPos 220.3000031 29.0
004623 |                 }
004624 |             }
004625 |             $State {
004626 |                 "Out2" "TagActionsEnd2" "KneelingOut2Anim" "" "realtime" 1
004627 |                 $EditorData {
004628 |                     #EditorPos 222.9000092 29.0
004629 |                 }
004630 |             }
004631 |         }
004632 |     }
004633 |     $Transitions 1 {
004634 |         $Transition {
004635 |             "" "Out2" "GetCommandI(CMD_InternalAction) == -1" "0.3" "" 0 "S"

```



```
004636 |     }
004637 |     $EditorData {
004638 |         #EditorPos 219.9000092 30.2000008
004639 |     }
004640 | }
004641 | $Node AnimNodeSource {
004642 |     "KneelingOut2Anim" "" "Kneeling.Cro.Out2" "nolop"
004643 |     $Predictions {
004644 |     }
004645 |     $EditorData {
004646 |         #EditorPos 222.9000092 27.1000004
004647 |     }
004648 | }
004649 | $Node AnimNodeSource {
004650 |     "KneelingOutCroAnim" "" "Kneeling.Cro.Out" "nolop"
004651 |     $Predictions {
004652 |     }
004653 |     $EditorData {
004654 |         #EditorPos 223.6000061 20.8000011
004655 |     }
004656 | }
004657 | $Node AnimNodeSource {
004658 |     "KneelingOutErcAnim" "" "Kneeling.Erc.Out" "nolop"
004659 |     $Predictions {
004660 |     }
004661 |     $EditorData {
004662 |         #EditorPos 223.6000061 20.1000004
004663 |     }
004664 | }
004665 | $Node AnimNodeSource {
004666 |     "KneelingOutPneAnim" "" "Kneeling.Pne.Out" "nolop"
004667 |     $Predictions {
004668 |     }
004669 |     $EditorData {
004670 |         #EditorPos 223.6000061 19.3999996
004671 |     }
004672 | }
004673 | $Node AnimNodeStateMachine {
004674 |     "KneelingSTM" ""
004675 |     $States 6 {
004676 |         $State {
004677 |             "In" "TagActionsIn" "KneelInAnim" "" "realtime" 0
004678 |             $EditorData {
004679 |                 #EditorPos 220.6999969 25.0
004680 |             }
004681 |         }
004682 |         $State {
004683 |             "Loop" "TagActionsLoop" "KneelLoopAnim" "" "realtime" 0
004684 |             $EditorData {
004685 |                 #EditorPos 220.6999969 23.8000011
004686 |             }
004687 |         }
004688 |         $State {
004689 |             "ActionLoop" "TagActionsLoop2" "KneelActionLoop" "" "realtime" 0
004690 |             $EditorData {
004691 |                 #EditorPos 220.6999969 22.5
004692 |             }
004693 |         }
004694 |         $State {
004695 |             "OutCrouch" "TagActionsEnd" "KneelingOutCroAnim" "" "realtime" 1
004696 |             $EditorData {
004697 |                 #EditorPos 223.6000061 25.0
```

```
004698 |     }
004699 | }
004700 | $State {
004701 |     "OutPne" "" "KneelingOutPneAnim" "" "realtime" 1
004702 |     $EditorData {
004703 |         #EditorPos 223.6000061 22.5
004704 |     }
004705 | }
004706 | $State {
004707 |     "OutErc" "" "KneelingOutErcAnim" "" "realtime" 1
004708 |     $EditorData {
004709 |         #EditorPos 223.6000061 23.8000011
004710 |     }
004711 | }
004712 | }
004713 | $Transitions 7 {
004714 |     $Transition {
004715 |         "In" "OutCrouch" "GetCommandI(CMD_InternalAction) == 0" "0.4" "GetRemainingTime()" 1 "S"
004716 |     }
004717 |     $Transition {
004718 |         "" "OutCrouch" "GetCommandI(CMD_InternalAction) == 0" "0.4" "" 1 "S"
004719 |     }
004720 |     $Transition {
004721 |         "In" "Loop" "RemainingTimeLess(0.1)" "0.3" "" 1 "S"
004722 |     }
004723 |     $Transition {
004724 |         "Loop" "ActionLoop" "GetCommandI(CMD_InternalAction) == 2" "0.3" "" 0 "S"
004725 |     }
004726 |     $Transition {
004727 |         "ActionLoop" "Loop" "GetCommandI(CMD_InternalAction) == 2" "0.3" "" 0 "S"
004728 |     }
004729 |     $Transition {
004730 |         "" "OutErc" "Stance == 0" "0.3" "" 0 "S"
004731 |     }
004732 |     $Transition {
004733 |         "" "OutPne" "Stance == 2" "0.3" "" 0 "S"
004734 |     }
004735 | }
004736 | $EditorData {
004737 |     #EditorPos 220.3000031 26.2000008
004738 | }
004739 | }
004740 | $Node AnimNodeRot {
004741 |     "LArmPneBFix" "" "ActionOncePneBT" "1.0"
004742 |     $rotitems 1 {
004743 |         $ri {
004744 |             "LeftArm" "xmr" 0.5
004745 |         }
004746 |     }
004747 |     $EditorData {
004748 |         #EditorPos 50.7999992 17.3000011
004749 |     }
004750 | }
004751 | $Node AnimNodeGroupSelect {
004752 |     "LickBatteryCro" "" "ActionOnceSTM" "ActionOnce" "LickBatteryCro"
004753 |     $EditorData {
004754 |         #EditorPos 7.5999999 -3.8
004755 |     }
004756 | }
004757 | $Node AnimNodeGroupSelect {
004758 |     "LickBatteryErc" "" "ActionOnceSTM" "ActionOnce" "LickBatteryErc"
004759 |     $EditorData {
```

```
004760 |         #EditorPos 7.5999999 -3.1000001
004761 |     }
004762 | }
004763 | $Node AnimNodeGroupSelect {
004764 |     "LickBatteryPne" "" "ActionOnceSTM" "ActionOnce" "LickBatteryPne"
004765 |     $EditorData {
004766 |         #EditorPos 52.9000015 31.3000011
004767 |     }
004768 | }
004769 | $Node AnimNodeGroupSelect {
004770 |     "LickBatteryPneBack" "" "ActionOncePneBSTM" "ActionOnce" "LickBatteryErc"
004771 |     $EditorData {
004772 |         #EditorPos 53.0 18.5
004773 |     }
004774 | }
004775 | $Node AnimNodeGroupSelect {
004776 |     "ListeningCro" "" "GestureContinuousSTM" "Gesture" "ListeningCro"
004777 |     $EditorData {
004778 |         #EditorPos 120.9000015 -3.7
004779 |     }
004780 | }
004781 | $Node AnimNodeGroupSelect {
004782 |     "ListeningErc" "" "GestureContinuousSTM" "Gesture" "ListeningErc"
004783 |     $EditorData {
004784 |         #EditorPos 120.9000015 -2.9000001
004785 |     }
004786 | }
004787 | $Node AnimNodeGroupSelect {
004788 |     "ListeningPne" "" "GestureContinuousSTM" "Gesture" "ListeningPne"
004789 |     $EditorData {
004790 |         #EditorPos 194.8000031 30.8999996
004791 |     }
004792 | }
004793 | $Node AnimNodeGroupSelect {
004794 |     "ListeningPneBack" "" "GestureConPneBSTM" "Gesture" "ListeningErc"
004795 |     $EditorData {
004796 |         #EditorPos 152.6000061 18.3999996
004797 |     }
004798 | }
004799 | $Node AnimNodeGroupSelect {
004800 |     "LitChemlightCro" "" "ActionOnceSTM" "ActionOnce" "LitChemlightCro"
004801 |     $EditorData {
004802 |         #EditorPos 12.0 -3.8
004803 |     }
004804 | }
004805 | $Node AnimNodeGroupSelect {
004806 |     "LitChemlightErc" "" "ActionOnceSTM" "ActionOnce" "LitChemlightErc"
004807 |     $EditorData {
004808 |         #EditorPos 12.0 -3.1000001
004809 |     }
004810 | }
004811 | $Node AnimNodeGroupSelect {
004812 |     "LitChemlightPne" "" "ActionOnceLook" "ActionOnce" "LitChemlightPne"
004813 |     $EditorData {
004814 |         #EditorPos 57.2999992 31.3000011
004815 |     }
004816 | }
004817 | $Node AnimNodeGroupSelect {
004818 |     "LitChemlightPneBack" "" "ActionOncePneBT" "ActionOnce" "LitChemlightErc"
004819 |     $EditorData {
004820 |         #EditorPos 57.4000015 18.5
004821 |     }
```

```
004822 |     }
004823 |     $Node AnimNodeGroupSelect {
004824 |         "LitFlareCro" "" "ActionOnceSTM" "ActionOnce" "LitFlareCro"
004825 |         $EditorData {
004826 |             #EditorPos 9.8000002 -3.8
004827 |         }
004828 |     }
004829 |     $Node AnimNodeGroupSelect {
004830 |         "LitFlareErc" "" "ActionOnceSTM" "ActionOnce" "LitFlareErc"
004831 |         $EditorData {
004832 |             #EditorPos 9.8000002 -3.1000001
004833 |         }
004834 |     }
004835 |     $Node AnimNodeGroupSelect {
004836 |         "LitFlarePne" "" "ActionOnceLook" "ActionOnce" "LitFlarePne"
004837 |         $EditorData {
004838 |             #EditorPos 55.1000023 31.3000011
004839 |         }
004840 |     }
004841 |     $Node AnimNodeGroupSelect {
004842 |         "LitFlarePneBack" "" "ActionOncePneBT" "ActionOnce" "LitFlareErc"
004843 |         $EditorData {
004844 |             #EditorPos 55.2000008 18.5
004845 |         }
004846 |     }
004847 |     $Node AnimNodeGroupSelect {
004848 |         "LookAtMeCro" "" "GestureContinuousSTM" "Gesture" "LookAtMeCro"
004849 |         $EditorData {
004850 |             #EditorPos 125.3000031 -3.7
004851 |         }
004852 |     }
004853 |     $Node AnimNodeGroupSelect {
004854 |         "LookAtMeErc" "" "GestureContinuousSTM" "Gesture" "LookAtMeErc"
004855 |         $EditorData {
004856 |             #EditorPos 125.3000031 -2.9000001
004857 |         }
004858 |     }
004859 |     $Node AnimNodeGroupSelect {
004860 |         "LookAtMePne" "" "GestureContinuousSTM" "Gesture" "LookAtMePne"
004861 |         $EditorData {
004862 |             #EditorPos 199.1999969 30.8999996
004863 |         }
004864 |     }
004865 |     $Node AnimNodeGroupSelect {
004866 |         "LookAtMePneBack" "" "GestureConPneBSTM" "Gesture" "LookAtMeErc"
004867 |         $EditorData {
004868 |             #EditorPos 157.0 18.3999996
004869 |         }
004870 |     }
004871 |     $Node AnimNodeGroupSelect {
004872 |         "LookOpticsCro" "" "OpticsCroIK" "ActionContinuous" "LookOpticsCro"
004873 |         $EditorData {
004874 |             #EditorPos 23.2000008 31.8000011
004875 |         }
004876 |     }
004877 |     $Node AnimNodeGroupSelect {
004878 |         "LookOpticsErc" "" "OpticsErcIK" "ActionContinuous" "LookOpticsErc"
004879 |         $EditorData {
004880 |             #EditorPos 23.2000008 32.5
004881 |         }
004882 |     }
004883 |     $Node AnimNodeGroupSelect {
```

```
004884 |         "LookOpticsPne" "" "OpticsAimB" "ActionContinuous" "LookOpticsPne"
004885 |     $EditorData {
004886 |         #EditorPos 23.2000008 31.1000004
004887 |     }
004888 | }
004889 | $Node AnimNodeGroupSelect {
004890 |     "LowerFlagGroup" "" "ActionInLoopOutSTM" "ActionInLoopOut" "LowerFlag"
004891 |     $EditorData {
004892 |         #EditorPos 41.5 32.5
004893 |     }
004894 | }
004895 | $Node AnimNodeGroupSelect {
004896 |     "MineRockErc" "" "ActionInLoopOutSTM" "ActionInLoopOut" "MineRockErc"
004897 |     $EditorData {
004898 |         #EditorPos 25.3999996 32.5
004899 |     }
004900 | }
004901 | $Node AnimNodeGroupSelect {
004902 |     "MoveCro" "" "GestureOnceSTM" "GestureOnce" "MoveCro"
004903 |     $EditorData {
004904 |         #EditorPos 139.6000061 -3.6000001
004905 |     }
004906 | }
004907 | $Node AnimNodeGroupSelect {
004908 |     "MoveErc" "" "GestureOnceSTM" "GestureOnce" "MoveErc"
004909 |     $EditorData {
004910 |         #EditorPos 139.6000061 -2.8
004911 |     }
004912 | }
004913 | $Node AnimNodeGroupSelect {
004914 |     "MovePne" "" "GestureOnceLook" "GestureOnce" "MovePne"
004915 |     $EditorData {
004916 |         #EditorPos 145.8000031 31.1000004
004917 |     }
004918 | }
004919 | $Node AnimNodeGroupSelect {
004920 |     "MovePneBack" "" "GestureOncePneBSTM" "GestureOnce" "MoveErc"
004921 |     $EditorData {
004922 |         #EditorPos 102.0999985 18.3999996
004923 |     }
004924 | }
004925 | $Node AnimNodeGroupSelect {
004926 |     "NodHeadErc" "" "GestureOnceSTM" "GestureOnce" "NodHeadErc"
004927 |     $EditorData {
004928 |         #EditorPos 152.9000092 -2.8
004929 |     }
004930 | }
004931 | $Node AnimNodeGroupSelect {
004932 |     "NodHeadPne" "" "GestureOnceSTM" "GestureOnce" "NodHeadPne"
004933 |     $EditorData {
004934 |         #EditorPos 159.0 31.1000004
004935 |     }
004936 | }
004937 | $Node AnimNodeGroupSelect {
004938 |     "NodHeadPneBack" "" "GestureOncePneBSTM" "GestureOnce" "NodHeadErc"
004939 |     $EditorData {
004940 |         #EditorPos 115.3000031 18.3999996
004941 |     }
004942 | }
004943 | $Node AnimNodeGroupSelect {
004944 |     "OKCro" "" "GestureContinuousSTM" "Gesture" "OKCro"
004945 |     $EditorData {
```

```
004946 |         #EditorPos 127.5 -3.7
004947 |     }
004948 | }
004949 | $Node AnimNodeGroupSelect {
004950 |     "OKerc" "" "GestureContinuousSTM" "Gesture" "OKerc"
004951 |     $EditorData {
004952 |         #EditorPos 127.5 -2.9000001
004953 |     }
004954 | }
004955 | $Node AnimNodeGroupSelect {
004956 |     "OKPne" "" "GestureOnceLook" "Gesture" "OKPne"
004957 |     $EditorData {
004958 |         #EditorPos 201.4000092 30.8999996
004959 |     }
004960 | }
004961 | $Node AnimNodeGroupSelect {
004962 |     "OKPneBack" "" "GestureConPneBSTM" "Gesture" "OKerc"
004963 |     $EditorData {
004964 |         #EditorPos 159.1999969 18.3999996
004965 |     }
004966 | }
004967 | $Node AnimNodeGroupSelect {
004968 |     "OpenDoorCro" "" "ActionOnceSTM" "ActionOnce" "OpenDoorCro"
004969 |     $EditorData {
004970 |         #EditorPos 16.3999996 -3.8
004971 |     }
004972 | }
004973 | $Node AnimNodeGroupSelect {
004974 |     "OpenDoorerc" "" "ActionOnceSTM" "ActionOnce" "OpenDoorerc"
004975 |     $EditorData {
004976 |         #EditorPos 16.3999996 -3.1000001
004977 |     }
004978 | }
004979 | $Node AnimNodeGroupSelect {
004980 |     "OpenItemCro" "" "ActionContinuousSTM" "ActionContinuous" "OpenItemCro"
004981 |     $EditorData {
004982 |         #EditorPos -23.6000004 -4.0
004983 |     }
004984 | }
004985 | $Node AnimNodeGroupSelect {
004986 |     "OpenItemerc" "" "ActionContinuousSTM" "ActionContinuous" "OpenItemerc"
004987 |     $EditorData {
004988 |         #EditorPos -23.6000004 -3.3
004989 |     }
004990 | }
004991 | $Node AnimNodeGroupSelect {
004992 |     "OpenItemOnceCro" "" "ActionOnceSTM" "ActionOnce" "OpenItemOnceCro"
004993 |     $EditorData {
004994 |         #EditorPos 40.6000023 -3.8
004995 |     }
004996 | }
004997 | $Node AnimNodeGroupSelect {
004998 |     "OpenItemOnceerc" "" "ActionOnceSTM" "ActionOnce" "OpenItemOnceerc"
004999 |     $EditorData {
005000 |         #EditorPos 40.6000023 -3.1000001
005001 |     }
005002 | }
005003 | $Node AnimNodeGroupSelect {
005004 |     "OpenItemOncePne" "" "ActionOnceLook" "ActionOnce" "OpenItemOncePne"
005005 |     $EditorData {
005006 |         #EditorPos 79.3000031 31.3000011
005007 |     }
}
```

```
005008 |     }
005009 |     $Node AnimNodeGroupSelect {
005010 |         "OpenItemOncePne0" "" "ActionOnceSTM" "ActionOnce" "OpenItemOncePne"
005011 |         $EditorData {
005012 |             #EditorPos 40.6000023 -4.5
005013 |         }
005014 |     }
005015 |     $Node AnimNodeGroupSelect {
005016 |         "OpenItemOncePneBack" "" "ActionOncePneBT" "ActionOnce" "OpenItemOnceErc"
005017 |         $EditorData {
005018 |             #EditorPos 79.4000015 18.3999996
005019 |         }
005020 |     }
005021 |     $Node AnimNodeGroupSelect {
005022 |         "OpenItemPne" "" "ActionContinuousSTM" "ActionContinuous" "OpenItemPne"
005023 |         $EditorData {
005024 |             #EditorPos -21.3000011 31.0
005025 |         }
005026 |     }
005027 |     $Node AnimNodeGroupSelect {
005028 |         "OpenItemPneBack" "" "ActionContPneBLook" "ActionContinuous" "OpenItemErc"
005029 |         $EditorData {
005030 |             #EditorPos -21.5 18.5
005031 |         }
005032 |     }
005033 |     $Node AnimNodeGroupSelect {
005034 |         "OpenLidCro" "" "ActionOnceSTM" "ActionOnce" "OpenLidCro"
005035 |         $EditorData {
005036 |             #EditorPos 18.6000004 -3.8
005037 |         }
005038 |     }
005039 |     $Node AnimNodeGroupSelect {
005040 |         "OpenLidErc" "" "ActionOnceSTM" "ActionOnce" "OpenLidErc"
005041 |         $EditorData {
005042 |             #EditorPos 18.6000004 -3.1000001
005043 |         }
005044 |     }
005045 |     $Node AnimNodeGroupSelect {
005046 |         "PatchingDucttapeCro" "" "ActionContinuousLook" "ActionContinuous" "PatchingDucttapeCro"
005047 |         $EditorData {
005048 |             #EditorPos 112.0 31.1000004
005049 |         }
005050 |     }
005051 |     $Node AnimNodeGroupSelect {
005052 |         "PatchingLeatherSewingKit" "" "ActionContinuousLook" "ActionContinuous" "PatchingLeatherSewingKit"
005053 |         $EditorData {
005054 |             #EditorPos 117.0 31.1000004
005055 |         }
005056 |     }
005057 |     $Node AnimNodeGroupSelect {
005058 |         "PatchingSewingCro" "" "ActionContinuousLook" "ActionContinuous" "PatchingSewingCro"
005059 |         $EditorData {
005060 |             #EditorPos 114.5 31.1000004
005061 |         }
005062 |     }
005063 |     $Node AnimNodeGroupSelect {
005064 |         "PatchingTireCro" "" "ActionContinuousLook" "ActionContinuous" "PatchingTireCro"
005065 |         $EditorData {
005066 |             #EditorPos 109.5999985 31.1000004
005067 |         }
005068 |     }
005069 |     $Node AnimNodeGroupSelect {
```

```
005070 |         "PickUpHandsCro" "" "PickUpRot" "ActionOnce" "PickUpHandsCro"
005071 |     $EditorData {
005072 |         #EditorPos 3.0 -3.8
005073 |     }
005074 | }
005075 | $Node AnimNodeGroupSelect {
005076 |     "PickUpHandsErc" "" "PickUpRot" "ActionOnce" "PickUpHandsErc"
005077 |     $EditorData {
005078 |         #EditorPos 3.0 -3.1000001
005079 |     }
005080 | }
005081 | $Node AnimNodeGroupSelect {
005082 |     "PickUpHandsPne" "" "ActionOnceLook" "ActionOnce" "PickUpHandsPne"
005083 |     $EditorData {
005084 |         #EditorPos 48.5 31.3000011
005085 |     }
005086 | }
005087 | $Node AnimNodeGroupSelect {
005088 |     "PickUpHandsPneBack" "" "ActionOncePneBT" "ActionOnce" "PickUpHandsPneB"
005089 |     $EditorData {
005090 |         #EditorPos 48.6000023 18.5
005091 |     }
005092 | }
005093 | $Node AnimNodeGroupSelect {
005094 |     "PickUpHeavyErc" "" "ActionOnceIK" "ActionOnce" "PickUpHeavyErc"
005095 |     $EditorData {
005096 |         #EditorPos 90.3000031 32.7000008
005097 |     }
005098 | }
005099 | $Node AnimNodeGroupSelect {
005100 |     "PickUpInventoryCro" "" "PickUpRot" "ActionOnce" "PickUpInventoryCro"
005101 |     $EditorData {
005102 |         #EditorPos 5.3000002 -3.8
005103 |     }
005104 | }
005105 | $Node AnimNodeGroupSelect {
005106 |     "PickUpInventoryErc" "" "PickUpRot" "ActionOnce" "PickUpInventoryErc"
005107 |     $EditorData {
005108 |         #EditorPos 5.3000002 -3.1000001
005109 |     }
005110 | }
005111 | $Node AnimNodeGroupSelect {
005112 |     "PickUpInventoryPne" "" "ActionOnceLook" "ActionOnce" "PickUpInventoryPne"
005113 |     $EditorData {
005114 |         #EditorPos 50.7000008 31.3000011
005115 |     }
005116 | }
005117 | $Node AnimNodeGroupSelect {
005118 |     "PickUpInventoryPneBack" "" "ActionOncePneBT" "ActionOnce" "PickUpInventoryPneB"
005119 |     $EditorData {
005120 |         #EditorPos 50.7999992 18.5
005121 |     }
005122 | }
005123 | $Node AnimNodeRot {
005124 |     "PickUpRot" "" "ActionOnceSTM" "eAI_LookDirY*((1.0-GetLowerTime())*0.01)"
005125 |     $rotitems 2 {
005126 |         $ri {
005127 |             "RightArm" "zmr" 1.0
005128 |         }
005129 |         $ri {
005130 |             "LeftArm" "zmr" 1.0
005131 |         }
```



```

005132 |         }
005133 |         $EditorData {
005134 |             #EditorPos 3.0 -4.7000003
005135 |         }
005136 |     }
005137 |     $Node AnimNodeGroupSelect {
005138 |         "Placing1hdCro" "" "PlacingMaster" "ActionContinuous" "Placing1hdCro"
005139 |         $EditorData {
005140 |             #EditorPos 14.4000006 31.8000011
005141 |         }
005142 |     }
005143 |     $Node AnimNodeGroupSelect {
005144 |         "Placing2hdCro" "" "PlacingMaster" "ActionContinuous" "Placing2hdCro"
005145 |         $EditorData {
005146 |             #EditorPos 12.1999998 31.8000011
005147 |         }
005148 |     }
005149 |     $Node AnimNodeGroupSelect {
005150 |         "PlacingHeavyErc" "" "PlacingMaster" "ActionContinuous" "PlacingHeavyErc"
005151 |         $EditorData {
005152 |             #EditorPos 10.0 32.5
005153 |         }
005154 |     }
005155 |     $Node AnimNodeWeaponIK {
005156 |         "PlacingIK" "" "PlacingSTM" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "// ik po
se anim
005157 | // (root - means RightHand - but right hand is not exported)
005158 | // |- RightHand_Dummy (where Weapon is)
005159 | // |   |- LeftHandIKTarget (where left hand is on weapon)
005160 | // |- RightHandOrigin ( inverse transform where hand originally was)
005161 |
005162 | // basic setup -
005163 | // hand - bone which represents hand holding weapon
005164 | // weapon - bone which represents weapon node in hand
005165 | // weaponrotator - bone - around which weapon rotates
005166 | hand = RightHand
005167 | weapon = RightHand_Dummy
005168 | weaponrotator = RightArm
005169 | weaponaxis= -x
005170 |
005171 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
005172 | chainaxis=-x
005173 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
005174 | secchainaxis=+x
005175 |
005176 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
005177 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
005178 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
005179 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
005180 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
005181 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
005182 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
005183 |
005184 | "
005185 |         $EditorData {
005186 |             #EditorPos 12.6000004 27.6000004
005187 |         }
005188 |     }
005189 |     $Node AnimNodeStateMachine {
005190 |         "PlacingMaster" ""
005191 |         $States 2 {
005192 |             $State {

```

```
005193 |         "In" "" "PlacingIK" "" "notime" 1
005194 |         $EditorData {
005195 |             #EditorPos 12.6000004 29.2000008
005196 |         }
005197 |     }
005198 |     $State {
005199 |         "End" "TagActionsEnd" "ActionConOutAnim" "" "realtime" 1
005200 |         $EditorData {
005201 |             #EditorPos 15.3000002 29.2000008
005202 |         }
005203 |     }
005204 | }
005205 | $Transitions 1 {
005206 |     $Transition {
005207 |         "In" "End" "GetCommandI(CMD_InternalAction) == 0" "0.1" "" 0 "S"
005208 |     }
005209 | }
005210 | $EditorData {
005211 |     #EditorPos 12.1999998 30.3999996
005212 | }
005213 | }
005214 | $Node AnimNodeStateMachine {
005215 |     "PlacingSTM" ""
005216 |     $States 3 {
005217 |         $State {
005218 |             "In" "TagActionsIn" "ActionConInAnim" "" "realtime" 0
005219 |             $EditorData {
005220 |                 #EditorPos 13.0 25.5
005221 |             }
005222 |         }
005223 |         $State {
005224 |             "Loop" "TagActionsLoop" "ActionConLoopAnim" "" "realtime" 0
005225 |             $EditorData {
005226 |                 #EditorPos 15.5 25.1000004
005227 |             }
005228 |         }
005229 |         $State {
005230 |             "End2" "TagActionsEnd2" "ActionConAltOutAnim" "" "realtime" 1
005231 |             $EditorData {
005232 |                 #EditorPos 18.1000004 25.5
005233 |             }
005234 |         }
005235 |     }
005236 |     $Transitions 3 {
005237 |         $Transition {
005238 |             "In" "End2" "GetCommandI(CMD_InternalAction) == -1" "0.4" "GetRemainingTime()" 1 "S"
005239 |         }
005240 |         $Transition {
005241 |             "In" "Loop" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
005242 |         }
005243 |         $Transition {
005244 |             "Loop" "End2" "GetCommandI(CMD_InternalAction) == -1" "0.3" "" 1 "S"
005245 |         }
005246 |     }
005247 |     $EditorData {
005248 |         #EditorPos 12.6000004 26.8000011
005249 |     }
005250 | }
005251 | $Node AnimNodeGroupSelect {
005252 |     "PointCro" "" "GestureContinuousSTM" "Gesture" "PointCro"
005253 |     $EditorData {
005254 |         #EditorPos 98.9000015 -3.7
```

```
005255 |     }
005256 | }
005257 | $Node AnimNodeGroupSelect {
005258 |     "PointErc" "" "GestureContinuousSTM" "Gesture" "PointErc"
005259 |     $EditorData {
005260 |         #EditorPos 98.9000015 -2.9000001
005261 |     }
005262 | }
005263 | $Node AnimNodeGroupSelect {
005264 |     "PointPne" "" "GestureContLook" "Gesture" "PointPne"
005265 |     $EditorData {
005266 |         #EditorPos 175.0 30.8999996
005267 |     }
005268 | }
005269 | $Node AnimNodeGroupSelect {
005270 |     "PointPneBack" "" "GestureConPneBSTM" "Gesture" "PointErc"
005271 |     $EditorData {
005272 |         #EditorPos 132.8000031 18.3999996
005273 |     }
005274 | }
005275 | $Node AnimNodeGroupSelect {
005276 |     "PointSelfCro" "" "GestureContinuousSTM" "Gesture" "PointSelfCro"
005277 |     $EditorData {
005278 |         #EditorPos 123.0999985 -3.7
005279 |     }
005280 | }
005281 | $Node AnimNodeGroupSelect {
005282 |     "PointSelfErc" "" "GestureContinuousSTM" "Gesture" "PointSelfErc"
005283 |     $EditorData {
005284 |         #EditorPos 123.0999985 -2.9000001
005285 |     }
005286 | }
005287 | $Node AnimNodeGroupSelect {
005288 |     "PointSelfPne" "" "GestureContinuousSTM" "Gesture" "PointSelfPne"
005289 |     $EditorData {
005290 |         #EditorPos 197.0 30.8999996
005291 |     }
005292 | }
005293 | $Node AnimNodeGroupSelect {
005294 |     "PointSelfPneBack" "" "GestureConPneBSTM" "Gesture" "PointSelfErc"
005295 |     $EditorData {
005296 |         #EditorPos 154.8000031 18.3999996
005297 |     }
005298 | }
005299 | $Node AnimNodeGroupSelect {
005300 |     "PokeCro" "" "ActionOnceLook" "ActionOnce" "PokeCro"
005301 |     $EditorData {
005302 |         #EditorPos 81.5 31.8999996
005303 |     }
005304 | }
005305 | $Node AnimNodeGroupSelect {
005306 |     "PullOut" "" "ActionOnceIK" "ActionOnce" "PullOut"
005307 |     $EditorData {
005308 |         #EditorPos 96.0999985 32.7000008
005309 |     }
005310 | }
005311 | $Node AnimNodeRot {
005312 |     "RArmPneBFix" "" "ActionOncePneBT" "1.0"
005313 |     $rotitems 1 {
005314 |         $ri {
005315 |             "RightArm" "xmr" 0.5
005316 |         }
```

```
005317 |     }
005318 |     $EditorData {
005319 |         #EditorPos 48.6000023 17.3000011
005320 |     }
005321 | }
005322 | $Node AnimNodeSource {
005323 |     "RPSIdle" "" "RPS.Rock" "loop"
005324 |     $Predictions {
005325 |     }
005326 |     $EditorData {
005327 |         #EditorPos 182.6000061 -9.6000004
005328 |     }
005329 | }
005330 | $Node AnimNodeSource {
005331 |     "RPSIn" "" "RPS.In" "nolop"
005332 |     $Predictions {
005333 |     }
005334 |     $EditorData {
005335 |         #EditorPos 180.4000092 -9.6000004
005336 |     }
005337 | }
005338 | $Node AnimNodeStateMachine {
005339 |     "RPSMaster" ""
005340 |     $States 9 {
005341 |         $State {
005342 |             "In" "" "RPSIn" "true" "realtime" 0
005343 |             $EditorData {
005344 |                 #EditorPos 180.4000092 -5.9000001
005345 |             }
005346 |         }
005347 |         $State {
005348 |             "Rock" "" "RPSRock" "false" "notime" 0
005349 |             $EditorData {
005350 |                 #EditorPos 187.0 -5.0999999
005351 |             }
005352 |         }
005353 |         $State {
005354 |             "Paper" "" "RPSPaper" "false" "notime" 0
005355 |             $EditorData {
005356 |                 #EditorPos 187.0 -6.9000001
005357 |             }
005358 |         }
005359 |         $State {
005360 |             "Scissors" "" "RPSScissors" "false" "notime" 0
005361 |             $EditorData {
005362 |                 #EditorPos 187.0 -7.8000002
005363 |             }
005364 |         }
005365 |         $State {
005366 |             "PumpRock" "" "RPS Pump" "false" "realtime" 0
005367 |             $EditorData {
005368 |                 #EditorPos 184.8000031 -5.0999999
005369 |             }
005370 |         }
005371 |         $State {
005372 |             "Out" "" "RPSOut" "false" "realtime" 1
005373 |             $EditorData {
005374 |                 #EditorPos 189.1999969 -5.9000001
005375 |             }
005376 |         }
005377 |         $State {
005378 |             "RPSIdle" "" "RPSIdle" "false" "notime" 0
```

```
005379 |         $EditorData {
005380 |             #EditorPos 182.6000061 -6.5999999
005381 |         }
005382 |     }
005383 |     $State {
005384 |         "PumpPaper" "" "RPSump" "false" "realtime" 0
005385 |         $EditorData {
005386 |             #EditorPos 184.8000031 -6.8000002
005387 |         }
005388 |     }
005389 |     $State {
005390 |         "PumpScissors" "" "RPSump" "false" "realtime" 0
005391 |         $EditorData {
005392 |             #EditorPos 184.8000031 -7.8000002
005393 |         }
005394 |     }
005395 | }
005396 | $Transitions 12 {
005397 |     $Transition {
005398 |         "Scissors" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "0.0" 0 "S"
005399 |     }
005400 |     $Transition {
005401 |         "Paper" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "0.0" 0 "S"
005402 |     }
005403 |     $Transition {
005404 |         "Rock" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "0.0" 0 "S"
005405 |     }
005406 |     $Transition {
005407 |         "In" "RPSIdle" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
005408 |     }
005409 |     $Transition {
005410 |         "RPSIdle" "PumpRock" "GetCommandI(CMD_InternalAction) == 10" "0.2" "0.0" 0 "S"
005411 |     }
005412 |     $Transition {
005413 |         "PumpRock" "Rock" "RemainingTimeLess(0.35)" "0.35" "0.0" 1 "S"
005414 |     }
005415 |     $Transition {
005416 |         "PumpPaper" "Paper" "RemainingTimeLess(0.4)" "0.25" "0.0" 1 "S"
005417 |     }
005418 |     $Transition {
005419 |         "PumpScissors" "Scissors" "RemainingTimeLess(0.4)" "0.25" "0.0" 1 "S"
005420 |     }
005421 |     $Transition {
005422 |         "RPSIdle" "PumpPaper" "GetCommandI(CMD_InternalAction) == 11" "0.2" "0.0" 0 "S"
005423 |     }
005424 |     $Transition {
005425 |         "RPSIdle" "PumpScissors" "GetCommandI(CMD_InternalAction) == 12" "0.2" "0.0" 0 "S"
005426 |     }
005427 |     $Transition {
005428 |         "RPSIdle" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.2" "" 0 "S"
005429 |     }
005430 |     $Transition {
005431 |         "In" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "0.0" 0 "S"
005432 |     }
005433 | }
005434 | $EditorData {
005435 |     #EditorPos 180.3000031 -4.0
005436 | }
005437 | }
005438 | $Node AnimNodeSource {
005439 |     "RPSOut" "" "RPS.Out" "noloop"
005440 |     $Predictions {
```

```
005441 |     }
005442 |     $EditorData {
005443 |         #EditorPos 189.1999969 -9.6000004
005444 |     }
005445 | }
005446 | $Node AnimNodeSource {
005447 |     "RSPaper" "" "RPS.Paper" "loop"
005448 |     $Predictions {
005449 |     }
005450 |     $EditorData {
005451 |         #EditorPos 187.0 -9.6000004
005452 |     }
005453 | }
005454 | $Node AnimNodeSource {
005455 |     "RSPump" "" "RPS.Pump" "noloop"
005456 |     $Predictions {
005457 |     }
005458 |     $EditorData {
005459 |         #EditorPos 184.8000031 -9.6000004
005460 |     }
005461 | }
005462 | $Node AnimNodeSource {
005463 |     "RPSRock" "" "RPS.Rock" "loop"
005464 |     $Predictions {
005465 |     }
005466 |     $EditorData {
005467 |         #EditorPos 187.0 -10.3000002
005468 |     }
005469 | }
005470 | $Node AnimNodeSource {
005471 |     "RPSScissors" "" "RPS.Scissors" "loop"
005472 |     $Predictions {
005473 |     }
005474 |     $EditorData {
005475 |         #EditorPos 187.0 -11.0
005476 |     }
005477 | }
005478 | $Node AnimNodeGroupSelect {
005479 |     "RaiseFlagGroup" "" "ActionInLoopOutSTM" "ActionInLoopOut" "RaiseFlag"
005480 |     $EditorData {
005481 |         #EditorPos 39.2000008 32.5
005482 |     }
005483 | }
005484 | $Node AnimNodeGroupSelect {
005485 |     "RaiseItemCro" "" "ActionContAimSTM" "ActionContinuous" "RaiseItemCro"
005486 |     $EditorData {
005487 |         #EditorPos -17.0 -4.0
005488 |     }
005489 | }
005490 | $Node AnimNodeGroupSelect {
005491 |     "RaiseItemErc" "" "ActionContAimSTM" "ActionContinuous" "RaiseItemErc"
005492 |     $EditorData {
005493 |         #EditorPos -17.0 -3.3
005494 |     }
005495 | }
005496 | $Node AnimNodeGroupSelect {
005497 |     "RaiseItemPne" "" "ActionContAimSTM" "ActionContinuous" "RaiseItemPne"
005498 |     $EditorData {
005499 |         #EditorPos 27.6000004 31.1000004
005500 |     }
005501 | }
005502 | $Node AnimNodeGroupSelect {
```

```
005503 |         "RaiseItemPneBack" "" "ActionContPneBSTM" "ActionContinuous" "RaiseItemErc"
005504 |     $EditorData {
005505 |         #EditorPos 32.2999992 18.7000008
005506 |     }
005507 | }
005508 | $Node AnimNodeGroupSelect {
005509 |     "RepairCroG" "" "ActionContinuousLook" "ActionContinuous" "RepairCro"
005510 |     $EditorData {
005511 |         #EditorPos -113.8000031 31.2000008
005512 |     }
005513 | }
005514 | $Node AnimNodeGroupSelect {
005515 |     "RepairErcG" "" "ActionContinuousLook" "ActionContinuous" "RepairErc"
005516 |     $EditorData {
005517 |         #EditorPos -113.8000031 32.4000015
005518 |     }
005519 | }
005520 | $Node AnimNodeGroupSelect {
005521 |     "ResetKitchenTimerCroG" "" "ActionOnceSTM" "ActionOnce" "ResetKitchenTimerCro"
005522 |     $EditorData {
005523 |         #EditorPos -1.5 -3.9000001
005524 |     }
005525 | }
005526 | $Node AnimNodeGroupSelect {
005527 |     "ResetKitchenTimerErcG" "" "ActionOnceSTM" "ActionOnce" "ResetKitchenTimerErc"
005528 |     $EditorData {
005529 |         #EditorPos -1.5 -3.1000001
005530 |     }
005531 | }
005532 | $Node AnimNodeGroupSelect {
005533 |     "ResetKitchenTimerPneG" "" "ActionOnceSTM" "ActionOnce" "ResetKitchenTimerPne"
005534 |     $EditorData {
005535 |         #EditorPos 44.0 31.3000011
005536 |     }
005537 | }
005538 | $Node AnimNodeGroupSelect {
005539 |     "RestrainedSelfCro" "" "ActionContinuousSTM" "ActionContinuous" "RestrainedSelfCro"
005540 |     $EditorData {
005541 |         #EditorPos 32.1000023 31.8000011
005542 |     }
005543 | }
005544 | $Node AnimNodeGroupSelect {
005545 |     "RestrainedSelfErc" "" "ActionContinuousSTM" "ActionContinuous" "RestrainedSelfErc"
005546 |     $EditorData {
005547 |         #EditorPos 32.1000023 32.5
005548 |     }
005549 | }
005550 | $Node AnimNodeGroupSelect {
005551 |     "RestrainedTargetCro" "" "ActionContinuousLook" "ActionContinuous" "RestrainedTargetCro"
005552 |     $EditorData {
005553 |         #EditorPos -32.5 31.8999996
005554 |     }
005555 | }
005556 | $Node AnimNodeGroupSelect {
005557 |     "RestrainedTargetErc" "" "ActionContinuousLook" "ActionContinuous" "RestrainedTargetErc"
005558 |     $EditorData {
005559 |         #EditorPos -32.5 32.6000023
005560 |     }
005561 | }
005562 | $Node AnimNodeGroupSelect {
005563 |     "RestrainedCro" "" "ActionOnceSTM" "ActionOnce" "RestrainedCro"
005564 |     $EditorData {
```

```
005565 |         #EditorPos 88.0999985 32.0
005566 |     }
005567 | }
005568 | $Node AnimNodeGroupSelect {
005569 |     "RestrainedErc" "" "ActionOnceSTM" "ActionOnce" "RestrainedErc"
005570 |     $EditorData {
005571 |         #EditorPos 88.0999985 32.7000008
005572 |     }
005573 | }
005574 | $Node AnimNodeGroupSelect {
005575 |     "RestrainedPne" "" "ActionOnceSTM" "ActionOnce" "RestrainedPne"
005576 |     $EditorData {
005577 |         #EditorPos 88.0999985 31.3000011
005578 |     }
005579 | }
005580 | $Node AnimNodeGroupSelect {
005581 |     "SalineBloodBagCro" "" "ActionContinuousLook" "ActionContinuous" "SalineBloodBagCro"
005582 |     $EditorData {
005583 |         #EditorPos -41.4000015 31.8999996
005584 |     }
005585 | }
005586 | $Node AnimNodeGroupSelect {
005587 |     "SalineBloodBagErc" "" "ActionContinuousLook" "ActionContinuous" "SalineBloodBagErc"
005588 |     $EditorData {
005589 |         #EditorPos -41.4000015 32.6000023
005590 |     }
005591 | }
005592 | $Node AnimNodeGroupSelect {
005593 |     "SalineBloodBagTargetCro" "" "ActionContinuousLook" "ActionContinuous" "SalineBloodBagTargetCro"
005594 |     $EditorData {
005595 |         #EditorPos -43.7000008 31.8999996
005596 |     }
005597 | }
005598 | $Node AnimNodeGroupSelect {
005599 |     "SalineBloodBagTargetErc" "" "ActionContinuousLook" "ActionContinuous" "SalineBloodBagTargetErc"
005600 |     $EditorData {
005601 |         #EditorPos -43.7000008 32.6000023
005602 |     }
005603 | }
005604 | $Node AnimNodeGroupSelect {
005605 |     "SearchInventoryCro" "" "ActionContinuousSTM" "ActionContinuous" "SearchInventoryCro"
005606 |     $EditorData {
005607 |         #EditorPos -14.8000002 -4.0
005608 |     }
005609 | }
005610 | $Node AnimNodeGroupSelect {
005611 |     "SearchInventoryErc" "" "ActionContinuousSTM" "ActionContinuous" "SearchInventoryErc"
005612 |     $EditorData {
005613 |         #EditorPos -14.8000002 -3.3
005614 |     }
005615 | }
005616 | $Node AnimNodeGroupSelect {
005617 |     "SearchInventoryPne" "" "ActionContinuousSTM" "ActionContinuous" "SearchInventoryPne"
005618 |     $EditorData {
005619 |         #EditorPos 21.0 31.1000004
005620 |     }
005621 | }
005622 | $Node AnimNodeGroupSelect {
005623 |     "SearchInventoryPneBack" "" "ActionContPneBSTM" "ActionContinuous" "SearchInventoryCro"
005624 |     $EditorData {
005625 |         #EditorPos 21.2000008 18.7000008
005626 |     }
```



```
005627 |     }
005628 |     $Node AnimNodeGroupSelect {
005629 |         "SetAlarmCroG" "" "ActionContinuousSTM" "ActionContinuous" "SetAlarmCro"
005630 |         $EditorData {
005631 |             #EditorPos -50.1000023 -4.0
005632 |         }
005633 |     }
005634 |     $Node AnimNodeGroupSelect {
005635 |         "SetAlarmErcG" "" "ActionContinuousSTM" "ActionContinuous" "SetAlarmErc"
005636 |         $EditorData {
005637 |             #EditorPos -50.1000023 -3.3
005638 |         }
005639 |     }
005640 |     $Node AnimNodeGroupSelect {
005641 |         "SetAlarmPneG" "" "ActionContinuousSTM" "ActionContinuous" "SetAlarmPne"
005642 |         $EditorData {
005643 |             #EditorPos -106.3000031 31.1000004
005644 |         }
005645 |     }
005646 |     $Node AnimNodeGroupSelect {
005647 |         "SetKitchenTimerCroG" "" "ActionContinuousSTM" "ActionContinuous" "SetKitchenTimerCro"
005648 |         $EditorData {
005649 |             #EditorPos -52.2999992 -4.0
005650 |         }
005651 |     }
005652 |     $Node AnimNodeGroupSelect {
005653 |         "SetKitchenTimerErcG" "" "ActionContinuousSTM" "ActionContinuous" "SetKitchenTimerErc"
005654 |         $EditorData {
005655 |             #EditorPos -52.2999992 -3.3
005656 |         }
005657 |     }
005658 |     $Node AnimNodeGroupSelect {
005659 |         "SetKitchenTimerPneG" "" "ActionContinuousSTM" "ActionContinuous" "SetKitchenTimerPne"
005660 |         $EditorData {
005661 |             #EditorPos -108.7000046 31.1000004
005662 |         }
005663 |     }
005664 |     $Node AnimNodeGroupSelect {
005665 |         "ShakeHeadErc" "" "GestureOnceSTM" "GestureOnce" "ShakeHeadErc"
005666 |         $EditorData {
005667 |             #EditorPos 155.1000061 -2.8
005668 |         }
005669 |     }
005670 |     $Node AnimNodeGroupSelect {
005671 |         "ShakeHeadPne" "" "GestureOnceSTM" "GestureOnce" "ShakeHeadPne"
005672 |         $EditorData {
005673 |             #EditorPos 161.1999969 31.1000004
005674 |         }
005675 |     }
005676 |     $Node AnimNodeGroupSelect {
005677 |         "ShakeHeadPneBack" "" "GestureOncePneBSTM" "GestureOnce" "ShakeHeadErc"
005678 |         $EditorData {
005679 |             #EditorPos 117.5 18.3999996
005680 |         }
005681 |     }
005682 |     $Node AnimNodeGroupSelect {
005683 |         "ShaveCro" "" "ActionContinuousSTM" "ActionContinuous" "ShaveCro"
005684 |         $EditorData {
005685 |             #EditorPos -30.2000008 -4.0
005686 |         }
005687 |     }
005688 |     $Node AnimNodeGroupSelect {
```

```
005689 |         "ShaveErc" "" "ActionContinuousSTM" "ActionContinuous" "ShaveErc"
005690 |     $EditorData {
005691 |         #EditorPos -30.2000008 -3.3
005692 |     }
005693 | }
005694 | $Node AnimNodeGroupSelect {
005695 |     "ShrugCro" "" "GestureOnceSTM" "GestureOnce" "ShrugCro"
005696 |     $EditorData {
005697 |         #EditorPos 157.3000031 -3.8
005698 |     }
005699 | }
005700 | $Node AnimNodeGroupSelect {
005701 |     "ShrugErc" "" "GestureOnceSTM" "GestureOnce" "ShrugErc"
005702 |     $EditorData {
005703 |         #EditorPos 157.3000031 -2.8
005704 |     }
005705 | }
005706 | $Node AnimNodeGroupSelect {
005707 |     "ShrugPne" "" "GestureOnceLook" "GestureOnce" "ShrugPne"
005708 |     $EditorData {
005709 |         #EditorPos 163.4000092 31.1000004
005710 |     }
005711 | }
005712 | $Node AnimNodeGroupSelect {
005713 |     "ShrugPneBack" "" "GestureOncePneBSTM" "GestureOnce" "ShrugErc"
005714 |     $EditorData {
005715 |         #EditorPos 119.7000046 18.3999996
005716 |     }
005717 | }
005718 | $Node AnimNodeGroupSelect {
005719 |     "SilenceCro" "" "GestureContinuousSTM" "Gesture" "SilenceCro"
005720 |     $EditorData {
005721 |         #EditorPos 105.5 -3.7
005722 |     }
005723 | }
005724 | $Node AnimNodeGroupSelect {
005725 |     "SilenceErc" "" "GestureContinuousSTM" "Gesture" "SilenceErc"
005726 |     $EditorData {
005727 |         #EditorPos 105.5 -2.9000001
005728 |     }
005729 | }
005730 | $Node AnimNodeGroupSelect {
005731 |     "SilencePne" "" "GestureContinuousSTM" "Gesture" "SilencePne"
005732 |     $EditorData {
005733 |         #EditorPos 181.6000061 30.8999996
005734 |     }
005735 | }
005736 | $Node AnimNodeGroupSelect {
005737 |     "SilencePneBack" "" "GestureConPneBSTM" "Gesture" "SilenceErc"
005738 |     $EditorData {
005739 |         #EditorPos 139.4000092 18.3999996
005740 |     }
005741 | }
005742 | $Node AnimNodeGroupSelect {
005743 |     "SipPondCro" "" "ActionOnceSTM" "ActionOnce" "SipPondCro"
005744 |     $EditorData {
005745 |         #EditorPos 74.9000015 32.0
005746 |     }
005747 | }
005748 | $Node AnimNodeGroupSelect {
005749 |     "SplittingFirewoodCro" "" "ActionContinuousLook" "ActionContinuous" "SplittingFirewoodCro"
005750 |     $EditorData {
```

```
005751 |         #EditorPos 119.8000031 31.1000004
005752 |     }
005753 | }
005754 | $Node AnimNodeGroupSelect {
005755 |     "SprayPlantCro" "" "ActionContinuousLook" "ActionContinuous" "SprayPlantCro"
005756 |     $EditorData {
005757 |         #EditorPos -54.7000008 31.8999996
005758 |     }
005759 | }
005760 | $Node AnimNodeGroupSelect {
005761 |     "StartFireCro" "" "ActionContinuousLook" "ActionContinuous" "StartFireCro"
005762 |     $EditorData {
005763 |         #EditorPos -52.5 31.8999996
005764 |     }
005765 | }
005766 | $Node AnimNodeGroupSelect {
005767 |     "StartFireErc" "" "ActionContinuousLook" "ActionContinuous" "StartFireErc"
005768 |     $EditorData {
005769 |         #EditorPos -52.5 32.5
005770 |     }
005771 | }
005772 | $Node AnimNodeGroupSelect {
005773 |     "StitchUpCro" "" "ActionContinuousLook" "ActionContinuous" "StitchUpCro"
005774 |     $EditorData {
005775 |         #EditorPos -39.1000023 31.8999996
005776 |     }
005777 | }
005778 | $Node AnimNodeGroupSelect {
005779 |     "StitchUpErc" "" "ActionContinuousLook" "ActionContinuous" "StitchUpErc"
005780 |     $EditorData {
005781 |         #EditorPos -39.1000023 32.6000023
005782 |     }
005783 | }
005784 | $Node AnimNodeGroupSelect {
005785 |     "StruggleRestrainedCro" "" "StruggleSTM" "ActionContinuous" "StruggleRestrainedCro"
005786 |     $EditorData {
005787 |         #EditorPos -10.4000006 -4.0
005788 |     }
005789 | }
005790 | $Node AnimNodeGroupSelect {
005791 |     "StruggleRestrainedErc" "" "StruggleSTM" "ActionContinuous" "StruggleRestrainedErc"
005792 |     $EditorData {
005793 |         #EditorPos -10.4000006 -3.3
005794 |     }
005795 | }
005796 | $Node AnimNodeGroupSelect {
005797 |     "StruggleRestrainedPne" "" "StruggleLook" "ActionContinuous" "StruggleRestrainedPne"
005798 |     $EditorData {
005799 |         #EditorPos 29.8999996 31.1000004
005800 |     }
005801 | }
005802 | $Node AnimNodeGroupSelect {
005803 |     "Suicide1HD" "" "SuicideFireQ" "Suicide" "1hd"
005804 |     $EditorData {
005805 |         #EditorPos 226.6999969 32.2000008
005806 |     }
005807 | }
005808 | $Node AnimNodeSource {
005809 |     "SuicideCancelled" "" "Suicide.Cancelled" "nolooop"
005810 |     $Predictions {
005811 |     }
005812 |     $EditorData {
```

```
005813 |         #EditorPos 239.1000061 23.7000008
005814 |     }
005815 | }
005816 | $Node AnimNodeGroupSelect {
005817 |     "SuicideFarmingHoe" "" "SuicideFireQ" "Suicide" "farminghoe"
005818 |     $EditorData {
005819 |         #EditorPos 247.8000031 32.2000008
005820 |     }
005821 | }
005822 | $Node AnimNodeQueue {
005823 |     "SuicideFireQ" "" "SuicideSTM"
005824 |     $items 1 {
005825 |         $item {
005826 |             "WeaponStanceMaster" "GetCommandI(CMD_WeaponFire) >= 0" "" "" 0.0 0.1 1 0
005827 |         }
005828 |     }
005829 |     $EditorData {
005830 |         #EditorPos 235.1999969 29.1000004
005831 |     }
005832 | }
005833 | $Node AnimNodeGroupSelect {
005834 |     "SuicideFireaxe" "" "SuicideFireQ" "Suicide" "fireaxe"
005835 |     $EditorData {
005836 |         #EditorPos 228.8000031 32.2000008
005837 |     }
005838 | }
005839 | $Node AnimNodeSource {
005840 |     "SuicideIn" "" "Suicide.In" "noloop"
005841 |     $Predictions {
005842 |     }
005843 |     $EditorData {
005844 |         #EditorPos 232.1999969 23.7000008
005845 |     }
005846 | }
005847 | $Node AnimNodeSource {
005848 |     "SuicideLoop" "" "Suicide.Loop" "loop"
005849 |     $Predictions {
005850 |     }
005851 |     $EditorData {
005852 |         #EditorPos 234.5 23.7000008
005853 |     }
005854 | }
005855 | $Node AnimNodeSource {
005856 |     "SuicideOut" "" "Suicide.Out" "noloop"
005857 |     $Predictions {
005858 |     }
005859 |     $EditorData {
005860 |         #EditorPos 236.8000031 23.7000008
005861 |     }
005862 | }
005863 | $Node AnimNodeGroupSelect {
005864 |     "SuicidePitchfork" "" "SuicideFireQ" "Suicide" "pitchfork"
005865 |     $EditorData {
005866 |         #EditorPos 230.9000092 32.2000008
005867 |     }
005868 | }
005869 | $Node AnimNodeGroupSelect {
005870 |     "SuicidePst" "" "SuicideFireQ" "Suicide" "pst"
005871 |     $EditorData {
005872 |         #EditorPos 233.0 32.2000008
005873 |     }
005874 | }
```

```
005875 |     $Node AnimNodeGroupSelect {
005876 |         "SuicideRfl" "" "SuicideFireQ" "Suicide" "rfl"
005877 |         $EditorData {
005878 |             #EditorPos 235.1000061 32.2000008
005879 |         }
005880 |     }
005881 |     $Node AnimNodeStateMachine {
005882 |         "SuicideSTM" ""
005883 |         $States 4 {
005884 |             $State {
005885 |                 "In" "TagActionsIn" "SuicideIn" "true" "realtime" 0
005886 |                 $EditorData {
005887 |                     #EditorPos 232.1999969 25.3000011
005888 |                 }
005889 |             }
005890 |             $State {
005891 |                 "Loop" "TagActionsLoop" "SuicideLoop" "false" "realtime" 0
005892 |                 $EditorData {
005893 |                     #EditorPos 234.5 25.8000011
005894 |                 }
005895 |             }
005896 |             $State {
005897 |                 "Out" "TagActionsEnd2" "SuicideOut" "false" "realtime" 0
005898 |                 $EditorData {
005899 |                     #EditorPos 236.8000031 26.6000004
005900 |                 }
005901 |             }
005902 |             $State {
005903 |                 "Cancelled" "TagActionsEnd" "SuicideCancelled" "false" "realtime" 1
005904 |                 $EditorData {
005905 |                     #EditorPos 239.1000061 25.3000011
005906 |                 }
005907 |             }
005908 |         }
005909 |         $Transitions 5 {
005910 |             $Transition {
005911 |                 "In" "Loop" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
005912 |             }
005913 |             $Transition {
005914 |                 "Loop" "Out" "GetCommandI(CMD_InternalAction) == -1" "" "" 0 "S"
005915 |             }
005916 |             $Transition {
005917 |                 "Loop" "Cancelled" "GetCommandI(CMD_InternalAction) == 0" "0.1" "" 0 "S"
005918 |             }
005919 |             $Transition {
005920 |                 "In" "Cancelled" "GetCommandI(CMD_InternalAction) == 0" "0.3" "GetRemainingTime()" 1 "S"
005921 |             }
005922 |             $Transition {
005923 |                 "Out" "Loop" "RemainingTimeLess(0.1) && IsTag(\"TagSuicideUnarmed\")" "0.1" "" 1 "S"
005924 |             }
005925 |         }
005926 |         $EditorData {
005927 |             #EditorPos 235.1999969 27.8000011
005928 |         }
005929 |     }
005930 |     $Node AnimNodeGroupSelect {
005931 |         "SuicideSickle" "" "SuicideFireQ" "Suicide" "sickle"
005932 |         $EditorData {
005933 |             #EditorPos 245.6000061 32.2000008
005934 |         }
005935 |     }
005936 |     $Node AnimNodeGroupSelect {
```

```
005937 |         "SuicideSpear" "" "SuicideFireQ" "Suicide" "spear"
005938 |     $EditorData {
005939 |         #EditorPos 243.5 32.2000008
005940 |     }
005941 | }
005942 | $Node AnimNodeGroupSelect {
005943 |     "SuicideSword" "" "SuicideFireQ" "Suicide" "sword"
005944 |     $EditorData {
005945 |         #EditorPos 237.1999969 32.2000008
005946 |     }
005947 | }
005948 | $Node AnimNodeGroupSelect {
005949 |     "SuicideUnarmed" "" "SuicideFireQ" "Suicide" "unarmed"
005950 |     $EditorData {
005951 |         #EditorPos 239.3000031 32.2000008
005952 |     }
005953 | }
005954 | $Node AnimNodeGroupSelect {
005955 |     "SuicideWoodaxe" "" "SuicideFireQ" "Suicide" "woodaxe"
005956 |     $EditorData {
005957 |         #EditorPos 241.4000092 32.2000008
005958 |     }
005959 | }
005960 | $Node AnimNodeGroupSelect {
005961 |     "SurrenderInCro" "" "GestureOnceLook" "GestureOnce" "SurrenderInCro"
005962 |     $EditorData {
005963 |         #EditorPos 165.6000061 31.8000011
005964 |     }
005965 | }
005966 | $Node AnimNodeGroupSelect {
005967 |     "SurrenderInErc" "" "GestureOnceLook" "GestureOnce" "SurrenderInErc"
005968 |     $EditorData {
005969 |         #EditorPos 165.6000061 32.5
005970 |     }
005971 | }
005972 | $Node AnimNodeGroupSelect {
005973 |     "SurrenderInPne" "" "GestureOnceLook" "GestureOnce" "SurrenderInPne"
005974 |     $EditorData {
005975 |         #EditorPos 165.6000061 31.1000004
005976 |     }
005977 | }
005978 | $Node AnimNodeGroupSelect {
005979 |     "SurrenderInPneBack" "" "GestureOncePneBSTM" "GestureOnce" "SurrenderInPneBack"
005980 |     $EditorData {
005981 |         #EditorPos 121.9000015 18.3999996
005982 |     }
005983 | }
005984 | $Node AnimNodeGroupSelect {
005985 |     "SurrenderOutCro" "" "GestureOnceLook" "GestureOnce" "SurrenderOutCro"
005986 |     $EditorData {
005987 |         #EditorPos 167.8000031 31.8000011
005988 |     }
005989 | }
005990 | $Node AnimNodeGroupSelect {
005991 |     "SurrenderOutErc" "" "GestureOnceLook" "GestureOnce" "SurrenderOutErc"
005992 |     $EditorData {
005993 |         #EditorPos 167.8000031 32.5
005994 |     }
005995 | }
005996 | $Node AnimNodeGroupSelect {
005997 |     "SurrenderOutPne" "" "GestureOnceLook" "GestureOnce" "SurrenderOutPne"
005998 |     $EditorData {
```

```
005999 |         #EditorPos 167.8000031 31.1000004
006000 |     }
006001 | }
006002 | $Node AnimNodeGroupSelect {
006003 |     "SurrenderOutPneBack" "" "GestureOncePneBSTM" "GestureOnce" "SurrenderOutPneBack"
006004 |     $EditorData {
006005 |         #EditorPos 124.0999985 18.3999996
006006 |     }
006007 | }
006008 | $Node AnimNodeGroupSelect {
006009 |     "TakeTempSelfCro" "" "ActionContinuousSTM" "ActionContinuous" "TakeTempSelfCro"
006010 |     $EditorData {
006011 |         #EditorPos -21.3999996 -4.0
006012 |     }
006013 | }
006014 | $Node AnimNodeGroupSelect {
006015 |     "TakeTempSelfErc" "" "ActionContinuousSTM" "ActionContinuous" "TakeTempSelfErc"
006016 |     $EditorData {
006017 |         #EditorPos -21.3999996 -3.3
006018 |     }
006019 | }
006020 | $Node AnimNodeGroupSelect {
006021 |     "TakeTempSelfPne" "" "ActionContinuousSTM" "ActionContinuous" "TakeTempSelfPne"
006022 |     $EditorData {
006023 |         #EditorPos -14.1000004 31.2000008
006024 |     }
006025 | }
006026 | $Node AnimNodeGroupSelect {
006027 |     "TauntElbowCro" "" "GestureOnceSTM" "GestureOnce" "TauntElbowCro"
006028 |     $EditorData {
006029 |         #EditorPos 148.4000092 -3.6000001
006030 |     }
006031 | }
006032 | $Node AnimNodeGroupSelect {
006033 |     "TauntElbowErc" "" "GestureOnceSTM" "GestureOnce" "TauntElbowErc"
006034 |     $EditorData {
006035 |         #EditorPos 148.4000092 -2.8
006036 |     }
006037 | }
006038 | $Node AnimNodeGroupSelect {
006039 |     "TauntFingerCro" "" "GestureContinuousSTM" "Gesture" "TauntFingerCro"
006040 |     $EditorData {
006041 |         #EditorPos 107.7000046 -3.7
006042 |     }
006043 | }
006044 | $Node AnimNodeGroupSelect {
006045 |     "TauntFingerErc" "" "GestureContinuousSTM" "Gesture" "TauntFingerErc"
006046 |     $EditorData {
006047 |         #EditorPos 107.7000046 -2.9000001
006048 |     }
006049 | }
006050 | $Node AnimNodeGroupSelect {
006051 |     "TauntFingerPne" "" "GestureContLook" "Gesture" "TauntFingerPne"
006052 |     $EditorData {
006053 |         #EditorPos 183.8000031 30.8999996
006054 |     }
006055 | }
006056 | $Node AnimNodeGroupSelect {
006057 |     "TauntFingerPneBack" "" "GestureConPneBSTM" "Gesture" "TauntFingerErc"
006058 |     $EditorData {
006059 |         #EditorPos 141.6000061 18.3999996
006060 |     }
}
```

```
006061 |     }
006062 |     $Node AnimNodeGroupSelect {
006063 |         "TauntKissCro" "" "GestureOnceSTM" "GestureOnce" "TauntKissCro"
006064 |         $EditorData {
006065 |             #EditorPos 146.1999969 -3.6000001
006066 |         }
006067 |     }
006068 |     $Node AnimNodeGroupSelect {
006069 |         "TauntKissErc" "" "GestureOnceSTM" "GestureOnce" "TauntKissErc"
006070 |         $EditorData {
006071 |             #EditorPos 146.1999969 -2.8
006072 |         }
006073 |     }
006074 |     $Node AnimNodeGroupSelect {
006075 |         "TauntKissPne" "" "GestureOnceSTM" "GestureOnce" "TauntKissPne"
006076 |         $EditorData {
006077 |             #EditorPos 152.4000092 31.1000004
006078 |         }
006079 |     }
006080 |     $Node AnimNodeGroupSelect {
006081 |         "TauntKissPneBack" "" "GestureOncePneBSTM" "GestureOnce" "TauntKissErc"
006082 |         $EditorData {
006083 |             #EditorPos 108.7000046 18.3999996
006084 |         }
006085 |     }
006086 |     $Node AnimNodeGroupSelect {
006087 |         "TauntThinkCro" "" "GestureOnceSTM" "GestureOnce" "TauntThinkCro"
006088 |         $EditorData {
006089 |             #EditorPos 150.6000061 -3.6000001
006090 |         }
006091 |     }
006092 |     $Node AnimNodeGroupSelect {
006093 |         "TauntThinkErc" "" "GestureOnceSTM" "GestureOnce" "TauntThinkErc"
006094 |         $EditorData {
006095 |             #EditorPos 150.6000061 -2.8
006096 |         }
006097 |     }
006098 |     $Node AnimNodeGroupSelect {
006099 |         "TauntThinkPne" "" "GestureOnceSTM" "GestureOnce" "TauntThinkPne"
006100 |         $EditorData {
006101 |             #EditorPos 154.6000061 31.1000004
006102 |         }
006103 |     }
006104 |     $Node AnimNodeGroupSelect {
006105 |         "TauntThinkPneBack" "" "GestureOncePneBSTM" "GestureOnce" "TauntThinkErc"
006106 |         $EditorData {
006107 |             #EditorPos 110.9000015 18.3999996
006108 |         }
006109 |     }
006110 |     $Node AnimNodeGroupSelect {
006111 |         "TauntThroatCro" "" "GestureOnceSTM" "GestureOnce" "TauntThroatCro"
006112 |         $EditorData {
006113 |             #EditorPos 133.0 -3.6000001
006114 |         }
006115 |     }
006116 |     $Node AnimNodeGroupSelect {
006117 |         "TauntThroatErc" "" "GestureOnceSTM" "GestureOnce" "TauntThroatErc"
006118 |         $EditorData {
006119 |             #EditorPos 133.0 -2.8
006120 |         }
006121 |     }
006122 |     $Node AnimNodeGroupSelect {
```



```
006123 |         "TauntThroatPne" "" "GestureOnceSTM" "GestureOnce" "TauntThroatPne"
006124 |     $EditorData {
006125 |         #EditorPos 143.6000061 31.1000004
006126 |     }
006127 | }
006128 | $Node AnimNodeGroupSelect {
006129 |     "TauntThroatPneBack" "" "GestureOncePneBSTM" "GestureOnce" "TauntThroatErc"
006130 |     $EditorData {
006131 |         #EditorPos 99.9000015 18.3999996
006132 |     }
006133 | }
006134 | $Node AnimNodeGroupSelect {
006135 |     "ThumbDownCro" "" "GestureContinuousSTM" "Gesture" "ThumbDownCro"
006136 |     $EditorData {
006137 |         #EditorPos 103.3000031 -3.7
006138 |     }
006139 | }
006140 | $Node AnimNodeGroupSelect {
006141 |     "ThumbDownErc" "" "GestureContinuousSTM" "Gesture" "ThumbDownErc"
006142 |     $EditorData {
006143 |         #EditorPos 103.3000031 -2.9000001
006144 |     }
006145 | }
006146 | $Node AnimNodeGroupSelect {
006147 |     "ThumbDownPne" "" "GestureContLook" "Gesture" "ThumbDownPne"
006148 |     $EditorData {
006149 |         #EditorPos 179.4000092 30.8999996
006150 |     }
006151 | }
006152 | $Node AnimNodeGroupSelect {
006153 |     "ThumbDownPneBack" "" "GestureConPneBSTM" "Gesture" "ThumbDownErc"
006154 |     $EditorData {
006155 |         #EditorPos 137.1999969 18.3999996
006156 |     }
006157 | }
006158 | $Node AnimNodeGroupSelect {
006159 |     "ThumbUpCro" "" "GestureContinuousSTM" "Gesture" "ThumbUpCro"
006160 |     $EditorData {
006161 |         #EditorPos 101.0999985 -3.7
006162 |     }
006163 | }
006164 | $Node AnimNodeGroupSelect {
006165 |     "ThumbUpErc" "" "GestureContinuousSTM" "Gesture" "ThumbUpErc"
006166 |     $EditorData {
006167 |         #EditorPos 101.0999985 -2.9000001
006168 |     }
006169 | }
006170 | $Node AnimNodeGroupSelect {
006171 |     "ThumbUpPne" "" "GestureContLook" "Gesture" "ThumbUpPne"
006172 |     $EditorData {
006173 |         #EditorPos 177.1999969 30.8999996
006174 |     }
006175 | }
006176 | $Node AnimNodeGroupSelect {
006177 |     "ThumbUpPneBack" "" "GestureConPneBSTM" "Gesture" "ThumbUpErc"
006178 |     $EditorData {
006179 |         #EditorPos 135.0 18.3999996
006180 |     }
006181 | }
006182 | $Node AnimNodeGroupSelect {
006183 |     "TimeoutCro" "" "GestureContinuousSTM" "Gesture" "TimeoutCro"
006184 |     $EditorData {
```

```
006185 |         #EditorPos 109.9000015 -3.7
006186 |     }
006187 | }
006188 | $Node AnimNodeGroupSelect {
006189 |     "TimeoutErc" "" "GestureContinuousSTM" "Gesture" "TimeoutErc"
006190 |     $EditorData {
006191 |         #EditorPos 109.9000015 -2.9000001
006192 |     }
006193 | }
006194 | $Node AnimNodeGroupSelect {
006195 |     "TimeoutPne" "" "GestureContLook" "Gesture" "TimeoutPne"
006196 |     $EditorData {
006197 |         #EditorPos 186.0 30.8999996
006198 |     }
006199 | }
006200 | $Node AnimNodeGroupSelect {
006201 |     "TimeoutPneBack" "" "GestureConPneBSTM" "Gesture" "TimeoutErc"
006202 |     $EditorData {
006203 |         #EditorPos 143.8000031 18.3999996
006204 |     }
006205 | }
006206 | $Node AnimNodeGroupSelect {
006207 |     "Trailer_Mask" "" "ActionOnceSTM" "ActionOnce" "trailer_mask"
006208 |     $EditorData {
006209 |         #EditorPos 254.1000061 32.2000008
006210 |     }
006211 | }
006212 | $Node AnimNodeGroupSelect {
006213 |     "Trailer_Mask_02" "" "ActionOnceSTM" "ActionOnce" "trailer_mask02"
006214 |     $EditorData {
006215 |         #EditorPos 256.7000122 32.2000008
006216 |     }
006217 | }
006218 | $Node AnimNodeGroupSelect {
006219 |     "UnlockHandcuffsTargetCro" "" "ActionOnceSTM" "ActionOnce" "UnlockHandcuffsTargetCro"
006220 |     $EditorData {
006221 |         #EditorPos 31.8000011 -3.8
006222 |     }
006223 | }
006224 | $Node AnimNodeGroupSelect {
006225 |     "UnlockHandcuffsTargetErc" "" "ActionOnceSTM" "ActionOnce" "UnlockHandcuffsTargetErc"
006226 |     $EditorData {
006227 |         #EditorPos 31.8000011 -3.1000001
006228 |     }
006229 | }
006230 | $Node AnimNodeGroupSelect {
006231 |     "UnpinGrenadeCro" "" "ActionOnceSTM" "ActionOnce" "UnpinGrenadeCro"
006232 |     $EditorData {
006233 |         #EditorPos 14.1999998 -3.8
006234 |     }
006235 | }
006236 | $Node AnimNodeGroupSelect {
006237 |     "UnpinGrenadeErc" "" "ActionOnceSTM" "ActionOnce" "UnpinGrenadeErc"
006238 |     $EditorData {
006239 |         #EditorPos 14.1999998 -3.1000001
006240 |     }
006241 | }
006242 | $Node AnimNodeGroupSelect {
006243 |     "UnpinGrenadePne" "" "ActionOnceLook" "ActionOnce" "UnpinGrenadePne"
006244 |     $EditorData {
006245 |         #EditorPos 59.5 31.3000011
006246 |     }
}
```

```
006247 |     }
006248 |     $Node AnimNodeGroupSelect {
006249 |         "UnpinGrenadePneBack" "" "ActionOncePneBT" "ActionOnce" "UnpinGrenadeErc"
006250 |         $EditorData {
006251 |             #EditorPos 59.6000023 18.5
006252 |         }
006253 |     }
006254 |     $Node AnimNodeGroupSelect {
006255 |         "UnrestrainTargetCro" "" "ActionContinuousLook" "ActionContinuous" "UnrestrainTargetCro"
006256 |         $EditorData {
006257 |             #EditorPos -34.7000008 31.8999996
006258 |         }
006259 |     }
006260 |     $Node AnimNodeGroupSelect {
006261 |         "UnrestrainTargetErc" "" "ActionContinuousLook" "ActionContinuous" "UnrestrainTargetErc"
006262 |         $EditorData {
006263 |             #EditorPos -34.7000008 32.6000023
006264 |         }
006265 |     }
006266 |     $Node AnimNodeGroupSelect {
006267 |         "ValveErcG" "" "ActionContinuousLook" "ActionContinuous" "ValveErc"
006268 |         $EditorData {
006269 |             #EditorPos -116.5 32.4000015
006270 |         }
006271 |     }
006272 |     $Node AnimNodeGroupSelect {
006273 |         "VehiclePush" "" "ActionContinuousLook" "ActionContinuous" "VehiclePush"
006274 |         $EditorData {
006275 |             #EditorPos 107.2000046 31.1000004
006276 |         }
006277 |     }
006278 |     $Node AnimNodeGroupSelect {
006279 |         "ViewCompassCro" "" "ActionContinuousSTM" "ActionContinuous" "ViewCompassCro"
006280 |         $EditorData {
006281 |             #EditorPos -39.0 -4.0
006282 |         }
006283 |     }
006284 |     $Node AnimNodeGroupSelect {
006285 |         "ViewCompassErc" "" "ActionContinuousSTM" "ActionContinuous" "ViewCompassErc"
006286 |         $EditorData {
006287 |             #EditorPos -39.0 -3.3
006288 |         }
006289 |     }
006290 |     $Node AnimNodeGroupSelect {
006291 |         "ViewCompassPne" "" "ActionContinuousSTM" "ActionContinuous" "ViewCompassPne"
006292 |         $EditorData {
006293 |             #EditorPos 5.5999999 31.2000008
006294 |         }
006295 |     }
006296 |     $Node AnimNodeGroupSelect {
006297 |         "ViewCompassPneBack" "" "ActionContPneBSTM" "ActionContinuous" "ViewCompassErc"
006298 |         $EditorData {
006299 |             #EditorPos 5.8000002 18.8999996
006300 |         }
006301 |     }
006302 |     $Node AnimNodeGroupSelect {
006303 |         "ViewMapCro" "" "ActionContinuousSTM" "ActionContinuous" "ViewMapCro"
006304 |         $EditorData {
006305 |             #EditorPos -19.2000008 -4.0
006306 |         }
006307 |     }
006308 |     $Node AnimNodeGroupSelect {
```

```
006309 |         "ViewMapErc" "" "ActionContinuousSTM" "ActionContinuous" "ViewMapErc"
006310 |     $EditorData {
006311 |         #EditorPos -19.2000008 -3.3
006312 |     }
006313 | }
006314 | $Node AnimNodeGroupSelect {
006315 |     "ViewMapPne" "" "ActionContinuousSTM" "ActionContinuous" "ViewMapPne"
006316 |     $EditorData {
006317 |         #EditorPos 3.4000001 31.2000008
006318 |     }
006319 | }
006320 | $Node AnimNodeGroupSelect {
006321 |     "ViewMapPneBack" "" "ActionContPneBSTM" "ActionContinuous" "ViewMapErc"
006322 |     $EditorData {
006323 |         #EditorPos 3.6000001 18.8999996
006324 |     }
006325 | }
006326 | $Node AnimNodeGroupSelect {
006327 |     "ViewNoteCro" "" "ActionContinuousSpine" "ActionContinuous" "ViewNoteCro"
006328 |     $EditorData {
006329 |         #EditorPos 18.8000011 31.8000011
006330 |     }
006331 | }
006332 | $Node AnimNodeGroupSelect {
006333 |     "ViewNoteErc" "" "ActionContinuousSpine" "ActionContinuous" "ViewNoteErc"
006334 |     $EditorData {
006335 |         #EditorPos 18.8000011 32.5
006336 |     }
006337 | }
006338 | $Node AnimNodeGroupSelect {
006339 |     "ViewNotePne" "" "ActionContinuousSTM" "ActionContinuous" "ViewNotePne"
006340 |     $EditorData {
006341 |         #EditorPos 18.8000011 31.1000004
006342 |     }
006343 | }
006344 | $Node AnimNodeGroupSelect {
006345 |     "WashHandsPondCro" "" "ActionContinuousLook" "ActionContinuous" "WashHandsPondCro"
006346 |     $EditorData {
006347 |         #EditorPos -45.9000015 31.8999996
006348 |     }
006349 | }
006350 | $Node AnimNodeGroupSelect {
006351 |     "WashHandsWellCro" "" "ActionContinuousLook" "ActionContinuous" "WashHandsWellCro"
006352 |     $EditorData {
006353 |         #EditorPos -48.1000023 31.8999996
006354 |     }
006355 | }
006356 | $Node AnimNodeGroupSelect {
006357 |     "WatchingCro" "" "GestureContinuousSTM" "Gesture" "WatchingCro"
006358 |     $EditorData {
006359 |         #EditorPos 116.5 -3.7
006360 |     }
006361 | }
006362 | $Node AnimNodeGroupSelect {
006363 |     "WatchingErc" "" "GestureContinuousSTM" "Gesture" "WatchingErc"
006364 |     $EditorData {
006365 |         #EditorPos 116.5 -2.9000001
006366 |     }
006367 | }
006368 | $Node AnimNodeGroupSelect {
006369 |     "WatchingPne" "" "GestureContinuousSTM" "Gesture" "WatchingPne"
006370 |     $EditorData {
```

```
006371 |         #EditorPos 190.4000092 30.8999996
006372 |     }
006373 | }
006374 | $Node AnimNodeGroupSelect {
006375 |     "WatchingPneBack" "" "GestureConPneBSTM" "Gesture" "WatchingErc"
006376 |     $EditorData {
006377 |         #EditorPos 148.1999969 18.3999996
006378 |     }
006379 | }
006380 | $Node AnimNodeGroupSelect {
006381 |     "WpnAttachBarrelErc" "" "ActionOnceSTM" "ActionOnce" "WpnAttachBarrelErc"
006382 |     $EditorData {
006383 |         #EditorPos 45.0 -3.1000001
006384 |     }
006385 | }
006386 | $Node AnimNodeGroupSelect {
006387 |     "WpnAttachBarrelPne" "" "ActionOnceLook" "ActionOnce" "WpnAttachBarrelPne"
006388 |     $EditorData {
006389 |         #EditorPos 85.9000015 31.3000011
006390 |     }
006391 | }
006392 | $Node AnimNodeGroupSelect {
006393 |     "WpnAttachBarrelPneBack" "" "ActionOncePneBT" "ActionOnce" "WpnAttachBarrelErc"
006394 |     $EditorData {
006395 |         #EditorPos 86.0 18.3999996
006396 |     }
006397 | }
006398 | $Node AnimNodeGroupSelect {
006399 |     "WpnAttachScopeErc" "" "ActionOnceSTM" "ActionOnce" "WpnAttachScopeErc"
006400 |     $EditorData {
006401 |         #EditorPos 42.7999992 -3.1000001
006402 |     }
006403 | }
006404 | $Node AnimNodeGroupSelect {
006405 |     "WpnAttachScopePne" "" "ActionOnceLook" "ActionOnce" "WpnAttachScopePne"
006406 |     $EditorData {
006407 |         #EditorPos 83.7000046 31.3000011
006408 |     }
006409 | }
006410 | $Node AnimNodeGroupSelect {
006411 |     "WpnAttachScopePneBack" "" "ActionOncePneBT" "ActionOnce" "WpnAttachScopeErc"
006412 |     $EditorData {
006413 |         #EditorPos 83.8000031 18.3999996
006414 |     }
006415 | }
006416 | $Node AnimNodeSource {
006417 |     "dz_xbox_deadAnim" "" "ActionOnce.dz_xbox_dead.Once" "nolooop"
006418 |     $Predictions {
006419 |     }
006420 |     $EditorData {
006421 |         #EditorPos 163.6000061 -3.2
006422 |     }
006423 | }
006424 | $Node AnimNodeSource {
006425 |     "dz_xbox_dead_bodyAnim" "" "ActionOnce.dz_xbox_dead_body.Once" "nolooop"
006426 |     $Predictions {
006427 |     }
006428 |     $EditorData {
006429 |         #EditorPos 166.0 -3.2
006430 |     }
006431 | }
006432 | $Node AnimNodeSource {
```

```

006433 |         "dz_xbox_wake_upAnim" "" "ActionOnce.dz_xbox_wake_up.Once" "noloop"
006434 |     $Predictions {
006435 |     }
006436 |     $EditorData {
006437 |         #EditorPos 168.4000092 -3.2
006438 |     }
006439 | }
006440 | $Node AnimNodeSource {
006441 |     "dz_xbox_walk_awayanim" "" "ActionOnce.dz_xbox_walk_away.Once" "noloop"
006442 |     $Predictions {
006443 |     }
006444 |     $EditorData {
006445 |         #EditorPos 170.6999969 -3.2
006446 |     }
006447 | }
006448 | $Node AnimNodeSource {
006449 |     "dz_xbox_walkie_talkieAnim" "" "ActionOnce.dz_xbox_walkie_talkie.Once" "noloop"
006450 |     $Predictions {
006451 |     }
006452 |     $EditorData {
006453 |         #EditorPos 173.0 -3.2
006454 |     }
006455 | }
006456 | $Node AnimNodeSource {
006457 |     "dz_xbox_woundedAnim" "" "ActionOnce.dz_xbox_wounded.Once" "noloop"
006458 |     $Predictions {
006459 |     }
006460 |     $EditorData {
006461 |         #EditorPos 175.4000092 -3.2
006462 |     }
006463 | }
006464 | $Node AnimNodeGroupSelect {
006465 |     "trailer_mask_Chains" "" "ActionOnceSTM" "ActionOnce" "trailer_mask_Chains"
006466 |     $EditorData {
006467 |         #EditorPos 259.2000122 32.2000008
006468 |     }
006469 | }
006470 | $Node AnimNodeGroupSelect {
006471 |     "trailer_mask_Dallas" "" "ActionOnceSTM" "ActionOnce" "trailer_mask_Dallas"
006472 |     $EditorData {
006473 |         #EditorPos 261.8000183 32.1000023
006474 |     }
006475 | }
006476 | $Node AnimNodeGroupSelect {
006477 |     "trailer_mask_Hoxton" "" "ActionOnceSTM" "ActionOnce" "trailer_mask_Hoxton"
006478 |     $EditorData {
006479 |         #EditorPos 264.5 32.1000023
006480 |     }
006481 | }
006482 | $Node AnimNodeGroupSelect {
006483 |     "trailer_mask_Wolf" "" "ActionOnceSTM" "ActionOnce" "trailer_mask_Wolf"
006484 |     $EditorData {
006485 |         #EditorPos 267.1000061 32.1000023
006486 |     }
006487 | }
006488 | }
006489 | $Sheet "Action Statemachines" {
006490 |     $Node AnimNodePose2 {
006491 |         "ActionAimP" "" "ActionContinuous.Aim" "eAI_LookDirY" "eAI_LookDirX" "Y(-90):
006492 | Y(0):      X(-180) = 3, X(0) = 4, X(160) = 5
006493 | Y(90):     X(-180) = 6, X(0) = 7, X(160) = 8"
006494 |         $EditorData {

```

```
006495 |         #EditorPos -15.3000002 4.0
006496 |     }
006497 | }
006498 | $Node AnimNodeBlendT {
006499 |     "ActionB" "" "ActionConActionAnim" "LoopActionFix" "" "" "" 0.3 "S" 4
006500 |     $EditorData {
006501 |         #EditorPos -45.0 2.8
006502 |     }
006503 | }
006504 | $Node AnimNodeSource {
006505 |     "ActionConActionAnim" "" "ActionContinuous.Action" "noloop"
006506 |     $Predictions {
006507 |     }
006508 |     $EditorData {
006509 |         #EditorPos -25.3000011 -6.3000002
006510 |     }
006511 | }
006512 | $Node AnimNodeSource {
006513 |     "ActionConActionLoopAnim" "" "ActionContinuous.ActionLoop" "loop"
006514 |     $Predictions {
006515 |     }
006516 |     $EditorData {
006517 |         #EditorPos -27.3999996 -6.3000002
006518 |     }
006519 | }
006520 | $Node AnimNodeSource {
006521 |     "ActionConAltOut2Anim" "" "ActionInLoopOut.Cancel" "noloop"
006522 |     $Predictions {
006523 |     }
006524 |     $EditorData {
006525 |         #EditorPos -24.0 14.6999998
006526 |     }
006527 | }
006528 | $Node AnimNodeSource {
006529 |     "ActionConAltOutAnim" "" "ActionContinuous.Out2" "noloop"
006530 |     $Predictions {
006531 |     }
006532 |     $EditorData {
006533 |         #EditorPos -33.7000008 -6.3000002
006534 |     }
006535 | }
006536 | $Node AnimNodeSource {
006537 |     "ActionConInAnim" "" "ActionContinuous.In" "noloop"
006538 |     $Predictions {
006539 |     }
006540 |     $EditorData {
006541 |         #EditorPos -31.6000004 -6.3000002
006542 |     }
006543 | }
006544 | $Node AnimNodeSource {
006545 |     "ActionConLoopAnim" "" "ActionContinuous.Loop" "loop"
006546 |     $Predictions {
006547 |     }
006548 |     $EditorData {
006549 |         #EditorPos -29.5 -6.3000002
006550 |     }
006551 | }
006552 | $Node AnimNodeSource {
006553 |     "ActionConOutAnim" "" "ActionContinuous.Out" "noloop"
006554 |     $Predictions {
006555 |     }
006556 |     $EditorData {
```

```
006557 |         #EditorPos -35.7999992 -6.3000002
006558 |     }
006559 | }
006560 | $Node AnimNodeStateMachine {
006561 |     "ActionContAimSTM" ""
006562 |     $States 3 {
006563 |         $State {
006564 |             "In" "TagActionsIn" "ActionConInAnim" "ActionState == 0 || ActionState == 1" "realtime" 0
006565 |             $EditorData {
006566 |                 #EditorPos -17.7000008 6.8000002
006567 |             }
006568 |         }
006569 |         $State {
006570 |             "Loop" "TagActionsLoop" "ActionAimP" "ActionState == 2" "realtime" 0
006571 |             $EditorData {
006572 |                 #EditorPos -15.4000006 5.9000001
006573 |             }
006574 |         }
006575 |         $State {
006576 |             "Out" "TagActionsEnd" "ActionConOutAnim" "ActionState == 3" "realtime" 1
006577 |             $EditorData {
006578 |                 #EditorPos -13.1000004 6.8000002
006579 |             }
006580 |         }
006581 |     }
006582 |     $Transitions 3 {
006583 |         $Transition {
006584 |             "In" "Loop" "RemainingTimeLess(0.2)" "0.2" "" 1 "S"
006585 |         }
006586 |         $Transition {
006587 |             "In" "Out" "GetCommandI(CMD_InternalAction) == 0 || eAI_Raised" "0.3" "GetRemainingTime()" 1 "S"
006588 |         }
006589 |         $Transition {
006590 |             "" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "" 1 "S"
006591 |         }
006592 |     }
006593 |     $EditorData {
006594 |         #EditorPos -18.0 8.1000004
006595 |     }
006596 | }
006597 | $Node AnimNodeBlendTAdd {
006598 |     "ActionContPneBLook" "" "ActionContPneBSTM" "MoveHeadLookPoseBlendTEST" "" "" "Look" 0.3 "S" 0
006599 |     $EditorData {
006600 |         #EditorPos -42.0 9.6000004
006601 |     }
006602 | }
006603 | $Node AnimNodeStateMachine {
006604 |     "ActionContPneBSTM" "TagProneBack"
006605 |     $States 6 {
006606 |         $State {
006607 |             "In" "TagActionsIn" "InActionB" "ActionState == 0 || ActionState == 1" "realtime" 0
006608 |             $EditorData {
006609 |                 #EditorPos -42.0 6.9000001
006610 |             }
006611 |         }
006612 |         $State {
006613 |             "Loop" "TagActionsLoop" "LoopActionB" "ActionState == 2" "realtime" 0
006614 |             $EditorData {
006615 |                 #EditorPos -42.0 5.3000002
006616 |             }
006617 |         }
006618 |         $State {
```



```
006619 |         "Primary Out" "TagActionsEnd" "Out1ActionB" "ActionState == 3" "realtime" 1
006620 |         $EditorData {
006621 |             #EditorPos -39.0 6.9000001
006622 |         }
006623 |     }
006624 |     $State {
006625 |         "Alternative Out" "TagActionsEnd2" "Out2ActionB" "ActionState == 4" "realtime" 1
006626 |         $EditorData {
006627 |             #EditorPos -39.0 5.3000002
006628 |         }
006629 |     }
006630 |     $State {
006631 |         "ActionLoop" "TagActionsLoop2" "ActionLoopB" "ActionState == 5" "realtime" 0
006632 |         $EditorData {
006633 |             #EditorPos -45.0 6.9000001
006634 |         }
006635 |     }
006636 |     $State {
006637 |         "Action" "TagActionsAction" "ActionB" "ActionState == 6" "realtime" 0
006638 |         $EditorData {
006639 |             #EditorPos -45.0 5.3000002
006640 |         }
006641 |     }
006642 | }
006643 | $Transitions 9 {
006644 |     $Transition {
006645 |         "In" "Loop" "RemainingTimeLess(0.75)" "0.75" "" 1 "S"
006646 |     }
006647 |     $Transition {
006648 |         "In" "Primary Out" "GetCommandI(CMD_InternalAction) == 0 || eAI_Raised" "0.3" "GetRemainingTime()" 1 "S"
006649 |     }
006650 |     $Transition {
006651 |         "In" "Alternative Out" "GetCommandI(CMD_InternalAction) == -1 || eAI_Raised" "0.3" "GetRemainingTime()" 1 "S"
006652 |     }
006653 |     $Transition {
006654 |         "" "Alternative Out" "GetCommandI(CMD_InternalAction) == -1" "0.3" "" 0 "S"
006655 |     }
006656 |     $Transition {
006657 |         "" "Primary Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "0.3" 1 "S"
006658 |     }
006659 |     $Transition {
006660 |         "Loop" "ActionLoop" "GetCommandI(CMD_InternalAction) == 2" "0.2" "" 0 "S"
006661 |     }
006662 |     $Transition {
006663 |         "ActionLoop" "Loop" "RemainingTimeLess(0.2)" "0.2" "" 1 "S"
006664 |     }
006665 |     $Transition {
006666 |         "Action" "Loop" "RemainingTimeLess(0.2)" "0.2" "" 1 "S"
006667 |     }
006668 |     $Transition {
006669 |         "Loop" "Action" "GetCommandI(CMD_InternalAction) == 1" "0.3" "" 0 "S"
006670 |     }
006671 | }
006672 | $EditorData {
006673 |     #EditorPos -42.0 8.1000004
006674 | }
006675 | }
006676 | $Node AnimNodeBlendT {
006677 |     "ActionContinuousLook" "" "ActionContinuousSTM" "MoveHeadLookPoseBlendTEST" "" "" "Look" 0.3 "S" 1
006678 |     $EditorData {
006679 |         #EditorPos -26.1000004 9.1999998
006680 |     }
```

```
006681 |     }
006682 |     $Node AnimNodeStateMachine {
006683 |         "ActionContinuousSTM" ""
006684 |         $States 6 {
006685 |             $State {
006686 |                 "In" "TagActionsIn" "ActionConInAnim" "ActionState == 0 || ActionState == 1" "realtime" 0
006687 |                 $EditorData {
006688 |                     #EditorPos -24.6000004 5.5
006689 |                 }
006690 |             }
006691 |             $State {
006692 |                 "Loop" "TagActionsLoop" "ActionConLoopAnim" "ActionState == 2" "realtime" 0
006693 |                 $EditorData {
006694 |                     #EditorPos -24.6000004 6.9000001
006695 |                 }
006696 |             }
006697 |             $State {
006698 |                 "Alternative Out" "TagActionsEnd2" "ActionConAltOutAnim" "ActionState == 4" "realtime" 1
006699 |                 $EditorData {
006700 |                     #EditorPos -27.2000008 5.5
006701 |                 }
006702 |             }
006703 |             $State {
006704 |                 "Primary Out" "TagActionsEnd" "ActionConOutAnim" "ActionState == 3" "realtime" 1
006705 |                 $EditorData {
006706 |                     #EditorPos -27.2000008 6.9000001
006707 |                 }
006708 |             }
006709 |             $State {
006710 |                 "Action" "TagActionsAction" "ActionConActionAnim" "ActionState == 6" "realtime" 0
006711 |                 $EditorData {
006712 |                     #EditorPos -21.8999996 6.9000001
006713 |                 }
006714 |             }
006715 |             $State {
006716 |                 "ActionLoop" "TagActionsLoop2" "ActionConActionLoopAnim" "ActionState == 5" "realtime" 0
006717 |                 $EditorData {
006718 |                     #EditorPos -21.8999996 5.5
006719 |                 }
006720 |             }
006721 |         }
006722 |         $Transitions 9 {
006723 |             $Transition {
006724 |                 "In" "Loop" "RemainingTimeLess(0.15)" "0.15" "" 1 "S"
006725 |             }
006726 |             $Transition {
006727 |                 "Loop" "Action" "GetCommandI(CMD_InternalAction) == 1" "0.2" "" 0 "S"
006728 |             }
006729 |             $Transition {
006730 |                 "Action" "Loop" "RemainingTimeLess(0.01)" "0.2" "" 1 "S"
006731 |             }
006732 |             $Transition {
006733 |                 "ActionLoop" "Loop" "GetCommandI(CMD_InternalAction) == 2" "0.25" "" 0 "S"
006734 |             }
006735 |             $Transition {
006736 |                 "Loop" "ActionLoop" "GetCommandI(CMD_InternalAction) == 2" "0.2" "" 0 "S"
006737 |             }
006738 |             $Transition {
006739 |                 "In" "Primary Out" "GetCommandI(CMD_InternalAction) == 0 || eAI_Raised" "0.6" "GetRemainingTime()" 1 "S"
006740 |             }
006741 |             $Transition {
006742 |                 "In" "Alternative Out" "GetCommandI(CMD_InternalAction) == -1 || eAI_Raised" "0.6" "GetRemainingTime()" 1 "S"
```

```
006743 |     }
006744 |     $Transition {
006745 |         "" "Alternative Out" "GetCommandI(CMD_InternalAction) == -1" "0.3" "" 1 "S"
006746 |     }
006747 |     $Transition {
006748 |         "" "Primary Out" "GetCommandI(CMD_InternalAction) == 0" "0.15" "" 1 "S"
006749 |     }
006750 | }
006751 | $EditorData {
006752 |     #EditorPos -24.8999996 8.1000004
006753 | }
006754 | }
006755 | $Node AnimNodeBlendT {
006756 |     "ActionContinuousSpine" "" "ActionContinuousSTM" "SpineLookPoseBlend" "" "" "Look" 0.3 "S" 1
006757 |     $EditorData {
006758 |         #EditorPos -23.7000008 9.1999998
006759 |     }
006760 | }
006761 | $Node AnimNodeSourceInLoopOut {
006762 |     "ActionInLoopOutAnim" "" "ActionInLoopOut.InLoopOut" "LoopStart" "LoopEnd" "GetCommandI(CMD_InternalAction) == 0"
006763 |     $EditorData {
006764 |         #EditorPos -26.7000008 14.6999998
006765 |     }
006766 | }
006767 | $Node AnimNodeBlendTAdd {
006768 |     "ActionInLoopOutLook" "" "ActionInLoopOutSTM" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 0
006769 |     $EditorData {
006770 |         #EditorPos -26.8999996 19.3999996
006771 |     }
006772 | }
006773 | $Node AnimNodeStateMachine {
006774 |     "ActionInLoopOutSTM" ""
006775 |     $States 2 {
006776 |         $State {
006777 |             "InLoopOut" "TagActionsClosedLoop" "ActionInLoopOutAnim" "true" "realtime" 1
006778 |             $EditorData {
006779 |                 #EditorPos -26.7000008 16.6000004
006780 |             }
006781 |         }
006782 |         $State {
006783 |             "Cancelled" "TagActionsEnd2" "ActionConAltOut2Anim" "" "realtime" 1
006784 |             $EditorData {
006785 |                 #EditorPos -24.0 16.6000004
006786 |             }
006787 |         }
006788 |     }
006789 |     $Transitions 1 {
006790 |         $Transition {
006791 |             "InLoopOut" "Cancelled" "GetCommandI(CMD_InternalAction) == -1 || eAI_Raised" "0.4" "" 0 "S"
006792 |         }
006793 |     }
006794 |     $EditorData {
006795 |         #EditorPos -27.0 18.0
006796 |     }
006797 | }
006798 | $Node AnimNodeBlendT {
006799 |     "ActionLoopB" "" "ActionConActionLoopAnim" "LoopActionFix" "" "" "" 0.3 "S" 4
008000 |     $EditorData {
008001 |         #EditorPos -45.0 3.6000001
008002 |     }
008003 | }
008004 | $Node AnimNodePose {
```

```

006805 |         "ActionLoopPose" "" "ActionContinuous.Loop" "ActionProgress"
006806 |         $EditorData {
006807 |             #EditorPos -31.8000011 2.7
006808 |         }
006809 |     }
006810 |     $Node AnimNodeBlendT {
006811 |         "ActionOnceB" "" "ActionOnceLowSource" "ActionPneBIdeAnim" "" "" "" 0.3 "S" 4
006812 |         $EditorData {
006813 |             #EditorPos -55.0 3.8
006814 |         }
006815 |     }
006816 |     $Node AnimNodeWeaponIK {
006817 |         "ActionOnceIK" "" "ActionOnceLook" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.1 0.1 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "/"
006818 | ik pose anim
006819 | // (root - means RightHand - but right hand is not exported)
006820 | // |- RightHand_Dummy (where Weapon is)
006821 | // |   |- LeftHandIKTarget (where left hand is on weapon)
006822 | // |- RightHandOrigin ( inverse transform where hand originally was)
006823 | // basic setup -
006824 | // hand - bone which represents hand holding weapon
006825 | // weapon - bone which represents weapon node in hand
006826 | // weaponrotator - bone - around which weapon rotates
006827 | hand = RightHand
006828 | weapon = RightHand_Dummy
006829 | weaponrotator = RightArm
006830 | weaponaxis= -x
006831 |
006832 | ///!
006833 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
006834 | chainaxis=-x
006835 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
006836 | secchainaxis=+x
006837 |
006838 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
006839 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
006840 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
006841 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
006842 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
006843 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
006844 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
006845 |
006846 | "
006847 |         $EditorData {
006848 |             #EditorPos -52.1000023 10.6000004
006849 |         }
006850 |     }
006851 |     $Node AnimNodeBlendTAdd {
006852 |         "ActionOnceLook" "" "ActionOnceSTM" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 0
006853 |         $EditorData {
006854 |             #EditorPos -52.1000023 9.4000006
006855 |         }
006856 |     }
006857 |     $Node AnimNodeSource {
006858 |         "ActionOnceLowSource" "" "ActionOnce.Once" "noloop"
006859 |         $Predictions {
006860 |         }
006861 |         $EditorData {
006862 |             #EditorPos -54.4000015 -0.2
006863 |         }
006864 |     }
006865 |     $Node AnimNodeStateMachine {

```

```
006866 |         "ActionOncePneBSTM" "TagActionOnce"
006867 |     $States 1 {
006868 |         $State {
006869 |             "Once" "TagProneBack" "ActionOnceB" "true" "realtime" 1
006870 |             $EditorData {
006871 |                 #EditorPos -58.9000015 6.9000001
006872 |             }
006873 |         }
006874 |     }
006875 |     $Transitions 0 {
006876 |     }
006877 |     $EditorData {
006878 |         #EditorPos -59.2999992 8.1000004
006879 |     }
006880 | }
006881 | $Node AnimNodeBlendTAdd {
006882 |     "ActionOncePneBT" "" "ActionOncePneBSTM" "MoveLookPose" "" "" "Look" 0.3 "S" 0
006883 |     $EditorData {
006884 |         #EditorPos -59.2999992 9.3000002
006885 |     }
006886 | }
006887 | $Node AnimNodeStateMachine {
006888 |     "ActionOnceSTM" "TagActionOnce"
006889 |     $States 1 {
006890 |         $State {
006891 |             "Once" "" "ActionOnceLowSource" "true" "realtime" 1
006892 |             $EditorData {
006893 |                 #EditorPos -52.1000023 6.9000001
006894 |             }
006895 |         }
006896 |     }
006897 |     $Transitions 0 {
006898 |     }
006899 |     $EditorData {
006900 |         #EditorPos -52.2000008 8.1000004
006901 |     }
006902 | }
006903 | $Node AnimNodeSource {
006904 |     "ActionPneBIdleAnim" "TagProneBack" "Locomotion.PneB.Idle" "loop"
006905 |     $Predictions {
006906 |     }
006907 |     $EditorData {
006908 |         #EditorPos 6.4000001 -11.1999998
006909 |     }
006910 | }
006911 | $Node AnimNodeStateMachine {
006912 |     "ActionPoseSTM" ""
006913 |     $States 4 {
006914 |         $State {
006915 |             "In" "TagActionsIn" "ActionConInAnim" "ActionState == 0 || ActionState == 1" "realtime" 0
006916 |             $EditorData {
006917 |                 #EditorPos -34.6000023 5.9000001
006918 |             }
006919 |         }
006920 |         $State {
006921 |             "LoopPose" "TagActionsLoop" "ActionLoopPose" "ActionState == 2" "realtime" 0
006922 |             $EditorData {
006923 |                 #EditorPos -31.8000011 5.9000001
006924 |             }
006925 |         }
006926 |         $State {
006927 |             "Primary Out" "TagActionsEnd" "ActionConOutAnim" "ActionState == 3" "realtime" 1
```

```
006928 |         $EditorData {
006929 |             #EditorPos -31.8000011 6.9000001
006930 |         }
006931 |     }
006932 |     $State {
006933 |         "Secondary Out" "TagActionsEnd2" "ActionConAltOutAnim" "ActionState == 4" "realtime" 1
006934 |         $EditorData {
006935 |             #EditorPos -31.8000011 4.8000002
006936 |         }
006937 |     }
006938 | }
006939 | $Transitions 5 {
006940 |     $Transition {
006941 |         "In" "LoopPose" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
006942 |     }
006943 |     $Transition {
006944 |         "In" "Primary Out" "GetCommandI(CMD_InternalAction) == 0 || eAI_Raised" "0.2" "" 1 "S"
006945 |     }
006946 |     $Transition {
006947 |         "In" "Secondary Out" "GetCommandI(CMD_InternalAction) == -1 || eAI_Raised" "0.2" "" 1 "S"
006948 |     }
006949 |     $Transition {
006950 |         "LoopPose" "Primary Out" "GetCommandI(CMD_InternalAction) == 0" "0.15" "" 1 "S"
006951 |     }
006952 |     $Transition {
006953 |         "LoopPose" "Secondary Out" "GetCommandI(CMD_InternalAction) == -1" "0.15" "" 1 "S"
006954 |     }
006955 | }
006956 | $EditorData {
006957 |     #EditorPos -34.7999992 8.1000004
006958 | }
006959 | }
006960 | $Node AnimNodeStateMachine {
006961 |     "GestureConPneBSTm" ""
006962 |     $States 3 {
006963 |         $State {
006964 |             "In" "TagActionsIn" "GestureInB" "ActionState == 0 || ActionState == 1" "realtime" 0
006965 |             $EditorData {
006966 |                 #EditorPos 10.3000002 6.2000003
006967 |             }
006968 |         }
006969 |         $State {
006970 |             "Loop" "TagActionsLoop" "GestureLoopB" "ActionState == 2" "realtime" 0
006971 |             $EditorData {
006972 |                 #EditorPos 12.8000002 6.8000002
006973 |             }
006974 |         }
006975 |         $State {
006976 |             "Out" "TagActionsEnd" "GestureOutB" "ActionState == 3" "realtime" 1
006977 |             $EditorData {
006978 |                 #EditorPos 15.1999998 6.2000003
006979 |             }
006980 |         }
006981 |     }
006982 |     $Transitions 3 {
006983 |         $Transition {
006984 |             "In" "Loop" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
006985 |         }
006986 |         $Transition {
006987 |             "Loop" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "" 0 "S"
006988 |         }
006989 |         $Transition {
```

```
006990 |         "In" "Out" "GetCommandI(CMD_InternalAction) == 0 || eAI_Raised" "0.4" "GetRemainingTime()" 1 "S"
006991 |     }
006992 | }
006993 | $EditorData {
006994 |     #EditorPos 11.6999998 8.0
006995 | }
006996 | }
006997 | $Node AnimNodeBlendTAdd {
006998 |     "GestureContLook" "" "GestureContinuousSTM" "MoveHeadLookPoseBlendTEST" "" "" "Look" 0.3 "S" 0
006999 |     $EditorData {
007000 |         #EditorPos 20.3999996 9.1999998
007001 |     }
007002 | }
007003 | $Node AnimNodeBlendTAdd {
007004 |     "GestureContSpineLook" "" "GestureContinuousSTM" "SpineLookPoseBlend" "" "" "Look" 0.3 "S" 0
007005 |     $EditorData {
007006 |         #EditorPos 17.7000008 9.1999998
007007 |     }
007008 | }
007009 | $Node AnimNodeStateMachine {
007010 |     "GestureContinuousSTM" ""
007011 |     $States 3 {
007012 |         $State {
007013 |             "LowIn" "TagActionsIn" "GestureLowIn" "ActionState == 0 || ActionState == 1" "realtime" 0
007014 |             $EditorData {
007015 |                 #EditorPos 20.3000011 6.8000002
007016 |             }
007017 |         }
007018 |         $State {
007019 |             "LowLoop" "TagActionsLoop" "GestureLowLoop" "ActionState == 2" "realtime" 0
007020 |             $EditorData {
007021 |                 #EditorPos 21.6000004 5.8000002
007022 |             }
007023 |         }
007024 |         $State {
007025 |             "LowOut" "TagActionsEnd" "GestureLowOut" "ActionState == 3" "realtime" 1
007026 |             $EditorData {
007027 |                 #EditorPos 20.3000011 4.9000001
007028 |             }
007029 |         }
007030 |     }
007031 |     $Transitions 3 {
007032 |         $Transition {
007033 |             "LowIn" "LowOut" "GetCommandI(CMD_InternalAction) == 0 || eAI_Raised" "0.6" "GetRemainingTime()" 1 "S"
007034 |         }
007035 |         $Transition {
007036 |             "LowIn" "LowLoop" "RemainingTimeLess(0.01)" "0.0" "" 1 "S"
007037 |         }
007038 |         $Transition {
007039 |             "LowLoop" "LowOut" "GetCommandI(CMD_InternalAction) == 0" "0.3" "0.0" 0 "S"
007040 |         }
007041 |     }
007042 |     $EditorData {
007043 |         #EditorPos 19.1000004 8.0
007044 |     }
007045 | }
007046 | $Node AnimNodeBlendT {
007047 |     "GestureInB" "" "GestureLowIn" "InActionFix" "" "" "" 0.3 "S" 4
007048 |     $EditorData {
007049 |         #EditorPos 10.3000002 4.5
007050 |     }
007051 | }
```

```
007052 |     $Node AnimNodeBlendT {
007053 |         "GestureLoopB" "" "GestureLowLoop" "LoopActionFix" "" "" "" 0.3 "S" 4
007054 |         $EditorData {
007055 |             #EditorPos 12.8000002 4.5
007056 |         }
007057 |     }
007058 |     $Node AnimNodeSource {
007059 |         "GestureLowIn" "" "Gesture.In" "noloop"
007060 |         $Predictions {
007061 |         }
007062 |         $EditorData {
007063 |             #EditorPos 19.0 0.3
007064 |         }
007065 |     }
007066 |     $Node AnimNodeSource {
007067 |         "GestureLowLoop" "" "Gesture.Loop" "loop"
007068 |         $Predictions {
007069 |         }
007070 |         $EditorData {
007071 |             #EditorPos 21.5 0.3
007072 |         }
007073 |     }
007074 |     $Node AnimNodeSource {
007075 |         "GestureLowOnce" "" "GestureOnce.Once" "noloop"
007076 |         $Predictions {
007077 |         }
007078 |         $EditorData {
007079 |             #EditorPos 26.3000011 3.1000001
007080 |         }
007081 |     }
007082 |     $Node AnimNodeSource {
007083 |         "GestureLowOut" "" "Gesture.Out" "noloop"
007084 |         $Predictions {
007085 |         }
007086 |         $EditorData {
007087 |             #EditorPos 20.3000011 -0.8
007088 |         }
007089 |     }
007090 |     $Node AnimNodeBlendT {
007091 |         "GestureOnceB" "" "GestureLowOnce" "ActionPneBIdleAnim" "" "" "" 0.3 "S" 4
007092 |         $EditorData {
007093 |             #EditorPos 33.7000008 4.7000003
007094 |         }
007095 |     }
007096 |     $Node AnimNodeBlendTAdd {
007097 |         "GestureOnceLook" "" "GestureOnceSTM" "MoveHeadLookPoseBlendTEST" "" "" "Look" 0.3 "S" 0
007098 |         $EditorData {
007099 |             #EditorPos 25.8999996 9.0
007100 |         }
007101 |     }
007102 |     $Node AnimNodeStateMachine {
007103 |         "GestureOncePneBSTM" "TagActionOnce"
007104 |         $States 1 {
007105 |             $State {
007106 |                 "Once" "" "GestureOnceB" "true" "realtime" 1
007107 |                 $EditorData {
007108 |                     #EditorPos 33.7000008 6.8000002
007109 |                 }
007110 |             }
007111 |         }
007112 |         $Transitions 0 {
007113 |         }
```



```
007114 |         $EditorData {
007115 |             #EditorPos 33.1000023 8.0
007116 |         }
007117 |     }
007118 |     $Node AnimNodeStateMachine {
007119 |         "GestureOnceSTM" "TagActionOnce"
007120 |         $States 1 {
007121 |             $State {
007122 |                 "LowOnce" "" "GestureLowOnce" "true" "realtime" 1
007123 |                 $EditorData {
007124 |                     #EditorPos 26.3000011 6.8000002
007125 |                 }
007126 |             }
007127 |         }
007128 |         $Transitions 0 {
007129 |         }
007130 |         $EditorData {
007131 |             #EditorPos 25.8999996 8.0
007132 |         }
007133 |     }
007134 |     $Node AnimNodeBlendT {
007135 |         "GestureOutB" "" "GestureLowOut" "OutActionFix" "" "" "" 0.3 "S" 4
007136 |         $EditorData {
007137 |             #EditorPos 15.1999998 4.5
007138 |         }
007139 |     }
007140 |     $Node AnimNodeBlendT {
007141 |         "InActionB" "" "ActionConInAnim" "InActionFix" "" "" "" 0.3 "S" 4
007142 |         $EditorData {
007143 |             #EditorPos -42.0 3.6000001
007144 |         }
007145 |     }
007146 |     $Node AnimNodeRot {
007147 |         "InActionFix" "" "ActionPneBIdleAnim" "1.0"
007148 |         $rotitems 4 {
007149 |             $ri {
007150 |                 "spine" "xmr" 0.15
007151 |             }
007152 |             $ri {
007153 |                 "spine1" "zmr" -0.11
007154 |             }
007155 |             $ri {
007156 |                 "spine2" "zmr" -0.12
007157 |             }
007158 |             $ri {
007159 |                 "spine3" "xmr" -0.13
007160 |             }
007161 |         }
007162 |         $EditorData {
007163 |             #EditorPos 4.0 -8.6999998
007164 |         }
007165 |     }
007166 |     $Node AnimNodeBlendT {
007167 |         "LoopActionB" "" "ActionConLoopAnim" "LoopActionFix" "" "" "" 0.3 "S" 4
007168 |         $EditorData {
007169 |             #EditorPos -42.0 2.8
007170 |         }
007171 |     }
007172 |     $Node AnimNodeRot {
007173 |         "LoopActionFix" "" "ActionPneBIdleAnim" "1.0"
007174 |         $rotitems 4 {
007175 |             $ri {
```

```

007176 |         "spine" "xmr" 0.35
007177 |     }
007178 |     $ri {
007179 |         "spine1" "zmr" -0.11
007180 |     }
007181 |     $ri {
007182 |         "spine2" "zmr" -0.12
007183 |     }
007184 |     $ri {
007185 |         "spine3" "xmr" -0.13
007186 |     }
007187 | }
007188 | $EditorData {
007189 |     #EditorPos 6.4000001 -8.6999998
007190 | }
007191 | }
007192 | $Node AnimNodeBlend {
007193 |     "OpticsAimB" "" "1.0" "OpticsIKT" "OpticsAimPoses" 0
007194 |     $EditorData {
007195 |         #EditorPos 0.8 10.6000004
007196 |     }
007197 | }
007198 | $Node AnimNodePose2 {
007199 |     "OpticsAimPoses" "" "ActionContinuous.Aim" "eAI_LookDirY" "eAI_LookDirX" "Y(-90):    X(-180) = 0,    X(-90) = 2,    X(0) = 4,    X(90) = 6,    X(180)
= 8
007200 | Y(0):    X(-180) = 9,    X(-90) = 11,    X(0) = 13,    X(90) = 15,    X(180) = 17
007201 | Y(45):    X(-180) = 18,    X(-90) = 20,    X(0) = 22,    X(90) = 24,    X(180) = 26
007202 | Y(90):    X(-180) = 27,    X(-90) = 29,    X(0) = 31,    X(90) = 33,    X(180) = 35"
007203 |     $EditorData {
007204 |         #EditorPos 1.9 9.6999998
007205 |     }
007206 | }
007207 | $Node AnimNodeRot {
007208 |     "OpticsArmFix" "" "OpticsLeanForward" "eAI_Lean"
007209 |     $rotitems 1 {
007210 |         $ri {
007211 |             "LeftArm" "zmr" -0.35
007212 |         }
007213 |     }
007214 |     $EditorData {
007215 |         #EditorPos 0.8 12.1999998
007216 |     }
007217 | }
007218 | $Node AnimNodeIK2 {
007219 |     "OpticsCroIK" "" "OpticsCroLeanRight" "///! global values
weight = 1.0
007220 |
007221 |
007222 | LFootIKTarget
007223 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007224 | chainAxis = +x
007225 |
007226 | RFootIKTarget
007227 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
007228 | chainAxis = -x"
007229 |     $EditorData {
007230 |         #EditorPos 1.9 14.6000004
007231 |     }
007232 | }
007233 | $Node AnimNodeRot {
007234 |     "OpticsCroLeanLeft" "" "OpticsArmFix" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
007235 |     $rotitems 13 {
007236 |         $ri {

```

```
007237 |         "Pelvis" "xlt" 0.0
007238 |     }
007239 |     $ri {
007240 |         "Pelvis" "ylt" 0.0
007241 |     }
007242 |     $ri {
007243 |         "Spine" "zmr" 0.35
007244 |     }
007245 |     $ri {
007246 |         "Spine1" "zmr" 0.5
007247 |     }
007248 |     $ri {
007249 |         "Spine2" "zmr" 0.75
007250 |     }
007251 |     $ri {
007252 |         "Spine3" "zmr" 0.9
007253 |     }
007254 |     $ri {
007255 |         "RightFoot" "zlr" 0.0
007256 |     }
007257 |     $ri {
007258 |         "RightFoot" "ylr" 0.0
007259 |     }
007260 |     $ri {
007261 |         "LeftLegRoll" "xlr" 0.0
007262 |     }
007263 |     $ri {
007264 |         "LeftFoot" "zlr" 0.0
007265 |     }
007266 |     $ri {
007267 |         "LeftFoot" "ylr" 0.0
007268 |     }
007269 |     $ri {
007270 |         "RightLegRoll" "xlr" 0.0
007271 |     }
007272 |     $ri {
007273 |         "Collision" "xlt" 1.1
007274 |     }
007275 | }
007276 | $EditorData {
007277 |     #EditorPos 1.9 13.0
007278 | }
007279 | }
007280 | $Node AnimNodeRot {
007281 |     "OpticsCroLeanRight" "" "OpticsCroLeanLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
007282 |     $rotitems 13 {
007283 |         $ri {
007284 |             "Pelvis" "xlt" 0.0
007285 |         }
007286 |         $ri {
007287 |             "Pelvis" "ylt" 0.0
007288 |         }
007289 |         $ri {
007290 |             "Spine" "zmr" 0.35
007291 |         }
007292 |         $ri {
007293 |             "Spine1" "zmr" 0.5
007294 |         }
007295 |         $ri {
007296 |             "Spine2" "zmr" 0.75
007297 |         }
007298 |         $ri {
```

```
007299 |         "Spine3" "zmr" 0.9
007300 |     }
007301 |     $ri {
007302 |         "RightFoot" "zlr" 0.0
007303 |     }
007304 |     $ri {
007305 |         "RightFoot" "ylr" 0.0
007306 |     }
007307 |     $ri {
007308 |         "LeftLegRoll" "xlr" 0.0
007309 |     }
007310 |     $ri {
007311 |         "LeftFoot" "zlr" 0.0
007312 |     }
007313 |     $ri {
007314 |         "LeftFoot" "ylr" 0.0
007315 |     }
007316 |     $ri {
007317 |         "RightLegRoll" "xlr" 0.0
007318 |     }
007319 |     $ri {
007320 |         "Collision" "xlt" 0.55
007321 |     }
007322 | }
007323 | $EditorData {
007324 |     #EditorPos 1.9 13.8000002
007325 | }
007326 | }
007327 | $Node AnimNodeIK2 {
007328 |     "OpticsErcIK" "" "OpticsErcLeanRight" "///! global values
007329 | weight = 1.0
007330 |
007331 | LFootIKTarget
007332 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007333 | chainAxis = +x
007334 |
007335 | RFootIKTarget
007336 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
007337 | chainAxis = -x"
007338 |     $EditorData {
007339 |         #EditorPos -0.3 14.6000004
007340 |     }
007341 | }
007342 | $Node AnimNodeRot {
007343 |     "OpticsErcLeanLeft" "" "OpticsArmFix" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
007344 |     $rotitems 13 {
007345 |         $ri {
007346 |             "Pelvis" "xlt" 0.0
007347 |         }
007348 |         $ri {
007349 |             "Pelvis" "ylt" 0.0
007350 |         }
007351 |         $ri {
007352 |             "Spine" "zmr" 0.35
007353 |         }
007354 |         $ri {
007355 |             "Spine1" "zmr" 0.5
007356 |         }
007357 |         $ri {
007358 |             "Spine2" "zmr" 0.75
007359 |         }
007360 |         $ri {
```

```
007361 |         "Spine3" "zmr" 0.9
007362 |     }
007363 |     $ri {
007364 |         "RightFoot" "zlr" 0.85
007365 |     }
007366 |     $ri {
007367 |         "RightFoot" "ylr" -0.5
007368 |     }
007369 |     $ri {
007370 |         "LeftLegRoll" "xlr" 0.0
007371 |     }
007372 |     $ri {
007373 |         "LeftFoot" "zlr" 0.25
007374 |     }
007375 |     $ri {
007376 |         "LeftFoot" "ylr" 0.5
007377 |     }
007378 |     $ri {
007379 |         "RightLegRoll" "xlr" -0.5
007380 |     }
007381 |     $ri {
007382 |         "Collision" "xlt" 0.6
007383 |     }
007384 | }
007385 | $EditorData {
007386 |     #EditorPos -0.3 13.0
007387 | }
007388 | }
007389 | $Node AnimNodeRot {
007390 |     "OpticsErcLeanRight" "" "OpticsErcLeanLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
007391 |     $roitems 13 {
007392 |         $ri {
007393 |             "Pelvis" "xlt" 0.0
007394 |         }
007395 |         $ri {
007396 |             "Pelvis" "ylt" 0.0
007397 |         }
007398 |         $ri {
007399 |             "Spine" "zmr" 0.4
007400 |         }
007401 |         $ri {
007402 |             "Spine1" "zmr" 0.6
007403 |         }
007404 |         $ri {
007405 |             "Spine2" "zmr" 0.8
007406 |         }
007407 |         $ri {
007408 |             "Spine3" "zmr" 1.0
007409 |         }
007410 |         $ri {
007411 |             "RightFoot" "zlr" 0.1
007412 |         }
007413 |         $ri {
007414 |             "RightFoot" "ylr" -0.4
007415 |         }
007416 |         $ri {
007417 |             "LeftLegRoll" "xlr" 0.1
007418 |         }
007419 |         $ri {
007420 |             "LeftFoot" "zlr" -0.3
007421 |         }
007422 |         $ri {
```

```
007423 |         "LeftFoot" "ylr" 0.5
007424 |     }
007425 |     $ri {
007426 |         "RightLegRoll" "xlr" -0.1
007427 |     }
007428 |     $ri {
007429 |         "Collision" "xlt" 0.75
007430 |     }
007431 | }
007432 | $EditorData {
007433 |     #EditorPos -0.3 13.8000002
007434 | }
007435 | }
007436 | $Node AnimNodeIK2Target {
007437 |     "OpticsIKT" "" "OpticsSTM" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007438 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
007439 |     $EditorData {
007440 |         #EditorPos 0.8 8.8000002
007441 |     }
007442 | }
007443 | $Node AnimNodeSource {
007444 |     "OpticsInAnim" "" "ActionContinuous.In" "noloop"
007445 |     $Predictions {
007446 |     }
007447 |     $EditorData {
007448 |         #EditorPos 1.2 4.2000003
007449 |     }
007450 | }
007451 | $Node AnimNodeRot {
007452 |     "OpticsLeanForward" "" "OpticsAimB" "LeanForward * 0.01745329251994329576923690768489"
007453 |     $roitems 7 {
007454 |         $ri {
007455 |             "spine" "xmr" 0.3
007456 |         }
007457 |         $ri {
007458 |             "spine1" "xmr" 0.2
007459 |         }
007460 |         $ri {
007461 |             "spine2" "xmr" 0.1
007462 |         }
007463 |         $ri {
007464 |             "spine3" "xmr" 0.1
007465 |         }
007466 |         $ri {
007467 |             "leftshoulder" "xmr" 0.3
007468 |         }
007469 |         $ri {
007470 |             "rightshoulder" "xmr" 0.3
007471 |         }
007472 |         $ri {
007473 |             "Collision" "zlt" -0.2
007474 |         }
007475 |     }
007476 |     $EditorData {
007477 |         #EditorPos 0.8 11.4000006
007478 |     }
007479 | }
007480 | $Node AnimNodeSource {
007481 |     "OpticsLoopAnim" "" "ActionContinuous.Loop" "loop"
007482 |     $Predictions {
007483 |     }
007484 |     $EditorData {
```

```
007485 |         #EditorPos 3.6000001 4.2000003
007486 |     }
007487 | }
007488 | $Node AnimNodeSource {
007489 |     "OpticsOutAnim" "" "ActionContinuous.Out" "noloop"
007490 |     $Predictions {
007491 |     }
007492 |     $EditorData {
007493 |         #EditorPos 6.0 4.2000003
007494 |     }
007495 | }
007496 | $Node AnimNodeStateMachine {
007497 |     "OpticsSTM" ""
007498 |     $States 3 {
007499 |         $State {
007500 |             "In" "TagActionsIn" "OpticsInAnim" "ActionState == 0 || ActionState == 1" "realtime" 0
007501 |             $EditorData {
007502 |                 #EditorPos 1.2 6.2000003
007503 |             }
007504 |         }
007505 |         $State {
007506 |             "Loop" "TagActionsLoop" "OpticsLoopAnim" "ActionState == 2" "realtime" 0
007507 |             $EditorData {
007508 |                 #EditorPos 3.6000001 6.8000002
007509 |             }
007510 |         }
007511 |         $State {
007512 |             "Out" "TagActionsEnd" "OpticsOutAnim" "ActionState == 3" "realtime" 1
007513 |             $EditorData {
007514 |                 #EditorPos 6.0 6.2000003
007515 |             }
007516 |         }
007517 |     }
007518 |     $Transitions 3 {
007519 |         $Transition {
007520 |             "In" "Loop" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
007521 |         }
007522 |         $Transition {
007523 |             "Loop" "Out" "GetCommandI(CMD_InternalAction) == 0" "0.3" "" 0 "S"
007524 |         }
007525 |         $Transition {
007526 |             "In" "Out" "GetCommandI(CMD_InternalAction) == 0 || MovementSpeed > 0 || eAI_Raised" "0.3" "GetRemainingTime()" 1 "S"
007527 |         }
007528 |     }
007529 |     $EditorData {
007530 |         #EditorPos 0.8 8.0
007531 |     }
007532 | }
007533 | $Node AnimNodeBlendT {
007534 |     "Out1ActionB" "" "ActionConOutAnim" "OutActionFix" "" "" "" 0.3 "S" 4
007535 |     $EditorData {
007536 |         #EditorPos -39.0 3.6000001
007537 |     }
007538 | }
007539 | $Node AnimNodeBlendT {
007540 |     "Out2ActionB" "" "OutActionFix" "ActionConAltOutAnim" "" "" "" 0.3 "S" 4
007541 |     $EditorData {
007542 |         #EditorPos -39.0 2.8
007543 |     }
007544 | }
007545 | $Node AnimNodeRot {
007546 |     "OutActionFix" "" "ActionPneBIdeAnim" "1.0"
```

```

007547 |         $rotitems 4 {
007548 |             $ri {
007549 |                 "spine" "xmr" 0.15
007550 |             }
007551 |             $ri {
007552 |                 "spine1" "zlr" -0.11
007553 |             }
007554 |             $ri {
007555 |                 "spine2" "zlr" -0.11
007556 |             }
007557 |             $ri {
007558 |                 "spine3" "zmr" -0.11
007559 |             }
007560 |         }
007561 |         $EditorData {
007562 |             #EditorPos 8.6999998 -8.6999998
007563 |         }
007564 |     }
007565 |     $Node AnimNodeSource {
007566 |         "StruggleGetOutAnim" "" "ActionContinuous.Out2" "noloop"
007567 |         $Predictions {
007568 |         }
007569 |         $EditorData {
007570 |             #EditorPos 44.0 4.8000002
007571 |         }
007572 |     }
007573 |     $Node AnimNodeWeaponIK {
007574 |         "StruggleIK" "" "StruggleLoopAnim" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.3 0.2 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "//
ik pose anim
007575 | // (root - means RightHand - but right hand is not exported)
007576 | //   |- RightHand_Dummy (where Weapon is)
007577 | //   |   |- LeftHandIKTarget (where left hand is on weapon)
007578 | //   |- RightHandOrigin ( inverse transform where hand originally was)
007579 |
007580 | // basic setup -
007581 | // hand - bone which represents hand holding weapon
007582 | // weapon - bone which represents weapon node in hand
007583 | // weaponrotator - bone - around which weapon rotates
007584 | hand = RightHand
007585 | weapon = RightHand_Dummy
007586 | weaponrotator = RightArm
007587 | weaponaxis= -x
007588 |
007589 | ///!
007590 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
007591 | chainaxis=-x
007592 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
007593 | secchainaxis=+x
007594 |
007595 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
007596 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
007597 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
007598 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
007599 | ikpose_chainmiddledi = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
007600 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
007601 | ikpose_secchainmiddledi = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
007602 |
007603 | "
007604 |         $EditorData {
007605 |             #EditorPos 40.9000015 4.8000002
007606 |         }
007607 |     }

```



```
007608 |     $Node AnimNodeBlendTAdd {
007609 |         "StruggleLook" "" "StruggleSTM" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 0
007610 |         $EditorData {
007611 |             #EditorPos 40.1000023 9.4000006
007612 |         }
007613 |     }
007614 |     $Node AnimNodeSource {
007615 |         "StruggleLoopAnim" "" "ActionContinuous.Loop" "loop"
007616 |         $Predictions {
007617 |         }
007618 |         $EditorData {
007619 |             #EditorPos 40.7999992 3.4000001
007620 |         }
007621 |     }
007622 |     $Node AnimNodeStateMachine {
007623 |         "StruggleSTM" ""
007624 |         $States 2 {
007625 |             $State {
007626 |                 "Loop" "TagActionsLoop" "StruggleIK" "true" "realtime" 0
007627 |                 $EditorData {
007628 |                     #EditorPos 40.9000015 6.8000002
007629 |                 }
007630 |             }
007631 |             $State {
007632 |                 "Finished" "TagActionsEnd" "StruggleGetOutAnim" "false" "realtime" 1
007633 |                 $EditorData {
007634 |                     #EditorPos 44.0 6.8000002
007635 |                 }
007636 |             }
007637 |         }
007638 |         $Transitions 1 {
007639 |             $Transition {
007640 |                 "Loop" "Finished" "GetCommandI(CMD_InternalAction) == 0" "0.3" "" 0 "S"
007641 |             }
007642 |         }
007643 |         $EditorData {
007644 |             #EditorPos 40.0 8.0
007645 |         }
007646 |     }
007647 | }
007648 | }
007649 |
```

0285. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/ai
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0286. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/combat.agr
 Size bytes: 29045
 SHA-256: 3d425a70fcbf6674cd47938156df6a4eeab8bde7e7d9a8479d658c8045505c18
 Decoded as: utf-8-sig
 Line count shown: 916

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Hits" {
000003 |         $Node AnimNodeWeaponIK {
000004 |             "DamageFullBodyIK" "" "DamageFullBodySTM" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKT
| est" "// ik pose anim
000005 | // (root - means RightHand - but right hand is not exported)
000006 | //   |- RightHand_Dummy (where Weapon is)
000007 | //   |   |- LeftHandIKTarget (where left hand is on weapon)
000008 | //   |- RightHandOrigin ( inverse transform where hand originally was)
000009 |
000010 | // basic setup -
000011 | // hand - bone which represents hand holding weapon
000012 | // weapon - bone which represents weapon node in hand
000013 | // weaponrotator - bone - around which weapon rotates
000014 | hand = RightHand
000015 | weapon = RightHand_Dummy
000016 | weaponrotator = RightArm
000017 | weaponaxis= -x
000018 |
000019 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000020 | chainaxis=-x
000021 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000022 | secchainaxis=+x
000023 |
000024 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
000025 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
000026 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
000027 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
000028 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
000029 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
000030 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
000031 |
000032 | "
000033 |     $EditorData {
000034 |         #EditorPos 5.0999999 12.1000004
000035 |     }
000036 | }
000037 | $Node AnimNodeBlend {
000038 |     "DamageFullBodyMaster" "" "0.0" "DamageFullBodyIK" "FacialHeavyHitAnim" 0
000039 |     $EditorData {
000040 |         #EditorPos 5.2000003 13.8000002
000041 |     }
000042 | }
000043 | $Node AnimNodeStateMachine {
000044 |     "DamageFullBodySTM" "TagDamageFullBody"
000045 |     $States 6 {
000046 |         $State {
000047 |             "DamageHeavyErcRas" "" "DamageHeavyErcRas" "Stance == 0 && eAI_Raised && IsCommand(CMD_DamageHeavy)" "notime" 1
000048 |             $EditorData {
000049 |                 #EditorPos 5.5999999 9.4000006
000050 |             }
```

```
000051 |     }
000052 |     $State {
000053 |         "DamageHeavyErc" "" "DamageHeavyErc" "Stance == 0 && !eAI_Raised && IsCommand(CMD_DamageHeavy)" "notime" 1
000054 |         $EditorData {
000055 |             #EditorPos 8.0 9.4000006
000056 |         }
000057 |     }
000058 |     $State {
000059 |         "DamageHeavyCroRas" "" "DamageHeavyCroRas" "Stance == 1 && eAI_Raised && IsCommand(CMD_DamageHeavy)" "notime" 1
000060 |         $EditorData {
000061 |             #EditorPos 11.5 9.4000006
000062 |         }
000063 |     }
000064 |     $State {
000065 |         "DamageHeavyCro" "" "DamageHeavyCro" "Stance == 1 && !eAI_Raised && IsCommand(CMD_DamageHeavy)" "notime" 1
000066 |         $EditorData {
000067 |             #EditorPos 13.9000006 9.4000006
000068 |         }
000069 |     }
000070 |     $State {
000071 |         "DamageHeavyPneRas" "" "DamageHeavyPneRas" "Stance == 2 && eAI_Raised && IsCommand(CMD_DamageHeavy)" "notime" 1
000072 |         $EditorData {
000073 |             #EditorPos 17.5 9.4000006
000074 |         }
000075 |     }
000076 |     $State {
000077 |         "DamageHeavyPne" "" "DamageHeavyPne" "Stance == 2 && !eAI_Raised && IsCommand(CMD_DamageHeavy)" "notime" 1
000078 |         $EditorData {
000079 |             #EditorPos 20.3999996 9.4000006
000080 |         }
000081 |     }
000082 | }
000083 | $Transitions 0 {
000084 | }
000085 | $EditorData {
000086 |     #EditorPos 5.0999999 10.6999998
000087 | }
000088 | }
000089 | $Node AnimNodeGroupSelect {
000090 |     "DamageHeavyCro" "" "DamageHeavyDirSTM" "Damage" "Cro"
000091 |     $EditorData {
000092 |         #EditorPos 13.9000006 7.5999999
000093 |     }
000094 | }
000095 | $Node AnimNodeGroupSelect {
000096 |     "DamageHeavyCroRas" "" "DamageHeavyDirSTM" "Damage" "CroRas"
000097 |     $EditorData {
000098 |         #EditorPos 11.5 7.5999999
000099 |     }
000100 | }
000101 | $Node AnimNodeStateMachine {
000102 |     "DamageHeavyDirSTM" ""
000103 |     $States 4 {
000104 |         $State {
000105 |             "Back" "" "HeavyB" "DamageDirection <= -135 || DamageDirection >= 135" "realtime" 1
000106 |             $EditorData {
000107 |                 #EditorPos 14.1999998 2.2
000108 |             }
000109 |         }
000110 |         $State {
000111 |             "Forward" "" "HeavyF" "DamageDirection > -45 && DamageDirection < 45" "realtime" 1
000112 |             $EditorData {
```

```
000113 |         #EditorPos 14.1999998 3.2
000114 |     }
000115 | }
000116 | $State {
000117 |     "Left" "" "HeavyL" "DamageDirection <= -45 && DamageDirection > -135" "realtime" 1
000118 |     $EditorData {
000119 |         #EditorPos 12.0 2.7
000120 |     }
000121 | }
000122 | $State {
000123 |     "Right" "" "HeavyR" "DamageDirection >= 45 && DamageDirection < 135" "realtime" 1
000124 |     $EditorData {
000125 |         #EditorPos 16.3999996 2.7
000126 |     }
000127 | }
000128 | }
000129 | $Transitions 0 {
000130 | }
000131 | $EditorData {
000132 |     #EditorPos 11.6999998 4.5999999
000133 | }
000134 | }
000135 | $Node AnimNodeGroupSelect {
000136 |     "DamageHeavyErc" "" "DamageHeavyDirSTM" "Damage" "Erc"
000137 |     $EditorData {
000138 |         #EditorPos 8.0 7.5999999
000139 |     }
000140 | }
000141 | $Node AnimNodeGroupSelect {
000142 |     "DamageHeavyErcRas" "" "DamageHeavyDirSTM" "Damage" "ErcRas"
000143 |     $EditorData {
000144 |         #EditorPos 5.5999999 7.5999999
000145 |     }
000146 | }
000147 | $Node AnimNodeGroupSelect {
000148 |     "DamageHeavyPne" "" "DamageHeavyDirSTM" "Damage" "Pne"
000149 |     $EditorData {
000150 |         #EditorPos 20.3999996 7.5999999
000151 |     }
000152 | }
000153 | $Node AnimNodeGroupSelect {
000154 |     "DamageHeavyPneRas" "" "DamageHeavyDirSTM" "Damage" "PneRas"
000155 |     $EditorData {
000156 |         #EditorPos 17.5 7.5999999
000157 |     }
000158 | }
000159 | $Node AnimNodeSource {
000160 |     "DamageLightBsrc" "" "Damage.Light B" "no loop"
000161 |     $Predictions {
000162 |     }
000163 |     $EditorData {
000164 |         #EditorPos -8.1999998 0.5
000165 |     }
000166 | }
000167 | $Node AnimNodeGroupSelect {
000168 |     "DamageLightCro" "" "DamageLightDirectional" "Damage" "Cro"
000169 |     $EditorData {
000170 |         #EditorPos -6.8000002 7.2000003
000171 |     }
000172 | }
000173 | $Node AnimNodeGroupSelect {
000174 |     "DamageLightCroRas" "" "DamageLightDirectional" "Damage" "CroRas"
```

```
000175 |         $EditorData {
000176 |             #EditorPos -4.7000003 5.0999999
000177 |         }
000178 |     }
000179 |     $Node AnimNodeBlendN {
000180 |         "DamageLightDirectional" "" "DamageDirection" 1 "S"
000181 |         $Inputs {
000182 |             -180.0 "DamageLightBSrc"
000183 |             -90.0 "DamageLightLSrc"
000184 |             0.0 "DamageLightFT"
000185 |             90.0 "DamageLightRSrc"
000186 |             180.0
000187 |         }
000188 |         $EditorData {
000189 |             #EditorPos -5.9000001 1.4
000190 |         }
000191 |     }
000192 |     $Node AnimNodeGroupSelect {
000193 |         "DamageLightErc" "" "DamageLightDirectional" "Damage" "Erc"
000194 |         $EditorData {
000195 |             #EditorPos -1.2 7.3000002
000196 |         }
000197 |     }
000198 |     $Node AnimNodeGroupSelect {
000199 |         "DamageLightErcRas" "" "DamageLightDirectional" "Damage" "ErcRas"
000200 |         $EditorData {
000201 |             #EditorPos 1.2 7.3000002
000202 |         }
000203 |     }
000204 |     $Node AnimNodeSource {
000205 |         "DamageLightFBlockSrc" "" "Damage.Light F Block" "noLoop"
000206 |         $Predictions {
000207 |         }
000208 |         $EditorData {
000209 |             #EditorPos -3.9000001 -1.0
000210 |         }
000211 |     }
000212 |     $Node AnimNodeSource {
000213 |         "DamageLightFSrc" "" "Damage.Light F" "noLoop"
000214 |         $Predictions {
000215 |         }
000216 |         $EditorData {
000217 |             #EditorPos -6.0 -1.0
000218 |         }
000219 |     }
000220 |     $Node AnimNodeBlendT {
000221 |         "DamageLightFT" "" "DamageLightFSrc" "DamageLightFBlockSrc" "" "" "Stance == 0 && eAI_Raised && MeleeBlock" 0.3 "S" 7
000222 |         $EditorData {
000223 |             #EditorPos -4.9000001 -0.1
000224 |         }
000225 |     }
000226 |     $Node AnimNodeSource {
000227 |         "DamageLightLSrc" "" "Damage.Light L" "noLoop"
000228 |         $Predictions {
000229 |         }
000230 |         $EditorData {
000231 |             #EditorPos -7.0999999 -0.1
000232 |         }
000233 |     }
000234 |     $Node AnimNodeGroupSelect {
000235 |         "DamageLightPne" "" "DamageLightDirectional" "Damage" "Pne"
000236 |         $EditorData {
```

```
000237 |         #EditorPos -15.1000004 7.3000002
000238 |     }
000239 | }
000240 | $Node AnimNodeBlendN {
000241 |     "DamageLightPneBackB" "" "eAI_AimX" 1 "S"
000242 |     $Inputs {
000243 |         -135.0 "DamageLightCroRas"
000244 |         -60.0 "DamageLightPneRas"
000245 |         0.0 "DamageLightPneRas"
000246 |         60.0 "DamageLightPneRas"
000247 |         135.0
000248 |     }
000249 |     $EditorData {
000250 |         #EditorPos -9.8000002 6.7000003
000251 |     }
000252 | }
000253 | $Node AnimNodeGroupSelect {
000254 |     "DamageLightPneRas" "" "DamageLightDirectional" "Damage" "PneRas"
000255 |     $EditorData {
000256 |         #EditorPos -9.4000006 4.9000001
000257 |     }
000258 | }
000259 | $Node AnimNodeSource {
000260 |     "DamageLightRsrc" "" "Damage.Light R" "noloop"
000261 |     $Predictions {
000262 |     }
000263 |     $EditorData {
000264 |         #EditorPos -3.9000001 0.6
000265 |     }
000266 | }
000267 | $Node AnimNodeStateMachine {
000268 |     "DamageLightSTM" "TagDamage"
000269 |     $States 6 {
000270 |         $State {
000271 |             "DamageLightErc" "" "DamageLightErc" "Stance == 0 && !eAI_Raised && GetCommandI(CMD_Damage) == 0 || IsTag(\"TagProneBack\")" "realtime" 1
000272 |             $EditorData {
000273 |                 #EditorPos -1.3000001 9.4000006
000274 |             }
000275 |         }
000276 |         $State {
000277 |             "DamageLightErcRas" "" "DamageLightErcRas" "Stance == 0 && eAI_Raised && GetCommandI(CMD_Damage) == 0" "realtime" 1
000278 |             $EditorData {
000279 |                 #EditorPos 1.3000001 9.4000006
000280 |             }
000281 |         }
000282 |         $State {
000283 |             "DamageLightCro" "" "DamageLightCro" "Stance == 1 && !eAI_Raised && GetCommandI(CMD_Damage) == 0" "realtime" 1
000284 |             $EditorData {
000285 |                 #EditorPos -6.8000002 9.4000006
000286 |             }
000287 |         }
000288 |         $State {
000289 |             "DamageLightPne" "" "DamageLightPne" "Stance == 2 && !eAI_Raised && GetCommandI(CMD_Damage) == 0 && !IsTag(\"TagProneBack\")" "realtime" 1
000290 |             $EditorData {
000291 |                 #EditorPos -15.1000004 9.4000006
000292 |             }
000293 |         }
000294 |         $State {
000295 |             "DamageLightCroRas" "" "DamageLightCroRas" "Stance == 1 && eAI_Raised && GetCommandI(CMD_Damage) == 0" "realtime" 1
000296 |             $EditorData {
000297 |                 #EditorPos -3.9000001 9.4000006
000298 |             }
000299 |         }
000300 |     }
000301 | }
```

```
000299 |         }
000300 |         $State {
000301 |             "DamageLightPneRas" "" "DamageLightPneBackB" "Stance == 2 && eAI_Raised && GetCommandI(CMD_Damage) == 0 && !IsTag(\"TagProneBack\")" "realtim
e" 1
000302 |             $EditorData {
000303 |                 #EditorPos -10.3000002 9.4000006
000304 |             }
000305 |         }
000306 |     }
000307 |     $Transitions 6 {
000308 |         $Transition {
000309 |             "DamageLightErc" "DamageLightErcRas" "eAI_Raised" "0.2" "GetLowerTime()" 1 "S"
000310 |         }
000311 |         $Transition {
000312 |             "DamageLightErcRas" "DamageLightErc" "!eAI_Raised" "0.2" "GetLowerTime()" 1 "S"
000313 |         }
000314 |         $Transition {
000315 |             "DamageLightCroRas" "DamageLightCro" "!eAI_Raised" "0.2" "GetLowerTime()" 1 "S"
000316 |         }
000317 |         $Transition {
000318 |             "DamageLightCro" "DamageLightCroRas" "eAI_Raised" "0.2" "GetLowerTime()" 1 "S"
000319 |         }
000320 |         $Transition {
000321 |             "DamageLightPneRas" "DamageLightPne" "!eAI_Raised" "0.2" "GetLowerTime()" 1 "S"
000322 |         }
000323 |         $Transition {
000324 |             "DamageLightPne" "DamageLightPneRas" "eAI_Raised" "0.2" "GetLowerTime()" 1 "S"
000325 |         }
000326 |     }
000327 |     $EditorData {
000328 |         #EditorPos -1.7 10.6999998
000329 |     }
000330 | }
000331 | $Node AnimNodeBlend {
000332 |     "DamageMaster" "" "0.0" "DamageLightSTM" "FacialLightHitAnim" 0
000333 |     $EditorData {
000334 |         #EditorPos -1.7 12.1999998
000335 |     }
000336 | }
000337 | $Node AnimNodeSource {
000338 |     "FacialHeavyHitAnim" "" "FacialHitHeavy" "nolooop"
000339 |     $Predictions {
000340 |     }
000341 |     $EditorData {
000342 |         #EditorPos 6.5 13.0
000343 |     }
000344 | }
000345 | $Node AnimNodeSource {
000346 |     "FacialLightHitAnim" "" "FacialHitLight" "nolooop"
000347 |     $Predictions {
000348 |     }
000349 |     $EditorData {
000350 |         #EditorPos -0.6 11.5
000351 |     }
000352 | }
000353 | $Node AnimNodeSource {
000354 |     "HeavyB" "" "Damage.Heavy B" "nolooop"
000355 |     $Predictions {
000356 |     }
000357 |     $EditorData {
000358 |         #EditorPos 14.1999998 -0.5
000359 |     }
}
```



```
000360 |     }
000361 |     $Node AnimNodeSource {
000362 |         "HeavyF" "" "Damage.Heavy F" "noloop"
000363 |         $Predictions {
000364 |         }
000365 |         $EditorData {
000366 |             #EditorPos 14.1999998 0.4
000367 |         }
000368 |     }
000369 |     $Node AnimNodeSource {
000370 |         "HeavyL" "" "Damage.Heavy L" "noloop"
000371 |         $Predictions {
000372 |         }
000373 |         $EditorData {
000374 |             #EditorPos 12.0 0.4
000375 |         }
000376 |     }
000377 |     $Node AnimNodeSource {
000378 |         "HeavyR" "" "Damage.Heavy R" "noloop"
000379 |         $Predictions {
000380 |         }
000381 |         $EditorData {
000382 |             #EditorPos 16.3999996 0.4
000383 |         }
000384 |     }
000385 | }
000386 | $Sheet "Combat" {
000387 |     $Node AnimNodeSource {
000388 |         "BayonetAnim" "" "Combat.Erc.Bayonet" "noloop"
000389 |         $Predictions {
000390 |         }
000391 |         $EditorData {
000392 |             #EditorPos -13.9000006 6.0
000393 |         }
000394 |     }
000395 |     $Node AnimNodeSource {
000396 |         "FacialAngryAnim" "" "FacialAnger" "noloop"
000397 |         $Predictions {
000398 |         }
000399 |         $EditorData {
000400 |             #EditorPos -4.0 14.1999998
000401 |         }
000402 |     }
000403 |     $Node AnimNodeSource {
000404 |         "HeavyLAnim" "" "Combat.Erc.StrikeL02" "noloop"
000405 |         $Predictions {
000406 |         }
000407 |         $EditorData {
000408 |             #EditorPos 0.4 5.0
000409 |         }
000410 |     }
000411 |     $Node AnimNodeSource {
000412 |         "HeavyLInPlaceAnim" "" "Combat.Erc.StrikeLInplace02" "noloop"
000413 |         $Predictions {
000414 |         }
000415 |         $EditorData {
000416 |             #EditorPos -2.3 5.9000001
000417 |         }
000418 |     }
000419 |     $Node AnimNodeSource {
000420 |         "HeavyRAnim" "" "Combat.Erc.StrikeR03" "noloop"
000421 |         $Predictions {
```

```
000422 |     }
000423 |     $EditorData {
000424 |         #EditorPos 0.4 5.9000001
000425 |     }
000426 | }
000427 | $Node AnimNodeSource {
000428 |     "HeavyRInPlaceAnim" "" "Combat.Erc.StrikeRInplace03" "nolooop"
000429 |     $Predictions {
000430 |     }
000431 |     $EditorData {
000432 |         #EditorPos -2.3 5.0
000433 |     }
000434 | }
000435 | $Node AnimNodeSource {
000436 |     "LightLAnim" "" "Combat.Erc.StrikeL01" "nolooop"
000437 |     $Predictions {
000438 |     }
000439 |     $EditorData {
000440 |         #EditorPos 3.1000001 5.9000001
000441 |     }
000442 | }
000443 | $Node AnimNodeSource {
000444 |     "LightLInPlaceAnim" "" "Combat.Erc.StrikeLInplace01" "nolooop"
000445 |     $Predictions {
000446 |     }
000447 |     $EditorData {
000448 |         #EditorPos -4.9000001 5.0
000449 |     }
000450 | }
000451 | $Node AnimNodeSource {
000452 |     "LightRAnim" "" "Combat.Erc.StrikeR01" "nolooop"
000453 |     $Predictions {
000454 |     }
000455 |     $EditorData {
000456 |         #EditorPos 3.1000001 5.0
000457 |     }
000458 | }
000459 | $Node AnimNodeSource {
000460 |     "LightRInplaceAnim" "" "Combat.Erc.StrikeRInplace01" "nolooop"
000461 |     $Predictions {
000462 |     }
000463 |     $EditorData {
000464 |         #EditorPos -4.9000001 5.9000001
000465 |     }
000466 | }
000467 | $Node AnimNodeBlend {
000468 |     "MeleeFacialB" "" "0.0" "MeleeSTM0" "FacialAngryAnim" 0
000469 |     $EditorData {
000470 |         #EditorPos -5.0999999 15.1999998
000471 |     }
000472 | }
000473 | $Node AnimNodeBlendT {
000474 |     "MeleeIKB" "" "MeleeWeaponIK" "MeleeFacialB" "WeaponType == 6" "WeaponType != 6" "" 0.3 "S" 3
000475 |     $EditorData {
000476 |         #EditorPos -5.0 17.2000008
000477 |     }
000478 | }
000479 | $Node AnimNodeQueue {
000480 |     "MeleeMasterQ" "" "MeleeRotNode"
000481 |     $items 1 {
000482 |         $item {
000483 |             "DamageMaster" "IsCommand(CMD_Damage)" "" "" 0.1 0.3 1 0
```

```
000484 |     }
000485 |   }
000486 |   $EditorData {
000487 |     #EditorPos -5.0999999 19.3000011
000488 |   }
000489 | }
000490 | $Node AnimNodeRot {
000491 |   "MeleeRotNode" "" "MeleeIKB" "LeanForward * 0.01745329251994329576923690768489"
000492 |   $rotitems 7 {
000493 |     $ri {
000494 |       "spine" "xmr" 0.3
000495 |     }
000496 |     $ri {
000497 |       "spine1" "xmr" 0.2
000498 |     }
000499 |     $ri {
000500 |       "spine2" "xmr" 0.1
000501 |     }
000502 |     $ri {
000503 |       "spine3" "xmr" 0.1
000504 |     }
000505 |     $ri {
000506 |       "leftshoulder" "xmr" 0.3
000507 |     }
000508 |     $ri {
000509 |       "rightshoulder" "xmr" 0.3
000510 |     }
000511 |     $ri {
000512 |       "Collision" "zlt" -0.2
000513 |     }
000514 |   }
000515 |   $EditorData {
000516 |     #EditorPos -5.0999999 18.3999996
000517 |   }
000518 | }
000519 | $Node AnimNodeStateMachine {
000520 |   "MeleeSTM0" "TagMelee"
000521 |   $States 14 {
000522 |     $State {
000523 |       "Light R" "" "LightRAnim" "GetCommandI(CMD_Melee_Attack2) == 0 && GetCommandF(CMD_Melee_Attack2) == 0.0 && Stance == 0" "realtime" 1
000524 |       $EditorData {
000525 |         #EditorPos 3.1000001 9.5
000526 |       }
000527 |     }
000528 |     $State {
000529 |       "Light L" "" "LightLAnim" "false" "realtime" 1
000530 |       $EditorData {
000531 |         #EditorPos 3.1000001 10.9000006
000532 |       }
000533 |     }
000534 |     $State {
000535 |       "Heavy R" "" "HeavyRAnim" "GetCommandI(CMD_Melee_Attack2) == 1 && GetCommandF(CMD_Melee_Attack2) == 0.0 && Stance == 0" "realtime" 1
000536 |       $EditorData {
000537 |         #EditorPos 0.4 12.0
000538 |       }
000539 |     }
000540 |     $State {
000541 |       "Heavy L" "" "HeavyLAnim" "false" "realtime" 1
000542 |       $EditorData {
000543 |         #EditorPos 0.4 8.3000002
000544 |       }
000545 |   }
```

```
000546 |         $State {
000547 |             "Light R Inplace" "" "LightRInplaceAnim" "GetCommandI(CMD_Melee_Attack2) == 0 && GetCommandF(CMD_Melee_Attack2) == 1.0 && Stance == 0" "realtime" 1
000548 |         }
000549 |         $EditorData {
000550 |             #EditorPos -4.9000001 10.9000006
000551 |         }
000552 |     }
000553 |     $State {
000554 |         "Light L Inplace" "" "LightLInPlaceAnim" "false" "realtime" 1
000555 |         $EditorData {
000556 |             #EditorPos -4.9000001 9.5
000557 |         }
000558 |     }
000559 |     $State {
000560 |         "Heavy R Inplace" "" "HeavyRInPlaceAnim" "GetCommandI(CMD_Melee_Attack2) == 1 && GetCommandF(CMD_Melee_Attack2) == 1.0 && Stance == 0" "realtime" 1
000561 |         $EditorData {
000562 |             #EditorPos -2.3 8.3000002
000563 |         }
000564 |     }
000565 |     $State {
000566 |         "Heavy L Inplace" "" "HeavyLInPlaceAnim" "false" "realtime" 1
000567 |         $EditorData {
000568 |             #EditorPos -2.3 12.0
000569 |         }
000570 |     }
000571 |     $State {
000572 |         "ProneOnBackKick" "" "PneKickAnim" "Stance == 2 && eAI_Raised && (eAI_AimX <= -125 || eAI_AimX >= 125)" "realtime" 1
000573 |         $EditorData {
000574 |             #EditorPos -10.3000002 10.9000006
000575 |         }
000576 |     }
000577 |     $State {
000578 |         "SprintCharge" "" "SprintChargeR01Anim" "GetCommandI(CMD_Melee_Attack2)==1 && Stance == 0 && MovementSpeed > 2.1 && MovementDirection >= -50
000579 |         && MovementDirection <= 50" "realtime" 1
000580 |         $EditorData {
000581 |             #EditorPos -16.6000004 10.9000006
000582 |         }
000583 |     }
000584 |     $State {
000585 |         "PneAttack" "" "PneAttackAnim" "Stance == 2 && eAI_Raised && eAI_AimX >= -65 && eAI_AimX <= 65" "realtime" 1
000586 |         $EditorData {
000587 |             #EditorPos -7.5999999 10.9000006
000588 |         }
000589 |     }
000590 |     $State {
000591 |         "Bayonet" "" "BayonetAnim" "GetCommandI(CMD_Melee_Attack2) == 2 && Stance == 0" "realtime" 1
000592 |         $EditorData {
000593 |             #EditorPos -13.9000006 10.9000006
000594 |         }
000595 |     }
000596 |     $State {
000597 |         "StealthAttack_Liver" "TagNoTurn" "StealthAttack_LiverAnim" "GetCommandI(CMD_Melee_Stealth) == 1 && Stance == 0" "realtime" 1
000598 |         $EditorData {
000599 |             #EditorPos -19.2000008 10.9000006
000600 |         }
000601 |     }
000602 |     $State {
000603 |         "StealthAttack_Neck" "TagNoTurn" "StealthAttack_NeckAnim" "GetCommandI(CMD_Melee_Stealth) == 2 && Stance == 0" "realtime" 1
000604 |         $EditorData {
000605 |             #EditorPos -21.8000011 10.9000006
000606 |         }
000607 |     }
000608 | }
```

```
000605 |     }
000606 |     }
000607 |     $Transitions 32 {
000608 |     $Transition {
000609 |         "Light L" "Light R" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.StrikeR01\",
000610 |     }
000611 |     $Transition {
000612 |         "Light R" "Light L" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.StrikeL01\",
000613 |     }
000614 |     $Transition {
000615 |         "Heavy L" "Heavy R" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.StrikeR02\",
000616 |     }
000617 |     $Transition {
000618 |         "Heavy R" "Heavy L" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.StrikeL02\",
000619 |     }
000620 |     $Transition {
000621 |         "Light L" "Heavy R" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.2" "GetEventTime(\"Combat.Erc.StrikeR03\",
000622 |     }
000623 |     $Transition {
000624 |         "Heavy R" "Light L" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.2" "GetEventTime(\"Combat.Erc.StrikeL01\",
000625 |     }
000626 |     $Transition {
000627 |         "Light R" "Heavy L" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.2" "GetEventTime(\"Combat.Erc.StrikeL03\",
000628 |     }
000629 |     $Transition {
000630 |         "Heavy L" "Light R" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.2" "GetEventTime(\"Combat.Erc.StrikeR01\",
000631 |     }
000632 |     $Transition {
000633 |         "Heavy R Inplace" "Heavy L" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
000634 |     }
000635 |     $Transition {
000636 |         "Heavy L" "Heavy R Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
000637 |     }
000638 |     $Transition {
000639 |         "Heavy L Inplace" "Heavy R" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
000640 |     }
000641 |     $Transition {
000642 |         "Heavy R" "Heavy L Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
000643 |     }
000644 |     $Transition {
000645 |         "Light R Inplace" "Light L" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
000646 |     }
000647 |     $Transition {
000648 |         "Light L" "Light R Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
000649 |     }
000650 |     $Transition {
000651 |         "Light L Inplace" "Light R" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
```

```
000652 |     }
000653 |     $Transition {
000654 |         "Light R" "Light L Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eLInplace01\", \"BlendIn\")" 1 "S"
000655 |     }
000656 |     $Transition {
000657 |         "Heavy R Inplace" "Light L Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeLInplace02\", \"BlendIn\")" 1 "S"
000658 |     }
000659 |     $Transition {
000660 |         "Light L Inplace" "Heavy R Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeRInplace03\", \"BlendIn\")" 1 "S"
000661 |     }
000662 |     $Transition {
000663 |         "Light R Inplace" "Heavy L Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeLInplace01\", \"BlendIn\")" 1 "S"
000664 |     }
000665 |     $Transition {
000666 |         "Heavy L Inplace" "Light R Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeRInplace01\", \"BlendIn\")" 1 "S"
000667 |     }
000668 |     $Transition {
000669 |         "Light R Inplace" "Light L Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeLInplace01\", \"BlendIn\")" 1 "S"
000670 |     }
000671 |     $Transition {
000672 |         "Light L Inplace" "Light R Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeRInplace01\", \"BlendIn\")" 1 "S"
000673 |     }
000674 |     $Transition {
000675 |         "Heavy R Inplace" "Heavy L Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.E
rc.StrikeLInplace02\", \"BlendIn\")" 1 "S"
000676 |     }
000677 |     $Transition {
000678 |         "Heavy L Inplace" "Heavy R Inplace" "GetCommandI(CMD_Melee_Combo) == 1" "0.3" "GetEventTime(\"Combat.Erc.StrikeRInplace03\", \"BlendIn\")" 1
"S"
000679 |     }
000680 |     $Transition {
000681 |         "Light R" "Heavy L Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eLInplace02\", \"BlendIn\")" 1 "S"
000682 |     }
000683 |     $Transition {
000684 |         "Heavy L Inplace" "Light R" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eL01\", \"BlendIn\")" 1 "S"
000685 |     }
000686 |     $Transition {
000687 |         "Light L Inplace" "Heavy R" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eR03\", \"BlendIn\")" 1 "S"
000688 |     }
000689 |     $Transition {
000690 |         "Heavy R" "Light L Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eLInplace01\", \"BlendIn\")" 1 "S"
000691 |     }
000692 |     $Transition {
000693 |         "Light R Inplace" "Heavy L" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eL02\", \"BlendIn\")" 1 "S"
000694 |     }
000695 |     $Transition {
000696 |         "Heavy L" "Light R Inplace" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eRInplace01\", \"BlendIn\")" 1 "S"
000697 |     }
000698 |     $Transition {
```

```

000699 |         "Light L" "Heavy R Inplace" "GetCommandI(CMD_Melee_Combo) == 1 && GetCommandF(CMD_Melee_Combo) == 1.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eRInplace03\", \"BlendIn\")" 1 "S"
000700 |     }
000701 |     $Transition {
000702 |         "Heavy R Inplace" "Light L" "GetCommandI(CMD_Melee_Combo) == 0 && GetCommandF(CMD_Melee_Combo) == 0.0" "0.3" "GetEventTime(\"Combat.Erc.Strik
eL01\", \"BlendIn\")" 1 "S"
000703 |     }
000704 | }
000705 | $EditorData {
000706 |     #EditorPos -5.2000003 13.1000004
000707 | }
000708 | }
000709 | $Node AnimNodeWeaponIK {
000710 |     "MeleeWeaponIK" "" "MeleeFacialB" "false" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "// ik pose anim
000711 | // (root - means RightHand - but right hand is not exported)
000712 | // |- RightHand_Dummy (where Weapon is)
000713 | // |   |- LeftHandIKTarget (where left hand is on weapon)
000714 | // |- RightHandOrigin ( inverse transform where hand originally was)
000715 |
000716 | // basic setup -
000717 | // hand - bone which represents hand holding weapon
000718 | // weapon - bone which represents weapon node in hand
000719 | // weaponrotator - bone - around which weapon rotates
000720 | hand = RightHand
000721 | weapon = RightHand_Dummy
000722 | weaponrotator = RightArm
000723 | weaponaxis= -x
000724 |
000725 |
000726 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000727 | chainaxis=-x
000728 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000729 | secchainaxis=+x
000730 |
000731 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
000732 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
000733 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
000734 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
000735 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
000736 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
000737 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
000738 |
000739 | "
000740 |     $EditorData {
000741 |         #EditorPos -6.5 16.3000011
000742 |     }
000743 | }
000744 | $Node AnimNodeSource {
000745 |     "PneAttackAnim" "" "Combat.Pne.StrikeR01" "noLoop"
000746 |     $Predictions {
000747 |     }
000748 |     $EditorData {
000749 |         #EditorPos -7.5999999 5.9000001
000750 |     }
000751 | }
000752 | $Node AnimNodeSource {
000753 |     "PneKickAnim" "" "Combat.Pne.Kick" "noLoop"
000754 |     $Predictions {
000755 |     }
000756 |     $EditorData {
000757 |         #EditorPos -10.3000002 5.9000001
000758 |     }

```

```
000759 |     }
000760 |     $Node AnimNodeSource {
000761 |         "SprintChargeR01Anim" "" "Combat.Erc.Sprint_StrikeR01" "noloop"
000762 |         $Predictions {
000763 |         }
000764 |         $EditorData {
000765 |             #EditorPos -16.6000004 6.0
000766 |         }
000767 |     }
000768 |     $Node AnimNodeSource {
000769 |         "StealthAttack_LiverAnim" "" "Combat.Erc.StealthAttack_Liver" "noloop"
000770 |         $Predictions {
000771 |         }
000772 |         $EditorData {
000773 |             #EditorPos -19.2000008 6.0
000774 |         }
000775 |     }
000776 |     $Node AnimNodeSource {
000777 |         "StealthAttack_NeckAnim" "" "Combat.Erc.StealthAttack_Neck" "noloop"
000778 |         $Predictions {
000779 |         }
000780 |         $EditorData {
000781 |             #EditorPos -21.8000011 6.0
000782 |         }
000783 |     }
000784 | }
000785 | $Sheet "WeaponActions" {
000786 |     $Node AnimNodeSource {
000787 |         "FireAnim" "" "WeaponOperations.Fire" "noloop"
000788 |         $Predictions {
000789 |         }
000790 |         $EditorData {
000791 |             #EditorPos -0.6 5.7000003
000792 |         }
000793 |     }
000794 |     $Node AnimNodeSource {
000795 |         "FireCockedAnim" "" "WeaponOperations.FireCocked" "noloop"
000796 |         $Predictions {
000797 |         }
000798 |         $EditorData {
000799 |             #EditorPos 3.6000001 5.7000003
000800 |         }
000801 |     }
000802 |     $Node AnimNodeSource {
000803 |         "FireEmptyAutomatic" "" "WeaponOperations.FireEmptyAutomatic" "noloop"
000804 |         $Predictions {
000805 |         }
000806 |         $EditorData {
000807 |             #EditorPos 7.8000002 5.7000003
000808 |         }
000809 |     }
000810 |     $Node AnimNodeSource {
000811 |         "FireJamAnim" "" "WeaponOperations.FireJam" "noloop"
000812 |         $Predictions {
000813 |         }
000814 |         $EditorData {
000815 |             #EditorPos 10.0 5.7000003
000816 |         }
000817 |     }
000818 |     $Node AnimNodeSource {
000819 |         "FireLastAnim" "" "WeaponOperations.FireLast" "noloop"
000820 |         $Predictions {
```



```
000821 |     }
000822 |     $EditorData {
000823 |         #EditorPos 1.5 5.7000003
000824 |     }
000825 | }
000826 | $Node AnimNodeSource {
000827 |     "FireUncocked" "" "WeaponOperations.FireUncocked" "nolooop"
000828 |     $Predictions {
000829 |     }
000830 |     $EditorData {
000831 |         #EditorPos 5.7000003 5.7000003
000832 |     }
000833 | }
000834 | $Node AnimNodeStateMachine {
000835 |     "WeaponFireSTM" ""
000836 |     $States 6 {
000837 |         $State {
000838 |             "Fire" "" "FireAnim" "GetCommandI(CMD_WeaponFire) == 0" "realtime" 1
000839 |             $EditorData {
000840 |                 #EditorPos -0.6 7.3000002
000841 |             }
000842 |         }
000843 |         $State {
000844 |             "FireLast" "" "FireLastAnim" "GetCommandI(CMD_WeaponFire) == 1" "realtime" 1
000845 |             $EditorData {
000846 |                 #EditorPos 1.5 7.3000002
000847 |             }
000848 |         }
000849 |         $State {
000850 |             "FireCocked" "" "FireCockedAnim" "GetCommandI(CMD_WeaponFire) == 2" "realtime" 1
000851 |             $EditorData {
000852 |                 #EditorPos 3.6000001 7.3000002
000853 |             }
000854 |         }
000855 |         $State {
000856 |             "FireUncocked" "" "FireUncocked" "GetCommandI(CMD_WeaponFire) == 3" "realtime" 1
000857 |             $EditorData {
000858 |                 #EditorPos 5.7000003 7.3000002
000859 |             }
000860 |         }
000861 |         $State {
000862 |             "FireEmpty" "" "FireEmptyAutomatic" "GetCommandI(CMD_WeaponFire) == 4" "realtime" 1
000863 |             $EditorData {
000864 |                 #EditorPos 7.8000002 7.3000002
000865 |             }
000866 |         }
000867 |         $State {
000868 |             "FireJam" "" "FireJamAnim" "GetCommandI(CMD_WeaponFire) == 5" "realtime" 1
000869 |             $EditorData {
000870 |                 #EditorPos 10.0 7.3000002
000871 |             }
000872 |         }
000873 |     }
000874 |     $Transitions 0 {
000875 |     }
000876 |     $EditorData {
000877 |         #EditorPos 2.8 8.6000004
000878 |     }
000879 | }
000880 | $Node AnimNodeGroupSelect {
000881 |     "WeaponStanceErc" "" "WeaponFireSTM" "WeaponOperations" "ErcRas"
000882 |     $EditorData {
```

```
000883 |         #EditorPos 1.7 9.9000006
000884 |     }
000885 | }
000886 | $Node AnimNodeStateMachine {
000887 |     "WeaponStanceMaster" "TagWeaponFire"
000888 |     $States 2 {
000889 |         $State {
000890 |             "WeaponStanceErc" "" "WeaponStanceErc" "Stance != 2" "notime" 1
000891 |             $EditorData {
000892 |                 #EditorPos 1.7 11.6999998
000893 |             }
000894 |         }
000895 |         $State {
000896 |             "WeaponStancePne" "" "WeaponStancePne" "Stance == 2" "notime" 1
000897 |             $EditorData {
000898 |                 #EditorPos 4.0999999 11.6999998
000899 |             }
000900 |         }
000901 |     }
000902 |     $Transitions 0 {
000903 |     }
000904 |     $EditorData {
000905 |         #EditorPos 1.3000001 13.1000004
000906 |     }
000907 | }
000908 | $Node AnimNodeGroupSelect {
000909 |     "WeaponStancePne" "" "WeaponFireSTM" "WeaponOperations" "PneRas"
000910 |     $EditorData {
000911 |         #EditorPos 4.0999999 9.9000006
000912 |     }
000913 | }
000914 | }
000915 | }
000916 | }
```

0287. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/gestures.agr
Size bytes: 17249
SHA-256: d4481b2222e7704535fd2731502218deecc914155a738ff8ce0d3df9d7cd8526
Decoded as: utf-8-sig
Line count shown: 661

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Facial" {
000003 |         $Node AnimNodeSource {
000004 |             "FacialAnimAngry" "" "FacialAnger" "loop"
000005 |             $Predictions {
000006 |             }
000007 |             $EditorData {
000008 |                 #EditorPos 5.2000003 2.0
000009 |             }
000010 |         }
000011 |         $Node AnimNodeSource {
000012 |             "FacialAnimConfused" "" "FacialConfused" "loop"
000013 |             $Predictions {
000014 |             }
000015 |             $EditorData {
000016 |                 #EditorPos 6.4000001 2.7
000017 |             }
000018 |         }
000019 |         $Node AnimNodeSource {
000020 |             "FacialAnimDisgusted" "" "FacialDisgusted" "loop"
000021 |             $Predictions {
000022 |             }
000023 |             $EditorData {
000024 |                 #EditorPos 7.5 2.0
000025 |             }
000026 |         }
000027 |         $Node AnimNodeSource {
000028 |             "FacialAnimFear" "" "FacialFear" "loop"
000029 |             $Predictions {
000030 |             }
000031 |             $EditorData {
000032 |                 #EditorPos 8.6999998 2.7
000033 |             }
000034 |         }
000035 |         $Node AnimNodeSource {
000036 |             "FacialAnimHappy" "" "FacialHappy" "loop"
000037 |             $Predictions {
000038 |             }
000039 |             $EditorData {
000040 |                 #EditorPos 9.9000006 2.0
000041 |             }
000042 |         }
000043 |         $Node AnimNodeSource {
000044 |             "FacialAnimJoy" "" "FacialJoy" "loop"
000045 |             $Predictions {
000046 |             }
000047 |             $EditorData {
000048 |                 #EditorPos 12.3000002 2.0
000049 |             }
000050 |         }
000051 |         $Node AnimNodeSource {
```

```
000052 |         "FacialAnimLaughter" "" "FacialLaughter" "loop"
000053 |     $Predictions {
000054 |     }
000055 |     $EditorData {
000056 |         #EditorPos 11.1000004 2.7
000057 |     }
000058 | }
000059 | $Node AnimNodeSource {
000060 |     "FacialAnimNeutral" "" "FacialNeutral" "noloop"
000061 |     $Predictions {
000062 |     }
000063 |     $EditorData {
000064 |         #EditorPos 3.9000001 7.4000001
000065 |     }
000066 | }
000067 | $Node AnimNodeSource {
000068 |     "FacialAnimPain" "" "FacialPain" "loop"
000069 |     $Predictions {
000070 |     }
000071 |     $EditorData {
000072 |         #EditorPos 13.4000006 2.7
000073 |     }
000074 | }
000075 | $Node AnimNodeSource {
000076 |     "FacialAnimSadness" "" "FacialSadness" "loop"
000077 |     $Predictions {
000078 |     }
000079 |     $EditorData {
000080 |         #EditorPos 14.6000004 2.0
000081 |     }
000082 | }
000083 | $Node AnimNodeSource {
000084 |     "FacialAnimSpooked" "" "FacialSpooked" "loop"
000085 |     $Predictions {
000086 |     }
000087 |     $EditorData {
000088 |         #EditorPos 15.8000002 2.7
000089 |     }
000090 | }
000091 | $Node AnimNodeSource {
000092 |     "FacialAnimSurprised" "" "FacialSuprised" "loop"
000093 |     $Predictions {
000094 |     }
000095 |     $EditorData {
000096 |         #EditorPos 17.0 2.0
000097 |     }
000098 | }
000099 | $Node AnimNodeSource {
000100 |     "FacialAnimTired" "" "FacialTired" "loop"
000101 |     $Predictions {
000102 |     }
000103 |     $EditorData {
000104 |         #EditorPos 18.2000008 2.7
000105 |     }
000106 | }
000107 | $Node AnimNodeStateMachine {
000108 |     "FacialMaster" ""
000109 |     $States 3 {
000110 |         $State {
000111 |             "Neutral" "" "FacialAnimNeutral" "True" "realtime" 0
000112 |             $EditorData {
000113 |                 #EditorPos 2.7 9.5
```

```
000114 |     }
000115 | }
000116 | $State {
000117 |     "Other" "" "FacialStateMachine" "False" "notime" 0
000118 |     $EditorData {
000119 |         #EditorPos 5.2000003 9.5
000120 |     }
000121 | }
000122 | $State {
000123 |     "NeutralOut" "" "FacialAnimNeutral" "False" "realtime" 1
000124 |     $EditorData {
000125 |         #EditorPos 7.7000003 9.5
000126 |     }
000127 | }
000128 | }
000129 | $Transitions 2 {
000130 |     $Transition {
000131 |         "Neutral" "Other" "True" "0.2" "" 0 "S"
000132 |     }
000133 |     $Transition {
000134 |         "Other" "NeutralOut" "GetCommandI(CMD_Expression) == -1" "0.2" "" 0 "S"
000135 |     }
000136 | }
000137 | $EditorData {
000138 |     #EditorPos 1.9 10.6999998
000139 | }
000140 | }
000141 | $Node AnimNodeStateMachine {
000142 |     "FacialStateMachine" ""
000143 |     $States 12 {
000144 |         $State {
000145 |             "Angry" "" "FacialAnimAngry" "GetCommandI(CMD_Expression) == 0" "realtime" 0
000146 |             $EditorData {
000147 |                 #EditorPos 5.2000003 4.4000001
000148 |             }
000149 |         }
000150 |         $State {
000151 |             "Confused" "" "FacialAnimConfused" "GetCommandI(CMD_Expression) == 1" "realtime" 0
000152 |             $EditorData {
000153 |                 #EditorPos 6.4000001 5.0999999
000154 |             }
000155 |         }
000156 |         $State {
000157 |             "Disgusted" "" "FacialAnimDisgusted" "GetCommandI(CMD_Expression) == 2" "realtime" 0
000158 |             $EditorData {
000159 |                 #EditorPos 7.5 4.4000001
000160 |             }
000161 |         }
000162 |         $State {
000163 |             "Fear" "" "FacialAnimFear" "GetCommandI(CMD_Expression) == 3" "realtime" 0
000164 |             $EditorData {
000165 |                 #EditorPos 8.6999998 5.0999999
000166 |             }
000167 |         }
000168 |         $State {
000169 |             "Happy" "" "FacialAnimHappy" "GetCommandI(CMD_Expression) == 4" "realtime" 0
000170 |             $EditorData {
000171 |                 #EditorPos 9.9000006 4.4000001
000172 |             }
000173 |         }
000174 |         $State {
000175 |             "Joy" "" "FacialAnimJoy" "GetCommandI(CMD_Expression) == 6" "realtime" 0
```

```
000176 |         $EditorData {
000177 |             #EditorPos 12.3000002 4.4000001
000178 |         }
000179 |     }
000180 |     $State {
000181 |         "Laughter" "" "FacialAnimLaughter" "GetCommandI(CMD_Expression) == 5" "realtime" 0
000182 |         $EditorData {
000183 |             #EditorPos 11.1000004 5.0999999
000184 |         }
000185 |     }
000186 |     $State {
000187 |         "Pain" "" "FacialAnimPain" "GetCommandI(CMD_Expression) == 7" "realtime" 0
000188 |         $EditorData {
000189 |             #EditorPos 13.4000006 5.0999999
000190 |         }
000191 |     }
000192 |     $State {
000193 |         "Sadness" "" "FacialAnimSadness" "GetCommandI(CMD_Expression) == 8" "realtime" 0
000194 |         $EditorData {
000195 |             #EditorPos 14.6000004 4.4000001
000196 |         }
000197 |     }
000198 |     $State {
000199 |         "Spooked" "" "FacialAnimSpooked" "GetCommandI(CMD_Expression) == 9" "realtime" 0
000200 |         $EditorData {
000201 |             #EditorPos 15.8000002 5.0999999
000202 |         }
000203 |     }
000204 |     $State {
000205 |         "Surprised" "" "FacialAnimSurprised" "GetCommandI(CMD_Expression) == 10" "realtime" 0
000206 |         $EditorData {
000207 |             #EditorPos 17.0 4.4000001
000208 |         }
000209 |     }
000210 |     $State {
000211 |         "Tired" "" "FacialAnimTired" "GetCommandI(CMD_Expression) == 11" "realtime" 0
000212 |         $EditorData {
000213 |             #EditorPos 18.2000008 5.0999999
000214 |         }
000215 |     }
000216 | }
000217 | $Transitions 0 {
000218 | }
000219 | $EditorData {
000220 |     #EditorPos 5.2000003 6.3000002
000221 | }
000222 | }
000223 | }
000224 | $Sheet "Unconscious" {
000225 |     $Node AnimNodeSource {
000226 |         "FacialUnconsciousAnim" "" "FacialUnconscious" "loop"
000227 |         $Predictions {
000228 |         }
000229 |         $EditorData {
000230 |             #EditorPos 2.5 16.6000004
000231 |         }
000232 |     }
000233 |     $Node AnimNodeSource {
000234 |         "UnconDeepOutAnim" "" "Unconscious.WaterDeep.Out" "noloop"
000235 |         $Predictions {
000236 |         }
000237 |         $EditorData {
```

```
000238 |         #EditorPos 9.6000004 6.8000002
000239 |     }
000240 | }
000241 | $Node AnimNodeSource {
000242 |     "UnconFastBAnim" "" "Unconscious.InFastB" "noloop"
000243 |     $Predictions {
000244 |     }
000245 |     $EditorData {
000246 |         #EditorPos -4.5 -5.0999999
000247 |     }
000248 | }
000249 | $Node AnimNodeSource {
000250 |     "UnconFastFAnim" "" "Unconscious.InFastF" "noloop"
000251 |     $Predictions {
000252 |     }
000253 |     $EditorData {
000254 |         #EditorPos -6.7000003 -5.0999999
000255 |     }
000256 | }
000257 | $Node AnimNodeSource {
000258 |     "UnconFastLAnim" "" "Unconscious.InFastL" "noloop"
000259 |     $Predictions {
000260 |     }
000261 |     $EditorData {
000262 |         #EditorPos -0.1 -5.0999999
000263 |     }
000264 | }
000265 | $Node AnimNodeSource {
000266 |     "UnconFastRAnim" "" "Unconscious.InFastR" "noloop"
000267 |     $Predictions {
000268 |     }
000269 |     $EditorData {
000270 |         #EditorPos -2.3 -5.0999999
000271 |     }
000272 | }
000273 | $Node AnimNodeSource {
000274 |     "UnconInAnim" "" "Unconscious.InSlow" "noloop"
000275 |     $Predictions {
000276 |     }
000277 |     $EditorData {
000278 |         #EditorPos 3.2 -5.0999999
000279 |     }
000280 | }
000281 | $Node AnimNodeGroupSelect {
000282 |     "UnconInDeepG" "" "UnconsciousInDirSTM" "Unconscious" "WaterDeep"
000283 |     $EditorData {
000284 |         #EditorPos -3.3 8.3000002
000285 |     }
000286 | }
000287 | $Node AnimNodeBlendT {
000288 |     "UnconInShallowT" "" "UnconShallowCroG" "UnconShallowErcG" "" "" "Stance == 0" 0.3 "S" 3
000289 |     $EditorData {
000290 |         #EditorPos -1.0 8.3000002
000291 |     }
000292 | }
000293 | $Node AnimNodeGroupSelect {
000294 |     "UnconInWaterG" "" "UnconsciousInDirSTM" "Unconscious" "Water"
000295 |     $EditorData {
000296 |         #EditorPos -5.5999999 8.3000002
000297 |     }
000298 | }
000299 | $Node AnimNodeSource {
```

```
000300 |         "UnconLandIdleAnim" "" "Unconscious.Pne.Loop" "loop"
000301 |     $Predictions {
000302 |     }
000303 |     $EditorData {
000304 |         #EditorPos 4.2000003 6.5999999
000305 |     }
000306 | }
000307 | $Node AnimNodeSource {
000308 |     "UnconLandOutAnim" "" "Unconscious.Pne.Out" "noloop"
000309 |     $Predictions {
000310 |     }
000311 |     $EditorData {
000312 |         #EditorPos 6.8000002 8.1999998
000313 |     }
000314 | }
000315 | $Node AnimNodeGroupSelect {
000316 |     "UnconShallowCroG" "" "Unconscious.InDirSTM" "Unconscious" "WaterShallowCro"
000317 |     $EditorData {
000318 |         #EditorPos -2.1000001 7.5
000319 |     }
000320 | }
000321 | $Node AnimNodeGroupSelect {
000322 |     "UnconShallowErcG" "" "Unconscious.InDirSTM" "Unconscious" "WaterShallowErc"
000323 |     $EditorData {
000324 |         #EditorPos 0.1 7.5
000325 |     }
000326 | }
000327 | $Node AnimNodeSource {
000328 |     "UnconShallowIdleAnim" "" "Unconscious.WaterShallowCro.Loop" "loop"
000329 |     $Predictions {
000330 |     }
000331 |     $EditorData {
000332 |         #EditorPos 4.2000003 7.4000001
000333 |     }
000334 | }
000335 | $Node AnimNodeSource {
000336 |     "UnconShallowOutAnim" "" "Unconscious.WaterShallowCro.Out" "noloop"
000337 |     $Predictions {
000338 |     }
000339 |     $EditorData {
000340 |         #EditorPos 8.1999998 7.5
000341 |     }
000342 | }
000343 | $Node AnimNodeSource {
000344 |     "UnconSinkAnim" "" "Unconscious.Water.Death" "noloop"
000345 |     $Predictions {
000346 |     }
000347 |     $EditorData {
000348 |         #EditorPos 12.5 5.4000001
000349 |     }
000350 | }
000351 | $Node AnimNodeSource {
000352 |     "UnconWalkBInAnim" "" "Unconscious.InWalkBSlow" "noloop"
000353 |     $Predictions {
000354 |     }
000355 |     $EditorData {
000356 |         #EditorPos 7.7000003 -5.0999999
000357 |     }
000358 | }
000359 | $Node AnimNodeSource {
000360 |     "UnconWalkFInAnim" "" "Unconscious.InWalkFSlow" "noloop"
000361 |     $Predictions {
```



```
000362 |     }
000363 |     $EditorData {
000364 |         #EditorPos 5.5 -5.0999999
000365 |     }
000366 | }
000367 | $Node AnimNodeSource {
000368 |     "UnconWalkLInAnim" "" "Unconscious.InWalkLSlow" "noloop"
000369 |     $Predictions {
000370 |     }
000371 |     $EditorData {
000372 |         #EditorPos 12.1000004 -5.0999999
000373 |     }
000374 | }
000375 | $Node AnimNodeSource {
000376 |     "UnconWalkRInAnim" "" "Unconscious.InWalkRSlow" "noloop"
000377 |     $Predictions {
000378 |     }
000379 |     $EditorData {
000380 |         #EditorPos 9.9000006 -5.0999999
000381 |     }
000382 | }
000383 | $Node AnimNodeSource {
000384 |     "UnconWaterIdleAnim" "" "Unconscious.Water.Loop" "loop"
000385 |     $Predictions {
000386 |     }
000387 |     $EditorData {
000388 |         #EditorPos 4.2000003 8.1999998
000389 |     }
000390 | }
000391 | $Node AnimNodeSource {
000392 |     "UnconWaterOutAnim" "" "Unconscious.Water.Out" "noloop"
000393 |     $Predictions {
000394 |     }
000395 |     $EditorData {
000396 |         #EditorPos 11.0 6.0999999
000397 |     }
000398 | }
000399 | $Node AnimNodeGroupSelect {
000400 |     "UnconsciousCroLowG" "" "UnconsciousInDirSTM" "Unconscious" "Cro"
000401 |     $EditorData {
000402 |         #EditorPos 5.5 0.7
000403 |     }
000404 | }
000405 | $Node AnimNodeGroupSelect {
000406 |     "UnconsciousErcLowG" "" "UnconsciousInDirSTM" "Unconscious" "Erc"
000407 |     $EditorData {
000408 |         #EditorPos 1.9 0.7
000409 |     }
000410 | }
000411 | $Node AnimNodeBlend {
000412 |     "UnconsciousFacialB" "" "0.0" "UnconsciousMaster" "FacialUnconsciousAnim" 0
000413 |     $EditorData {
000414 |         #EditorPos 1.4 17.8000011
000415 |     }
000416 | }
000417 | $Node AnimNodeWeaponIK {
000418 |     "UnconsciousIK" "" "UnconsciousFacialB" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.3 0.2 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest"
000419 |     "// ik pose anim
000420 |     // (root - means RightHand - but right hand is not exported)
000421 |     // |- RightHand_Dummy (where Weapon is)
000422 |     // |
000423 |     // |     |- LeftHandIKTarget (where left hand is on weapon)
000424 |     // |
000425 |     // |- RightHandOrigin ( inverse transform where hand originally was)
```

```

000423 |
000424 | // basic setup -
000425 | // hand - bone which represents hand holding weapon
000426 | // weapon - bone which represents weapon node in hand
000427 | // weaponrotator - bone - around which weapon rotates
000428 | hand = RightHand
000429 | weapon = RightHand_Dummy
000430 | weaponrotator = RightArm
000431 | weaponaxis= -x
000432 |
000433 | ///!
000434 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000435 | chainaxis=-x
000436 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000437 | secchainaxis=+x
000438 |
000439 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
000440 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
000441 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
000442 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
000443 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
000444 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
000445 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
000446 |
000447 | "
000448 |     $EditorData {
000449 |         #EditorPos 1.4 19.1000004
000450 |     }
000451 | }
000452 | $Node AnimNodeStateMachine {
000453 |     "UnconsciousInDirSTM" ""
000454 |     $States 9 {
000455 |         $State {
000456 |             "SlowIn" "" "UnconInAnim" "GetCommandF(CMD_Unconscious) == 1 && MovementSpeed == 0" "realtime" 1
000457 |             $EditorData {
000458 |                 #EditorPos 3.2 -3.3
000459 |             }
000460 |         }
000461 |         $State {
000462 |             "SlowWalkF" "" "UnconWalkFInAnim" "GetCommandF(CMD_Unconscious) == 1 && MovementSpeed > 0 && inRange(MovementDirection, -45.0, 45.0)" "realtime" 1
000463 |             $EditorData {
000464 |                 #EditorPos 5.5 -3.3
000465 |             }
000466 |         }
000467 |         $State {
000468 |             "SlowWalkB" "" "UnconWalkBInAnim" "GetCommandF(CMD_Unconscious) == 1 && MovementSpeed > 0 && (MovementDirection > 135 || MovementDirection <
-135)" "realtime" 1
000469 |             $EditorData {
000470 |                 #EditorPos 7.7000003 -3.3
000471 |             }
000472 |         }
000473 |         $State {
000474 |             "SlowWalkR" "" "UnconWalkRInAnim" "GetCommandF(CMD_Unconscious) == 1 && MovementSpeed > 0 && inRange(MovementDirection, 45.0, 135.0)" "realtime" 1
000475 |             $EditorData {
000476 |                 #EditorPos 9.9000006 -3.3
000477 |             }
000478 |         }
000479 |         $State {
000480 |             "SlowWalkL" "" "UnconWalkLInAnim" "GetCommandF(CMD_Unconscious) == 1 && MovementSpeed > 0 && inRange(MovementDirection, -135.0, -45.0)" "realtime" 1

```

```
000481 |             $EditorData {
000482 |                 #EditorPos 12.1000004 -3.3
000483 |             }
000484 |         }
000485 |     $State {
000486 |         "FastFoward" "" "UnconFastFAnim" "GetCommandF(CMD_Unconscious) == 0 && inRange(DamageDirection, -45.0, 45.0)" "realtime" 1
000487 |         $EditorData {
000488 |             #EditorPos -6.7000003 -3.3
000489 |         }
000490 |     }
000491 |     $State {
000492 |         "FastBack" "" "UnconFastBAnim" "GetCommandF(CMD_Unconscious) == 0 && (DamageDirection < -135 || DamageDirection > 135)" "realtime" 1
000493 |         $EditorData {
000494 |             #EditorPos -4.5 -3.3
000495 |         }
000496 |     }
000497 |     $State {
000498 |         "FastRight" "" "UnconFastRAnim" "GetCommandF(CMD_Unconscious) == 0 && inRange(DamageDirection, 45.0, 135.0)" "realtime" 1
000499 |         $EditorData {
000500 |             #EditorPos -2.3 -3.3
000501 |         }
000502 |     }
000503 |     $State {
000504 |         "FastLeft" "" "UnconFastLAnim" "GetCommandF(CMD_Unconscious) == 0 && inRange(DamageDirection, -135.0, -45.0)" "realtime" 1
000505 |         $EditorData {
000506 |             #EditorPos -0.1 -3.3
000507 |         }
000508 |     }
000509 | }
000510 | $Transitions 0 {
000511 | }
000512 | $EditorData {
000513 |     #EditorPos -2.7 -2.2
000514 | }
000515 | }
000516 | $Node AnimNodeStateMachine {
000517 |     "UnconsciousMaster" "TagUnconscious"
000518 |     $States 12 {
000519 |         $State {
000520 |             "InLand" "TagUnconsciousLand" "UnconsciousStanceSTM" "True" "notime" 0
000521 |             $EditorData {
000522 |                 #EditorPos 1.5 10.0
000523 |             }
000524 |         }
000525 |         $State {
000526 |             "IdleLand" "TagUnconsciousLand" "UnconLandIdleAnim" "False" "realtime" 0
000527 |             $EditorData {
000528 |                 #EditorPos 4.2000003 9.6999998
000529 |             }
000530 |         }
000531 |         $State {
000532 |             "OutLand" "TagUnconsciousLand" "UnconLandOutAnim" "False" "realtime" 1
000533 |             $EditorData {
000534 |                 #EditorPos 6.8000002 10.0
000535 |             }
000536 |         }
000537 |         $State {
000538 |             "InWater" "" "UnconInWaterG" "GetCommandI(CMD_Unconscious) == 3 && False" "realtime" 0
000539 |             $EditorData {
000540 |                 #EditorPos -5.5999999 12.4000006
000541 |             }
000542 |         }
000542 |     }
```

```
000543 |         $State {
000544 |             "IdleWater" "" "UnconWaterIdleAnim" "False" "realtime" 0
000545 |             $EditorData {
000546 |                 #EditorPos 4.2000003 12.4000006
000547 |             }
000548 |         }
000549 |         $State {
000550 |             "OutWater" "TagUnconsciousWater" "UnconWaterOutAnim" "False" "realtime" 1
000551 |             $EditorData {
000552 |                 #EditorPos 11.0 12.4000006
000553 |             }
000554 |         }
000555 |         $State {
000556 |             "OutShallowWater" "TagUnconsciousShallow" "UnconShallowOutAnim" "False" "realtime" 1
000557 |             $EditorData {
000558 |                 #EditorPos 8.1999998 10.8000002
000559 |             }
000560 |         }
000561 |         $State {
000562 |             "IdleShallowWater" "" "UnconShallowIdleAnim" "False" "realtime" 0
000563 |             $EditorData {
000564 |                 #EditorPos 4.2000003 11.1999998
000565 |             }
000566 |         }
000567 |         $State {
000568 |             "InShallowWater" "" "UnconInShallowT" "GetCommandI(CMD_Unconscious) == 1 && False" "realtime" 0
000569 |             $EditorData {
000570 |                 #EditorPos -1.0 10.8000002
000571 |             }
000572 |         }
000573 |         $State {
000574 |             "OutSinkWater" "" "UnconSinkAnim" "False" "realtime" 0
000575 |             $EditorData {
000576 |                 #EditorPos 12.5 13.1999998
000577 |             }
000578 |         }
000579 |         $State {
000580 |             "InDeepWater" "" "UnconInDeepG" "GetCommandI(CMD_Unconscious) == 2 && False" "realtime" 1
000581 |             $EditorData {
000582 |                 #EditorPos -3.3 11.6000004
000583 |             }
000584 |         }
000585 |         $State {
000586 |             "OutDeepWater" "" "UnconDeepOutAnim" "" "realtime" 1
000587 |             $EditorData {
000588 |                 #EditorPos 9.6000004 11.6000004
000589 |             }
000590 |         }
000591 |     }
000592 |     $Transitions 9 {
000593 |         $Transition {
000594 |             "InLand" "IdleLand" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
000595 |         }
000596 |         $Transition {
000597 |             "InWater" "IdleWater" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
000598 |         }
000599 |         $Transition {
000600 |             "IdleLand" "OutLand" "IsCommand(CMD_Unconscious_Exit)" "0.3" "" 0 "S"
000601 |         }
000602 |         $Transition {
000603 |             "InShallowWater" "IdleShallowWater" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
000604 |         }
000604 |     }
```

```
000605 |         $Transition {
000606 |             "IdleWater" "OutWater" "IsCommand(CMD_Unconscious_Exit)" "0.2" "" 0 "S"
000607 |         }
000608 |         $Transition {
000609 |             "IdleWater" "OutSinkWater" "false" "" "" 0 "S"
000610 |         }
000611 |         $Transition {
000612 |             "InDeepWater" "IdleWater" "false" "" "" 0 "S"
000613 |         }
000614 |         $Transition {
000615 |             "IdleWater" "OutDeepWater" "false" "" "" 0 "S"
000616 |         }
000617 |         $Transition {
000618 |             "InLand" "OutLand" "IsCommand(CMD_Unconscious_Exit)" "0.3" "" 0 "S"
000619 |         }
000620 |     }
000621 |     $EditorData {
000622 |         #EditorPos 1.4 14.9000006
000623 |     }
000624 | }
000625 | $Node AnimNodeGroupSelect {
000626 |     "UnconsciousPneLowG" "" "UnconsciousInDirSTM" "Unconscious" "Pne"
000627 |     $EditorData {
000628 |         #EditorPos 8.8000002 0.7
000629 |     }
000630 | }
000631 | $Node AnimNodeStateMachine {
000632 |     "UnconsciousStanceSTM" ""
000633 |     $States 3 {
000634 |         $State {
000635 |             "Erc" "" "UnconsciousErcLowG" "Stance == 0" "notime" 1
000636 |             $EditorData {
000637 |                 #EditorPos 1.9 2.8
000638 |             }
000639 |         }
000640 |         $State {
000641 |             "Cro" "" "UnconsciousCroLowG" "Stance == 1" "notime" 1
000642 |             $EditorData {
000643 |                 #EditorPos 5.5 2.8
000644 |             }
000645 |         }
000646 |         $State {
000647 |             "Pne" "" "UnconsciousPneLowG" "Stance == 2" "notime" 1
000648 |             $EditorData {
000649 |                 #EditorPos 8.8000002 2.8
000650 |             }
000651 |         }
000652 |     }
000653 |     $Transitions 0 {
000654 |     }
000655 |     $EditorData {
000656 |         #EditorPos 1.5 4.0
000657 |     }
000658 | }
000659 | }
000660 | }
000661 | }
```

0288. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/locomotion.agr
Size bytes: 242958
SHA-256: 7d3e18cb760f53ee3a3ad85bf57b669620bb462177c48041c3571614e660698b
Decoded as: utf-8-sig
Line count shown: 9045

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Movements" {
000003 |         $Node AnimNodeSource {
000004 |             "1hdBackLHideAnim" "" "WeaponChange.1HDLeftBackSlotHide" "noloop"
000005 |             $Predictions {
000006 |             }
000007 |             $EditorData {
000008 |                 #EditorPos -24.0 4.5999999
000009 |             }
000010 |         }
000011 |         $Node AnimNodeSource {
000012 |             "1hdBackLShowAnim" "" "WeaponChange.1HDLeftBackSlotShow" "noloop"
000013 |             $Predictions {
000014 |             }
000015 |             $EditorData {
000016 |                 #EditorPos -25.2000008 3.9000001
000017 |             }
000018 |         }
000019 |         $Node AnimNodeSource {
000020 |             "1hdBackRHideAnim" "" "WeaponChange.1HDRightBackSlotHide" "noloop"
000021 |             $Predictions {
000022 |             }
000023 |             $EditorData {
000024 |                 #EditorPos -15.1999998 4.5999999
000025 |             }
000026 |         }
000027 |         $Node AnimNodeSource {
000028 |             "1hdBackRShowAnim" "" "WeaponChange.1HDRightBackSlotShow" "noloop"
000029 |             $Predictions {
000030 |             }
000031 |             $EditorData {
000032 |                 #EditorPos -16.3999996 3.9000001
000033 |             }
000034 |         }
000035 |         $Node AnimNodeSource {
000036 |             "2HDBackLHideAnim" "" "WeaponChange.2HDLeftBackSlotHide" "noloop"
000037 |             $Predictions {
000038 |             }
000039 |             $EditorData {
000040 |                 #EditorPos -28.8000011 4.5999999
000041 |             }
000042 |         }
000043 |         $Node AnimNodeSource {
000044 |             "2HDBackLShowAnim" "" "WeaponChange.2HDLeftBackSlotShow" "noloop"
000045 |             $Predictions {
000046 |             }
000047 |             $EditorData {
000048 |                 #EditorPos -30.0 3.9000001
000049 |             }
000050 |         }
000051 |         $Node AnimNodeSource {
```

```

000052 |         "2HDBackRHideAnim" "" "WeaponChange.2HDRightBackSlotHide" "nolop"
000053 |     $Predictions {
000054 |     }
000055 |     $EditorData {
000056 |         #EditorPos -20.0 4.5999999
000057 |     }
000058 | }
000059 | $Node AnimNodeSource {
000060 |     "2HDBackRShowAnim" "" "WeaponChange.2HDRightBackSlotShow" "nolop"
000061 |     $Predictions {
000062 |     }
000063 |     $EditorData {
000064 |         #EditorPos -21.2000008 3.9000001
000065 |     }
000066 | }
000067 | $Node AnimNodeSource {
000068 |     "AimObstructionAnim" "" "WeaponOperations.ErcRas.Obstruction" "loop"
000069 |     $Predictions {
000070 |     }
000071 |     $EditorData {
000072 |         #EditorPos 3.7 7.5
000073 |     }
000074 | }
000075 | $Node AnimNodeBlendTAdd {
000076 |     "AimObstructionT" "" "WeaponFireQ" "AimObstructionAnim" "GetCommandI(CMD_Weapon_Obstruction) == 0" "GetCommandI(CMD_Weapon_Obstruction) == -1" "" 0.3
    "S" 0
000077 |     $EditorData {
000078 |         #EditorPos 2.7 8.4000006
000079 |     }
000080 | }
000081 | $Node AnimNodeBlendT {
000082 |     "AnimNodeBlendT" "" "ThrowWalkT" "ThrowPneWalkG" "" "" "Stance == 2" 0.3 "S" 3
000083 |     $EditorData {
000084 |         #EditorPos -63.2000008 -42.7000008
000085 |     }
000086 | }
000087 | $Node AnimNodeBlendT {
000088 |     "AnimNodeBlendT1" "" "ThrowInPneAnim" "ThrowInPoBAnim" "" "" "ThrowingOnBack" 0.3 "S" 3
000089 |     $EditorData {
000090 |         #EditorPos -55.9000015 -31.8999996
000091 |     }
000092 | }
000093 | $Node AnimNodeBlendT {
000094 |     "AnimNodeBlendT2" "" "ThrowCancelAnimErc" "ThrowCancelAnimCro" "" "" "Stance == 1" 0.3 "S" 3
000095 |     $EditorData {
000096 |         #EditorPos -76.4000015 -40.2000008
000097 |     }
000098 | }
000099 | $Node AnimNodeBlendT {
000100 |     "AnimNodeBlendT3" "" "AnimNodeBlendT2" "ThrowCancelAnimPne" "" "" "Stance == 2" 0.3 "S" 3
000101 |     $EditorData {
000102 |         #EditorPos -74.5999985 -39.5
000103 |     }
000104 | }
000105 | $Node AnimNodePose2 {
000106 |     "AnimNodePose2" "" "Throw.PoB.AimPose" "eAI_AimY" "eAI_AimX" "Y(-45): X(-45) = 2, X(0) = 1, X(45) = 0
000107 | Y(0): X(-45) = 5, X(0) = 4, X(45) = 3
000108 | Y(45): X(-45) = 8, X(0) = 7, X(45) = 6"
000109 |     $EditorData {
000110 |         #EditorPos -52.9000015 -45.5
000111 |     }
000112 | }

```

```
000113 |     $Node AnimNodePose2 {
000114 |         "AnimNodePose20" "" "Throw.PoB.AimPose" "eAI_AimY" "eAI_AimX" "Y(-45): X(-45) = 1, X(0) = 1, X(45) = 1
000115 | Y(0): X(-45) = 4, X(0) = 4, X(45) = 4
000116 | Y(45): X(-45) = 7, X(0) = 7, X(45) = 7"
000117 |     $EditorData {
000118 |         #EditorPos -50.2999992 -45.5
000119 |     }
000120 | }
000121 | $Node AnimNodeSource {
000122 |     "AnimNodeSource" "" "FacialHappy" "noloop"
000123 |     $Predictions {
000124 |     }
000125 |     $EditorData {
000126 |         #EditorPos -28.8000011 -57.2000008
000127 |     }
000128 | }
000129 | $Node AnimNodeBlendTAdd {
000130 |     "CroADST" "" "CroWalkAimBlend" "CroADSWalkPose" "" "" "ADS" 0.3 "S" 0
000131 |     $EditorData {
000132 |         #EditorPos 25.6000004 -52.5
000133 |     }
000134 | }
000135 | $Node AnimNodeIK2 {
000136 |     "CroIdleLowArmIK" "" "CroIdleLowG" "///! global values
000137 | weight = 1.0
000138 |
000139 | LHandIKTarget
000140 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000141 | chainAxis = +x
000142 |
000143 | RHandIKTarget
000144 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000145 | chainAxis = -x"
000146 |     $EditorData {
000147 |         #EditorPos -33.6000023 -58.0
000148 |     }
000149 | }
000150 | $Node AnimNodeGroupSelect {
000151 |     "CroIdleLowG" "" "CroIdleLowInjG" "Locomotion" "Cro"
000152 |     $EditorData {
000153 |         #EditorPos -33.6000023 -58.9000015
000154 |     }
000155 | }
000156 | $Node AnimNodeGroupSelect {
000157 |     "CroIdleLowInjG" "" "IdleSTM" "LocomotionInjured" "Cro"
000158 |     $EditorData {
000159 |         #EditorPos -33.6000023 -59.6000023
000160 |     }
000161 | }
000162 | $Node AnimNodeGroupSelect {
000163 |     "CroIdleRasG" "" "CroIdleRasInjG" "Locomotion" "CroRas"
000164 |     $EditorData {
000165 |         #EditorPos 36.9000015 -48.2000008
000166 |     }
000167 | }
000168 | $Node AnimNodeGroupSelect {
000169 |     "CroIdleRasInjG" "" "IdleRasAimBlend" "LocomotionInjured" "CroRas"
000170 |     $EditorData {
000171 |         #EditorPos 36.9000015 -49.0
000172 |     }
000173 | }
000174 | $Node AnimNodeBlendTAdd {
```



```
000175 |         "CroMoveLookHeadT" "" "CroMoveRasIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 0
000176 |     $EditorData {
000177 |         #EditorPos 25.6000004 -50.7000008
000178 |     }
000179 | }
000180 | $Node AnimNodeIK2 {
000181 |     "CroMoveLowArmIK" "" "CroMoveLowG" "///! global values
000182 | weight = 1.0
000183 |
000184 | LHandIKTarget
000185 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000186 | chainAxis = +x
000187 |
000188 | RHandIKTarget
000189 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000190 | chainAxis = -x"
000191 |     $EditorData {
000192 |         #EditorPos -14.8000002 -58.4000015
000193 |     }
000194 | }
000195 | $Node AnimNodeGroupSelect {
000196 |     "CroMoveLowG" "" "CroMoveLowInjG" "Locomotion" "Cro"
000197 |     $EditorData {
000198 |         #EditorPos -14.8000002 -59.2000008
000199 |     }
000200 | }
000201 | $Node AnimNodeIK2Target {
000202 |     "CroMoveLowIKT" "" "CroVar" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
000203 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
000204 |     $EditorData {
000205 |         #EditorPos -14.8000002 -62.7999992
000206 |     }
000207 | }
000208 | $Node AnimNodeGroupSelect {
000209 |     "CroMoveLowInjG" "" "CroMoveLowLookT" "LocomotionInjured" "Cro"
000210 |     $EditorData {
000211 |         #EditorPos -14.8000002 -59.9000015
000212 |     }
000213 | }
000214 | $Node AnimNodeBlendTAdd {
000215 |     "CroMoveLowLookT" "" "CroMoveLowIKT" "MoveLookPose" "" "" "Look" 0.3 "S" 0
000216 |     $EditorData {
000217 |         #EditorPos -14.8000002 -60.7999992
000218 |     }
000219 | }
000220 | $Node AnimNodeGroupSelect {
000221 |     "CroMoveRasG" "" "CroMoveRasInjG" "Locomotion" "CroRas"
000222 |     $EditorData {
000223 |         #EditorPos 25.6000004 -47.7999992
000224 |     }
000225 | }
000226 | $Node AnimNodeIK2Target {
000227 |     "CroMoveRasIKTarget" "" "CroADST" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
000228 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
000229 |     $EditorData {
000230 |         #EditorPos 25.6000004 -51.7000008
000231 |     }
000232 | }
000233 | $Node AnimNodeGroupSelect {
000234 |     "CroMoveRasInjG" "" "LeanMoveCroRasRight" "LocomotionInjured" "CroRas"
000235 |     $EditorData {
000236 |         #EditorPos 25.6000004 -48.5
```

```
000237 |     }
000238 | }
000239 | $Node AnimNodeBlend {
000240 |     "CroRunSprintBlend" "" "clamp((MovementSpeed-2)*(1-Injured), 0.0, 1.0)" "WalkBlendSTM" "SprintCyclic" 3
000241 |     $EditorData {
000242 |         #EditorPos 3.5 -76.9000015
000243 |     }
000244 | }
000245 | $Node AnimNodeGroupSelect {
000246 |     "CroThrowOutG" "" "ThrowOutAimB" "Throw" "Cro"
000247 |     $EditorData {
000248 |         #EditorPos -56.2999992 -42.4000015
000249 |     }
000250 | }
000251 | $Node AnimNodeGroupSelect {
000252 |     "CroToErcLowG" "" "CroToErcLowInjG" "Locomotion" "Cro"
000253 |     $EditorData {
000254 |         #EditorPos 12.4000006 -51.7000008
000255 |     }
000256 | }
000257 | $Node AnimNodeGroupSelect {
000258 |     "CroToErcLowInjG" "" "CroToErcLowLookT" "LocomotionInjured" "Cro"
000259 |     $EditorData {
000260 |         #EditorPos 12.4000006 -52.5
000261 |     }
000262 | }
000263 | $Node AnimNodeBlendTAdd {
000264 |     "CroToErcLowLookT" "" "CroToErcLowLookT2" "CroLookBlend" "" "" "Look && GetRemainingTime() > 0.35" 0.2 "S" 0
000265 |     $EditorData {
000266 |         #EditorPos 12.4000006 -53.2999992
000267 |     }
000268 | }
000269 | $Node AnimNodeBlendTAdd {
000270 |     "CroToErcLowLookT2" "" "GoErectIKTarget" "ErcLookBlend" "" "" "Look && GetRemainingTime() <= 0.35" 0.2 "S" 0
000271 |     $EditorData {
000272 |         #EditorPos 12.4000006 -54.2999992
000273 |     }
000274 | }
000275 | $Node AnimNodeBlendTAdd {
000276 |     "CroToErcRasADST" "" "CroToErcRasADST2" "CroADSPose" "" "" "ADS && GetRemainingTime() > 0.35" 0.35 "S" 0
000277 |     $EditorData {
000278 |         #EditorPos 14.6000004 -53.2999992
000279 |     }
000280 | }
000281 | $Node AnimNodeBlendTAdd {
000282 |     "CroToErcRasADST2" "" "CroToErcRasAim" "ErcADSPose" "" "" "ADS && GetRemainingTime() <= 0.35" 0.35 "S" 0
000283 |     $EditorData {
000284 |         #EditorPos 14.6000004 -54.2999992
000285 |     }
000286 | }
000287 | $Node AnimNodeBlend {
000288 |     "CroToErcRasAim" "" "1.0" "CroToErcRasLookT" "AimObstBlend" 1
000289 |     $EditorData {
000290 |         #EditorPos 14.6000004 -55.4000015
000291 |     }
000292 | }
000293 | $Node AnimNodeGroupSelect {
000294 |     "CroToErcRasG" "" "CroToErcRasInjG" "Locomotion" "CroRas"
000295 |     $EditorData {
000296 |         #EditorPos 14.6000004 -51.7000008
000297 |     }
000298 | }
```

```
000299 |     $Node AnimNodeGroupSelect {
000300 |         "CroToErcRasInjG" "" "CroToErcRasADST" "LocomotionInjured" "CroRas"
000301 |         $EditorData {
000302 |             #EditorPos 14.6000004 -52.5
000303 |         }
000304 |     }
000305 |     $Node AnimNodeBlendT {
000306 |         "CroToErcRasLookT" "" "GoErectIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 1
000307 |         $EditorData {
000308 |             #EditorPos 14.6000004 -56.4000015
000309 |         }
000310 |     }
000311 |     $Node AnimNodeBlendT {
000312 |         "CroToErcT" "" "CroToErcLowG" "CroToErcRasG" "" "" "eAI_Raised" 0.4 "S" 7
000313 |         $EditorData {
000314 |             #EditorPos 13.5 -50.9000015
000315 |         }
000316 |     }
000317 |     $Node AnimNodeSourceSync {
000318 |         "CroToErcThrowAnim" "" "Throw.Cro.ToErect" "nolop" "Transitions"
000319 |         $Predictions {
000320 |         }
000321 |         $EditorData {
000322 |             #EditorPos -83.4000015 -52.5
000323 |         }
000324 |     }
000325 |     $Node AnimNodeGroupSelect {
000326 |         "CroToPneLowG" "" "CroToPneLowInjG" "Locomotion" "Cro"
000327 |         $EditorData {
000328 |             #EditorPos 0.3 -51.2999992
000329 |         }
000330 |     }
000331 |     $Node AnimNodeGroupSelect {
000332 |         "CroToPneLowInjG" "" "CroToPneLowLookT" "LocomotionInjured" "Cro"
000333 |         $EditorData {
000334 |             #EditorPos 0.3 -52.0
000335 |         }
000336 |     }
000337 |     $Node AnimNodeBlendTAdd {
000338 |         "CroToPneLowLookT" "" "CroToPneLowLookT2" "CroLookBlend" "" "" "Look && GetRemainingTime() > 1.0" 0.4 "S" 0
000339 |         $EditorData {
000340 |             #EditorPos 0.3 -52.7999992
000341 |         }
000342 |     }
000343 |     $Node AnimNodeBlendTAdd {
000344 |         "CroToPneLowLookT2" "" "GoProneIKTarget" "MoveLookPose" "" "" "Look && GetRemainingTime() <= 1.0" 0.4 "S" 0
000345 |         $EditorData {
000346 |             #EditorPos 0.3 -53.7999992
000347 |         }
000348 |     }
000349 |     $Node AnimNodeGroupSelect {
000350 |         "CroToPneMoveLowG" "" "GoPneMoveHeadLookT" "Locomotion" "Cro"
000351 |         $EditorData {
000352 |             #EditorPos -2.0 -57.4000015
000353 |         }
000354 |     }
000355 |     $Node AnimNodeBlend {
000356 |         "CroToPneMoveRasAim" "" "1.0" "GoPneMoveHeadLookT" "AimInjBlend" 1
000357 |         $EditorData {
000358 |             #EditorPos 0.3 -58.2000008
000359 |         }
000360 |     }
```

```
000361 |     $Node AnimNodeGroupSelect {
000362 |         "CroToPneMoveRasG" "" "CroToPneMoveRasAim" "Locomotion" "CroRas"
000363 |         $EditorData {
000364 |             #EditorPos 0.3 -57.4000015
000365 |         }
000366 |     }
000367 |     $Node AnimNodeBlendT {
000368 |         "CroToPneMoveT" "" "CroToPneMoveLowG" "CroToPneMoveRasG" "" "" "eAI_Raised && False" 0.3 "S" 7
000369 |         $EditorData {
000370 |             #EditorPos -0.8 -56.5
000371 |         }
000372 |     }
000373 |     $Node AnimNodeBlendTAdd {
000374 |         "CroToPneRasADST" "" "CroToPneRasADST2" "CroADSPose" "" "" "ADS && GetRemainingTime() > 0.9" 0.4 "S" 0
000375 |         $EditorData {
000376 |             #EditorPos 2.5 -52.7999992
000377 |         }
000378 |     }
000379 |     $Node AnimNodeBlendTAdd {
000380 |         "CroToPneRasADST2" "" "CroToPneRasAim" "PneADSPose" "" "" "ADS && GetRemainingTime() <= 0.9" 0.4 "S" 0
000381 |         $EditorData {
000382 |             #EditorPos 2.5 -53.7999992
000383 |         }
000384 |     }
000385 |     $Node AnimNodeBlend {
000386 |         "CroToPneRasAim" "" "1.0" "CroToPneRasLookT" "AimPose" 1
000387 |         $EditorData {
000388 |             #EditorPos 2.5 -54.7999992
000389 |         }
000390 |     }
000391 |     $Node AnimNodeGroupSelect {
000392 |         "CroToPneRasG" "" "CroToPneRasInjG" "Locomotion" "CroRas"
000393 |         $EditorData {
000394 |             #EditorPos 2.5 -51.2999992
000395 |         }
000396 |     }
000397 |     $Node AnimNodeGroupSelect {
000398 |         "CroToPneRasInjG" "" "CroToPneRasADST" "LocomotionInjured" "CroRas"
000399 |         $EditorData {
000400 |             #EditorPos 2.5 -52.0
000401 |         }
000402 |     }
000403 |     $Node AnimNodeBlendT {
000404 |         "CroToPneRasLookT" "" "GoProneIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 1
000405 |         $EditorData {
000406 |             #EditorPos 2.5 -55.7999992
000407 |         }
000408 |     }
000409 |     $Node AnimNodeBlendT {
000410 |         "CroToPneT" "" "CroToPneLowG" "CroToPneRasG" "" "" "eAI_Raised" 0.4 "S" 7
000411 |         $EditorData {
000412 |             #EditorPos 1.4 -50.5
000413 |         }
000414 |     }
000415 |     $Node AnimNodeSourceSync {
000416 |         "CroToPneThrowAnim" "" "Throw.Cro.ToProne" "noloop" "Transitions"
000417 |         $Predictions {
000418 |         }
000419 |         $EditorData {
000420 |             #EditorPos -74.2000046 -45.1000023
000421 |         }
000422 |     }
```

```
000423 |     $Node AnimNodeVarUpdate {
000424 |         "CroVar" "" "CroRunSprintBlend" 2 "MovementSpeed" 3 "MovementDirection" 3
000425 |         $EditorData {
000426 |             #EditorPos 3.5 -76.0999985
000427 |         }
000428 |     }
000429 |     $Node AnimNodeBlend {
000430 |         "CroWalkAimBlend" "" "1.0" "CroVar" "AimRunObstBlend" 1
000431 |         $EditorData {
000432 |             #EditorPos 7.4000001 -71.7000046
000433 |         }
000434 |     }
000435 |     $Node AnimNodeBlendTAdd {
000436 |         "ErcADST" "" "WalkRunBlendT" "ErcADSPose" "" "" "ADS" 0.3 "S" 0
000437 |         $EditorData {
000438 |             #EditorPos 27.8999996 -53.7000008
000439 |         }
000440 |     }
000441 |     $Node AnimNodeSource {
000442 |         "ErcFallForwardAnim" "" "Falls.Erc.FallForward" "loop"
000443 |         $Predictions {
000444 |         }
000445 |         $EditorData {
000446 |             #EditorPos 47.0 13.6999998
000447 |         }
000448 |     }
000449 |     $Node AnimNodeIK2 {
000450 |         "ErcIdleLowArmIK" "" "ErcIdleLowG" "///! global values
000451 | weight = 1.0
000452 |
000453 | LHandIKTarget
000454 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000455 | chainAxis = +x
000456 |
000457 | RHandIKTarget
000458 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000459 | chainAxis = -x"
000460 |         $EditorData {
000461 |             #EditorPos -35.9000015 -58.0
000462 |         }
000463 |     }
000464 |     $Node AnimNodeGroupSelect {
000465 |         "ErcIdleLowG" "" "ErcIdleLowInjG" "Locomotion" "Erc"
000466 |         $EditorData {
000467 |             #EditorPos -35.9000015 -58.9000015
000468 |         }
000469 |     }
000470 |     $Node AnimNodeGroupSelect {
000471 |         "ErcIdleLowInjG" "" "IdleSTM" "LocomotionInjured" "Erc"
000472 |         $EditorData {
000473 |             #EditorPos -35.9000015 -59.7000008
000474 |         }
000475 |     }
000476 |     $Node AnimNodeGroupSelect {
000477 |         "ErcIdleRasG" "" "ErcIdleRasInjG" "Locomotion" "ErcRas"
000478 |         $EditorData {
000479 |             #EditorPos 39.2999992 -48.2000008
000480 |         }
000481 |     }
000482 |     $Node AnimNodeGroupSelect {
000483 |         "ErcIdleRasInjG" "" "IdleRasAimBlend" "LocomotionInjured" "ErcRas"
000484 |         $EditorData {
```

```
000485 |         #EditorPos 39.2999992 -49.0
000486 |     }
000487 | }
000488 | $Node AnimNodeSource {
000489 |     "ErcLandHeavyAnim" "" "Falls.Erc.LandHeavy" "noloop"
000490 |     $Predictions {
000491 |     }
000492 |     $EditorData {
000493 |         #EditorPos 50.2000008 4.2000003
000494 |     }
000495 | }
000496 | $Node AnimNodeSource {
000497 |     "ErcLandMediumAnim" "" "Falls.Erc.LandMedium" "noloop"
000498 |     $Predictions {
000499 |     }
000500 |     $EditorData {
000501 |         #EditorPos 47.2999992 6.0
000502 |     }
000503 | }
000504 | $Node AnimNodeBlendTAdd {
000505 |     "ErcMoveLookHeadT" "" "ErcMoveRasIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 0
000506 |     $EditorData {
000507 |         #EditorPos 28.0 -51.9000015
000508 |     }
000509 | }
000510 | $Node AnimNodeIK2 {
000511 |     "ErcMoveLowArmIK" "" "ErcMoveLowG" "///! global values
000512 | weight = 1.0
000513 |
000514 | LHandIKTarget
000515 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000516 | chainAxis = +x
000517 |
000518 | RHandIKTarget
000519 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000520 | chainAxis = -x"
000521 |     $EditorData {
000522 |         #EditorPos -17.3000011 -58.4000015
000523 |     }
000524 | }
000525 | $Node AnimNodeGroupSelect {
000526 |     "ErcMoveLowG" "" "ErcMoveLowInjG" "Locomotion" "Erc"
000527 |     $EditorData {
000528 |         #EditorPos -17.3000011 -59.2000008
000529 |     }
000530 | }
000531 | $Node AnimNodeIK2Target {
000532 |     "ErcMoveLowIKT" "" "WalkRunSprintBlendT" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
000533 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
000534 |     $EditorData {
000535 |         #EditorPos -17.3000011 -62.7999992
000536 |     }
000537 | }
000538 | $Node AnimNodeGroupSelect {
000539 |     "ErcMoveLowInjG" "" "ErcMoveLowLookT" "LocomotionInjured" "Erc"
000540 |     $EditorData {
000541 |         #EditorPos -17.3000011 -59.9000015
000542 |     }
000543 | }
000544 | $Node AnimNodeBlendTAdd {
000545 |     "ErcMoveLowLookT" "" "ErcSprintLookT" "MoveLookPose" "" "" "Look && MovementSpeed <= 2.5" 0.3 "S" 0
000546 |     $EditorData {
```

```
000547 |         #EditorPos -17.3000011 -60.7999992
000548 |     }
000549 | }
000550 | $Node AnimNodeGroupSelect {
000551 |     "ErcMoveRasG" "" "ErcMoveRasInjG" "Locomotion" "ErcRas"
000552 |     $EditorData {
000553 |         #EditorPos 28.0 -49.0
000554 |     }
000555 | }
000556 | $Node AnimNodeIK2Target {
000557 |     "ErcMoveRasIKTarget" "" "ErcADST" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
000558 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
000559 |     $EditorData {
000560 |         #EditorPos 28.0 -52.9000015
000561 |     }
000562 | }
000563 | $Node AnimNodeGroupSelect {
000564 |     "ErcMoveRasInjG" "" "LeanMoveErcRasRight" "LocomotionInjured" "ErcRas"
000565 |     $EditorData {
000566 |         #EditorPos 28.0 -49.7000008
000567 |     }
000568 | }
000569 | $Node AnimNodeBlendTAdd {
000570 |     "ErcSprintLookT" "" "ErcMoveLowIKT" "MoveHeadLookPose" "" "" "Look && MovementSpeed > 2.5" 0.3 "S" 0
000571 |     $EditorData {
000572 |         #EditorPos -17.3000011 -61.7999992
000573 |     }
000574 | }
000575 | $Node AnimNodeGroupSelect {
000576 |     "ErcThrowOutG" "" "ThrowOutAimB" "Throw" "Erc"
000577 |     $EditorData {
000578 |         #EditorPos -58.5 -42.4000015
000579 |     }
000580 | }
000581 | $Node AnimNodeGroupSelect {
000582 |     "ErcToCroLowG" "" "ErcToCroLowInjG" "Locomotion" "Erc"
000583 |     $EditorData {
000584 |         #EditorPos -6.5999999 -51.7999992
000585 |     }
000586 | }
000587 | $Node AnimNodeGroupSelect {
000588 |     "ErcToCroLowInjG" "" "ErcToCroLowLookT" "LocomotionInjured" "Erc"
000589 |     $EditorData {
000590 |         #EditorPos -6.5999999 -52.6000023
000591 |     }
000592 | }
000593 | $Node AnimNodeBlendTAdd {
000594 |     "ErcToCroLowLookT" "" "ErcToCroLowLookT2" "ErcLookBlend" "" "" "Look && GetRemainingTime() > 0.35" 0.2 "S" 0
000595 |     $EditorData {
000596 |         #EditorPos -6.5999999 -53.4000015
000597 |     }
000598 | }
000599 | $Node AnimNodeBlendTAdd {
000600 |     "ErcToCroLowLookT2" "" "GoCrouchIKTarget" "CroLookBlend" "" "" "Look && GetRemainingTime() <= 0.35" 0.2 "S" 0
000601 |     $EditorData {
000602 |         #EditorPos -6.5999999 -54.4000015
000603 |     }
000604 | }
000605 | $Node AnimNodeBlendTAdd {
000606 |     "ErcToCroRasADST" "" "ErcToCroRasADST2" "ErcADSPose" "" "" "ADS && GetRemainingTime() > 0.35" 0.3 "S" 0
000607 |     $EditorData {
000608 |         #EditorPos -4.4000001 -53.4000015
```

```
000609 |     }
000610 | }
000611 | $Node AnimNodeBlendTAdd {
000612 |     "ErcToCroRasADST2" "" "ErcToCroRasAim" "CroADSPose" "" "" "ADS && GetRemainingTime() <= 0.35" 0.3 "S" 0
000613 |     $EditorData {
000614 |         #EditorPos -4.4000001 -54.4000015
000615 |     }
000616 | }
000617 | $Node AnimNodeBlend {
000618 |     "ErcToCroRasAim" "" "1.0" "ErcToCroRasLookT" "AimObstBlend" 1
000619 |     $EditorData {
000620 |         #EditorPos -4.4000001 -55.7999992
000621 |     }
000622 | }
000623 | $Node AnimNodeGroupSelect {
000624 |     "ErcToCroRasG" "" "ErcToCroRasInjG" "Locomotion" "ErcRas"
000625 |     $EditorData {
000626 |         #EditorPos -4.4000001 -51.7999992
000627 |     }
000628 | }
000629 | $Node AnimNodeGroupSelect {
000630 |     "ErcToCroRasInjG" "" "ErcToCroRasADST" "LocomotionInjured" "ErcRas"
000631 |     $EditorData {
000632 |         #EditorPos -4.4000001 -52.6000023
000633 |     }
000634 | }
000635 | $Node AnimNodeBlendT {
000636 |     "ErcToCroRasLookT" "" "GoCrouchIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 1
000637 |     $EditorData {
000638 |         #EditorPos -4.4000001 -56.7999992
000639 |     }
000640 | }
000641 | $Node AnimNodeBlendT {
000642 |     "ErcToCroT" "" "ErcToCroLowG" "ErcToCroRasG" "" "" "eAI_Raised" 0.4 "S" 7
000643 |     $EditorData {
000644 |         #EditorPos -5.5 -51.0
000645 |     }
000646 | }
000647 | $Node AnimNodeSourceSync {
000648 |     "ErcToCroThrowAnim" "" "Throw.Erc.ToCrouch" "nolook" "Transitions"
000649 |     $Predictions {
000650 |     }
000651 |     $EditorData {
000652 |         #EditorPos -83.4000015 -45.1000023
000653 |     }
000654 | }
000655 | $Node AnimNodeGroupSelect {
000656 |     "ErcToPneLowG" "" "ErcToPneLowInjG" "Locomotion" "Erc"
000657 |     $EditorData {
000658 |         #EditorPos 5.0 -51.2999992
000659 |     }
000660 | }
000661 | $Node AnimNodeGroupSelect {
000662 |     "ErcToPneLowInjG" "" "ErcToPneLowLookT" "LocomotionInjured" "Erc"
000663 |     $EditorData {
000664 |         #EditorPos 5.0 -52.1000023
000665 |     }
000666 | }
000667 | $Node AnimNodeBlendTAdd {
000668 |     "ErcToPneLowLookT" "" "ErcToPneLowLookT2" "ErcLookBlend" "" "" "Look && GetRemainingTime() > 0.8" 0.6 "S" 0
000669 |     $EditorData {
000670 |         #EditorPos 5.0 -52.7999992
```



```
000671 |     }
000672 | }
000673 | $Node AnimNodeBlendTAdd {
000674 |     "ErcToPneLowLookT2" "" "GoProneIKTarget" "MoveLookPose" "" "" "Look && GetRemainingTime() <= 0.8" 0.6 "S" 0
000675 |     $EditorData {
000676 |         #EditorPos 5.0 -53.7999992
000677 |     }
000678 | }
000679 | $Node AnimNodeGroupSelect {
000680 |     "ErcToPneMoveLowG" "" "GoPneMoveHeadLookT" "Locomotion" "Erc"
000681 |     $EditorData {
000682 |         #EditorPos 7.3000002 -57.4000015
000683 |     }
000684 | }
000685 | $Node AnimNodeBlend {
000686 |     "ErcToPneMoveRasAim" "" "1.0" "GoPneMoveHeadLookT" "AimInjBlend" 1
000687 |     $EditorData {
000688 |         #EditorPos 9.6000004 -58.2000008
000689 |     }
000690 | }
000691 | $Node AnimNodeGroupSelect {
000692 |     "ErcToPneMoveRasG" "" "ErcToPneMoveRasAim" "Locomotion" "ErcRas"
000693 |     $EditorData {
000694 |         #EditorPos 9.6000004 -57.4000015
000695 |     }
000696 | }
000697 | $Node AnimNodeBlendT {
000698 |     "ErcToPneMoveT" "" "ErcToPneMoveLowG" "ErcToPneMoveRasG" "" "" "eAI_Raised && False" 0.3 "S" 7
000699 |     $EditorData {
000700 |         #EditorPos 8.5 -56.5
000701 |     }
000702 | }
000703 | $Node AnimNodeBlendTAdd {
000704 |     "ErcToPneRasADST" "" "ErcToPneRasADST2" "ErcADSPose" "" "" "ADS && GetRemainingTime() > 0.8" 0.6 "S" 0
000705 |     $EditorData {
000706 |         #EditorPos 7.2000003 -52.7999992
000707 |     }
000708 | }
000709 | $Node AnimNodeBlendTAdd {
000710 |     "ErcToPneRasADST2" "" "ErcToPneRasAim" "PneADSPose" "" "" "ADS && GetRemainingTime() <= 0.8" 0.6 "S" 0
000711 |     $EditorData {
000712 |         #EditorPos 7.2000003 -53.7999992
000713 |     }
000714 | }
000715 | $Node AnimNodeBlend {
000716 |     "ErcToPneRasAim" "" "1.0" "ErcToPneRasLookT" "AimPose" 1
000717 |     $EditorData {
000718 |         #EditorPos 7.2000003 -54.7999992
000719 |     }
000720 | }
000721 | $Node AnimNodeGroupSelect {
000722 |     "ErcToPneRasG" "" "ErcToPneRasInjG" "Locomotion" "ErcRas"
000723 |     $EditorData {
000724 |         #EditorPos 7.2000003 -51.2999992
000725 |     }
000726 | }
000727 | $Node AnimNodeGroupSelect {
000728 |     "ErcToPneRasInjG" "" "ErcToPneRasADST" "LocomotionInjured" "ErcRas"
000729 |     $EditorData {
000730 |         #EditorPos 7.2000003 -52.1000023
000731 |     }
000732 | }
```

```
000733 |     $Node AnimNodeBlendT {
000734 |         "ErcToPneRasLookT" "" "GoProneIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 1
000735 |         $EditorData {
000736 |             #EditorPos 7.2000003 -55.7999992
000737 |         }
000738 |     }
000739 |     $Node AnimNodeBlendT {
000740 |         "ErcToPneT" "" "ErcToPneLowG" "ErcToPneRasG" "" "" "eAI_Raised" 0.4 "S" 7
000741 |         $EditorData {
000742 |             #EditorPos 6.0999999 -50.5
000743 |         }
000744 |     }
000745 |     $Node AnimNodeSourceSync {
000746 |         "ErcToPneThrowAnim" "" "Throw.Erc.ToProne" "noloop" "Transitions"
000747 |         $Predictions {
000748 |         }
000749 |         $EditorData {
000750 |             #EditorPos -78.5 -45.1000023
000751 |         }
000752 |     }
000753 |     $Node AnimNodeBlendT {
000754 |         "EvadeDirRL" "" "EvadeL" "EvadeR" "" "" "MovementDirection >= 0" 0.3 "S" 7
000755 |         $EditorData {
000756 |             #EditorPos 17.1000004 -20.0
000757 |         }
000758 |     }
000759 |     $Node AnimNodeSource {
000760 |         "EvadeL" "" "Combat.Erc.EvadeL" "noloop"
000761 |         $Predictions {
000762 |         }
000763 |         $EditorData {
000764 |             #EditorPos 15.6999998 -21.0
000765 |         }
000766 |     }
000767 |     $Node AnimNodeBlendTAdd {
000768 |         "EvadeLookT" "" "EvadeDirRL" "MoveLookPose" "" "" "Look" 0.3 "S" 0
000769 |         $EditorData {
000770 |             #EditorPos 17.2000008 -18.5
000771 |         }
000772 |     }
000773 |     $Node AnimNodeSource {
000774 |         "EvadeR" "" "Combat.Erc.EvadeR" "noloop"
000775 |         $Predictions {
000776 |         }
000777 |         $EditorData {
000778 |             #EditorPos 18.2000008 -21.0
000779 |         }
000780 |     }
000781 |     $Node AnimNodeVarUpdate {
000782 |         "EvadeVar" "" "EvadeLookT" 1 "MovementDirection" 1
000783 |         $EditorData {
000784 |             #EditorPos 17.2000008 -17.5
000785 |         }
000786 |     }
000787 |     $Node AnimNodeSource {
000788 |         "FacialMovementAnim" "" "FacialIdle01" "loop"
000789 |         $Predictions {
000790 |         }
000791 |         $EditorData {
000792 |             #EditorPos 3.8 -6.4000001
000793 |         }
000794 |     }
```

```
000795 |     $Node AnimNodeSource {
000796 |         "FacialTalkingAnim" "" "FacialTalking" "loop"
000797 |         $Predictions {
000798 |         }
000799 |         $EditorData {
000800 |             #EditorPos 3.9000001 -4.5
000801 |         }
000802 |     }
000803 |     $Node AnimNodeBlendTAdd {
000804 |         "FacialTalkingT" "" "LocomotionFacalT" "FacialTalkingAnim" "" "" "Talking" 0.1 "S" 0
000805 |         $EditorData {
000806 |             #EditorPos 2.7 -3.7
000807 |         }
000808 |     }
000809 |     $Node AnimNodeSource {
000810 |         "FallBackAnim" "" "Falls.FallBack" "loop"
000811 |         $Predictions {
000812 |         }
000813 |         $EditorData {
000814 |             #EditorPos 18.8999996 6.9000001
000815 |         }
000816 |     }
000817 |     $Node AnimNodeBlendT {
000818 |         "FallForwardBlendT" "" "ErcFallForwardAnim" "PneFallForwardAnim" "" "" "Stance == 2" 0.3 "S" 7
000819 |         $EditorData {
000820 |             #EditorPos 48.4000015 14.6000004
000821 |         }
000822 |     }
000823 |     $Node AnimNodeStateMachine {
000824 |         "FallMaster" "TagFall"
000825 |         $States 14 {
000826 |             $State {
000827 |                 "FallForward" "TagFalling" "FallForwardBlendT" "(IsCommand(CMD_Fall) && GetCommandI(CMD_Fall) == 0) ||
000828 | (IsCommand(CMD_Restrained_Fall) && GetCommandI(CMD_Restrained_Fall) == 0) " "realtime" 0
000829 |                 $EditorData {
000830 |                     #EditorPos 48.5 9.9000006
000831 |                 }
000832 |             }
000833 |             $State {
000834 |                 "FallBack" "" "FallBackAnim" "GetCommandI(CMD_Fall) == 3 || GetCommandI(CMD_Restrained_Fall) == 1" "realtime" 0
000835 |                 $EditorData {
000836 |                     #EditorPos 18.8000011 9.3000002
000837 |                 }
000838 |             }
000839 |             $State {
000840 |                 "LandBack" "" "LandBackAnim" "" "realtime" 1
000841 |                 $EditorData {
000842 |                     #EditorPos 21.3000011 9.3000002
000843 |                 }
000844 |             }
000845 |             $State {
000846 |                 "LandMedium" "" "LandMediumBlendT" "" "realtime" 1
000847 |                 $EditorData {
000848 |                     #EditorPos 48.5 8.6000004
000849 |                 }
000850 |             }
000851 |             $State {
000852 |                 "LandHeavy" "" "LandHeavyBlendT" "" "realtime" 1
000853 |                 $EditorData {
000854 |                     #EditorPos 51.4000015 8.6000004
000855 |                 }
000856 |             }
```

```
000857 |         $State {
000858 |             "LandLight" "" "LandLightAnim" "" "realtime" 1
000859 |             $EditorData {
000860 |                 #EditorPos 45.5 8.6000004
000861 |             }
000862 |         }
000863 |         $State {
000864 |             "LadderFallRFoot" "" "LadderFallRFootAnim" "GetCommandI(CMD_Fall) == 5" "realtime" 0
000865 |             $EditorData {
000866 |                 #EditorPos 16.1000004 9.3000002
000867 |             }
000868 |         }
000869 |         $State {
000870 |             "LadderFallLFoot" "" "LadderFallLFootAnim" "GetCommandI(CMD_Fall) == 6" "realtime" 0
000871 |             $EditorData {
000872 |                 #EditorPos 17.5 8.6000004
000873 |             }
000874 |         }
000875 |         $State {
000876 |             "JumpRunIn" "" "JumpInBlendT" "IsCommand(CMD_Jump) && MovementSpeed > 0 && MovementSpeed <= 2.25" "realtime" 0
000877 |             $EditorData {
000878 |                 #EditorPos 26.8999996 8.6000004
000879 |             }
000880 |         }
000881 |         $State {
000882 |             "JumpRunOut" "" "JumpOutBlendT" "" "realtime" 1
000883 |             $EditorData {
000884 |                 #EditorPos 35.9000015 8.6000004
000885 |             }
000886 |         }
000887 |         $State {
000888 |             "JumpSpotIn" "" "JumpLoopInAnim" "IsCommand(CMD_Jump) && MovementSpeed == 0" "realtime" 0
000889 |             $EditorData {
000890 |                 #EditorPos 26.8999996 11.4000006
000891 |             }
000892 |         }
000893 |         $State {
000894 |             "JumpSpotOut" "" "JumpSpotOutAnim" "" "realtime" 1
000895 |             $EditorData {
000896 |                 #EditorPos 35.7999992 11.4000006
000897 |             }
000898 |         }
000899 |         $State {
000900 |             "JumpSprintIn" "" "JumpSprintInAnim" "IsCommand(CMD_Jump) && MovementSpeed > 2.25" "realtime" 0
000901 |             $EditorData {
000902 |                 #EditorPos 24.8000011 9.9000006
000903 |             }
000904 |         }
000905 |         $State {
000906 |             "JumpSprintOut" "" "JumpSprintOutAnim" "false" "realtime" 1
000907 |             $EditorData {
000908 |                 #EditorPos 39.7000008 8.6000004
000909 |             }
000910 |         }
000911 |     }
000912 |     $Transitions 14 {
000913 |         $Transition {
000914 |             "FallBack" "LandBack" "IsCommand(CMD_Land)" "0.1" "" 0 "S"
000915 |         }
000916 |         $Transition {
000917 |             "LadderFallRFoot" "FallBack" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
000918 |         }
000918 |     }
```

```

000919 |         $Transition {
000920 |             "LadderFallFoot" "FallBack" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
000921 |         }
000922 |         $Transition {
000923 |             "JumpRunIn" "JumpRunOut" "GetCommandI(CMD_Land) == 0" "0.225" "" 6 "S"
000924 |         }
000925 |         $Transition {
000926 |             "JumpSpotIn" "JumpSpotOut" "IsCommand(CMD_Land)" "0.15" "" 0 "S"
000927 |         }
000928 |         $Transition {
000929 |             "JumpSpotIn" "JumpRunOut" "IsCommand(CMD_Land) && MovementSpeed >= 0.5" "0.225" "" 0 "S"
000930 |         }
000931 |         $Transition {
000932 |             "JumpRunIn" "JumpSpotOut" "IsCommand(CMD_Land) && MovementSpeed < 0.5" "0.15" "" 0 "S"
000933 |         }
000934 |         $Transition {
000935 |             "JumpSpotIn" "FallForward" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
000936 |         }
000937 |         $Transition {
000938 |             "JumpRunIn" "FallForward" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
000939 |         }
000940 |         $Transition {
000941 |             "JumpSprintIn" "JumpSprintOut" "GetCommandI(CMD_Land) == 0" "0.225" "" 0 "S"
000942 |         }
000943 |         $Transition {
000944 |             "" "LandLight" "GetCommandI(CMD_Land) == 0" "0.1" "" 6 "S"
000945 |         }
000946 |         $Transition {
000947 |             "" "LandMedium" "GetCommandI(CMD_Land) == 1" "0.2" "" 6 "S"
000948 |         }
000949 |         $Transition {
000950 |             "" "LandHeavy" "GetCommandI(CMD_Land) == 2" "0.2" "" 6 "S"
000951 |         }
000952 |         $Transition {
000953 |             "JumpSprintIn" "FallForward" "false" "" "" 0 "S"
000954 |         }
000955 |     }
000956 |     $EditorData {
000957 |         #EditorPos 44.4000015 12.6000004
000958 |     }
000959 | }
000960 | $Node AnimNodeWeaponIK {
000961 |     "FallMasterIK" "" "FallMaster" "false" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.3 0.2 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "// ik pose anim
000962 | // (root - means RightHand - but right hand is not exported)
000963 | // |- RightHand_Dummy (where Weapon is)
000964 | // |   |- LeftHandIKTarget (where left hand is on weapon)
000965 | // |- RightHandOrigin ( inverse transform where hand originally was)
000966 |
000967 | // basic setup -
000968 | // hand - bone which represents hand holding weapon
000969 | // weapon - bone which represents weapon node in hand
000970 | // weaponrotator - bone - around which weapon rotates
000971 | hand = RightHand
000972 | weapon = RightHand_Dummy
000973 | weaponrotator = RightArm
000974 | weaponaxis= -x
000975 |
000976 | //!
000977 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000978 | chainaxis=-x
000979 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000980 | secchainaxis=+x

```

```

000981 |
000982 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
000983 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
000984 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
000985 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
000986 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
000987 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
000988 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
000989 |
000990 | "
000991 |     $EditorData {
000992 |         #EditorPos 44.4000015 13.3000002
000993 |     }
000994 | }
000995 | $Node AnimNodeSourceSync {
000996 |     "GoCroMoveAnim" "" "Locomotion.GoCrouchMove" "noloop" "Transitions"
000997 |     $Predictions {
000998 |     }
000999 |     $EditorData {
001000 |         #EditorPos -3.2 -64.9000015
001001 |     }
001002 | }
001003 | $Node AnimNodeBlendT {
001004 |     "GoCroMoveHeadLookT" "" "GoCroMoveIKT" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 1
001005 |     $EditorData {
001006 |         #EditorPos -3.2 -62.6000023
001007 |     }
001008 | }
001009 | $Node AnimNodeIK2Target {
001010 |     "GoCroMoveIKT" "" "GoCroMoveAnim" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001011 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
001012 |     $EditorData {
001013 |         #EditorPos -3.2 -63.7999992
001014 |     }
001015 | }
001016 | $Node AnimNodeSourceSync {
001017 |     "GoCrouchAnim" "" "Locomotion.GoCrouch" "noloop" "Transitions"
001018 |     $Predictions {
001019 |     }
001020 |     $EditorData {
001021 |         #EditorPos -8.9000006 -61.5
001022 |     }
001023 | }
001024 | $Node AnimNodeIK2Target {
001025 |     "GoCrouchIKTarget" "" "GoCrouchInjBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001026 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
001027 |     $EditorData {
001028 |         #EditorPos -7.8000002 -59.6000023
001029 |     }
001030 | }
001031 | $Node AnimNodeSourceSync {
001032 |     "GoCrouchInjAnim" "" "LocomotionInjured.GoCrouch" "noloop" "Transitions"
001033 |     $Predictions {
001034 |     }
001035 |     $EditorData {
001036 |         #EditorPos -6.8000002 -61.5
001037 |     }
001038 | }
001039 | $Node AnimNodeBlend {
001040 |     "GoCrouchInjBlend" "" "Injured" "GoCrouchAnim" "GoCrouchInjAnim" 3
001041 |     $EditorData {
001042 |         #EditorPos -7.8000002 -60.4000015

```

```
001043 |     }
001044 | }
001045 | $Node AnimNodeSourceSync {
001046 |     "GoErcMoveAnim" "" "Locomotion.GoErectMove" "noloop" "Transitions"
001047 |     $Predictions {
001048 |     }
001049 |     $EditorData {
001050 |         #EditorPos 10.8000002 -64.9000015
001051 |     }
001052 | }
001053 | $Node AnimNodeBlendT {
001054 |     "GoErcMoveHeadLookT" "" "GoErcMoveIKT" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 1
001055 |     $EditorData {
001056 |         #EditorPos 10.8000002 -62.7999992
001057 |     }
001058 | }
001059 | $Node AnimNodeIK2Target {
001060 |     "GoErcMoveIKT" "" "GoErcMoveAnim" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001061 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
001062 |     $EditorData {
001063 |         #EditorPos 10.8000002 -63.9000015
001064 |     }
001065 | }
001066 | $Node AnimNodeSourceSync {
001067 |     "GoErectAnim" "" "Locomotion.GoErect" "noloop" "Transitions"
001068 |     $Predictions {
001069 |     }
001070 |     $EditorData {
001071 |         #EditorPos 14.6999998 -60.0
001072 |     }
001073 | }
001074 | $Node AnimNodeIK2Target {
001075 |     "GoErectIKTarget" "" "GoErectInjBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001076 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
001077 |     $EditorData {
001078 |         #EditorPos 15.8000002 -58.4000015
001079 |     }
001080 | }
001081 | $Node AnimNodeSourceSync {
001082 |     "GoErectInjAnim" "" "Locomotion.Injured.GoErect" "noloop" "Transitions"
001083 |     $Predictions {
001084 |     }
001085 |     $EditorData {
001086 |         #EditorPos 16.8999996 -60.0
001087 |     }
001088 | }
001089 | $Node AnimNodeBlend {
001090 |     "GoErectInjBlend" "" "Injured" "GoErectAnim" "GoErectInjAnim" 3
001091 |     $EditorData {
001092 |         #EditorPos 15.8000002 -59.2000008
001093 |     }
001094 | }
001095 | $Node AnimNodeSourceSync {
001096 |     "GoPneMoveAnim" "" "Locomotion.GoProneMove" "noloop" "Transitions"
001097 |     $Predictions {
001098 |     }
001099 |     $EditorData {
001100 |         #EditorPos 4.4000001 -65.2000046
001101 |     }
001102 | }
001103 | $Node AnimNodeBlendT {
001104 |     "GoPneMoveHeadLookT" "" "GoPneMoveIKT" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 1
```

```
001105 |         $EditorData {
001106 |             #EditorPos 4.4000001 -63.2999992
001107 |         }
001108 |     }
001109 |     $Node AnimNodeIK2Target {
001110 |         "GoPneMoveIKT" "" "GoPneMoveAnim" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001111 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
001112 |         $EditorData {
001113 |             #EditorPos 4.4000001 -64.3000031
001114 |         }
001115 |     }
001116 |     $Node AnimNodeSourceSync {
001117 |         "GoProneAnim" "" "Locomotion.GoProne" "noloop" "Transitions"
001118 |         $Predictions {
001119 |         }
001120 |         $EditorData {
001121 |             #EditorPos 3.2 -58.7000008
001122 |         }
001123 |     }
001124 |     $Node AnimNodeIK2Target {
001125 |         "GoProneIKTarget" "" "GoProneInjBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001126 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
001127 |         $EditorData {
001128 |             #EditorPos 4.3000002 -57.1000023
001129 |         }
001130 |     }
001131 |     $Node AnimNodeSourceSync {
001132 |         "GoProneInjAnim" "" "LocomotionInjured.GoProne" "noloop" "Transitions"
001133 |         $Predictions {
001134 |         }
001135 |         $EditorData {
001136 |             #EditorPos 5.3000002 -58.7000008
001137 |         }
001138 |     }
001139 |     $Node AnimNodeBlend {
001140 |         "GoProneInjBlend" "" "Injured" "GoProneAnim" "GoProneInjAnim" 3
001141 |         $EditorData {
001142 |             #EditorPos 4.3000002 -57.9000015
001143 |         }
001144 |     }
001145 |     $Node AnimNodeQueue {
001146 |         "HitQ" "" "SickIK"
001147 |         $items 1 {
001148 |             $item {
001149 |                 "DamageMaster" "IsCommand(CMD_Damage)" "" "" 0.1 0.3 1 0
001150 |             }
001151 |         }
001152 |         $EditorData {
001153 |             #EditorPos 2.7 5.4000001
001154 |         }
001155 |     }
001156 |     $Node AnimNodeIK2 {
001157 |         "IdleLowIK" "" "IdleLowSTM" "///! global values
001158 | weight = 1.0
001159 |
001160 | LFootIKTarget
001161 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001162 | chainAxis = +x
001163 |
001164 | RFootIKTarget
001165 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
001166 | chainAxis = -x"
```



```
001167 |         $EditorData {
001168 |             #EditorPos -36.2999992 -50.9000015
001169 |         }
001170 |     }
001171 |     $Node AnimNodeStateMachine {
001172 |         "IdleLowSTM" ""
001173 |         $States 4 {
001174 |             $State {
001175 |                 "Erc" "TagErected" "LeanIdleErcLowRight" "Stance == 0 && WaterLevel == 0" "notime" 0
001176 |                 $EditorData {
001177 |                     #EditorPos -35.9000015 -53.9000015
001178 |                 }
001179 |             }
001180 |             $State {
001181 |                 "Cro" "TagCrouch" "LeanIdleCroLowRight" "Stance == 1 && WaterLevel == 0" "notime" 0
001182 |                 $EditorData {
001183 |                     #EditorPos -33.6000023 -52.9000015
001184 |                 }
001185 |             }
001186 |             $State {
001187 |                 "Pne" "TagProne" "PneIdleLowG" "Stance == 2" "notime" 0
001188 |                 $EditorData {
001189 |                     #EditorPos -31.3000011 -52.9000015
001190 |                 }
001191 |             }
001192 |             $State {
001193 |                 "Water" "TagWater TagErected" "WaterLevelIdleB" "WaterLevel > 0" "notime" 0
001194 |                 $EditorData {
001195 |                     #EditorPos -39.2000008 -52.9000015
001196 |                 }
001197 |             }
001198 |         }
001199 |         $Transitions 3 {
001200 |             $Transition {
001201 |                 "" "Water" "WaterLevel > 0 && HasVariableChanged(WaterLevel, 0.0)" "0.5" "" 0 "S"
001202 |             }
001203 |             $Transition {
001204 |                 "Water" "Erc" "WaterLevel == 0 && Stance == 0" "0.5" "" 0 "S"
001205 |             }
001206 |             $Transition {
001207 |                 "Water" "Cro" "WaterLevel == 0 && Stance == 1" "0.5" "" 0 "S"
001208 |             }
001209 |         }
001210 |         $EditorData {
001211 |             #EditorPos -36.2999992 -51.7000008
001212 |         }
001213 |     }
001214 |     $Node AnimNodeBlend {
001215 |         "IdlePneRasBreathe" "" "1.0" "PneADST" "IdlePneRasBreatheAnim" 1
001216 |         $EditorData {
001217 |             #EditorPos 33.0 -49.5
001218 |         }
001219 |     }
001220 |     $Node AnimNodeSource {
001221 |         "IdlePneRasBreatheAnim" "" "Locomotion.PneRas.BreathAdd" "loop"
001222 |         $Predictions {
001223 |         }
001224 |         $EditorData {
001225 |             #EditorPos 34.1000023 -50.2999992
001226 |         }
001227 |     }
001228 |     $Node AnimNodeBlend {
```

```
001229 |         "IdleRasAimBlend" "" "1.0" "IdleRasADST" "AimObstBlend" 1
001230 |     $EditorData {
001231 |         #EditorPos 38.0 -49.9000015
001232 |     }
001233 | }
001234 | $Node AnimNodeIK2 {
001235 |     "IdleRasIK" "" "IdleRasSTM" "///! global values
001236 | weight = 1.0
001237 |
001238 | LFootIKTarget
001239 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
001240 | chainAxis = +x
001241 |
001242 | RFootIKTarget
001243 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
001244 | chainAxis = -x"
001245 |     $EditorData {
001246 |         #EditorPos 34.7999992 -41.2000008
001247 |     }
001248 | }
001249 | $Node AnimNodeStateMachine {
001250 |     "IdleRasSTM" ""
001251 |     $States 3 {
001252 |         $State {
001253 |             "Erc" "TagErected" "LeanForwardRotNodeErc" "Stance == 0" "notime" 0
001254 |             $EditorData {
001255 |                 #EditorPos 39.2999992 -43.2000008
001256 |             }
001257 |         }
001258 |         $State {
001259 |             "Cro" "TagCrouch" "LeanIdleCroRasRight" "Stance == 1" "notime" 0
001260 |             $EditorData {
001261 |                 #EditorPos 36.9000015 -43.2000008
001262 |             }
001263 |         }
001264 |         $State {
001265 |             "Pne" "TagProne" "PneRasLookBlendT" "Stance == 2" "notime" 0
001266 |             $EditorData {
001267 |                 #EditorPos 33.0 -43.2000008
001268 |             }
001269 |         }
001270 |     }
001271 |     $Transitions 0 {
001272 |     }
001273 |     $EditorData {
001274 |         #EditorPos 34.7999992 -42.0
001275 |     }
001276 | }
001277 | $Node AnimNodeSource {
001278 |     "InventoryHideAnim" "" "WeaponChange.InventorySlotHide" "noloop"
001279 |     $Predictions {
001280 |     }
001281 |     $EditorData {
001282 |         #EditorPos -1.3000001 4.5999999
001283 |     }
001284 | }
001285 | $Node AnimNodeSource {
001286 |     "InventoryShowAnim" "" "WeaponChange.InventorySlotShow" "noloop"
001287 |     $Predictions {
001288 |     }
001289 |     $EditorData {
001290 |         #EditorPos -2.4000001 3.9000001
```

```
001291 |     }
001292 | }
001293 | $Node AnimNodeBlendN {
001294 |     "JumpBInBlendN" "" "MovementDirection" 0 "S"
001295 |     $Inputs {
001296 |         -180.0 "JumpBLeftInAnim"
001297 |         -90.0 "JumpBLInAnim"
001298 |         90.0 "JumpBRInAnim"
001299 |         180.0 "JumpBRightInAnim"
001300 |     }
001301 | }
001302 | $EditorData {
001303 |     #EditorPos 29.2000008 5.2000003
001304 | }
001305 | }
001306 | $Node AnimNodeSource {
001307 |     "JumpBLInAnim" "" "Jumping.RFoot.JumpBLIn" "noLoop"
001308 |     $Predictions {
001309 |     }
001310 |     $EditorData {
001311 |         #EditorPos 28.1000004 4.5
001312 |     }
001313 | }
001314 | $Node AnimNodeSource {
001315 |     "JumpBLOutAnim" "" "Jumping.RFoot.JumpBLOut" "noLoop"
001316 |     $Predictions {
001317 |     }
001318 |     $EditorData {
001319 |         #EditorPos 36.9000015 4.5
001320 |     }
001321 | }
001322 | $Node AnimNodeSource {
001323 |     "JumpBLeftInAnim" "" "Jumping.LFoot.JumpBackIn" "noLoop"
001324 |     $Predictions {
001325 |     }
001326 |     $EditorData {
001327 |         #EditorPos 28.1000004 3.9000001
001328 |     }
001329 | }
001330 | $Node AnimNodeSource {
001331 |     "JumpBLeftOutAnim" "" "Jumping.LFoot.JumpBackOut" "noLoop"
001332 |     $Predictions {
001333 |     }
001334 |     $EditorData {
001335 |         #EditorPos 36.9000015 3.9000001
001336 |     }
001337 | }
001338 | $Node AnimNodeBlendN {
001339 |     "JumpBOutBlendN" "" "MovementDirection" 0 "S"
001340 |     $Inputs {
001341 |         -180.0 "JumpBLeftOutAnim"
001342 |         -90.0 "JumpBLOutAnim"
001343 |         90.0 "JumpBROutAnim"
001344 |         180.0 "JumpBRightOutAnim"
001345 |     }
001346 | }
001347 | $EditorData {
001348 |     #EditorPos 37.9000015 5.2000003
001349 | }
001350 | }
001351 | $Node AnimNodeSource {
001352 |     "JumpBRInAnim" "" "Jumping.LFoot.JumpBRIn" "noLoop"
```

```
001353 |         $Predictions {
001354 |     }
001355 |     $EditorData {
001356 |         #EditorPos 30.2000008 4.5
001357 |     }
001358 | }
001359 | $Node AnimNodeSource {
001360 |     "JumpBROutAnim" "" "Jumping.LFoot.JumpBROut" "no-loop"
001361 |     $Predictions {
001362 |     }
001363 |     $EditorData {
001364 |         #EditorPos 39.0 4.5
001365 |     }
001366 | }
001367 | $Node AnimNodeSource {
001368 |     "JumpBROutAnim" "" "Jumping.LFoot.JumpBROut" "no-loop"
001369 |     $Predictions {
001370 |     }
001371 |     $EditorData {
001372 |         #EditorPos 30.2000008 3.9000001
001373 |     }
001374 | }
001375 | $Node AnimNodeSource {
001376 |     "JumpBROutAnim" "" "Jumping.LFoot.JumpBROut" "no-loop"
001377 |     $Predictions {
001378 |     }
001379 |     $EditorData {
001380 |         #EditorPos 39.0 3.9000001
001381 |     }
001382 | }
001383 | $Node AnimNodeBlendN {
001384 |     "JumpFInBlendN" "" "MovementDirection" 0 "S"
001385 |     $Inputs {
001386 |         -90.0 "JumpFLInAnim"
001387 |         -0.001 "JumpFLeftInAnim"
001388 |         0.0 "JumpFRInAnim"
001389 |         90.0 "JumpFRInAnim"
001390 |     }
001391 |     $EditorData {
001392 |         #EditorPos 24.8000011 5.2000003
001393 |     }
001394 | }
001395 | }
001396 | $Node AnimNodeSource {
001397 |     "JumpFLInAnim" "" "Jumping.LFoot.JumpFLIn" "no-loop"
001398 |     $Predictions {
001399 |     }
001400 |     $EditorData {
001401 |         #EditorPos 23.7000008 3.9000001
001402 |     }
001403 | }
001404 | $Node AnimNodeSource {
001405 |     "JumpFLOutAnim" "" "Jumping.LFoot.JumpFLOut" "no-loop"
001406 |     $Predictions {
001407 |     }
001408 |     $EditorData {
001409 |         #EditorPos 32.7000008 3.9000001
001410 |     }
001411 | }
001412 | $Node AnimNodeSource {
001413 |     "JumpFLeftInAnim" "" "Jumping.LFoot.JumpForwardIn" "no-loop"
001414 |     $Predictions {
```

```
001415 |     }
001416 |     $EditorData {
001417 |         #EditorPos 23.7000008 4.5
001418 |     }
001419 | }
001420 | $Node AnimNodeSource {
001421 |     "JumpFLeftOutAnim" "" "Jumping.LFoot.JumpForwardOut" "nolooop"
001422 |     $Predictions {
001423 |     }
001424 |     $EditorData {
001425 |         #EditorPos 32.7000008 4.5
001426 |     }
001427 | }
001428 | $Node AnimNodeBlendN {
001429 |     "JumpFOutBlendN" "" "MovementDirection" 0 "S"
001430 |     $Inputs {
001431 |         -90.0 "JumpFLOutAnim"
001432 |         -0.001 "JumpFLeftOutAnim"
001433 |         0.0 "JumpFRightOutAnim"
001434 |         90.0 "JumpFROutAnim"
001435 |     }
001436 |     $EditorData {
001437 |         #EditorPos 33.7999992 5.2000003
001438 |     }
001439 | }
001440 | $Node AnimNodeSource {
001441 |     "JumpFRInAnim" "" "Jumping.RFoot.JumpFRIn" "nolooop"
001442 |     $Predictions {
001443 |     }
001444 |     $EditorData {
001445 |         #EditorPos 25.8000011 3.9000001
001446 |     }
001447 | }
001448 | $Node AnimNodeSource {
001449 |     "JumpFROutAnim" "" "Jumping.RFoot.JumpFROut" "nolooop"
001450 |     $Predictions {
001451 |     }
001452 |     $EditorData {
001453 |         #EditorPos 34.7999992 3.9000001
001454 |     }
001455 | }
001456 | $Node AnimNodeSource {
001457 |     "JumpFRRightInAnim" "" "Jumping.RFoot.JumpForwardIn" "nolooop"
001458 |     $Predictions {
001459 |     }
001460 |     $EditorData {
001461 |         #EditorPos 25.8000011 4.5
001462 |     }
001463 | }
001464 | $Node AnimNodeSource {
001465 |     "JumpFRRightOutAnim" "" "Jumping.RFoot.JumpForwardOut" "nolooop"
001466 |     $Predictions {
001467 |     }
001468 |     $EditorData {
001469 |         #EditorPos 34.7999992 4.5
001470 |     }
001471 | }
001472 | $Node AnimNodeBlendT {
001473 |     "JumpInBlendT" "" "JumpFInBlendN" "JumpBInBlendN" "" "" "MovementDirection < -95 || MovementDirection > 95" 0.2 "S" 7
001474 |     $EditorData {
001475 |         #EditorPos 26.8999996 6.0
001476 |     }
```

```
001477 |     }
001478 | }
001479 | $Node AnimNodeSource {
001480 |     "JumpLoopInAnim" "" "Jumping.IdleL.JumpSpotIn" "noloop"
001481 |     $Predictions {
001482 |     }
001483 |     $EditorData {
001484 |         #EditorPos 26.8999996 13.1000004
001485 |     }
001486 | }
001487 | $Node AnimNodeBlendT {
001488 |     "JumpOutBlendT" "" "JumpF0utBlendN" "JumpB0utBlendN" "" "" "MovementDirection < -95 || MovementDirection > 95" 0.3 "S" 7
001489 |     $EditorData {
001490 |         #EditorPos 35.9000015 6.0
001491 |     }
001492 | }
001493 | $Node AnimNodeSource {
001494 |     "JumpSpotOutAnim" "" "Jumping.IdleL.JumpSpotOut" "noloop"
001495 |     $Predictions {
001496 |     }
001497 |     $EditorData {
001498 |         #EditorPos 35.7999992 13.1000004
001499 |     }
001500 | }
001501 | $Node AnimNodeSource {
001502 |     "JumpSprintInAnim" "" "Jumping.RFoot.JumpSprintIn" "noloop"
001503 |     $Predictions {
001504 |     }
001505 |     $EditorData {
001506 |         #EditorPos 24.8000011 6.8000002
001507 |     }
001508 | }
001509 | $Node AnimNodeSource {
001510 |     "JumpSprintOutAnim" "" "Jumping.RFoot.JumpSprintOut" "noloop"
001511 |     $Predictions {
001512 |     }
001513 |     $EditorData {
001514 |         #EditorPos 39.7000008 6.8000002
001515 |     }
001516 | }
001517 | $Node AnimNodeSource {
001518 |     "KnifeHideAnim" "" "WeaponChange.KnifeSlotHide" "noloop"
001519 |     $Predictions {
001520 |     }
001521 |     $EditorData {
001522 |         #EditorPos -4.9000001 4.5999999
001523 |     }
001524 | }
001525 | $Node AnimNodeSource {
001526 |     "KnifeShowAnim" "" "WeaponChange.KnifeSlotShow" "noloop"
001527 |     $Predictions {
001528 |     }
001529 |     $EditorData {
001530 |         #EditorPos -6.0999999 3.9000001
001531 |     }
001532 | }
001533 | $Node AnimNodeSource {
001534 |     "LadderFallLFootAnim" "" "Ladder.LeftFoot.ExitUnconscious" "noloop"
001535 |     $Predictions {
001536 |     }
001537 |     $EditorData {
001538 |         #EditorPos 17.5 6.2000003
```

```
001539 |     }
001540 | }
001541 | $Node AnimNodeSource {
001542 |     "LadderFallRFootAnim" "" "Ladder.RightFoot.ExitUnconscious" "noloop"
001543 |     $Predictions {
001544 |     }
001545 |     $EditorData {
001546 |         #EditorPos 16.1000004 6.9000001
001547 |     }
001548 | }
001549 | $Node AnimNodeSource {
001550 |     "LandBackAnim" "" "Falls.LandBack" "noloop"
001551 |     $Predictions {
001552 |     }
001553 |     $EditorData {
001554 |         #EditorPos 21.3000011 6.9000001
001555 |     }
001556 | }
001557 | $Node AnimNodeBlendT {
001558 |     "LandHeavyBlendT" "" "ErcLandHeavyAnim" "PneLandHeavyAnim" "" "" "Stance == 2" 0.3 "S" 7
001559 |     $EditorData {
001560 |         #EditorPos 51.4000015 5.3000002
001561 |     }
001562 | }
001563 | $Node AnimNodeSource {
001564 |     "LandLightAnim" "" "Falls.LandLight" "noloop"
001565 |     $Predictions {
001566 |     }
001567 |     $EditorData {
001568 |         #EditorPos 45.5 6.9000001
001569 |     }
001570 | }
001571 | $Node AnimNodeBlendT {
001572 |     "LandMediumBlendT" "" "ErcLandMediumAnim" "PneLandMediumAnim" "" "" "Stance == 2" 0.3 "S" 7
001573 |     $EditorData {
001574 |         #EditorPos 48.5 6.9000001
001575 |     }
001576 | }
001577 | $Node AnimNodeRot {
001578 |     "LeanForwardMoveRotNode" "" "ErcMoveRasG" "LeanForward * 0.01745329251994329576923690768489"
001579 |     $rotitems 7 {
001580 |         $ri {
001581 |             "spine" "xmr" 0.3
001582 |         }
001583 |         $ri {
001584 |             "spine1" "xmr" 0.2
001585 |         }
001586 |         $ri {
001587 |             "spine2" "xmr" 0.1
001588 |         }
001589 |         $ri {
001590 |             "spine3" "xmr" 0.1
001591 |         }
001592 |         $ri {
001593 |             "leftshoulder" "xmr" 0.3
001594 |         }
001595 |         $ri {
001596 |             "rightshoulder" "xmr" 0.3
001597 |         }
001598 |         $ri {
001599 |             "Collision" "zlt" -0.2
001600 |         }
001600 |     }
```

```
001601 |     }
001602 |     $EditorData {
001603 |         #EditorPos 28.1000004 -48.0
001604 |     }
001605 | }
001606 | $Node AnimNodeRot {
001607 |     "LeanForwardRotNodeErc" "" "LeanIdleErcRasRight" "LeanForward * 0.01745329251994329576923690768489"
001608 |     $rotitems 7 {
001609 |         $ri {
001610 |             "spine" "xmr" 0.3
001611 |         }
001612 |         $ri {
001613 |             "spine1" "xmr" 0.2
001614 |         }
001615 |         $ri {
001616 |             "spine2" "xmr" 0.1
001617 |         }
001618 |         $ri {
001619 |             "spine3" "xmr" 0.1
001620 |         }
001621 |         $ri {
001622 |             "leftshoulder" "xmr" 0.3
001623 |         }
001624 |         $ri {
001625 |             "rightshoulder" "xmr" 0.3
001626 |         }
001627 |         $ri {
001628 |             "Collision" "zlt" -0.35
001629 |         }
001630 |     }
001631 |     $EditorData {
001632 |         #EditorPos 39.2999992 -45.5
001633 |     }
001634 | }
001635 | $Node AnimNodeRot {
001636 |     "LeanIdleCroLowArm" "" "CroIdleLowArmIK" "eAI_Lean"
001637 |     $rotitems 2 {
001638 |         $ri {
001639 |             "RightArm" "zmr" -0.35
001640 |         }
001641 |         $ri {
001642 |             "LeftArm" "zmr" -0.35
001643 |         }
001644 |     }
001645 |     $EditorData {
001646 |         #EditorPos -33.6000023 -57.2000008
001647 |     }
001648 | }
001649 | $Node AnimNodeRot {
001650 |     "LeanIdleCroLowLeft" "" "LeanIdleCroLowArm" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
001651 |     $rotitems 13 {
001652 |         $ri {
001653 |             "Pelvis" "xlt" 0.0
001654 |         }
001655 |         $ri {
001656 |             "Pelvis" "ylt" 0.0
001657 |         }
001658 |         $ri {
001659 |             "Spine" "zmr" 0.35
001660 |         }
001661 |         $ri {
001662 |             "Spine1" "zmr" 0.5
```



```
001663 |     }
001664 |     $ri {
001665 |         "Spine2" "zmr" 0.75
001666 |     }
001667 |     $ri {
001668 |         "Spine3" "zmr" 0.9
001669 |     }
001670 |     $ri {
001671 |         "RightFoot" "zlr" 0.85
001672 |     }
001673 |     $ri {
001674 |         "RightFoot" "ylr" -0.5
001675 |     }
001676 |     $ri {
001677 |         "LeftLegRoll" "xlr" 0.0
001678 |     }
001679 |     $ri {
001680 |         "LeftFoot" "zlr" 0.25
001681 |     }
001682 |     $ri {
001683 |         "LeftFoot" "ylr" 0.5
001684 |     }
001685 |     $ri {
001686 |         "RightLegRoll" "xlr" -0.5
001687 |     }
001688 |     $ri {
001689 |         "Collision" "xlt" 0.75
001690 |     }
001691 | }
001692 | $EditorData {
001693 |     #EditorPos -33.5 -56.2999992
001694 | }
001695 | }
001696 | $Node AnimNodeRot {
001697 |     "LeanIdleCroLowRight" "" "LeanIdleCroLowLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
001698 |     $rotitems 13 {
001699 |         $ri {
001700 |             "Pelvis" "xlt" 0.0
001701 |         }
001702 |         $ri {
001703 |             "Pelvis" "ylt" 0.0
001704 |         }
001705 |         $ri {
001706 |             "Spine" "zmr" 0.35
001707 |         }
001708 |         $ri {
001709 |             "Spine1" "zmr" 0.5
001710 |         }
001711 |         $ri {
001712 |             "Spine2" "zmr" 0.75
001713 |         }
001714 |         $ri {
001715 |             "Spine3" "zmr" 0.9
001716 |         }
001717 |         $ri {
001718 |             "RightFoot" "zlr" 0.1
001719 |         }
001720 |         $ri {
001721 |             "RightFoot" "ylr" -0.4
001722 |         }
001723 |         $ri {
001724 |             "LeftLegRoll" "xlr" 0.1
```

```
001725 |     }
001726 |     $ri {
001727 |         "LeftFoot" "zlr" -0.3
001728 |     }
001729 |     $ri {
001730 |         "LeftFoot" "ylr" 0.5
001731 |     }
001732 |     $ri {
001733 |         "RightLegRoll" "xlr" -0.1
001734 |     }
001735 |     $ri {
001736 |         "Collision" "xlt" 0.55
001737 |     }
001738 | }
001739 | $EditorData {
001740 |     #EditorPos -33.6000023 -55.6000023
001741 | }
001742 | }
001743 | $Node AnimNodeRot {
001744 |     "LeanIdleCroRasLeft" "" "CroIdleRasG" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
001745 |     $rotitems 13 {
001746 |         $ri {
001747 |             "Pelvis" "xlt" 0.0
001748 |         }
001749 |         $ri {
001750 |             "Pelvis" "ylt" 0.0
001751 |         }
001752 |         $ri {
001753 |             "Spine" "zmr" 0.35
001754 |         }
001755 |         $ri {
001756 |             "Spine1" "zmr" 0.5
001757 |         }
001758 |         $ri {
001759 |             "Spine2" "zmr" 0.75
001760 |         }
001761 |         $ri {
001762 |             "Spine3" "zmr" 0.9
001763 |         }
001764 |         $ri {
001765 |             "RightFoot" "zlr" 0.0
001766 |         }
001767 |         $ri {
001768 |             "RightFoot" "ylr" 0.0
001769 |         }
001770 |         $ri {
001771 |             "LeftLegRoll" "xlr" 0.0
001772 |         }
001773 |         $ri {
001774 |             "LeftFoot" "zlr" 0.0
001775 |         }
001776 |         $ri {
001777 |             "LeftFoot" "ylr" 0.0
001778 |         }
001779 |         $ri {
001780 |             "RightLegRoll" "xlr" 0.0
001781 |         }
001782 |         $ri {
001783 |             "Collision" "xlt" 0.6
001784 |         }
001785 |     }
001786 | }
001786 | $EditorData {
```

```
001787 |         #EditorPos 36.9000015 -47.2999992
001788 |     }
001789 | }
001790 | $Node AnimNodeRot {
001791 |     "LeanIdleCroRasRight" "" "LeanIdleCroRasLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
001792 |     $rotitems 13 {
001793 |         $ri {
001794 |             "Pelvis" "xlt" 0.0
001795 |         }
001796 |         $ri {
001797 |             "Pelvis" "ylt" 0.0
001798 |         }
001799 |         $ri {
001800 |             "Spine" "zmr" 0.35
001801 |         }
001802 |         $ri {
001803 |             "Spine1" "zmr" 0.5
001804 |         }
001805 |         $ri {
001806 |             "Spine2" "zmr" 0.75
001807 |         }
001808 |         $ri {
001809 |             "Spine3" "zmr" 0.9
001810 |         }
001811 |         $ri {
001812 |             "RightFoot" "zlr" 0.0
001813 |         }
001814 |         $ri {
001815 |             "RightFoot" "ylr" 0.0
001816 |         }
001817 |         $ri {
001818 |             "LeftLegRoll" "xlr" 0.0
001819 |         }
001820 |         $ri {
001821 |             "LeftFoot" "zlr" 0.0
001822 |         }
001823 |         $ri {
001824 |             "LeftFoot" "ylr" 0.0
001825 |         }
001826 |         $ri {
001827 |             "RightLegRoll" "xlr" 0.0
001828 |         }
001829 |         $ri {
001830 |             "Collision" "xlt" 0.6
001831 |         }
001832 |     }
001833 |     $EditorData {
001834 |         #EditorPos 36.9000015 -46.5
001835 |     }
001836 | }
001837 | $Node AnimNodeRot {
001838 |     "LeanIdleErcLowArm" "" "ErcIdleLowArmIK" "eAI_Lean"
001839 |     $rotitems 2 {
001840 |         $ri {
001841 |             "RightArm" "zmr" -0.35
001842 |         }
001843 |         $ri {
001844 |             "LeftArm" "zmr" -0.35
001845 |         }
001846 |     }
001847 |     $EditorData {
001848 |         #EditorPos -35.9000015 -57.2000008
```

```
001849 |     }
001850 | }
001851 | $Node AnimNodeRot {
001852 |     "LeanIdleErcLowLeft" "" "LeanIdleErcLowArm" "clamp(eAI_Lea, -1.0, 0.0)*0.25"
001853 |     $rotitems 13 {
001854 |         $ri {
001855 |             "Pelvis" "xlt" 0.0
001856 |         }
001857 |         $ri {
001858 |             "Pelvis" "ylt" 0.0
001859 |         }
001860 |         $ri {
001861 |             "Spine" "zmr" 0.35
001862 |         }
001863 |         $ri {
001864 |             "Spine1" "zmr" 0.5
001865 |         }
001866 |         $ri {
001867 |             "Spine2" "zmr" 0.75
001868 |         }
001869 |         $ri {
001870 |             "Spine3" "zmr" 0.9
001871 |         }
001872 |         $ri {
001873 |             "RightFoot" "zlr" 0.85
001874 |         }
001875 |         $ri {
001876 |             "RightFoot" "ylr" -0.5
001877 |         }
001878 |         $ri {
001879 |             "LeftLegRoll" "xlr" 0.0
001880 |         }
001881 |         $ri {
001882 |             "LeftFoot" "zlr" 0.25
001883 |         }
001884 |         $ri {
001885 |             "LeftFoot" "ylr" 0.5
001886 |         }
001887 |         $ri {
001888 |             "RightLegRoll" "xlr" -0.5
001889 |         }
001890 |         $ri {
001891 |             "Collision" "xlt" 0.85
001892 |         }
001893 |     }
001894 |     $EditorData {
001895 |         #EditorPos -35.9000015 -56.4000015
001896 |     }
001897 | }
001898 | $Node AnimNodeRot {
001899 |     "LeanIdleErcLowRight" "" "LeanIdleErcLowLeft" "clamp(eAI_Lea, 0.0, 1.0)*0.25"
001900 |     $rotitems 13 {
001901 |         $ri {
001902 |             "Pelvis" "xlt" 0.0
001903 |         }
001904 |         $ri {
001905 |             "Pelvis" "ylt" 0.0
001906 |         }
001907 |         $ri {
001908 |             "Spine" "zmr" 0.4
001909 |         }
001910 |         $ri {
```

```
001911 |         "Spine1" "zmr" 0.6
001912 |     }
001913 |     $ri {
001914 |         "Spine2" "zmr" 0.8
001915 |     }
001916 |     $ri {
001917 |         "Spine3" "zmr" 1.0
001918 |     }
001919 |     $ri {
001920 |         "RightFoot" "zlr" 0.1
001921 |     }
001922 |     $ri {
001923 |         "RightFoot" "ylr" -0.4
001924 |     }
001925 |     $ri {
001926 |         "LeftLegRoll" "xlr" 0.1
001927 |     }
001928 |     $ri {
001929 |         "LeftFoot" "zlr" -0.3
001930 |     }
001931 |     $ri {
001932 |         "LeftFoot" "ylr" 0.5
001933 |     }
001934 |     $ri {
001935 |         "RightLegRoll" "xlr" -0.1
001936 |     }
001937 |     $ri {
001938 |         "Collision" "xlt" 0.65
001939 |     }
001940 | }
001941 | $EditorData {
001942 |     #EditorPos -35.9000015 -55.6000023
001943 | }
001944 | }
001945 | $Node AnimNodeRot {
001946 |     "LeanIdleErcRasLeft" "" "ErcIdleRasG" "clamp(eAI_Lean, -1.0, 0.0)*0.35"
001947 |     $rotitems 13 {
001948 |         $ri {
001949 |             "Pelvis" "xlt" -0.2
001950 |         }
001951 |         $ri {
001952 |             "Pelvis" "ylt" 0.1
001953 |         }
001954 |         $ri {
001955 |             "Spine" "zmr" 0.35
001956 |         }
001957 |         $ri {
001958 |             "Spine1" "zmr" 0.5
001959 |         }
001960 |         $ri {
001961 |             "Spine2" "zmr" 0.75
001962 |         }
001963 |         $ri {
001964 |             "Spine3" "zmr" 0.9
001965 |         }
001966 |         $ri {
001967 |             "RightFoot" "zlr" 0.85
001968 |         }
001969 |         $ri {
001970 |             "RightFoot" "ylr" -0.5
001971 |         }
001972 |         $ri {
```

```
001973 |         "LeftLegRoll" "xlr" 0.0
001974 |     }
001975 |     $ri {
001976 |         "LeftFoot" "zlr" 0.25
001977 |     }
001978 |     $ri {
001979 |         "LeftFoot" "ylr" 0.5
001980 |     }
001981 |     $ri {
001982 |         "RightLegRoll" "xlr" -0.5
001983 |     }
001984 |     $ri {
001985 |         "Collision" "xlt" 0.6
001986 |     }
001987 | }
001988 | $EditorData {
001989 |     #EditorPos 39.2999992 -47.2999992
001990 | }
001991 | }
001992 | $Node AnimNodeRot {
001993 |     "LeanIdleErcRasRight" "" "LeanIdleErcRasLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.2"
001994 |     $rotitems 13 {
001995 |         $ri {
001996 |             "Pelvis" "xlt" 0.0
001997 |         }
001998 |         $ri {
001999 |             "Pelvis" "ylt" 0.0
002000 |         }
002001 |         $ri {
002002 |             "Spine" "zmr" 0.4
002003 |         }
002004 |         $ri {
002005 |             "Spine1" "zmr" 0.6
002006 |         }
002007 |         $ri {
002008 |             "Spine2" "zmr" 0.8
002009 |         }
002010 |         $ri {
002011 |             "Spine3" "zmr" 1.0
002012 |         }
002013 |         $ri {
002014 |             "RightFoot" "zlr" 0.1
002015 |         }
002016 |         $ri {
002017 |             "RightFoot" "ylr" -0.4
002018 |         }
002019 |         $ri {
002020 |             "LeftLegRoll" "xlr" 0.1
002021 |         }
002022 |         $ri {
002023 |             "LeftFoot" "zlr" -0.3
002024 |         }
002025 |         $ri {
002026 |             "LeftFoot" "ylr" 0.5
002027 |         }
002028 |         $ri {
002029 |             "RightLegRoll" "xlr" -0.1
002030 |         }
002031 |         $ri {
002032 |             "Collision" "xlt" 0.7
002033 |         }
002034 |     }
```

```
002035 |         $EditorData {
002036 |             #EditorPos 39.2999992 -46.5
002037 |         }
002038 |     }
002039 |     $Node AnimNodeRot {
002040 |         "LeanMoveCroLowArm" "" "CroMoveLowArmIK" "eAI_Lean"
002041 |         $rotitems 2 {
002042 |             $ri {
002043 |                 "RightArm" "zmr" -0.4
002044 |             }
002045 |             $ri {
002046 |                 "LeftArm" "zmr" -0.4
002047 |             }
002048 |         }
002049 |         $EditorData {
002050 |             #EditorPos -14.8000002 -57.6000023
002051 |         }
002052 |     }
002053 |     $Node AnimNodeRot {
002054 |         "LeanMoveCroLowLeft" "" "LeanMoveCroLowArm" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
002055 |         $rotitems 7 {
002056 |             $ri {
002057 |                 "Spine3" "zmr" 0.9
002058 |             }
002059 |             $ri {
002060 |                 "Pelvis" "ylt" -0.1
002061 |             }
002062 |             $ri {
002063 |                 "Spine" "zmr" 0.35
002064 |             }
002065 |             $ri {
002066 |                 "Spine1" "zmr" 0.5
002067 |             }
002068 |             $ri {
002069 |                 "Spine2" "zmr" 0.75
002070 |             }
002071 |             $ri {
002072 |                 "Spine3" "ymr" -1.0
002073 |             }
002074 |             $ri {
002075 |                 "Collision" "xlt" 0.6
002076 |             }
002077 |         }
002078 |         $EditorData {
002079 |             #EditorPos -14.8000002 -56.7999992
002080 |         }
002081 |     }
002082 |     $Node AnimNodeRot {
002083 |         "LeanMoveCroLowRight" "" "LeanMoveCroLowLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
002084 |         $rotitems 6 {
002085 |             $ri {
002086 |                 "Spine3" "zmr" 0.9
002087 |             }
002088 |             $ri {
002089 |                 "Pelvis" "ylt" -0.1
002090 |             }
002091 |             $ri {
002092 |                 "Spine" "zmr" 0.35
002093 |             }
002094 |             $ri {
002095 |                 "Spine1" "zmr" 0.5
002096 |             }
002096 |         }
```

```
002097 |         $ri {
002098 |             "Spine2" "zmr" 0.75
002099 |         }
002100 |         $ri {
002101 |             "Collision" "xlt" 0.6
002102 |         }
002103 |     }
002104 |     $EditorData {
002105 |         #EditorPos -14.8000002 -56.0
002106 |     }
002107 | }
002108 | $Node AnimNodeRot {
002109 |     "LeanMoveCroRasLeft" "" "CroMoveLookHeadT" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
002110 |     $rotitems 13 {
002111 |         $ri {
002112 |             "Pelvis" "xlt" 0.1
002113 |         }
002114 |         $ri {
002115 |             "Pelvis" "ylt" 0.1
002116 |         }
002117 |         $ri {
002118 |             "Spine" "zmr" 0.35
002119 |         }
002120 |         $ri {
002121 |             "Spine1" "zmr" 0.5
002122 |         }
002123 |         $ri {
002124 |             "Spine2" "zmr" 0.75
002125 |         }
002126 |         $ri {
002127 |             "Spine3" "zmr" 0.9
002128 |         }
002129 |         $ri {
002130 |             "RightFoot" "zlr" 0.85
002131 |         }
002132 |         $ri {
002133 |             "RightFoot" "ylr" -0.5
002134 |         }
002135 |         $ri {
002136 |             "LeftLegRoll" "xlr" 0.0
002137 |         }
002138 |         $ri {
002139 |             "LeftFoot" "zlr" 0.25
002140 |         }
002141 |         $ri {
002142 |             "LeftFoot" "ylr" 0.5
002143 |         }
002144 |         $ri {
002145 |             "RightLegRoll" "xlr" -0.5
002146 |         }
002147 |         $ri {
002148 |             "Collision" "xlt" 0.4
002149 |         }
002150 |     }
002151 |     $EditorData {
002152 |         #EditorPos 25.6000004 -50.0
002153 |     }
002154 | }
002155 | $Node AnimNodeRot {
002156 |     "LeanMoveCroRasRight" "" "LeanMoveCroRasLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
002157 |     $rotitems 7 {
002158 |         $ri {
```



```
002159 |         "Pelvis" "xlt" -0.1
002160 |     }
002161 |     $ri {
002162 |         "Pelvis" "ylt" 0.1
002163 |     }
002164 |     $ri {
002165 |         "Spine" "zmr" 0.35
002166 |     }
002167 |     $ri {
002168 |         "Spine1" "zmr" 0.5
002169 |     }
002170 |     $ri {
002171 |         "Spine2" "zmr" 0.75
002172 |     }
002173 |     $ri {
002174 |         "Spine3" "zmr" 0.9
002175 |     }
002176 |     $ri {
002177 |         "Collision" "xlt" 0.4
002178 |     }
002179 | }
002180 | $EditorData {
002181 |     #EditorPos 25.6000004 -49.2000008
002182 | }
002183 | }
002184 | $Node AnimNodeRot {
002185 |     "LeanMoveErcLowArm" "" "ErcMoveLowArmIK" "eAI_Lean"
002186 |     $rotitems 2 {
002187 |         $ri {
002188 |             "RightArm" "zmr" -0.35
002189 |         }
002190 |         $ri {
002191 |             "LeftArm" "zmr" -0.35
002192 |         }
002193 |     }
002194 |     $EditorData {
002195 |         #EditorPos -17.3000011 -57.6000023
002196 |     }
002197 | }
002198 | $Node AnimNodeRot {
002199 |     "LeanMoveErcLowLeft" "" "LeanMoveErcLowArm" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
002200 |     $rotitems 13 {
002201 |         $ri {
002202 |             "Pelvis" "xlt" 0.0
002203 |         }
002204 |         $ri {
002205 |             "Pelvis" "ylt" 0.0
002206 |         }
002207 |         $ri {
002208 |             "Spine" "zmr" 0.35
002209 |         }
002210 |         $ri {
002211 |             "Spine1" "zmr" 0.5
002212 |         }
002213 |         $ri {
002214 |             "Spine2" "zmr" 0.75
002215 |         }
002216 |         $ri {
002217 |             "Spine3" "zmr" 0.9
002218 |         }
002219 |         $ri {
002220 |             "RightFoot" "zlr" 0.85
```

```
002221 |     }
002222 |     $ri {
002223 |         "RightFoot" "ylr" -0.5
002224 |     }
002225 |     $ri {
002226 |         "LeftLegRoll" "xlr" 0.0
002227 |     }
002228 |     $ri {
002229 |         "LeftFoot" "zlr" 0.25
002230 |     }
002231 |     $ri {
002232 |         "LeftFoot" "ylr" 0.5
002233 |     }
002234 |     $ri {
002235 |         "RightLegRoll" "xlr" -0.5
002236 |     }
002237 |     $ri {
002238 |         "Collision" "xlt" 0.7
002239 |     }
002240 | }
002241 | $EditorData {
002242 |     #EditorPos -17.3000011 -56.7999992
002243 | }
002244 | }
002245 | $Node AnimNodeRot {
002246 |     "LeanMoveErcLowRight" "" "LeanMoveErcLowLeft" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
002247 |     $rotitems 13 {
002248 |         $ri {
002249 |             "Pelvis" "xlt" 0.0
002250 |         }
002251 |         $ri {
002252 |             "Pelvis" "ylt" 0.0
002253 |         }
002254 |         $ri {
002255 |             "Spine" "zmr" 0.4
002256 |         }
002257 |         $ri {
002258 |             "Spine1" "zmr" 0.6
002259 |         }
002260 |         $ri {
002261 |             "Spine2" "zmr" 0.8
002262 |         }
002263 |         $ri {
002264 |             "Spine3" "zmr" 1.0
002265 |         }
002266 |         $ri {
002267 |             "RightFoot" "zlr" 0.1
002268 |         }
002269 |         $ri {
002270 |             "RightFoot" "ylr" -0.4
002271 |         }
002272 |         $ri {
002273 |             "LeftLegRoll" "xlr" 0.1
002274 |         }
002275 |         $ri {
002276 |             "LeftFoot" "zlr" -0.3
002277 |         }
002278 |         $ri {
002279 |             "LeftFoot" "ylr" 0.5
002280 |         }
002281 |         $ri {
002282 |             "RightLegRoll" "xlr" -0.1
```

```
002283 |         }
002284 |         $ri {
002285 |             "Collision" "xlt" 0.7
002286 |         }
002287 |     }
002288 |     $EditorData {
002289 |         #EditorPos -17.3000011 -56.0
002290 |     }
002291 | }
002292 | $Node AnimNodeRot {
002293 |     "LeanMoveErcRasLeft" "" "ErcMoveLookHeadT" "clamp(eAI_Lea, -1.0, 0.0)*0.35"
002294 |     $rotitems 13 {
002295 |         $ri {
002296 |             "Pelvis" "xlt" -0.2
002297 |         }
002298 |         $ri {
002299 |             "Pelvis" "ylt" 0.1
002300 |         }
002301 |         $ri {
002302 |             "Spine" "zmr" 0.35
002303 |         }
002304 |         $ri {
002305 |             "Spine1" "zmr" 0.5
002306 |         }
002307 |         $ri {
002308 |             "Spine2" "zmr" 0.75
002309 |         }
002310 |         $ri {
002311 |             "Spine3" "zmr" 0.9
002312 |         }
002313 |         $ri {
002314 |             "RightFoot" "zlr" 0.85
002315 |         }
002316 |         $ri {
002317 |             "RightFoot" "ylr" -0.5
002318 |         }
002319 |         $ri {
002320 |             "LeftLegRoll" "xlr" 0.0
002321 |         }
002322 |         $ri {
002323 |             "LeftFoot" "zlr" 0.25
002324 |         }
002325 |         $ri {
002326 |             "LeftFoot" "ylr" 0.5
002327 |         }
002328 |         $ri {
002329 |             "RightLegRoll" "xlr" -0.5
002330 |         }
002331 |         $ri {
002332 |             "Collision" "xlt" 0.4
002333 |         }
002334 |     }
002335 |     $EditorData {
002336 |         #EditorPos 28.0 -51.2000008
002337 |     }
002338 | }
002339 | $Node AnimNodeRot {
002340 |     "LeanMoveErcRasRight" "" "LeanMoveErcRasLeft" "clamp(eAI_Lea, 0.0, 1.0)*0.2"
002341 |     $rotitems 13 {
002342 |         $ri {
002343 |             "Pelvis" "xlt" 0.0
002344 |         }
```

```
002345 |         $ri {
002346 |             "Pelvis" "ylt" 0.0
002347 |         }
002348 |         $ri {
002349 |             "Spine" "zmr" 0.4
002350 |         }
002351 |         $ri {
002352 |             "Spine1" "zmr" 0.6
002353 |         }
002354 |         $ri {
002355 |             "Spine2" "zmr" 0.8
002356 |         }
002357 |         $ri {
002358 |             "Spine3" "zmr" 1.0
002359 |         }
002360 |         $ri {
002361 |             "RightFoot" "zlr" 0.1
002362 |         }
002363 |         $ri {
002364 |             "RightFoot" "ylr" -0.4
002365 |         }
002366 |         $ri {
002367 |             "LeftLegRoll" "xlr" 0.1
002368 |         }
002369 |         $ri {
002370 |             "LeftFoot" "zlr" -0.3
002371 |         }
002372 |         $ri {
002373 |             "LeftFoot" "ylr" 0.5
002374 |         }
002375 |         $ri {
002376 |             "RightLegRoll" "xlr" -0.1
002377 |         }
002378 |         $ri {
002379 |             "Collision" "xlt" 0.55
002380 |         }
002381 |     }
002382 |     $EditorData {
002383 |         #EditorPos 28.0 -50.4000015
002384 |     }
002385 | }
002386 | $Node AnimNodeBlendTAdd {
002387 |     "LocomotionFacalT" "" "StanceMaster" "FacialMovementAnim" "" "" "MovementSpeed > 0" 0.3 "S" 0
002388 |     $EditorData {
002389 |         #EditorPos 2.6000001 -5.5
002390 |     }
002391 | }
002392 | $Node AnimNodeQueue {
002393 |     "LocomotionQ" "" "MeleeBlockQ"
002394 |     $items 3 {
002395 |         $item {
002396 |             "WeaponChangeStanceSTM" "IsCommand(CMD_Weapon_Hide) || IsCommand(CMD_Weapon_Show)" "" "" 0.1 0.35 1 0
002397 |         }
002398 |         $item {
002399 |             "ActionMaster" "IsCommand(CMD_Action) || IsCommand(CMD_TRAILER_WALK_AWAY)" "GetCommandI(CMD_InternalAction) == -2 || eAI_Raised" "" 0.2 0.4
1 1
002400 |         }
002401 |         $item {
002402 |             "ReloadStanceChange" "IsCommand(CMD_Reload_Magazine) || IsCommand(CMD_Reload_BoltAction) || IsCommand(CMD_Reload_Chambering) || IsCommand(CMD
_Reload_ChamberingFast) || IsCommand(CMD_Weapon_Jam) || IsCommand(CMD_Reload_Clip)" "IsCommand(CMD_Weapon_Interrupt)
002403 | ||
002404 | (Stance == 0 && HasVariableChanged(Stance, 2))
```

```
002405 | ||
002406 | (Stance == 1 && HasVariableChanged(Stance, 2))
002407 | ||
002408 | (Stance == 2 && HasVariableChanged(Stance)))" "" 0.35 0.35 1 1
002409 |     }
002410 |     }
002411 |     $EditorData {
002412 |         #EditorPos 2.9000001 18.3000011
002413 |     }
002414 | }
002415 | $Node AnimNodeBufferSave {
002416 |     "LocomotionQBufferSave" "" "NormalWeaponIK" "LocomotionQBuffer"
002417 |     $EditorData {
002418 |         #EditorPos 2.7 14.1999998
002419 |     }
002420 | }
002421 | $Node AnimNodeBufferUse {
002422 |     "LocomotionQBufferUse" "" "LocomotionQ" "LocomotionQBuffer"
002423 |     $EditorData {
002424 |         #EditorPos 3.4000001 20.1000004
002425 |     }
002426 | }
002427 | $Node AnimNodeQueue {
002428 |     "MeleeBlockQ" "" "SickHotColdQ"
002429 |     $Items 1 {
002430 |         $Item {
002431 |             "MeleeBlockSrc" "MeleeBlock && !IsTag(\"TagSwitch\")" "!MeleeBlock || IsTag(\"TagSwitch\")" "" 0.1 0.3 1 1
002432 |         }
002433 |     }
002434 |     $EditorData {
002435 |         #EditorPos 2.8 16.8000011
002436 |     }
002437 | }
002438 | $Node AnimNodeSource {
002439 |     "MeleeBlockSrc" "" "Combat.Erc.Block" "loop"
002440 |     $Predictions {
002441 |     }
002442 |     $EditorData {
002443 |         #EditorPos 6.7000003 15.3000002
002444 |     }
002445 | }
002446 | $Node AnimNodeIK2 {
002447 |     "MovementLowIK" "" "MovementLowSTM" "//! global values
002448 | weight = 1.0
002449 |
002450 | LFootIKTarget
002451 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
002452 | chainAxis = +x
002453 |
002454 | RFootIKTarget
002455 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
002456 | chainAxis = -x"
002457 |     $EditorData {
002458 |         #EditorPos -21.1000004 -50.9000015
002459 |     }
002460 | }
002461 | $Node AnimNodeStateMachine {
002462 |     "MovementLowSTM" ""
002463 |     $States 4 {
002464 |         $State {
002465 |             "Erc" "TagErected" "LeanMoveErcLowRight" "Stance == 0 && WaterLevel == 0" "normtime" 0
002466 |             $EditorData {
```

```
002467 |         #EditorPos -17.3000011 -53.9000015
002468 |     }
002469 | }
002470 | $State {
002471 |     "Cro" "TagCrouch" "LeanMoveCroLowRight" "Stance == 1 && WaterLevel == 0" "normtime" 0
002472 |     $EditorData {
002473 |         #EditorPos -14.8000002 -53.0
002474 |     }
002475 | }
002476 | $State {
002477 |     "Pne" "TagProne" "PneMoveLowG" "Stance == 2 && WaterLevel < 0.5" "normtime" 0
002478 |     $EditorData {
002479 |         #EditorPos -25.6000004 -53.4000015
002480 |     }
002481 | }
002482 | $State {
002483 |     "Water" "TagWater TagErected" "WaterMoveIKT" "WaterLevel > 0" "normtime" 0
002484 |     $EditorData {
002485 |         #EditorPos -21.1000004 -53.0
002486 |     }
002487 | }
002488 | }
002489 | $Transitions 5 {
002490 |     $Transition {
002491 |         "Erc" "Cro" "Stance == 1" "0.35" "GetLowerTime()" 1 "S"
002492 |     }
002493 |     $Transition {
002494 |         "Cro" "Erc" "Stance == 0" "0.35" "GetLowerTime()" 1 "S"
002495 |     }
002496 |     $Transition {
002497 |         "Water" "Cro" "WaterLevel == 0 && Stance == 1" "0.5" "GetLowerTime()" 1 "S"
002498 |     }
002499 |     $Transition {
002500 |         "Water" "Erc" "WaterLevel == 0 && Stance == 1" "0.5" "GetLowerTime()" 1 "S"
002501 |     }
002502 |     $Transition {
002503 |         "" "Water" "WaterLevel > 0 && HasVariableChanged(WaterLevel, 0.0)" "0.5" "GetLowerTime()" 1 "S"
002504 |     }
002505 | }
002506 | $EditorData {
002507 |     #EditorPos -21.1000004 -51.7999992
002508 | }
002509 | }
002510 | $Node AnimNodeVarUpdate {
002511 |     "MovementLowVar" "" "MovementLowIK" 1 "MovementDirection" 3
002512 |     $EditorData {
002513 |         #EditorPos -21.1000004 -50.1000023
002514 |     }
002515 | }
002516 | $Node AnimNodeIK2 {
002517 |     "MovementRasIK" "" "MovementRasSTM" "///! global values
002518 | weight = 1.0
002519 |
002520 | LFootIKTarget
002521 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
002522 | chainAxis = +x
002523 |
002524 | RFootIKTarget
002525 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
002526 | chainAxis = -x"
002527 |     $EditorData {
002528 |         #EditorPos 25.2000008 -44.2000008
```

```

002529 |     }
002530 | }
002531 | $Node AnimNodeStateMachine {
002532 |     "MovementRasSTM" ""
002533 |     $States 2 {
002534 |         $State {
002535 |             "Erc" "TagErected" "LeanForwardMoveRotNode" "Stance == 0" "normtime" 0
002536 |             $EditorData {
002537 |                 #EditorPos 28.0 -46.2000008
002538 |             }
002539 |         }
002540 |         $State {
002541 |             "Cro" "TagCrouch" "CroMoveRasG" "Stance == 1" "normtime" 0
002542 |             $EditorData {
002543 |                 #EditorPos 25.6000004 -46.2000008
002544 |             }
002545 |         }
002546 |     }
002547 |     $Transitions 2 {
002548 |         $Transition {
002549 |             "Erc" "Cro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
002550 |         }
002551 |         $Transition {
002552 |             "Cro" "Erc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
002553 |         }
002554 |     }
002555 |     $EditorData {
002556 |         #EditorPos 25.2000008 -45.0
002557 |     }
002558 | }
002559 | $Node AnimNodeVarUpdate {
002560 |     "MovementRasVar" "" "MovementRasIK" 1 "MovementDirection" 3
002561 |     $EditorData {
002562 |         #EditorPos 25.2000008 -43.4000015
002563 |     }
002564 | }
002565 | $Node AnimNodeWeaponIK {
002566 |     "NormalWeaponIK" "" "AimObstructionT" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.36 0.15 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest"
    // ik pose anim
002567 | // (root - means RightHand - but right hand is not exported)
002568 | // |- RightHand_Dummy (where Weapon is)
002569 | // |   |- LeftHandIKTarget (where left hand is on weapon)
002570 | // |- RightHandOrigin ( inverse transform where hand originally was)
002571 |
002572 | // basic setup -
002573 | // hand - bone which represents hand holding weapon
002574 | // weapon - bone which represents weapon node in hand
002575 | // weaponrotator - bone - around which weapon rotates
002576 | hand = RightHand
002577 | weapon = RightHand_Dummy
002578 | weaponrotator = RightArm
002579 | weaponaxis= -x
002580 |
002581 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
002582 | chainaxis=-x
002583 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
002584 | secchainaxis=+x
002585 |
002586 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
002587 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
002588 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
002589 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)

```

```
002590 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
002591 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
002592 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
002593 | outputweaponoffsettobuffer = true
002594 | "
002595 |     $EditorData {
002596 |         #EditorPos 2.7 10.6999998
002597 |     }
002598 | }
002599 | $Node AnimNodeStateMachine {
002600 |     "POBStanceChangeSTM" "TagProneBackExit"
002601 |     $States 2 {
002602 |         $State {
002603 |             "ToCro" "" "POBToCroRaisedT" "Stance == 1" "normtime" 1
002604 |             $EditorData {
002605 |                 #EditorPos 33.7999992 -13.1000004
002606 |             }
002607 |         }
002608 |         $State {
002609 |             "ToErc" "" "POBToErcRaisedT" "Stance == 0" "normtime" 1
002610 |             $EditorData {
002611 |                 #EditorPos 38.6000023 -13.1000004
002612 |             }
002613 |         }
002614 |     }
002615 |     $Transitions 2 {
002616 |         $Transition {
002617 |             "ToErc" "ToCro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
002618 |         }
002619 |         $Transition {
002620 |             "ToCro" "ToErc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
002621 |         }
002622 |     }
002623 |     $EditorData {
002624 |         #EditorPos 33.4000015 -11.9000006
002625 |     }
002626 | }
002627 | $Node AnimNodeSourceSync {
002628 |     "POBToCroAnim" "" "Locomotion.GoCrouch" "noloop" "Transitions"
002629 |     $Predictions {
002630 |     }
002631 |     $EditorData {
002632 |         #EditorPos 33.7000008 -21.3000011
002633 |     }
002634 | }
002635 | $Node AnimNodeGroupSelect {
002636 |     "POBToCroLowG" "" "POBToCroLowLookT" "Locomotion" "PneB"
002637 |     $EditorData {
002638 |         #EditorPos 32.6000023 -17.0
002639 |     }
002640 | }
002641 | $Node AnimNodeBlendTAdd {
002642 |     "POBToCroLowLookT" "" "POBToCroLowLookT2" "MoveLookPose" "" "" "Look && GetRemainingTime() >= 0.5" 0.3 "S" 0
002643 |     $EditorData {
002644 |         #EditorPos 32.6000023 -18.0
002645 |     }
002646 | }
002647 | $Node AnimNodeBlendTAdd {
002648 |     "POBToCroLowLookT2" "" "POBToCroAnim" "CroLookBlend" "" "" "Look && GetRemainingTime() < 0.5" 0.3 "S" 0
002649 |     $EditorData {
002650 |         #EditorPos 32.6000023 -19.0
002651 |     }
}
```



```
002652 |     }
002653 |     $Node AnimNodeBlendT {
002654 |         "POBToCroRaisedT" "" "POBToCroLowG" "POBToCroRasAimG" "" "" "eAI_Raised" 0.4 "S" 7
002655 |         $EditorData {
002656 |             #EditorPos 33.7999992 -15.3000002
002657 |         }
002658 |     }
002659 |     $Node AnimNodeGroupSelect {
002660 |         "POBToCroRasAimG" "" "POBToCroRasAimT" "Locomotion" "CroRas"
002661 |         $EditorData {
002662 |             #EditorPos 34.9000015 -16.2000008
002663 |         }
002664 |     }
002665 |     $Node AnimNodeBlendTAdd {
002666 |         "POBToCroRasAimT" "" "POBToCroRasG" "AimPose" "GetUpperNTime() > 0.4" "" "" 0.5 "S" 0
002667 |         $EditorData {
002668 |             #EditorPos 34.9000015 -17.0
002669 |         }
002670 |     }
002671 |     $Node AnimNodeGroupSelect {
002672 |         "POBToCroRasG" "" "POBToCroRasLookT" "Locomotion" "PneBRas"
002673 |         $EditorData {
002674 |             #EditorPos 34.9000015 -18.0
002675 |         }
002676 |     }
002677 |     $Node AnimNodeBlendTAdd {
002678 |         "POBToCroRasLookT" "" "POBToCroAnim" "MoveLookPose" "" "" "" 0.3 "S" 1
002679 |         $EditorData {
002680 |             #EditorPos 34.9000015 -19.0
002681 |         }
002682 |     }
002683 |     $Node AnimNodeSourceSync {
002684 |         "POBToErcAnim" "" "Locomotion.GoErect" "noloop" "Transitions"
002685 |         $Predictions {
002686 |         }
002687 |         $EditorData {
002688 |             #EditorPos 38.6000023 -21.2000008
002689 |         }
002690 |     }
002691 |     $Node AnimNodeGroupSelect {
002692 |         "POBToErcLowG" "" "POBToErcLowLookT" "Locomotion" "PneB"
002693 |         $EditorData {
002694 |             #EditorPos 37.4000015 -17.0
002695 |         }
002696 |     }
002697 |     $Node AnimNodeBlendTAdd {
002698 |         "POBToErcLowLookT" "" "POBToErcLowLookT2" "MoveLookPose" "" "" "Look && GetRemainingTime() >= 0.5" 0.3 "S" 0
002699 |         $EditorData {
002700 |             #EditorPos 37.4000015 -18.0
002701 |         }
002702 |     }
002703 |     $Node AnimNodeBlendTAdd {
002704 |         "POBToErcLowLookT2" "" "POBToErcAnim" "ErcLookBlend" "" "" "Look && GetRemainingTime() < 0.5" 0.3 "S" 0
002705 |         $EditorData {
002706 |             #EditorPos 37.4000015 -19.0
002707 |         }
002708 |     }
002709 |     $Node AnimNodeBlendT {
002710 |         "POBToErcRaisedT" "" "POBToErcLowG" "POBToErcRasAimG" "" "" "eAI_Raised" 0.4 "S" 7
002711 |         $EditorData {
002712 |             #EditorPos 38.6000023 -15.3000002
002713 |         }
002713 |     }
```

```
002714 |     }
002715 |     $Node AnimNodeGroupSelect {
002716 |         "POBToErcRasAimG" "" "POBToErcRasAimT" "Locomotion" "ErcRas"
002717 |         $EditorData {
002718 |             #EditorPos 39.7000008 -16.3000011
002719 |         }
002720 |     }
002721 |     $Node AnimNodeBlendTAdd {
002722 |         "POBToErcRasAimT" "" "POBToErcRasG" "AimPose" "GetUpperNTime() > 0.4" "" "" 0.5 "S" 0
002723 |         $EditorData {
002724 |             #EditorPos 39.7000008 -17.0
002725 |         }
002726 |     }
002727 |     $Node AnimNodeGroupSelect {
002728 |         "POBToErcRasG" "" "POBToErcRasLookT" "Locomotion" "PneBRas"
002729 |         $EditorData {
002730 |             #EditorPos 39.7000008 -18.1000004
002731 |         }
002732 |     }
002733 |     $Node AnimNodeBlendTAdd {
002734 |         "POBToErcRasLookT" "" "POBToErcAnim" "MoveLookPose" "" "" "" 0.3 "S" 1
002735 |         $EditorData {
002736 |             #EditorPos 39.7000008 -19.0
002737 |         }
002738 |     }
002739 |     $Node AnimNodeGroupSelect {
002740 |         "PickUpHandsTestG" "" "PickUpRot" "ActionOnce" "PickUpHandsErc"
002741 |         $EditorData {
002742 |             #EditorPos -33.2000008 3.8
002743 |         }
002744 |     }
002745 |     $Node AnimNodeSource {
002746 |         "PistolBeltHideAnim" "" "WeaponChange.PistolBeltHide" "noloop"
002747 |         $Predictions {
002748 |         }
002749 |         $EditorData {
002750 |             #EditorPos -11.1000004 4.5999999
002751 |         }
002752 |     }
002753 |     $Node AnimNodeSource {
002754 |         "PistolBeltShowAnim" "" "WeaponChange.PistolBeltShow" "noloop"
002755 |         $Predictions {
002756 |         }
002757 |         $EditorData {
002758 |             #EditorPos -12.3000002 3.9000001
002759 |         }
002760 |     }
002761 |     $Node AnimNodeSource {
002762 |         "PistolChestHideAnim" "" "WeaponChange.PistolChestHide" "noloop"
002763 |         $Predictions {
002764 |         }
002765 |         $EditorData {
002766 |             #EditorPos -8.6000004 4.5999999
002767 |         }
002768 |     }
002769 |     $Node AnimNodeSource {
002770 |         "PistolChestShowAnim" "" "WeaponChange.PistolChestShow" "noloop"
002771 |         $Predictions {
002772 |         }
002773 |         $EditorData {
002774 |             #EditorPos -9.8000002 3.9000001
002775 |         }
002775 |     }
```

```
002776 |     }
002777 |     $Node AnimNodeBlendTAdd {
002778 |         "PneADST" "" "PneRasPose" "PneOnBackADSBlend" "" "" "ADS" 0.3 "S" 0
002779 |         $EditorData {
002780 |             #EditorPos 32.0 -50.2999992
002781 |         }
002782 |     }
002783 |     $Node AnimNodeBlend {
002784 |         "PneBackFacialB" "" "1.0" "PneBackLookT" "FacialIdleSwitch" 0
002785 |         $EditorData {
002786 |             #EditorPos 46.4000015 -12.0
002787 |         }
002788 |     }
002789 |     $Node AnimNodeStateMachine {
002790 |         "PneBackIdleSTM" ""
002791 |         $States 2 {
002792 |             $State {
002793 |                 "Idle" "" "IdleAnim" "true" "realtime" 0
002794 |                 $EditorData {
002795 |                     #EditorPos 46.6000023 -15.5
002796 |                 }
002797 |             }
002798 |             $State {
002799 |                 "Turn" "TagTurn" "PneTurnVar" "false" "normtime" 0
002800 |                 $EditorData {
002801 |                     #EditorPos 52.1000023 -15.5
002802 |                 }
002803 |             }
002804 |         }
002805 |         $Transitions 3 {
002806 |             $Transition {
002807 |                 "Idle" "Turn" "IsCommand(CMD_eAI_Turn)" "0.3" "" 0 "S"
002808 |             }
002809 |             $Transition {
002810 |                 "Turn" "Idle" "GetLowerTime() > 0.75 || IsCommand(CMD_eAI_StopTurn)" "0.25" "" 1 "S"
002811 |             }
002812 |             $Transition {
002813 |                 "" "Turn" "IsCommand(CMD_eAI_Turn)" "0.35" "0.15" 1 "S"
002814 |             }
002815 |         }
002816 |         $EditorData {
002817 |             #EditorPos 46.4000015 -14.1000004
002818 |         }
002819 |     }
002820 |     $Node AnimNodeBlendTAdd {
002821 |         "PneBackLookT" "" "PneBackIdleSTM" "MoveLookPose" "" "" "Look" 0.3 "S" 1
002822 |         $EditorData {
002823 |             #EditorPos 46.4000015 -13.0
002824 |         }
002825 |     }
002826 |     $Node AnimNodeBlendN {
002827 |         "PneBackMovement" "" "MovementDirection" 1 "S"
002828 |         $Inputs {
002829 |             -180.0 "PoBForwardSrc"
002830 |             -90.0 "PoBLeftSrc"
002831 |             0.0 "PoBBackSrc"
002832 |             90.0 "PoBRightSrc"
002833 |             180.0
002834 |         }
002835 |         $EditorData {
002836 |             #EditorPos 38.7999992 -6.7000003
002837 |         }
002837 |     }
```

```
002838 |     }
002839 |     $Node AnimNodeGroupSelect {
002840 |         "PneBackRollLowG" "" "ProneRollRightLeft" "Locomotion" "PneB"
002841 |         $EditorData {
002842 |             #EditorPos 1.8000001 -19.6000004
002843 |         }
002844 |     }
002845 |     $Node AnimNodeGroupSelect {
002846 |         "PneBackRollRasG" "" "ProneRollRightLeft" "Locomotion" "PneBRas"
002847 |         $EditorData {
002848 |             #EditorPos 3.9000001 -19.6000004
002849 |         }
002850 |     }
002851 |     $Node AnimNodeSource {
002852 |         "PneFallForwardAnim" "" "Falls.Pne.FallForward" "noloop"
002853 |         $Predictions {
002854 |         }
002855 |         $EditorData {
002856 |             #EditorPos 49.7999992 13.6999998
002857 |         }
002858 |     }
002859 |     $Node AnimNodeIK2 {
002860 |         "PneIdleLowArmIK" "" "AnimNodeSource" "///! global values
002861 | weight = 1.0
002862 |
002863 | LHandIKTarget
002864 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
002865 | chainAxis = +x
002866 |
002867 | RHandIKTarget
002868 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
002869 | chainAxis = -x"
002870 |         $EditorData {
002871 |             #EditorPos -29.7000008 -55.5
002872 |         }
002873 |     }
002874 |     $Node AnimNodeGroupSelect {
002875 |         "PneIdleLowG" "" "PneIdleLowInjG" "Locomotion" "Pne"
002876 |         $EditorData {
002877 |             #EditorPos -31.3000011 -56.4000015
002878 |         }
002879 |     }
002880 |     $Node AnimNodeGroupSelect {
002881 |         "PneIdleLowInjG" "" "IdleSTM" "LocomotionInjured" "Pne"
002882 |         $EditorData {
002883 |             #EditorPos -31.3000011 -57.2000008
002884 |         }
002885 |     }
002886 |     $Node AnimNodeGroupSelect {
002887 |         "PneIdleRasG" "" "PneRasFacialB" "Locomotion" "PneRas"
002888 |         $EditorData {
002889 |             #EditorPos 33.0 -47.7000008
002890 |         }
002891 |     }
002892 |     $Node AnimNodeBlendT {
002893 |         "PneInjuredBlendT" "" "PneRunCyclic" "PneRunInjCyclic" "" "" "Injured > 0.5" 0.3 "S" 3
002894 |         $EditorData {
002895 |             #EditorPos -26.2000008 -65.5
002896 |         }
002897 |     }
002898 |     $Node AnimNodeSource {
002899 |         "PneLandHeavyAnim" "" "Falls.Pne.LandHeavy" "noloop"
```

```
002900 |         $Predictions {
002901 |     }
002902 |     $EditorData {
002903 |         #EditorPos 52.5 4.2000003
002904 |     }
002905 | }
002906 | $Node AnimNodeSource {
002907 |     "PneLandMediumAnim" "" "Falls.Pne.LandMedium" "nolop"
002908 |     $Predictions {
002909 |     }
002910 |     $EditorData {
002911 |         #EditorPos 49.6000023 6.0
002912 |     }
002913 | }
002914 | $Node AnimNodeBlendTAdd {
002915 |     "PneMoveHeadLookT" "" "PneVar" "MoveHeadLookPose" "" "" "Look" 0.3 "S" 0
002916 |     $EditorData {
002917 |         #EditorPos -25.6000004 -58.6000023
002918 |     }
002919 | }
002920 | $Node AnimNodeIK2 {
002921 |     "PneMoveLowArmIK" "" "PneMoveHeadLookT" "///! global values
002922 | weight = 1.0
002923 |
002924 | LHandIKTarget
002925 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
002926 | chainAxis = +x
002927 |
002928 | RHandIKTarget
002929 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
002930 | chainAxis = -x"
002931 |     $EditorData {
002932 |         #EditorPos -25.6000004 -57.6000023
002933 |     }
002934 | }
002935 | $Node AnimNodeGroupSelect {
002936 |     "PneMoveLowG" "" "PneMoveLowInjG" "Locomotion" "Pne"
002937 |     $EditorData {
002938 |         #EditorPos -25.6000004 -56.0
002939 |     }
002940 | }
002941 | $Node AnimNodeGroupSelect {
002942 |     "PneMoveLowInjG" "" "PneMoveLowArmIK" "LocomotionInjured" "Pne"
002943 |     $EditorData {
002944 |         #EditorPos -25.6000004 -56.7000008
002945 |     }
002946 | }
002947 | $Node AnimNodeStateMachine {
002948 |     "PneMovementSTM" ""
002949 |     $States 2 {
002950 |         $State {
002951 |             "Run" "" "PneRunCyclic" "MovementSpeed < 3
002952 | ||
002953 | (
002954 | MovementSpeed == 3
002955 | &&
002956 | (MovementDirection < -45 || MovementDirection > 45)
002957 | )
002958 | ||
002959 | Injured >= 0.5" "normtime" 0
002960 |         $EditorData {
002961 |             #EditorPos -26.2000008 -61.7000008
```

```
002962 |         }
002963 |     }
002964 |     $State {
002965 |         "Sprint" "" "PneSprintCyclic" "MovementSpeed == 3
002966 |     &&
002967 |     MovementDirection >= -45 && MovementDirection < 45
002968 |     &&
002969 |     Injured < 0.5" "normtime" 0
002970 |         $EditorData {
002971 |             #EditorPos -23.5 -61.7000008
002972 |         }
002973 |     }
002974 | }
002975 | $Transitions 2 {
002976 |     $Transition {
002977 |         "Sprint" "Run" "MovementSpeed < 3
002978 |     ||
002979 |     (MovementDirection < -45 || MovementDirection > 45 )
002980 |     ||
002981 |     Injured >= 0.5" "0.5" "GetLowerTime()" 1 "S"
002982 |     }
002983 |     $Transition {
002984 |         "Run" "Sprint" "MovementSpeed == 3
002985 |     &&
002986 |     MovementDirection >= -45
002987 |     &&
002988 |     MovementDirection <= 45
002989 |     &&
002990 |     Injured < 0.5" "0.5" "GetLowerTime()" 1 "S"
002991 |     }
002992 |     }
002993 |     $EditorData {
002994 |         #EditorPos -26.6000004 -60.5
002995 |     }
002996 | }
002997 | $Node AnimNodeBlend {
002998 |     "PneOnBackFacialB" "" "0.0" "PneOnBackLowLookT" "FacialIdleSwitch" 0
002999 |     $EditorData {
003000 |         #EditorPos 38.7999992 -4.8000002
003001 |     }
003002 | }
003003 | $Node AnimNodeGroupSelect {
003004 |     "PneOnBackIdleLowG" "" "PneBackFacialB" "Locomotion" "PneB"
003005 |     $EditorData {
003006 |         #EditorPos 46.4000015 -11.1000004
003007 |     }
003008 | }
003009 | $Node AnimNodeBlendT {
003010 |     "PneOnBackLowLookT" "" "PneBackMovement" "MoveLookPose" "" "" "Look" 0.3 "S" 1
003011 |     $EditorData {
003012 |         #EditorPos 38.7999992 -5.7000003
003013 |     }
003014 | }
003015 | $Node AnimNodeBlendT {
003016 |     "PneOnBackRaisedT" "" "PneBackRollLowG" "PneBackRollRasG" "" "" "eAI_Raised" 0.3 "S" 7
003017 |     $EditorData {
003018 |         #EditorPos 2.9000001 -18.8999996
003019 |     }
003020 | }
003021 | $Node AnimNodeBlend {
003022 |     "PneRasFacialB" "" "0.0" "IdlePneRasBreathe" "FacialIdleSwitch" 0
003023 |     $EditorData {
```

```
003024 |         #EditorPos 33.0 -48.5
003025 |     }
003026 | }
003027 | $Node AnimNodeBlendTAdd {
003028 |     "PneRasLookBlendT" "" "PneIdleRasG" "MoveLookPose" "" "" "Look" 0.3 "S" 0
003029 |     $EditorData {
003030 |         #EditorPos 33.0 -46.7999992
003031 |     }
003032 | }
003033 | $Node AnimNodePose2 {
003034 |     "PneRasPose" "" "Locomotion.PneRas.AimToBack" "eAI_AimY" "eAI_AimX" "Y(-45): X(-180)= 0, X(-90) = 10, X(0) = 20, X(90) = 30, X(180) = 40
003035 | Y(0): X(-180) = 41, X(-90) = 51, X(0) = 61, X(90) = 71, X(180) = 81
003036 | Y(90): X(-180) = 82, X(-90) = 92, X(0) = 102, X(90) = 112, X(180) = 122"
003037 |     $EditorData {
003038 |         #EditorPos 32.0 -51.2999992
003039 |     }
003040 | }
003041 | $Node AnimNodeSource {
003042 |     "PneRollLeftAnim" "" "Locomotion.EvadeL" "noloop"
003043 |     $Predictions {
003044 |     }
003045 |     $EditorData {
003046 |         #EditorPos 6.0999999 -22.0
003047 |     }
003048 | }
003049 | $Node AnimNodeSource {
003050 |     "PneRollLeftAnim0" "" "Locomotion.EvadeL" "noloop"
003051 |     $Predictions {
003052 |     }
003053 |     $EditorData {
003054 |         #EditorPos -3.3 -31.1000004
003055 |     }
003056 | }
003057 | $Node AnimNodeGroupSelect {
003058 |     "PneRollLowG" "" "ProneRollRightLeft" "Locomotion" "Pne"
003059 |     $EditorData {
003060 |         #EditorPos 6.0999999 -19.6000004
003061 |     }
003062 | }
003063 | $Node AnimNodeBlendT {
003064 |     "PneRollRaisedT" "" "PneRollLowG" "PneRollRasG" "" "" "eAI_Raised" 0.3 "S" 7
003065 |     $EditorData {
003066 |         #EditorPos 7.2000003 -18.8999996
003067 |     }
003068 | }
003069 | $Node AnimNodeGroupSelect {
003070 |     "PneRollRasG" "" "ProneRollRightLeft" "Locomotion" "PneRas"
003071 |     $EditorData {
003072 |         #EditorPos 8.1999998 -19.6000004
003073 |     }
003074 | }
003075 | $Node AnimNodeSource {
003076 |     "PneRollRightAnim" "" "Locomotion.EvadeR" "noloop"
003077 |     $Predictions {
003078 |     }
003079 |     $EditorData {
003080 |         #EditorPos 4.0 -22.0
003081 |     }
003082 | }
003083 | $Node AnimNodeSource {
003084 |     "PneRollRightAnim0" "" "Locomotion.EvadeR" "noloop"
003085 |     $Predictions {
```

```
003086 |     }
003087 |     $EditorData {
003088 |         #EditorPos 3.0 -31.0
003089 |     }
003090 | }
003091 | $Node AnimNodeSourceSync {
003092 |     "PneRunBLSrc" "" "Locomotion.WalkBL" "loop" "Walk"
003093 |     $Predictions {
003094 |     }
003095 |     $EditorData {
003096 |         #EditorPos -29.3999996 -69.5999985
003097 |     }
003098 | }
003099 | $Node AnimNodeSourceSync {
003100 |     "PneRunBRSrc" "" "Locomotion.WalkBR" "loop" "Walk"
003101 |     $Predictions {
003102 |     }
003103 |     $EditorData {
003104 |         #EditorPos -27.3000011 -69.5999985
003105 |     }
003106 | }
003107 | $Node AnimNodeSourceSync {
003108 |     "PneRunBSrc" "" "Locomotion.WalkB" "loop" "Walk"
003109 |     $Predictions {
003110 |     }
003111 |     $EditorData {
003112 |         #EditorPos -28.3999996 -70.2000046
003113 |     }
003114 | }
003115 | $Node AnimNodeBlendN {
003116 |     "PneRunCyclic" "" "MovementDirection" 1 "S"
003117 |     $Inputs {
003118 |         -180.0 "PneRunBSrc"
003119 |         -135.0 "PneRunBLSrc"
003120 |         -90.0 "PneRunLSrc"
003121 |         -45.0 "PneRunFLSrc"
003122 |         0.0 "PneRunFSrc"
003123 |         45.0 "PneRunFRSrc"
003124 |         90.0 "PneRunRSrc"
003125 |         135.0 "PneRunBRSrc"
003126 |         180.0
003127 |     }
003128 |     $EditorData {
003129 |         #EditorPos -28.3999996 -66.7000046
003130 |     }
003131 | }
003132 | $Node AnimNodeSourceSync {
003133 |     "PneRunFLSrc" "" "Locomotion.WalkFL" "loop" "Walk"
003134 |     $Predictions {
003135 |     }
003136 |     $EditorData {
003137 |         #EditorPos -29.3999996 -68.4000015
003138 |     }
003139 | }
003140 | $Node AnimNodeSourceSync {
003141 |     "PneRunFRSrc" "" "Locomotion.WalkFR" "loop" "Walk"
003142 |     $Predictions {
003143 |     }
003144 |     $EditorData {
003145 |         #EditorPos -27.3000011 -68.4000015
003146 |     }
003147 | }
```



```
003148 |     $Node AnimNodeSourceSync {
003149 |         "PneRunFSrc" "" "Locomotion.WalkF" "loop" "Walk"
003150 |         $Predictions {
003151 |         }
003152 |         $EditorData {
003153 |             #EditorPos -28.3999996 -67.8000031
003154 |         }
003155 |     }
003156 |     $Node AnimNodeSourceSync {
003157 |         "PneRunInjBLSrc" "" "LocomotionInjured.WalkBL" "loop" "Walk"
003158 |         $Predictions {
003159 |         }
003160 |         $EditorData {
003161 |             #EditorPos -25.0 -69.5999985
003162 |         }
003163 |     }
003164 |     $Node AnimNodeSourceSync {
003165 |         "PneRunInjBRSrc" "" "LocomotionInjured.WalkBR" "loop" "Walk"
003166 |         $Predictions {
003167 |         }
003168 |         $EditorData {
003169 |             #EditorPos -22.8999996 -69.5999985
003170 |         }
003171 |     }
003172 |     $Node AnimNodeSourceSync {
003173 |         "PneRunInjBSrc" "" "LocomotionInjured.WalkB" "loop" "Walk"
003174 |         $Predictions {
003175 |         }
003176 |         $EditorData {
003177 |             #EditorPos -24.0 -70.2000046
003178 |         }
003179 |     }
003180 |     $Node AnimNodeBlendN {
003181 |         "PneRunInjCyclic" "" "MovementDirection" 1 "S"
003182 |         $Inputs {
003183 |             -180.0 "PneRunInjBLSrc"
003184 |             -135.0 "PneRunInjBLSrc"
003185 |             -90.0 "PneRunInjLSrc"
003186 |             -45.0 "PneRunInjFLSrc"
003187 |             0.0 "PneRunInjFSrc"
003188 |             45.0 "PneRunInjFRSrc"
003189 |             90.0 "PneRunInjRSrc"
003190 |             135.0 "PneRunInjBRSrc"
003191 |             180.0
003192 |         }
003193 |         $EditorData {
003194 |             #EditorPos -24.0 -66.7000046
003195 |         }
003196 |     }
003197 |     $Node AnimNodeSourceSync {
003198 |         "PneRunInjFLSrc" "" "LocomotionInjured.WalkFL" "loop" "Walk"
003199 |         $Predictions {
003200 |         }
003201 |         $EditorData {
003202 |             #EditorPos -25.0 -68.4000015
003203 |         }
003204 |     }
003205 |     $Node AnimNodeSourceSync {
003206 |         "PneRunInjFRSrc" "" "LocomotionInjured.WalkFR" "loop" "Walk"
003207 |         $Predictions {
003208 |         }
003209 |         $EditorData {
```

```
003210 |         #EditorPos -22.8999996 -68.4000015
003211 |     }
003212 | }
003213 | $Node AnimNodeSourceSync {
003214 |     "PneRunInjFSrc" "" "LocomotionInjured.WalkF" "loop" "Walk"
003215 |     $Predictions {
003216 |     }
003217 |     $EditorData {
003218 |         #EditorPos -24.0 -67.8000031
003219 |     }
003220 | }
003221 | $Node AnimNodeSourceSync {
003222 |     "PneRunInjLSrc" "" "LocomotionInjured.WalkL" "loop" "Walk"
003223 |     $Predictions {
003224 |     }
003225 |     $EditorData {
003226 |         #EditorPos -25.0 -69.0
003227 |     }
003228 | }
003229 | $Node AnimNodeSourceSync {
003230 |     "PneRunInjRSrc" "" "LocomotionInjured.WalkR" "loop" "Walk"
003231 |     $Predictions {
003232 |     }
003233 |     $EditorData {
003234 |         #EditorPos -22.8999996 -69.0
003235 |     }
003236 | }
003237 | $Node AnimNodeSourceSync {
003238 |     "PneRunLSrc" "" "Locomotion.WalkL" "loop" "Walk"
003239 |     $Predictions {
003240 |     }
003241 |     $EditorData {
003242 |         #EditorPos -29.3999996 -69.0
003243 |     }
003244 | }
003245 | $Node AnimNodeSourceSync {
003246 |     "PneRunRSrc" "" "Locomotion.WalkR" "loop" "Walk"
003247 |     $Predictions {
003248 |     }
003249 |     $EditorData {
003250 |         #EditorPos -27.3000011 -69.0
003251 |     }
003252 | }
003253 | $Node AnimNodeBlendN {
003254 |     "PneSprintCyclic" "" "MovementDirection" 0 "S"
003255 |     $Inputs {
003256 |         -45.0 "PneSprintFLSrc"
003257 |         0.0 "PneSprintFSrc"
003258 |         45.0 "PneSprintFRSrc"
003259 |     }
003260 |     $EditorData {
003261 |         #EditorPos -23.5 -63.6000023
003262 |     }
003263 | }
003264 | }
003265 | $Node AnimNodeSourceSync {
003266 |     "PneSprintFLSrc" "" "Locomotion.SprintFL" "loop" "ProneSprint"
003267 |     $Predictions {
003268 |     }
003269 |     $EditorData {
003270 |         #EditorPos -24.6000004 -64.3000031
003271 |     }
```

```
003272 |     }
003273 |     $Node AnimNodeSourceSync {
003274 |         "PneSprintFRSrc" "" "Locomotion.SprintFR" "loop" "ProneSprint"
003275 |         $Predictions {
003276 |         }
003277 |         $EditorData {
003278 |             #EditorPos -22.3999996 -64.3000031
003279 |         }
003280 |     }
003281 |     $Node AnimNodeSourceSync {
003282 |         "PneSprintFRSrc" "" "Locomotion.SprintF" "loop" "ProneSprint"
003283 |         $Predictions {
003284 |         }
003285 |         $EditorData {
003286 |             #EditorPos -23.5 -64.9000015
003287 |         }
003288 |     }
003289 |     $Node AnimNodeGroupSelect {
003290 |         "PneThrowOutG" "" "ThrowOutAimB" "Throw" "Pne"
003291 |         $EditorData {
003292 |             #EditorPos -54.1000023 -42.4000015
003293 |         }
003294 |     }
003295 |     $Node AnimNodeGroupSelect {
003296 |         "PneToCroLowG" "" "PneToCroLowInjG" "Locomotion" "Pne"
003297 |         $EditorData {
003298 |             #EditorPos -11.1999998 -51.7999992
003299 |         }
003300 |     }
003301 |     $Node AnimNodeGroupSelect {
003302 |         "PneToCroLowInjG" "" "PneToCroLowLookT" "LocomotionInjured" "Pne"
003303 |         $EditorData {
003304 |             #EditorPos -11.1999998 -52.6000023
003305 |         }
003306 |     }
003307 |     $Node AnimNodeBlendTAdd {
003308 |         "PneToCroLowLookT" "" "PneToCroLowLookT2" "MoveLookPose" "" "" "Look && GetRemainingTime() > 0.35" 0.3 "S" 0
003309 |         $EditorData {
003310 |             #EditorPos -11.1999998 -53.4000015
003311 |         }
003312 |     }
003313 |     $Node AnimNodeBlendTAdd {
003314 |         "PneToCroLowLookT2" "" "GoCrouchIKTarget" "CroLookBlend" "" "" "Look && GetRemainingTime() <= 0.35" 0.3 "S" 0
003315 |         $EditorData {
003316 |             #EditorPos -11.1999998 -54.4000015
003317 |         }
003318 |     }
003319 |     $Node AnimNodeGroupSelect {
003320 |         "PneToCroMoveLowG" "" "GoCroMoveHeadLookT" "Locomotion" "Pne"
003321 |         $EditorData {
003322 |             #EditorPos -4.4000001 -60.6000023
003323 |         }
003324 |     }
003325 |     $Node AnimNodeBlendT {
003326 |         "PneToCroMoveRasAimT" "" "GoCroMoveHeadLookT" "AimPose" "" "" "eAI_Raised" 0.3 "S" 1
003327 |         $EditorData {
003328 |             #EditorPos -2.1000001 -61.4000015
003329 |         }
003330 |     }
003331 |     $Node AnimNodeGroupSelect {
003332 |         "PneToCroMoveRasG" "" "PneToCroMoveRasAimT" "Locomotion" "PneRas"
003333 |         $EditorData {
```

```
003334 |         #EditorPos -2.1000001 -60.6000023
003335 |     }
003336 | }
003337 | $Node AnimNodeBlendT {
003338 |     "PneToCroMoveT" "" "PneToCroMoveLowG" "PneToCroMoveRasG" "" "" "eAI_Raised && False" 0.3 "S" 7
003339 |     $EditorData {
003340 |         #EditorPos -3.2 -59.7000008
003341 |     }
003342 | }
003343 | $Node AnimNodeBlendTAdd {
003344 |     "PneToCroRasADST" "" "PneToCroRasADST2" "PneADSPose" "" "" "ADS && GetRemainingTime() > 0.5" 0.35 "S" 0
003345 |     $EditorData {
003346 |         #EditorPos -9.0 -53.4000015
003347 |     }
003348 | }
003349 | $Node AnimNodeBlendTAdd {
003350 |     "PneToCroRasADST2" "" "PneToCroRasAim" "CroADSPose" "" "" "ADS && GetRemainingTime() <= 0.5" 0.35 "S" 0
003351 |     $EditorData {
003352 |         #EditorPos -9.0 -54.4000015
003353 |     }
003354 | }
003355 | $Node AnimNodeBlend {
003356 |     "PneToCroRasAim" "" "1.0" "PneToCroRasG1" "AimPose" 1
003357 |     $EditorData {
003358 |         #EditorPos -9.0 -55.7999992
003359 |     }
003360 | }
003361 | $Node AnimNodeGroupSelect {
003362 |     "PneToCroRasG" "" "PneToCroRasInjG" "Locomotion" "CroRas"
003363 |     $EditorData {
003364 |         #EditorPos -9.0 -51.7999992
003365 |     }
003366 | }
003367 | $Node AnimNodeGroupSelect {
003368 |     "PneToCroRasG1" "" "PneToCroRasLookT" "Locomotion" "PneRas"
003369 |     $EditorData {
003370 |         #EditorPos -9.0 -56.7999992
003371 |     }
003372 | }
003373 | $Node AnimNodeGroupSelect {
003374 |     "PneToCroRasInjG" "" "PneToCroRasADST" "LocomotionInjured" "PneRas"
003375 |     $EditorData {
003376 |         #EditorPos -9.0 -52.6000023
003377 |     }
003378 | }
003379 | $Node AnimNodeBlendT {
003380 |     "PneToCroRasLookT" "" "GoCrouchIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 1
003381 |     $EditorData {
003382 |         #EditorPos -9.0 -57.9000015
003383 |     }
003384 | }
003385 | $Node AnimNodeBlendT {
003386 |     "PneToCroT" "" "PneToCroLowG" "PneToCroRasG" "" "" "eAI_Raised" 0.4 "S" 7
003387 |     $EditorData {
003388 |         #EditorPos -10.1000004 -51.0
003389 |     }
003390 | }
003391 | $Node AnimNodeSourceSync {
003392 |     "PneToCroThrowAnim" "" "Throw.Pne.ToCrouch" "nolop" "Transitions"
003393 |     $Predictions {
003394 |     }
003395 |     $EditorData {
```

```
003396 |         #EditorPos -74.8000031 -52.5
003397 |     }
003398 | }
003399 | $Node AnimNodeGroupSelect {
003400 |     "PneToErcLowG" "" "PneToErcLowInjG" "Locomotion" "Pne"
003401 |     $EditorData {
003402 |         #EditorPos 17.0 -51.7000008
003403 |     }
003404 | }
003405 | $Node AnimNodeGroupSelect {
003406 |     "PneToErcLowInjG" "" "PneToErcLowLookT" "LocomotionInjured" "Pne"
003407 |     $EditorData {
003408 |         #EditorPos 17.0 -52.5
003409 |     }
003410 | }
003411 | $Node AnimNodeBlendTAdd {
003412 |     "PneToErcLowLookT" "" "PneToErcLowLookT2" "MoveLookPose" "" "" "Look && GetRemainingTime() >= 0.4" 0.3 "S" 0
003413 |     $EditorData {
003414 |         #EditorPos 17.0 -53.2999992
003415 |     }
003416 | }
003417 | $Node AnimNodeBlendTAdd {
003418 |     "PneToErcLowLookT2" "" "GoErectIKTarget" "ErcLookBlend" "" "" "Look && GetRemainingTime() < 0.4" 0.3 "S" 0
003419 |     $EditorData {
003420 |         #EditorPos 17.0 -54.2999992
003421 |     }
003422 | }
003423 | $Node AnimNodeGroupSelect {
003424 |     "PneToErcMoveLowG" "" "GoErcMoveHeadLookT" "Locomotion" "Pne"
003425 |     $EditorData {
003426 |         #EditorPos 9.6999998 -61.0
003427 |     }
003428 | }
003429 | $Node AnimNodeBlendT {
003430 |     "PneToErcMoveRasAimT" "" "GoErcMoveHeadLookT" "AimPose" "" "" "eAI_Raised && GetLowerTime() > 0.5" 0.3 "S" 1
003431 |     $EditorData {
003432 |         #EditorPos 12.0 -61.7999992
003433 |     }
003434 | }
003435 | $Node AnimNodeGroupSelect {
003436 |     "PneToErcMoveRasG" "" "PneToErcMoveRasAimT" "Locomotion" "PneRas"
003437 |     $EditorData {
003438 |         #EditorPos 12.0 -61.0
003439 |     }
003440 | }
003441 | $Node AnimNodeBlendT {
003442 |     "PneToErcMoveT" "" "PneToErcMoveLowG" "PneToErcMoveRasG" "" "" "eAI_Raised && False" 0.3 "S" 7
003443 |     $EditorData {
003444 |         #EditorPos 10.9000006 -60.1000023
003445 |     }
003446 | }
003447 | $Node AnimNodeBlendTAdd {
003448 |     "PneToErcRasADST" "" "PneToErcRasADST2" "PneADSPose" "" "" "ADS && GetRemainingTime() >= 0.6" 0.4 "S" 0
003449 |     $EditorData {
003450 |         #EditorPos 19.2000008 -53.2999992
003451 |     }
003452 | }
003453 | $Node AnimNodeBlendTAdd {
003454 |     "PneToErcRasADST2" "" "PneToErcRasAim" "ErcADSPose" "" "" "ADS && GetRemainingTime() < 0.6" 0.4 "S" 0
003455 |     $EditorData {
003456 |         #EditorPos 19.2000008 -54.2999992
003457 |     }
}
```

```
003458 |     }
003459 |     $Node AnimNodeBlend {
003460 |         "PneToErcRasAim" "" "1.0" "PneToErcRasG1" "AimPose" 1
003461 |         $EditorData {
003462 |             #EditorPos 19.2000008 -55.2999992
003463 |         }
003464 |     }
003465 |     $Node AnimNodeGroupSelect {
003466 |         "PneToErcRasG" "" "PneToErcRasInjG" "Locomotion" "ErcRas"
003467 |         $EditorData {
003468 |             #EditorPos 19.2000008 -51.7000008
003469 |         }
003470 |     }
003471 |     $Node AnimNodeGroupSelect {
003472 |         "PneToErcRasG1" "" "PneToErcRasLookT" "Locomotion" "PneRas"
003473 |         $EditorData {
003474 |             #EditorPos 19.2000008 -56.2999992
003475 |         }
003476 |     }
003477 |     $Node AnimNodeGroupSelect {
003478 |         "PneToErcRasInjG" "" "PneToErcRasADST" "LocomotionInjured" "PneRas"
003479 |         $EditorData {
003480 |             #EditorPos 19.2000008 -52.5
003481 |         }
003482 |     }
003483 |     $Node AnimNodeBlendT {
003484 |         "PneToErcRasLookT" "" "GoErectIKTarget" "MoveLookPose" "" "" "Look" 0.3 "S" 1
003485 |         $EditorData {
003486 |             #EditorPos 19.2000008 -57.1000023
003487 |         }
003488 |     }
003489 |     $Node AnimNodeBlendT {
003490 |         "PneToErcT" "" "PneToErcLowG" "PneToErcRasG" "" "" "eAI_Raised" 0.4 "S" 7
003491 |         $EditorData {
003492 |             #EditorPos 18.1000004 -50.9000015
003493 |         }
003494 |     }
003495 |     $Node AnimNodeSourceSync {
003496 |         "PneToErcThrowAnim" "" "Throw.Pne.ToErect" "noloop" "Transitions"
003497 |         $Predictions {
003498 |         }
003499 |         $EditorData {
003500 |             #EditorPos -80.4000015 -52.5
003501 |         }
003502 |     }
003503 |     $Node AnimNodeVarUpdate {
003504 |         "PneTurnVar" "" "PneTurnNBlend" 1 "eAI_TurnAmount" 3
003505 |         $EditorData {
003506 |             #EditorPos 52.1000023 -17.2000008
003507 |         }
003508 |     }
003509 |     $Node AnimNodeVarUpdate {
003510 |         "PneVar" "" "PneMovementSTM" 2 "MovementSpeed" 3 "MovementDirection" 3
003511 |         $EditorData {
003512 |             #EditorPos -26.6000004 -59.7000008
003513 |         }
003514 |     }
003515 |     $Node AnimNodeBlend {
003516 |         "PoBAimB" "" "1.0" "ThrowPoBIdleG" "PoBAimB2" 0
003517 |         $EditorData {
003518 |             #EditorPos -73.5 -53.2000008
003519 |         }
```

```

003520 |     }
003521 |     $Node AnimNodeBlend {
003522 |         "PoBAimB2" "" "clamp(1+(-160-eAI_AimX)*0.02, 0, 1) + clamp(1-(160-eAI_AimX)*0.02, 0, 1)" "PoBAimP" "PoBAimPFix" 0
003523 |         $EditorData {
003524 |             #EditorPos -71.2000046 -54.0
003525 |         }
003526 |     }
003527 |     $Node AnimNodeBlend {
003528 |         "PoBAimFixB" "" "clamp(1+(-160-eAI_AimX)*0.02, 0, 1) + clamp(1-(160-eAI_AimX)*0.02, 0, 1)" "AnimNodePose2" "AnimNodePose20" 0
003529 |         $EditorData {
003530 |             #EditorPos -51.6000023 -44.5
003531 |         }
003532 |     }
003533 |     $Node AnimNodePose2 {
003534 |         "PoBAimP" "" "Throw.PoB.AimPose" "eAI_AimY" "eAI_AimX" "Y(-45):  X(-45) = 2, X(0) = 1, X(45) = 0
003535 | Y(0):      X(-45) = 5, X(0) = 4, X(45) = 3
003536 | Y(45):     X(-45) = 8, X(0) = 7, X(45) = 6"
003537 |         $EditorData {
003538 |             #EditorPos -72.0 -55.2999992
003539 |         }
003540 |     }
003541 |     $Node AnimNodePose2 {
003542 |         "PoBAimPFix" "" "Throw.PoB.AimPose" "eAI_AimY" "eAI_AimX" "Y(-45):  X(-45) = 1, X(0) = 1, X(45) = 1
003543 | Y(0):      X(-45) = 4, X(0) = 4, X(45) = 4
003544 | Y(45):     X(-45) = 7, X(0) = 7, X(45) = 7"
003545 |         $EditorData {
003546 |             #EditorPos -70.0 -55.2999992
003547 |         }
003548 |     }
003549 |     $Node AnimNodeSource {
003550 |         "PoBBackSrc" "" "Locomotion.PneB.RunF" "loop"
003551 |         $Predictions {
003552 |         }
003553 |         $EditorData {
003554 |             #EditorPos 39.9000015 -8.1999998
003555 |         }
003556 |     }
003557 |     $Node AnimNodeSource {
003558 |         "PoBForwardSrc" "" "Locomotion.PneB.RunB" "loop"
003559 |         $Predictions {
003560 |         }
003561 |         $EditorData {
003562 |             #EditorPos 37.4000015 -7.5
003563 |         }
003564 |     }
003565 |     $Node AnimNodeSource {
003566 |         "PoBLeftSrc" "" "Locomotion.PneB.RunR" "loop"
003567 |         $Predictions {
003568 |         }
003569 |         $EditorData {
003570 |             #EditorPos 37.7999992 -8.1999998
003571 |         }
003572 |     }
003573 |     $Node AnimNodeSource {
003574 |         "PoBRightSrc" "" "Locomotion.PneB.RunL" "loop"
003575 |         $Predictions {
003576 |         }
003577 |         $EditorData {
003578 |             #EditorPos 40.2999992 -7.5
003579 |         }
003580 |     }
003581 |     $Node AnimNodeGroupSelect {

```

```
003582 |         "PoBThrowOutG" "TagProneBack" "ThrowOutPoBAimB" "Throw" "PoB"
003583 |     $EditorData {
003584 |         #EditorPos -51.9000015 -42.4000015
003585 |     }
003586 | }
003587 | $Node AnimNodeSourceSync {
003588 |     "PoBToCroThrowAnim" "" "Throw.PoB.ToCrouch" "nolop" "Transitions"
003589 |     $Predictions {
003590 |     }
003591 |     $EditorData {
003592 |         #EditorPos -77.2000046 -52.5
003593 |     }
003594 | }
003595 | $Node AnimNodeSourceSync {
003596 |     "PoBToErcThrowAnim" "" "Throw.PoB.ToErect" "nolop" "Transitions"
003597 |     $Predictions {
003598 |     }
003599 |     $EditorData {
003600 |         #EditorPos -76.3000031 -45.1000023
003601 |     }
003602 | }
003603 | $Node AnimNodeBlendT {
003604 |     "ProneRollRightLeft" "" "PneRollRightAnim" "PneRollLeftAnim" "GetCommandI(CMD_Roll) == 0" "GetCommandI(CMD_Roll) == 1" "" 0.3 "S" 7
003605 |     $EditorData {
003606 |         #EditorPos 5.0999999 -21.3000011
003607 |     }
003608 | }
003609 | $Node AnimNodeStateMachine {
003610 |     "ProneRollSTM" ""
003611 |     $States 4 {
003612 |         $State {
003613 |             "RollLeftLow" "" "RollLeftLowG" "GetCommandI(CMD_Roll) == 0 && !eAI_Raised" "realtime" 1
003614 |             $EditorData {
003615 |                 #EditorPos -3.3 -25.7000008
003616 |             }
003617 |         }
003618 |         $State {
003619 |             "RollLeftRas" "" "RollLeftRasG" "GetCommandI(CMD_Roll) == 0 && eAI_Raised" "realtime" 1
003620 |             $EditorData {
003621 |                 #EditorPos -3.3 -26.8000011
003622 |             }
003623 |         }
003624 |         $State {
003625 |             "RollRightLow" "" "RollRightLowG" "GetCommandI(CMD_Roll) == 1 && !eAI_Raised" "realtime" 1
003626 |             $EditorData {
003627 |                 #EditorPos 3.0 -25.6000004
003628 |             }
003629 |         }
003630 |         $State {
003631 |             "RollRightRas" "" "RollRightRasG" "GetCommandI(CMD_Roll) == 1 && eAI_Raised" "realtime" 1
003632 |             $EditorData {
003633 |                 #EditorPos 3.0 -26.7000008
003634 |             }
003635 |         }
003636 |     }
003637 |     $Transitions 4 {
003638 |         $Transition {
003639 |             "RollLeftLow" "RollLeftRas" "HasVariableChanged(eAI_Raised, false)" "0.2" "GetLowerTime()" 1 "S"
003640 |         }
003641 |         $Transition {
003642 |             "RollLeftRas" "RollLeftLow" "HasVariableChanged(eAI_Raised, true)" "0.2" "GetLowerTime()" 1 "S"
003643 |         }
003643 |     }
```



```
003644 |         $Transition {
003645 |             "RollRightLow" "RollRightRas" "HasVariableChanged(eAI_Raised, false)" "0.2" "GetLowerTime()" 1 "S"
003646 |         }
003647 |         $Transition {
003648 |             "RollRightRas" "RollRightLow" "HasVariableChanged(eAI_Raised, true)" "0.2" "GetLowerTime()" 1 "S"
003649 |         }
003650 |     }
003651 |     $EditorData {
003652 |         #EditorPos 0.1 -24.5
003653 |     }
003654 | }
003655 | $Node AnimNodeSource {
003656 |     "RflBackLHideAnim" "" "WeaponChange.RifleLeftBackSlotHide" "noloop"
003657 |     $Predictions {
003658 |     }
003659 |     $EditorData {
003660 |         #EditorPos -26.3999996 4.5999999
003661 |     }
003662 | }
003663 | $Node AnimNodeSource {
003664 |     "RflBackLShowAnim" "" "WeaponChange.RifleLeftBackSlotShow" "noloop"
003665 |     $Predictions {
003666 |     }
003667 |     $EditorData {
003668 |         #EditorPos -27.6000004 3.9000001
003669 |     }
003670 | }
003671 | $Node AnimNodeSource {
003672 |     "RflBackRHideAnim" "" "WeaponChange.RifleRightBackSlotHide" "noloop"
003673 |     $Predictions {
003674 |     }
003675 |     $EditorData {
003676 |         #EditorPos -17.6000004 4.5999999
003677 |     }
003678 | }
003679 | $Node AnimNodeSource {
003680 |     "RflBackRShowAnim" "" "WeaponChange.RifleRightBackSlotShow" "noloop"
003681 |     $Predictions {
003682 |     }
003683 |     $EditorData {
003684 |         #EditorPos -18.8000011 3.9000001
003685 |     }
003686 | }
003687 | $Node AnimNodeGroupSelect {
003688 |     "RollLeftLowG" "" "PneRollLeftAnim0" "Locomotion" "Pne"
003689 |     $EditorData {
003690 |         #EditorPos -3.3 -28.7000008
003691 |     }
003692 | }
003693 | $Node AnimNodeGroupSelect {
003694 |     "RollLeftRasG" "" "PneRollLeftAnim0" "Locomotion" "PneRas"
003695 |     $EditorData {
003696 |         #EditorPos -3.3 -29.6000004
003697 |     }
003698 | }
003699 | $Node AnimNodeGroupSelect {
003700 |     "RollRightLowG" "" "PneRollRightAnim0" "Locomotion" "Pne"
003701 |     $EditorData {
003702 |         #EditorPos 3.0 -28.6000004
003703 |     }
003704 | }
003705 | $Node AnimNodeGroupSelect {
```

```
003706 |         "RollRightRasG" "" "PneRollRightAnim0" "Locomotion" "PneRas"
003707 |     $EditorData {
003708 |         #EditorPos 3.0 -29.5
003709 |     }
003710 | }
003711 | $Node AnimNodeBlend {
003712 |     "RunAimBlend" "" "1.0" "RunBlendSTM" "AimRunObstBlend" 1
003713 |     $EditorData {
003714 |         #EditorPos 9.6999998 -78.0
003715 |     }
003716 | }
003717 | $Node AnimNodeBlend {
003718 |     "RunBInjBlend" "" "Injured" "RunBSrc" "RunBInjSrc" 3
003719 |     $EditorData {
003720 |         #EditorPos -6.8000002 -97.0999985
003721 |     }
003722 | }
003723 | $Node AnimNodeSourceSync {
003724 |     "RunBInjSrc" "" "LocomotionInjured.RunB" "loop" "RunSprint"
003725 |     $Predictions {
003726 |     }
003727 |     $EditorData {
003728 |         #EditorPos -5.8000002 -97.8000031
003729 |     }
003730 | }
003731 | $Node AnimNodeBlend {
003732 |     "RunBLInjBlend" "" "Injured" "RunBLSrc" "RunBLInjSrc" 3
003733 |     $EditorData {
003734 |         #EditorPos -3.6000001 -96.4000015
003735 |     }
003736 | }
003737 | $Node AnimNodeSourceSync {
003738 |     "RunBLInjSrc" "" "LocomotionInjured.RunBL" "loop" "RunSprint"
003739 |     $Predictions {
003740 |     }
003741 |     $EditorData {
003742 |         #EditorPos -2.6000001 -97.0999985
003743 |     }
003744 | }
003745 | $Node AnimNodeSourceSync {
003746 |     "RunBLSrc" "" "Locomotion.RunBL" "loop" "RunSprint"
003747 |     $Predictions {
003748 |     }
003749 |     $EditorData {
003750 |         #EditorPos -4.7000003 -97.0999985
003751 |     }
003752 | }
003753 | $Node AnimNodeBlend {
003754 |     "RunBRInjBlend" "" "Injured" "RunBRSrc" "RunBRInjSrc" 3
003755 |     $EditorData {
003756 |         #EditorPos -0.5 -97.0999985
003757 |     }
003758 | }
003759 | $Node AnimNodeSourceSync {
003760 |     "RunBRInjSrc" "" "LocomotionInjured.RunBR" "loop" "RunSprint"
003761 |     $Predictions {
003762 |     }
003763 |     $EditorData {
003764 |         #EditorPos 0.5 -97.8000031
003765 |     }
003766 | }
003767 | $Node AnimNodeSourceSync {
```

```

003768 |         "RunBRSrc" "" "Locomotion.RunBR" "loop" "RunSprint"
003769 |     $Predictions {
003770 |     }
003771 |     $EditorData {
003772 |         #EditorPos -1.6 -97.8000031
003773 |     }
003774 | }
003775 | $Node AnimNodeSourceSync {
003776 |     "RunBRSrc" "" "Locomotion.RunB" "loop" "RunSprint"
003777 |     $Predictions {
003778 |     }
003779 |     $EditorData {
003780 |         #EditorPos -7.9000001 -97.8000031
003781 |     }
003782 | }
003783 | $Node AnimNodeBlendN {
003784 |     "RunBackCyclic" "" "MovementDirection" 1 "S"
003785 |     $Inputs {
003786 |         -180.0 "RunBInjBlend"
003787 |         -90.0 "RunBLInjBlend"
003788 |         90.0 "RunBRInjBlend"
003789 |         180.0
003790 |     }
003791 |     $EditorData {
003792 |         #EditorPos -3.6000001 -95.5
003793 |     }
003794 | }
003795 | $Node AnimNodeVarUpdate {
003796 |     "RunBackVar" "" "RunBackCyclic" 1 "MovementDirection" 3
003797 |     $EditorData {
003798 |         #EditorPos -3.6000001 -94.8000031
003799 |     }
003800 | }
003801 | $Node AnimNodeStateMachine {
003802 |     "RunBlendSTM" ""
003803 |     $States 2 {
003804 |         $State {
003805 |             "Forward" "" "RunForwardVar" "MovementDirection >= -100 && MovementDirection <= 100" "notime" 0
003806 |             $EditorData {
003807 |                 #EditorPos -9.3000002 -91.2000046
003808 |             }
003809 |         }
003810 |         $State {
003811 |             "Back" "" "RunBackVar" "MovementDirection < -100 || MovementDirection > 100" "notime" 0
003812 |             $EditorData {
003813 |                 #EditorPos -5.3000002 -91.2000046
003814 |             }
003815 |         }
003816 |     }
003817 |     $Transitions 4 {
003818 |         $Transition {
003819 |             "Forward" "Back" "((MovementDirection < -100 && (GetUpperNTime() >= 0.25 && GetUpperNTime() <= 0.85))
003820 | ||
003821 | (MovementDirection > 100 && (GetUpperNTime() <= 0.45 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
003822 |         }
003823 |         $Transition {
003824 |             "Back" "Forward" "((MovementDirection > -95 && MovementDirection < 0 && (GetUpperNTime() >= 0.35 && GetUpperNTime() <= 0.85))
003825 | ||
003826 | (MovementDirection < 95 && MovementDirection > 0 && (GetUpperNTime() <= 0.35 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
003827 |         }
003828 |         $Transition {
003829 |             "Forward" "Back" "MovementDirection < -140 || MovementDirection > 140" "0.4" "" 0 "S"

```

```
003830 |     }
003831 |     $Transition {
003832 |         "Back" "Forward" "MovementDirection > -40 && MovementDirection < 40" "0.4" "" 0 "S"
003833 |     }
003834 | }
003835 | $EditorData {
003836 |     #EditorPos -9.6999998 -90.0
003837 | }
003838 | }
003839 | $Node AnimNodeBlend {
003840 |     "RunFInjBlend" "" "Injured" "RunFSrc" "RunFInjSrc" 3
003841 |     $EditorData {
003842 |         #EditorPos -13.1999998 -97.0999985
003843 |     }
003844 | }
003845 | $Node AnimNodeSourceSync {
003846 |     "RunFInjSrc" "" "LocomotionInjured.RunF" "loop" "RunSprint"
003847 |     $Predictions {
003848 |     }
003849 |     $EditorData {
003850 |         #EditorPos -12.1999998 -97.8000031
003851 |     }
003852 | }
003853 | $Node AnimNodeBlend {
003854 |     "RunFLInjBlend" "" "Injured" "RunFLSrc" "RunFLInjSrc" 3
003855 |     $EditorData {
003856 |         #EditorPos -16.3000011 -96.3000031
003857 |     }
003858 | }
003859 | $Node AnimNodeSourceSync {
003860 |     "RunFLInjSrc" "" "LocomotionInjured.RunFL" "loop" "RunSprint"
003861 |     $Predictions {
003862 |     }
003863 |     $EditorData {
003864 |         #EditorPos -15.3000002 -97.0999985
003865 |     }
003866 | }
003867 | $Node AnimNodeSourceSync {
003868 |     "RunFLSrc" "" "Locomotion.RunFL" "loop" "RunSprint"
003869 |     $Predictions {
003870 |     }
003871 |     $EditorData {
003872 |         #EditorPos -17.5 -97.0999985
003873 |     }
003874 | }
003875 | $Node AnimNodeBlend {
003876 |     "RunFRInjBlend" "" "Injured" "RunFRSrc" "RunFRInjSrc" 3
003877 |     $EditorData {
003878 |         #EditorPos -10.0 -96.4000015
003879 |     }
003880 | }
003881 | $Node AnimNodeSourceSync {
003882 |     "RunFRInjSrc" "" "LocomotionInjured.RunFR" "loop" "RunSprint"
003883 |     $Predictions {
003884 |     }
003885 |     $EditorData {
003886 |         #EditorPos -9.0 -97.0999985
003887 |     }
003888 | }
003889 | $Node AnimNodeSourceSync {
003890 |     "RunFRSrc" "" "Locomotion.RunFR" "loop" "RunSprint"
003891 |     $Predictions {
```

```
003892 |     }
003893 |     $EditorData {
003894 |         #EditorPos -11.1000004 -97.0999985
003895 |     }
003896 | }
003897 | $Node AnimNodeSourceSync {
003898 |     "RunFSrc" "" "Locomotion.RunF" "loop" "RunSprint"
003899 |     $Predictions {
003900 |     }
003901 |     $EditorData {
003902 |         #EditorPos -14.3000002 -97.8000031
003903 |     }
003904 | }
003905 | $Node AnimNodeVarUpdate {
003906 |     "RunForwardVar" "" "RunFowardCyclic" 1 "MovementDirection" 3
003907 |     $EditorData {
003908 |         #EditorPos -13.1000004 -94.7000046
003909 |     }
003910 | }
003911 | $Node AnimNodeBlendN {
003912 |     "RunFowardCyclic" "" "MovementDirection" 0 "S"
003913 |     $Inputs {
003914 |         -90.0 "RunFLInjBlend"
003915 |         0.0 "RunFINjBlend"
003916 |         90.0 "RunFRInjBlend"
003917 |     }
003918 |     $EditorData {
003919 |         #EditorPos -13.1000004 -95.5
003920 |     }
003921 | }
003922 | }
003923 | $Node AnimNodeBlend {
003924 |     "RunSprintBlendF" "" "clamp((MovementSpeed-2)*(1-Injured), 0.0, 1.0)" "RunBlendSTM" "SprintCyclic" 3
003925 |     $EditorData {
003926 |         #EditorPos -5.3000002 -78.2000046
003927 |     }
003928 | }
003929 | $Node AnimNodeVarUpdate {
003930 |     "RunSprintBlendFVar" "" "RunSprintBlendF" 1 "MovementSpeed" 3
003931 |     $EditorData {
003932 |         #EditorPos -5.3000002 -77.4000015
003933 |     }
003934 | }
003935 | $Node AnimNodeQueue {
003936 |     "SickAddQ" "" "SickIKT"
003937 |     $items 2 {
003938 |         $item {
003939 |             "SickSneezeStanceSTM" "IsCommand(CMD_Modifier_Additive) && GetCommandI(CMD_Modifier_Additive) == 0" "eAI_Raised || GetCommandI(CMD_Modifier_A
dditive) == -1" "" 0.2 0.5 1 0
003940 |         }
003941 |         $item {
003942 |             "SickCoughStanceSTM" "IsCommand(CMD_Modifier_Additive) && GetCommandI(CMD_Modifier_Additive) == 1" "eAI_Raised || GetCommandI(CMD_Modifier_Ad
ditive) == -1" "" 0.2 0.5 1 0
003943 |         }
003944 |     }
003945 |     $EditorData {
003946 |         #EditorPos 2.7 -1.0
003947 |     }
003948 | }
003949 | $Node AnimNodeQueue {
003950 |     "SickHotColdQ" "" "LocomotionQBufferSave"
003951 |     $items 2 {
```

```
003952 |         $item {
003953 |             "SickColdStanceSTM" "IsCommand(CMD_Modifier_Additive) && GetCommandI(CMD_Modifier_Additive) == 2" "eAI_Raised || GetCommandI(CMD_Modifier_Additive) == -1" "" 0.2 0.5 1 0
003954 |         }
003955 |         $item {
003956 |             "SickHotStanceSTM" "IsCommand(CMD_Modifier_Additive) && GetCommandI(CMD_Modifier_Additive) == 3" "eAI_Raised || GetCommandI(CMD_Modifier_Additive) == -1" "" 0.2 0.5 1 0
003957 |         }
003958 |     }
003959 |     $EditorData {
003960 |         #EditorPos 2.7 15.1999998
003961 |     }
003962 | }
003963 | $Node AnimNodeIK2 {
003964 |     "SickIK" "" "SickAddQ" "/// global values
003965 | weight = 1.0
003966 |
003967 | RHandIKTarget
003968 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
003969 | chainAxis = -x"
003970 |     $EditorData {
003971 |         #EditorPos 2.7 0.3
003972 |     }
003973 | }
003974 | $Node AnimNodeIK2Target {
003975 |     "SickIKT" "" "FacialTalkingT" "RHandIKTarget = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand"
003976 |     $EditorData {
003977 |         #EditorPos 2.7 -2.5
003978 |     }
003979 | }
003980 | $Node AnimNodeRot {
003981 |     "SlideCroLeanL" "" "SlideCroLookT" "clamp(eAI_Lean, -1.0, 0.0)*0.25"
003982 |     $rotitems 12 {
003983 |         $ri {
003984 |             "Pelvis" "xlt" 0.1
003985 |         }
003986 |         $ri {
003987 |             "Pelvis" "ylt" 0.1
003988 |         }
003989 |         $ri {
003990 |             "Spine" "zmr" 0.35
003991 |         }
003992 |         $ri {
003993 |             "Spine1" "zmr" 0.5
003994 |         }
003995 |         $ri {
003996 |             "Spine2" "zmr" 0.75
003997 |         }
003998 |         $ri {
003999 |             "Spine3" "zmr" 0.9
004000 |         }
004001 |         $ri {
004002 |             "RightFoot" "zlr" 0.85
004003 |         }
004004 |         $ri {
004005 |             "RightFoot" "ylr" -0.5
004006 |         }
004007 |         $ri {
004008 |             "LeftLegRoll" "xlr" 0.0
004009 |         }
004010 |         $ri {
004011 |             "LeftFoot" "zlr" 0.25
```

```
004012 |         }
004013 |         $ri {
004014 |             "LeftFoot" "ylr" 0.5
004015 |         }
004016 |         $ri {
004017 |             "RightLegRoll" "xlr" -0.5
004018 |         }
004019 |     }
004020 |     $EditorData {
004021 |         #EditorPos 13.5 -34.6000023
004022 |     }
004023 | }
004024 | $Node AnimNodeRot {
004025 |     "SlideCroLeanR" "" "SlideCroLeanL" "clamp(eAI_Lean, 0.0, 1.0)*0.25"
004026 |     $rotitems 6 {
004027 |         $ri {
004028 |             "Pelvis" "xlt" 0.1
004029 |         }
004030 |         $ri {
004031 |             "Pelvis" "ylt" -0.1
004032 |         }
004033 |         $ri {
004034 |             "Spine" "zmr" 0.35
004035 |         }
004036 |         $ri {
004037 |             "Spine1" "zmr" 0.5
004038 |         }
004039 |         $ri {
004040 |             "Spine2" "zmr" 0.75
004041 |         }
004042 |         $ri {
004043 |             "Spine3" "zmr" 0.9
004044 |         }
004045 |     }
004046 |     $EditorData {
004047 |         #EditorPos 13.5 -33.9000015
004048 |     }
004049 | }
004050 | $Node AnimNodeBlendTAdd {
004051 |     "SlideCroLookT" "" "SlidePoseWalkIKT" "MoveLookPose" "" "" "Look" 0.3 "S" 0
004052 |     $EditorData {
004053 |         #EditorPos 13.5 -35.4000015
004054 |     }
004055 | }
004056 | $Node AnimNodeRot {
004057 |     "SlideErcLeanL" "" "SlideErcLookT" "clamp(eAI_Lean, -1.0, 0.0)*0.35"
004058 |     $rotitems 12 {
004059 |         $ri {
004060 |             "Pelvis" "xlt" 0.0
004061 |         }
004062 |         $ri {
004063 |             "Pelvis" "ylt" 0.0
004064 |         }
004065 |         $ri {
004066 |             "Spine" "zmr" 0.35
004067 |         }
004068 |         $ri {
004069 |             "Spine1" "zmr" 0.5
004070 |         }
004071 |         $ri {
004072 |             "Spine2" "zmr" 0.75
004073 |         }
```

```
004074 |         $ri {
004075 |             "Spine3" "zmr" 0.9
004076 |         }
004077 |         $ri {
004078 |             "RightFoot" "zlr" 0.85
004079 |         }
004080 |         $ri {
004081 |             "RightFoot" "ylr" -0.5
004082 |         }
004083 |         $ri {
004084 |             "LeftLegRoll" "xlr" 0.0
004085 |         }
004086 |         $ri {
004087 |             "LeftFoot" "zlr" 0.25
004088 |         }
004089 |         $ri {
004090 |             "LeftFoot" "ylr" 0.5
004091 |         }
004092 |         $ri {
004093 |             "RightLegRoll" "xlr" -0.5
004094 |         }
004095 |     }
004096 |     $EditorData {
004097 |         #EditorPos 7.2000003 -34.6000023
004098 |     }
004099 | }
004100 | $Node AnimNodeRot {
004101 |     "SlideErcLeanR" "" "SlideErcLeanL" "clamp(eAI_Lean, 0.0, 1.0)*0.2"
004102 |     $rotitems 12 {
004103 |         $ri {
004104 |             "Pelvis" "xlt" 0.0
004105 |         }
004106 |         $ri {
004107 |             "Pelvis" "ylt" 0.0
004108 |         }
004109 |         $ri {
004110 |             "Spine" "zmr" 0.4
004111 |         }
004112 |         $ri {
004113 |             "Spine1" "zmr" 0.6
004114 |         }
004115 |         $ri {
004116 |             "Spine2" "zmr" 0.8
004117 |         }
004118 |         $ri {
004119 |             "Spine3" "zmr" 1.0
004120 |         }
004121 |         $ri {
004122 |             "RightFoot" "zlr" 0.1
004123 |         }
004124 |         $ri {
004125 |             "RightFoot" "ylr" -0.4
004126 |         }
004127 |         $ri {
004128 |             "LeftLegRoll" "xlr" 0.1
004129 |         }
004130 |         $ri {
004131 |             "LeftFoot" "zlr" -0.3
004132 |         }
004133 |         $ri {
004134 |             "LeftFoot" "ylr" 0.5
004135 |         }
004135 |     }
```



```
004136 |         $ri {
004137 |             "RightLegRoll" "xlr" -0.1
004138 |         }
004139 |     }
004140 |     $EditorData {
004141 |         #EditorPos 7.2000003 -33.9000015
004142 |     }
004143 | }
004144 | $Node AnimNodeBlendTAdd {
004145 |     "SlideErcLookT" "" "SlidePoseRunIKT" "MoveLookPose" "" "" "Look" 0.3 "S" 0
004146 |     $EditorData {
004147 |         #EditorPos 7.2000003 -35.4000015
004148 |     }
004149 | }
004150 | $Node AnimNodeBlendTAdd {
004151 |     "SlidePoseCroADST" "" "SlidePoseWalkBlend" "CroADSWalkPose" "" "" "ADS" 0.24 "S" 0
004152 |     $EditorData {
004153 |         #EditorPos 11.4000006 -30.0
004154 |     }
004155 | }
004156 | $Node AnimNodeGroupSelect {
004157 |     "SlidePoseCroLowG" "" "SlideCroLeanR" "Locomotion" "Cro"
004158 |     $EditorData {
004159 |         #EditorPos 13.5 -29.3000011
004160 |     }
004161 | }
004162 | $Node AnimNodeGroupSelect {
004163 |     "SlidePoseCroRasG" "" "SlidePoseCroADST" "Locomotion" "CroRas"
004164 |     $EditorData {
004165 |         #EditorPos 11.4000006 -29.3000011
004166 |     }
004167 | }
004168 | $Node AnimNodeBlendT {
004169 |     "SlidePoseCroRasT" "" "SlidePoseCroRasG" "SlidePoseCroLowG" "" "" "!eAI_Raised" 0.4 "S" 7
004170 |     $EditorData {
004171 |         #EditorPos 12.5 -28.5
004172 |     }
004173 | }
004174 | $Node AnimNodeBlendTAdd {
004175 |     "SlidePoseErcADST" "" "SlidePoseWalkRunAimT" "ErcADSPose" "" "" "ADS" 0.24 "S" 0
004176 |     $EditorData {
004177 |         #EditorPos 9.3000002 -30.0
004178 |     }
004179 | }
004180 | $Node AnimNodeGroupSelect {
004181 |     "SlidePoseErcLowG" "" "SlidePoseLowSpeedT" "Locomotion" "Erc"
004182 |     $EditorData {
004183 |         #EditorPos 7.2000003 -29.3000011
004184 |     }
004185 | }
004186 | $Node AnimNodeGroupSelect {
004187 |     "SlidePoseErcRasG" "" "SlidePoseErcADST" "Locomotion" "ErcRas"
004188 |     $EditorData {
004189 |         #EditorPos 9.3000002 -29.3000011
004190 |     }
004191 | }
004192 | $Node AnimNodeIK2 {
004193 |     "SlidePoseIK" "" "SlidePoseT" "///! global values
004194 | weight = 1.0
004195 |
004196 | LFootIKTarget
004197 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
```

```
004198 | chainAxis = +x
004199 |
004200 | RFootIKTarget
004201 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
004202 | chainAxis = -x"
004203 |     $EditorData {
004204 |         #EditorPos 10.3000002 -26.8000011
004205 |     }
004206 | }
004207 | $Node AnimNodeBlendT {
004208 |     "SlidePoseLowSpeedT" "" "SlideErcLeanR" "SlideCroLeanR" "" "" "MovementSpeed < 2" 0.3 "S" 7
004209 |     $EditorData {
004210 |         #EditorPos 7.2000003 -32.9000015
004211 |     }
004212 | }
004213 | $Node AnimNodeBlendT {
004214 |     "SlidePoseLowT" "" "SlidePoseErcLowG" "SlidePoseErcRasG" "" "" "eAI_Raised" 0.4 "S" 7
004215 |     $EditorData {
004216 |         #EditorPos 8.3000002 -28.5
004217 |     }
004218 | }
004219 | $Node AnimNodePose {
004220 |     "SlidePoseRun" "" "Locomotion.RunSlidingPose" "(MovementDirection+180)/(360)"
004221 |     $EditorData {
004222 |         #EditorPos 7.2000003 -36.9000015
004223 |     }
004224 | }
004225 | $Node AnimNodeBlend {
004226 |     "SlidePoseRunBlend" "" "1.0" "SlideErcLeanR" "AimRunObstBlend" 1
004227 |     $EditorData {
004228 |         #EditorPos 9.3000002 -32.4000015
004229 |     }
004230 | }
004231 | $Node AnimNodeIK2Target {
004232 |     "SlidePoseRunIKT" "" "SlidePoseRun" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
004233 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
004234 |     $EditorData {
004235 |         #EditorPos 7.2000003 -36.2000008
004236 |     }
004237 | }
004238 | $Node AnimNodeBlendT {
004239 |     "SlidePoseT" "" "SlidePoseLowT" "SlidePoseCroRasT" "" "" "Stance == 1" 0.3 "S" 7
004240 |     $EditorData {
004241 |         #EditorPos 10.3000002 -27.7000008
004242 |     }
004243 | }
004244 | $Node AnimNodePose {
004245 |     "SlidePoseWalk" "" "Locomotion.WalkSlidingPose" "(MovementDirection+180)/(360)"
004246 |     $EditorData {
004247 |         #EditorPos 13.5 -36.9000015
004248 |     }
004249 | }
004250 | $Node AnimNodeBlend {
004251 |     "SlidePoseWalkBlend" "" "1.0" "SlideCroLeanR" "AimRunObstBlend" 1
004252 |     $EditorData {
004253 |         #EditorPos 10.5 -31.7000008
004254 |     }
004255 | }
004256 | $Node AnimNodeIK2Target {
004257 |     "SlidePoseWalkIKT" "" "SlidePoseWalk" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
004258 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
004259 |     $EditorData {
```

```
004260 |         #EditorPos 13.5 -36.2000008
004261 |     }
004262 | }
004263 | $Node AnimNodeBlendT {
004264 |     "SlidePoseWalkRunAimT" "" "SlidePoseRunBlend" "SlidePoseWalkBlend" "" "" "MovementSpeed < 2" 0.3 "S" 7
004265 |     $EditorData {
004266 |         #EditorPos 9.3000002 -30.8999996
004267 |     }
004268 | }
004269 | $Node AnimNodeVarUpdate {
004270 |     "SlidingPoseVar" "" "SlidePoseIK" 1 "MovementDirection" 1
004271 |     $EditorData {
004272 |         #EditorPos 10.3000002 -25.8999996
004273 |     }
004274 | }
004275 | $Node AnimNodeBlendN {
004276 |     "SprintCyclic" "" "MovementDirection" 0 "Lin"
004277 |     $Inputs {
004278 |         -45.0 "SprintFLAnim"
004279 |         0.0 "SprintFAnim"
004280 |         45.0 "SprintFRAnim"
004281 |     }
004282 |     $EditorData {
004283 |         #EditorPos 0.5 -90.5999985
004284 |     }
004285 | }
004286 | }
004287 | $Node AnimNodeSourceSync {
004288 |     "SprintFAnim" "" "Locomotion.SprintF" "loop" "RunSprint"
004289 |     $Predictions {
004290 |     }
004291 |     $EditorData {
004292 |         #EditorPos 0.5 -92.0
004293 |     }
004294 | }
004295 | $Node AnimNodeSourceSync {
004296 |     "SprintFLAnim" "" "Locomotion.SprintFL" "loop" "RunSprint"
004297 |     $Predictions {
004298 |     }
004299 |     $EditorData {
004300 |         #EditorPos -0.6 -91.3000031
004301 |     }
004302 | }
004303 | $Node AnimNodeSourceSync {
004304 |     "SprintFRAnim" "" "Locomotion.SprintFR" "loop" "RunSprint"
004305 |     $Predictions {
004306 |     }
004307 |     $EditorData {
004308 |         #EditorPos 1.6 -91.3000031
004309 |     }
004310 | }
004311 | $Node AnimNodeIK2 {
004312 |     "StanceChangeIK" "" "StanceChangeSTM" "///! global values
004313 | weight = 1.0
004314 |
004315 | LFootIKTarget
004316 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
004317 | chainAxis = +x
004318 |
004319 | RFootIKTarget
004320 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
004321 | chainAxis = -x"
```

```
004322 |         $EditorData {
004323 |             #EditorPos 5.5999999 -42.1000023
004324 |         }
004325 |     }
004326 |     $Node AnimNodeStateMachine {
004327 |         "StanceChangeSTM" ""
004328 |         $States 10 {
004329 |             $State {
004330 |                 "ErcToPne" "TagErcToPne" "ErcToPneT" "Stance == 2 && HasVariableChanged(Stance, 0) && (MovementSpeed == 0 ||
004331 | (MovementDirection <= -50 || MovementDirection >= 50) || (MovementSpeed > 0 && eAI_Raised))" "normtime" 1
004332 |             $EditorData {
004333 |                 #EditorPos 6.0 -44.2000008
004334 |             }
004335 |         }
004336 |         $State {
004337 |             "ErcToCro" "TagErcToCro" "ErcToCroT" "Stance == 1 && HasVariableChanged(Stance, 0) && (MovementSpeed == 0 ||
004338 | (MovementDirection <= -50 || MovementDirection >= 50) || (MovementSpeed > 0 && eAI_Raised))" "normtime" 1
004339 |             $EditorData {
004340 |                 #EditorPos 0.2 -48.4000015
004341 |             }
004342 |         }
004343 |         $State {
004344 |             "CroToErc" "TagCroToErc" "CroToErcT" "Stance == 0 && HasVariableChanged(Stance, 1) && (MovementSpeed == 0 ||
004345 | (MovementDirection <= -50 || MovementDirection >= 50) || (MovementSpeed > 0 && eAI_Raised))" "normtime" 1
004346 |             $EditorData {
004347 |                 #EditorPos 7.2000003 -48.4000015
004348 |             }
004349 |         }
004350 |         $State {
004351 |             "CroToPne" "TagCroToPne" "CroToPneT" "Stance == 2 && HasVariableChanged(Stance, 1) && (MovementSpeed == 0 ||
004352 | (MovementDirection <= -50 || MovementDirection >= 50) || (MovementSpeed > 0 && eAI_Raised))" "normtime" 1
004353 |             $EditorData {
004354 |                 #EditorPos 1.4 -44.2000008
004355 |             }
004356 |         }
004357 |         $State {
004358 |             "PneToErc" "TagPneToErc" "PneToErcT" "Stance == 0 && HasVariableChanged(Stance, 2) && (MovementSpeed == 0 ||
004359 | (MovementDirection <= -50 || MovementDirection >= 50) || (MovementSpeed > 0 && eAI_Raised))" "normtime" 1
004360 |             $EditorData {
004361 |                 #EditorPos 8.4000006 -46.7999992
004362 |             }
004363 |         }
004364 |         $State {
004365 |             "PneToCro" "TagPneToCro" "PneToCroT" "Stance == 1 && HasVariableChanged(Stance, 2) && (MovementSpeed == 0 ||
004366 | (MovementDirection <= -50 || MovementDirection >= 50) || (MovementSpeed > 0 && eAI_Raised))" "normtime" 1
004367 |             $EditorData {
004368 |                 #EditorPos -0.9 -46.7999992
004369 |             }
004370 |         }
004371 |         $State {
004372 |             "ErcToPneMove" "TagErcToPneMove" "ErcToPneMoveT" "Stance == 2 && HasVariableChanged(Stance, 0) && MovementSpeed > 0
004373 | &&
004374 | MovementDirection >= -50 && MovementDirection <= 50
004375 | &&
004376 | !eAI_Raised" "normtime" 1
004377 |             $EditorData {
004378 |                 #EditorPos 8.4000006 -45.0
004379 |             }
004380 |         }
004381 |         $State {
004382 |             "PneToErcMove" "TagPneToErcMove" "PneToErcMoveT" "Stance == 0 && HasVariableChanged(Stance, 2) && MovementSpeed > 0
004383 | &&
```

```
004384 | MovementDirection >= -50 && MovementDirection <= 50
004385 | &&
004386 | !eAI_Raised" "normtime" 1
004387 |         $EditorData {
004388 |             #EditorPos 10.8000002 -45.9000015
004389 |         }
004390 |     }
004391 |     $State {
004392 |         "CroToPneMove" "TagCroToPneMove" "CroToPneMoveT" "Stance == 2 && HasVariableChanged(Stance, 1) && MovementSpeed > 0
004393 |     &&
004394 | MovementDirection >= -50 && MovementDirection <= 50
004395 | &&
004396 | !eAI_Raised" "normtime" 1
004397 |         $EditorData {
004398 |             #EditorPos -0.9 -45.0
004399 |         }
004400 |     }
004401 |     $State {
004402 |         "PneToCroMove" "TagPneToCroMove" "PneToCroMoveT" "Stance == 1
004403 |     &&
004404 | HasVariableChanged(Stance, 2)
004405 | &&
004406 | MovementSpeed > 0
004407 | &&
004408 | MovementDirection >= -50 && MovementDirection <= 50
004409 | &&
004410 | !eAI_Raised" "normtime" 1
004411 |         $EditorData {
004412 |             #EditorPos -3.2 -45.9000015
004413 |         }
004414 |     }
004415 | }
004416 | $Transitions 34 {
004417 |     $Transition {
004418 |         "ErcToCro" "CroToErc" "Stance == 0 && GetLowerTime() > 0.75" "0.3" "" 1 "S"
004419 |     }
004420 |     $Transition {
004421 |         "CroToErc" "ErcToCro" "Stance == 1 && GetLowerTime() > 0.75" "0.3" "1.0-GetLowerTime()" 1 "S"
004422 |     }
004423 |     $Transition {
004424 |         "PneToCro" "CroToPne" "Stance == 2" "0.3" "1.0-GetLowerTime()" 1 "S"
004425 |     }
004426 |     $Transition {
004427 |         "CroToPne" "PneToCro" "Stance == 1" "0.3" "1.0-GetLowerTime()" 1 "S"
004428 |     }
004429 |     $Transition {
004430 |         "ErcToPne" "PneToErc" "Stance == 0" "0.3" "1.0-GetLowerTime()" 1 "S"
004431 |     }
004432 |     $Transition {
004433 |         "PneToErc" "ErcToPne" "Stance == 2" "0.3" "1.0-GetLowerTime()" 1 "S"
004434 |     }
004435 |     $Transition {
004436 |         "ErcToCro" "CroToPne" "Stance == 2 && GetLowerTime() > 0.5" "0.3" "1 - GetLowerTime()" 1 "S"
004437 |     }
004438 |     $Transition {
004439 |         "ErcToCro" "ErcToPne" "Stance == 2 && GetLowerTime() < 0.5" "0.3" "GetLowerTime()" 1 "S"
004440 |     }
004441 |     $Transition {
004442 |         "CroToErc" "CroToPne" "Stance == 2 && GetLowerTime() < 0.5" "0.3" "GetLowerTime()" 1 "S"
004443 |     }
004444 |     $Transition {
004445 |         "CroToErc" "ErcToPne" "Stance == 2 && GetLowerTime() > 0.5" "0.3" "1 - GetLowerTime()" 1 "S"
```

```
004446 |     }
004447 |     $Transition {
004448 |         "PneToCro" "PneToErc" "Stance == 0 && GetLowerTime() < 0.25" "0.3" "GetLowerTime()" 1 "S"
004449 |     }
004450 |     $Transition {
004451 |         "PneToErc" "PneToCro" "Stance == 1 && GetLowerTime() < 0.5" "0.3" "GetLowerTime()" 1 "S"
004452 |     }
004453 |     $Transition {
004454 |         "ErcToPne" "PneToCro" "Stance == 1 && GetLowerTime() > 0.5" "0.3" "1 - GetLowerTime()" 1 "S"
004455 |     }
004456 |     $Transition {
004457 |         "CroToPne" "PneToErc" "Stance == 0 && GetLowerTime() > 0.5" "0.3" "GetLowerTime()" 1 "S"
004458 |     }
004459 |     $Transition {
004460 |         "CroToPne" "CroToErc" "Stance == 0 && GetLowerTime() < 0.5" "0.3" "GetLowerTime()" 1 "S"
004461 |     }
004462 |     $Transition {
004463 |         "ErcToPne" "ErcToCro" "Stance == 1 && GetLowerTime() < 0.5" "0.3" "GetLowerTime()" 1 "S"
004464 |     }
004465 |     $Transition {
004466 |         "PneToCro" "CroToErc" "Stance == 0 && GetLowerTime() > 0.75" "0.3" "GetLowerTime()" 1 "S"
004467 |     }
004468 |     $Transition {
004469 |         "PneToErc" "CroToErc" "Stance == 1 && GetLowerTime() > 0.5" "0.3" "GetLowerTime()" 1 "S"
004470 |     }
004471 |     $Transition {
004472 |         "CroToPne" "CroToPneMove" "MovementSpeed > 0
004473 | &&
004474 | MovementDirection >= -50 && MovementDirection <= 50
004475 | &&
004476 | !eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004477 |     }
004478 |     $Transition {
004479 |         "CroToPneMove" "CroToPne" "MovementSpeed == 0 || eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004480 |     }
004481 |     $Transition {
004482 |         "CroToPneMove" "PneToCroMove" "Stance == 1" "0.3" "1.0-GetLowerTime()" 1 "S"
004483 |     }
004484 |     $Transition {
004485 |         "PneToCroMove" "PneToCro" "MovementSpeed == 0 || eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004486 |     }
004487 |     $Transition {
004488 |         "PneToCro" "PneToCroMove" "MovementSpeed > 0
004489 | &&
004490 | MovementDirection >= -50 && MovementDirection <= 50
004491 | &&
004492 | !eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004493 |     }
004494 |     $Transition {
004495 |         "PneToCroMove" "CroToPneMove" "Stance == 2" "0.3" "1.0-GetLowerTime()" 1 "S"
004496 |     }
004497 |     $Transition {
004498 |         "ErcToPne" "ErcToPneMove" "MovementSpeed > 0
004499 | &&
004500 | MovementDirection >= -50 && MovementDirection <= 50
004501 | &&
004502 | !eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004503 |     }
004504 |     $Transition {
004505 |         "ErcToPneMove" "ErcToPne" "MovementSpeed == 0 || eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004506 |     }
004507 |     $Transition {
```

```
004508 |         "ErcToPneMove" "PneToErcMove" "Stance == 0" "0.3" "1.0-GetLowerTime()" 1 "S"
004509 |     }
004510 |     $Transition {
004511 |         "PneToErcMove" "ErcToPneMove" "Stance == 2" "0.3" "1.0-GetLowerTime()" 1 "S"
004512 |     }
004513 |     $Transition {
004514 |         "PneToErcMove" "PneToErc" "MovementSpeed == 0 || eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004515 |     }
004516 |     $Transition {
004517 |         "PneToErc" "PneToErcMove" "MovementSpeed > 0
004518 | &&
004519 | MovementDirection >= -50 && MovementDirection <= 50
004520 | &&
004521 | !eAI_Raised" "0.3" "GetLowerTime()" 1 "S"
004522 |     }
004523 |     $Transition {
004524 |         "PneToCroMove" "PneToErcMove" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
004525 |     }
004526 |     $Transition {
004527 |         "PneToErcMove" "PneToCroMove" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
004528 |     }
004529 |     $Transition {
004530 |         "CroToPneMove" "PneToErcMove" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
004531 |     }
004532 |     $Transition {
004533 |         "ErcToPneMove" "PneToCroMove" "Stance == 1 && RemainingTimeLess(0.5)" "0.3" "1 - GetLowerTime()" 1 "S"
004534 |     }
004535 | }
004536 | $EditorData {
004537 |     #EditorPos 5.5999999 -43.0
004538 | }
004539 | }
004540 | $Node AnimNodeStateMachine {
004541 |     "StanceMaster" ""
004542 |     $States 13 {
004543 |         $State {
004544 |             "IdleRas" "" "IdleRasIK" "eAI_Raised && MovementSpeed == 0" "notime" 0
004545 |             $EditorData {
004546 |                 #EditorPos 8.9000006 -11.5
004547 |             }
004548 |         }
004549 |         $State {
004550 |             "MovementRas" "TagMoveDir" "MovementRasVar" "eAI_Raised && MovementSpeed > 0" "notime" 0
004551 |             $EditorData {
004552 |                 #EditorPos 8.9000006 -13.6999998
004553 |             }
004554 |         }
004555 |         $State {
004556 |             "IdleLow" "" "IdleLowIK" "!eAI_Raised && MovementSpeed == 0" "notime" 0
004557 |             $EditorData {
004558 |                 #EditorPos 3.1000001 -11.5
004559 |             }
004560 |         }
004561 |         $State {
004562 |             "MovementLow" "TagMoveDir" "MovementLowVar" "!eAI_Raised && MovementSpeed > 0" "notime" 0
004563 |             $EditorData {
004564 |                 #EditorPos 3.0 -13.6999998
004565 |             }
004566 |         }
004567 |         $State {
004568 |             "StanceChange" "TagStanceChange" "StanceChangeIK" "False" "notime" 0
004569 |             $EditorData {
```

```

004570 |         #EditorPos 6.0 -12.5
004571 |     }
004572 | }
004573 | $State {
004574 |     "SlidingPose" "" "SlidingPoseVar" "" "realtime" 0
004575 |     $EditorData {
004576 |         #EditorPos 8.9000006 -15.6000004
004577 |     }
004578 | }
004579 | $State {
004580 |     "PneOnBack" "TagProneBack" "PneOnBackIdleLowG" "Stance == 2 && (eAI_AimX < -90 || eAI_AimX > 90)" "notime" 0
004581 |     $EditorData {
004582 |         #EditorPos 6.0 -9.3000002
004583 |     }
004584 | }
004585 | $State {
004586 |     "PneOnBackMovement" "TagProneBack" "PneOnBackFacialB" "Stance == 2 && (eAI_AimX < -90 || eAI_AimX > 90) && MovementSpeed > 0 && False" "realtime" 0
004587 |     $EditorData {
004588 |         #EditorPos 8.9000006 -8.6000004
004589 |     }
004590 | }
004591 | $State {
004592 |     "ProneRoll" "TagMoveRolling" "ProneRollSTM" "" "realtime" 0
004593 |     $EditorData {
004594 |         #EditorPos 6.0 -15.8000002
004595 |     }
004596 | }
004597 | $State {
004598 |     "PneOnBackRoll" "TagProneBack" "PneOnBackRaisedT" "" "realtime" 0
004599 |     $EditorData {
004600 |         #EditorPos 2.7 -8.6000004
004601 |     }
004602 | }
004603 | $State {
004604 |     "POBStanceChange" "TagProneBack" "POBStanceChangeSTM" "false" "notime" 0
004605 |     $EditorData {
004606 |         #EditorPos 6.0 -10.3000002
004607 |     }
004608 | }
004609 | $State {
004610 |     "Evade" "TagMeleeEvade" "EvadeVar" "" "realtime" 0
004611 |     $EditorData {
004612 |         #EditorPos 11.5 -12.5
004613 |     }
004614 | }
004615 | $State {
004616 |     "Throwing" "TagThrowing" "ThrowIK" "" "notime" 0
004617 |     $EditorData {
004618 |         #EditorPos -0.3 -12.8000002
004619 |     }
004620 | }
004621 | }
004622 | $Transitions 70 {
004623 |     $Transition {
004624 |         "" "SlidingPose" "IsCommand(CMD_SlidingPose) && Stance != 2 && !IsTag("\TagThrowing\") && !IsTag("\TagStanceChange\")" "0.2" "" 1 "S"
004625 |     }
004626 |     $Transition {
004627 |         "IdleRas" "PneOnBack" "Stance == 2 && (eAI_AimX < -90 || eAI_AimX > 90) && !eAI_Raised" "LowerTime" "" 0 "S"
004628 |     }
004629 |     $Transition {
004630 |         "IdleRas" "IdleLow" "!eAI_Raised && !(HasVariableChanged(Stance))" "LowerTime" "" 0 "S"

```



```
004631 |     }
004632 |     $Transition {
004633 |         "IdleLow" "IdleRas" "eAI_Raised && !(HasVariableChanged(Stance))" "RaiseTime" "" 1 "S"
004634 |     }
004635 |     $Transition {
004636 |         "MovementRas" "MovementLow" "!eAI_Raised && !(HasVariableChanged(Stance))" "LowerTime" "GetLowerTime()" 1 "S"
004637 |     }
004638 |     $Transition {
004639 |         "MovementLow" "MovementRas" "eAI_Raised && !(HasVariableChanged(Stance))" "RaiseTime" "GetLowerTime()" 1 "S"
004640 |     }
004641 |     $Transition {
004642 |         "IdleLow" "MovementLow" "MovementSpeed > 0 && Stance != 2" "0.3" "1-(MovementDirection+180)/(360)" 0 "S"
004643 |     }
004644 |     $Transition {
004645 |         "MovementLow" "IdleLow" "MovementSpeed == 0" "0.35" "" 0 "S"
004646 |     }
004647 |     $Transition {
004648 |         "MovementRas" "IdleRas" "MovementSpeed == 0" "0.3" "" 0 "S"
004649 |     }
004650 |     $Transition {
004651 |         "MovementLow" "StanceChange" "(HasVariableChanged(Stance, 0) && Stance == 2) || (HasVariableChanged(Stance, 1) && Stance == 2) || (HasVariabl
eChanged(Stance, 2) && Stance == 0) || (HasVariableChanged(Stance, 2) && Stance == 1)
004652 |         "0.2" "" 1 "S"
004653 |     }
004654 |     $Transition {
004655 |         "IdleRas" "POBStanceChange" "(Stance == 0 || Stance == 1) && HasVariableChanged(Stance, 2) && (eAI_AimX < -90 || eAI_AimX > 90)" "0.4" "" 1 "
S"
004656 |     }
004657 |     $Transition {
004658 |         "IdleRas" "StanceChange" "HasVariableChanged(Stance)" "0.2" "" 1 "S"
004659 |     }
004660 |     $Transition {
004661 |         "IdleRas" "MovementRas" "MovementSpeed > 0 && Stance != 2" "0.3" "1-(MovementDirection+180)/(360)" 1 "S"
004662 |     }
004663 |     $Transition {
004664 |         "StanceChange" "MovementLow" "MovementSpeed > 0 && !eAI_Raised && RemainingTimeLess(0.15)" "0.3" "0.3" 1 "S"
004665 |     }
004666 |     $Transition {
004667 |         "IdleLow" "StanceChange" "HasVariableChanged(Stance)" "0.2" "" 1 "S"
004668 |     }
004669 |     $Transition {
004670 |         "StanceChange" "IdleLow" "MovementSpeed == 0 && !eAI_Raised && RemainingTimeLess(0.01)" "0.3" "" 1 "S"
004671 |     }
004672 |     $Transition {
004673 |         "StanceChange" "IdleRas" "(MovementSpeed == 0 || Stance == 2) && eAI_Raised && RemainingTimeLess(0.15)" "0.3" "" 1 "S"
004674 |     }
004675 |     $Transition {
004676 |         "StanceChange" "MovementRas" "MovementSpeed > 0 && eAI_Raised && RemainingTimeLess(0.2) && Stance != 2" "0.3" "" 1 "S"
004677 |     }
004678 |     $Transition {
004679 |         "MovementRas" "StanceChange" "(HasVariableChanged(Stance, 0) && Stance == 2) || (HasVariableChanged(Stance, 1) && Stance == 2) || (HasVariabl
eChanged(Stance, 2) && Stance == 0) || (HasVariableChanged(Stance, 2) && Stance == 1)
004680 |         "0.2" "" 1 "S"
004681 |     }
004682 |     $Transition {
004683 |         "SlidingPose" "IdleLow" "GetLowerTime() > 0.18 && !eAI_Raised && MovementSpeed == 0" "0.3" "" 1 "S"
004684 |     }
004685 |     $Transition {
004686 |         "SlidingPose" "IdleRas" "GetLowerTime() > 0.18 && eAI_Raised && MovementSpeed == 0" "0.3" "" 1 "S"
004687 |     }
004688 |     $Transition {
004689 |         "PneOnBack" "PneOnBackMovement" "MovementSpeed > 0" "0.3" "" 0 "S"
```

```
004690 |     }
004691 |     $Transition {
004692 |         "PneOnBackMovement" "PneOnBack" "MovementSpeed == 0" "0.3" "" 0 "S"
004693 |     }
004694 |     $Transition {
004695 |         "PneOnBackMovement" "POBStanceChange" "HasVariableChanged(Stance)" "0.2" "" 1 "S"
004696 |     }
004697 |     $Transition {
004698 |         "PneOnBack" "IdleRas" "eAI_Raised" "RaiseTime" "" 0 "S"
004699 |     }
004700 |     $Transition {
004701 |         "PneOnBack" "PneOnBackRoll" "IsCommand(CMD_Roll) && (!eAI_Raised || (eAI_Raised && (eAI_AimX <= -145 || eAI_AimX >= 145)))" "0.2" "" 0 "S"
004702 |     }
004703 |     $Transition {
004704 |         "" "ProneRoll" "IsCommand(CMD_Roll) && (!eAI_Raised || (eAI_Raised && eAI_AimX >= -50 && eAI_AimX <= 50))" "0.2" "" 1 "S"
004705 |     }
004706 |     $Transition {
004707 |         "ProneRoll" "IdleRas" "RemainingTimeLess(0.1) && eAI_Raised" "0.3" "" 1 "S"
004708 |     }
004709 |     $Transition {
004710 |         "ProneRoll" "MovementLow" "RemainingTimeLess(0.3) && MovementSpeed > 0 && !eAI_Raised" "0.3" "0.5" 1 "S"
004711 |     }
004712 |     $Transition {
004713 |         "ProneRoll" "IdleLow" "RemainingTimeLess(0.1) && MovementSpeed == 0 && !eAI_Raised" "0.35" "" 1 "S"
004714 |     }
004715 |     $Transition {
004716 |         "PneOnBackRoll" "PneOnBack" "RemainingTimeLess(0.1) && MovementSpeed == 0" "0.2" "" 1 "S"
004717 |     }
004718 |     $Transition {
004719 |         "StanceChange" "MovementLow" "MovementSpeed > 0
004720 |     &&
004721 |     !eAI_Raised
004722 |     &&
004723 |     (
004724 |     (
004725 |     IsTag("\TagErcToCro\")
004726 |     ||
004727 |     IsTag("\TagCroToErc\")
004728 |     )
004729 |     ||
004730 |     (
004731 |     Stance == 1
004732 |     &&
004733 |     IsTag("\TagErcToPneMove\")
004734 |     &&
004735 |     GetRemainingTime() > 0.5
004736 |     )
004737 |     )" "0.3" "" 1 "S"
004738 |     }
004739 |     $Transition {
004740 |         "StanceChange" "MovementRas" "MovementSpeed > 0
004741 |     &&
004742 |     !eAI_Raised
004743 |     &&
004744 |     (
004745 |     (
004746 |     IsTag("\TagErcToCro\")
004747 |     ||
004748 |     IsTag("\TagCroToErc\")
004749 |     )
004750 |     ||
004751 |     (
```

```
004752 | Stance == 1
004753 | &&
004754 | IsTag("\TagErcToPneMove\")
004755 | &&
004756 | GetRemainingTime() > 0.5
004757 | )
004758 | )" 0.3" "" 1 "S"
004759 |     }
004760 |     $Transition {
004761 |         "POBStanceChange" "IdleLow" "!eAI_Raised && RemainingTimeLess(0.1) && MovementSpeed == 0" 0.2" "" 1 "S"
004762 |     }
004763 |     $Transition {
004764 |         "POBStanceChange" "IdleRas" "eAI_Raised && RemainingTimeLess(0.1) && MovementSpeed == 0" 0.2" "" 1 "S"
004765 |     }
004766 |     $Transition {
004767 |         "PneOnBack" "POBStanceChange" "HasVariableChanged(Stance)" 0.2" "" 1 "S"
004768 |     }
004769 |     $Transition {
004770 |         "Evade" "MovementRas" "RemainingTimeLess(0.2) && MovementSpeed > 0" 0.3" "" 1 "S"
004771 |     }
004772 |     $Transition {
004773 |         "Evade" "IdleRas" "RemainingTimeLess(0.2) && MovementSpeed == 0" 0.3" "" 1 "S"
004774 |     }
004775 |     $Transition {
004776 |         "IdleLow" "PneOnBack" "IsTag("\TagProneBack\")" 0.0" "" 1 "S"
004777 |     }
004778 |     $Transition {
004779 |         "" "Evade" "IsCommand(CMD_Melee_Evade)" 0.15" "" 6 "S"
004780 |     }
004781 |     $Transition {
004782 |         "SlidingPose" "MovementRas" "GetLowerTime() > 0.18 && eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, -45.0, 45.0)" 0.3" 0.0"
004783 |     }
004784 |     $Transition {
004785 |         "SlidingPose" "MovementRas" "GetLowerTime() > 0.18 && eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, -135.0, -45.0)" 0.3" 0.
004786 |     }
004787 |     $Transition {
004788 |         "SlidingPose" "MovementRas" "GetLowerTime() > 0.18 && eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, 45.0, 135.0)" 0.3" 0.0"
004789 |     }
004790 |     $Transition {
004791 |         "SlidingPose" "MovementRas" "GetLowerTime() > 0.18 && eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, 135.0, 180.0)" 0.3" 0.5
004792 |     }
004793 |     $Transition {
004794 |         "SlidingPose" "MovementRas" "GetLowerTime() > 0.18 && eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, -180.0, -135.0)" 0.3" 0
004795 |     }
004796 |     $Transition {
004797 |         "SlidingPose" "MovementLow" "GetLowerTime() > 0.18 && !eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, -25.0, 25.0)" 0.3" 0.5
004798 |     }
004799 |     $Transition {
004800 |         "SlidingPose" "MovementLow" "GetLowerTime() > 0.18 && !eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, -135.0, -25.0)" 0.3" 0
004801 |     }
004802 |     $Transition {
004803 |         "SlidingPose" "MovementLow" "GetLowerTime() > 0.18 && !eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, 25.0, 135.0)" 0.3" 0.0
004804 |     }
004805 |     $Transition {
```

```

004806 | "SlidingPose" "MovementLow" "GetLowerTime() > 0.18 && !eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, -180.0, -135.0)" "0.3" "
004807 | 0.5" 1 "S"
004808 | }
004809 | $Transition {
004810 | "SlidingPose" "MovementLow" "GetLowerTime() > 0.18 && !eAI_Raised && MovementSpeed > 0 && inRange(MovementDirection, 135.0, 180.0)" "0.3" "0.
004811 | 0" 1 "S"
004812 | }
004813 | $Transition {
004814 | "IdleLow" "MovementLow" "MovementSpeed > 0 && Stance == 2" "0.3" "0.25" 1 "S"
004815 | }
004816 | $Transition {
004817 | "PneOnBackMovement" "PneOnBackRoll" "IsCommand(CMD_Roll) && IsTag(\"TagProneBack\")" "0.2" "" 1 "S"
004818 | }
004819 | $Transition {
004820 | "PneOnBackRoll" "PneOnBackMovement" "RemainingTimeLess(0.3) && MovementSpeed > 0" "0.3" "" 1 "S"
004821 | }
004822 | $Transition {
004823 | "POBStanceChange" "MovementLow" "!eAI_Raised && RemainingTimeLess(0.1) && MovementSpeed > 0" "0.2" "" 1 "S"
004824 | }
004825 | $Transition {
004826 | "POBStanceChange" "MovementRas" "eAI_Raised && RemainingTimeLess(0.1) && MovementSpeed > 0" "0.2" "" 1 "S"
004827 | }
004828 | $Transition {
004829 | "POBStanceChange" "PneOnBack" "Stance == 2 && GetLowerTime() < 0.4 && MovementSpeed == 0" "0.4" "" 1 "S"
004830 | }
004831 | $Transition {
004832 | "POBStanceChange" "PneOnBackMovement" "Stance == 2 && GetLowerTime() < 0.4 && MovementSpeed > 0" "0.3" "" 1 "S"
004833 | }
004834 | $Transition {
004835 | "Throwing" "IdleLow" "!IsTag(\"TagProneBackExit\") && !IsTag(\"TagThrowingPneTransition\") && (RemainingTimeLess(0.02) || (IsCommand(CMD_Thro
004836 | wing) && GetCommandI(CMD_Throwing) == -1)) && !IsTag(\"TagProneBack\") && MovementSpeed == 0 && !eAI_Raised" "0.3" "" 1 "S"
004837 | }
004838 | $Transition {
004839 | "Throwing" "MovementLow" "!IsTag(\"TagProneBackExit\") && !IsTag(\"TagThrowingPneTransition\") && (RemainingTimeLess(0.01) || (IsCommand(CMD_
004840 | Throwing) && GetCommandI(CMD_Throwing) == -1)) && MovementSpeed > 0 && !eAI_Raised" "0.6" "GetLowerTime()" 1 "S"
004841 | }
004842 | $Transition {
004843 | "IdleLow" "Throwing" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 0" "0.3" "" 0 "S"
004844 | }
004845 | $Transition {
004846 | "IdleRas" "Throwing" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 0" "0.3" "" 0 "S"
004847 | }
004848 | $Transition {
004849 | "MovementLow" "Throwing" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 0" "0.6" "GetLowerTime()" 1 "S"
004850 | }
004851 | $Transition {
004852 | "MovementRas" "Throwing" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 0" "0.6" "GetLowerTime()" 1 "S"
004853 | }
004854 | $Transition {
004855 | "Throwing" "MovementRas" "!IsTag(\"TagProneBackExit\") && !IsTag(\"TagThrowingPneTransition\") && (RemainingTimeLess(0.01) || (IsCommand(CMD_
004856 | Throwing) && GetCommandI(CMD_Throwing) == -1)) && (eAI_AimX >= -90 && eAI_AimX <= 90) && MovementSpeed > 0 && eAI_Raised" "0.6" "GetLowerTime()" 1 "S"
004857 | }
004858 | $Transition {
004859 | "Throwing" "IdleRas" "!IsTag(\"TagProneBackExit\") && !IsTag(\"TagThrowingPneTransition\") && RemainingTimeLess(0.01) || MovementSpeed == 0 &
004860 | & eAI_Raised && Stance == 0 && !IsTag(\"TagThrowingPneTransition\")" "0.3" "" 1 "S"
004861 | }
004862 | }
004863 | $Transition {
004864 | "PneOnBack" "Throwing" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 0" "" "" 1 "S"
004865 | }
004866 | $Transition {
004867 | "" "Throwing" "false" "0.3" "" 0 "S"
004868 | }

```

```
004862 |         $Transition {
004863 |             "Throwing" "PneOnBack" "!IsTag(\"TagProneBackExit\") && !IsTag(\"TagThrowingPneTransition\") && (RemainingTimeLess(0.01) || (IsCommand(CMD_Th
rowing) && GetCommandI(CMD_Throwing) == -1)) && IsTag(\"TagProneBack\") && Stance == 2 && !eAI_Raised" "0.3" "" 1 "S"
004864 |         }
004865 |         $Transition {
004866 |             "SlidingPose" "StanceChange" "(HasVariableChanged(Stance, 0) && Stance == 2) || (HasVariableChanged(Stance, 1) && Stance == 2) || (HasVariabl
eChanged(Stance, 2) && Stance == 0) || (HasVariableChanged(Stance, 2) && Stance == 1)
004867 | " "0.2" "" 0 "S"
004868 |         }
004869 |         $Transition {
004870 |             "Throwing" "StanceChange" "eAI_Raised && IsTag(\"TagThrowingPneTransition\") && Stance == 2" "0.3" "GetLowerTime()" 1 "S"
004871 |         }
004872 |     }
004873 |     $EditorData {
004874 |         #EditorPos 2.4000001 -7.4000001
004875 |     }
004876 | }
004877 | $Node AnimNodeSource {
004878 |     "SwimFacialAnim" "" "FacialIdle01" "loop"
004879 |     $Predictions {
004880 |     }
004881 |     $EditorData {
004882 |         #EditorPos -41.2000008 -8.6999998
004883 |     }
004884 | }
004885 | $Node AnimNodeSource {
004886 |     "SwimFastAnim" "" "Swim.Normal.Fast" "loop"
004887 |     $Predictions {
004888 |     }
004889 |     $EditorData {
004890 |         #EditorPos -33.1000023 -13.6000004
004891 |     }
004892 | }
004893 | $Node AnimNodeSource {
004894 |     "SwimIdleAnim" "" "Swim.Idle" "loop"
004895 |     $Predictions {
004896 |     }
004897 |     $EditorData {
004898 |         #EditorPos -43.5 -8.6999998
004899 |     }
004900 | }
004901 | $Node AnimNodeBlend {
004902 |     "SwimIdleFacialB" "" "1.0" "SwimIdleAnim" "SwimFacialAnim" 0
004903 |     $EditorData {
004904 |         #EditorPos -42.2999992 -7.9000001
004905 |     }
004906 | }
004907 | $Node AnimNodeStateMachine {
004908 |     "SwimMovementSTM" ""
004909 |     $States 3 {
004910 |         $State {
004911 |             "Strafe" "" "SwimStrafeN" "!inRange(MovementDirection, -45.0, 45.0) && false" "realtime" 0
004912 |             $EditorData {
004913 |                 #EditorPos -38.2999992 -11.1000004
004914 |             }
004915 |         }
004916 |         $State {
004917 |             "SwimSlow" "" "SwimSlowAnim" "MovementSpeed >= 2 && MovementSpeed < 3" "realtime" 0
004918 |             $EditorData {
004919 |                 #EditorPos -35.7000008 -11.8000002
004920 |             }
004921 |         }
004921 |     }
```

```
004922 |         $State {
004923 |             "SwimFast" "" "SwimFastAnim" "MovementSpeed == 3" "realtime" 0
004924 |             $EditorData {
004925 |                 #EditorPos -33.1000023 -11.1000004
004926 |             }
004927 |         }
004928 |     }
004929 |     $Transitions 4 {
004930 |         $Transition {
004931 |             "Strafe" "SwimFast" "MovementSpeed == 3" "0.35" "" 0 "S"
004932 |         }
004933 |         $Transition {
004934 |             "Strafe" "SwimSlow" "MovementSpeed >= 2 && MovementSpeed < 3" "0.35" "" 0 "S"
004935 |         }
004936 |         $Transition {
004937 |             "SwimSlow" "SwimFast" "MovementSpeed == 3" "0.35" "" 0 "S"
004938 |         }
004939 |         $Transition {
004940 |             "SwimFast" "SwimSlow" "MovementSpeed >= 2 && MovementSpeed < 3" "0.35" "" 0 "S"
004941 |         }
004942 |     }
004943 |     $EditorData {
004944 |         #EditorPos -38.7999992 -9.9000006
004945 |     }
004946 | }
004947 | $Node AnimNodeSource {
004948 |     "SwimSlowAnim" "" "Swim.Normal.Slow" "loop"
004949 |     $Predictions {
004950 |     }
004951 |     $EditorData {
004952 |         #EditorPos -35.7000008 -13.6000004
004953 |     }
004954 | }
004955 | $Node AnimNodeSource {
004956 |     "SwimStrafeB" "" "Swim.Normal.StrafeB" "loop"
004957 |     $Predictions {
004958 |     }
004959 |     $EditorData {
004960 |         #EditorPos -38.2999992 -15.6999998
004961 |     }
004962 | }
004963 | $Node AnimNodeSource {
004964 |     "SwimStrafeF" "" "Swim.Normal.StrafeB" "loop"
004965 |     $Predictions {
004966 |     }
004967 |     $EditorData {
004968 |         #EditorPos -38.2999992 -14.5
004969 |     }
004970 | }
004971 | $Node AnimNodeSource {
004972 |     "SwimStrafeL" "" "Swim.Normal.StrafeL" "loop"
004973 |     $Predictions {
004974 |     }
004975 |     $EditorData {
004976 |         #EditorPos -39.4000015 -15.1000004
004977 |     }
004978 | }
004979 | $Node AnimNodeBlendN {
004980 |     "SwimStrafeN" "" "MovementDirection" 1 "S"
004981 |     $Inputs {
004982 |         -180.0 "SwimStrafeB"
004983 |         -90.0 "SwimStrafeL"
```

```
004984 |         0.0 "SwimStrafeF"
004985 |         90.0 "SwimStrafeR"
004986 |         180.0
004987 |     }
004988 |     $EditorData {
004989 |         #EditorPos -38.2999992 -13.6000004
004990 |     }
004991 | }
004992 | $Node AnimNodeSource {
004993 |     "SwimStrafeR" "" "Swim.Normal.StrafeR" "loop"
004994 |     $Predictions {
004995 |     }
004996 |     $EditorData {
004997 |         #EditorPos -37.2999992 -15.1000004
004998 |     }
004999 | }
005000 | $Node AnimNodeSource {
005001 |     "SwimUnconIn" "" "Unconscious.Water.InSlow" "noloop"
005002 |     $Predictions {
005003 |     }
005004 |     $EditorData {
005005 |         #EditorPos -45.1000023 -14.1999998
005006 |     }
005007 | }
005008 | $Node AnimNodeSource {
005009 |     "SwimUnconLoop" "" "Unconscious.Water.Loop" "loop"
005010 |     $Predictions {
005011 |     }
005012 |     $EditorData {
005013 |         #EditorPos -43.7999992 -13.5
005014 |     }
005015 | }
005016 | $Node AnimNodeSource {
005017 |     "SwimUnconOut" "" "Unconscious.Water.Out" "noloop"
005018 |     $Predictions {
005019 |     }
005020 |     $EditorData {
005021 |         #EditorPos -42.6000023 -14.1999998
005022 |     }
005023 | }
005024 | $Node AnimNodeStateMachine {
005025 |     "SwimUnconsciousSTM" ""
005026 |     $States 3 {
005027 |         $State {
005028 |             "In" "" "SwimUnconIn" "true" "realtime" 0
005029 |             $EditorData {
005030 |                 #EditorPos -45.1000023 -11.8000002
005031 |             }
005032 |         }
005033 |         $State {
005034 |             "Loop" "" "SwimUnconLoop" "true" "realtime" 0
005035 |             $EditorData {
005036 |                 #EditorPos -43.7999992 -11.1000004
005037 |             }
005038 |         }
005039 |         $State {
005040 |             "Out" "" "SwimUnconOut" "" "realtime" 1
005041 |             $EditorData {
005042 |                 #EditorPos -42.6000023 -11.8000002
005043 |             }
005044 |         }
005045 |     }
```

```
005046 |         $Transitions 4 {
005047 |             $Transition {
005048 |                 "In" "Loop" "RemainingTimeLess(0.4)" "0.4" "" 1 "S"
005049 |             }
005050 |             $Transition {
005051 |                 "Loop" "Out" "IsCommand(CMD_Unconscious_Exit)" "0.3" "" 0 "S"
005052 |             }
005053 |             $Transition {
005054 |                 "In" "Out" "IsCommand(CMD_Unconscious_Exit)" "0.1" "" 0 "S"
005055 |             }
005056 |             $Transition {
005057 |                 "" "Loop" "GetCommandI(CMD_Unconscious) == 1" "" "" 0 "S"
005058 |             }
005059 |         }
005060 |         $EditorData {
005061 |             #EditorPos -45.5 -9.9000006
005062 |         }
005063 |     }
005064 |     $Node AnimNodeQueue {
005065 |         "SwimmingHitQ" "" "SwimmingMaster"
005066 |         $items 1 {
005067 |             $item {
005068 |                 "SwimmingHitQSTM" "IsCommand(CMD_Damage)" "" "" 0.1 0.3 1 0
005069 |             }
005070 |         }
005071 |         $EditorData {
005072 |             #EditorPos -45.0 1.9
005073 |         }
005074 |     }
005075 |     $Node AnimNodeStateMachine {
005076 |         "SwimmingHitQSTM" "TagDamage"
005077 |         $States 1 {
005078 |             $State {
005079 |                 "State" "" "DamageLightErc" "true" "realtime" 1
005080 |                 $EditorData {
005081 |                     #EditorPos -41.2999992 -0.9
005082 |                 }
005083 |             }
005084 |         }
005085 |         $Transitions 0 {
005086 |         }
005087 |         $EditorData {
005088 |             #EditorPos -43.0 0.3
005089 |         }
005090 |     }
005091 |     $Node AnimNodeStateMachine {
005092 |         "SwimmingMaster" "TagSwimming"
005093 |         $States 3 {
005094 |             $State {
005095 |                 "SwimIdle" "" "SwimIdleFacialB" "" "realtime" 0
005096 |                 $EditorData {
005097 |                     #EditorPos -42.2999992 -5.2000003
005098 |                 }
005099 |             }
005100 |             $State {
005101 |                 "SwimMove" "" "SwimMovementSTM" "" "notime" 0
005102 |                 $EditorData {
005103 |                     #EditorPos -38.7999992 -5.2000003
005104 |                 }
005105 |             }
005106 |             $State {
005107 |                 "UnconIn" "TagUnconsciousWater" "SwimUnconsciousSTM" "GetCommandI(CMD_Unconscious) == 1" "realtime" 0
```



```
005108 |         $EditorData {
005109 |             #EditorPos -45.5 -5.2000003
005110 |         }
005111 |     }
005112 | }
005113 | $Transitions 4 {
005114 |     $Transition {
005115 |         "SwimIdle" "SwimMove" "MovementSpeed > 0" "0.5" "" 0 "S"
005116 |     }
005117 |     $Transition {
005118 |         "SwimMove" "SwimIdle" "MovementSpeed == 0" "0.8" "" 0 "S"
005119 |     }
005120 |     $Transition {
005121 |         "UnconIn" "SwimIdle" "RemainingTimeLess(0.2)" "0.2" "" 1 "S"
005122 |     }
005123 |     $Transition {
005124 |         "" "UnconIn" "IsCommand(CMD_Unconscious)" "0.4" "" 0 "S"
005125 |     }
005126 | }
005127 | $EditorData {
005128 |     #EditorPos -45.0 -3.0
005129 | }
005130 | }
005131 | $Node AnimNodeGroupSelect {
005132 |     "TakeHeavy" "" "ActionOnceIK" "ActionOnce" "PickUpHeavyErc"
005133 |     $EditorData {
005134 |         #EditorPos -32.7999992 4.5999999
005135 |     }
005136 | }
005137 | $Node AnimNodeBlend {
005138 |     "ThrowAimB" "" "1.0" "ThrowIdleTurnIKT" "ThrowAimP" 0
005139 |     $EditorData {
005140 |         #EditorPos -79.2000046 -56.5
005141 |     }
005142 | }
005143 | $Node AnimNodePose2 {
005144 |     "ThrowAimP" "" "Throw.AimPose" "eAI_AimY" "eAI_AimX" "Y(-45): X(-45) = 0, X(0) = 1, X(45) = 2
005145 | Y(0): X(-45) = 3, X(0) = 4, X(45) = 5
005146 | Y(45): X(-45) = 6, X(0) = 7, X(45) = 8"
005147 |     $EditorData {
005148 |         #EditorPos -69.0 -56.5
005149 |     }
005150 | }
005151 | $Node AnimNodeBlend {
005152 |     "ThrowAimWalkB" "" "1.0" "ThrowWalkIKT" "ThrowAimWalkP" 0
005153 |     $EditorData {
005154 |         #EditorPos -64.4000015 -46.7000008
005155 |     }
005156 | }
005157 | $Node AnimNodePose2 {
005158 |     "ThrowAimWalkP" "" "Throw.Erc.AimPoseWalk" "eAI_AimY" "eAI_AimX" "Y(-45): X(-45) = 0, X(0) = 1, X(45) = 2
005159 | Y(0): X(-45) = 3, X(0) = 4, X(45) = 5
005160 | Y(45): X(-45) = 6, X(0) = 7, X(45) = 8"
005161 |     $EditorData {
005162 |         #EditorPos -62.9000015 -49.1000023
005163 |     }
005164 | }
005165 | $Node AnimNodeSource {
005166 |     "ThrowCancelAnimCro" "" "Throw.Cro.Cancel" "noloop"
005167 |     $Predictions {
005168 |     }
005169 |     $EditorData {
```

```
005170 |         #EditorPos -75.7000046 -40.9000015
005171 |     }
005172 | }
005173 | $Node AnimNodeSource {
005174 |     "ThrowCancelAnimErc" "" "Throw.Erc.Cancel" "nolooop"
005175 |     $Predictions {
005176 |     }
005177 |     $EditorData {
005178 |         #EditorPos -77.9000015 -40.9000015
005179 |     }
005180 | }
005181 | $Node AnimNodeSource {
005182 |     "ThrowCancelAnimPne" "" "Throw.Pne.Cancel" "nolooop"
005183 |     $Predictions {
005184 |     }
005185 |     $EditorData {
005186 |         #EditorPos -73.5999985 -40.9000015
005187 |     }
005188 | }
005189 | $Node AnimNodeSource {
005190 |     "ThrowCancelAnimPoB" "TagProneBack" "Throw.PoB.Cancel" "nolooop"
005191 |     $Predictions {
005192 |     }
005193 |     $EditorData {
005194 |         #EditorPos -71.5 -39.5
005195 |     }
005196 | }
005197 | $Node AnimNodeGroupSelect {
005198 |     "ThrowCroG" "" "ThrowCroSlidePoseB" "Throw" "Cro"
005199 |     $EditorData {
005200 |         #EditorPos -67.3000031 -43.9000015
005201 |     }
005202 | }
005203 | $Node AnimNodeGroupSelect {
005204 |     "ThrowCroIdleG" "" "ThrowAimB" "Throw" "Cro"
005205 |     $EditorData {
005206 |         #EditorPos -79.2000046 -55.5
005207 |     }
005208 | }
005209 | $Node AnimNodeBlend {
005210 |     "ThrowCroSlidePoseB" "" "1.0" "ThrowSlideIKT" "ThrowAimP" 1
005211 |     $EditorData {
005212 |         #EditorPos -67.3000031 -44.6000023
005213 |     }
005214 | }
005215 | $Node AnimNodeSourceSync {
005216 |     "ThrowCroTurn0" "" "Throw.Turn0" "nolooop" "TurnCro"
005217 |     $Predictions {
005218 |         $Prediction {
005219 |             "PredictionTurn" "EntityPosition" "" 1.0 3
005220 |         }
005221 |     }
005222 |     $EditorData {
005223 |         #EditorPos -73.0999985 -66.7000046
005224 |     }
005225 | }
005226 | $Node AnimNodeSourceSync {
005227 |     "ThrowCroTurnL180" "" "Throw.TurnL180" "nolooop" "TurnCro"
005228 |     $Predictions {
005229 |         $Prediction {
005230 |             "PredictionTurn" "EntityPosition" "" 1.0 3
005231 |         }
005231 |     }
```

```
005232 |     }
005233 |     $EditorData {
005234 |         #EditorPos -75.2000046 -65.5
005235 |     }
005236 | }
005237 | $Node AnimNodeSourceSync {
005238 |     "ThrowCroTurnL90" "" "Throw.TurnL90" "noloop" "TurnCro"
005239 |     $Predictions {
005240 |         $Prediction {
005241 |             "PredictionTurn" "EntityPosition" "" 1.0 3
005242 |         }
005243 |     }
005244 |     $EditorData {
005245 |         #EditorPos -74.2000046 -66.0999985
005246 |     }
005247 | }
005248 | $Node AnimNodeSourceSync {
005249 |     "ThrowCroTurnR180" "" "Throw.TurnR180" "noloop" "TurnCro"
005250 |     $Predictions {
005251 |         $Prediction {
005252 |             "PredictionTurn" "EntityPosition" "" 1.0 3
005253 |         }
005254 |     }
005255 |     $EditorData {
005256 |         #EditorPos -70.9000015 -65.5
005257 |     }
005258 | }
005259 | $Node AnimNodeSourceSync {
005260 |     "ThrowCroTurnR90" "" "Throw.TurnR90" "noloop" "TurnCro"
005261 |     $Predictions {
005262 |         $Prediction {
005263 |             "PredictionTurn" "EntityPosition" "" 1.0 3
005264 |         }
005265 |     }
005266 |     $EditorData {
005267 |         #EditorPos -72.0 -66.0999985
005268 |     }
005269 | }
005270 | $Node AnimNodeBlendT {
005271 |     "ThrowCroTurnT" "" "ThrowTurnErcN" "ThrowTurnCroN" "" "" "Stance == 1 || Stance == 2" 0.3 "S" 7
005272 |     $EditorData {
005273 |         #EditorPos -76.2000046 -63.1000023
005274 |     }
005275 | }
005276 | $Node AnimNodeGroupSelect {
005277 |     "ThrowCroWalkG" "" "ThrowCroWalkVar" "Throw" "Cro"
005278 |     $EditorData {
005279 |         #EditorPos -62.1000023 -44.6000023
005280 |     }
005281 | }
005282 | $Node AnimNodeVarUpdate {
005283 |     "ThrowCroWalkVar" "" "ThrowAimWalkB" 2 "MovementSpeed" 3 "MovementDirection" 3
005284 |     $EditorData {
005285 |         #EditorPos -62.1000023 -45.6000023
005286 |     }
005287 | }
005288 | $Node AnimNodeGroupSelect {
005289 |     "ThrowErcG" "" "ThrowErcSlidePoseB" "Throw" "Erc"
005290 |     $EditorData {
005291 |         #EditorPos -69.5 -43.9000015
005292 |     }
005293 | }
```

```
005294 |     $Node AnimNodeGroupSelect {
005295 |         "ThrowErcIdleG" "" "ThrowAimB" "Throw" "Erc"
005296 |         $EditorData {
005297 |             #EditorPos -81.5999985 -55.5
005298 |         }
005299 |     }
005300 |     $Node AnimNodeBlend {
005301 |         "ThrowErcSlidePoseB" "" "1.0" "ThrowSlideIKT" "ThrowAimP" 1
005302 |         $EditorData {
005303 |             #EditorPos -69.5 -44.6000023
005304 |         }
005305 |     }
005306 |     $Node AnimNodeSourceSync {
005307 |         "ThrowErcTurn0" "" "Throw.Erc.Turn0" "noloop" "Turn"
005308 |         $Predictions {
005309 |             $Prediction {
005310 |                 "PredictionTurn" "EntityPosition" "" 1.0 3
005311 |             }
005312 |         }
005313 |         $EditorData {
005314 |             #EditorPos -79.5 -66.7000046
005315 |         }
005316 |     }
005317 |     $Node AnimNodeSourceSync {
005318 |         "ThrowErcTurnL180" "" "Throw.Erc.TurnL180" "noloop" "Turn"
005319 |         $Predictions {
005320 |             $Prediction {
005321 |                 "PredictionTurn" "EntityPosition" "" 1.0 3
005322 |             }
005323 |         }
005324 |         $EditorData {
005325 |             #EditorPos -81.7000046 -65.5
005326 |         }
005327 |     }
005328 |     $Node AnimNodeSourceSync {
005329 |         "ThrowErcTurnL90" "" "Throw.Erc.TurnL90" "noloop" "Turn"
005330 |         $Predictions {
005331 |             $Prediction {
005332 |                 "PredictionTurn" "EntityPosition" "" 1.0 3
005333 |             }
005334 |         }
005335 |         $EditorData {
005336 |             #EditorPos -80.5999985 -66.0999985
005337 |         }
005338 |     }
005339 |     $Node AnimNodeSourceSync {
005340 |         "ThrowErcTurnR180" "" "Throw.TurnR180" "noloop" "Turn"
005341 |         $Predictions {
005342 |             $Prediction {
005343 |                 "PredictionTurn" "EntityPosition" "" 1.0 3
005344 |             }
005345 |         }
005346 |         $EditorData {
005347 |             #EditorPos -77.4000015 -65.5
005348 |         }
005349 |     }
005350 |     $Node AnimNodeSourceSync {
005351 |         "ThrowErcTurnR90" "" "Throw.TurnR90" "noloop" "Turn"
005352 |         $Predictions {
005353 |             $Prediction {
005354 |                 "PredictionTurn" "EntityPosition" "" 1.0 3
005355 |             }
005355 |     }
```

```
005356 |         }
005357 |         $EditorData {
005358 |             #EditorPos -78.4000015 -66.0999985
005359 |         }
005360 |     }
005361 |     $Node AnimNodeGroupSelect {
005362 |         "ThrowErcWalkG" "" "ThrowAimWalkB" "Throw" "Erc"
005363 |         $EditorData {
005364 |             #EditorPos -64.4000015 -44.6000023
005365 |         }
005366 |     }
005367 |     $Node AnimNodeIK2 {
005368 |         "ThrowIK" "" "ThrowIdleShakeB" "//! global values
005369 | weight = 1.0
005370 |
005371 | LFootIKTarget
005372 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
005373 | chainAxis = +x
005374 |
005375 | RFootIKTarget
005376 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
005377 | chainAxis = -x"
005378 |         $EditorData {
005379 |             #EditorPos -71.8000031 -28.3000011
005380 |         }
005381 |     }
005382 |     $Node AnimNodeVarUpdate {
005383 |         "ThrowIKTStanceUpdate" "" "ThrowInSTM" 1 "Stance" 3
005384 |         $EditorData {
005385 |             #EditorPos -64.4000015 -29.3000011
005386 |         }
005387 |     }
005388 |     $Node AnimNodeSource {
005389 |         "ThrowIdleAnim" "" "Throw.Idle" "loop"
005390 |         $Predictions {
005391 |         }
005392 |         $EditorData {
005393 |             #EditorPos -78.8000031 -63.1000023
005394 |         }
005395 |     }
005396 |     $Node AnimNodeIK2Target {
005397 |         "ThrowIdleIKT" "" "ThrowStrengthIdleB" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
005398 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
005399 |         $EditorData {
005400 |             #EditorPos -81.0999985 -40.6000023
005401 |         }
005402 |     }
005403 |     $Node AnimNodeStateMachine {
005404 |         "ThrowIdleSTM" ""
005405 |         $States 2 {
005406 |             $State {
005407 |                 "Idle" "" "ThrowIdleAnim" "" "realtime" 0
005408 |                 $EditorData {
005409 |                     #EditorPos -78.8000031 -61.2000008
005410 |                 }
005411 |             }
005412 |             $State {
005413 |                 "Turn" "TagTurn" "ThrowCroTurnT" "" "normtime" 0
005414 |                 $EditorData {
005415 |                     #EditorPos -76.2000046 -61.2000008
005416 |                 }
005417 |             }
```

```
005418 |     }
005419 |     $Transitions 3 {
005420 |         $Transition {
005421 |             "Idle" "Turn" "IsCommand(CMD_eAI_Turn)" "0.1" "" 1 "S"
005422 |         }
005423 |         $Transition {
005424 |             "" "Turn" "IsCommand(CMD_eAI_Turn)" "0.15" "" 1 "S"
005425 |         }
005426 |         $Transition {
005427 |             "Turn" "Idle" "GetLowerTime() > 0.85 || IsCommand(CMD_eAI_StopTurn)" "0.25" "" 1 "S"
005428 |         }
005429 |     }
005430 |     $EditorData {
005431 |         #EditorPos -79.2000046 -60.0
005432 |     }
005433 | }
005434 | $Node AnimNodeBlend {
005435 |     "ThrowIdleShakeB" "" "clamp((-0.5 + (ActionProgress - 0.0) * (1.0 - 0.5) / (1.0 - 0.0)), 0.0, 1.0)" "ThrowSTM" "ThrowShakeB" 1
005436 |     $EditorData {
005437 |         #EditorPos -71.9000015 -29.7000008
005438 |     }
005439 | }
005440 | $Node AnimNodeStateMachine {
005441 |     "ThrowIdleStanceSTM" ""
005442 |     $States 12 {
005443 |         $State {
005444 |             "Erc" "" "ThrowErcIdleG" "Stance == 0" "notime" 0
005445 |             $EditorData {
005446 |                 #EditorPos -81.5 -48.9000015
005447 |             }
005448 |         }
005449 |         $State {
005450 |             "Cro" "" "ThrowCroIdleG" "Stance == 1" "notime" 0
005451 |             $EditorData {
005452 |                 #EditorPos -79.2000046 -48.9000015
005453 |             }
005454 |         }
005455 |         $State {
005456 |             "Pne" "" "ThrowPneIdleG" "Stance == 2 && !ThrowingOnBack" "notime" 0
005457 |             $EditorData {
005458 |                 #EditorPos -76.9000015 -48.9000015
005459 |             }
005460 |         }
005461 |         $State {
005462 |             "CroToErc" "TagStanceChange" "CroToErcThrowAnim" "" "normtime" 0
005463 |             $EditorData {
005464 |                 #EditorPos -83.4000015 -50.0
005465 |             }
005466 |         }
005467 |         $State {
005468 |             "ErcToCro" "TagStanceChange" "ErcToCroThrowAnim" "" "normtime" 0
005469 |             $EditorData {
005470 |                 #EditorPos -83.4000015 -47.7999992
005471 |             }
005472 |         }
005473 |         $State {
005474 |             "CroToPne" "TagThrowingPneTransition" "CroToPneThrowAnim" "" "normtime" 0
005475 |             $EditorData {
005476 |                 #EditorPos -74.8000031 -47.7999992
005477 |             }
005478 |         }
005479 |     }
005480 |     $State {
```

```
005480 |         "PneToCro" "TagThrowingPneTransition" "PneToCroThrowAnim" "" "normtime" 0
005481 |         $EditorData {
005482 |             #EditorPos -74.8000031 -50.0
005483 |         }
005484 |     }
005485 |     $State {
005486 |         "PneToErc" "TagThrowingPneTransition" "PneToErcThrowAnim" "" "normtime" 0
005487 |         $EditorData {
005488 |             #EditorPos -79.2000046 -50.7000008
005489 |         }
005490 |     }
005491 |     $State {
005492 |         "ErcToPne" "TagThrowingPneTransition" "ErcToPneThrowAnim" "" "normtime" 0
005493 |         $EditorData {
005494 |             #EditorPos -79.2000046 -47.0
005495 |         }
005496 |     }
005497 |     $State {
005498 |         "PoB" "TagProneBack" "PoBAimB" "Stance == 2 && ThrowingOnBack" "notime" 0
005499 |         $EditorData {
005500 |             #EditorPos -74.5 -48.9000015
005501 |         }
005502 |     }
005503 |     $State {
005504 |         "PoBToErc" "TagProneBackExit" "PoBToErcThrowAnim" "" "normtime" 0
005505 |         $EditorData {
005506 |             #EditorPos -76.0999985 -46.7000008
005507 |         }
005508 |     }
005509 |     $State {
005510 |         "PoBToCro" "TagProneBackExit" "PoBToCroThrowAnim" "" "normtime" 0
005511 |         $EditorData {
005512 |             #EditorPos -75.9000015 -51.0
005513 |         }
005514 |     }
005515 | }
005516 | $Transitions 18 {
005517 |     $Transition {
005518 |         "Erc" "ErcToCro" "Stance == 1" "0.2" "" 0 "S"
005519 |     }
005520 |     $Transition {
005521 |         "ErcToCro" "Cro" "RemainingTimeLess(0.05)" "0.2" "" 1 "S"
005522 |     }
005523 |     $Transition {
005524 |         "Erc" "ErcToPne" "Stance == 2" "0.2" "" 0 "S"
005525 |     }
005526 |     $Transition {
005527 |         "ErcToPne" "Pne" "GetLowerTime() > 0.8" "0.2" "" 1 "S"
005528 |     }
005529 |     $Transition {
005530 |         "Cro" "CroToPne" "Stance == 2" "0.2" "" 0 "S"
005531 |     }
005532 |     $Transition {
005533 |         "CroToPne" "Pne" "GetLowerTime() > 0.8" "0.2" "" 1 "S"
005534 |     }
005535 |     $Transition {
005536 |         "Cro" "CroToErc" "Stance == 0" "0.2" "" 0 "S"
005537 |     }
005538 |     $Transition {
005539 |         "CroToErc" "Erc" "GetLowerTime() > 0.8" "0.2" "" 1 "S"
005540 |     }
005541 |     $Transition {
```

```
005542 |         "Pne" "PneToErc" "Stance == 0" "0.2" "" 0 "S"
005543 |     }
005544 |     $Transition {
005545 |         "PneToErc" "Erc" "GetLowerTime() > 0.8" "0.2" "" 1 "S"
005546 |     }
005547 |     $Transition {
005548 |         "Pne" "PneToCro" "Stance == 1" "0.2" "" 0 "S"
005549 |     }
005550 |     $Transition {
005551 |         "PneToCro" "Cro" "GetLowerTime() > 0.8" "0.2" "" 1 "S"
005552 |     }
005553 |     $Transition {
005554 |         "CroToErc" "ErcToCro" "Stance == 1" "0.4" "1.0-GetLowerTime()" 0 "S"
005555 |     }
005556 |     $Transition {
005557 |         "ErcToCro" "CroToErc" "Stance == 0" "0.4" "1.0-GetLowerTime()" 0 "S"
005558 |     }
005559 |     $Transition {
005560 |         "PoB" "PoBToErc" "Stance == 0" "0.2" "" 0 "S"
005561 |     }
005562 |     $Transition {
005563 |         "PoBToErc" "Erc" "GetLowerTime() > 0.7" "0.2" "" 1 "S"
005564 |     }
005565 |     $Transition {
005566 |         "PoB" "PoBToCro" "Stance == 1" "0.2" "" 0 "S"
005567 |     }
005568 |     $Transition {
005569 |         "PoBToCro" "Cro" "GetLowerTime() > 0.7" "0.2" "" 1 "S"
005570 |     }
005571 | }
005572 | $EditorData {
005573 |     #EditorPos -80.7000046 -45.7999992
005574 | }
005575 | }
005576 | $Node AnimNodeVarUpdate {
005577 |     "ThrowIdleStanceVarUpdate" "" "ThrowIdleSTM" 1 "Stance" 3
005578 |     $EditorData {
005579 |         #EditorPos -79.2000046 -58.7999992
005580 |     }
005581 | }
005582 | $Node AnimNodeIK2Target {
005583 |     "ThrowIdleTurnIKT" "" "ThrowIdleStanceVarUpdate" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
005584 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
005585 |     $EditorData {
005586 |         #EditorPos -79.2000046 -57.7000008
005587 |     }
005588 | }
005589 | $Node AnimNodeSource {
005590 |     "ThrowInCroAnim" "" "Throw.Cro.In" "noloop"
005591 |     $Predictions {
005592 |     }
005593 |     $EditorData {
005594 |         #EditorPos -58.2000008 -31.8999996
005595 |     }
005596 | }
005597 | $Node AnimNodeSource {
005598 |     "ThrowInErcAnim" "" "Throw.Erc.In" "noloop"
005599 |     $Predictions {
005600 |     }
005601 |     $EditorData {
005602 |         #EditorPos -60.4000015 -31.8999996
005603 |     }
}
```



```
005604 |     }
005605 |     $Node AnimNodeIK2Target {
005606 |         "ThrowInIKT" "" "ThrowIKTStanceUpdate" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
005607 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
005608 |         $EditorData {
005609 |             #EditorPos -66.7000046 -28.3000011
005610 |         }
005611 |     }
005612 |     $Node AnimNodeSource {
005613 |         "ThrowInPneAnim" "" "Throw.Pne.In" "noloop"
005614 |         $Predictions {
005615 |         }
005616 |         $EditorData {
005617 |             #EditorPos -57.0 -32.7999992
005618 |         }
005619 |     }
005620 |     $Node AnimNodeSource {
005621 |         "ThrowInPoBAnim" "TagProneBack" "Throw.PoB.In" "noloop"
005622 |         $Predictions {
005623 |         }
005624 |         $EditorData {
005625 |             #EditorPos -54.7000008 -32.7999992
005626 |         }
005627 |     }
005628 |     $Node AnimNodeStateMachine {
005629 |         "ThrowInSTM" ""
005630 |         $States 3 {
005631 |             $State {
005632 |                 "Erc" "" "ThrowInErcAnim" "Stance == 0" "realtime" 1
005633 |                 $EditorData {
005634 |                     #EditorPos -60.4000015 -29.1000004
005635 |                 }
005636 |             }
005637 |             $State {
005638 |                 "Cro" "" "ThrowInCroAnim" "Stance == 1" "realtime" 1
005639 |                 $EditorData {
005640 |                     #EditorPos -58.2000008 -30.2000008
005641 |                 }
005642 |             }
005643 |             $State {
005644 |                 "Pne" "" "AnimNodeBlendT1" "Stance == 2" "realtime" 1
005645 |                 $EditorData {
005646 |                     #EditorPos -55.9000015 -29.1000004
005647 |                 }
005648 |             }
005649 |         }
005650 |         $Transitions 6 {
005651 |             $Transition {
005652 |                 "Erc" "Cro" "Stance == 1" "0.3" "" 0 "S"
005653 |             }
005654 |             $Transition {
005655 |                 "Erc" "Pne" "Stance == 2" "0.3" "" 0 "S"
005656 |             }
005657 |             $Transition {
005658 |                 "Cro" "Erc" "Stance == 0" "0.3" "" 0 "S"
005659 |             }
005660 |             $Transition {
005661 |                 "Pne" "Erc" "Stance == 0" "0.3" "" 0 "S"
005662 |             }
005663 |             $Transition {
005664 |                 "Cro" "Pne" "Stance == 2" "0.3" "" 0 "S"
005665 |             }
```

```
005666 |         $Transition {
005667 |             "Pne" "Cro" "Stance == 1" "0.3" "" 0 "S"
005668 |         }
005669 |     }
005670 |     $EditorData {
005671 |         #EditorPos -60.4000015 -27.8000011
005672 |     }
005673 | }
005674 | $Node AnimNodeSource {
005675 |     "ThrowOut2hdAnim" "" "Throw.Out2hd" "nolooop"
005676 |     $Predictions {
005677 |     }
005678 |     $EditorData {
005679 |         #EditorPos -55.4000015 -49.2999992
005680 |     }
005681 | }
005682 | $Node AnimNodeBlend {
005683 |     "ThrowOutAimB" "" "1.0" "ThrowOutIKT" "ThrowAimP" 0
005684 |     $EditorData {
005685 |         #EditorPos -56.2000008 -44.4000015
005686 |     }
005687 | }
005688 | $Node AnimNodeSource {
005689 |     "ThrowOutAnim" "" "Throw.Out1hd" "nolooop"
005690 |     $Predictions {
005691 |     }
005692 |     $EditorData {
005693 |         #EditorPos -57.9000015 -49.2999992
005694 |     }
005695 | }
005696 | $Node AnimNodeIK2Target {
005697 |     "ThrowOutIKT" "" "ThrowOutSelectSTM" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
005698 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
005699 |     $EditorData {
005700 |         #EditorPos -56.2000008 -45.2999992
005701 |     }
005702 | }
005703 | $Node AnimNodeBlend {
005704 |     "ThrowOutPoBAimB" "" "1.0" "ThrowOutIKT" "PoBAimFixB" 0
005705 |     $EditorData {
005706 |         #EditorPos -52.6000023 -43.5
005707 |     }
005708 | }
005709 | $Node AnimNodeSource {
005710 |     "ThrowOutRflAnim" "" "Throw.OutRfl" "nolooop"
005711 |     $Predictions {
005712 |     }
005713 |     $EditorData {
005714 |         #EditorPos -53.0 -49.2999992
005715 |     }
005716 | }
005717 | $Node AnimNodeStateMachine {
005718 |     "ThrowOutSTM" "TagThrowingOut"
005719 |     $States 4 {
005720 |         $State {
005721 |             "Erc" "" "ErcThrowOutG" "Stance == 0" "notime" 1
005722 |             $EditorData {
005723 |                 #EditorPos -58.5 -40.7000008
005724 |             }
005725 |         }
005726 |         $State {
005727 |             "Cro" "" "CroThrowOutG" "Stance == 1" "notime" 1
```

```
005728 |         $EditorData {
005729 |             #EditorPos -56.2999992 -40.7000008
005730 |         }
005731 |     }
005732 |     $State {
005733 |         "Pne" "" "PneThrowOutG" "Stance == 2 && !ThrowingOnBack" "notime" 1
005734 |         $EditorData {
005735 |             #EditorPos -54.1000023 -40.7000008
005736 |         }
005737 |     }
005738 |     $State {
005739 |         "PoB" "TagProneBack" "PoBThrowOutG" "Stance == 2 && ThrowingOnBack" "notime" 1
005740 |         $EditorData {
005741 |             #EditorPos -51.9000015 -40.7000008
005742 |         }
005743 |     }
005744 | }
005745 | $Transitions 0 {
005746 | }
005747 | $EditorData {
005748 |     #EditorPos -58.7999992 -39.5
005749 | }
005750 | }
005751 | $Node AnimNodeStateMachine {
005752 |     "ThrowOutSelectSTM" ""
005753 |     $States 3 {
005754 |         $State {
005755 |             "1hd / pistol" "" "ThrowOutAnim" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 1" "realtime" 1
005756 |             $EditorData {
005757 |                 #EditorPos -57.9000015 -47.5
005758 |             }
005759 |         }
005760 |         $State {
005761 |             "rifle" "" "ThrowOutRflAnim" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 3" "realtime" 1
005762 |             $EditorData {
005763 |                 #EditorPos -53.0 -47.5
005764 |             }
005765 |         }
005766 |         $State {
005767 |             "2hd" "" "ThrowOut2hdAnim" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) == 2" "realtime" 1
005768 |             $EditorData {
005769 |                 #EditorPos -55.4000015 -47.5
005770 |             }
005771 |         }
005772 |     }
005773 |     $Transitions 0 {
005774 |     }
005775 |     $EditorData {
005776 |         #EditorPos -56.2000008 -46.2000008
005777 |     }
005778 | }
005779 | $Node AnimNodeGroupSelect {
005780 |     "ThrowPneIdleG" "" "ThrowAimB" "Throw" "Pne"
005781 |     $EditorData {
005782 |         #EditorPos -76.8000031 -55.5
005783 |     }
005784 | }
005785 | $Node AnimNodeGroupSelect {
005786 |     "ThrowPneWalkG" "" "ThrowAimWalkB" "Throw" "Pne"
005787 |     $EditorData {
005788 |         #EditorPos -59.9000015 -44.6000023
005789 |     }
005790 | }
```

```
005790 |     }
005791 |     $Node AnimNodeGroupSelect {
005792 |         "ThrowPoBIdleG" "" "ThrowIdleTurnIKT" "Throw" "PoB"
005793 |         $EditorData {
005794 |             #EditorPos -74.4000015 -55.5
005795 |         }
005796 |     }
005797 |     $Node AnimNodeBlendT {
005798 |         "ThrowPoseT" "" "ThrowErcG" "ThrowCroG" "" "" "Stance == 1" 0.3 "S" 7
005799 |         $EditorData {
005800 |             #EditorPos -68.4000015 -43.1000023
005801 |         }
005802 |     }
005803 |     $Node AnimNodeStateMachine {
005804 |         "ThrowSTM" "TagThrowing"
005805 |         $States 7 {
005806 |             $State {
005807 |                 "In" "TagThrowingIn" "ThrowInIKT" "IsCommand(CMD_Throwing) && MovementSpeed == 0" "realtime" 0
005808 |                 $EditorData {
005809 |                     #EditorPos -66.7000046 -35.1000023
005810 |                 }
005811 |             }
005812 |             $State {
005813 |                 "Cancel" "TagThrowingCancel" "AnimNodeBlendT3" "false" "realtime" 1
005814 |                 $EditorData {
005815 |                     #EditorPos -75.3000031 -37.7000008
005816 |                 }
005817 |             }
005818 |             $State {
005819 |                 "Idle" "TagThrowingIdle" "ThrowStrengthIdleB" "false" "notime" 0
005820 |                 $EditorData {
005821 |                     #EditorPos -79.5 -36.2000008
005822 |                 }
005823 |             }
005824 |             $State {
005825 |                 "Movement" "" "ThrowWalkB" "IsCommand(CMD_Throwing) && MovementSpeed > 0" "normtime" 0
005826 |                 $EditorData {
005827 |                     #EditorPos -63.2999992 -36.2000008
005828 |                 }
005829 |             }
005830 |             $State {
005831 |                 "SlidingPose" "" "ThrowSlideStrengthB" "false" "realtime" 0
005832 |                 $EditorData {
005833 |                     #EditorPos -68.3000031 -37.2000008
005834 |                 }
005835 |             }
005836 |             $State {
005837 |                 "Throw" "" "ThrowOutSTM" "" "notime" 1
005838 |                 $EditorData {
005839 |                     #EditorPos -58.7999992 -36.2000008
005840 |                 }
005841 |             }
005842 |             $State {
005843 |                 "CancelPoB" "TagThrowingCancel" "ThrowCancelAnimPoB" "false" "realtime" 1
005844 |                 $EditorData {
005845 |                     #EditorPos -72.9000015 -37.7000008
005846 |                 }
005847 |             }
005848 |         }
005849 |     }
005850 |     $Transitions 11 {
005851 |         $Transition {
005852 |             "In" "Idle" "RemainingTimeLess(0.5)" "0.5" "" 1 "S"
```

```
005852 |     }
005853 |     $Transition {
005854 |         "Idle" "Cancel" "GetCommandI(CMD_Throwing) == -1 && !HasVariableChanged(Stance) && !IsTag(\"TagProneBackExit\") && !IsTag(\"TagProneBack\") &
& !IsTag(\"TagThrowingPneTransition\")" "0.4" "" 1 "S"
005855 |     }
005856 |     $Transition {
005857 |         "Idle" "Movement" "MovementSpeed > 0 && !IsCommand(CMD_Throwing)" "0.3" "1-(MovementDirection+180)/(360)" 0 "S"
005858 |     }
005859 |     $Transition {
005860 |         "Movement" "Idle" "MovementSpeed == 0 && !IsCommand(CMD_Throwing)" "0.3" "" 0 "S"
005861 |     }
005862 |     $Transition {
005863 |         "Movement" "SlidingPose" "false" "0.2" "" 0 "S"
005864 |     }
005865 |     $Transition {
005866 |         "SlidingPose" "Movement" "GetLowerTime() > 0.18 && MovementSpeed > 0" "0.3" "" 1 "S"
005867 |     }
005868 |     $Transition {
005869 |         "SlidingPose" "Idle" "GetLowerTime() > 0.18 && MovementSpeed == 0" "0.3" "" 1 "S"
005870 |     }
005871 |     $Transition {
005872 |         "In" "Movement" "RemainingTimeLess(0.8) && MovementSpeed > 0" "0.6" "0.2+((MovementDirection+180)/(360)*0.3)" 1 "S"
005873 |     }
005874 |     $Transition {
005875 |         "" "Throw" "IsCommand(CMD_Throwing) && GetCommandI(CMD_Throwing) >= 1" "0.3" "" 0 "S"
005876 |     }
005877 |     $Transition {
005878 |         "" "SlidingPose" "false" "0.2" "" 1 "S"
005879 |     }
005880 |     $Transition {
005881 |         "Idle" "CancelPoB" "GetCommandI(CMD_Throwing) == -1 && !HasVariableChanged(Stance) && !IsTag(\"TagProneBackExit\") && IsTag(\"TagProneBack\")
" "0.3" "" 1 "S"
005882 |     }
005883 |     }
005884 |     $EditorData {
005885 |         #EditorPos -71.9000015 -33.7999992
005886 |     }
005887 | }
005888 | $Node AnimNodeSource {
005889 |     "ThrowShakeAnim" "" "Throw.Erc.Shake" "loop"
005890 |     $Predictions {
005891 |     }
005892 |     $EditorData {
005893 |         #EditorPos -70.7000046 -32.6000023
005894 |     }
005895 | }
005896 | $Node AnimNodeBlendT {
005897 |     "ThrowShakeB" "" "ThrowShakeAnim" "ThrowShakePneAnim" "" "" "Stance == 2" 0.3 "S" 3
005898 |     $EditorData {
005899 |         #EditorPos -69.5999985 -31.0
005900 |     }
005901 | }
005902 | $Node AnimNodeSource {
005903 |     "ThrowShakePneAnim" "" "Throw.Pne.Shake" "nolop"
005904 |     $Predictions {
005905 |     }
005906 |     $EditorData {
005907 |         #EditorPos -68.5999985 -32.6000023
005908 |     }
005909 | }
005910 | $Node AnimNodeIK2Target {
005911 |     "ThrowSlideIKT" "" "ThrowSlidePose" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
```

```
005912 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
005913 |     $EditorData {
005914 |         #EditorPos -68.4000015 -46.1000023
005915 |     }
005916 | }
005917 | $Node AnimNodePose {
005918 |     "ThrowSlidePose" "" "Throw.SlidingPose" "(MovementDirection+180)/(360)"
005919 |     $EditorData {
005920 |         #EditorPos -68.4000015 -47.2999992
005921 |     }
005922 | }
005923 | $Node AnimNodeVarUpdate {
005924 |     "ThrowSlidePoseV" "" "ThrowPoseT" 1 "MovementDirection" 1
005925 |     $EditorData {
005926 |         #EditorPos -68.4000015 -42.0
005927 |     }
005928 | }
005929 | $Node AnimNodeBlend {
005930 |     "ThrowSlideStrengthB" "" "1.0" "ThrowSlidePoseV" "ThrowStrengthB" 0
005931 |     $EditorData {
005932 |         #EditorPos -68.4000015 -41.1000023
005933 |     }
005934 | }
005935 | $Node AnimNodeBlendT {
005936 |     "ThrowStrengthB" "" "ThrowStrengthP" "ThrowStrengthPoBB" "" "" "Stance == 2" 0.3 "S" 3
005937 |     $EditorData {
005938 |         #EditorPos -75.0999985 -42.0
005939 |     }
005940 | }
005941 | $Node AnimNodeBlendT {
005942 |     "ThrowStrengthPoBB" "" "ThrowStrengthPneP" "ThrowStrengthPoBP" "" "" "(eAI_AimX < -90 || eAI_AimX > 90)" 0.3 "S" 3
005943 |     $EditorData {
005944 |         #EditorPos -73.4000015 -42.9000015
005945 |     }
005946 | }
005947 | $Node AnimNodeBlend {
005948 |     "ThrowStrengthIdleB" "" "1.0" "ThrowIdleStanceSTM" "ThrowStrengthB" 0
005949 |     $EditorData {
005950 |         #EditorPos -79.7000046 -42.1000023
005951 |     }
005952 | }
005953 | $Node AnimNodePose {
005954 |     "ThrowStrengthP" "" "Throw.Erc.Strength" "ActionProgress"
005955 |     $EditorData {
005956 |         #EditorPos -76.2000046 -43.4000015
005957 |     }
005958 | }
005959 | $Node AnimNodePose {
005960 |     "ThrowStrengthPneP" "" "Throw.Pne.Strength" "ActionProgress"
005961 |     $EditorData {
005962 |         #EditorPos -74.0999985 -43.7999992
005963 |     }
005964 | }
005965 | $Node AnimNodePose {
005966 |     "ThrowStrengthPoBP" "" "Throw.PoB.Strength" "ActionProgress"
005967 |     $EditorData {
005968 |         #EditorPos -72.0 -43.7999992
005969 |     }
005970 | }
005971 | $Node AnimNodeBlendN {
005972 |     "ThrowTurnCroN" "" "eAI_TurnAmount" 0 "Lin"
005973 |     $Inputs {
```

```
005974 |         -2.0 "ThrowCroTurnL180"
005975 |         -1.0 "ThrowCroTurnL90"
005976 |         0.0 "ThrowCroTurn0"
005977 |         1.0 "ThrowCroTurnR90"
005978 |         2.0 "ThrowCroTurnR180"
005979 |
005980 |     }
005981 |     $EditorData {
005982 |         #EditorPos -73.0999985 -64.7000046
005983 |     }
005984 | }
005985 | $Node AnimNodeBlendN {
005986 |     "ThrowTurnErcN" "" "eAI_TurnAmount" 0 "Lin"
005987 |     $Inputs {
005988 |         -2.0 "ThrowErcTurnL180"
005989 |         -1.0 "ThrowErcTurnL90"
005990 |         0.0 "ThrowErcTurn0"
005991 |         1.0 "ThrowErcTurnR90"
005992 |         2.0 "ThrowErcTurnR180"
005993 |     }
005994 |
005995 |     $EditorData {
005996 |         #EditorPos -79.5 -64.7000046
005997 |     }
005998 | }
005999 | $Node AnimNodeBlend {
006000 |     "ThrowWalkB" "" "1.0" "AnimNodeBlendT" "ThrowStrengthB" 0
006001 |     $EditorData {
006002 |         #EditorPos -63.2999992 -41.5
006003 |     }
006004 | }
006005 | $Node AnimNodeSourceSync {
006006 |     "ThrowWalkBLSrc" "" "Throw.WalkBL" "loop" "Walk"
006007 |     $Predictions {
006008 |     }
006009 |     $EditorData {
006010 |         #EditorPos -60.9000015 -56.2999992
006011 |     }
006012 | }
006013 | $Node AnimNodeSourceSync {
006014 |     "ThrowWalkBRSrc" "" "Throw.WalkBR" "loop" "Walk"
006015 |     $Predictions {
006016 |     }
006017 |     $EditorData {
006018 |         #EditorPos -59.7999992 -55.7000008
006019 |     }
006020 | }
006021 | $Node AnimNodeSourceSync {
006022 |     "ThrowWalkBLSrc" "" "Throw.WalkB" "loop" "Walk"
006023 |     $Predictions {
006024 |     }
006025 |     $EditorData {
006026 |         #EditorPos -62.0 -55.7000008
006027 |     }
006028 | }
006029 | $Node AnimNodeBlendN {
006030 |     "ThrowWalkBackCyclic" "" "MovementDirection" 1 "S"
006031 |     $Inputs {
006032 |         -180.0 "ThrowWalkBLSrc"
006033 |         -90.0 "ThrowWalkBLSrc"
006034 |         90.0 "ThrowWalkBRSrc"
006035 |         180.0
```

```
006036 |     }
006037 |     $EditorData {
006038 |         #EditorPos -60.9000015 -54.9000015
006039 |     }
006040 | }
006041 | $Node AnimNodeVarUpdate {
006042 |     "ThrowWalkBackwardVar" "" "ThrowWalkBackCyclic" 1 "MovementDirection" 3
006043 |     $EditorData {
006044 |         #EditorPos -60.9000015 -53.9000015
006045 |     }
006046 | }
006047 | $Node AnimNodeStateMachine {
006048 |     "ThrowWalkBlendSTM" ""
006049 |     $States 2 {
006050 |         $State {
006051 |             "Forward" "" "ThrowWalkFowardVar" "MovementDirection >= -100 && MovementDirection <= 100" "notime" 0
006052 |             $EditorData {
006053 |                 #EditorPos -64.7000046 -52.1000023
006054 |             }
006055 |         }
006056 |         $State {
006057 |             "Back" "" "ThrowWalkBackwardVar" "MovementDirection < -100 || MovementDirection > 100" "notime" 0
006058 |             $EditorData {
006059 |                 #EditorPos -61.2999992 -52.1000023
006060 |             }
006061 |         }
006062 |     }
006063 |     $Transitions 4 {
006064 |         $Transition {
006065 |             "Back" "Forward" "((MovementDirection > -95 && MovementDirection < 0 && (GetUpperNTime() >= 0.35 && GetUpperNTime() <= 0.85))
006066 | ||
006067 | (MovementDirection < 95 && MovementDirection > 0 && (GetUpperNTime() <= 0.35 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
006068 |         }
006069 |         $Transition {
006070 |             "Forward" "Back" "((MovementDirection < -100 && (GetUpperNTime() >= 0.25 && GetUpperNTime() <= 0.85))
006071 | ||
006072 | (MovementDirection > 100 && (GetUpperNTime() <= 0.45 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
006073 |         }
006074 |         $Transition {
006075 |             "Back" "Forward" "MovementDirection > -40 && MovementDirection < 40" "0.4" "" 0 "S"
006076 |         }
006077 |         $Transition {
006078 |             "Forward" "Back" "MovementDirection < -140 || MovementDirection > 140" "0.4" "" 0 "S"
006079 |         }
006080 |     }
006081 |     $EditorData {
006082 |         #EditorPos -64.4000015 -50.7999992
006083 |     }
006084 | }
006085 | $Node AnimNodeSourceSync {
006086 |     "ThrowWalkFLSrc" "" "Throw.WalkFL" "loop" "Walk"
006087 |     $Predictions {
006088 |     }
006089 |     $EditorData {
006090 |         #EditorPos -66.8000031 -55.7000008
006091 |     }
006092 | }
006093 | $Node AnimNodeSourceSync {
006094 |     "ThrowWalkFRSrc" "" "Throw.WalkFR" "loop" "Walk"
006095 |     $Predictions {
006096 |     }
006097 |     $EditorData {
```



```
006098 |         #EditorPos -64.3000031 -55.7000008
006099 |     }
006100 | }
006101 | $Node AnimNodeSourceSync {
006102 |     "ThrowWalkFSrc" "" "Throw.WalkF" "loop" "Walk"
006103 |     $Predictions {
006104 |     }
006105 |     $EditorData {
006106 |         #EditorPos -65.5 -56.4000015
006107 |     }
006108 | }
006109 | $Node AnimNodeBlendN {
006110 |     "ThrowWalkFowardCyclic" "" "MovementDirection" 0 "S"
006111 |     $Inputs {
006112 |         -90.0 "ThrowWalkFLSrc"
006113 |         0.0 "ThrowWalkFSrc"
006114 |         90.0 "ThrowWalkFRSrc"
006115 |     }
006116 |     $EditorData {
006117 |         #EditorPos -65.5 -54.9000015
006118 |     }
006119 | }
006120 | }
006121 | $Node AnimNodeVarUpdate {
006122 |     "ThrowWalkFowardVar" "" "ThrowWalkFowardCyclic" 1 "MovementDirection" 3
006123 |     $EditorData {
006124 |         #EditorPos -65.5 -54.0
006125 |     }
006126 | }
006127 | $Node AnimNodeIK2Target {
006128 |     "ThrowWalkIKT" "" "ThrowWalkBlendSTM" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
006129 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
006130 |     $EditorData {
006131 |         #EditorPos -64.4000015 -47.5
006132 |     }
006133 | }
006134 | $Node AnimNodeBlendT {
006135 |     "ThrowWalkT" "" "ThrowErcWalkG" "ThrowCroWalkG" "" "" "Stance == 1" 0.3 "S" 3
006136 |     $EditorData {
006137 |         #EditorPos -63.2999992 -43.6000023
006138 |     }
006139 | }
006140 | $Node AnimNodeGroupSelect {
006141 |     "UnconsciousFallG" "" "FallMasterIK" "Falls" "Uncon"
006142 |     $EditorData {
006143 |         #EditorPos 44.4000015 14.0
006144 |     }
006145 | }
006146 | $Node AnimNodeBlend {
006147 |     "WalkAimBlend" "" "1.0" "WalkBlendSTM" "AimRunObstBlend" 1
006148 |     $EditorData {
006149 |         #EditorPos 12.1999998 -78.0
006150 |     }
006151 | }
006152 | $Node AnimNodeBlend {
006153 |     "WalkBInjBlend" "" "Injured" "WalkBSrc" "WalkBInjSrc" 3
006154 |     $EditorData {
006155 |         #EditorPos 14.0 -97.0999985
006156 |     }
006157 | }
006158 | $Node AnimNodeSourceSync {
006159 |     "WalkBInjSrc" "" "LocomotionInjured.WalkB" "loop" "Walk"
```

```
006160 |         $Predictions {
006161 |     }
006162 |     $EditorData {
006163 |         #EditorPos 15.0 -97.8000031
006164 |     }
006165 | }
006166 | $Node AnimNodeBlend {
006167 |     "WalkBLInjBlend" "" "Injured" "WalkBLSrc" "WalkBLInjSrc" 3
006168 |     $EditorData {
006169 |         #EditorPos 17.2000008 -96.4000015
006170 |     }
006171 | }
006172 | $Node AnimNodeSourceSync {
006173 |     "WalkBLInjSrc" "" "LocomotionInjured.WalkBL" "loop" "Walk"
006174 |     $Predictions {
006175 |     }
006176 |     $EditorData {
006177 |         #EditorPos 18.2000008 -97.0999985
006178 |     }
006179 | }
006180 | $Node AnimNodeSourceSync {
006181 |     "WalkBLSrc" "" "Locomotion.WalkBL" "loop" "Walk"
006182 |     $Predictions {
006183 |     }
006184 |     $EditorData {
006185 |         #EditorPos 16.1000004 -97.0999985
006186 |     }
006187 | }
006188 | $Node AnimNodeBlend {
006189 |     "WalkBRInjBlend" "" "Injured" "WalkBRSrc" "WalkBRInjSrc" 3
006190 |     $EditorData {
006191 |         #EditorPos 20.3999996 -97.0999985
006192 |     }
006193 | }
006194 | $Node AnimNodeSourceSync {
006195 |     "WalkBRInjSrc" "" "LocomotionInjured.WalkBR" "loop" "Walk"
006196 |     $Predictions {
006197 |     }
006198 |     $EditorData {
006199 |         #EditorPos 21.3999996 -97.8000031
006200 |     }
006201 | }
006202 | $Node AnimNodeSourceSync {
006203 |     "WalkBRSrc" "" "Locomotion.WalkBR" "loop" "Walk"
006204 |     $Predictions {
006205 |     }
006206 |     $EditorData {
006207 |         #EditorPos 19.2000008 -97.8000031
006208 |     }
006209 | }
006210 | $Node AnimNodeSourceSync {
006211 |     "WalkBSrc" "" "Locomotion.WalkB" "loop" "Walk"
006212 |     $Predictions {
006213 |     }
006214 |     $EditorData {
006215 |         #EditorPos 12.9000006 -97.8000031
006216 |     }
006217 | }
006218 | $Node AnimNodeBlendN {
006219 |     "WalkBackCyclic" "" "MovementDirection" 1 "S"
006220 |     $Inputs {
006221 |         -180.0 "WalkBInjBlend"
```

```
006222 |         -90.0 "WalkBLInjBlend"
006223 |         90.0 "WalkBRInjBlend"
006224 |         180.0
006225 |     }
006226 |     $EditorData {
006227 |         #EditorPos 17.2000008 -95.5
006228 |     }
006229 | }
006230 | $Node AnimNodeVarUpdate {
006231 |     "WalkBackwardVar" "" "WalkBackCyclic" 1 "MovementDirection" 3
006232 |     $EditorData {
006233 |         #EditorPos 17.2000008 -94.5
006234 |     }
006235 | }
006236 | $Node AnimNodeStateMachine {
006237 |     "WalkBlendSTM" ""
006238 |     $States 2 {
006239 |         $State {
006240 |             "Forward" "" "WalkFowardVar" "MovementDirection >= -100 && MovementDirection <= 100" "notime" 0
006241 |             $EditorData {
006242 |                 #EditorPos 11.1000004 -91.5999985
006243 |             }
006244 |         }
006245 |         $State {
006246 |             "Back" "" "WalkBackwardVar" "MovementDirection < -100 || MovementDirection > 100" "notime" 0
006247 |             $EditorData {
006248 |                 #EditorPos 14.5 -91.5999985
006249 |             }
006250 |         }
006251 |     }
006252 |     $Transitions 4 {
006253 |         $Transition {
006254 |             "Back" "Forward" "((MovementDirection > -95 && MovementDirection < 0 && (GetUpperNTime() >= 0.35 && GetUpperNTime() <= 0.85))
006255 | ||
006256 | (MovementDirection < 95 && MovementDirection > 0 && (GetUpperNTime() <= 0.35 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
006257 |         }
006258 |         $Transition {
006259 |             "Forward" "Back" "((MovementDirection < -100 && (GetUpperNTime() >= 0.25 && GetUpperNTime() <= 0.85))
006260 | ||
006261 | (MovementDirection > 100 && (GetUpperNTime() <= 0.45 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
006262 |         }
006263 |         $Transition {
006264 |             "Back" "Forward" "MovementDirection > -40 && MovementDirection < 40" "0.4" "" 0 "S"
006265 |         }
006266 |         $Transition {
006267 |             "Forward" "Back" "MovementDirection < -140 || MovementDirection > 140" "0.4" "" 0 "S"
006268 |         }
006269 |     }
006270 |     $EditorData {
006271 |         #EditorPos 11.3000002 -90.3000031
006272 |     }
006273 | }
006274 | $Node AnimNodeBlend {
006275 |     "WalkFInjBlend" "" "Injured" "WalkFSrc" "WalkFInjSrc" 3
006276 |     $EditorData {
006277 |         #EditorPos 7.5999999 -97.0999985
006278 |     }
006279 | }
006280 | $Node AnimNodeSourceSync {
006281 |     "WalkFInjSrc" "" "LocomotionInjured.WalkF" "loop" "Walk"
006282 |     $Predictions {
006283 |     }
```

```
006284 |         $EditorData {
006285 |             #EditorPos 8.6999998 -97.8000031
006286 |         }
006287 |     }
006288 |     $Node AnimNodeBlend {
006289 |         "WalkFLInjBlend" "" "Injured" "WalkFLSrc" "WalkFLInjSrc" 3
006290 |         $EditorData {
006291 |             #EditorPos 4.4000001 -96.4000015
006292 |         }
006293 |     }
006294 |     $Node AnimNodeSourceSync {
006295 |         "WalkFLInjSrc" "" "LocomotionInjured.WalkFL" "loop" "Walk"
006296 |         $Predictions {
006297 |         }
006298 |         $EditorData {
006299 |             #EditorPos 5.4000001 -97.0999985
006300 |         }
006301 |     }
006302 |     $Node AnimNodeSourceSync {
006303 |         "WalkFLSrc" "" "Locomotion.WalkFL" "loop" "Walk"
006304 |         $Predictions {
006305 |         }
006306 |         $EditorData {
006307 |             #EditorPos 3.3 -97.0999985
006308 |         }
006309 |     }
006310 |     $Node AnimNodeBlend {
006311 |         "WalkFRInjBlend" "" "Injured" "WalkFRSrc" "WalkFRInjSrc" 3
006312 |         $EditorData {
006313 |             #EditorPos 10.8000002 -96.4000015
006314 |         }
006315 |     }
006316 |     $Node AnimNodeSourceSync {
006317 |         "WalkFRInjSrc" "" "LocomotionInjured.WalkFR" "loop" "Walk"
006318 |         $Predictions {
006319 |         }
006320 |         $EditorData {
006321 |             #EditorPos 11.8000002 -97.0999985
006322 |         }
006323 |     }
006324 |     $Node AnimNodeSourceSync {
006325 |         "WalkFRSrc" "" "Locomotion.WalkFR" "loop" "Walk"
006326 |         $Predictions {
006327 |         }
006328 |         $EditorData {
006329 |             #EditorPos 9.6999998 -97.0999985
006330 |         }
006331 |     }
006332 |     $Node AnimNodeSourceSync {
006333 |         "WalkFSrc" "" "Locomotion.WalkF" "loop" "Walk"
006334 |         $Predictions {
006335 |         }
006336 |         $EditorData {
006337 |             #EditorPos 6.5999999 -97.8000031
006338 |         }
006339 |     }
006340 |     $Node AnimNodeBlendN {
006341 |         "WalkFowardCyclic" "" "MovementDirection" 0 "S"
006342 |         $Inputs {
006343 |             -90.0 "WalkFLInjBlend"
006344 |             0.0 "WalkFInjBlend"
006345 |             90.0 "WalkFRInjBlend"
```

```
006346 |
006347 |     }
006348 |     $EditorData {
006349 |         #EditorPos 7.5999999 -95.5999985
006350 |     }
006351 | }
006352 | $Node AnimNodeVarUpdate {
006353 |     "WalkFowardVar" "" "WalkFowardCyclic" 1 "MovementDirection" 3
006354 |     $EditorData {
006355 |         #EditorPos 7.5999999 -94.7000046
006356 |     }
006357 | }
006358 | $Node AnimNodeBlendT {
006359 |     "WalkRunBlendT" "" "RunAimBlend" "WalkAimBlend" "MovementSpeed < 2" "MovementSpeed >= 2" "" 0.3 "S" 7
006360 |     $EditorData {
006361 |         #EditorPos 11.5 -76.7000046
006362 |     }
006363 | }
006364 | $Node AnimNodeBlendT {
006365 |     "WalkRunSprintBlendT" "" "RunSprintBlendFVar" "WalkBlendSTM" "MovementSpeed < 2" "MovementSpeed >= 2" "" 0.3 "S" 7
006366 |     $EditorData {
006367 |         #EditorPos -6.7000003 -73.7000046
006368 |     }
006369 | }
006370 | $Node AnimNodeGroupSelect {
006371 |     "WaterHighIdleG" "" "WaterIdleLook" "Locomotion" "WaterHigh"
006372 |     $EditorData {
006373 |         #EditorPos -38.2000008 -56.4000015
006374 |     }
006375 | }
006376 | $Node AnimNodeGroupSelect {
006377 |     "WaterHighMoveG" "" "WaterWalkVar" "Locomotion" "WaterHigh"
006378 |     $EditorData {
006379 |         #EditorPos -20.1000004 -57.6000023
006380 |     }
006381 | }
006382 | $Node AnimNodeBlend {
006383 |     "WaterIdleFacialAnim" "" "0.0" "WaterLevelIdleSTM" "FacialIdleSwitch" 1
006384 |     $EditorData {
006385 |         #EditorPos -39.2999992 -60.1000023
006386 |     }
006387 | }
006388 | $Node AnimNodeIK2Target {
006389 |     "WaterIdleIKT" "" "IdleAnim" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
006390 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
006391 |     $EditorData {
006392 |         #EditorPos -38.9000015 -64.2000046
006393 |     }
006394 | }
006395 | $Node AnimNodeBlendTAdd {
006396 |     "WaterIdleLook" "" "WaterIdleFacialAnim" "ErcLookPose" "" "" "" 0.3 "S" 0
006397 |     $EditorData {
006398 |         #EditorPos -39.2999992 -59.1000023
006399 |     }
006400 | }
006401 | $Node AnimNodeBlend {
006402 |     "WaterLevelIdleB" "" "WaterLevel" "WaterLowIdleG" "WaterHighIdleG" 3
006403 |     $EditorData {
006404 |         #EditorPos -39.2000008 -55.6000023
006405 |     }
006406 | }
006407 | $Node AnimNodeStateMachine {
```

```
006408 |         "WaterLevelIdleSTM" ""
006409 |     $States 2 {
006410 |         $State {
006411 |             "Idle" "" "WaterIdleIKT" "" "realtime" 0
006412 |             $EditorData {
006413 |                 #EditorPos -38.9000015 -62.4000015
006414 |             }
006415 |         }
006416 |         $State {
006417 |             "Turn" "TagTurn" "WaterTurnVar" "" "normtime" 0
006418 |             $EditorData {
006419 |                 #EditorPos -35.9000015 -62.4000015
006420 |             }
006421 |         }
006422 |     }
006423 |     $Transitions 3 {
006424 |         $Transition {
006425 |             "Idle" "Turn" "IsCommand(CMD_eAI_Turn)" "0.3" "" 0 "S"
006426 |         }
006427 |         $Transition {
006428 |             "Turn" "Idle" "GetLowerTime() > 0.75 || IsCommand(CMD_eAI_StopTurn)" "0.25" "" 1 "S"
006429 |         }
006430 |         $Transition {
006431 |             "" "Turn" "IsCommand(CMD_eAI_Turn) || IsTag(\"TagTurn\")" "0.3" "0.15" 1 "S"
006432 |         }
006433 |     }
006434 |     $EditorData {
006435 |         #EditorPos -39.2999992 -61.2000008
006436 |     }
006437 | }
006438 | $Node AnimNodeGroupSelect {
006439 |     "WaterLowIdleG" "" "WaterIdleLook" "Locomotion" "WaterLow"
006440 |     $EditorData {
006441 |         #EditorPos -40.2999992 -56.4000015
006442 |     }
006443 | }
006444 | $Node AnimNodeGroupSelect {
006445 |     "WaterLowMoveG" "" "WaterWalkVar" "Locomotion" "WaterLow"
006446 |     $EditorData {
006447 |         #EditorPos -22.2000008 -57.6000023
006448 |     }
006449 | }
006450 | $Node AnimNodeBlend {
006451 |     "WaterMoveB" "" "WaterLevel" "WaterLowMoveG" "WaterHighMoveG" 3
006452 |     $EditorData {
006453 |         #EditorPos -21.1000004 -56.7999992
006454 |     }
006455 | }
006456 | $Node AnimNodeIK2Target {
006457 |     "WaterMoveIKT" "" "WaterMoveB" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
006458 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
006459 |     $EditorData {
006460 |         #EditorPos -21.1000004 -56.0
006461 |     }
006462 | }
006463 | $Node AnimNodeIK2Target {
006464 |     "WaterTurnIKT" "" "ErcTurnNBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
006465 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
006466 |     $EditorData {
006467 |         #EditorPos -35.9000015 -65.2000046
006468 |     }
006469 | }
```

```
006470 |     $Node AnimNodeVarUpdate {
006471 |         "WaterTurnVar" "" "WaterTurnIKT" 1 "eAI_TurnAmount" 3
006472 |         $EditorData {
006473 |             #EditorPos -35.9000015 -64.2000046
006474 |         }
006475 |     }
006476 |     $Node AnimNodeBlendN {
006477 |         "WaterWalkBCyclic" "" "MovementDirection" 1 "S"
006478 |         $Inputs {
006479 |             -180.0 "WalkBSrc"
006480 |             -90.0 "WalkBLSrc"
006481 |             90.0 "WalkBRSrc"
006482 |             180.0
006483 |         }
006484 |         $EditorData {
006485 |             #EditorPos -12.0 -81.4000015
006486 |         }
006487 |     }
006488 |     $Node AnimNodeVarUpdate {
006489 |         "WaterWalkBVar" "" "WaterWalkBCyclic" 1 "MovementDirection" 3
006490 |         $EditorData {
006491 |             #EditorPos -12.0 -80.3000031
006492 |         }
006493 |     }
006494 |     $Node AnimNodeStateMachine {
006495 |         "WaterWalkDirSTM" ""
006496 |         $States 2 {
006497 |             $State {
006498 |                 "Forward" "" "WaterWalkFVar" "" "notime" 0
006499 |                 $EditorData {
006500 |                     #EditorPos -16.3000011 -78.2000046
006501 |                 }
006502 |             }
006503 |             $State {
006504 |                 "Backward" "" "WaterWalkBVar" "" "notime" 0
006505 |                 $EditorData {
006506 |                     #EditorPos -12.0 -78.2000046
006507 |                 }
006508 |             }
006509 |         }
006510 |         $Transitions 4 {
006511 |             $Transition {
006512 |                 "Forward" "Backward" "((MovementDirection < -100 && (GetUpperNTime() >= 0.25 && GetUpperNTime() <= 0.85))
006513 | ||
006514 | (MovementDirection > 100 && (GetUpperNTime() <= 0.45 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
006515 |             }
006516 |             $Transition {
006517 |                 "Backward" "Forward" "((MovementDirection > -95 && MovementDirection < 0 && (GetUpperNTime() >= 0.35 && GetUpperNTime() <= 0.85))
006518 | ||
006519 | (MovementDirection < 95 && MovementDirection > 0 && (GetUpperNTime() <= 0.35 || GetUpperNTime() >= 0.75)))" "0.3" "" 1 "S"
006520 |             }
006521 |             $Transition {
006522 |                 "Forward" "Backward" "MovementDirection < -140 || MovementDirection > 140" "0.4" "" 0 "S"
006523 |             }
006524 |             $Transition {
006525 |                 "Backward" "Forward" "MovementDirection > -40 && MovementDirection < 40" "0.4" "" 0 "S"
006526 |             }
006527 |         }
006528 |         $EditorData {
006529 |             #EditorPos -16.5 -76.9000015
006530 |         }
006531 |     }
```

```
006532 |     $Node AnimNodeBlendN {
006533 |         "WaterWalkFCyclic" "" "MovementDirection" 0 "S"
006534 |         $Inputs {
006535 |             -90.0 "WalkFLSrc"
006536 |             0.0 "WalkFSrc"
006537 |             90.0 "WalkFRSrc"
006538 |         }
006539 |         $EditorData {
006540 |             #EditorPos -16.3000011 -81.5
006541 |         }
006542 |     }
006543 | }
006544 | $Node AnimNodeVarUpdate {
006545 |     "WaterWalkFVar" "" "WaterWalkFCyclic" 1 "MovementDirection" 3
006546 |     $EditorData {
006547 |         #EditorPos -16.3000011 -80.3000031
006548 |     }
006549 | }
006550 | $Node AnimNodeVarUpdate {
006551 |     "WaterWalkVar" "" "WaterWalkDirSTM" 1 "MovementSpeed" 3
006552 |     $EditorData {
006553 |         #EditorPos -16.5 -76.0
006554 |     }
006555 | }
006556 | $Node AnimNodeGroupSelect {
006557 |     "WeaponChangeErcG" "" "WeaponChangeSTM" "WeaponChange" "ErcCro"
006558 |     $EditorData {
006559 |         #EditorPos -3.0 8.9000006
006560 |     }
006561 | }
006562 | $Node AnimNodeRot {
006563 |     "WeaponChangePneBSpineFix" "" "WeaponChangeErcG" "1.0"
006564 |     $rotitems 1 {
006565 |         $ri {
006566 |             "Spine" "zmr" -0.2
006567 |         }
006568 |     }
006569 |     $EditorData {
006570 |         #EditorPos -0.8 10.1000004
006571 |     }
006572 | }
006573 | $Node AnimNodeGroupSelect {
006574 |     "WeaponChangePneG" "" "WeaponChangeSTM" "WeaponChange" "Pne"
006575 |     $EditorData {
006576 |         #EditorPos -7.4000001 9.4000006
006577 |     }
006578 | }
006579 | $Node AnimNodeStateMachine {
006580 |     "WeaponChangeSTM" ""
006581 |     $States 22 {
006582 |         $State {
006583 |             "2HDBackRHide" "TagSwitch" "2HDBackRHideAnim" "GetCommandI(CMD_Weapon_Hide) == 3" "realtime" 0
006584 |             $EditorData {
006585 |                 #EditorPos -20.0 7.0
006586 |             }
006587 |         }
006588 |         $State {
006589 |             "2HDBackRShow" "TagSwitch" "2HDBackRShowAnim" "GetCommandI(CMD_Weapon_Show) == 3" "realtime" 1
006590 |             $EditorData {
006591 |                 #EditorPos -21.2000008 6.3000002
006592 |             }
006593 |     }
```



```
006594 |         $State {
006595 |             "2HDBackLHide" "TagSwitch" "2HDBackLHideAnim" "GetCommandI(CMD_Weapon_Hide) == 0" "realtime" 0
006596 |             $EditorData {
006597 |                 #EditorPos -28.8000011 7.0
006598 |             }
006599 |         }
006600 |         $State {
006601 |             "2HDBackLShow" "TagSwitch" "2HDBackLShowAnim" "GetCommandI(CMD_Weapon_Show) == 0" "realtime" 1
006602 |             $EditorData {
006603 |                 #EditorPos -30.0 6.3000002
006604 |             }
006605 |         }
006606 |         $State {
006607 |             "RflBackRHide" "TagSwitch" "RflBackRHideAnim" "GetCommandI(CMD_Weapon_Hide) == 4" "realtime" 0
006608 |             $EditorData {
006609 |                 #EditorPos -17.6000004 7.0
006610 |             }
006611 |         }
006612 |         $State {
006613 |             "RflBackRShow" "TagSwitch" "RflBackRShowAnim" "GetCommandI(CMD_Weapon_Show) == 4" "realtime" 1
006614 |             $EditorData {
006615 |                 #EditorPos -18.8000011 6.3000002
006616 |             }
006617 |         }
006618 |         $State {
006619 |             "RflBackLShow" "TagSwitch" "RflBackLShowAnim" "GetCommandI(CMD_Weapon_Show) == 1" "realtime" 1
006620 |             $EditorData {
006621 |                 #EditorPos -27.6000004 6.3000002
006622 |             }
006623 |         }
006624 |         $State {
006625 |             "RflBackLHide" "TagSwitch" "RflBackLHideAnim" "GetCommandI(CMD_Weapon_Hide) == 1" "realtime" 0
006626 |             $EditorData {
006627 |                 #EditorPos -26.3999996 7.0
006628 |             }
006629 |         }
006630 |         $State {
006631 |             "PistolBeltHide" "TagSwitch" "PistolBeltHideAnim" "GetCommandI(CMD_Weapon_Hide) == 6" "realtime" 0
006632 |             $EditorData {
006633 |                 #EditorPos -11.1000004 7.0
006634 |             }
006635 |         }
006636 |         $State {
006637 |             "PistolBeltShow" "TagSwitch" "PistolBeltShowAnim" "GetCommandI(CMD_Weapon_Show) == 6" "realtime" 1
006638 |             $EditorData {
006639 |                 #EditorPos -12.3000002 6.3000002
006640 |             }
006641 |         }
006642 |         $State {
006643 |             "PistolChestHide" "TagSwitch" "PistolChestHideAnim" "GetCommandI(CMD_Weapon_Hide) == 7" "realtime" 0
006644 |             $EditorData {
006645 |                 #EditorPos -8.6000004 7.0
006646 |             }
006647 |         }
006648 |         $State {
006649 |             "PistolChestShow" "TagSwitch" "PistolChestShowAnim" "GetCommandI(CMD_Weapon_Show) == 7" "realtime" 1
006650 |             $EditorData {
006651 |                 #EditorPos -9.8000002 6.3000002
006652 |             }
006653 |         }
006654 |         $State {
006655 |             "KnifeHide" "TagSwitch" "KnifeHideAnim" "GetCommandI(CMD_Weapon_Hide) == 8" "realtime" 0
```

```
006656 |         $EditorData {
006657 |             #EditorPos -4.9000001 7.0
006658 |         }
006659 |     }
006660 |     $State {
006661 |         "KnifeShow" "TagSwitch" "KnifeShowAnim" "GetCommandI(CMD_Weapon_Show) == 8" "realtime" 1
006662 |         $EditorData {
006663 |             #EditorPos -6.0999999 6.3000002
006664 |         }
006665 |     }
006666 |     $State {
006667 |         "InventoryHide" "TagSwitch" "InventoryHideAnim" "GetCommandI(CMD_Weapon_Hide) == 9" "realtime" 0
006668 |         $EditorData {
006669 |             #EditorPos -1.3000001 7.0
006670 |         }
006671 |     }
006672 |     $State {
006673 |         "InventoryShow" "TagSwitch" "InventoryShowAnim" "GetCommandI(CMD_Weapon_Show) == 9" "realtime" 1
006674 |         $EditorData {
006675 |             #EditorPos -2.4000001 6.3000002
006676 |         }
006677 |     }
006678 |     $State {
006679 |         "lhdBackLHide" "TagSwitch" "lhdBackLHideAnim" "GetCommandI(CMD_Weapon_Hide) == 2" "realtime" 0
006680 |         $EditorData {
006681 |             #EditorPos -24.0 7.0
006682 |         }
006683 |     }
006684 |     $State {
006685 |         "lhdBackLShow" "TagSwitch" "lhdBackLShowAnim" "GetCommandI(CMD_Weapon_Show) == 2" "realtime" 1
006686 |         $EditorData {
006687 |             #EditorPos -25.2000008 6.3000002
006688 |         }
006689 |     }
006690 |     $State {
006691 |         "lhdBackRHide" "TagSwitch" "lhdBackRHideAnim" "GetCommandI(CMD_Weapon_Hide) == 5" "realtime" 0
006692 |         $EditorData {
006693 |             #EditorPos -15.1999998 7.0
006694 |         }
006695 |     }
006696 |     $State {
006697 |         "lhdBackRShow" "TagSwitch" "lhdBackRShowAnim" "GetCommandI(CMD_Weapon_Show) == 5" "realtime" 1
006698 |         $EditorData {
006699 |             #EditorPos -16.3999996 6.3000002
006700 |         }
006701 |     }
006702 |     $State {
006703 |         "PickUpHeavyTest" "" "TakeHeavy" "GetCommandI(CMD_Weapon_Show) == 10" "realtime" 1
006704 |         $EditorData {
006705 |             #EditorPos -32.7999992 7.0
006706 |         }
006707 |     }
006708 |     $State {
006709 |         "PickUpHandsTestErc" "" "PickUpHandsTestG" "GetCommandI(CMD_Weapon_Show) == 11" "notime" 1
006710 |         $EditorData {
006711 |             #EditorPos -33.2000008 6.2000003
006712 |         }
006713 |     }
006714 | }
006715 | $Transitions 20 {
006716 |     $Transition {
006717 |         "2HDBackLHide" "2HDBackLShow" "GetCommandI(CMD_Weapon_Show) == 0 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.2HDLLeftBackS
```

```
lotShow\", \"BlendIn\")" 1 "S"
006718 |     }
006719 |     $Transition {
006720 |         "RflBackLHide" "RflBackLShow" "GetCommandI(CMD_Weapon_Show) == 1 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.RifleLeftBack
kSlotShow\", \"BlendIn\")" 1 "S"
006721 |     }
006722 |     $Transition {
006723 |         "1hdBackLHide" "1hdBackLShow" "GetCommandI(CMD_Weapon_Show) == 2 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.1HDLeftBackS
lotShow\", \"BlendIn\")" 1 "S"
006724 |     }
006725 |     $Transition {
006726 |         "2HDBackRHide" "2HDBackRShow" "GetCommandI(CMD_Weapon_Show) == 3 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.2HDRightBack
SlotShow\", \"BlendIn\")" 1 "S"
006727 |     }
006728 |     $Transition {
006729 |         "RflBackRHide" "RflBackRShow" "GetCommandI(CMD_Weapon_Show) == 4 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.RifleRightBa
ckSlotShow\", \"BlendIn\")" 1 "S"
006730 |     }
006731 |     $Transition {
006732 |         "1hdBackRHide" "1hdBackRShow" "GetCommandI(CMD_Weapon_Show) == 5 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.1HDRightBack
SlotShow\", \"BlendIn\")" 1 "S"
006733 |     }
006734 |     $Transition {
006735 |         "PistolBeltHide" "PistolBeltShow" "GetCommandI(CMD_Weapon_Show) == 6 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.PistolBe
ltShow\", \"BlendIn\")" 1 "S"
006736 |     }
006737 |     $Transition {
006738 |         "PistolChestHide" "PistolChestShow" "GetCommandI(CMD_Weapon_Show) == 7 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.Pistol
ChestShow\", \"BlendIn\")" 1 "S"
006739 |     }
006740 |     $Transition {
006741 |         "KnifeHide" "KnifeShow" "GetCommandI(CMD_Weapon_Show) == 8 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.KnifeSlotShow\", \"
BlendIn\")" 1 "S"
006742 |     }
006743 |     $Transition {
006744 |         "InventoryHide" "InventoryShow" "GetCommandI(CMD_Weapon_Show) == 9 || RemainingTimeLess(0.01) " "0.1" "GetEventTime(\"WeaponChange.InventoryS
lotShow\", \"BlendIn\")" 1 "S"
006745 |     }
006746 |     $Transition {
006747 |         "" "2HDBackLShow" "GetCommandI(CMD_Weapon_Show) == 0" "0.1" "" 1 "S"
006748 |     }
006749 |     $Transition {
006750 |         "" "RflBackLShow" "GetCommandI(CMD_Weapon_Show) == 1" "0.1" "" 1 "S"
006751 |     }
006752 |     $Transition {
006753 |         "" "1hdBackLShow" "GetCommandI(CMD_Weapon_Show) == 2" "0.1" "" 1 "S"
006754 |     }
006755 |     $Transition {
006756 |         "" "2HDBackRShow" "GetCommandI(CMD_Weapon_Show) == 3" "0.1" "" 1 "S"
006757 |     }
006758 |     $Transition {
006759 |         "" "RflBackRShow" "GetCommandI(CMD_Weapon_Show) == 4" "0.1" "" 1 "S"
006760 |     }
006761 |     $Transition {
006762 |         "" "1hdBackRShow" "GetCommandI(CMD_Weapon_Show) == 5" "0.1" "" 1 "S"
006763 |     }
006764 |     $Transition {
006765 |         "" "PistolBeltShow" "GetCommandI(CMD_Weapon_Show) == 6" "0.1" "" 1 "S"
006766 |     }
006767 |     $Transition {
006768 |         "" "PistolChestShow" "GetCommandI(CMD_Weapon_Show) == 7" "0.1" "" 1 "S"
006769 |     }
```

```
006770 |         $Transition {
006771 |             "" "KnifeShow" "GetCommandI(CMD_Weapon_Show) == 8" "0.1" "" 1 "S"
006772 |         }
006773 |         $Transition {
006774 |             "" "InventoryShow" "GetCommandI(CMD_Weapon_Show) == 9" "0.1" "" 1 "S"
006775 |         }
006776 |     }
006777 |     $EditorData {
006778 |         #EditorPos -5.0999999 8.3000002
006779 |     }
006780 | }
006781 | $Node AnimNodeStateMachine {
006782 |     "WeaponChangeStanceSTM" "TagWeaponChange"
006783 |     $States 4 {
006784 |         $State {
006785 |             "Erc" "" "WeaponChangeErcG" "Stance == 0" "realtime" 1
006786 |             $EditorData {
006787 |                 #EditorPos -3.0 13.1999998
006788 |             }
006789 |         }
006790 |         $State {
006791 |             "Pne" "" "WeaponChangePneG" "Stance == 2 && !IsTag(\"TagProneBack\")" "realtime" 1
006792 |             $EditorData {
006793 |                 #EditorPos -7.4000001 13.4000006
006794 |             }
006795 |         }
006796 |         $State {
006797 |             "Cro" "" "WeaponChangeThrowCro" "Stance == 1" "realtime" 1
006798 |             $EditorData {
006799 |                 #EditorPos -5.2000003 13.0
006800 |             }
006801 |         }
006802 |         $State {
006803 |             "PneB" "" "WeaponChangePneBSpineFix" "Stance == 2 && IsTag(\"TagProneBack\")" "realtime" 1
006804 |             $EditorData {
006805 |                 #EditorPos -0.8 13.4000006
006806 |             }
006807 |         }
006808 |     }
006809 |     $Transitions 2 {
006810 |         $Transition {
006811 |             "Pne" "PneB" "IsTag(\"TagProneBack\")" "" "" 1 "S"
006812 |         }
006813 |         $Transition {
006814 |             "Pne" "Erc" "IsTag(\"TagStanceChange\")" "" "" 1 "S"
006815 |         }
006816 |     }
006817 |     $EditorData {
006818 |         #EditorPos -3.8 14.6000004
006819 |     }
006820 | }
006821 | $Node AnimNodeBlendT {
006822 |     "WeaponChangeThrowCro" "" "WpnChangeSpineFix" "WeaponChangeErcG" "" "" "IsTag(\"TagThrowing\")" 0.3 "S" 2
006823 |     $EditorData {
006824 |         #EditorPos -4.9000001 11.1000004
006825 |     }
006826 | }
006827 | $Node AnimNodeQueue {
006828 |     "WeaponFireQ" "" "HitQ"
006829 |     $items 1 {
006830 |         $item {
006831 |             "WeaponStanceMaster" "GetCommandI(CMD_WeaponFire) >= 0" "false" "" 0.0 0.1 1 0
```

```
006832 |     }
006833 |   }
006834 |   $EditorData {
006835 |     #EditorPos 2.7 6.5999999
006836 |   }
006837 | }
006838 | $Node AnimNodeRot {
006839 |   "WpnChangeSpineFix" "" "WeaponChangeErcG" "1.0"
006840 |   $rotitems 3 {
006841 |     $ri {
006842 |       "spine" "zmr" 0.2
006843 |     }
006844 |     $ri {
006845 |       "spine1" "zmr" 0.2
006846 |     }
006847 |     $ri {
006848 |       "spine2" "zmr" 0.15
006849 |     }
006850 |   }
006851 |   $EditorData {
006852 |     #EditorPos -5.0 9.8000002
006853 |   }
006854 | }
006855 | }
006856 | $Sheet "Ladder" {
006857 |   $Node AnimNodeStateMachine {
006858 |     "EnterLadderSTM" ""
006859 |     $States 3 {
006860 |       $State {
006861 |         "Ground" "" "LadderEnterGroundG" "GetCommandI(CMD_Ladder_Enter) == 0" "realtime" 1
006862 |         $EditorData {
006863 |           #EditorPos -6.5999999 3.6000001
006864 |         }
006865 |       }
006866 |       $State {
006867 |         "Water" "" "LadderEnterWaterG" "GetCommandI(CMD_Ladder_Enter) == 4" "realtime" 1
006868 |         $EditorData {
006869 |           #EditorPos -1.2 3.6000001
006870 |         }
006871 |       }
006872 |       $State {
006873 |         "Roof" "" "LadderEnterRoofG" "GetCommandI(CMD_Ladder_Enter) == 1" "realtime" 1
006874 |         $EditorData {
006875 |           #EditorPos -3.9000001 3.6000001
006876 |         }
006877 |       }
006878 |     }
006879 |     $Transitions 0 {
006880 |     }
006881 |     $EditorData {
006882 |       #EditorPos -4.3000002 4.9000001
006883 |     }
006884 |   }
006885 |   $Node AnimNodeSourceSync {
006886 |     "LadderDownAnim" "" "Ladder.Down" "loop" "LadderDown"
006887 |     $Predictions {
006888 |     }
006889 |     $EditorData {
006890 |       #EditorPos 6.7000003 6.5
006891 |     }
006892 |   }
006893 | }
006893 | $Node AnimNodeSourceSync {
```

```
006894 |         "LadderDownFastAnim" "" "Ladder.DownFast" "loop" "LadderDown"
006895 |     $Predictions {
006896 |     }
006897 |     $EditorData {
006898 |         #EditorPos 8.9000006 6.5
006899 |     }
006900 | }
006901 | $Node AnimNodeGroupSelect {
006902 |     "LadderDownFastG" "" "LadderDownFastLook" "Ladder" "LeftFoot"
006903 |     $EditorData {
006904 |         #EditorPos 8.9000006 8.3000002
006905 |     }
006906 | }
006907 | $Node AnimNodeBlendTAdd {
006908 |     "LadderDownFastLook" "" "LadderDownFastAnim" "MoveLookPose" "" "" "Look" 0.3 "S" 0
006909 |     $EditorData {
006910 |         #EditorPos 8.9000006 7.5
006911 |     }
006912 | }
006913 | $Node AnimNodeGroupSelect {
006914 |     "LadderDownG" "" "LadderDownLook" "Ladder" "LeftFoot"
006915 |     $EditorData {
006916 |         #EditorPos 6.7000003 8.3000002
006917 |     }
006918 | }
006919 | $Node AnimNodeBlendTAdd {
006920 |     "LadderDownLook" "" "LadderDownAnim" "MoveLookPose" "" "" "Look" 0.3 "S" 0
006921 |     $EditorData {
006922 |         #EditorPos 6.7000003 7.5
006923 |     }
006924 | }
006925 | $Node AnimNodeSource {
006926 |     "LadderEnterGroundAnim" "" "Ladder.EnterGround" "noloop"
006927 |     $Predictions {
006928 |         $Prediction {
006929 |             "PredictionLadderEnter" "EntityPosition" "" 1.0 7
006930 |         }
006931 |     }
006932 |     $EditorData {
006933 |         #EditorPos -6.5999999 1.2
006934 |     }
006935 | }
006936 | $Node AnimNodeGroupSelect {
006937 |     "LadderEnterGroundG" "" "LadderEnterGroundAnim" "Ladder" "LeftFoot"
006938 |     $EditorData {
006939 |         #EditorPos -6.5999999 1.9
006940 |     }
006941 | }
006942 | $Node AnimNodeSource {
006943 |     "LadderEnterRoofAnim" "" "Ladder.EnterRoof" "noloop"
006944 |     $Predictions {
006945 |         $Prediction {
006946 |             "PredictionLadderEnter" "EntityPosition" "" 1.0 7
006947 |         }
006948 |     }
006949 |     $EditorData {
006950 |         #EditorPos -3.9000001 1.2
006951 |     }
006952 | }
006953 | $Node AnimNodeGroupSelect {
006954 |     "LadderEnterRoofG" "" "LadderEnterRoofAnim" "Ladder" "LeftFoot"
006955 |     $EditorData {
```

```
006956 |         #EditorPos -3.9000001 1.9
006957 |     }
006958 | }
006959 | $Node AnimNodeSource {
006960 |     "LadderEnterWaterAnim" "" "Ladder.EnterWater" "noloop"
006961 |     $Predictions {
006962 |         $Prediction {
006963 |             "PredictionLadderEnter" "EntityPosition" "" 1.0 7
006964 |         }
006965 |     }
006966 |     $EditorData {
006967 |         #EditorPos -1.3000001 1.2
006968 |     }
006969 | }
006970 | $Node AnimNodeGroupSelect {
006971 |     "LadderEnterWaterG" "" "LadderEnterWaterAnim" "Ladder" "LeftFoot"
006972 |     $EditorData {
006973 |         #EditorPos -1.3000001 1.9
006974 |     }
006975 | }
006976 | $Node AnimNodeSource {
006977 |     "LadderExitGroundLAnim" "" "Ladder.LeftFoot.ExitGround" "noloop"
006978 |     $Predictions {
006979 |     }
006980 |     $EditorData {
006981 |         #EditorPos -1.0 18.3999996
006982 |     }
006983 | }
006984 | $Node AnimNodeSource {
006985 |     "LadderExitGroundRAnim" "" "Ladder.RightFoot.ExitGround" "noloop"
006986 |     $Predictions {
006987 |     }
006988 |     $EditorData {
006989 |         #EditorPos -1.0 19.3000011
006990 |     }
006991 | }
006992 | $Node AnimNodeSource {
006993 |     "LadderExitLFootLeft" "" "Ladder.LeftFoot.ExitLeft" "noloop"
006994 |     $Predictions {
006995 |         $Prediction {
006996 |             "PredictionLadderExit" "EntityPosition" "" 1.0 7
006997 |         }
006998 |     }
006999 |     $EditorData {
007000 |         #EditorPos 4.0 18.3999996
007001 |     }
007002 | }
007003 | $Node AnimNodeSource {
007004 |     "LadderExitLFootRight" "" "Ladder.LeftFoot.ExitRight" "noloop"
007005 |     $Predictions {
007006 |         $Prediction {
007007 |             "PredictionLadderExit" "EntityPosition" "" 1.0 7
007008 |         }
007009 |     }
007010 |     $EditorData {
007011 |         #EditorPos 6.5 18.3999996
007012 |     }
007013 | }
007014 | $Node AnimNodeSource {
007015 |     "LadderExitLFootWater" "" "Ladder.LeftFoot.ExitWater" "noloop"
007016 |     $Predictions {
007017 |     }
```

```
007018 |         $EditorData {
007019 |             #EditorPos 8.9000006 18.3999996
007020 |         }
007021 |     }
007022 |     $Node AnimNodeSource {
007023 |         "LadderExitRFootLeft" "" "Ladder.RightFoot.ExitLeft" "noloop"
007024 |         $Predictions {
007025 |             $Prediction {
007026 |                 "PredictionLadderExit" "EntityPosition" "" 1.0 7
007027 |             }
007028 |         }
007029 |         $EditorData {
007030 |             #EditorPos 4.0 19.3000011
007031 |         }
007032 |     }
007033 |     $Node AnimNodeSource {
007034 |         "LadderExitRFootRight" "" "Ladder.RightFoot.ExitRight" "noloop"
007035 |         $Predictions {
007036 |             $Prediction {
007037 |                 "PredictionLadderExit" "EntityPosition" "" 1.0 7
007038 |             }
007039 |         }
007040 |         $EditorData {
007041 |             #EditorPos 6.5 19.3000011
007042 |         }
007043 |     }
007044 |     $Node AnimNodeSource {
007045 |         "LadderExitRFootWater" "" "Ladder.RightFoot.ExitWater" "noloop"
007046 |         $Predictions {
007047 |         }
007048 |         $EditorData {
007049 |             #EditorPos 8.9000006 19.3000011
007050 |         }
007051 |     }
007052 |     $Node AnimNodeSource {
007053 |         "LadderExitRoofLAnim" "" "Ladder.LeftFoot.ExitRoof" "noloop"
007054 |         $Predictions {
007055 |         }
007056 |         $EditorData {
007057 |             #EditorPos 1.6 18.3999996
007058 |         }
007059 |     }
007060 |     $Node AnimNodeSource {
007061 |         "LadderExitRoofRAnim" "" "Ladder.RightFoot.ExitRoof" "noloop"
007062 |         $Predictions {
007063 |         }
007064 |         $EditorData {
007065 |             #EditorPos 1.6 19.3000011
007066 |         }
007067 |     }
007068 |     $Node AnimNodeIK2 {
007069 |         "LadderIK" "" "LadderLookT" "///! global values
007070 | weight = 1.0
007071 |
007072 | LFootIKTarget
007073 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007074 | chainAxis = +x
007075 |
007076 | RFootIKTarget
007077 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
007078 | chainAxis = -x
007079 |
```



```
007080 |
007081 | LHandIKTarget
007082 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
007083 | chainAxis = +x
007084 |
007085 | RHandIKTarget
007086 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
007087 | chainAxis = -x"
007088 |     $EditorData {
007089 |         #EditorPos 3.5 7.2000003
007090 |     }
007091 | }
007092 | $Node AnimNodeIK2Target {
007093 |     "LadderIKTarget" "" "LadderIdleAnim" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007094 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
007095 |
007096 | LHandIKTarget = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
007097 | RHandIKTarget = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand"
007098 |     $EditorData {
007099 |         #EditorPos 3.5 4.4000001
007100 |     }
007101 | }
007102 | $Node AnimNodeSource {
007103 |     "LadderIdleAnim" "" "Ladder.Idle" "noloop"
007104 |     $Predictions {
007105 |     }
007106 |     $EditorData {
007107 |         #EditorPos 3.5 3.5
007108 |     }
007109 | }
007110 | $Node AnimNodeGroupSelect {
007111 |     "LadderLG" "" "LadderIK" "Ladder" "LeftFoot"
007112 |     $EditorData {
007113 |         #EditorPos 4.5 8.3000002
007114 |     }
007115 | }
007116 | $Node AnimNodePose2 {
007117 |     "LadderLookPose" "" "Ladder.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
007118 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
007119 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
007120 |     $EditorData {
007121 |         #EditorPos 3.5 5.3000002
007122 |     }
007123 | }
007124 | $Node AnimNodeBlendTAdd {
007125 |     "LadderLookT" "" "LadderIKTarget" "LadderLookPose" "" "" "Look" 0.3 "S" 0
007126 |     $EditorData {
007127 |         #EditorPos 3.5 6.2000003
007128 |     }
007129 | }
007130 | $Node AnimNodeBlend {
007131 |     "LadderMaster" "" "1.0" "LadderTalkingT" "FacialMovementAnim" 1
007132 |     $EditorData {
007133 |         #EditorPos -4.5 20.3000011
007134 |     }
007135 | }
007136 | $Node AnimNodeGroupSelect {
007137 |     "LadderRG" "" "LadderIK" "Ladder" "RightFoot"
007138 |     $EditorData {
007139 |         #EditorPos 2.3 8.3000002
007140 |     }
007141 | }
```

```
007142 |     $Node AnimNodeStateMachine {
007143 |         "LadderSTM" "TagLadder"
007144 |         $States 17 {
007145 |             $State {
007146 |                 "Enter" "TagLadderEnter" "EnterLadderSTM" "IsCommand(CMD_Ladder_Enter)" "realtime" 0
007147 |                 $EditorData {
007148 |                     #EditorPos -4.3000002 13.4000006
007149 |                 }
007150 |             }
007151 |             $State {
007152 |                 "Up" "" "LadderUpG" "" "normtime" 0
007153 |                 $EditorData {
007154 |                     #EditorPos 0.1 10.4000006
007155 |                 }
007156 |             }
007157 |             $State {
007158 |                 "IdleL" "TagLadderIdle" "LadderLG" "false" "realtime" 0
007159 |                 $EditorData {
007160 |                     #EditorPos 4.5 13.4000006
007161 |                 }
007162 |             }
007163 |             $State {
007164 |                 "Down" "" "LadderDownG" "" "normtime" 0
007165 |                 $EditorData {
007166 |                     #EditorPos 6.7000003 10.4000006
007167 |                 }
007168 |             }
007169 |             $State {
007170 |                 "ExitGroundR" "TagLadderExit" "LadderExitGroundRAnim" "false" "realtime" 1
007171 |                 $EditorData {
007172 |                     #EditorPos -0.9 16.5
007173 |                 }
007174 |             }
007175 |             $State {
007176 |                 "ExitRoofR" "TagLadderExit" "LadderExitRoofRAnim" "false" "realtime" 1
007177 |                 $EditorData {
007178 |                     #EditorPos 1.6 16.5
007179 |                 }
007180 |             }
007181 |             $State {
007182 |                 "DownFast" "" "LadderDownFastG" "" "normtime" 0
007183 |                 $EditorData {
007184 |                     #EditorPos 8.9000006 12.9000006
007185 |                 }
007186 |             }
007187 |             $State {
007188 |                 "IdleR" "TagLadderIdle" "LadderRG" "" "realtime" 0
007189 |                 $EditorData {
007190 |                     #EditorPos 2.3 13.4000006
007191 |                 }
007192 |             }
007193 |             $State {
007194 |                 "ExitGroundL" "TagLadderExit" "LadderExitGroundLAnim" "false" "realtime" 1
007195 |                 $EditorData {
007196 |                     #EditorPos -0.9 15.3000002
007197 |                 }
007198 |             }
007199 |             $State {
007200 |                 "ExitRoofL" "TagLadderExit" "LadderExitRoofLAnim" "false" "realtime" 1
007201 |                 $EditorData {
007202 |                     #EditorPos 1.6 15.3000002
007203 |                 }
007203 |             }
```

```
007204 |     }
007205 |     $State {
007206 |         "Exit LFoot Left" "TagLadderExit" "LadderExitLFootLeft" "" "realtime" 1
007207 |         $EditorData {
007208 |             #EditorPos 4.0 15.3000002
007209 |         }
007210 |     }
007211 |     $State {
007212 |         "Exit LFoot Right" "TagLadderExit" "LadderExitLFootRight" "" "realtime" 1
007213 |         $EditorData {
007214 |             #EditorPos 6.5 15.3000002
007215 |         }
007216 |     }
007217 |     $State {
007218 |         "Exit RFoot Left" "TagLadderExit" "LadderExitRFootLeft" "" "realtime" 1
007219 |         $EditorData {
007220 |             #EditorPos 4.0 16.5
007221 |         }
007222 |     }
007223 |     $State {
007224 |         "Exit RFoot Right" "TagLadderExit" "LadderExitRFootRight" "" "realtime" 1
007225 |         $EditorData {
007226 |             #EditorPos 6.5 16.5
007227 |         }
007228 |     }
007229 |     $State {
007230 |         "Exit LFoot Water" "TagLadderExit" "LadderExitLFootWater" "" "realtime" 1
007231 |         $EditorData {
007232 |             #EditorPos 8.9000006 15.3000002
007233 |         }
007234 |     }
007235 |     $State {
007236 |         "Exit RFoot Water" "TagLadderExit" "LadderExitRFootWater" "" "realtime" 1
007237 |         $EditorData {
007238 |             #EditorPos 8.9000006 16.5
007239 |         }
007240 |     }
007241 |     $State {
007242 |         "UpFast" "" "LadderUpFastG" "" "normtime" 0
007243 |         $EditorData {
007244 |             #EditorPos -2.3 11.5
007245 |         }
007246 |     }
007247 | }
007248 | $Transitions 49 {
007249 |     $Transition {
007250 |         "DownFast" "ExitGroundR" "GetCommandI(CMD_Ladder_Exit) == 0" "0.3" "" 6 "S"
007251 |     }
007252 |     $Transition {
007253 |         "DownFast" "ExitRoofR" "GetCommandI(CMD_Ladder_Exit) == 1" "0.3" "" 6 "S"
007254 |     }
007255 |     $Transition {
007256 |         "DownFast" "Exit RFoot Left" "GetCommandI(CMD_Ladder_Exit) == 2" "0.3" "" 6 "S"
007257 |     }
007258 |     $Transition {
007259 |         "DownFast" "Exit RFoot Right" "GetCommandI(CMD_Ladder_Exit) == 3" "0.3" "" 6 "S"
007260 |     }
007261 |     $Transition {
007262 |         "DownFast" "Exit RFoot Water" "GetCommandI(CMD_Ladder_Exit) == 4" "0.3" "" 6 "S"
007263 |     }
007264 |     $Transition {
007265 |         "IdleR" "ExitGroundR" "GetCommandI(CMD_Ladder_Exit) == 0" "0.2" "" 6 "S"
```

```
007266 |     }
007267 |     $Transition {
007268 |         "IdleR" "ExitRoofR" "GetCommandI(CMD_Ladder_Exit) == 1" "0.2" "" 6 "S"
007269 |     }
007270 |     $Transition {
007271 |         "IdleR" "Exit RFoot Left" "GetCommandI(CMD_Ladder_Exit) == 2" "0.2" "" 6 "S"
007272 |     }
007273 |     $Transition {
007274 |         "IdleR" "Exit RFoot Right" "GetCommandI(CMD_Ladder_Exit) == 3" "0.2" "" 6 "S"
007275 |     }
007276 |     $Transition {
007277 |         "IdleR" "Exit RFoot Water" "GetCommandI(CMD_Ladder_Exit) == 4" "0.2" "" 6 "S"
007278 |     }
007279 |     $Transition {
007280 |         "IdleL" "ExitGroundL" "GetCommandI(CMD_Ladder_Exit) == 0" "0.2" "" 6 "S"
007281 |     }
007282 |     $Transition {
007283 |         "IdleL" "ExitRoofL" "GetCommandI(CMD_Ladder_Exit) == 1" "0.2" "" 6 "S"
007284 |     }
007285 |     $Transition {
007286 |         "IdleL" "Exit LFoot Left" "GetCommandI(CMD_Ladder_Exit) == 2" "0.2" "" 6 "S"
007287 |     }
007288 |     $Transition {
007289 |         "IdleL" "Exit LFoot Right" "GetCommandI(CMD_Ladder_Exit) == 3" "0.2" "" 6 "S"
007290 |     }
007291 |     $Transition {
007292 |         "IdleL" "Exit LFoot Water" "GetCommandI(CMD_Ladder_Exit) == 4" "0.2" "" 6 "S"
007293 |     }
007294 |     $Transition {
007295 |         "" "Exit RFoot Left" "GetCommandI(CMD_Ladder_Exit) == 2 && (GetLowerTime() <= 0.3 || GetLowerTime() >= 0.70)" "0.2" "" 7 "S"
007296 |     }
007297 |     $Transition {
007298 |         "" "Exit RFoot Right" "GetCommandI(CMD_Ladder_Exit) == 3 && (GetLowerTime() <= 0.3 || GetLowerTime() >= 0.7)" "0.2" "" 7 "S"
007299 |     }
007300 |     $Transition {
007301 |         "" "Exit LFoot Right" "GetCommandI(CMD_Ladder_Exit) == 3 && (GetLowerTime() > 0.3 && GetLowerTime() < 0.7)" "0.2" "" 7 "S"
007302 |     }
007303 |     $Transition {
007304 |         "" "Exit LFoot Left" "GetCommandI(CMD_Ladder_Exit) == 2 && (GetLowerTime() > 0.3 && GetLowerTime() < 0.7)" "0.2" "" 7 "S"
007305 |     }
007306 |     $Transition {
007307 |         "" "ExitRoofR" "GetCommandI(CMD_Ladder_Exit) == 1 && (GetLowerTime() <= 0.3 || GetLowerTime() >= 0.7)" "0.3" "" 7 "S"
007308 |     }
007309 |     $Transition {
007310 |         "" "ExitRoofL" "GetCommandI(CMD_Ladder_Exit) == 1 && (GetLowerTime() > 0.3 && GetLowerTime() < 0.7)" "0.3" "" 7 "S"
007311 |     }
007312 |     $Transition {
007313 |         "" "ExitGroundL" "GetCommandI(CMD_Ladder_Exit) == 0 && (GetLowerTime() > 0.3 && GetLowerTime() < 0.7)" "0.3" "0.15" 7 "S"
007314 |     }
007315 |     $Transition {
007316 |         "" "ExitGroundR" "GetCommandI(CMD_Ladder_Exit) == 0 && (GetLowerTime() <= 0.3 || GetLowerTime() >= 0.7)" "0.3" "0.15" 7 "S"
007317 |     }
007318 |     $Transition {
007319 |         "" "Exit LFoot Water" "GetCommandI(CMD_Ladder_Exit) == 4 && (GetLowerTime() > 0.3 && GetLowerTime() < 0.7)" "0.3" "" 7 "S"
007320 |     }
007321 |     $Transition {
007322 |         "" "Exit RFoot Water" "GetCommandI(CMD_Ladder_Exit) == 4 && (GetLowerTime() <= 0.3 || GetLowerTime() >= 0.7)" "0.3" "" 7 "S"
007323 |     }
007324 |     $Transition {
007325 |         "Enter" "IdleR" "RemainingTimeLess(0.01) && LadderMovement == 0" "0.3" "" 7 "S"
007326 |     }
007327 |     $Transition {
```

```
007328 |         "IdleL" "Up" "LadderMovement == 1" "0.2" "0.5" 0 "S"
007329 |     }
007330 |     $Transition {
007331 |         "Up" "IdleL" "LadderMovement != 1 && (GetLowerTime() > 0.35 && GetLowerTime() < 0.60)" "0.2" "" 1 "S"
007332 |     }
007333 |     $Transition {
007334 |         "IdleL" "DownFast" "LadderMovement == -2" "0.2" "" 6 "S"
007335 |     }
007336 |     $Transition {
007337 |         "IdleL" "Down" "LadderMovement == -1" "0.2" "0.5" 0 "S"
007338 |     }
007339 |     $Transition {
007340 |         "Down" "IdleL" "LadderMovement != -1 && (GetLowerTime() >= 0.45 && GetLowerTime() <= 0.55)" "0.2" "" 1 "S"
007341 |     }
007342 |     $Transition {
007343 |         "Down" "DownFast" "LadderMovement == -2" "0.2" "0.0" 6 "S"
007344 |     }
007345 |     $Transition {
007346 |         "Up" "DownFast" "LadderMovement == -2" "0.2" "0.0" 6 "S"
007347 |     }
007348 |     $Transition {
007349 |         "Up" "IdleR" "LadderMovement != 1 && (GetLowerTime() <= 0.15 || GetLowerTime() >= 0.85)" "0.2" "" 1 "S"
007350 |     }
007351 |     $Transition {
007352 |         "IdleR" "Up" "LadderMovement == 1" "0.2" "0.0" 6 "S"
007353 |     }
007354 |     $Transition {
007355 |         "Down" "IdleR" "LadderMovement != -1 && (GetLowerTime() <= 0.10 || GetLowerTime() >= 0.90)" "0.2" "" 1 "S"
007356 |     }
007357 |     $Transition {
007358 |         "DownFast" "IdleR" "LadderMovement != -2" "0.2" "" 6 "S"
007359 |     }
007360 |     $Transition {
007361 |         "IdleR" "DownFast" "LadderMovement == -2" "0.2" "" 6 "S"
007362 |     }
007363 |     $Transition {
007364 |         "IdleR" "Down" "LadderMovement == -1" "0.2" "" 0 "S"
007365 |     }
007366 |     $Transition {
007367 |         "Enter" "IdleR" "RemainingTimeLess(0.3) && LadderMovement != 0" "0.3" "" 1 "S"
007368 |     }
007369 |     $Transition {
007370 |         "IdleR" "UpFast" "LadderMovement == 2" "0.3" "" 6 "S"
007371 |     }
007372 |     $Transition {
007373 |         "UpFast" "IdleR" "LadderMovement != 2 && (GetLowerTime() <= 0.15 || GetLowerTime() >= 0.85)" "0.3" "" 7 "S"
007374 |     }
007375 |     $Transition {
007376 |         "UpFast" "DownFast" "LadderMovement == -2" "0.3" "" 6 "S"
007377 |     }
007378 |     $Transition {
007379 |         "IdleL" "UpFast" "LadderMovement == 2" "0.3" "0.5" 6 "S"
007380 |     }
007381 |     $Transition {
007382 |         "UpFast" "IdleL" "LadderMovement != 2 && (GetLowerTime() > 0.35 && GetLowerTime() < 0.60)" "0.3" "" 7 "S"
007383 |     }
007384 |     $Transition {
007385 |         "Enter" "UpFast" "LadderMovement == 2 && IsEvent(\"LadderEarlyEnter\")" "0.3" "0.9" 7 "S"
007386 |     }
007387 |     $Transition {
007388 |         "Enter" "Up" "LadderMovement == 1 && IsEvent(\"LadderEarlyEnter\")" "0.3" "0.85" 7 "S"
007389 |     }
```

```
007390 |         $Transition {
007391 |             "Enter" "Down" "LadderMovement == -1 && IsEvent(\"LadderEarlyEnter\")" "0.3" "GetEventTime(\"Ladder.Down\", \"LFootUp\")" 25 "S"
007392 |         }
007393 |         $Transition {
007394 |             "Enter" "DownFast" "LadderMovement == -2 && IsEvent(\"LadderEarlyEnter\")" "0.3" "" 1 "S"
007395 |         }
007396 |     }
007397 |     $EditorData {
007398 |         #EditorPos -4.5 17.8000011
007399 |     }
007400 | }
007401 | $Node AnimNodeBlendTAdd {
007402 |     "LadderTalkingT" "" "LadderSTM" "FacialTalkingAnim" "" "" "Talking" 0.1 "S" 0
007403 |     $EditorData {
007404 |         #EditorPos -4.5 19.0
007405 |     }
007406 | }
007407 | $Node AnimNodeSourceSync {
007408 |     "LadderUpAnim" "" "Ladder.Up" "loop" "LadderUp"
007409 |     $Predictions {
007410 |     }
007411 |     $EditorData {
007412 |         #EditorPos 0.1 5.5999999
007413 |     }
007414 | }
007415 | $Node AnimNodeSourceSync {
007416 |     "LadderUpFastAnim" "" "Ladder.UpFast" "loop" "LadderUp"
007417 |     $Predictions {
007418 |     }
007419 |     $EditorData {
007420 |         #EditorPos -2.3 5.5999999
007421 |     }
007422 | }
007423 | $Node AnimNodeGroupSelect {
007424 |     "LadderUpFastG" "" "LadderUpFastLook" "Ladder" "LeftFoot"
007425 |     $EditorData {
007426 |         #EditorPos -2.3 7.4000001
007427 |     }
007428 | }
007429 | $Node AnimNodeBlendTAdd {
007430 |     "LadderUpFastLook" "" "LadderUpFastAnim" "MoveLookPose" "" "" "Look" 0.3 "S" 0
007431 |     $EditorData {
007432 |         #EditorPos -2.3 6.5999999
007433 |     }
007434 | }
007435 | $Node AnimNodeGroupSelect {
007436 |     "LadderUpG" "" "LadderUpLook" "Ladder" "LeftFoot"
007437 |     $EditorData {
007438 |         #EditorPos 0.1 7.4000001
007439 |     }
007440 | }
007441 | $Node AnimNodeBlendTAdd {
007442 |     "LadderUpLook" "" "LadderUpAnim" "MoveLookPose" "" "" "Look" 0.3 "S" 0
007443 |     $EditorData {
007444 |         #EditorPos 0.1 6.5999999
007445 |     }
007446 | }
007447 | }
007448 | $Sheet "Idle" {
007449 |     $Node AnimNodeGroupSelect {
007450 |         "ColdCroG" "" "SickColdAnim" "Locomotion" "Cro"
007451 |         $EditorData {
```

```
007452 |         #EditorPos -17.8000011 12.3000002
007453 |     }
007454 | }
007455 | $Node AnimNodeGroupSelect {
007456 |     "ColdErcG" "" "SickColdAnim" "Locomotion" "Erc"
007457 |     $EditorData {
007458 |         #EditorPos -20.6000004 12.3000002
007459 |     }
007460 | }
007461 | $Node AnimNodeGroupSelect {
007462 |     "ColdPneBackG" "" "SickColdAnim" "Locomotion" "PneB"
007463 |     $EditorData {
007464 |         #EditorPos -17.8000011 11.3000002
007465 |     }
007466 | }
007467 | $Node AnimNodeGroupSelect {
007468 |     "ColdPneG" "" "SickColdAnim" "Locomotion" "Pne"
007469 |     $EditorData {
007470 |         #EditorPos -20.6000004 11.3000002
007471 |     }
007472 | }
007473 | $Node AnimNodeGroupSelect {
007474 |     "CoughCroG" "" "SickCoughMoveT" "Locomotion" "Cro"
007475 |     $EditorData {
007476 |         #EditorPos -25.0 12.4000006
007477 |     }
007478 | }
007479 | $Node AnimNodeGroupSelect {
007480 |     "CoughErcG" "" "SickCoughMoveT" "Locomotion" "Erc"
007481 |     $EditorData {
007482 |         #EditorPos -27.3999996 12.4000006
007483 |     }
007484 | }
007485 | $Node AnimNodeGroupSelect {
007486 |     "CoughPneBackG" "" "SickCoughMoveT" "Locomotion" "PneB"
007487 |     $EditorData {
007488 |         #EditorPos -25.0 11.5
007489 |     }
007490 | }
007491 | $Node AnimNodeGroupSelect {
007492 |     "CoughPneG" "" "SickCoughMoveT" "Locomotion" "Pne"
007493 |     $EditorData {
007494 |         #EditorPos -27.3999996 11.5
007495 |     }
007496 | }
007497 | $Node AnimNodeBlendTAdd {
007498 |     "CroTurnHeadLookT" "" "CroTurnIKTarget" "MoveHeadLookPose" "" "" "Look && eAI_Raised" 0.3 "S" 0
007499 |     $EditorData {
007500 |         #EditorPos 7.5 2.0
007501 |     }
007502 | }
007503 | $Node AnimNodeIK2Target {
007504 |     "CroTurnIKTarget" "" "CroTurnInjBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007505 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
007506 |     $EditorData {
007507 |         #EditorPos 7.5 -1.3000001
007508 |     }
007509 | }
007510 | $Node AnimNodeSourceSync {
007511 |     "CroTurnIdleAnimSync" "" "Locomotion.Turn0" "noloop" "TurnCro"
007512 |     $Predictions {
007513 |         $Prediction {
```

```
007514 |         "PredictionTurn" "EntityPosition" "" 1.0 7
007515 |     }
007516 | }
007517 | $EditorData {
007518 |     #EditorPos -5.4000001 -6.0
007519 | }
007520 | }
007521 | $Node AnimNodeSourceSync {
007522 |     "CroTurnIdleInjAnimSync" "" "LocomotionInjured.Turn0" "noloop" "TurnCro"
007523 |     $Predictions {
007524 |         $Prediction {
007525 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007526 |         }
007527 |     }
007528 |     $EditorData {
007529 |         #EditorPos 0.9 -6.0
007530 |     }
007531 | }
007532 | $Node AnimNodeBlend {
007533 |     "CroTurnInjBlend" "" "Injured" "CroTurnNBlend" "CroTurnInjNBlend" 3
007534 |     $EditorData {
007535 |         #EditorPos -2.4000001 -2.6000001
007536 |     }
007537 | }
007538 | $Node AnimNodeSourceSync {
007539 |     "CroTurnInjL180SyncAnim" "" "LocomotionInjured.Cro.TurnL180" "noloop" "TurnCro"
007540 |     $Predictions {
007541 |         $Prediction {
007542 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007543 |         }
007544 |     }
007545 |     $EditorData {
007546 |         #EditorPos -1.1 -4.8000002
007547 |     }
007548 | }
007549 | $Node AnimNodeSourceSync {
007550 |     "CroTurnInjL90SyncAnim" "" "LocomotionInjured.TurnL90" "noloop" "TurnCro"
007551 |     $Predictions {
007552 |         $Prediction {
007553 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007554 |         }
007555 |     }
007556 |     $EditorData {
007557 |         #EditorPos -0.2 -5.4000001
007558 |     }
007559 | }
007560 | $Node AnimNodeBlendN {
007561 |     "CroTurnInjNBlend" "" "eAI_TurnAmount" 0 "Lin"
007562 |     $Inputs {
007563 |         -2.0 "CroTurnInjL180SyncAnim"
007564 |         -1.0 "CroTurnInjL90SyncAnim"
007565 |         0.0 "CroTurnIdleInjAnimSync"
007566 |         1.0 "CroTurnInjR90SyncAnim"
007567 |         2.0 "CroTurnInjR180SyncAnim"
007568 |     }
007569 | }
007570 |     $EditorData {
007571 |         #EditorPos 0.9 -4.0999999
007572 |     }
007573 | }
007574 | $Node AnimNodeSourceSync {
007575 |     "CroTurnInjR180SyncAnim" "" "LocomotionInjured.TurnR180" "noloop" "TurnCro"
```



```
007576 |         $Predictions {
007577 |             $Prediction {
007578 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007579 |             }
007580 |         }
007581 |         $EditorData {
007582 |             #EditorPos 3.0 -4.8000002
007583 |         }
007584 |     }
007585 |     $Node AnimNodeSourceSync {
007586 |         "CroTurnInjR90SyncAnim" "" "LocomotionInjured.TurnR90" "noloop" "TurnCro"
007587 |         $Predictions {
007588 |             $Prediction {
007589 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007590 |             }
007591 |         }
007592 |         $EditorData {
007593 |             #EditorPos 2.0 -5.4000001
007594 |         }
007595 |     }
007596 |     $Node AnimNodeSourceSync {
007597 |         "CroTurnL180SyncAnim" "" "Locomotion.TurnL180" "noloop" "TurnCro"
007598 |         $Predictions {
007599 |             $Prediction {
007600 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007601 |             }
007602 |         }
007603 |         $EditorData {
007604 |             #EditorPos -7.4000001 -4.8000002
007605 |         }
007606 |     }
007607 |     $Node AnimNodeSourceSync {
007608 |         "CroTurnL90SyncAnim" "" "Locomotion.TurnL90" "noloop" "TurnCro"
007609 |         $Predictions {
007610 |             $Prediction {
007611 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007612 |             }
007613 |         }
007614 |         $EditorData {
007615 |             #EditorPos -6.5 -5.4000001
007616 |         }
007617 |     }
007618 |     $Node AnimNodeBlendTAdd {
007619 |         "CroTurnLookBlendT" "" "CroTurnHeadLookT" "LookInjBlend" "" "" "Look && !eAI_Raised" 0.3 "S" 0
007620 |         $EditorData {
007621 |             #EditorPos 7.5 3.0
007622 |         }
007623 |     }
007624 |     $Node AnimNodeBlendN {
007625 |         "CroTurnNBlend" "" "eAI_TurnAmount" 0 "Lin"
007626 |         $Inputs {
007627 |             -2.0 "CroTurnL180SyncAnim"
007628 |             -1.0 "CroTurnL90SyncAnim"
007629 |             0.0 "CroTurnIdleAnimSync"
007630 |             1.0 "CroTurnR90SyncAnim"
007631 |             2.0 "CroTurnR180SyncAnim"
007632 |         }
007633 |         $EditorData {
007634 |             #EditorPos -5.4000001 -4.0999999
007635 |         }
007636 |     }
007637 | }
```

```
007638 |     $Node AnimNodeSourceSync {
007639 |         "CroTurnR180SyncAnim" "" "Locomotion.TurnR180" "noloop" "TurnCro"
007640 |         $Predictions {
007641 |             $Prediction {
007642 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007643 |             }
007644 |         }
007645 |         $EditorData {
007646 |             #EditorPos -3.3 -4.8000002
007647 |         }
007648 |     }
007649 |     $Node AnimNodeSourceSync {
007650 |         "CroTurnR90SyncAnim" "" "Locomotion.TurnR90" "noloop" "TurnCro"
007651 |         $Predictions {
007652 |             $Prediction {
007653 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007654 |             }
007655 |         }
007656 |         $EditorData {
007657 |             #EditorPos -4.3000002 -5.4000001
007658 |         }
007659 |     }
007660 |     $Node AnimNodeBlendTAdd {
007661 |         "ErcTurnHeadLookT" "" "ErcTurnIKTarget" "MoveHeadLookPose" "" "" "Look && eAI_Raised" 0.3 "S" 0
007662 |         $EditorData {
007663 |             #EditorPos 11.0 2.0
007664 |         }
007665 |     }
007666 |     $Node AnimNodeIK2Target {
007667 |         "ErcTurnIKTarget" "" "ErcTurnInjBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007668 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
007669 |         $EditorData {
007670 |             #EditorPos 11.0 -1.3000001
007671 |         }
007672 |     }
007673 |     $Node AnimNodeSourceSync {
007674 |         "ErcTurnIdleAnimSync" "" "Locomotion.Turn0" "noloop" "Turn"
007675 |         $Predictions {
007676 |             $Prediction {
007677 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007678 |             }
007679 |         }
007680 |         $EditorData {
007681 |             #EditorPos 8.3000002 -6.0
007682 |         }
007683 |     }
007684 |     $Node AnimNodeSourceSync {
007685 |         "ErcTurnIdleInjAnimSync" "" "LocomotionInjured.Turn0" "noloop" "Turn"
007686 |         $Predictions {
007687 |             $Prediction {
007688 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007689 |             }
007690 |         }
007691 |         $EditorData {
007692 |             #EditorPos 14.6999998 -6.0
007693 |         }
007694 |     }
007695 |     $Node AnimNodeBlend {
007696 |         "ErcTurnInjBlend" "" "Injured" "ErcTurnNBlend" "ErcTurnInjNBlend" 3
007697 |         $EditorData {
007698 |             #EditorPos 11.0 -2.6000001
007699 |         }
007699 |     }
```

```
007700 |     }
007701 |     $Node AnimNodeSourceSync {
007702 |         "ErcTurnInjL180SyncAnim" "" "LocomotionInjured.TurnL180" "noloop" "Turn"
007703 |         $Predictions {
007704 |             $Prediction {
007705 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007706 |             }
007707 |         }
007708 |         $EditorData {
007709 |             #EditorPos 12.6000004 -4.8000002
007710 |         }
007711 |     }
007712 |     $Node AnimNodeSourceSync {
007713 |         "ErcTurnInjL90SyncAnim" "" "LocomotionInjured.TurnL90" "noloop" "Turn"
007714 |         $Predictions {
007715 |             $Prediction {
007716 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
007717 |             }
007718 |         }
007719 |         $EditorData {
007720 |             #EditorPos 13.5 -5.4000001
007721 |         }
007722 |     }
007723 |     $Node AnimNodeBlendN {
007724 |         "ErcTurnInjNBlend" "" "eAI_TurnAmount" 0 "Lin"
007725 |         $Inputs {
007726 |             -2.0 "ErcTurnInjL180SyncAnim"
007727 |             -1.0 "ErcTurnInjL90SyncAnim"
007728 |             0.0 "ErcTurnIdleInjAnimSync"
007729 |             1.0 "ErcTurnInjR90SyncAnim"
007730 |             2.0 "ErcTurnInjR180SyncAnim"
007731 |         }
007732 |     }
007733 |     $EditorData {
007734 |         #EditorPos 14.6000004 -4.0999999
007735 |     }
007736 | }
007737 | $Node AnimNodeSourceSync {
007738 |     "ErcTurnInjR180SyncAnim" "" "LocomotionInjured.TurnR180" "noloop" "Turn"
007739 |     $Predictions {
007740 |         $Prediction {
007741 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007742 |         }
007743 |     }
007744 |     $EditorData {
007745 |         #EditorPos 16.7000008 -4.8000002
007746 |     }
007747 | }
007748 | $Node AnimNodeSourceSync {
007749 |     "ErcTurnInjR90SyncAnim" "" "LocomotionInjured.TurnR90" "noloop" "Turn"
007750 |     $Predictions {
007751 |         $Prediction {
007752 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007753 |         }
007754 |     }
007755 |     $EditorData {
007756 |         #EditorPos 15.6999998 -5.4000001
007757 |     }
007758 | }
007759 | $Node AnimNodeSourceSync {
007760 |     "ErcTurnL180SyncAnim" "" "Locomotion.TurnL180" "noloop" "Turn"
007761 |     $Predictions {
```

```
007762 |         $Prediction {
007763 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007764 |         }
007765 |     }
007766 |     $EditorData {
007767 |         #EditorPos 6.3000002 -4.8000002
007768 |     }
007769 | }
007770 | $Node AnimNodeSourceSync {
007771 |     "ErcTurnL90SyncAnim" "" "Locomotion.TurnL90" "noloop" "Turn"
007772 |     $Predictions {
007773 |         $Prediction {
007774 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007775 |         }
007776 |     }
007777 |     $EditorData {
007778 |         #EditorPos 7.2000003 -5.4000001
007779 |     }
007780 | }
007781 | $Node AnimNodeBlendTAdd {
007782 |     "ErcTurnLookBlendT" "" "ErcTurnHeadLookT" "LookInjBlend" "" "" "Look && !eAI_Raised" 0.3 "S" 0
007783 |     $EditorData {
007784 |         #EditorPos 11.0 3.0
007785 |     }
007786 | }
007787 | $Node AnimNodeBlendN {
007788 |     "ErcTurnNBlend" "" "eAI_TurnAmount" 0 "Lin"
007789 |     $Inputs {
007790 |         -2.0 "ErcTurnL180SyncAnim"
007791 |         -1.0 "ErcTurnL90SyncAnim"
007792 |         0.0 "ErcTurnIdleAnimSync"
007793 |         1.0 "ErcTurnR90SyncAnim"
007794 |         2.0 "ErcTurnR180SyncAnim"
007795 |     }
007796 |     $EditorData {
007797 |         #EditorPos 8.3000002 -4.0999999
007798 |     }
007799 | }
007800 | }
007801 | $Node AnimNodeSourceSync {
007802 |     "ErcTurnR180SyncAnim" "" "Locomotion.TurnR180" "noloop" "Turn"
007803 |     $Predictions {
007804 |         $Prediction {
007805 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007806 |         }
007807 |     }
007808 |     $EditorData {
007809 |         #EditorPos 10.4000006 -4.8000002
007810 |     }
007811 | }
007812 | $Node AnimNodeSourceSync {
007813 |     "ErcTurnR90SyncAnim" "" "Locomotion.TurnR90" "noloop" "Turn"
007814 |     $Predictions {
007815 |         $Prediction {
007816 |             "PredictionTurn" "EntityPosition" "" 1.0 7
007817 |         }
007818 |     }
007819 |     $EditorData {
007820 |         #EditorPos 9.4000006 -5.4000001
007821 |     }
007822 | }
007823 | $Node AnimNodeSource {
```

```
007824 |         "ExhaustionAnim" "" "Locomotion.IdleExhausted" "loop"
007825 |     $Predictions {
007826 |     }
007827 |     $EditorData {
007828 |         #EditorPos -0.9 4.5999999
007829 |     }
007830 | }
007831 | $Node AnimNodeSource {
007832 |     "ExhaustionBlinkAnim" "" "FacialExhausted" "noloop"
007833 |     $Predictions {
007834 |     }
007835 |     $EditorData {
007836 |         #EditorPos 1.2 4.5999999
007837 |     }
007838 | }
007839 | $Node AnimNodeBlend {
007840 |     "ExhaustionFacialB" "" "0.0" "ExhaustionAnim" "ExhaustionBlinkAnim" 0
007841 |     $EditorData {
007842 |         #EditorPos 0.1 5.4000001
007843 |     }
007844 | }
007845 | $Node AnimNodeSource {
007846 |     "FacialIdle01Anim" "" "FacialIdle01" "noloop"
007847 |     $Predictions {
007848 |     }
007849 |     $EditorData {
007850 |         #EditorPos -4.5999999 1.1
007851 |     }
007852 | }
007853 | $Node AnimNodeSource {
007854 |     "FacialIdle02Anim" "" "FacialIdle02" "noloop"
007855 |     $Predictions {
007856 |     }
007857 |     $EditorData {
007858 |         #EditorPos -3.6000001 1.7
007859 |     }
007860 | }
007861 | $Node AnimNodeSource {
007862 |     "FacialIdle03Anim" "" "FacialIdle03" "noloop"
007863 |     $Predictions {
007864 |     }
007865 |     $EditorData {
007866 |         #EditorPos -2.4000001 1.1
007867 |     }
007868 | }
007869 | $Node AnimNodeSource {
007870 |     "FacialIdleInj01nim" "" "FacialIdleInj01" "noloop"
007871 |     $Predictions {
007872 |     }
007873 |     $EditorData {
007874 |         #EditorPos -1.3000001 1.7
007875 |     }
007876 | }
007877 | $Node AnimNodeSource {
007878 |     "FacialIdleInj02Anim" "" "FacialIdleInj02" "noloop"
007879 |     $Predictions {
007880 |     }
007881 |     $EditorData {
007882 |         #EditorPos -0.3 1.1
007883 |     }
007884 | }
007885 | $Node AnimNodeSource {
```

```
007886 |         "FacialIdleInj03Anim" "" "FacialIdleInj03" "nolooop"
007887 |     $Predictions {
007888 |     }
007889 |     $EditorData {
007890 |         #EditorPos 0.9 1.7
007891 |     }
007892 | }
007893 | $Node AnimNodeSwitch {
007894 |     "FacialIdleInjSwitch" "" 0 0.0
007895 |     $switchitems 3 {
007896 |         $si {
007897 |             "FacialIdleInj01nim" "true" "90%=0, 7%=1, 3%=2"
007898 |         }
007899 |         $si {
007900 |             "FacialIdleInj02Anim" "" "95%=0,5%=2"
007901 |         }
007902 |         $si {
007903 |             "FacialIdleInj03Anim" "" "95%=0,5%=1"
007904 |         }
007905 |     }
007906 |     $EditorData {
007907 |         #EditorPos -0.3 2.4000001
007908 |     }
007909 | }
007910 | $Node AnimNodeSwitch {
007911 |     "FacialIdleSwitch" "" 0 0.0
007912 |     $switchitems 3 {
007913 |         $si {
007914 |             "FacialIdle01Anim" "true" "90%=0, 7%=1, 3%=2"
007915 |         }
007916 |         $si {
007917 |             "FacialIdle02Anim" "false" "95%=0,5%=2"
007918 |         }
007919 |         $si {
007920 |             "FacialIdle03Anim" "false" "95%=0,5%=1"
007921 |         }
007922 |     }
007923 |     $EditorData {
007924 |         #EditorPos -3.6000001 2.4000001
007925 |     }
007926 | }
007927 | $Node AnimNodeGroupSelect {
007928 |     "HotCroG" "" "SickHotAnim" "Locomotion" "Cro"
007929 |     $EditorData {
007930 |         #EditorPos -11.0 12.3000002
007931 |     }
007932 | }
007933 | $Node AnimNodeGroupSelect {
007934 |     "HotErcG" "" "SickHotAnim" "Locomotion" "Erc"
007935 |     $EditorData {
007936 |         #EditorPos -13.6000004 12.3000002
007937 |     }
007938 | }
007939 | $Node AnimNodeGroupSelect {
007940 |     "HotPneBG" "" "SickHotAnim" "Locomotion" "PneB"
007941 |     $EditorData {
007942 |         #EditorPos -11.0 11.3000002
007943 |     }
007944 | }
007945 | $Node AnimNodeGroupSelect {
007946 |     "HotPneG" "" "SickHotAnim" "Locomotion" "Pne"
007947 |     $EditorData {
```

```
007948 |             #EditorPos -13.6000004 11.3000002
007949 |         }
007950 |     }
007951 |     $Node AnimNodeSource {
007952 |         "IdleAnim" "" "Locomotion.Idle" "loop"
007953 |         $Predictions {
007954 |         }
007955 |         $EditorData {
007956 |             #EditorPos -7.2000003 3.3
007957 |         }
007958 |     }
007959 |     $Node AnimNodeBlend {
007960 |         "IdleExhaustionBlend" "" "Exhaustion" "IdleFacialB" "ExhaustionFacialB" 1
007961 |         $EditorData {
007962 |             #EditorPos -1.4 6.3000002
007963 |         }
007964 |     }
007965 |     $Node AnimNodeBlend {
007966 |         "IdleFacialB" "" "0.0" "IdleInjBlend" "IdleFacialInjuredT" 0
007967 |         $EditorData {
007968 |             #EditorPos -2.6000001 5.4000001
007969 |         }
007970 |     }
007971 |     $Node AnimNodeBlendT {
007972 |         "IdleFacialInjuredT" "" "FacialIdleSwitch" "FacialIdleInjSwitch" "" "" "Injured > 0.5" 0.3 "S" 7
007973 |         $EditorData {
007974 |             #EditorPos -2.1000001 3.3
007975 |         }
007976 |     }
007977 |     $Node AnimNodeIK2Target {
007978 |         "IdleIKTarget" "" "IdleExhaustionBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
007979 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
007980 |         $EditorData {
007981 |             #EditorPos -1.4 7.2000003
007982 |         }
007983 |     }
007984 |     $Node AnimNodeSource {
007985 |         "IdleInjAnim" "" "LocomotionInjured.Idle" "loop"
007986 |         $Predictions {
007987 |         }
007988 |         $EditorData {
007989 |             #EditorPos -4.8000002 3.3
007990 |         }
007991 |     }
007992 |     $Node AnimNodeBlend {
007993 |         "IdleInjBlend" "" "Injured" "IdleAnim" "IdleInjAnim" 3
007994 |         $EditorData {
007995 |             #EditorPos -5.8000002 4.2000003
007996 |         }
007997 |     }
007998 |     $Node AnimNodeBlendTAdd {
007999 |         "IdleLookLowBlendT" "" "IdleLookRasBlend" "LookInjBlend" "" "" "Look && !eAI_Raised" 0.3 "S" 0
008000 |         $EditorData {
008001 |             #EditorPos -1.4 9.1999998
008002 |         }
008003 |     }
008004 |     $Node AnimNodeBlendTAdd {
008005 |         "IdleLookRasBlend" "" "IdleIKTarget" "MoveLookPose" "" "" "Look && eAI_Raised" 0.3 "S" 0
008006 |         $EditorData {
008007 |             #EditorPos -1.4 8.1999998
008008 |         }
008009 |     }
```

```
008010 |     $Node AnimNodePose {
008011 |         "IdleRasADSPose" "" "Locomotion.AimingDownSight" "1.0"
008012 |         $EditorData {
008013 |             #EditorPos -0.5 16.8999996
008014 |         }
008015 |     }
008016 |     $Node AnimNodeBlendTAdd {
008017 |         "IdleRasADST" "" "IdleSTM" "IdleRasADSPose" "" "" "ADS" 0.24 "S2" 0
008018 |         $EditorData {
008019 |             #EditorPos -1.7 17.7000008
008020 |         }
008021 |     }
008022 |     $Node AnimNodeIK2Target {
008023 |         "IdleSTM" "" "IdleStateMachine" "LHandIKTarget = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
008024 | RHandIKTarget = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand"
008025 |         $EditorData {
008026 |             #EditorPos -1.8000001 15.6000004
008027 |         }
008028 |     }
008029 |     $Node AnimNodeStateMachine {
008030 |         "IdleStateMachine" ""
008031 |         $States 2 {
008032 |             $State {
008033 |                 "Idles" "" "IdleLookLowBlendT" "True" "notime" 0
008034 |                 $EditorData {
008035 |                     #EditorPos -1.4 12.1000004
008036 |                 }
008037 |             }
008038 |             $State {
008039 |                 "TurnMaster" "TagTurn" "TurnVar" "false" "normtime" 0
008040 |                 $EditorData {
008041 |                     #EditorPos 6.7000003 12.1000004
008042 |                 }
008043 |             }
008044 |         }
008045 |         $Transitions 3 {
008046 |             $Transition {
008047 |                 "Idles" "TurnMaster" "IsCommand(CMD_eAI_Turn)" "0.1" "" 6 "S"
008048 |             }
008049 |             $Transition {
008050 |                 "TurnMaster" "Idles" "GetLowerTime() > 0.85 || IsCommand(CMD_eAI_StopTurn)" "0.15" "" 1 "S"
008051 |             }
008052 |             $Transition {
008053 |                 "" "TurnMaster" "IsCommand(CMD_eAI_Turn)" "0.3" "0.15" 6 "S"
008054 |             }
008055 |         }
008056 |         $EditorData {
008057 |             #EditorPos -1.6 14.1000004
008058 |         }
008059 |     }
008060 |     $Node AnimNodeIK2Target {
008061 |         "PneTurnIKTarget" "" "PneTurnInjBlend" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
008062 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
008063 |         $EditorData {
008064 |             #EditorPos 14.8000002 -1.3000001
008065 |         }
008066 |     }
008067 |     $Node AnimNodeSourceSync {
008068 |         "PneTurnIdleAnimSync" "" "Locomotion.Turn0" "nolooop" "TurnCro"
008069 |         $Predictions {
008070 |             $Prediction {
008071 |                 "PredictionTurn" "EntityPosition" "" 1.0 7
```



```
008072 |     }
008073 |   }
008074 |   $EditorData {
008075 |     #EditorPos 21.8000011 -6.0
008076 |   }
008077 | }
008078 | $Node AnimNodeSourceSync {
008079 |   "PneTurnIdleInjAnimSync" "" "LocomotionInjured.Turn0" "noloop" "TurnCro"
008080 |   $Predictions {
008081 |     $Prediction {
008082 |       "PredictionTurn" "EntityPosition" "" 1.0 7
008083 |     }
008084 |   }
008085 |   $EditorData {
008086 |     #EditorPos 28.0 -6.0
008087 |   }
008088 | }
008089 | $Node AnimNodeBlend {
008090 |   "PneTurnInjBlend" "" "Injured" "PneTurnNBlend" "PneTurnInjNBlend" 3
008091 |   $EditorData {
008092 |     #EditorPos 24.3999996 -2.6000001
008093 |   }
008094 | }
008095 | $Node AnimNodeSourceSync {
008096 |   "PneTurnInjL180SyncAnim" "" "LocomotionInjured.TurnL180" "noloop" "TurnCro"
008097 |   $Predictions {
008098 |     $Prediction {
008099 |       "PredictionTurn" "EntityPosition" "" 1.0 7
008100 |     }
008101 |   }
008102 |   $EditorData {
008103 |     #EditorPos 26.0 -4.8000002
008104 |   }
008105 | }
008106 | $Node AnimNodeSourceSync {
008107 |   "PneTurnInjL90SyncAnim" "" "LocomotionInjured.TurnL90" "noloop" "TurnCro"
008108 |   $Predictions {
008109 |     $Prediction {
008110 |       "PredictionTurn" "EntityPosition" "" 1.0 7
008111 |     }
008112 |   }
008113 |   $EditorData {
008114 |     #EditorPos 26.8999996 -5.4000001
008115 |   }
008116 | }
008117 | $Node AnimNodeBlendN {
008118 |   "PneTurnInjNBlend" "" "eAI_TurnAmount" 0 "Lin"
008119 |   $Inputs {
008120 |     -2.0 "PneTurnInjL180SyncAnim"
008121 |     -1.0 "PneTurnInjL90SyncAnim"
008122 |     0.0 "PneTurnIdleInjAnimSync"
008123 |     1.0 "PneTurnInjR90SyncAnim"
008124 |     2.0 "PneTurnInjR180SyncAnim"
008125 |   }
008126 |   $EditorData {
008127 |     #EditorPos 28.0 -4.0999999
008128 |   }
008129 | }
008130 | }
008131 | $Node AnimNodeSourceSync {
008132 |   "PneTurnInjR180SyncAnim" "" "LocomotionInjured.TurnR180" "noloop" "TurnCro"
008133 |   $Predictions {
```

```
008134 |         $Prediction {
008135 |             "PredictionTurn" "EntityPosition" "" 1.0 7
008136 |         }
008137 |     }
008138 |     $EditorData {
008139 |         #EditorPos 30.1000004 -4.8000002
008140 |     }
008141 | }
008142 | $Node AnimNodeSourceSync {
008143 |     "PneTurnInjR90SyncAnim" "" "LocomotionInjured.TurnR90" "noloop" "TurnCro"
008144 |     $Predictions {
008145 |         $Prediction {
008146 |             "PredictionTurn" "EntityPosition" "" 1.0 7
008147 |         }
008148 |     }
008149 |     $EditorData {
008150 |         #EditorPos 29.1000004 -5.4000001
008151 |     }
008152 | }
008153 | $Node AnimNodeSourceSync {
008154 |     "PneTurnL180SyncAnim" "" "Locomotion.TurnL180" "noloop" "TurnCro"
008155 |     $Predictions {
008156 |         $Prediction {
008157 |             "PredictionTurn" "EntityPosition" "" 1.0 7
008158 |         }
008159 |     }
008160 |     $EditorData {
008161 |         #EditorPos 19.7000008 -4.8000002
008162 |     }
008163 | }
008164 | $Node AnimNodeSourceSync {
008165 |     "PneTurnL90SyncAnim" "" "Locomotion.TurnL90" "noloop" "TurnCro"
008166 |     $Predictions {
008167 |         $Prediction {
008168 |             "PredictionTurn" "EntityPosition" "" 1.0 7
008169 |         }
008170 |     }
008171 |     $EditorData {
008172 |         #EditorPos 20.6000004 -5.4000001
008173 |     }
008174 | }
008175 | $Node AnimNodeBlendTAdd {
008176 |     "PneTurnLookBlendT" "" "PneTurnIKTarget" "MoveLookPose" "" "" "Look && !eAI_Raised" 0.3 "S" 0
008177 |     $EditorData {
008178 |         #EditorPos 14.8000002 3.0
008179 |     }
008180 | }
008181 | $Node AnimNodeBlendN {
008182 |     "PneTurnNBlend" "" "eAI_TurnAmount" 0 "S2"
008183 |     $Inputs {
008184 |         -2.0 "PneTurnL180SyncAnim"
008185 |         -1.0 "PneTurnL90SyncAnim"
008186 |         0.0 "PneTurnIdleAnimSync"
008187 |         1.0 "PneTurnR90SyncAnim"
008188 |         2.0 "PneTurnR180SyncAnim"
008189 |     }
008190 |     $EditorData {
008191 |         #EditorPos 21.7000008 -4.2000003
008192 |     }
008193 | }
008194 | }
008195 | $Node AnimNodeSourceSync {
```

```
008196 |         "PneTurnR180SyncAnim" "" "Locomotion.TurnR180" "nolooop" "TurnCro"
008197 |     $Predictions {
008198 |         $Prediction {
008199 |             "PredictionTurn" "EntityPosition" "" 1.0 7
008200 |         }
008201 |     }
008202 |     $EditorData {
008203 |         #EditorPos 23.8000011 -4.8000002
008204 |     }
008205 | }
008206 | $Node AnimNodeSourceSync {
008207 |     "PneTurnR90SyncAnim" "" "Locomotion.TurnR90" "nolooop" "TurnCro"
008208 |     $Predictions {
008209 |         $Prediction {
008210 |             "PredictionTurn" "EntityPosition" "" 1.0 7
008211 |         }
008212 |     }
008213 |     $EditorData {
008214 |         #EditorPos 22.8000011 -5.4000001
008215 |     }
008216 | }
008217 | $Node AnimNodeSource {
008218 |     "SickColdAnim" "" "Locomotion.SickCold" "nolooop"
008219 |     $Predictions {
008220 |     }
008221 |     $EditorData {
008222 |         #EditorPos -19.1000004 9.1999998
008223 |     }
008224 | }
008225 | $Node AnimNodeStateMachine {
008226 |     "SickColdStanceSTM" "TagModifier"
008227 |     $States 4 {
008228 |         $State {
008229 |             "Erc" "" "ColdErcG" "Stance == 0" "realtime" 1
008230 |             $EditorData {
008231 |                 #EditorPos -20.6000004 16.1000004
008232 |             }
008233 |         }
008234 |         $State {
008235 |             "Cro" "" "ColdCroG" "Stance == 1" "realtime" 1
008236 |             $EditorData {
008237 |                 #EditorPos -17.8000011 16.1000004
008238 |             }
008239 |         }
008240 |         $State {
008241 |             "Pne" "" "ColdPneG" "Stance == 2" "realtime" 1
008242 |             $EditorData {
008243 |                 #EditorPos -20.6000004 14.4000006
008244 |             }
008245 |         }
008246 |         $State {
008247 |             "PneBack" "" "ColdPneBackG" "false" "realtime" 1
008248 |             $EditorData {
008249 |                 #EditorPos -17.8000011 14.4000006
008250 |             }
008251 |         }
008252 |     }
008253 |     $Transitions 3 {
008254 |         $Transition {
008255 |             "Pne" "PneBack" "IsTag(\"TagProneBack\")" "" "" 1 "S"
008256 |         }
008257 |         $Transition {
```

```
008258 |         "Erc" "Cro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
008259 |     }
008260 |     $Transition {
008261 |         "Cro" "Erc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
008262 |     }
008263 | }
008264 | $EditorData {
008265 |     #EditorPos -21.0 17.3999996
008266 | }
008267 | }
008268 | $Node AnimNodeSource {
008269 |     "SickCoughAnim" "" "Locomotion.SickCough" "nolooop"
008270 |     $Predictions {
008271 |     }
008272 |     $EditorData {
008273 |         #EditorPos -26.3000011 8.9000006
008274 |     }
008275 | }
008276 | $Node AnimNodeBlendT {
008277 |     "SickCoughMoveT" "" "SickCoughAnim" "SickCoughRot" "" "" "MovementSpeed > 0" 0.3 "S" 7
008278 |     $EditorData {
008279 |         #EditorPos -26.2000008 10.5
008280 |     }
008281 | }
008282 | $Node AnimNodeRot {
008283 |     "SickCoughRot" "" "SickCoughAnim" "1.0"
008284 |     $rotitems 3 {
008285 |         $ri {
008286 |             "Spine" "xmr" -0.1
008287 |         }
008288 |         $ri {
008289 |             "Spine1" "xmr" -0.1
008290 |         }
008291 |         $ri {
008292 |             "Spine2" "xmr" -0.1
008293 |         }
008294 |     }
008295 |     $EditorData {
008296 |         #EditorPos -26.1000004 9.6999998
008297 |     }
008298 | }
008299 | $Node AnimNodeStateMachine {
008300 |     "SickCoughStanceSTM" "TagModifier"
008301 |     $States 4 {
008302 |         $State {
008303 |             "Erc" "" "CoughErcG" "Stance == 0" "realtime" 1
008304 |             $EditorData {
008305 |                 #EditorPos -27.3999996 16.1000004
008306 |             }
008307 |         }
008308 |         $State {
008309 |             "Cro" "" "CoughCroG" "Stance == 1" "realtime" 1
008310 |             $EditorData {
008311 |                 #EditorPos -25.0 16.1000004
008312 |             }
008313 |         }
008314 |         $State {
008315 |             "Pne" "" "CoughPneG" "Stance == 2" "realtime" 1
008316 |             $EditorData {
008317 |                 #EditorPos -27.3999996 14.4000006
008318 |             }
008319 |     }
```

```
008320 |         $State {
008321 |             "PneBack" "" "CoughPneBackG" "false" "realtime" 1
008322 |             $EditorData {
008323 |                 #EditorPos -25.0 14.4000006
008324 |             }
008325 |         }
008326 |     }
008327 |     $Transitions 3 {
008328 |         $Transition {
008329 |             "Erc" "Cro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
008330 |         }
008331 |         $Transition {
008332 |             "Cro" "Erc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
008333 |         }
008334 |         $Transition {
008335 |             "Pne" "PneBack" "IsTag(\"TagProneBack\")" "" "" 1 "S"
008336 |         }
008337 |     }
008338 |     $EditorData {
008339 |         #EditorPos -27.8999996 17.3999996
008340 |     }
008341 | }
008342 | $Node AnimNodeSource {
008343 |     "SickHotAnim" "" "Locomotion.SickHot" "noloop"
008344 |     $Predictions {
008345 |     }
008346 |     $EditorData {
008347 |         #EditorPos -12.3000002 9.1999998
008348 |     }
008349 | }
008350 | $Node AnimNodeStateMachine {
008351 |     "SickHotStanceSTM" "TagModifier"
008352 |     $States 4 {
008353 |         $State {
008354 |             "Erc" "" "HotErcG" "Stance == 0" "realtime" 1
008355 |             $EditorData {
008356 |                 #EditorPos -13.6000004 16.1000004
008357 |             }
008358 |         }
008359 |         $State {
008360 |             "Pne" "" "HotPneG" "Stance == 2" "realtime" 1
008361 |             $EditorData {
008362 |                 #EditorPos -13.6000004 14.4000006
008363 |             }
008364 |         }
008365 |         $State {
008366 |             "Cro" "" "HotCroG" "Stance == 1" "realtime" 1
008367 |             $EditorData {
008368 |                 #EditorPos -11.0 16.1000004
008369 |             }
008370 |         }
008371 |         $State {
008372 |             "PneBack" "" "HotPneBG" "false" "realtime" 1
008373 |             $EditorData {
008374 |                 #EditorPos -11.0 14.4000006
008375 |             }
008376 |         }
008377 |     }
008378 |     $Transitions 3 {
008379 |         $Transition {
008380 |             "Erc" "Cro" "Stance == 1" "0.3" "GetLowerTime()" 1 "S"
008381 |         }
```

```
008382 |         $Transition {
008383 |             "Cro" "Erc" "Stance == 0" "0.3" "GetLowerTime()" 1 "S"
008384 |         }
008385 |         $Transition {
008386 |             "Pne" "PneBack" "IsTag(\"TagProneBack\")" "" "" 1 "S"
008387 |         }
008388 |     }
008389 |     $EditorData {
008390 |         #EditorPos -14.0 17.3999996
008391 |     }
008392 | }
008393 | $Node AnimNodeSource {
008394 |     "SickSneezeAnim" "" "Locomotion.SickSneeze" "nolooop"
008395 |     $Predictions {
008396 |     }
008397 |     $EditorData {
008398 |         #EditorPos -33.0 8.9000006
008399 |     }
008400 | }
008401 | $Node AnimNodeBlendT {
008402 |     "SickSneezeMoveT" "" "SickSneezeAnim" "SickSneezeRot" "" "" "MovementSpeed > 0" 0.3 "S" 7
008403 |     $EditorData {
008404 |         #EditorPos -32.9000015 10.5
008405 |     }
008406 | }
008407 | $Node AnimNodeRot {
008408 |     "SickSneezeRot" "" "SickSneezeAnim" "1.0"
008409 |     $rotitems 3 {
008410 |         $ri {
008411 |             "Spine" "xmr" -0.1
008412 |         }
008413 |         $ri {
008414 |             "Spine1" "xmr" -0.1
008415 |         }
008416 |         $ri {
008417 |             "Spine2" "xmr" -0.1
008418 |         }
008419 |     }
008420 |     $EditorData {
008421 |         #EditorPos -32.7999992 9.6999998
008422 |     }
008423 | }
008424 | $Node AnimNodeStateMachine {
008425 |     "SickSneezeStanceSTM" "TagModifier"
008426 |     $States 4 {
008427 |         $State {
008428 |             "Erc" "" "SneezeErcG" "Stance == 0" "realtime" 1
008429 |             $EditorData {
008430 |                 #EditorPos -34.2999992 15.9000006
008431 |             }
008432 |         }
008433 |         $State {
008434 |             "Cro" "" "SneezeCroG" "Stance == 1" "realtime" 1
008435 |             $EditorData {
008436 |                 #EditorPos -31.7000008 15.9000006
008437 |             }
008438 |         }
008439 |         $State {
008440 |             "Pne" "" "SneezePneG" "Stance == 2" "realtime" 1
008441 |             $EditorData {
008442 |                 #EditorPos -34.2999992 14.4000006
008443 |             }
008443 |         }
```

```
008444 |     }
008445 |     $State {
008446 |         "PneBack" "" "SneezePneBackG" "" "realtime" 1
008447 |         $EditorData {
008448 |             #EditorPos -31.7000008 14.4000006
008449 |         }
008450 |     }
008451 | }
008452 | $Transitions 3 {
008453 |     $Transition {
008454 |         "Pne" "PneBack" "IsTag(\"TagProneBack\")" "" "" 1 "S"
008455 |     }
008456 |     $Transition {
008457 |         "Erc" "Cro" "Stance == 1" "0.4" "GetLowerTime()" 1 "S"
008458 |     }
008459 |     $Transition {
008460 |         "Cro" "Erc" "Stance == 0" "0.4" "GetLowerTime()" 1 "S"
008461 |     }
008462 | }
008463 | $EditorData {
008464 |     #EditorPos -34.7000008 17.3999996
008465 | }
008466 | }
008467 | $Node AnimNodeGroupSelect {
008468 |     "SneezeCroG" "" "SickSneezeMoveT" "Locomotion" "Cro"
008469 |     $EditorData {
008470 |         #EditorPos -31.7000008 12.6999998
008471 |     }
008472 | }
008473 | $Node AnimNodeGroupSelect {
008474 |     "SneezeErcG" "" "SickSneezeMoveT" "Locomotion" "Erc"
008475 |     $EditorData {
008476 |         #EditorPos -34.2999992 12.6999998
008477 |     }
008478 | }
008479 | $Node AnimNodeGroupSelect {
008480 |     "SneezePneBackG" "" "SickSneezeMoveT" "Locomotion" "PneB"
008481 |     $EditorData {
008482 |         #EditorPos -31.7000008 11.8000002
008483 |     }
008484 | }
008485 | $Node AnimNodeGroupSelect {
008486 |     "SneezePneG" "" "SickSneezeMoveT" "Locomotion" "Pne"
008487 |     $EditorData {
008488 |         #EditorPos -34.2999992 11.8000002
008489 |     }
008490 | }
008491 | $Node AnimNodeStateMachine {
008492 |     "TurnStanceSTM" ""
008493 |     $States 3 {
008494 |         $State {
008495 |             "Cro" "" "CroTurnLookBlendT" "Stance == 1" "notime" 0
008496 |             $EditorData {
008497 |                 #EditorPos 7.5 4.8000002
008498 |             }
008499 |         }
008500 |         $State {
008501 |             "Erc" "" "ErcTurnLookBlendT" "Stance == 0" "notime" 0
008502 |             $EditorData {
008503 |                 #EditorPos 11.0 5.7000003
008504 |             }
008505 |         }
008505 |     }
```

```
008506 |         $State {
008507 |             "Pne" "" "PneTurnLookBlendT" "Stance == 2" "notime" 0
008508 |             $EditorData {
008509 |                 #EditorPos 14.8000002 4.7000003
008510 |             }
008511 |         }
008512 |     }
008513 |     $Transitions 6 {
008514 |         $Transition {
008515 |             "Erc" "Cro" "Stance == 1" "0.2" "" 0 "S"
008516 |         }
008517 |         $Transition {
008518 |             "Cro" "Erc" "Stance == 0" "0.2" "" 0 "S"
008519 |         }
008520 |         $Transition {
008521 |             "Erc" "Pne" "Stance == 2" "0.2" "" 0 "S"
008522 |         }
008523 |         $Transition {
008524 |             "Pne" "Erc" "Stance == 0" "0.2" "" 0 "S"
008525 |         }
008526 |         $Transition {
008527 |             "Cro" "Pne" "Stance == 2" "0.2" "" 0 "S"
008528 |         }
008529 |         $Transition {
008530 |             "Pne" "Cro" "Stance == 1" "0.2" "" 0 "S"
008531 |         }
008532 |     }
008533 |     $EditorData {
008534 |         #EditorPos 6.8000002 7.0
008535 |     }
008536 | }
008537 | $Node AnimNodeVarUpdate {
008538 |     "TurnVar" "" "TurnStanceSTM" 1 "eAI_TurnAmount" 7
008539 |     $EditorData {
008540 |         #EditorPos 6.5999999 9.5
008541 |     }
008542 | }
008543 | }
008544 | $Sheet "VerticalMovement" {
008545 |     $Node AnimNodeSource {
008546 |         "ClimbOverl10InAnim" "" "VerticalMovement.ClimbOverl10In" "nolop"
008547 |         $Predictions {
008548 |             $Prediction {
008549 |                 "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008550 |             }
008551 |         }
008552 |         $EditorData {
008553 |             #EditorPos 4.5 7.4000001
008554 |         }
008555 |     }
008556 |     $Node AnimNodeSource {
008557 |         "ClimbOverl10OutAnim" "" "VerticalMovement.ClimbOverl10Out" "nolop"
008558 |         $Predictions {
008559 |             $Prediction {
008560 |                 "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008561 |             }
008562 |         }
008563 |         $EditorData {
008564 |             #EditorPos 4.5 6.7000003
008565 |         }
008566 |     }
008567 |     $Node AnimNodeSource {
```



```
008568 |         "ClimbOver150InAnim" "" "VerticalMovement.ClimbOver150In" "nolooop"
008569 |     $Predictions {
008570 |         $Prediction {
008571 |             "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008572 |         }
008573 |     }
008574 |     $EditorData {
008575 |         #EditorPos 7.0999999 7.5
008576 |     }
008577 | }
008578 | $Node AnimNodeSource {
008579 |     "ClimbOver150OutAnim" "" "VerticalMovement.ClimbOver150Out" "nolooop"
008580 |     $Predictions {
008581 |         $Prediction {
008582 |             "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008583 |         }
008584 |     }
008585 |     $EditorData {
008586 |         #EditorPos 7.0999999 6.7000003
008587 |     }
008588 | }
008589 | $Node AnimNodeSource {
008590 |     "ClimbOver190InAnim" "" "VerticalMovement.ClimbOver190In" "nolooop"
008591 |     $Predictions {
008592 |         $Prediction {
008593 |             "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008594 |         }
008595 |     }
008596 |     $EditorData {
008597 |         #EditorPos 9.6999998 7.4000001
008598 |     }
008599 | }
008600 | $Node AnimNodeSource {
008601 |     "ClimbOver190OutAnim" "" "VerticalMovement.ClimbOver190Out" "nolooop"
008602 |     $Predictions {
008603 |         $Prediction {
008604 |             "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008605 |         }
008606 |     }
008607 |     $EditorData {
008608 |         #EditorPos 9.6999998 6.7000003
008609 |     }
008610 | }
008611 | $Node AnimNodeGroupSelect {
008612 |     "ErcRunVerticalG" "" "VerticalSTM" "VerticalMovement" "ErcRun"
008613 |     $EditorData {
008614 |         #EditorPos 1.4 13.5
008615 |     }
008616 | }
008617 | $Node AnimNodeSource {
008618 |     "RunClimb110Anim" "" "VerticalMovement.Climb110" "nolooop"
008619 |     $Predictions {
008620 |         $Prediction {
008621 |             "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008622 |         }
008623 |     }
008624 |     $EditorData {
008625 |         #EditorPos 1.8000001 7.4000001
008626 |     }
008627 | }
008628 | $Node AnimNodeSource {
008629 |     "RunClimb150Anim" "" "VerticalMovement.Climb150" "nolooop"
```

```
008630 |         $Predictions {
008631 |             $Prediction {
008632 |                 "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008633 |             }
008634 |         }
008635 |         $EditorData {
008636 |             #EditorPos 1.8000001 6.7000003
008637 |         }
008638 |     }
008639 |     $Node AnimNodeSource {
008640 |         "RunClimb190Anim" "" "VerticalMovement.Climb190" "nolop"
008641 |         $Predictions {
008642 |             $Prediction {
008643 |                 "ClimbPrediction" "EntityPosition" "Jump_Land" 1.0 3
008644 |             }
008645 |         }
008646 |         $EditorData {
008647 |             #EditorPos 1.8000001 6.0
008648 |         }
008649 |     }
008650 |     $Node AnimNodeStateMachine {
008651 |         "VerticalMaster" ""
008652 |         $States 1 {
008653 |             $State {
008654 |                 "ErcRun" "" "ErcRunVerticalG" "true" "notime" 1
008655 |                 $EditorData {
008656 |                     #EditorPos 1.4 15.4000006
008657 |                 }
008658 |             }
008659 |         }
008660 |         $Transitions 0 {
008661 |         }
008662 |         $EditorData {
008663 |             #EditorPos 0.7 16.7000008
008664 |         }
008665 |     }
008666 |     $Node AnimNodeStateMachine {
008667 |         "VerticalSTM" "TagClimb"
008668 |         $States 9 {
008669 |             $State {
008670 |                 "Climb110" "" "RunClimb110Anim" "GetCommandI(CMD_Climb) == 0" "realtime" 1
008671 |                 $EditorData {
008672 |                     #EditorPos 1.8000001 10.6999998
008673 |                 }
008674 |             }
008675 |             $State {
008676 |                 "Climb150" "" "RunClimb150Anim" "GetCommandI(CMD_Climb) == 1" "realtime" 1
008677 |                 $EditorData {
008678 |                     #EditorPos 1.8000001 9.9000006
008679 |                 }
008680 |             }
008681 |             $State {
008682 |                 "Climb190" "" "RunClimb190Anim" "GetCommandI(CMD_Climb) == 2" "realtime" 1
008683 |                 $EditorData {
008684 |                     #EditorPos 1.8000001 9.1000004
008685 |                 }
008686 |             }
008687 |             $State {
008688 |                 "ClimbOver110In" "" "ClimbOver110InAnim" "GetCommandI(CMD_ClimbOver) == 0" "realtime" 0
008689 |                 $EditorData {
008690 |                     #EditorPos 4.5 10.6999998
008691 |                 }
008691 |             }
```

```

008692 |     }
008693 |     $State {
008694 |         "ClimbOver110Out" "" "ClimbOver110OutAnim" "" "realtime" 1
008695 |         $EditorData {
008696 |             #EditorPos 4.5 9.9000006
008697 |         }
008698 |     }
008699 |     $State {
008700 |         "ClimbOver150In" "" "ClimbOver150InAnim" "GetCommandI(CMD_ClimbOver) == 1" "realtime" 0
008701 |         $EditorData {
008702 |             #EditorPos 7.0999999 10.6999998
008703 |         }
008704 |     }
008705 |     $State {
008706 |         "ClimbOver150Out" "" "ClimbOver150OutAnim" "" "realtime" 1
008707 |         $EditorData {
008708 |             #EditorPos 7.0999999 9.9000006
008709 |         }
008710 |     }
008711 |     $State {
008712 |         "ClimbOver190In" "" "ClimbOver190InAnim" "GetCommandI(CMD_ClimbOver) == 2" "realtime" 0
008713 |         $EditorData {
008714 |             #EditorPos 9.6999998 10.6999998
008715 |         }
008716 |     }
008717 |     $State {
008718 |         "ClimbOver190Out" "" "ClimbOver190OutAnim" "" "realtime" 1
008719 |         $EditorData {
008720 |             #EditorPos 9.6999998 9.9000006
008721 |         }
008722 |     }
008723 | }
008724 | $Transitions 3 {
008725 |     $Transition {
008726 |         "ClimbOver110In" "ClimbOver110Out" "RemainingTimeLess(0.01)" "0.2" "" 1 "S"
008727 |     }
008728 |     $Transition {
008729 |         "ClimbOver150In" "ClimbOver150Out" "RemainingTimeLess(0.02)" "0.2" "" 1 "Lin"
008730 |     }
008731 |     $Transition {
008732 |         "ClimbOver190In" "ClimbOver190Out" "RemainingTimeLess(0.01)" "0.3" "" 1 "S"
008733 |     }
008734 | }
008735 | $EditorData {
008736 |     #EditorPos 1.4 12.0
008737 | }
008738 | }
008739 | }
008740 | $Sheet "LookPoses" {
008741 |     $Node AnimNodeBlend {
008742 |         "AimInjBlend" "" "Injured" "AimPose" "AimInjPose" 3
008743 |         $EditorData {
008744 |             #EditorPos 18.6000004 13.3000002
008745 |         }
008746 |     }
008747 |     $Node AnimNodePose2 {
008748 |         "AimInjPose" "" "LocomotionInjured.Aim" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008749 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008750 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008751 |         $EditorData {
008752 |             #EditorPos 19.5 12.5
008753 |     }

```

```
008754 |     }
008755 |     $Node AnimNodePose2 {
008756 |         "AimInjWalkPose" "" "Locomotion.Injured.AimWalk" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008757 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008758 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008759 |         $EditorData {
008760 |             #EditorPos 14.9000006 11.3000002
008761 |         }
008762 |     }
008763 |     $Node AnimNodeBlend {
008764 |         "AimObstBlend" "" "ObstructionFloat" "AimPose" "AimObstPose" 3
008765 |         $EditorData {
008766 |             #EditorPos 19.5 14.4000006
008767 |         }
008768 |     }
008769 |     $Node AnimNodePose2 {
008770 |         "AimObstPose" "" "Locomotion.AimObst" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 3, X(0) = 6, X(90) = 9, X(180) = 12
008771 | Y(0): X(-180) = 13, X(-90) = 16, X(0) = 19, X(90) = 22, X(180) = 25
008772 | Y(90): X(-180) = 26, X(-90) = 29, X(0) = 32, X(90) = 35, X(180) = 38"
008773 |         $EditorData {
008774 |             #EditorPos 21.7000008 12.5
008775 |         }
008776 |     }
008777 |     $Node AnimNodePose2 {
008778 |         "AimPose" "" "Locomotion.Aim" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 3, X(0) = 6, X(90) = 9, X(180) = 12
008779 | Y(0): X(-180) = 13, X(-90) = 16, X(0) = 19, X(90) = 22, X(180) = 25
008780 | Y(90): X(-180) = 26, X(-90) = 29, X(0) = 32, X(90) = 35, X(180) = 38"
008781 |         $EditorData {
008782 |             #EditorPos 17.2000008 12.5
008783 |         }
008784 |     }
008785 |     $Node AnimNodeBlend {
008786 |         "AimRunObstBlend" "" "ObstructionFloat" "AimRunPose" "AimRunPoseObst" 3
008787 |         $EditorData {
008788 |             #EditorPos 11.5 12.8000002
008789 |         }
008790 |     }
008791 |     $Node AnimNodePose2 {
008792 |         "AimRunPose" "" "Locomotion.AimRun" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008793 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008794 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008795 |         $EditorData {
008796 |             #EditorPos 10.4000006 11.9000006
008797 |         }
008798 |     }
008799 |     $Node AnimNodePose2 {
008800 |         "AimRunPoseObst" "" "Locomotion.AimRunObst" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008801 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008802 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008803 |         $EditorData {
008804 |             #EditorPos 12.5 11.9000006
008805 |         }
008806 |     }
008807 |     $Node AnimNodePose2 {
008808 |         "AimWalkPose" "" "Locomotion.AimWalk" "eAI_AimY" "eAI_AimX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008809 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008810 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008811 |         $EditorData {
008812 |             #EditorPos 13.8000002 10.4000006
008813 |         }
008814 |     }
008815 |     $Node AnimNodePose {
```

```
008816 |         "CroADSPose" "" "Locomotion.CroRas.AimingDownSight" "1.0"
008817 |     $EditorData {
008818 |         #EditorPos 11.1000004 7.4000001
008819 |     }
008820 | }
008821 | $Node AnimNodePose {
008822 |     "CroADSWalkPose" "" "Locomotion.CroRas.AimingDownSightWalk" "1.0"
008823 |     $EditorData {
008824 |         #EditorPos 11.1000004 6.5
008825 |     }
008826 | }
008827 | $Node AnimNodePose2 {
008828 |     "CroInjLookPose" "" "LocomotionInjured.Erc.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008829 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008830 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008831 |     $EditorData {
008832 |         #EditorPos 10.1999998 14.6999998
008833 |     }
008834 | }
008835 | $Node AnimNodeBlend {
008836 |     "CroLookBlend" "" "Injured" "CroLookPose" "CroInjLookPose" 3
008837 |     $EditorData {
008838 |         #EditorPos 9.1999998 15.4000006
008839 |     }
008840 | }
008841 | $Node AnimNodePose2 {
008842 |     "CroLookPose" "" "Locomotion.Cro.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008843 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008844 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008845 |     $EditorData {
008846 |         #EditorPos 8.1000004 14.6999998
008847 |     }
008848 | }
008849 | $Node AnimNodePose2 {
008850 |     "CroRestrainedLook" "" "Restrained.Cro.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
008851 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
008852 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
008853 |     $EditorData {
008854 |         #EditorPos 11.1000004 9.1000004
008855 |     }
008856 | }
008857 | $Node AnimNodePose {
008858 |     "ErcADSPose" "" "Locomotion.ErcRas.AimingDownSight" "1.0"
008859 |     $EditorData {
008860 |         #EditorPos 8.9000006 7.4000001
008861 |     }
008862 | }
008863 | $Node AnimNodePose2 {
008864 |     "ErcInjLookPose" "" "LocomotionInjured.Erc.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008865 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008866 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008867 |     $EditorData {
008868 |         #EditorPos 5.2000003 14.6999998
008869 |     }
008870 | }
008871 | $Node AnimNodeBlend {
008872 |     "ErcLookBlend" "" "Injured" "ErcLookPose" "ErcInjLookPose" 3
008873 |     $EditorData {
008874 |         #EditorPos 4.2000003 15.4000006
008875 |     }
008876 | }
008877 | $Node AnimNodePose2 {
```

```
008878 |         "ErcLookPose" "" "Locomotion.Erc.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008879 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008880 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008881 |         $EditorData {
008882 |             #EditorPos 3.0 14.6999998
008883 |         }
008884 |     }
008885 |     $Node AnimNodeBlendT {
008886 |         "ErcLookPoseFixBlend" "" "MoveLookPose" "MoveLookPoseFix" "" "" "eAI_LookDirX > 179 || eAI_LookDirX < -179" 1.0 "S" 0
008887 |         $EditorData {
008888 |             #EditorPos 3.6000001 10.6000004
008889 |         }
008890 |     }
008891 |     $Node AnimNodePose2 {
008892 |         "ErcRestrainedLook" "" "Restrained.Erc.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
008893 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
008894 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
008895 |         $EditorData {
008896 |             #EditorPos 8.9000006 9.1000004
008897 |         }
008898 |     }
008899 |     $Node AnimNodePose2 {
008900 |         "IdleLookInjPose" "" "LocomotionInjured.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008901 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008902 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008903 |         $EditorData {
008904 |             #EditorPos 8.1999998 12.4000006
008905 |         }
008906 |     }
008907 |     $Node AnimNodePose2 {
008908 |         "IdleLookPose" "" "Locomotion.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008909 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008910 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008911 |         $EditorData {
008912 |             #EditorPos 6.0 12.4000006
008913 |         }
008914 |     }
008915 |     $Node AnimNodePose2 {
008916 |         "KneelRestrainedLook" "" "Restrained.Kneel.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
008917 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
008918 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
008919 |         $EditorData {
008920 |             #EditorPos 15.5 9.1000004
008921 |         }
008922 |     }
008923 |     $Node AnimNodeBlend {
008924 |         "LookInjBlend" "" "Injured" "IdleLookPose" "IdleLookInjPose" 3
008925 |         $EditorData {
008926 |             #EditorPos 7.0 13.1999998
008927 |         }
008928 |     }
008929 |     $Node AnimNodePose2 {
008930 |         "MoveHeadLookPose" "" "Locomotion.Cro.MoveLookHead" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
008931 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
008932 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
008933 |         $EditorData {
008934 |             #EditorPos 2.6000001 5.3000002
008935 |         }
008936 |     }
008937 |     $Node AnimNodeBlendT {
008938 |         "MoveHeadLookPoseBlend" "" "MoveHeadLookPose" "MoveHeadLookPoseFix" "" "" "eAI_LookDirX > 145 || eAI_LookDirX < -145" 0.3 "S2" 3
008939 |         $EditorData {
```

```
008940 |         #EditorPos 3.3 6.5
008941 |     }
008942 | }
008943 | $Node AnimNodeBlend {
008944 |     "MoveHeadLookPoseBlendTEST" "" "clamp(1+(-160-eAI_LookDirX)*0.02, 0, 1) + clamp(1-(160-eAI_LookDirX)*0.02, 0, 1)" "MoveHeadLookPose" "MoveHeadLookPos
eFix" 1
008945 |     $EditorData {
008946 |         #EditorPos 5.8000002 6.4000001
008947 |     }
008948 | }
008949 | $Node AnimNodePose2 {
008950 |     "MoveHeadLookPoseFix" "" "Locomotion.Cro.MoveLookHead" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)=1, X(0) = 1, X(90) = 1
008951 | Y(0): X(-90) = 4, X(0) = 4, X(90) = 4
008952 | Y(90): X(-90) = 7, X(0) = 7, X(90) = 7"
008953 |     $EditorData {
008954 |         #EditorPos 4.7000003 5.3000002
008955 |     }
008956 | }
008957 | $Node AnimNodePose2 {
008958 |     "MoveLookPose" "" "Locomotion.MoveLook" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
008959 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
008960 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
008961 |     $EditorData {
008962 |         #EditorPos 2.6000001 9.4000006
008963 |     }
008964 | }
008965 | $Node AnimNodePose2 {
008966 |     "MoveLookPoseFix" "" "Locomotion.MoveLook" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
008967 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
008968 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
008969 |     $EditorData {
008970 |         #EditorPos 4.7000003 9.4000006
008971 |     }
008972 | }
008973 | $Node AnimNodePose {
008974 |     "PneADSPose" "" "Locomotion.PneRas.AimingDownSight" "1.0"
008975 |     $EditorData {
008976 |         #EditorPos 14.8000002 5.8000002
008977 |     }
008978 | }
008979 | $Node AnimNodePose2 {
008980 |     "PneInjLookPose" "" "LocomotionInjured.Pne.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008981 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008982 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008983 |     $EditorData {
008984 |         #EditorPos 15.3000002 14.6999998
008985 |     }
008986 | }
008987 | $Node AnimNodeBlend {
008988 |     "PneLookBlend" "" "Injured" "PneLookPose" "PneInjLookPose" 3
008989 |     $EditorData {
008990 |         #EditorPos 14.3000002 15.4000006
008991 |     }
008992 | }
008993 | $Node AnimNodePose2 {
008994 |     "PneLookPose" "" "Locomotion.Pne.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
008995 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
008996 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
008997 |     $EditorData {
008998 |         #EditorPos 13.1999998 14.6999998
008999 |     }
009000 | }
```

```
009001 |     $Node AnimNodeBlend {
009002 |         "PneOnBackADSBBlend" "" "abs(eAI_AimX)/180" "PneADSPose" "PneOnBackADSPose" 3
009003 |         $EditorData {
009004 |             #EditorPos 16.0 7.3000002
009005 |         }
009006 |     }
009007 |     $Node AnimNodePose {
009008 |         "PneOnBackADSPose" "" "Locomotion.PneBRas.AimingDownSight" "1.0"
009009 |         $EditorData {
009010 |             #EditorPos 17.3000011 5.8000002
009011 |         }
009012 |     }
009013 |     $Node AnimNodePose2 {
009014 |         "PneRestrainedLook" "" "Restrained.Pne.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-90)= 0, X(0) = 1, X(90) = 2
009015 | Y(0): X(-90) = 3, X(0) = 4, X(90) = 5
009016 | Y(90): X(-90) = 6, X(0) = 7, X(90) = 8"
009017 |         $EditorData {
009018 |             #EditorPos 13.3000002 9.1000004
009019 |         }
009020 |     }
009021 |     $Node AnimNodePose2 {
009022 |         "SpineLookPose" "" "Locomotion.Erc.SpineLook" "eAI_LookDirY" "eAI_LookDirX" "Y(-180): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
009023 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
009024 | Y(180): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
009025 |         $EditorData {
009026 |             #EditorPos 2.5 7.4000001
009027 |         }
009028 |     }
009029 |     $Node AnimNodeBlend {
009030 |         "SpineLookPoseBlend" "" "clamp(1+(-160-eAI_LookDirX)*0.02, 0, 1) + clamp(1-(160-eAI_LookDirX)*0.02, 0, 1)" "SpineLookPose" "SpineLookPoseFix" 1
009031 |         $EditorData {
009032 |             #EditorPos 3.7 8.4000006
009033 |         }
009034 |     }
009035 |     $Node AnimNodePose2 {
009036 |         "SpineLookPoseFix" "" "Locomotion.Erc.SpineLook" "eAI_LookDirY" "eAI_LookDirX" "Y(-180): X(-180)= 2, X(-90) = 2, X(0) = 2, X(90) = 2, X(180) = 2
009037 | Y(0): X(-180) = 7, X(-90) = 7, X(0) = 7, X(90) = 7, X(180) = 7
009038 | Y(180): X(-180) = 12, X(-90) = 12, X(0) = 12, X(90) = 12, X(180) = 12"
009039 |         $EditorData {
009040 |             #EditorPos 5.0 7.4000001
009041 |         }
009042 |     }
009043 | }
009044 | }
009045 | }
```


0289. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/master.agr
 Size bytes: 18557
 SHA-256: f0218860a1dbcf4d20d49e3baabc83b3b8e69155dde769ceb6199eec7e2e427a
 Decoded as: utf-8-sig
 Line count shown: 651

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "MasterControl" {
000003 |         $Node AnimNodePose {
000004 |             "APoseSrc" "" "Locomotion.ErcRas.Idle" "0.0"
000005 |             $EditorData {
000006 |                 #EditorPos 2.9000001 17.6000004
000007 |             }
000008 |         }
000009 |         $Node AnimNodeBlend {
000010 |             "InventoryFacialB" "" "1.0" "InventoryIK" "InventoryFacialIdleAnim" 1
000011 |             $EditorData {
000012 |                 #EditorPos 14.1000004 12.3000002
000013 |             }
000014 |         }
000015 |         $Node AnimNodeSource {
000016 |             "InventoryFacialIdleAnim" "" "FacialIdle01" "loop"
000017 |             $Predictions {
000018 |             }
000019 |             $EditorData {
000020 |                 #EditorPos 15.1999998 11.3000002
000021 |             }
000022 |         }
000023 |         $Node AnimNodeWeaponIK {
000024 |             "InventoryIK" "" "InventoryIdleG" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 1)" "isbitset(ArmIK, 2)" 0.24 0.24 "eAI_AimIKX" "eAI_AimX" "WeaponIkTest" "/"
000025 |             ik pose anim
000026 |             // (root - means RightHand - but right hand is not exported)
000027 |             // | - RightHand_Dummy (where Weapon is)
000028 |             // | | - LeftHandIKTarget (where left hand is on weapon)
000029 |             // | - RightHandOrigin ( inverse transform where hand originally was)
000030 |             // basic setup -
000031 |             // hand - bone which represents hand holding weapon
000032 |             // weapon - bone which represents weapon node in hand
000033 |             // weaponrotator - bone - around which weapon rotates
000034 |             hand = RightHand
000035 |             weapon = RightHand_Dummy
000036 |             weaponrotator = RightArm
000037 |             weaponaxis= -x
000038 |
000039 |             //!
000040 |             chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
000041 |             chainaxis=-x
000042 |             secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
000043 |             secchainaxis=+x
000044 |
000045 |             ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
000046 |             ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
000047 |             ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
000048 |             ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
000049 |             ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
000050 |             ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
```

```
000051 | ikpose_secchainmiddledirot = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
000052 |
000053 | "
000054 |     $EditorData {
000055 |         #EditorPos 14.1000004 10.4000006
000056 |     }
000057 | }
000058 | $Node AnimNodeGroupSelect {
000059 |     "InventoryIdleG" "" "InventoryIdleInjG" "Locomotion" "Erc"
000060 |     $EditorData {
000061 |         #EditorPos 14.1000004 9.6000004
000062 |     }
000063 | }
000064 | $Node AnimNodeGroupSelect {
000065 |     "InventoryIdleInjG" "" "IdleAnim" "LocomotionInjured" "Erc"
000066 |     $EditorData {
000067 |         #EditorPos 14.1000004 8.8000002
000068 |     }
000069 | }
000070 | $Node AnimNodeBlend {
000071 |     "MasterControl" "" "1.0" "APoseSrc" "MasterControlSTM" 0
000072 |     $EditorData {
000073 |         #EditorPos 4.0 19.1000004
000074 |     }
000075 | }
000076 | $Node AnimNodeStateMachine {
000077 |     "MasterControlSTM" ""
000078 |     $States 13 {
000079 |         $State {
000080 |             "Movement" "" "LocomotionQBufferUse" "VehicleType == -1" "notime" 0
000081 |             $EditorData {
000082 |                 #EditorPos 4.0 11.9000006
000083 |             }
000084 |         }
000085 |         $State {
000086 |             "Vehicles" "" "VehicleMaster" "VehicleType > -1" "notime" 0
000087 |             $EditorData {
000088 |                 #EditorPos 2.8 14.0
000089 |             }
000090 |         }
000091 |         $State {
000092 |             "Falling" "" "FallMasterIK" "" "notime" 0
000093 |             $EditorData {
000094 |                 #EditorPos 0.4 12.6000004
000095 |             }
000096 |         }
000097 |         $State {
000098 |             "Deaths" "TagDeath" "DeathStanceSTM" "" "notime" 0
000099 |             $EditorData {
000100 |                 #EditorPos 0.4 14.0
000101 |             }
000102 |         }
000103 |         $State {
000104 |             "Swimming" "TagSwimming" "SwimmingHitQ" "GetCommandI(CMD_Swim) == 1" "notime" 0
000105 |             $EditorData {
000106 |                 #EditorPos 2.8 9.9000006
000107 |             }
000108 |         }
000109 |         $State {
000110 |             "Ladder" "" "LadderMaster" "" "realtime" 0
000111 |             $EditorData {
000112 |                 #EditorPos 0.4 9.9000006
```

```
000113 |     }
000114 | }
000115 | $State {
000116 |     "FullBodyActions" "" "FullBodyActionMaster" "" "notime" 0
000117 |     $EditorData {
000118 |         #EditorPos 7.5999999 11.9000006
000119 |     }
000120 | }
000121 | $State {
000122 |     "FullBodyHits" "" "DamageFullBodyMaster" "" "realtime" 0
000123 |     $EditorData {
000124 |         #EditorPos 7.7000003 14.0
000125 |     }
000126 | }
000127 | $State {
000128 |     "Melee" "" "MeleeMasterQ" "" "notime" 0
000129 |     $EditorData {
000130 |         #EditorPos 5.2000003 14.0
000131 |     }
000132 | }
000133 | $State {
000134 |     "Unconscious" "TagUnconscious" "UnconsciousIK" "" "realtime" 0
000135 |     $EditorData {
000136 |         #EditorPos 5.2000003 9.9000006
000137 |     }
000138 | }
000139 | $State {
000140 |     "VerticalMovement" "" "VerticalMaster" "" "notime" 0
000141 |     $EditorData {
000142 |         #EditorPos 0.4 11.1999998
000143 |     }
000144 | }
000145 | $State {
000146 |     "FullBodyPneBAActions" "TagProneBack" "FullBodyPneBAActionMaster" "" "notime" 0
000147 |     $EditorData {
000148 |         #EditorPos 7.5999999 9.9000006
000149 |     }
000150 | }
000151 | $State {
000152 |     "DeathOnBack" "" "DeathOnBackSTM" "false" "notime" 0
000153 |     $EditorData {
000154 |         #EditorPos -1.8000001 14.0
000155 |     }
000156 | }
000157 | }
000158 | $Transitions 31 {
000159 |     $Transition {
000160 |         "" "FullBodyActions" "IsCommand(CMD_FullBodyAction) && GetCommandI(CMD_FullBodyAction) == 72" "0.4" "" 0 "S"
000161 |     }
000162 |     $Transition {
000163 |         "" "Unconscious" "GetCommandI(CMD_Unconscious) == 0 && !IsTag(\"TagSwimming\") && !IsTag(\"TagVehicle\")" "0.2" "" 1 "S"
000164 |     }
000165 |     $Transition {
000166 |         "Movement" "Vehicles" "IsCommand(CMD_Vehicle_GetIn)" "" "" 0 "S"
000167 |     }
000168 |     $Transition {
000169 |         "Vehicles" "Movement" "RemainingTimeLess(0.01)" "" "" 1 "S"
000170 |     }
000171 |     $Transition {
000172 |         "" "Swimming" "GetCommandI(CMD_Swim) == 1 || (GetCommandI(CMD_Unconscious) == 1 && !IsTag(\"TagSwimming\"))" "0.6" "" 0 "S"
000173 |     }
000174 |     $Transition {
```

```

000175 |         "Falling" "Movement" "RemainingTimeLess(0.1) || IsCommand(CMD_FallCancel)" "0.3" "0.8" 7 "S"
000176 |     }
000177 |     $Transition {
000178 |         "Falling" "Movement" "IsCommand(CMD_LandImmediate)" "0.25" "" 6 "S"
000179 |     }
000180 |     $Transition {
000181 |         "" "Deaths" "IsCommand(CMD_Death)
000182 | &&
000183 | !IsTag(\"TagVehicle\")
000184 | &&
000185 | !IsTag(\"TagProneBack\")
000186 | &&
000187 | !((eAI_AimX < -90 || eAI_AimX > 90) && eAI_Raised)" "0.1" "" 1 "S"
000188 |     }
000189 |     $Transition {
000190 |         "Swimming" "Vehicles" "IsCommand(CMD_Vehicle_GetIn)" "" "" 0 "S"
000191 |     }
000192 |     $Transition {
000193 |         "Swimming" "Movement" "GetCommandI(CMD_Swim) == 0" "0.5" "" 0 "S"
000194 |     }
000195 |     $Transition {
000196 |         "" "Falling" "IsCommand(CMD_Jump) || IsCommand(CMD_Fall)" "0.25" "" 1 "S"
000197 |     }
000198 |     $Transition {
000199 |         "Movement" "Ladder" "IsCommand(CMD_Ladder_Enter)" "0.3" "" 0 "S"
000200 |     }
000201 |     $Transition {
000202 |         "Ladder" "Movement" "RemainingTimeLess(0.2)" "0.2" "0.4" 1 "S"
000203 |     }
000204 |     $Transition {
000205 |         "Movement" "FullBodyPneBActions" "IsCommand(CMD_FullBodyAction) && IsTag(\"TagProneBack\") && !eAI_Raised" "0.3" "" 1 "S"
000206 |     }
000207 |     $Transition {
000208 |         "Movement" "FullBodyActions" "IsCommand(CMD_FullBodyAction) && !IsTag(\"TagProneBack\") && !eAI_Raised" "0.3" "" 1 "S"
000209 |     }
000210 |     $Transition {
000211 |         "FullBodyPneBActions" "Movement" "(RemainingTimeLess(0.8) || GetCommandI(CMD_InternalAction) == -2) && !IsTag(\"TagActionOnce\")" "0.6" "" 1
000212 |     }
000213 |     $Transition {
000214 |         "FullBodyActions" "Movement" "RemainingTimeLess(0.1) || GetCommandI(CMD_InternalAction) == -2" "0.3" "" 1 "S"
000215 |     }
000216 |     $Transition {
000217 |         "" "FullBodyHits" "IsCommand(CMD_DamageHeavy) && !IsTag(\"TagSwimming\")" "0.1" "" 1 "S"
000218 |     }
000219 |     $Transition {
000220 |         "FullBodyHits" "Movement" "RemainingTimeLess(0.1)" "0.2" "" 1 "S"
000221 |     }
000222 |     $Transition {
000223 |         "Movement" "Melee" "IsCommand(CMD_Melee_Attack2) && (Stance == 0 || (Stance == 2 && (!eAI_Raised || (eAI_Raised && ((eAI_AimX >= -65 && eAI_A
000224 | imX <= 65) || (eAI_AimX <= -125 || eAI_AimX >= 125)))))) || IsCommand(CMD_Melee_Stealth) && Stance == 0" "0.3" "" 0 "S"
000225 |     }
000226 |     $Transition {
000227 |         "Melee" "Movement" "RemainingTimeLess(0.01) || IsCommand(CMD_Melee_Exit)" "0.35" "0.25" 1 "S"
000228 |     }
000229 |     $Transition {
000230 |         "Melee" "FullBodyHits" "IsCommand(CMD_DamageHeavy)" "0.3" "" 0 "S"
000231 |     }
000232 |     $Transition {
000233 |         "Unconscious" "Movement" "RemainingTimeLess(0.4)" "0.4" "" 1 "S"
000234 |     }
000235 |     $Transition {

```

```
000235 |         "Swimming" "Ladder" "IsCommand(CMD_Ladder_Enter)" "0.3" "" 0 "S"
000236 |     }
000237 |     $Transition {
000238 |         "VerticalMovement" "Movement" "RemainingTimeLess(0.1)" "0.4" "" 1 "S"
000239 |     }
000240 |     $Transition {
000241 |         "" "VerticalMovement" "IsCommand(CMD_Climb) || IsCommand(CMD_ClimbOver)" "0.2" "0.0" 1 "S"
000242 |     }
000243 |     $Transition {
000244 |         "Unconscious" "Swimming" "IsTag(\"TagUnconsciousWater\") && RemainingTimeLess(0.4)" "0.4" "" 1 "S"
000245 |     }
000246 |     $Transition {
000247 |         "FullBodyPneBActions" "Movement" "(RemainingTimeLess(0.4) || GetCommandI(CMD_InternalAction) == -2) && IsTag(\"TagActionOnce\")" "0.4" "" 1 "
S"
000248 |     }
000249 |     $Transition {
000250 |         "Melee" "Movement" "IsEvent(\"CombatEarlyExitSprint\") && MovementSpeed > 0" "0.6" "0.5" 1 "S"
000251 |     }
000252 |     $Transition {
000253 |         "Vehicles" "Deaths" "false" "" "" 0 "S"
000254 |     }
000255 |     $Transition {
000256 |         "" "DeathOnBack" "IsCommand(CMD_Death)
&&
000257 |         !IsTag(\"TagVehicle\")
&&
000258 |         (IsTag(\"TagProneBack\")
||
000259 |         ((eAI_AimX < -90 || eAI_AimX > 90) && eAI_Raised))" "0.1" "" 1 "S"
000260 |     }
000261 |     }
000262 |     }
000263 |     }
000264 |     $EditorData {
000265 |         #EditorPos 4.0999999 15.3000002
000266 |     }
000267 |     }
000268 |     }
000269 |     $Node AnimNodeStateMachine {
000270 |         "MasterInventoryState" ""
000271 |         $States 1 {
000272 |             $State {
000273 |                 "Idle" "" "InventoryFacialB" "true" "notime" 0
000274 |                 $EditorData {
000275 |                     #EditorPos 14.1000004 14.0
000276 |                 }
000277 |             }
000278 |         }
000279 |         $Transitions 0 {
000280 |         }
000281 |         $EditorData {
000282 |             #EditorPos 12.4000006 15.1999998
000283 |         }
000284 |     }
000285 | }
000286 | $Sheet "Death" {
000287 |     $Node AnimNodeSource {
000288 |         "BodyBackAnim" "" "Deaths.BodyBack" "noloop"
000289 |         $Predictions {
000290 |         }
000291 |         $EditorData {
000292 |             #EditorPos 1.9 8.1000004
000293 |         }
000294 |     }
000295 |     $Node AnimNodeSource {
```

```
000296 |         "BodyFrontAnim" "" "Deaths.BodyFront" "nolooop"
000297 |     $Predictions {
000298 |     }
000299 |     $EditorData {
000300 |         #EditorPos 1.9 8.6999998
000301 |     }
000302 | }
000303 | $Node AnimNodeSource {
000304 |     "BodyLeftAnim" "" "Deaths.BodyLeft" "nolooop"
000305 |     $Predictions {
000306 |     }
000307 |     $EditorData {
000308 |         #EditorPos 1.9 7.5
000309 |     }
000310 | }
000311 | $Node AnimNodeSource {
000312 |     "BodyRightAnim" "" "Deaths.BodyRight" "nolooop"
000313 |     $Predictions {
000314 |     }
000315 |     $EditorData {
000316 |         #EditorPos 1.9 6.9000001
000317 |     }
000318 | }
000319 | $Node AnimNodeGroupSelect {
000320 |     "DeathCroG" "" "DeathSTM" "Deaths" "Cro"
000321 |     $EditorData {
000322 |         #EditorPos 1.4 17.3000011
000323 |     }
000324 | }
000325 | $Node AnimNodeGroupSelect {
000326 |     "DeathCroRasG" "" "DeathSTM" "Deaths" "CroRas"
000327 |     $EditorData {
000328 |         #EditorPos 1.4 16.6000004
000329 |     }
000330 | }
000331 | $Node AnimNodeGroupSelect {
000332 |     "DeathErcG" "" "DeathSTM" "Deaths" "Erc"
000333 |     $EditorData {
000334 |         #EditorPos -0.7 17.3000011
000335 |     }
000336 | }
000337 | $Node AnimNodeGroupSelect {
000338 |     "DeathErcRasG" "" "DeathSTM" "Deaths" "ErcRas"
000339 |     $EditorData {
000340 |         #EditorPos -0.7 16.6000004
000341 |     }
000342 | }
000343 | $Node AnimNodeStateMachine {
000344 |     "DeathOnBackSTM" ""
000345 |     $States 2 {
000346 |         $State {
000347 |             "Low" "" "PneBackDeathLowG" "true" "realtime" 0
000348 |             $EditorData {
000349 |                 #EditorPos -5.5 13.3000002
000350 |             }
000351 |         }
000352 |         $State {
000353 |             "Ras" "" "PneBackDeathRasG" "false" "realtime" 0
000354 |             $EditorData {
000355 |                 #EditorPos -2.7 13.3000002
000356 |             }
000357 |         }
000357 |     }
```

```
000358 |     }
000359 |     $Transitions 0 {
000360 |     }
000361 |     $EditorData {
000362 |         #EditorPos -5.7000003 14.5
000363 |     }
000364 | }
000365 | $Node AnimNodeGroupSelect {
000366 |     "DeathPneG" "" "DeathSTM" "Deaths" "Pne"
000367 |     $EditorData {
000368 |         #EditorPos 3.5 17.3000011
000369 |     }
000370 | }
000371 | $Node AnimNodeGroupSelect {
000372 |     "DeathPneRasG" "" "DeathSTM" "Deaths" "PneRas"
000373 |     $EditorData {
000374 |         #EditorPos 3.5 16.6000004
000375 |     }
000376 | }
000377 | $Node AnimNodeStateMachine {
000378 |     "DeathSTM" ""
000379 |     $States 16 {
000380 |         $State {
000381 |             "BodyLeft" "" "BodyLeftAnim" "GetCommandI(CMD_Death) == 0 && inRange(GetCommandF(CMD_Death), -135.0, -45.0)" "realtime" 0
000382 |             $EditorData {
000383 |                 #EditorPos 1.9 12.0
000384 |             }
000385 |         }
000386 |         $State {
000387 |             "BodyFront" "" "BodyFrontAnim" "GetCommandI(CMD_Death) == 0 && inRange(GetCommandF(CMD_Death), -45.0, 45.0)" "realtime" 0
000388 |             $EditorData {
000389 |                 #EditorPos 1.9 13.1999998
000390 |             }
000391 |         }
000392 |         $State {
000393 |             "BodyRight" "" "BodyRightAnim" "GetCommandI(CMD_Death) == 0 && inRange(GetCommandF(CMD_Death), 45.0, 135.0)" "realtime" 0
000394 |             $EditorData {
000395 |                 #EditorPos 1.9 11.4000006
000396 |             }
000397 |         }
000398 |         $State {
000399 |             "BodyBack" "" "BodyBackAnim" "GetCommandI(CMD_Death) == 0 && !inRange(GetCommandF(CMD_Death), -135.0, 135.0)" "realtime" 0
000400 |             $EditorData {
000401 |                 #EditorPos 1.9 12.6000004
000402 |             }
000403 |         }
000404 |         $State {
000405 |             "FastFront" "" "FastFrontAnim" "GetCommandI(CMD_Death) == 10 && inRange(GetCommandF(CMD_Death), -45.0, 45.0)" "realtime" 0
000406 |             $EditorData {
000407 |                 #EditorPos 8.0 13.1999998
000408 |             }
000409 |         }
000410 |         $State {
000411 |             "FastBack" "" "FastBackAnim" "GetCommandI(CMD_Death) == 10 && !inRange(GetCommandF(CMD_Death), -135.0, 135.0)" "realtime" 0
000412 |             $EditorData {
000413 |                 #EditorPos 8.0 12.6000004
000414 |             }
000415 |         }
000416 |         $State {
000417 |             "FastLeft" "" "FastLeftAnim" "GetCommandI(CMD_Death) == 10 && inRange(GetCommandF(CMD_Death), -135.0, -45.0)" "realtime" 0
000418 |             $EditorData {
000419 |                 #EditorPos 8.0 12.0
```

```
000420 |     }
000421 | }
000422 | $State {
000423 |     "FastRight" "" "FastRightAnim" "GetCommandI(CMD_Death) == 10 && inRange(GetCommandF(CMD_Death), 45.0, 135.0)" "realtime" 0
000424 |     $EditorData {
000425 |         #EditorPos 8.0 11.4000006
000426 |     }
000427 | }
000428 | $State {
000429 |     "FallingLanding" "" "FallingLandingDeathAnim" "GetCommandI(CMD_Death) == 12" "realtime" 0
000430 |     $EditorData {
000431 |         #EditorPos 12.4000006 13.1999998
000432 |     }
000433 | }
000434 | $State {
000435 |     "UnconsciousLand" "" "UnconDeathLandAnim" "GetCommandI(CMD_Death) == 13" "realtime" 0
000436 |     $EditorData {
000437 |         #EditorPos 14.6000004 13.1999998
000438 |     }
000439 | }
000440 | $State {
000441 |     "UnconsciousWater" "" "UnconDeathWaterAnim" "GetCommandI(CMD_Death) == 14" "realtime" 0
000442 |     $EditorData {
000443 |         #EditorPos 16.8000011 13.1999998
000444 |     }
000445 | }
000446 | $State {
000447 |     "Swim" "" "SwimDeathAnim" "GetCommandI(CMD_Death) == 11" "realtime" 0
000448 |     $EditorData {
000449 |         #EditorPos 10.1999998 13.1999998
000450 |     }
000451 | }
000452 | $State {
000453 |     "DeathWaterBack" "" "DeathWaterBackAnim" "" "realtime" 0
000454 |     $EditorData {
000455 |         #EditorPos 19.1000004 12.1999998
000456 |     }
000457 | }
000458 | $State {
000459 |     "DeathWaterFront" "" "DeathWaterFrontAnim" "" "realtime" 0
000460 |     $EditorData {
000461 |         #EditorPos 19.1000004 13.1999998
000462 |     }
000463 | }
000464 | $State {
000465 |     "DeathWaterLeft" "" "DeathWaterLeftAnim" "" "realtime" 0
000466 |     $EditorData {
000467 |         #EditorPos 19.1000004 11.3000002
000468 |     }
000469 | }
000470 | $State {
000471 |     "DeathWaterRight" "" "DeathWaterRightAnim" "" "realtime" 0
000472 |     $EditorData {
000473 |         #EditorPos 19.1000004 10.4000006
000474 |     }
000475 | }
000476 | }
000477 | $Transitions 4 {
000478 |     $Transition {
000479 |         "" "DeathWaterBack" "GetCommandI(CMD_Death_To_Water) == 0 && !inRange(GetCommandF(CMD_Death_To_Water), -135.0, 135.0)" "1.0" "0.0" 0 "S2"
000480 |     }
000481 |     $Transition {
```



```
000482 |         "" "DeathWaterFront" "GetCommandI(CMD_Death_To_Water) == 0 && inRange(GetCommandF(CMD_Death_To_Water), -45.0, 45.0)" "1.0" "0.0" 0 "S2"
000483 |     }
000484 |     $Transition {
000485 |         "" "DeathWaterLeft" "GetCommandI(CMD_Death_To_Water) == 0 && inRange(GetCommandF(CMD_Death_To_Water), -135.0, -45.0)" "1.0" "0.0" 0 "S2"
000486 |     }
000487 |     $Transition {
000488 |         "" "DeathWaterRight" "GetCommandI(CMD_Death_To_Water) == 0 && inRange(GetCommandF(CMD_Death_To_Water), 45.0, 135.0)" "1.0" "0.0" 0 "S2"
000489 |     }
000490 | }
000491 | $EditorData {
000492 |     #EditorPos 1.3000001 14.5
000493 | }
000494 | }
000495 | $Node AnimNodeStateMachine {
000496 |     "DeathStanceSTM" ""
000497 |     $States 6 {
000498 |         $State {
000499 |             "Erc" "" "DeathErcG" "Stance == 0 && !eAI_Raised" "notime" 0
000500 |             $EditorData {
000501 |                 #EditorPos -0.7 19.7000008
000502 |             }
000503 |         }
000504 |         $State {
000505 |             "Cro" "" "DeathCroG" "Stance == 1 && !eAI_Raised" "notime" 0
000506 |             $EditorData {
000507 |                 #EditorPos 1.4 19.7000008
000508 |             }
000509 |         }
000510 |         $State {
000511 |             "Pne" "" "DeathPneG" "Stance == 2 && !eAI_Raised" "notime" 0
000512 |             $EditorData {
000513 |                 #EditorPos 3.5 19.7000008
000514 |             }
000515 |         }
000516 |         $State {
000517 |             "ErcRas" "" "DeathErcRasG" "Stance == 0 && eAI_Raised" "notime" 0
000518 |             $EditorData {
000519 |                 #EditorPos -0.7 19.0
000520 |             }
000521 |         }
000522 |         $State {
000523 |             "CroRas" "" "DeathCroRasG" "Stance == 1 && eAI_Raised" "notime" 0
000524 |             $EditorData {
000525 |                 #EditorPos 1.4 19.0
000526 |             }
000527 |         }
000528 |         $State {
000529 |             "PneRas" "" "DeathPneRasG" "Stance == 2 && eAI_Raised" "notime" 0
000530 |             $EditorData {
000531 |                 #EditorPos 3.5 19.0
000532 |             }
000533 |         }
000534 |     }
000535 |     $Transitions 0 {
000536 |     }
000537 |     $EditorData {
000538 |         #EditorPos -1.2 21.2000008
000539 |     }
000540 | }
000541 | $Node AnimNodeSource {
000542 |     "DeathWaterBackAnim" "TagDeathWater" "Deaths.UnconsciousWaterBack" "noloop"
000543 |     $Predictions {
```

```
000544 |     }
000545 |     $EditorData {
000546 |         #EditorPos 19.1000004 8.1000004
000547 |     }
000548 | }
000549 | $Node AnimNodeSource {
000550 |     "DeathWaterFrontAnim" "TagDeathWater" "Deaths.UnconsciousWaterFront" "noLoop"
000551 |     $Predictions {
000552 |     }
000553 |     $EditorData {
000554 |         #EditorPos 19.1000004 8.6999998
000555 |     }
000556 | }
000557 | $Node AnimNodeSource {
000558 |     "DeathWaterLeftAnim" "TagDeathWater" "Deaths.UnconsciousWaterLeft" "noLoop"
000559 |     $Predictions {
000560 |     }
000561 |     $EditorData {
000562 |         #EditorPos 19.1000004 7.5
000563 |     }
000564 | }
000565 | $Node AnimNodeSource {
000566 |     "DeathWaterRightAnim" "TagDeathWater" "Deaths.UnconsciousWaterRight" "noLoop"
000567 |     $Predictions {
000568 |     }
000569 |     $EditorData {
000570 |         #EditorPos 19.1000004 6.9000001
000571 |     }
000572 | }
000573 | $Node AnimNodeSource {
000574 |     "FallingLandingDeathAnim" "" "Deaths.Cro.Land" "noLoop"
000575 |     $Predictions {
000576 |     }
000577 |     $EditorData {
000578 |         #EditorPos 12.4000006 8.6999998
000579 |     }
000580 | }
000581 | $Node AnimNodeSource {
000582 |     "FastBackAnim" "" "Deaths.FastBack" "noLoop"
000583 |     $Predictions {
000584 |     }
000585 |     $EditorData {
000586 |         #EditorPos 8.0 8.1000004
000587 |     }
000588 | }
000589 | $Node AnimNodeSource {
000590 |     "FastFrontAnim" "" "Deaths.FastFront" "noLoop"
000591 |     $Predictions {
000592 |     }
000593 |     $EditorData {
000594 |         #EditorPos 8.0 8.6999998
000595 |     }
000596 | }
000597 | $Node AnimNodeSource {
000598 |     "FastLeftAnim" "" "Deaths.FastLeft" "noLoop"
000599 |     $Predictions {
000600 |     }
000601 |     $EditorData {
000602 |         #EditorPos 8.0 7.5
000603 |     }
000604 | }
000605 | $Node AnimNodeSource {
```

```
000606 |         "FastRightAnim" "" "Deaths.FastRight" "noloop"
000607 |     $Predictions {
000608 |     }
000609 |     $EditorData {
000610 |         #EditorPos 8.0 6.9000001
000611 |     }
000612 | }
000613 | $Node AnimNodeGroupSelect {
000614 |     "PneBackDeathLowG" "" "BodyFrontAnim" "Deaths" "PneBack"
000615 |     $EditorData {
000616 |         #EditorPos -5.5 11.6000004
000617 |     }
000618 | }
000619 | $Node AnimNodeGroupSelect {
000620 |     "PneBackDeathRasG" "" "BodyFrontAnim" "Deaths" "PneBackRas"
000621 |     $EditorData {
000622 |         #EditorPos -2.7 11.6000004
000623 |     }
000624 | }
000625 | $Node AnimNodeSource {
000626 |     "SwimDeathAnim" "TagDeathWater" "Deaths.Cro.Swim" "noloop"
000627 |     $Predictions {
000628 |     }
000629 |     $EditorData {
000630 |         #EditorPos 10.1999998 8.6999998
000631 |     }
000632 | }
000633 | $Node AnimNodeSource {
000634 |     "UnconDeathLandAnim" "" "Deaths.Cro.UnconsciousLand" "noloop"
000635 |     $Predictions {
000636 |     }
000637 |     $EditorData {
000638 |         #EditorPos 14.6000004 8.6999998
000639 |     }
000640 | }
000641 | $Node AnimNodeSource {
000642 |     "UnconDeathWaterAnim" "TagDeathWater" "Deaths.Cro.UnconsciousWater" "noloop"
000643 |     $Predictions {
000644 |     }
000645 |     $EditorData {
000646 |         #EditorPos 16.8000011 8.6999998
000647 |     }
000648 | }
000649 | }
000650 | }
000651 | }
```

0290. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/player_main.agr
Size bytes: 20024
SHA-256: 3518ca967499d01dba89a4f6b56537af45d5142b52733cb96d381925860a18ec
Decoded as: utf-8-sig
Line count shown: 564

Full file content

```
000001 | $AnimGraph 7 {
000002 |     #AnimSetTemplate "{F0C651DE8E24A5DE}DZ/anim/workspaces/player/player_main/player_main.ast"
000003 |     #AnimSyncTable "{8F89313B7FBB0B66}DZ/anim/workspaces/player/Player_SyncTable.asy"
000004 |     $Controls {
000005 |         $Commands {
000006 |             CMD_Weapon_Hide -1
000007 |             CMD_Weapon_Show -1
000008 |             CMD_Action -1
000009 |             CMD_InternalAction -1
000010 |             CMD_FullBodyAction -1
000011 |             CMD_VehicleAction -1
000012 |             CMD_GunShoulder -1
000013 |             CMD_GunShoulderOut -1
000014 |             CMD_Expression -1
000015 |             CMD_Expression_Blink -1
000016 |             CMD_Roll -1
000017 |             CMD_Jump -1
000018 |             CMD_JumpFall -1
000019 |             CMD_Climb -1
000020 |             CMD_ClimbOver -1
000021 |             CMD_Fall -1
000022 |             CMD_FallCancel -1
000023 |             CMD_Land -1
000024 |             CMD_LandImmediate -1
000025 |             CMD_Reload_Magazine -1
000026 |             CMD_Reload_BoltAction -1
000027 |             CMD_Reload_Chambering -1
000028 |             CMD_Reload_ChamberingFast -1
000029 |             CMD_Reload_Exit -1
000030 |             CMD_Reload_Clip -1
000031 |             CMD_Death -1
000032 |             CMD_Death_To_Water -1
000033 |             CMD_Swim -1
000034 |             CMD_Surrender -1
000035 |             CMD_Restrain -1
000036 |             CMD_Restrain_Self -1
000037 |             CMD_Restrain_Instant -1
000038 |             CMD_Restrained_Struggle -1
000039 |             CMD_Restrained_Fall -1
000040 |             CMD_Ladder_Enter -1
000041 |             CMD_Ladder_Exit -1
000042 |             CMD_Ladder_Exit_Left -1
000043 |             CMD_Ladder_Exit_Right -1
000044 |             CMD_InternalAttack -1
000045 |             CMD_ItemDrop -1
000046 |             CMD_Throwing -1
000047 |             CMD_ItemRoll -1
000048 |             CMD_Modifier_Additive -1
000049 |             CMD_Vehicle_GetIn -1
000050 |             CMD_Vehicle_SwitchSeat -1
000051 |             CMD_Vehicle_GetOut -1
```

```
000052 | CMD_Vehicle_ClimbOut -1
000053 | CMD_Vehicle_CrawlOut -1
000054 | CMD_Vehicle_JumpOut -1
000055 | CMD_Weapon_Jam -1
000056 | CMD_Weapon_Interrupt -1
000057 | CMD_WeaponFire -1
000058 | CMD_Weapon_Obstruction -1
000059 | CMD_Melee_Attack -1
000060 | CMD_Melee_Attack2 -1
000061 | CMD_Melee_Stealth -1
000062 | CMD_Melee_Combo -1
000063 | CMD_Melee_Exit -1
000064 | CMD_Melee_Weapon -1
000065 | CMD_Melee_Evade -1
000066 | CMD_Damage -1
000067 | CMD_DamageHeavy -1
000068 | CMD_Turn -1
000069 | CMD_StopTurn -1
000070 | CMD_SlidingPose -1
000071 | CMD_Unconscious -1
000072 | CMD_Unconscious_Exit -1
000073 | CMD_PulledOut -1
000074 | CMD_TRAILER_WALK_AWAY -1
000075 | CMD_Guitar -1
000076 | CMD_Guitar_Stop -1
000077 | CMD_eAI_Turn -1
000078 | CMD_eAI_StopTurn -1
000079 | }
000080 | $Vars {
000081 |     #Var MovementSpeed float 0.0 0.0 3.0 ""
000082 |     #Var MovementDirection float 0.0 -180.0 180.0 ""
000083 |     #Var Stance int 0 0 2 ""
000084 |     #Var TurnAmount float 0.0 -2.0 2.0 ""
000085 |     #Var Look bool 0 ""
000086 |     #Var LookDirY float 0.0 -85.0 85.0 ""
000087 |     #Var LookDirX float 0.0 -180.0 180.0 ""
000088 |     #Var Injured float 0.0 0.0 1.0 ""
000089 |     #Var Exhaustion float 0.0 0.0 1.0 ""
000090 |     #Var Raised bool 0 ""
000091 |     #Var ADS bool 0 ""
000092 |     #Var MeleeBlock bool 0 ""
000093 |     #Var AimY float 0.0 -85.0 85.0 ""
000094 |     #Var AimX float 0.0 -180.0 180.0 ""
000095 |     #Var AimIKX float 0.0 -180.0 180.0 ""
000096 |     #Var RaiseTime float 0.4 0.0 2.0 ""
000097 |     #Var LowerTime float 0.4 0.0 2.0 ""
000098 |     #Var LeanForward float 0.0 -90.0 90.0 ""
000099 |     #Var Lean float 0.0 -1.0 1.0 ""
000100 |     #Var WaterLevel float 0.0 0.0 1.0 ""
000101 |     #Var DamageDirection float 0.0 -180.0 180.0 ""
000102 |     #Var LadderMovement int 0 -2 2 ""
000103 |     #Var VehicleType int -1 -1 10 ""
000104 |     #Var VehicleSteering float 0.0 -1.0 1.0 ""
000105 |     #Var VehicleThrottle float 0.0 0.0 1.0 ""
000106 |     #Var VehicleClutch float 0.0 0.0 1.0 ""
000107 |     #Var VehicleBrake bool 0 ""
000108 |     #Var VehicleAccelerationFB float 0.0 -1.0 1.0 ""
000109 |     #Var VehicleAccelerationLR float 0.0 -1.0 1.0 ""
000110 |     #Var WeaponType int 1 0 10 ""
000111 |     #Var MovementAngleX float 0.0 -35.0 35.0 ""
000112 |     #Var WeaponChamberType int 0 0 4 ""
000113 |     #Var ArmIK int 0 0 7 ""
```

```
000114 |         #Var Talking bool 0 ""
000115 |         #Var TestFloat float 0.0 0.0 1.0 ""
000116 |         #Var ActionProgress float 0.0 0.0 1.0 ""
000117 |         #Var ActionProgressEnd float 1.0 0.0 1.0 ""
000118 |         #Var ActionState int 0 0 7 ""
000119 |         #Var ThrowingOnBack bool 0 ""
000120 |         #Var ObstructionFloat float 0.0 0.0 1.0 ""
000121 |         #Var GuitarChord int 0 0 4 ""
000122 |         #Var GuitarFret float 0.0 0.0 100.0 ""
000123 |         #Var eAI_TurnAmount float 0.0 -2.0 2.0 ""
000124 |         #Var eAI_LookDirY float 0.0 -85.0 85.0 ""
000125 |         #Var eAI_LookDirX float 0.0 -180.0 180.0 ""
000126 |         #Var eAI_Raised bool 0 ""
000127 |         #Var eAI_AimY float 0.0 -85.0 85.0 ""
000128 |         #Var eAI_AimX float 0.0 -180.0 180.0 ""
000129 |         #Var eAI_AimIKX float 0.0 -180.0 180.0 ""
000130 |         #Var eAI_Lean float 0.0 -1.0 1.0 ""
000131 |     }
000132 |     $Expressions {
000133 |     }
000134 |     $DebugControls {
000135 |
000136 |         #DCtrl 2 "Ladder" "EnterGround" "" "CMD_Ladder_Enter" 0.0 0
000137 |
000138 |         #DCtrl 2 "Ladder" "EnterRoof" "" "CMD_Ladder_Enter" 0.0 1
000139 |
000140 |         #DCtrl 2 "Ladder" "ExitGround" "" "CMD_Ladder_Exit" 0.0 0
000141 |
000142 |         #DCtrl 2 "Ladder" "ExitRoof" "" "CMD_Ladder_Exit" 0.0 1
000143 |
000144 |         #DCtrl 2 "Ladder" "LadderExitLeft" "" "CMD_Ladder_Exit_Left" 0.0 0
000145 |
000146 |         #DCtrl 2 "Ladder" "LadderExitRight" "" "CMD_Ladder_Exit_Right" 0.0 0
000147 |
000148 |         #DCtrl 2 "Vehicles" "EnterDriver" "" "CMD_Vehicle_GetIn" 0.0 0
000149 |
000150 |         #DCtrl 2 "Vehicles" "EnterCodriver" "" "CMD_Vehicle_GetIn" 0.0 1
000151 |
000152 |         #DCtrl 2 "Vehicles" "EnterPassengerL" "" "CMD_Vehicle_GetIn" 0.0 2
000153 |
000154 |         #DCtrl 2 "Vehicles" "EnterPassengerR" "" "CMD_Vehicle_GetIn" 0.0 3
000155 |
000156 |         #DCtrl 2 "Vehicles" "Exit" "" "CMD_Vehicle_GetOut" 0.0 0
000157 |
000158 |         #DCtrl 2 "Vehicles" "ExitJumpOut" "" "CMD_Vehicle_GetOut" 1.0 0
000159 |
000160 |         #DCtrl 2 "Vehicles" "ExitClimbOutL" "" "CMD_Vehicle_GetOut" 0.0 90
000161 |
000162 |         #DCtrl 2 "Vehicles" "ExitClimbOutR" "" "CMD_Vehicle_GetOut" 0.0 -90
000163 |
000164 |         #DCtrl 2 "Vehicles" "ExitCrawlOut" "" "CMD_Vehicle_GetOut" 0.0 180
000165 |
000166 |         #DCtrl 2 "Vehicles" "SwitchSeat" "" "CMD_Vehicle_SwitchSeat" 0.0 0
000167 |
000168 |         #DCtrl 2 "Vehicles" "OpenDoor" "" "CMD_Action" 0.0 301
000169 |
000170 |         #DCtrl 2 "Vehicles" "CloseDoor" "" "CMD_Action" 0.0 300
000171 |
000172 |         #DCtrl 2 "Vehicles" "Start Engine" "" "CMD_Action" 0.0 402
000173 |
000174 |         #DCtrl 2 "Vehicles" "Stop Engine" "" "CMD_Action" 0.0 302
000175 |
```

```
000176 | #DCtrl 2 "Vehicles" "Stop Actions" "" "CMD_InternalAction" 0.0 0
000177 |
000178 | #DCtrl 2 "Falling" "LandImmediate" "" "CMD_LandImmediate" 0.0 0
000179 |
000180 | #DCtrl 2 "Full Body Gestures" "Dance" "" "CMD_FullBodyAction" 0.0 1100
000181 |
000182 | #DCtrl 2 "Full Body Gestures" "MilitarySalute" "" "CMD_FullBodyAction" 0.0 1000
000183 |
000184 | #DCtrl 2 "Full Body Gestures" "Campfire" "" "CMD_FullBodyAction" 0.0 1001
000185 |
000186 | #DCtrl 2 "Full Body Gestures" "LyingDown" "" "CMD_FullBodyAction" 0.0 1002
000187 |
000188 | #DCtrl 2 "Full Body Gestures" "SOS" "" "CMD_FullBodyAction" 0.0 1003
000189 |
000190 | #DCtrl 2 "Full Body Gestures" "SitA" "" "CMD_FullBodyAction" 0.0 1004
000191 |
000192 | #DCtrl 2 "Full Body Gestures" "SitB" "" "CMD_FullBodyAction" 0.0 1005
000193 |
000194 | #DCtrl 2 "Full Body Gestures" "Dabbing" "" "CMD_FullBodyAction" 0.0 1006
000195 |
000196 | #DCtrl 2 "Full Body Gestures" "EndGesture" "" "CMD_InternalAction" 0.0 0
000197 |
000198 | #DCtrl 2 "Full Body Gestures" "HardEndGesture" "" "CMD_InternalAction" 0.0 -2
000199 |
000200 | #DCtrl 2 "Gestures Once" "CutThroat" "" "CMD_Action" 0.0 1100
000201 |
000202 | #DCtrl 2 "Gestures Once" "Clap" "" "CMD_Action" 0.0 1101
000203 |
000204 | #DCtrl 2 "Gestures Once" "Dabbing" "" "CMD_Action" 0.0 1102
000205 |
000206 | #DCtrl 2 "Gestures Once" "Move" "" "CMD_Action" 0.0 1103
000207 |
000208 | #DCtrl 2 "Gestures Once" "Down" "" "CMD_Action" 0.0 1104
000209 |
000210 | #DCtrl 2 "Gestures Once" "Come" "" "CMD_Action" 0.0 1105
000211 |
000212 | #DCtrl 2 "Gestures Once" "Taunt Kiss" "" "CMD_Action" 0.0 1106
000213 |
000214 | #DCtrl 2 "Gestures Once" "Taunt Elbow" "" "CMD_Action" 0.0 1107
000215 |
000216 | #DCtrl 2 "Gestures Once" "Taunt Think" "" "CMD_Action" 0.0 1108
000217 |
000218 | #DCtrl 2 "Gestures" "Greetings" "" "CMD_Action" 0.0 1000
000219 |
000220 | #DCtrl 2 "Gestures" "Point" "" "CMD_Action" 0.0 1001
000221 |
000222 | #DCtrl 2 "Gestures" "ThumbUp" "" "CMD_Action" 0.0 1002
000223 |
000224 | #DCtrl 2 "Gestures" "ThumbDown" "" "CMD_Action" 0.0 1003
000225 |
000226 | #DCtrl 2 "Gestures" "Silence" "" "CMD_Action" 0.0 1004
000227 |
000228 | #DCtrl 2 "Gestures" "Taunt Finger" "" "CMD_Action" 0.0 1005
000229 |
000230 | #DCtrl 2 "Gestures" "TimeOut" "" "CMD_Action" 0.0 1006
000231 |
000232 | #DCtrl 2 "Gestures" "Heart" "" "CMD_Action" 0.0 1007
000233 |
000234 | #DCtrl 2 "Gestures" "Facepalm" "" "CMD_Action" 0.0 1008
000235 |
000236 | #DCtrl 2 "Gestures" "Watching" "" "CMD_Action" 0.0 1009
000237 |
```

```
000238 | #DCtrl 2 "Gestures" "Hold" "" "CMD_Action" 0.0 1010
000239 |
000240 | #DCtrl 2 "Gestures" "Listening" "" "CMD_Action" 0.0 1011
000241 |
000242 | #DCtrl 2 "Gestures" "Point to Self" "" "CMD_Action" 0.0 1012
000243 |
000244 | #DCtrl 2 "Gestures" "Look At Me" "" "CMD_Action" 0.0 1013
000245 |
000246 | #DCtrl 2 "RockPaperScissors" "RPS_Start" "" "CMD_Action" 0.0 10000
000247 |
000248 | #DCtrl 2 "RockPaperScissors" "RPS_Rock" "" "CMD_InternalAction" 0.0 10
000249 |
000250 | #DCtrl 2 "RockPaperScissors" "RPS_Paper" "" "CMD_InternalAction" 0.0 11
000251 |
000252 | #DCtrl 2 "RockPaperScissors" "RPS_Scissor" "" "CMD_InternalAction" 0.0 12
000253 |
000254 | #DCtrl 2 "RockPaperScissors" "RPS_Cancel" "" "CMD_InternalAction" 0.0 0
000255 |
000256 | #DCtrl 2 "Gestures" "GunOnShoulder" "" "CMD_GunShoulder" 0.0 0
000257 |
000258 | #DCtrl 2 "Gestures" "GunOffShoulder" "" "CMD_GunShoulderOut" 0.0 0
000259 |
000260 | #DCtrl 2 "Gestures" "SwitchGesture" "" "CMD_InternalAction" 0.0 1
000261 |
000262 | #DCtrl 2 "Gestures" "EndGesture" "" "CMD_InternalAction" 0.0 0
000263 |
000264 | #DCtrl 2 "Gestures" "HardEndGesture" "" "CMD_InternalAction" 0.0 -2
000265 |
000266 | #DCtrl 2 "Full Body Actions" "DrinkPond" "" "CMD_FullBodyAction" 0.0 0
000267 |
000268 | #DCtrl 2 "Full Body Actions" "DrinkWell" "" "CMD_FullBodyAction" 0.0 1
000269 |
000270 | #DCtrl 2 "Full Body Actions" "FillBottleWell" "" "CMD_FullBodyAction" 0.0 2
000271 |
000272 | #DCtrl 2 "Full Body Actions" "FireExtinguisher" "" "CMD_FullBodyAction" 0.0 3
000273 |
000274 | #DCtrl 2 "Full Body Actions" "WringCloth" "" "CMD_FullBodyAction" 0.0 4
000275 |
000276 | #DCtrl 2 "Full Body Actions" "GatherBerries" "" "CMD_FullBodyAction" 0.0 5
000277 |
000278 | #DCtrl 2 "Full Body Actions" "ChopTree" "" "CMD_FullBodyAction" 0.0 6
000279 |
000280 | #DCtrl 2 "Full Body Actions" "DigShovel" "" "CMD_FullBodyAction" 0.0 7
000281 |
000282 | #DCtrl 2 "Full Body Actions" "DigHoe" "" "CMD_FullBodyAction" 0.0 8
000283 |
000284 | #DCtrl 2 "Full Body Actions" "Fishing" "" "CMD_FullBodyAction" 0.0 9
000285 |
000286 | #DCtrl 2 "Full Body Actions" "CPR" "" "CMD_FullBodyAction" 0.0 10
000287 |
000288 | #DCtrl 2 "Full Body Actions" "Bandage" "" "CMD_FullBodyAction" 0.0 11
000289 |
000290 | #DCtrl 2 "Full Body Actions" "Crafting" "" "CMD_FullBodyAction" 0.0 12
000291 |
000292 | #DCtrl 2 "Full Body Actions" "Interact Player" "" "CMD_FullBodyAction" 0.0 13
000293 |
000294 | #DCtrl 2 "Full Body Actions" "Drink Cannister" "" "CMD_FullBodyAction" 0.0 14
000295 |
000296 | #DCtrl 2 "Full Body Actions" "Force Feed" "" "CMD_FullBodyAction" 0.0 15
000297 |
000298 | #DCtrl 2 "Full Body Actions" "Bandage Target" "" "CMD_FullBodyAction" 0.0 16
000299 |
```



```
000300 | #DCtrl 2 "Full Body Actions" "Disinfect Target" "" "CMD_FullBodyAction" 0.0 17
000301 |
000302 | #DCtrl 2 "Full Body Actions" "Deploy" "" "CMD_FullBodyAction" 0.0 18
000303 |
000304 | #DCtrl 2 "Full Body Actions" "Start Fire Match" "" "CMD_FullBodyAction" 0.0 19
000305 |
000306 | #DCtrl 2 "Full Body Actions" "Animal Skinning" "" "CMD_FullBodyAction" 0.0 20
000307 |
000308 | #DCtrl 2 "Full Body Actions" "Wash Hands Well" "" "CMD_FullBodyAction" 0.0 21
000309 |
000310 | #DCtrl 2 "Full Body Actions" "Wash Hands Pond" "" "CMD_FullBodyAction" 0.0 22
000311 |
000312 | #DCtrl 2 "Full Body Actions" "Saline/Blood Bag Target" "" "CMD_FullBodyAction" 0.0 23
000313 |
000314 | #DCtrl 2 "Full Body Actions" "Saline/Blood Bag" "" "CMD_FullBodyAction" 0.0 24
000315 |
000316 | #DCtrl 2 "Full Body Actions" "Stitch Self Up" "" "CMD_FullBodyAction" 0.0 25
000317 |
000318 | #DCtrl 2 "Full Body Actions" "Vomiting" "" "CMD_FullBodyAction" 0.0 26
000319 |
000320 | #DCtrl 2 "Full Body Actions" "CutTies" "" "CMD_FullBodyAction" 0.0 27
000321 |
000322 | #DCtrl 2 "Full Body Actions" "Tie up target" "" "CMD_FullBodyAction" 0.0 28
000323 |
000324 | #DCtrl 2 "Full Body Actions" "Light Fire w Torch" "" "CMD_FullBodyAction" 0.0 29
000325 |
000326 | #DCtrl 2 "Full Body Actions" "Check Pulse" "" "CMD_FullBodyAction" 0.0 30
000327 |
000328 | #DCtrl 2 "Full Body Actions" "Empty Seeds Pack" "" "CMD_FullBodyAction" 0.0 31
000329 |
000330 | #DCtrl 2 "Full Body Actions" "Clean Wounds Target" "" "CMD_FullBodyAction" 0.0 32
000331 |
000332 | #DCtrl 2 "Full Body Actions" "Light Fire w Handdrill" "" "CMD_FullBodyAction" 0.0 33
000333 |
000334 | #DCtrl 2 "Full Body Actions" "Light Fire w Lighter" "" "CMD_FullBodyAction" 0.0 34
000335 |
000336 | #DCtrl 2 "Full Body Actions" "Collect Blood Self" "" "CMD_FullBodyAction" 0.0 35
000337 |
000338 | #DCtrl 2 "Full Body Actions" "EndAction" "" "CMD_InternalAction" 0.0 0
000339 |
000340 | #DCtrl 2 "Full Body Actions" "AltEndAction" "" "CMD_InternalAction" 0.0 -1
000341 |
000342 | #DCtrl 2 "Full Body Actions" "HardEndAction" "" "CMD_InternalAction" 0.0 -2
000343 |
000344 | #DCtrl 2 "Full Body Actions Once" "Handcuff Taget" "" "CMD_FullBodyAction" 0.0 100
000345 |
000346 | #DCtrl 2 "Full Body Actions Once" "Morphine Self" "" "CMD_FullBodyAction" 0.0 101
000347 |
000348 | #DCtrl 2 "Full Body Actions Once" "Inject Self" "" "CMD_FullBodyAction" 0.0 102
000349 |
000350 | #DCtrl 2 "Full Body Actions Once" "Inject Target" "" "CMD_FullBodyAction" 0.0 103
000351 |
000352 | #DCtrl 2 "Actions" "Drink" "" "CMD_Action" 0.0 0
000353 |
000354 | #DCtrl 2 "Actions" "Eat" "" "CMD_Action" 0.0 1
000355 |
000356 | #DCtrl 2 "Actions" "Empty Cannister" "" "CMD_Action" 0.0 2
000357 |
000358 | #DCtrl 2 "Actions" "Catch Rain" "" "CMD_Action" 0.0 3
000359 |
000360 | #DCtrl 2 "Actions" "Eat Pills" "" "CMD_Action" 0.0 4
000361 |
```

```
000362 | #DCtrl 2 "Actions" "Eat Tablets" "" "CMD_Action" 0.0 5
000363 |
000364 | #DCtrl 2 "Actions" "Empty Bottle" "" "CMD_Action" 0.0 6
000365 |
000366 | #DCtrl 2 "Actions" "Compass" "" "CMD_Action" 0.0 7
000367 |
000368 | #DCtrl 2 "Actions" "Drink Can" "" "CMD_Action" 0.0 8
000369 |
000370 | #DCtrl 2 "Actions" "Walkie Talkie Tune Down" "" "CMD_Action" 0.0 9
000371 |
000372 | #DCtrl 2 "Actions" "Give Left Item" "" "CMD_Action" 0.0 10
000373 |
000374 | #DCtrl 2 "Actions" "Give Right Item" "" "CMD_Action" 0.0 11
000375 |
000376 | #DCtrl 2 "Actions" "Shave" "" "CMD_Action" 0.0 12
000377 |
000378 | #DCtrl 2 "Actions" "Fill Magazine" "" "CMD_Action" 0.0 13
000379 |
000380 | #DCtrl 2 "Actions" "Empty Magazine" "" "CMD_Action" 0.0 14
000381 |
000382 | #DCtrl 2 "Actions" "Drink Pot" "" "CMD_Action" 0.0 15
000383 |
000384 | #DCtrl 2 "Actions" "Empty Pot" "" "CMD_Action" 0.0 16
000385 |
000386 | #DCtrl 2 "Actions Once" "LickBattery" "" "CMD_Action" 0.0 100
000387 |
000388 | #DCtrl 2 "Actions Once" "PickupItem" "" "CMD_Action" 0.0 101
000389 |
000390 | #DCtrl 2 "Actions Once" "Flare" "" "CMD_Action" 0.0 102
000391 |
000392 | #DCtrl 2 "Actions Once" "Chemlight" "" "CMD_Action" 0.0 103
000393 |
000394 | #DCtrl 2 "Actions Once" "UnpinGrenade" "" "CMD_Action" 0.0 104
000395 |
000396 | #DCtrl 2 "Actions Once" "OpenDoorForward" "" "CMD_Action" 0.0 105
000397 |
000398 | #DCtrl 2 "Actions Once" "OpenDoorBackward" "" "CMD_Action" 0.0 106
000399 |
000400 | #DCtrl 2 "Actions Once" "CloseSwipeLDoor" "" "CMD_Action" 0.0 107
000401 |
000402 | #DCtrl 2 "Actions Once" "CloseSwipeRDoor" "" "CMD_Action" 0.0 108
000403 |
000404 | #DCtrl 2 "Actions Once" "OpenLid" "" "CMD_Action" 0.0 109
000405 |
000406 | #DCtrl 2 "Actions Once" "CloseLid" "" "CMD_Action" 0.0 110
000407 |
000408 | #DCtrl 2 "Actions Once" "Walkie Talkie On" "" "CMD_Action" 0.0 111
000409 |
000410 | #DCtrl 2 "Actions Once" "Walkie Talkie Off" "" "CMD_Action" 0.0 112
000411 |
000412 | #DCtrl 2 "Actions Once" "Baton Extend" "" "CMD_Action" 0.0 113
000413 |
000414 | #DCtrl 2 "Actions Once" "Baton Retract" "" "CMD_Action" 0.0 114
000415 |
000416 | #DCtrl 2 "Actions Once" "Unlock Handcuff Target" "" "CMD_Action" 0.0 115
000417 |
000418 | #DCtrl 2 "Actions Once" "Fishing Rod Extend" "" "CMD_Action" 0.0 116
000419 |
000420 | #DCtrl 2 "Actions Once" "Fishing Rod Retract" "" "CMD_Action" 0.0 117
000421 |
000422 | #DCtrl 2 "Actions Once" "Take Item" "" "CMD_Action" 0.0 115
000423 |
```

```
000424 | #DCtrl 2 "Actions Once" "Hide Item" "" "CMD_Action" 0.0 113
000425 |
000426 | #DCtrl 2 "Actions" "EndAction" "" "CMD_InternalAction" 0.0 0
000427 |
000428 | #DCtrl 2 "Actions" "AltEndAction" "" "CMD_InternalAction" 0.0 -1
000429 |
000430 | #DCtrl 2 "Actions" "HardEndAction" "" "CMD_InternalAction" 0.0 -2
000431 |
000432 | #DCtrl 2 "Actions Once" "HardEndAction" "" "CMD_InternalAction" 0.0 -2
000433 |
000434 | #DCtrl 2 "Falling" "FallForward" "" "CMD_Fall" 0.0 0
000435 |
000436 | #DCtrl 2 "Falling" "FallBackwards" "" "CMD_Fall" 0.0 3
000437 |
000438 | #DCtrl 2 "Falling" "LandLight" "" "CMD_Land" 0.0 0
000439 |
000440 | #DCtrl 2 "Falling" "LandMedium" "" "CMD_Land" 0.0 1
000441 |
000442 | #DCtrl 2 "Falling" "LandHard" "" "CMD_Land" 0.0 2
000443 |
000444 | #DCtrl 2 "Weapons" "Fire" "" "CMD_WeaponFire" 0.0 0
000445 |
000446 | #DCtrl 2 "Weapons" "Fire Last" "" "CMD_WeaponFire" 0.0 1
000447 |
000448 | #DCtrl 2 "Weapons" "Fire Empty Cocked" "" "CMD_WeaponFire" 0.0 2
000449 |
000450 | #DCtrl 2 "Weapons" "Fire Empty Uncocked" "" "CMD_WeaponFire" 0.0 3
000451 |
000452 | #DCtrl 2 "Weapons" "Fire Empty Automatic" "" "CMD_WeaponFire" 0.0 4
000453 |
000454 | #DCtrl 2 "Weapons" "End Fire" "" "CMD_WeaponFire" 0.0 -1
000455 |
000456 | #DCtrl 2 "Weapons" "Arm" "" "CMD_Arm" 0.0 0
000457 |
000458 | #DCtrl 2 "Weapons" "Disarm" "" "CMD_Disarm" 0.0 0
000459 |
000460 | #DCtrl 2 "Weapons" "Reload_BoltAction_OpenBolt" "" "CMD_Reload_BoltAction" 0.0 0
000461 |
000462 | #DCtrl 2 "Weapons" "Reload_BoltAction_ClosedBolt" "" "CMD_Reload_BoltAction" 0.0 1
000463 |
000464 | #DCtrl 2 "Weapons" "Reload_BoltAction_Special" "" "CMD_Reload_BoltAction" 0.0 2
000465 |
000466 | #DCtrl 2 "Weapons" "Reload_Magazine_Bullet" "" "CMD_Reload_Magazine" 0.0 0
000467 |
000468 | #DCtrl 2 "Weapons" "Reload_NoMagazine_Bullet" "" "CMD_Reload_Magazine" 0.0 1
000469 |
000470 | #DCtrl 2 "Weapons" "Reload_Magazine_NoBullet" "" "CMD_Reload_Magazine" 0.0 2
000471 |
000472 | #DCtrl 2 "Weapons" "Reload_NoMagazine_NoBullet" "" "Reload_NoMagazine_Bullet" 0.0 3
000473 |
000474 | #DCtrl 2 "Weapons" "Reload_ChamberingFast" "" "CMD_Reload_ChamberingFast" 0.0 0
000475 |
000476 | #DCtrl 2 "Weapons" "Reload_Chambering_OpenBolt" "" "CMD_Reload_Chambering" 0.0 0
000477 |
000478 | #DCtrl 2 "Weapons" "Reload_Chambering_ClosedBolt" "" "CMD_Reload_Chambering" 0.0 1
000479 |
000480 | #DCtrl 2 "Weapons" "Reload_Chambering_Look" "" "CMD_Reload_Chambering" 0.0 2
000481 |
000482 | #DCtrl 2 "Weapons" "Reload_Chambering_End" "" "Reload_Chambering_ClosedBolt" 0.0 3
000483 |
000484 | #DCtrl 2 "Suicide" "1HD" "" "CMD_FullBodyAction" 0.0 2000
000485 |
```

```
000486 | #DCtrl 2 "Suicide" "FireAxe" "" "CMD_FullBodyAction" 0.0 2001
000487 |
000488 | #DCtrl 2 "Suicide" "Pitchfork" "" "CMD_FullBodyAction" 0.0 2002
000489 |
000490 | #DCtrl 2 "Suicide" "Pistol" "" "CMD_FullBodyAction" 0.0 2003
000491 |
000492 | #DCtrl 2 "Suicide" "Rifle" "" "CMD_FullBodyAction" 0.0 2004
000493 |
000494 | #DCtrl 2 "Suicide" "Sword" "" "CMD_FullBodyAction" 0.0 2005
000495 |
000496 | #DCtrl 2 "Suicide" "Unarmed" "" "CMD_FullBodyAction" 0.0 2006
000497 |
000498 | #DCtrl 2 "Suicide" "WoodAxe" "" "CMD_FullBodyAction" 0.0 2007
000499 |
000500 | #DCtrl 2 "Suicide" "Spear" "" "CMD_FullBodyAction" 0.0 2008
000501 |
000502 | #DCtrl 2 "Suicide" "Cancel" "" "CMD_InternalAction" 0.0 0
000503 |
000504 | #DCtrl 2 "Suicide" "Commit" "" "CMD_InternalAction" 0.0 -1
000505 |
000506 | #DCtrl 2 "Surrender Restrained" "Surrender In" "" "CMD_Surrender" 0.0 1
000507 |
000508 | #DCtrl 2 "Surrender Restrained" "Surrender Out" "" "CMD_Surrender" 0.0 0
000509 |
000510 | #DCtrl 2 "Surrender Restrained" "Restrain" "" "CMD_Restrain" 0.0 1
000511 |
000512 | #DCtrl 2 "Surrender Restrained" "Restrain Out" "" "CMD_Restrain" 0.0 0
000513 |
000514 | #DCtrl 2 "Surrender Restrained" "Restrained Struggle" "" "CMD_RestrainedStruggle" 0.0 0
000515 |
000516 | #DCtrl 2 "Surrender Restrained" "Restrain Sneaky" "" "CMD_RestrainSneaky" 0.0 0
000517 |
000518 | #DCtrl 2 "Surrender Restrained" "Restrain Self Rope" "" "CMD_RestrainSelf" 0.0 0
000519 |
000520 | #DCtrl 2 "Surrender Restrained" "Restrain Self Rope Cancel" "" "CMD_RestrainSelf" 0.0 -1
000521 |
000522 | #DCtrl 2 "Surrender Restrained" "Restrain Self Handcuffs" "" "CMD_RestrainSelf" 0.0 1
000523 |
000524 | #DCtrl 2 "Movement" "EvadeRollR" "" "CMD_Roll" 0.0 1
000525 |
000526 | #DCtrl 2 "Movement" "EvadeRollL" "" "CMD_Roll" 0.0 0
000527 |
000528 | #DCtrl 2 "Combat" "ChargeAttack" "" "CMD_Attack" 0.0 0
000529 |
000530 | #DCtrl 2 "Combat" "Attack" "" "CMD_InternalAttack" 0.0 1
000531 |
000532 | #DCtrl 2 "Combat" "Cancel" "" "CMD_InternalAttack" 0.0 0
000533 |
000534 | #DCtrl 2 "Combat" "Chamber" "" "CMD_Attack" 0.0 1
000535 |
000536 | #DCtrl 2 "Combat" "Reload" "" "CMD_Attack" 0.0 2
000537 |
000538 | #DCtrl 2 "Combat" "CancelReload" "" "CMD_InternalAttack" 0.0 2
000539 |
000540 | #DCtrl 2 "Combat" "Bayonet" "" "CMD_Attack" 0.0 1
000541 |
000542 | #DCtrl 2 "Combat" "Buttstock" "" "CMD_Attack" 0.0 2
000543 |
000544 | #DCtrl 2 "Combat" "Shove" "" "CMD_Attack" 0.0 3
000545 |
000546 | #DCtrl 2 "Combat" "Hit Light" "" "CMD_Hit" 0.0 0
000547 |
```

```
000548 |           #DCtrl 2 "Unconscious" "Fast" "" "CMD_Unconscious" 0.0 0
000549 |
000550 |           #DCtrl 2 "Unconscious" "Slow" "" "CMD_Unconscious" 0.0 1
000551 |       }
000552 |   }
000553 |   $Files {
000554 |       "DayZExpansion/AI/Animations/Locomotion.agr"
000555 |       "DayZExpansion/AI/Animations/Combat.agr"
000556 |       "DayZExpansion/AI/Animations/Weapons.agr"
000557 |       "DayZExpansion/AI/Animations/Gestures.agr"
000558 |       "DayZExpansion/AI/Animations/Vehicles.agr"
000559 |       "DayZExpansion/AI/Animations/Actions.agr"
000560 |       "DayZExpansion/AI/Animations/Master.agr"
000561 |       "DayZExpansion/AI/Animations/Tests.agr"
000562 |   }
000563 | }
000564 |
```

0291. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0292. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/tests.agr
Size bytes: 5691
SHA-256: 2bbe8f4be7e31467f0093ef1580be776ad0c90cce0ac57a09055b6a975a9dd96
Decoded as: utf-8-sig
Line count shown: 244

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Tests" {
000003 |         $Node AnimNodeIK2Target {
000004 |             "AnimNodeIK2Target" "" "TestBlendTS0" "LFootIKTarget = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
000005 | RFootIKTarget = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot"
000006 |             $EditorData {
000007 |                 #EditorPos -7.8000002 -11.6000004
000008 |             }
000009 |         }
000010 |         $Node AnimNodeStateMachine {
000011 |             "TestBlendMotion" ""
000012 |             $States 2 {
000013 |                 $State {
000014 |                     "NewState" "" "TestBlendMotion_Run" "" "normtime" 0
000015 |                     $EditorData {
000016 |                         #EditorPos -11.5 0.6
000017 |                     }
000018 |                 }
000019 |                 $State {
000020 |                     "NewState0" "" "TestBlendMotion_Run2" "" "notime" 0
000021 |                     $EditorData {
000022 |                         #EditorPos -8.6999998 0.6
000023 |                     }
000024 |                 }
000025 |             }
000026 |             $Transitions 2 {
000027 |                 $Transition {
000028 |                     "NewState" "NewState0" "MovementSpeed > 0" "0.5" "" 25 "S"
000029 |                 }
000030 |                 $Transition {
000031 |                     "NewState0" "NewState" "MovementSpeed == 0" "0.5" "" 7 "S"
000032 |                 }
000033 |             }
000034 |             $EditorData {
000035 |                 #EditorPos -11.6999998 2.2
000036 |             }
000037 |         }
000038 |         $Node AnimNodeSourceSync {
000039 |             "TestBlendMotion_Run" "" "Locomotion.Erc.RunB" "loop" "RunSprint"
000040 |             $Predictions {
000041 |             }
000042 |             $EditorData {
000043 |                 #EditorPos -11.8000002 -1.8000001
000044 |             }
000045 |         }
000046 |         $Node AnimNodeSource {
000047 |             "TestBlendMotion_Run2" "" "Locomotion.Idle" "no loop"
000048 |             $Predictions {
000049 |             }
000050 |             $EditorData {
000051 |                 #EditorPos -8.5 -1.7
```

```
000052 |     }
000053 | }
000054 | $Node AnimNodeBlendT {
000055 |     "TestBlendT" "" "TestBlendTIdle" "TestBlendTMovement2" "HasVariableChanged(MovementSpeed,0)" "HasVariableChanged(MovementSpeed,1.0)" "" 0.3 "S" 3
000056 |     $EditorData {
000057 |         #EditorPos -5.3000002 -8.5
000058 |     }
000059 | }
000060 | $Node AnimNodeIK2 {
000061 |     "TestBlendTIKMain" "" "TestBlendT" "///! global values
000062 | weight = TestFloat
000063 |
000064 | LFootIKTarget
000065 | chain = LeftUpLeg, LeftUpLegRoll, LeftLeg, LeftLegRoll, LeftFoot
000066 | chainAxis = +x
000067 |
000068 | RFootIKTarget
000069 | chain = RightUpLeg, RightUpLegRoll, RightLeg, RightLegRoll, RightFoot
000070 | chainAxis = -x"
000071 |     $EditorData {
000072 |         #EditorPos -5.3000002 -7.3000002
000073 |     }
000074 | }
000075 | $Node AnimNodeBlendT {
000076 |     "TestBlendTIdle" "" "AnimNodeIK2Target" "TestBlendTLook" "" "" "Look" 0.3 "S" 1
000077 |     $EditorData {
000078 |         #EditorPos -6.5999999 -9.9000006
000079 |     }
000080 | }
000081 | $Node AnimNodePose2 {
000082 |     "TestBlendTLook" "" "Locomotion.Erc.Look" "eAI_LookDirY" "eAI_LookDirX" "Y(-90): X(-180)= 0, X(-90) = 1, X(0) = 2, X(90) = 3, X(180) = 4
000083 | Y(0): X(-180) = 5, X(-90) = 6, X(0) = 7, X(90) = 8, X(180) = 9
000084 | Y(90): X(-180) = 10, X(-90) = 11, X(0) = 12, X(90) = 13, X(180) = 14"
000085 |     $EditorData {
000086 |         #EditorPos -5.2000003 -11.6999998
000087 |     }
000088 | }
000089 | $Node AnimNodeBlendTAdd {
000090 |     "TestBlendTMovement2" "" "TestBlendTS1" "MoveLookPose" "" "" "Look" 0.3 "S" 0
000091 |     $EditorData {
000092 |         #EditorPos -2.3 -10.0
000093 |     }
000094 | }
000095 | $Node AnimNodeSource {
000096 |     "TestBlendTS0" "" "Locomotion.Erc.Idle" "loop"
000097 |     $Predictions {
000098 |     }
000099 |     $EditorData {
000100 |         #EditorPos -8.0 -13.1999998
000101 |     }
000102 | }
000103 | $Node AnimNodeSource {
000104 |     "TestBlendTS1" "" "Locomotion.Erc.RunF" "loop"
000105 |     $Predictions {
000106 |     }
000107 |     $EditorData {
000108 |         #EditorPos -2.4000001 -11.8000002
000109 |     }
000110 | }
000111 | $Node AnimNodeSource {
000112 |     "TestHeavyHit" "" "Damage.Erc.Heavy B" "noloop"
000113 |     $Predictions {
```



```
000114 |     }
000115 |     $EditorData {
000116 |         #EditorPos 0.0 -1.3000001
000117 |     }
000118 | }
000119 | $Node AnimNodeStateMachine {
000120 |     "TestNTimePassed" ""
000121 |     $States 2 {
000122 |         $State {
000123 |             "StateRunF" "" "TestRunF" "true" "normtime" 0
000124 |             $EditorData {
000125 |                 #EditorPos -3.1000001 0.7
000126 |             }
000127 |         }
000128 |         $State {
000129 |             "HitTest" "" "TestHeavyHit" "" "realtime" 0
000130 |             $EditorData {
000131 |                 #EditorPos -0.3 0.7
000132 |             }
000133 |         }
000134 |     }
000135 |     $Transitions 2 {
000136 |         $Transition {
000137 |             "StateRunF" "HitTest" "LowerNTimePassed(0.5) && RandomPerc(50)" "0.3" "" 1 "S"
000138 |         }
000139 |         $Transition {
000140 |             "HitTest" "StateRunF" "RemainingTimeLess(0.3)" "0.3" "" 1 "S"
000141 |         }
000142 |     }
000143 |     $EditorData {
000144 |         #EditorPos -2.1000001 2.4000001
000145 |     }
000146 | }
000147 | $Node AnimNodeSourceSync {
000148 |     "TestRunF" "" "Locomotion.Erc.RunB" "loop" "RunSprint"
000149 |     $Predictions {
000150 |     }
000151 |     $EditorData {
000152 |         #EditorPos -3.2 -1.3000001
000153 |     }
000154 | }
000155 | $Node AnimNodeSwitch {
000156 |     "TestSwitch" "" 0 0.0
000157 |     $switchitems 3 {
000158 |         $si {
000159 |             "TestSwitchS0" "true" "50%=0, 50%=1"
000160 |         }
000161 |         $si {
000162 |             "TestSwitchS1" "false" "100%=2"
000163 |         }
000164 |         $si {
000165 |             "TestSwitchS2" "false" "50%=2, 50%=0"
000166 |         }
000167 |     }
000168 |     $EditorData {
000169 |         #EditorPos 1.1 9.8000002
000170 |     }
000171 | }
000172 | $Node AnimNodeSwitch {
000173 |     "TestSwitchN" "" 1 0.35
000174 |     $switchitems 2 {
000175 |         $si {
```

```
000176 |         "TestSwitchNS0" "true" "100%=1"
000177 |     }
000178 |     $si {
000179 |         "TestSwitchNS1" "" "100%=0"
000180 |     }
000181 | }
000182 | $EditorData {
000183 |     #EditorPos 6.7000003 -6.0
000184 | }
000185 | }
000186 | $Node AnimNodeSourceSync {
000187 |     "TestSwitchNS0" "" "Locomotion.Erc.WalkF" "loop" "Walk"
000188 |     $Predictions {
000189 |     }
000190 |     $EditorData {
000191 |         #EditorPos 5.8000002 -6.9000001
000192 |     }
000193 | }
000194 | $Node AnimNodeSourceSync {
000195 |     "TestSwitchNS1" "" "Locomotion.Erc.RunF" "loop" "RunSprint"
000196 |     $Predictions {
000197 |     }
000198 |     $EditorData {
000199 |         #EditorPos 8.0 -6.9000001
000200 |     }
000201 | }
000202 | $Node AnimNodeStateMachine {
000203 |     "TestSwitchNSM" ""
000204 |     $States 1 {
000205 |         $State {
000206 |             "NewState" "" "TestSwitchN" "" "normtime" 0
000207 |             $EditorData {
000208 |                 #EditorPos 6.5 -3.9000001
000209 |             }
000210 |         }
000211 |     }
000212 |     $Transitions 0 {
000213 |     }
000214 |     $EditorData {
000215 |         #EditorPos 5.9000001 -2.8
000216 |     }
000217 | }
000218 | $Node AnimNodeSource {
000219 |     "TestSwitchS0" "" "Locomotion.Erc.RunF" "noloop"
000220 |     $Predictions {
000221 |     }
000222 |     $EditorData {
000223 |         #EditorPos 4.0 9.1999998
000224 |     }
000225 | }
000226 | $Node AnimNodeSource {
000227 |     "TestSwitchS1" "" "Locomotion.Erc.WalkB" "noloop"
000228 |     $Predictions {
000229 |     }
000230 |     $EditorData {
000231 |         #EditorPos 4.0 8.5
000232 |     }
000233 | }
000234 | $Node AnimNodeSource {
000235 |     "TestSwitchS2" "" "Combat.Erc.StrikeL01" "noloop"
000236 |     $Predictions {
000237 |     }
```

```
000238 |           $EditorData {
000239 |             #EditorPos 4.0 7.8000002
000240 |           }
000241 |         }
000242 |       }
000243 |     }
000244 |
```

0293. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/vehicles.agr
Size bytes: 56019
SHA-256: 237e0c7f24b3dfb66a2bacc1626b28bdaa44577720b16cbb78f16ce66102ce4f
Decoded as: utf-8-sig
Line count shown: 2050

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Vehicles" {
000003 |         $Node AnimNodeGroupSelect {
000004 |             "Boat_01ActionG" "" "VehicleTalkingT" "VehicleActions" "Boat_01"
000005 |             $EditorData {
000006 |                 #EditorPos 21.0 44.9000015
000007 |             }
000008 |         }
000009 |         $Node AnimNodeGroupSelect {
000010 |             "Boat_01G" "" "Boat_01ActionG" "Vehicle" "Boat_01"
000011 |             $EditorData {
000012 |                 #EditorPos 21.0 45.7000008
000013 |             }
000014 |         }
000015 |         $Node AnimNodeStateMachine {
000016 |             "BrakeSTM" ""
000017 |             $States 2 {
000018 |                 $State {
000019 |                     "Break" "" "DriverBreakAnim" "true" "realtime" 0
000020 |                     $EditorData {
000021 |                         #EditorPos 6.8000002 36.7999992
000022 |                     }
000023 |                 }
000024 |                 $State {
000025 |                     "Out" "" "Out" "false" "notime" 0
000026 |                     $EditorData {
000027 |                         #EditorPos 9.4000006 36.7999992
000028 |                     }
000029 |                 }
000030 |             }
000031 |             $Transitions 1 {
000032 |                 $Transition {
000033 |                     "Break" "Out" "!VehicleBrake" "0.1" "" 0 "S"
000034 |                 }
000035 |             }
000036 |             $EditorData {
000037 |                 #EditorPos 6.4000001 38.1000023
000038 |             }
000039 |         }
000040 |         $Node AnimNodeGroupSelect {
000041 |             "Bus_01ActionG" "" "VehicleTalkingT" "VehicleActions" "Bus_01"
000042 |             $EditorData {
000043 |                 #EditorPos 6.0 45.0
000044 |             }
000045 |         }
000046 |         $Node AnimNodeGroupSelect {
000047 |             "Bus_01G" "" "Bus_01ActionG" "Vehicle" "Bus_01"
000048 |             $EditorData {
000049 |                 #EditorPos 6.0 45.7000008
000050 |             }
000051 |         }
```

```
000052 |     $Node AnimNodeGroupSelect {
000053 |         "CivilianSedanActionG" "" "VehicleTalkingT" "VehicleActions" "CivilianSedan"
000054 |         $EditorData {
000055 |             #EditorPos 0.1 45.0
000056 |         }
000057 |     }
000058 |     $Node AnimNodeGroupSelect {
000059 |         "CivilianSedanG" "" "CivilianSedanActionG" "Vehicle" "CivilianSedan"
000060 |         $EditorData {
000061 |             #EditorPos 0.1 45.7000008
000062 |         }
000063 |     }
000064 |     $Node AnimNodeStateMachine {
000065 |         "ClimbOutBackStateMachine" ""
000066 |         $States 2 {
000067 |             $State {
000068 |                 "ClimbOutL" "" "PassengerLClimbOut" "GetCommandI(CMD_Vehicle_ClimbOut) == 2" "realtime" 1
000069 |                 $EditorData {
000070 |                     #EditorPos 46.2999992 -1.5
000071 |                 }
000072 |             }
000073 |             $State {
000074 |                 "ClimbOutR" "" "PassengerRClimbOut" "GetCommandI(CMD_Vehicle_ClimbOut) == 3" "realtime" 1
000075 |                 $EditorData {
000076 |                     #EditorPos 48.9000015 -1.5
000077 |                 }
000078 |             }
000079 |         }
000080 |         $Transitions 0 {
000081 |         }
000082 |         $EditorData {
000083 |             #EditorPos 45.9000015 -0.3
000084 |         }
000085 |     }
000086 |     $Node AnimNodeSource {
000087 |         "ClimbOutCoDriver" "" "Vehicle.CoDriverClimbOut" "noloop"
000088 |         $Predictions {
000089 |         }
000090 |         $EditorData {
000091 |             #EditorPos 12.3000002 -3.3
000092 |         }
000093 |     }
000094 |     $Node AnimNodeSource {
000095 |         "ClimbOutDriver" "" "Vehicle.DriverClimbOut" "noloop"
000096 |         $Predictions {
000097 |         }
000098 |         $EditorData {
000099 |             #EditorPos 9.6999998 -3.3
000100 |         }
000101 |     }
000102 |     $Node AnimNodeStateMachine {
000103 |         "ClimbOutFrontStateMachine" ""
000104 |         $States 2 {
000105 |             $State {
000106 |                 "DriverClimbOut" "" "ClimbOutDriver" "GetCommandI(CMD_Vehicle_ClimbOut) == 0" "realtime" 1
000107 |                 $EditorData {
000108 |                     #EditorPos 9.6999998 -1.6
000109 |                 }
000110 |             }
000111 |             $State {
000112 |                 "CoDriverClimbOut" "" "ClimbOutCoDriver" "GetCommandI(CMD_Vehicle_ClimbOut) == 1" "realtime" 1
000113 |                 $EditorData {
```

```
000114 |         #EditorPos 12.3000002 -1.6
000115 |     }
000116 | }
000117 | }
000118 | $Transitions 0 {
000119 | }
000120 | $EditorData {
000121 |     #EditorPos 9.3000002 -0.4
000122 | }
000123 | }
000124 | $Node AnimNodeBlendT {
000125 |     "CoDriverAimT" "" "CodriverLookBlend" "CodriverLookAimBlend" "" "" "eAI_Raised" 0.3 "S" 3
000126 |     $EditorData {
000127 |         #EditorPos 17.8999996 -4.3000002
000128 |     }
000129 | }
000130 | $Node AnimNodeSource {
000131 |     "CoDriverDeathAnim" "" "Vehicle.CoDriverDeath" "nolop"
000132 |     $Predictions {
000133 |     }
000134 |     $EditorData {
000135 |         #EditorPos 27.8000011 0.4
000136 |     }
000137 | }
000138 | $Node AnimNodeBlend {
000139 |     "CoDriverFacialB" "" "0.0" "CodriverLookBlend" "FacialMovementAnim" 0
000140 |     $EditorData {
000141 |         #EditorPos 17.8999996 -3.2
000142 |     }
000143 | }
000144 | $Node AnimNodeSource {
000145 |     "CoDriverIdleAnim" "" "Vehicle.CoDriverIdle" "loop"
000146 |     $Predictions {
000147 |     }
000148 |     $EditorData {
000149 |         #EditorPos 16.8000011 -6.0999999
000150 |     }
000151 | }
000152 | $Node AnimNodeStateMachine {
000153 |     "CoDriverIdleStateMachine" "TagVehicleIdle"
000154 |     $States 2 {
000155 |         $State {
000156 |             "Idle" "" "CoDriverFacialB" "true" "realtime" 0
000157 |             $EditorData {
000158 |                 #EditorPos 17.8999996 -1.4
000159 |             }
000160 |         }
000161 |         $State {
000162 |             "Unconscious" "TagUnconscious" "CoDriverUnconFacialT" "false" "notime" 0
000163 |             $EditorData {
000164 |                 #EditorPos 23.2000008 -1.4
000165 |             }
000166 |         }
000167 |     }
000168 | }
000169 | $Transitions 2 {
000170 |     $Transition {
000171 |         "Idle" "Unconscious" "IsCommand(CMD_Unconscious)" "0.2" "" 0 "S"
000172 |     }
000173 |     $Transition {
000174 |         "Unconscious" "Idle" "RemainingTimeLess(0.01)" "" "" 1 "S"
000175 |     }
000175 | }
```

```
000176 |         $EditorData {
000177 |             #EditorPos 16.7000008 -0.2
000178 |         }
000179 |     }
000180 |     $Node AnimNodeSource {
000181 |         "CoDriverUnconDeath" "" "Vehicle.CoDriverUnconsciousDeath" "noloop"
000182 |         $Predictions {
000183 |         }
000184 |         $EditorData {
000185 |             #EditorPos 25.7000008 0.4
000186 |         }
000187 |     }
000188 |     $Node AnimNodeBlendTAdd {
000189 |         "CoDriverUnconFacialT" "" "CoDriverUnconsciousStateMachine" "FacialUnconsciousAnim" "True" "IsCommand(CMD_Unconscious_Exit)" "" 0.5 "S" 0
000190 |         $EditorData {
000191 |             #EditorPos 23.2000008 -3.3
000192 |         }
000193 |     }
000194 |     $Node AnimNodeSource {
000195 |         "CoDriverUnconsciousIdle" "" "Vehicle.CoDriverUnconsciousIdle" "loop"
000196 |         $Predictions {
000197 |         }
000198 |         $EditorData {
000199 |             #EditorPos 26.0 -7.7000003
000200 |         }
000201 |     }
000202 |     $Node AnimNodeSource {
000203 |         "CoDriverUnconsciousIn" "" "Vehicle.CoDriverUnconsciousIn" "noloop"
000204 |         $Predictions {
000205 |         }
000206 |         $EditorData {
000207 |             #EditorPos 23.6000004 -7.2000003
000208 |         }
000209 |     }
000210 |     $Node AnimNodeSource {
000211 |         "CoDriverUnconsciousOut" "" "Vehicle.CoDriverUnconsciousOut" "noloop"
000212 |         $Predictions {
000213 |         }
000214 |         $EditorData {
000215 |             #EditorPos 28.3999996 -7.2000003
000216 |         }
000217 |     }
000218 |     $Node AnimNodeStateMachine {
000219 |         "CoDriverUnconsciousStateMachine" "TagUnconscious"
000220 |         $States 3 {
000221 |             $State {
000222 |                 "In" "" "CoDriverUnconsciousIn" "" "realtime" 0
000223 |                 $EditorData {
000224 |                     #EditorPos 23.6000004 -5.5
000225 |                 }
000226 |             }
000227 |             $State {
000228 |                 "Idle" "" "CoDriverUnconsciousIdle" "" "realtime" 0
000229 |                 $EditorData {
000230 |                     #EditorPos 26.0 -5.5
000231 |                 }
000232 |             }
000233 |             $State {
000234 |                 "Out" "" "CoDriverUnconsciousOut" "" "realtime" 1
000235 |                 $EditorData {
000236 |                     #EditorPos 28.3999996 -5.5
000237 |                 }
000237 |             }
```

```
000238 |     }
000239 |   }
000240 |   $Transitions 2 {
000241 |     $Transition {
000242 |       "In" "Idle" "RemainingTimeLess(0.01)" "" "" 1 "S"
000243 |     }
000244 |     $Transition {
000245 |       "Idle" "Out" "IsCommand(CMD_Unconscious_Exit)" "0.2" "" 0 "S"
000246 |     }
000247 |   }
000248 |   $EditorData {
000249 |     #EditorPos 23.2000008 -4.3000002
000250 |   }
000251 | }
000252 | $Node AnimNodeStateMachine {
000253 |   "CoDriverVehicle" ""
000254 |   $States 10 {
000255 |     $State {
000256 |       "Get In" "TagVehicleGetIn" "GetInCoDriver" "IsCommand(CMD_Vehicle_GetIn)" "realtime" 0
000257 |       $EditorData {
000258 |         #EditorPos 15.3000002 2.3
000259 |       }
000260 |     }
000261 |     $State {
000262 |       "Idle" "" "CoDriverIdleStateMachine" "!IsCommand(CMD_Vehicle_GetIn)" "notime" 0
000263 |       $EditorData {
000264 |         #EditorPos 16.7000008 3.2
000265 |       }
000266 |     }
000267 |     $State {
000268 |       "Get Out" "TagVehicleGetOut" "GetOutCoDriver" "" "realtime" 1
000269 |       $EditorData {
000270 |         #EditorPos 19.0 2.3
000271 |       }
000272 |     }
000273 |     $State {
000274 |       "Jump Out" "TagVehicleGetOut" "JumpOutCoDriver" "" "realtime" 1
000275 |       $EditorData {
000276 |         #EditorPos 23.6000004 2.3
000277 |       }
000278 |     }
000279 |     $State {
000280 |       "Climb Out" "" "ClimbOutFrontStateMachine" "" "notime" 1
000281 |       $EditorData {
000282 |         #EditorPos 12.1999998 3.2
000283 |       }
000284 |     }
000285 |     $State {
000286 |       "Crawl Out" "TagVehicleGetOut" "CrawlOutCoDriver" "" "realtime" 1
000287 |       $EditorData {
000288 |         #EditorPos 21.3999996 2.3
000289 |       }
000290 |     }
000291 |     $State {
000292 |       "Death" "" "CoDriverDeathAnim" "" "realtime" 0
000293 |       $EditorData {
000294 |         #EditorPos 26.3999996 3.2
000295 |       }
000296 |     }
000297 |     $State {
000298 |       "UnconsciousDeath" "" "CoDriverUnconDeath" "" "realtime" 0
000299 |       $EditorData {
```



```
000300 |         #EditorPos 24.2000008 3.2
000301 |     }
000302 | }
000303 | $State {
000304 |     "PulledOut" "" "PulledOutCoDriver" "" "realtime" 0
000305 |     $EditorData {
000306 |         #EditorPos 25.8000011 2.2
000307 |     }
000308 | }
000309 | $State {
000310 |     "GettinginDeath" "" "DeathErcG" "" "realtime" 0
000311 |     $EditorData {
000312 |         #EditorPos 13.0 2.3
000313 |     }
000314 | }
000315 | }
000316 | $Transitions 10 {
000317 |     $Transition {
000318 |         "Get In" "Idle" "RemainingTimeLess(0.01)" "" "" 1 "S"
000319 |     }
000320 |     $Transition {
000321 |         "Idle" "Crawl Out" "IsCommand(CMD_Vehicle_CrawlOut)" "0.2" "" 0 "S"
000322 |     }
000323 |     $Transition {
000324 |         "Idle" "Jump Out" "IsCommand(CMD_Vehicle_JumpOut)" "0.2" "" 0 "S"
000325 |     }
000326 |     $Transition {
000327 |         "Idle" "Climb Out" "IsCommand(CMD_Vehicle_ClimbOut)" "" "" 0 "S"
000328 |     }
000329 |     $Transition {
000330 |         "Idle" "Get Out" "IsCommand(CMD_Vehicle_GetOut)" "0.2" "" 0 "S"
000331 |     }
000332 |     $Transition {
000333 |         "Idle" "UnconsciousDeath" "IsCommand(CMD_Death) && IsTag(\"TagUnconscious\")" "0.1" "" 1 "S"
000334 |     }
000335 |     $Transition {
000336 |         "" "Death" "IsCommand(CMD_Death) && !IsTag(\"TagVehicleGetIn\")" "0.2" "" 1 "S"
000337 |     }
000338 |     $Transition {
000339 |         "UnconsciousDeath" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
000340 |     }
000341 |     $Transition {
000342 |         "Death" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
000343 |     }
000344 |     $Transition {
000345 |         "Get In" "GettinginDeath" "IsCommand(CMD_Death)" "0.2" "" 1 "S"
000346 |     }
000347 | }
000348 | $EditorData {
000349 |     #EditorPos 11.6999998 4.4000001
000350 | }
000351 | }
000352 | $Node AnimNodeBlend {
000353 |     "CodriverAimBlend" "" "1.0" "CodriverAimIdle" "CodriverAimPose" 1
000354 |     $EditorData {
000355 |         #EditorPos 19.1000004 -6.0999999
000356 |     }
000357 | }
000358 | $Node AnimNodeSource {
000359 |     "CodriverAimIdle" "" "Vehicle.CoDriverAimIdle" "loop"
000360 |     $Predictions {
000361 |     }
```

```
000362 |         $EditorData {
000363 |             #EditorPos 18.0 -7.0
000364 |         }
000365 |     }
000366 |     $Node AnimNodePose2 {
000367 |         "CodriverAimPose" "" "Vehicle.CoDriverAim" "eAI_AimY" "eAI_AimX" "Y(-90):      X(-90) = 0, X(0) = 1, X(90) = 2
000368 | Y(0):      X(-90) = 3, X(0) = 4, X(90) = 5
000369 | Y(90):     X(-90) = 6, X(0) = 7, X(90) = 8"
000370 |         $EditorData {
000371 |             #EditorPos 20.2000008 -7.0
000372 |         }
000373 |     }
000374 |     $Node AnimNodeBlend {
000375 |         "CodriverLookAimBlend" "" "1.0" "CodriverAimBlend" "MoveLookPose" 1
000376 |         $EditorData {
000377 |             #EditorPos 19.1000004 -5.0999999
000378 |         }
000379 |     }
000380 |     $Node AnimNodeBlend {
000381 |         "CodriverLookBlend" "" "1.0" "CoDriverIdleAnim" "MoveLookPose" 1
000382 |         $EditorData {
000383 |             #EditorPos 16.8000011 -5.0999999
000384 |         }
000385 |     }
000386 |     $Node AnimNodeSource {
000387 |         "CodriverSwitchSeatDriverSrc" "" "Vehicle.CoDriver_SwitchSeat_Driver" "noloop"
000388 |         $Predictions {
000389 |         }
000390 |         $EditorData {
000391 |             #EditorPos 9.3000002 7.9000001
000392 |         }
000393 |     }
000394 |     $Node AnimNodeSource {
000395 |         "CodriverSwitchSeatPassengerLSrc" "" "Vehicle.CoDriver_SwitchSeat_PassengerL" "noloop"
000396 |         $Predictions {
000397 |         }
000398 |         $EditorData {
000399 |             #EditorPos 11.6999998 7.9000001
000400 |         }
000401 |     }
000402 |     $Node AnimNodeSource {
000403 |         "CodriverSwitchSeatPassengerRSrc" "" "Vehicle.CoDriver_SwitchSeat_PassengerR" "noloop"
000404 |         $Predictions {
000405 |         }
000406 |         $EditorData {
000407 |             #EditorPos 14.1999998 7.9000001
000408 |         }
000409 |     }
000410 |     $Node AnimNodeSource {
000411 |         "CrawlOutCoDriver" "" "Vehicle.PassengerLCrawlOut" "noloop"
000412 |         $Predictions {
000413 |         }
000414 |         $EditorData {
000415 |             #EditorPos 21.3999996 0.4
000416 |         }
000417 |     }
000418 |     $Node AnimNodeSource {
000419 |         "CrawlOutDriver" "" "Vehicle.DriverCrawlOut" "noloop"
000420 |         $Predictions {
000421 |         }
000422 |         $EditorData {
000423 |             #EditorPos 3.0 0.4
```

```
000424 |     }
000425 | }
000426 | $Node AnimNodeSource {
000427 |     "CrawlOutPassengerL" "" "Vehicle.CoDriverCrawlOut" "noloop"
000428 |     $Predictions {
000429 |     }
000430 |     $EditorData {
000431 |         #EditorPos 35.7999992 -0.3
000432 |     }
000433 | }
000434 | $Node AnimNodeSource {
000435 |     "CrawlOutPassengerR" "" "Vehicle.PassengerRCrawlOut" "noloop"
000436 |     $Predictions {
000437 |     }
000438 |     $EditorData {
000439 |         #EditorPos 51.6000023 0.4
000440 |     }
000441 | }
000442 | $Node AnimNodeSource {
000443 |     "DriverBreakAnim" "" "Vehicle.DriverBreak" "noloop"
000444 |     $Predictions {
000445 |     }
000446 |     $EditorData {
000447 |         #EditorPos 6.8000002 35.1000023
000448 |     }
000449 | }
000450 | $Node AnimNodeBlend {
000451 |     "DriverClutchPB" "" "0.0" "DriverIdleAddAnim" "VehicleClutchP" 0
000452 |     $EditorData {
000453 |         #EditorPos -2.5 -15.6000004
000454 |     }
000455 | }
000456 | $Node AnimNodeSource {
000457 |     "DriverDeathAnim" "" "Vehicle.DriverDeath" "noloop"
000458 |     $Predictions {
000459 |     }
000460 |     $EditorData {
000461 |         #EditorPos -10.9000006 0.3
000462 |     }
000463 | }
000464 | $Node AnimNodeBlendTAdd {
000465 |     "DriverFacialT" "" "DriverIdleBlend" "FacialMovementAnim" "" "" "True" 0.3 "S" 0
000466 |     $EditorData {
000467 |         #EditorPos -3.8 -7.2000003
000468 |     }
000469 | }
000470 | $Node AnimNodeSource {
000471 |     "DriverIdleAddAnim" "" "Vehicle.DriverIdle" "loop"
000472 |     $Predictions {
000473 |     }
000474 |     $EditorData {
000475 |         #EditorPos -3.6000001 -16.3000011
000476 |     }
000477 | }
000478 | $Node AnimNodeBlend {
000479 |     "DriverIdleBlend" "" "1.0" "SteeringSTM" "MoveLookPose" 0
000480 |     $EditorData {
000481 |         #EditorPos -3.9000001 -8.6000004
000482 |     }
000483 | }
000484 | $Node AnimNodeStateMachine {
000485 |     "DriverIdleStateMachine" "TagVehicleIdle"
```

```
000486 |         $States 2 {
000487 |             $State {
000488 |                 "Idle" "" "DriverFacialT" "true" "realtime" 0
000489 |                 $EditorData {
000490 |                     #EditorPos -3.9000001 -5.5
000491 |                 }
000492 |             }
000493 |             $State {
000494 |                 "Unconscious" "TagUnconscious" "DriverUnconFacialT" "false" "notime" 0
000495 |                 $EditorData {
000496 |                     #EditorPos 4.4000001 -5.5
000497 |                 }
000498 |             }
000499 |         }
000500 |         $Transitions 2 {
000501 |             $Transition {
000502 |                 "Idle" "Unconscious" "IsCommand(CMD_Unconscious)" "0.2" "" 0 "S"
000503 |             }
000504 |             $Transition {
000505 |                 "Unconscious" "Idle" "RemainingTimeLess(0.01)" "0.2" "" 1 "S"
000506 |             }
000507 |         }
000508 |         $EditorData {
000509 |             #EditorPos -1.6 -4.3000002
000510 |         }
000511 |     }
000512 |     $Node AnimNodeSource {
000513 |         "DriverSwitchSeatCrodriverSrc" "" "Vehicle.Driver_SwitchSeat_CoDriver" "nolooop"
000514 |         $Predictions {
000515 |         }
000516 |         $EditorData {
000517 |             #EditorPos 6.9000001 7.9000001
000518 |         }
000519 |     }
000520 |     $Node AnimNodeSource {
000521 |         "DriverSwitchSeatPassengerLsrc" "" "Vehicle.Driver_SwitchSeat_PassengerL" "nolooop"
000522 |         $Predictions {
000523 |         }
000524 |         $EditorData {
000525 |             #EditorPos 2.0 8.0
000526 |         }
000527 |     }
000528 |     $Node AnimNodeSource {
000529 |         "DriverSwitchSeatPassengerRsrc" "" "Vehicle.Driver_SwitchSeat_PassengerR" "nolooop"
000530 |         $Predictions {
000531 |         }
000532 |         $EditorData {
000533 |             #EditorPos 4.4000001 7.9000001
000534 |         }
000535 |     }
000536 |     $Node AnimNodePose {
000537 |         "DriverThrottleP" "" "Vehicle.DriverThrottle" "VehicleThrottle"
000538 |         $EditorData {
000539 |             #EditorPos -0.3 -15.6000004
000540 |         }
000541 |     }
000542 |     $Node AnimNodeBlend {
000543 |         "DriverThrottlePB" "" "0.0" "DriverClutchPB" "DriverThrottleP" 0
000544 |         $EditorData {
000545 |             #EditorPos -1.4 -14.8000002
000546 |         }
000547 |     }
```

```
000548 |     $Node AnimNodeSource {
000549 |         "DriverUnconDeathAnim" "" "Vehicle.DriverUnconsciousDeath" "noloop"
000550 |         $Predictions {
000551 |         }
000552 |         $EditorData {
000553 |             #EditorPos -8.4000006 0.3
000554 |         }
000555 |     }
000556 |     $Node AnimNodeBlendTAdd {
000557 |         "DriverUnconFacialT" "" "DriverUnconsciousStateMachine" "FacialUnconsciousAnim" "True" "IsCommand(CMD_Unconscious_Exit)" "" 0.5 "S" 0
000558 |         $EditorData {
000559 |             #EditorPos 4.5 -7.4000001
000560 |         }
000561 |     }
000562 |     $Node AnimNodeSource {
000563 |         "DriverUnconsciousIdle" "" "Vehicle.DriverUnconsciousIdle" "loop"
000564 |         $Predictions {
000565 |         }
000566 |         $EditorData {
000567 |             #EditorPos 7.4000001 -12.0
000568 |         }
000569 |     }
000570 |     $Node AnimNodeSource {
000571 |         "DriverUnconsciousIn" "" "Vehicle.DriverUnconsciousIn" "noloop"
000572 |         $Predictions {
000573 |         }
000574 |         $EditorData {
000575 |             #EditorPos 4.8000002 -12.0
000576 |         }
000577 |     }
000578 |     $Node AnimNodeSource {
000579 |         "DriverUnconsciousOut" "" "Vehicle.DriverUnconsciousOut" "noloop"
000580 |         $Predictions {
000581 |         }
000582 |         $EditorData {
000583 |             #EditorPos 10.0 -12.0
000584 |         }
000585 |     }
000586 |     $Node AnimNodeStateMachine {
000587 |         "DriverUnconsciousStateMachine" "TagUnconscious"
000588 |         $States 3 {
000589 |             $State {
000590 |                 "In" "" "DriverUnconsciousIn" "" "realtime" 0
000591 |                 $EditorData {
000592 |                     #EditorPos 4.8000002 -10.1999998
000593 |                 }
000594 |             }
000595 |             $State {
000596 |                 "Idle" "" "DriverUnconsciousIdle" "" "realtime" 0
000597 |                 $EditorData {
000598 |                     #EditorPos 7.4000001 -10.1999998
000599 |                 }
000600 |             }
000601 |             $State {
000602 |                 "Out" "" "DriverUnconsciousOut" "" "realtime" 1
000603 |                 $EditorData {
000604 |                     #EditorPos 10.0 -10.1999998
000605 |                 }
000606 |             }
000607 |         }
000608 |     }
000609 |     $Transitions 2 {
000610 |         $Transition {
```

```
000610 |         "In" "Idle" "RemainingTimeLess(0.01)" "" "" 1 "S"
000611 |     }
000612 |     $Transition {
000613 |         "Idle" "Out" "IsCommand(CMD_Unconscious_Exit)" "0.2" "" 0 "S"
000614 |     }
000615 | }
000616 | $EditorData {
000617 |     #EditorPos 4.4000001 -9.0
000618 | }
000619 | }
000620 | $Node AnimNodeStateMachine {
000621 |     "DriverVehicle" ""
000622 |     $States 10 {
000623 |         $State {
000624 |             "Get In" "TagVehicleGetIn" "GetInDriver" "IsCommand(CMD_Vehicle_GetIn)" "realtime" 0
000625 |             $EditorData {
000626 |                 #EditorPos -4.2000003 2.3
000627 |             }
000628 |         }
000629 |         $State {
000630 |             "Idle" "" "DriverIdleStateMachine" "!IsCommand(CMD_Vehicle_GetIn)" "notime" 0
000631 |             $EditorData {
000632 |                 #EditorPos -1.6 3.2
000633 |             }
000634 |         }
000635 |         $State {
000636 |             "Jump Out" "TagVehicleGetOut" "JumpOutDriver" "false" "realtime" 1
000637 |             $EditorData {
000638 |                 #EditorPos 5.5 2.3
000639 |             }
000640 |         }
000641 |         $State {
000642 |             "Get Out" "TagVehicleGetOut" "GetOutDriver" "false" "realtime" 1
000643 |             $EditorData {
000644 |                 #EditorPos 0.5 2.3
000645 |             }
000646 |         }
000647 |         $State {
000648 |             "Climb Out" "" "ClimbOutFrontStateMachine" "false" "notime" 1
000649 |             $EditorData {
000650 |                 #EditorPos 7.7000003 3.2
000651 |             }
000652 |         }
000653 |         $State {
000654 |             "CrawlOut" "TagVehicleGetOut" "CrawlOutDriver" "false" "realtime" 1
000655 |             $EditorData {
000656 |                 #EditorPos 3.0 2.3
000657 |             }
000658 |         }
000659 |         $State {
000660 |             "Death" "" "DriverDeathAnim" "" "realtime" 0
000661 |             $EditorData {
000662 |                 #EditorPos -10.9000006 3.2
000663 |             }
000664 |         }
000665 |         $State {
000666 |             "UnconsciousDeath" "" "DriverUnconDeathAnim" "" "realtime" 0
000667 |             $EditorData {
000668 |                 #EditorPos -8.4000006 3.2
000669 |             }
000670 |         }
000671 |     }
    $State {
```

```
000672 |         "PulledOut" "" "PulledOutDriver" "" "realtime" 0
000673 |     $EditorData {
000674 |         #EditorPos -9.6999998 2.2
000675 |     }
000676 | }
000677 | $State {
000678 |     "GettingInDeath" "" "DeathErcG" "" "realtime" 0
000679 |     $EditorData {
000680 |         #EditorPos -6.5999999 2.3
000681 |     }
000682 | }
000683 | }
000684 | $Transitions 10 {
000685 |     $Transition {
000686 |         "Get In" "Idle" "RemainingTimeLess(0.1)" "0.2" "" 1 "S"
000687 |     }
000688 |     $Transition {
000689 |         "Idle" "Jump Out" "IsCommand(CMD_Vehicle_JumpOut)" "0.2" "" 0 "S"
000690 |     }
000691 |     $Transition {
000692 |         "Idle" "CrawlOut" "IsCommand(CMD_Vehicle_CrawlOut)" "0.2" "" 0 "S"
000693 |     }
000694 |     $Transition {
000695 |         "Idle" "Climb Out" "IsCommand(CMD_Vehicle_ClimbOut)" "" "" 0 "S"
000696 |     }
000697 |     $Transition {
000698 |         "Idle" "Get Out" "IsCommand(CMD_Vehicle_GetOut)" "0.2" "" 0 "S"
000699 |     }
000700 |     $Transition {
000701 |         "Idle" "UnconsciousDeath" "IsCommand(CMD_Death) && IsTag(\"TagUnconscious\")" "0.1" "" 1 "S"
000702 |     }
000703 |     $Transition {
000704 |         "" "Death" "IsCommand(CMD_Death) && !IsTag(\"TagVehicleGetIn\")" "0.1" "" 1 "S"
000705 |     }
000706 |     $Transition {
000707 |         "Death" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
000708 |     }
000709 |     $Transition {
000710 |         "UnconsciousDeath" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
000711 |     }
000712 |     $Transition {
000713 |         "Get In" "GettingInDeath" "IsCommand(CMD_Death)" "0.1" "" 1 "S"
000714 |     }
000715 | }
000716 | $EditorData {
000717 |     #EditorPos 4.7000003 4.4000001
000718 | }
000719 | }
000720 | $Node AnimNodeSource {
000721 |     "GetInCoDriver" "" "Vehicle.CoDriverGetIn" "nolooop"
000722 |     $Predictions {
000723 |         $Prediction {
000724 |             "PredictionVehicleGetIn" "EntityPosition" "" 1.0 7
000725 |         }
000726 |     }
000727 |     $EditorData {
000728 |         #EditorPos 15.3000002 0.5
000729 |     }
000730 | }
000731 | $Node AnimNodeSource {
000732 |     "GetInDriver" "" "Vehicle.DriverGetIn" "nolooop"
000733 |     $Predictions {
```

```
000734 |         $Prediction {
000735 |             "PredictionVehicleGetIn" "EntityPosition" "" 1.0 7
000736 |         }
000737 |     }
000738 |     $EditorData {
000739 |         #EditorPos -4.2000003 0.4
000740 |     }
000741 | }
000742 | $Node AnimNodeSource {
000743 |     "GetInPassengerL" "" "Vehicle.PassengerLGetIn" "nolooop"
000744 |     $Predictions {
000745 |         $Prediction {
000746 |             "PredictionVehicleGetIn" "EntityPosition" "" 1.0 7
000747 |         }
000748 |     }
000749 |     $EditorData {
000750 |         #EditorPos 41.7000008 -0.3
000751 |     }
000752 | }
000753 | $Node AnimNodeSource {
000754 |     "GetInPassengerR" "" "Vehicle.PassengerRGetIn" "nolooop"
000755 |     $Predictions {
000756 |         $Prediction {
000757 |             "PredictionVehicleGetIn" "EntityPosition" "" 1.0 7
000758 |         }
000759 |     }
000760 |     $EditorData {
000761 |         #EditorPos 57.0 0.4
000762 |     }
000763 | }
000764 | $Node AnimNodeSource {
000765 |     "GetOutCoDriver" "" "Vehicle.CoDriverGetOut" "nolooop"
000766 |     $Predictions {
000767 |     }
000768 |     $EditorData {
000769 |         #EditorPos 19.0 0.4
000770 |     }
000771 | }
000772 | $Node AnimNodeSource {
000773 |     "GetOutDriver" "" "Vehicle.DriverGetOut" "nolooop"
000774 |     $Predictions {
000775 |     }
000776 |     $EditorData {
000777 |         #EditorPos 0.5 0.4
000778 |     }
000779 | }
000780 | $Node AnimNodeSource {
000781 |     "GetOutPassengerL" "" "Vehicle.PassengerLGetOut" "nolooop"
000782 |     $Predictions {
000783 |     }
000784 |     $EditorData {
000785 |         #EditorPos 38.1000023 -0.3
000786 |     }
000787 | }
000788 | $Node AnimNodeSource {
000789 |     "GetOutPassengerR" "" "Vehicle.PassengerRGetOut" "nolooop"
000790 |     $Predictions {
000791 |     }
000792 |     $EditorData {
000793 |         #EditorPos 54.1000023 0.4
000794 |     }
000795 | }
```



```
000796 |     $Node AnimNodeGroupSelect {
000797 |         "Hatchback_02ActionG" "" "VehicleTalkingT" "VehicleActions" "Hatchback_02"
000798 |         $EditorData {
000799 |             #EditorPos 15.6000004 45.0
000800 |         }
000801 |     }
000802 |     $Node AnimNodeGroupSelect {
000803 |         "Hatchback_02G" "" "Hatchback_02ActionG" "Vehicle" "Hatchback_02"
000804 |         $EditorData {
000805 |             #EditorPos 15.6000004 45.7000008
000806 |         }
000807 |     }
000808 |     $Node AnimNodeSource {
000809 |         "IdlePassenger" "" "Vehicle.PassengerLIdle" "loop"
000810 |         $Predictions {
000811 |         }
000812 |         $EditorData {
000813 |             #EditorPos 37.9000015 -10.6000004
000814 |         }
000815 |     }
000816 |     $Node AnimNodeBlend {
000817 |         "IdlePassengerLLookBlend" "" "1.0" "IdlePassenger" "MoveLookPose" 1
000818 |         $EditorData {
000819 |             #EditorPos 37.9000015 -9.6000004
000820 |         }
000821 |     }
000822 |     $Node AnimNodeSource {
000823 |         "JumpOutCoDriver" "" "Vehicle.CoDriverJumpOut" "noloop"
000824 |         $Predictions {
000825 |         }
000826 |         $EditorData {
000827 |             #EditorPos 23.6000004 0.4
000828 |         }
000829 |     }
000830 |     $Node AnimNodeSource {
000831 |         "JumpOutDriver" "" "Vehicle.DriverJumpOut" "noloop"
000832 |         $Predictions {
000833 |         }
000834 |         $EditorData {
000835 |             #EditorPos 5.5 0.4
000836 |         }
000837 |     }
000838 |     $Node AnimNodeSource {
000839 |         "JumpOutPassengerL" "" "Vehicle.PassengerLJumpOut" "noloop"
000840 |         $Predictions {
000841 |         }
000842 |         $EditorData {
000843 |             #EditorPos 33.5 -0.3
000844 |         }
000845 |     }
000846 |     $Node AnimNodeSource {
000847 |         "JumpOutPassengerR" "" "Vehicle.PassengerRJumpOut" "noloop"
000848 |         $Predictions {
000849 |         }
000850 |         $EditorData {
000851 |             #EditorPos 49.2999992 0.4
000852 |         }
000853 |     }
000854 |     $Node AnimNodeGroupSelect {
000855 |         "OffroadHatchbackActionG" "" "VehicleTalkingT" "VehicleActions" "OffroadHatchback"
000856 |         $EditorData {
000857 |             #EditorPos 2.8 45.0
```

```

000858 |     }
000859 | }
000860 | $Node AnimNodeGroupSelect {
000861 |     "OffroadHatchbackG" "" "OffroadHatchbackActionG" "Vehicle" "OffroadHatchback"
000862 |     $EditorData {
000863 |         #EditorPos 2.8 45.7000008
000864 |     }
000865 | }
000866 | $Node AnimNodeGroupSelect {
000867 |     "Offroad_02ActionG" "" "VehicleTalkingT" "VehicleActions" "Offroad_02"
000868 |     $EditorData {
000869 |         #EditorPos 18.3999996 45.0
000870 |     }
000871 | }
000872 | $Node AnimNodeGroupSelect {
000873 |     "Offroad_02G" "" "Offroad_02ActionG" "Vehicle" "Offroad_02"
000874 |     $EditorData {
000875 |         #EditorPos 18.3999996 45.7000008
000876 |     }
000877 | }
000878 | $Node AnimNodePose {
000879 |     "Out" "" "Vehicle.DriverBreak" "0.0"
000880 |     $EditorData {
000881 |         #EditorPos 9.4000006 35.1000023
000882 |     }
000883 | }
000884 | $Node AnimNodeBlend {
000885 |     "PassengerLAimBlend" "" "1.0" "PassengerLAimIdleSrc" "PassengerLAimPose" 1
000886 |     $EditorData {
000887 |         #EditorPos 40.7000008 -10.6000004
000888 |     }
000889 | }
000890 | $Node AnimNodeSource {
000891 |     "PassengerLAimIdleSrc" "" "Vehicle.PassengerLAimIdle" "loop"
000892 |     $Predictions {
000893 |     }
000894 |     $EditorData {
000895 |         #EditorPos 39.5 -11.5
000896 |     }
000897 | }
000898 | $Node AnimNodeBlend {
000899 |     "PassengerLAimLookBlend" "" "1.0" "PassengerLAimBlend" "MoveLookPose" 1
000900 |     $EditorData {
000901 |         #EditorPos 40.7000008 -9.6000004
000902 |     }
000903 | }
000904 | $Node AnimNodePose2 {
000905 |     "PassengerLAimPose" "" "Vehicle.PassengerLAim" "eAI_AimY" "eAI_AimX" "Y(-90):      X(-90) = 0, X(0) = 1, X(90) = 2
000906 | Y(0):      X(-90) = 3, X(0) = 4, X(90) = 5
000907 | Y(90):     X(-90) = 6, X(0) = 7, X(90) = 8"
000908 |     $EditorData {
000909 |         #EditorPos 41.9000015 -11.5
000910 |     }
000911 | }
000912 | $Node AnimNodeBlendT {
000913 |     "PassengerLAimT" "" "IdlePassengerLLookBlend" "PassengerLAimLookBlend" "" "" "eAI_Raised" 0.3 "S" 3
000914 |     $EditorData {
000915 |         #EditorPos 39.2000008 -8.6000004
000916 |     }
000917 | }
000918 | $Node AnimNodeSource {
000919 |     "PassengerLClimbOut" "" "Vehicle.PassengerLClimbOut" "no loop"

```

```
000920 |         $Predictions {
000921 |     }
000922 |     $EditorData {
000923 |         #EditorPos 46.2999992 -3.3
000924 |     }
000925 | }
000926 | $Node AnimNodeSource {
000927 |     "PassengerLDeathAnim" "" "Vehicle.PassengerLDeath" "noloop"
000928 |     $Predictions {
000929 |     }
000930 |     $EditorData {
000931 |         #EditorPos 30.1000004 -0.2
000932 |     }
000933 | }
000934 | $Node AnimNodeBlend {
000935 |     "PassengerLFacialB" "" "0.0" "IdlePassengerLLookBlend" "FacialMovementAnim" 0
000936 |     $EditorData {
000937 |         #EditorPos 39.2000008 -7.5
000938 |     }
000939 | }
000940 | $Node AnimNodeStateMachine {
000941 |     "PassengerLIdleStateMachine" "TagVehicleIdle"
000942 |     $States 2 {
000943 |         $State {
000944 |             "Idle" "" "PassengerLFacialB" "true" "realtime" 0
000945 |             $EditorData {
000946 |                 #EditorPos 39.2000008 -5.4000001
000947 |             }
000948 |         }
000949 |         $State {
000950 |             "Unconscious" "TagUnconscious" "PassengerLUnconFacialT" "" "notime" 0
000951 |             $EditorData {
000952 |                 #EditorPos 44.2999992 -5.4000001
000953 |             }
000954 |         }
000955 |     }
000956 |     $Transitions 2 {
000957 |         $Transition {
000958 |             "Idle" "Unconscious" "IsCommand(CMD_Unconscious)" "0.2" "" 0 "S"
000959 |         }
000960 |         $Transition {
000961 |             "Unconscious" "Idle" "RemainingTimeLess(0.11)" "0.1" "" 1 "S"
000962 |         }
000963 |     }
000964 |     $EditorData {
000965 |         #EditorPos 39.5 -4.0999999
000966 |     }
000967 | }
000968 | $Node AnimNodeStateMachine {
000969 |     "PassengerLStateMachine" ""
000970 |     $States 10 {
000971 |         $State {
000972 |             "Get In" "TagVehicleGetIn" "GetInPassengerL" "IsCommand(CMD_Vehicle_GetIn)" "realtime" 0
000973 |             $EditorData {
000974 |                 #EditorPos 41.7000008 2.3
000975 |             }
000976 |         }
000977 |         $State {
000978 |             "Idle" "" "PassengerLIdleStateMachine" "!IsCommand(CMD_Vehicle_GetIn)" "notime" 0
000979 |             $EditorData {
000980 |                 #EditorPos 39.5 3.2
000981 |             }
000981 |         }
```

```
000982 |     }
000983 |     $State {
000984 |         "Get Out" "TagVehicleGetOut" "GetOutPassengerL" "" "realtime" 1
000985 |         $EditorData {
000986 |             #EditorPos 38.1000023 2.3
000987 |         }
000988 |     }
000989 |     $State {
000990 |         "Jump Out" "TagVehicleGetOut" "JumpOutPassengerL" "" "realtime" 1
000991 |         $EditorData {
000992 |             #EditorPos 33.5 2.3
000993 |         }
000994 |     }
000995 |     $State {
000996 |         "Climb Out" "" "ClimbOutBackStateMachine" "" "notime" 0
000997 |         $EditorData {
000998 |             #EditorPos 43.6000023 3.2
000999 |         }
001000 |     }
001001 |     $State {
001002 |         "CrawlOut" "TagVehicleGetOut" "CrawlOutPassengerL" "" "realtime" 1
001003 |         $EditorData {
001004 |             #EditorPos 35.7999992 2.3
001005 |         }
001006 |     }
001007 |     $State {
001008 |         "Death" "" "PassengerLDeathAnim" "" "realtime" 0
001009 |         $EditorData {
001010 |             #EditorPos 30.1000004 3.2
001011 |         }
001012 |     }
001013 |     $State {
001014 |         "UnconsciousDeath" "" "PassengerLUnconDeathAnim" "" "realtime" 0
001015 |         $EditorData {
001016 |             #EditorPos 32.2000008 3.2
001017 |         }
001018 |     }
001019 |     $State {
001020 |         "PulledOut" "" "PulledOutPassengerL" "" "realtime" 0
001021 |         $EditorData {
001022 |             #EditorPos 31.2000008 2.1000001
001023 |         }
001024 |     }
001025 |     $State {
001026 |         "GettingInDeath" "" "DeathErcG" "" "realtime" 0
001027 |         $EditorData {
001028 |             #EditorPos 43.1000023 1.5
001029 |         }
001030 |     }
001031 | }
001032 | $Transitions 10 {
001033 |     $Transition {
001034 |         "Get In" "Idle" "RemainingTimeLess(0.01)" "" "" 1 "S"
001035 |     }
001036 |     $Transition {
001037 |         "Idle" "CrawlOut" "IsCommand(CMD_Vehicle_CrawlOut)" "0.2" "" 0 "S"
001038 |     }
001039 |     $Transition {
001040 |         "Idle" "Jump Out" "IsCommand(CMD_Vehicle_JumpOut)" "0.2" "" 0 "S"
001041 |     }
001042 |     $Transition {
001043 |         "Idle" "Climb Out" "IsCommand(CMD_Vehicle_ClimbOut)" "0.2" "" 0 "S"
```

```
001044 |     }
001045 |     $Transition {
001046 |         "Idle" "Get Out" "IsCommand(CMD_Vehicle_GetOut)" "0.2" "" 0 "S"
001047 |     }
001048 |     $Transition {
001049 |         "Idle" "UnconsciousDeath" "IsCommand(CMD_Death) && IsTag(\"TagUnconscious\")" "0.1" "" 1 "S"
001050 |     }
001051 |     $Transition {
001052 |         "" "Death" "IsCommand(CMD_Death) && !IsTag(\"TagVehicleGetIn\")" "0.1" "" 1 "S"
001053 |     }
001054 |     $Transition {
001055 |         "Death" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
001056 |     }
001057 |     $Transition {
001058 |         "UnconsciousDeath" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
001059 |     }
001060 |     $Transition {
001061 |         "Get In" "GettingInDeath" "IsCommand(CMD_Death) && !IsTag(\"TagVehicleGetIn\")" "0.1" "" 1 "S"
001062 |     }
001063 | }
001064 | $EditorData {
001065 |     #EditorPos 40.6000023 4.4000001
001066 | }
001067 | }
001068 | $Node AnimNodeSource {
001069 |     "PassengerLSwitchSeatCoDriverSrc" "" "Vehicle.PassengerL_SwitchSeat_CoDriver" "noloop"
001070 |     $Predictions {
001071 |     }
001072 |     $EditorData {
001073 |         #EditorPos 40.2999992 7.9000001
001074 |     }
001075 | }
001076 | $Node AnimNodeSource {
001077 |     "PassengerLSwitchSeatDriverSrc" "" "Vehicle.PassengerL_SwitchSeat_Driver" "noloop"
001078 |     $Predictions {
001079 |     }
001080 |     $EditorData {
001081 |         #EditorPos 37.7000008 7.9000001
001082 |     }
001083 | }
001084 | $Node AnimNodeSource {
001085 |     "PassengerLSwitchSeatPassengerRSrc" "" "Vehicle.PassengerL_SwitchSeat_PassengerR" "noloop"
001086 |     $Predictions {
001087 |     }
001088 |     $EditorData {
001089 |         #EditorPos 42.7000008 7.9000001
001090 |     }
001091 | }
001092 | $Node AnimNodeSource {
001093 |     "PassengerLUnconDeathAnim" "" "Vehicle.PassengerLUnconsciousDeath" "noloop"
001094 |     $Predictions {
001095 |     }
001096 |     $EditorData {
001097 |         #EditorPos 32.2999992 -1.6
001098 |     }
001099 | }
001100 | $Node AnimNodeBlendTAdd {
001101 |     "PassengerLUnconFacialT" "" "PassengerLUnconsciousSTM" "FacialUnconsciousAnim" "True" "IsCommand(CMD_Unconscious_Exit)" "" 0.5 "S" 0
001102 |     $EditorData {
001103 |         #EditorPos 44.4000015 -7.2000003
001104 |     }
001105 | }
```

```
001106 |     $Node AnimNodeSource {
001107 |         "PassengerLUnconsciousIdleAnim" "" "Vehicle.PassengerLUnconsciousIdle" "noloop"
001108 |         $Predictions {
001109 |         }
001110 |         $EditorData {
001111 |             #EditorPos 47.2000008 -11.1999998
001112 |         }
001113 |     }
001114 |     $Node AnimNodeSource {
001115 |         "PassengerLUnconsciousInAnim" "" "Vehicle.PassengerLUnconsciousIn" "noloop"
001116 |         $Predictions {
001117 |         }
001118 |         $EditorData {
001119 |             #EditorPos 44.7000008 -11.6999998
001120 |         }
001121 |     }
001122 |     $Node AnimNodeSource {
001123 |         "PassengerLUnconsciousOutAnim" "" "Vehicle.PassengerLUnconsciousOut" "noloop"
001124 |         $Predictions {
001125 |         }
001126 |         $EditorData {
001127 |             #EditorPos 49.7000008 -11.6999998
001128 |         }
001129 |     }
001130 |     $Node AnimNodeStateMachine {
001131 |         "PassengerLUnconsciousSTM" "TagUnconscious"
001132 |         $States 3 {
001133 |             $State {
001134 |                 "In" "" "PassengerLUnconsciousInAnim" "true" "realtime" 0
001135 |                 $EditorData {
001136 |                     #EditorPos 44.7000008 -9.5
001137 |                 }
001138 |             }
001139 |             $State {
001140 |                 "Loop" "" "PassengerLUnconsciousIdleAnim" "false" "realtime" 0
001141 |                 $EditorData {
001142 |                     #EditorPos 47.2000008 -9.5
001143 |                 }
001144 |             }
001145 |             $State {
001146 |                 "Out" "" "PassengerLUnconsciousOutAnim" "false" "realtime" 1
001147 |                 $EditorData {
001148 |                     #EditorPos 49.7000008 -9.5
001149 |                 }
001150 |             }
001151 |         }
001152 |         $Transitions 2 {
001153 |             $Transition {
001154 |                 "In" "Loop" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
001155 |             }
001156 |             $Transition {
001157 |                 "Loop" "Out" "IsCommand(CMD_Unconscious_Exit)" "0.1" "" 0 "S"
001158 |             }
001159 |         }
001160 |         $EditorData {
001161 |             #EditorPos 44.2999992 -8.3000002
001162 |         }
001163 |     }
001164 |     $Node AnimNodeBlend {
001165 |         "PassengerRAimBlend" "" "1.0" "PassengerRAimIdleSrc" "PassengerRAimPose" 1
001166 |         $EditorData {
001167 |             #EditorPos 57.2000008 -6.9000001
```

```
001168 |     }
001169 | }
001170 | $Node AnimNodeSource {
001171 |     "PassengerRAimIdleSrc" "" "Vehicle.PassengerRAimIdle" "noloop"
001172 |     $Predictions {
001173 |     }
001174 |     $EditorData {
001175 |         #EditorPos 56.0 -7.7000003
001176 |     }
001177 | }
001178 | $Node AnimNodeBlend {
001179 |     "PassengerRAimLookBlend" "" "1.0" "PassengerRAimBlend" "MoveLookPose" 1
001180 |     $EditorData {
001181 |         #EditorPos 57.2000008 -5.9000001
001182 |     }
001183 | }
001184 | $Node AnimNodePose2 {
001185 |     "PassengerRAimPose" "" "Vehicle.PassengerRAim" "eAI_AimY" "eAI_AimX" "Y(-90):      X(-90) = 0, X(0) = 1, X(90) = 2
001186 | Y(0):      X(-90) = 3, X(0) = 4, X(90) = 5
001187 | Y(90):     X(-90) = 6, X(0) = 7, X(90) = 8"
001188 |     $EditorData {
001189 |         #EditorPos 58.4000015 -7.7000003
001190 |     }
001191 | }
001192 | $Node AnimNodeBlendT {
001193 |     "PassengerRAimT" "" "PassengerRIdleLookBlend" "PassengerRAimLookBlend" "" "" "eAI_Raised" 0.3 "S" 3
001194 |     $EditorData {
001195 |         #EditorPos 55.7999992 -5.0
001196 |     }
001197 | }
001198 | $Node AnimNodeSource {
001199 |     "PassengerRClimbOut" "" "Vehicle.PassengerRClimbOut" "noloop"
001200 |     $Predictions {
001201 |     }
001202 |     $EditorData {
001203 |         #EditorPos 48.9000015 -3.3
001204 |     }
001205 | }
001206 | $Node AnimNodeSource {
001207 |     "PassengerRDeathAnim" "" "Vehicle.PassengerRDeath" "noloop"
001208 |     $Predictions {
001209 |     }
001210 |     $EditorData {
001211 |         #EditorPos 64.3000031 0.4
001212 |     }
001213 | }
001214 | $Node AnimNodeBlend {
001215 |     "PassengerRFacialB" "" "0.0" "PassengerRIdleLookBlend" "FacialMovementAnim" 0
001216 |     $EditorData {
001217 |         #EditorPos 55.7999992 -3.6000001
001218 |     }
001219 | }
001220 | $Node AnimNodeBlend {
001221 |     "PassengerRIdleLookBlend" "" "1.0" "PassengerRIdleSrc" "MoveLookPose" 1
001222 |     $EditorData {
001223 |         #EditorPos 54.4000015 -5.9000001
001224 |     }
001225 | }
001226 | $Node AnimNodeSource {
001227 |     "PassengerRIdleSrc" "" "Vehicle.PassengerRIdle" "noloop"
001228 |     $Predictions {
001229 |     }
```

```
001230 |         $EditorData {
001231 |             #EditorPos 54.4000015 -6.9000001
001232 |         }
001233 |     }
001234 |     $Node AnimNodeStateMachine {
001235 |         "PassengerRIdleStateMachine" "TagVehicleIdle"
001236 |         $States 2 {
001237 |             $State {
001238 |                 "Idle" "" "PassengerRFacialB" "True" "realtime" 0
001239 |                 $EditorData {
001240 |                     #EditorPos 55.7999992 -1.6
001241 |                 }
001242 |             }
001243 |             $State {
001244 |                 "Unconscious" "TagUnconscious" "PassengerRUnconFacialT" "" "notime" 0
001245 |                 $EditorData {
001246 |                     #EditorPos 60.9000015 -1.6
001247 |                 }
001248 |             }
001249 |         }
001250 |         $Transitions 2 {
001251 |             $Transition {
001252 |                 "Idle" "Unconscious" "IsCommand(CMD_Unconscious)" "0.2" "" 0 "S"
001253 |             }
001254 |             $Transition {
001255 |                 "Unconscious" "Idle" "RemainingTimeLess(0.11)" "0.1" "" 1 "S"
001256 |             }
001257 |         }
001258 |         $EditorData {
001259 |             #EditorPos 55.4000015 -0.4
001260 |         }
001261 |     }
001262 |     $Node AnimNodeStateMachine {
001263 |         "PassengerRStateMachine" ""
001264 |         $States 10 {
001265 |             $State {
001266 |                 "Get In" "TagVehicleGetIn" "GetInPassengerR" "IsCommand(CMD_Vehicle_GetIn)" "realtime" 0
001267 |                 $EditorData {
001268 |                     #EditorPos 57.0 2.1000001
001269 |                 }
001270 |             }
001271 |             $State {
001272 |                 "Idle" "" "PassengerRIdleStateMachine" "!IsCommand(CMD_Vehicle_GetIn)" "notime" 0
001273 |                 $EditorData {
001274 |                     #EditorPos 55.4000015 3.2
001275 |                 }
001276 |             }
001277 |             $State {
001278 |                 "Get Out" "TagVehicleGetOut" "GetOutPassengerR" "" "realtime" 1
001279 |                 $EditorData {
001280 |                     #EditorPos 54.1000023 2.1000001
001281 |                 }
001282 |             }
001283 |             $State {
001284 |                 "Jump Out" "TagVehicleGetOut" "JumpOutPassengerR" "" "realtime" 1
001285 |                 $EditorData {
001286 |                     #EditorPos 49.2999992 2.6000001
001287 |                 }
001288 |             }
001289 |             $State {
001290 |                 "Climb Out" "" "ClimbOutBackStateMachine" "" "notime" 0
001291 |                 $EditorData {
```



```
001292 |         #EditorPos 48.1000023 3.2
001293 |     }
001294 | }
001295 | $State {
001296 |     "Crawl Out" "TagVehicleGetOut" "CrawlOutPassengerR" "" "realtime" 1
001297 |     $EditorData {
001298 |         #EditorPos 51.6000023 2.2
001299 |     }
001300 | }
001301 | $State {
001302 |     "Death" "" "PassengerRDeathAnim" "" "realtime" 0
001303 |     $EditorData {
001304 |         #EditorPos 64.3000031 3.2
001305 |     }
001306 | }
001307 | $State {
001308 |     "UnconsciousDeath" "" "PassengerRUNconDeathAnim" "" "realtime" 0
001309 |     $EditorData {
001310 |         #EditorPos 61.7999992 3.2
001311 |     }
001312 | }
001313 | $State {
001314 |     "PulledOut" "" "PulledOutPassengerR" "" "realtime" 0
001315 |     $EditorData {
001316 |         #EditorPos 63.2000008 2.3
001317 |     }
001318 | }
001319 | $State {
001320 |     "GettingInDeath" "" "DeathErcG" "" "realtime" 0
001321 |     $EditorData {
001322 |         #EditorPos 59.5 2.1000001
001323 |     }
001324 | }
001325 | }
001326 | $Transitions 10 {
001327 |     $Transition {
001328 |         "Get In" "Idle" "RemainingTimeLess(0.01)" "" "" 1 "S"
001329 |     }
001330 |     $Transition {
001331 |         "Idle" "Crawl Out" "IsCommand(CMD_Vehicle_CrawlOut)" "0.2" "" 0 "S"
001332 |     }
001333 |     $Transition {
001334 |         "Idle" "Jump Out" "IsCommand(CMD_Vehicle_JumpOut)" "0.2" "" 0 "S"
001335 |     }
001336 |     $Transition {
001337 |         "Idle" "Climb Out" "IsCommand(CMD_Vehicle_ClimbOut)" "0.2" "" 0 "S"
001338 |     }
001339 |     $Transition {
001340 |         "Idle" "Get Out" "IsCommand(CMD_Vehicle_GetOut)" "0.2" "" 0 "S"
001341 |     }
001342 |     $Transition {
001343 |         "Idle" "UnconsciousDeath" "IsCommand(CMD_Death) && IsTag(\"TagUnconscious\")" "0.1" "" 1 "S"
001344 |     }
001345 |     $Transition {
001346 |         "" "Death" "IsCommand(CMD_Death) && !IsTag(\"TagVehicleGetIn\")" "0.1" "" 1 "S"
001347 |     }
001348 |     $Transition {
001349 |         "UnconsciousDeath" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
001350 |     }
001351 |     $Transition {
001352 |         "Death" "PulledOut" "IsCommand(CMD_PulledOut)" "" "" 1 "S"
001353 |     }
}
```

```
001354 |         $Transition {
001355 |             "Get In" "GettingInDeath" "IsCommand(CMD_Death)" "0.1" "" 1 "S"
001356 |         }
001357 |     }
001358 |     $EditorData {
001359 |         #EditorPos 48.2999992 4.4000001
001360 |     }
001361 | }
001362 | $Node AnimNodeSource {
001363 |     "PassengerRSwitchSeatCoDriverSrc" "" "Vehicle.PassengerR_SwitchSeat_CoDriver" "noloop"
001364 |     $Predictions {
001365 |     }
001366 |     $EditorData {
001367 |         #EditorPos 51.0 8.1000004
001368 |     }
001369 | }
001370 | $Node AnimNodeSource {
001371 |     "PassengerRSwitchSeatDriverSrc" "" "Vehicle.PassengerR_SwitchSeat_Driver" "noloop"
001372 |     $Predictions {
001373 |     }
001374 |     $EditorData {
001375 |         #EditorPos 48.2000008 8.1000004
001376 |     }
001377 | }
001378 | $Node AnimNodeSource {
001379 |     "PassengerRSwitchSeatPassengerLSrc" "" "Vehicle.PassengerR_SwitchSeat_PassengerL" "noloop"
001380 |     $Predictions {
001381 |     }
001382 |     $EditorData {
001383 |         #EditorPos 45.6000023 8.1000004
001384 |     }
001385 | }
001386 | $Node AnimNodeSource {
001387 |     "PassengerRUNconDeathAnim" "" "Vehicle.PassengerRUNconsciousDeath" "noloop"
001388 |     $Predictions {
001389 |     }
001390 |     $EditorData {
001391 |         #EditorPos 61.7999992 0.4
001392 |     }
001393 | }
001394 | $Node AnimNodeBlendTAdd {
001395 |     "PassengerRUNconFacialT" "" "PassengerRUNconsciousSTM" "FacialUnconsciousAnim" "True" "IsCommand(CMD_Unconscious_Exit)" "" 0.5 "S" 0
001396 |     $EditorData {
001397 |         #EditorPos 60.9000015 -3.3
001398 |     }
001399 | }
001400 | $Node AnimNodeSource {
001401 |     "PassengerRUNconsciousIdleAnim" "" "Vehicle.PassengerRUNconsciousIdle" "noloop"
001402 |     $Predictions {
001403 |     }
001404 |     $EditorData {
001405 |         #EditorPos 63.5 -7.3000002
001406 |     }
001407 | }
001408 | $Node AnimNodeSource {
001409 |     "PassengerRUNconsciousInAnim" "" "Vehicle.PassengerRUNconsciousIn" "noloop"
001410 |     $Predictions {
001411 |     }
001412 |     $EditorData {
001413 |         #EditorPos 61.0 -7.3000002
001414 |     }
001415 | }
```

```
001416 |     $Node AnimNodeSource {
001417 |         "PassengerRUnconsciousOutAnim" "" "Vehicle.PassengerRUnconsciousOut" "noloop"
001418 |         $Predictions {
001419 |         }
001420 |         $EditorData {
001421 |             #EditorPos 65.9000015 -7.3000002
001422 |         }
001423 |     }
001424 |     $Node AnimNodeStateMachine {
001425 |         "PassengerRUnconsciousSTM" "TagUnconscious"
001426 |         $States 3 {
001427 |             $State {
001428 |                 "In" "" "PassengerRUnconsciousInAnim" "true" "realtime" 0
001429 |                 $EditorData {
001430 |                     #EditorPos 61.0 -5.5999999
001431 |                 }
001432 |             }
001433 |             $State {
001434 |                 "Loop" "" "PassengerRUnconsciousIdleAnim" "false" "realtime" 0
001435 |                 $EditorData {
001436 |                     #EditorPos 63.5 -5.5999999
001437 |                 }
001438 |             }
001439 |             $State {
001440 |                 "Out" "" "PassengerRUnconsciousOutAnim" "false" "realtime" 1
001441 |                 $EditorData {
001442 |                     #EditorPos 65.9000015 -5.5999999
001443 |                 }
001444 |             }
001445 |         }
001446 |         $Transitions 2 {
001447 |             $Transition {
001448 |                 "Loop" "Out" "IsCommand(CMD_Unconscious_Exit)" "0.1" "" 0 "S"
001449 |             }
001450 |             $Transition {
001451 |                 "In" "Loop" "RemainingTimeLess(0.1)" "0.1" "" 1 "S"
001452 |             }
001453 |         }
001454 |         $EditorData {
001455 |             #EditorPos 60.9000015 -4.3000002
001456 |         }
001457 |     }
001458 |     $Node AnimNodeSource {
001459 |         "PulledOutCoDriver" "" "Vehicle.CoDriverPulledOut" "noloop"
001460 |         $Predictions {
001461 |         }
001462 |         $EditorData {
001463 |             #EditorPos 27.1000004 -0.5
001464 |         }
001465 |     }
001466 |     $Node AnimNodeSource {
001467 |         "PulledOutDriver" "" "Vehicle.DriverPulledOut" "noloop"
001468 |         $Predictions {
001469 |         }
001470 |         $EditorData {
001471 |             #EditorPos -9.6999998 -0.5
001472 |         }
001473 |     }
001474 |     $Node AnimNodeSource {
001475 |         "PulledOutPassengerL" "" "Vehicle.PassengerLPulledOut" "noloop"
001476 |         $Predictions {
001477 |         }
```

```
001478 |         $EditorData {
001479 |             #EditorPos 31.2000008 -0.9
001480 |         }
001481 |     }
001482 |     $Node AnimNodeSource {
001483 |         "PulledOutPassengerR" "" "Vehicle.PassengerRPulledOut" "nolop"
001484 |         $Predictions {
001485 |         }
001486 |         $EditorData {
001487 |             #EditorPos 63.2000008 -0.2
001488 |         }
001489 |     }
001490 |     $Node AnimNodeGroupSelect {
001491 |         "Sedan_02ActionG" "" "VehicleTalkingT" "VehicleActions" "Sedan_02"
001492 |         $EditorData {
001493 |             #EditorPos 9.0 45.0
001494 |         }
001495 |     }
001496 |     $Node AnimNodeGroupSelect {
001497 |         "Sedan_02G" "" "Sedan_02ActionG" "Vehicle" "Sedan_02"
001498 |         $EditorData {
001499 |             #EditorPos 9.0 45.7000008
001500 |         }
001501 |     }
001502 |     $Node AnimNodeBlend {
001503 |         "SteeringExtremeB" "" "0.0" "DriverThrottlePB" "SteeringExtremeIKT" 2
001504 |         $EditorData {
001505 |             #EditorPos 0.7 -13.1000004
001506 |         }
001507 |     }
001508 |     $Node AnimNodeIK2Target {
001509 |         "SteeringExtremeIKT" "" "SteeringExtremePose" "LHandIKTarget = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
001510 | RHandIKTarget = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand"
001511 |         $EditorData {
001512 |             #EditorPos 0.7 -14.1000004
001513 |         }
001514 |     }
001515 |     $Node AnimNodePose {
001516 |         "SteeringExtremePose" "" "Vehicle.DriverSteeringExtreme" "(VehicleSteering*0.5)+0.5"
001517 |         $EditorData {
001518 |             #EditorPos 0.7 -14.8000002
001519 |         }
001520 |     }
001521 |     $Node AnimNodeBlend {
001522 |         "SteeringMainB" "" "0.0" "DriverThrottlePB" "SteeringMainIKT" 2
001523 |         $EditorData {
001524 |             #EditorPos -3.5 -13.1000004
001525 |         }
001526 |     }
001527 |     $Node AnimNodeIK2Target {
001528 |         "SteeringMainIKT" "" "SteeringMainPose" "LHandIKTarget = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
001529 | RHandIKTarget = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand"
001530 |         $EditorData {
001531 |             #EditorPos -3.5 -14.0
001532 |         }
001533 |     }
001534 |     $Node AnimNodePose {
001535 |         "SteeringMainPose" "" "Vehicle.DriverSteeringMain" "(VehicleSteering*0.5)+0.5"
001536 |         $EditorData {
001537 |             #EditorPos -3.5 -14.8000002
001538 |         }
001539 |     }
```

```
001540 |     $Node AnimNodeStateMachine {
001541 |         "SteeringSTM" ""
001542 |         $States 2 {
001543 |             $State {
001544 |                 "SteeringMain" "" "SteeringMainB" "true" "notime" 0
001545 |                 $EditorData {
001546 |                     #EditorPos -3.5 -11.4000006
001547 |                 }
001548 |             }
001549 |             $State {
001550 |                 "SteeringExtremeB" "" "SteeringExtremeB" "false" "notime" 0
001551 |                 $EditorData {
001552 |                     #EditorPos 0.7 -11.4000006
001553 |                 }
001554 |             }
001555 |         }
001556 |         $Transitions 2 {
001557 |             $Transition {
001558 |                 "SteeringMain" "SteeringExtremeB" "VehicleSteering == -1 || VehicleSteering == 1" "0.05" "" 0 "S"
001559 |             }
001560 |             $Transition {
001561 |                 "SteeringExtremeB" "SteeringMain" "inRange(VehicleSteering, -0.05, 0.05)" "0.05" "" 0 "S"
001562 |             }
001563 |         }
001564 |         $EditorData {
001565 |             #EditorPos -3.9000001 -10.1999998
001566 |         }
001567 |     }
001568 |     $Node AnimNodeGroupSelect {
001569 |         "Truck_01_cargoG" "" "Truck_01_cargo_ActionG" "Vehicle" "Truck_01_cargo"
001570 |         $EditorData {
001571 |             #EditorPos -2.8 45.7000008
001572 |         }
001573 |     }
001574 |     $Node AnimNodeGroupSelect {
001575 |         "Truck_01_cargo_ActionG" "" "VehicleTalkingT" "VehicleActions" "Truck_01_cargo"
001576 |         $EditorData {
001577 |             #EditorPos -2.8 45.0
001578 |         }
001579 |     }
001580 |     $Node AnimNodeGroupSelect {
001581 |         "Truck_02ActionG" "" "VehicleTalkingT" "VehicleActions" "Truck_02"
001582 |         $EditorData {
001583 |             #EditorPos 12.4000006 45.0
001584 |         }
001585 |     }
001586 |     $Node AnimNodeGroupSelect {
001587 |         "Truck_02G" "" "Truck_02ActionG" "Vehicle" "Truck_02"
001588 |         $EditorData {
001589 |             #EditorPos 12.4000006 45.7000008
001590 |         }
001591 |     }
001592 |     $Node AnimNodeGroupSelect {
001593 |         "Van_01ActionG" "" "VehicleTalkingT" "VehicleActions" "Van_01"
001594 |         $EditorData {
001595 |             #EditorPos -5.7000003 45.0
001596 |         }
001597 |     }
001598 |     $Node AnimNodeGroupSelect {
001599 |         "Van_01G" "" "Van_01ActionG" "Vehicle" "Van_01"
001600 |         $EditorData {
001601 |             #EditorPos -5.7000003 45.7000008
```

```

001602 |     }
001603 | }
001604 | $Node AnimNodeBlend {
001605 |     "VehicleAccelerationB" "" "0.0" "VehicleIKT" "VehicleAccelerationDir" 0
001606 |     $EditorData {
001607 |         #EditorPos 4.5 32.0
001608 |     }
001609 | }
001610 | $Node AnimNodePose2 {
001611 |     "VehicleAccelerationDir" "" "Vehicle.AccelerationSpine" "VehicleAccelerationFB" "VehicleAccelerationLR" "Y(-1):      X(-1) = 0, X(0) = 1, X(1) = 2
001612 | Y(0):    X(-1) = 3, X(0) = 4, X(1) = 5
001613 | Y(1):    X(-1) = 6, X(0) = 7, X(1) = 8"
001614 |     $EditorData {
001615 |         #EditorPos 5.9000001 30.7000008
001616 |     }
001617 | }
001618 | $Node AnimNodeRot {
001619 |     "VehicleActionSpineFix" "" "ActionMaster" "1.0"
001620 |     $rotitems 6 {
001621 |         $ri {
001622 |             "Spine" "zmr" -0.1
001623 |         }
001624 |         $ri {
001625 |             "Spine1" "zmr" -0.1
001626 |         }
001627 |         $ri {
001628 |             "Spine2" "zmr" -0.1
001629 |         }
001630 |         $ri {
001631 |             "Spine" "xmr" -0.1
001632 |         }
001633 |         $ri {
001634 |             "Spine1" "xmr" -0.2
001635 |         }
001636 |         $ri {
001637 |             "Spine2" "xmr" 0.0
001638 |         }
001639 |     }
001640 |     $EditorData {
001641 |         #EditorPos 5.5999999 23.1000004
001642 |     }
001643 | }
001644 | $Node AnimNodeQueue {
001645 |     "VehicleBrakeT" "" "VehicleIK"
001646 |     $items 1 {
001647 |         $item {
001648 |             "BrakeSTM" "VehicleBrake" "!VehicleBrake" "" 0.1 0.2 0 1
001649 |         }
001650 |     }
001651 |     $EditorData {
001652 |         #EditorPos 4.5 39.1000023
001653 |     }
001654 | }
001655 | $Node AnimNodePose {
001656 |     "VehicleClutchP" "" "Vehicle.DriverClutch" "VehicleClutch"
001657 |     $EditorData {
001658 |         #EditorPos -1.4 -16.3000011
001659 |     }
001660 | }
001661 | $Node AnimNodeIK2 {
001662 |     "VehicleIK" "" "VehicleAccelerationB" "///! global values
001663 | weight = 1.0

```

```
001664 |
001665 | LHandIKTarget
001666 | chain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
001667 | chainAxis = +x
001668 |
001669 | RHandIKTarget
001670 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
001671 | chainAxis = -x"
001672 |     $EditorData {
001673 |         #EditorPos 4.5 32.9000015
001674 |     }
001675 | }
001676 | $Node AnimNodeIK2Target {
001677 |     "VehicleIKT" "" "VehicleModifier0" "LHandIKTarget = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
001678 | RHandIKTarget = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand"
001679 |     $EditorData {
001680 |         #EditorPos 4.5 29.8999996
001681 |     }
001682 | }
001683 | $Node AnimNodeStateMachine {
001684 |     "VehicleMaster" "TagVehicle"
001685 |     $States 10 {
001686 |         $State {
001687 |             "Van_01" "" "Van_01G" "VehicleType == 0" "notime" 1
001688 |             $EditorData {
001689 |                 #EditorPos -5.7000003 47.5
001690 |             }
001691 |         }
001692 |         $State {
001693 |             "Truck_01_cargo" "" "Truck_01_cargoG" "VehicleType == 1" "notime" 1
001694 |             $EditorData {
001695 |                 #EditorPos -2.8 47.5
001696 |             }
001697 |         }
001698 |         $State {
001699 |             "CivilianSedan" "" "CivilianSedanG" "VehicleType == 2" "notime" 1
001700 |             $EditorData {
001701 |                 #EditorPos 0.1 47.5
001702 |             }
001703 |         }
001704 |         $State {
001705 |             "OffroadHatchback" "" "OffroadHatchbackG" "VehicleType == 3" "notime" 1
001706 |             $EditorData {
001707 |                 #EditorPos 2.8 47.5
001708 |             }
001709 |         }
001710 |         $State {
001711 |             "Bus_01" "" "Bus_01G" "VehicleType == 4" "notime" 1
001712 |             $EditorData {
001713 |                 #EditorPos 6.0 47.5
001714 |             }
001715 |         }
001716 |         $State {
001717 |             "Sedan_02" "" "Sedan_02G" "VehicleType == 5" "notime" 1
001718 |             $EditorData {
001719 |                 #EditorPos 9.0 47.5
001720 |             }
001721 |         }
001722 |         $State {
001723 |             "Truck_02" "" "Truck_02G" "VehicleType == 6" "notime" 1
001724 |             $EditorData {
001725 |                 #EditorPos 12.4000006 47.5
```

```
001726 |     }
001727 | }
001728 | $State {
001729 |     "Hatchback_02" "" "Hatchback_02G" "VehicleType == 7" "notime" 1
001730 |     $EditorData {
001731 |         #EditorPos 15.6000004 47.5
001732 |     }
001733 | }
001734 | $State {
001735 |     "Offroad_02" "" "Offroad_02G" "VehicleType == 8" "notime" 1
001736 |     $EditorData {
001737 |         #EditorPos 18.3999996 47.5
001738 |     }
001739 | }
001740 | $State {
001741 |     "Boat_01" "" "Boat_01G" "VehicleType == 9" "notime" 1
001742 |     $EditorData {
001743 |         #EditorPos 21.0 47.5
001744 |     }
001745 | }
001746 | }
001747 | $Transitions 0 {
001748 | }
001749 | $EditorData {
001750 |     #EditorPos 4.4000001 48.7000008
001751 | }
001752 | }
001753 | $Node AnimNodeGroupSelect {
001754 |     "VehicleModifierG" "" "VehicleModifierSTM" "Locomotion" "Erc"
001755 |     $EditorData {
001756 |         #EditorPos 9.4000006 26.6000004
001757 |     }
001758 | }
001759 | $Node AnimNodeQueue {
001760 |     "VehicleModifierQ" "" "VehicleQ"
001761 |     $items 1 {
001762 |         $item {
001763 |             "VehicleModifierG" "IsCommand(CMD_Modifier_Additive)" "GetCommandI(CMD_Modifier_Additive) == -1" "" 0.7 0.8 0 1
001764 |         }
001765 |     }
001766 |     $EditorData {
001767 |         #EditorPos 4.5 28.3000011
001768 |     }
001769 | }
001770 | $Node AnimNodeStateMachine {
001771 |     "VehicleModifierSTM" ""
001772 |     $States 4 {
001773 |         $State {
001774 |             "Sneeze" "TagModifier" "SickSneezeAnim" "GetCommandI(CMD_Modifier_Additive) == 0" "realtime" 1
001775 |             $EditorData {
001776 |                 #EditorPos 9.6000004 24.3999996
001777 |             }
001778 |         }
001779 |         $State {
001780 |             "Cough" "TagModifier" "SickCoughAnim" "GetCommandI(CMD_Modifier_Additive) == 1" "realtime" 1
001781 |             $EditorData {
001782 |                 #EditorPos 12.5 24.3999996
001783 |             }
001784 |         }
001785 |         $State {
001786 |             "Cold" "TagModifierFullBody" "SickColdAnim" "GetCommandI(CMD_Modifier_Additive) == 2" "realtime" 1
001787 |             $EditorData {
```



```
001788 |         #EditorPos 9.6000004 23.3999996
001789 |     }
001790 | }
001791 | $State {
001792 |     "Hot" "TagModifierFullBody" "SickHotAnim" "GetCommandI(CMD_Modifier_Additive) == 3" "realtime" 1
001793 |     $EditorData {
001794 |         #EditorPos 12.5 23.3999996
001795 |     }
001796 | }
001797 | }
001798 | $Transitions 0 {
001799 | }
001800 | $EditorData {
001801 |     #EditorPos 9.4000006 25.6000004
001802 | }
001803 | }
001804 | $Node AnimNodeQueue {
001805 |     "VehicleQ" "" "VehicleSTM"
001806 |     $items 2 {
001807 |         $item {
001808 |             "ActionMaster" "IsCommand(CMD_Action) && (GetCommandI(CMD_Action) >= 300 && GetCommandI(CMD_Action) < 500)" "GetCommandI(CMD_InternalAction)
== -2" "0.0" 0.2 0.3 1 0
001809 |         }
001810 |         $item {
001811 |             "VehicleActionSpineFix" "IsCommand(CMD_Action) && (GetCommandI(CMD_Action) < 300 || GetCommandI(CMD_Action) >= 500)" "GetCommandI(CMD_Interna
lAction) == -2" "0.0" 0.2 0.5 1 0
001812 |         }
001813 |     }
001814 |     $EditorData {
001815 |         #EditorPos 4.5 24.1000004
001816 |     }
001817 | }
001818 | $Node AnimNodeStateMachine {
001819 |     "VehicleSTM" ""
001820 |     $States 16 {
001821 |         $State {
001822 |             "Driver" "" "DriverVehicle" "GetCommandI(CMD_Vehicle_GetIn) == 0" "notime" 1
001823 |             $EditorData {
001824 |                 #EditorPos 4.7000003 13.6000004
001825 |             }
001826 |         }
001827 |         $State {
001828 |             "CoDriver" "" "CoDriverVehicle" "GetCommandI(CMD_Vehicle_GetIn) == 1" "notime" 1
001829 |             $EditorData {
001830 |                 #EditorPos 11.6999998 13.6000004
001831 |             }
001832 |         }
001833 |         $State {
001834 |             "Driver Switch Seat CoDriver" "TagVehicleSwitchSeat" "DriverSwitchSeatCrodriverSrc" "" "realtime" 0
001835 |             $EditorData {
001836 |                 #EditorPos 6.9000001 10.5
001837 |             }
001838 |         }
001839 |         $State {
001840 |             "Codriver Switch Seat Driver" "TagVehicleSwitchSeat" "CodriverSwitchSeatDriverSrc" "" "realtime" 0
001841 |             $EditorData {
001842 |                 #EditorPos 9.3000002 10.6000004
001843 |             }
001844 |         }
001845 |         $State {
001846 |             "PassengerL" "" "PassengerLStateMachine" "GetCommandI(CMD_Vehicle_GetIn) == 2" "notime" 1
001847 |             $EditorData {
```

```
001848 |         #EditorPos 40.6000023 13.6000004
001849 |     }
001850 | }
001851 | $State {
001852 |     "PassengerR" "" "PassengerRStateMachine" "GetCommandI(CMD_Vehicle_GetIn) == 3" "notime" 1
001853 |     $EditorData {
001854 |         #EditorPos 48.2000008 13.6999998
001855 |     }
001856 | }
001857 | $State {
001858 |     "PassengerL Switch Seat PassengerR" "TagVehicleSwitchSeat" "PassengerLSwitchSeatPassengerRSrc" "" "realtime" 0
001859 |     $EditorData {
001860 |         #EditorPos 42.7000008 10.6999998
001861 |     }
001862 | }
001863 | $State {
001864 |     "PassengerR Switch Seat PassengerL" "TagVehicleSwitchSeat" "PassengerRSwitchSeatPassengerLSrc" "" "realtime" 0
001865 |     $EditorData {
001866 |         #EditorPos 45.6000023 10.6000004
001867 |     }
001868 | }
001869 | $State {
001870 |     "Driver Switch Seat PassengerL" "TagVehicleSwitchSeat" "DriverSwitchSeatPassengerLSrc" "" "realtime" 0
001871 |     $EditorData {
001872 |         #EditorPos 2.0 10.5
001873 |     }
001874 | }
001875 | $State {
001876 |     "Driver Switch Seat PassengerR" "TagVehicleSwitchSeat" "DriverSwitchSeatPassengerRSrc" "" "realtime" 0
001877 |     $EditorData {
001878 |         #EditorPos 4.4000001 10.5
001879 |     }
001880 | }
001881 | $State {
001882 |     "Codriver Switch Seat PassengerL" "TagVehicleSwitchSeat" "CodriverSwitchSeatPassengerLSrc" "" "realtime" 0
001883 |     $EditorData {
001884 |         #EditorPos 11.6999998 10.6000004
001885 |     }
001886 | }
001887 | $State {
001888 |     "Codriver Switch Seat PassengerR" "TagVehicleSwitchSeat" "CodriverSwitchSeatPassengerRSrc" "" "realtime" 0
001889 |     $EditorData {
001890 |         #EditorPos 14.1999998 10.6000004
001891 |     }
001892 | }
001893 | $State {
001894 |     "PassengerL Switch Seat Driver" "TagVehicleSwitchSeat" "PassengerLSwitchSeatDriverSrc" "" "realtime" 0
001895 |     $EditorData {
001896 |         #EditorPos 37.7000008 10.6000004
001897 |     }
001898 | }
001899 | $State {
001900 |     "PassengerL Switch Seat CoDriver" "TagVehicleSwitchSeat" "PassengerLSwitchSeatCoDriverSrc" "" "realtime" 0
001901 |     $EditorData {
001902 |         #EditorPos 40.2999992 10.6000004
001903 |     }
001904 | }
001905 | $State {
001906 |     "PassengerR Switch Seat Driver" "TagVehicleSwitchSeat" "PassengerRSwitchSeatDriverSrc" "" "realtime" 0
001907 |     $EditorData {
001908 |         #EditorPos 48.2000008 10.6000004
001909 |     }
}
```

```
001910 |     }
001911 |     $State {
001912 |         "PassengerR Switch Seat CoDriver" "TagVehicleSwitchSeat" "PassengerRSwitchSeatCoDriverSrc" "" "realtime" 0
001913 |         $EditorData {
001914 |             #EditorPos 51.0 10.6000004
001915 |         }
001916 |     }
001917 | }
001918 | $Transitions 28 {
001919 |     $Transition {
001920 |         "Driver" "Driver Switch Seat CoDriver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 1" "0.1" "" 0 "S"
001921 |     }
001922 |     $Transition {
001923 |         "Driver Switch Seat CoDriver" "CoDriver" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001924 |     }
001925 |     $Transition {
001926 |         "CoDriver" "Codriver Switch Seat Driver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 0" "0.1" "" 0 "S"
001927 |     }
001928 |     $Transition {
001929 |         "Codriver Switch Seat Driver" "Driver" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001930 |     }
001931 |     $Transition {
001932 |         "PassengerL" "PassengerL Switch Seat PassengerR" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 3" "0.1" "" 0 "
001933 | S"
001934 |     }
001935 |     $Transition {
001936 |         "PassengerL Switch Seat PassengerR" "PassengerR" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001937 |     }
001938 |     $Transition {
001939 |         "PassengerR" "PassengerR Switch Seat PassengerL" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 2" "0.1" "" 0 "
001940 | S"
001941 |     }
001942 |     $Transition {
001943 |         "PassengerR Switch Seat PassengerL" "PassengerL" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001944 |     }
001945 |     $Transition {
001946 |         "Driver Switch Seat CoDriver" "Codriver Switch Seat Driver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetLowerTime() > 0.1" "0.2" "GetRemainingTi
001947 | me()" 1 "S"
001948 |     }
001949 |     $Transition {
001950 |         "Codriver Switch Seat Driver" "Driver Switch Seat CoDriver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetLowerTime() > 0.1" "0.3" "GetRemainingTi
001951 | me()" 1 "S"
001952 |     }
001953 |     $Transition {
001954 |         "PassengerR Switch Seat PassengerL" "PassengerL Switch Seat PassengerR" "IsCommand(CMD_Vehicle_SwitchSeat) && GetLowerTime() > 0.1" "0.3" "Ge
001955 | tRemainingTime()" 1 "S"
001956 |     }
001957 |     $Transition {
001958 |         "PassengerL Switch Seat PassengerR" "PassengerR Switch Seat PassengerL" "IsCommand(CMD_Vehicle_SwitchSeat) && GetLowerTime() > 0.1" "0.3" "Ge
001959 | tRemainingTime()" 1 "S"
001960 |     }
001961 |     $Transition {
001962 |         "Driver" "Driver Switch Seat PassengerL" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 2" "0.1" "" 0 "S"
001963 |     }
001964 |     $Transition {
001965 |         "Driver Switch Seat PassengerL" "PassengerL" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001966 |     }
001967 |     $Transition {
001968 |         "Driver" "Driver Switch Seat PassengerR" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 3" "0.1" "" 0 "S"
001969 |     }
001970 |     $Transition {
001971 |         "Driver Switch Seat PassengerR" "PassengerR" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001972 |     }
001973 | }
```

```

001966 |     }
001967 |     $Transition {
001968 |         "CoDriver" "Codriver Switch Seat PassengerL" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 2" "0.1" "" 0 "S"
001969 |     }
001970 |     $Transition {
001971 |         "CoDriver Switch Seat PassengerL" "PassengerL" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001972 |     }
001973 |     $Transition {
001974 |         "CoDriver" "Codriver Switch Seat PassengerR" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 3" "0.1" "" 0 "S"
001975 |     }
001976 |     $Transition {
001977 |         "Codriver Switch Seat PassengerR" "PassengerR" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001978 |     }
001979 |     $Transition {
001980 |         "PassengerL" "PassengerL Switch Seat Driver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 0" "0.1" "" 0 "S"
001981 |     }
001982 |     $Transition {
001983 |         "PassengerL Switch Seat Driver" "Driver" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001984 |     }
001985 |     $Transition {
001986 |         "PassengerL" "PassengerL Switch Seat CoDriver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 1" "0.1" "" 0 "S"
001987 |     }
001988 |     $Transition {
001989 |         "PassengerL Switch Seat CoDriver" "CoDriver" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001990 |     }
001991 |     $Transition {
001992 |         "PassengerR" "PassengerR Switch Seat Driver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 0" "0.1" "" 0 "S"
001993 |     }
001994 |     $Transition {
001995 |         "PassengerR Switch Seat Driver" "Driver" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
001996 |     }
001997 |     $Transition {
001998 |         "PassengerR" "PassengerR Switch Seat CoDriver" "IsCommand(CMD_Vehicle_SwitchSeat) && GetCommandI(CMD_Vehicle_SwitchSeat) == 1" "0.1" "" 0 "S"
001999 |     }
002000 |     $Transition {
002001 |         "PassengerR Switch Seat CoDriver" "CoDriver" "RemainingTimeLess(0.01)" "0.01" "" 1 "S"
002002 |     }
002003 |     }
002004 |     $EditorData {
002005 |         #EditorPos 4.0999999 17.1000004
002006 |     }
002007 | }
002008 | $Node AnimNodeBlendTAdd {
002009 |     "VehicleTalkingT" "" "VehicleBrakeT" "FacialTalkingAnim" "" "" "Talking" 0.3 "S" 0
002010 |     $EditorData {
002011 |         #EditorPos 4.5 42.7000008
002012 |     }
002013 | }
002014 | $Node AnimNodeWeaponIK {
002015 |     "VehicleWeaponIK" "" "VehicleIK" "isbitset(ArmIK, 0)" "isbitset(ArmIK, 2)" "isbitset(ArmIK, 2)" 0.3 0.24 "eAI_AimIKX" "eAI_AimY" "WeaponIKTest" "/" i
    k pose anim
002016 | // (root - means RightHand - but right hand is not exported)
002017 | // |- RightHand_Dummy (where Weapon is)
002018 | // |
002019 | // |- LeftHandIKTarget (where left hand is on weapon)
002020 | // |- RightHandOrigin ( inverse transform where hand originally was)
002021 | // basic setup -
002022 | // hand - bone which represents hand holding weapon
002023 | // weapon - bone which represents weapon node in hand
002024 | // weaponrotator - bone - around which weapon rotates
002025 | hand = RightHand
002026 | weapon = RightHand_Dummy

```

```
002027 | weaponrotator = RightArm
002028 | weaponaxis= -x
002029 |
002030 | chain = RightArm, RightArmRoll, RightForeArm, RightForeArmRoll, RightHand
002031 | chainaxis=-x
002032 | secchain = LeftArm, LeftArmRoll, LeftForeArm, LeftForeArmRoll, LeftHand
002033 | secchainaxis=+x
002034 |
002035 | ikpose_chainoffset = RightHandOrigin // bone in ikpose specifying where was
002036 | ikpose_weaponoffset = RightHand_Dummy // weapon offset from RHand
002037 | ikpose_secchainoffset = LeftHandIKTarget // secondary chain ik target offset (relative to weapon)
002038 | ikpose_chainmiddledir = RightForeArmDirection // hand to elbow direction (from hand)
002039 | ikpose_chainmiddlediro = RightHandOrigin,RightForeArmDirectionOrigin // original hand to elbow direction (from hand)
002040 | ikpose_secchainmiddledir = LeftForeArmDirection // sec hand to elbow direction (from ikpose_secchainoffset)
002041 | ikpose_secchainmiddlediro = LeftHandOrigin,LeftForeArmDirectionOrigin // original sec hand to elbow direction (from ikpose_secchainoffset)
002042 |
002043 | "
002044 |         $EditorData {
002045 |             #EditorPos 2.2 33.9000015
002046 |         }
002047 |     }
002048 | }
002049 | }
002050 |
```

0294. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Animations/weapons.agr
Size bytes: 61268
SHA-256: f3083d8e22eb8662d788c4b4610755a7f8663c0c29a93bdaa8b6c33263f006b0
Decoded as: utf-8-sig
Line count shown: 1936

Full file content

```
000001 | $AnimGraph 7 {
000002 |     $Sheet "Reload" {
000003 |         $Node AnimNodeBlendT {
000004 |             "ChamberingCross1Loop" "" "ChamberingCross1LoopErc" "ChamberingCross1LoopPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised)
|| (!eAI_Raised && Stance == 2)" 0.4 "S" 7
000005 |             $EditorData {
000006 |                 #EditorPos 63.0 1.5
000007 |             }
000008 |         }
000009 |         $Node AnimNodeSourceInLoopOut {
000010 |             "ChamberingCross1LoopErc" "" "WeaponOperations.ErcRas.ChamberingLoop1" "LoopStart" "LoopEnd" "IsCommand(CMD_Reload_Exit)"
000011 |             $EditorData {
000012 |                 #EditorPos 61.5 0.7
000013 |             }
000014 |         }
000015 |         $Node AnimNodeSourceInLoopOut {
000016 |             "ChamberingCross1LoopPne" "" "WeaponOperations.PneRas.ChamberingLoop1" "LoopStart" "LoopEnd" "IsCommand(CMD_Reload_Exit)"
000017 |             $EditorData {
000018 |                 #EditorPos 64.4000015 0.7
000019 |             }
000020 |         }
000021 |         $Node AnimNodeBlendT {
000022 |             "ChamberingCross20penFullLoop" "" "ChamberingCross20penFullLoopErc" "ChamberingCross20penFullLoopPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_A
imX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
000023 |             $EditorData {
000024 |                 #EditorPos 71.9000015 1.6
000025 |             }
000026 |         }
000027 |         $Node AnimNodeSourceInLoopOut {
000028 |             "ChamberingCross20penFullLoopErc" "" "WeaponOperations.ErcRas.ChamberingLoop1" "LoopStart" "LoopEnd" "IsCommand(CMD_Reload_Exit)"
000029 |             $EditorData {
000030 |                 #EditorPos 70.5 0.8
000031 |             }
000032 |         }
000033 |         $Node AnimNodeSourceInLoopOut {
000034 |             "ChamberingCross20penFullLoopPne" "" "WeaponOperations.ErcRas.ChamberingLoop1" "LoopStart" "LoopEnd" "IsCommand(CMD_Reload_Exit)"
000035 |             $EditorData {
000036 |                 #EditorPos 72.9000015 0.2
000037 |             }
000038 |         }
000039 |         $Node AnimNodeStateMachine {
000040 |             "ChamberingCrossbowSM" ""
000041 |             $States 6 {
000042 |                 $State {
000043 |                     "ChamberingCross0Closed" "" "Chambering_Closed" "GetCommandI(CMD_Reload_Chambering)==21" "realtime" 1
000044 |                     $EditorData {
000045 |                         #EditorPos 57.5 3.9000001
000046 |                     }
000047 |                 }
000048 |                 $State {
000049 |                     "ChamberingCross1Open" "" "Chambering_Open" "GetCommandI(CMD_Reload_Chambering)==22" "realtime" 1
```

```
000050 |         $EditorData {
000051 |             #EditorPos 60.7000008 3.9000001
000052 |         }
000053 |     }
000054 |     $State {
000055 |         "ChamberingCross20penFull" "" "Chambering_Open" "GetCommandI(CMD_Reload_Chambering)==23" "realtime" 0
000056 |         $EditorData {
000057 |             #EditorPos 68.5999985 3.9000001
000058 |         }
000059 |     }
000060 |     $State {
000061 |         "ChamberingCross20penFullLoop" "" "ChamberingCross20penFullLoop" "" "realtime" 1
000062 |         $EditorData {
000063 |             #EditorPos 71.9000015 3.9000001
000064 |         }
000065 |     }
000066 |     $State {
000067 |         "ChamberingCross1Loop" "" "ChamberingCross1Loop" "" "realtime" 1
000068 |         $EditorData {
000069 |             #EditorPos 63.0 3.2
000070 |         }
000071 |     }
000072 |     $State {
000073 |         "ChamberingCross10penEnd" "" "ReloadAction_Open" "IsEvent (\\"BlendOut2\\")" "realtime" 1
000074 |         $EditorData {
000075 |             #EditorPos 65.4000015 3.9000001
000076 |         }
000077 |     }
000078 | }
000079 | $Transitions 4 {
000080 |     $Transition {
000081 |         "ChamberingCross0Closed" "ChamberingCross10pen" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.Chambering1\\", \\"BlendIn\\")"
1 "S"
000082 |     }
000083 |     $Transition {
000084 |         "ChamberingCross10pen" "ChamberingCross1Loop" "RemainingTimeLess(0.01)" "0.3" "0.0" 1 "S"
000085 |     }
000086 |     $Transition {
000087 |         "ChamberingCross20penFull" "ChamberingCross20penFullLoop" "IsEvent (\\"BlendOut\\")" "0.3" "0.0" 1 "S"
000088 |     }
000089 |     $Transition {
000090 |         "ChamberingCross10pen" "ChamberingCross10penEnd" "false" "0.3" "GetEventTime(\\"WeaponOperations.ReloadBoltAction1\\", \\"BlendIn\\")" 1 "S"
000091 |     }
000092 | }
000093 |     $EditorData {
000094 |         #EditorPos 57.6000023 5.0999999
000095 |     }
000096 | }
000097 | $Node AnimNodeStateMachine {
000098 |     "ChamberingFastSM" ""
000099 |     $States 2 {
000100 |         $State {
000101 |             "ChamberingFast_Open" "" "ChamberingFast_Open" "GetCommandI(CMD_Reload_ChamberingFast)==0" "realtime" 0
000102 |             $EditorData {
000103 |                 #EditorPos 50.1000023 3.9000001
000104 |             }
000105 |         }
000106 |         $State {
000107 |             "ChamberingFast_Closed" "" "ChamberingFast_Closed" "GetCommandI(CMD_Reload_ChamberingFast)==1" "realtime" 1
000108 |             $EditorData {
000109 |                 #EditorPos 52.7000008 3.9000001
000110 |             }
000110 |         }
```

```
000111 |     }
000112 |     }
000113 |     $Transitions 1 {
000114 |         $Transition {
000115 |             "ChamberingFast_Open" "ChamberingFast_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ChamberingFast1\\", \\"BlendIn\\")
    " 1 "S"
000116 |         }
000117 |     }
000118 |     $EditorData {
000119 |         #EditorPos 49.9000015 5.0999999
000120 |     }
000121 | }
000122 | $Node AnimNodeStateMachine {
000123 |     "ChamberingLoopingSM" ""
000124 |     $States 9 {
000125 |         $State {
000126 |             "ChamberingLoop_Closed_NoBullet" "" "ChamberingLoop_Closed_NoBullet" "GetCommandI(CMD_Reload_Chambering)==10" "realtime" 0
000127 |             $EditorData {
000128 |                 #EditorPos 53.4000015 -1.2
000129 |             }
000130 |         }
000131 |         $State {
000132 |             "ChamberingLoop_Closed_Bullet" "" "Loop_Closed_Bullet" "GetCommandI(CMD_Reload_Chambering)==12" "realtime" 1
000133 |             $EditorData {
000134 |                 #EditorPos 57.2999992 -1.2
000135 |             }
000136 |         }
000137 |         $State {
000138 |             "ChamberLoop_Open_NoBullet" "" "ChamberingLoop_Open_NoBullet" "GetCommandI(CMD_Reload_Chambering)==13" "realtime" 0
000139 |             $EditorData {
000140 |                 #EditorPos 43.6000023 -1.3000001
000141 |             }
000142 |         }
000143 |         $State {
000144 |             "ChamberLoop_Open_Bullet" "" "Loop_Open_Bullet" "GetCommandI(CMD_Reload_Chambering)==14" "realtime" 1
000145 |             $EditorData {
000146 |                 #EditorPos 45.9000015 -2.6000001
000147 |             }
000148 |         }
000149 |         $State {
000150 |             "ChamberShotgunNoBullet" "" "Loop_Shotgun_Bullet" "GetCommandI(CMD_Reload_Chambering)==15" "realtime" 0
000151 |             $EditorData {
000152 |                 #EditorPos 38.2000008 -0.5
000153 |             }
000154 |         }
000155 |         $State {
000156 |             "ChamberShotgunBullet" "" "Loop_Shotgun_Bullet" "GetCommandI(CMD_Reload_Chambering)==16" "realtime" 1
000157 |             $EditorData {
000158 |                 #EditorPos 34.2999992 -0.5
000159 |             }
000160 |         }
000161 |         $State {
000162 |             "ShotgunReloadAction" "" "Shotgun_NoBullet" "" "realtime" 1
000163 |             $EditorData {
000164 |                 #EditorPos 40.2999992 -1.5
000165 |             }
000166 |         }
000167 |         $State {
000168 |             "Shotgun_ReloadAction_Closed" "" "Shotgun_NoBullet" "GetCommandI(CMD_Reload_Chambering)==9" "realtime" 0
000169 |             $EditorData {
000170 |                 #EditorPos 43.6000023 -0.3
000171 |             }
    }
```



```
000172 |         }
000173 |         $State {
000174 |             "ChamberLoop_Open_NoBullet_Finish" "" "ChamberingLoop_Open_NoBullet" "false" "realtime" 1
000175 |             $EditorData {
000176 |                 #EditorPos 49.5 -1.2
000177 |             }
000178 |         }
000179 |     }
000180 |     $Transitions 5 {
000181 |         $Transition {
000182 |             "ChamberingLoop_Closed_NoBullet" "ChamberingLoop_Closed_Bullet" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ChamberingLoop_Closed_Bullet\\", \\"BlendIn\\")" 1 "S"
000183 |         }
000184 |         $Transition {
000185 |             "ChamberShotgunNoBullet" "ShotgunReloadAction" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ChamberingLoop_Closed_NoBullet\\", \\"BlendIn\\")" 1 "S"
000186 |         }
000187 |         $Transition {
000188 |             "Shotgun_ReloadAction_Closed" "ChamberLoop_Open_NoBullet" "IsEvent (\\"BlendOut\\")" "0.2" "GetEventTime(\\"WeaponOperations.ChamberingLoop_Open_NoBullet\\", \\"BlendIn\\")" 1 "S"
000189 |         }
000190 |         $Transition {
000191 |             "ChamberLoop_Open_NoBullet" "ChamberLoop_Open_Bullet" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ChamberingLoop_Open_Bullet\\", \\"BlendIn\\")" 1 "Lin"
000192 |         }
000193 |         $Transition {
000194 |             "ChamberLoop_Open_NoBullet" "ChamberLoop_Open_NoBullet_Finish" "GetCommandI(CMD_Reload_Chambering)==11" "0.1" "GetEventTime(\\"WeaponOperations.ChamberingLoop_Open_NoBullet\\", \\"BlendIn2\\")" 1 "S"
000195 |         }
000196 |     }
000197 |     $EditorData {
000198 |         #EditorPos 45.2000008 0.8
000199 |     }
000200 | }
000201 | $Node AnimNodeStateMachine {
000202 |     "ChamberingOneSM" ""
000203 |     $States 3 {
000204 |         $State {
000205 |             "Chambering_Open" "" "Chambering_Open" "GetCommandI(CMD_Reload_Chambering)==0" "realtime" 0
000206 |             $EditorData {
000207 |                 #EditorPos 21.2000008 4.0
000208 |             }
000209 |         }
000210 |         $State {
000211 |             "Chambering_Closed" "" "Chambering_Closed" "GetCommandI(CMD_Reload_Chambering)==1" "realtime" 1
000212 |             $EditorData {
000213 |                 #EditorPos 24.1000004 1.4
000214 |             }
000215 |         }
000216 |         $State {
000217 |             "Chambering_Closed_Uncocked" "" "Chambering_Closed_Uncocked" "GetCommandI(CMD_Reload_Chambering)==2" "realtime" 0
000218 |             $EditorData {
000219 |                 #EditorPos 27.0 4.0
000220 |             }
000221 |         }
000222 |     }
000223 |     $Transitions 2 {
000224 |         $Transition {
000225 |             "Chambering_Open" "Chambering_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.Chambering_Closed\\", \\"BlendIn\\")" 1 "S"
000226 |         }
000227 |         $Transition {
```

```
000228 | "Chambering_Closed_Uncocked" "Chambering_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.Chambering_Closed\\", \\"Blend
In\\")" 1 "S"
000229 |     }
000230 |   }
000231 |   $EditorData {
000232 |     #EditorPos 21.0 5.3000002
000233 |   }
000234 | }
000235 | $Node AnimNodeStateMachine {
000236 |   "ChamberingOneUniqueSM" ""
000237 |   $States 2 {
000238 |     $State {
000239 |       "Chambering_Open_Unique" "" "Chambering_Open" "GetCommandI(CMD_Reload_Chambering)==4" "realtime" 1
000240 |       $EditorData {
000241 |         #EditorPos 31.5 4.0
000242 |       }
000243 |     }
000244 |     $State {
000245 |       "Chambering_Closed_Unique" "" "Chambering_Closed" "GetCommandI(CMD_Reload_Chambering)==5" "realtime" 1
000246 |       $EditorData {
000247 |         #EditorPos 34.6000023 4.0
000248 |       }
000249 |     }
000250 |   }
000251 |   $Transitions 0 {
000252 |   }
000253 |   $EditorData {
000254 |     #EditorPos 31.5 5.3000002
000255 |   }
000256 | }
000257 | $Node AnimNodeStateMachine {
000258 |   "ChamberingTwoSM" ""
000259 |   $States 2 {
000260 |     $State {
000261 |       "ChamberingTwoInS" "" "ChamberingIn" "GetCommandI(CMD_Reload_Chambering)==6" "realtime" 1
000262 |       $EditorData {
000263 |         #EditorPos 38.9000015 4.0
000264 |       }
000265 |     }
000266 |     $State {
000267 |       "ChamberingTwoOutS" "" "ChamberingOut" "false" "realtime" 1
000268 |       $EditorData {
000269 |         #EditorPos 41.7999992 4.0
000270 |       }
000271 |     }
000272 |   }
000273 |   $Transitions 1 {
000274 |     $Transition {
000275 |       "ChamberingTwoInS" "ChamberingTwoOutS" "GetCommandI(CMD_Reload_Chambering)==7 && IsEvent(\\"BlendOut\\")" "0.0" "0.0" 1 "S"
000276 |     }
000277 |   }
000278 |   $EditorData {
000279 |     #EditorPos 38.5 5.2000003
000280 |   }
000281 | }
000282 | $Node AnimNodeSource {
000283 |   "ClipEndAnim" "" "WeaponOperations.ReloadClipOut" "nolop"
000284 |   $Predictions {
000285 |   }
000286 |   $EditorData {
000287 |     #EditorPos 102.0999985 0.1
000288 |   }
}
```

```
000289 |     }
000290 |     $Node AnimNodePose {
000291 |         "ClipEndWaitPose" "" "WeaponOperations.ReloadClipPose" "ActionProgressEnd"
000292 |         $EditorData {
000293 |             #EditorPos 99.7000046 0.1
000294 |         }
000295 |     }
000296 |     $Node AnimNodeSource {
000297 |         "ClipInBulletAnim" "" "WeaponOperations.ReloadClipInNoBullet" "noloop"
000298 |         $Predictions {
000299 |         }
000300 |         $EditorData {
000301 |             #EditorPos 92.5 0.7
000302 |         }
000303 |     }
000304 |     $Node AnimNodeSource {
000305 |         "ClipInNoBulletAnim" "" "WeaponOperations.ReloadClipInBullet" "noloop"
000306 |         $Predictions {
000307 |         }
000308 |         $EditorData {
000309 |             #EditorPos 92.5 0.0
000310 |         }
000311 |     }
000312 |     $Node AnimNodeSourceSync {
000313 |         "ClipInsertAnim" "" "WeaponOperations.ReloadClipPose" "noloop" "Transitions"
000314 |         $Predictions {
000315 |         }
000316 |         $EditorData {
000317 |             #EditorPos 97.3000031 0.1
000318 |         }
000319 |     }
000320 |     $Node AnimNodePose {
000321 |         "ClipStartWaitPose" "" "WeaponOperations.ReloadClipPose" "ActionProgress"
000322 |         $EditorData {
000323 |             #EditorPos 94.9000015 0.1
000324 |         }
000325 |     }
000326 |     $Node AnimNodeStateMachine {
000327 |         "DoubleBarrelSTM" ""
000328 |         $States 8 {
000329 |             $State {
000330 |                 "NoBullet_BulletL+R" "" "ChamberingDBNoBulletL" "GetCommandI(CMD_Reload_Chambering)==18" "realtime" 0
000331 |                 $EditorData {
000332 |                     #EditorPos 74.0 -3.4000001
000333 |                 }
000334 |             }
000335 |             $State {
000336 |                 "NoBullet_BulletL" "" "ChamberingDBNoBulletL" "GetCommandI(CMD_Reload_Chambering)==17" "realtime" 1
000337 |                 $EditorData {
000338 |                     #EditorPos 71.5 -3.4000001
000339 |                 }
000340 |             }
000341 |             $State {
000342 |                 "Bullet_R" "" "ChamberingDBBulletR" "GetCommandI(CMD_Reload_Chambering)==19" "realtime" 0
000343 |                 $EditorData {
000344 |                     #EditorPos 76.5999985 -3.4000001
000345 |                 }
000346 |             }
000347 |             $State {
000348 |                 "Bullet_L" "" "ChamberingDBBulletL" "GetCommandI(CMD_Reload_Chambering)==20" "realtime" 0
000349 |                 $EditorData {
000350 |                     #EditorPos 79.3000031 -3.4000001
```

```
000351 |         }
000352 |     }
000353 |     $State {
000354 |         "BulletR_DB" "" "ChamberingDBNoBulletL+R" "" "realtime" 1
000355 |         $EditorData {
000356 |             #EditorPos 74.0 -5.0999999
000357 |         }
000358 |     }
000359 |     $State {
000360 |         "Reload_BulletR" "" "ChamberingDBNoBulletR" "" "realtime" 1
000361 |         $EditorData {
000362 |             #EditorPos 76.5999985 -5.0999999
000363 |         }
000364 |     }
000365 |     $State {
000366 |         "Reload_BulletL" "" "ChamberingDBNoBulletL" "" "realtime" 1
000367 |         $EditorData {
000368 |             #EditorPos 79.3000031 -5.0999999
000369 |         }
000370 |     }
000371 |     $State {
000372 |         "Cancel" "" "ChamberingDBCcancel" "" "realtime" 1
000373 |         $EditorData {
000374 |             #EditorPos 71.7000046 -5.0999999
000375 |         }
000376 |     }
000377 | }
000378 | $Transitions 4 {
000379 |     $Transition {
000380 |         "NoBullet_BulletL+R" "BulletR_DB" "IsEvent (\\"BlendOut\\")" "0.25" "GetEventTime(\\"WeaponOperations.ChamberingOut\\", \\"BlendIn\\")" 1 "S"
000381 |     }
000382 |     $Transition {
000383 |         "Bullet_R" "Reload_BulletR" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.Chambering_NoBulletR\\", \\"BlendIn\\")" 1 "S"
000384 |     }
000385 |     $Transition {
000386 |         "Bullet_L" "Reload_BulletL" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.Chambering_NoBulletL\\", \\"BlendIn\\")" 1 "S"
000387 |     }
000388 |     $Transition {
000389 |         "NoBullet_BulletL+R" "Cancel" "GetCommandI(CMD_Reload_Chambering)== -1" "0.2" "" 0 "S"
000390 |     }
000391 | }
000392 | $EditorData {
000393 |     #EditorPos 75.4000015 -1.4
000394 | }
000395 | }
000396 | $Node AnimNodeGroupSelect {
000397 |     "ErcRas" "" "ReloadStanceChange" "WeaponOperations" "ErcRas"
000398 |     $EditorData {
000399 |         #EditorPos 4.3000002 11.6999998
000400 |     }
000401 | }
000402 | $Node AnimNodeBlendT {
000403 |     "Loop_Closed_Bullet" "" "Loop_Closed_BulletErc" "Loop_Closed_BulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!
eAI_Raised && Stance == 2)" 0.4 "S" 7
000404 |     $EditorData {
000405 |         #EditorPos 57.2999992 -3.8
000406 |     }
000407 | }
000408 | $Node AnimNodeSourceInLoopOut {
000409 |     "Loop_Closed_BulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Closed_Bullet" "LoopStart" "LoopEnd" "GetCommandI(CMD_Reload_Chambering)==11"
000410 |     $EditorData {
000411 |         #EditorPos 56.1000023 -4.7000003
```

```
000412 |     }
000413 | }
000414 | $Node AnimNodeSourceInLoopOut {
000415 |     "Loop_Closed_BulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Closed_Bullet" "LoopStart" "LoopEnd" "GetCommandI(CMD_Reload_Chambering)==11"
000416 |     $EditorData {
000417 |         #EditorPos 58.5 -4.7000003
000418 |     }
000419 | }
000420 | $Node AnimNodeBlendT {
000421 |     "Loop_Open_Bullet" "" "Loop_Open_BulletErc" "Loop_Open_BulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
000422 |     $EditorData {
000423 |         #EditorPos 49.5 -4.2000003
000424 |     }
000425 | }
000426 | $Node AnimNodeSourceInLoopOut {
000427 |     "Loop_Open_BulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Open_Bullet" "LoopStart" "LoopEnd" "GetCommandI(CMD_Reload_Chambering)==11"
000428 |     $EditorData {
000429 |         #EditorPos 48.4000015 -5.0
000430 |     }
000431 | }
000432 | $Node AnimNodeSourceInLoopOut {
000433 |     "Loop_Open_BulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Open_Bullet" "LoopStart" "LoopEnd" "GetCommandI(CMD_Reload_Chambering)==11"
000434 |     $EditorData {
000435 |         #EditorPos 50.7999992 -5.0
000436 |     }
000437 | }
000438 | $Node AnimNodeBlendT {
000439 |     "Loop_Shotgun_Bullet" "" "Loop_Shotgun_BulletErc" "Loop_Shotgun_BulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
000440 |     $EditorData {
000441 |         #EditorPos 34.5 -4.4000001
000442 |     }
000443 | }
000444 | $Node AnimNodeSourceInLoopOut {
000445 |     "Loop_Shotgun_BulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Closed_Bullet" "LoopStart" "LoopEnd" "GetCommandI(CMD_Reload_Chambering)==11"
000446 |     $EditorData {
000447 |         #EditorPos 33.0 -5.0999999
000448 |     }
000449 | }
000450 | $Node AnimNodeSourceInLoopOut {
000451 |     "Loop_Shotgun_BulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Closed_Bullet" "LoopStart" "LoopEnd" "GetCommandI(CMD_Reload_Chambering)==11"
000452 |     $EditorData {
000453 |         #EditorPos 35.7999992 -5.0999999
000454 |     }
000455 | }
000456 | $Node AnimNodeStateMachine {
000457 |     "Mag_Detach_STM" ""
000458 |     $States 3 {
000459 |         $State {
000460 |             "RifleMag_Detach_Start" "" "ReloadMagBullet" "GetCommandI(CMD_Reload_Magazine)==17" "realtime" 0
000461 |             $EditorData {
000462 |                 #EditorPos -3.0 3.9000001
000463 |             }
000464 |         }
000465 |         $State {
000466 |             "RifleMag_Detach_End" "" "ReloadMagazineDetach" "false" "realtime" 1
000467 |             $EditorData {
000468 |                 #EditorPos -0.1 3.9000001
000469 |             }
000470 |         }
000471 |     }
    $State {
```

```
000472 |         "PistolMag_Detach" "" "ReloadMagazineDetach" "GetCommandI(CMD_Reload_Magazine)==16" "realtime" 1
000473 |     $EditorData {
000474 |         #EditorPos 3.0 3.9000001
000475 |     }
000476 | }
000477 | }
000478 | $Transitions 1 {
000479 |     $Transition {
000480 |         "RifleMag_Detach_Start" "RifleMag_Detach_End" "IsEvent (\\"BlendOut2\\")" "0.3" "0.0" 1 "S"
000481 |     }
000482 | }
000483 | $EditorData {
000484 |     #EditorPos -3.2 5.0999999
000485 | }
000486 | }
000487 | $Node AnimNodeGroupSelect {
000488 |     "PneRas" "" "ReloadStanceChange" "WeaponOperations" "PneRas"
000489 |     $EditorData {
000490 |         #EditorPos 8.6000004 11.6999998
000491 |     }
000492 | }
000493 | $Node AnimNodeStateMachine {
000494 |     "ReloadBoltAction_SM" ""
000495 |     $States 4 {
000496 |         $State {
000497 |             "ReloadAction_Open" "" "ReloadAction_Open" "GetCommandI(CMD_Reload_BoltAction)==0" "realtime" 1
000498 |             $EditorData {
000499 |                 #EditorPos 9.0 4.0999999
000500 |             }
000501 |         }
000502 |         $State {
000503 |             "ReloadAction_Closed" "" "ReloadAction_Closed" "GetCommandI(CMD_Reload_BoltAction)==1" "realtime" 1
000504 |             $EditorData {
000505 |                 #EditorPos 11.4000006 4.0999999
000506 |             }
000507 |         }
000508 |         $State {
000509 |             "ReloadActionSpecial" "" "ReloadBoltAction2" "GetCommandI(CMD_Reload_BoltAction)==2" "realtime" 1
000510 |             $EditorData {
000511 |                 #EditorPos 14.0 4.0999999
000512 |             }
000513 |         }
000514 |         $State {
000515 |             "ReloadAction_Closed_uncocked" "" "ReloadAction_Closed_Uncocked" "GetCommandI(CMD_Reload_BoltAction)==3" "realtime" 1
000516 |             $EditorData {
000517 |                 #EditorPos 16.7000008 4.0999999
000518 |             }
000519 |         }
000520 |     }
000521 | }
000522 | $Transitions 0 {
000523 | }
000524 | $EditorData {
000525 |     #EditorPos 11.4000006 5.4000001
000526 | }
000527 | }
000528 | $Node AnimNodeStateMachine {
000529 |     "ReloadMagazinePistol" ""
000530 |     $States 16 {
000531 |         $State {
000532 |             "MagNoBullet_Close_uncocked" "" "ReloadMagBullet" "GetCommandI(CMD_Reload_Magazine)==9" "realtime" 0
000533 |             $EditorData {
000534 |                 #EditorPos -12.6999998 3.8
```

```
000534 |     }
000535 | }
000536 | $State {
000537 |     "NoMagNoBullet_Close" "" "ReloadNoMagBullet" "GetCommandI(CMD_Reload_Magazine)==13" "realtime" 0
000538 |     $EditorData {
000539 |         #EditorPos -26.3000011 3.8
000540 |     }
000541 | }
000542 | $State {
000543 |     "NoMagNoBullet_Open" "" "ReloadNoMagBullet" "GetCommandI(CMD_Reload_Magazine)==14" "realtime" 0
000544 |     $EditorData {
000545 |         #EditorPos -18.8999996 3.8
000546 |     }
000547 | }
000548 | $State {
000549 |     "MagBullet_Close" "" "ReloadMagBullet" "GetCommandI(CMD_Reload_Magazine)==10" "realtime" 1
000550 |     $EditorData {
000551 |         #EditorPos -9.6999998 3.8
000552 |     }
000553 | }
000554 | $State {
000555 |     "ReloadActionPst_Open" "" "ReloadAction_Open" "false" "realtime" 1
000556 |     $EditorData {
000557 |         #EditorPos -18.8999996 -1.4
000558 |     }
000559 | }
000560 | $State {
000561 |     "ReloadActionPst_Closed" "" "ReloadAction_Closed" "false" "realtime" 1
000562 |     $EditorData {
000563 |         #EditorPos -26.3000011 -1.4
000564 |     }
000565 | }
000566 | $State {
000567 |     "NoMagBullet_Close" "" "ReloadNoMagBullet" "GetCommandI(CMD_Reload_Magazine)==11" "realtime" 0
000568 |     $EditorData {
000569 |         #EditorPos -22.8000011 3.8
000570 |     }
000571 | }
000572 | $State {
000573 |     "MagNoBullet_Open" "" "ReloadMagBullet" "GetCommandI(CMD_Reload_Magazine)==15" "realtime" 0
000574 |     $EditorData {
000575 |         #EditorPos -7.2000003 3.8
000576 |     }
000577 | }
000578 | $State {
000579 |     "MagNoBullet_" "" "ReloadMagBullet" "false" "realtime" 0
000580 |     $EditorData {
000581 |         #EditorPos -26.3000011 1.4
000582 |     }
000583 | }
000584 | $State {
000585 |     "MagBullet_" "" "ReloadMagBullet" "false" "realtime" 1
000586 |     $EditorData {
000587 |         #EditorPos -22.8000011 1.4
000588 |     }
000589 | }
000590 | $State {
000591 |     "MagOpen_" "" "ReloadMagBullet" "false" "realtime" 0
000592 |     $EditorData {
000593 |         #EditorPos -18.8999996 1.4
000594 |     }
000595 | }
```

```
000596 |         $State {
000597 |             "ReloadActionPst_Closed_Uncocked" "" "ReloadAction_Closed_Uncocked" "false" "realtime" 1
000598 |             $EditorData {
000599 |                 #EditorPos -22.8999996 -1.4
000600 |             }
000601 |         }
000602 |         $State {
000603 |             "NoMagNoBullet_Close_uncocked" "" "ReloadNoMagBullet" "GetCommandI(CMD_Reload_Magazine)==8" "realtime" 0
000604 |             $EditorData {
000605 |                 #EditorPos -30.0 3.8
000606 |             }
000607 |         }
000608 |         $State {
000609 |             "MagNoBullet_0" "" "ReloadMagBullet" "false" "realtime" 0
000610 |             $EditorData {
000611 |                 #EditorPos -30.0 1.4
000612 |             }
000613 |         }
000614 |         $State {
000615 |             "MagNoBullet_Close" "" "ReloadMagBullet" "GetCommandI(CMD_Reload_Magazine)==12" "realtime" 0
000616 |             $EditorData {
000617 |                 #EditorPos -15.6999998 3.8
000618 |             }
000619 |         }
000620 |         $State {
000621 |             "MagNoBullet_1" "" "ReloadMagBullet" "false" "realtime" 0
000622 |             $EditorData {
000623 |                 #EditorPos -15.6999998 1.4
000624 |             }
000625 |         }
000626 |     }
000627 |     $Transitions 11 {
000628 |         $Transition {
000629 |             "MagNoBullet_Open" "ReloadActionPst_Open" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Open\\", \\"BlendIn\\")"
1 "S"
000630 |         }
000631 |         $Transition {
000632 |             "MagNoBullet_Close_uncocked" "ReloadActionPst_Closed_Uncocked" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_C
losed_Uncocked\\", \\"BlendIn\\")" 1 "S"
000633 |         }
000634 |         $Transition {
000635 |             "MagNoBullet_" "ReloadActionPst_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Closed\\", \\"BlendIn\\")"
1 "S"
000636 |         }
000637 |         $Transition {
000638 |             "NoMagNoBullet_Close" "MagNoBullet_" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\")" 1 "S"
000639 |         }
000640 |         $Transition {
000641 |             "NoMagBullet_Close" "MagBullet_" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\")" 1 "S"
000642 |         }
000643 |         $Transition {
000644 |             "NoMagNoBullet_Open" "MagOpen_" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\")" 1 "S"
000645 |         }
000646 |         $Transition {
000647 |             "MagOpen_" "ReloadActionPst_Open" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Open\\", \\"BlendIn\\")" 1 "S"
000648 |         }
000649 |         $Transition {
000650 |             "NoMagNoBullet_Close_uncocked" "MagNoBullet_0" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\"
)" 1 "S"
000651 |         }
000652 |         $Transition {
000653 |             "MagNoBullet_0" "ReloadActionPst_Closed_Uncocked" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Closed_Uncocke
```



```
000654 | d\", \"BlendIn\")\" 1 \"S\"
000655 |     }
000656 |     $Transition {
000657 |         \"MagNoBullet_Close\" \"MagNoBullet_1\" \"IsEvent (\\\"BlendOut2\\\")\" \"0.3\" \"GetEventTime(\\\"WeaponOperations.ReloadMagBullet\\\", \\\"BlendIn\\\")\" 1 \"S\"
000658 |     }
000659 |     $Transition {
000660 |         \"MagNoBullet_1\" \"ReloadActionPst_Closed\" \"IsEvent (\\\"BlendOut\\\")\" \"0.3\" \"GetEventTime(\\\"WeaponOperations.ReloadAction_Closed\\\", \\\"BlendIn\\\")\"
000661 |     }
000662 |     $EditorData {
000663 |         #EditorPos -22.8000011 5.2000003
000664 |     }
000665 | }
000666 | $Node AnimNodeStateMachine {
000667 |     \"ReloadMagazineRifle\" \"\"
000668 |     $States 11 {
000669 |         $State {
000670 |             \"MagBullet_Rifle\" \"\" \"ReloadMagNoBullet\" \"IsCommand (CMD_Reload_Magazine) && GetCommandI(CMD_Reload_Magazine)==0\" \"realtime\" 0
000671 |             $EditorData {
000672 |                 #EditorPos 5.7000003 -6.5999999
000673 |             }
000674 |         }
000675 |         $State {
000676 |             \"NoMagBullet_Rifle\" \"\" \"ReloadNoMagBullet\" \"IsCommand (CMD_Reload_Magazine) && GetCommandI(CMD_Reload_Magazine)==1\" \"realtime\" 1
000677 |             $EditorData {
000678 |                 #EditorPos 14.4000006 -6.5
000679 |             }
000680 |         }
000681 |         $State {
000682 |             \"MagNoBullet_Rifle_Close\" \"\" \"ReloadMagNoBullet\" \"IsCommand (CMD_Reload_Magazine) && GetCommandI(CMD_Reload_Magazine)==2\" \"realtime\" 0
000683 |             $EditorData {
000684 |                 #EditorPos -3.6000001 -6.5999999
000685 |             }
000686 |         }
000687 |         $State {
000688 |             \"NoMagNoBullet_Rifle_Close\" \"\" \"ReloadNoMagBullet\" \"IsCommand (CMD_Reload_Magazine) && GetCommandI(CMD_Reload_Magazine)==3\" \"realtime\" 0
000689 |             $EditorData {
000690 |                 #EditorPos 8.1999998 -6.5999999
000691 |             }
000692 |         }
000693 |         $State {
000694 |             \"ReloadActionRifle\" \"\" \"ReloadAction_Open\" \"\" \"realtime\" 1
000695 |             $EditorData {
000696 |                 #EditorPos 5.8000002 -11.9000006
000697 |             }
000698 |         }
000699 |         $State {
000700 |             \"Bullet_Rifle\" \"\" \"ReloadNoMagBullet\" \"\" \"realtime\" 1
000701 |             $EditorData {
000702 |                 #EditorPos 5.7000003 -9.8000002
000703 |             }
000704 |         }
000705 |         $State {
000706 |             \"Bullet_Rifle_Closed\" \"\" \"ReloadNoMagBullet\" \"\" \"realtime\" 0
000707 |             $EditorData {
000708 |                 #EditorPos -3.6000001 -9.6999998
000709 |             }
000710 |         }
000711 |         $State {
000712 |             \"MagNoBullet_Rifle_Open\" \"\" \"ReloadMagNoBullet\" \"IsCommand (CMD_Reload_Magazine) && GetCommandI(CMD_Reload_Magazine)==4\" \"realtime\" 0
000713 |             $EditorData {
```

```
000714 |         #EditorPos 1.2 -6.5999999
000715 |     }
000716 | }
000717 | $State {
000718 |     "ReloadActionRifle_Closed" "" "ReloadAction_Closed" "" "realtime" 1
000719 |     $EditorData {
000720 |         #EditorPos -3.6000001 -11.8000002
000721 |     }
000722 | }
000723 | $State {
000724 |     "Bullet_Rifle_Open" "" "ReloadNoMagBullet" "" "realtime" 0
000725 |     $EditorData {
000726 |         #EditorPos 1.2 -9.8000002
000727 |     }
000728 | }
000729 | $State {
000730 |     "NoMagNoBullet_Rifle_Open" "" "ReloadNoMagBullet" "IsCommand (CMD_Reload_Magazine) && GetCommandI(CMD_Reload_Magazine)==5" "realtime" 0
000731 |     $EditorData {
000732 |         #EditorPos 11.3000002 -6.5999999
000733 |     }
000734 | }
000735 | }
000736 | $Transitions 7 {
000737 |     $Transition {
000738 |         "MagBullet_Rifle" "Bullet_Rifle" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadNoMagBullet\\", \\"BlendIn\\")" 1 "S"
000739 |     }
000740 |     $Transition {
000741 |         "MagNoBullet_Rifle_Close" "Bullet_Rifle_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadNoMagBullet\\", \\"BlendIn\\")" 1 "S"
000742 |     }
000743 |     $Transition {
000744 |         "Bullet_Rifle_Closed" "ReloadActionRifle_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Closed\\", \\"BlendIn\\")" 1 "S"
000745 |     }
000746 |     $Transition {
000747 |         "NoMagNoBullet_Rifle_Close" "ReloadActionRifle_Closed" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Closed\\", \\"BlendIn\\")" 1 "S"
000748 |     }
000749 |     $Transition {
000750 |         "Bullet_Rifle_Open" "ReloadActionRifle" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Open\\", \\"BlendIn\\")" 1 "S"
000751 |     }
000752 |     $Transition {
000753 |         "NoMagNoBullet_Rifle_Open" "ReloadActionRifle" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadAction_Open\\", \\"BlendIn\\")" 1 "S"
000754 |     }
000755 |     $Transition {
000756 |         "MagNoBullet_Rifle_Open" "Bullet_Rifle_Open" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadNoMagBullet\\", \\"BlendIn\\")" 1 "S"
000757 |     }
000758 | }
000759 |     $EditorData {
000760 |         #EditorPos 6.4000001 -5.2000003
000761 |     }
000762 | }
000763 | $Node AnimNodeStateMachine {
000764 |     "ReloadMagazineSRifle" ""
000765 |     $States 6 {
000766 |         $State {
000767 |             "BulletMag_SRifle" "" "ReloadMagBullet" "GetCommandI(CMD_Reload_Magazine)==20" "realtime" 1
000768 |             $EditorData {
000769 |                 #EditorPos -48.1000023 2.0
```

```

000770 |         }
000771 |     }
000772 |     $State {
000773 |         "NoMagBullet_SRifle" "" "ReloadNoMagBullet" "GetCommandI(CMD_Reload_Magazine)==21" "realtime" 0
000774 |         $EditorData {
000775 |             #EditorPos -48.1000023 3.9000001
000776 |         }
000777 |     }
000778 |     $State {
000779 |         "MagNoBullet_SRifle" "" "ReloadMagNoBullet" "GetCommandI(CMD_Reload_Magazine)==22" "realtime" 0
000780 |         $EditorData {
000781 |             #EditorPos -42.7000008 3.9000001
000782 |         }
000783 |     }
000784 |     $State {
000785 |         "NoMagNoBullet_SRifle" "" "ReloadNoMagNoBullet" "GetCommandI(CMD_Reload_Magazine)==23" "realtime" 0
000786 |         $EditorData {
000787 |             #EditorPos -35.2999992 3.9000001
000788 |         }
000789 |     }
000790 |     $State {
000791 |         "BulletMag_SRifle_main" "" "ReloadMagBullet" "" "realtime" 0
000792 |         $EditorData {
000793 |             #EditorPos -39.2999992 2.5
000794 |         }
000795 |     }
000796 |     $State {
000797 |         "FinalBoltAction" "" "ReloadBoltAction2" "" "realtime" 1
000798 |         $EditorData {
000799 |             #EditorPos -39.2999992 0.9
000800 |         }
000801 |     }
000802 | }
000803 | $Transitions 4 {
000804 |     $Transition {
000805 |         "NoMagBullet_SRifle" "BulletMag_SRifle" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\")" 1 "S
000806 |     }
000807 |     $Transition {
000808 |         "MagNoBullet_SRifle" "BulletMag_SRifle_main" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\")"
000809 |     }
000810 |     $Transition {
000811 |         "NoMagNoBullet_SRifle" "BulletMag_SRifle_main" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadMagBullet\\", \\"BlendIn\\")"
000812 |     }
000813 |     $Transition {
000814 |         "BulletMag_SRifle_main" "FinalBoltAction" "IsEvent (\\"BlendOut\\")" "0.3" "GetEventTime(\\"WeaponOperations.ReloadBoltAction2\\", \\"BlendIn\\")"
000815 |     }
000816 | }
000817 | $EditorData {
000818 |     #EditorPos -40.5 5.4000001
000819 | }
000820 | }
000821 | $Node AnimNodeStateMachine {
000822 |     "ReloadStanceChange" "TagWeaponReload"
000823 |     $States 15 {
000824 |         $State {
000825 |             "ReloadBoltAction_S" "" "ReloadBoltAction_SM" "GetCommandI(CMD_Reload_BoltAction)>=0 && GetCommandI(CMD_Reload_BoltAction)<=3" "realtime" 1
000826 |             $EditorData {
000827 |                 #EditorPos 11.4000006 7.4000001

```

```
000828 |     }
000829 | }
000830 | $State {
000831 |     "ChamberingOne" "" "ChamberingOneSM" "GetCommandI(CMD_Reload_Chambering)>=0 && GetCommandI(CMD_Reload_Chambering)<=3" "realtime" 1
000832 |     $EditorData {
000833 |         #EditorPos 21.0 7.2000003
000834 |     }
000835 | }
000836 | $State {
000837 |     "ChamberingLoop" "" "ChamberingLoopingSM" "GetCommandI(CMD_Reload_Chambering)>=9 && GetCommandI(CMD_Reload_Chambering)<=16" "realtime" 1
000838 |     $EditorData {
000839 |         #EditorPos 45.2999992 7.3000002
000840 |     }
000841 | }
000842 | $State {
000843 |     "ChamberingTwo" "" "ChamberingTwoSM" "GetCommandI(CMD_Reload_Chambering)>=6 && GetCommandI(CMD_Reload_Chambering)<=7" "realtime" 1
000844 |     $EditorData {
000845 |         #EditorPos 38.5 7.3000002
000846 |     }
000847 | }
000848 | $State {
000849 |     "ChamberingFastS" "" "ChamberingFastSM" "IsCommand(CMD_Reload_ChamberingFast)" "realtime" 1
000850 |     $EditorData {
000851 |         #EditorPos 49.9000015 7.2000003
000852 |     }
000853 | }
000854 | $State {
000855 |     "ReloadMagazineSRifle" "" "ReloadMagazineSRifle" "GetCommandI(CMD_Reload_Magazine)>=20 && GetCommandI(CMD_Reload_Magazine)<=23" "realtime" 1
000856 |     $EditorData {
000857 |         #EditorPos -40.5 7.7000003
000858 |     }
000859 | }
000860 | $State {
000861 |     "ReloadMagazinePistol" "" "ReloadMagazinePistol" "GetCommandI(CMD_Reload_Magazine)>=8 && GetCommandI(CMD_Reload_Magazine)<=15" "realtime" 1
000862 |     $EditorData {
000863 |         #EditorPos -22.7000008 7.7000003
000864 |     }
000865 | }
000866 | $State {
000867 |     "ReloadMagazineRifle" "" "ReloadMagazineRifle" "GetCommandI(CMD_Reload_Magazine)>=0 && GetCommandI(CMD_Reload_Magazine)<=5" "notime" 1
000868 |     $EditorData {
000869 |         #EditorPos 6.4000001 7.4000001
000870 |     }
000871 | }
000872 | $State {
000873 |     "ChamberingOneUnique" "" "ChamberingOneUniqueSM" "GetCommandI(CMD_Reload_Chambering)>=4 && GetCommandI(CMD_Reload_Chambering)<=5" "realtime"
1
000874 |     $EditorData {
000875 |         #EditorPos 31.5 7.3000002
000876 |     }
000877 | }
000878 | $State {
000879 |     "ChamberingCrossbow" "" "ChamberingCrossbowSM" "GetCommandI(CMD_Reload_Chambering)>=21 && GetCommandI(CMD_Reload_Chambering)<=23" "realtime"
1
000880 |     $EditorData {
000881 |         #EditorPos 57.6000023 7.2000003
000882 |     }
000883 | }
000884 | $State {
000885 |     "WeaponJamming" "" "WeaponJamSTM" "GetCommandI(CMD_Weapon_Jam) == 1" "notime" 1
000886 |     $EditorData {
000887 |         #EditorPos 79.7000046 6.9000001
```

```
000888 |     }
000889 | }
000890 | $State {
000891 |     "Mag_Detach" "" "Mag_Detach_STM" "GetCommandI(CMD_Reload_Magazine)>=16 && GetCommandI(CMD_Reload_Magazine)<=17" "realtime" 1
000892 |     $EditorData {
000893 |         #EditorPos -3.1000001 7.3000002
000894 |     }
000895 | }
000896 | $State {
000897 |     "ChamberingDoubleBarrel" "" "DoubleBarrelSTM" "GetCommandI(CMD_Reload_Chambering)>=17 && GetCommandI(CMD_Reload_Chambering)<=20" "realtime" 1
000898 |     $EditorData {
000899 |         #EditorPos 75.5 7.0
000900 |     }
000901 | }
000902 | $State {
000903 |     "WeaponCheckJam" "" "WeaponCheckJamT" "GetCommandI(CMD_Weapon_Jam) == 2" "realtime" 1
000904 |     $EditorData {
000905 |         #EditorPos 87.3000031 6.9000001
000906 |     }
000907 | }
000908 | $State {
000909 |     "WeaponStripperClip" "" "StripperClipSTM" "IsCommand(CMD_Reload_Clip)" "notime" 1
000910 |     $EditorData {
000911 |         #EditorPos 92.3000031 7.0
000912 |     }
000913 | }
000914 | }
000915 | $Transitions 0 {
000916 | }
000917 | $EditorData {
000918 |     #EditorPos 6.2000003 9.3000002
000919 | }
000920 | }
000921 | $Node AnimNodeStateMachine {
000922 |     "ReloadStanceChanges" "TagWeaponReload"
000923 |     $States 2 {
000924 |         $State {
000925 |             "ReloadErc" "" "ErcRas" "Stance == 0 || Stance ==1" "notime" 1
000926 |             $EditorData {
000927 |                 #EditorPos 4.3000002 15.1999998
000928 |             }
000929 |         }
000930 |         $State {
000931 |             "ReloadPne" "" "PneRas" "Stance == 2" "notime" 1
000932 |             $EditorData {
000933 |                 #EditorPos 8.6000004 15.1999998
000934 |             }
000935 |         }
000936 |     }
000937 |     $Transitions 2 {
000938 |         $Transition {
000939 |             "ReloadErc" "ReloadPne" "Stance == 2" "0.3" "GetLowerTime()" 1 "S2"
000940 |         }
000941 |         $Transition {
000942 |             "ReloadPne" "ReloadErc" "Stance == 0 || Stance ==1" "0.3" "GetLowerTime()" 1 "S2"
000943 |         }
000944 |     }
000945 |     $EditorData {
000946 |         #EditorPos 4.0 16.7000008
000947 |     }
000948 | }
000949 | $Node AnimNodeBlendT {
```

```
000950 |         "Shotgun_NoBullet" "" "Shotgun_NoBulletErc" "Shotgun_NoBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Ra
000951 | ised && Stance == 2)" 0.4 "S" 7
000952 |         $EditorData {
000953 |             #EditorPos 40.5 -4.4000001
000954 |         }
000955 |     $Node AnimNodeSource {
000956 |         "Shotgun_NoBulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Closed_NoBullet" "nolop"
000957 |         $Predictions {
000958 |         }
000959 |         $EditorData {
000960 |             #EditorPos 38.9000015 -5.0999999
000961 |         }
000962 |     }
000963 |     $Node AnimNodeSource {
000964 |         "Shotgun_NoBulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Closed_NoBullet" "nolop"
000965 |         $Predictions {
000966 |         }
000967 |         $EditorData {
000968 |             #EditorPos 42.0 -5.0999999
000969 |         }
000970 |     }
000971 |     $Node AnimNodeStateMachine {
000972 |         "StripperClipSTM" ""
000973 |         $States 7 {
000974 |             $State {
000975 |                 "InBullet" "" "ClipInBulletAnim" "GetCommandI(CMD_Reload_Clip) == 1" "realtime" 0
000976 |                 $EditorData {
000977 |                     #EditorPos 92.5 3.6000001
000978 |                 }
000979 |             }
000980 |             $State {
000981 |                 "StartWait" "" "ClipStartWaitPose" "" "realtime" 0
000982 |                 $EditorData {
000983 |                     #EditorPos 94.9000015 2.9000001
000984 |                 }
000985 |             }
000986 |             $State {
000987 |                 "Insert" "TagWeaponReloadBulletSwitch" "ClipInsertAnim" "" "normtime" 0
000988 |                 $EditorData {
000989 |                     #EditorPos 97.3000031 2.9000001
000990 |                 }
000991 |             }
000992 |             $State {
000993 |                 "EndWait" "" "ClipEndWaitPose" "" "realtime" 0
000994 |                 $EditorData {
000995 |                     #EditorPos 99.7000046 2.9000001
000996 |                 }
000997 |             }
000998 |             $State {
000999 |                 "End" "" "ClipEndAnim" "" "realtime" 1
001000 |                 $EditorData {
001001 |                     #EditorPos 102.0999985 2.9000001
001002 |                 }
001003 |             }
001004 |             $State {
001005 |                 "InNoBullet" "" "ClipInNoBulletAnim" "GetCommandI(CMD_Reload_Clip) == 0" "realtime" 0
001006 |                 $EditorData {
001007 |                     #EditorPos 92.5 2.9000001
001008 |                 }
001009 |             }
001010 |         }
001010 |     $State {
```

```
001011 |         "EndWaitAnim" "" "ClipEndWaitPose" "" "realtime" 0
001012 |         $EditorData {
001013 |             #EditorPos 99.7000046 3.6000001
001014 |         }
001015 |     }
001016 | }
001017 | $Transitions 7 {
001018 |     $Transition {
001019 |         "InBullet" "StartWait" "RemainingTimeLess(0.4)" "0.4" "" 1 "S"
001020 |     }
001021 |     $Transition {
001022 |         "StartWait" "Insert" "GetLowerRTime() > 0.35" "0.1" "ActionProgress" 1 "S"
001023 |     }
001024 |     $Transition {
001025 |         "EndWait" "End" "GetLowerRTime() > 0.1" "0.4" "" 1 "S"
001026 |     }
001027 |     $Transition {
001028 |         "InNoBullet" "StartWait" "RemainingTimeLess(0.4)" "0.4" "" 1 "S"
001029 |     }
001030 |     $Transition {
001031 |         "Insert" "EndWaitAnim" "GetLowerTime() >= ActionProgressEnd-0.05 && ActionProgressEnd == 1.0" "0.0" "" 1 "S"
001032 |     }
001033 |     $Transition {
001034 |         "Insert" "EndWait" "GetLowerTime() >= ActionProgressEnd-0.05" "0.0" "" 1 "S"
001035 |     }
001036 |     $Transition {
001037 |         "EndWaitAnim" "End" "GetLowerRTime() > 0.1" "0.4" "" 1 "S"
001038 |     }
001039 | }
001040 | $EditorData {
001041 |     #EditorPos 92.3000031 4.9000001
001042 | }
001043 | }
001044 | $Node AnimNodeSource {
001045 |     "WeaponCheckJamErc" "" "WeaponOperations.ErcRas.Jamming Check" "noloop"
001046 |     $Predictions {
001047 |     }
001048 |     $EditorData {
001049 |         #EditorPos 86.2000046 3.8
001050 |     }
001051 | }
001052 | $Node AnimNodeSource {
001053 |     "WeaponCheckJamPne" "" "WeaponOperations.PneRas.Jamming Check" "noloop"
001054 |     $Predictions {
001055 |     }
001056 |     $EditorData {
001057 |         #EditorPos 88.4000015 3.8
001058 |     }
001059 | }
001060 | $Node AnimNodeBlendT {
001061 |     "WeaponCheckJamT" "" "WeaponCheckJamErc" "WeaponCheckJamPne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
001062 |     $EditorData {
001063 |         #EditorPos 87.3000031 4.7000003
001064 |     }
001065 | }
001066 | $Node AnimNodeBlendT {
001067 |     "WeaponJamAnim" "" "WeaponJamAnimErc" "WeaponJamAnimPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && S
tance == 2)" 0.4 "S" 7
001068 |     $EditorData {
001069 |         #EditorPos 79.5999985 0.5
001070 |     }
001071 | }
```

```
001072 |     $Node AnimNodeSourceInLoopOut {
001073 |         "WeaponJamAnimErc" "" "WeaponOperations.ErcRas.Jamming" "LoopStart" "LoopEnd" "false"
001074 |         $EditorData {
001075 |             #EditorPos 78.2000046 -0.3
001076 |         }
001077 |     }
001078 |     $Node AnimNodeSourceInLoopOut {
001079 |         "WeaponJamAnimPne" "" "WeaponOperations.PneRas.Jamming" "LoopStart" "LoopEnd" "false"
001080 |         $EditorData {
001081 |             #EditorPos 80.8000031 -0.3
001082 |         }
001083 |     }
001084 |     $Node AnimNodeStateMachine {
001085 |         "WeaponJamSTM" ""
001086 |         $States 3 {
001087 |             $State {
001088 |                 "InLoop" "" "WeaponJamAnim" "true" "realtime" 0
001089 |                 $EditorData {
001090 |                     #EditorPos 79.5999985 3.8
001091 |                 }
001092 |             }
001093 |             $State {
001094 |                 "Out" "" "Jamming" "false" "realtime" 1
001095 |                 $EditorData {
001096 |                     #EditorPos 82.7000046 3.8
001097 |                 }
001098 |             }
001099 |             $State {
001100 |                 "Cancel" "" "JammingCancel" "" "realtime" 1
001101 |                 $EditorData {
001102 |                     #EditorPos 82.7000046 2.4000001
001103 |                 }
001104 |             }
001105 |         }
001106 |         $Transitions 2 {
001107 |             $Transition {
001108 |                 "InLoop" "Out" "GetCommandI(CMD_Weapon_Jam) == 0" "0.2" "GetEventTime(\"WeaponOperations.Jamming\", \"LoopEnd\")-0.2" 1 "S"
001109 |             }
001110 |             $Transition {
001111 |                 "InLoop" "Cancel" "GetCommandI(CMD_Weapon_Jam) == -1" "0.2" "" 0 "S"
001112 |             }
001113 |         }
001114 |         $EditorData {
001115 |             #EditorPos 79.7000046 5.0999999
001116 |         }
001117 |     }
001118 | }
001119 | $Sheet "ReloadNodes" {
001120 |     $Node AnimNodeBlendT {
001121 |         "ChamberingDBBulletL" "" "ChamberingDBBulletL_Erc" "ChamberingDBBulletL_Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised)
|| (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001122 |         $EditorData {
001123 |             #EditorPos 23.8999996 9.1999998
001124 |         }
001125 |     }
001126 |     $Node AnimNodeSource {
001127 |         "ChamberingDBBulletL_Erc" "" "WeaponOperations.ErcRas.ChamberingBulletL" "no loop"
001128 |         $Predictions {
001129 |         }
001130 |         $EditorData {
001131 |             #EditorPos 23.8999996 8.5
001132 |         }
001132 |     }
```



```
001133 |     }
001134 |     $Node AnimNodeSource {
001135 |         "ChamberingDBBulletL_Pne" "" "WeaponOperations.PneRas.ChamberingBulletL" "noloop"
001136 |         $Predictions {
001137 |         }
001138 |         $EditorData {
001139 |             #EditorPos 23.8999996 7.9000001
001140 |         }
001141 |     }
001142 |     $Node AnimNodeBlendT {
001143 |         "ChamberingDBBulletR" "" "ChamberingDBBulletR_Erc" "ChamberingDBBulletR_Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised)
|| (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001144 |         $EditorData {
001145 |             #EditorPos 21.1000004 9.1999998
001146 |         }
001147 |     }
001148 |     $Node AnimNodeSource {
001149 |         "ChamberingDBBulletR_Erc" "" "WeaponOperations.ErcRas.ChamberingBulletR" "noloop"
001150 |         $Predictions {
001151 |         }
001152 |         $EditorData {
001153 |             #EditorPos 21.1000004 8.5
001154 |         }
001155 |     }
001156 |     $Node AnimNodeSource {
001157 |         "ChamberingDBBulletR_Pne" "" "WeaponOperations.PneRas.ChamberingBulletR" "noloop"
001158 |         $Predictions {
001159 |         }
001160 |         $EditorData {
001161 |             #EditorPos 21.1000004 7.9000001
001162 |         }
001163 |     }
001164 |     $Node AnimNodeBlendT {
001165 |         "ChamberingDBCcancel" "" "ChamberingDBCcancel_Erc" "ChamberingDBCcancel_Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) ||
(!eAI_Raised && Stance == 2)" 0.4 "S" 7
001166 |         $EditorData {
001167 |             #EditorPos 27.3000011 9.1999998
001168 |         }
001169 |     }
001170 |     $Node AnimNodeSource {
001171 |         "ChamberingDBCcancel_Erc" "" "WeaponOperations.ErcRas.ChamberingCancel" "noloop"
001172 |         $Predictions {
001173 |         }
001174 |         $EditorData {
001175 |             #EditorPos 27.3000011 8.5
001176 |         }
001177 |     }
001178 |     $Node AnimNodeSource {
001179 |         "ChamberingDBCcancel_Pne" "" "WeaponOperations.PneRas.ChamberingCancel" "noloop"
001180 |         $Predictions {
001181 |         }
001182 |         $EditorData {
001183 |             #EditorPos 27.3000011 7.9000001
001184 |         }
001185 |     }
001186 |     $Node AnimNodeBlendT {
001187 |         "ChamberingDBNoBulletL" "" "ChamberingDBNoBulletL_Erc" "ChamberingDBNoBulletL_Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Ra
ised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001188 |         $EditorData {
001189 |             #EditorPos 14.4000006 9.1999998
001190 |         }
001191 |     }
```

```
001192 |         $Node AnimNodeBlendT {
001193 |             "ChamberingDBNoBulletL+R" "" "ChamberingDBNoBulletL+R_Erc" "ChamberingDBNoBulletL+R_Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 &&
eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001194 |         $EditorData {
001195 |             #EditorPos 17.6000004 9.1999998
001196 |         }
001197 |     }
001198 |     $Node AnimNodeSource {
001199 |         "ChamberingDBNoBulletL+R_Erc" "" "WeaponOperations.ErcRas.ChamberingOut" "noloop"
001200 |         $Predictions {
001201 |         }
001202 |         $EditorData {
001203 |             #EditorPos 17.6000004 8.5
001204 |         }
001205 |     }
001206 |     $Node AnimNodeSource {
001207 |         "ChamberingDBNoBulletL+R_Pne" "" "WeaponOperations.PneRas.ChamberingOut" "noloop"
001208 |         $Predictions {
001209 |         }
001210 |         $EditorData {
001211 |             #EditorPos 17.6000004 7.9000001
001212 |         }
001213 |     }
001214 |     $Node AnimNodeSource {
001215 |         "ChamberingDBNoBulletL_Erc" "" "WeaponOperations.ErcRas.Chambering_NoBulletL" "noloop"
001216 |         $Predictions {
001217 |         }
001218 |         $EditorData {
001219 |             #EditorPos 14.5 8.5
001220 |         }
001221 |     }
001222 |     $Node AnimNodeSource {
001223 |         "ChamberingDBNoBulletL_Pne" "" "WeaponOperations.PneRas.Chambering_NoBulletL" "noloop"
001224 |         $Predictions {
001225 |         }
001226 |         $EditorData {
001227 |             #EditorPos 14.5 7.9000001
001228 |         }
001229 |     }
001230 |     $Node AnimNodeBlendT {
001231 |         "ChamberingDBNoBulletR" "" "ChamberingDBNoBulletR_Erc" "ChamberingDBNoBulletR_Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Ra
ised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001232 |         $EditorData {
001233 |             #EditorPos 11.3000002 9.1999998
001234 |         }
001235 |     }
001236 |     $Node AnimNodeSource {
001237 |         "ChamberingDBNoBulletR_Erc" "" "WeaponOperations.ErcRas.Chambering_NoBulletR" "noloop"
001238 |         $Predictions {
001239 |         }
001240 |         $EditorData {
001241 |             #EditorPos 11.3000002 8.5
001242 |         }
001243 |     }
001244 |     $Node AnimNodeSource {
001245 |         "ChamberingDBNoBulletR_Pne" "" "WeaponOperations.PneRas.Chambering_NoBulletR" "noloop"
001246 |         $Predictions {
001247 |         }
001248 |         $EditorData {
001249 |             #EditorPos 11.3000002 7.9000001
001250 |         }
001251 |     }
```

```
001252 |         $Node AnimNodeBlendT {
001253 |             "ChamberingFast_Closed" "" "ChamberingFast_ClosedErc" "ChamberingFast_ClosedPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Rais
ed) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001254 |             $EditorData {
001255 |                 #EditorPos 4.4000001 9.1999998
001256 |             }
001257 |         }
001258 |         $Node AnimNodeSource {
001259 |             "ChamberingFast_ClosedErc" "" "WeaponOperations.ErcRas.ChamberingFast_Closed" "noloop"
001260 |             $Predictions {
001261 |             }
001262 |             $EditorData {
001263 |                 #EditorPos 4.4000001 8.5
001264 |             }
001265 |         }
001266 |         $Node AnimNodeSource {
001267 |             "ChamberingFast_ClosedPne" "" "WeaponOperations.PneRas.ChamberingFast_Closed" "noloop"
001268 |             $Predictions {
001269 |             }
001270 |             $EditorData {
001271 |                 #EditorPos 4.4000001 7.9000001
001272 |             }
001273 |         }
001274 |         $Node AnimNodeBlendT {
001275 |             "ChamberingFast_Open" "" "ChamberingFast_OpenErc" "ChamberingFast_OpenPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) ||
(!eAI_Raised && Stance == 2)" 0.4 "S" 7
001276 |             $EditorData {
001277 |                 #EditorPos 1.4 9.1999998
001278 |             }
001279 |         }
001280 |         $Node AnimNodeSource {
001281 |             "ChamberingFast_OpenErc" "" "WeaponOperations.ErcRas.ChamberingFast_Open" "noloop"
001282 |             $Predictions {
001283 |             }
001284 |             $EditorData {
001285 |                 #EditorPos 1.4 8.5
001286 |             }
001287 |         }
001288 |         $Node AnimNodeSource {
001289 |             "ChamberingFast_OpenPne" "" "WeaponOperations.PneRas.ChamberingFast_Open" "noloop"
001290 |             $Predictions {
001291 |             }
001292 |             $EditorData {
001293 |                 #EditorPos 1.4 7.9000001
001294 |             }
001295 |         }
001296 |         $Node AnimNodeBlendT {
001297 |             "ChamberingIn" "" "ChamberingInErc" "ChamberingInPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && Stan
ce == 2)" 0.4 "S" 7
001298 |             $EditorData {
001299 |                 #EditorPos -1.6 9.1999998
001300 |             }
001301 |         }
001302 |         $Node AnimNodeSource {
001303 |             "ChamberingInErc" "" "WeaponOperations.ErcRas.ChamberingIn" "noloop"
001304 |             $Predictions {
001305 |             }
001306 |             $EditorData {
001307 |                 #EditorPos -1.6 8.5
001308 |             }
001309 |         }
001310 |         $Node AnimNodeSource {
```

```
001311 |         "ChamberingInPne" "" "WeaponOperations.PneRas.ChamberingIn" "noloop"
001312 |     $Predictions {
001313 |     }
001314 |     $EditorData {
001315 |         #EditorPos -1.6 7.9000001
001316 |     }
001317 | }
001318 | $Node AnimNodeBlendT {
001319 |     "ChamberingLook" "" "ChamberingLookErc" "ChamberingLookPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised &
& Stance == 2)" 0.4 "S" 7
001320 |     $EditorData {
001321 |         #EditorPos -4.7000003 9.1000004
001322 |     }
001323 | }
001324 | $Node AnimNodeSource {
001325 |     "ChamberingLookErc" "" "WeaponOperations.ErcRas.ChamberingLook" "noloop"
001326 |     $Predictions {
001327 |     }
001328 |     $EditorData {
001329 |         #EditorPos -4.7000003 8.4000006
001330 |     }
001331 | }
001332 | $Node AnimNodeSource {
001333 |     "ChamberingLookPne" "" "WeaponOperations.PneRas.ChamberingLook" "noloop"
001334 |     $Predictions {
001335 |     }
001336 |     $EditorData {
001337 |         #EditorPos -4.7000003 7.8000002
001338 |     }
001339 | }
001340 | $Node AnimNodeBlendT {
001341 |     "ChamberingLoop" "" "ChamberingLoopErc" "ChamberingLoopPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised &
& Stance == 2)" 0.4 "S" 7
001342 |     $EditorData {
001343 |         #EditorPos -7.8000002 9.1000004
001344 |     }
001345 | }
001346 | $Node AnimNodeBlendT {
001347 |     "ChamberingLoop1" "" "ChamberingLoop1Erc" "ChamberingLoop1Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raise
d && Stance == 2)" 0.4 "S" 7
001348 |     $EditorData {
001349 |         #EditorPos -11.1000004 9.1000004
001350 |     }
001351 | }
001352 | $Node AnimNodeSource {
001353 |     "ChamberingLoop1Erc" "" "WeaponOperations.ErcRas.ChamberingLoop1" "noloop"
001354 |     $Predictions {
001355 |     }
001356 |     $EditorData {
001357 |         #EditorPos -11.1000004 8.4000006
001358 |     }
001359 | }
001360 | $Node AnimNodeSource {
001361 |     "ChamberingLoop1Pne" "" "WeaponOperations.PneRas.ChamberingLoop1" "noloop"
001362 |     $Predictions {
001363 |     }
001364 |     $EditorData {
001365 |         #EditorPos -11.1000004 7.8000002
001366 |     }
001367 | }
001368 | $Node AnimNodeSource {
001369 |     "ChamberingLoopErc" "" "WeaponOperations.ErcRas.ChamberingLoop" "noloop"
```

```
001370 |         $Predictions {
001371 |     }
001372 |     $EditorData {
001373 |         #EditorPos -7.8000002 8.4000006
001374 |     }
001375 | }
001376 | $Node AnimNodeSource {
001377 |     "ChamberingLoopPne" "" "WeaponOperations.PneRas.ChamberingLoop" "noloop"
001378 |     $Predictions {
001379 |     }
001380 |     $EditorData {
001381 |         #EditorPos -7.8000002 7.8000002
001382 |     }
001383 | }
001384 | $Node AnimNodeBlendT {
001385 |     "ChamberingLoop_Closed_Bullet" "" "ChamberingLoop_Closed_BulletErc" "ChamberingLoop_Closed_BulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_A
imX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001386 |     $EditorData {
001387 |         #EditorPos -14.9000006 9.1000004
001388 |     }
001389 | }
001390 | $Node AnimNodeSource {
001391 |     "ChamberingLoop_Closed_BulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Closed_Bullet" "noloop"
001392 |     $Predictions {
001393 |     }
001394 |     $EditorData {
001395 |         #EditorPos -14.9000006 8.4000006
001396 |     }
001397 | }
001398 | $Node AnimNodeSource {
001399 |     "ChamberingLoop_Closed_BulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Closed_Bullet" "noloop"
001400 |     $Predictions {
001401 |     }
001402 |     $EditorData {
001403 |         #EditorPos -14.9000006 7.8000002
001404 |     }
001405 | }
001406 | $Node AnimNodeBlendT {
001407 |     "ChamberingLoop_Closed_NoBullet" "" "ChamberingLoop_Closed_NoBulletErc" "ChamberingLoop_Closed_NoBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 &&
eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001408 |     $EditorData {
001409 |         #EditorPos -18.8999996 9.1000004
001410 |     }
001411 | }
001412 | $Node AnimNodeSource {
001413 |     "ChamberingLoop_Closed_NoBulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Closed_NoBullet" "noloop"
001414 |     $Predictions {
001415 |     }
001416 |     $EditorData {
001417 |         #EditorPos -18.8999996 8.4000006
001418 |     }
001419 | }
001420 | $Node AnimNodeSource {
001421 |     "ChamberingLoop_Closed_NoBulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Closed_NoBullet" "noloop"
001422 |     $Predictions {
001423 |     }
001424 |     $EditorData {
001425 |         #EditorPos -18.8999996 7.8000002
001426 |     }
001427 | }
001428 | $Node AnimNodeBlendT {
001429 |     "ChamberingLoop_Open_Bullet" "" "ChamberingLoop_Open_BulletErc" "ChamberingLoop_Open_BulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <=
```

```
50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001430 |     $EditorData {
001431 |         #EditorPos -22.8000011 9.1000004
001432 |     }
001433 | }
001434 | $Node AnimNodeSource {
001435 |     "ChamberingLoop_Open_BulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Open_Bullet" "noLoop"
001436 |     $Predictions {
001437 |     }
001438 |     $EditorData {
001439 |         #EditorPos -22.7000008 8.4000006
001440 |     }
001441 | }
001442 | $Node AnimNodeSource {
001443 |     "ChamberingLoop_Open_BulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Open_Bullet" "noLoop"
001444 |     $Predictions {
001445 |     }
001446 |     $EditorData {
001447 |         #EditorPos -22.7000008 7.8000002
001448 |     }
001449 | }
001450 | $Node AnimNodeBlendT {
001451 |     "ChamberingLoop_Open_NoBullet" "" "ChamberingLoop_Open_NoBulletErc" "ChamberingLoop_Open_NoBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_A
imX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001452 |     $EditorData {
001453 |         #EditorPos -26.7000008 9.1000004
001454 |     }
001455 | }
001456 | $Node AnimNodeSource {
001457 |     "ChamberingLoop_Open_NoBulletErc" "" "WeaponOperations.ErcRas.ChamberingLoop_Open_NoBullet" "noLoop"
001458 |     $Predictions {
001459 |     }
001460 |     $EditorData {
001461 |         #EditorPos -26.7000008 8.4000006
001462 |     }
001463 | }
001464 | $Node AnimNodeSource {
001465 |     "ChamberingLoop_Open_NoBulletPne" "" "WeaponOperations.PneRas.ChamberingLoop_Open_NoBullet" "noLoop"
001466 |     $Predictions {
001467 |     }
001468 |     $EditorData {
001469 |         #EditorPos -26.7000008 7.8000002
001470 |     }
001471 | }
001472 | $Node AnimNodeBlendT {
001473 |     "ChamberingOut" "" "ChamberingOutErc" "ChamberingOutPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && S
tance == 2)" 0.4 "S" 7
001474 |     $EditorData {
001475 |         #EditorPos -29.3999996 9.1000004
001476 |     }
001477 | }
001478 | $Node AnimNodeSource {
001479 |     "ChamberingOutErc" "" "WeaponOperations.ErcRas.ChamberingOut" "noLoop"
001480 |     $Predictions {
001481 |     }
001482 |     $EditorData {
001483 |         #EditorPos -29.3999996 8.4000006
001484 |     }
001485 | }
001486 | $Node AnimNodeSource {
001487 |     "ChamberingOutPne" "" "WeaponOperations.PneRas.ChamberingOut" "noLoop"
001488 |     $Predictions {
```

```
001489 |         }
001490 |         $EditorData {
001491 |             #EditorPos -29.3999996 7.8000002
001492 |         }
001493 |     }
001494 |     $Node AnimNodeBlendT {
001495 |         "Chambering_Closed" "" "Chambering_ClosedErc" "Chambering_ClosedPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI
_Raised && Stance == 2)" 0.4 "S" 7
001496 |         $EditorData {
001497 |             #EditorPos -32.2999992 9.1000004
001498 |         }
001499 |     }
001500 |     $Node AnimNodeSource {
001501 |         "Chambering_ClosedErc" "" "WeaponOperations.ErcRas.Chambering_Closed" "nolooop"
001502 |         $Predictions {
001503 |         }
001504 |         $EditorData {
001505 |             #EditorPos -32.2999992 8.4000006
001506 |         }
001507 |     }
001508 |     $Node AnimNodeSource {
001509 |         "Chambering_ClosedPne" "" "WeaponOperations.PneRas.Chambering_Closed" "nolooop"
001510 |         $Predictions {
001511 |         }
001512 |         $EditorData {
001513 |             #EditorPos -32.2999992 7.8000002
001514 |         }
001515 |     }
001516 |     $Node AnimNodeBlendT {
001517 |         "Chambering_Closed_Uncocked" "" "Chambering_Closed_UncockedErc" "Chambering_Closed_UncockedPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <=
50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001518 |         $EditorData {
001519 |             #EditorPos -36.0 9.1000004
001520 |         }
001521 |     }
001522 |     $Node AnimNodeSource {
001523 |         "Chambering_Closed_UncockedErc" "" "WeaponOperations.ErcRas.Chambering_Closed_Uncocked" "nolooop"
001524 |         $Predictions {
001525 |         }
001526 |         $EditorData {
001527 |             #EditorPos -36.0 8.4000006
001528 |         }
001529 |     }
001530 |     $Node AnimNodeSource {
001531 |         "Chambering_Closed_UncockedPne" "" "WeaponOperations.PneRas.Chambering_Closed_Uncocked" "nolooop"
001532 |         $Predictions {
001533 |         }
001534 |         $EditorData {
001535 |             #EditorPos -36.0 7.8000002
001536 |         }
001537 |     }
001538 |     $Node AnimNodeBlendT {
001539 |         "Chambering_Open" "" "Chambering_OpenErc" "Chambering_OpenPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raise
d && Stance == 2)" 0.4 "S" 7
001540 |         $EditorData {
001541 |             #EditorPos -38.7999992 9.1000004
001542 |         }
001543 |     }
001544 |     $Node AnimNodeSource {
001545 |         "Chambering_OpenErc" "" "WeaponOperations.ErcRas.Chambering_Open" "nolooop"
001546 |         $Predictions {
001547 |         }
```

```
001548 |         $EditorData {
001549 |             #EditorPos -38.7999992 8.4000006
001550 |         }
001551 |     }
001552 |     $Node AnimNodeSource {
001553 |         "Chambering_OpenPne" "" "WeaponOperations.PneRas.Chambering_Open" "noloop"
001554 |         $Predictions {
001555 |         }
001556 |         $EditorData {
001557 |             #EditorPos -38.7999992 7.8000002
001558 |         }
001559 |     }
001560 |     $Node AnimNodeBlendT {
001561 |         "Fire" "" "FireErc" "FirePne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
001562 |         $EditorData {
001563 |             #EditorPos -41.5 9.1000004
001564 |         }
001565 |     }
001566 |     $Node AnimNodeBlendT {
001567 |         "FireCocked" "" "FireCockedErc" "FireCockedPne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
001568 |         $EditorData {
001569 |             #EditorPos -44.2999992 9.1000004
001570 |         }
001571 |     }
001572 |     $Node AnimNodeSource {
001573 |         "FireCockedErc" "" "WeaponOperations.ErcRas.FireCocked" "noloop"
001574 |         $Predictions {
001575 |         }
001576 |         $EditorData {
001577 |             #EditorPos -44.2999992 8.4000006
001578 |         }
001579 |     }
001580 |     $Node AnimNodeSource {
001581 |         "FireCockedPne" "" "WeaponOperations.PneRas.FireCocked" "noloop"
001582 |         $Predictions {
001583 |         }
001584 |         $EditorData {
001585 |             #EditorPos -44.2999992 7.8000002
001586 |         }
001587 |     }
001588 |     $Node AnimNodeBlendT {
001589 |         "FireEmptyAutomatic" "" "FireEmptyAutomaticErc" "FireEmptyAutomaticPne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
001590 |         $EditorData {
001591 |             #EditorPos -47.2999992 9.1000004
001592 |         }
001593 |     }
001594 |     $Node AnimNodeSource {
001595 |         "FireEmptyAutomaticErc" "" "WeaponOperations.ErcRas.FireEmptyAutomatic" "noloop"
001596 |         $Predictions {
001597 |         }
001598 |         $EditorData {
001599 |             #EditorPos -47.2999992 8.4000006
001600 |         }
001601 |     }
001602 |     $Node AnimNodeSource {
001603 |         "FireEmptyAutomaticPne" "" "WeaponOperations.PneRas.FireEmptyAutomatic" "noloop"
001604 |         $Predictions {
001605 |         }
001606 |         $EditorData {
001607 |             #EditorPos -47.2999992 7.8000002
001608 |         }
001609 |     }
```



```
001610 |     $Node AnimNodeSource {
001611 |         "FireErc" "" "WeaponOperations.ErcRas.Fire" "noloop"
001612 |         $Predictions {
001613 |         }
001614 |         $EditorData {
001615 |             #EditorPos -41.5 8.4000006
001616 |         }
001617 |     }
001618 |     $Node AnimNodeBlendT {
001619 |         "FireJam" "" "FireJamErc" "FireJamPne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
001620 |         $EditorData {
001621 |             #EditorPos -50.0 9.1999998
001622 |         }
001623 |     }
001624 |     $Node AnimNodeSource {
001625 |         "FireJamErc" "" "WeaponOperations.ErcRas.FireJam" "noloop"
001626 |         $Predictions {
001627 |         }
001628 |         $EditorData {
001629 |             #EditorPos -50.0 8.5
001630 |         }
001631 |     }
001632 |     $Node AnimNodeSource {
001633 |         "FireJamPne" "" "WeaponOperations.PneRas.FireJam" "noloop"
001634 |         $Predictions {
001635 |         }
001636 |         $EditorData {
001637 |             #EditorPos -50.0 7.9000001
001638 |         }
001639 |     }
001640 |     $Node AnimNodeBlendT {
001641 |         "FireLast" "" "FireLastErc" "FireLastPne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
001642 |         $EditorData {
001643 |             #EditorPos -53.0 9.1999998
001644 |         }
001645 |     }
001646 |     $Node AnimNodeSource {
001647 |         "FireLastErc" "" "WeaponOperations.ErcRas.FireLast" "noloop"
001648 |         $Predictions {
001649 |         }
001650 |         $EditorData {
001651 |             #EditorPos -53.0 8.5
001652 |         }
001653 |     }
001654 |     $Node AnimNodeSource {
001655 |         "FireLastPne" "" "WeaponOperations.PneRas.FireLast" "noloop"
001656 |         $Predictions {
001657 |         }
001658 |         $EditorData {
001659 |             #EditorPos -53.0 7.9000001
001660 |         }
001661 |     }
001662 |     $Node AnimNodeSource {
001663 |         "FirePne" "" "WeaponOperations.PneRas.Fire" "noloop"
001664 |         $Predictions {
001665 |         }
001666 |         $EditorData {
001667 |             #EditorPos -41.5 7.8000002
001668 |         }
001669 |     }
001670 |     $Node AnimNodeBlendT {
001671 |         "FireUncocked" "" "FireUncockedErc" "FireUncockedPne" "" "" "Stance == 2 && eAI_AimX >= -35 && eAI_AimX <= 35" 0.4 "S" 7
```

```
001672 |         $EditorData {
001673 |             #EditorPos -55.7000008 9.1999998
001674 |         }
001675 |     }
001676 |     $Node AnimNodeSource {
001677 |         "FireUncockedErc" "" "WeaponOperations.ErcRas.FireUncocked" "noloop"
001678 |         $Predictions {
001679 |         }
001680 |         $EditorData {
001681 |             #EditorPos -55.7000008 8.5
001682 |         }
001683 |     }
001684 |     $Node AnimNodeSource {
001685 |         "FireUncockedPne" "" "WeaponOperations.PneRas.FireUncocked" "noloop"
001686 |         $Predictions {
001687 |         }
001688 |         $EditorData {
001689 |             #EditorPos -55.7000008 7.9000001
001690 |         }
001691 |     }
001692 |     $Node AnimNodeBlendT {
001693 |         "Jamming" "" "JammingErc" "JammingPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "
S" 7
001694 |         $EditorData {
001695 |             #EditorPos -60.7999992 9.1999998
001696 |         }
001697 |     }
001698 |     $Node AnimNodeBlendT {
001699 |         "JammingCancel" "" "JammingCancelErc" "JammingCancelPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raised && S
tance == 2)" 0.4 "S" 7
001700 |         $EditorData {
001701 |             #EditorPos -58.2000008 9.1999998
001702 |         }
001703 |     }
001704 |     $Node AnimNodeSource {
001705 |         "JammingCancelErc" "" "WeaponOperations.ErcRas.Jamming Cancel" "noloop"
001706 |         $Predictions {
001707 |         }
001708 |         $EditorData {
001709 |             #EditorPos -58.2000008 8.5
001710 |         }
001711 |     }
001712 |     $Node AnimNodeSource {
001713 |         "JammingCancelPne" "" "WeaponOperations.PneRas.Jamming Cancel" "noloop"
001714 |         $Predictions {
001715 |         }
001716 |         $EditorData {
001717 |             #EditorPos -58.2000008 7.9000001
001718 |         }
001719 |     }
001720 |     $Node AnimNodeSource {
001721 |         "JammingErc" "" "WeaponOperations.ErcRas.Jamming" "noloop"
001722 |         $Predictions {
001723 |         }
001724 |         $EditorData {
001725 |             #EditorPos -60.7000008 8.5
001726 |         }
001727 |     }
001728 |     $Node AnimNodeSource {
001729 |         "JammingPne" "" "WeaponOperations.PneRas.Jamming" "noloop"
001730 |         $Predictions {
001731 |         }
```

```
001732 |         $EditorData {
001733 |             #EditorPos -60.7000008 7.9000001
001734 |         }
001735 |     }
001736 |     $Node AnimNodeBlendT {
001737 |         "ReloadAction_Closed" "" "ReloadAction_ClosedErc" "ReloadAction_ClosedPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) ||
(!eAI_Raised && Stance == 2)" 0.4 "S" 7
001738 |         $EditorData {
001739 |             #EditorPos -63.7000008 9.1999998
001740 |         }
001741 |     }
001742 |     $Node AnimNodeSource {
001743 |         "ReloadAction_ClosedErc" "" "WeaponOperations.ErcRas.ReloadAction_Closed" "noloop"
001744 |         $Predictions {
001745 |         }
001746 |         $EditorData {
001747 |             #EditorPos -63.7000008 8.5
001748 |         }
001749 |     }
001750 |     $Node AnimNodeSource {
001751 |         "ReloadAction_ClosedPne" "" "WeaponOperations.PneRas.ReloadAction_Closed" "noloop"
001752 |         $Predictions {
001753 |         }
001754 |         $EditorData {
001755 |             #EditorPos -63.7000008 7.9000001
001756 |         }
001757 |     }
001758 |     $Node AnimNodeBlendT {
001759 |         "ReloadAction_Closed_Uncocked" "" "ReloadAction_Closed_UncockedErc" "ReloadAction_Closed_UncockedPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_A
imX <= 50 && eAI_Raised) || (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001760 |         $EditorData {
001761 |             #EditorPos -67.4000015 9.1999998
001762 |         }
001763 |     }
001764 |     $Node AnimNodeSource {
001765 |         "ReloadAction_Closed_UncockedErc" "" "WeaponOperations.ErcRas.ReloadAction_Closed_Uncocked" "noloop"
001766 |         $Predictions {
001767 |         }
001768 |         $EditorData {
001769 |             #EditorPos -67.4000015 8.5
001770 |         }
001771 |     }
001772 |     $Node AnimNodeSource {
001773 |         "ReloadAction_Closed_UncockedPne" "" "WeaponOperations.PneRas.ReloadAction_Closed_Uncocked" "noloop"
001774 |         $Predictions {
001775 |         }
001776 |         $EditorData {
001777 |             #EditorPos -67.4000015 7.9000001
001778 |         }
001779 |     }
001780 |     $Node AnimNodeBlendT {
001781 |         "ReloadAction_Open" "" "ReloadAction_OpenErc" "ReloadAction_OpenPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI
_Raised && Stance == 2)" 0.4 "S" 7
001782 |         $EditorData {
001783 |             #EditorPos -70.2000046 9.1999998
001784 |         }
001785 |     }
001786 |     $Node AnimNodeSource {
001787 |         "ReloadAction_OpenErc" "" "WeaponOperations.ErcRas.ReloadAction_Open" "noloop"
001788 |         $Predictions {
001789 |         }
001790 |         $EditorData {
```

```
001791 |         #EditorPos -70.2000046 8.5
001792 |     }
001793 | }
001794 | $Node AnimNodeSource {
001795 |     "ReloadAction_OpenPne" "" "WeaponOperations.PneRas.ReloadAction_Open" "noloop"
001796 |     $Predictions {
001797 |     }
001798 |     $EditorData {
001799 |         #EditorPos -70.2000046 7.9000001
001800 |     }
001801 | }
001802 | $Node AnimNodeBlendT {
001803 |     "ReloadBoltAction2" "" "ReloadBoltAction2Erc" "ReloadBoltAction2Pne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI
_Raised && Stance == 2)" 0.4 "S" 7
001804 |     $EditorData {
001805 |         #EditorPos -73.0 9.1999998
001806 |     }
001807 | }
001808 | $Node AnimNodeSource {
001809 |     "ReloadBoltAction2Erc" "" "WeaponOperations.ErcRas.ReloadBoltAction2" "noloop"
001810 |     $Predictions {
001811 |     }
001812 |     $EditorData {
001813 |         #EditorPos -73.0 8.5
001814 |     }
001815 | }
001816 | $Node AnimNodeSource {
001817 |     "ReloadBoltAction2Pne" "" "WeaponOperations.PneRas.ReloadBoltAction2" "noloop"
001818 |     $Predictions {
001819 |     }
001820 |     $EditorData {
001821 |         #EditorPos -73.0 7.9000001
001822 |     }
001823 | }
001824 | $Node AnimNodeBlendT {
001825 |     "ReloadMagBullet" "" "ReloadMagBulletErc" "ReloadMagBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI_Raise
d && Stance == 2)" 0.4 "S" 7
001826 |     $EditorData {
001827 |         #EditorPos -75.9000015 9.1999998
001828 |     }
001829 | }
001830 | $Node AnimNodeSource {
001831 |     "ReloadMagBulletErc" "" "WeaponOperations.ErcRas.ReloadMagBullet" "noloop"
001832 |     $Predictions {
001833 |     }
001834 |     $EditorData {
001835 |         #EditorPos -75.9000015 8.5
001836 |     }
001837 | }
001838 | $Node AnimNodeSource {
001839 |     "ReloadMagBulletPne" "" "WeaponOperations.PneRas.ReloadMagBullet" "noloop"
001840 |     $Predictions {
001841 |     }
001842 |     $EditorData {
001843 |         #EditorPos -75.9000015 7.9000001
001844 |     }
001845 | }
001846 | $Node AnimNodeBlendT {
001847 |     "ReloadMagNoBullet" "" "ReloadMagNoBulletErc" "ReloadMagNoBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI
_Raised && Stance == 2)" 0.4 "S" 7
001848 |     $EditorData {
001849 |         #EditorPos -78.7000046 9.1999998
```

```
001850 |     }
001851 | }
001852 | $Node AnimNodeSource {
001853 |     "ReloadMagNoBulletErc" "" "WeaponOperations.ErcRas.ReloadMagNoBullet" "nolooop"
001854 |     $Predictions {
001855 |     }
001856 |     $EditorData {
001857 |         #EditorPos -78.7000046 8.5
001858 |     }
001859 | }
001860 | $Node AnimNodeSource {
001861 |     "ReloadMagNoBulletPne" "" "WeaponOperations.PneRas.ReloadMagNoBullet" "nolooop"
001862 |     $Predictions {
001863 |     }
001864 |     $EditorData {
001865 |         #EditorPos -78.7000046 7.9000001
001866 |     }
001867 | }
001868 | $Node AnimNodeBlendT {
001869 |     "ReloadMagazineDetach" "" "ReloadMagazineDetachErc" "ReloadMagazineDetachPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised)
|| (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001870 |     $EditorData {
001871 |         #EditorPos -81.5999985 9.1999998
001872 |     }
001873 | }
001874 | $Node AnimNodeSource {
001875 |     "ReloadMagazineDetachErc" "" "WeaponOperations.ErcRas.ReloadMagazineDetach" "nolooop"
001876 |     $Predictions {
001877 |     }
001878 |     $EditorData {
001879 |         #EditorPos -81.5999985 8.5
001880 |     }
001881 | }
001882 | $Node AnimNodeSource {
001883 |     "ReloadMagazineDetachPne" "" "WeaponOperations.PneRas.ReloadMagazineDetach" "nolooop"
001884 |     $Predictions {
001885 |     }
001886 |     $EditorData {
001887 |         #EditorPos -81.5999985 7.9000001
001888 |     }
001889 | }
001890 | $Node AnimNodeBlendT {
001891 |     "ReloadNoMagBullet" "" "ReloadNoMagBulletErc" "ReloadNoMagBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) || (!eAI
_Raised && Stance == 2)" 0.4 "S" 7
001892 |     $EditorData {
001893 |         #EditorPos -84.3000031 9.1999998
001894 |     }
001895 | }
001896 | $Node AnimNodeSource {
001897 |     "ReloadNoMagBulletErc" "" "WeaponOperations.ErcRas.ReloadNoMagBullet" "nolooop"
001898 |     $Predictions {
001899 |     }
001900 |     $EditorData {
001901 |         #EditorPos -84.3000031 8.5
001902 |     }
001903 | }
001904 | $Node AnimNodeSource {
001905 |     "ReloadNoMagBulletPne" "" "WeaponOperations.PneRas.ReloadNoMagBullet" "nolooop"
001906 |     $Predictions {
001907 |     }
001908 |     $EditorData {
001909 |         #EditorPos -84.3000031 7.9000001
```

```
001910 |     }
001911 | }
001912 |     $Node AnimNodeBlendT {
001913 |         "ReloadNoMagNoBullet" "" "ReloadNoMagNoBulletErc" "ReloadNoMagNoBulletPne" "" "" "(Stance == 2 && eAI_AimX >= -50 && eAI_AimX <= 50 && eAI_Raised) ||
001914 | (!eAI_Raised && Stance == 2)" 0.4 "S" 7
001915 |         $EditorData {
001916 |             #EditorPos -87.2000046 9.1999998
001917 |         }
001918 |     }
001919 |     $Node AnimNodeSource {
001920 |         "ReloadNoMagNoBulletErc" "" "WeaponOperations.ErcRas.ReloadNoMagNoBullet" "nolop"
001921 |         $Predictions {
001922 |         }
001923 |         $EditorData {
001924 |             #EditorPos -87.2000046 8.5
001925 |         }
001926 |     }
001927 |     $Node AnimNodeSource {
001928 |         "ReloadNoMagNoBulletPne" "" "WeaponOperations.PneRas.ReloadNoMagNoBullet" "nolop"
001929 |         $Predictions {
001930 |         }
001931 |         $EditorData {
001932 |             #EditorPos -87.2000046 7.9000001
001933 |         }
001934 |     }
001935 | }
001936 | }
```

0295. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/DebugWeapons/ai

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0296. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/DebugWeapons/rap.txt

Size bytes: 29

SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f

Decoded as: utf-8-sig

Line count shown: 4

Full file content

```
000001 | prefix=  
000002 | product=  
000003 | version=  
000004 |
```


0297. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Gear/ai
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0298. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet.rvmat
Size bytes: 1540
SHA-256: 68b68075064e0995f8b8af302689ed39c60c8067962e01f550d8bff872fed31e
Decoded as: utf-8-sig
Line count shown: 90

Full file content

```
000001 | class StageTI
000002 | {
000003 |     texture="DayZExpansion\AI\Gear\Data\pressvest_plain_ti_ca.paa";
000004 | };
000005 | ambient[]={1,1,1,1};
000006 | diffuse[]={1,1,1,1};
000007 | forcedDiffuse[]={0,0,0,0};
000008 | emmissive[]={0,0,0,1};
000009 | specular[]={0.19215687,0.19215687,0.19215687,1};
000010 | specularPower=45;
000011 | PixelShaderID="Super";
000012 | VertexShaderID="Super";
000013 | class Stage1
000014 | {
000015 |     texture="DayZExpansion\AI\Gear\Data\pressvest_yeet_nohq.paa";
000016 |     uvSource="tex";
000017 |     class uvTransform
000018 |     {
000019 |         aside[]={1,0,0};
000020 |         up[]={0,1,0};
000021 |         dir[]={0,0,0};
000022 |         pos[]={0,0,0};
000023 |     };
000024 | };
000025 | class Stage2
000026 | {
000027 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000028 |     uvSource="tex";
000029 |     class uvTransform
000030 |     {
000031 |         aside[]={1,0,0};
000032 |         up[]={0,1,0};
000033 |         dir[]={0,0,0};
000034 |         pos[]={0,0,0};
000035 |     };
000036 | };
000037 | class Stage3
000038 | {
000039 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000040 |     uvSource="tex";
000041 |     class uvTransform
000042 |     {
000043 |         aside[]={1,0,0};
000044 |         up[]={0,1,0};
000045 |         dir[]={0,0,0};
000046 |         pos[]={0,0,0};
000047 |     };
000048 | };
000049 | class Stage4
000050 | {
000051 |     texture="#(argb,8,8,3)color(1,1,1,1,AS)";
```

```
000052 |     uvSource="tex";
000053 |     class uvTransform
000054 |     {
000055 |         aside[]={1,0,0};
000056 |         up[]={0,1,0};
000057 |         dir[]={0,0,0};
000058 |         pos[]={0,0,0};
000059 |     };
000060 | };
000061 | class Stage5
000062 | {
000063 |     texture="DayZExpansion\AI\Gear\Data\pressvest_plain_smdi.paa";
000064 |     uvSource="tex";
000065 |     class uvTransform
000066 |     {
000067 |         aside[]={1,0,0};
000068 |         up[]={0,1,0};
000069 |         dir[]={0,0,0};
000070 |         pos[]={0,0,0};
000071 |     };
000072 | };
000073 | class Stage6
000074 | {
000075 |     texture="#(ai,64,64,1)fresnel(1.3,0.36)";
000076 |     uvSource="none";
000077 | };
000078 | class Stage7
000079 | {
000080 |     texture="dz\data\data\env_land_co.paa";
000081 |     uvSource="tex";
000082 |     class uvTransform
000083 |     {
000084 |         aside[]={1,0,0};
000085 |         up[]={0,1,0};
000086 |         dir[]={0,0,0};
000087 |         pos[]={0,0,0};
000088 |     };
000089 | };
000090 |
```

0299. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet_damage.rvmat
Size bytes: 1554
SHA-256: 366420578db2daeab939878e6e3c33d14172e1ee46319a665826b8bfbdb5e8333
Decoded as: utf-8-sig
Line count shown: 90

Full file content

```
000001 | class StageTI
000002 | {
000003 |     texture="DayZExpansion\AI\Gear\Data\pressvest_plain_ti_ca.paa";
000004 | };
000005 | ambient[]={1,1,1,1};
000006 | diffuse[]={1,1,1,1};
000007 | forcedDiffuse[]={0,0,0,0};
000008 | emmissive[]={0,0,0,1};
000009 | specular[]={0.19215687,0.19215687,0.19215687,1};
000010 | specularPower=45;
000011 | PixelShaderID="Super";
000012 | VertexShaderID="Super";
000013 | class Stage1
000014 | {
000015 |     texture="DayZExpansion\AI\Gear\Data\pressvest_yeet_nohq.paa";
000016 |     uvSource="tex";
000017 |     class uvTransform
000018 |     {
000019 |         aside[]={1,0,0};
000020 |         up[]={0,1,0};
000021 |         dir[]={0,0,0};
000022 |         pos[]={0,0,0};
000023 |     };
000024 | };
000025 | class Stage2
000026 | {
000027 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000028 |     uvSource="tex";
000029 |     class uvTransform
000030 |     {
000031 |         aside[]={1,0,0};
000032 |         up[]={0,1,0};
000033 |         dir[]={0,0,0};
000034 |         pos[]={0,0,0};
000035 |     };
000036 | };
000037 | class Stage3
000038 | {
000039 |     texture="dz\characters\vests\data\vests_damage_mc.paa";
000040 |     uvSource="tex";
000041 |     class uvTransform
000042 |     {
000043 |         aside[]={1,0,0};
000044 |         up[]={0,1,0};
000045 |         dir[]={0,0,0};
000046 |         pos[]={0,0,0};
000047 |     };
000048 | };
000049 | class Stage4
000050 | {
000051 |     texture="#(argb,8,8,3)color(1,1,1,1,AS)";
```

```
000052 |     uvSource="tex";
000053 |     class uvTransform
000054 |     {
000055 |         aside[]={1,0,0};
000056 |         up[]={0,1,0};
000057 |         dir[]={0,0,0};
000058 |         pos[]={0,0,0};
000059 |     };
000060 | };
000061 | class Stage5
000062 | {
000063 |     texture="DayZExpansion\AI\Gear\Data\pressvest_plain_smdi.paa";
000064 |     uvSource="tex";
000065 |     class uvTransform
000066 |     {
000067 |         aside[]={1,0,0};
000068 |         up[]={0,1,0};
000069 |         dir[]={0,0,0};
000070 |         pos[]={0,0,0};
000071 |     };
000072 | };
000073 | class Stage6
000074 | {
000075 |     texture="#(ai,64,64,1)fresnel(1.3,0.36)";
000076 |     uvSource="none";
000077 | };
000078 | class Stage7
000079 | {
000080 |     texture="dz\data\data\env_land_co.paa";
000081 |     uvSource="tex";
000082 |     class uvTransform
000083 |     {
000084 |         aside[]={1,0,0};
000085 |         up[]={0,1,0};
000086 |         dir[]={0,0,0};
000087 |         pos[]={0,0,0};
000088 |     };
000089 | };
000090 |
```

0300. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Gear/data/pressvest_yeet_destruct.rvmat
Size bytes: 1539
SHA-256: b699099e07c03634d6a2a59d4f60e6c4c76efd3d2923302ed438fe8b9a4a27e6
Decoded as: utf-8-sig
Line count shown: 90

Full file content

```
000001 | class StageTI
000002 | {
000003 |     texture="DayZExpansion\AI\Gear\Data\pressvest_plain_ti_ca.paa";
000004 | };
000005 | ambient[]={1,1,1,1};
000006 | diffuse[]={1,1,1,1};
000007 | forcedDiffuse[]={0,0,0,0};
000008 | emmissive[]={0,0,0,1};
000009 | specular[]={0.50099999,0.50099999,0.50099999,1};
000010 | specularPower=60;
000011 | PixelShaderID="Super";
000012 | VertexShaderID="Super";
000013 | class Stage1
000014 | {
000015 |     texture="DayZExpansion\AI\Gear\Data\pressvest_yeet_nohq.paa";
000016 |     uvSource="tex";
000017 |     class uvTransform
000018 |     {
000019 |         aside[]={1,0,0};
000020 |         up[]={0,1,0};
000021 |         dir[]={0,0,0};
000022 |         pos[]={0,0,0};
000023 |     };
000024 | };
000025 | class Stage2
000026 | {
000027 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000028 |     uvSource="tex";
000029 |     class uvTransform
000030 |     {
000031 |         aside[]={1,0,0};
000032 |         up[]={0,1,0};
000033 |         dir[]={0,0,0};
000034 |         pos[]={0,0,0};
000035 |     };
000036 | };
000037 | class Stage3
000038 | {
000039 |     texture="dz\characters\vests\data\vests_destruct_mc.paa";
000040 |     uvSource="tex";
000041 |     class uvTransform
000042 |     {
000043 |         aside[]={1,0,0};
000044 |         up[]={0,1,0};
000045 |         dir[]={0,0,0};
000046 |         pos[]={0,0,0};
000047 |     };
000048 | };
000049 | class Stage4
000050 | {
000051 |     texture="#(argb,8,8,3)color(1,1,1,1,AS)";
```

```
000052 |     uvSource="tex";
000053 |     class uvTransform
000054 |     {
000055 |         aside[]={1,0,0};
000056 |         up[]={0,1,0};
000057 |         dir[]={0,0,0};
000058 |         pos[]={0,0,0};
000059 |     };
000060 | };
000061 | class Stage5
000062 | {
000063 |     texture="#(argb,8,8,3)color(0,0.01,0.6,1,SMDI)";
000064 |     uvSource="tex";
000065 |     class uvTransform
000066 |     {
000067 |         aside[]={1,0,0};
000068 |         up[]={0,1,0};
000069 |         dir[]={0,0,0};
000070 |         pos[]={0,0,0};
000071 |     };
000072 | };
000073 | class Stage6
000074 | {
000075 |     texture="#(ai,64,64,1)fresnel(1,0.7)";
000076 |     uvSource="none";
000077 | };
000078 | class Stage7
000079 | {
000080 |     texture="dz\data\data\env_land_co.paa";
000081 |     uvSource="tex";
000082 |     class uvTransform
000083 |     {
000084 |         aside[]={1,0,0};
000085 |         up[]={0,1,0};
000086 |         dir[]={0,0,0};
000087 |         pos[]={0,0,0};
000088 |     };
000089 | };
000090 |
```

0301. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Gear/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0302. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/ai
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0303. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/eai_goal_debug.layout
Size bytes: 593
SHA-256: a0cfdbdbe6fa698d61c12c06c33f9d6b4e52e8bc2fb94d7fbfc039505f8a94ef
Decoded as: utf-8-sig
Line count shown: 37

Full file content

```
000001 | FrameWidgetClass rootFrame {
000002 |   position 0 0
000003 |   size 250 66
000004 |   hexactpos 1
000005 |   vexactpos 1
000006 |   hexactsize 1
000007 |   vexactsize 1
000008 |   {
000009 |     TextWidgetClass TextWidget0 {
000010 |       ignorepointer 1
000011 |       position 0 0
000012 |       size 1 22
000013 |       hexactpos 1
000014 |       vexactpos 1
000015 |       hexactsize 0
000016 |       vexactsize 1
000017 |     }
000018 |     TextWidgetClass TextWidget1 {
000019 |       ignorepointer 1
000020 |       position 0 22
000021 |       size 1 22
000022 |       hexactpos 1
000023 |       vexactpos 1
000024 |       hexactsize 0
000025 |       vexactsize 1
000026 |     }
000027 |     TextWidgetClass TextWidget2 {
000028 |       ignorepointer 1
000029 |       position 0 44
000030 |       size 1 22
000031 |       hexactpos 1
000032 |       vexactpos 1
000033 |       hexactsize 0
000034 |       vexactsize 1
000035 |     }
000036 |   }
000037 | }
```

0304. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/layouts/expansion_cooldown_indicator.layout
Size bytes: 1527
SHA-256: 4e6d1dcea68227f88023ea8a5680316cb8b06b8e416022e77a2f7bf28f541482
Decoded as: utf-8-sig
Line count shown: 79

Full file content

```
000001 | FrameWidgetClass CooldownIndicator {
000002 |     visible 1
000003 |     clipchildren 0
000004 |     position 0 0
000005 |     size 288 32
000006 |     hexactpos 1
000007 |     vexactpos 1
000008 |     hexactsize 1
000009 |     vexactsize 1
000010 |     scriptclass ""
000011 | {
000012 |     PanelWidgetClass Panel {
000013 |         visible 1
000014 |         clipchildren 1
000015 |         size 288 32
000016 |         hexactpos 1
000017 |         vexactpos 1
000018 |         hexactsize 1
000019 |         vexactsize 1
000020 |         fixaspect fixwidth
000021 |         priority 1
000022 |         style blank
000023 |     {
000024 |         ImageWidgetClass Icon {
000025 |             visible 1
000026 |             color 1 0 0 0.549
000027 |             position 36 0
000028 |             size 32 32
000029 |             valign center_ref
000030 |             hexactpos 1
000031 |             vexactpos 1
000032 |             hexactsize 1
000033 |             vexactsize 1
000034 |             fixaspect fixwidth
000035 |             priority 999
000036 |             image0 "set:expansion_notification_iconset image:icon_bandit"
000037 |             mode blend
000038 |             "src alpha" 1
000039 |             "clamp mode" clamp
000040 |             "stretch mode" stretch_w_h
000041 |             "flip u" 0
000042 |             "flip v" 0
000043 |             filter 1
000044 |         }
000045 |         PanelWidgetClass TextPanel {
000046 |             visible 1
000047 |             clipchildren 0
000048 |             position 72 0
000049 |             size 180 32
000050 |             valign center_ref
000051 |             hexactpos 1
```

```
000052 |      vexactpos 1
000053 |      hexactsize 1
000054 |      vexactsize 1
000055 |      fixaspect fixwidth
000056 |      priority 999
000057 |      {
000058 |          TextWidgetClass CooldownText {
000059 |              ignorepointer 1
000060 |              color 1 0 0 0.8235
000061 |              size 180 1
000062 |              valign center_ref
000063 |              hexactpos 1
000064 |              vexactpos 1
000065 |              hexactsize 1
000066 |              vexactsize 0
000067 |              scriptclass ""
000068 |              text "MM:SS"
000069 |              font "gui/fonts/sdf_metronbook72"
000070 |              "exact text" 1
000071 |              "exact text size" 22
000072 |              "text valign" center
000073 |          }
000074 |      }
000075 |  }
000076 | }
000077 | }
000078 | }
000079 | }
```

0305. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/delimiter.layout

Size bytes: 576

SHA-256: f745abe7696ba0cdf7b412035ba16df4b5fac582437488c258ca9a01b7609497

Decoded as: utf-8-sig

Line count shown: 33

Full file content

```
000001 | PanelWidgetClass RadialDelimiter {
000002 |     clipchildren 0
000003 |     color 1 1 1 0.1725
000004 |     position 0 0
000005 |     size 3 512
000006 |     halign center_ref
000007 |     valign center_ref
000008 |     hexactpos 1
000009 |     vexactpos 1
000010 |     hexactsize 1
000011 |     vexactsize 1
000012 | {
000013 |     ImageWidgetClass DelimiterImage {
000014 |         clipchildren 0
000015 |         color 1 1 1 0.1804
000016 |         position 0 -1
000017 |         rotation 0 0 90
000018 |         size 250 3
000019 |         halign center_ref
000020 |         hexactpos 1
000021 |         vexactpos 1
000022 |         hexactsize 1
000023 |         vexactsize 1
000024 |         image0 "set:dayz_gui image:radial_delimiter"
000025 |         mode blend
000026 |         "src alpha" 1
000027 |         "no wrap" 1
000028 |         stretch 1
000029 |         "flip u" 1
000030 |         "flip v" 0
000031 |     }
000032 | }
000033 | }
```

0306. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/item_card.layout
Size bytes: 1037
SHA-256: 6a6a630b8263b2aaf611e9008db036912bbe6e69d8747f26828cf8599b7a00fc
Decoded as: utf-8-sig
Line count shown: 56

Full file content

```
000001 | PanelWidgetClass GestureItemCard {
000002 |   clipchildren 0
000003 |   position 0 0
000004 |   size 276 50
000005 |   halign center_ref
000006 |   valign center_ref
000007 |   hexactpos 0
000008 |   vexactpos 0
000009 |   hexactsize 1
000010 |   vexactsize 1
000011 |   style blank
000012 | {
000013 |   PanelWidgetClass RadialItem_Disabled {
000014 |     visible 0
000015 |     clipchildren 1
000016 |     position 0 0
000017 |     size 1 1
000018 |     halign center_ref
000019 |     valign center_ref
000020 |     hexactpos 0
000021 |     vexactpos 0
000022 |     hexactsize 0
000023 |     vexactsize 0
000024 |     {
000025 |       ImageWidgetClass image0 {
000026 |         ignorepointer 1
000027 |         color 0.5608 0.0706 0.0706 0.7804
000028 |         position 0 0
000029 |         size 1 1
000030 |         halign center_ref
000031 |         valign center_ref
000032 |         hexactpos 0
000033 |         vexactpos 0
000034 |         hexactsize 0
000035 |         vexactsize 0
000036 |         mode blend
000037 |       }
000038 |     }
000039 |   }
000040 |   ButtonWidgetClass RadialText {
000041 |     clipchildren 0
000042 |     ignorepointer 1
000043 |     position 0 0
000044 |     size 230 30
000045 |     halign center_ref
000046 |     valign center_ref
000047 |     hexactpos 1
000048 |     vexactpos 1
000049 |     hexactsize 1
000050 |     vexactsize 1
000051 |     text "Item Name"
```

```
000052 | font "gui/fonts/sdf_MetronBook24"  
000053 | "disabled text color" 0.5882 0.5882 0.5882 1  
000054 | }  
000055 | }  
000056 | }
```

0307. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/layouts/radial_menu/menu.layout
Size bytes: 7439
SHA-256: cca75ea9a2d2bea25731715b03ddd2c7c0b58577ee5422b419ce8d6b6f2547c6
Decoded as: utf-8-sig
Line count shown: 325

Full file content

```
000001 | PanelWidgetClass GesturesMenu {
000002 |   clipchildren 0
000003 |   size 1 1
000004 |   halign center_ref
000005 |   valign center_ref
000006 |   hexactpos 0
000007 |   vexactpos 0
000008 |   hexactsize 0
000009 |   vexactsize 0
000010 |   style blank
000011 |   {
000012 |     ImageWidgetClass CenterBackground {
000013 |       disabled 0
000014 |       clipchildren 0
000015 |       inheritalpha 0
000016 |       ignorepointer 0
000017 |       keepsafezone 0
000018 |       position 0 0
000019 |       size 262 262
000020 |       halign center_ref
000021 |       valign center_ref
000022 |       hexactpos 1
000023 |       vexactpos 1
000024 |       hexactsize 1
000025 |       vexactsize 1
000026 |       fixaspect inside
000027 |       imageTexture "{D655A7FEA5FF8421}DayZExpansion/AI/GUI/textures/radial-inner.edds"
000028 |       mode blend
000029 |       "src alpha" 1
000030 |       "clamp mode" clamp
000031 |       "stretch mode" stretch_w_h
000032 |       filter 1
000033 |       nocache 0
000034 |     }
000035 |     ImageWidgetClass GesturesBackground {
000036 |       disabled 0
000037 |       clipchildren 0
000038 |       inheritalpha 0
000039 |       ignorepointer 0
000040 |       keepsafezone 0
000041 |       position 0 0
000042 |       size 1024 1024
000043 |       halign center_ref
000044 |       valign center_ref
000045 |       hexactpos 1
000046 |       vexactpos 1
000047 |       hexactsize 1
000048 |       vexactsize 1
000049 |       fixaspect inside
000050 |       imageTexture "{F150456F37AF9CA2}gui/textures/radial8.edds"
000051 |       mode blend
```



```
000052 | "src alpha" 1
000053 | "clamp mode" clamp
000054 | "stretch mode" stretch_w_h
000055 | filter 1
000056 | nocache 0
000057 | {
000058 |   PanelWidgetClass GesturesPanel {
000059 |     disabled 0
000060 |     clipchildren 0
000061 |     inheritalpha 1
000062 |     color 0.835 0.835 0.835 0.639
000063 |     position 0 0
000064 |     size 1024 1024
000065 |     halign center_ref
000066 |     valign center_ref
000067 |     hexactpos 1
000068 |     vexactpos 1
000069 |     hexactsize 1
000070 |     vexactsize 1
000071 |     fixaspect inside
000072 |     priority 999
000073 |     scriptclass "RadialMenu"
000074 |     style blank
000075 |     {
000076 |       PanelWidgetClass RadialDelimiterContainer {
000077 |         clipchildren 0
000078 |         inheritalpha 1
000079 |         position 0 0
000080 |         size 1024 1024
000081 |         halign center_ref
000082 |         valign center_ref
000083 |         hexactpos 1
000084 |         vexactpos 1
000085 |         hexactsize 1
000086 |         vexactsize 1
000087 |       }
000088 |       PanelWidgetClass RadialItemCardContainer {
000089 |         clipchildren 0
000090 |         inheritalpha 1
000091 |         position 0 0
000092 |         size 1024 1024
000093 |         halign center_ref
000094 |         valign center_ref
000095 |         hexactpos 1
000096 |         vexactpos 1
000097 |         hexactsize 1
000098 |         vexactsize 1
000099 |         priority 999
000100 |       }
000101 |       FrameWidgetClass RadialSelector {
000102 |         visible 0
000103 |         clipchildren 0
000104 |         position -1 -1
000105 |         size 268 268
000106 |         halign center_ref
000107 |         valign center_ref
000108 |         hexactpos 1
000109 |         vexactpos 1
000110 |         hexactsize 1
000111 |         vexactsize 1
000112 |       {
000113 |         ImageWidgetClass SelectorPointer {
```

```
000114 |         visible 1
000115 |         clipchildren 0
000116 |         color 1 0 0 1
000117 |         position 0 -9
000118 |         size 100 32
000119 |         halign center_ref
000120 |         hexactpos 1
000121 |         vexactpos 1
000122 |         hexactsize 1
000123 |         vexactsize 1
000124 |         image0 "set:dayz_gui image:radial_selector"
000125 |         mode blend
000126 |         "src alpha" 1
000127 |         "clamp mode" clamp
000128 |         "stretch mode" stretch_w_h
000129 |     }
000130 |     ImageWidgetClass SelectorImage {
000131 |         ignorepointer 1
000132 |         color 1 0 0 1
000133 |         position 0 5
000134 |         size 256 128
000135 |         halign center_ref
000136 |         hexactpos 1
000137 |         vexactpos 1
000138 |         hexactsize 1
000139 |         vexactsize 1
000140 |         imageTexture "{528E06782E5680C9}gui/textures/radial_selector.edds"
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         filter 1
000146 |         Mask "{5B7F9513017B8F1C}gui/textures/radial_selector_mask.edds"
000147 |         "Transition width" 0.01
000148 |         Progress 0.5
000149 |     }
000150 | }
000151 | }
000152 | TextWidgetClass CategoryName {
000153 |     ignorepointer 1
000154 |     size 48 48
000155 |     halign center_ref
000156 |     valign center_ref
000157 |     hexactpos 1
000158 |     vexactpos 1
000159 |     hexactsize 1
000160 |     vexactsize 1
000161 |     text "Category name"
000162 |     font "gui/fonts/sdf_MetronBook24"
000163 |     "exact text" 1
000164 |     "size to text h" 1
000165 |     "size to text v" 1
000166 |     "text halign" center
000167 |     "text valign" center
000168 | }
000169 | }
000170 | {
000171 |     ScriptParamsClass {
000172 |     }
000173 | }
000174 | }
000175 | }
```

```
000176 | }
000177 | PanelWidgetClass toolbar_bg {
000178 |     visible 1
000179 |     inheritalpha 0
000180 |     color 0 0 0 0.549
000181 |     size 1 0.1
000182 |     halign center_ref
000183 |     valign bottom_ref
000184 |     hexactpos 0
000185 |     vexactpos 1
000186 |     hexactsize 0
000187 |     vexactsize 0
000188 |     priority 3
000189 |     style ToolbarWidget
000190 |     {
000191 |         WrapSpacerWidgetClass ConsoleToolbar {
000192 |             clipchildren 0
000193 |             position 0.05 0.1
000194 |             size 800 48
000195 |             halign right_ref
000196 |             hexactpos 0
000197 |             vexactpos 0
000198 |             hexactsize 1
000199 |             vexactsize 1
000200 |             priority 100
000201 |             Padding 8
000202 |             Margin 0
000203 |             "Size To Content V" 1
000204 |             content_halign right
000205 |             content_valign center
000206 |             {
000207 |                 GridSpacerWidgetClass Select {
000208 |                     clipchildren 0
000209 |                     size 120 48
000210 |                     halign right_ref
000211 |                     valign center_ref
000212 |                     hexactpos 1
000213 |                     vexactpos 1
000214 |                     hexactsize 1
000215 |                     vexactsize 1
000216 |                     priority 3
000217 |                     Padding 5
000218 |                     Margin 1
000219 |                     "Size To Content H" 1
000220 |                     "Size To Content V" 1
000221 |                     content_halign center
000222 |                     content_valign center
000223 |                     Columns 2
000224 |                     Rows 1
000225 |                     {
000226 |                         RichTextWidgetClass SelectIcon {
000227 |                             clipchildren 0
000228 |                             inheritalpha 0
000229 |                             size 48 48
000230 |                             valign center_ref
000231 |                             hexactpos 1
000232 |                             vexactpos 1
000233 |                             hexactsize 1
000234 |                             vexactsize 1
000235 |                             scaled 1
000236 |                             text "SelectIconData"
000237 |                             font "gui/fonts/sdf_MetronBook24"
```

```
000238 |         "exact text" 1
000239 |         "exact text size" 24
000240 |         "size to text h" 1
000241 |         "size to text v" 1
000242 |         "text valign" center
000243 |     }
000244 |     TextWidgetClass SelectText {
000245 |         clipchildren 0
000246 |         position 40 0
000247 |         size 80 48
000248 |         valign center_ref
000249 |         hexactpos 1
000250 |         vexactpos 1
000251 |         hexactsize 1
000252 |         vexactsize 1
000253 |         text "#layout_xbox_ingame_menu_select"
000254 |         font "gui/fonts/sdf_MetronLight24"
000255 |         "exact text" 1
000256 |         "exact text size" 22
000257 |         "size to text h" 1
000258 |         "size to text v" 0
000259 |         "text valign" center
000260 |     }
000261 | }
000262 | }
000263 | GridSpacerWidgetClass Back {
000264 |     visible 0
000265 |     clipchildren 0
000266 |     size 220 30
000267 |     halign right_ref
000268 |     valign center_ref
000269 |     hexactpos 1
000270 |     vexactpos 1
000271 |     hexactsize 1
000272 |     vexactsize 1
000273 |     Padding 5
000274 |     Margin 0
000275 |     "Size To Content H" 1
000276 |     "Size To Content V" 1
000277 |     content_halign center
000278 |     content_valign center
000279 |     Columns 2
000280 |     Rows 1
000281 | {
000282 |     ImageWidgetClass BackIcon {
000283 |         clipchildren 0
000284 |         inheritalpha 0
000285 |         size 48 48
000286 |         valign center_ref
000287 |         hexactpos 1
000288 |         vexactpos 1
000289 |         hexactsize 1
000290 |         vexactsize 1
000291 |         scaled 1
000292 |         image0 "set:xbox_buttons image:B"
000293 |         mode blend
000294 |         "src alpha" 1
000295 |         "clamp mode" clamp
000296 |         "flip u" 0
000297 |         "flip v" 0
000298 |         filter 1
000299 |         nocache 0
```

```
000300 |      }
000301 |      TextWidgetClass BackText {
000302 |          clipchildren 0
000303 |          position 40 0
000304 |          size 60 48
000305 |          valign center_ref
000306 |          hexactpos 1
000307 |          vexactpos 1
000308 |          hexactsiz 1
000309 |          vexactsiz 1
000310 |          text "#str_rootframe_toolbar_bg_consoletoolbar_back_backtext0"
000311 |          font "gui/fonts/sdf_MetronLight24"
000312 |          "exact text" 1
000313 |          "exact text size" 22
000314 |          "size to text h" 1
000315 |          "size to text v" 0
000316 |          "text valign" center
000317 |      }
000318 |  }
000319 | }
000320 | }
000321 | }
000322 | }
000323 | }
000324 | }
000325 | }
```

0308. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0309. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/GUI/textures/radial-inner.edds.meta

Size bytes: 338

SHA-256: f7982e60b0f038ee2d46ed5dd1b1a03a5cf79e804c272ffc11a4d49aada7d345

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D655A7FEA5FF8421}DayZExpansion/AI/GUI/textures/radial-inner.edds"
000003 |   Author "monolith"
000004 |   ChangeDate 140751910
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "radial-inner.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0310. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Particles/ai
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0311. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Particles/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0312. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/4_world/dayzexpansion_ai/classes/navmesh/license.txt

Size bytes: 877

SHA-256: ffad87821cce7cfd3be00b63ffadd01b04e83a4c6a0bcc68f06362ffd42d705e

Decoded as: utf-8-sig

Line count shown: 19

Full file content

```
000001 | Copyright (c) 2009 Mikko Mononen memon@inside.org
000002 |
000003 | This software is provided 'as-is', without any express or implied
000004 | warranty. In no event will the authors be held liable for any damages
000005 | arising from the use of this software.
000006 |
000007 | Permission is granted to anyone to use this software for any purpose,
000008 | including commercial applications, and to alter it and redistribute it
000009 | freely, subject to the following restrictions:
000010 |
000011 | 1. The origin of this software must not be misrepresented; you must not
000012 | claim that you wrote the original software. If you use this software
000013 | in a product, an acknowledgment in the product documentation would be
000014 | appreciated but is not required.
000015 | 2. Altered source versions must be plainly marked as such, and must not be
000016 | misrepresented as being the original software.
000017 | 3. This notice may not be removed or altered from any source distribution.
000018 |
000019 |
```

0313. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/ai

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0314. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/fsm/fighting.xml
Size bytes: 2099
SHA-256: 468383c98cbf48aa94308d24719ea240788f778b93c6f3af2394c609d0e879e2
Decoded as: utf-8-sig
Line count shown: 80

Full file content

```
000001 | <?xml version="1.0" encoding="utf-8"?>
000002 | <fsm name="Fighting" type="eAI">
000003 |   <files />
000004 |   <states default="Positioning">
000005 |     <state name="Positioning" class="eAIState_Fighting_Positioning">
000006 |       <editor_data>
000007 |         <position x="891" y="714" />
000008 |         <size width="150" height="40" />
000009 |       </editor_data>
000010 |     </state>
000011 |     <state name="Evade" class="eAIState_Fighting_Evade">
000012 |       <editor_data>
000013 |         <position x="518.636363636364" y="715.727272727273" />
000014 |         <size width="150" height="40" />
000015 |       </editor_data>
000016 |     </state>
000017 |     <state name="FireWeapon" class="eAIState_Fighting_FireWeapon">
000018 |       <editor_data>
000019 |         <position x="618.636363636364" y="715.727272727273" />
000020 |         <size width="150" height="40" />
000021 |       </editor_data>
000022 |     </state>
000023 |     <state name="Melee" class="eAIState_Fighting_Melee">
000024 |       <editor_data>
000025 |         <position x="1155" y="711" />
000026 |         <size width="150" height="40" />
000027 |       </editor_data>
000028 |     </state>
000029 |   </states>
000030 |   <transitions>
000031 |     <transition>
000032 |       <editor_data>
000033 |         <position_source x="1229" y="680" />
000034 |         <position_destination x="1228" y="711" />
000035 |       </editor_data>
000036 |       <guard>
000037 |         return dst.Guard();
000038 |       </guard>
000039 |       <event />
000040 |       <from_state />
000041 |       <to_state name="Melee" />
000042 |     </transition>
000043 |     <transition>
000044 |       <editor_data>
000045 |         <position_source x="1229" y="680" />
000046 |         <position_destination x="1228" y="711" />
000047 |       </editor_data>
000048 |       <guard>
000049 |         return dst.Guard();
000050 |       </guard>
000051 |     <event />
```

```
000052 |         <from_state />
000053 |         <to_state name="Evade" />
000054 |     </transition>
000055 |     <transition>
000056 |         <editor_data>
000057 |             <position_source x="696.636363636364" y="687.727272727273" />
000058 |             <position_destination x="696.636363636364" y="715.727272727273" />
000059 |         </editor_data>
000060 |         <guard>
000061 |             return dst.Guard();
000062 |         </guard>
000063 |         <event />
000064 |         <from_state />
000065 |         <to_state name="FireWeapon" />
000066 |     </transition>
000067 |     <transition>
000068 |         <editor_data>
000069 |             <position_source x="970" y="682" />
000070 |             <position_destination x="969" y="714" />
000071 |         </editor_data>
000072 |         <guard>
000073 |             return SUCCESS;
000074 |         </guard>
000075 |         <event />
000076 |         <from_state />
000077 |         <to_state name="Positioning" />
000078 |     </transition>
000079 | </transitions>
000080 | </fsm>
```

0315. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/fsm/master.xml
Size bytes: 18892
SHA-256: 6acd3f428bab19d1ecae6f0b5fbc807a509402335d84c47a37d982215745e9dc
Decoded as: utf-8-sig
Line count shown: 628

Full file content

```
000001 | <?xml version="1.0" encoding="utf-8"?>
000002 | <fsm name="Master" type="eAI">
000003 |   <files>
000004 |     <file name="Vehicles" />
000005 |     <file name="Fighting" />
000006 |     <file name="Reloading" />
000007 |   </files>
000008 |   <states default="Idle">
000009 |     <state name="Idle" class="eAIState_Idle">
000010 |       <editor_data>
000011 |         <position x="544" y="329" />
000012 |         <size width="150" height="40" />
000013 |       </editor_data>
000014 |     </state>
000015 |     <state name="Dormant" class="eAIState_Dormant">
000016 |       <editor_data>
000017 |         <position x="554" y="339" />
000018 |         <size width="150" height="40" />
000019 |       </editor_data>
000020 |     </state>
000021 |     <state name="Unconscious" class="eAIState_Unconscious">
000022 |       <editor_data>
000023 |         <position x="892.021210954633" y="252.363165761721" />
000024 |         <size width="150" height="40" />
000025 |       </editor_data>
000026 |     </state>
000027 |     <state name="Leave" class="eAIState_Leave">
000028 |       <editor_data>
000029 |         <position x="902.021210954633" y="262.363165761721" />
000030 |         <size width="150" height="40" />
000031 |       </editor_data>
000032 |     </state>
000033 |     <state name="Interacting" class="eAIState_Interacting">
000034 |       <editor_data>
000035 |         <position x="646.85281251958" y="173.442104279785" />
000036 |         <size width="150" height="40" />
000037 |       </editor_data>
000038 |     </state>
000039 |     <state name="FollowFormation" class="eAIState_FollowFormation">
000040 |       <editor_data>
000041 |         <position x="705.506428737142" y="490.855335435811" />
000042 |         <size width="150" height="40" />
000043 |       </editor_data>
000044 |     </state>
000045 |     <state name="TraversingWaypoints" class="eAIState_TraversingWaypoints">
000046 |       <editor_data>
000047 |         <position x="492.26310970946" y="542.205251357419" />
000048 |         <size width="150" height="40" />
000049 |       </editor_data>
000050 |     </state>
000051 |     <state name="Flank" class="eAIState_Flank">
```

```
000052 |         <editor_data>
000053 |             <position x="705.506428737142" y="490.855335435811" />
000054 |             <size width="150" height="40" />
000055 |         </editor_data>
000056 |     </state>
000057 |     <state name="Vehicles" class="eAIState_Vehicles" fsm="Vehicles">
000058 |         <editor_data>
000059 |             <position x="895.709194546504" y="371.938198458873" />
000060 |             <size width="150" height="40" />
000061 |         </editor_data>
000062 |         <event_entry />
000063 |         <event_exit />
000064 |         <event_update>
000065 |             return OnUpdateEx(DeltaTime, SimulationPrecision, sub_fsm.entity, sub_fsm.seat);
000066 |         </event_update>
000067 |     </state>
000068 |     <state name="Fighting" class="eAIState_Fighting" fsm="Fighting">
000069 |         <variables />
000070 |         <editor_data>
000071 |             <position x="345.886600687191" y="193.617136976937" />
000072 |             <size width="150" height="40" />
000073 |         </editor_data>
000074 |         <event_update>
000075 |             return EXIT;
000076 |         </event_update>
000077 |     </state>
000078 |     <state name="Weapon_Reloading" class="eAIState_Weapon_Reloading" fsm="Reloading">
000079 |         <variables />
000080 |         <editor_data>
000081 |             <position x="241.837936881654" y="365.435451333598" />
000082 |             <size width="150" height="40" />
000083 |         </editor_data>
000084 |     </state>
000085 |     <state name="Weapon_Unjamming" class="eAIState_Weapon_Unjamming">
000086 |         <editor_data>
000087 |             <position x="241.678975886238" y="283.953840426607" />
000088 |             <size width="150" height="40" />
000089 |         </editor_data>
000090 |     </state>
000091 |     <state name="TakeItemToHands" class="eAIState_TakeItemToHands">
000092 |         <editor_data>
000093 |             <position x="275.340877794781" y="547.920853681019" />
000094 |             <size width="150" height="40" />
000095 |         </editor_data>
000096 |     </state>
000097 |     <state name="TakeItemToInventory" class="eAIState_TakeItemToInventory">
000098 |         <editor_data>
000099 |             <position x="375.340877794781" y="647.920853681019" />
000100 |             <size width="150" height="40" />
000101 |         </editor_data>
000102 |     </state>
000103 |     <state name="Bandaging_Self" class="eAIState_Bandaging_Self">
000104 |         <editor_data>
000105 |             <position x="246.619877794781" y="467.752853681019" />
000106 |             <size width="150" height="40" />
000107 |         </editor_data>
000108 |     </state>
000109 |     <state name="Repair" class="eAIState_Repair">
000110 |         <editor_data>
000111 |             <position x="256.619877794781" y="477.752853681019" />
000112 |             <size width="150" height="40" />
000113 |         </editor_data>
```

```
000114 |     </state>
000115 |     <state name="Skinning" class="eAIState_Skinning">
000116 |         <editor_data>
000117 |             <position x="266.619877794781" y="487.752853681019" />
000118 |             <size width="150" height="40" />
000119 |         </editor_data>
000120 |     </state>
000121 |     <state name="PlayEmote" class="eAIState_PlayEmote">
000122 |         <editor_data>
000123 |             <position x="445.886600687191" y="293.617136976937" />
000124 |             <size width="150" height="40" />
000125 |         </editor_data>
000126 |     </state>
000127 |     <state name="DropItem" class="eAIState_DropItem">
000128 |         <editor_data>
000129 |             <position x="545.886600687191" y="393.617136976937" />
000130 |             <size width="150" height="40" />
000131 |         </editor_data>
000132 |     </state>
000133 |     <state name="TidyCargo" class="eAIState_TidyCargo">
000134 |         <editor_data>
000135 |             <position x="645.886600687191" y="493.617136976937" />
000136 |             <size width="150" height="40" />
000137 |         </editor_data>
000138 |     </state>
000139 |     <state name="Struggle" class="eAIState_Struggle">
000140 |         <editor_data>
000141 |             <position x="655.886600687191" y="503.617136976937" />
000142 |             <size width="150" height="40" />
000143 |         </editor_data>
000144 |     </state>
000145 | </states>
000146 | <transitions>
000147 |     <transition>
000148 |         <editor_data>
000149 |             <position_source x="938.972336543873" y="229.798443463138" />
000150 |             <position_destination x="939.021210954633" y="252.363165761721" />
000151 |         </editor_data>
000152 |         <guard>
000153 |             return dst.Guard();
000154 |         </guard>
000155 |         <event />
000156 |         <from_state />
000157 |         <to_state name="Unconscious" />
000158 |     </transition>
000159 |     <transition>
000160 |         <editor_data>
000161 |             <position_source x="892.021210954633" y="273.262936077279" />
000162 |             <position_destination x="694" y="341.086651264055" />
000163 |         </editor_data>
000164 |         <guard>
000165 |             return src.GuardIdle();
000166 |         </guard>
000167 |         <event />
000168 |         <from_state name="Unconscious" />
000169 |         <to_state name="Idle" />
000170 |     </transition>
000171 |     <transition>
000172 |         <editor_data>
000173 |             <position_source x="948.972336543873" y="239.798443463138" />
000174 |             <position_destination x="949.021210954633" y="262.363165761721" />
000175 |         </editor_data>
```



```
000176 |         <guard>
000177 |             return dst.Guard();
000178 |         </guard>
000179 |         <event />
000180 |         <from_state name="Idle,TraversingWaypoints,FollowFormation" />
000181 |         <to_state name="Struggle" />
000182 |     </transition>
000183 | <transition>
000184 |     <editor_data>
000185 |         <position_source x="902.021210954633" y="283.262936077279" />
000186 |         <position_destination x="704" y="351.086651264055" />
000187 |     </editor_data>
000188 |     <guard>
000189 |         return SUCCESS;
000190 |     </guard>
000191 |     <event />
000192 |     <from_state name="Struggle" />
000193 |     <to_state name="Idle" />
000194 | </transition>
000195 | <transition>
000196 |     <editor_data>
000197 |         <position_source x="892.021210954633" y="273.262936077279" />
000198 |         <position_destination x="704" y="351.086651264055" />
000199 |     </editor_data>
000200 |     <guard>
000201 |         return dst.Guard();
000202 |     </guard>
000203 |     <event />
000204 |     <from_state name="Idle,TraversingWaypoints,FollowFormation" />
000205 |     <to_state name="Leave" />
000206 | </transition>
000207 | <transition>
000208 |     <editor_data>
000209 |         <position_source x="719.985399543115" y="150.091827885125" />
000210 |         <position_destination x="719.85281251958" y="173.442104279785" />
000211 |     </editor_data>
000212 |     <guard>
000213 |         return dst.Guard();
000214 |     </guard>
000215 |     <event />
000216 |     <from_state />
000217 |     <to_state name="Interacting" />
000218 | </transition>
000219 | <transition>
000220 |     <editor_data>
000221 |         <position_source x="708.131447011985" y="213.442104279785" />
000222 |         <position_destination x="637.094556721445" y="329" />
000223 |     </editor_data>
000224 |     <guard>
000225 |         return src.GuardIdle();
000226 |     </guard>
000227 |     <event />
000228 |     <from_state name="Interacting" />
000229 |     <to_state name="Idle" />
000230 | </transition>
000231 | <transition>
000232 |     <editor_data>
000233 |         <position_source x="323.444352352527" y="441.721949556564" />
000234 |         <position_destination x="323.444352352527" y="467.752853681019" />
000235 |     </editor_data>
000236 |     <guard>
000237 |         return dst.Guard();
```

```
000238 |         </guard>
000239 |     </event />
000240 |     <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank,Fighting,TakeItemToHands" />
000241 |     <to_state name="Bandaging_Self" />
000242 | </transition>
000243 | <transition>
000244 |     <editor_data>
000245 |         <position_source x="392.845475445666" y="467.752853681019" />
000246 |         <position_destination x="558.183798920839" y="369" />
000247 |     </editor_data>
000248 |     <guard>
000249 |         return src.GuardIdle();
000250 |     </guard>
000251 |     <event />
000252 |     <from_state name="Bandaging_Self" />
000253 |     <to_state name="Idle" />
000254 | </transition>
000255 | <transition>
000256 |     <editor_data>
000257 |         <position_source x="305.386520870577" y="339.219542313248" />
000258 |         <position_destination x="304.837936881655" y="365.435451333598" />
000259 |     </editor_data>
000260 |     <guard>
000261 |         return dst.GuardEx(dst.sub_fsm.last_attempt_time, dst.sub_fsm.weapon, dst.sub_fsm.magazine);
000262 |     </guard>
000263 |     <event />
000264 |     <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank,Fighting" />
000265 |     <to_state name="Weapon_Reloading" />
000266 | </transition>
000267 | <transition>
000268 |     <editor_data>
000269 |         <position_source x="344.344352352527" y="520.921949556564" />
000270 |         <position_destination x="345.340877794781" y="547.920853681019" />
000271 |     </editor_data>
000272 |     <guard>
000273 |         return dst.Guard();
000274 |     </guard>
000275 |     <event />
000276 |     <from_state name="Idle,Flank,Fighting,TraversingWaypoints,FollowFormation,TakeItemToInventory" />
000277 |     <to_state name="TakeItemToHands" />
000278 | </transition>
000279 | <transition>
000280 |     <editor_data>
000281 |         <position_source x="444.344352352527" y="620.921949556564" />
000282 |         <position_destination x="445.340877794781" y="647.920853681019" />
000283 |     </editor_data>
000284 |     <guard>
000285 |         return dst.Guard();
000286 |     </guard>
000287 |     <event />
000288 |     <from_state name="Idle,Flank,Fighting,Skinning,TakeItemToInventory,TakeItemToHands,Skinning" />
000289 |     <to_state name="TakeItemToInventory" />
000290 | </transition>
000291 | <transition>
000292 |     <editor_data>
000293 |         <position_source x="425.340877794781" y="566.587863735993" />
000294 |         <position_destination x="587.553377501537" y="369" />
000295 |     </editor_data>
000296 |     <guard>
000297 |         return SUCCESS;
000298 |     </guard>
000299 |     <event />
```

```
000300 |         <from_state name="TakeItemToHands" />
000301 |         <to_state name="Idle" />
000302 |     </transition>
000303 |     <transition>
000304 |         <editor_data>
000305 |             <position_source x="425.340877794781" y="566.587863735993" />
000306 |             <position_destination x="587.553377501537" y="369" />
000307 |         </editor_data>
000308 |         <guard>
000309 |             return SUCCESS;
000310 |         </guard>
000311 |         <event />
000312 |         <from_state name="TakeItemToInventory" />
000313 |         <to_state name="Idle" />
000314 |     </transition>
000315 |     <transition>
000316 |         <editor_data>
000317 |             <position_source x="309.931260171115" y="257.964244245612" />
000318 |             <position_destination x="310.678975886238" y="283.953840426607" />
000319 |         </editor_data>
000320 |         <guard>
000321 |             return dst.Guard();
000322 |         </guard>
000323 |         <event />
000324 |         <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank,Fighting" />
000325 |         <to_state name="Weapon_Unjamming" />
000326 |     </transition>
000327 |     <transition>
000328 |         <editor_data>
000329 |             <position_source x="391.837936881654" y="380.990613137228" />
000330 |             <position_destination x="544" y="360.278764885883" />
000331 |         </editor_data>
000332 |         <guard>
000333 |             return SUCCESS;
000334 |         </guard>
000335 |         <event />
000336 |         <from_state name="Weapon_Reloading" />
000337 |         <to_state name="Idle" />
000338 |     </transition>
000339 |     <transition>
000340 |         <editor_data>
000341 |             <position_source x="391.678975886238" y="304.815580440075" />
000342 |             <position_destination x="544" y="346.731390564592" />
000343 |         </editor_data>
000344 |         <guard>
000345 |             return SUCCESS;
000346 |         </guard>
000347 |         <event />
000348 |         <from_state name="Weapon_Unjamming" />
000349 |         <to_state name="Idle" />
000350 |     </transition>
000351 |     <transition>
000352 |         <editor_data>
000353 |             <position_source x="323.444352352527" y="441.721949556564" />
000354 |             <position_destination x="323.444352352527" y="467.752853681019" />
000355 |         </editor_data>
000356 |         <guard>
000357 |             return dst.Guard();
000358 |         </guard>
000359 |         <event />
000360 |         <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank,Fighting" />
000361 |         <to_state name="Skinning" />
```

```
000362 |     </transition>
000363 |     <transition>
000364 |         <editor_data>
000365 |             <position_source x="392.845475445666" y="477.752853681019" />
000366 |             <position_destination x="568.183798920839" y="379" />
000367 |         </editor_data>
000368 |         <guard>
000369 |             return src.GuardIdle();
000370 |         </guard>
000371 |         <event />
000372 |         <from_state name="Skinning" />
000373 |         <to_state name="Idle" />
000374 |     </transition>
000375 |     <transition>
000376 |         <editor_data>
000377 |             <position_source x="411.536567580795" y="166.157628667599" />
000378 |             <position_destination x="411.886600687193" y="193.617136976937" />
000379 |         </editor_data>
000380 |         <guard>
000381 |             return dst.Guard();
000382 |         </guard>
000383 |         <event />
000384 |         <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank" />
000385 |         <to_state name="Fighting" />
000386 |     </transition>
000387 |     <transition>
000388 |         <editor_data>
000389 |             <position_source x="477.015543467033" y="233.617136976937" />
000390 |             <position_destination x="556.939258653809" y="329" />
000391 |         </editor_data>
000392 |         <guard>
000393 |             return src.GuardIdle();
000394 |         </guard>
000395 |         <event />
000396 |         <from_state name="Fighting" />
000397 |         <to_state name="Idle" />
000398 |     </transition>
000399 |     <transition>
000400 |         <editor_data>
000401 |             <position_source x="895.709194546504" y="389.964300297873" />
000402 |             <position_destination x="694" y="356.89192130556" />
000403 |         </editor_data>
000404 |         <guard>
000405 |             return src.GuardIdle();
000406 |         </guard>
000407 |         <event />
000408 |         <from_state name="Vehicles" />
000409 |         <to_state name="Idle" />
000410 |     </transition>
000411 |     <transition>
000412 |         <editor_data>
000413 |             <position_source x="963.83813732635" y="345.935333753678" />
000414 |             <position_destination x="963.7091945465" y="371.938198458873" />
000415 |         </editor_data>
000416 |         <guard>
000417 |             return dst.GuardEx(dst.sub_fsm.entity, dst.sub_fsm.seat);
000418 |         </guard>
000419 |         <event />
000420 |         <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank" />
000421 |         <to_state name="Vehicles" />
000422 |     </transition>
000423 | </transition>
```

```
000424 |         <editor_data>
000425 |             <position_source x="995.709194546504" y="489.964300297873" />
000426 |             <position_destination x="794" y="456.89192130556" />
000427 |         </editor_data>
000428 |         <guard>
000429 |             return dst.Guard();
000430 |         </guard>
000431 |         <event />
000432 |         <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank" />
000433 |         <to_state name="PlayEmote" />
000434 |     </transition>
000435 | <transition>
000436 |     <editor_data>
000437 |         <position_source x="1095.709194546504" y="589.964300297873" />
000438 |         <position_destination x="894" y="556.89192130556" />
000439 |     </editor_data>
000440 |     <guard>
000441 |         return SUCCESS;
000442 |     </guard>
000443 |     <event />
000444 |     <from_state name="PlayEmote" />
000445 |     <to_state name="Idle" />
000446 | </transition>
000447 | <transition>
000448 |     <editor_data>
000449 |         <position_source x="323.444352352527" y="441.721949556564" />
000450 |         <position_destination x="323.444352352527" y="467.752853681019" />
000451 |     </editor_data>
000452 |     <guard>
000453 |         return dst.Guard();
000454 |     </guard>
000455 |     <event />
000456 |     <from_state name="Idle,TraversingWaypoints,FollowFormation,Flank" />
000457 |     <to_state name="Repair" />
000458 | </transition>
000459 | <transition>
000460 |     <editor_data>
000461 |         <position_source x="392.845475445666" y="477.752853681019" />
000462 |         <position_destination x="568.183798920839" y="379" />
000463 |     </editor_data>
000464 |     <guard>
000465 |         return src.GuardIdle();
000466 |     </guard>
000467 |     <event />
000468 |     <from_state name="Repair" />
000469 |     <to_state name="Idle" />
000470 | </transition>
000471 | <transition>
000472 |     <editor_data>
000473 |         <position_source x="423.444352352527" y="441.721949556564" />
000474 |         <position_destination x="423.444352352527" y="467.752853681019" />
000475 |     </editor_data>
000476 |     <guard>
000477 |         return dst.Guard();
000478 |     </guard>
000479 |     <event />
000480 |     <from_state name="Idle,TraversingWaypoints,FollowFormation" />
000481 |     <to_state name="DropItem" />
000482 | </transition>
000483 | <transition>
000484 |     <editor_data>
000485 |         <position_source x="492.845475445666" y="477.752853681019" />
```

```
000486 |         <position_destination x="468.183798920839" y="379" />
000487 |     </editor_data>
000488 |     <guard>
000489 |         return SUCCESS;
000490 |     </guard>
000491 |     <event />
000492 |     <from_state name="DropItem" />
000493 |     <to_state name="Idle" />
000494 | </transition>
000495 | <transition>
000496 |     <editor_data>
000497 |         <position_source x="523.444352352527" y="541.721949556564" />
000498 |         <position_destination x="423.444352352527" y="467.752853681019" />
000499 |     </editor_data>
000500 |     <guard>
000501 |         return dst.Guard();
000502 |     </guard>
000503 |     <event />
000504 |     <from_state name="Idle,TraversingWaypoints,FollowFormation" />
000505 |     <to_state name="TidyCargo" />
000506 | </transition>
000507 | <transition>
000508 |     <editor_data>
000509 |         <position_source x="592.845475445666" y="577.752853681019" />
000510 |         <position_destination x="468.183798920839" y="379" />
000511 |     </editor_data>
000512 |     <guard>
000513 |         return SUCCESS;
000514 |     </guard>
000515 |     <event />
000516 |     <from_state name="TidyCargo" />
000517 |     <to_state name="Idle" />
000518 | </transition>
000519 | <transition>
000520 |     <editor_data>
000521 |         <position_source x="638.223504581552" y="369" />
000522 |         <position_destination x="723.010348161875" y="490.855335435811" />
000523 |     </editor_data>
000524 |     <guard>
000525 |         return dst.Guard();
000526 |     </guard>
000527 |     <event />
000528 |     <from_state name="Idle" />
000529 |     <to_state name="FollowFormation" />
000530 | </transition>
000531 | <transition>
000532 |     <editor_data>
000533 |         <position_source x="604.355068778326" y="369" />
000534 |         <position_destination x="624.401116247196" y="542.205251357419" />
000535 |     </editor_data>
000536 |     <guard>
000537 |         return dst.Guard();
000538 |     </guard>
000539 |     <event />
000540 |     <from_state name="Idle" />
000541 |     <to_state name="TraversingWaypoints" />
000542 | </transition>
000543 | <transition>
000544 |     <editor_data>
000545 |         <position_source x="604.355068778326" y="389" />
000546 |         <position_destination x="624.401116247196" y="562.205251357419" />
000547 |     </editor_data>
```

```
000548 |         <guard>
000549 |             return dst.Guard();
000550 |         </guard>
000551 |         <event />
000552 |         <from_state name="Idle,TraversingWaypoints,FollowFormation" />
000553 |         <to_state name="Flank" />
000554 |     </transition>
000555 |     <transition>
000556 |         <editor_data>
000557 |             <position_source x="611.41821585596" y="542.205251357419" />
000558 |             <position_destination x="591.936642317143" y="369" />
000559 |         </editor_data>
000560 |         <guard>
000561 |             return src.GuardIdle();
000562 |         </guard>
000563 |         <event />
000564 |         <from_state name="TraversingWaypoints" />
000565 |         <to_state name="Idle" />
000566 |     </transition>
000567 |     <transition>
000568 |         <editor_data>
000569 |             <position_source x="738.815618203381" y="490.855335435811" />
000570 |             <position_destination x="652.899826762951" y="369" />
000571 |         </editor_data>
000572 |         <guard>
000573 |             return src.GuardIdle();
000574 |         </guard>
000575 |         <event />
000576 |         <from_state name="FollowFormation" />
000577 |         <to_state name="Idle" />
000578 |     </transition>
000579 |     <transition>
000580 |         <editor_data>
000581 |             <position_source x="738.815618203381" y="690.855335435811" />
000582 |             <position_destination x="652.899826762951" y="569" />
000583 |         </editor_data>
000584 |         <guard>
000585 |             return src.GuardIdle();
000586 |         </guard>
000587 |         <event />
000588 |         <from_state name="Flank" />
000589 |         <to_state name="Idle" />
000590 |     </transition>
000591 |     <transition>
000592 |         <editor_data>
000593 |             <position_source x="748.815618203381" y="600.855335435811" />
000594 |             <position_destination x="662.899826762951" y="479" />
000595 |         </editor_data>
000596 |         <guard>
000597 |             return dst.Guard();
000598 |         </guard>
000599 |         <event />
000600 |         <from_state name="Idle,TraversingWaypoints,FollowFormation" />
000601 |         <to_state name="Dormant" />
000602 |     </transition>
000603 |     <transition>
000604 |         <editor_data>
000605 |             <position_source x="758.815618203381" y="610.855335435811" />
000606 |             <position_destination x="672.899826762951" y="489" />
000607 |         </editor_data>
000608 |         <guard>
000609 |             return SUCCESS;
```

```
000610 |         </guard>
000611 |         <event />
000612 |         <from_state name="Dormant" />
000613 |         <to_state name="Idle" />
000614 |     </transition>
000615 |     <transition>
000616 |         <editor_data>
000617 |             <position_source x="738.815618203381" y="590.855335435811" />
000618 |             <position_destination x="652.899826762951" y="469" />
000619 |         </editor_data>
000620 |         <guard>
000621 |             return SUCCESS;
000622 |         </guard>
000623 |         <event />
000624 |         <from_state name="Idle" />
000625 |         <to_state name="Idle" />
000626 |     </transition>
000627 | </transitions>
000628 | </fsm>
```


0316. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/fsm/reloading.xml
Size bytes: 3526
SHA-256: 2bd1cd0c43cebe6d88fa5016914aad819f4ca908653e537c31e860afb169aeec
Decoded as: utf-8-sig
Line count shown: 121

Full file content

```
000001 | <?xml version="1.0" encoding="utf-8"?>
000002 | <fsm name="Reloading" type="eAI">
000003 |   <files />
000004 |   <variables>
000005 |     <variable name="weapon" type="Weapon_Base" />
000006 |     <variable name="magazine" type="Magazine" />
000007 |     <variable name="last_attempt_time" type="int" />
000008 |   </variables>
000009 |   <states default="Start">
000010 |     <state name="Start" class="eAIState_Weapon_Reloading_Start">
000011 |       <editor_data>
000012 |         <position x="561" y="364" />
000013 |         <size width="150" height="40" />
000014 |       </editor_data>
000015 |       <event_entry>
000016 |         OnEntryEx(Event, From, fsm.last_attempt_time);
000017 |       </event_entry>
000018 |     </state>
000019 |     <state name="Reloading" class="eAIState_Weapon_Reloading_Reloading">
000020 |       <editor_data>
000021 |         <position x="457.565289256198" y="477.213223140496" />
000022 |         <size width="150" height="40" />
000023 |       </editor_data>
000024 |     </state>
000025 |     <state name="Reloading_Fail" class="eAIState_Weapon_Reloading_Fail">
000026 |       <editor_data>
000027 |         <position x="649.545454545455" y="473.876033057851" />
000028 |         <size width="150" height="40" />
000029 |       </editor_data>
000030 |       <event_update>
000031 |         return OnUpdateEx(DeltaTime, SimulationPrecision, fsm.weapon);
000032 |       </event_update>
000033 |     </state>
000034 |     <state name="Removing" class="eAIState_Weapon_Reloading_Removing">
000035 |       <variables />
000036 |       <editor_data>
000037 |         <position x="648.925619834711" y="557.735537190083" />
000038 |         <size width="150" height="40" />
000039 |       </editor_data>
000040 |       <event_entry />
000041 |       <event_exit />
000042 |       <event_update>
000043 |         return OnUpdateEx(DeltaTime, SimulationPrecision, fsm.weapon);
000044 |       </event_update>
000045 |     </state>
000046 |   </states>
000047 |   <transitions>
000048 |     <transition>
000049 |       <editor_data>
000050 |         <position_source x="620.762721125606" y="404" />
000051 |         <position_destination x="532.334805190902" y="477.213223140496" />
```

```
000052 |         </editor_data>
000053 |     <guard>
000054 |         return dst.GuardEx(fsm.weapon, fsm.magazine);
000055 |     </guard>
000056 | <event />
000057 |     <from_state name="Start" />
000058 |     <to_state name="Reloading" />
000059 | </transition>
000060 | <transition>
000061 |     <editor_data>
000062 |         <position_source x="653.547366983129" y="404" />
000063 |         <position_destination x="714.545454545455" y="473.876033057851" />
000064 |     </editor_data>
000065 |     <guard>
000066 |         return SUCCESS;
000067 |     </guard>
000068 | <event />
000069 |     <from_state name="Start" />
000070 |     <to_state name="Reloading_Fail" />
000071 | </transition>
000072 | <transition>
000073 |     <editor_data>
000074 |         <position_source x="723.285218414043" y="513.876033057851" />
000075 |         <position_destination x="724.111664695034" y="557.735537190083" />
000076 |     </editor_data>
000077 |     <guard>
000078 |         return SUCCESS;
000079 |     </guard>
000080 | <event />
000081 |     <from_state name="Reloading_Fail" />
000082 |     <to_state name="Removing" />
000083 | </transition>
000084 | <transition>
000085 |     <editor_data>
000086 |         <position_source x="529.029020066935" y="517.213223140496" />
000087 |         <position_destination x="528.202573785944" y="555.12383705348" />
000088 |     </editor_data>
000089 |     <guard>
000090 |         return SUCCESS;
000091 |     </guard>
000092 | <event />
000093 |     <from_state name="Reloading" />
000094 |     <to_state />
000095 | </transition>
000096 | <transition>
000097 |     <editor_data>
000098 |         <position_source x="720.925619834711" y="597.735537190083" />
000099 |         <position_destination x="721.09671470528" y="630.613824192337" />
000100 |     </editor_data>
000101 |     <guard>
000102 |         return SUCCESS;
000103 |     </guard>
000104 | <event />
000105 |     <from_state name="Removing" />
000106 |     <to_state />
000107 | </transition>
000108 | <transition>
000109 |     <editor_data>
000110 |         <position_source x="720.925619834711" y="697.735537190083" />
000111 |         <position_destination x="721.09671470528" y="730.613824192337" />
000112 |     </editor_data>
000113 |     <guard>
```

```
000114 |         return SUCCESS;
000115 |     </guard>
000116 | <event />
000117 |     <from_state />
000118 |     <to_state name="Start" />
000119 | </transition>
000120 | </transitions>
000121 | </fsm>
```

0317. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/fsm/vehicles.xml

Size bytes: 7038

SHA-256: e07593eeb001f128a0c30c09618128d99d8d4145acc72fe29f9b985f2c315bbf

Decoded as: utf-8-sig

Line count shown: 230

Full file content

```
000001 | <?xml version="1.0" encoding="utf-8"?>
000002 | <fsm name="Vehicles" type="eAI">
000003 |   <files />
000004 |   <variables>
000005 |     <variable name="entity" type="EntityAI" />
000006 |     <variable name="seat" type="int" />
000007 |   </variables>
000008 |   <states default="GoToVehicle">
000009 |     <state name="GoToVehicle" class="eAIState_GoToVehicle">
000010 |       <editor_data>
000011 |         <position x="1149.9818389093" y="451.533421790161" />
000012 |         <size width="150" height="40" />
000013 |       </editor_data>
000014 |       <event_entry>
000015 |         m_Entity = fsm.entity;
000016 |         m_Seat = fsm.seat;
000017 |
000018 |         super.OnEntry(Event, null);
000019 |
000020 |         unit.OverrideMovementDirection(false, 0);
000021 |         unit.OverrideMovementSpeed(false, 0);
000022 |       </event_entry>
000023 |     </state>
000024 |     <state name="GetInVehicle" class="eAIState_GetInVehicle">
000025 |       <editor_data>
000026 |         <position x="1239" y="550.644739300538" />
000027 |         <size width="150" height="40" />
000028 |       </editor_data>
000029 |     </state>
000030 |     <state name="GetOutVehicle" class="eAIState_GetOutVehicle">
000031 |       <editor_data>
000032 |         <position x="1239" y="550.644739300538" />
000033 |         <size width="150" height="40" />
000034 |       </editor_data>
000035 |     </state>
000036 |     <state name="OpenVehicleDoor" class="eAIState_OpenVehicleDoor">
000037 |       <editor_data>
000038 |         <position x="1239" y="550.644739300538" />
000039 |         <size width="150" height="40" />
000040 |       </editor_data>
000041 |     </state>
000042 |     <state name="CloseVehicleDoor" class="eAIState_CloseVehicleDoor">
000043 |       <editor_data>
000044 |         <position x="1239" y="550.644739300538" />
000045 |         <size width="150" height="40" />
000046 |       </editor_data>
000047 |     </state>
000048 |
000049 |     <state name="Sitting">
000050 |       <variables />
000051 |       <editor_data>
```

```
000052 |         <position x="1239.82498598693" y="781.144645880103" />
000053 |         <size width="150" height="40" />
000054 |     </editor_data>
000055 |     <event_entry />
000056 |     <event_exit />
000057 |     <event_update>
000058 |         return EXIT;
000059 |     </event_update>
000060 | </state>
000061 | </states>
000062 | <transitions>
000063 |     <transition>
000064 |         <editor_data>
000065 |             <position_source x="1260" y="491.533421790161" />
000066 |             <position_destination x="1313" y="550.644739300538" />
000067 |         </editor_data>
000068 |         <guard>
000069 |             if (vector.DistanceSq(unit.GetPosition(), src.m_Position) > 1.0) return FAIL;
000070 |             if (!src.m_Transport.IsAreaAtDoorFree(src.m_Seat)) return FAIL;
000071 |             if (src.m_Transport.CrewMember(src.m_Seat) || (src.m_Vehicle.IsSeatReservedByOther(src.m_Seat, unit))) return FAIL;
000072 |
000073 |             return SUCCESS;
000074 |         </guard>
000075 |         <event />
000076 |         <from_state name="GoToVehicle" />
000077 |         <to_state name="OpenVehicleDoor" />
000078 |     </transition>
000079 |     <transition>
000080 |         <editor_data>
000081 |             <position_source x="1260" y="491.533421790161" />
000082 |             <position_destination x="1313" y="550.644739300538" />
000083 |         </editor_data>
000084 |         <guard>
000085 |             //auto group = unit.GetGroup();
000086 |             //if (!group) return FAIL;
000087 |             //
000088 |             //auto leader = group.GetFormationLeader();
000089 |             //if (leader && leader != unit)
000090 |             //{
000091 |                 //    if (!leader.IsInTransport()) return FAIL;
000092 |             //}
000093 |
000094 |             if (vector.DistanceSq(unit.GetPosition(), src.m_Position) < 1.0) return FAIL;
000095 |
000096 |             if (unit.GetThreatToSelf() >= 0.4) return FAIL;
000097 |
000098 |             return SUCCESS;
000099 |         </guard>
000100 |         <event />
000101 |         <from_state name="GoToVehicle" />
000102 |         <to_state name="GoToVehicle" />
000103 |     </transition>
000104 |     <transition>
000105 |         <editor_data>
000106 |             <position_source x="1312.25419083697" y="590.644739300538" />
000107 |             <position_destination x="1312.25419083697" y="629.019715945429" />
000108 |         </editor_data>
000109 |         <guard>
000110 |             if (vector.DistanceSq(unit.GetPosition(), src.m_Position) > 1.0) return FAIL;
000111 |             if (unit.IsInTransport()) return FAIL;
000112 |             if (!src.m_Transport.CrewCanGetThrough(src.m_Seat) || !src.m_Transport.IsAreaAtDoorFree(src.m_Seat)) return FAIL;
000113 |             if (src.m_Transport.CrewMember(src.m_Seat) || (src.m_Vehicle.IsSeatReservedByOther(src.m_Seat, unit))) return FAIL;
```

```
000114 |  
000115 |         return SUCCESS;  
000116 |     </guard>  
000117 |     <event />  
000118 |     <from_state name="OpenVehicleDoor" />  
000119 |     <to_state name="GetInVehicle" />  
000120 | </transition>  
000121 | <transition>  
000122 |     <editor_data>  
000123 |         <position_source x="1312.25419083697" y="669.019715945429" />  
000124 |         <position_destination x="1314.38313869708" y="710.749953289782" />  
000125 |     </editor_data>  
000126 |     <guard>  
000127 |         return SUCCESS;  
000128 |     </guard>  
000129 |     <event />  
000130 |     <from_state name="GetInVehicle" />  
000131 |     <to_state name="CloseVehicleDoor" />  
000132 | </transition>  
000133 | <transition>  
000134 |     <editor_data>  
000135 |         <position_source x="1311.4318211867" y="821.144645880103" />  
000136 |         <position_destination x="1308.43814240661" y="862.453840426607" />  
000137 |     </editor_data>  
000138 |     <guard>  
000139 |         if (unit.IsUnconscious()) return FAIL;  
000140 |  
000141 |         auto group = unit.GetGroup();  
000142 |         if (!group) return FAIL;  
000143 |  
000144 |         auto leader = group.GetFormationLeader();  
000145 |         if (leader && leader != unit)  
000146 |         {  
000147 |             if (group.GetFormationState() != eAIGroupFormationState.IN || leader.GetParent() == unit.GetParent())  
000148 |                 return FAIL;  
000149 |         }  
000150 |  
000151 |         if (!dst.m_Transport.IsAreaAtDoorFree(dst.m_Seat)) return FAIL;  
000152 |  
000153 |         return SUCCESS;  
000154 |     </guard>  
000155 |     <event />  
000156 |     <from_state name="Sitting" />  
000157 |     <to_state name="OpenVehicleDoor" />  
000158 | </transition>  
000159 | <transition>  
000160 |     <editor_data>  
000161 |         <position_source x="1307.17392546649" y="902.453840426607" />  
000162 |         <position_destination x="1310.98813306457" y="939.143311463732" />  
000163 |     </editor_data>  
000164 |     <guard>  
000165 |         if (unit.IsUnconscious()) return FAIL;  
000166 |  
000167 |         if (!unit.IsInTransport()) return FAIL;  
000168 |  
000169 |         if (!src.m_Transport.CrewCanGetThrough(src.m_Seat) || !src.m_Transport.IsAreaAtDoorFree(src.m_Seat)) return FAIL;  
000170 |  
000171 |         return SUCCESS;  
000172 |     </guard>  
000173 |     <event />  
000174 |     <from_state name="OpenVehicleDoor" />  
000175 |     <to_state name="GetOutVehicle" />
```

```
000176 |     </transition>
000177 |     <transition>
000178 |         <editor_data>
000179 |             <position_source x="1307.91602974627" y="979.143311463732" />
000180 |             <position_destination x="1307.30694995732" y="1020.27987125479" />
000181 |         </editor_data>
000182 |         <guard>
000183 |             return SUCCESS;
000184 |         </guard>
000185 |         <event />
000186 |         <from_state name="GetOutVehicle" />
000187 |         <to_state name="CloseVehicleDoor" />
000188 |     </transition>
000189 |     <transition>
000190 |         <editor_data>
000191 |             <position_source x="1312.12524297686" y="750.749953289782" />
000192 |             <position_destination x="1313.68971690692" y="781.144645880103" />
000193 |         </editor_data>
000194 |         <guard>
000195 |             if (!unit.IsInTransport()) return FAIL;
000196 |
000197 |             return SUCCESS;
000198 |         </guard>
000199 |         <event />
000200 |         <from_state name="CloseVehicleDoor,Sitting,OpenVehicleDoor" />
000201 |         <to_state name="Sitting" />
000202 |     </transition>
000203 |     <transition>
000204 |         <editor_data>
000205 |             <position_source x="1307.4738019182" y="1060.27987125479" />
000206 |             <position_destination x="1305.61352816716" y="1108.33240728083" />
000207 |         </editor_data>
000208 |         <guard>
000209 |             if (unit.IsInTransport()) return FAIL;
000210 |
000211 |             return SUCCESS;
000212 |         </guard>
000213 |         <event />
000214 |         <from_state name="CloseVehicleDoor,OpenVehicleDoor" />
000215 |         <to_state />
000216 |     </transition>
000217 |     <transition>
000218 |         <editor_data>
000219 |             <position_source x="1307.4738019182" y="1060.27987125479" />
000220 |             <position_destination x="1305.61352816716" y="1108.33240728083" />
000221 |         </editor_data>
000222 |         <guard>
000223 |             return SUCCESS;
000224 |         </guard>
000225 |         <event />
000226 |         <from_state name="GoToVehicle" />
000227 |         <to_state />
000228 |     </transition>
000229 | </transitions>
000230 | </fsm>
```

0318. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/inputs.xml
Size bytes: 1442
SHA-256: cf1970700ef76d8a2cf478ceebd89a6cfb269595f7a9cd0c2912e362b13021dd
Decoded as: utf-8-sig
Line count shown: 52

Full file content

```
000001 | <?xml version="1.0" encoding="UTF-8" standalone="yes" ?>
000002 | <modded_inputs>
000003 |   <inputs>
000004 |     <actions>
000005 |       <input name="eAICommandMenu" loc="STR_EXPANSION_AI_COMMAND_MENU"/>
000006 |       <input name="eAISetWaypoint" loc="STR_EXPANSION_AI_SET_WAYPOINT"/>
000007 |       <input name="eAITestInput" visible="false" />
000008 |
000009 |       <input name="eAITestLRIncrease" visible="false" />
000010 |       <input name="eAITestLRDecrease" visible="false" />
000011 |
000012 |       <input name="eAITestUDIncrease" visible="false" />
000013 |       <input name="eAITestUDDecrease" visible="false" />
000014 |     </actions>
000015 |
000016 |     <sorting name="expansion" loc="STR_EXPANSION_LABEL">
000017 |       <input name="eAICommandMenu" />
000018 |       <input name="eAISetWaypoint" />
000019 |       <input name="eAITestInput" />
000020 |       <input name="eAITestLRIncrease" />
000021 |       <input name="eAITestLRDecrease" />
000022 |       <input name="eAITestUDIncrease" />
000023 |       <input name="eAITestUDDecrease" />
000024 |     </sorting>
000025 |   </inputs>
000026 |   <preset>
000027 |     <input name="eAICommandMenu">
000028 |       <btn name="kT"/>
000029 |     </input>
000030 |     <input name="eAISetWaypoint">
000031 |       <btn name="kLControl">
000032 |         <btn name="mBLeft"/>
000033 |       </btn>
000034 |     </input>
000035 |     <input name="eAITestInput">
000036 |       <btn name="kY"/>
000037 |     </input>
000038 |     <input name="eAITestLRIncrease">
000039 |       <btn name="kRight"/>
000040 |     </input>
000041 |     <input name="eAITestLRDecrease">
000042 |       <btn name="kLeft"/>
000043 |     </input>
000044 |     <input name="eAITestUDIncrease">
000045 |       <btn name="kUp"/>
000046 |     </input>
000047 |     <input name="eAITestUDDecrease">
000048 |       <btn name="kDown"/>
000049 |     </input>
000050 |   </preset>
000051 | </modded_inputs>
```


000052 |

0319. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Scripts/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0320. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Sounds/ai
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0321. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/AI/Sounds/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0322. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/languagecore/AI/ai
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0323. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/languagecore/AI/rap.txt
Size bytes: 29
SHA-256: 80903add87b113b8fa252c9a992ed1377459247cd448775f82a1f3c9d04489f
Decoded as: utf-8-sig
Line count shown: 4

Full file content

000001 | prefix=
000002 | product=
000003 | version=
000004 |

0324. ZIP TEXT FILE

Path: ai c files expantion/DayZExpansion/languagecore/AI/stringtable.csv
Size bytes: 7868
SHA-256: e9cc1f7d854cac5a534fb91f8d1db4b082f69e2f6a5a2ba41fb3e283c630c51d
Decoded as: utf-8-sig
Line count shown: 30

Full file content

```
000001 | "Language","original","english","czech","german","russian","polish","hungarian","italian","spanish","french","chinese","japanese","portuguese","chinesesimp",
000002 | "STR_EXPANSION_AI_OPEN_INVENTORY","Open inventory","Open inventory","Open inventory","Inventar öffnen","Открыть Инвентарь","Open inventory","Open inventory","Open
inventory","Open inventory","Open inventory","Open inventory","Open inventory","Open inventory","Open inventory","Open inventory","Open inventory",
000003 | "STR_EXPANSION_AI_CANNOT_RECRUIT_HOSTILE_TEMP","This character is currently hostile. Leave the area and come back in a few minutes.","This character is currently
hostile. Leave the area and come back in a few minutes.","This character is currently hostile. Leave the area and come back in a few minutes.","This character is
currently hostile. Leave the area and come back in a few minutes.","Этот персонаж сейчас враждебен. Покиньте область и вернитесь через несколько минут.",
"racter is currently hostile. Leave the area and come back in a few minutes.", "This character is currently hostile. Leave the area and come back in a few minutes."
,"This character is currently hostile. Leave the area and come back in a few minutes.", "This character is currently hostile. Leave the area and come back in a few
minutes.", "Ce personnage est actuellement hostile. Quittez la zone et revenez dans quelques minutes.", "This character is currently h
ostile. Leave the area and come back in a few minutes.", "This character is currently hostile. Leave the area and come back in a few minutes.", "
000004 | "STR_EXPANSION_AI_COMMAND_MENU","AI Command Menu","AI Command Menu","Menu AI příkazy","AI Command Menu","Меню команд ИИ","AI Command Menu","AI Command Menu","Menu
di Comando IA","AI Command Menu","Menu de commande IA","AI","AI Command Menu","AI Command Menu","AI",
000005 | "STR_EXPANSION_AI_DISMISS","Dismiss","Dismiss","Dismiss","Propustit","Entlassen","Отклонить","Dismiss","Dismiss","Congeda","Dismiss","Renvoyer","","Dismiss","Dismiss","
",
000006 | "STR_EXPANSION_AI_FACTION","Faction","Faction","Frakce","Faction","Фракция","Faction","Faction","Faction","Faction","Faction","Faction","Faction","Faction","Faction",
000007 | "STR_EXPANSION_AI_REQUIRED_FACTION_TRADER","You must be a member of the %1 faction.", "You must be a member of the %1 faction.", "Musíte být členem frakce %1.", "You
must be a member of the %1 faction.", "Вы должны быть членом фракции %1.", "You must be a member of the %1 faction.", "You must be a member of the %1 faction.", "You
must be a member of the %1 faction.", "You must be a member of the %1 faction.", "Vous devez être membre de la faction %1.", "%1 %1", "You must be a member
of the %1 faction.", "You must be a member of the %1 faction.", "%1%1",
000008 | "STR_EXPANSION_AI_FACTION_BRAWLERS","Brawlers","Brawlers","Brawlers","Brawlers","Brawlers","Raufbolde","Громилы","Brawlers","Brawlers","Brawlers","Brawlers","Brawlers","Brawlers","Braw
lers","Brawlers","",
000009 | "STR_EXPANSION_AI_FACTION_CIVILIAN","Civilian","Civilian","Civilisté","Zivilisten","Гражданский","Civilian","Civilian","Civile","Civilian","Civil","","Civilian"
,"Civilian","",
000010 | "STR_EXPANSION_AI_FACTION_EAST","East","East","Východ","Ost","Восток","East","East","Est","East","Est","","East","East","",
000011 | "STR_EXPANSION_AI_FACTION_FREETRADERS","Free Traders","Free Traders","Svobodní obchodníci","Freie Händler","Свободные торговцы","Free Traders","Free Traders","Com
mercianti Liberi","Free Traders","Marchand libres","","Free Traders","Free Traders","",
000012 | "STR_EXPANSION_AI_FACTION_GUARDS","Guards","Guards","Strážci","Wächter","Охранники","Guards","Guards","Guardie","Guards","Gardes","","Guards","Guards","",
000013 | "STR_EXPANSION_AI_FACTION_INFECTED","Infected","Infected","Nakažení","Infizierte","Зараженные","Infected","Infected","Infected","Infected","Infected","Infected","Infected","Infected",
ed","Infected","",
000014 | "STR_EXPANSION_AI_FACTION_LUNATICS","Lunatics","Lunatics","Šílení","Wahnsinnige","Лунатики","Lunatics","Lunatics","Lunatics","Lunatics","Lunatics","Lunatics","Lunatics","Lunati
cs","Lunatics","",
000015 | "STR_EXPANSION_AI_FACTION_MERCENARIES","Mercenaries","Mercenaries","Žoldnéři","Söldner","Наёмники","Mercenaries","Mercenaries","Mercenari","Mercenaries","Mercenai
res","","Mercenaries","Mercenaries","",
000016 | "STR_EXPANSION_AI_FACTION_NAC","NAC","NAC","NAC","NAC","NAC","Korporacja Namalysk","NAC","NAC","NAC","NAC","NAC","NAC","NAC","NAC","NAC",
000017 | "STR_EXPANSION_AI_FACTION_NEKROLOGISTS","Nekrologists","Nekrologists","Nekrologisté","Nekrologen","Некрологи","Nekrologists","Nekrologists","Necròlogi","Nekrologi
sts","Nekrologues","","Nekrologists","Nekrologists","",
000018 | "STR_EXPANSION_AI_FACTION_OBSERVERS","Observers","Observers","Pozorovatelé","Beobachter","Наблюдатели","Observers","Observers","Osservatori","Observers","Observat
eurs","","Observers","Observers","",
000019 | "STR_EXPANSION_AI_FACTION_PASSIVE","Passive","Passive","Pasivní","Passiv","Пассивные","Passive","Passive","Passivi","Passive","Passif","","Passive","Passive",
",
000020 | "STR_EXPANSION_AI_FACTION_RAIDERS","Raiders","Raiders","Nájezdníci","Plünderer","Рейдеры","Raiders","Raiders","Razziatori","Raiders","Raiders","","Raiders","Ra
iders","",
000021 | "STR_EXPANSION_AI_FACTION_RESISTANCE","Resistance","Resistance","Odpor","Widerstand","Сопротивление","Resistance","Resistance","Resistenza","Resistance","Résistan
ce","","Resistance","Resistance","",
000022 | "STR_EXPANSION_AI_FACTION_SCIENCESOCIETY","Science Society","Science Society","Vědci","Wissenschafts-Gesellschaft","Научное сообщество","Science Society","Science
Society","Società Scientifica","Science Society","Société des sciences","","Science Society","Science Society","",
000023 | "STR_EXPANSION_AI_FACTION_SHAMANS","Shamans","Shamans","Šamani","Schamanen","Шаманы","Shamans","Shamans","Sciamani","Shamans","Chamans","","Shamans","Shamans",
",
000024 | "STR_EXPANSION_AI_FACTION_SURVIVORS","Survivors","Survivors","Přeživší","Überlebende","Выжившие","Survivors","Survivors","Sopravvissuti","Survivors","Survivants",
",
", "Survivors","Survivors","",
```

```
000025 | "STR_EXPANSION_AI_FACTION_WEST","West","West","Západ","West","Запад","West","West","Ovest","West","Ouest","","West","West","",
000026 | "STR_EXPANSION_AI_FACTION_YEETBRIGADE","Yeet Brigade","Yeet Brigade","Oddíl nadšenců","Yeet Brigade","Отряд Yeet","Yeet Brigade","Yeet Brigade","Yeet Brigade","Ye
et Brigade","Yeet Brigade","Yeet Brigade","Yeet Brigade","Yeet Brigade","",
000027 | "STR_EXPANSION_AI_KILLED","AI killed","AI killed","AI killed","AI killed","AI killed","ИИ убит","AI killed","AI killed","AI killed","AI killed","AI a été tué","AI killed","AI
killed","AI killed","AI ",
000028 | "STR_EXPANSION_AI_RECRUIT","Recruit","Recruit","Verbovat","Rekrutieren","Нанять","Recruit","Recruit","Recluta","Recruit","Recruter","","Recruit","Recruit","",
000029 | "STR_EXPANSION_AI_SET_WAYPOINT","Set AI waypoint","Set AI waypoint","Set AI waypoint","Set AI waypoint","Установить путь ИИ","Set AI waypoint","Set AI waypoint","
Set AI waypoint","Set AI waypoint","Ajouter point de passage IA","AI","Set AI waypoint","Set AI waypoint","AI",
000030 |
```


0325. ZIP TEXT FILE

Path: ai c files expantion/languagecore_ai.txt
Size bytes: 39
SHA-256: 1c13ad47635ba7e25ccf9fa3d92f2df82b3b1ae951e018a6aed7477beec34709
Decoded as: utf-8-sig
Line count shown: 2

Full file content

000001 | prefix=DayZExpansion\languagecore\AI\
000002 |

Full extracted PBO text file contents

0001. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: 3_Game\DayZGame.c
Size bytes: 1104
SHA-256: 04634ec2fc8eb8265567d03c2605c8ee23bc998919892bd6edf40ec32b103428
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: modded class DayZGame
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L7: override void OnUpdate(bool doSim, float timeslice)
 L30: void Expansion_OnUpdate(bool doSim, float timeslice)

Full file content

```
000001 | modded class DayZGame
000002 | {
000003 |     protected float m_Expansion_ServerUpdateRateLimit_Interval;
000004 |     protected float m_Expansion_ServerUpdateRateLimit_LastUpdateTime;
000005 |     protected float m_Expansion_ServerUpdateRateLimit_TimeSlice;
000006 |
000007 |     override void OnUpdate(bool doSim, float timeslice)
000008 |     {
000009 |     #ifdef SERVER
000010 |         ///! @note timeslice isn't accurate for measuring actual elapsed time, so it's just passed to super to match vanilla
000011 |         float updateTime = GetTickTime();
000012 |         float elapsed = updateTime - m_Expansion_ServerUpdateRateLimit_LastUpdateTime;
000013 |         m_Expansion_ServerUpdateRateLimit_TimeSlice += timeslice;
000014 |         if (elapsed >= m_Expansion_ServerUpdateRateLimit_Interval)
000015 |         {
000016 |             super.OnUpdate(doSim, m_Expansion_ServerUpdateRateLimit_TimeSlice);
000017 |
000018 |             Expansion_OnUpdate(doSim, m_Expansion_ServerUpdateRateLimit_TimeSlice);
000019 |
000020 |             m_Expansion_ServerUpdateRateLimit_LastUpdateTime = updateTime;
000021 |             m_Expansion_ServerUpdateRateLimit_TimeSlice = 0;
000022 |         }
000023 |     #else
000024 |         super.OnUpdate(doSim, timeslice);
000025 |
000026 |         Expansion_OnUpdate(doSim, timeslice);
000027 |     #endif
000028 |     }
000029 |
000030 |     void Expansion_OnUpdate(bool doSim, float timeslice)
000031 |     {
000032 |     }
000033 | }
000034 |
```

0002. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase.c
 Size bytes: 7227
 SHA-256: 9f324aaf0fd808be86a6941a1fea285828271ed52b9425cb712080754e51df9e
 Decoded as: utf-8-sig
 Line count shown: 213
 Detected class declarations: 1
 L13: modded class ItemBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 15
 L21: override bool CanPutAsAttachment(EntityAI parent)
 L34: override bool CanReceiveAttachment(EntityAI attachment, int slotId)
 L40: return Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(attachment, slotId);
 L46: bool Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(EntityAI attachment, int slotId)
 L65: bool Ex_EntityAI_HasInternalExclusionConflicts(int targetSlot)
 L87: bool Ex_EntityAI_CanReceiveAttachment(EntityAI attachment, int slotId)
 L111: override bool CanLoadAttachment(EntityAI attachment)
 L119: override bool CanDisplayAttachmentSlot(string slot_name)
 L148: return CanDisplayAttachmentSlot(InventorySlots.GetSlotIdFromString(slot_name));
 L154: override void CombineItemsClient(EntityAI entity2, bool use_stack_max = true)
 L160: override void OnRightClick()
 L166: override bool CanBeSplit()
 L174: override bool CanBeCombined(EntityAI other_item, bool reservation_check = true, bool stack_max_limit = false)
 L182: bool Expansion_IsInventoryLocked(out int lockType = 0, out EntityAI lockedEntity = null, bool checkParent = true)
 L191: override void MaxLifetimeRefreshCalc()

Full file content

```
000001 | /**
000002 |  * ItemBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ItemBase
000014 | {
000015 |     bool m_Expansion_CDAS0bsoleteError;
000016 |
000017 |     //! Always allow putting as attachment if root is player that is not yet loaded
000018 |     //! (normal CanPutAsAttachment checks may otherwise fail if they check for items that may not yet be loaded)
000019 |     //! -----
000020 |
000021 |     override bool CanPutAsAttachment(EntityAI parent)
000022 |     {
000023 |         PlayerBase player = PlayerBase.Cast(parent.GetHierarchyRootPlayer());
000024 |
000025 |         if (player && !player.IsPlayerLoaded())
000026 |             return true;
000027 |
000028 |         return super.CanPutAsAttachment(parent);
000029 |     }
000030 |
000031 |     //! Allow receiving attachments with cargo when parent isn't player (e.g. furniture mod items or atts on them)
000032 |     //! -----
```

```

000033 |
000034 | override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000035 | {
000036 |     GameInventory attachmentInv = attachment.GetInventory();
000037 |     if (attachmentInv && attachmentInv.GetCargo() && attachmentInv.GetCargo().GetItemCount() > 0)
000038 |     {
000039 |         if (GetHierarchyParent() && !GetHierarchyParent().IsInherited(PlayerBase))
000040 |             return Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(attachment, slotId);
000041 |     }
000042 |
000043 |     return super.CanReceiveAttachment(attachment, slotId);
000044 | }
000045 |
000046 | bool Ex_NonPlayerParent_CanReceiveAttachmentWithCargo(EntityAI attachment, int slotId)
000047 | {
000048 |     bool ret;
000049 |
000050 |     InventoryLocation loc = new InventoryLocation();
000051 |     attachment.GetInventory().GetCurrentInventoryLocation(loc);
000052 |     if (loc && loc.IsValid() && !GetInventory().AreChildrenAccessible())
000053 |         ret = false;
000054 |     else
000055 |         ret = Ex_EntityAI_CanReceiveAttachment(attachment, slotId);
000056 |
000057 | #ifdef DIAG_DEVELOPER
000058 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "Ex_NPP_CanRecvAttWithCargo " + attachment + " " + InventorySlots.GetSlotName(slotId) + " " + ret);
000059 | #endif
000060 |
000061 |     return ret;
000062 | }
000063 |
000064 | //! Verbatim copy of EntityAI::HasInternalExclusionConflicts which is needlessly private >:-(
000065 | bool Ex_EntityAI_HasInternalExclusionConflicts(int targetSlot)
000066 | {
000067 |     set<int> targetSlotValues = GetAttachmentExclusionMaskSlot(targetSlot);
000068 |     if (targetSlotValues) //can be null, if so, no conflict
000069 |     {
000070 |         set<int> additionalValues = new set<int>(); //NOT slot values
000071 |         additionalValues.InsertSet(GetAttachmentExclusionMaskGlobal());
000072 |         additionalValues.InsertSet(GetAttachmentExclusionMaskChildren());
000073 |
000074 |         int countTarget = targetSlotValues.Count();
000075 |         for (int i = 0; i < countTarget; i++)
000076 |         {
000077 |             if (additionalValues.Find(targetSlotValues[i]) != -1)
000078 |             {
000079 |                 return true;
000080 |             }
000081 |         }
000082 |     }
000083 |     return false;
000084 | }
000085 |
000086 | //! (Almost) verbatim copy of EntityAI::CanReceiveAttachment with exception of Ex_EntityAI_HasInternalExclusionConflicts
000087 | bool Ex_EntityAI_CanReceiveAttachment(EntityAI attachment, int slotId)
000088 | {
000089 |     //generic occupancy check
000090 |     EntityAI currentAtt = GetInventory().FindAttachment(slotId);
000091 |     bool hasInternalConflict = Ex_EntityAI_HasInternalExclusionConflicts(slotId);
000092 |     if (currentAtt) //probably a swap or same-type swap
000093 |     {
000094 |         set<int> diff = attachment.GetAttachmentExclusionMaskAll(slotId);

```

```
000095 |         diff.RemoveItems(currentAtt.GetAttachmentExclusionMaskAll(slotId));
000096 |         if (diff.Count() == 0)
000097 |         {
000098 |             return !hasInternalConflict;
000099 |         }
000100 |         else
000101 |         {
000102 |             return !hasInternalConflict && !IsExclusionFlagPresentRecursive(diff, slotId);
000103 |         }
000104 |     }
000105 |     return !hasInternalConflict && !IsExclusionFlagPresentRecursive(attachment.GetAttachmentExclusionMaskAll(slotId), slotId);
000106 | }
000107 |
000108 | ///! Always allow loading attachments
000109 | ///! @note this override is currently not technically needed because vanilla ItemBase::CanLoadAttachment is commented out,
000110 | ///! but you never know...
000111 | override bool CanLoadAttachment(EntityAI attachment)
000112 | {
000113 |     return true;
000114 | }
000115 |
000116 | ///! Fix vanilla CanDisplayAttachmentSlot(string slot_name) not calling CanDisplayAttachmentSlot(int slot_id)
000117 | ///! -----
000118 |
000119 | override bool CanDisplayAttachmentSlot(string slot_name)
000120 | {
000121 |     if (!m_Expansion_CDAS0bsoluteError)
000122 |     {
000123 |         string tmp;
000124 |         DumpStackString(tmp);
000125 |         TStringArray lines = {};
000126 |         tmp.Split("\n", lines);
000127 |
000128 |         TStringArray stack = {};
000129 |
000130 |         for (int i = 1; i < lines.Count(); i++)
000131 |         {
000132 |             string line = lines[i];
000133 |
000134 |             stack.Insert(line);
000135 |
000136 |             if (line.IndexOf("CanDisplayAttachmentSlot()") == -1)
000137 |                 break;
000138 |         }
000139 |
000140 |         if (stack.Count() > 1)
000141 |             EXError.ErrorOnce(this, "Obsolete function - use CanDisplayAttachmentSlot with slot id parameter", stack);
000142 |         else
000143 |             EXError.ErrorOnce(null, "Obsolete function call - use CanDisplayAttachmentSlot with slot id parameter", stack);
000144 |
000145 |         m_Expansion_CDAS0bsoluteError = true;
000146 |     }
000147 |
000148 |     return CanDisplayAttachmentSlot(InventorySlots.GetSlotIdFromString(slot_name));
000149 | }
000150 |
000151 | ///! Prevent being able to combine/split stacks in locked inventory
000152 | ///! -----
000153 |
000154 | override void CombineItemsClient(EntityAI entity2, bool use_stack_max = true)
000155 | {
000156 |     if (!Expansion_IsInventoryLocked())
```

```
000157 |         super.CombineItemsClient(entity2, use_stack_max);
000158 |     }
000159 |
000160 |     override void OnRightClick()
000161 |     {
000162 |         if (!Expansion_IsInventoryLocked())
000163 |             super.OnRightClick();
000164 |     }
000165 |
000166 |     override bool CanBeSplit()
000167 |     {
000168 |         if (!super.CanBeSplit())
000169 |             return false;
000170 |
000171 |         return !Expansion_IsInventoryLocked();
000172 |     }
000173 |
000174 |     override bool CanBeCombined(EntityAI other_item, bool reservation_check = true, bool stack_max_limit = false)
000175 |     {
000176 |         if (!super.CanBeCombined(other_item, reservation_check, stack_max_limit))
000177 |             return false;
000178 |
000179 |         return !Expansion_IsInventoryLocked();
000180 |     }
000181 |
000182 |     bool Expansion_IsInventoryLocked(out int lockType = 0, out EntityAI lockedEntity = null, bool checkParent = true)
000183 |     {
000184 |         return ExpansionStatic.IsInventoryLocked(this, lockType, lockedEntity, checkParent);
000185 |     }
000186 |
000187 |     //! -----
000188 |
000189 |     //! @note unlike vanilla, use max lifetime of the instance, not max lifetime from CE
000190 |     //! Fixes stone oven despawning prematurely, among other things, and properly supports setting max lifetime via script
000191 |     override void MaxLifetimeRefreshCalc()
000192 |     {
000193 |         if ( (!g_Game.IsMultiplayer() || g_Game.IsServer()) && GetEconomyProfile() )
000194 |         {
000195 |             float lifetime = GetLifetimeMax();
000196 |             int frequency = GetCEApi().GetCEGlobalInt("FlagRefreshFrequency");
000197 |             if ( frequency <= 0 )
000198 |             {
000199 |                 frequency = GameConstants.REFRESHER_FREQUENCY_DEFAULT;
000200 |             }
000201 |
000202 |             bool refresherViable;
000203 |             if (frequency <= lifetime)
000204 |                 refresherViable = true;
000205 |             if ( refresherViable != m_RefresherViable )
000206 |             {
000207 |                 m_RefresherViable = refresherViable;
000208 |                 SetSynchDirty();
000209 |             }
000210 |         }
000211 |     }
000212 | }
000213 |
```

0003. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ItemBase\Clothing.c

Size bytes: 1469

SHA-256: 91b46d570e9ee8e7acd2fdace3d46b164088c10819c58ac710d013b22e198e5c

Decoded as: utf-8-sig

Line count shown: 43

Detected class declarations: 1

L13: modded class Clothing

Detected enum declarations: 0

Detected function/method-like declarations: 4

L18: override bool SmershException(EntityAI hierarchyParent)

L20: return IsInherited(SmershBag) && hierarchyParent.IsInherited(SmershVest);

L26: override bool CanReceiveItemIntoCargoClothingConditions(EntityAI item)

L33: override bool CanLoadItemIntoCargoClothingConditions(EntityAI item)

Full file content

```
000001 | /**
000002 |  * Clothing.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class Clothing
000014 | {
000015 |     //! Always allow smershbag attachment on smershvest
000016 |     //! -----
000017 |
000018 |     override bool SmershException(EntityAI hierarchyParent)
000019 |     {
000020 |         return IsInherited(SmershBag) && hierarchyParent.IsInherited(SmershVest);
000021 |     }
000022 |
000023 |     //! Allow items to go into cargo of clothing as long as cloting itself is not in cargo
000024 |     //! -----
000025 |
000026 |     override bool CanReceiveItemIntoCargoClothingConditions( EntityAI item )
000027 |     {
000028 |         EntityAI hierarchyParent = GetHierarchyParent();
000029 |         return !hierarchyParent || !GetInventory().IsInCargo() || SmershException(hierarchyParent);
000030 |     }
000031 |
000032 |     //! @note this will also be checked when splitting item
000033 |     override bool CanLoadItemIntoCargoClothingConditions( EntityAI item )
000034 |     {
000035 |         EntityAI parent = GetHierarchyParent();
000036 |
000037 |         if ( parent && parent.IsInherited( UndergroundStash ) )
000038 |             return true;
000039 |
000040 |         return !parent || !GetInventory().IsInCargo() || SmershException(parent);
000041 |     }
000042 | };
000043 |
```

0004. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: 4_World\Entities\ManBase\PlayerBase.c

Size bytes: 1511

SHA-256: cbd2fcd72413cb442a2f0e5ce0ad57b2bbb7a3caee647a2e1399655d5627fc95

Decoded as: utf-8-sig

Line count shown: 38

Detected class declarations: 1

L1: modded class PlayerBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

L10: override void OnStoreSave(ParamsWriteContext ctx)

L23: override bool OnStoreLoad(ParamsReadContext ctx, int version)

Full file content

```

000001 | modded class PlayerBase
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     protected int m_Expansion_StoreLoadedVersion;
000005 |
000006 |     /// Safer implementation of vanilla PlayerBase::OnStoreSave/OnStoreLoad specifically for entity storage
000007 |     /// Vanilla plays fairly loose with the way some of PlayerBase data is written to storage which makes reading it back safely a challenge.
000008 |     /// To circumvent these problems for entity storage, vanilla OnStoreSave/Load is handled completely by CF_ModStorage
000009 |     /// (normal storage save/load will still use vanilla OnStoreSave/Load, as will any data added by 3rd party mods)
000010 |     override void OnStoreSave(ParamsWriteContext ctx)
000011 |     {
000012 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this))
000013 |         {
000014 |             EXTrace.Print(EXTrace.PLAYER, this, "---- [EntityStorage] PlayerBase::OnStoreSave -> CF_ModStorageObject::OnStoreSave ----");
000015 |             m_CF_ModStorage.OnStoreSave(ctx);
000016 |         }
000017 |         else
000018 |         {
000019 |             super.OnStoreSave(ctx);
000020 |         }
000021 |     }
000022 |
000023 |     override bool OnStoreLoad(ParamsReadContext ctx, int version)
000024 |     {
000025 |         m_Expansion_StoreLoadedVersion = version;
000026 |
000027 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this) && ExpansionEntityStorageModule.GetRestoredVersion() >= 13)
000028 |         {
000029 |             EXTrace.Print(EXTrace.PLAYER, this, "---- [EntityStorage] PlayerBase::OnStoreLoad -> CF_ModStorageObject::OnStoreLoad ----");
000030 |             return m_CF_ModStorage.OnStoreLoad(ctx, version);
000031 |         }
000032 |
000033 |         EXTrace.Print(EXTrace.PLAYER, this, "---- PlayerBase::OnStoreLoad super ----");
000034 |         return super.OnStoreLoad(ctx, version);
000035 |     }
000036 | #endif
000037 | }
000038 |

```


0005. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: Common\DayZExpansion_Core_Defines.c

Size bytes: 2883

SHA-256: 34025e280ad057b5c12c7eb9bbf0030e42d6d66553568aacec109e1e5b3c5bc8

Decoded as: utf-8-sig

Line count shown: 101

Detected class declarations: 0

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * DayZExpansion_Core_Defines.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! Versioning - LEGACY, consider adding defines for specific features instead when needed
000014 | //! GEQ = Greater than or equal
000015 | //! Do *not* remove old version defines!
000016 | #define EXPANSION_GEQ_1_7_0
000017 | #define EXPANSION_GEQ_1_7_17
000018 | #define EXPANSION_GEQ_1_7_24
000019 | #define EXPANSION_GEQ_1_7_31
000020 | #define EXPANSION_GEQ_1_8_0
000021 | #define EXPANSION_GEQ_1_8_11
000022 | #define EXPANSION_GEQ_1_8_12
000023 | #define EXPANSION_GEQ_1_8_18
000024 | #define EXPANSION_GEQ_1_8_19
000025 | #define EXPANSION_GEQ_1_8_20
000026 | #define EXPANSION_GEQ_1_8_21
000027 | #define EXPANSION_GEQ_1_8_25
000028 | #define EXPANSION_GEQ_1_8_28
000029 | #define EXPANSION_GEQ_1_8_33
000030 | #define EXPANSION_GEQ_1_8_46
000031 | #define EXPANSION_GEQ_1_9_38
000032 |
000033 | //! Features
000034 | #define EXPANSION_GLOBALID_ITEMBASE_CORE
000035 | #define EXPANSION_CHAT_HISTORY_LIMIT
000036 | #define EXPANSION_CHAT_TEXT_PROPERTIES
000037 | #define EXPANSION_HUD_VISIBILITY
000038 | #define EXPANSION_NOTIFICATION_KILLFEED_DROWNED
000039 |
000040 | //! Fixes
000041 | #define EXPANSION_VANILLA_EEITEMLOCATION_PB_FIX
000042 |
000043 | //! Enable it if you want to enable logging with EXPrint
000044 | //#define EXPANSIONEXPRINT
000045 | //#define EXPANSIONTRACE
000046 |
000047 | // currently is only removed on internal builds and remains on diag/retail. Consider also removing on retail for performance gains
000048 | #ifndef DEVELOPER
```

```
000049 | #define EXTRACE
000050 | #endif
000051 |
000052 | #ifdef DIAG
000053 | #define EXTRACE_DIAG
000054 | #endif
000055 |
000056 | /// Enable it if you want to enable logging with EXLogPrint
000057 | ///#define EXPANSIONEXLOGPRINT
000058 |
000059 | /// Enable mod load order debug prints
000060 | ///#define EXPANSION_LOADORDER_DEBUG
000061 |
000062 | /// Enable storage/modstorage debug prints
000063 | ///#define EXPANSION_STORAGE_DEBUG
000064 |
000065 | /// Enable it if you want to enable item attaching logic
000066 | #define EXPANSION_ITEM_ATTACHING_DISABLE
000067 | ///#define EXPANSION_ITEM_ATTACHING_LOGGING
000068 |
000069 | ///#define EXPANSION_PLAYER_ATTACHMENT_LOG
000070 |
000071 | ///#define EXPANSION_PLAYER_ATTACHMENT_CANATTACH_OVERRIDE
000072 |
000073 | /// Enable it if you want to enable skinning system debug logs
000074 | ///#define EXPANSION_SKIN_LOGGING
000075 |
000076 | /// Used for third party mods, if they want to know if expansion is loaded
000077 | #define EXPANSIONMODCORE
000078 |
000079 | #ifdef CF_DebugUI
000080 | #define EXPANSION_DEBUG_UI_AI
000081 | #define EXPANSION_DEBUG_UI_HOLOGRAM
000082 | #define EXPANSION_DEBUG_UI_FALLCOMMAND
000083 | #define EXPANSION_DEBUG_UI_VEHICLE
000084 | #define EXPANSION_DEBUG_UI_CAMERA
000085 | #endif
000086 |
000087 | #ifdef SERVER /// Don't comment these, diag exe server crashes
000088 | #define EXPANSION_DEBUG_SHAPES_DISABLE
000089 | #endif
000090 |
000091 | #ifdef DabsFramework
000092 | #define EXPANSIONUI
000093 | #else
000094 | #ifdef WORKBENCH
000095 | #define EXPANSIONUI
000096 | #endif
000097 | #endif
000098 |
000099 | ///! Versioning - NEW - do NOT add/change manually, will be added/changed during build with CI.bat!
000100 | #define EXPANSION_1_9_67
000101 |
```

0006. PBO TEXT FILE

Path: core pbo files expan/0_modstorage_preload.pbo :: Common\DayZExpansion_ModStorage_Defines.c

Size bytes: 484

SHA-256: 9afe547eb953a88faafa40403dda3facd7253555b2edf09908d91b6c302c5e9

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 0

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * DayZExpansion_ModStorage_Defines.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | // #define EXPANSION_MODSTORAGE_DEBUG
000014 | // #define EXPANSION_MODSTORAGE_DEBUG_LOAD
000015 | // #define EXPANSION_MODSTORAGE_DEBUG_SAVE
000016 |
```

0007. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Log.c

Size bytes: 3158

SHA-256: daddab39dc064859122d42b196eb929b3155a669c2e5bf782cb623e8f977916b

Decoded as: utf-8-sig

Line count shown: 67

Detected class declarations: 1

L1: modded class CF_Log

Detected enum declarations: 0

Detected function/method-like declarations: 7

L7: override static void Trace(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L14: override static void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L21: override static void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L28: override static void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L35: override static void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L44: override static void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "
L54: static void PrintStack()

Full file content

```
000001 | modded class CF_Log
000002 | {
000003 |     static ref ExpansionStaticCore s_Expansion_StaticCore;
000004 |     static ref ExpansionStaticCore s_Expansion_Static = new ExpansionStaticCore;
000005 |
000006 | #ifndef CF_LOG_TIMESTAMP
000007 |     override static void Trace(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000008 |         "", string param7 = "", string param8 = "", string param9 = "")
000009 |     {
000010 |         if (Level > CF_LogLevel.TRACE) return;
000011 |         PrintFormat("%1 [TRACE] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, pa
000012 |         ram9));
000013 |     }
000014 |     override static void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000015 |         "", string param7 = "", string param8 = "", string param9 = "")
000016 |     {
000017 |         if (Level > CF_LogLevel.DEBUG) return;
000018 |         PrintFormat("%1 [DEBUG] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, pa
000019 |         ram9));
000020 |     }
000021 |     override static void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000022 |         "", string param7 = "", string param8 = "", string param9 = "")
000023 |     {
000024 |         if (Level > CF_LogLevel.INFO) return;
000025 |         PrintFormat("%1 [INFO] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, par
000026 |         am9));
000027 |     }
000028 |     override static void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000029 |         "", string param7 = "", string param8 = "", string param9 = "")
000030 |     {
000031 |         if (Level > CF_LogLevel.WARNING) return;
000032 |         PrintFormat("%1 [WARNING] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8,
000033 |         param9));
```

```
000033 |     }
000034 |
000035 |     override static void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 =
000036 |     "", string param7 = "", string param8 = "", string param9 = "")
000037 |     {
000038 |         if (Level > CF_LogLevel.ERROR) return;
000039 |         PrintFormat("%1 [ERROR] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8, pa
000040 |         ram9));
000041 |         PrintStack();
000042 |     }
000043 |
000044 |     override static void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param
000045 |     6 = "", string param7 = "", string param8 = "", string param9 = "")
000046 |     {
000047 |         if (Level > CF_LogLevel.CRITICAL) return;
000048 |         PrintFormat("%1 [CRITICAL] %2", s_Expansion_Static.CF_GetISOTime(), string.Format(message, param1, param2, param3, param4, param5, param6, param7, param8,
000049 |         param9));
000050 |         PrintStack();
000051 |     }
000052 | #endif
000053 |
000054 |     static void PrintStack()
000055 |     {
000056 |         string dump = "";
000057 |         DumpStackString(dump);
000058 |         array<string> outputs = new array<string>();
000059 |         dump.Split("\n", outputs);
000060 |
000061 |         for (int i = 1; i < outputs.Count(); i++)
000062 |         {
000063 |             Print("\t" + outputs[i]);
000064 |         }
000065 |     }
000066 | };
000067 |
```

0008. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\CF_Trace.c

Size bytes: 1960

SHA-256: 9a4ab1da29f1fd7b5da14dadf097a00447eb06c6e0790229e8c264fd085d2df6

Decoded as: utf-8-sig

Line count shown: 53

Detected class declarations: 1

L1: modded class CF_Trace

Detected enum declarations: 0

Detected function/method-like declarations: 5

L3: void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6

L13: void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6

L23: void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6

L33: void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6

L43: void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string par

Full file content

```
000001 | modded class CF_Trace
000002 | {
000003 |     void Debug(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string para
m7 = "", string param8 = "", string param9 = "")
000004 |     {
000005 |         if (!IsLogged())
000006 |         {
000007 |             return;
000008 |         }
000009 |
000010 |         CF_Log.Debug(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000011 |     }
000012 |
000013 |     void Info(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string param
7 = "", string param8 = "", string param9 = "")
000014 |     {
000015 |         if (!IsLogged())
000016 |         {
000017 |             return;
000018 |         }
000019 |
000020 |         CF_Log.Info(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000021 |     }
000022 |
000023 |     void Warn(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string param
7 = "", string param8 = "", string param9 = "")
000024 |     {
000025 |         if (!IsLogged())
000026 |         {
000027 |             return;
000028 |         }
000029 |
000030 |         CF_Log.Warn(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000031 |     }
000032 |
000033 |     void Error(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string para
m7 = "", string param8 = "", string param9 = "")
000034 |     {
000035 |         if (!IsLogged())
000036 |         {
000037 |             return;
000038 |         }
000039 |     }
000040 | }
```

```
000039 |  
000040 |     CF_Log.Error(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);  
000041 | }  
000042 |  
000043 |     void Critical(string message, string param1 = "", string param2 = "", string param3 = "", string param4 = "", string param5 = "", string param6 = "", string p  
000044 |     {  
000045 |         if (!IsLogged())  
000046 |         {  
000047 |             return;  
000048 |         }  
000049 |  
000050 |         CF_Log.Critical(CF_Trace.Depth() + " " + message, param1, param2, param3, param4, param5, param6, param7, param8, param9);  
000051 |     }  
000052 | };  
000053 |
```

0009. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionInhibitor.c

Size bytes: 934

SHA-256: befffd853c113c4962985e8929a9504e80cdb85778fa050a5fbceed54770c5a61

Decoded as: utf-8-sig

Line count shown: 42

Detected class declarations: 1

L13: class ExpansionInhibitor: Managed

Detected enum declarations: 0

Detected function/method-like declarations: 5

L19: private void ExpansionInhibitor(Class instance)

L25: void ~ExpansionInhibitor()

L32: static ExpansionInhibitor Add(Class instance)

L34: return new ExpansionInhibitor(instance);

L37: static bool Contains(Class instance)

Full file content

```
000001 | /**
000002 |  * ExpansionInhibitor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionInhibitor: Managed
000014 | {
000015 |     protected static ref array<Class> s_Instances = new array<Class>;
000016 |
000017 |     protected Class m_Instance;
000018 |
000019 |     private void ExpansionInhibitor(Class instance)
000020 |     {
000021 |         m_Instance = instance;
000022 |         s_Instances.Insert(instance);
000023 |     }
000024 |
000025 |     void ~ExpansionInhibitor()
000026 |     {
000027 |         int index = s_Instances.Find(m_Instance);
000028 |         if (index > -1)
000029 |             s_Instances.Remove(index);
000030 |     }
000031 |
000032 |     static ExpansionInhibitor Add(Class instance)
000033 |     {
000034 |         return new ExpansionInhibitor(instance);
000035 |     }
000036 |
000037 |     static bool Contains(Class instance)
000038 |     {
000039 |         return s_Instances.Find(instance) > -1;
000040 |     }
000041 | }
000042 |
```


0010. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionStaticCore.c
Size bytes: 502
SHA-256: 03d66367ea17a0856a0985b256de7733cdf0e9fd3175b9d0407e1f88d2891a32
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 1
 L1: class ExpansionStaticCore: Managed
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L3: string CF_GetISOTime()
 L15: static void EXPrintToFile(string str, string fileName = "\$profile:EXPrintToFile.log", int fileMode = FileMode.APPEND)

Full file content

```
000001 | class ExpansionStaticCore: Managed
000002 | {
000003 |     string CF_GetISOTime()
000004 |     {
000005 |         int hour;
000006 |         int minute;
000007 |         int second;
000008 |
000009 |         GetHourMinuteSecond(hour, minute, second);
000010 |
000011 |         return hour.ToStringLen(2) + ":" + minute.ToStringLen(2) + ":" + second.ToStringLen(2);
000012 |     }
000013 | }
000014 |
000015 | static void EXPrintToFile(string str, string fileName = "$profile:EXPrintToFile.log", int fileMode = FileMode.APPEND)
000016 | {
000017 |     FileHandle file = OpenFile(fileName, fileMode);
000018 |
000019 |     if (file)
000020 |     {
000021 |         FPrintln(file, str);
000022 |         CloseFile(file);
000023 |     }
000024 | }
000025 |
```

0011. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionString.c
Size bytes: 12972
SHA-256: 30b1531e842892127ba3b6d2ee6a450e51b69c53532d9230b9e4847c963cb7b9
Decoded as: utf-8-sig
Line count shown: 626
Detected class declarations: 1
  L13: class ExpansionString: string
Detected enum declarations: 0
Detected function/method-like declarations: 55
  L39: void ExpansionString(string str)
  L44: string Get()
  L50: string BaseName()
  L60: static string BaseName(string fileName)
  L66: string DirName()
  L76: static string DirName(string fileName)
  L82: int DJB2Hash()
  L94: static int DJB2Hash(string str)
  L100: int JenkinsHash()
  L118: static int JenkinsHash(string str)
  L124: int PearsonHash8()
  L137: static int PearsonHash8(string str)
  L145: int Hash16()
  L158: static int Hash16(string str)
  L165: int BetterHash()
  L180: static int BetterHash(string str)
  L186: static string CamelCaseToWords(string str, string sep = " ")
  L214: static bool ContainsAny(string text, TStringArray words)
  L227: static int Replace(inout string text, string search, string replace, bool ignoreCase = false)
  L266: string Reversed()
  L278: bool StartsWith(string prefix)
  L283: static bool StartsWith(string str, string prefix)
  L288: static bool StartsWithAny(string text, TStringArray words)
  L299: bool StartsWithIgnoreCase(string prefix)
  L307: static bool StartsWithIgnoreCase(string str, string prefix)
  L313: bool EndsWith(string suffix, out int index = -1)
  L322: static bool EndsWith(string str, string suffix, out int index = -1)
  L328: bool EndsWithIgnoreCase(string suffix, out int index = -1)
  L336: static bool EndsWithIgnoreCase(string str, string suffix, out int index = -1)
  L342: bool Equals(string cmp)
  L348: bool EqualsCaseInsensitive(string cmp)
  L351: return EqualsIgnoreCase(cmp);
  L354: bool EqualsIgnoreCase(string cmp)
  L362: static bool EqualsIgnoreCase(string str, string cmp)
  L370: int LastIndexOf(string sample)
  L388: static int LastIndexOf(string str, string sample)
  L393: string JustifyLeft(int length, string pad)
  L406: static string JustifyLeft(string str, int length, string pad)
  L412: string JustifyRight(int length, string pad)
  L425: static string JustifyRight(string str, int length, string pad)
  L433: int ToAscii(int index = 0)
  L439: static int ToAscii(string str, int index = 0)
  L451: string RemoveFirstChar()
  L456: static string RemoveFirstChar( string str )
  L461: string StripExtension(string ext = string.Empty)
  L480: static string StripExtension(string str, string ext)
  L493: string RemoveLastChar()
  L498: static string RemoveLastChar( string str )
  L503: static string JoinStrings(array<ExpansionString> strings, string glue = ", ", bool reverse = false)
```

```
L531: static string JoinStrings(TStringArray strings, string glue = ", ", bool reverse = false)
L568: static string FindLongestCommonPrefix(string prefix, TStringArray values, bool skipNotFound = false)
L603: static int StrCmp(string a, string b)
L609: else if (a[i] > b[i])
L616: static int StrCaseCmp(string a, string b)
L621: return StrCmp(a, b);
```

Full file content

```
000001 | /**
000002 |  * ExpansionString.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionString: string
000014 | {
000015 |     static const string ZERO_WIDTH_SPACE = "\u200B"; //!< This may look like an empty string, but it is not. It's a zero-width space as UTF-8;
000016 |
000017 |     static const int PERMUTATION_TABLE[256] = {
000018 |         98, 6, 85, 150, 36, 23, 112, 164, 135, 207, 169, 5, 26, 64, 165, 219,
000019 |         61, 20, 68, 89, 130, 63, 52, 102, 24, 229, 132, 245, 80, 216, 195, 115,
000020 |         90, 168, 156, 203, 177, 120, 2, 190, 188, 7, 100, 185, 174, 243, 162, 10,
000021 |         237, 18, 253, 225, 8, 208, 172, 244, 255, 126, 101, 79, 145, 235, 228, 121,
000022 |         123, 251, 67, 250, 161, 0, 107, 97, 241, 111, 181, 82, 249, 33, 69, 55,
000023 |         59, 153, 29, 9, 213, 167, 84, 93, 30, 46, 94, 75, 151, 114, 73, 222,
000024 |         197, 96, 210, 45, 16, 227, 248, 202, 51, 152, 252, 125, 81, 206, 215, 186,
000025 |         39, 158, 178, 187, 131, 136, 1, 49, 50, 17, 141, 91, 47, 129, 60, 99,
000026 |         154, 35, 86, 171, 105, 34, 38, 200, 147, 58, 77, 118, 173, 246, 76, 254,
000027 |         133, 232, 196, 144, 198, 124, 53, 4, 108, 74, 223, 234, 134, 230, 157, 139,
000028 |         189, 205, 199, 128, 176, 19, 211, 236, 127, 192, 231, 70, 233, 88, 146, 44,
000029 |         183, 201, 22, 83, 13, 214, 116, 109, 159, 32, 95, 226, 140, 220, 57, 12,
000030 |         221, 31, 209, 182, 143, 92, 149, 184, 148, 62, 113, 65, 37, 27, 106, 166,
000031 |         3, 14, 204, 72, 21, 41, 56, 66, 28, 193, 40, 217, 25, 54, 179, 117,
000032 |         238, 87, 240, 155, 180, 170, 242, 212, 191, 163, 78, 218, 137, 194, 175, 110,
000033 |         43, 119, 224, 71, 122, 142, 42, 160, 104, 48, 247, 103, 15, 11, 138, 239
000034 |     };
000035 |
000036 |     /*
000037 |     protected string value;
000038 |
000039 |     void ExpansionString(string str)
000040 |     {
000041 |         value = str;
000042 |     }
000043 |
000044 |     string Get()
000045 |     {
000046 |         return value;
000047 |     }
000048 |     */
000049 |
000050 |     string BaseName()
000051 |     {
000052 |         string tmp = value;
000053 |         tmp.Replace("\\", "/");
```

```
000054 |         int index = tmp.LastIndexOf("/");
000055 |         if (index > -1)
000056 |             return value.Substring(index + 1, value.Length() - index - 1);
000057 |         return value;
000058 |     }
000059 |
000060 |     static string BaseName(string fileName)
000061 |     {
000062 |         ExpansionString tmp = fileName;
000063 |         return tmp.BaseName();
000064 |     }
000065 |
000066 |     string DirName()
000067 |     {
000068 |         string tmp = value;
000069 |         tmp.Replace("\\", "/");
000070 |         int index = tmp.LastIndexOf("/");
000071 |         if (index > -1)
000072 |             return value.Substring(0, index);
000073 |         return value;
000074 |     }
000075 |
000076 |     static string DirName(string fileName)
000077 |     {
000078 |         ExpansionString tmp = fileName;
000079 |         return tmp.DirName();
000080 |     }
000081 |
000082 |     int DJB2Hash()
000083 |     {
000084 |         int hash = 5381;
000085 |
000086 |         for (int i = 0; i < value.Length(); ++i)
000087 |         {
000088 |             hash = ((hash << 5) + hash) + value[i].ToAscii();  //!< Equivalent to hash * 33 + value[i].ToAscii()
000089 |         }
000090 |
000091 |         return hash;
000092 |     }
000093 |
000094 |     static int DJB2Hash(string str)
000095 |     {
000096 |         ExpansionString tmp = str;
000097 |         return tmp.DJB2Hash();
000098 |     }
000099 |
000100 |     int JenkinsHash()
000101 |     {
000102 |         int hash = 0;
000103 |
000104 |         for (int i = 0; i < value.Length(); ++i)
000105 |         {
000106 |             hash += value[i].ToAscii();
000107 |             hash += (hash << 10);
000108 |             hash ^= (hash >> 6);
000109 |         }
000110 |
000111 |         hash += (hash << 3);
000112 |         hash ^= (hash >> 11);
000113 |         hash += (hash << 15);
000114 |
000115 |         return hash;
```

```
000116 | }
000117 |
000118 | static int JenkinsHash(string str)
000119 | {
000120 |     ExpansionString tmp = str;
000121 |     return tmp.JenkinsHash();
000122 | }
000123 |
000124 | int PearsonHash8()
000125 | {
000126 |     int hash = value.Length();  //!< Initial value can be anything
000127 |
000128 |     for (int i = 0; i < value.Length(); ++i)
000129 |     {
000130 |         int ascii = value[i].ToAscii();
000131 |         hash = PERMUTATION_TABLE[(hash ^ ascii) & 0xff];
000132 |     }
000133 |
000134 |     return hash;
000135 | }
000136 |
000137 | static int PearsonHash8(string str)
000138 | {
000139 |     ExpansionString tmp = str;
000140 |     return tmp.PearsonHash8();
000141 | }
000142 |
000143 | //!< Neat little hash function, good for small datasets (< 64 k)
000144 | //!< https://stackoverflow.com/a/19661491
000145 | int Hash16()
000146 | {
000147 |     int hash;
000148 |
000149 |     for (int i = 0; i < value.Length(); ++i)
000150 |     {
000151 |         int ascii = value[i].ToAscii() + i;
000152 |         hash += (hash << 5) + ascii + (ascii << 7);
000153 |     }
000154 |
000155 |     return (hash ^ (hash >> 16)) & 0xffff;
000156 | }
000157 |
000158 | static int Hash16(string str)
000159 | {
000160 |     ExpansionString tmp = str;
000161 |     return tmp.Hash16();
000162 | }
000163 |
000164 | //!< Like vanilla Hash(), but using different prime (109 instead of 37) for better collision resilience
000165 | int BetterHash()
000166 | {
000167 |     int hash;
000168 |
000169 |     for (int i = 0; i < value.Length(); ++i)
000170 |     {
000171 |         int ascii = value[i].ToAscii();
000172 |         hash = hash * 109 + ascii;
000173 |         if (ascii > 127)
000174 |             hash -= 256;
000175 |     }
000176 |
000177 |     return hash;
```

```
000178 | }
000179 |
000180 | static int BetterHash(string str)
000181 | {
000182 |     ExpansionString tmp = str;
000183 |     return tmp.BetterHash();
000184 | }
000185 |
000186 | static string CamelCaseToWords(string str, string sep = " ")
000187 | {
000188 |     string output;
000189 |     string c;
000190 |     string cUpper;
000191 |     string cLower;
000192 |     bool wasLower;
000193 |
000194 |     for (int j = 0; j < str.Length(); j++)
000195 |     {
000196 |         c = str[j];
000197 |         cUpper = c;
000198 |         cUpper.ToUpper();
000199 |         cLower = c;
000200 |         cLower.ToLower();
000201 |         if (wasLower && c == cUpper && c != cLower)
000202 |             output += sep;
000203 |         output += c;
000204 |         ///! https://feedback.bistudio.com/T173348
000205 |         if (c != cUpper && c == cLower)
000206 |             wasLower = true;
000207 |         else
000208 |             wasLower = false;
000209 |     }
000210 |
000211 |     return output;
000212 | }
000213 |
000214 | static bool ContainsAny(string text, TStringArray words)
000215 | {
000216 |     foreach (string word: words)
000217 |     {
000218 |         if (text.Contains(word))
000219 |             return true;
000220 |     }
000221 |
000222 |     return false;
000223 | }
000224 |
000225 | ///! Vanilla string.Replace truncates long text >:-(
000226 | ///! https://feedback.bistudio.com/T177558
000227 | static int Replace(inout string text, string search, string replace, bool ignoreCase = false)
000228 | {
000229 |     string tmp;
000230 |     int index;
000231 |
000232 |     if (ignoreCase)
000233 |     {
000234 |         tmp = text;
000235 |         tmp.ToLower();
000236 |         search.ToLower();
000237 |         index = tmp.IndexOf(search);
000238 |     }
000239 |     else
```

```
000240 |     {
000241 |         index = text.IndexOf(search);
000242 |     }
000243 |
000244 |     int count;
000245 |     int searchLen = search.Length();
000246 |     int replaceLen = replace.Length();
000247 |
000248 |     while (index > -1)
000249 |     {
000250 |         text = text.Substring(0, index) + replace + text.Substring(index + searchLen, text.Length() - index - searchLen);
000251 |         count++;
000252 |         if (ignoreCase)
000253 |         {
000254 |             tmp = tmp.Substring(0, index) + replace + tmp.Substring(index + searchLen, tmp.Length() - index - searchLen);
000255 |             index = tmp.IndexOfFrom(index + replaceLen, search);
000256 |         }
000257 |         else
000258 |         {
000259 |             index = text.IndexOfFrom(index + replaceLen, search);
000260 |         }
000261 |     }
000262 |
000263 |     return count;
000264 | }
000265 |
000266 | string Reversed()
000267 | {
000268 |     string result;
000269 |
000270 |     for (int i = value.Length() - 1; i >= 0; --i)
000271 |     {
000272 |         result += value[i];
000273 |     }
000274 |
000275 |     return result;
000276 | }
000277 |
000278 | bool StartsWith(string prefix)
000279 | {
000280 |     return value.IndexOf(prefix) == 0;
000281 | }
000282 |
000283 | static bool StartsWith(string str, string prefix)
000284 | {
000285 |     return str.IndexOf(prefix) == 0;
000286 | }
000287 |
000288 | static bool StartsWithAny(string text, TStringArray words)
000289 | {
000290 |     foreach (string word: words)
000291 |     {
000292 |         if (ExpansionString.StartsWith(text, word))
000293 |             return true;
000294 |     }
000295 |
000296 |     return false;
000297 | }
000298 |
000299 | bool StartsWithIgnoreCase(string prefix)
000300 | {
000301 |     ExpansionString tmp = value;
```

```
000302 |         tmp.ToLower();
000303 |         prefix.ToLower();
000304 |         return tmp.StartsWith(prefix);
000305 |     }
000306 |
000307 |     static bool StartsWithIgnoreCase(string str, string prefix)
000308 |     {
000309 |         ExpansionString tmp = str;
000310 |         return tmp.StartsWithIgnoreCase(prefix);
000311 |     }
000312 |
000313 |     bool EndsWith(string suffix, out int index = -1)
000314 |     {
000315 |         int suffixLength = suffix.Length();
000316 |         if (value.Length() < suffixLength)
000317 |             return false;
000318 |         index = value.LastIndexOf(suffix);
000319 |         return index == value.Length() - suffixLength;
000320 |     }
000321 |
000322 |     static bool EndsWith(string str, string suffix, out int index = -1)
000323 |     {
000324 |         ExpansionString tmp = str;
000325 |         return tmp.EndsWith(suffix, index);
000326 |     }
000327 |
000328 |     bool EndsWithIgnoreCase(string suffix, out int index = -1)
000329 |     {
000330 |         ExpansionString tmp = value;
000331 |         tmp.ToLower();
000332 |         suffix.ToLower();
000333 |         return tmp.EndsWith(suffix, index);
000334 |     }
000335 |
000336 |     static bool EndsWithIgnoreCase(string str, string suffix, out int index = -1)
000337 |     {
000338 |         ExpansionString tmp = str;
000339 |         return tmp.EndsWithIgnoreCase(suffix, index);
000340 |     }
000341 |
000342 |     bool Equals(string cmp)
000343 |     {
000344 |         return value == cmp;
000345 |     }
000346 |
000347 |     ///! DEPRECATED, alias for EqualsIgnoreCase
000348 |     bool EqualsCaseInsensitive(string cmp)
000349 |     {
000350 |         Error("DEPRECATED, use EqualsIgnoreCase");
000351 |         return EqualsIgnoreCase(cmp);
000352 |     }
000353 |
000354 |     bool EqualsIgnoreCase(string cmp)
000355 |     {
000356 |         ExpansionString tmp = value;
000357 |         tmp.ToLower();
000358 |         cmp.ToLower();
000359 |         return tmp == cmp;
000360 |     }
000361 |
000362 |     static bool EqualsIgnoreCase(string str, string cmp)
000363 |     {
```



```
000364 |         ExpansionString tmp = str;
000365 |         return tmp.EqualsIgnoreCase(cmp);
000366 |     }
000367 |
000368 | /*
000369 |  ///! Reimplement LastIndexOf (vanilla string.LastIndexOf is broken...)
000370 |  int LastIndexOf(string sample)
000371 |  {
000372 |      if (sample == string.Empty)
000373 |          return 0;
000374 |      int idx = -1;
000375 |      int lastIdx = -1;
000376 |      while (true)
000377 |      {
000378 |          idx = value.IndexOfFrom(idx + 1, sample);
000379 |          if (idx > -1)
000380 |              lastIdx = idx;
000381 |          else
000382 |              break;
000383 |      }
000384 |      return lastIdx;
000385 |  }
000386 |  */
000387 |
000388 |  static int LastIndexOf(string str, string sample)
000389 |  {
000390 |      return str.LastIndexOf(sample);
000391 |  }
000392 |
000393 |  string JustifyLeft(int length, string pad)
000394 |  {
000395 |      string tmp = value;
000396 |      length = length - value.Length();
000397 |
000398 |      for (int index = 0; index < length; index++)
000399 |      {
000400 |          tmp += pad;
000401 |      }
000402 |
000403 |      return tmp;
000404 |  }
000405 |
000406 |  static string JustifyLeft(string str, int length, string pad)
000407 |  {
000408 |      ExpansionString tmp = str;
000409 |      return tmp.JustifyLeft(length, pad);
000410 |  }
000411 |
000412 |  string JustifyRight(int length, string pad)
000413 |  {
000414 |      string tmp = value;
000415 |      length = length - value.Length();
000416 |
000417 |      for (int index = 0; index < length; index++)
000418 |      {
000419 |          tmp = pad + tmp;
000420 |      }
000421 |
000422 |      return tmp;
000423 |  }
000424 |
000425 |  static string JustifyRight(string str, int length, string pad)
```

```
000426 | {
000427 |     ExpansionString tmp = str;
000428 |     return tmp.JustifyRight(length, pad);
000429 | }
000430 |
000431 | /*
000432 |  //! Reimplement ToAscii (vanilla string.ToAscii is broken...)
000433 |  int ToAscii(int index = 0)
000434 |  {
000435 |      return value[index].Hash();
000436 |  }
000437 | */
000438 |
000439 | static int ToAscii(string str, int index = 0)
000440 | {
000441 |     return str[index].ToAscii();
000442 | }
000443 |
000444 | /**
000445 |  * @brief Removes the first character from the string
000446 |  *
000447 |  * @param str input string
000448 |  *
000449 |  * @return a copy of str with the first character removed
000450 |  */
000451 | string RemoveFirstChar()
000452 | {
000453 |     return value.Substring( 1, value.Length() - 1 );
000454 | }
000455 |
000456 | static string RemoveFirstChar( string str )
000457 | {
000458 |     return str.Substring( 1, str.Length() - 1 );
000459 | }
000460 |
000461 | string StripExtension(string ext = string.Empty)
000462 | {
000463 |     if (ext == string.Empty)
000464 |     {
000465 |         int index = value.LastIndexOf(".");
000466 |
000467 |         if (index > -1)
000468 |             return value.Substring(0, index);
000469 |
000470 |         return value;
000471 |     }
000472 |
000473 |     ExpansionString tmp = value;
000474 |     if (tmp.EndsWithIgnoreCase(ext))
000475 |         return value.Substring( 0, value.Length() - ext.Length() );
000476 |
000477 |     return value;
000478 | }
000479 |
000480 | static string StripExtension(string str, string ext)
000481 | {
000482 |     ExpansionString tmp = str;
000483 |     return tmp.StripExtension(ext);
000484 | }
000485 |
000486 | /**
000487 |  * @brief Removes the last character from the string
```

```
000488 | *
000489 | * @param str input string
000490 | *
000491 | * @return a copy of str with the last character removed
000492 | */
000493 | string RemoveLastChar()
000494 | {
000495 |     return value.Substring( 0, value.Length() - 1 );
000496 | }
000497 |
000498 | static string RemoveLastChar( string str )
000499 | {
000500 |     return str.Substring( 0, str.Length() - 1 );
000501 | }
000502 |
000503 | static string JoinStrings(array<ExpansionString> strings, string glue = ", ", bool reverse = false)
000504 | {
000505 |     string output = "";
000506 |     int count = strings.Count();
000507 |     int i, delta;
000508 |
000509 |     if (reverse)
000510 |     {
000511 |         i = count - 1;
000512 |         delta = -1;
000513 |     }
000514 |     else
000515 |     {
000516 |         i = 0;
000517 |         delta = 1;
000518 |     }
000519 |
000520 |     while (count--)
000521 |     {
000522 |         if (glue && output)
000523 |             output += glue;
000524 |         output += strings[i];
000525 |         i += delta;
000526 |     }
000527 |
000528 |     return output;
000529 | }
000530 |
000531 | static string JoinStrings(TStringArray strings, string glue = ", ", bool reverse = false)
000532 | {
000533 |     string output = "";
000534 |     int count = strings.Count();
000535 |     int i, delta;
000536 |
000537 |     if (reverse)
000538 |     {
000539 |         i = count - 1;
000540 |         delta = -1;
000541 |     }
000542 |     else
000543 |     {
000544 |         i = 0;
000545 |         delta = 1;
000546 |     }
000547 |
000548 |     while (count--)
000549 |     {
```

```
000550 |         if (glue && output)
000551 |             output += glue;
000552 |         output += strings[i];
000553 |         i += delta;
000554 |     }
000555 |
000556 |     return output;
000557 | }
000558 |
000559 | /**
000560 |  * @brief Find longest common prefix in values
000561 |  *
000562 |  * @param prefix    Starting prefix
000563 |  * @param values
000564 |  * @param skipNotFound If true, skip values where a common prefix was not found (else return empty string)
000565 |  *
000566 |  * @return longest common prefix or empty string
000567 |  */
000568 | static string FindLongestCommonPrefix(string prefix, TStringArray values, bool skipNotFound = false)
000569 | {
000570 |     if (values.Count() == 0)
000571 |         return "";
000572 |
000573 |     bool found;
000574 |
000575 |     foreach (string current: values)
000576 |     {
000577 |         int i = 0;
000578 |
000579 |         while (i < prefix.Length() && i < current.Length() && prefix[i] == current[i])
000580 |             i++;
000581 |
000582 |         if (i == 0)
000583 |         {
000584 |             if (skipNotFound)
000585 |                 continue;
000586 |
000587 |             return "";
000588 |         }
000589 |         else
000590 |         {
000591 |             found = true;
000592 |         }
000593 |
000594 |         prefix = prefix.Substring(0, i);
000595 |     }
000596 |
000597 |     if (found)
000598 |         return prefix;
000599 |
000600 |     return "";
000601 | }
000602 |
000603 | static int StrCmp(string a, string b)
000604 | {
000605 |     for (int i = 0; i < Math.Min(a.Length(), b.Length()); i++)
000606 |     {
000607 |         if (a[i] < b[i])
000608 |             return -1;
000609 |         else if (a[i] > b[i])
000610 |             return 1;
000611 |     }
```

```
000612 |  
000613 |     return a.Length() - b.Length();  
000614 | }  
000615 |  
000616 | static int StrCaseCmp(string a, string b)  
000617 | {  
000618 |     a.ToLower();  
000619 |     b.ToLower();  
000620 |  
000621 |     return StrCmp(a, b);  
000622 | }  
000623 | }  
000624 |  
000625 | typedef string ExpansionString;  
000626 |
```

0012. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionType.c
Size bytes: 1207
SHA-256: e64b9fc15f3a37666d843da4f1f5a5e9670b2016186ddd75facf521e2e44cb23
Decoded as: utf-8-sig
Line count shown: 75
Detected class declarations: 3
 L1: class EXType: Managed
 L14: class EXTypeT<Class T>: EXType
 L51: class ExpansionPrimitiveT<Class T>: ExpansionPrimitive
Detected enum declarations: 0
Detected function/method-like declarations: 10
 L3: typename GetValueType()
 L8: string ToString(bool type = false, bool name = false, bool quotes = true)
 L18: void EXTypeT(T value)
 L23: T GetValue()
 L28: override typename GetValueType()
 L33: override string ToString(bool type = false, bool name = false, bool quotes = true)
 L55: void ExpansionPrimitiveT(T value)
 L60: T GetValue()
 L65: override typename GetValueType()
 L70: override string ToString(bool type = false, bool name = false, bool quotes = true)

Full file content

```
000001 | class EXType: Managed
000002 | {
000003 |     typename GetValueType()
000004 |     {
000005 |         return typename;
000006 |     }
000007 |
000008 |     string ToString(bool type = false, bool name = false, bool quotes = true)
000009 |     {
000010 |         return string.ToString(string.Empty, type, name, quotes);
000011 |     }
000012 | }
000013 |
000014 | class EXTypeT<Class T>: EXType
000015 | {
000016 |     T m_Value;
000017 |
000018 |     void EXTypeT(T value)
000019 |     {
000020 |         m_Value = value;
000021 |     }
000022 |
000023 |     T GetValue()
000024 |     {
000025 |         return m_Value;
000026 |     }
000027 |
000028 |     override typename GetValueType()
000029 |     {
000030 |         return T;
000031 |     }
000032 |
000033 |     override string ToString(bool type = false, bool name = false, bool quotes = true)
000034 |     {
000035 |         return string.ToString(m_Value, type, name, quotes);
```

```
000036 |     }
000037 | }
000038 |
000039 | typedef EXTypeT<bool> EXBool;
000040 |
000041 | typedef EXTypeT<float> EXFloat;
000042 |
000043 | typedef EXTypeT<int> EXInt;
000044 |
000045 | typedef EXTypeT<string> EXString;
000046 |
000047 | typedef EXTypeT<vector> EXVector;
000048 |
000049 | //! Legacy
000050 | typedef EXType ExpansionPrimitive;
000051 | class ExpansionPrimitiveT<Class T>: ExpansionPrimitive
000052 | {
000053 |     T m_Value;
000054 |
000055 |     void ExpansionPrimitiveT(T value)
000056 |     {
000057 |         m_Value = value;
000058 |     }
000059 |
000060 |     T GetValue()
000061 |     {
000062 |         return m_Value;
000063 |     }
000064 |
000065 |     override typename GetValueType()
000066 |     {
000067 |         return T;
000068 |     }
000069 |
000070 |     override string ToString(bool type = false, bool name = false, bool quotes = true)
000071 |     {
000072 |         return string.ToString(m_Value, type, name, quotes);
000073 |     }
000074 | }
000075 |
```

0013. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 1_Core\DayZExpansion_Core\ExpansionUtil.c

Size bytes: 323

SHA-256: 1321c9ddd81d6ee55811962d52b63a9e6a064da45b8a62fc8dff25b0a278df39

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 2

L1: class ExpansionUtil<Class T>

L12: class ExpansionUtil2<Class T1, Class T2>

Detected enum declarations: 0

Detected function/method-like declarations: 2

L3: static void Swap(inout T a, inout T b)

L14: static void RefCopy(map<T1, ref T2> from, map<T1, ref T2> to)

Full file content

```
000001 | class ExpansionUtil<Class T>
000002 | {
000003 |     static void Swap(inout T a, inout T b)
000004 |     {
000005 |         T c = a;
000006 |
000007 |         a = b;
000008 |         b = c;
000009 |     }
000010 | }
000011 |
000012 | class ExpansionUtil2<Class T1, Class T2>
000013 | {
000014 |     static void RefCopy(map<T1, ref T2> from, map<T1, ref T2> to)
000015 |     {
000016 |         to.Clear();
000017 |         foreach (T1 key, T2 value: from)
000018 |         {
000019 |             to[key] = value;
000020 |         }
000021 |     }
000022 | }
000023 |
```


0014. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Analytics\ExpansionAnalyticsManagerServer.c

Size bytes: 2910

SHA-256: 171f4b4df2de10d57951a2525339e8b3ce971f4b8e8d14aed534c390a58473a0

Decoded as: utf-8-sig

Line count shown: 104

Detected class declarations: 1

L13: modded class AnalyticsManagerServer

Detected enum declarations: 0

Detected function/method-like declarations: 5

L21: override void OnPlayerConnect(Man player)

L38: override void OnEntityKilled(Object killer, EntityAI target)

L64: protected void OnAnimalKilled(Man killer, EntityAI target)

L73: override protected void OnPlayerKilled(Man killer, EntityAI target)

L93: protected void OnAIPlayerKilled(Man killer, EntityAI target)

Full file content

```

000001 | /**
000002 |  * ExpansionAnalyticsManagerServer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class AnalyticsManagerServer
000014 | {
000015 |     const string EXP_STAT_ANIMALS_KILLED = "animals_killed";
000016 |     const string EXP_STAT_AI_PLAYERS_KILLED = "ai_players_killed";
000017 |
000018 |     // -----
000019 |     // Override OnPlayerConnect
000020 |     // -----
000021 |     override void OnPlayerConnect(Man player)
000022 |     {
000023 | #ifdef EXPANSIONTRACE
000024 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnPlayerConnect");
000025 | #endif
000026 |
000027 |         super.OnPlayerConnect(player);
000028 |
000029 |         player.StatRegister(EXP_STAT_ANIMALS_KILLED);
000030 | #ifdef ENFUSION_AI_PROJECT
000031 |         player.StatRegister(EXP_STAT_AI_PLAYERS_KILLED);
000032 | #endif
000033 |     }
000034 |
000035 |     // -----
000036 |     // Override OnEntityKilled
000037 |     // -----
000038 |     override void OnEntityKilled(Object killer, EntityAI target)
000039 |     {
000040 | #ifdef EXPANSIONTRACE
000041 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnEntityKilled");
000042 | #endif

```

```
000043 |
000044 |     super.OnEntityKilled(killer, target);
000045 |
000046 |     EntityAI killer_entity = EntityAI.Cast( killer );
000047 |     if (killer_entity)
000048 |     {
000049 |         Man killer_survivor = killer_entity.GetHierarchyRootPlayer();
000050 |
000051 |         if (killer_survivor)
000052 |         {
000053 |             if (target.IsAnimal())
000054 |             {
000055 |                 OnAnimalKilled(killer_survivor, target);
000056 |             }
000057 |         }
000058 |     }
000059 | }
000060 |
000061 | // -----
000062 | // Expansion OnAnimalKilled
000063 | // -----
000064 | protected void OnAnimalKilled(Man killer, EntityAI target)
000065 | {
000066 | #ifdef EXPANSIONTRACE
000067 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnAnimalKilled");
000068 | #endif
000069 |
000070 |     killer.StatUpdate(EXP_STAT_ANIMALS_KILLED, 1);
000071 | }
000072 |
000073 | override protected void OnPlayerKilled(Man killer, EntityAI target)
000074 | {
000075 | #ifdef EXPANSIONTRACE
000076 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnPlayerKilled");
000077 | #endif
000078 |
000079 | #ifdef ENFUSION_AI_PROJECT
000080 |     //! Since eAIBase and DZPlayerImpl are not available in 3_Game,
000081 |     //! we just assume AI if target is man and has no identity
000082 |     Man victim;
000083 |     if (Class.CastTo(victim, target) && !victim.GetIdentity())
000084 |     {
000085 |         OnAIPlayerKilled(killer, target);
000086 |         return;
000087 |     }
000088 | #endif
000089 |
000090 |     super.OnPlayerKilled(killer, target);
000091 | }
000092 |
000093 | protected void OnAIPlayerKilled(Man killer, EntityAI target)
000094 | {
000095 | #ifdef EXPANSIONTRACE
000096 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnAIPlayerKilled");
000097 | #endif
000098 |
000099 | #ifdef ENFUSION_AI_PROJECT
000100 |     killer.StatUpdate(EXP_STAT_AI_PLAYERS_KILLED, 1);
000101 | #endif
000102 | }
000103 | }
000104 |
```

0015. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCE.c

Size bytes: 5065

SHA-256: 80fda075e2250a53c24c035b9ba71082bd2c6eddae7bca65fe9b2e884559ed73

Decoded as: utf-8-sig

Line count shown: 221

Detected class declarations: 1

L44: class ExpansionCE

Detected enum declarations: 0

Detected function/method-like declarations: 16

L57: static ExpansionCE GetInstance()

L65: private void ExpansionCE()

L73: void Init()

L82: void LoadPlayerSpawnpoints()

L95: void LoadTerritories()

L116: void LoadTerritories(string territoryName)

L129: void LoadCE()

L144: void LoadCE(ExpansionCEFileType type)

L159: void LoadTypes()

L167: void LoadSpawnableTypes()

L175: void LoadEvents()

L180: void SaveJSON(string fileName = "\$mission:ExpansionCE.json")

L194: void Clear()

L203: ExpansionCEType GetType(string name)

L209: ExpansionCESpawnableType GetSpawnableType(string name)

L215: ExpansionCEEvent GetEvent(string name)

Full file content

```
000001 | /**
000002 |  * ExpansionCE.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**
000014 |  * @brief Central Economy
000015 |  * \n usage:
000016 |  * @code
000017 |  * ExpansionCE ce = ExpansionCE.GetInstance();
000018 |  *
000019 |  * ce.LoadTypes();
000020 |  * ExpansionCESpawnableType hatchet = ce.GetType("Hatchet");
000021 |  * Print(hatchet.Categories[0]);
000022 |  *
000023 |  * >> "tools"
000024 |  *
000025 |  * ce.LoadSpawnableTypes();
000026 |  * ExpansionCEType vss = ce.GetSpawnableType("VSS");
000027 |  * Print(vss.AttachmentGroups[0].Items[0].ItemName);
000028 |  *
000029 |  * >> "PS0110ptic"
000030 |  *
000031 |  * ce.LoadEvents();
```

```
000032 | * ExpansionCEEvent helicrash = ce.GetEvent("StaticHeliCrash");
000033 | * Print(helicrash.Children["wreck_m18_crashed"].LootMin);
000034 | *
000035 | * >> 10
000036 | *
000037 | * ce.LoadTerritories("wolf");
000038 | * ExpansionCETerritories wolf = ce.Territories["wolf"];
000039 | * Print(wolf.Zones[0].Name);
000040 | *
000041 | * >> "Water"
000042 | * @endcode
000043 | */
000044 | class ExpansionCE
000045 | {
000046 |     static const int NOT_SET = int.MIN;
000047 |
000048 |     protected static ref ExpansionCE s_Instance;
000049 |
000050 |     ref ExpansionEconomyCore EconomyCore = new ExpansionEconomyCore();
000051 |     ref ExpansionCETypes Types = new ExpansionCETypes();
000052 |     ref ExpansionCESpawnableTypes SpawnableTypes = new ExpansionCESpawnableTypes();
000053 |     ref ExpansionCEEEvents Events = new ExpansionCEEEvents();
000054 |     ref map<string, ref ExpansionCETerritories> Territories = new map<string, ref ExpansionCETerritories>();
000055 |     ref ExpansionCEPlayerSpawnpoints PlayerSpawnPoints = new ExpansionCEPlayerSpawnpoints();
000056 |
000057 |     static ExpansionCE GetInstance()
000058 |     {
000059 |         if (!s_Instance)
000060 |             s_Instance = new ExpansionCE();
000061 |
000062 |         return s_Instance;
000063 |     }
000064 |
000065 |     private void ExpansionCE()
000066 |     {
000067 |         Init();
000068 |     }
000069 |
000070 |     /**
000071 |     * @brief Initialize instance. WARNING: Should only be called on fresh instance or after calling Clear()
000072 |     */
000073 |     void Init()
000074 |     {
000075 |         EconomyCore.LoadDB(null);
000076 |         EconomyCore.Load(null, "$mission:cfgeconomycore.xml");
000077 |     }
000078 |
000079 |     /**
000080 |     * @brief Load player spawnpoints
000081 |     */
000082 |     void LoadPlayerSpawnpoints()
000083 |     {
000084 |         #ifdef EXTRACE
000085 |             auto trace = EXTrace.Start(EXTrace.CE, this);
000086 |         #endif
000087 |
000088 |         if (!PlayerSpawnPoints.IsLoaded())
000089 |             PlayerSpawnPoints.Load("$mission:cfgplayerspawnpoints.xml");
000090 |     }
000091 |
000092 |     /**
000093 |     * @brief Load all territories
```

```
000094 | */
000095 | void LoadTerritories()
000096 | {
000097 | #ifdef EXTRACE
000098 |     auto trace = EXTrace.Start(EXTrace.CE, this);
000099 | #endif
000100 |
000101 |     if (Territories.Count() > 0)
000102 |         return;
000103 |
000104 |     TStringArray territories = ExpansionStatic.FindFilesInLocation("$mission:env\\", ".xml");
000105 |     foreach (string territory: territories)
000106 |     {
000107 |         string territoryName = territory;
000108 |         territoryName.Replace("_territories.xml", "");
000109 |         LoadTerritories(territoryName);
000110 |     }
000111 | }
000112 |
000113 | /**
000114 |  * @brief Load specific territories
000115 |  */
000116 | void LoadTerritories(string territoryName)
000117 | {
000118 | #ifdef EXTRACE
000119 |     auto trace = EXTrace.Start(EXTrace.CE, this);
000120 | #endif
000121 |
000122 |     if (!Territories.Contains(territoryName))
000123 |         Territories[territoryName] = ExpansionCETerritories.LoadTerritories(string.Format("$mission:env\\%1_territories.xml", territoryName));
000124 | }
000125 |
000126 | /**
000127 |  * @brief Load all supported CE filetypes (types, spawnabletypes and events)
000128 |  */
000129 | void LoadCE()
000130 | {
000131 | #ifdef EXTRACE
000132 |     auto trace = EXTrace.Start(EXTrace.CE, this);
000133 | #endif
000134 |
000135 |     foreach (ExpansionCEFolde folder: EconomyCore.CE)
000136 |     {
000137 |         folder.Load(this);
000138 |     }
000139 | }
000140 |
000141 | /**
000142 |  * @brief Load specific CE filetype (types, spawnabletypes or events)
000143 |  */
000144 | void LoadCE(ExpansionCEFileType type)
000145 | {
000146 | #ifdef EXTRACE
000147 |     auto trace = EXTrace.Start(EXTrace.CE, this, typename.EnumToString(ExpansionCEFileType, type));
000148 | #endif
000149 |
000150 |     foreach (ExpansionCEFolde folder: EconomyCore.CE)
000151 |     {
000152 |         folder.Load(this, type);
000153 |     }
000154 | }
000155 |
```

```
000156 | /**
000157 |  * @brief Load types (equivalent to LoadCE(ExpansionCEFileType.TYPES)
000158 |  */
000159 | void LoadTypes()
000160 | {
000161 |     LoadCE(ExpansionCEFileType.TYPES);
000162 | }
000163 |
000164 | /**
000165 |  * @brief Load spawnabletypes (equivalent to LoadCE(ExpansionCEFileType.SPAWNABLETYPES)
000166 |  */
000167 | void LoadSpawnableTypes()
000168 | {
000169 |     LoadCE(ExpansionCEFileType.SPAWNABLETYPES);
000170 | }
000171 |
000172 | /**
000173 |  * @brief Load events (equivalent to LoadCE(ExpansionCEFileType.EVENTS)
000174 |  */
000175 | void LoadEvents()
000176 | {
000177 |     LoadCE(ExpansionCEFileType.EVENTS);
000178 | }
000179 |
000180 | void SaveJSON(string fileName = "$mission:ExpansionCE.json")
000181 | {
000182 |     #ifdef EXTRACE
000183 |         auto trace = EXTrace.Start(EXTrace.CE, this);
000184 |     #endif
000185 |
000186 |     string errorMsg;
000187 |     if (!JsonFileLoader<ExpansionCE>.SaveFile(fileName, this, errorMsg))
000188 |         Error(errorMsg);
000189 | }
000190 |
000191 | /**
000192 |  * @brief Clear all loaded data
000193 |  */
000194 | void Clear()
000195 | {
000196 |     EconomyCore.Clear();
000197 |     Types.Clear();
000198 |     SpawnableTypes.Clear();
000199 |     Events.Clear();
000200 |     Territories.Clear();
000201 | }
000202 |
000203 | ExpansionCEType GetType(string name)
000204 | {
000205 |     name.ToLower();
000206 |     return Types[name];
000207 | }
000208 |
000209 | ExpansionCESpawnableType GetSpawnableType(string name)
000210 | {
000211 |     name.ToLower();
000212 |     return SpawnableTypes[name];
000213 | }
000214 |
000215 | ExpansionCEEEvent GetEvent(string name)
000216 | {
000217 |     name.ToLower();
```

```
000218 |         return Events[name];  
000219 |     }  
000220 | }  
000221 |
```

0016. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEEvents.c

Size bytes: 6444

SHA-256: ed68648ec8072d16400b0d2af61679287bfea15e60627c241ade95991ed7f040

Decoded as: utf-8-sig

Line count shown: 240

Detected class declarations: 4

L13: class ExpansionCEEventChild

L42: class ExpansionCEEventFlags

L61: class ExpansionCEEvent

L146: class ExpansionCEEvents: map<string, ref ExpansionCEEvent>

Detected enum declarations: 0

Detected function/method-like declarations: 9

L21: void ExpansionCEEventChild(string type)

L26: void Merge(ExpansionCEEventChild other)

L48: void Merge(ExpansionCEEventFlags other)

L78: void ExpansionCEEvent(string name)

L83: void AddChild(ExpansionCEEventChild child)

L92: void Merge(ExpansionCEEvent other)

L148: static ExpansionCEEvents LoadEvents(string fileName)

L155: void ReadEvents(string fileName)

L231: void Merge(string key, ExpansionCEEvent ceEvent)

Full file content

```
000001 | /**
000002 |  * ExpansionCEEvents.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCEEventChild
000014 | {
000015 |     string Type;
000016 |     int LootMin;
000017 |     int LootMax;
000018 |     int Min;
000019 |     int Max;
000020 |
000021 |     void ExpansionCEEventChild(string type)
000022 |     {
000023 |         Type = type;
000024 |     }
000025 |
000026 |     void Merge(ExpansionCEEventChild other)
000027 |     {
000028 |         if (other.LootMin != ExpansionCE.NOT_SET)
000029 |             LootMin = other.LootMin;
000030 |
000031 |         if (other.LootMax != ExpansionCE.NOT_SET)
000032 |             LootMax = other.LootMax;
000033 |
000034 |         if (other.Min != ExpansionCE.NOT_SET)
000035 |             Min = other.Min;
```



```
000036 |
000037 |         if (other.Max != ExpansionCE.NOT_SET)
000038 |             Max = other.Max;
000039 |     }
000040 | }
000041 |
000042 | class ExpansionCEEventFlags
000043 | {
000044 |     int Deletable;
000045 |     int InitRandom;
000046 |     int RemoveDamaged;
000047 |
000048 |     void Merge(ExpansionCEEventFlags other)
000049 |     {
000050 |         if (other.Deletable != ExpansionCE.NOT_SET)
000051 |             Deletable = other.Deletable;
000052 |
000053 |         if (other.InitRandom != ExpansionCE.NOT_SET)
000054 |             InitRandom = other.InitRandom;
000055 |
000056 |         if (other.RemoveDamaged != ExpansionCE.NOT_SET)
000057 |             RemoveDamaged = other.RemoveDamaged;
000058 |     }
000059 | }
000060 |
000061 | class ExpansionCEEvent
000062 | {
000063 |     string Name;
000064 |     int Nominal;
000065 |     int Min;
000066 |     int Max;
000067 |     int Lifetime;
000068 |     int Restock;
000069 |     int SafeRadius;
000070 |     int DistanceRadius;
000071 |     int CleanupRadius;
000072 |     string Position;
000073 |     string Limit;
000074 |     int Active;
000075 |     ref ExpansionCEEventFlags Flags;
000076 |     ref map<string, ref ExpansionCEEventChild> Children = new map<string, ref ExpansionCEEventChild>();
000077 |
000078 |     void ExpansionCEEvent(string name)
000079 |     {
000080 |         Name = name;
000081 |     }
000082 |
000083 |     void AddChild(ExpansionCEEventChild child)
000084 |     {
000085 |         string type = child.Type;
000086 |         type.ToLower();
000087 |
000088 |         Children[type] = child;
000089 |     }
000090 |
000091 |     //! See https://community.bistudio.com/wiki/DayZ:Central\_Economy\_mission\_files\_modding for file specifics
000092 |     void Merge(ExpansionCEEvent other)
000093 |     {
000094 |         if (other.Nominal != ExpansionCE.NOT_SET)
000095 |             Nominal = other.Nominal;
000096 |
000097 |         if (other.Min != ExpansionCE.NOT_SET)
```

```
000098 |         Min = other.Min;
000099 |
000100 |         if (other.Max != ExpansionCE.NOT_SET)
000101 |             Max = other.Max;
000102 |
000103 |         if (other.Lifetime != ExpansionCE.NOT_SET)
000104 |             Lifetime = other.Lifetime;
000105 |
000106 |         if (other.Restock != ExpansionCE.NOT_SET)
000107 |             Restock = other.Restock;
000108 |
000109 |         if (other.SafeRadius != ExpansionCE.NOT_SET)
000110 |             SafeRadius = other.SafeRadius;
000111 |
000112 |         if (other.DistanceRadius != ExpansionCE.NOT_SET)
000113 |             DistanceRadius = other.DistanceRadius;
000114 |
000115 |         if (other.CleanupRadius != ExpansionCE.NOT_SET)
000116 |             CleanupRadius = other.CleanupRadius;
000117 |
000118 |         if (other.Position)
000119 |             Position = other.Position;
000120 |
000121 |         if (other.Limit)
000122 |             Limit = other.Limit;
000123 |
000124 |         if (other.Active != ExpansionCE.NOT_SET)
000125 |             Active = other.Active;
000126 |
000127 |         if (other.Flags)
000128 |         {
000129 |             if (!Flags)
000130 |                 Flags = new ExpansionCEEventFlags();
000131 |
000132 |             Flags.Merge(other.Flags);
000133 |         }
000134 |
000135 |         foreach (string type, ExpansionCEEventChild child: other.Children)
000136 |         {
000137 |             ExpansionCEEventChild existingChild = Children[type];
000138 |             if (existingChild)
000139 |                 existingChild.Merge(child);
000140 |             else
000141 |                 AddChild(child);
000142 |         }
000143 |     }
000144 | }
000145 |
000146 | class ExpansionCEEvents: map<string, ref ExpansionCEEvent>
000147 | {
000148 |     static ExpansionCEEvents LoadEvents(string fileName)
000149 |     {
000150 |         ExpansionCEEvents events = new ExpansionCEEvents();
000151 |         events.ReadEvents(fileName);
000152 |         return events;
000153 |     }
000154 |
000155 |     void ReadEvents(string fileName)
000156 |     {
000157 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000158 |         if (document)
000159 |         {
```

```
000160 |         auto root = document.Get("events")[0];
000161 |         if (!root)
000162 |         {
000163 |             CF.FormatError("No root tag 'events' in '%1'", fileName);
000164 |             return;
000165 |         }
000166 |
000167 |         auto events = root.GetContent().GetTags();
000168 |         foreach (CF_XML_Tag eventTag: events)
000169 |         {
000170 |             string tagName = eventTag.GetName();
000171 |             if (tagName != "event")
000172 |                 continue;
000173 |
000174 |             string name = ExpansionXML.GetAttributeString(eventTag, "name");
000175 |
000176 |             string key = name;
000177 |             key.ToLower();
000178 |
000179 |             int defaultValue = 0;
000180 |
000181 |             if (Contains(key))
000182 |                 defaultValue = ExpansionCE.NOT_SET;
000183 |
000184 |             auto ceEvent = new ExpansionCEEvent(name);
000185 |
000186 |             ceEvent.Nominal = ExpansionXML.GetTagContentInt(eventTag, "nominal", defaultValue);
000187 |             ceEvent.Min = ExpansionXML.GetTagContentInt(eventTag, "min", defaultValue);
000188 |             ceEvent.Max = ExpansionXML.GetTagContentInt(eventTag, "max", defaultValue);
000189 |             ceEvent.Lifetime = ExpansionXML.GetTagContentInt(eventTag, "lifetime", defaultValue);
000190 |             ceEvent.Restock = ExpansionXML.GetTagContentInt(eventTag, "restock", defaultValue);
000191 |             ceEvent.SafeRadius = ExpansionXML.GetTagContentInt(eventTag, "saferadius", defaultValue);
000192 |             ceEvent.DistanceRadius = ExpansionXML.GetTagContentInt(eventTag, "distanceradius", defaultValue);
000193 |             ceEvent.CleanupRadius = ExpansionXML.GetTagContentInt(eventTag, "cleanupradius", defaultValue);
000194 |             ceEvent.Position = ExpansionXML.GetTagContentString(eventTag, "position", "");
000195 |             ceEvent.Limit = ExpansionXML.GetTagContentString(eventTag, "limit", "");
000196 |             ceEvent.Active = ExpansionXML.GetTagContentInt(eventTag, "active", defaultValue);
000197 |
000198 |             auto flags = eventTag.GetTag("flags")[0];
000199 |             if (flags)
000200 |             {
000201 |                 ceEvent.Flags = new ExpansionCEEventFlags();
000202 |                 ceEvent.Flags.Deletable = ExpansionXML.GetAttributeInt(flags, "deletable", defaultValue);
000203 |                 ceEvent.Flags.InitRandom = ExpansionXML.GetAttributeInt(flags, "init_random", defaultValue);
000204 |                 ceEvent.Flags.RemoveDamaged = ExpansionXML.GetAttributeInt(flags, "remove_damaged", defaultValue);
000205 |             }
000206 |
000207 |             auto childrenTag = eventTag.GetTag("children")[0];
000208 |             if (childrenTag)
000209 |             {
000210 |                 auto children = childrenTag.GetTag("child");
000211 |                 foreach (CF_XML_Tag child: children)
000212 |                 {
000213 |                     string type = ExpansionXML.GetAttributeString(child, "type");
000214 |
000215 |                     auto ceEventChild = new ExpansionCEEventChild(type);
000216 |
000217 |                     ceEventChild.LootMin = ExpansionXML.GetAttributeInt(child, "lootmin", defaultValue);
000218 |                     ceEventChild.LootMax = ExpansionXML.GetAttributeInt(child, "lootmax", defaultValue);
000219 |                     ceEventChild.Min = ExpansionXML.GetAttributeInt(child, "min", defaultValue);
000220 |                     ceEventChild.Max = ExpansionXML.GetAttributeInt(child, "max", defaultValue);
000221 |                 }
```

```
000222 |         ceEvent.AddChild(ceEventChild);
000223 |     }
000224 | }
000225 |
000226 |     Merge(key, ceEvent);
000227 | }
000228 | }
000229 | }
000230 |
000231 | void Merge(string key, ExpansionCEEvent ceEvent)
000232 | {
000233 |     ExpansionCEEvent existing;
000234 |     if (Find(key, existing))
000235 |         existing.Merge(ceEvent);
000236 |     else
000237 |         Insert(key, ceEvent);
000238 | }
000239 | }
000240 |
```

0017. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCEPlayerSpawnPoints.c

Size bytes: 5696

SHA-256: 7387c17f5fca7a0fc913226f1cead979121a806cf6228a4648f67d242a4de1ed

Decoded as: utf-8-sig

Line count shown: 177

Detected class declarations: 6

```
L13: class ExpansionCEPlayerSpawnpointsParams
L25: class ExpansionCEPlayerSpawnpointsGeneratorParams
L36: class ExpansionCEPlayerSpawnpointsGroupParams
L44: class ExpansionCEPlayerSpawnpointsGroup
L55: class ExpansionCEPlayerSpawnpointsSettings
L63: class ExpansionCEPlayerSpawnpoints
```

Detected enum declarations: 0

Detected function/method-like declarations: 3

```
L49: void ExpansionCEPlayerSpawnpointsGroup(string name)
L72: void Load(string fileName)
L172: bool IsLoaded()
```

Full file content

```
000001 | /**
000002 |  * ExpansionCEPlayerSpawnpoints.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCEPlayerSpawnpointsParams
000014 | {
000015 |     int MinDistInfected;
000016 |     int MaxDistInfected;
000017 |     int MinDistPlayer;
000018 |     int MaxDistPlayer;
000019 |     int MinDistStatic;
000020 |     int MaxDistStatic;
000021 |     int MinDistTrigger;
000022 |     int MaxDistTrigger;
000023 | }
000024 |
000025 | class ExpansionCEPlayerSpawnpointsGeneratorParams
000026 | {
000027 |     int GridDensity;
000028 |     int GridWidth;
000029 |     int GridHeight;
000030 |     int MinDistStatic;
000031 |     int MaxDistStatic;
000032 |     int MinSteepness;
000033 |     int MaxSteepness;
000034 | }
000035 |
000036 | class ExpansionCEPlayerSpawnpointsGroupParams
000037 | {
000038 |     bool EnableGroups;
000039 |     bool GroupsAsRegular;
```

```
000040 |     int Lifetime;
000041 |     int Counter;
000042 | }
000043 |
000044 | class ExpansionCEPlayerSpawnpointsGroup
000045 | {
000046 |     string Name;
000047 |     ref TVectorArray Positions = {};
000048 |
000049 |     void ExpansionCEPlayerSpawnpointsGroup(string name)
000050 |     {
000051 |         Name = name;
000052 |     }
000053 | }
000054 |
000055 | class ExpansionCEPlayerSpawnpointsSettings
000056 | {
000057 |     ref ExpansionCEPlayerSpawnpointsParams Params;
000058 |     ref ExpansionCEPlayerSpawnpointsGeneratorParams GeneratorParams;
000059 |     ref ExpansionCEPlayerSpawnpointsGroupParams GroupParams;
000060 |     ref array<ref ExpansionCEPlayerSpawnpointsGroup> Groups = {};
000061 | }
000062 |
000063 | class ExpansionCEPlayerSpawnpoints
000064 | {
000065 |     ref ExpansionCEPlayerSpawnpointsSettings Fresh;
000066 |     ref ExpansionCEPlayerSpawnpointsSettings Hop;
000067 |     ref ExpansionCEPlayerSpawnpointsSettings Travel;
000068 |
000069 |     [NonSerialized()]
000070 |     protected bool m_IsLoaded;
000071 |
000072 |     void Load(string fileName)
000073 |     {
000074 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000075 |         if (document)
000076 |         {
000077 |             auto root = document.Get("playerspawnpoints")[0];
000078 |             if (!root)
000079 |             {
000080 |                 CF.FormatError("No root tag 'playerspawnpoints' in '%1'", fileName);
000081 |                 return;
000082 |             }
000083 |
000084 |             auto tags = root.GetContent().GetTags();
000085 |             foreach (CF_XML_Tag tag: tags)
000086 |             {
000087 |                 auto settings = new ExpansionCEPlayerSpawnpointsSettings();
000088 |
000089 |                 string tagName = tag.GetName();
000090 |                 switch (tagName)
000091 |                 {
000092 |                     case "fresh":
000093 |                         Fresh = settings;
000094 |                         break;
000095 |
000096 |                     case "hop":
000097 |                         Hop = settings;
000098 |                         break;
000099 |
000100 |                     case "travel":
000101 |                         Travel = settings;
```

```
000102 |         break;
000103 |
000104 |     default:
000105 |         continue;
000106 | }
000107 |
000108 | auto spawnParams = tag.GetTag("spawn_params")[0];
000109 | if (spawnParams)
000110 | {
000111 |     settings.Params = new ExpansionCEPlayerSpawnpointsParams();
000112 |     settings.Params.MinDistInfected = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_infected");
000113 |     settings.Params.MaxDistInfected = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_infected");
000114 |     settings.Params.MinDistPlayer = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_player");
000115 |     settings.Params.MaxDistPlayer = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_player");
000116 |     settings.Params.MinDistStatic = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_static");
000117 |     settings.Params.MaxDistStatic = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_static");
000118 |     settings.Params.MinDistTrigger = ExpansionXML.GetTagContentInt(spawnParams, "min_dist_trigger");
000119 |     settings.Params.MaxDistTrigger = ExpansionXML.GetTagContentInt(spawnParams, "max_dist_trigger");
000120 | }
000121 |
000122 | auto generatorParams = tag.GetTag("generator_params")[0];
000123 | if (generatorParams)
000124 | {
000125 |     settings.GeneratorParams = new ExpansionCEPlayerSpawnpointsGeneratorParams();
000126 |     settings.GeneratorParams.GridDensity = ExpansionXML.GetTagContentInt(generatorParams, "grid_density");
000127 |     settings.GeneratorParams.GridWidth = ExpansionXML.GetTagContentInt(generatorParams, "grid_width");
000128 |     settings.GeneratorParams.GridHeight = ExpansionXML.GetTagContentInt(generatorParams, "grid_height");
000129 |     settings.GeneratorParams.MinDistStatic = ExpansionXML.GetTagContentInt(generatorParams, "min_dist_static");
000130 |     settings.GeneratorParams.MaxDistStatic = ExpansionXML.GetTagContentInt(generatorParams, "max_dist_static");
000131 |     settings.GeneratorParams.MinSteepness = ExpansionXML.GetTagContentInt(generatorParams, "min_steepness");
000132 |     settings.GeneratorParams.MaxSteepness = ExpansionXML.GetTagContentInt(generatorParams, "max_steepness");
000133 | }
000134 |
000135 | auto groupParams = tag.GetTag("group_params")[0];
000136 | if (groupParams)
000137 | {
000138 |     settings.GroupParams = new ExpansionCEPlayerSpawnpointsGroupParams();
000139 |     settings.GroupParams.EnableGroups = ExpansionXML.GetTagContentInt(groupParams, "enablegroups");
000140 |     settings.GroupParams.GroupsAsRegular = ExpansionXML.GetTagContentInt(groupParams, "groups_as_regular");
000141 |     settings.GroupParams.Lifetime = ExpansionXML.GetTagContentInt(groupParams, "lifetime");
000142 |     settings.GroupParams.Counter = ExpansionXML.GetTagContentInt(groupParams, "counter");
000143 | }
000144 |
000145 | auto posbubbles = tag.GetTag("generator_posbubbles")[0];
000146 | if (posbubbles)
000147 | {
000148 |     auto groups = posbubbles.GetContent().GetTags();
000149 |     foreach (CF_XML_Tag groupTag: groups)
000150 |     {
000151 |         string groupName = ExpansionXML.GetAttributeString(groupTag, "name");
000152 |         auto group = new ExpansionCEPlayerSpawnpointsGroup(groupName);
000153 |
000154 |         auto positions = groupTag.GetTag("pos");
000155 |         foreach (CF_XML_Tag pos: positions)
000156 |         {
000157 |             float x = ExpansionXML.GetAttributeFloat(pos, "x");
000158 |             float y = ExpansionXML.GetAttributeFloat(pos, "y"); //! Unused
000159 |             float z = ExpansionXML.GetAttributeFloat(pos, "z");
000160 |             group.Positions.Insert(Vector(x, y, z));
000161 |         }
000162 |
000163 |         settings.Groups.Insert(group);
```

```
000164 |         }
000165 |     }
000166 | }
000167 |
000168 |
000169 |     m_IsLoaded = true;
000170 | }
000171 |
000172 | bool IsLoaded()
000173 | {
000174 |     return m_IsLoaded;
000175 | }
000176 | }
000177 |
```


0018. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCESpawnableTypes.c

Size bytes: 3430

SHA-256: 906b5ef3d226bcc75fa8e8a43a5a8e14a8b00e973f55741c4e2353a88cbaf3ef

Decoded as: utf-8-sig

Line count shown: 130

Detected class declarations: 4

L13: class ExpansionCESpawnableAttachment

L25: class ExpansionCESpawnableAttachmentGroup

L41: class ExpansionCESpawnableType

L63: class ExpansionCESpawnableTypes: map<string, ref ExpansionCESpawnableType>

Detected enum declarations: 0

Detected function/method-like declarations: 9

L18: void ExpansionCESpawnableAttachment(string itemName, float chance)

L30: void ExpansionCESpawnableAttachmentGroup(float groupChance)

L35: void AddItem(string itemName, float itemChance)

L46: void ExpansionCESpawnableType(string name)

L51: void AddAttachmentGroup(ExpansionCESpawnableAttachmentGroup group)

L57: void Merge(ExpansionCESpawnableType other)

L65: static ExpansionCESpawnableTypes LoadTypes(string fileName)

L72: void ReadTypes(string fileName)

L121: void Merge(string key, ExpansionCESpawnableType spawnableType)

Full file content

```
000001 | /**
000002 |  * ExpansionCESpawnableTypes.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCESpawnableAttachment
000014 | {
000015 |     string ItemName;
000016 |     float Chance;
000017 |
000018 |     void ExpansionCESpawnableAttachment(string itemName, float chance)
000019 |     {
000020 |         ItemName = itemName;
000021 |         Chance = chance;
000022 |     }
000023 | }
000024 |
000025 | class ExpansionCESpawnableAttachmentGroup
000026 | {
000027 |     float GroupChance;
000028 |     ref array<ref ExpansionCESpawnableAttachment> Items = new array<ref ExpansionCESpawnableAttachment>();
000029 |
000030 |     void ExpansionCESpawnableAttachmentGroup(float groupChance)
000031 |     {
000032 |         GroupChance = groupChance;
000033 |     }
000034 |
000035 |     void AddItem(string itemName, float itemChance)
```

```
000036 |     {
000037 |         Items.Insert(new ExpansionCESpawnableAttachment(itemName, itemChance));
000038 |     }
000039 | }
000040 |
000041 | class ExpansionCESpawnableType
000042 | {
000043 |     string Name;
000044 |     ref array<ref ExpansionCESpawnableAttachmentGroup> AttachmentGroups = new array<ref ExpansionCESpawnableAttachmentGroup>();
000045 |
000046 |     void ExpansionCESpawnableType(string name)
000047 |     {
000048 |         Name = name;
000049 |     }
000050 |
000051 |     void AddAttachmentGroup(ExpansionCESpawnableAttachmentGroup group)
000052 |     {
000053 |         AttachmentGroups.Insert(group);
000054 |     }
000055 |
000056 |     ///! See https://community.bistudio.com/wiki/DayZ:Central\_Economy\_mission\_files\_modding for file specifics
000057 |     void Merge(ExpansionCESpawnableType other)
000058 |     {
000059 |         ExpansionArray<ExpansionCESpawnableAttachmentGroup>.RefCopy(other.AttachmentGroups, AttachmentGroups);
000060 |     }
000061 | }
000062 |
000063 | class ExpansionCESpawnableTypes: map<string, ref ExpansionCESpawnableType>
000064 | {
000065 |     static ExpansionCESpawnableTypes LoadTypes(string fileName)
000066 |     {
000067 |         ExpansionCESpawnableTypes types = new ExpansionCESpawnableTypes();
000068 |         types.ReadTypes(fileName);
000069 |         return types;
000070 |     }
000071 |
000072 |     void ReadTypes(string fileName)
000073 |     {
000074 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000075 |         if (document)
000076 |         {
000077 |             auto root = document.Get("spawnabletypes")[0];
000078 |             if (!root)
000079 |             {
000080 |                 CF.FormatError("No root tag 'spawnabletypes' in '%1'", fileName);
000081 |                 return;
000082 |             }
000083 |
000084 |             auto types = root.GetContent().GetTags();
000085 |             foreach (CF_XML_Tag type: types)
000086 |             {
000087 |                 string tagName = type.GetName();
000088 |                 if (tagName != "type")
000089 |                     continue;
000090 |
000091 |                 string name = ExpansionXML.GetAttributeString(type, "name");
000092 |
000093 |                 string key = name;
000094 |                 key.ToLower();
000095 |
000096 |                 auto spawnableType = new ExpansionCESpawnableType(name);
000097 |             }
```

```
000098 |         auto attachmentGroups = type.GetTag("attachments");
000099 |         foreach (CF_XML_Tag attachmentGroup: attachmentGroups)
000100 |         {
000101 |             float groupChance = ExpansionXML.GetAttributeFloat(attachmentGroup, "chance", 0.0);
000102 |             auto group = new ExpansionCESpawnableAttachmentGroup(groupChance);
000103 |
000104 |             auto items = attachmentGroup.GetTag("item");
000105 |             foreach (CF_XML_Tag item: items)
000106 |             {
000107 |                 string itemName = ExpansionXML.GetAttributeString(item, "name");
000108 |                 float itemChance = ExpansionXML.GetAttributeFloat(item, "chance", 0.0);
000109 |
000110 |                 group.AddItem(itemName, itemChance);
000111 |             }
000112 |
000113 |             spawnableType.AddAttachmentGroup(group);
000114 |         }
000115 |
000116 |         Merge(key, spawnableType);
000117 |     }
000118 | }
000119 |
000120 |
000121 | void Merge(string key, ExpansionCESpawnableType spawnableType)
000122 | {
000123 |     ExpansionCESpawnableType existing;
000124 |     if (Find(key, existing))
000125 |         existing.Merge(spawnableType);
000126 |     else
000127 |         Insert(key, spawnableType);
000128 | }
000129 | }
000130 |
```

0019. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETerritory.c

Size bytes: 2672

SHA-256: b73c477e1c842684da694105800a6e251f4da9b335c1b5a5403525eceed9b266

Decoded as: utf-8-sig

Line count shown: 105

Detected class declarations: 3

L17: class ExpansionCETerritory

L29: class ExpansionCETerritoryZone

L53: class ExpansionCETerritories: array<ref ExpansionCETerritory>

Detected enum declarations: 0

Detected function/method-like declarations: 4

L22: void ExpansionCETerritory(string color)

L40: void ExpansionCETerritoryZone(string name, int sMin, int sMax, int dMin, int dMax, float x, float z, float radius)

L55: static ExpansionCETerritories LoadTerritories(string fileName)

L62: void ReadTerritories(string fileName)

Full file content

```

000001 | /**
000002 |  * ExpansionCETerritory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionCETerritory
000014 |  * @brief      structure for mission\env xmls
000015 |  */
000016 |
000017 | class ExpansionCETerritory
000018 | {
000019 |     string Color;
000020 |     ref array<ref ExpansionCETerritoryZone> Zones;
000021 |
000022 |     void ExpansionCETerritory(string color)
000023 |     {
000024 |         Color = color;
000025 |         Zones = {};
000026 |     }
000027 | }
000028 |
000029 | class ExpansionCETerritoryZone
000030 | {
000031 |     string Name;
000032 |     int StaticMin;
000033 |     int StaticMax;
000034 |     int DynamicMin;
000035 |     int DynamicMax;
000036 |     float X;
000037 |     float Z;
000038 |     float Radius;
000039 |
000040 |     void ExpansionCETerritoryZone(string name, int sMin, int sMax, int dMin, int dMax, float x, float z, float radius)
000041 |     {

```

```
000042 |         Name = name;
000043 |         StaticMin = sMin;
000044 |         StaticMax = sMax;
000045 |         DynamicMin = dMin;
000046 |         DynamicMax = dMax;
000047 |         X = x;
000048 |         Z = z;
000049 |         Radius = radius;
000050 |     }
000051 | }
000052 |
000053 | class ExpansionCETerritories: array<ref ExpansionCETerritory>
000054 | {
000055 |     static ExpansionCETerritories LoadTerritories(string fileName)
000056 |     {
000057 |         ExpansionCETerritories territories = {};
000058 |         territories.ReadTerritories(fileName);
000059 |         return territories;
000060 |     }
000061 |
000062 |     void ReadTerritories(string fileName)
000063 |     {
000064 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000065 |         if (document)
000066 |         {
000067 |             auto root = document.Get("territory-type")[0];
000068 |             if (!root)
000069 |             {
000070 |                 CF.FormatError("No root tag 'territory-type' in '%1'", fileName);
000071 |                 return;
000072 |             }
000073 |
000074 |             auto territories = root.GetContent().GetTags();
000075 |             foreach (CF_XML_Tag territory: territories)
000076 |             {
000077 |                 string tagName = territory.GetName();
000078 |                 if (tagName != "territory")
000079 |                     continue;
000080 |
000081 |                 string color = ExpansionXML.GetAttributeString(territory, "color");
000082 |
000083 |                 auto ceTerritory = new ExpansionCETerritory(color);
000084 |
000085 |                 auto zones = territory.GetTag("zone");
000086 |                 foreach (CF_XML_Tag zone: zones)
000087 |                 {
000088 |                     string name = ExpansionXML.GetAttributeString(zone, "name");
000089 |                     int sMin = ExpansionXML.GetAttributeInt(zone, "smin");
000090 |                     int sMax = ExpansionXML.GetAttributeInt(zone, "smax");
000091 |                     int dMin = ExpansionXML.GetAttributeInt(zone, "dmin");
000092 |                     int dMax = ExpansionXML.GetAttributeInt(zone, "dmax");
000093 |                     float x = ExpansionXML.GetAttributeFloat(zone, "x");
000094 |                     float z = ExpansionXML.GetAttributeFloat(zone, "z");
000095 |                     float radius = ExpansionXML.GetAttributeFloat(zone, "r");
000096 |
000097 |                     ceTerritory.Zones.Insert(new ExpansionCETerritoryZone(name, sMin, sMax, dMin, dMax, x, z, radius));
000098 |                 }
000099 |
000100 |                 Insert(ceTerritory);
000101 |             }
000102 |         }
000103 |     }
```

```
000104 | }  
000105 |
```

0020. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionCETType.c

Size bytes: 5619

SHA-256: 32feda7557ce855f27d4993e8bfd1263de9a352ac4c01e0fed6f807a816993ef

Decoded as: utf-8-sig

Line count shown: 209

Detected class declarations: 3

L13: class ExpansionCETType

L76: class ExpansionCETTypeFlags

L107: class ExpansionCETypes: map<string, ref ExpansionCETType>

Detected enum declarations: 0

Detected function/method-like declarations: 6

L28: void ExpansionCETType(string name)

L34: void Merge(ExpansionCETType other)

L85: void Merge(ExpansionCETTypeFlags other)

L109: static ExpansionCETypes LoadTypes(string fileName)

L116: void ReadTypes(string fileName)

L200: void Merge(string key, ExpansionCETType ceType)

Full file content

```
000001 | /**
000002 |  * ExpansionCETType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCETType
000014 | {
000015 |     string Name;
000016 |     int Nominal;
000017 |     int Lifetime;
000018 |     int Restock;
000019 |     int Min;
000020 |     int QuantMin;
000021 |     int QuantMax;
000022 |     int Cost;
000023 |     ref ExpansionCETTypeFlags Flags;
000024 |     ref set<string> Categories = new set<string>();
000025 |     ref set<string> Usages = new set<string>();
000026 |     ref set<string> Values = new set<string>();
000027 |
000028 |     void ExpansionCETType(string name)
000029 |     {
000030 |         Name = name;
000031 |     }
000032 |
000033 |     //!< See https://community.bistudio.com/wiki/DayZ:Central\_Economy\_mission\_files\_modding for file specifics
000034 |     void Merge(ExpansionCETType other)
000035 |     {
000036 |         if (other.Nominal != ExpansionCE.NOT_SET)
000037 |             Nominal = other.Nominal;
000038 |
000039 |         if (other.Lifetime != ExpansionCE.NOT_SET)
```

```
000040 |         Lifetime = other.Lifetime;
000041 |
000042 |         if (other.Restock != ExpansionCE.NOT_SET)
000043 |             Restock = other.Restock;
000044 |
000045 |         if (other.Min != ExpansionCE.NOT_SET)
000046 |             Min = other.Min;
000047 |
000048 |         if (other.QuantMin != ExpansionCE.NOT_SET)
000049 |             QuantMin = other.QuantMin;
000050 |
000051 |         if (other.QuantMax != ExpansionCE.NOT_SET)
000052 |             QuantMax = other.QuantMax;
000053 |
000054 |         if (other.Cost != ExpansionCE.NOT_SET)
000055 |             Cost = other.Cost;
000056 |
000057 |         if (other.Flags)
000058 |         {
000059 |             if (!Flags)
000060 |                 Flags = new ExpansionCTypeFlags();
000061 |
000062 |             Flags.Merge(other.Flags);
000063 |         }
000064 |
000065 |         if (other.Categories)
000066 |             Categories.Copy(other.Categories);
000067 |
000068 |         if (other.Usages)
000069 |             Usages.Copy(other.Usages);
000070 |
000071 |         if (other.Values)
000072 |             Values.Copy(other.Values);
000073 |     }
000074 | }
000075 |
000076 | class ExpansionCTypeFlags
000077 | {
000078 |     int CountInCargo;
000079 |     int CountInHoarder;
000080 |     int CountInMap;
000081 |     int CountInPlayer;
000082 |     int Crafted;
000083 |     int DELoot;
000084 |
000085 |     void Merge(ExpansionCTypeFlags other)
000086 |     {
000087 |         if (other.CountInCargo != ExpansionCE.NOT_SET)
000088 |             CountInCargo = other.CountInCargo;
000089 |
000090 |         if (other.CountInHoarder != ExpansionCE.NOT_SET)
000091 |             CountInHoarder = other.CountInHoarder;
000092 |
000093 |         if (other.CountInMap != ExpansionCE.NOT_SET)
000094 |             CountInMap = other.CountInMap;
000095 |
000096 |         if (other.CountInPlayer != ExpansionCE.NOT_SET)
000097 |             CountInPlayer = other.CountInPlayer;
000098 |
000099 |         if (other.Crafted != ExpansionCE.NOT_SET)
000100 |             Crafted = other.Crafted;
000101 |     }
```



```
000102 |         if (other.DELoot != ExpansionCE.NOT_SET)
000103 |             DELoot = other.DELoot;
000104 |     }
000105 | }
000106 |
000107 | class ExpansionCETypes: map<string, ref ExpansionCEType>
000108 | {
000109 |     static ExpansionCETypes LoadTypes(string fileName)
000110 |     {
000111 |         ExpansionCETypes types = new ExpansionCETypes;
000112 |         types.ReadTypes(fileName);
000113 |         return types;
000114 |     }
000115 |
000116 |     void ReadTypes(string fileName)
000117 |     {
000118 |         CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000119 |         if (document)
000120 |         {
000121 |             auto root = document.Get("types")[0];
000122 |             if (!root)
000123 |             {
000124 |                 CF.FormatError("No root tag 'types' in '%1'", fileName);
000125 |                 return;
000126 |             }
000127 |
000128 |             auto types = root.GetContent().GetTags();
000129 |             foreach (CF_XML_Tag type: types)
000130 |             {
000131 |                 string tagName = type.GetName();
000132 |                 if (tagName != "type")
000133 |                     continue;
000134 |
000135 |                 string name = ExpansionXML.GetAttributeString(type, "name");
000136 |
000137 |                 string key = name;
000138 |                 key.ToLower();
000139 |
000140 |                 int defaultValue = 0;
000141 |                 int defaultQuantity = -1;
000142 |                 int defaultCost = 100;
000143 |
000144 |                 if (Contains(key))
000145 |                 {
000146 |                     defaultValue = ExpansionCE.NOT_SET;
000147 |                     defaultQuantity = ExpansionCE.NOT_SET;
000148 |                     defaultCost = ExpansionCE.NOT_SET;
000149 |                 }
000150 |
000151 |                 auto ceType = new ExpansionCEType(name);
000152 |
000153 |                 ceType.Nominal = ExpansionXML.GetTagContentInt(type, "nominal", defaultValue);
000154 |                 ceType.Lifetime = ExpansionXML.GetTagContentInt(type, "lifetime", defaultValue);
000155 |                 ceType.Restock = ExpansionXML.GetTagContentInt(type, "restock", defaultValue);
000156 |                 ceType.Min = ExpansionXML.GetTagContentInt(type, "min", defaultValue);
000157 |                 ceType.QuantMin = ExpansionXML.GetTagContentInt(type, "quantmin", defaultQuantity);
000158 |                 ceType.QuantMax = ExpansionXML.GetTagContentInt(type, "quantmax", defaultQuantity);
000159 |                 ceType.Cost = ExpansionXML.GetTagContentInt(type, "cost", defaultCost);
000160 |
000161 |                 ///! Flags
000162 |                 auto flags = type.GetTag("flags")[0];
000163 |                 if (flags)
```

```
000164 |         {
000165 |             ceType.Flags = new ExpansionCTypeFlags();
000166 |             ceType.Flags.CountInCargo = ExpansionXML.GetAttributeInt(flags, "count_in_cargo", defaultValue);
000167 |             ceType.Flags.CountInHoarder = ExpansionXML.GetAttributeInt(flags, "count_in_hoarder", defaultValue);
000168 |             ceType.Flags.CountInMap = ExpansionXML.GetAttributeInt(flags, "count_in_map", defaultValue);
000169 |             ceType.Flags.CountInPlayer = ExpansionXML.GetAttributeInt(flags, "count_in_player", defaultValue);
000170 |             ceType.Flags.Crafted = ExpansionXML.GetAttributeInt(flags, "crafted", defaultValue);
000171 |             ceType.Flags.DELoot = ExpansionXML.GetAttributeInt(flags, "deloot", defaultValue);
000172 |         }
000173 |
000174 |         ///! Categories
000175 |         auto categories = type.GetTag("category");
000176 |         foreach (CF_XML_Tag category: categories)
000177 |         {
000178 |             ceType.Categories.Insert(ExpansionXML.GetAttributeString(category, "name"));
000179 |         }
000180 |
000181 |         ///! Usage
000182 |         auto usages = type.GetTag("usage");
000183 |         foreach (CF_XML_Tag usage: usages)
000184 |         {
000185 |             ceType.Usages.Insert(ExpansionXML.GetAttributeString(usage, "name"));
000186 |         }
000187 |
000188 |         ///! Values
000189 |         auto values = type.GetTag("value");
000190 |         foreach (CF_XML_Tag value: values)
000191 |         {
000192 |             ceType.Values.Insert(ExpansionXML.GetAttributeString(value, "name"));
000193 |         }
000194 |
000195 |         Merge(key, ceType);
000196 |     }
000197 | }
000198 |
000199 | void Merge(string key, ExpansionCType ceType)
000200 | {
000201 |     ExpansionCType existing;
000202 |     if (Find(key, existing))
000203 |         existing.Merge(ceType);
000204 |     else
000205 |         Insert(key, ceType);
000206 | }
000207 | }
000208 | }
000209 |
```

0021. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CE\ExpansionEconomyCore.c

Size bytes: 5473

SHA-256: 766febe864d925f2a3deacae5490a89536f3f5d86b9aa5826f44ea4d57683048

Decoded as: utf-8-sig

Line count shown: 240

Detected class declarations: 5

L20: class ExpansionEconomyCoreRootClass

L34: class ExpansionEconomyCoreDefault

L46: class ExpansionCEFolder

L100: class ExpansionCEFile

L152: class ExpansionEconomyCore

Detected enum declarations: 1

L13: enum ExpansionCEFileType

Detected function/method-like declarations: 11

L26: void ExpansionEconomyCoreRootClass(string name, string act, string reportMemoryLOD)

L39: void ExpansionEconomyCoreDefault(string name, string value)

L54: void ExpansionCEFolder(string folder)

L59: void AddFile(string name, ExpansionCEFileType type)

L76: void Load(ExpansionCE ce)

L86: void Load(ExpansionCE ce, ExpansionCEFileType type)

L111: void ExpansionCEFile(string name, ExpansionCEFileType type)

L119: void Load(ExpansionCE ce, string folder)

L158: void Load(ExpansionCE ce, string fileName)

L220: void LoadDB(ExpansionCE ce)

L233: void Clear()

Full file content

```
000001 | /**
000002 |  * ExpansionEconomyCore.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | enum ExpansionCEFileType
000014 | {
000015 |     TYPES,
000016 |     SPAWNABLETYPES,
000017 |     EVENTS
000018 | }
000019 |
000020 | class ExpansionEconomyCoreRootClass
000021 | {
000022 |     string Name;
000023 |     string Act;
000024 |     string ReportMemoryLOD;
000025 |
000026 |     void ExpansionEconomyCoreRootClass(string name, string act, string reportMemoryLOD)
000027 |     {
000028 |         Name = name;
000029 |         Act = act;
000030 |         ReportMemoryLOD = reportMemoryLOD;
000031 |     }
```

```
000032 | }
000033 |
000034 | class ExpansionEconomyCoreDefault
000035 | {
000036 |     string Name;
000037 |     string Value;
000038 |
000039 |     void ExpansionEconomyCoreDefault(string name, string value)
000040 |     {
000041 |         Name = name;
000042 |         Value = value;
000043 |     }
000044 | }
000045 |
000046 | class ExpansionCEFolder
000047 | {
000048 |     string Folder;
000049 |     ref array<ref ExpansionCEFile> Files = {};
000050 |
000051 |     [NonSerialized()]
000052 |     protected ref map<ExpansionCEFileType, ref array<ExpansionCEFile>> m_FilesByType = new map<ExpansionCEFileType, ref array<ExpansionCEFile>>;
000053 |
000054 |     void ExpansionCEFolder(string folder)
000055 |     {
000056 |         Folder = folder;
000057 |     }
000058 |
000059 |     void AddFile(string name, ExpansionCEFileType type)
000060 |     {
000061 |         auto file = new ExpansionCEFile(name, type);
000062 |
000063 |         Files.Insert(file);
000064 |
000065 |         array<ExpansionCEFile> files;
000066 |
000067 |         if (!m_FilesByType.Find(type, files))
000068 |         {
000069 |             files = {};
000070 |             m_FilesByType[type] = files;
000071 |         }
000072 |
000073 |         files.Insert(file);
000074 |     }
000075 |
000076 |     void Load(ExpansionCE ce)
000077 |     {
000078 |         #ifdef EXTRACE
000079 |             auto trace = EXTrace.Start(EXTrace.CE, this, Folder);
000080 |         #endif
000081 |
000082 |         foreach (ExpansionCEFile file: Files)
000083 |             file.Load(ce, Folder);
000084 |     }
000085 |
000086 |     void Load(ExpansionCE ce, ExpansionCEFileType type)
000087 |     {
000088 |         #ifdef EXTRACE
000089 |             auto trace = EXTrace.Start(EXTrace.CE, this, Folder, typename.EnumToString(ExpansionCEFileType, type));
000090 |         #endif
000091 |
000092 |         auto files = m_FilesByType[type];
000093 |     }
```

```
000094 |         if (files)
000095 |             foreach (ExpansionCEFile file: files)
000096 |                 file.Load(ce, Folder);
000097 |     }
000098 | }
000099 |
000100 | class ExpansionCEFile
000101 | {
000102 |     string Name;
000103 |     string Type;
000104 |
000105 |     [NonSerialized()]
000106 |     protected ExpansionCEFileType m_Type;
000107 |
000108 |     [NonSerialized()]
000109 |     protected bool m_IsLoaded;
000110 |
000111 |     void ExpansionCEFile(string name, ExpansionCEFileType type)
000112 |     {
000113 |         Name = name;
000114 |         Type = typename.EnumToString(ExpansionCEFileType, type);
000115 |         Type.ToLower();
000116 |         m_Type = type;
000117 |     }
000118 |
000119 |     void Load(ExpansionCE ce, string folder)
000120 |     {
000121 |         #ifdef EXTRACE
000122 |             auto trace = EXTrace.Start(EXTrace.CE, this, Name);
000123 |         #endif
000124 |
000125 |         if (m_IsLoaded)
000126 |             return;
000127 |
000128 |         string path = string.Format("$mission:%1\\%2", folder, Name);
000129 |
000130 |         switch (m_Type)
000131 |         {
000132 |             case ExpansionCEFileType.TYPES:
000133 |                 ce.Types.ReadTypes(path);
000134 |                 break;
000135 |
000136 |             case ExpansionCEFileType.SPAWNABLETYPES:
000137 |                 ce.SpawnableTypes.ReadTypes(path);
000138 |                 break;
000139 |
000140 |             case ExpansionCEFileType.EVENTS:
000141 |                 ce.Events.ReadEvents(path);
000142 |                 break;
000143 |         }
000144 |
000145 |         m_IsLoaded = true;
000146 |     }
000147 | }
000148 |
000149 | /**@class      ExpansionEconomyCore
000150 |  * @brief      structure for EconomyCore.xml
000151 |  */
000152 | class ExpansionEconomyCore
000153 | {
000154 |     ref array<ref ExpansionEconomyCoreRootClass> Classes = {};
000155 |     ref array<ref ExpansionEconomyCoreDefault> Defaults = {};
```

```
000156 |     ref array<ref ExpansionCEFFolder> CE = {};
000157 |
000158 | void Load(ExpansionCE ce, string fileName)
000159 | {
000160 |     CF_XML_Document document = CF_XML.ReadDocumentEx(fileName);
000161 |     if (document)
000162 |     {
000163 |         auto root = document.Get("economycore")[0];
000164 |         if (!root)
000165 |         {
000166 |             CF.FormatError("No root tag 'economycore' in '%1'", fileName);
000167 |             return;
000168 |         }
000169 |
000170 |         auto classes = root.GetTag("classes")[0];
000171 |         if (classes)
000172 |         {
000173 |             auto rootClasses = classes.GetTag("rootclass");
000174 |             foreach (CF_XML_Tag rootClass: rootClasses)
000175 |             {
000176 |                 string rootName = ExpansionXML.GetAttributeString(rootClass, "name");
000177 |                 string act = ExpansionXML.GetAttributeString(rootClass, "act");
000178 |                 string reportMemoryLOD = ExpansionXML.GetAttributeString(rootClass, "reportMemoryLOD");
000179 |
000180 |                 Classes.Insert(new ExpansionEconomyCoreRootClass(rootName, act, reportMemoryLOD));
000181 |             }
000182 |         }
000183 |
000184 |         auto defaults = root.GetTag("defaults")[0];
000185 |         if (defaults)
000186 |         {
000187 |             auto dflts = defaults.GetTag("default");
000188 |             foreach (CF_XML_Tag dflt: dflts)
000189 |             {
000190 |                 string defaultName = ExpansionXML.GetAttributeString(dflt, "name");
000191 |                 string defaultValue = ExpansionXML.GetAttributeString(dflt, "value");
000192 |
000193 |                 Defaults.Insert(new ExpansionEconomyCoreDefault(defaultName, defaultValue));
000194 |             }
000195 |         }
000196 |
000197 |         auto folders = root.GetTag("ce");
000198 |         foreach (CF_XML_Tag folder: folders)
000199 |         {
000200 |             auto ceFolder = new ExpansionCEFFolder(ExpansionXML.GetAttributeString(folder, "folder"));
000201 |
000202 |             auto files = folder.GetTag("file");
000203 |             foreach (CF_XML_Tag file: files)
000204 |             {
000205 |                 string name = ExpansionXML.GetAttributeString(file, "name");
000206 |                 string type = ExpansionXML.GetAttributeString(file, "type");
000207 |                 type.ToUpper();
000208 |
000209 |                 ceFolder.AddFile(name, typename.StringToEnum(ExpansionCEFileType, type));
000210 |             }
000211 |
000212 |             if (ce)
000213 |                 ceFolder.Load(ce);
000214 |
000215 |             CE.Insert(ceFolder);
000216 |         }
000217 |     }
```

```
000218 |     }
000219 |
000220 |     void LoadDB(ExpansionCE ce)
000221 |     {
000222 |         auto ceFolder = new ExpansionCEFolder("");
000223 |         ceFolder.AddFile("db/types.xml", ExpansionCEFileType.TYPES);
000224 |         ceFolder.AddFile("db/events.xml", ExpansionCEFileType.EVENTS);
000225 |         ceFolder.AddFile("cfgspawnabletypes.xml", ExpansionCEFileType.SPAWNABLETYPES);
000226 |
000227 |         if (ce)
000228 |             ceFolder.Load(ce);
000229 |
000230 |         CE.Insert(ceFolder);
000231 |     }
000232 |
000233 |     void Clear()
000234 |     {
000235 |         Classes.Clear();
000236 |         Defaults.Clear();
000237 |         CE.Clear();
000238 |     }
000239 | }
000240 |
```

0022. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Date.c
Size bytes: 1682
SHA-256: b569ae39e17a45dcb1753540912d7bff429827b1d004ca3aba2fe42094f5a077
Decoded as: utf-8-sig
Line count shown: 77
Detected class declarations: 1
  L24: modded class CF_Date
Detected enum declarations: 1
  L13: enum CF_Weekdays
Detected function/method-like declarations: 11
  L26: int GetDaysToNextWeekDay(int weekDay)
  L35: string GetDayName()
  L41: static int GetDayByName(string dayName)
  L46: string GetISODate()
  L51: string GetISOTime(string delimHMS = ":")
  L56: string GetISODateTime(string delim = "T", string delimHMS = ":")
  L58: return GetISODate() + delim + GetISOTime(delimHMS);
  L62: override string Format(string format)
  L67: return GetISODate();
  L69: return GetISODateTime(" ");
  L71: return GetISOTime();
```

Full file content

```
000001 | /**
000002 |  * CF_Date.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum CF_Weekdays
000014 | {
000015 |     Sunday,
000016 |     Monday,
000017 |     Tuesday,
000018 |     Wednesday,
000019 |     Thursday,
000020 |     Friday,
000021 |     Saturday
000022 | }
000023 |
000024 | modded class CF_Date
000025 | {
000026 |     int GetDaysToNextWeekDay(int weekDay)
000027 |     {
000028 |         int weekDayOfCurrentWeek = GetDayOfWeek();
000029 |         if (weekDay > weekDayOfCurrentWeek)
000030 |             return weekDay - weekDayOfCurrentWeek;
000031 |         int daysRemainingInCurrentWeek = 7 - weekDayOfCurrentWeek;
000032 |         return daysRemainingInCurrentWeek + weekDay;
000033 |     }
000034 |
000035 |     string GetDayName()
```



```
000036 | {
000037 |     int day = GetDayOfWeek();
000038 |     return typename.EnumToString(CF_Weekdays, day);
000039 | }
000040 |
000041 | static int GetDayByName(string dayName)
000042 | {
000043 |     return typename.StringToEnum(CF_Weekdays, dayName);
000044 | }
000045 |
000046 | string GetISODate()
000047 | {
000048 |     return m_Year.ToStringLen(4) + "-" + m_Month.ToStringLen(2) + "-" + m_Day.ToStringLen(2);
000049 | }
000050 |
000051 | string GetISOTime(string delimHMS = ":")
000052 | {
000053 |     return m_Hour.ToStringLen(2) + delimHMS + m_Minute.ToStringLen(2) + delimHMS + m_Second.ToStringLen(2);
000054 | }
000055 |
000056 | string GetISODateTime(string delim = "T", string delimHMS = ":")
000057 | {
000058 |     return GetISODate() + delim + GetISOTime(delimHMS);
000059 | }
000060 |
000061 | //! Fix Format() for most common formats
000062 | override string Format(string format)
000063 | {
000064 |     switch (format)
000065 |     {
000066 |         case DATE:
000067 |             return GetISODate();
000068 |         case DATETIME:
000069 |             return GetISODateTime(" ");
000070 |         case TIME:
000071 |             return GetISOTime();
000072 |     }
000073 |
000074 |     return super.Format(format);
000075 | }
000076 | }
000077 |
```

0023. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_Localiser.c

Size bytes: 1145

SHA-256: 2ea53779088a009008033ee062dd60d24fe232e31a4558f93035d08ecba4fa95

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: modded class CF_Localiser

Detected enum declarations: 0

Detected function/method-like declarations: 4

L15: override CF_Localiser Set(int index, string value)

L20: return Set(index, value, translates);

L24: override CF_Localiser Set(int index, string value, bool translates)

L38: void SetTranslates(int index, bool translates)

Full file content

```
000001 | /**
000002 |  * CF_Localiser.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class CF_Localiser
000014 | {
000015 |     override CF_Localiser Set(int index, string value)
000016 |     {
000017 |         string valueUpper = value;
000018 |         valueUpper.ToUpper();
000019 |         bool translates = valueUpper.IndexOf("STR_") == 0;
000020 |         return Set(index, value, translates);
000021 |     }
000022 |
000023 | #ifdef DIAG_DEVELOPER
000024 |     override CF_Localiser Set(int index, string value, bool translates)
000025 |     {
000026 |         if (translates)
000027 |         {
000028 |             string valueUpper = value;
000029 |             valueUpper.ToUpper();
000030 |             if (valueUpper.IndexOf("#STR_") == 0)
000031 |                 Error("Wrong use of CF_Localiser, localizable strings must not start with #");
000032 |         }
000033 |
000034 |         return super.Set(index, value, translates);
000035 |     }
000036 | #endif
000037 |
000038 |     void SetTranslates(int index, bool translates)
000039 |     {
000040 |         int realIndex = index + 1;
000041 |         if (realIndex < 0 || realIndex >= m_Count)
000042 |             return;
000043 |         m_Translates[realIndex] = translates;
```

000044 | }
000045 | }
000046 |

0024. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\CF_ModuleGame.c
Size bytes: 3204
SHA-256: ef8ed4022af4e6c546edad5f543d2c4d4e08896a04167319a890bbe6936f1f41
Decoded as: utf-8-sig
Line count shown: 104
Detected class declarations: 1
  L13: modded class CF_ModuleGame
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L20: void EnableTracing(bool enable = true)
  L27: override void EnableRPC()
  L38: void Expansion_EnableRPCManager()
  L49: int Expansion_RegisterServerRPC(string fn)
  L54: int Expansion_RegisterClientRPC(string fn)
  L59: int Expansion_RegisterBothRPC(string fn)
  L64: ExpansionScriptRPC Expansion_CreateRPC(string fn)
  L69: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
  L74: void TracePrint(string msg)
  L79: void TracePrint(string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "")
  L84: void TracePrint(string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null)
  L89: static void TracePrint(typename type, string msg)
  L94: static void TracePrint(typename type, string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "")
  L99: static void TracePrint(typename type, string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null)

```

Full file content

```

000001 | /**
000002 |  * CF_ModuleGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class CF_ModuleGame
000014 | {
000015 |     static ref map<typename, bool> s_Expansion_TracingEnabled = new map<typename, bool>;
000016 |     bool m_Expansion_TracingEnabled;
000017 |
000018 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000019 |
000020 |     void EnableTracing(bool enable = true)
000021 |     {
000022 |         m_Expansion_TracingEnabled = enable;
000023 |         typename type = Type();
000024 |         s_Expansion_TracingEnabled[type] = enable;
000025 |     }
000026 |
000027 |     override void EnableRPC()
000028 |     {
000029 |         if (m_Expansion_RPCManager)
000030 |         {
000031 |             Error("Cannot use CF Module RPC system and Expansion RPC manager at the same time!");
000032 |             return;
000033 |         }

```

```
000034 |
000035 |     super.EnableRPC();
000036 | }
000037 |
000038 | void Expansion_EnableRPCManager()
000039 | {
000040 |     if (GetRPCMin() != -1 || GetRPCMax() != -1)
000041 |     {
000042 |         Error("Cannot use CF Module RPC system and Expansion RPC manager at the same time!");
000043 |         return;
000044 |     }
000045 |
000046 |     m_Expansion_RPCManager = new ExpansionRPCManager(this);
000047 | }
000048 |
000049 | int Expansion_RegisterServerRPC(string fn)
000050 | {
000051 |     return m_Expansion_RPCManager.RegisterServer(fn);
000052 | }
000053 |
000054 | int Expansion_RegisterClientRPC(string fn)
000055 | {
000056 |     return m_Expansion_RPCManager.RegisterClient(fn);
000057 | }
000058 |
000059 | int Expansion_RegisterBothRPC(string fn)
000060 | {
000061 |     return m_Expansion_RPCManager.RegisterBoth(fn);
000062 | }
000063 |
000064 | ExpansionScriptRPC Expansion_CreateRPC(string fn)
000065 | {
000066 |     return m_Expansion_RPCManager.CreateRPC(fn);
000067 | }
000068 |
000069 | ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000070 | {
000071 |     return m_Expansion_RPCManager.GetReader(ctx);
000072 | }
000073 |
000074 | void TracePrint(string msg)
000075 | {
000076 |     EXTrace.Print(m_Expansion_TracingEnabled, this, msg);
000077 | }
000078 |
000079 | void TracePrint(string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "", string
p9 = "")
000080 | {
000081 |     EXTrace.Print(m_Expansion_TracingEnabled, this, string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000082 | }
000083 |
000084 | void TracePrint(string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null, C
lass p9 = null)
000085 | {
000086 |     EXTrace.Print(m_Expansion_TracingEnabled, this, ExpansionStatic.FormatString(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000087 | }
000088 |
000089 | static void TracePrint(typename type, string msg)
000090 | {
000091 |     EXTrace.Print(s_Expansion_TracingEnabled[type], type, msg);
000092 | }
000093 |
```

```
000094 |     static void TracePrint(typename type, string msg, string p1, string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", s
000095 | tring p8 = "", string p9 = "")
000096 |     {
000097 |         EXTrace.Print(s_Expansion_TracingEnabled[type], type, string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000098 |     }
000099 |     static void TracePrint(typename type, string msg, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = nu
000100 | ll, Class p8 = null, Class p9 = null)
000101 |     {
000102 |         EXTrace.Print(s_Expansion_TracingEnabled[type], type, ExpansionStatic.FormatString(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000103 |     }
000104 | }
```

0025. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\ClientData.c

Size bytes: 866

SHA-256: c6b3e06e31711e8817d051bf200de6c184d03737a900e3f2ad496a3f7f8608b8

Decoded as: utf-8-sig

Line count shown: 32

Detected class declarations: 1

L13: modded class ClientData

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override static void SyncEvent_PreprocessPlayerList(SyncPlayerList player_list)

Full file content

```
000001 | /**
000002 |  * ClientData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ClientData
000014 | {
000015 |     override static void SyncEvent_PreprocessPlayerList(SyncPlayerList player_list)
000016 |     {
000017 |         foreach (auto sync_player : player_list.m_PlayerList)
000018 |         {
000019 |             PlayerIdentity identity = sync_player.m_Identity;
000020 |             if (!identity)
000021 |             {
000022 |                 ErrorEx("PlayerIdentity not synchronized before SyncPlayer", ErrorExSeverity.WARNING);
000023 |                 continue;
000024 |             }
000025 |
000026 |             sync_player.m_UID = identity.GetPlainId();
000027 |             sync_player.m_RUID = identity.GetId();
000028 |             sync_player.m_PlayerName = identity.GetPlainName();
000029 |         }
000030 |     }
000031 | }
000032 |
```

0026. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\ExpansionNotificationSystem.c
Size bytes: 6820
SHA-256: 72d5e3695acb929e51f2eda7b09a189eb3672a78349b7dd0a8ea264d68c82ed9
Decoded as: utf-8-sig
Line count shown: 187
Detected class declarations: 4
  L16: class ExpansionNotificationSystem
  L75: class ExpansionNotificationTemplateBase
  L116: class ExpansionNotificationTemplate<Class T>: ExpansionNotificationTemplateBase
  L140: class ExpansionNotificationLocaliser: ExpansionNotificationTemplateBase
Detected enum declarations: 0
Detected function/method-like declarations: 21
  L23: void CreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, Expa
  L32: void CreateNotification( string title, string text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, ExpansionNotific
  L47: static ExpansionNotificationSystem GetNotificationSystem()
  L66: static void DestroyNotificationSystem()
  L82: void Create( PlayerIdentity identity = NULL )
  L87: void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
  L91: void Error( PlayerIdentity identity = NULL )
  L99: void Info( PlayerIdentity identity = NULL )
  L107: void Success( PlayerIdentity identity = NULL )
  L121: void ExpansionNotificationTemplate( T title, T text, string icon = "", int color = 0, float time = 7, ExpansionNotificationType type = Expan
  L131: override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOA
  L145: void ExpansionNotificationLocaliser( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionNotifi
  L155: override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOA
  L164: static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, floa
  L166: return new ExpansionNotificationLocaliser( title, text, icon, color, time, type );
  L169: static ExpansionNotificationTemplateBase ExpansionNotification( string title, string text, string icon = "", int color = 0, float time = 7,
  L173: return new ExpansionNotificationLocaliser( titleLocaliser, textLocaliser, icon, color, time, type );
  L176: static ExpansionNotificationTemplateBase ExpansionNotification( string title, string icon = "", int color = 0, float time
  L179: return ExpansionNotification( titleLocaliser, text, icon, color, time, type );
  L182: static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, string text, string icon = "", int color = 0, float time
  L185: return ExpansionNotification( title, textLocaliser, icon, color, time, type );

```

Full file content

```

000001 | /**
000002 |  * ExpansionNotificationSystem.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionNotificationSystem
000014 |  * @brief      This class handle notification toasts system
000015 |  */
000016 | class ExpansionNotificationSystem
000017 | {
000018 |     static ref ScriptInvoker SI_CreateNotification = new ScriptInvoker();
000019 |
000020 |     // -----
000021 |     // ExpansionNotificationSystem CreateNotification
000022 |     // -----
000023 |     void CreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, ExpansionNotificationT

```



```
000024 |     type type = ExpansionNotificationType.TOAST)
000025 |     {
000026 |     #ifdef EXPANSIONTRACE
000027 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "CreateNotification");
000028 |     #endif
000029 |         ExpansionNotification( title, text, icon, color, time, type ).Create( identity );
000030 |     }
000031 |
000032 |     void CreateNotification( string title, string text, string icon, int color, float time = 7, PlayerIdentity identity = NULL, ExpansionNotificationType type = E
xpansionNotificationType.TOAST)
000033 |     {
000034 |     #ifdef EXPANSIONTRACE
000035 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "CreateNotification");
000036 |     #endif
000037 |         CreateNotification( new CF_Localiser( title ), new CF_Localiser( text ), icon, color, time, identity, type );
000038 |     }
000039 | };
000040 |
000041 |
000042 | static ref ExpansionNotificationSystem g_exNotificationBase;
000043 |
000044 | // -----
000045 | // ExpansionNotificationSystem GetNotificationSystem
000046 | // -----
000047 | static ExpansionNotificationSystem GetNotificationSystem()
000048 | {
000049 |     #ifdef EXPANSIONTRACE
000050 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "GetNotificationSystem");
000051 |     #endif
000052 |
000053 |     EXPrint("DEPRECATED: ExpansionNotificationSystem is deprecated, use ExpansionNotification instead");
000054 |
000055 |     if ( !g_exNotificationBase )
000056 |     {
000057 |         g_exNotificationBase = new ExpansionNotificationSystem();
000058 |     }
000059 |
000060 |     return g_exNotificationBase;
000061 | }
000062 |
000063 | // -----
000064 | // ExpansionNotificationSystem DestroyNotificationSystem
000065 | // -----
000066 | static void DestroyNotificationSystem()
000067 | {
000068 |     #ifdef EXPANSIONTRACE
000069 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "DestroyNotificationSystem");
000070 |     #endif
000071 |     if (g_exNotificationBase)
000072 |         g_exNotificationBase = null;
000073 | }
000074 |
000075 | class ExpansionNotificationTemplateBase
000076 | {
000077 |     protected string m_Icon;
000078 |     protected int m_Color;
000079 |     protected float m_Time;
000080 |     protected ExpansionNotificationType m_Type;
000081 |
000082 |     void Create( PlayerIdentity identity = NULL )
000083 |     {
```

```
000084 |         Create( m_Icon, m_Color, identity, m_Type );
000085 |     }
000086 |
000087 |     void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
000088 |     {
000089 |     }
000090 |
000091 |     void Error( PlayerIdentity identity = NULL )
000092 |     {
000093 |         if ( !m_Icon )
000094 |             m_Icon = EXPANSION_NOTIFICATION_ICON_ERROR;
000095 |
000096 |         Create( m_Icon, COLOR_EXPANSION_NOTIFICATION_ERROR, identity, m_Type );
000097 |     }
000098 |
000099 |     void Info( PlayerIdentity identity = NULL )
000100 |     {
000101 |         if ( !m_Icon )
000102 |             m_Icon = EXPANSION_NOTIFICATION_ICON_INFO;
000103 |
000104 |         Create( m_Icon, COLOR_EXPANSION_NOTIFICATION_INFO, identity, m_Type );
000105 |     }
000106 |
000107 |     void Success( PlayerIdentity identity = NULL )
000108 |     {
000109 |         if ( !m_Icon )
000110 |             m_Icon = EXPANSION_NOTIFICATION_ICON_INFO;
000111 |
000112 |         Create( m_Icon, COLOR_EXPANSION_NOTIFICATION_SUCCESS, identity, m_Type );
000113 |     }
000114 | }
000115 |
000116 | class ExpansionNotificationTemplate<Class T>: ExpansionNotificationTemplateBase
000117 | {
000118 |     protected T m_Title;
000119 |     protected T m_Text;
000120 |
000121 |     void ExpansionNotificationTemplate( T title, T text, string icon = "", int color = 0, float time = 7, ExpansionNotificationType type = ExpansionNotificationTy
000122 | pe.TOAST)
000123 |     {
000124 |         m_Title = title;
000125 |         m_Text = text;
000126 |         m_Icon = icon;
000127 |         m_Color = color;
000128 |         m_Time = time;
000129 |         m_Type = type;
000130 |     }
000131 |
000132 |     override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
000133 |     {
000134 |         if ( GetExpansionSettings() && GetExpansionSettings().GetNotification().EnableNotification )
000135 |         {
000136 |             NotificationSystem.Create_Expansion( m_Title, m_Text, icon, color, m_Time, identity, type );
000137 |         }
000138 |     }
000139 | }
000140 | class ExpansionNotificationLocaliser: ExpansionNotificationTemplateBase
000141 | {
000142 |     protected ref CF_Localiser m_Title;
000143 |     protected ref CF_Localiser m_Text;
000144 | }
```

```
000145 | void ExpansionNotificationLocaliser( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionNotificationType type =
| ExpansionNotificationType.TOAST)
000146 | {
000147 |     m_Title = title;
000148 |     m_Text = text;
000149 |     m_Icon = icon;
000150 |     m_Color = color;
000151 |     m_Time = time;
000152 |     m_Type = type;
000153 | }
000154 |
000155 | override void Create( string icon, int color, PlayerIdentity identity = NULL, ExpansionNotificationType type = ExpansionNotificationType.TOAST )
000156 | {
000157 |     if ( GetExpansionSettings() && GetExpansionSettings().GetNotification().EnableNotification )
000158 |     {
000159 |         NotificationSystem.Create_Expansion( m_Title, m_Text, icon, color, m_Time, identity, type );
000160 |     }
000161 | }
000162 | }
000163 |
000164 | static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionN
| otificationType type = ExpansionNotificationType.TOAST )
000165 | {
000166 |     return new ExpansionNotificationLocaliser( title, text, icon, color, time, type );
000167 | }
000168 |
000169 | static ExpansionNotificationTemplateBase ExpansionNotification( string title, string text, string icon = "", int color = 0, float time = 7, ExpansionNotificationT
| pe type = ExpansionNotificationType.TOAST )
000170 | {
000171 |     CF_Localiser titleLocaliser = new CF_Localiser( title );
000172 |     CF_Localiser textLocaliser = new CF_Localiser( text );
000173 |     return new ExpansionNotificationLocaliser( titleLocaliser, textLocaliser, icon, color, time, type );
000174 | }
000175 |
000176 | static ExpansionNotificationTemplateBase ExpansionNotification( string title, CF_Localiser text, string icon = "", int color = 0, float time = 7, ExpansionNotific
| ationType type = ExpansionNotificationType.TOAST )
000177 | {
000178 |     CF_Localiser titleLocaliser = new CF_Localiser( title );
000179 |     return ExpansionNotification( titleLocaliser, text, icon, color, time, type );
000180 | }
000181 |
000182 | static ExpansionNotificationTemplateBase ExpansionNotification( CF_Localiser title, string text, string icon = "", int color = 0, float time = 7, ExpansionNotific
| ationType type = ExpansionNotificationType.TOAST )
000183 | {
000184 |     CF_Localiser textLocaliser = new CF_Localiser( text );
000185 |     return ExpansionNotification( title, textLocaliser, icon, color, time, type );
000186 | }
000187 |
```

0027. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationRuntimeData.c

Size bytes: 1169

SHA-256: 25457e23cb8913f4fffc642d8f0d1910e318958e92aed86d05a6264f05e1176a

Decoded as: utf-8-sig

Line count shown: 61

Detected class declarations: 1

L23: modded class NotificationRuntimeData

Detected enum declarations: 1

L13: enum ExpansionNotificationType

Detected function/method-like declarations: 5

L29: override string GetIcon()

L41: void SetType(ExpansionNotificationType type)

L46: ExpansionNotificationType GetType()

L51: void SetObject(Object obj)

L56: Object GetObject()

Full file content

```
000001 | /**
000002 |  * NotificationRuntimeData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionNotificationType
000014 | {
000015 |     TOAST = 1,
000016 |     BAGUETTE = 2,
000017 |     ACTIVITY = 4,
000018 |     KILLFEED = 8,
000019 |     MARKET = 16,
000020 |     GARAGE = 32
000021 | }
000022 |
000023 | modded class NotificationRuntimeData
000024 | {
000025 |     ExpansionNotificationType m_Type;
000026 |     Object m_Object;
000027 |     bool m_LeaveJoinNotif = false;
000028 |
000029 |     override string GetIcon()
000030 |     {
000031 |         if (!m_StaticData.m_Icon.Contains(":") && !m_StaticData.m_Icon.Contains("\\") && !m_StaticData.m_Icon.Contains("/"))
000032 |         {
000033 |             auto icon = ExpansionIcons.Get(m_StaticData.m_Icon);
000034 |             if (icon)
000035 |                 return icon.IconPath;
000036 |         }
000037 |
000038 |         return m_StaticData.m_Icon;
000039 |     }
000040 |
000041 |     void SetType(ExpansionNotificationType type)
```

```
000042 | {
000043 |     m_Type = type;
000044 | }
000045 |
000046 | ExpansionNotificationType GetType()
000047 | {
000048 |     return m_Type;
000049 | }
000050 |
000051 | void SetObject(Object obj)
000052 | {
000053 |     m_Object = obj;
000054 | }
000055 |
000056 | Object GetObject()
000057 | {
000058 |     return m_Object;
000059 | }
000060 | }
000061 |
```

0028. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationSystem.c
Size bytes: 8243
SHA-256: 096494a1caf8ab8beeb350c382d88cfea994871802a97b92b43a25d3a9525369
Decoded as: utf-8-sig
Line count shown: 271
Detected class declarations: 1
  L13: modded class NotificationSystem
Detected enum declarations: 0
Detected function/method-like declarations: 11
  L19: void NotificationSystem()
  L49: static ExpansionRPCManager Expansion_RegisterRPCManager()
  L56: static void Create_Expansion( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, E
  L83: static void Create_Expansion( string title, string text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, ExpansionNoti
  L88: static void ExpansionCreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 3, PlayerIdentity sendT
  L108: private static void Exec_ExpansionCreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time, ExpansionN
  L147: override static void RPC_CreateNotification( PlayerIdentity sender, Object target, ParamsReadContext ctx )
  L182: override void AddNotif( NotificationRuntimeData data )
  L196: static void RPC_ExpansionCreateNotification( PlayerIdentity sender, Object target, ParamsReadContext ctx )
  L233: override static void Update(float timeslice)
  L258: override NotificationData GetNotificationData( NotificationType type )
```

Full file content

```
000001 | /**
000002 |  * NotificationSystem.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class NotificationSystem
000014 | {
000015 |     autoptr array< ref NotificationRuntimeData > m_ExNotifications = {};
000016 |
000017 |     static ref ExpansionRPCManager s_Expansion_RPCManager = Expansion_RegisterRPCManager();
000018 |
000019 |     void NotificationSystem()
000020 |     {
000021 | #ifdef EXTRACE_DIAG
000022 |         auto trace = EXTrace.Start(EXTrace.NOTIFICATIONS, this);
000023 | #endif
000024 |
000025 | #ifdef SERVER
000026 |         string tmp;
000027 |         DumpStackString(tmp);
000028 |         TStringArray lines = {};
000029 |         tmp.Split("\n", lines);
000030 |
000031 |         TStringArray stack = {};
000032 |
000033 |         for (int i = 1; i < lines.Count(); i++)
000034 |         {
000035 |             string line = lines[i];
000036 |             string lineLower = line;
```

```
000037 |         lineLower.ToLower();
000038 |
000039 |         if (lineLower.IndexOf("dayzexpansion") == -1)
000040 |             stack.Insert(line);
000041 |     }
000042 |
000043 |     EXError.Error(this, "NotificationSystem should not be initialized on server!", stack);
000044 | #else
000045 |     s_Expansion_RPCManager.SetOwner(this);
000046 | #endif
000047 | }
000048 |
000049 | static ExpansionRPCManager Expansion_RegisterRPCManager()
000050 | {
000051 |     auto manager = new ExpansionRPCManager(null, NotificationSystem);
000052 |     manager.RegisterClient("RPC_ExpansionCreateNotification");
000053 |     return manager;
000054 | }
000055 |
000056 | static void Create_Expansion( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, ExpansionNotificati
onType type = ExpansionNotificationType.TOAST, Object obj = NULL )
000057 | {
000058 | #ifdef EXPANSIONTRACE
000059 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "Create_Expansion");
000060 | #endif
000061 |
000062 |     if ( IsMissionHost() )
000063 |     {
000064 |         auto rpc = s_Expansion_RPCManager.CreateRPC("RPC_ExpansionCreateNotification");
000065 |         CF_Localiser.Write(rpc, title);
000066 |         CF_Localiser.Write(rpc, text);
000067 |         rpc.Write( icon );
000068 |         rpc.Write( color );
000069 |         rpc.Write( time );
000070 |         rpc.Write( type );
000071 |         rpc.Write( obj );
000072 |         rpc.Expansion_Send(true, sendTo);
000073 |     }
000074 |     else
000075 |     {
000076 |         if ( !m_Instance )
000077 |             return;
000078 |
000079 |         m_Instance.ExpansionCreateNotification( title, text, icon, color, time, sendTo, type, obj );
000080 |     }
000081 | }
000082 |
000083 | static void Create_Expansion( string title, string text, string icon, int color, float time = 7, PlayerIdentity sendTo = NULL, ExpansionNotificationType type
= ExpansionNotificationType.TOAST, Object obj = NULL )
000084 | {
000085 |     Create_Expansion( new CF_Localiser( title ), new CF_Localiser( text ), icon, color, time, sendTo, type, obj );
000086 | }
000087 |
000088 | static void ExpansionCreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time = 3, PlayerIdentity sendTo = NULL, Expansio
nNotificationType type = ExpansionNotificationType.TOAST, Object obj = NULL )
000089 | {
000090 |     if ( IsMissionHost() )
000091 |     {
000092 |         auto rpc = s_Expansion_RPCManager.CreateRPC("RPC_ExpansionCreateNotification");
000093 |         CF_Localiser.Write(rpc, title);
000094 |         CF_Localiser.Write(rpc, text);
000095 |         rpc.Write( icon );
```

```

000096 |         rpc.Write( color );
000097 |         rpc.Write( time );
000098 |         rpc.Write( type );
000099 |         rpc.Write( obj );
000100 |         rpc.Expansion_Send(true, sendTo);
000101 |     }
000102 |     else
000103 |     {
000104 |         Exec_ExpansionCreateNotification( title, text, icon, color, time, type, obj );
000105 |     }
000106 | }
000107 |
000108 | private static void Exec_ExpansionCreateNotification( CF_Localiser title, CF_Localiser text, string icon, int color, float time, ExpansionNotificationType ty
pe = ExpansionNotificationType.TOAST, Object obj = NULL )
000109 | {
000110 | #ifdef EXPANSIONTRACE
000111 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "Exec_ExpansionCreateNotification");
000112 | #endif
000113 |
000114 |     if ( !m_Instance )
000115 |         return;
000116 |
000117 |     bool joinNotif = false;
000118 |     bool leaveNotif = false;
000119 |
000120 |     //! Don't show player notification if setting is off, same with leave notification
000121 |     if (title.GetText() == "STR_EXPANSION_PLAYER_JOINED_TITLE")
000122 |         joinNotif = true;
000123 |
000124 |     if (title.GetText() == "STR_EXPANSION_PLAYER_LEFT_TITLE")
000125 |         leaveNotif = true;
000126 |
000127 |     if ( joinNotif && !GetExpansionClientSettings().NotificationJoin )
000128 |         return;
000129 |
000130 |     if ( leaveNotif && !GetExpansionClientSettings().NotificationLeave )
000131 |         return;
000132 |
000133 |     bool leaveJoinNotif;
000134 |     //! https://feedback.bistudio.com/T173348
000135 |     if (joinNotif || leaveNotif)
000136 |         leaveJoinNotif = true;
000137 |
000138 |     NotificationRuntimeData data = new NotificationRuntimeData( time, new NotificationData( icon, title.Format() ), text.Format() );
000139 |     data.SetColor( color );
000140 |     data.m_LeaveJoinNotif = leaveJoinNotif;
000141 |     data.SetType( type );
000142 |     data.SetObject( obj );
000143 |
000144 |     m_Instance.AddNotif( data );
000145 | }
000146 |
000147 | override static void RPC_CreateNotification( PlayerIdentity sender, Object target, ParamsReadContext ctx )
000148 | {
000149 |     //! This is only here to make all CF notifications (non-Expansion mods) use Expansion visual style for consistency
000150 | #ifdef EXPANSIONTRACE
000151 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "RPC_CreateNotification");
000152 | #endif
000153 |
000154 |     CF_Localiser title = new CF_Localiser( "" );
000155 |     //! @note can't use CF_Localiser.Read here since we don't control the sending side
000156 |     if ( !ctx.Read( title ) )

```



```
000157 |         return;
000158 |
000159 |         CF_Localiser text = new CF_Localiser( "" );
000160 |         //! @note can't use CF_Localiser.Read here since we don't control the sending side
000161 |         if ( !ctx.Read( text ) )
000162 |             return;
000163 |
000164 |         string icon;
000165 |         if ( !ctx.Read( icon ) )
000166 |             return;
000167 |
000168 |         int color;
000169 |         if ( !ctx.Read( color ) )
000170 |             return;
000171 |
000172 |         float time;
000173 |         if ( !ctx.Read( time ) )
000174 |             return;
000175 |
000176 |         Exec_ExpansionCreateNotification( title, text, icon, color, time );
000177 |     }
000178 |
000179 |     // -----
000180 |     // NotificationSystem AddNotif
000181 |     // -----
000182 |     override void AddNotif( NotificationRuntimeData data )
000183 |     {
000184 | #ifdef EXPANSIONTRACE
000185 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "AddNotif");
000186 | #endif
000187 |
000188 |         //! @note: The reason we *subtract* NOTIFICATION_FADE_TIME here is because CF *adds* it in NotificationRuntimeData constructor,
000189 |         //! and we don't want that. Jumped through years old commit logs to try and understand why this is here. Please document your code :-(
000190 |         data.SetTime( data.GetTime() - NOTIFICATION_FADE_TIME );
000191 |
000192 |         m_ExNotifications.Insert( data );
000193 |         m_OnNotificationAdded.Invoke( data );
000194 |     }
000195 |
000196 |     static void RPC_ExpansionCreateNotification( PlayerIdentity sender, Object target, ParamsReadContext ctx )
000197 |     {
000198 | #ifdef EXPANSIONTRACE
000199 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "RPC_ExpansionCreateNotification");
000200 | #endif
000201 |
000202 |         CF_Localiser title = new CF_Localiser( "" );
000203 |         if ( !CF_Localiser.Read( ctx, title ) )
000204 |             return;
000205 |
000206 |         CF_Localiser text = new CF_Localiser( "" );
000207 |         if ( !CF_Localiser.Read( ctx, text ) )
000208 |             return;
000209 |
000210 |         string icon;
000211 |         if ( !ctx.Read( icon ) )
000212 |             return;
000213 |
000214 |         int color;
000215 |         if ( !ctx.Read( color ) )
000216 |             return;
000217 |
000218 |         float time;
```

```
000219 |         if ( !ctx.Read( time ) )
000220 |             return;
000221 |
000222 |         int type;
000223 |         if ( !ctx.Read( type ) )
000224 |             return;
000225 |
000226 |         Object obj;
000227 |         if ( !ctx.Read( obj ) )
000228 |             return;
000229 |
000230 |         Exec_ExpansionCreateNotification( title, text, icon, color, time, type, obj );
000231 |     }
000232 |
000233 |     override static void Update(float timeslice)
000234 |     {
000235 | #ifdef EXPANSIONTRACE
000236 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, "NotificationSystem", "Update");
000237 | #endif
000238 |
000239 |         if ( m_Instance && IsMissionClient() )
000240 |         {
000241 |             array< NotificationRuntimeData > to_remove = new array< NotificationRuntimeData >;
000242 |             foreach ( NotificationRuntimeData data : m_Instance.m_ExNotifications )
000243 |             {
000244 |                 if ( data.GetTime() < g_Game.GetTickTime() && data.m_HasShown )
000245 |                 {
000246 |                     to_remove.Insert( data );
000247 |                 }
000248 |             }
000249 |
000250 |             foreach ( NotificationRuntimeData removed : to_remove )
000251 |             {
000252 |                 m_Instance.m_ExNotifications.RemoveItem( removed );
000253 |                 m_Instance.m_OnNotificationRemoved.Invoke( removed );
000254 |             }
000255 |         }
000256 |     }
000257 |
000258 |     override NotificationData GetNotificationData( NotificationType type )
000259 |     {
000260 | #ifdef EXPANSIONTRACE
000261 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "GetNotificationData");
000262 | #endif
000263 |
000264 |         if ( m_DataArray.Contains(type) )
000265 |         {
000266 |             return m_DataArray.Get( type );
000267 |         }
000268 |
000269 |         return null;
000270 |     }
000271 | };
```

0029. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\Notifications\NotificationUI.c

Size bytes: 740

SHA-256: 0221e364c1706effb64a5a2be2209857060c476d0d3563021aa84f691de4ad7f

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L14: modded class NotificationUI

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: void NotificationUI()

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationUI.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | modded class NotificationUI
000015 | {
000016 |     void NotificationUI()
000017 |     {
000018 | #ifdef EXPANSIONTRACE
000019 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "NotificationUI");
000020 | #endif
000021 |
000022 |         NotificationSystem.GetInstance().m_OnNotificationAdded.Remove( AddNotification );
000023 |         NotificationSystem.GetInstance().m_OnNotificationRemoved.Remove( RemoveNotification );
000024 |     }
000025 | };
000026 | #endif
000027 |
```

0030. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Client\SyncPlayer.c

Size bytes: 2395

SHA-256: 3d251151ed2f9ce2f849c3216dff09cdaf4a04f538900d4ee7460320e4736b7e

Decoded as: utf-8-sig

Line count shown: 102

Detected class declarations: 1

L13: modded class SyncPlayer

Detected enum declarations: 0

Detected function/method-like declarations: 8

L22: void Expansion_CopyFrom(SyncPlayer syncPlayer)

L36: static SyncPlayer Expansion_GetByID(string id)

L49: SyncPlayer player();

L58: static set<ref SyncPlayer> Expansion_GetAll()

L60: set<ref SyncPlayer> players();

L71: SyncPlayer player();

L79: static set<ref SyncPlayer> Expansion_GetInSphere(vector position, int radius)

L82: set<ref SyncPlayer> players();

Full file content

```
000001 | /**
000002 |  * SyncPlayer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class SyncPlayer
000014 | {
000015 | #ifdef EXPANSION_SYNCPLAYERLIST_SENDID
000016 |     int m_Expansion_Id[9];
000017 | #endif
000018 |
000019 |     [NonSerialized()]
000020 |     string m_RUID;
000021 |
000022 |     void Expansion_CopyFrom(SyncPlayer syncPlayer)
000023 |     {
000024 | #ifdef EXPANSION_SYNCPLAYERLIST_SENDID
000025 |         for (int i = 0; i < 9; i++)
000026 |         {
000027 |             m_Expansion_Id[i] = syncPlayer.m_Expansion_Id[i];
000028 |         }
000029 | #endif
000030 |         m_UID = syncPlayer.m_UID;
000031 |         m_RUID = syncPlayer.m_RUID;
000032 |         m_PlayerName = syncPlayer.m_PlayerName;
000033 |     }
000034 |
000035 |     //! @note ID can be either plain (steam64) ID or normal (hashed) ID
000036 |     static SyncPlayer Expansion_GetByID(string id)
000037 |     {
000038 |         if (!ClientData.m_PlayerList || !ClientData.m_PlayerList.m_PlayerList)
000039 |             return null;
```

```
000040 |
000041 |     foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000042 |     {
000043 |         if (!syncPlayer)
000044 |             continue;
000045 |
000046 |         if (syncPlayer.m_UID == id || syncPlayer.m_RUID == id)
000047 |         {
000048 |             //! Create a copy
000049 |             SyncPlayer player();
000050 |             player.Expansion_CopyFrom(syncPlayer);
000051 |             return player;
000052 |         }
000053 |     }
000054 |
000055 |     return null;
000056 | }
000057 |
000058 | static set<ref SyncPlayer> Expansion_GetAll()
000059 | {
000060 |     set<ref SyncPlayer> players();
000061 |
000062 |     if (!ClientData.m_PlayerList || !ClientData.m_PlayerList.m_PlayerList)
000063 |         return players;
000064 |
000065 |     foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000066 |     {
000067 |         if (!syncPlayer)
000068 |             continue;
000069 |
000070 |         //! Create a copy
000071 |         SyncPlayer player();
000072 |         player.Expansion_CopyFrom(syncPlayer);
000073 |         players.Insert(player);
000074 |     }
000075 |
000076 |     return players;
000077 | }
000078 |
000079 | static set<ref SyncPlayer> Expansion_GetInSphere(vector position, int radius)
000080 | {
000081 |     int radiusSq = radius * radius;
000082 |     set<ref SyncPlayer> players();
000083 |
000084 |     SyncPlayer syncPlayer;
000085 |     //! @note ClientData.m_PlayerBaseList only contains players in network bubble
000086 |     foreach (Man player: ClientData.m_PlayerBaseList)
000087 |     {
000088 |         if (!player.GetIdentity())
000089 |             continue;
000090 |
000091 |         if (vector.DistanceSq(position, player.GetPosition()) > radiusSq)
000092 |             continue;
000093 |
000094 |         syncPlayer = Expansion_GetByID(player.GetIdentity().GetId());
000095 |         if (syncPlayer)
000096 |             players.Insert(syncPlayer);
000097 |     }
000098 |
000099 |     return players;
000100 | }
000101 | };
```

000102 |

0031. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettingCategory.c

Size bytes: 631

SHA-256: 5e07ccff24800520b3bdaf0ae1471c41d3b6f59cddd321650da581d8b5c5e37d

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L13: class ExpansionClientSettingCategory

Detected enum declarations: 0

Detected function/method-like declarations: 1

L20: void ExpansionClientSettingCategory()

Full file content

```
000001 | /**
000002 |  * ExpansionClientSettingCategory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionClientSettingCategory
000014 | {
000015 |     autoPtr array< ref ExpansionSettingSerializationBase > m_Settings;
000016 |
000017 |     string m_Name;
000018 |     string m_DisplayName;
000019 |
000020 |     void ExpansionClientSettingCategory()
000021 |     {
000022 |         m_Settings = new array< ref ExpansionSettingSerializationBase >;
000023 |     }
000024 | };
```

0032. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\ExpansionClientSettings.c
Size bytes: 51798
SHA-256: 6561d0be96f23e17754654998381498f67cb44653a82f1279b9b28485a86d21b
Decoded as: utf-8-sig
Line count shown: 1516
Detected class declarations: 1
  L16: class ExpansionClientSettings
Detected enum declarations: 0
Detected function/method-like declarations: 19
  L149: void ExpansionClientSettings()
  L184: private bool OnRead( ParamsReadContext ctx, int version, out bool settingsRepaired = false )
  L837: private void OnSave( ParamsWriteContext ctx )
  L985: bool Load()
  L1029: void Save()
  L1050: void Defaults()
  L1161: void Init()
  L1351: void OnSettingsUpdated(typename type, ExpansionSettingSerializationBase setting)
  L1360: private void CreateCategory( string name, string displayName )
  L1378: private void CreateToggle( string variable, string name, string detailContent )
  L1395: private void CreateSlider( string variable, string name, string detailContent, float min, float max, float step = 0 )
  L1416: private void CreateInt( string variable, string name, string detailContent )
  L1433: private void CreateEnum( string variable, typename enm, string name, string detailContent )
  L1458: private void CreateString( string variable, string name, string detailContent )
  L1472: void SetQuestHUDVisibility(bool state)
  L1478: bool GetQuestHUDVisibility()
  L1483: void SetQuestVisibilityState(int questID, bool state)
  L1489: bool GetQuestVisibilityState(int questID)
  L1500: static ExpansionClientSettings GetExpansionClientSettings()
```

Full file content

```
000001 | /**
000002 |  * ExpansionClientSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionClientSettings
000014 |  * @brief      Expansion Main Client Settings class
000015 |  */
000016 | class ExpansionClientSettings
000017 | {
000018 |     [NonSerialized()]
000019 |     auto_ptr ScriptInvoker SI_UpdateSetting = new ScriptInvoker();
000020 |
000021 |     [NonSerialized()]
000022 |     auto_ptr array< ref ExpansionClientSettingCategory > m_Categories;
000023 |
000024 |     [NonSerialized()]
000025 |     private ExpansionClientSettingCategory m_CurrentCategory;
000026 |
000027 |     [NonSerialized()]
000028 |     bool m_ShouldShowHUDCategory = false;
```



```
000029 |
000030 | // ===== Vehicles Settings =====
000031 | bool UseCameraLock;
000032 | bool UseInvertedMouseControl;
000033 |
000034 | bool UseHelicopterMouseControl;
000035 | float HelicopterVerticalSensitivity;
000036 | float HelicopterHorizontalSensitivity;
000037 | bool UsePlaneMouseControl;
000038 | bool TurnOffAutoHoverDuringFlight;
000039 | bool EnableCollectiveDecay;
000040 | bool EnableRetreatingBladeStall;
000041 | bool UseLegacyHelicopterFlightModel; //! Obsolete
000042 |
000043 | // ===== Video Settings =====
000044 | bool CastLightShadows;
000045 |
000046 | // ===== Navigation Settings =====
000047 | bool Show3DClientMarkers;
000048 | bool Show3DPlayerMarkers;
000049 | bool Show3DPartyMarkers;
000050 | bool Show3DGlobalMarkers;
000051 |
000052 | bool Show3DPartyMemberIcon;
000053 |
000054 | bool Show2DClientMarkers;
000055 | bool Show2DPlayerMarkers;
000056 | bool Show2DPartyMarkers;
000057 | bool Show2DGlobalMarkers;
000058 |
000059 | bool ShowPartyMemberHUD;
000060 | bool OpenMapOnPlayerPos;
000061 |
000062 | float MaxDistance3DClientMarkers;
000063 | float MaxDistance3DPlayerMarkers;
000064 | float MaxDistance3DPartyMarkers;
000065 | float MaxDistance3DGlobalMarkers;
000066 |
000067 | bool ShowMarkerTextColor;
000068 |
000069 | ExpansionClientUIMemberMarkerType MemberMarkerType;
000070 | ExpansionClientUIMarkerSize MarkerSize;
000071 | ExpansionClientUIPlayerArrowColor PlayerArrowColor;
000072 | bool ShowMemberNameMarker;
000073 | bool ShowMemberDistanceMarker;
000074 | bool ForceColorMemberMarker;
000075 | float AlphaColorHUDOnTopOfHeadOfPlayers;
000076 | float RedColorHUDOnTopOfHeadOfPlayers;
000077 | float GreenColorHUDOnTopOfHeadOfPlayers;
000078 | float BlueColorHUDOnTopOfHeadOfPlayers;
000079 | float AlphaColorLookAtMinimum;
000080 | bool DefaultMarkerLockState;
000081 |
000082 | // ===== Notification Settings =====
000083 | bool ShowNotifications;
000084 | bool NotificationSound;
000085 | bool NotificationSoundLeaveJoin;
000086 | bool NotificationJoin;
000087 | bool NotificationLeave;
000088 | // int NotificationSoundType;
000089 |
000090 | // ===== Codelock Settings =====
```

```
000091 | bool StreamerMode;
000092 | bool ShowPINCode;
000093 | bool AutoOpenLockMenuAfterPlacing;
000094 |
000095 | // ===== Misc =====
000096 | bool EnableLiquidTypeColors;
000097 |
000098 | // ===== HUD Settings =====
000099 | float EarplugLevel;
000100 |
000101 | // Chat Settings
000102 | bool HUDChatToggle;
000103 | ExpansionClientUIChatSize HUDChatSize;
000104 | int HUDChatOutlineSize;
000105 | float HUDChatOutlineOpacity;
000106 | int HUDChatShadowSize;
000107 | float HUDChatShadowOpacity;
000108 | float HUDChatShadowOffsetX;
000109 | float HUDChatShadowOffsetY;
000110 | float HUDChatMessageTimeThreshold;
000111 | float HUDChatFadeOut;
000112 | ExpansionClientUIChatChannel DefaultChatChannel;
000113 | int HUDChatMessagesHistoryLimit;
000114 |
000115 | bool ShowNameQuickMarkers;
000116 | bool ShowDistanceQuickMarkers;
000117 |
000118 | bool ShowMapMarkerList;
000119 |
000120 | bool EnableGPSBasedOnVehicleSpeed;
000121 |
000122 | float VehicleCameraHeight;
000123 | float VehicleCameraDistance;
000124 | float VehicleCameraOffsetY;
000125 |
000126 | float VehicleResyncTimeout;
000127 | bool ShowDesyncInvulnerabilityNotifications;
000128 |
000129 | bool MarketMenuCategoriesState;
000130 | bool MarketMenuSkipConfirmations;
000131 | bool MarketMenuFilterPurchasableState;
000132 | bool MarketMenuFilterSellableState;
000133 | bool MarketMenuDisableSuccessNotifications;
000134 |
000135 | ref array<string> MutedPlayers;
000136 |
000137 | bool ShowUnderRoofIndicator;
000138 | bool RarityColorToggle;
000139 |
000140 | bool QuestHUDVisibility = true;
000141 | ref map<int, bool> QuestVisibilityStates;
000142 |
000143 | float ViewDistance;
000144 | float ObjectViewDistance;
000145 |
000146 | // -----
000147 | // ExpansionClientSettings Constructor
000148 | // -----
000149 | void ExpansionClientSettings()
000150 | {
000151 | #ifdef EXTRACE_DIAG
000152 |     auto trace = EXTrace.StartStack(EXTrace.CLIENT_SETTINGS, this);
```

```
000153 | #endif
000154 |
000155 |     #ifdef EXPANSIONMODNAVIGATION
000156 |         m_ShouldShowHUDCategory = true;
000157 |     #endif
000158 |     #ifdef EXPANSIONMODGROUPS
000159 |         m_ShouldShowHUDCategory = true;
000160 |     #endif
000161 |     #ifdef EXPANSIONMODHARDLINE
000162 |         m_ShouldShowHUDCategory = true;
000163 |     #endif
000164 |
000165 |         m_Categories = new array< ref ExpansionClientSettingCategory >;
000166 |         MutedPlayers = new array<string>;
000167 |
000168 |         QuestHUDVisibility = true;
000169 |         QuestVisibilityStates = new map<int, bool>;
000170 |
000171 |         Init();
000172 |         Defaults();
000173 |
000174 |         if ( !FileExist( EXPANSION_CLIENT_SETTINGS ) || !Load() )
000175 |         {
000176 |             Print( "Creating client settings." );
000177 |             Save();
000178 |         }
000179 |     }
000180 |
000181 |     // -----
000182 |     // ExpansionClientSettings OnRead
000183 |     // -----
000184 |     private bool OnRead( ParamsReadContext ctx, int version, out bool settingsRepaired = false )
000185 |     {
000186 |         #ifdef EXPANSIONTRACE
000187 |             auto trace = CF_Trace_2( EXTrace.CLIENT_SETTINGS, this, "OnRead" ).Add( ctx ).Add( version );
000188 |         #endif
000189 |
000190 |         // Vehicles
000191 |         if ( !ctx.Read( UseCameraLock ) )
000192 |         {
000193 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UseCameraLock!" );
000194 |             return false;
000195 |         }
000196 |         if ( !ctx.Read( UseInvertedMouseControl ) )
000197 |         {
000198 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UseInvertedMouseControl!" );
000199 |             return false;
000200 |         }
000201 |         if ( !ctx.Read( UseHelicopterMouseControl ) )
000202 |         {
000203 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UseHelicopterMouseControl!" );
000204 |             return false;
000205 |         }
000206 |         if ( !ctx.Read( UsePlaneMouseControl ) )
000207 |         {
000208 |             EXPrint( ToString() + " :OnRead - ERROR: Couldn't read UsePlaneMouseControl!" );
000209 |             return false;
000210 |         }
000211 |
000212 |         // Video
000213 |         if ( version < 36 )
000214 |         {
```

```
000215 |         //!< These three were removed in version 36
000216 |         float drawDistance;
000217 |         if ( !ctx.Read( drawDistance ) )
000218 |         {
000219 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read drawDistance!");
000220 |             return false;
000221 |         }
000222 |         bool colorGrading;
000223 |         if ( !ctx.Read( colorGrading ) )
000224 |         {
000225 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read colorGrading!");
000226 |             return false;
000227 |         }
000228 |         bool colorVignette;
000229 |         if ( !ctx.Read( colorVignette ) )
000230 |         {
000231 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read colorVignette!");
000232 |             return false;
000233 |         }
000234 |     }
000235 |
000236 |     if ( !ctx.Read( CastLightShadows ) )
000237 |     {
000238 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read CastLightShadows!");
000239 |         return false;
000240 |     }
000241 |
000242 |     // 3D Markers
000243 |     if ( !ctx.Read( Show3DClientMarkers ) )
000244 |     {
000245 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DClientMarkers!");
000246 |         return false;
000247 |     }
000248 |     if ( !ctx.Read( Show3DPlayerMarkers ) )
000249 |     {
000250 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DPlayerMarkers!");
000251 |         return false;
000252 |     }
000253 |     if ( !ctx.Read( Show3DPartyMarkers ) )
000254 |     {
000255 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DPartyMarkers!");
000256 |         return false;
000257 |     }
000258 |     if ( !ctx.Read( Show3DGlobalMarkers ) )
000259 |     {
000260 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DGlobalMarkers!");
000261 |         return false;
000262 |     }
000263 |
000264 |     // 2D Markers
000265 |     if ( !ctx.Read( Show2DClientMarkers ) )
000266 |     {
000267 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DClientMarkers!");
000268 |         return false;
000269 |     }
000270 |     if ( !ctx.Read( Show2DPlayerMarkers ) )
000271 |     {
000272 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DPlayerMarkers!");
000273 |         return false;
000274 |     }
000275 |     if ( !ctx.Read( Show2DPartyMarkers ) )
000276 |     {
```

```
000277 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DPartyMarkers!");
000278 |         return false;
000279 |     }
000280 |     if ( !ctx.Read( Show2DGlobalMarkers ) )
000281 |     {
000282 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show2DGlobalMarkers!");
000283 |         return false;
000284 |     }
000285 |
000286 |     // Notifications
000287 |     if ( !ctx.Read( ShowNotifications ) )
000288 |     {
000289 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowNotifications!");
000290 |         return false;
000291 |     }
000292 |     if ( !ctx.Read( NotificationSound ) )
000293 |     {
000294 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationSound!");
000295 |         return false;
000296 |     }
000297 |     if ( !ctx.Read( NotificationSoundLeaveJoin ) )
000298 |     {
000299 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationSoundLeaveJoin!");
000300 |         return false;
000301 |     }
000302 |     if ( !ctx.Read( NotificationJoin ) )
000303 |     {
000304 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationJoin!");
000305 |         return false;
000306 |     }
000307 |     if ( !ctx.Read( NotificationLeave ) )
000308 |     {
000309 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read NotificationLeave!");
000310 |         return false;
000311 |     }
000312 |
000313 |     // Streamer mode
000314 |     if ( !ctx.Read( StreamerMode ) )
000315 |     {
000316 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read StreamerMode!");
000317 |         return false;
000318 |     }
000319 |     if ( !ctx.Read( ShowPINCode ) )
000320 |     {
000321 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowPINCode!");
000322 |         return false;
000323 |     }
000324 |
000325 |     // HUD Settings
000326 |     if ( !ctx.Read( EarplugLevel ) )
000327 |     {
000328 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EarplugLevel!");
000329 |         return false;
000330 |     }
000331 |     if ( !ctx.Read( AlphaColorHUDOnTopOfHeadOfPlayers ) )
000332 |     {
000333 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read AlphaColorHUDOnTopOfHeadOfPlayers!");
000334 |         return false;
000335 |     }
000336 |     if ( !ctx.Read( RedColorHUDOnTopOfHeadOfPlayers ) )
000337 |     {
000338 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read RedColorHUDOnTopOfHeadOfPlayers!");
```

```
000339 |         return false;
000340 |     }
000341 |     if ( !ctx.Read( GreenColorHUDOnTopOfHeadOfPlayers ) )
000342 |     {
000343 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read GreenColorHUDOnTopOfHeadOfPlayers!");
000344 |         return false;
000345 |     }
000346 |     if ( !ctx.Read( BlueColorHUDOnTopOfHeadOfPlayers ) )
000347 |     {
000348 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read BlueColorHUDOnTopOfHeadOfPlayers!");
000349 |         return false;
000350 |     }
000351 |     if ( !ctx.Read( AlphaColorLookAtMinimum ) )
000352 |     {
000353 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read AlphaColorLookAtMinimum!");
000354 |         return false;
000355 |     }
000356 |
000357 |     if ( version < 7 )
000358 |         return true;
000359 |
000360 |     // Chat settings
000361 |     if ( !ctx.Read( HUDChatSize ) )
000362 |     {
000363 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatSize!");
000364 |         return false;
000365 |     }
000366 |     if ( !ctx.Read( HUDChatFadeOut ) )
000367 |     {
000368 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatFadeOut!");
000369 |         return false;
000370 |     }
000371 |
000372 |     if ( version < 8 )
000373 |         return true;
000374 |
000375 |     // more markers settings
000376 |     if ( !ctx.Read( MemberMarkerType ) )
000377 |     {
000378 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MemberMarkerType!");
000379 |         return false;
000380 |     }
000381 |     if ( !ctx.Read( MarkerSize ) )
000382 |     {
000383 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarkerSize!");
000384 |         return false;
000385 |     }
000386 |     if ( !ctx.Read( ShowMemberNameMarker ) )
000387 |     {
000388 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMemberNameMarker!");
000389 |         return false;
000390 |     }
000391 |     if ( !ctx.Read( ShowMemberDistanceMarker ) )
000392 |     {
000393 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMemberDistanceMarker!");
000394 |         return false;
000395 |     }
000396 |     if ( !ctx.Read( ForceColorMemberMarker ) )
000397 |     {
000398 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ForceColorMemberMarker!");
000399 |         return false;
000400 |     }
```

```
000401 |
000402 |     if ( version < 9 )
000403 |         return true;
000404 |
000405 |     if ( !ctx.Read( ShowNameQuickMarkers ) )
000406 |     {
000407 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowNameQuickMarkers!");
000408 |         return false;
000409 |     }
000410 |
000411 |     if ( !ctx.Read( ShowDistanceQuickMarkers ) )
000412 |     {
000413 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowDistanceQuickMarkers!");
000414 |         return false;
000415 |     }
000416 |
000417 |     if ( version < 13 )
000418 |         return true;
000419 |
000420 |     if ( !ctx.Read( HelicopterVerticalSensitivity ) )
000421 |     {
000422 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HelicopterVerticalSensitivity!");
000423 |         return false;
000424 |     }
000425 |
000426 |     if ( !ctx.Read( HelicopterHorizontalSensitivity ) )
000427 |     {
000428 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HelicopterHorizontalSensitivity!");
000429 |         return false;
000430 |     }
000431 |
000432 |     if ( version < 18 )
000433 |         return true;
000434 |
000435 |     if ( !ctx.Read( ShowMapMarkerList ) )
000436 |     {
000437 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMapMarkerList!");
000438 |         return false;
000439 |     }
000440 |
000441 |     if ( version < 26 )
000442 |         return true;
000443 |
000444 |     if ( !ctx.Read( VehicleCameraHeight ) )
000445 |     {
000446 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleCameraHeight!");
000447 |         return false;
000448 |     }
000449 |
000450 |     if ( !ctx.Read( VehicleCameraDistance ) )
000451 |     {
000452 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleCameraDistance!");
000453 |         return false;
000454 |     }
000455 |
000456 |     if ( !ctx.Read( VehicleCameraOffsetY ) )
000457 |     {
000458 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleCameraOffsetY!");
000459 |         return false;
000460 |     }
000461 |
000462 |     if ( version < 29 )
```

```
000463 |         return true;
000464 |
000465 |     if ( !ctx.Read( MarketMenuCategoriesState ) )
000466 |     {
000467 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarketMenuCategoriesState!");
000468 |         return false;
000469 |     }
000470 |
000471 |     if ( !ctx.Read( MarketMenuSkipConfirmations ) )
000472 |     {
000473 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarketMenuSkipConfirmations!");
000474 |         return false;
000475 |     }
000476 |
000477 |     if ( !ctx.Read( MarketMenuFilterPurchasableState ) )
000478 |     {
000479 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarketMenuFilterPurchasableState!");
000480 |         return false;
000481 |     }
000482 |
000483 |     if ( !ctx.Read( MarketMenuFilterSellableState ) )
000484 |     {
000485 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarketMenuFilterSellableState!");
000486 |         return false;
000487 |     }
000488 |
000489 |     if ( version < 38 )
000490 |         return true;
000491 |
000492 |     if ( !ctx.Read( MarketMenuDisableSuccessNotifications ) )
000493 |     {
000494 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MarketMenuDisableSuccessNotifications!");
000495 |         return false;
000496 |     }
000497 |
000498 |     if ( version < 39 )
000499 |         return true;
000500 |
000501 |     if ( !ctx.Read( DefaultMarkerLockState ) )
000502 |     {
000503 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read DefaultMarkerLockState!");
000504 |         return false;
000505 |     }
000506 |
000507 |     if ( !ctx.Read( TurnOffAutoHoverDuringFlight ) )
000508 |     {
000509 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read TurnOffAutoHoverDuringFlight!");
000510 |         return false;
000511 |     }
000512 |
000513 |     if ( version < 40 )
000514 |         return true;
000515 |
000516 |     if ( !ctx.Read( Show3DPartyMemberIcon ) )
000517 |     {
000518 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read Show3DPartyMemberIcon!");
000519 |         return false;
000520 |     }
000521 |
000522 |     if ( version < 41 )
000523 |         return true;
000524 |
```



```
000525 |         if ( !ctx.Read( DefaultChatChannel ) )
000526 |         {
000527 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read DefaultChatChannel!");
000528 |             return false;
000529 |         }
000530 |
000531 |         if ( version < 42 )
000532 |             return true;
000533 |
000534 |         if ( version >= 43 )
000535 |         {
000536 |             int mutedPlayersCount;
000537 |             if ( !ctx.Read( mutedPlayersCount ) )
000538 |             {
000539 |                 EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MutedPlayers count!");
000540 |                 return false;
000541 |             }
000542 |
000543 |             MutedPlayers.Clear();
000544 |             for (int i = 0; i < mutedPlayersCount; i++)
000545 |             {
000546 |                 string muted;
000547 |                 if ( !ctx.Read( muted ) )
000548 |                 {
000549 |                     EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MutedPlayer string!");
000550 |                     return false;
000551 |                 }
000552 |
000553 |                 if (MutedPlayers.Find(muted) == -1)
000554 |                 {
000555 |                     MutedPlayers.Insert( muted );
000556 |                 }
000557 |                 else
000558 |                 {
000559 |                     settingsRepaired = true;
000560 |                     if (mutedPlayersCount > 100)
000561 |                         return true; //! Bail
000562 |                 }
000563 |             }
000564 |         }
000565 |
000566 |         if ( !ctx.Read( VehicleResyncTimeout ) )
000567 |         {
000568 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read VehicleResyncTimeout!");
000569 |             return false;
000570 |         }
000571 |
000572 |         if ( !ctx.Read( ShowDesyncInvulnerabilityNotifications ) )
000573 |         {
000574 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowDesyncInvulnerabilityNotifications!");
000575 |             return false;
000576 |         }
000577 |
000578 |         if (version < 44)
000579 |             return true;
000580 |
000581 |         if ( !ctx.Read( ShowUnderRoofIndicator ) )
000582 |         {
000583 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowUnderRoofIndicator!");
000584 |             return false;
000585 |         }
000586 |
```

```
000587 |         if (version < 45)
000588 |             return true;
000589 |
000590 |         if ( !ctx.Read( ShowPartyMemberHUD ) )
000591 |         {
000592 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowPartyMemberHUD!");
000593 |             return false;
000594 |         }
000595 |
000596 |         if ( !ctx.Read( PlayerArrowColor ) )
000597 |         {
000598 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowPartyMemberHUD!");
000599 |             return false;
000600 |         }
000601 |
000602 |         if (version < 46)
000603 |             return true;
000604 |
000605 |         if ( !ctx.Read( EnableGPSBasedOnVehicleSpeed ) )
000606 |         {
000607 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableGPSBasedOnVehicleSpeed!");
000608 |             return false;
000609 |         }
000610 |
000611 |         if (version < 47)
000612 |             return true;
000613 |
000614 |         if ( !ctx.Read( HUDChatToggle ) )
000615 |         {
000616 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatToggle!");
000617 |             return false;
000618 |         }
000619 |
000620 |         if ( !ctx.Read( HUDChatMessageTimeThreshold ) )
000621 |         {
000622 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatToggle!");
000623 |             return false;
000624 |         }
000625 |
000626 |         if (version < 48)
000627 |             HUDChatFadeOut /= 10.0;
000628 |
000629 |         if (version < 49)
000630 |             return true;
000631 |
000632 |         if ( !ctx.Read( RarityColorToggle ) )
000633 |         {
000634 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read RarityColorToggle!");
000635 |             return false;
000636 |         }
000637 |
000638 |         if ( version < 50 )
000639 |             return true;
000640 |
000641 |         //! Quest HUD visibility
000642 |         if ( !ctx.Read( QuestHUDVisibility ) )
000643 |         {
000644 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read QuestHUDVisibility!");
000645 |             return false;
000646 |         }
000647 |
000648 |         int questVisStates;
```

```
000649 |         if ( !ctx.Read( questVisStates ) )
000650 |         {
000651 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read questVisStates!");
000652 |             return false;
000653 |         }
000654 |
000655 |         if (!QuestVisibilityStates)
000656 |             QuestVisibilityStates = new map<int, bool>;
000657 |
000658 |         for (int j = 0; j < questVisStates; j++)
000659 |         {
000660 |             int questID;
000661 |             if ( !ctx.Read( questID ) )
000662 |             {
000663 |                 EXPrint(ToString() + ":\nRead - ERROR: Couldn't read questID!");
000664 |                 return false;
000665 |             }
000666 |
000667 |             bool visState;
000668 |             if ( !ctx.Read( visState ) )
000669 |             {
000670 |                 EXPrint(ToString() + ":\nRead - ERROR: Couldn't read visState!");
000671 |                 return false;
000672 |             }
000673 |
000674 |             EXPrint(ToString() + ":\nRead - Add quest visibity state: " + questID + " | " + visState);
000675 |             QuestVisibilityStates[questID] = visState;
000676 |         }
000677 |
000678 |         if ( version < 51 )
000679 |         {
000680 |             EnableLiquidTypeColors = true;
000681 |             return true;
000682 |         }
000683 |
000684 |         if ( !ctx.Read( EnableLiquidTypeColors ) )
000685 |         {
000686 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableLiquidTypeColors!");
000687 |             return false;
000688 |         }
000689 |
000690 |         if ( version < 52 )
000691 |         {
000692 |             return true;
000693 |         }
000694 |
000695 |         if ( !ctx.Read( AutoOpenLockMenuAfterPlacing ) )
000696 |         {
000697 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read AutoOpenLockMenuAfterPlacing!");
000698 |             return false;
000699 |         }
000700 |
000701 |         if ( version < 53 )
000702 |         {
000703 |             return true;
000704 |         }
000705 |
000706 |         if ( !ctx.Read( ViewDistance ) )
000707 |         {
000708 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ViewDistance!");
000709 |             return false;
000710 |         }
```

```
000711 |
000712 |     if ( !ctx.Read( ObjectViewDistance ) )
000713 |     {
000714 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ObjectViewDistance!");
000715 |         return false;
000716 |     }
000717 |
000718 |     if ( version < 54 )
000719 |     {
000720 |         return true;
000721 |     }
000722 |
000723 |     if ( !ctx.Read( MaxDistance3DClientMarkers ) )
000724 |     {
000725 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DClientMarkers!");
000726 |         return false;
000727 |     }
000728 |
000729 |     if ( !ctx.Read( MaxDistance3DPlayerMarkers ) )
000730 |     {
000731 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DPlayerMarkers!");
000732 |         return false;
000733 |     }
000734 |
000735 |     if ( !ctx.Read( MaxDistance3DPartyMarkers ) )
000736 |     {
000737 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DPartyMarkers!");
000738 |         return false;
000739 |     }
000740 |
000741 |     if ( !ctx.Read( MaxDistance3DGlobalMarkers ) )
000742 |     {
000743 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read MaxDistance3DGlobalMarkers!");
000744 |         return false;
000745 |     }
000746 |
000747 |     if ( !ctx.Read( ShowMarkerTextColor ) )
000748 |     {
000749 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read ShowMarkerTextColor!");
000750 |         return false;
000751 |     }
000752 |
000753 |     if ( !ctx.Read( OpenMapOnPlayerPos ) )
000754 |     {
000755 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read OpenMapOnPlayerPos!");
000756 |         return false;
000757 |     }
000758 |
000759 |     if ( version < 55 )
000760 |     {
000761 |         return true;
000762 |     }
000763 |
000764 |     if ( !ctx.Read( HUDChatMessagesHistoryLimit ) )
000765 |     {
000766 |         EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatMessagesHistoryLimit!");
000767 |         return false;
000768 |     }
000769 |
000770 |     if (version < 56)
000771 |         return true;
000772 |
```

```
000773 |         if (!ctx.Read(HUDChatOutlineSize))
000774 |         {
000775 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatOutlineSize!");
000776 |             return false;
000777 |         }
000778 |
000779 |         if (!ctx.Read(HUDChatOutlineOpacity))
000780 |         {
000781 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatOutlineOpacity!");
000782 |             return false;
000783 |         }
000784 |
000785 |         if (!ctx.Read(HUDChatShadowSize))
000786 |         {
000787 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowSize!");
000788 |             return false;
000789 |         }
000790 |
000791 |         if (!ctx.Read(HUDChatShadowOpacity))
000792 |         {
000793 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowOpacity!");
000794 |             return false;
000795 |         }
000796 |
000797 |         if (!ctx.Read(HUDChatShadowOffsetX))
000798 |         {
000799 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowOffsetX!");
000800 |             return false;
000801 |         }
000802 |
000803 |         if (!ctx.Read(HUDChatShadowOffsetY))
000804 |         {
000805 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read HUDChatShadowOffsetY!");
000806 |             return false;
000807 |         }
000808 |
000809 |         if (version < 57)
000810 |             return true;
000811 |
000812 |         if (!ctx.Read(EnableCollectiveDecay))
000813 |         {
000814 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableCollectiveDecay!");
000815 |             return false;
000816 |         }
000817 |
000818 |         if (!ctx.Read(EnableRetreatingBladeStall))
000819 |         {
000820 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read EnableRetreatingBladeStall!");
000821 |             return false;
000822 |         }
000823 |
000824 |         bool useLegacyHelicopterFlightModel; /// Obsolete
000825 |         if (version == 57 && !ctx.Read(useLegacyHelicopterFlightModel))
000826 |         {
000827 |             EXPrint(ToString() + ":\nRead - ERROR: Couldn't read bool!");
000828 |             return false;
000829 |         }
000830 |
000831 |         return true;
000832 |     }
000833 |
000834 |     // -----
```

```
000835 | // ExpansionClientSettings OnSave
000836 | // -----
000837 | private void OnSave( ParamsWriteContext ctx )
000838 | {
000839 | #ifdef EXPANSIONTRACE
000840 |     auto trace = CF_Trace_1(EXTrace.CLIENT_SETTINGS, this, "OnSave").Add(ctx);
000841 | #endif
000842 |
000843 |     // Vehicles
000844 |     ctx.Write( UseCameraLock );
000845 |     ctx.Write( UseInvertedMouseControl );
000846 |
000847 |     ctx.Write( UseHelicopterMouseControl );
000848 |     ctx.Write( UsePlaneMouseControl );
000849 |
000850 |     // Video
000851 |     ctx.Write( CastLightShadows );
000852 |
000853 |     // 3D Markers
000854 |     ctx.Write( Show3DClientMarkers );
000855 |     ctx.Write( Show3DPlayerMarkers );
000856 |     ctx.Write( Show3DPartyMarkers );
000857 |     ctx.Write( Show3DGlobalMarkers );
000858 |
000859 |     // 2D Markers
000860 |     ctx.Write( Show2DClientMarkers );
000861 |     ctx.Write( Show2DPlayerMarkers );
000862 |     ctx.Write( Show2DPartyMarkers );
000863 |     ctx.Write( Show2DGlobalMarkers );
000864 |
000865 |     // Notifications
000866 |     ctx.Write( ShowNotifications );
000867 |     ctx.Write( NotificationSound );
000868 |     ctx.Write( NotificationSoundLeaveJoin );
000869 |     ctx.Write( NotificationJoin );
000870 |     ctx.Write( NotificationLeave );
000871 |
000872 |     // Streamer mode
000873 |     ctx.Write( StreamerMode );
000874 |     ctx.Write( ShowPINCode );
000875 |
000876 |     // HUD Settings
000877 |     ctx.Write( EarplugLevel );
000878 |     ctx.Write( AlphaColorHUDOnTopOfHeadOfPlayers );
000879 |     ctx.Write( RedColorHUDOnTopOfHeadOfPlayers );
000880 |     ctx.Write( GreenColorHUDOnTopOfHeadOfPlayers );
000881 |     ctx.Write( BlueColorHUDOnTopOfHeadOfPlayers );
000882 |     ctx.Write( AlphaColorLookAtMinimum );
000883 |
000884 |     // Chat settings
000885 |     ctx.Write( HUDChatSize );
000886 |     ctx.Write( HUDChatFadeOut );
000887 |
000888 |     // More markers settings
000889 |     ctx.Write( MemberMarkerType );
000890 |     ctx.Write( MarkerSize );
000891 |     ctx.Write( ShowMemberNameMarker );
000892 |     ctx.Write( ShowMemberDistanceMarker );
000893 |     ctx.Write( ForceColorMemberMarker );
000894 |
000895 |     ctx.Write( ShowNameQuickMarkers );
000896 |     ctx.Write( ShowDistanceQuickMarkers );
```

```
000897 |
000898 |     ctx.Write( HelicopterVerticalSensitivity );
000899 |     ctx.Write( HelicopterHorizontalSensitivity );
000900 |
000901 |     ctx.Write( ShowMapMarkerList );
000902 |
000903 |     ctx.Write( VehicleCameraHeight );
000904 |     ctx.Write( VehicleCameraDistance );
000905 |     ctx.Write( VehicleCameraOffsetY );
000906 |
000907 |     ctx.Write( MarketMenuCategoriesState );
000908 |     ctx.Write( MarketMenuSkipConfirmations );
000909 |     ctx.Write( MarketMenuFilterPurchasableState );
000910 |     ctx.Write( MarketMenuFilterSellableState );
000911 |
000912 |     ctx.Write( MarketMenuDisableSuccessNotifications );
000913 |
000914 |     ctx.Write( DefaultMarkerLockState );
000915 |
000916 |     ctx.Write( TurnOffAutoHoverDuringFlight );
000917 |
000918 |     ctx.Write( Show3DPartyMemberIcon );
000919 |
000920 |     ctx.Write( DefaultChatChannel );
000921 |
000922 |     int mutedPlayersCount = MutedPlayers.Count();
000923 |     ctx.Write( mutedPlayersCount );
000924 |     foreach (string muted: MutedPlayers)
000925 |     {
000926 |         ctx.Write( muted );
000927 |     }
000928 |
000929 |     ctx.Write( VehicleResyncTimeout );
000930 |     ctx.Write( ShowDesyncInvulnerabilityNotifications );
000931 |
000932 |     ctx.Write( ShowUnderRoofIndicator );
000933 |
000934 |     ctx.Write( ShowPartyMemberHUD );
000935 |     ctx.Write( PlayerArrowColor );
000936 |
000937 |     ctx.Write( EnableGPSBasedOnVehicleSpeed );
000938 |
000939 |     ctx.Write( HUDChatToggle );
000940 |     ctx.Write( HUDChatMessageTimeThreshold );
000941 |
000942 |     ctx.Write( RarityColorToggle );
000943 |
000944 |     //! Quest HUD visibility
000945 |     ctx.Write( QuestHUDVisibility );
000946 |     ctx.Write( QuestVisibilityStates.Count() );
000947 |
000948 |     foreach (int questID, bool visState: QuestVisibilityStates)
000949 |     {
000950 |         ctx.Write( questID );
000951 |         ctx.Write( visState );
000952 |     }
000953 |
000954 |     ctx.Write( EnableLiquidTypeColors );
000955 |
000956 |     ctx.Write( AutoOpenLockMenuAfterPlacing );
000957 |
000958 |     ctx.Write( ViewDistance );
```

```
000959 |         ctx.Write( ObjectViewDistance );
000960 |
000961 |         ctx.Write( MaxDistance3DClientMarkers );
000962 |         ctx.Write( MaxDistance3DPlayerMarkers );
000963 |         ctx.Write( MaxDistance3DPartyMarkers );
000964 |         ctx.Write( MaxDistance3DGlobalMarkers );
000965 |         ctx.Write( ShowMarkerTextColor );
000966 |         ctx.Write( OpenMapOnPlayerPos );
000967 |
000968 |         ctx.Write( HUDChatMessagesHistoryLimit );
000969 |
000970 |         ctx.Write(HUDChatOutlineSize);
000971 |         ctx.Write(HUDChatOutlineOpacity);
000972 |         ctx.Write(HUDChatShadowSize);
000973 |         ctx.Write(HUDChatShadowOpacity);
000974 |         ctx.Write(HUDChatShadowOffsetX);
000975 |         ctx.Write(HUDChatShadowOffsetY);
000976 |
000977 |         //! v57
000978 |         ctx.Write( EnableCollectiveDecay );
000979 |         ctx.Write( EnableRetreatingBladeStall );
000980 |     }
000981 |
000982 |     // -----
000983 |     // ExpansionClientSettings Load
000984 |     // -----
000985 |     bool Load()
000986 |     {
000987 |     #ifdef EXPANSIONTRACE
000988 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Load");
000989 |     #endif
000990 |
000991 |         FileSerializer file = new FileSerializer;
000992 |
000993 |         if ( file.Open( EXPANSION_CLIENT_SETTINGS, FileMode.READ ) )
000994 |         {
000995 |             int version;
000996 |             if ( !file.Read( version ) )
000997 |             {
000998 |                 EXPrint(ToString() + "::Load - ERROR: Could not read version!");
000999 |                 file.Close();
001000 |                 return false;
001001 |             }
001002 |
001003 |             EXPrint("Loading Expansion client settings version " + version);
001004 |
001005 |             bool settingsRepaired;
001006 |             if ( !OnRead( file, version, settingsRepaired ) )
001007 |             {
001008 |                 EXPrint(ToString() + "::Load - ERROR: Loading client settings failed!");
001009 |                 file.Close();
001010 |                 return false;
001011 |             }
001012 |
001013 |             file.Close();
001014 |
001015 |             if (settingsRepaired)
001016 |                 Save();
001017 |         } else
001018 |         {
001019 |             EXPrint(ToString() + "::Load - ERROR: Could not open client settings file \"" + EXPANSION_CLIENT_SETTINGS + "\"!");
001020 |             return false;
```



```
001021 |     }
001022 |
001023 |     return true;
001024 | }
001025 |
001026 | // -----
001027 | // ExpansionClientSettings Save
001028 | // -----
001029 | void Save()
001030 | {
001031 | #ifdef EXPANSIONTRACE
001032 |     auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Save");
001033 | #endif
001034 |
001035 |     FileSerializer file = new FileSerializer();
001036 |     if ( file.Open( EXPANSION_CLIENT_SETTINGS, FileMode.WRITE ) )
001037 |     {
001038 |         EXPrint("Saving Expansion client settings version " + EXPANSION_VERSION_CLIENT_SETTING_SAVE);
001039 |         file.Write( EXPANSION_VERSION_CLIENT_SETTING_SAVE );
001040 |
001041 |         OnSave( file );
001042 |
001043 |         file.Close();
001044 |     }
001045 | }
001046 |
001047 | // -----
001048 | // ExpansionClientSettings Defaults
001049 | // -----
001050 | void Defaults()
001051 | {
001052 | #ifdef EXPANSIONTRACE
001053 |     auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Defaults");
001054 | #endif
001055 |
001056 |     CastLightShadows = true;
001057 |
001058 |     Show3DClientMarkers = true;
001059 |     Show3DPlayerMarkers = true;
001060 |     Show3DPartyMarkers = true;
001061 |     Show3DGlobalMarkers = true;
001062 |
001063 |     Show2DClientMarkers = true;
001064 |     Show2DPlayerMarkers = true;
001065 |     Show2DPartyMarkers = true;
001066 |     Show2DGlobalMarkers = true;
001067 |
001068 |     ShowPartyMemberHUD = true;
001069 |
001070 |     MaxDistance3DClientMarkers = 30000;
001071 |     MaxDistance3DPlayerMarkers = 30000;
001072 |     MaxDistance3DPartyMarkers = 30000;
001073 |     MaxDistance3DGlobalMarkers = 30000;
001074 |
001075 |     OpenMapOnPlayerPos = true;
001076 |
001077 |     ShowMarkerTextColor = false;
001078 |
001079 |     ShowNotifications = true;
001080 |     NotificationSound = true;
001081 |     NotificationJoin = true;
001082 |     NotificationLeave = true;
```

```
001083 |
001084 |     StreamerMode = false;
001085 |     ShowPINCode = false;
001086 |     AutoOpenLockMenuAfterPlacing = false;
001087 |
001088 |     EnableLiquidTypeColors = true;
001089 |
001090 |     EarplugLevel = 0.05;
001091 |     AlphaColorHUDOnTopOfHeadOfPlayers = 255;
001092 |     RedColorHUDOnTopOfHeadOfPlayers = 255;
001093 |     GreenColorHUDOnTopOfHeadOfPlayers = 180;
001094 |     BlueColorHUDOnTopOfHeadOfPlayers = 24;
001095 |     AlphaColorLookAtMinimum = 80;
001096 |
001097 |     UseCameraLock = false;
001098 |     UseInvertedMouseControl = false;
001099 |
001100 |     UseHelicopterMouseControl = false;
001101 |     HelicopterVerticalSensitivity = 1.0;
001102 |     HelicopterHorizontalSensitivity = 1.0;
001103 |
001104 |     HUDChatToggle = true;
001105 |     HUDChatMessageTimeThreshold = 10.0;
001106 |     HUDChatSize = ExpansionClientUIChatSize.MEDIUM;
001107 |     HUDChatOutlineSize = 0;
001108 |     HUDChatOutlineOpacity = 1;
001109 |     HUDChatShadowSize = 4;
001110 |     HUDChatShadowOpacity = 1;
001111 |     HUDChatShadowOffsetX = 1;
001112 |     HUDChatShadowOffsetY = 1;
001113 |     HUDChatFadeOut = 3.0;
001114 |
001115 |     MemberMarkerType = ExpansionClientUIMemberMarkerType.PERSON;
001116 |     MarkerSize = ExpansionClientUIMarkerSize.MEDIUM;
001117 |     PlayerArrowColor = ExpansionClientUIPlayerArrowColor.GREY;
001118 |
001119 |     ShowMemberNameMarker = true;
001120 |     ShowMemberDistanceMarker = true;
001121 |     ForceColorMemberMarker = false;
001122 |
001123 |     // UsePlaneMouseControlInverted = true;
001124 |     // UsePlaneMouseControl = false;
001125 |
001126 |     ShowNameQuickMarkers = true;
001127 |     ShowDistanceQuickMarkers = true;
001128 |
001129 |     ShowMapMarkerList = true;
001130 |
001131 |     EnableGPSBasedOnVehicleSpeed = false;
001132 |
001133 |     VehicleCameraHeight = 1.0;
001134 |     VehicleCameraDistance = 1.0;
001135 |
001136 |     MarketMenuCategoriesState = false;
001137 |     MarketMenuSkipConfirmations = false;
001138 |     MarketMenuFilterPurchasableState = false;
001139 |     MarketMenuFilterSellableState = false;
001140 |     MarketMenuDisableSuccessNotifications = false;
001141 |
001142 |     DefaultMarkerLockState = false;
001143 |     TurnOffAutoHoverDuringFlight = true;
001144 |     Show3DPartyMemberIcon = true;
```

```
001145 |
001146 |     DefaultChatChannel = ExpansionClientUIChatChannel.GLOBAL;
001147 |     HUDChatMessagesHistoryLimit = 50;
001148 |
001149 |     VehicleResyncTimeout = 5.0;
001150 |     ShowDesyncInvulnerabilityNotifications = false;
001151 |
001152 |     QuestHUDVisibility = true;
001153 |
001154 |     ViewDistance = 0; //!< 0 = use game default
001155 |     ObjectViewDistance = 0; //!< 0 = use game default
001156 | }
001157 |
001158 | // -----
001159 | // ExpansionClientSettings Init
001160 | // -----
001161 | void Init()
001162 | {
001163 | #ifdef EXPANSIONTRACE
001164 |     auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "Init");
001165 | #endif
001166 |
001167 |     CreateCategory( "VideoSettings", "#STR_EXPANSION_SETTINGS_CLIENT_VIDEO" );
001168 |
001169 |     //!< Option to toggle light shadows
001170 |     CreateToggle( "CastLightShadows", "#STR_EXPANSION_SETTINGS_CLIENT_VIDEO_LIGHTSHADOWS", "#STR_EXPANSION_SETTINGS_CLIENT_VIDEO_LIGHTSHADOWS_DESC" );
001171 | #ifdef EXPANSIONMODNAVIGATION
001172 |     CreateCategory( "3DMapMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_MARKERS_3D" );
001173 |
001174 |     //!< Option to toggle view of all personal 3D Map-Markers
001175 |     CreateToggle( "Show3DClientMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DCLIENTMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DCLIENTMARKERS_DES
C" );
001176 |     //!< Option to toggle view of all 3D Party Player-Markers
001177 |     CreateToggle( "Show3DPlayerMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPLAYERMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPLAYERMARKERS_DES
C" );
001178 |     //!< Option to toggle view of all 3D Party Map-Markers
001179 |     CreateToggle( "Show3DPartyMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMARKERS_DESC"
);
001180 |     //!< Option to toggle view of all 3D Global Server-Markers
001181 |     CreateToggle( "Show3DGlobalMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DGLOBALMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DGLOBALMARKERS_DES
C" );
001182 | #ifdef EXPANSIONMODGROUPS
001183 |     //!< Option to show/hide the icon that gets displayed next to party member markers
001184 |     CreateToggle( "Show3DPartyMemberIcon", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMEMBERICON", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMEMBERIC
ON_DESC" );
001185 | #endif
001186 |     CreateToggle( "ShowMarkerTextColor", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR_DES
C" );
001187 |     CreateSlider( "MaxDistance3DClientMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE_DE
SC", 100, 30000, 100 );
001188 |     CreateSlider( "MaxDistance3DPlayerMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE_DE
SC", 100, 30000, 100 );
001189 |     CreateSlider( "MaxDistance3DPartyMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE_DES
C", 100, 30000, 100 );
001190 |     CreateSlider( "MaxDistance3DGlobalMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE_DE
SC", 100, 30000, 100 );
001191 |
001192 |     //!< Option to use the desired party member marker
001193 |     //CreateEnum( "MemberMarkerType", ExpansionClientUIMemberMarkerType, "MemberMarkerType", "MemberMarkerType" );
001194 |     //!< Option to set the 3D marker size
001195 |     CreateEnum( "MarkerSize", ExpansionClientUIMarkerSize, "#STR_EXPANSION_SETTINGS_MARKER_SIZE", "#STR_EXPANSION_SETTINGS_MARKER_SIZE_DESC" );
001196 |     //!< Option to toggle party Member name under their marker
```

```
001197 |         CreateToggle( "ShowMemberNameMarker", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_NAME", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_NAME_DESC" );
001198 |         //! Option to toggle party Member distance under their marker
001199 |         CreateToggle( "ShowMemberDistanceMarker", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_DISTANCE", "#STR_EXPANSION_SETTINGS_PARTY_MEMBER_MARKER_DISTANCE_DE
SC" );
001200 |         //! Option to use the desired party member color instead of a randomized color
001201 |         //CreateToggle( "ForceColorMemberMarker", "ForceColorMemberMarker", "ForceColorMemberMarker" );
001202 |
001203 |         //! Option to toggle name under quick markers
001204 |         CreateToggle( "ShowNameQuickMarkers", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_NAME", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_NAME_DESC" );
001205 |         //! Option to toggle distance under quick markers
001206 |         CreateToggle( "ShowDistanceQuickMarkers", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_DISTANCE", "#STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_DISTANCE_DESC
" );
001207 |
001208 |         //Color slider for party member on top of player head
001209 |         //CreateSlider( "AlphaColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_ALPHA_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_ALPHA_HEAD_PLAYER_DESC
, 0.0, 255.0, 5.0 );
001210 |         //CreateSlider( "RedColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER_DESC", 0.0,
255.0, 5.0 );
001211 |         //CreateSlider( "GreenColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_GREEN_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_GREEN_HEAD_PLAYER_DESC"
, 0.0, 255.0, 5.0 );
001212 |         //CreateSlider( "BlueColorHUDOnTopOfHeadOfPlayers", "#STR_EXPANSION_SETTINGS_HUD_BLUE_HEAD_PLAYER", "#STR_EXPANSION_SETTINGS_HUD_BLUE_HEAD_PLAYER_DESC", 0
.0, 255.0, 5.0 );
001213 |
001214 |         CreateSlider( "AlphaColorLookAtMinimum", "#STR_EXPANSION_SETTINGS_HUD_3D_MARKER_POINTING", "#STR_EXPANSION_SETTINGS_HUD_3D_MARKER_POINTING_DESC", 0.0, 255
.0, 5.0 );
001215 |         #endif
001216 |
001217 |
001218 |     #ifdef EXPANSIONMODNAVIGATION
001219 |         CreateCategory( "2DMapMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_MARKERS_2D" );
001220 |
001221 |         //! Option to toggle view of all personal 2D Map-Markers
001222 |         CreateToggle( "Show2DClientMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DCLIENTMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DCLIENTMARKERS_DES
C" );
001223 |         //! Option to toggle view of all 2D party Player-Markers
001224 |         CreateToggle( "Show2DPlayerMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPLAYERMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPLAYERMARKERS_DES
C" );
001225 |         //! Option to toggle view of all 2D party Map-Markers
001226 |         CreateToggle( "Show2DPartyMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPARTYMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPARTYMARKERS_DESC"
);
001227 |         //! Option to toggle view of all 2D global Server-Markers
001228 |         CreateToggle( "Show2DGlobalMarkers", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DGLOBALMARKERS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DGLOBALMARKERS_DES
C" );
001229 |         //! Option to set default marker lock state for new created map markers.
001230 |         CreateToggle( "DefaultMarkerLockState", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_DEFAULTMARKERLOCK", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_DEFAULTMARKERLOCK_DESC
" );
001231 |         CreateToggle( "OpenMapOnPlayerPos", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_OPENMAPONPLAYERPOS", "#STR_EXPANSION_SETTINGS_CLIENT_MAP_OPENMAPONPLAYERPOS_DESC"
);
001232 |
001233 |         CreateToggle( "ShowMapMarkerList", "#STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE", "#STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE_DESC" );
001234 |
001235 |         CreateEnum( "PlayerArrowColor", ExpansionClientUIPlayerArrowColor, "#STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR", "#STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR
_DESC" );
001236 |         #endif
001237 |
001238 |         CreateCategory( "Notifications", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS" );
001239 |
001240 |         //! Option to toggle notification sounds
001241 |         CreateToggle( "ShowNotifications", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY_DESC" );
001242 |         //! Option to toggle notification sounds
001243 |         CreateToggle( "NotificationSound", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND_DESC" );
001244 |         //! Option to toggle notification sounds
```

```

001245 |         CreateToggle( "NotificationSoundLeaveJoin", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND_LEAVE_JOIN", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_SOUND_LEAVE_J
001246 |         OIN_DESC" );
001246 |         //! Option to toggle display of player join notifications
001247 |         CreateToggle( "NotificationJoin", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_JOIN", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_JOIN_DESC" );
001248 |         //! Option to toggle display of player left notifications
001249 |         CreateToggle( "NotificationLeave", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_LEAVE", "#STR_EXPANSION_SETTINGS_NOTIFICATIONS_LEAVE_DESC" );
001250 |
001251 |         CreateCategory( "StreamerMode", "#STR_EXPANSION_SETTINGS_STREAMER_MODE" );
001252 |
001253 |         //! Option to toggle streamer mode
001254 |         CreateToggle( "StreamerMode", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION_DESC" );
001255 |         //! Option to toggle display of pins and passwords
001256 |         CreateToggle( "ShowPINCode", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE", "#STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE_DESC" );
001257 |
001258 | #ifdef EXPANSION_INSPECT_MENU_NEW_ENABLE
001259 |     CreateToggle( "EnableLiquidTypeColors", "#STR_EXPANSION_SETTINGS_ENABLE_LIQUID_TYPE_COLORS", "#STR_EXPANSION_SETTINGS_ENABLE_LIQUID_TYPE_COLORS_DESC" );
001260 | #endif
001261 |
001262 | #ifdef EXPANSIONMOD
001263 |     //! Option to change ear plug level
001264 |     CreateSlider( "EarplugLevel", "#STR_EXPANSION_SETTINGS_HUD_EARPLUG_LEVEL", "#STR_EXPANSION_SETTINGS_HUD_EARPLUG_LEVEL_DESC", 0.0, 1.0, 0.05 );
001265 | #endif
001266 |
001267 |     CreateCategory( "BaseBuilding", "#STR_EXPANSION_SETTINGS_BASEBUILDING" );
001268 |
001269 |     //! Option to automatically open the lock menu after placing the code lock
001270 |     CreateToggle( "AutoOpenLockMenuAfterPlacing", "#STR_EXPANSION_SETTINGS_AUTOOPEN_CODELOCK_PLACING", "#STR_EXPANSION_SETTINGS_AUTOOPEN_CODELOCK_PLACING_DESC
001271 | " );
001272 |
001273 |     if ( m_ShouldShowHUDCategory )
001274 |         CreateCategory( "HUD", "#STR_EXPANSION_SETTINGS_HUD" );
001275 |
001276 | #ifdef EXPANSIONMODGROUPS
001277 |     //! Option to show/hide the party hud on client side
001278 |     CreateToggle( "ShowPartyMemberHUD", "#STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD", "#STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD_DE
001279 | SC" );
001280 | #endif
001281 |
001282 | #ifdef EXPANSIONMODNAVIGATION
001283 |     CreateToggle( "EnableGPSBasedOnVehicleSpeed", "#STR_EXPANSION_SETTINGS_GPS_AUTO_UPDATE_STATE_PREFERENCE", "#STR_EXPANSION_SETTINGS_GPS_AUTO_UPDATE_STATE_P
001284 | REFERENCE_DESC" );
001285 | #endif
001286 |
001287 | #ifdef EXPANSIONMODHARDLINE
001288 |     CreateToggle( "ShowUnderRoofIndicator", "#STR_EXPANSION_HUD_SHOW_ROOF_INDICATOR", "#STR_EXPANSION_HUD_SHOW_ROOF_INDICATOR_DESC" );
001289 | #endif
001290 |
001291 | #ifdef EXPANSIONMODCHAT
001292 |     CreateCategory( "HUD", "#STR_EXPANSION_SETTINGS_HUD_CHAT" );
001293 |     CreateToggle( "HUDChatToggle", "#STR_EXPANSION_SETTINGS_HUD_CHAT_TOGGLE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_TOGGLE_DESC" );
001294 |     CreateEnum( "HUDChatSize", ExpansionClientUIChatSize, "#STR_EXPANSION_SETTINGS_HUD_CHAT_SIZE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SIZE_DESC" );
001295 |     CreateSlider( "HUDChatOutlineSize", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_SIZE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_SIZE_DESC", 0.0, 10.0, 1.0
001296 | );
001297 |     CreateSlider( "HUDChatOutlineOpacity", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_OPACITY", "#STR_EXPANSION_SETTINGS_HUD_CHAT_OUTLINE_OPACITY_DESC", 0.0, 1
001298 | .0, 0.01 );
001299 |     CreateSlider( "HUDChatShadowSize", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_SIZE", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_SIZE_DESC", 0.0, 10.0, 1.0 );
001300 |     CreateSlider( "HUDChatShadowOpacity", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OPACITY", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OPACITY_DESC", 0.0, 1.0,
001301 | 0.01 );
001302 |     CreateSlider( "HUDChatShadowOffsetX", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_X", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_X_DESC", 0.0, 4.
001303 | 0, 0.25 );
001304 |     CreateSlider( "HUDChatShadowOffsetY", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_Y", "#STR_EXPANSION_SETTINGS_HUD_CHAT_SHADOW_OFFSET_Y_DESC", 0.0, 4.
001305 | 0, 0.25 );

```

```

001298 |         CreateSlider( "HUDChatMessageTimeThreshold", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGE_TIME_THRESHOLD", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGE_TIME_THR
ESHOLD_DESC", 1.0, 20.0, 0.25 );
001299 |         CreateSlider( "HUDChatFadeOut", "#STR_EXPANSION_SETTINGS_HUD_CHAT_FADEOUT", "#STR_EXPANSION_SETTINGS_HUD_CHAT_FADEOUT_DESC", 0.0, 6.0, 0.1 );
001300 |         CreateEnum( "DefaultChatChannel", ExpansionClientUIChatChannel, "#STR_EXPANSION_SETTINGS_HUD_CHAT_CHANNEL", "#STR_EXPANSION_SETTINGS_HUD_CHAT_CHANNEL_DESC
" );
001301 |         CreateSlider( "HUDChatMessagesHistoryLimit", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGES_HISTORY_LIMIT", "#STR_EXPANSION_SETTINGS_HUD_CHAT_MESSAGES_HISTORY
_LIMIT_DESC", 0.0, 100.0, 1.0 );
001302 |     #endif
001303 |
001304 |     #ifdef EXPANSIONMODHARDLINE
001305 |         CreateCategory( "Inventory", "#STR_EXPANSION_SETTINGS_INVENTORY" );
001306 |         CreateToggle( "RarityColorToggle", "#STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE", "#STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE_DESC" )
;
001307 |     #endif
001308 |
001309 |     #ifdef EXPANSIONMODVEHICLE
001310 |         CreateCategory( "Vehicles", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES" );
001311 |
001312 |         //! Option to toggle the vehicle camera
001313 |         //CreateToggle( "UseCameraLock", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_FREELOOK", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_FREELOOK_DESC" );
001314 |
001315 |         //! Option to change vehicle camera height
001316 |         CreateSlider( "VehicleCameraHeight", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_HEIGHT", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_HEIGHT_DESC"
, 0.5, 10.0, 0.1 );
001317 |         CreateSlider( "VehicleCameraDistance", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE
_DESC", 0.5, 5.0, 0.1 );
001318 |         //CreateSlider( "VehicleCameraOffsetY", "VEHICLE CAMERA OFFSET VERTICAL", "", -10.0, 5.0, 0.5 );
001319 |
001320 |         //! Heli mouse ctrl
001321 |         CreateToggle( "UseHelicopterMouseControl", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_MOUSE_CONTROL", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HE
LICOPTER_MOUSE_CONTROL_DESC" );
001322 |         CreateToggle( "UseInvertedMouseControl", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_MOUSE_CONTROL_INVERTED", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_MOUSE_
CONTROL_DESC_INVERTED" );
001323 |         CreateSlider( "HelicopterVerticalSensitivity", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_SENSITIVITY_VERTICAL", "#STR_EXPANSION_SETTINGS_CLIENT_
VEHICLES_HELICOPTER_SENSITIVITY_VERTICAL_DESC", 0.1, 3.0, 0.1 );
001324 |         CreateSlider( "HelicopterHorizontalSensitivity", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_SENSITIVITY_HORIZONTAL", "#STR_EXPANSION_SETTINGS_CLI
ENT_VEHICLES_HELICOPTER_SENSITIVITY_HORIZONTAL_DESC", 0.1, 3.0, 0.1 );
001325 |         CreateToggle( "EnableCollectiveDecay", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_COLLECTIVE_DECAY", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HEL
ICOPTER_COLLECTIVE_DECAY_DESC" );
001326 |         CreateToggle( "EnableRetreatingBladeStall", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_RETREATING_BLADE_STALL", "#STR_EXPANSION_SETTINGS_CLIENT_V
EHICLES_HELICOPTER_RETREATING_BLADE_STALL_DESC" );
001327 |         CreateToggle( "TurnOffAutoHoverDuringFlight", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_HELICOPTER_TURN_OFF_AUTOHOVER_DURING_FLIGHT", "#STR_EXPANSION_SETTI
NGS_CLIENT_VEHICLES_HELICOPTER_TURN_OFF_AUTOHOVER_DURING_FLIGHT_DESC" );
001328 |
001329 |         //CreateToggle( "UsePlaneMouseControl", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_PLANE_MOUSE_CONTROL", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_PLANE_MOUS
E_CONTROL_DESC" );
001330 |
001331 |         //! @note Lower values for VehicleResyncTimeout allow for faster resync, but may cause more stutter in crowded areas of the map,
001332 |         //! higher values may avoid stutter, but can result in more extreme vehicle position changes in case of reaching the timeout or prevent resync altogether.
001333 |         //! A vehicle that fails to resync will remain in that state for the affected client until the player leaves the vehicle's network bubble.
001334 |         CreateSlider( "VehicleResyncTimeout", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_RESYNC_TIMEOUT", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_RESYNC_TIMEOUT_DE
SC", 1.0, 10.0, 0.5 );
001335 |         CreateToggle( "ShowDesyncInvulnerabilityNotifications", "#STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_INVULNERABILITY_NOTIFICATIONS", "#STR_EXPANSION_SETTINGS_
CLIENT_VEHICLES_INVULNERABILITY_NOTIFICATIONS_DESC" );
001336 |     #endif
001337 |
001338 |     #ifdef EXPANSIONMODMARKET
001339 |         CreateCategory( "MarketMenu", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET" );
001340 |         CreateToggle( "MarketMenuCategoriesState", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGORIES_TOGGLE_STATE", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGOR
IES_TOGGLE_STATE_DESC" );
001341 |         CreateToggle( "MarketMenuSkipConfirmations", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFIRMATIONS", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFI
RMATIONS_DESC" );

```

```
001342 |         CreateToggle( "MarketMenuFilterPurchasableState", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE_DESC" );
001343 |         CreateToggle( "MarketMenuFilterSellableState", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE_DESC" );
001344 |         CreateToggle( "MarketMenuDisableSuccessNotifications", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS", "#STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS_DESC" );
001345 |     #endif
001346 | }
001347 |
001348 | // -----
001349 | // ExpansionClientSettings OnSettingsUpdated
001350 | // -----
001351 | void OnSettingsUpdated(typename type, ExpansionSettingSerializationBase setting)
001352 | {
001353 |     #ifdef EXPANSIONTRACE
001354 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "OnSettingsUpdated");
001355 |     #endif
001356 |
001357 |     GetExpansionClientSettings().SI_UpdateSetting.Invoke();
001358 | }
001359 |
001360 | private void CreateCategory( string name, string displayName )
001361 | {
001362 |     #ifdef EXPANSIONTRACE
001363 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateCategory");
001364 |     #endif
001365 |
001366 |     ExpansionClientSettingCategory category = new ExpansionClientSettingCategory;
001367 |
001368 |     category.m_Name = name;
001369 |     category.m_DisplayName = displayName;
001370 |
001371 |     m_Categories.Insert( category );
001372 |     m_CurrentCategory = category;
001373 | }
001374 |
001375 | // -----
001376 | // ExpansionClientSettings CreateToggle
001377 | // -----
001378 | private void CreateToggle( string variable, string name, string detailContent )
001379 | {
001380 |     #ifdef EXPANSIONTRACE
001381 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateToggle");
001382 |     #endif
001383 |
001384 |     ExpansionSettingSerializationToggle setting = new ExpansionSettingSerializationToggle(this, variable);
001385 |
001386 |     setting.m_Name = name;
001387 |     setting.m_DetailContent = detailContent;
001388 |
001389 |     m_CurrentCategory.m_Settings.Insert( setting );
001390 | }
001391 |
001392 | // -----
001393 | // ExpansionClientSettings CreateSlider
001394 | // -----
001395 | private void CreateSlider( string variable, string name, string detailContent, float min, float max, float step = 0 )
001396 | {
001397 |     #ifdef EXPANSIONTRACE
001398 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateSlider");
001399 |     #endif
001400 | }
```

```
001401 |         ExpansionSettingSerializationSlider setting = new ExpansionSettingSerializationSlider(this, variable);
001402 |
001403 |         setting.m_Name = name;
001404 |         setting.m_DetailContent = detailContent;
001405 |         setting.m_Min = min;
001406 |         setting.m_Max = max;
001407 |         setting.m_Step = step;
001408 |
001409 |         m_CurrentCategory.m_Settings.Insert( setting );
001410 |     }
001411 |
001412 |     // -----
001413 |     // ExpansionClientSettings CreateInt
001414 |     // -----
001415 |     //! TODO: Not working.
001416 |     private void CreateInt( string variable, string name, string detailContent )
001417 |     {
001418 |     #ifdef EXPANSIONTRACE
001419 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateInt");
001420 |     #endif
001421 |
001422 |         ExpansionSettingSerializationInt setting = new ExpansionSettingSerializationInt(this, variable);
001423 |
001424 |         setting.m_Name = name;
001425 |         setting.m_DetailContent = detailContent;
001426 |
001427 |         m_CurrentCategory.m_Settings.Insert( setting );
001428 |     }
001429 |
001430 |     // -----
001431 |     // ExpansionClientSettings CreateEnum
001432 |     // -----
001433 |     private void CreateEnum( string variable, typename enm, string name, string detailContent )
001434 |     {
001435 |     #ifdef EXPANSIONTRACE
001436 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateEnum");
001437 |     #endif
001438 |
001439 |         ExpansionSettingSerializationEnum setting = new ExpansionSettingSerializationEnum(this, variable);
001440 |
001441 |         setting.m_Name = name;
001442 |         setting.m_DetailContent = detailContent;
001443 |
001444 |         for ( int j = 0; j < enm.GetVariableCount(); ++j )
001445 |         {
001446 |             if ( enm.GetVariableType( j ) == int )
001447 |             {
001448 |                 setting.m_Values.Insert( enm.GetVariableName( j ) );
001449 |             }
001450 |         }
001451 |
001452 |         m_CurrentCategory.m_Settings.Insert( setting );
001453 |     }
001454 |
001455 |     // -----
001456 |     // ExpansionClientSettings CreateEnum
001457 |     // -----
001458 |     private void CreateString( string variable, string name, string detailContent )
001459 |     {
001460 |     #ifdef EXPANSIONTRACE
001461 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, this, "CreateString");
001462 |     #endif
```



```
001463 |
001464 |     ExpansionSettingSerializationString setting = new ExpansionSettingSerializationString(this, variable);
001465 |
001466 |     setting.m_Name = name;
001467 |     setting.m_DetailContent = detailContent;
001468 |
001469 |     m_CurrentCategory.m_Settings.Insert( setting );
001470 | }
001471 |
001472 | void SetQuestHUDVisibility(bool state)
001473 | {
001474 |     QuestHUDVisibility = state;
001475 |     Save();
001476 | }
001477 |
001478 | bool GetQuestHUDVisibility()
001479 | {
001480 |     return QuestHUDVisibility;
001481 | }
001482 |
001483 | void SetQuestVisibilityState(int questID, bool state)
001484 | {
001485 |     QuestVisibilityStates[questID] = state;
001486 |     Save();
001487 | }
001488 |
001489 | bool GetQuestVisibilityState(int questID)
001490 | {
001491 |     if (QuestVisibilityStates.Contains(questID))
001492 |         return QuestVisibilityStates[questID];
001493 |
001494 |     return true;
001495 | }
001496 | }
001497 |
001498 | static ref ExpansionClientSettings g_ExClientSettings;
001499 |
001500 | static ExpansionClientSettings GetExpansionClientSettings()
001501 | {
001502 |     #ifdef EXPANSIONTRACE
001503 |         auto trace = CF_Trace_0(EXTrace.CLIENT_SETTINGS, "GetExpansionClientSettings");
001504 |     #endif
001505 |
001506 |     if (g_Game.IsDedicatedServer())
001507 |         return null;
001508 |
001509 |     if ( !g_ExClientSettings )
001510 |     {
001511 |         g_ExClientSettings = new ExpansionClientSettings;
001512 |     }
001513 |
001514 |     return g_ExClientSettings;
001515 | }
001516 |
```

0033. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ClientSettings\NotificationClientSettingsEnum.c

Size bytes: 424

SHA-256: 97730861e44ca552981a77f0d7d3f1bd95f58e7967fdcb4aa561bfeff09f7ff8

Decoded as: utf-8-sig

Line count shown: 18

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum NotificationClientSettingsEnum

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * NotificationClientSettingsEnum.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum NotificationClientSettingsEnum
000014 | {
000015 |     SHOW,
000016 |     MUTED,
000017 |     HIDE
000018 | };
```

0034. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DayZGame.c
Size bytes: 8961
SHA-256: a941eefc09b45fd22eb9a9750f4b19d4596bba3fe922f1f1a9c7f5329bec98b4
Decoded as: utf-8-sig
Line count shown: 318
Detected class declarations: 1
  L13: modded class DayZGame
Detected enum declarations: 0
Detected function/method-like declarations: 21
  L30: void DayZGame()
  L66: void ~DayZGame()
  L84: void Expansion_FilterPlayerCharacters()
  L99: void Expansion_SetFoodDecayModifier(float foodDecayModifier)
  L107: void SetExpansionGame(ExpansionGame game)
  L119: ExpansionGame GetExpansionGame()
  L127: string GetExpansionClientVersion()
  L161: void Expansion_SetGameVersionText(TextWidget version_widget)
  L197: float ExpansionCalculateStartTime(CF_Date date)
  L205: float ExpansionGetStartTime(bool useUTC = false)
  L212: int ExpansionGetStartTimestamp(bool useUTC = false)
  L219: protected void SetWorldCenterPosition()
  L227: vector GetWorldCenterPosition()
  L235: float GetWorldSize()
  L243: override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exit)
  L256: override void Expansion_OnUpdate(bool doSim, float timeslice)
  L263: override void OnRPC(PlayerIdentity sender, Object target, int rpc_type, ParamsReadContext ctx)
  L289: void Expansion_SetIsMissionMainMenu(bool state)
  L294: bool Expansion_IsMissionMainMenu()
  L299: bool Expansion_IsMissionSinglePlayer()
  L311: void Expansion_SetServerUpdateRateLimit(int rate)
```

Full file content

```
000001 | /**
000002 |  * ExpansionDayZGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZGame
000014 | {
000015 |     protected string m_ExpansionClientVersion;
000016 |     protected string m_ExpansionLastestVersion;
000017 |     protected ref ExpansionGame m_ExpansionGame;
000018 |
000019 |     protected float m_Expansion_StartTime;
000020 |     protected float m_Expansion_StartTimeUTC;
000021 |     protected int m_Expansion_StartTimestamp;
000022 |     protected int m_Expansion_StartTimestampUTC;
000023 |
000024 |     protected vector m_WorldCenterPosition;
000025 |     protected bool m_Expansion_IsMissionMainMenu;
000026 | }
```

```
000027 | // -----
000028 | // DayZGame Constructor
000029 | // -----
000030 | void DayZGame()
000031 | {
000032 | #ifdef EXPANSIONTRACE
000033 |     auto trace = EXTrace.Start(EXTrace.GLOBAL, this);
000034 | #endif
000035 |
000036 |     auto now = CF_Date.Now();
000037 |     auto nowUTC = CF_Date.Now(true);
000038 |
000039 |     m_Expansion_StartTime = ExpansionCalculateStartTime(now);
000040 |     m_Expansion_StartTimeUTC = ExpansionCalculateStartTime(nowUTC);
000041 |     m_Expansion_StartTimestamp = now.DateToEpoch() - (int) GetTickTime();
000042 |     m_Expansion_StartTimestampUTC = nowUTC.DateToEpoch() - (int) GetTickTime();
000043 |     EXLogPrint(ToString() + " Start time (local time) " + CF_Date.Epoch(m_Expansion_StartTimestamp).Format(CF_Date.DATETIME));
000044 |     EXLogPrint(ToString() + " Start time (UTC) " + CF_Date.Epoch(m_Expansion_StartTimestampUTC).Format(CF_Date.DATETIME));
000045 |     EXLogPrint(ToString() + " Runtime since start (seconds) " + GetTickTime());
000046 |
000047 |     CF_Log.s_Expansion_StaticCore = CF_Log.s_Expansion_Static;
000048 |     CF_Log.s_Expansion_Static = new ExpansionStatic;
000049 |
000050 |     if (!FileExist(EXPANSION_FOLDER))
000051 |     {
000052 |         ExpansionStatic.MakeDirectoryRecursive(EXPANSION_FOLDER);
000053 |     }
000054 |
000055 |     if (FileExist(EXPANSION_TEMP_INTERIORS))
000056 |     {
000057 |         DeleteFile(EXPANSION_TEMP_INTERIORS);
000058 |     }
000059 |
000060 |     Expansion_FilterPlayerCharacters();
000061 | }
000062 |
000063 | // -----
000064 | // DayZGame Deconstructor
000065 | // -----
000066 | void ~DayZGame()
000067 | {
000068 |     if (FileExist(EXPANSION_TEMP_INTERIORS))
000069 |     {
000070 |         DeleteFile(EXPANSION_TEMP_INTERIORS);
000071 |     }
000072 |
000073 | #ifdef EXTRACE
000074 |     if (EXTrace.s_Profiling.Count())
000075 |         EXTrace.DumpProfilingData();
000076 | #endif
000077 |
000078 |     m_ExpansionGame = null;
000079 |     CF_Log.s_Expansion_Static = CF_Log.s_Expansion_StaticCore;
000080 |
000081 |     Print("[DayZ Expansion] ~DayZGame");
000082 | }
000083 |
000084 | void Expansion_FilterPlayerCharacters()
000085 | {
000086 |     string child_name;
000087 |     for (int i = m_CharClassNames.Count() - 1; i >= 0; i--)
000088 |     {
```

```
000089 |         child_name = m_CharClassNames[i];
000090 |
000091 |         if (child_name.IndexOf("Expansion") == 0 || child_name.IndexOf("eAI") == 0)
000092 |         {
000093 |             m_CharClassNames.RemoveOrdered(i);
000094 |             EXTrace.Print(EXTrace.MISC, this, "Removed " + child_name + " from player character class names");
000095 |         }
000096 |     }
000097 | }
000098 |
000099 | void Expansion_SetFoodDecayModifier(float foodDecayModifier)
000100 | {
000101 |     m_FoodDecayModifier = foodDecayModifier;
000102 | }
000103 |
000104 | // -----
000105 | // Expansion SetExpansionGame
000106 | // -----
000107 | void SetExpansionGame(ExpansionGame game)
000108 | {
000109 | #ifdef EXTRACE_DIAG
000110 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000111 | #endif
000112 |
000113 |     m_ExpansionGame = game;
000114 | }
000115 |
000116 | // -----
000117 | // Expansion GetExpansionGame
000118 | // -----
000119 | ExpansionGame GetExpansionGame()
000120 | {
000121 |     return m_ExpansionGame;
000122 | }
000123 |
000124 | // -----
000125 | // Expansion GetExpansionClientVersion
000126 | // -----
000127 | string GetExpansionClientVersion()
000128 | {
000129 | #ifdef EXPANSIONTRACE
000130 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "DayZGame", "GetExpansionClientVersion");
000131 | #endif
000132 |
000133 |     if (m_ExpansionClientVersion)
000134 |         return m_ExpansionClientVersion;
000135 |
000136 |     array<ref ModInfo> mods = new array<ref ModInfo>;
000137 |     string version;
000138 |
000139 |     GetModInfos( mods );
000140 |     foreach (ModInfo mod: mods)
000141 |     {
000142 |         string modName = mod.GetName();
000143 |         if (modName[0] == "@")
000144 |             modName = modName.Substring(1, modName.Length() - 1);
000145 |         if ( modName.IndexOf( "DayZ-Expansion" ) == 0 && modName.IndexOf("DayZ-Expansion-Core") != 0 )
000146 |         {
000147 |             string modVersion = mod.GetVersion();
000148 |             if (modVersion > version)
000149 |                 version = modVersion;
000150 |         }
000150 |     }
```

```
000151 |     }
000152 |
000153 |     if (!version)
000154 |         version = "[LOCAL BUILD]";
000155 |
000156 |     m_ExpansionClientVersion = version;
000157 |
000158 |     return version;
000159 | }
000160 |
000161 | void Expansion_SetGameVersionText(TextWidget version_widget)
000162 | {
000163 |     string version_info = "DayZ";
000164 |
000165 |     #ifdef DIAG
000166 |         version_info += "_Diag";
000167 |     #endif
000168 |
000169 |     #ifdef DEVELOPER
000170 |         version_info += "_Internal";
000171 |     #endif
000172 |
000173 |     #ifdef EXTRACE
000174 |         version_info += "_Tracing";
000175 |     #endif
000176 |
000177 |     #ifdef EXTRACE_DIAG
000178 |         version_info += "_TracingDiag";
000179 |     #endif
000180 |
000181 |     string version;
000182 |     GetVersion(version);
000183 |
000184 |     version_info += " #main_menu_version " + version;
000185 |
000186 |     #ifdef BUILD_EXPERIMENTAL
000187 |         version_info += " Experimental";
000188 |     #endif
000189 |
000190 |     string expansion_version = GetExpansionClientVersion();
000191 |     if (expansion_version)
000192 |         version_info += " | DayZ Expansion #main_menu_version " + expansion_version;
000193 |
000194 |     version_widget.SetText(version_info);
000195 | }
000196 |
000197 | float ExpansionCalculateStartTime(CF_Date date)
000198 | {
000199 |     float time = date.GetHours() * 3600 + date.GetMinutes() * 60 + date.GetSeconds() - GetTickTime();
000200 |     if (time < 0)
000201 |         time += 24 * 3600;
000202 |     return time;
000203 | }
000204 |
000205 | float ExpansionGetStartTime(bool useUTC = false)
000206 | {
000207 |     if (useUTC)
000208 |         return m_Expansion_StartTimeUTC;
000209 |     return m_Expansion_StartTime;
000210 | }
000211 |
000212 | int ExpansionGetStartTimestamp(bool useUTC = false)
```

```
000213 | {
000214 |     if (useUTC)
000215 |         return m_Expansion_StartTimestampUTC;
000216 |     return m_Expansion_StartTimestamp;
000217 | }
000218 |
000219 | protected void SetWorldCenterPosition()
000220 | {
000221 |     string path = "CfgWorlds " + g_Game.GetWorldName();
000222 |     vector temp = g_Game.ConfigGetVector( path + " centerPosition" );
000223 |     m_WorldCenterPosition = Vector(temp[0], temp[2], temp[1]);
000224 | }
000225 |
000226 | ///! @note usually not actual center, depends on what's in a world's config.cpp
000227 | vector GetWorldCenterPosition()
000228 | {
000229 |     if ( !m_WorldCenterPosition )
000230 |         SetWorldCenterPosition();
000231 |
000232 |     return m_WorldCenterPosition;
000233 | }
000234 |
000235 | float GetWorldSize()
000236 | {
000237 |     return g_Game.GetWorld().GetWorldSize();
000238 | }
000239 |
000240 | // -----
000241 | // Override FirearmEffects
000242 | // -----
000243 | override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000244 | {
000245 | #ifdef EXPANSIONTRACE
000246 |     auto trace = CF_Trace_0(ExpansionTracing.WEAPONS, this, "FirearmEffects");
000247 | #endif
000248 |
000249 |     if (m_ExpansionGame != NULL)
000250 |         m_ExpansionGame.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000251 |
000252 |     super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000253 | }
000254 |
000255 | #ifndef WORKBENCH
000256 | override void Expansion_OnUpdate(bool doSim, float timeslice)
000257 | {
000258 |     if (m_ExpansionGame)
000259 |         m_ExpansionGame.OnUpdate(doSim, timeslice);
000260 | }
000261 | #endif
000262 |
000263 | override void OnRPC(PlayerIdentity sender, Object target, int rpc_type, ParamsReadContext ctx)
000264 | {
000265 |     switch (rpc_type)
000266 |     {
000267 |     case ExpansionScriptRPC.EXPANSION_RPC_UNTARGETED:
000268 |         ExpansionRPCManager.OnRPC(sender, target, ctx);
000269 |         break;
000270 |     case ExpansionScriptRPC.EXPANSION_RPC_TARGETED:
000271 |         if (target)
000272 |             ExpansionRPCManager.OnRPC(sender, target, ctx);
000273 |         else
```

```
000274 |         EXTrace.Print(EXTrace.RPC, this, "Info: Targeted Expansion RPC received, but target doesn't exist");
000275 |         break;
000276 |     case ExpansionScriptRPC.EXPANSION_RPC_SJ:
000277 |         int junctureID;
000278 |         if (ctx.Read(junctureID))
000279 |             m_ExpansionGame.OnSyncJuncture(target, junctureID, ctx);
000280 |         else
000281 |             EXError.Error(this, "Expansion Sync Juncture received, but couldn't read juncture ID");
000282 |         break;
000283 |     default:
000284 |         super.OnRPC(sender, target, rpc_type, ctx);
000285 |         break;
000286 |     }
000287 | }
000288 |
000289 | void Expansion_SetIsMissionMainMenu(bool state)
000290 | {
000291 |     m_Expansion_IsMissionMainMenu = state;
000292 | }
000293 |
000294 | bool Expansion_IsMissionMainMenu()
000295 | {
000296 |     return m_Expansion_IsMissionMainMenu;
000297 | }
000298 |
000299 | bool Expansion_IsMissionSinglePlayer()
000300 | {
000301 |     if (IsMultiplayer())
000302 |         return false;
000303 |
000304 |     string mission;
000305 |     if (GetCLIPParam("mission", mission))
000306 |         return true;
000307 |
000308 |     return false;
000309 | }
000310 |
000311 | void Expansion_SetServerUpdateRateLimit(int rate)
000312 | {
000313 | #ifndef WORKBENCH
000314 |     m_Expansion_ServerUpdateRateLimit_Interval = 1.0 / rate;
000315 | #endif
000316 | }
000317 | };
000318 |
```


0035. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\DZ_Expansion_Core.c

Size bytes: 509

SHA-256: 488411318d2dcff4f27383477ce8ed3376f638ac5692ee97c4a5d4e432c9a0e7

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L14: class DZ_Expansion_Core : ModStructure

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: override void LoadData()

Full file content

```
000001 | /**
000002 |  * ModStructure.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSION_MODSTORAGE
000014 | class DZ_Expansion_Core : ModStructure
000015 | {
000016 |     override void LoadData()
000017 |     {
000018 |         super.LoadData();
000019 |
000020 |         SetStorageVersion(52);
000021 |     }
000022 | };
000023 | #endif
000024 |
```

0036. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\EffectManager.c

Size bytes: 1424

SHA-256: 730fabdf369518f34f731e932edb1c4e6e5f527563a505d55154605f2767d1a2

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L13: modded class SEffectManager

Detected enum declarations: 0

Detected function/method-like declarations: 2

L16: static EffectSound Expansion_PlaySound(string sound_set, vector position, float play_fade_in = 0, float stop_fade_out = 0, bool loop = false

L27: static EffectSound Expansion_PlaySoundOnObject(string sound_set, Object parent_object, float play_fade_in = 0, float stop_fade_out = 0, bool

Full file content

```
000001 | /**
000002 |  * SEffectManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class SEffectManager
000014 | {
000015 |     ///! @brief Like PlaySound, but allows passing in autodestroy parameter
000016 |     static EffectSound Expansion_PlaySound(string sound_set, vector position, float play_fade_in = 0, float stop_fade_out = 0, bool loop = false, bool autodestroy
= true)
000017 |     {
000018 |         EffectSound effect_sound = CreateSound(sound_set, position, play_fade_in, stop_fade_out, loop, false);
000019 |
000020 |         effect_sound.SetAutodestroy(autodestroy);
000021 |         effect_sound.SoundPlay();
000022 |
000023 |         return effect_sound;
000024 |     }
000025 |
000026 |     ///! @brief Like PlaySoundOnObject, but allows passing in autodestroy parameter
000027 |     static EffectSound Expansion_PlaySoundOnObject(string sound_set, Object parent_object, float play_fade_in = 0, float stop_fade_out = 0, bool loop = false, boo
l autodestroy = true)
000028 |     {
000029 |         EffectSound effect_sound = CreateSound(sound_set, parent_object.GetPosition(), play_fade_in, stop_fade_out, loop);
000030 |
000031 |         effect_sound.SetParent(parent_object);
000032 |         effect_sound.SetLocalPosition(vector.Zero);
000033 |         effect_sound.SetAutodestroy(autodestroy);
000034 |         effect_sound.SoundPlay();
000035 |
000036 |         return effect_sound;
000037 |     }
000038 | }
000039 |
```

0037. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionParticle.c
Size bytes: 5738
SHA-256: a679ff7994ab88546712a95da9571acb1b9ce45d5ae66e09c87787aa47728176
Decoded as: utf-8-sig
Line count shown: 240
Detected class declarations: 1
  L13: class EffectExpansionParticle : Effect
Detected enum declarations: 0
Detected function/method-like declarations: 24
  L24: void EffectExpansionParticle()
  L32: void ~EffectExpansionParticle()
  L40: void SetParticleID( int id )
  L49: void SetOrientation( vector ori )
  L57: vector GetOrientation()
  L65: override Object GetAttachmentParent()
  L73: override vector GetAttachedLocalPos()
  L81: override vector GetAttachedLocalOri()
  L89: override void SetAttachmentParent(Object obj)
  L97: void ForceParticleRotationRelativeToWorld(bool state)
  L105: bool IsParticleRotationRelativeToWorld()
  L113: override void SetAttachedLocalPos(vector pos)
  L121: override void SetAttachedLocalOri(vector ori)
  L129: Particle GetParticle()
  L137: void SetParticle(Particle p)
  L145: void CheckLifeSpan()
  L158: void AttachTo(Object obj, vector local_pos = "0 0 0", vector local_ori = "0 0 0", bool force_rotation_to_world = false)
  L167: override void Start()
  L192: override void Stop()
  L204: override void Event_OnFrameUpdate(float time_delta)
  L212: void Event_OnPlayStart()
  L220: void Event_OnPlayStarted()
  L228: override void OnCheckUpdate()
  L236: void SetDecalOwner(Object o)

```

Full file content

```

000001 | /**
000002 |  * EffectExpansionParticle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class EffectExpansionParticle : Effect
000014 | {
000015 |     protected vector      m_ParticleOrientation;
000016 |     protected bool        m_ForceRotationRelativeToWorld = false;
000017 |     protected Particle     m_ParticleObj;
000018 |     protected int          m_ParticleID;
000019 |     protected vector       m_Orientation;
000020 |     protected Object       m_Object;
000021 |     //=====
000022 |     // Constructor
000023 |     //=====

```

```
000024 | void EffectExpansionParticle()
000025 | {
000026 |
000027 | }
000028 |
000029 | //=====
000030 | // Destructor
000031 | //=====
000032 | void ~EffectExpansionParticle()
000033 | {
000034 |     Stop();
000035 | }
000036 |
000037 | //=====
000038 | // SetParticleID
000039 | //=====
000040 | void SetParticleID( int id )
000041 | {
000042 |     m_ParticleID = id;
000043 | }
000044 |
000045 | //! Set orientation in degrees (yaw, pitch, roll)
000046 | //=====
000047 | // SoundSetWaveKind
000048 | //=====
000049 | void SetOrientation( vector ori )
000050 | {
000051 |     m_Orientation = ori;
000052 | }
000053 |
000054 | //=====
000055 | // SoundSetWaveKind
000056 | //=====
000057 | vector GetOrientation()
000058 | {
000059 |     return m_Orientation;
000060 | }
000061 |
000062 | //=====
000063 | // GetAttachmentParent
000064 | //=====
000065 | override Object GetAttachmentParent()
000066 | {
000067 |     return m_ParentObject;
000068 | }
000069 |
000070 | //=====
000071 | // GetAttachedLocalPos
000072 | //=====
000073 | override vector GetAttachedLocalPos()
000074 | {
000075 |     return m_LocalPos;
000076 | }
000077 |
000078 | //=====
000079 | // GetAttachedLocalOri
000080 | //=====
000081 | override vector GetAttachedLocalOri()
000082 | {
000083 |     return m_LocalOri;
000084 | }
000085 |
```

```
000086 | //=====
000087 | // SetAttachmentParent
000088 | //=====
000089 | override void SetAttachmentParent(Object obj)
000090 | {
000091 |     m_ParentObject = obj;
000092 | }
000093 |
000094 | //=====
000095 | // ForceParticleRotationRelativeToWorld
000096 | //=====
000097 | void ForceParticleRotationRelativeToWorld(bool state)
000098 | {
000099 |     m_ForceRotationRelativeToWorld = state;
000100 | }
000101 |
000102 | //=====
000103 | // IsParticleRotationRelativeToWorld
000104 | //=====
000105 | bool IsParticleRotationRelativeToWorld()
000106 | {
000107 |     return m_ForceRotationRelativeToWorld;
000108 | }
000109 |
000110 | //=====
000111 | // SetAttachedLocalPos
000112 | //=====
000113 | override void SetAttachedLocalPos(vector pos)
000114 | {
000115 |     m_LocalPos = pos;
000116 | }
000117 |
000118 | //=====
000119 | // SetAttachedLocalOri
000120 | //=====
000121 | override void SetAttachedLocalOri(vector ori)
000122 | {
000123 |     m_LocalOri = ori;
000124 | }
000125 |
000126 | //=====
000127 | // SoundSetWaveKind
000128 | //=====
000129 | Particle GetParticle()
000130 | {
000131 |     return m_ParticleObj;
000132 | }
000133 |
000134 | //=====
000135 | // SoundSetWaveKind
000136 | //=====
000137 | void SetParticle(Particle p)
000138 | {
000139 |     m_ParticleObj = p;
000140 | }
000141 |
000142 | //=====
000143 | // CheckLifeSpan
000144 | //=====
000145 | void CheckLifeSpan()
000146 | {
000147 |     if ( !m_ParticleObj )
```

```
000148 |     {
000149 |         delete this;
000150 |     }
000151 |
000152 |     OnCheckUpdate();
000153 | }
000154 |
000155 | //=====
000156 | // AttachTo
000157 | //=====
000158 | void AttachTo(Object obj, vector local_pos = "0 0 0", vector local_ori = "0 0 0", bool force_rotation_to_world = false)
000159 | {
000160 |     GetParticle().AddAsChild(obj, local_pos, local_ori, force_rotation_to_world);
000161 | }
000162 |
000163 | // !Plays all elements this effects consists of
000164 | //=====
000165 | // Start
000166 | //=====
000167 | override void Start()
000168 | {
000169 |     if (m_ParticleID > 0)
000170 |     {
000171 |         Particle p;
000172 |         p = Particle.PlayInWorld(m_ParticleID, GetPosition());
000173 |
000174 |         p.SetOrientation( GetOrientation() );
000175 |         //p.SetEffectHolder(this);
000176 |
000177 |         SetParticle(p);
000178 |     }
000179 |
000180 |     if ( GetAttachmentParent() )
000181 |     {
000182 |         AttachTo( GetAttachmentParent(), GetAttachedLocalPos(), GetAttachedLocalOri(), IsParticleRotationRelativeToWorld());
000183 |     }
000184 |
000185 |     super.Start();
000186 | }
000187 |
000188 | //! Stops all elements this effect consists of. Alternatively use SEffectManager.Stop( effect_id )
000189 | //=====
000190 | // Stop
000191 | //=====
000192 | override void Stop()
000193 | {
000194 |     if ( GetParticle() )
000195 |     {
000196 |         GetParticle().Stop();
000197 |         SetParticle(NULL);
000198 |     }
000199 | }
000200 |
000201 | //=====
000202 | // Event_OnFrameUpdate
000203 | //=====
000204 | override void Event_OnFrameUpdate(float time_delta)
000205 | {
000206 |     // Override this method for own use
000207 | }
000208 |
000209 | //=====
```

```
000210 | // Event_OnPlayStart
000211 | //=====
000212 | void Event_OnPlayStart()
000213 | {
000214 |     // Override this method for own use
000215 | }
000216 |
000217 | //=====
000218 | // Event_OnPlayStarted
000219 | //=====
000220 | void Event_OnPlayStarted()
000221 | {
000222 |     // Override this method for own use
000223 | }
000224 |
000225 | //=====
000226 | // OnCheckUpdate
000227 | //=====
000228 | override void OnCheckUpdate()
000229 | {
000230 |
000231 | }
000232 |
000233 | //=====
000234 | // SetDecalOwner
000235 | //=====
000236 | void SetDecalOwner(Object o)
000237 | {
000238 |     m_Object = o;
000239 | }
000240 | };
```

0038. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectExpansionSmoke.c

Size bytes: 710

SHA-256: 026075432f975dd1406e7fac7731b00dc1542cb1f8381e14a8952fa07a57fd57

Decoded as: utf-8-sig

Line count shown: 33

Detected class declarations: 1

L13: class EffectExpansionSmoke : EffectExpansionParticle

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: void EffectExpansionSmoke()

L23: void SetParticleStateSmoke()

L28: void SetParticleState(int state)

Full file content

```
000001 | /**
000002 |  * EffectExpansionSmoke.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class EffectExpansionSmoke : EffectExpansionParticle
000014 | {
000015 |     void EffectExpansionSmoke()
000016 |     {
000017 |         SetParticleStateSmoke();
000018 |         SetEnableEventFrame(true);
000019 |
000020 |         Start();
000021 |     }
000022 |
000023 |     void SetParticleStateSmoke()
000024 |     {
000025 |         SetParticleState( ParticleList.EXPANSION_AIRDROP_SMOKE );
000026 |     }
000027 |
000028 |     void SetParticleState( int state )
000029 |     {
000030 |         SetParticleID(state);
000031 |         Start();
000032 |     }
000033 | };
```


0039. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Effects\EffectSound.c

Size bytes: 896

SHA-256: 7e1b34d047a201cf2322908cbb0ab8210be9647a73cc9e79d12541e1c9b88354

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 1

L13: modded class EffectSound

Detected enum declarations: 0

Detected function/method-like declarations: 4

L16: void ~EffectSound()

L26: float Expansion_GetSoundFadeInDuration()

L31: float Expansion_GetSoundFadeOutDuration()

L36: bool Expansion_GetSoundLoop()

Full file content

```
000001 | /**
000002 |  * EffectSound.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class EffectSound
000014 | {
000015 | #ifdef DIAG_DEVELOPER
000016 |     void ~EffectSound()
000017 |     {
000018 |         if (!g_Game)
000019 |             return;
000020 |
000021 |         if (ExpansionSoundSet.s_RegisteredSoundSets_ByName.Contains(GetSoundSet()))
000022 |             EXTrace.Print(EXTrace.SOUND, this, "~EffectSound " + GetSoundSet() + " " + GetPosition() + " " + GetParent());
000023 |     }
000024 | #endif
000025 |
000026 |     float Expansion_GetSoundFadeInDuration()
000027 |     {
000028 |         return m_SoundFadeInDuration;
000029 |     }
000030 |
000031 |     float Expansion_GetSoundFadeOutDuration()
000032 |     {
000033 |         return m_SoundFadeOutDuration;
000034 |     }
000035 |
000036 |     bool Expansion_GetSoundLoop()
000037 |     {
000038 |         return m_SoundLoop;
000039 |     }
000040 | }
000041 |
```

0040. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatChannel.c

Size bytes: 423

SHA-256: 5e9d17fd30e8e56db68558d2f095c68dd73ae86f2c4cea31e9f5a4394dbeb888

Decoded as: utf-8-sig

Line count shown: 17

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionClientUIChatChannel

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIChatChannel.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIChatChannel
000014 | {
000015 |     DIRECT = 0,
000016 |     GLOBAL = 1
000017 | };
```

0041. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIChatSize.c

Size bytes: 447

SHA-256: f9e3806c70aab67bab49424ff87d4b5cec81207c39b491b2278c83d21a3551fd

Decoded as: utf-8-sig

Line count shown: 20

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionClientUIChatSize

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIChatSize.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIChatSize
000014 | {
000015 |     VERYSMALL = 0,
000016 |     SMALL,
000017 |     MEDIUM,
000018 |     LARGE,
000019 |     VERYLARGE
000020 | };
```

0042. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMarkerSize.c

Size bytes: 438

SHA-256: b0bd5029a54f3f38cacf56f4ce03058b063d4f7c7fc91c212a93ae895487383c

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionClientUIMarkerSize

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIMarkerSize.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIMarkerSize
000014 | {
000015 |     VERYSMALL = 0,
000016 |     SMALL,
000017 |     MEDIUM,
000018 |     LARGE
000019 | };
```

0043. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIMemberMarkerType.c

Size bytes: 531

SHA-256: 9b8dc16452c543b461da03d9e6a3792412c97d598d6f0471adfb8f8b5740e74c

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionClientUIMemberMarkerType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIMemberMarkerType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIMemberMarkerType
000014 | {
000015 |     PERSON = 0,
000016 |     MARKER,
000017 |     ROUNDMARKER,
000018 |     ROUNDMARKER2,
000019 |     INFECTED,
000020 |     INFECTED2,
000021 |     HEART,
000022 |     SKULL,
000023 |     SKULL2,
000024 |     SHIELD,
000025 |     INFO
000026 | };
```

0044. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionClientUIPlayerArrowColor.c

Size bytes: 525

SHA-256: 027ee857e55ee2340b2a9b6ac699db0dd44b4719db6d20ff919db416b60d25f5

Decoded as: utf-8-sig

Line count shown: 29

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionClientUIPlayerArrowColor

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionClientUIPlayerArrowColor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionClientUIPlayerArrowColor
000014 | {
000015 |     // GrayScale
000016 |     WHITE = 0,
000017 |     GREY,
000018 |     BLACK,
000019 |
000020 |     // RGB
000021 |     RED,
000022 |     GREEN,
000023 |     BLUE,
000024 |
000025 |     // CMY
000026 |     CYAN,
000027 |     MAGENTA,
000028 |     YELLOW
000029 | };
```

0045. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionFireMode.c

Size bytes: 98

SHA-256: f1d9365eeceb8ac33f94b009e426a23a0d4596b6d63e7eba38e864da0113a312

Decoded as: utf-8-sig

Line count shown: 10

Detected class declarations: 0

Detected enum declarations: 1

 L1: enum ExpansionFireMode

Detected function/method-like declarations: 0

Full file content

```
000001 | enum ExpansionFireMode
000002 | {
000003 |     INVALID = -1,
000004 |     SemiAuto,
000005 |     Burst,
000006 |     FullAuto,
000007 |     Single,
000008 |     Double
000009 | }
000010 |
```

0046. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionRPC.c

Size bytes: 639

SHA-256: 25027caacf2b9cf701e799bc43d61d8681602bf9dfbcc1021d27bf90db3d0e68

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 0

Detected enum declarations: 1

L15: enum Expansion_JMPlayerModuleRPC : JMPlayerModuleRPC

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionRPC.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef JM_COT
000014 | //! @note these RPCs can't use Expansion RPC manager because they extend COT player module RPCs
000015 | enum Expansion_JMPlayerModuleRPC : JMPlayerModuleRPC
000016 | {
000017 |     // Hardline
000018 |     SetReputation,
000019 |
000020 |     // AI
000021 |     SetFaction,
000022 |
000023 |     // Personal Storage
000024 |     RetrieveEntityStorageObj,
000025 |     EX_COUNT
000026 | };
000027 | #endif
000028 |
```


0047. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleKeyStartMode.c

Size bytes: 454

SHA-256: a75ff367063c94f6f66519cbb90787163e912bba68f655e249cedf89a1cfad23

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionVehicleKeyStartMode

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionVehicleKeyStartMode.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionVehicleKeyStartMode
000014 | {
000015 |     DISABLED,
000016 |     REQUIREDINVENTORY,
000017 |     REQUIREDHAND,
000018 |     COUNT
000019 | };
```

0048. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleLockState.c

Size bytes: 567

SHA-256: a422e76e163a588e3807622c40c47c3d745182fffe19b00f9dc7e1a260c69be

Decoded as: utf-8-sig

Line count shown: 25

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionVehicleLockState

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionVehicleLockState.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionVehicleLockState
000014 | {
000015 |     NOLOCK = 0,
000016 |     UNLOCKED,
000017 |     READY_TO_LOCK,
000018 |     LOCKED,
000019 |     READY_TO_FORCELOCK,
000020 |     FORCEDLOCKED,
000021 |     FORCEDUNLOCKED,
000022 |     //Use count here, for network optimization to know max
000023 |     COUNT
000024 | };
000025 |
```

0049. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleNetworkMode.c

Size bytes: 425

SHA-256: 26567dbbc1648d6363fef819d07905f8e4a17f40b98a2a33130132e0c544fddd

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum ExpansionVehicleNetworkMode

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionVehicleNetworkMode.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionVehicleNetworkMode
000014 | {
000015 |     SERVER,
000016 |     CLIENT,
000017 |     COUNT
000018 | };
000019 |
```

0050. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\ExpansionVehicleType.c

Size bytes: 82

SHA-256: d5ee0ef9873df0effe4d707daff1c13eb03263f1cc7db49abcef7cd5f31fec71

Decoded as: utf-8-sig

Line count shown: 9

Detected class declarations: 0

Detected enum declarations: 1

 L1: enum ExpansionVehicleType

Detected function/method-like declarations: 0

Full file content

```
000001 | enum ExpansionVehicleType
000002 | {
000003 |     NONE = -1,
000004 |     AIR,
000005 |     LAND,
000006 |     WATER,
000007 |     RAILTRACK
000008 | }
000009 |
```

0051. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Enums\NotificationRuntimeEnum.c

Size bytes: 533

SHA-256: a4491fae2b2824063f5194dea29710d71466141ec38ceb99af9f847615d4835f

Decoded as: utf-8-sig

Line count shown: 31

Detected class declarations: 0

Detected enum declarations: 1

 L13: enum NotificationRuntimeEnum

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * NotificationRuntimeEnum.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum NotificationRuntimeEnum
000014 | {
000015 |     UNKNOWN,
000016 |     MUTED,
000017 |
000018 |     PLAYER_JOINLEAVE,
000019 |
000020 |     KILLFEED,
000021 |
000022 |     SAFEZONE,
000023 |
000024 |     TERRITORY,
000025 |
000026 |     PARTY,
000027 |
000028 |     MISSION_AIRDROP,
000029 |     MISSION_HORDE,
000030 |     MISSION_AI
000031 | };
```

0052. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionArray.c

Size bytes: 3842

SHA-256: 12af0c557e1ab8b2254abc2909a779211a94ff366b6e07febe03cbfdffb91376

Decoded as: utf-8-sig

Line count shown: 183

Detected class declarations: 2

L13: class ExpansionArray<Class T>

L139: class ExpansionArrayTools<Class T1, Class T2>

Detected enum declarations: 0

Detected function/method-like declarations: 15

L19: void ExpansionArray(array<T> elements = null)

L29: void Clear()

L36: int Count()

L41: void Set(int n, T value)

L46: T Get(int n)

L51: int Insert(T element)

L56: void InsertAll(notnull array<T> from)

L64: int InsertAt(T element, int index)

L70: T GetQuasiRandomElementAvoidRepetition()

L92: T GetRandomElement()

L97: void Each(ScriptCaller callback, bool reverse = false)

L102: static void Each(array<T> elements, ScriptCaller callback, bool reverse = false)

L129: static void RefCopy(array<ref T> from, array<ref T> to)

L146: static void InsertAll_DownCast(array<T1> from, array<T2> to)

L167: static void InsertAll_UpCast(array<T1> from, array<T2> to)

Full file content

```
000001 | /**
000002 |  * ExpansionStatic.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionArray<Class T>
000014 | {
000015 |     protected ref array<T> m_Elements;
000016 |     protected ref TIntArray m_Indexes;
000017 |     protected int m_LastSelectedIdx;
000018 |
000019 |     void ExpansionArray(array<T> elements = null)
000020 |     {
000021 |         if (elements)
000022 |             m_Elements = elements;
000023 |         else
000024 |             m_Elements = new array<T>;
000025 |         m_Indexes = new TIntArray;
000026 |         m_LastSelectedIdx = -1;
000027 |     }
000028 |
000029 |     void Clear()
000030 |     {
000031 |         m_Elements.Clear();
```

```
000032 |         m_Indexes.Clear();
000033 |         m_LastSelectedIdx = -1;
000034 |     }
000035 |
000036 |     int Count()
000037 |     {
000038 |         return m_Elements.Count();
000039 |     }
000040 |
000041 |     void Set(int n, T value)
000042 |     {
000043 |         m_Elements[n] = value;
000044 |     }
000045 |
000046 |     T Get(int n)
000047 |     {
000048 |         return m_Elements[n];
000049 |     }
000050 |
000051 |     int Insert(T element)
000052 |     {
000053 |         return m_Elements.Insert(element);
000054 |     }
000055 |
000056 |     void InsertAll(notnull array<T> from)
000057 |     {
000058 |         foreach (T element: from)
000059 |         {
000060 |             Insert(element);
000061 |         }
000062 |     }
000063 |
000064 |     int InsertAt(T element, int index)
000065 |     {
000066 |         return m_Elements.InsertAt(element, index);
000067 |     }
000068 |
000069 |     //! Get a quasi-random element, preferring ones that haven't been picked yet
000070 |     T GetQuasiRandomElementAvoidRepetition()
000071 |     {
000072 |         //EXPrint(ToString() + "::GetQuasiRandomElementAvoidRepetition");
000073 |         if (!m_Indexes.Count())
000074 |         {
000075 |             //EXPrint(ToString() + "::GetQuasiRandomElementAvoidRepetition - resetting");
000076 |             for (int i = 0; i < m_Elements.Count(); i++)
000077 |             {
000078 |                 if (m_LastSelectedIdx > 0 && i == m_LastSelectedIdx)
000079 |                     continue;
000080 |                 m_Indexes.Insert(i);
000081 |             }
000082 |         }
000083 |
000084 |         m_LastSelectedIdx = m_Indexes.GetRandomIndex();
000085 |         T element = m_Elements[m_Indexes[m_LastSelectedIdx]];
000086 |
000087 |         m_Indexes.Remove(m_LastSelectedIdx);
000088 |
000089 |         return element;
000090 |     }
000091 |
000092 |     T GetRandomElement()
000093 |     {
```

```
000094 |         return m_Elements.GetRandomElement();
000095 |     }
000096 |
000097 | void Each(ScriptCaller callback, bool reverse = false)
000098 | {
000099 |     Each(m_Elements, callback, reverse);
000100 | }
000101 |
000102 | static void Each(array<T> elements, ScriptCaller callback, bool reverse = false)
000103 | {
000104 |     ///! @note: Enforce garbage collects references to function arguments inside loops after the first iteration,
000105 |     ///! so we have to assign a local variable and use that instead to avoid premature garbage collection
000106 |     ScriptCaller localCallback = callback;
000107 |
000108 |     int count = elements.Count();
000109 |     int i, delta;
000110 |
000111 |     if (reverse)
000112 |     {
000113 |         i = count - 1;
000114 |         delta = -1;
000115 |     }
000116 |     else
000117 |     {
000118 |         i = 0;
000119 |         delta = 1;
000120 |     }
000121 |
000122 |     while (count-->0)
000123 |     {
000124 |         localCallback.Invoke(elements[i]);
000125 |         i += delta;
000126 |     }
000127 | }
000128 |
000129 | static void RefCopy(array<ref T> from, array<ref T> to)
000130 | {
000131 |     to.Clear();
000132 |     foreach (T value: from)
000133 |     {
000134 |         to.Insert(value);
000135 |     }
000136 | }
000137 | }
000138 |
000139 | class ExpansionArrayTools<Class T1, Class T2>
000140 | {
000141 |     /**
000142 |     * @brief Insert all values from source array `from` down-casted to T2 into destination array `to`
000143 |     *
000144 |     * @note No typechecking on values is done, if a value from source array cannot be cast to T2, null will be inserted instead
000145 |     */
000146 |     static void InsertAll_DownCast(array<T1> from, array<T2> to)
000147 |     {
000148 |         typename t1 = T1;
000149 |         typename t2 = T2;
000150 |         if (!t2.IsInherited(t1))
000151 |         {
000152 |             Error("'" + t1 + "' cannot be down-casted to '" + t2 + "'");
000153 |             return;
000154 |         }
000155 |     }
```



```
000156 |         foreach (T1 value1: from)
000157 |         {
000158 |             T2 value2;
000159 |             Class.CastTo(value2, value1);
000160 |             to.Insert(value2);
000161 |         }
000162 |     }
000163 |
000164 | /**
000165 |  * @brief Insert all values from source array `from` up-casted to T2 into destination array `to`
000166 |  */
000167 | static void InsertAll_UpCast(array<T1> from, array<T2> to)
000168 | {
000169 |     typename t1 = T1;
000170 |     typename t2 = T2;
000171 |     if (!t1.IsInherited(t2))
000172 |     {
000173 |         Error("'" + t1 + "' cannot be up-casted to '" + t2 + "'");
000174 |         return;
000175 |     }
000176 |
000177 |     foreach (T1 value: from)
000178 |     {
000179 |         to.Insert(value);
000180 |     }
000181 | }
000182 | }
000183 |
```

0053. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionBitStream.c
Size bytes: 32494
SHA-256: 22f5c959a4d603de8fd1fa68154568773a06e512463519cd977f1bf6cffbadd7
Decoded as: utf-8-sig
Line count shown: 1494
Detected class declarations: 6
  L59: class ExpansionBitStream
  L346: class ExpansionBitStreamWriter: ExpansionBitStream
  L405: class ExpansionBitStreamWriterT<Class T>: ExpansionBitStreamWriter
  L776: class ExpansionBitStreamReader: ExpansionBitStream
  L835: class ExpansionBitStreamReaderT<Class T>: ExpansionBitStreamReader
  L1241: class ExpansionArraySerializer
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L72: static int BitSize(int value)
  L82: static int FloatToFP16(float value)
  L163: static float FP16ToFloat(int value)
  L218: static int Pack(int value, int bits, inout int shift)
  L237: static TIntArray Pack(string value, int bits, string alphabet)
  L258: static int Unpack(int packed, int bits, inout int shift)
  L277: static string Unpack(TIntArray packedValues, int bits, string alphabet)
  L289: static void Test()
  L348: void WriteUInt(int value, int bits);
  L350: void Write(int value, int bits);
  L352: void Write(int value, int min, int max);
  L354: void WriteBool(bool value);
  L356: void WriteChar(int value);
  L358: void WriteUChar(int value);
  L360: void WriteShort(int value);
  L362: void WriteUShort(int value);
  L364: void Write(float value, int bits);
  L366: void WriteHalf(float value);
  L368: void Write(vector value, int bits);
  L370: void WriteHalf(vector value);
  L372: void Write(string value, int bits);
  L374: void Write(string value, int bits, string alphabet);
  L376: void WriteClassName(string value);
  L378: void WriteClassNameLower(string value);
  L380: void Flush();
  L384: void Write(bool value);
  L386: void Write(int value);
  L388: void Write(float value);
  L390: void Write(vector value);
  L392: void Write(string value);
  L394: void Write(TBoolArray values);
  L396: void Write(TIntArray values);
  L398: void Write(TFloatArray values);
  L400: void Write(TStringArray values);
  L402: void Write(TVectorArray values);
  L409: void ExpansionBitStreamWriterT(T serializer)
  L414: static void WriteUInt(T serializer, int value, int bits, inout int packed, inout int packedBits)
  L464: static void Write(T serializer, int value, int bits, inout int packed, inout int packedBits)
  L475: static void Write(T serializer, int value, int min, int max, inout int packed, inout int packedBits)
  L480: static void WriteBool(T serializer, bool value, inout int packed, inout int packedBits)
  L486: static void WriteChar(T serializer, int value, inout int packed, inout int packedBits)
  L491: static void WriteUChar(T serializer, int value, inout int packed, inout int packedBits)
  L496: static void WriteShort(T serializer, int value, inout int packed, inout int packedBits)
  L501: static void WriteUShort(T serializer, int value, inout int packed, inout int packedBits)
```

```

L506: static void Write(T serializer, float value, int bits, inout int packed, inout int packedBits)
L512: static void WriteHalf(T serializer, float value, inout int packed, inout int packedBits)
L518: static void Write(T serializer, vector value, int bits, inout int packed, inout int packedBits)
L527: static void WriteHalf(T serializer, vector value, inout int packed, inout int packedBits)
L536: static void Write(T serializer, string value, int bits, inout int packed, inout int packedBits)
L564: static void Write(T serializer, string value, int bits, string alphabet, inout int packed, inout int packedBits)
L602: static void WriteClassName(T serializer, string value, inout int packed, inout int packedBits)
L612: static void WriteClassNameLower(T serializer, string value, inout int packed, inout int packedBits)
L620: static void Flush(T serializer, inout int packed, inout int packedBits)
L631: override void Write(int value, int bits)
L636: override void WriteUInt(int value, int bits)
L644: override void Write(int value, int min, int max)
L649: override void WriteBool(bool value)
L654: override void WriteChar(int value)
L659: override void WriteUChar(int value)
L664: override void WriteShort(int value)
L669: override void WriteUShort(int value)
L674: override void Write(float value, int bits)
L680: override void WriteHalf(float value)
L685: override void Write(vector value, int bits)
L691: override void WriteHalf(vector value)
L697: override void Write(string value, int bits)
L703: override void Write(string value, int bits, string alphabet)
L708: override void WriteClassName(string value)
L713: override void WriteClassNameLower(string value)
L718: override void Flush()
L725: override void Write(bool value)
L730: override void Write(int value)
L735: override void Write(float value)
L740: override void Write(vector value)
L745: override void Write(string value)
L750: override void Write(TBoolArray values)
L755: override void Write(TIntArray values)
L760: override void Write(TFloatArray values)
L765: override void Write(TStringArray values)
L770: override void Write(TVectorArray values)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * @brief Bit streams with packing/unpacking
000003 |  *
000004 |  * @code
000005 |  *   auto ctx = new ScriptReadWriteContext();
000006 |  *
000007 |  *   // Writing
000008 |  *   auto writer = new ExpansionBitStreamSerializerWriter(ctx.GetWriteContext());
000009 |  *
000010 |  *   bool   b = true;
000011 |  *   int    i = 123;
000012 |  *   int    j = -64;
000013 |  *   string s = "test";
000014 |  *   float  f = 0.123456789;
000015 |  *   vector v = Vector(7500.75, 250.25, 5000.5);
000016 |  *
000017 |  *   writer.WriteBool(b);
000018 |  *   writer.WriteUInt(i, 7);
000019 |  *   writer.Write(j, 7);
000020 |  *   writer.WriteHalf(f); // fp16 (4 digits of precision for [0..1], range +/- 65504)
000021 |  *   writer.Write(f, 16); // bFloat16 (3 digits of precision for [0..1], range +/- 3.39e+38)
000022 |  *   writer.Write(s, 3);

```

```
000023 | * writer.Write(v, 24);
000024 | * writer.Flush();
000025 | *
000026 | * // Reading
000027 | * auto reader = new ExpansionBitStreamSerializerReader(ctx.GetReadContext());
000028 | *
000029 | * bool b;
000030 | * int i;
000031 | * int j;
000032 | * string s;
000033 | * float f;
000034 | * vector v;
000035 | *
000036 | * if (reader.ReadBool(b)) Print(b);
000037 | * >> bool b = true
000038 | *
000039 | * if (reader.ReadUInt(i, 7)) Print(i);
000040 | * >> int i = 123
000041 | *
000042 | * if (reader.Read(j, 7)) Print(j);
000043 | * >> int j = -64
000044 | *
000045 | * if (reader.ReadHalf(f)) Print(f);
000046 | * >> float f = 0.123474
000047 | *
000048 | * if (reader.Read(f, 16)) Print(f);
000049 | * >> float f = 0.123047
000050 | *
000051 | * if (reader.Read(s, 3)) Print(s);
000052 | * >> string test = 'Test'
000053 | *
000054 | * if (reader.Read(v, 24)) Print(v);
000055 | * >> vector v = {7500.75, 250.25, 5000.5}
000056 | * @endcode
000057 | */
000058 |
000059 | class ExpansionBitStream
000060 | {
000061 |     static const string CLASSNAME_ALPHABET = "0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ_abcdefghijklmnopqrstuvwxyz";
000062 |     static const string CLASSNAME_ALPHABET_LOWERCASE = "0123456789_abcdefghijklmnopqrstuvwxyz";
000063 |
000064 |     int m_Packed;
000065 |     int m_PackedBits;
000066 |
000067 |     /**
000068 |      * @brief Bit size of integer value
000069 |      *
000070 |      * @return Number of bits
000071 |      */
000072 |     static int BitSize(int value)
000073 |     {
000074 |         return Math.Log2(value) + 1;
000075 |     }
000076 |
000077 |     /**
000078 |      * @brief float to fp16
000079 |      *
000080 |      * @note this version implements round-to-nearest for simplicity sake
000081 |      */
000082 |     static int FloatToFP16(float value)
000083 |     {
000084 |         int v = CF_Cast<float, int>.Reinterpret(value);
```

```
000085 |
000086 | int sign = (v >> 16) & 0x8000;
000087 | int exponent = (v >> 23) & 0xff;
000088 | int mantissa = v & 0x007fffff;
000089 |
000090 | if (exponent == 0xff)
000091 | {
000092 |     if (mantissa != 0)
000093 |     {
000094 |         //! NaN
000095 |
000096 |         mantissa = (mantissa >> 13) & 0x03ff;
000097 |
000098 |         if (mantissa == 0)
000099 |             mantissa = 0x0200; //! Quiet-NaN
000100 |
000101 |         return sign | 0x7c00 | mantissa;
000102 |     }
000103 |
000104 |     //! Infinity
000105 |     return sign | 0x7c00;
000106 | }
000107 |
000108 | //! Account for different exponent bias between float (127) and fp16 (15)
000109 | exponent -= 112; //! 127 - 15
000110 |
000111 | if (exponent <= 0)
000112 | {
000113 |     if (exponent < -10)
000114 |         return sign; //! Signed zero
000115 |
000116 |     //! Subnormal
000117 |
000118 |     mantissa |= 0x00800000; //! 1.xxxxx in float mantissa (24 bits)
000119 |
000120 |     int shift = 1 - exponent; //! Shift needed to make it subnormal
000121 |
000122 |     //! Round to nearest
000123 |     int round = 1 << (shift - 1);
000124 |     mantissa = (mantissa + round) >> shift;
000125 |
000126 |     mantissa = (mantissa >> 13) & 0x03ff;
000127 |
000128 |     return sign | mantissa;
000129 | }
000130 |
000131 | if (exponent >= 31)
000132 | {
000133 |     //! Overflow to infinity
000134 |     return sign | 0x7c00;
000135 | }
000136 |
000137 | //! Normal
000138 |
000139 | //! Add rounding bit (1 << 12) before shifting to get round-to-nearest
000140 | mantissa = mantissa + 0x00001000;
000141 |
000142 | //! If rounding caused mantissa overflow (i.e., 0x00800000 bit set),
000143 | //! increment exponent accordingly
000144 | //! (@note mantissa overflow bit is cleared implicitly by bitshifting and bitmasking later)
000145 | if ((mantissa & 0x00800000) != 0)
000146 |     exponent += 1;
```

```
000147 |  
000148 |     if (exponent >= 31)  
000149 |     {  
000150 |         ///! Overflow to infinity  
000151 |         return sign | 0x7c00;  
000152 |     }  
000153 |  
000154 |     exponent = (exponent & 0x1f) << 10;  
000155 |     mantissa = (mantissa >> 13) & 0x03ff;  
000156 |  
000157 |     return sign | exponent | mantissa;  
000158 | }  
000159 |  
000160 | /**  
000161 |  * @brief fp16 to float  
000162 |  */  
000163 | static float FP16ToFloat(int value)  
000164 | {  
000165 |     int sign = (value >> 15) & 0x00000001;  
000166 |     int exponent = (value >> 10) & 0x1f;  
000167 |     int mantissa = value & 0x03ff;  
000168 |  
000169 |     if (exponent == 0)  
000170 |     {  
000171 |         if (mantissa == 0)  
000172 |         {  
000173 |             ///! Signed zero  
000174 |             return CF_Cast<int, float>.Reinterpret(sign << 31);  
000175 |         }  
000176 |  
000177 |         ///! Subnormal  
000178 |  
000179 |         float f = mantissa * 0.000000059604644775390625; ///! 2^-24  
000180 |  
000181 |         if (sign)  
000182 |             return -f;  
000183 |  
000184 |         return f;  
000185 |     }  
000186 |  
000187 |     if (exponent == 31)  
000188 |     {  
000189 |         if (mantissa == 0)  
000190 |         {  
000191 |             ///! Infinity  
000192 |             return CF_Cast<int, float>.Reinterpret((sign << 31) | 0x7f800000);  
000193 |         }  
000194 |         else  
000195 |         {  
000196 |             ///! NaN  
000197 |             return CF_Cast<int, float>.Reinterpret((sign << 31) | 0x7f800000 | (mantissa << 13));  
000198 |         }  
000199 |     }  
000200 |  
000201 |     ///! Normal  
000202 |  
000203 |     ///! Account for different exponent bias between float (127) and fp16 (15)  
000204 |     exponent -= -112; ///! 15 - 127  
000205 |  
000206 |     return CF_Cast<int, float>.Reinterpret((sign << 31) | (exponent << 23) | (mantissa << 13));  
000207 | }  
000208 |
```

```
000209 | /**
000210 |  * @brief pack value into <n> bits
000211 |  *
000212 |  * @param value
000213 |  * @param bits
000214 |  * @param [inout] shift
000215 |  *
000216 |  * @return Packed value
000217 |  */
000218 | static int Pack(int value, int bits, inout int shift)
000219 | {
000220 |     if (bits < 1 || bits > BIT_INT_SIZE || shift + bits > BIT_INT_SIZE)
000221 |     {
000222 |         CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000223 |         return 0;
000224 |     }
000225 |
000226 |     int packed = (value & ((1 << bits) - 1)) << shift;
000227 |     shift += bits;
000228 |
000229 |     return packed;
000230 | }
000231 |
000232 | /**
000233 |  * @brief Encode string to TIntArray
000234 |  *
000235 |  * @note bits is used to encode string length, not characters!
000236 |  */
000237 | static TIntArray Pack(string value, int bits, string alphabet)
000238 | {
000239 |     int packed;
000240 |     int packedBits;
000241 |     ExpansionArraySerializer serializer = new ExpansionArraySerializer;
000242 |
000243 |     ExpansionBitStreamArrayWriter.Write(serializer, value, bits, alphabet, packed, packedBits);
000244 |     ExpansionBitStreamArrayWriter.Flush(serializer, packed, packedBits);
000245 |
000246 |     return serializer.m_Data;
000247 | }
000248 |
000249 | /**
000250 |  * @brief Unpack value from <n> bits of packed value
000251 |  *
000252 |  * @param packed
000253 |  * @param bits
000254 |  * @param [inout] shift
000255 |  *
000256 |  * @return Unpacked value
000257 |  */
000258 | static int Unpack(int packed, int bits, inout int shift)
000259 | {
000260 |     if (bits < 1 || bits > BIT_INT_SIZE || shift + bits > BIT_INT_SIZE)
000261 |     {
000262 |         CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000263 |         return 0;
000264 |     }
000265 |
000266 |     int value = (packed >> shift) & ((1 << bits) - 1);
000267 |     shift += bits;
000268 |
000269 |     return value;
000270 | }
```

```
000271 |  
000272 | /**  
000273 |  * @brief Decode TIntArray to string  
000274 |  *  
000275 |  * @note bits is used to encode string length, not characters!  
000276 |  */  
000277 | static string Unpack(TIntArray packedValues, int bits, string alphabet)  
000278 | {  
000279 |     int packed;  
000280 |     int packedBits;  
000281 |     ExpansionArraySerializer serializer = new ExpansionArraySerializer(packedValues);  
000282 |     string value;  
000283 |  
000284 |     ExpansionBitStreamArrayReader.Read(serializer, value, bits, alphabet, packed, packedBits);  
000285 |  
000286 |     return value;  
000287 | }  
000288 |  
000289 | static void Test()  
000290 | {  
000291 |     auto ctx = new ScriptReadWriteContext();  
000292 |  
000293 |     auto writer = new ExpansionBitStreamSerializerWriter(ctx.GetWriteContext());  
000294 |  
000295 |     bool    b = true;  
000296 |     int     i = 123;  
000297 |     int     j = -64;  
000298 |     int     k = 255;  
000299 |     int     l = -128;  
000300 |     int     m = 65535;  
000301 |     int     n = -32768;  
000302 |     float   f = 0.123456789;  
000303 |     string  s = "test";  
000304 |     vector  v = Vector(7500.75, 250.25, 5000.5);  
000305 |  
000306 |     writer.WriteBool(b);  
000307 |     writer.WriteUInt(i, 7);  
000308 |     writer.Write(j, 7);  
000309 |     writer.WriteUChar(k);  
000310 |     writer.WriteChar(l);  
000311 |     writer.WriteUShort(m);  
000312 |     writer.WriteShort(n);  
000313 |     writer.WriteHalf(f);  
000314 |     writer.Write(f, 16);  
000315 |     writer.Write(s, 3);  
000316 |     writer.Write(v, 24);  
000317 |     writer.Flush();  
000318 |  
000319 |     auto reader = new ExpansionBitStreamSerializerReader(ctx.GetReadContext());  
000320 |  
000321 |     b = false;  
000322 |     i = 0;  
000323 |     j = 0;  
000324 |     k = 0;  
000325 |     l = 0;  
000326 |     m = 0;  
000327 |     n = 0;  
000328 |     f = 0.0;  
000329 |     s = "";  
000330 |     v = vector.Zero;  
000331 |  
000332 |     if (reader.ReadBool(b)) Print(b);
```



```
000333 |         if (reader.ReadUInt(i, 7)) Print(i);
000334 |         if (reader.Read(j, 7)) Print(j);
000335 |         if (reader.ReadUChar(k)) Print(k);
000336 |         if (reader.ReadChar(l)) Print(l);
000337 |         if (reader.ReadUShort(m)) Print(m);
000338 |         if (reader.ReadShort(n)) Print(n);
000339 |         if (reader.ReadHalf(f)) Print(f);
000340 |         if (reader.Read(f, 16)) Print(f);
000341 |         if (reader.Read(s, 3)) Print(s);
000342 |         if (reader.Read(v, 24)) Print(v);
000343 |     }
000344 | }
000345 |
000346 | class ExpansionBitStreamWriter: ExpansionBitStream
000347 | {
000348 |     void WriteUInt(int value, int bits);
000349 |
000350 |     void Write(int value, int bits);
000351 |
000352 |     void Write(int value, int min, int max);
000353 |
000354 |     void WriteBool(bool value);
000355 |
000356 |     void WriteChar(int value);
000357 |
000358 |     void WriteUChar(int value);
000359 |
000360 |     void WriteShort(int value);
000361 |
000362 |     void WriteUShort(int value);
000363 |
000364 |     void Write(float value, int bits);
000365 |
000366 |     void WriteHalf(float value);
000367 |
000368 |     void Write(vector value, int bits);
000369 |
000370 |     void WriteHalf(vector value);
000371 |
000372 |     void Write(string value, int bits);
000373 |
000374 |     void Write(string value, int bits, string alphabet);
000375 |
000376 |     void WriteClassName(string value);
000377 |
000378 |     void WriteClassNameLower(string value);
000379 |
000380 |     void Flush();
000381 |
000382 |     /* Pass through write ----- */
000383 |
000384 |     void Write(bool value);
000385 |
000386 |     void Write(int value);
000387 |
000388 |     void Write(float value);
000389 |
000390 |     void Write(vector value);
000391 |
000392 |     void Write(string value);
000393 |
000394 |     void Write(TBoolArray values);
```

```
000395 |
000396 |     void Write(TIntArray values);
000397 |
000398 |     void Write(TFloatArray values);
000399 |
000400 |     void Write(TStringArray values);
000401 |
000402 |     void Write(TVectorArray values);
000403 | }
000404 |
000405 | class ExpansionBitStreamWriterT<Class T>: ExpansionBitStreamWriter
000406 | {
000407 |     T m_Serializer;
000408 |
000409 |     void ExpansionBitStreamWriterT(T serializer)
000410 |     {
000411 |         m_Serializer = serializer;
000412 |     }
000413 |
000414 |     static void WriteUInt(T serializer, int value, int bits, inout int packed, inout int packedBits)
000415 |     {
000416 |         if (bits < 1 || bits > BIT_INT_SIZE)
000417 |         {
000418 |             CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000419 |             return;
000420 |         }
000421 |
000422 |         if (bits < BIT_INT_SIZE)
000423 |             value &= ((1 << bits) - 1);
000424 |
000425 |         int remainingBits = bits;
000426 |
000427 |         while (remainingBits > 0)
000428 |         {
000429 |             int free = BIT_INT_SIZE - packedBits;
000430 |
000431 |             if (free <= 0)
000432 |             {
000433 |                 CF.FormatError("Something went terribly wrong. free = %1", free.ToString());
000434 |                 Flush(serializer, packed, packedBits);
000435 |                 return;
000436 |             }
000437 |
000438 |             int chunkBits;
000439 |
000440 |             if (remainingBits < free)
000441 |                 chunkBits = remainingBits;
000442 |             else
000443 |                 chunkBits = free;
000444 |
000445 |             int chunk = value;
000446 |
000447 |             if (chunkBits < BIT_INT_SIZE)
000448 |                 chunk &= ((1 << chunkBits) - 1);
000449 |
000450 |             packed |= (chunk << packedBits);
000451 |             packedBits += chunkBits;
000452 |
000453 |             value >>= chunkBits;
000454 |             remainingBits -= chunkBits;
000455 |
000456 |             if (packedBits == BIT_INT_SIZE)
```

```
000457 |         Flush(serializer, packed, packedBits);
000458 |     }
000459 | }
000460 |
000461 | /**
000462 |  * @brief Write signed integer packed into <n> bits
000463 |  */
000464 | static void Write(T serializer, int value, int bits, inout int packed, inout int packedBits)
000465 | {
000466 |     if (bits < BIT_INT_SIZE)
000467 |         value += Math.Pow(2, bits - 1);
000468 |
000469 |     WriteUInt(serializer, value, bits, packed, packedBits);
000470 | }
000471 |
000472 | /**
000473 |  * @brief Optimized writing of integer in range [min..max]
000474 |  */
000475 | static void Write(T serializer, int value, int min, int max, inout int packed, inout int packedBits)
000476 | {
000477 |     WriteUInt(serializer, value - min, BitSize(max - min), packed, packedBits);
000478 | }
000479 |
000480 | static void WriteBool(T serializer, bool value, inout int packed, inout int packedBits)
000481 | {
000482 |     int v = value;
000483 |     WriteUInt(serializer, v, 1, packed, packedBits);
000484 | }
000485 |
000486 | static void WriteChar(T serializer, int value, inout int packed, inout int packedBits)
000487 | {
000488 |     WriteUInt(serializer, value + 128, 8, packed, packedBits);
000489 | }
000490 |
000491 | static void WriteUChar(T serializer, int value, inout int packed, inout int packedBits)
000492 | {
000493 |     WriteUInt(serializer, value, 8, packed, packedBits);
000494 | }
000495 |
000496 | static void WriteShort(T serializer, int value, inout int packed, inout int packedBits)
000497 | {
000498 |     WriteUInt(serializer, value + 32768, 16, packed, packedBits);
000499 | }
000500 |
000501 | static void WriteUShort(T serializer, int value, inout int packed, inout int packedBits)
000502 | {
000503 |     WriteUInt(serializer, value, 16, packed, packedBits);
000504 | }
000505 |
000506 | static void Write(T serializer, float value, int bits, inout int packed, inout int packedBits)
000507 | {
000508 |     WriteUInt(serializer, CF_Cast<float, int>.Reinterpret(value) >> (BIT_INT_SIZE - bits), bits, packed, packedBits);
000509 | }
000510 |
000511 | //! @note converts float to fp16
000512 | static void WriteHalf(T serializer, float value, inout int packed, inout int packedBits)
000513 | {
000514 |     int fp16 = FloatToFP16(value);
000515 |     WriteUInt(serializer, fp16, 16, packed, packedBits);
000516 | }
000517 |
000518 | static void Write(T serializer, vector value, int bits, inout int packed, inout int packedBits)
```

```
000519 | {
000520 |     for (int i = 0; i < 3; ++i)
000521 |     {
000522 |         Write(serializer, value[i], bits, packed, packedBits);
000523 |     }
000524 | }
000525 |
000526 | //! @note converts float to fp16
000527 | static void WriteHalf(T serializer, vector value, inout int packed, inout int packedBits)
000528 | {
000529 |     for (int i = 0; i < 3; ++i)
000530 |     {
000531 |         WriteHalf(serializer, value[i], packed, packedBits);
000532 |     }
000533 | }
000534 |
000535 | //! @note bits is used to encode string length, not characters!
000536 | static void Write(T serializer, string value, int bits, inout int packed, inout int packedBits)
000537 | {
000538 |     int length = value.Length();
000539 |
000540 |     if (bits < BIT_INT_SIZE)
000541 |     {
000542 |         int maxLength = Math.Pow(2, bits) - 1;
000543 |
000544 |         if (length > maxLength)
000545 |         {
000546 |             CF.FormatError("string length %1 exceeds maximum %2 according to given bits %3", length.ToString(), maxLength.ToString(), bits.ToString());
000547 |             length = maxLength;
000548 |         }
000549 |     }
000550 |
000551 |     WriteUInt(serializer, length, bits, packed, packedBits);
000552 |
000553 |     for (int i = 0; i < length; ++i)
000554 |     {
000555 |         WriteUInt(serializer, value[i].ToAscii(), 8, packed, packedBits);
000556 |     }
000557 | }
000558 |
000559 | /**
000560 | * @brief Optimized writing of string consisting of characters in <alphabet>
000561 | *
000562 | * @note bits is used to encode string length, not characters!
000563 | */
000564 | static void Write(T serializer, string value, int bits, string alphabet, inout int packed, inout int packedBits)
000565 | {
000566 |     int length = value.Length();
000567 |
000568 |     if (bits < BIT_INT_SIZE)
000569 |     {
000570 |         int maxLength = Math.Pow(2, bits) - 1;
000571 |
000572 |         if (length > maxLength)
000573 |         {
000574 |             CF.FormatError("string length %1 exceeds maximum %2 according to given bits %3", length.ToString(), maxLength.ToString(), bits.ToString());
000575 |             length = maxLength;
000576 |         }
000577 |     }
000578 |
000579 |     WriteUInt(serializer, length, bits, packed, packedBits);
000580 | }
```

```
000581 |         int alphabetBits = BitSize(alphabet.Length());
000582 |
000583 |         for (int i = 0; i < length; ++i)
000584 |         {
000585 |             int v = alphabet.IndexOf(value[i]);
000586 |
000587 |             if (v == -1)
000588 |             {
000589 |                 CF.FormatError("Invalid character '%1' at index %2", value[i], i.ToString());
000590 |                 v = 0;
000591 |             }
000592 |
000593 |             WriteUInt(serializer, v, alphabetBits, packed, packedBits);
000594 |         }
000595 |     }
000596 |
000597 | /**
000598 |  * @brief Optimized writing of classname (5 characters fit into 4 bytes)
000599 |  *
000600 |  * @note Length is limited to 127 characters
000601 |  */
000602 | static void WriteClassName(T serializer, string value, inout int packed, inout int packedBits)
000603 | {
000604 |     Write(serializer, value, 7, CLASSNAME_ALPHABET, packed, packedBits);
000605 | }
000606 |
000607 | /**
000608 |  * @brief Optimized writing of lowercase classname (5 characters fit into 4 bytes)
000609 |  *
000610 |  * @note Length is limited to 127 characters
000611 |  */
000612 | static void WriteClassNameLower(T serializer, string value, inout int packed, inout int packedBits)
000613 | {
000614 |     Write(serializer, value, 7, CLASSNAME_ALPHABET_LOWERCASE, packed, packedBits);
000615 | }
000616 |
000617 | /**
000618 |  * @brief Flush remaining packed bits (if any) to serializer
000619 |  */
000620 | static void Flush(T serializer, inout int packed, inout int packedBits)
000621 | {
000622 |     if (packedBits > 0)
000623 |     {
000624 |         serializer.Write(packed);
000625 |
000626 |         packed = 0;
000627 |         packedBits = 0;
000628 |     }
000629 | }
000630 |
000631 | override void Write(int value, int bits)
000632 | {
000633 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000634 | }
000635 |
000636 | override void WriteUInt(int value, int bits)
000637 | {
000638 |     WriteUInt(m_Serializer, value, bits, m_Packed, m_PackedBits);
000639 | }
000640 |
000641 | /**
000642 |  * @brief Optimized writing of integer in range [min..max]
```

```
000643 | */
000644 | override void Write(int value, int min, int max)
000645 | {
000646 |     Write(m_Serializer, value, min, max, m_Packed, m_PackedBits);
000647 | }
000648 |
000649 | override void WriteBool(bool value)
000650 | {
000651 |     WriteBool(m_Serializer, value, m_Packed, m_PackedBits);
000652 | }
000653 |
000654 | override void WriteChar(int value)
000655 | {
000656 |     WriteChar(m_Serializer, value, m_Packed, m_PackedBits);
000657 | }
000658 |
000659 | override void WriteUChar(int value)
000660 | {
000661 |     WriteUChar(m_Serializer, value, m_Packed, m_PackedBits);
000662 | }
000663 |
000664 | override void WriteShort(int value)
000665 | {
000666 |     WriteShort(m_Serializer, value, m_Packed, m_PackedBits);
000667 | }
000668 |
000669 | override void WriteUShort(int value)
000670 | {
000671 |     WriteUShort(m_Serializer, value, m_Packed, m_PackedBits);
000672 | }
000673 |
000674 | override void Write(float value, int bits)
000675 | {
000676 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000677 | }
000678 |
000679 | //! @note converts float to fp16
000680 | override void WriteHalf(float value)
000681 | {
000682 |     WriteHalf(m_Serializer, value, m_Packed, m_PackedBits);
000683 | }
000684 |
000685 | override void Write(vector value, int bits)
000686 | {
000687 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000688 | }
000689 |
000690 | //! @note converts float to fp16
000691 | override void WriteHalf(vector value)
000692 | {
000693 |     WriteHalf(m_Serializer, value, m_Packed, m_PackedBits);
000694 | }
000695 |
000696 | //! @note bits is used to encode string length, not characters!
000697 | override void Write(string value, int bits)
000698 | {
000699 |     Write(m_Serializer, value, bits, m_Packed, m_PackedBits);
000700 | }
000701 |
000702 | //! @note bits is used to encode string length, not characters!
000703 | override void Write(string value, int bits, string alphabet)
000704 | {
```

```
000705 |         Write(m_Serializer, value, bits, alphabet, m_Packed, m_PackedBits);
000706 |     }
000707 |
000708 |     override void WriteClassName(string value)
000709 |     {
000710 |         WriteClassName(m_Serializer, value, m_Packed, m_PackedBits);
000711 |     }
000712 |
000713 |     override void WriteClassNameLower(string value)
000714 |     {
000715 |         WriteClassNameLower(m_Serializer, value, m_Packed, m_PackedBits);
000716 |     }
000717 |
000718 |     override void Flush()
000719 |     {
000720 |         Flush(m_Serializer, m_Packed, m_PackedBits);
000721 |     }
000722 |
000723 |     /* Pass through write ----- */
000724 |
000725 |     override void Write(bool value)
000726 |     {
000727 |         m_Serializer.Write(value);
000728 |     }
000729 |
000730 |     override void Write(int value)
000731 |     {
000732 |         m_Serializer.Write(value);
000733 |     }
000734 |
000735 |     override void Write(float value)
000736 |     {
000737 |         m_Serializer.Write(value);
000738 |     }
000739 |
000740 |     override void Write(vector value)
000741 |     {
000742 |         m_Serializer.Write(value);
000743 |     }
000744 |
000745 |     override void Write(string value)
000746 |     {
000747 |         m_Serializer.Write(value);
000748 |     }
000749 |
000750 |     override void Write(TBoolArray values)
000751 |     {
000752 |         m_Serializer.Write(values);
000753 |     }
000754 |
000755 |     override void Write(TIntArray values)
000756 |     {
000757 |         m_Serializer.Write(values);
000758 |     }
000759 |
000760 |     override void Write(TFloatArray values)
000761 |     {
000762 |         m_Serializer.Write(values);
000763 |     }
000764 |
000765 |     override void Write(TStringArray values)
000766 |     {
```

```
000767 |         m_Serializer.Write(values);
000768 |     }
000769 |
000770 |     override void Write(TVectorArray values)
000771 |     {
000772 |         m_Serializer.Write(values);
000773 |     }
000774 | }
000775 |
000776 | class ExpansionBitStreamReader: ExpansionBitStream
000777 | {
000778 |     bool ReadUInt(out int value, int bits);
000779 |
000780 |     bool Read(out int value, int bits);
000781 |
000782 |     bool Read(out int value, int min, int max);
000783 |
000784 |     bool ReadBool(out bool value);
000785 |
000786 |     bool ReadChar(out int value);
000787 |
000788 |     bool ReadUChar(out int value);
000789 |
000790 |     bool ReadShort(out int value);
000791 |
000792 |     bool ReadUShort(out int value);
000793 |
000794 |     bool Read(out float value, int bits);
000795 |
000796 |     bool ReadHalf(out float value);
000797 |
000798 |     bool Read(out vector value, int bits);
000799 |
000800 |     bool ReadHalf(out vector value);
000801 |
000802 |     bool Read(out string value, int bits);
000803 |
000804 |     bool Read(out string value, int bits, string alphabet);
000805 |
000806 |     bool ReadClassName(out string value);
000807 |
000808 |     bool ReadClassNameLower(out string value);
000809 |
000810 |     void Reset();
000811 |
000812 |     /* Pass through read ----- */
000813 |
000814 |     bool Read(out bool value);
000815 |
000816 |     bool Read(out int value);
000817 |
000818 |     bool Read(out float value);
000819 |
000820 |     bool Read(out vector value);
000821 |
000822 |     bool Read(out string value);
000823 |
000824 |     bool Read(out TBoolArray values);
000825 |
000826 |     bool Read(out TIntArray values);
000827 |
000828 |     bool Read(out TFloatArray values);
```



```
000829 |
000830 |     bool Read(out TStringArray values);
000831 |
000832 |     bool Read(out TVectorArray values);
000833 | }
000834 |
000835 | class ExpansionBitStreamReader<Class T>: ExpansionBitStreamReader
000836 | {
000837 |     T m_Serializer;
000838 |
000839 |     void ExpansionBitStreamReader(T serializer)
000840 |     {
000841 |         m_Serializer = serializer;
000842 |     }
000843 |
000844 |     /**
000845 |      * @brief Read value from next <n> bits
000846 |      *
000847 |      * @param [out] value  Unpacked value
000848 |      * @param bits
000849 |      */
000850 |     static bool ReadUInt(T serializer, out int value, int bits, inout int packed, inout int packedBits)
000851 |     {
000852 |         if (bits < 1 || bits > BIT_INT_SIZE)
000853 |         {
000854 |             CF.FormatError("Invalid value %1 for parameter `bits`: Out of range [1..%2]", bits.ToString(), BIT_INT_SIZE.ToString());
000855 |             return false;
000856 |         }
000857 |
000858 |         value = 0;
000859 |
000860 |         int remainingBits = bits;
000861 |         int shift;
000862 |
000863 |         while (remainingBits > 0)
000864 |         {
000865 |             if (packedBits <= 0)
000866 |             {
000867 |                 if (!serializer.Read(packed))
000868 |                     return false;
000869 |
000870 |                 packedBits = BIT_INT_SIZE;
000871 |             }
000872 |
000873 |             int chunkBits;
000874 |
000875 |             if (remainingBits < packedBits)
000876 |                 chunkBits = remainingBits;
000877 |             else
000878 |                 chunkBits = packedBits;
000879 |
000880 |             int chunk = packed;
000881 |
000882 |             if (chunkBits < BIT_INT_SIZE)
000883 |                 chunk &= (1 << chunkBits) - 1;
000884 |
000885 |             value |= (chunk << shift);
000886 |
000887 |             packed >>= chunkBits;
000888 |             packedBits -= chunkBits;
000889 |
000890 |             shift += chunkBits;
```

```
000891 |         remainingBits -= chunkBits;
000892 |     }
000893 |
000894 |     if (bits < BIT_INT_SIZE)
000895 |         value &= ((1 << bits) - 1);
000896 |
000897 |     return true;
000898 | }
000899 |
000900 | static bool Read(T serializer, out int value, int bits, inout int packed, inout int packedBits)
000901 | {
000902 |     if (!ReadUInt(serializer, value, bits, packed, packedBits))
000903 |         return false;
000904 |
000905 |     if (bits < BIT_INT_SIZE)
000906 |         value -= Math.Pow(2, bits - 1);
000907 |
000908 |     return true;
000909 | }
000910 |
000911 | static bool Read(T serializer, out int value, int min, int max, inout int packed, inout int packedBits)
000912 | {
000913 |     if (!ReadUInt(serializer, value, BitSize(max - min), packed, packedBits))
000914 |         return false;
000915 |
000916 |     value += min;
000917 |
000918 |     return true;
000919 | }
000920 |
000921 | static bool ReadBool(T serializer, out bool value, inout int packed, inout int packedBits)
000922 | {
000923 |     int v;
000924 |
000925 |     if (!ReadUInt(serializer, v, 1, packed, packedBits))
000926 |         return false;
000927 |
000928 |     value = v;
000929 |
000930 |     return true;
000931 | }
000932 |
000933 | static bool ReadChar(T serializer, out int value, inout int packed, inout int packedBits)
000934 | {
000935 |     if (!ReadUInt(serializer, value, 8, packed, packedBits))
000936 |         return false;
000937 |
000938 |     value -= 128;
000939 |
000940 |     return true;
000941 | }
000942 |
000943 | static bool ReadUChar(T serializer, out int value, inout int packed, inout int packedBits)
000944 | {
000945 |     return ReadUInt(serializer, value, 8, packed, packedBits);
000946 | }
000947 |
000948 | static bool ReadShort(T serializer, out int value, inout int packed, inout int packedBits)
000949 | {
000950 |     if (!ReadUInt(serializer, value, 16, packed, packedBits))
000951 |         return false;
000952 | }
```

```
000953 |         value -= 32768;
000954 |
000955 |         return true;
000956 |     }
000957 |
000958 | static bool ReadUShort(T serializer, out int value, inout int packed, inout int packedBits)
000959 | {
000960 |     return ReadUInt(serializer, value, 16, packed, packedBits);
000961 | }
000962 |
000963 | static bool Read(T serializer, out float value, int bits, inout int packed, inout int packedBits)
000964 | {
000965 |     int v;
000966 |
000967 |     if (!ReadUInt(serializer, v, bits, packed, packedBits))
000968 |         return false;
000969 |
000970 |     value = CF_Cast<int, float>.Reinterpret(v << (BIT_INT_SIZE - bits));
000971 |
000972 |     return true;
000973 | }
000974 |
000975 | //! @note reads fp16 and converts to float
000976 | static bool ReadHalf(T serializer, out float value, inout int packed, inout int packedBits)
000977 | {
000978 |     int fp16;
000979 |
000980 |     if (!ReadUInt(serializer, fp16, 16, packed, packedBits))
000981 |         return false;
000982 |
000983 |     value = FP16ToFloat(fp16);
000984 |
000985 |     return true;
000986 | }
000987 |
000988 | static bool Read(T serializer, out vector value, int bits, inout int packed, inout int packedBits)
000989 | {
000990 |     for (int i = 0; i < 3; ++i)
000991 |     {
000992 |         float v;
000993 |
000994 |         if (!Read(serializer, v, bits, packed, packedBits))
000995 |             return false;
000996 |
000997 |         value[i] = v;
000998 |     }
000999 |
001000 |     return true;
001001 | }
001002 |
001003 | //! @note reads fp16 and converts to float
001004 | static bool ReadHalf(T serializer, out vector value, inout int packed, inout int packedBits)
001005 | {
001006 |     for (int i = 0; i < 3; ++i)
001007 |     {
001008 |         float v;
001009 |
001010 |         if (!ReadHalf(serializer, v, packed, packedBits))
001011 |             return false;
001012 |
001013 |         value[i] = v;
001014 |     }
}
```

```
001015 |  
001016 |     return true;  
001017 | }  
001018 |  
001019 | //! @note bits is used to decode string length, not characters!  
001020 | static bool Read(T serializer, out string value, int bits, inout int packed, inout int packedBits)  
001021 | {  
001022 |     int length;  
001023 |  
001024 |     if (!ReadUInt(serializer, length, bits, packed, packedBits))  
001025 |         return false;  
001026 |  
001027 |     if (length < 0)  
001028 |         return false;  
001029 |  
001030 |     value = "";  
001031 |  
001032 |     while (length--)  
001033 |     {  
001034 |         int v;  
001035 |  
001036 |         if (!ReadUInt(serializer, v, 8, packed, packedBits))  
001037 |             return false;  
001038 |  
001039 |         value += v.ASCIIToString();  
001040 |     }  
001041 |  
001042 |     return true;  
001043 | }  
001044 |  
001045 | static bool Read(T serializer, out string value, int bits, string alphabet, inout int packed, inout int packedBits)  
001046 | {  
001047 |     int length;  
001048 |  
001049 |     if (!ReadUInt(serializer, length, bits, packed, packedBits))  
001050 |         return false;  
001051 |  
001052 |     if (length < 0)  
001053 |         return false;  
001054 |  
001055 |     int alphabetBits = BitSize(alphabet.Length());  
001056 |     int maxIndex = alphabet.Length() - 1;  
001057 |  
001058 |     value = "";  
001059 |  
001060 |     while (length--)  
001061 |     {  
001062 |         int i;  
001063 |  
001064 |         if (!ReadUInt(serializer, i, alphabetBits, packed, packedBits))  
001065 |             return false;  
001066 |  
001067 |         if (i > maxIndex)  
001068 |         {  
001069 |             CF.FormatError("Index out of bounds [0..%1]: %2", maxIndex.ToString(), i.ToString());  
001070 |             continue;  
001071 |         }  
001072 |  
001073 |         value += alphabet[i];  
001074 |     }  
001075 |  
001076 |     return true;
```

```
001077 | }
001078 |
001079 | static bool ReadClassName(T serializer, out string value, inout int packed, inout int packedBits)
001080 | {
001081 |     return Read(serializer, value, 7, CLASSNAME_ALPHABET, packed, packedBits);
001082 | }
001083 |
001084 | static bool ReadClassNameLower(T serializer, out string value, inout int packed, inout int packedBits)
001085 | {
001086 |     return Read(serializer, value, 7, CLASSNAME_ALPHABET_LOWERCASE, packed, packedBits);
001087 | }
001088 |
001089 | static void Reset(out int packed, out int packedBits)
001090 | {
001091 |     packed = 0;
001092 |     packedBits = 0;
001093 | }
001094 |
001095 | override bool ReadUInt(out int value, int bits)
001096 | {
001097 |     return ReadUInt(m_Serializer, value, bits, m_Packed, m_PackedBits);
001098 | }
001099 |
001100 | override bool Read(out int value, int bits)
001101 | {
001102 |     return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);
001103 | }
001104 |
001105 | override bool Read(out int value, int min, int max)
001106 | {
001107 |     return Read(m_Serializer, value, min, max, m_Packed, m_PackedBits);
001108 | }
001109 |
001110 | override bool ReadBool(out bool value)
001111 | {
001112 |     return ReadBool(m_Serializer, value, m_Packed, m_PackedBits);
001113 | }
001114 |
001115 | override bool ReadChar(out int value)
001116 | {
001117 |     return ReadChar(m_Serializer, value, m_Packed, m_PackedBits);
001118 | }
001119 |
001120 | override bool ReadUChar(out int value)
001121 | {
001122 |     return ReadUChar(m_Serializer, value, m_Packed, m_PackedBits);
001123 | }
001124 |
001125 | override bool ReadShort(out int value)
001126 | {
001127 |     return ReadShort(m_Serializer, value, m_Packed, m_PackedBits);
001128 | }
001129 |
001130 | override bool ReadUShort(out int value)
001131 | {
001132 |     return ReadUShort(m_Serializer, value, m_Packed, m_PackedBits);
001133 | }
001134 |
001135 | override bool Read(out float value, int bits)
001136 | {
001137 |     return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);
001138 | }
```

```
001139 |
001140 |     //! @note reads fp16 and converts to float
001141 |     override bool ReadHalf(out float value)
001142 |     {
001143 |         return ReadHalf(m_Serializer, value, m_Packed, m_PackedBits);
001144 |     }
001145 |
001146 |     override bool Read(out vector value, int bits)
001147 |     {
001148 |         return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);
001149 |     }
001150 |
001151 |     //! @note reads fp16 and converts to float
001152 |     override bool ReadHalf(out vector value)
001153 |     {
001154 |         return ReadHalf(m_Serializer, value, m_Packed, m_PackedBits);
001155 |     }
001156 |
001157 |     //! @note bits is used to decode string length, not characters!
001158 |     override bool Read(out string value, int bits)
001159 |     {
001160 |         return Read(m_Serializer, value, bits, m_Packed, m_PackedBits);
001161 |     }
001162 |
001163 |     //! @note bits is used to decode string length, not characters!
001164 |     override bool Read(out string value, int bits, string alphabet)
001165 |     {
001166 |         return Read(m_Serializer, value, bits, alphabet, m_Packed, m_PackedBits);
001167 |     }
001168 |
001169 |     override bool ReadClassName(out string value)
001170 |     {
001171 |         return ReadClassName(m_Serializer, value, m_Packed, m_PackedBits);
001172 |     }
001173 |
001174 |     override bool ReadClassNameLower(out string value)
001175 |     {
001176 |         return ReadClassNameLower(m_Serializer, value, m_Packed, m_PackedBits);
001177 |     }
001178 |
001179 |     /**
001180 |     * @brief Reset internal state. Only call this if you know what you're doing.
001181 |     */
001182 |     override void Reset()
001183 |     {
001184 |         m_Packed = 0;
001185 |         m_PackedBits = 0;
001186 |     }
001187 |
001188 |     /* Pass through read ----- */
001189 |
001190 |     override bool Read(out bool value)
001191 |     {
001192 |         return m_Serializer.Read(value);
001193 |     }
001194 |
001195 |     override bool Read(out int value)
001196 |     {
001197 |         return m_Serializer.Read(value);
001198 |     }
001199 |
001200 |     override bool Read(out float value)
```

```
001201 | {
001202 |     return m_Serializer.Read(value);
001203 | }
001204 |
001205 | override bool Read(out vector value)
001206 | {
001207 |     return m_Serializer.Read(value);
001208 | }
001209 |
001210 | override bool Read(out string value)
001211 | {
001212 |     return m_Serializer.Read(value);
001213 | }
001214 |
001215 | override bool Read(out TBoolArray values)
001216 | {
001217 |     return m_Serializer.Read(values);
001218 | }
001219 |
001220 | override bool Read(out TIntArray values)
001221 | {
001222 |     return m_Serializer.Read(values);
001223 | }
001224 |
001225 | override bool Read(out TFloatArray values)
001226 | {
001227 |     return m_Serializer.Read(values);
001228 | }
001229 |
001230 | override bool Read(out TStringArray values)
001231 | {
001232 |     return m_Serializer.Read(values);
001233 | }
001234 |
001235 | override bool Read(out TVectorArray values)
001236 | {
001237 |     return m_Serializer.Read(values);
001238 | }
001239 | }
001240 |
001241 | class ExpansionArraySerializer
001242 | {
001243 |     ref TIntArray m_Data;
001244 |     int m_Index;
001245 |
001246 |     void ExpansionArraySerializer(TIntArray data = null)
001247 |     {
001248 |         if (data)
001249 |             m_Data = data;
001250 |         else
001251 |             m_Data = {};
001252 |     }
001253 |
001254 |     void Write(bool value)
001255 |     {
001256 |         Write((int)value);
001257 |     }
001258 |
001259 |     void Write(int value)
001260 |     {
001261 |         m_Data.Insert(value);
001262 |     }
```

```
001263 |  
001264 | void Write(float value)  
001265 | {  
001266 |     Write(CF_Cast<float, int>.Reinterpret(value));  
001267 | }  
001268 |  
001269 | void Write(vector value)  
001270 | {  
001271 |     for (int i = 0; i < 3; ++i)  
001272 |         Write(value[i]);  
001273 | }  
001274 |  
001275 | void Write(string value)  
001276 | {  
001277 |     int packed;  
001278 |     int packedBits;  
001279 |     ExpansionBitStreamArrayWriter.Write(this, value, 32, packed, packedBits);  
001280 |     ExpansionBitStreamArrayWriter.Flush(this, packed, packedBits);  
001281 | }  
001282 |  
001283 | void Write(TBoolArray values)  
001284 | {  
001285 |     Write(values.Count());  
001286 |     foreach (bool value: values)  
001287 |         Write(value);  
001288 | }  
001289 |  
001290 | void Write(TIntArray values)  
001291 | {  
001292 |     Write(values.Count());  
001293 |     foreach (int value: values)  
001294 |         Write(value);  
001295 | }  
001296 |  
001297 | void Write(TFloatArray values)  
001298 | {  
001299 |     Write(values.Count());  
001300 |     foreach (float value: values)  
001301 |         Write(value);  
001302 | }  
001303 |  
001304 | void Write(TStringArray values)  
001305 | {  
001306 |     Write(values.Count());  
001307 |     foreach (string value: values)  
001308 |         Write(value);  
001309 | }  
001310 |  
001311 | void Write(TVectorArray values)  
001312 | {  
001313 |     Write(values.Count());  
001314 |     foreach (vector value: values)  
001315 |         Write(value);  
001316 | }  
001317 |  
001318 | int Count()  
001319 | {  
001320 |     return m_Data.Count();  
001321 | }  
001322 |  
001323 | int Get(int index)  
001324 | {
```



```
001325 |         return m_Data[index];
001326 |     }
001327 |
001328 |     void Seek(int index)
001329 |     {
001330 |         if (index >= m_Data.Count())
001331 |             CF.FormatError("Index %1 out of bounds [0..%2]", index.ToString(), (m_Data.Count() - 1).ToString());
001332 |         else
001333 |             m_Index = index;
001334 |     }
001335 |
001336 |     bool Read(out bool value)
001337 |     {
001338 |         int v;
001339 |         if (!Read(v))
001340 |             return false;
001341 |
001342 |         value = v;
001343 |
001344 |         return true;
001345 |     }
001346 |
001347 |     bool Read(out int value)
001348 |     {
001349 |         if (m_Index >= m_Data.Count())
001350 |             return false;
001351 |
001352 |         value = m_Data[m_Index++];
001353 |
001354 |         return true;
001355 |     }
001356 |
001357 |     bool Read(out float value)
001358 |     {
001359 |         int v;
001360 |         if (!Read(v))
001361 |             return false;
001362 |
001363 |         value = CF_Cast<int, float>.Reinterpret(v);
001364 |
001365 |         return true;
001366 |     }
001367 |
001368 |     bool Read(out vector value)
001369 |     {
001370 |         for (int i = 0; i < 3; ++i)
001371 |         {
001372 |             float v;
001373 |             if (!Read(v))
001374 |                 return false;
001375 |
001376 |             value[i] = v;
001377 |         }
001378 |
001379 |         return true;
001380 |     }
001381 |
001382 |     bool Read(out string value)
001383 |     {
001384 |         int packed;
001385 |         int packedBits;
001386 |         return ExpansionBitStreamArrayReader.Read(this, value, 32, packed, packedBits);
```

```
001387 | }
001388 |
001389 | bool Read(out TBoolArray values)
001390 | {
001391 |     int count;
001392 |     if (!Read(count) || count < 0)
001393 |         return false;
001394 |
001395 |     values = {};
001396 |
001397 |     while (count--)
001398 |     {
001399 |         bool v;
001400 |         if (!Read(v))
001401 |             return false;
001402 |
001403 |         values.Insert(v);
001404 |     }
001405 |
001406 |     return true;
001407 | }
001408 |
001409 | bool Read(out TIntArray values)
001410 | {
001411 |     int count;
001412 |     if (!Read(count) || count < 0)
001413 |         return false;
001414 |
001415 |     values = {};
001416 |
001417 |     while (count--)
001418 |     {
001419 |         int v;
001420 |         if (!Read(v))
001421 |             return false;
001422 |
001423 |         values.Insert(v);
001424 |     }
001425 |
001426 |     return true;
001427 | }
001428 |
001429 | bool Read(out TFloatArray values)
001430 | {
001431 |     int count;
001432 |     if (!Read(count) || count < 0)
001433 |         return false;
001434 |
001435 |     values = {};
001436 |
001437 |     while (count--)
001438 |     {
001439 |         float v;
001440 |         if (!Read(v))
001441 |             return false;
001442 |
001443 |         values.Insert(v);
001444 |     }
001445 |
001446 |     return true;
001447 | }
001448 |
```

```
001449 |     bool Read(out TStringArray values)
001450 |     {
001451 |         int count;
001452 |         if (!Read(count) || count < 0)
001453 |             return false;
001454 |
001455 |         values = {};
001456 |
001457 |         while (count--)
001458 |         {
001459 |             string v;
001460 |             if (!Read(v))
001461 |                 return false;
001462 |
001463 |             values.Insert(v);
001464 |         }
001465 |
001466 |         return true;
001467 |     }
001468 |
001469 |     bool Read(out TVectorArray values)
001470 |     {
001471 |         int count;
001472 |         if (!Read(count) || count < 0)
001473 |             return false;
001474 |
001475 |         values = {};
001476 |
001477 |         while (count--)
001478 |         {
001479 |             vector v;
001480 |             if (!Read(v))
001481 |                 return false;
001482 |
001483 |             values.Insert(v);
001484 |         }
001485 |
001486 |         return true;
001487 |     }
001488 | }
001489 |
001490 | typedef ExpansionBitStreamWriterT<ExpansionArraySerializer> ExpansionBitStreamArrayWriter;
001491 | typedef ExpansionBitStreamReaderT<ExpansionArraySerializer> ExpansionBitStreamArrayReader;
001492 | typedef ExpansionBitStreamWriterT<Serializer> ExpansionBitStreamSerializerWriter;
001493 | typedef ExpansionBitStreamReaderT<Serializer> ExpansionBitStreamSerializerReader;
001494 |
```

0054. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionColor.c
Size bytes: 3042
SHA-256: f64937a2f33d40255fa8fa189b86d3267155b4baafbf2944b2eb6e69bda15ad0
Decoded as: utf-8-sig
Line count shown: 126
Detected class declarations: 1
  L13: class ExpansionColor
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L16: static string ARGBToHex(int color)
  L20: return ARGBToHex(Argb[0], Argb[1], Argb[2], Argb[3]);
  L24: static string ARGBToHex(int a, int r, int g, int b)
  L30: static int HexToARGB(string hexcolor)
  L57: return ARGB(color[3], color[0], color[1], color[2]);
  L60: static int ToARGB(string format)
  L65: else if (format.IndexOf(" ") > -1)
  L68: return HexToARGB(format);
  L82: return ARGB(color[3], color[0], color[1], color[2]);
  L86: static void sRGBToLab(float r, float g, float b, out float lab_l, out float lab_a, out float lab_b)
```

Full file content

```
000001 | /**
000002 |  * ExpansionColor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionColor
000014 | {
000015 |     //! DayZ ARGB int to RRGGBBAA hex color string
000016 |     static string ARGBToHex(int color)
000017 |     {
000018 |         TIntArray argb = ExpansionStatic.IntToByteArray(color);
000019 |
000020 |         return ARGBToHex(Argb[0], Argb[1], Argb[2], Argb[3]);
000021 |     }
000022 |
000023 |     //! ARGB to RRGGBBAA hex color string
000024 |     static string ARGBToHex(int a, int r, int g, int b)
000025 |     {
000026 |         return ExpansionStatic.ByteArrayToHex({r, g, b, a});
000027 |     }
000028 |
000029 |     //! RGB, RGBA, RRGGBB or RRGGBBAA hex color string to DayZ ARGB color int
000030 |     static int HexToARGB(string hexcolor)
000031 |     {
000032 |         if (hexcolor.Length() < 3 || hexcolor.Length() > 8)
000033 |             return 0;
000034 |
000035 |         string hex;
000036 |
000037 |         if (hexcolor.Length() <= 4)
```

```
000038 |     {
000039 |         //! RGBA or RGBA
000040 |         hex = hexcolor[0] + hexcolor[1] + hexcolor[1] + hexcolor[2] + hexcolor[2];
000041 |         if (hexcolor.Length() == 4)
000042 |             hex += hexcolor[3] + hexcolor[3];  //! Alpha
000043 |     }
000044 |     else
000045 |     {
000046 |         hex = hexcolor;
000047 |     }
000048 |
000049 |     int color[4];
000050 |     color[3] = 255;  //! Init alpha to fully opaque
000051 |
000052 |     for (int i = 0; i < hex.Length() / 2; i++)
000053 |     {
000054 |         color[i] = ExpansionStatic.HexToInt(hex.Substring(i * 2, 2));
000055 |     }
000056 |
000057 |     return ARGB(color[3], color[0], color[1], color[2]);
000058 | }
000059 |
000060 | static int ToARGB(string format)
000061 | {
000062 |     TStringArray parts = {};
000063 |     if (format.IndexOf(",") > -1)
000064 |         format.Split(",", parts);
000065 |     else if (format.IndexOf(" ") > -1)
000066 |         format.Split(" ", parts);
000067 |     else
000068 |         return HexToARGB(format);
000069 |
000070 |     int color[4];
000071 |     color[3] = 255;  //! Init alpha to fully opaque
000072 |
000073 |     int i;
000074 |     foreach (string part: parts)
000075 |     {
000076 |         part.TrimInPlace();
000077 |         if (!part)
000078 |             continue;
000079 |         color[i++] = part.ToInt();
000080 |     }
000081 |
000082 |     return ARGB(color[3], color[0], color[1], color[2]);
000083 | }
000084 |
000085 | //! sRGB to L*a*b* conversion, D65 reference
000086 | static void sRGBToLab(float r, float g, float b, out float lab_l, out float lab_a, out float lab_b)
000087 | {
000088 |     float rgb[3];
000089 |     float xyz[3];
000090 |
000091 |     rgb[0] = r / 255.0;
000092 |     rgb[1] = g / 255.0;
000093 |     rgb[2] = b / 255.0;
000094 |
000095 |     int i;
000096 |
000097 |     for (i = 0; i < 3; i++)
000098 |     {
000099 |         if (rgb[i] > 0.04045)
```

```
000100 |         rgb[i] = Math.Pow((rgb[i] + 0.055) / 1.055, 2.4);
000101 |     else
000102 |         rgb[i] = rgb[i] / 12.92;
000103 |     }
000104 |
000105 |     xyz[0] = ((rgb[0] * 0.412391) + (rgb[1] * 0.357584) + (rgb[2] * 0.180481));
000106 |     xyz[1] = ((rgb[0] * 0.212639) + (rgb[1] * 0.715169) + (rgb[2] * 0.072192));
000107 |     xyz[2] = ((rgb[0] * 0.019331) + (rgb[1] * 0.119195) + (rgb[2] * 0.950532));
000108 |
000109 |     xyz[0] = xyz[0] / 0.950456;
000110 |     xyz[1] = xyz[1] / 1.0;
000111 |     xyz[2] = xyz[2] / 1.089058;
000112 |
000113 |     for (i = 0; i < 3; i++)
000114 |     {
000115 |         if (xyz[i] > 0.008856)
000116 |             xyz[i] = Math.Pow(xyz[i], (1.0 / 3.0));
000117 |         else
000118 |             xyz[i] = (903.296296 * xyz[i] + 16.0) / 116.0;
000119 |     }
000120 |
000121 |     lab_l = 116.0 * xyz[1] - 16.0;
000122 |     lab_a = 500.0 * (xyz[0] - xyz[1]);
000123 |     lab_b = 200.0 * (xyz[1] - xyz[2]);
000124 | }
000125 | }
000126 |
```

0055. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionConstants.c

Size bytes: 10465

SHA-256: ac7870d76811f0f4215d78a6362aa8c9a9ee417902cca155cf18b8f62a3c80bc

Decoded as: utf-8-sig

Line count shown: 235

Detected class declarations: 0

Detected enum declarations: 4

L17: enum ExpansionChatChannels

L138: enum ExpansionPlayerLink

L147: enum ExpansionPlayerRaycastResult

L159: enum ExpansionItemQuantityType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionConstants.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**
000014 |  * Expansion chat channels
000015 |  * @{
000016 |  */
000017 | enum ExpansionChatChannels
000018 | {
000019 |     //! Vanilla
000020 |     CCLocal = 0, // https://www.youtube.com/watch?v=nN66uAbiJJw
000021 |     CCSystem = 1,
000022 |     CCAdmin = 2, // https://www.youtube.com/watch?v=W3q80d5qJio
000023 |     CCDirect = 4,
000024 |     CCMegaphone = 8,
000025 |     CCTransmitter = 16,
000026 |     CCPublicAddressSystem = 32,
000027 |     CCBattleEye = 64,
000028 |
000029 |     //! Expansion
000030 |     CCTransport = 128,
000031 |     CCGlobal = 256,
000032 |     CCTeam = 512
000033 | };
000034 |
000035 | //! DPRECATED, constant is no longer used and is only kept for legacy reasons. Liquid types are set in CfgLiquidDefinitions,
000036 | //! and liquids can be accesed via vanilla Liquid EnfScript class, e.g. use Liquid::Expansion_GetDisplayName to get display name for UI
000037 | const int EXPANSION_LIQUID_MILK = 65536;
000038 |
000039 | /**
000040 |  * Expansion UI Menu IDs
000041 |  * @{
000042 |  */
000043 | const int MENU_EXPANSION_MENU_START = 1000;
000044 | const int MENU_EXPANSION_CODELOCK_MENU = MENU_EXPANSION_MENU_START + 0;
```

```
000045 | const int MENU_EXPANSION_NUMPAD_MENU = MENU_EXPANSION_MENU_START + 1;
000046 | const int MENU_EXPANSION_MAP = MENU_EXPANSION_MENU_START + 2;
000047 | const int MENU_EXPANSION_FLAG_MENU = MENU_EXPANSION_MENU_START + 3;
000048 | const int MENU_EXPANSION_MENU_END = MENU_EXPANSION_MENU_START + 4;
000049 |
000050 | /**
000051 |  * Expansion UI Colors
000052 |  * @{
000053 |  */
000054 | static const int COLOR_EXPANSION_ITEM_HIGHLIGHT_TEXT = ARGB( 255, 0, 0, 0 );
000055 | static const int COLOR_EXPANSION_ITEM_NORMAL_TEXT = ARGB( 255, 0, 0, 0 );
000056 | static const int COLOR_EXPANSION_ITEM_HIGHLIGHT_ELEMENT = ARGB( 130, 89, 46, 26 );
000057 | static const int COLOR_EXPANSION_ITEM_NORMAL_ELEMENT = ARGB( 255, 0, 0, 0 );
000058 |
000059 | static const int COLOR_EXPANSION_NOTIFICATION_INFO = ARGB( 255, 52, 152, 219 );
000060 | static const int COLOR_EXPANSION_NOTIFICATION_ERROR = ARGB( 255, 231, 76, 60 );
000061 | static const int COLOR_EXPANSION_NOTIFICATION_SUCCESS = ARGB( 255, 46, 204, 113 );
000062 | static const int COLOR_EXPANSION_NOTIFICATION_SUCCSESS = ARGB( 255, 46, 204, 113 ); //! Legacy typo
000063 | static const int COLOR_EXPANSION_NOTIFICATION_ORANGE = ARGB( 255, 243, 156, 18 );
000064 | static const int COLOR_EXPANSION_NOTIFICATION ASPHALT = ARGB( 255, 52, 73, 94 );
000065 | static const int COLOR_EXPANSION_NOTIFICATION AMETHYST = ARGB( 255, 155, 89, 182 );
000066 | static const int COLOR_EXPANSION_NOTIFICATION TURQUOISE = ARGB( 255, 26, 188, 156 );
000067 | static const int COLOR_EXPANSION_NOTIFICATION ORANGEVILLE = ARGB( 255, 225, 112, 85 );
000068 | static const int COLOR_EXPANSION_NOTIFICATION_EXPANSION = ARGB( 255, 226, 65, 66 );
000069 | static const int COLOR_EXPANSION_NOTIFICATION_MISSION = ARGB(255, 235, 59, 90);
000070 |
000071 | /**
000072 |  * Expansion Path
000073 |  * @{
000074 |  */
000075 | static const string EXPANSION_FOLDER = "$profile:ExpansionMod\\";
000076 | static const string EXPANSION_MISSION_FOLDER = "$mission:expansion\\";
000077 |
000078 | static const string EXPANSION_SETTINGS_FOLDER = EXPANSION_FOLDER + "Settings\\";
000079 | static const string EXPANSION_LOADOUT_FOLDER = EXPANSION_FOLDER + "Loadouts\\";
000080 | static const string EXPANSION_GROUPS_FOLDER = EXPANSION_FOLDER + "Groups\\";
000081 | static const string EXPANSION_LOG_FOLDER = EXPANSION_FOLDER + "Logs\\";
000082 | static const string EXPANSION_AI_FOLDER = EXPANSION_FOLDER + "AI\\";
000083 | static const string EXPANSION_AI_PATROLS_FOLDER = EXPANSION_AI_FOLDER + "Patrols\\";
000084 | static const string EXPANSION_AI_FSM_FOLDER = EXPANSION_AI_FOLDER + "FSM\\";
000085 | static const string EXPANSION_MISSION_SETTINGS_FOLDER = EXPANSION_MISSION_FOLDER + "settings\\";
000086 | static const string EXPANSION_MISSIONS_FOLDER = EXPANSION_MISSION_FOLDER + "missions\\";
000087 | static const string EXPANSION_MISSION_MISSIONOBJECTS_FOLDER = EXPANSION_MISSION_FOLDER + "missionobjects\\";
000088 |
000089 | static const string EXPANSION_MISSION_OBJECTS_FOLDER = EXPANSION_MISSION_FOLDER + "objects\\";
000090 | static const string EXPANSION_MISSION_TRADERS_FOLDER = EXPANSION_MISSION_FOLDER + "traders\\";
000091 |
000092 | static const string EXPANSION_MAPPING_FOLDER = "DayZExpansion/Scripts/Data/Mapping/";
000093 | static const string EXPANSION_MAPPING_EXT = ".map";
000094 |
000095 | static const string EXPANSION_GENERAL_SETTINGS = EXPANSION_SETTINGS_FOLDER + "GeneralSettings.json";
000096 | static const string EXPANSION_BASE_BUILDING_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "BaseBuildingSettings.json";
000097 | static const string EXPANSION_AIRDROP_SETTINGS = EXPANSION_SETTINGS_FOLDER + "AirdropSettings.json";
000098 | static const string EXPANSION_AI_SETTINGS = EXPANSION_SETTINGS_FOLDER + "AISettings.json";
000099 | static const string EXPANSION_AIPATROL_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "AIPatrolSettings.json";
000100 | static const string EXPANSION_MAP_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "MapSettings.json";
000101 | static const string EXPANSION_PARTY_SETTINGS = EXPANSION_SETTINGS_FOLDER + "PartySettings.json";
000102 | static const string EXPANSION_SAFE_ZONES_SETTINGS = EXPANSION_MISSION_SETTINGS_FOLDER + "SafeZoneSettings.json";
000103 | static const string EXPANSION_MISSION_SETTINGS = EXPANSION_SETTINGS_FOLDER + "MissionSettings.json";
000104 | static const string EXPANSION_NOTIFICATION_SETTINGS = EXPANSION_SETTINGS_FOLDER + "NotificationSettings.json";
000105 | static const string EXPANSION_RAID_SETTINGS = EXPANSION_SETTINGS_FOLDER + "RaidSettings.json";
000106 | static const string EXPANSION_TERRITORY_SETTINGS = EXPANSION_SETTINGS_FOLDER + "TerritorySettings.json";
```



```
000107 | static const string EXPANSION_VEHICLE_SETTINGS = EXPANSION_SETTINGS_FOLDER + "VehicleSettings.json";
000108 | static const string EXPANSION_CORE_SETTINGS = EXPANSION_SETTINGS_FOLDER + "CoreSettings.json";
000109 | static const string EXPANSION_DEBUG_SETTINGS = EXPANSION_SETTINGS_FOLDER + "DebugSettings.json"; //! Legacy
000110 | static const string EXPANSION_PLAYERLIST_SETTINGS = EXPANSION_SETTINGS_FOLDER + "PlayerListSettings.json";
000111 | static const string EXPANSION_LOG_SETTINGS = EXPANSION_SETTINGS_FOLDER + "LogsSettings.json";
000112 | static const string EXPANSION_SOCIALMEDIA_SETTINGS = EXPANSION_SETTINGS_FOLDER + "SocialMediaSettings.json";
000113 | static const string EXPANSION_CHAT_SETTINGS = EXPANSION_SETTINGS_FOLDER + "ChatSettings.json";
000114 | static const string EXPANSION_MONITORING_SETTINGS = EXPANSION_SETTINGS_FOLDER + "MonitoringSettings.json";
000115 | static const string EXPANSION_DAMAGESYSTEM_SETTINGS = EXPANSION_SETTINGS_FOLDER + "DamageSystemSettings.json";
000116 | static const string EXPANSION_GARAGE_SETTINGS = EXPANSION_SETTINGS_FOLDER + "GarageSettings.json";
000117 |
000118 | static const string EXPANSION_TEMP_INTERIORS = EXPANSION_FOLDER + "TempInteriors.bin";
000119 |
000120 | ///! On Client Only
000121 | static const string EXPANSION_CLIENT_SETTINGS = EXPANSION_FOLDER + "settings.bin";
000122 | static const string EXPANSION_CLIENT_MARKERS = EXPANSION_FOLDER + "markers.bin";
000123 |
000124 | /**
000125 |  * Server Browser Menu
000126 |  * @{
000127 |  */
000128 | const int EXPANSION_IDC_Int_DIRECT          = 50000104;
000129 |
000130 | /**
000131 |  * Player attachment
000132 |  * @{
000133 |  */
000134 | const int EXPANSION_INPUT_UDT_PLAYER_LINK   = 40003000;
000135 | const int EXPANSION_INPUT_UDT_GET_IN_TRANSPORT_UNLINK = 40003001;
000136 | const int EXPANSION_INPUT_UDT_PERFORM_CLIMB = 40003002;
000137 |
000138 | enum ExpansionPlayerLink
000139 | {
000140 |     NONE = 0,
000141 |     ATTACH,
000142 |     DETACH,
000143 |     CLIMB_START,
000144 |     CLIMB_FINISH
000145 | }
000146 |
000147 | enum ExpansionPlayerRaycastResult
000148 | {
000149 |     FALSE = 0,
000150 |     DETECT,
000151 |     DETECT_FALL,
000152 |     DETACH
000153 | }
000154 |
000155 | /**
000156 |  * Item tooltips
000157 |  * @{
000158 |  */
000159 | enum ExpansionItemQuantityType
000160 | {
000161 |     PC = 1,
000162 |     PERCENTAGE = 2,
000163 |     GRAM = 4,
000164 |     MILLILITER = 8,
000165 |     MAGAZINE = 16,
000166 |     POWER = 32,
000167 |     HEATISOLATION = 64
000168 | }
```

```
000169 |
000170 | /**
000171 |  * Expansion URLs
000172 |  * @{
000173 |  */
000174 | const string EXPANSION_Rest_URL = "https://api.thurston.pw/expansion/";
000175 |
000176 | /**
000177 |  * Expansion icons (internal use only)
000178 |  * @{
000179 |  */
000180 | static const string EXPANSION_ICON_POSITION = "set:expansion_iconset image:icon_position";
000181 |
000182 | static const string EXPANSION_ICON_3D_ON = "DayZExpansion\\Core\\GUI\\icons\\hud\\3D_64x64.edds";
000183 | static const string EXPANSION_ICON_3D_OFF = "DayZExpansion\\Core\\GUI\\icons\\hud\\3D_off_64x64.edds";
000184 | static const string EXPANSION_ICON_2D_ON = "DayZExpansion\\Core\\GUI\\icons\\hud\\2D_64x64.edds";
000185 | static const string EXPANSION_ICON_2D_OFF = "DayZExpansion\\Core\\GUI\\icons\\hud\\2D_off_64x64.edds";
000186 |
000187 | /**
000188 |  * Expansion notification icons (internal use only)
000189 |  * @{
000190 |  */
000191 | //! Old icons
000192 | static const string EXPANSION_NOTIFICATION_ICON_ERROR = "Error";
000193 | static const string EXPANSION_NOTIFICATION_ICON_CAR = "Car";
000194 | static const string EXPANSION_NOTIFICATION_ICON_TERRITORY = "Territory";
000195 | static const string EXPANSION_NOTIFICATION_ICON_AIRDROP = "Airdrop";
000196 | static const string EXPANSION_NOTIFICATION_ICON_TRADER = "Trader";
000197 | static const string EXPANSION_NOTIFICATION_ICON_HOME = "Base";
000198 | static const string EXPANSION_NOTIFICATION_ICON_VEHICLE_CRASH = "Vehicle Crash";
000199 | static const string EXPANSION_NOTIFICATION_ICON_AI_MISSION = EXPANSION_NOTIFICATION_ICON_VEHICLE_CRASH;    // PLACEHOLDER
000200 |
000201 | //! New icons
000202 | static const string EXPANSION_NOTIFICATION_ICON_INFO = "Info";
000203 | static const string EXPANSION_NOTIFICATION_ICON_MARKER = "Marker";
000204 | static const string EXPANSION_NOTIFICATION_ICON_PERSONA = "Persona";
000205 | static const string EXPANSION_NOTIFICATION_ICON_WATER_2 = "Water 2";
000206 | static const string EXPANSION_NOTIFICATION_ICON_MAP = "Map";
000207 | static const string EXPANSION_NOTIFICATION_ICON_SHIELD = "Shield";
000208 |
000209 | //! Newer icons
000210 | static const string EXPANSION_NOTIFICATION_ICON_T_Batteries = "Batteries";
000211 | static const string EXPANSION_NOTIFICATION_ICON_T_Empty_Can = "Empty Can";
000212 | static const string EXPANSION_NOTIFICATION_ICON_T_Gun = "Gun";
000213 | static const string EXPANSION_NOTIFICATION_ICON_T_Walkie_Talkie = "Walkie Talkie";
000214 |
000215 | /**
000216 |  * Expansion social media URLs
000217 |  * @{
000218 |  */
000219 | static const string EXPANSION_DISCORD_URL = "https://discord.gg/WabhFUa";
000220 | static const string EXPANSION_TWITTER_URL = "https://twitter.com/DayZExpansion";
000221 | static const string EXPANSION_WIKI_URL = "https://github.com/salutesh/DayZ-Expansion-Scripts/wiki";
000222 |
000223 | /**
000224 |  * Storage save version - DEPRECATED, NO LONGER USED, set individual storage version per mod in DZ_* ModStructure
000225 |  * @{
000226 |  */
000227 | static const int EXPANSION_VERSION_CURRENT_SAVE = 49;    //! DEPRECATED, NO LONGER USED, set individual storage version per mod in DZ_* ModStructure
000228 |
000229 | /**
000230 |  * Client settings save version
```

```
000231 | */
000232 | //! Starting with client settings v38, client and map marker save version are no longer linked to storage save version
000233 | static const int EXPANSION_VERSION_CLIENT_SETTING_SAVE = 58;
000234 | static const int EXPANSION_VERSION_MAP_MARKER_SAVE = 42; //! Also used for groups since group data stores group marker data
000235 |
```

0056. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionEntity.c

Size bytes: 3835

SHA-256: 0f46d7c6abf53a30979b82547c77320ac05a48802fd5077b3031cdd36ec96dd1

Decoded as: utf-8-sig

Line count shown: 192

Detected class declarations: 1

L4: class ExpansionEntity

Detected enum declarations: 0

Detected function/method-like declarations: 7

L8: void ExpansionEntity(EntityAI entity)

L15: void CF_OnStoreSave(CF_ModStorage ctx)

L44: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

L112: void CF_SaveVariables(CF_ModStorage ctx)

L125: void CF_WriteVarsToCTX(CF_ModStorage ctx)

L136: bool CF_LoadVariables(CF_ModStorage ctx, int version)

L155: bool CF_ReadVarsFromCTX(CF_ModStorage ctx, int version)

Full file content

```

000001 | /**
000002 |  * @brief this class duplicates some of the functionality of EntityAI to work-around the latter not being moddable
000003 |  */
000004 | class ExpansionEntity
000005 | {
000006 |     EntityAI m_Entity;
000007 |
000008 |     void ExpansionEntity(EntityAI entity)
000009 |     {
000010 |         m_Entity = entity;
000011 |     }
000012 |
000013 | #ifdef EXPANSION_MODSTORAGE
000014 |     //! EntityAI::OnStoreSave, but for ModStorage
000015 |     void CF_OnStoreSave(CF_ModStorage ctx)
000016 |     {
000017 |         if (m_Entity.m_EM)
000018 |         {
000019 |             ctx.Write(m_Entity.m_EM.GetEnergy());
000020 |             ctx.Write(m_Entity.m_EM.IsPassive());
000021 |             ctx.Write(m_Entity.m_EM.IsSwitchedOn());
000022 |             ctx.Write(m_Entity.m_EM.IsPlugged());
000023 |
000024 |             EntityAI energy_source = m_Entity.m_EM.GetEnergySource();
000025 |
000026 |             int b1 = 0;
000027 |             int b2 = 0;
000028 |             int b3 = 0;
000029 |             int b4 = 0;
000030 |
000031 |             if (energy_source)
000032 |                 energy_source.GetPersistentID(b1, b2, b3, b4);
000033 |
000034 |             ctx.Write(b1);
000035 |             ctx.Write(b2);
000036 |             ctx.Write(b3);
000037 |             ctx.Write(b4);
000038 |         }
000039 |
000040 |     CF_SaveVariables(ctx);

```

```
000041 | }
000042 |
000043 | //! EntityAI::OnStoreLoad, but for ModStorage
000044 | bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000045 | {
000046 |     if (m_Entity.m_EM)
000047 |     {
000048 |         float f_energy;
000049 |         if (!ctx.Read(f_energy))
000050 |             return false;
000051 |         m_Entity.m_EM.SetEnergy(f_energy);
000052 |
000053 |         bool b_is_passive;
000054 |         if (!ctx.Read(b_is_passive))
000055 |             return false;
000056 |         m_Entity.m_EM.SetPassiveState(b_is_passive);
000057 |
000058 |         bool b_is_on;
000059 |         if (!ctx.Read(b_is_on))
000060 |         {
000061 |             m_Entity.m_EM.SwitchOn();
000062 |             return false;
000063 |         }
000064 |
000065 |         bool b_is_plugged;
000066 |         if (!ctx.Read(b_is_plugged))
000067 |             return false;
000068 |
000069 |         if (version <= 103)
000070 |         {
000071 |             int tmp;
000072 |
000073 |             if (!ctx.Read(tmp))
000074 |                 return false;
000075 |
000076 |             if (!ctx.Read(tmp))
000077 |                 return false;
000078 |         }
000079 |         else
000080 |         {
000081 |             int b1 = 0;
000082 |             int b2 = 0;
000083 |             int b3 = 0;
000084 |             int b4 = 0;
000085 |
000086 |             if (!ctx.Read(b1)) return false;
000087 |             if (!ctx.Read(b2)) return false;
000088 |             if (!ctx.Read(b3)) return false;
000089 |             if (!ctx.Read(b4)) return false;
000090 |
000091 |             if (b_is_plugged)
000092 |             {
000093 |                 // Because function GetEntityByPersitentID() cannot be called here, ID values must be stored and used later.
000094 |                 m_Entity.m_EM.StoreEnergySourceIDs(b1, b2, b3, b4);
000095 |                 m_Entity.m_EM.RestorePlugState(true);
000096 |             }
000097 |         }
000098 |
000099 |         if (b_is_on)
000100 |             m_Entity.m_EM.SwitchOn();
000101 |     }
000102 | }
```

```
000103 |         if (version >= 140)
000104 |         {
000105 |             if (!CF_LoadVariables(ctx, version))
000106 |                 return false;
000107 |         }
000108 |
000109 |         return true;
000110 |     }
000111 |
000112 | void CF_SaveVariables(CF_ModStorage ctx)
000113 | {
000114 |     int varFlags;
000115 |
000116 |     if (m_Entity.m_VariablesMask)
000117 |         varFlags = ItemVariableFlags.FLOAT;
000118 |
000119 |     ctx.Write(varFlags);
000120 |
000121 |     if (m_Entity.m_VariablesMask)
000122 |         CF_WriteVarsToCTX(ctx);
000123 | }
000124 |
000125 | void CF_WriteVarsToCTX(CF_ModStorage ctx)
000126 | {
000127 |     ctx.Write(m_Entity.m_VariablesMask);
000128 |
000129 |     if (m_Entity.IsVariableSet(VARIABLE_TEMPERATURE))
000130 |     {
000131 |         ctx.Write(m_Entity.GetTemperature());
000132 |         ctx.Write(m_Entity.GetIsFrozen());
000133 |     }
000134 | }
000135 |
000136 | bool CF_LoadVariables(CF_ModStorage ctx, int version)
000137 | {
000138 |     int varFlags;
000139 |
000140 |     if (!ctx.Read(varFlags))
000141 |     {
000142 |         EXPrint(this, "---- CF_OnStoreLoad failed to load variable flags ----");
000143 |         return false;
000144 |     }
000145 |
000146 |     if (varFlags & ItemVariableFlags.FLOAT)
000147 |     {
000148 |         if (!CF_ReadVarsFromCTX(ctx, version))
000149 |             return false;
000150 |     }
000151 |
000152 |     return true;
000153 | }
000154 |
000155 | bool CF_ReadVarsFromCTX(CF_ModStorage ctx, int version)
000156 | {
000157 |     int mask;
000158 |
000159 |     if (!ctx.Read(mask))
000160 |     {
000161 |         EXPrint(this, "---- CF_OnStoreLoad failed to read variables mask ----");
000162 |         return false;
000163 |     }
000164 | }
```

```
000165 |         m_Entity.m_VariablesMask = mask;
000166 |
000167 |         if (mask & VARIABLE_TEMPERATURE)
000168 |         {
000169 |             float temperature;
000170 |             if (!ctx.Read(temperature))
000171 |             {
000172 |                 EXPrint(this, "---- CF_OnStoreLoad failed to read temperature ----");
000173 |                 return false;
000174 |             }
000175 |
000176 |             m_Entity.SetTemperatureDirect(temperature);
000177 |
000178 |             bool isFrozen;
000179 |             if (!ctx.Read(isFrozen))
000180 |             {
000181 |                 EXPrint(this, "---- CF_OnStoreLoad failed to read frozen ----");
000182 |                 return false;
000183 |             }
000184 |
000185 |             m_Entity.SetFrozen(isFrozen);
000186 |         }
000187 |
000188 |         return true;
000189 |     }
000190 | #endif
000191 | }
000192 |
```

0057. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGame.c
Size bytes: 6264
SHA-256: 977aed890b1e1f4e6b158cb8eeb44284ef723c70541879cc6ddcecc3286e6896
Decoded as: utf-8-sig
Line count shown: 253
Detected class declarations: 1
  L13: class ExpansionGame
Detected enum declarations: 0
Detected function/method-like declarations: 29
  L26: void ExpansionGame()
  L42: void ~ExpansionGame()
  L56: string GetPlayerID(Man player)
  L61: string GetPlayerName(Man player)
  L70: void CreateExpansionUIManager()
  L81: void DestroyExpansionUIManager()
  L90: ExpansionUIManager GetExpansionUIManager()
  L99: static Object CreateObjectSafe(string type, vector pos, bool create_local = false, bool init_ai = false, bool create_physics = true)
  L113: return CreateObjectExSafe(type, pos, flags);
  L124: static Object CreateObjectExSafe(string type, vector pos, int iFlags, int iRotation = RF_DEFAULT)
  L132: static bool IsSafeToSpawn(string type)
  L158: void FirearmEffects( Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vec
  L165: void OnStart()
  L174: void OnLoaded()
  L179: bool IsLoaded()
  L187: void OnFinish()
  L194: void OnUpdate( bool doSim, float timeslice )
  L198: void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)
  L202: void WriteRemovedWorldObjects(ParamsReadContext ctx)
  L206: void ReadRemovedWorldObjects(ParamsReadContext ctx)
  L210: void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
  L214: void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L218: static bool IsMultiplayerClient()
  L224: static bool IsMultiplayerServer()
  L229: static bool IsOffline()
  L234: static bool IsClientOrOffline()
  L239: static bool IsServerOrOffline()
  L245: void Lobotomize(DayZCreatureAI creature)
  L249: void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)

```

Full file content

```

000001 | /**
000002 |  * ExpansionGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionGame
000014 | {
000015 | #ifdef EXPANSIONUI
000016 |     ref ExpansionUIManager m_ExUIManager;
000017 | #endif
000018 |     ref ExpansionRPCManager m_RPCManager = new ExpansionRPCManager(this);

```



```
000019 |
000020 |     bool m_IsLoaded;
000021 |     int m_InstanceId;
000022 |
000023 |     // -----
000024 |     // ExpansionGame Constructor
000025 |     // -----
000026 |     void ExpansionGame()
000027 |     {
000028 | #ifdef EXTRACE_DIAG
000029 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000030 | #endif
000031 |
000032 |         #ifdef EXPANSIONUI
000033 |             CreateExpansionUIManager();
000034 |         #endif
000035 |
000036 |         ExpansionItemNameTable.LoadNameTable();
000037 |     }
000038 |
000039 |     // -----
000040 |     // ExpansionGame Destructor
000041 |     // -----
000042 |     void ~ExpansionGame()
000043 |     {
000044 |         if (!g_Game)
000045 |             return;
000046 |
000047 |         #ifdef EXPANSIONUI
000048 |             DestroyExpansionUIManager();
000049 |         #endif
000050 |
000051 | #ifdef DIAG_DEVELOPER
000052 |         Print("~ExpansionGame");
000053 | #endif
000054 |     }
000055 |
000056 |     string GetPlayerID(Man player)
000057 |     {
000058 |         return string.Empty;
000059 |     }
000060 |
000061 |     string GetPlayerName(Man player)
000062 |     {
000063 |         return string.Empty;
000064 |     }
000065 |
000066 | #ifdef EXPANSIONUI
000067 |     // -----
000068 |     // ExpansionGame CreateExpansionUIManager
000069 |     // -----
000070 |     void CreateExpansionUIManager()
000071 |     {
000072 |         if (!m_ExUIManager)
000073 |         {
000074 |             m_ExUIManager = new ExpansionUIManager();
000075 |         }
000076 |     }
000077 |
000078 |     // -----
000079 |     // ExpansionGame DestroyExpansionUIManager
000080 |     // -----
```

```
000081 | void DestroyExpansionUIManager()
000082 | {
000083 |     if (m_ExUIManager)
000084 |         m_ExUIManager = null;
000085 | }
000086 |
000087 | // -----
000088 | // ExpansionGame GetExpansionUIManager
000089 | // -----
000090 | ExpansionUIManager GetExpansionUIManager()
000091 | {
000092 |     return m_ExUIManager;
000093 | }
000094 | #endif
000095 |
000096 | /**
000097 |  * @brief like CreateObject, but won't create objects that have scope = 0 or no model
000098 |  */
000099 | static Object CreateObjectSafe(string type, vector pos, bool create_local = false, bool init_ai = false, bool create_physics = true)
000100 | {
000101 |     /*
000102 |         int flags;
000103 |
000104 |         if (create_local)
000105 |             flags |= ECE_LOCAL
000106 |
000107 |         if (init_ai)
000108 |             flags |= ECE_INITAI;
000109 |
000110 |         if (create_physics)
000111 |             flags |= ECE_CREATEPHYSICS;
000112 |
000113 |         return CreateObjectExSafe(type, pos, flags);
000114 |     */
000115 |     if (IsSafeToSpawn(type))
000116 |         return g_Game.CreateObject(type, pos, create_local, init_ai, create_physics);
000117 |
000118 |     return null;
000119 | }
000120 |
000121 | /**
000122 |  * @brief like CreateObjectEx, but won't create objects that have scope = 0 or no model
000123 |  */
000124 | static Object CreateObjectExSafe(string type, vector pos, int iFlags, int iRotation = RF_DEFAULT)
000125 | {
000126 |     if (IsSafeToSpawn(type))
000127 |         return g_Game.CreateObjectEx(type, pos, iFlags, iRotation);
000128 |
000129 |     return null;
000130 | }
000131 |
000132 | static bool IsSafeToSpawn(string type)
000133 | {
000134 |     TStringArray paths = {CFG_VEHICLESPATH, CFG_WEAPONSPATH, CFG_MAGAZINESPATH};
000135 |
000136 |     string model;
000137 |
000138 |     foreach (string path: paths)
000139 |     {
000140 |         if (g_Game.ConfigIsExisting(path + " " + type))
000141 |         {
000142 |             if (!g_Game.ConfigGetInt(path + " " + type + " scope"))
```

```
000143 |         return false;
000144 |
000145 |         if (!g_Game.ConfigGetText(path + " " + type + " model", model) || !model || model == "bmp")
000146 |             return false;
000147 |
000148 |         return true;
000149 |     }
000150 | }
000151 |
000152 |     return false;
000153 | }
000154 |
000155 | // -----
000156 | // ExpansionGame FirearmEffects
000157 | // -----
000158 | void FirearmEffects( Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vector inSpeed, vecto
000159 | r outSpeed, bool isWater, bool deflected, string ammoType )
000160 | {
000161 | }
000162 |
000163 | // -----
000164 | // ExpansionGame OnStart
000165 | // -----
000166 | void OnStart()
000167 | {
000168 |     //! @note ServerConfigGetInt will return zero in OnMissionFinish, so we cache the value
000169 |     m_InstanceId = g_Game.ServerConfigGetInt("instanceId");
000170 | }
000171 |
000172 | // -----
000173 | // ExpansionGame OnLoaded
000174 | // -----
000175 | void OnLoaded()
000176 | {
000177 |     m_IsLoaded = true;
000178 | }
000179 |
000180 | bool IsLoaded()
000181 | {
000182 |     return m_IsLoaded;
000183 | }
000184 |
000185 | // -----
000186 | // ExpansionGame OnFinish
000187 | // -----
000188 | void OnFinish()
000189 | {
000190 | }
000191 |
000192 | // -----
000193 | // ExpansionGame OnUpdate
000194 | // -----
000195 | void OnUpdate( bool doSim, float timeslice )
000196 | {
000197 | }
000198 |
000199 | void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)
000200 | {
000201 | }
000202 |
000203 | void WriteRemovedWorldObjects(ParamsReadContext ctx)
000204 | {
```

```
000204 | }
000205 |
000206 | void ReadRemovedWorldObjects(ParamsReadContext ctx)
000207 | {
000208 | }
000209 |
000210 | void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
000211 | {
000212 | }
000213 |
000214 | void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000215 | {
000216 | }
000217 |
000218 | static bool IsMultiplayerClient()
000219 | {
000220 |     //! Check for `&& IsMultiplayer` is redundant here, comment for clarity
000221 |     return g_Game.IsClient();
000222 | }
000223 |
000224 | static bool IsMultiplayerServer()
000225 | {
000226 |     return g_Game.IsServer() && g_Game.IsMultiplayer();
000227 | }
000228 |
000229 | static bool IsOffline()
000230 | {
000231 |     return !g_Game.IsMultiplayer();
000232 | }
000233 |
000234 | static bool IsClientOrOffline()
000235 | {
000236 |     return !g_Game.IsDedicatedServer();
000237 | }
000238 |
000239 | static bool IsServerOrOffline()
000240 | {
000241 |     //! Check for `|| !IsMultiplayer` is redundant here, comment for clarity
000242 |     return g_Game.IsServer();
000243 | }
000244 |
000245 | void Lobotomize(DayZCreatureAI creature)
000246 | {
000247 | }
000248 |
000249 | void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)
000250 | {
000251 | }
000252 | };
000253 |
```

0058. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionGlobalID.c

Size bytes: 3405

SHA-256: 64d2258bbd92543b85bc9ce3c952f2282a740a0320ce3690573cdd1026bba29e

Decoded as: utf-8-sig

Line count shown: 206

Detected class declarations: 1

L14: class ExpansionGlobalID

Detected enum declarations: 0

Detected function/method-like declarations: 12

L26: void Acquire()

L47: void Set(TIntArray id)

L68: bool IsEqual(int id[4])

L79: bool IsEqual(TIntArray id)

L90: bool IsZero()

L96: void OnStoreSave(CF_ModStorage ctx)

L102: bool OnStoreLoad(CF_ModStorage ctx)

L127: protected void UpdateNext()

L160: protected static void IncrementNext(int i)

L184: protected static void ResetNext()

L190: string IDToHex()

L198: string IDToString()

Full file content

```
000001 | /**
000002 |  * ExpansionGlobalID.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | ///! Similar to persistent ID, but not necessarily tied to storage
000014 | class ExpansionGlobalID
000015 | {
000016 |     ///! @note {0, 0, 0, 0} is reserved
000017 |     static autoptr TIntArray s_NextID = {int.MIN, int.MIN, int.MIN, int.MIN};
000018 |
000019 |     static bool s_IsMissionLoaded;
000020 |
000021 |     int m_ID[4];
000022 |
000023 |     [NonSerialized()]
000024 |     bool m_IsSet;
000025 |
000026 |     void Acquire()
000027 |     {
000028 |         #ifndef SERVER
000029 |             Error("Can't Acquire() global ID on client!");
000030 |             return;
000031 |         #endif
000032 |
000033 |         if (!s_IsMissionLoaded)
000034 |         {
000035 |             Error("Can't Acquire() global ID before mission is loaded!");
```

```
000036 |         return;
000037 |     }
000038 |
000039 |     for (int i = 0; i < 4; i++)
000040 |         m_ID[i] = s_NextID[i];
000041 |
000042 |     m_IsSet = true;
000043 |
000044 |     IncrementNext(3);
000045 | }
000046 |
000047 | void Set(TIntArray id)
000048 | {
000049 |     #ifndef SERVER
000050 |         Error("Can't Set() global ID on client!");
000051 |         return;
000052 |     #endif
000053 |
000054 |     if (s_IsMissionLoaded)
000055 |     {
000056 |         Error("Can't Set() global ID after mission is loaded!");
000057 |         return;
000058 |     }
000059 |
000060 |     for (int i = 0; i < 4; i++)
000061 |         m_ID[i] = id[i];
000062 |
000063 |     m_IsSet = true;
000064 |
000065 |     UpdateNext();
000066 | }
000067 |
000068 | bool IsEqual(int id[4])
000069 | {
000070 |     for (int i = 0; i < 4; i++)
000071 |     {
000072 |         if (m_ID[i] != id[i])
000073 |             return false;
000074 |     }
000075 |
000076 |     return true;
000077 | }
000078 |
000079 | bool IsEqual(TIntArray id)
000080 | {
000081 |     for (int i = 0; i < 4; i++)
000082 |     {
000083 |         if (m_ID[i] != id[i])
000084 |             return false;
000085 |     }
000086 |
000087 |     return true;
000088 | }
000089 |
000090 | bool IsZero()
000091 | {
000092 |     return m_ID[0] == 0 && m_ID[1] == 0 && m_ID[2] == 0 && m_ID[3] == 0;
000093 | }
000094 |
000095 | #ifdef EXPANSION_MODSTORAGE
000096 | void OnStoreSave(CF_ModStorage ctx)
000097 | {
```

```
000098 |         for (int i = 0; i < 4; i++)
000099 |             ctx.Write(m_ID[i]);
000100 |     }
000101 |
000102 | bool OnStoreLoad(CF_ModStorage ctx)
000103 | {
000104 |     for (int i = 0; i < 4; i++)
000105 |     {
000106 |         int id;
000107 |         if (!ctx.Read(id))
000108 |             return false;
000109 |
000110 |         m_ID[i] = id;
000111 |     }
000112 |
000113 |     if (IsZero())
000114 |     {
000115 |         EXPrint(ToString() + ":\nOnStoreLoad - WARNING: ID is zero!");
000116 |         return true;
000117 |     }
000118 |
000119 |     m_IsSet = true;
000120 |
000121 |     UpdateNext();
000122 |
000123 |     return true;
000124 | }
000125 | #endif
000126 |
000127 | protected void UpdateNext()
000128 | {
000129 |     int i;
000130 |     int same;
000131 |     bool inc;
000132 |
000133 |     for (i = 0; i < 4; i++)
000134 |     {
000135 |         if (m_ID[i] == s_NextID[i])
000136 |         {
000137 |             same++;
000138 |         }
000139 |         else
000140 |         {
000141 |             if (m_ID[i] > s_NextID[i])
000142 |                 inc = true;
000143 |
000144 |             break;
000145 |         }
000146 |     }
000147 |
000148 |     if (inc)
000149 |     {
000150 |         for (int j = i; j < 4; j++)
000151 |         {
000152 |             s_NextID[j] = m_ID[j];
000153 |         }
000154 |     }
000155 |
000156 |     if (inc || same == 4)
000157 |         IncrementNext(3);
000158 | }
000159 |
```

```
000160 | protected static void IncrementNext(int i)
000161 | {
000162 |     if (s_NextID[i] < int.MAX)
000163 |     {
000164 |         s_NextID[i] = s_NextID[i] + 1;
000165 |
000166 |         //! @note {0, 0, 0, 0} is reserved
000167 |         if (s_NextID[0] == 0 && s_NextID[1] == 0 && s_NextID[2] == 0 && s_NextID[3] == 0)
000168 |             s_NextID[3] = s_NextID[3] + 1;
000169 |     }
000170 |     else
000171 |     {
000172 |         if (i)
000173 |         {
000174 |             s_NextID[i] = 0;
000175 |             IncrementNext(i - 1);
000176 |         }
000177 |         else
000178 |         {
000179 |             ResetNext();
000180 |         }
000181 |     }
000182 | }
000183 |
000184 | protected static void ResetNext()
000185 | {
000186 |     for (int i = 0; i < 4; i++)
000187 |         s_NextID[i] = int.MIN;
000188 | }
000189 |
000190 | string IDToHex()
000191 | {
000192 |     string id;
000193 |     for (int i = 0; i < 4; i++)
000194 |         id += ExpansionStatic.IntToHex(m_ID[i]);
000195 |     return id;
000196 | }
000197 |
000198 | string IDToString()
000199 | {
000200 |     TStringArray ids = new TStringArray;
000201 |     for (int i = 0; i < 4; i++)
000202 |         ids.Insert(m_ID[i].ToString());
000203 |     return ExpansionString.JoinStrings(ids);
000204 | }
000205 | }
000206 |
```


0059. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionHash.c
Size bytes: 1155
SHA-256: e6828302fbb484bb3a7af393e8766f982ab1d60be52a29d8fd352075f1ef9303
Decoded as: utf-8-sig
Line count shown: 68
Detected class declarations: 1
 L1: class ExpansionHash
Detected enum declarations: 0
Detected function/method-like declarations: 7
 L6: void ExpansionHash(CF_String payload = CF_String.Empty)
 L12: void Update(CF_String payload)
 L17: void Set(int hashA, int hashB)
 L23: bool IsEqual(ExpansionHash hash)
 L34: bool ObjectIsKindOf(Object object)
 L51: void Write(ParamsWriteContext ctx)
 L57: bool Read(ParamsReadContext ctx)

Full file content

```
000001 | class ExpansionHash
000002 | {
000003 |     int m_HashA;
000004 |     int m_HashB;
000005 |
000006 |     void ExpansionHash(CF_String payload = CF_String.Empty)
000007 |     {
000008 |         if (payload)
000009 |             Update(payload);
000010 |     }
000011 |
000012 |     void Update(CF_String payload)
000013 |     {
000014 |         Set(payload.Hash(), payload.Reverse().Hash());
000015 |     }
000016 |
000017 |     void Set(int hashA, int hashB)
000018 |     {
000019 |         m_HashA = hashA;
000020 |         m_HashB = hashB;
000021 |     }
000022 |
000023 |     bool IsEqual(ExpansionHash hash)
000024 |     {
000025 |         if (hash.m_HashA == m_HashA && hash.m_HashB == m_HashB)
000026 |             return true;
000027 |
000028 |         return false;
000029 |     }
000030 |
000031 | /**
000032 |  * @brief Returns is object inherited from parent class name hashed in this
000033 |  */
000034 |     bool ObjectIsKindOf(Object object)
000035 |     {
000036 |         TStringArray fullPath = {};
000037 |         g_Game.ConfigGetObjectFullPath(object, fullPath);
000038 |
000039 |         ExpansionHash tmpHash = new ExpansionHash();
000040 |         foreach (string tmp: fullPath)
```

```
000041 |     {
000042 |         tmp.ToLower();
000043 |         tmpHash.Update(tmp);
000044 |         if (tmpHash.IsEqual(this))
000045 |             return true;
000046 |     }
000047 |
000048 |     return false;
000049 | }
000050 |
000051 | void Write(ParamsWriteContext ctx)
000052 | {
000053 |     ctx.Write(m_HashA);
000054 |     ctx.Write(m_HashB);
000055 | }
000056 |
000057 | bool Read(ParamsReadContext ctx)
000058 | {
000059 |     if (!ctx.Read(m_HashA))
000060 |         return false;
000061 |
000062 |     if (!ctx.Read(m_HashB))
000063 |         return false;
000064 |
000065 |     return true;
000066 | }
000067 | }
000068 |
```

0060. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcon.c

Size bytes: 583

SHA-256: 2e525e2984b7612df80cc1659d7b5181e8b245d45ac2ee7ca4323789c07a5131

Decoded as: utf-8-sig

Line count shown: 25

Detected class declarations: 1

L13: class ExpansionIcon : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L19: void ExpansionIcon(string name, string localisation, string path)

Full file content

```
000001 | /**
000002 |  * ExpansionIcon.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionIcon : Managed
000014 | {
000015 |     string Name;
000016 |     string Localisation;
000017 |     string IconPath;
000018 |
000019 |     void ExpansionIcon( string name, string localisation, string path )
000020 |     {
000021 |         Name = name;
000022 |         Localisation = localisation;
000023 |         IconPath = path;
000024 |     }
000025 | };
```

0061. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionIcons.c

Size bytes: 19923

SHA-256: 3b9b71c511a363293de712c3ebf7290ff9f136b1b1b1906f0db363d927c19441

Decoded as: utf-8-sig

Line count shown: 350

Detected class declarations: 1

L13: class ExpansionIcons

Detected enum declarations: 0

Detected function/method-like declarations: 11

L22: private void ExpansionIcons()

L33: void ~ExpansionIcons()

L40: void Generate()

L269: protected void AddIcon(string name, string localisation, string path)

L288: protected void AddIcon(string name, string path)

L296: static int Count()

L304: static ExpansionIcon Get(int index)

L312: static ExpansionIcon Get(string name)

L320: static string GetPath(string name)

L329: static array<ExpansionIcon> Sorted()

L340: array<ExpansionIcon> iconsSorted();

Full file content

```
000001 | /**
000002 |  * ExpansionIcons.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionIcons
000014 | {
000015 |     protected static ref ExpansionIcons s_Icons = new ExpansionIcons;
000016 |     protected autoptr map<string, ref ExpansionIcon> m_IconMap;
000017 |     protected autoptr array<ExpansionIcon> m_Icons;
000018 |
000019 |     // -----
000020 |     // ExpansionIcons Constructor
000021 |     // -----
000022 |     private void ExpansionIcons()
000023 |     {
000024 |         m_IconMap = new map<string, ref ExpansionIcon>();
000025 |         m_Icons = new array<ExpansionIcon>();
000026 |
000027 |         Generate();
000028 |     }
000029 |
000030 |     // -----
000031 |     // ExpansionIcons Destructor
000032 |     // -----
000033 |     void ~ExpansionIcons()
000034 |     {
000035 |     }
000036 | }
```

```
000037 | // -----
000038 | // ExpansionIcons Generate
000039 | // -----
000040 | void Generate()
000041 | {
000042 |     AddIcon("Ambush", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Ambush_256x256.edds");
000043 |     AddIcon("Animal Skull", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Animal_Skull_256x256.edds");
000044 |     AddIcon("Apple", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Apple_256x256.edds");
000045 |     AddIcon("Apple Core", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Apple_Core_256x256.edds");
000046 |     AddIcon("Arrows", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Arrows_256x256.edds");
000047 |     AddIcon("Axe", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Axe_256x256.edds");
000048 |     AddIcon("Arrow", "DayZExpansion\\Core\\GUI\\icons\\hud\\arrow_64x64.edds");
000049 |     AddIcon("Airdrop", "set:expansion_notification_iconset image:icon_airdrop");
000050 |     AddIcon("Anomaly", "set:expansion_inventory image:anomaly");
000051 |
000052 |     AddIcon("Backpack", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_BagPack_256x256.edds");
000053 |     AddIcon("Bandage", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bandage_256x256.edds");
000054 |     AddIcon("Bandit", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bandit_256x256.edds");
000055 |     AddIcon("Batteries", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Batteries_256x256.edds");
000056 |     AddIcon("Berries", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Berries_256x256.edds");
000057 |     AddIcon("Binoculars", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Binoculars_256x256.edds");
000058 |     AddIcon("Bolt", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bolt_256x256.edds");
000059 |     AddIcon("Bonfire", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bonfire_256x256.edds");
000060 |     AddIcon("Bottle", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bottle_256x256.edds");
000061 |     AddIcon("Bow", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Bow_256x256.edds");
000062 |     AddIcon("Base", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_home.paa");
000063 |     AddIcon("Boat", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Boat_256x256.edds");
000064 |     AddIcon("Book 1", "DayZExpansion\\Core\\GUI\\icons\\hud\\book_1_64x64.edds");
000065 |     AddIcon("Book 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\book_2_64x64.edds");
000066 |     AddIcon("Broken Lighter", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_BrokenLighter_256x256.edds");
000067 |     AddIcon("Bear", "DayZExpansion\\Core\\GUI\\icons\\hud\\bear_64x64.edds");
000068 |
000069 |     AddIcon("Car", "set:expansion_notification_iconset image:icon_car");
000070 |     AddIcon("Car 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\car_64x64.edds");
000071 |     AddIcon("Craft", "DayZExpansion\\Core\\GUI\\icons\\hud\\craft_64x64.edds");
000072 |     AddIcon("Can Of Beans Big", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Can_Of_Beans_Big_256x256.edds");
000073 |     AddIcon("Can Of Beans Small", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Can_Of_Beans_Small_256x256.edds");
000074 |     AddIcon("Car Keys", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Car_Keys_256x256.edds");
000075 |     AddIcon("Carrot", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Carrot_256x256.edds");
000076 |     AddIcon("Chain Saw", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Chain_Saw_256x256.edds");
000077 |     AddIcon("Chicken", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Chicken_256x256.edds");
000078 |     AddIcon("Chocolate", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Chocolate_bar_256x256.edds");
000079 |     AddIcon("Cigaretts", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cigaretts_256x256.edds");
000080 |     AddIcon("Circuit Board", "set:expansion_inventory image:circuit_board");
000081 |     AddIcon("Cloth", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cloth_256x256.edds");
000082 |     AddIcon("Compass", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Compass_256x256.edds");
000083 |     AddIcon("Corn", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Corn_256x256.edds");
000084 |     AddIcon("Crowbar", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Crowbar_256x256.edds");
000085 |     AddIcon("Cow", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cow_256x256.edds");
000086 |     AddIcon("Claw", "DayZExpansion\\Core\\GUI\\icons\\hud\\claw_64x64.edds");
000087 |     AddIcon("Coins", "DayZExpansion\\Core\\GUI\\icons\\misc\\coinstack_64x64.edds");
000088 |     AddIcon("Coins 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\coinstack2_64x64.edds");
000089 |     AddIcon("CodeLock", "set:expansion_inventory image:codeLock");
000090 |
000091 |     AddIcon("Deliver", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_deliver.paa");
000092 |     AddIcon("Dinosaur Skull", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Dinosaur_Skull_256x256.edds");
000093 |     AddIcon("Dry Wood", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Dry_Wood_256x256.edds");
000094 |     AddIcon("Drip", "DayZExpansion\\Core\\GUI\\icons\\hud\\drip_64x64.edds");
000095 |
000096 |     AddIcon("Ear", "DayZExpansion\\Core\\GUI\\icons\\hud\\ear_64x64.edds");
000097 |     AddIcon("Eye", "DayZExpansion\\Core\\GUI\\icons\\hud\\eye_64x64.edds");
000098 |     AddIcon("Error", "set:expansion_notification_iconset image:icon_error");
```

```
000099 | AddIcon("Exclamationmark", "DayZExpansion\\Core\\GUI\\icons\\hud\\exclamationmark_64x64.edds");
000100 | AddIcon("Ellipse", "DayZExpansion\\Core\\GUI\\icons\\hud\\ellipse_64x64.edds");
000101 | AddIcon("Eatable Flowers", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_EatableFlowers_256x256.edds");
000102 | AddIcon("Electrical Tape", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_ElectricalTape_256x256.edds");
000103 | AddIcon("Empty Can", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Empty_Can_256x256.edds");
000104 |
000105 | AddIcon("Fishing", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_fishing.paa");
000106 | AddIcon("Fireplace", "DayZExpansion\\Core\\GUI\\icons\\hud\\fireplace_64x64.edds");
000107 | AddIcon("Fish", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Fish_256x256.edds");
000108 | AddIcon("Flare", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Flare_256x256.edds");
000109 | AddIcon("Flare Gun", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_FlareGun_256x256.edds");
000110 | AddIcon("Flare Gun Ammo", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_FlareGunAmmo_256x256.edds");
000111 | AddIcon("Flashlight", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Flashlight_256x256.edds");
000112 | AddIcon("Fox", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Fox_256x256.edds");
000113 | AddIcon("Frying Pan", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Frying_Pan_256x256.edds");
000114 |
000115 | AddIcon("Grab", "DayZExpansion\\Core\\GUI\\icons\\hud\\grab_64x64.edds");
000116 | AddIcon("Group", "set:expansion_notification_iconset image:icon_group");
000117 | AddIcon("Gas", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Gas_256x256.edds");
000118 | AddIcon("Gas Mask", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_GasMask_256x256.edds");
000119 | AddIcon("Golf Club", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Golf_club_256x256.edds");
000120 | AddIcon("Goose", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Goose_256x256.edds");
000121 | AddIcon("Grenade", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Grenade_256x256.edds");
000122 | AddIcon("Guitar", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Guitar_256x256.edds");
000123 | AddIcon("Gun", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Gun_256x256.edds");
000124 | AddIcon("Gun Bullets", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Gun_Bullets_256x256.edds");
000125 |
000126 | AddIcon("Heart", "DayZExpansion\\Core\\GUI\\icons\\hud\\heart_64x64.edds");
000127 | AddIcon("Hook", "DayZExpansion\\Core\\GUI\\icons\\hud\\hook_64x64.edds");
000128 | AddIcon("Helicopter", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Helicopter_256x256.edds");
000129 | AddIcon("Hammer", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Hammer_256x256.edds");
000130 | AddIcon("Herbal Medicine", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_HerbalMedicine_256x256.edds");
000131 | AddIcon("Home Made Grenade", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_HomeMadeGrenade_256x256.edds");
000132 | AddIcon("Human Skull", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_HumanSkull_256x256.edds");
000133 |
000134 | AddIcon("Info", "DayZExpansion\\Core\\GUI\\icons\\hud\\info_64x64.edds");
000135 | AddIcon("Infected 1", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_zombie.paa");
000136 | AddIcon("Infected 2", "DayZExpansion\\Core\\GUI\\icons\\marker\\zombie.paa");
000137 | AddIcon("Insect", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Insect_256x256.edds");
000138 |
000139 | AddIcon("Knife", "DayZExpansion\\Core\\GUI\\icons\\hud\\knife_64x64.edds");
000140 | AddIcon("Kitchen Knife", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Kitchen_Knife_256x256.edds");
000141 | AddIcon("Kitchen Knife Big", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Big_Kitchen_Knife_256x256.edds");
000142 |
000143 | AddIcon("Ladder", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Ladder_256x256.edds");
000144 | AddIcon("Lantern", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Lantern_256x256.edds");
000145 | AddIcon("Lighter", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Lighter_256x256.edds");
000146 |
000147 | AddIcon("Menu", "DayZExpansion\\Core\\GUI\\icons\\hud\\menu_64x64.edds");
000148 | AddIcon("Marker", "DayZExpansion\\Core\\GUI\\icons\\hud\\marker_64x64.edds");
000149 | AddIcon("Map", "DayZExpansion\\Core\\GUI\\icons\\hud\\map_64x64.edds");
000150 | AddIcon("Map Marker", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_mapmarker.paa");
000151 | AddIcon("Moon", "DayZExpansion\\Core\\GUI\\icons\\hud\\moon_64x64.edds");
000152 | AddIcon("Machette", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Machette_256x256.edds");
000153 | AddIcon("Matches", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Matches_256x256.edds");
000154 | AddIcon("Medic Box", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Medic_Box_256x256.edds");
000155 | AddIcon("Mushrooms", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Mushrooms_256x256.edds");
000156 |
000157 | AddIcon("Note", "DayZExpansion\\Core\\GUI\\icons\\hud\\note_64x64.edds");
000158 | AddIcon("Nails", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Nails_256x256.edds");
000159 |
000160 | AddIcon("Open Hand", "DayZExpansion\\Core\\GUI\\icons\\hud\\hand_open_64x64.edds");
```

```
000161 | AddIcon("Orientation", "DayZExpansion\\Core\\GUI\\icons\\hud\\orientation_64x64.edds");
000162 | AddIcon("Options", "set:expansion_iconset image:icon_options");
000163 |
000164 | AddIcon("Pen", "DayZExpansion\\Core\\GUI\\icons\\hud\\pen_64x64.edds");
000165 | AddIcon("Persona", "DayZExpansion\\Core\\GUI\\icons\\hud\\persona_64x64.edds");
000166 | AddIcon("Pill", "DayZExpansion\\Core\\GUI\\icons\\hud\\pill_64x64.edds");
000167 | AddIcon("Paper Map", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Map_256x256.edds");
000168 | AddIcon("Paper", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Paper_256x256.edds");
000169 | AddIcon("Pills", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Pills_256x256.edds");
000170 | AddIcon("Pipe Wrench", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Pipe_wrench_256x256.edds");
000171 | AddIcon("Powder", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Powder_256x256.edds");
000172 | AddIcon("Pumpkin", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Pumpkin_256x256.edds");
000173 |
000174 | AddIcon("Questionmark", "DayZExpansion\\Core\\GUI\\icons\\hud\\questionmark_64x64.edds");
000175 | AddIcon("Questionmark 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\questionmark_2_64x64.edds");
000176 |
000177 | AddIcon("Radiation", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_radiation.paa");
000178 | AddIcon("Radio", "DayZExpansion\\Core\\GUI\\icons\\hud\\radio_64x64.edds");
000179 | AddIcon("Rabbit", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rabbit_256x256.edds");
000180 | AddIcon("Racoon", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Racoon_256x256.edds");
000181 | AddIcon("Radio", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Radio_256x256.edds");
000182 | AddIcon("Rat", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rat_256x256.edds");
000183 | AddIcon("Rock 1", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rock_01_256x256.edds");
000184 | AddIcon("Rock 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rock_02_256x256.edds");
000185 | AddIcon("Rope", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Rope_256x256.edds");
000186 |
000187 | AddIcon("Skull 1", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_skull.paa");
000188 | AddIcon("Skull 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\skull_1_64x64.edds");
000189 | AddIcon("Skull 3", "DayZExpansion\\Core\\GUI\\icons\\hud\\skull_2_64x64.edds");
000190 | AddIcon("Star", "DayZExpansion\\Core\\GUI\\icons\\hud\\star_64x64.edds");
000191 | AddIcon("Sun", "DayZExpansion\\Core\\GUI\\icons\\hud\\sun_64x64.edds");
000192 | AddIcon("Snow", "DayZExpansion\\Core\\GUI\\icons\\hud\\snow_64x64.edds");
000193 | AddIcon("Square", "DayZExpansion\\Core\\GUI\\icons\\hud\\square_64x64.edds");
000194 | AddIcon("Shield", "DayZExpansion\\Core\\GUI\\icons\\hud\\shield_64x64.edds");
000195 | AddIcon("Saw", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Saw_256x256.edds");
000196 | AddIcon("Scrap Metal", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Scrap_Metal_256x256.edds");
000197 | AddIcon("Screwdriver", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Screwdriver_256x256.edds");
000198 | AddIcon("Shotgun", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Shotgun_256x256.edds");
000199 | AddIcon("Shotgun Bullets", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Shotgun_Bullets_256x256.edds");
000200 | AddIcon("Shovel", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Shovel_256x256.edds");
000201 | AddIcon("Soda", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Soda_256x256.edds");
000202 | AddIcon("Soldier", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Soldier_256x256.edds");
000203 | AddIcon("Status", "set:expansion_iconset image:icon_status");
000204 |
000205 | AddIcon("Territory", "set:expansion_iconset image:icon_territory");
000206 | AddIcon("Trader", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_trader.paa");
000207 | AddIcon("Tent", "DayZExpansion\\Core\\GUI\\icons\\hud\\tent_64x64.edds");
000208 | AddIcon("Thermometer", "DayZExpansion\\Core\\GUI\\icons\\hud\\thermometer_1_64x64.edds");
000209 | AddIcon("Tent", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Tent_256x256.edds");
000210 |
000211 | AddIcon("Vehicle Crash", "DayZExpansion\\Core\\GUI\\icons\\marker\\crash.paa");
000212 |
000213 | AddIcon("Water 1", "DayZExpansion\\Core\\GUI\\icons\\marker\\marker_water.paa");
000214 | AddIcon("Water 2", "DayZExpansion\\Core\\GUI\\icons\\hud\\water_64x64.edds");
000215 | AddIcon("Walkie Talkie", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Wakie-Talkie_256x256.edds");
000216 | AddIcon("Water Jug", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_WaterJug_256x256.edds");
000217 | AddIcon("Wild Pork", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_WildPork_256x256.edds");
000218 | AddIcon("Worms", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Worms_256x256.edds");
000219 |
000220 | //! Dont use yet
000221 | //AddIcon("Three Stick", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Three_Stick_256x256.edds");
000222 | //AddIcon("Sleeping Bag", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Sleeping_Bag_256x256.edds");
```

```
000223 | //AddIcon("Slingshot", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Slingshot_256x256.edds");
000224 | //AddIcon("Molotov", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Molotov_256x256.edds");
000225 | //AddIcon("Lizard", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Lizard_256x256.edds");
000226 | //AddIcon("Cooked Meat 1", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cooked_Meat_01_256x256.edds");
000227 | //AddIcon("Cooked Meat 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cooked_Meat_02_256x256.edds");
000228 | //AddIcon("Cooked Meat 3", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Cooked_Meat_03_256x256.edds");
000229 | //AddIcon("Collection Of Bolts", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_bolts_256x256.edds");
000230 | //AddIcon("Collection Of Sticks 1", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_01_256x256.edds");
000231 | //AddIcon("Collection Of Sticks 2", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_02_256x256.edds");
000232 | //AddIcon("Collection Of Sticks 3", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_03_256x256.edds");
000233 | //AddIcon("Collection Of Sticks 4", "DayZExpansion\\Core\\GUI\\icons\\misc\\T_Collection_of_sticks_04_256x256.edds");
000234 |
000235 | //! Social Media Icons
000236 | AddIcon("Discord", "set:expansion_iconset image:icon_discord");
000237 | AddIcon("Reddit", "set:expansion_iconset image:icon_reddit");
000238 | AddIcon("Steam", "set:expansion_iconset image:icon_steam");
000239 | AddIcon("GitHub", "set:expansion_iconset image:icon_github");
000240 | AddIcon("Homepage", "set:expansion_iconset image:icon_home");
000241 | AddIcon("Forums", "set:expansion_iconset image:icon_forums");
000242 | #ifdef DabsFramework
000243 |     AddIcon("Twitter", "set:brand image:x_twitter");
000244 | #else
000245 |     AddIcon("Twitter", "set:expansion_iconset image:icon_twitter");
000246 | #endif
000247 | AddIcon("YouTube", "set:expansion_iconset image:icon_youtube");
000248 | AddIcon("Patreon", "set:expansion_iconset image:icon_patreon");
000249 | AddIcon("Guilded", "set:expansion_iconset image:icon_guilded");
000250 | AddIcon("PayPal", "set:expansion_iconset image:icon_paypal");
000251 |
000252 | //! Misc
000253 | AddIcon("Cross", "DayZExpansion\\Core\\GUI\\icons\\hud\\cross_64x64.edds");
000254 | AddIcon("Battery Full", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_high_64x64.edds");
000255 | AddIcon("Battery Med", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_med_64x64.edds");
000256 | AddIcon("Battery Low", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_low_64x64.edds");
000257 | AddIcon("Battery Empty", "DayZExpansion\\Core\\GUI\\icons\\hud\\battery_empty_64x64.edds");
000258 | AddIcon("Clock Blank", "set:expansion_iconset image:clock_blank");
000259 |
000260 | //! Expansion logos
000261 | AddIcon("Expansion", "set:expansion_iconset image:icon_expansion_col");
000262 | AddIcon("Expansion B/W", "set:expansion_iconset image:icon_expansion_bw");
000263 | //AddIcon("Expansion White", "set:expansion_iconset image:icon_expansion_white"); //! Same as B/W
000264 | }
000265 |
000266 | // -----
000267 | // ExpansionIcons AddIcon
000268 | // -----
000269 | protected void AddIcon(string name, string localisation, string path)
000270 | {
000271 |     if (localisation == "")
000272 |         localisation = name;
000273 |
000274 |     ExpansionIcon icon = m_IconMap.Get(name);
000275 |     if (icon == NULL)
000276 |     {
000277 |         icon = new ExpansionIcon(name, localisation, path);
000278 |         m_IconMap.Insert(name, icon);
000279 |         m_Icons.Insert(icon);
000280 |     } else
000281 |     {
000282 |         icon.Name = name;
000283 |         icon.Localisation = localisation;
000284 |         icon.IconPath = path;
```



```
000285 |     }
000286 | }
000287 |
000288 | protected void AddIcon(string name, string path)
000289 | {
000290 |     AddIcon(name, name, path);
000291 | }
000292 |
000293 | // -----
000294 | // ExpansionIcons Count
000295 | // -----
000296 | static int Count()
000297 | {
000298 |     return s_Icons.m_Icons.Count();
000299 | }
000300 |
000301 | // -----
000302 | // ExpansionIcons Get
000303 | // -----
000304 | static ExpansionIcon Get(int index)
000305 | {
000306 |     return s_Icons.m_Icons.Get(index);
000307 | }
000308 |
000309 | // -----
000310 | // ExpansionIcons Get
000311 | // -----
000312 | static ExpansionIcon Get(string name)
000313 | {
000314 |     return s_Icons.m_IconMap.Get(name);
000315 | }
000316 |
000317 | // -----
000318 | // ExpansionIcons GetPath
000319 | // -----
000320 | static string GetPath( string name )
000321 | {
000322 |     ExpansionIcon icon = Get(name);
000323 |     if (!icon)
000324 |         return string.Empty;
000325 |
000326 |     return icon.IconPath;
000327 | }
000328 |
000329 | static array<ExpansionIcon> Sorted()
000330 | {
000331 |     TStringArray namesSorted = {};
000332 |
000333 |     foreach (ExpansionIcon icon: s_Icons.m_Icons)
000334 |     {
000335 |         namesSorted.Insert(icon.Name);
000336 |     }
000337 |
000338 |     namesSorted.Sort();
000339 |
000340 |     array<ExpansionIcon> iconsSorted();
000341 |
000342 |     foreach (string name: namesSorted)
000343 |     {
000344 |         iconsSorted.Insert(Get(name));
000345 |     }
000346 | }
```

```
000347 |         return iconsSorted;
000348 |     }
000349 | }
000350 |
```

0062. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionMath.c
Size bytes: 24855
SHA-256: 8b22cb4e22f4bf9eb94f50b969bc477984bb39ef9b2fe846a1a0a2dafa8f369e
Decoded as: utf-8-sig
Line count shown: 883
Detected class declarations: 1
  L14: class ExpansionMath
Detected enum declarations: 0
Detected function/method-like declarations: 63
  L19: static float LinearConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, bool clamp = true)
  L29: static float PowerConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, float power = 1.0)
  L35: static float Clamp( float value, float edge0 = 0, float edge1 = 1 )
  L44: static float PascalTriangle(int a, int b)
  L56: static float SmoothStep(float x, int N = 1, float edge0 = 0, float edge1 = 1)
  L68: static float SCurve(float x, float edge0 = 0, float edge1 = 1)
  L79: static vector InterpolateAngles(vector from, vector to, float time, float mult = 4.0, float pow = 2.0)
  L99: static vector ExRotateAroundPoint(vector point, vector pos, vector axis, float cosAngle, float sinAngle)
  L105: static vector GetRandomPointAtDegrees(vector center, float degrees, float minRadius, float maxRadius)
  L109: return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
  L113: static vector GetRandomPointAtRadians(vector center, float theta, float minRadius, float maxRadius)
  L119: return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
  L123: static vector GetRandomPointInRing(vector center, float minRadius, float maxRadius)
  L127: return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
  L131: static vector GetRandomPointInCircle(vector center, float radius)
  L136: return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
  L140: static float RelAngle(float angle)
  L148: static float AbsAngle(float angle)
  L170: static float AngleDiff2(float a, float b)
  L175: else if (d < -180)
  L189: static TFloatArray MovingAvg(TFloatArray values, int passes = 1, TFloatArray weights = null, TIntArray protect = null)
  L191: TFloatArray data();
  L192: TFloatArray window();
  L217: private static void _MovingAvg(inout TFloatArray data, TFloatArray window, TIntArray protect)
  L222: TFloatArray tmpwindow();
  L232: TFloatArray windowslice();
  L263: static TVectorArray PathInterpolated(TVectorArray path, ECurveType curveType = ECurveType.CatmullRom, bool smooth = true)
  L280: TVectorArray points();
  L281: TVectorArray interpolatedPath();
  L391: TFloatArray x();
  L392: TFloatArray z();
  L433: static vector Circumcenter(vector a, vector b, vector c)
  L489: else if (sideBCVertical)
  L508: static int Cmp(int a, int b)
  L514: else if ((a >= 0 && b >= 0) || (a < 0 && b < 0))
  L521: else if (a < 0 && b >= 0)
  L537: static float RandomFloatInclusive(float min, float max, bool uniform = false)
  L551: static float FMod(float x, float y)
  L561: else if (r <= -1.0)
  L574: static float Log2(float x, float tolerance = 1e-13)
  L620: static float Log10(float x, float tolerance = 1e-13)
  L623: return Log2(x) / Log2_10;
  L626: static float NewtonNext(float r, float x)
  L633: static float NewtonLog2(float x)
  L647: static float NewtonLog10(float x)
  L656: static float Side(vector p1, vector p2, vector p)
  L663: static bool TestAdditionOverflow(int a, int b)
  L670: static bool TestSubtractionOverflow(int a, int b)
  L677: static bool TestMultiplicationOverflow(int a, int b)
```

```

L688: static vector Direction2D(vector p1, vector p2)
L694: static float Distance2D(vector p1, vector p2)
L700: static float Distance2DSq(vector p1, vector p2)
L706: static float FindLargestDistance(TVectorArray positions)
L722: static float FindShortesDistance(TVectorArray positions)
L747: static bool FindClosestPointOutsideCylinder(vector start, inout vector end, vector center, float radius, float height, float perpendicularDi
L759: static vector GetClosestPointOutsideRadius(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
L763: return GetClosestPointOutsideSphere(start, end, center, radius, perpendicularDistance);
L766: static vector GetClosestPointOutsideSphere(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
L793: static bool IsPointInCylinder(vector center, float radius, float height, vector point)
L811: static bool IntersectLineCircle(vector lineStart, vector lineEnd, vector center, float radius)
L842: static float LookUp(float value, int num, float inVals[], float outVals[])
L859: static float Max(TFloatArray values)
L871: static float Min(TFloatArray values)

```

Full file content

```

000001 |
000002 | /**
000003 |  * ExpansionMath.c
000004 |  *
000005 |  * DayZ Expansion Mod
000006 |  * www.dayzexpansion.com
000007 |  * © 2022 DayZ Expansion Mod Team
000008 |  *
000009 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000010 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000011 |  *
000012 | */
000013 |
000014 | class ExpansionMath
000015 | {
000016 |     static const float OneOverLN2 = 1.4426950408889634;
000017 |     static const float Epsilon = 0.000000001;
000018 |
000019 |     static float LinearConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, bool clamp = true)
000020 |     {
000021 |         float newValue = (((value - minFrom) * (maxTo - minTo)) / (maxFrom - minFrom)) + minTo;
000022 |
000023 |         if (clamp)
000024 |             newValue = Clamp(newValue, minTo, maxTo);
000025 |
000026 |         return newValue;
000027 |     }
000028 |
000029 |     static float PowerConversion(float minFrom, float maxFrom, float value, float minTo = 0, float maxTo = 1, float power = 1.0)
000030 |     {
000031 |         value = Math.Clamp((value - minFrom) / (maxFrom - minFrom), 0, 1); //! value must be equal to or between 0 and 1
000032 |         return (1 - Math.Pow(1 - value, power)) * (maxTo - minTo) + minTo;
000033 |     }
000034 |
000035 |     static float Clamp( float value, float edge0 = 0, float edge1 = 1 )
000036 |     {
000037 |         float min = Math.Min(edge0, edge1);
000038 |         float max = Math.Max(edge0, edge1);
000039 |         return Math.Clamp(value, min, max);
000040 |     }
000041 |
000042 |     //! Returns binomial coefficient without explicit use of factorials,
000043 |     //! which can't be used with negative integers
000044 |     static float PascalTriangle(int a, int b)
000045 |     {

```

```
000046 |         float result = 1;
000047 |         for (int i = 0; i < b; ++i)
000048 |         {
000049 |             result *= (a - i) / (i + 1);
000050 |         }
000051 |         return result;
000052 |     }
000053 |
000054 |     ///! Generalized smoothstep https://en.wikipedia.org/wiki/Smoothstep#Generalization\_to\_higher-order\_equations
000055 |     ///! This function is well-behaved up to including N=5. Beyond that, errors accumulate, until the function eventually breaks.
000056 |     static float SmoothStep(float x, int N = 1, float edge0 = 0, float edge1 = 1)
000057 |     {
000058 |         x = Math.Clamp((x - edge0) / (edge1 - edge0), 0, 1); ///! x must be equal to or between 0 and 1
000059 |         float result = 0;
000060 |         for (int n = 0; n <= N; ++n)
000061 |         {
000062 |             result += PascalTriangle(-N - 1, n) * PascalTriangle(2 * N + 1, N - n) * Math.Pow(x, N + n + 1);
000063 |         }
000064 |         return edge0 + result * (edge1 - edge0);
000065 |     }
000066 |
000067 |     ///! Alternative to smoothstep
000068 |     static float SCurve(float x, float edge0 = 0, float edge1 = 1)
000069 |     {
000070 |         x = Math.Clamp((x - edge0) / (edge1 - edge0), 0, 1); ///! x must be equal to or between 0 and 1
000071 |         float result = 0;
000072 |         if (x < 0.5)
000073 |             result = 2 * Math.Pow(x, 2);
000074 |         else
000075 |             result = 1 - 2 * Math.Pow(1 - x, 2);
000076 |         return edge0 + result * (edge1 - edge0);
000077 |     }
000078 |
000079 |     static vector InterpolateAngles(vector from, vector to, float time, float mult = 4.0, float pow = 2.0)
000080 |     {
000081 |         float diff;
000082 |         float f;
000083 |
000084 |         vector result;
000085 |
000086 |         for (int i = 0; i < 3; i++)
000087 |         {
000088 |             diff = Math.AbsFloat(AngleDiff2(from[i], to[i]));
000089 |             if (diff > 22.5)
000090 |                 f = mult - PowerConversion(0.0, 1.0, 22.5 / diff, mult, 0.0, pow);
000091 |             else
000092 |                 f = mult;
000093 |             result[i] = LinearConversion(0.0, 1.0, time * f, from[i], to[i]);
000094 |         }
000095 |
000096 |         return result;
000097 |     }
000098 |
000099 |     static vector ExRotateAroundPoint(vector point, vector pos, vector axis, float cosAngle, float sinAngle)
000100 |     {
000101 |         return vector.RotateAroundZero(pos - point, axis, cosAngle, sinAngle) + point;
000102 |     }
000103 |
000104 |     ///! Generate random point at angle in degrees
000105 |     static vector GetRandomPointAtDegrees(vector center, float degrees, float minRadius, float maxRadius)
000106 |     {
000107 |         float theta = degrees * Math.DEG2RAD;
```

```

000108 |         return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
000109 |     }
000110 |
000111 |
000112 |     //! Generate random point at angle in radians
000113 |     static vector GetRandomPointAtRadians(vector center, float theta, float minRadius, float maxRadius)
000114 |     {
000115 |         float maxRadiusSq = maxRadius * maxRadius;
000116 |         float minRadiusSq = minRadius * minRadius;
000117 |         float r = Math.Sqrt(Math.RandomFloat01() * (maxRadiusSq - minRadiusSq) + minRadiusSq);
000118 |
000119 |         return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
000120 |     }
000121 |
000122 |     //! Generate random point within ring (uniformly)
000123 |     static vector GetRandomPointInRing(vector center, float minRadius, float maxRadius)
000124 |     {
000125 |         float theta = Math.RandomFloat01() * 2 * Math.PI;
000126 |
000127 |         return GetRandomPointAtRadians(center, theta, minRadius, maxRadius);
000128 |     }
000129 |
000130 |     //! Generate random point within circle (uniformly)
000131 |     static vector GetRandomPointInCircle(vector center, float radius)
000132 |     {
000133 |         float r = radius * Math.Sqrt( Math.RandomFloat01() );
000134 |         float theta = Math.RandomFloat01() * 2 * Math.PI;
000135 |
000136 |         return Vector(center[0] + r * Math.Cos(theta), center[1], center[2] + r * Math.Sin(theta));
000137 |     }
000138 |
000139 |     //! Converts angle in interval [0,360] to interval [-180,180]
000140 |     static float RelAngle(float angle)
000141 |     {
000142 |         if (angle > 180)
000143 |             return angle - 360;
000144 |         return angle;
000145 |     }
000146 |
000147 |     //! Converts angle in interval [-180,180] to interval [0,360]
000148 |     static float AbsAngle(float angle)
000149 |     {
000150 |         if (angle < 0)
000151 |             return angle + 360;
000152 |         return angle;
000153 |     }
000154 |
000155 |     /**
000156 |     \brief Returns smallest possible angle difference
000157 |     \param a \p float Angle in interval [0,360]
000158 |     \param b \p float Target angle in interval [0,360]
000159 |     \return \p float - Angle difference in interval [-180,180]
000160 |     @code
000161 |         Print( ExpansionMath.AngleDiff2(270.0, 0.0) );
000162 |         Print( ExpansionMath.AngleDiff2(350.0, 1.0) );
000163 |         Print( ExpansionMath.AngleDiff2(60.0, 275.0) );
000164 |
000165 |         >> 90.0
000166 |         >> 11.0
000167 |         >> -145.0
000168 |     @endcode
000169 |     */

```

```
000170 | static float AngleDiff2(float a, float b)
000171 | {
000172 |     float d = b - a;
000173 |     if (d > 180)
000174 |         return d - 360;
000175 |     else if (d < -180)
000176 |         return d + 360;
000177 |     return d;
000178 | }
000179 |
000180 | /**
000181 |  * @brief Smooth values (moving average)
000182 |  *
000183 |  * @param passes    Number of passes
000184 |  * @param weights    Float array containing weighting factors. Its length
000185 |  *                   determines the size of the window to use.
000186 |  *                   Defaults to {1.0, 1.0, 1.0}
000187 |  * @param protect    Int array containing indexes of values to protect
000188 |  */
000189 | static TFloatArray MovingAvg(TFloatArray values, int passes = 1, TFloatArray weights = null, TIntArray protect = null)
000190 | {
000191 |     TFloatArray data();
000192 |     TFloatArray window();
000193 |
000194 |     if (!weights || weights.Count() < 3 || weights.Count() % 2 != 1)
000195 |     {
000196 |         if (weights)
000197 |             CF_Log.Warn("Invalid weight count %1, has to be uneven and >= 3 - using default weights {1, 1, 1}", weights.Count().ToString());
000198 |         window.Insert(1.0);
000199 |         window.Insert(1.0);
000200 |         window.Insert(1.0);
000201 |     }
000202 |     else
000203 |     {
000204 |         window.Copy(weights);
000205 |     }
000206 |
000207 |     data.Copy(values);
000208 |
000209 |     for (int npass = 0; npass < passes; npass++)
000210 |     {
000211 |         _MovingAvg(data, window, protect);
000212 |     }
000213 |
000214 |     return data;
000215 | }
000216 |
000217 | private static void _MovingAvg(inout TFloatArray data, TFloatArray window, TIntArray protect)
000218 | {
000219 |     for (int j = 0; j < data.Count(); j++)
000220 |     {
000221 |         float v = data[j];
000222 |         TFloatArray tmpwindow();
000223 |         tmpwindow.Copy(window);
000224 |         if (j > 0 && j < data.Count() - 1 && (!protect || protect.Find(j) == -1))
000225 |         {
000226 |             while (tmpwindow.Count() >= 3)
000227 |             {
000228 |                 int tl = (tmpwindow.Count() - 1) / 2;
000229 |                 // Print(j + " " + tl + " " + tmpwindow);
000230 |                 if (tl > 0 && j - tl >= 0 && j + tl <= data.Count() - 1)
000231 |                 {
```

```

000232 |         TFloatArray windowslice();
000233 |         for (int k = j - tl; k < j + tl + 1; k++)
000234 |             windowslice.Insert(data[k]);
000235 |         float windowSize = 0;
000236 |         float tmpWindowSum = 0;
000237 |         for (int l = 0; l < tmpWindow.Count(); l++)
000238 |         {
000239 |             windowSize += tmpWindow[l] * windowslice[l];
000240 |             tmpWindowSum += tmpWindow[l];
000241 |         }
000242 |         v = windowSize / tmpWindowSum;
000243 |         break;
000244 |     }
000245 |     else
000246 |     {
000247 |         tmpWindow.RemoveOrdered(0);
000248 |         tmpWindow.Remove(tmpWindow.Count() - 1);
000249 |     }
000250 | }
000251 | }
000252 | data[j] = v;
000253 | }
000254 | }
000255 |
000256 | /**
000257 |  * @brief Interpolate path
000258 |  *
000259 |  * @param path      Array of vectors
000260 |  * @param curveType The type of curve that should be used for interpolation
000261 |  * @param smooth    If path should be smoothed after applying curve interpolation (may help against overly sharp changes in angle)
000262 |  */
000263 | static TVectorArray PathInterpolated(TVectorArray path, ECurveType curveType = ECurveType.CatmullRom, bool smooth = true)
000264 | {
000265 | #ifdef EXTRACE
000266 |     auto trace = EXTrace.Start(EXTrace.PATH_INTERPOLATION, ExpansionMath);
000267 | #endif
000268 |
000269 |     if (!ExpansionStatic.HasEnumValue(ECurveType, curveType))
000270 |     {
000271 |         EXError.Error(null, "Invalid ECurveType value " + curveType);
000272 |         return path;
000273 |     }
000274 |
000275 |     if (path.Count() < 3)
000276 |         return path;
000277 |
000278 |     float minDistance = 4.472136;
000279 |
000280 |     TVectorArray points();
000281 |     TVectorArray interpolatedPath();
000282 |
000283 | #ifdef DIAG_DEVELOPER
000284 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Original points");
000285 | #endif
000286 |
000287 |     foreach (vector pathPoint: path)
000288 |     {
000289 |         points.Insert(Vector(pathPoint[0], pathPoint[2], 0));
000290 |     }
000291 | #ifdef DIAG_DEVELOPER
000292 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, pathPoint[0].ToString() + " " + pathPoint[2].ToString());
000293 | #endif

```



```
000294 |     }
000295 |
000296 |     ///! 1st pass - insert linearly interpolated points roughly every 100 m where needed to make path more evenly spaced
000297 |     ///! (helps against overly sharp turns in curve interpolation)
000298 |     TVectorArray intermediatePoints = {points[0]};
000299 |
000300 | #ifdef DIAG_DEVELOPER
000301 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Intermediate points");
000302 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, points[0][0].ToString() + " " + points[0][1].ToString());
000303 | #endif
000304 |
000305 |     for (int i = 1; i < points.Count(); i++)
000306 |     {
000307 |         float pointDistance = vector.Distance(points[i - 1], points[i]);
000308 |         int steps;
000309 |
000310 |         if (pointDistance >= 200.0)
000311 |             steps = Math.Floor(pointDistance / 100.0);
000312 |         else
000313 |             steps = 1;
000314 |
000315 |         for (int j = 1; j <= steps; j++)
000316 |         {
000317 |             vector intermediatePoint = vector.Lerp(points[i - 1], points[i], j / steps);
000318 |             intermediatePoints.Insert(intermediatePoint);
000319 |
000320 | #ifdef DIAG_DEVELOPER
000321 |             EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, intermediatePoint[0].ToString() + " " + intermediatePoint[1].ToString());
000322 | #endif
000323 |         }
000324 |     }
000325 |
000326 |     ///! Curve interpolation
000327 | #ifdef DIAG_DEVELOPER
000328 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Filtered interpolated points - " + typename.EnumToString(ECurveType, curveType));
000329 | #endif
000330 |
000331 |     float t;
000332 |     float step = 0.01;
000333 |     float tEnd = points.Count() - 1;
000334 |     vector previousPoint3D;
000335 |     vector curveDir2D;
000336 |     float previousAngle;
000337 |     float angleDiff;
000338 |     float distance;
000339 |
000340 |     while (t < tEnd)
000341 |     {
000342 |         vector curvePoint = Math3D.Curve(curveType, t / tEnd, intermediatePoints);
000343 |
000344 |     // #ifdef DIAG_DEVELOPER
000345 |         // EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, curvePoint[0].ToString() + " " + curvePoint[1].ToString());
000346 |     // #endif
000347 |
000348 |         vector point3D = Vector(curvePoint[0], 0, curvePoint[1]);
000349 |
000350 |         float tCur = t;
000351 |         t += step;
000352 |
000353 |         if (tCur)
000354 |             curveDir2D = vector.Direction(previousPoint3D, point3D);
000355 |     }
```

```
000356 |         previousPoint3D = point3D;
000357 |
000358 |         if (tCur)
000359 |         {
000360 |             distance += curveDir2D.Length();
000361 |
000362 |             if (/*tCur != Math.Round(tCur) &&*/ tCur < tEnd)
000363 |             {
000364 |                 float angle = curveDir2D.VectorToAngles()[0];
000365 |                 angleDiff += Math.AbsFloat(angle - previousAngle);
000366 |                 previousAngle = angle;
000367 |                 if (angleDiff < 5.0)
000368 |                     continue;
000369 |             }
000370 |         }
000371 |
000372 |         if (!tCur || /*tCur == Math.Round(tCur) ||*/ distance > minDistance || tCur == tEnd)
000373 |         {
000374 |             distance = 0;
000375 |             angleDiff = 0;
000376 |
000377 |             interpolatedPath.Insert(point3D);
000378 | #ifdef DIAG_DEVELOPER
000379 |                 EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, point3D[0].ToString() + " " + point3D[2].ToString());
000380 | #endif
000381 |         }
000382 |     }
000383 |
000384 |     if (smooth)
000385 |     {
000386 |         //! Smoothing pass - moving avg
000387 | #ifdef DIAG_DEVELOPER
000388 |         EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, "Smoothing pass - moving avg");
000389 | #endif
000390 |
000391 |         TFloatArray x();
000392 |         TFloatArray z();
000393 |
000394 |         foreach (vector xyz: interpolatedPath)
000395 |         {
000396 |             x.Insert(xyz[0]);
000397 |             z.Insert(xyz[2]);
000398 |         }
000399 |
000400 |         x = ExpansionMath.MovingAvg(x);
000401 |         z = ExpansionMath.MovingAvg(z);
000402 |
000403 |         for (int k = 0; k < interpolatedPath.Count(); k++)
000404 |         {
000405 |             vector smoothedPoint = Vector(x[k], 0, z[k]);
000406 |             interpolatedPath[k] = smoothedPoint;
000407 |
000408 | #ifdef DIAG_DEVELOPER
000409 |                 EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, x[k].ToString() + " " + z[k].ToString());
000410 | #endif
000411 |         }
000412 |     }
000413 |
000414 |     //! Final pass - set Y to surface
000415 |     for (int l = 0; l < interpolatedPath.Count(); l++)
000416 |     {
000417 |         vector interpolatedPoint = interpolatedPath[l];
```

```
000418 |         interpolatedPoint[l] = g_Game.SurfaceY(interpolatedPath[l][0], interpolatedPath[l][2]);
000419 |         interpolatedPath[l] = interpolatedPoint;
000420 | #ifdef DIAG_DEVELOPER
000421 |     EXTrace.Print(EXTrace.PATH_INTERPOLATION, null, interpolatedPath[l].ToString(false));
000422 | #endif
000423 |     }
000424 |
000425 |     return interpolatedPath;
000426 | }
000427 |
000428 | /**
000429 |  * @brief given the three points a, b and c forming a triangle, return the circumcenter of the triangle
000430 |  *
000431 |  * @note Y components of the vectors are ignored
000432 |  */
000433 | static vector Circumcenter(vector a, vector b, vector c)
000434 | {
000435 |     float sideAB = b[0] - a[0];
000436 |     float sideBC = c[0] - b[0];
000437 |
000438 |     ///! Check if the sides are vertical or horizontal
000439 |     bool sideABVertical = sideAB == 0;
000440 |     bool sideBCVertical = sideBC == 0;
000441 |
000442 |     ///! Compute midpoints of two sides
000443 |     float midXab = (a[0] + b[0]) * 0.5;
000444 |     float midYab = (a[2] + b[2]) * 0.5;
000445 |
000446 |     float midXbc = (b[0] + c[0]) * 0.5;
000447 |     float midYbc = (b[2] + c[2]) * 0.5;
000448 |
000449 |     float pbSlope1;
000450 |     float pbSlope2;
000451 |
000452 |     float cAB;
000453 |     float cBC;
000454 |
000455 |     if (sideABVertical)
000456 |     {
000457 |         ///! Special handling for vertical side (slope = undefined)
000458 |         pbSlope1 = 0; ///! Perpendicular bisector is horizontal
000459 |         cAB = midYab; ///! Line is y = cAB
000460 |     }
000461 |     else
000462 |     {
000463 |         float slope1 = (b[2] - a[2]) / sideAB; ///! Regular slope
000464 |         pbSlope1 = -1 / slope1; ///! Negative reciprocal for perpendicular slope
000465 |         cAB = midYab - pbSlope1 * midXab;
000466 |     }
000467 |
000468 |     if (sideBCVertical)
000469 |     {
000470 |         ///! Special handling for vertical side (slope = undefined)
000471 |         pbSlope2 = 0; ///! Perpendicular bisector is horizontal
000472 |         cBC = midYbc; ///! Line is y = cBC
000473 |     }
000474 |     else
000475 |     {
000476 |         float slope2 = (c[2] - b[2]) / sideBC; ///! Regular slope
000477 |         pbSlope2 = -1 / slope2; ///! Negative reciprocal for perpendicular slope
000478 |         cBC = midYbc - pbSlope2 * midXbc;
000479 |     }
}
```

```
000480 |
000481 |     vector circumcenter;
000482 |
000483 |     //! Solve intersection of two perpendicular bisectors
000484 |     if (sideABVertical)
000485 |     {
000486 |         circumcenter[0] = midXab;
000487 |         circumcenter[2] = pbSlope2 * circumcenter[0] + cBC;
000488 |     }
000489 |     else if (sideBCVertical)
000490 |     {
000491 |         circumcenter[0] = midXbc;
000492 |         circumcenter[2] = pbSlope1 * circumcenter[0] + cAB;
000493 |     }
000494 |     else
000495 |     {
000496 |         //! General case
000497 |         circumcenter[0] = (cBC - cAB) / (pbSlope1 - pbSlope2);
000498 |         circumcenter[2] = pbSlope1 * circumcenter[0] + cAB;
000499 |     }
000500 |
000501 |     return circumcenter;
000502 | }
000503 |
000504 | //! @brief Compares two numbers
000505 | //! Returns 1 if a > b, zero if a == b and -1 if a < b
000506 | //! This function can be used to work-around broken integer comparison involving negative numbers in EnForce
000507 | //! https://feedback.bistudio.com/T167065
000508 | static int Cmp(int a, int b)
000509 | {
000510 |     if (a == b)
000511 |     {
000512 |         return 0;
000513 |     }
000514 |     else if ((a >= 0 && b >= 0) || (a < 0 && b < 0))
000515 |     {
000516 |         if (a > b)
000517 |             return 1;
000518 |         else
000519 |             return -1;
000520 |     }
000521 |     else if (a < 0 && b >= 0)
000522 |     {
000523 |         return -1;
000524 |     }
000525 |
000526 |     return 1;
000527 | }
000528 |
000529 | /**
000530 |  * @brief Proper RandomFloatInclusive that does include endpoint, other than the one in EnMath
000531 |  *
000532 |  * @note uniform = true assumes Math.RandomInt is indeed uniform
000533 |  * @note with uniform = true, the range of possible unique values is limited to 2^24
000534 |  *         (otherwise 2^26 in best-case scenarios)
000535 |  * @note if the range defined by min and max exceeds 2^24, distribution is no longer uniform
000536 |  */
000537 | static float RandomFloatInclusive(float min, float max, bool uniform = false)
000538 | {
000539 |     int max_range = 16777216;  //! 2^24 (uniform, unique)
000540 |     float range = max - min;
000541 | }
```

```
000542 |         if (!uniform || Math.AbsFloat(range) > max_range)
000543 |             max_range = 1073741824;  //!< 2^30 (non-uniform, 2^26 unique values)
000544 |
000545 |         int random_int = Math.RandomIntInclusive(0, max_range);
000546 |         float rand_float = (float)random_int / (float)max_range;
000547 |
000548 |         return min + (rand_float * range);
000549 |     }
000550 |
000551 | static float FMod(float x, float y)
000552 | {
000553 |     float r = x / y;
000554 |
000555 |     if (r >= 1.0)
000556 |     {
000557 |         //PrintFormat("FMOD %1 >= 1.0", r);
000558 |         //return x - Math.Floor(r) * y;  //!< Math.Floor is broken, e.g. float.MAX gets turned into 1.70141e+38, half of what it should be
000559 |         return x + Math.Ceil(-r) * y;  //!< Gives correct floor
000560 |     }
000561 |     else if (r <= -1.0)
000562 |     {
000563 |         //PrintFormat("FMOD %1 <= -1.0", r);
000564 |         return x - Math.Ceil(r) * y;
000565 |     }
000566 |
000567 |     //PrintFormat("FMOD -1.0 < %1 < 1.0", r);
000568 |     return x;
000569 | }
000570 |
000571 | //!< Proper Log2. Vanilla Math.Log2 signature gives the impression it works with floats. It doesn't, it's a purely integer implementation.
000572 | //!< Adapted from https://stackoverflow.com/a/3719696
000573 | //!< @note tolerance sets the accuracy of the result and should not be lower than 1e-15 (no accuracy improvement past that point)
000574 | static float Log2(float x, float tolerance = 1e-13)
000575 | {
000576 |     if (!x)
000577 |     {
000578 |         Error("Math domain error");
000579 |         return "nan".ToFloat();
000580 |     }
000581 |
000582 |     //!< Shortcut for x == 1.0
000583 |     if (x == 1.0)
000584 |         return 0.0;
000585 |
000586 |     //!< Shortcut for x == 0.5
000587 |     if (x == 0.5)
000588 |         return -1.0;
000589 |
000590 |     float log2x = 0.0;
000591 |
000592 |     //!< Integer part
000593 |     while (x < 1.0)
000594 |     {
000595 |         log2x -= 1.0;
000596 |         x *= 2.0;
000597 |     }
000598 |     while (x >= 2.0)
000599 |     {
000600 |         log2x += 1.0;
000601 |         x /= 2.0;
000602 |     }
000603 | }
```

```
000604 |      //!< Fractional part
000605 |      float frac = 1.0;
000606 |      while (frac >= tolerance)
000607 |      {
000608 |          frac /= 2.0;
000609 |          x *= x;
000610 |          if (x >= 2.0)
000611 |          {
000612 |              x /= 2.0;
000613 |              log2x += frac;
000614 |          }
000615 |      }
000616 |
000617 |      return log2x;
000618 |  }
000619 |
000620 |  static float Log10(float x, float tolerance = 1e-13)
000621 |  {
000622 |      static const float Log2_10 = Log2(10);
000623 |      return Log2(x) / Log2_10;
000624 |  }
000625 |
000626 |  static float NewtonNext(float r, float x)
000627 |  {
000628 |      int ir = r;
000629 |      int div = 1 << ir;
000630 |      return r - OneOverLN2 * (1.0 - (x / div));
000631 |  }
000632 |
000633 |  static float NewtonLog2(float x)
000634 |  {
000635 |      float r = x / 2; // better first guesses converge faster
000636 |      float r2 = NewtonNext(r, x);
000637 |      float delta = r - r2;
000638 |      while (delta * delta > Epsilon)
000639 |      {
000640 |          r = r2;
000641 |          r2 = NewtonNext(r, x);
000642 |          delta = r - r2;
000643 |      }
000644 |      return r2;
000645 |  }
000646 |
000647 |  static float NewtonLog10(float x)
000648 |  {
000649 |      //static const float Log2_10 = NewtonLog2(10);
000650 |      //return NewtonLog2(x) / Log2_10;
000651 |      return 0;
000652 |  }
000653 |
000654 |  //!< @brief returns side of line defined by points p1, p2 that point p lies on.
000655 |  //!< @return float side > 0 if on the left, side < 0 if on the right, 0 if on the line.
000656 |  static float Side(vector p1, vector p2, vector p)
000657 |  {
000658 |      return (p2[0] - p1[0]) * (p[2] - p1[2]) - (p2[2] - p1[2]) * (p[0] - p1[0]);
000659 |  }
000660 |
000661 |  //!< @brief Test if a + b would overflow
000662 |  //!< @note despite naming, we test for both over- and underflow
000663 |  static bool TestAdditionOverflow(int a, int b)
000664 |  {
000665 |      return ((b > 0 && a > int.MAX - b) || (b < 0 && a < int.MIN - b));
```

```
000666 | }
000667 |
000668 | /// @brief Test if a - b would overflow
000669 | /// @note despite naming, we test for both over- and underflow
000670 | static bool TestSubtractionOverflow(int a, int b)
000671 | {
000672 |     return ((b < 0 && a > int.MAX + b) || (b > 0 && a < int.MIN + b));
000673 | }
000674 |
000675 | /// @brief Test if a * b would overflow
000676 | /// @note despite naming, we test for both over- and underflow
000677 | static bool TestMultiplicationOverflow(int a, int b)
000678 | {
000679 |     if ((a == -1 && b == int.MIN) || (b == -1 && a == int.MIN))
000680 |         return true;
000681 |
000682 |     if ((b != 0 && a > (int) int.MAX / b) || (b != 0 && a < (int) int.MIN / b))
000683 |         return true;
000684 |
000685 |     return false;
000686 | }
000687 |
000688 | static vector Direction2D(vector p1, vector p2)
000689 | {
000690 |     p1[1] = p2[1];
000691 |     return vector.Direction(p1, p2);
000692 | }
000693 |
000694 | static float Distance2D(vector p1, vector p2)
000695 | {
000696 |     p1[1] = p2[1];
000697 |     return vector.Distance(p1, p2);
000698 | }
000699 |
000700 | static float Distance2DSq(vector p1, vector p2)
000701 | {
000702 |     p1[1] = p2[1];
000703 |     return vector.DistanceSq(p1, p2);
000704 | }
000705 |
000706 | static float FindLargestDistance(TVectorArray positions)
000707 | {
000708 |     float maxDistanceSq;
000709 |     for (int i = 0; i < positions.Count() - 1; i++)
000710 |     {
000711 |         for (int j = i + 1; j < positions.Count(); j++)
000712 |         {
000713 |             float distanceSq = vector.DistanceSq(positions[i], positions[j]);
000714 |             if (distanceSq > maxDistanceSq)
000715 |                 maxDistanceSq = distanceSq;
000716 |         }
000717 |     }
000718 |
000719 |     return Math.Sqrt(maxDistanceSq);
000720 | }
000721 |
000722 | static float FindShortesDistance(TVectorArray positions)
000723 | {
000724 |     float minDistanceSq;
000725 |     for (int i = 0; i < positions.Count() - 1; i++)
000726 |     {
000727 |         for (int j = i + 1; j < positions.Count(); j++)
```

```
000728 |         {
000729 |             float distanceSq = vector.DistanceSq(positions[i], positions[j]);
000730 |             if (distanceSq < minDistanceSq)
000731 |                 minDistanceSq = distanceSq;
000732 |         }
000733 |     }
000734 |
000735 |     return Math.Sqrt(minDistanceSq);
000736 | }
000737 |
000738 | /**
000739 |  * @brief Find closest point outside cylinder that intersects the path defined by points start and end
000740 |  *
000741 |  * @param start
000742 |  * @param [inout] end will be altered in-place if path intersects cylinder
000743 |  * @param perpendicularDistance positive = left, negative = right
000744 |  *
000745 |  * @return true if path intersects cylinder, else false
000746 |  */
000747 | static bool FindClosestPointOutsideCylinder(vector start, inout vector end, vector center, float radius, float height, float perpendicularDistance = 15.0)
000748 | {
000749 |     if (ExpansionMath.IsPointInCylinder(center, radius, height, start) || Math3D.IntersectRayCylinder(start, end, center, radius, height))
000750 |     {
000751 |         end = GetClosestPointOutsideRadius(start, end, center, radius, perpendicularDistance);
000752 |
000753 |         return true;
000754 |     }
000755 |
000756 |     return false;
000757 | }
000758 |
000759 | static vector GetClosestPointOutsideRadius(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
000760 | {
000761 |     start[1] = end[1];
000762 |     center[1] = end[1];
000763 |     return GetClosestPointOutsideSphere(start, end, center, radius, perpendicularDistance);
000764 | }
000765 |
000766 | static vector GetClosestPointOutsideSphere(vector start, vector end, vector center, float radius, float perpendicularDistance = 15.0)
000767 | {
000768 |     //! Calculate a perpendicular direction to avoid the sphere
000769 |     vector toCenter = center - start;
000770 |     toCenter.Normalize();
000771 |     //vector avoidanceDirectionLeft = toCenter.Perpend();
000772 |     //vector avoidanceDirectionRight = toCenter * -1.0;
000773 |     vector avoidanceDirection = toCenter.Perpend() * perpendicularDistance;
000774 |
000775 |     //! Adjust the endpoint away from the edge
000776 |     vector outside = center - toCenter * radius;
000777 |     //float distToEndLeftSq = vector.DistanceSq(outside + avoidanceDirectionLeft, end);
000778 |     //float distToEndRightSq = vector.DistanceSq(outside + avoidanceDirectionRight, end);
000779 |     //vector avoidanceDirection;
000780 |     //if (distToEndLeftSq < distToEndRightSq)
000781 |     //    avoidanceDirection = avoidanceDirectionLeft;
000782 |     //else
000783 |     //    avoidanceDirection = avoidanceDirectionRight;
000784 |
000785 |     return outside + avoidanceDirection;
000786 | }
000787 |
000788 | /**
000789 |  * @brief check whether point is inside cylinder
```



```
000790 | *
000791 | * @note center Y must be bottom of cylinder!
000792 | */
000793 | static bool IsPointInCylinder(vector center, float radius, float height, vector point)
000794 | {
000795 |     if (point[1] < center[1] || point[1] > center[1] + height)
000796 |         return false;
000797 |
000798 |     return Math.IsPointInCircle(center, radius, point);
000799 | }
000800 |
000801 | /**
000802 |  * @brief Returns if line intersects circle
000803 |  *
000804 |  * @param lineStart ([0] and [2] will be used, as a circle is 2D)
000805 |  * @param lineEnd ([0] and [2] will be used, as a circle is 2D)
000806 |  * @param center of circle ([0] and [2] will be used, as a circle is 2D)
000807 |  * @param radius of circle
000808 |  *
000809 |  * @return true when line intersects circle
000810 | */
000811 | static bool IntersectLineCircle(vector lineStart, vector lineEnd, vector center, float radius)
000812 | {
000813 |     float dx = lineEnd[0] - lineStart[0];
000814 |     float dy = lineEnd[2] - lineStart[2];
000815 |
000816 |     float fx = lineStart[0] - center[0];
000817 |     float fy = lineStart[2] - center[2];
000818 |
000819 |     //! Quadratic coefficients
000820 |     float a = dx * dx + dy * dy;
000821 |     float b = 2 * (fx * dx + fy * dy);
000822 |     float c = (fx * fx + fy * fy) - radius * radius;
000823 |
000824 |     float discriminant = b * b - 4 * a * c;
000825 |
000826 |     if (discriminant >= 0)
000827 |     {
000828 |         //! Check if intersection points are within the line segment
000829 |         discriminant = Math.Sqrt(discriminant);
000830 |         float t1 = (-b - discriminant) / (2 * a);
000831 |         float t2 = (-b + discriminant) / (2 * a);
000832 |
000833 |         //! Check if either t1 or t2 is within [0, 1]
000834 |         if ((t1 >= 0 && t1 <= 1) || (t2 >= 0 && t2 <= 1))
000835 |             return true;
000836 |     }
000837 |
000838 |     //! No intersection
000839 |     return false;
000840 | }
000841 |
000842 | static float LookUp(float value, int num, float inVals[], float outVals[])
000843 | {
000844 |     value = Math.Clamp(value, inVals[0], inVals[num - 1]);
000845 |
000846 |     for (int i = 0; i < num - 1; i++)
000847 |     {
000848 |         if (inVals[i] <= value && value <= inVals[i + 1])
000849 |         {
000850 |             float delta = (value - inVals[i]) / (inVals[i + 1] - inVals[i]);
000851 |             return Math.Lerp(outVals[i], outVals[i + 1], delta);
```

```
000852 |     }
000853 | }
000854 |
000855 |     //! Should never reach this point, just here to make code compile as we need a return value
000856 |     return 0;
000857 | }
000858 |
000859 | static float Max(TFloatArray values)
000860 | {
000861 |     float max = values[0];
000862 |
000863 |     for (int i = 1; i < values.Count(); ++i)
000864 |     {
000865 |         max = Math.Max(max, values[i]);
000866 |     }
000867 |
000868 |     return max;
000869 | }
000870 |
000871 | static float Min(TFloatArray values)
000872 | {
000873 |     float min = values[0];
000874 |
000875 |     for (int i = 1; i < values.Count(); ++i)
000876 |     {
000877 |         min = Math.Min(min, values[i]);
000878 |     }
000879 |
000880 |     return min;
000881 | }
000882 | }
000883 |
```

0063. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionRPCManager.c
Size bytes: 14545
SHA-256: 3592002d1274661dc07749201eb75774ea3b11f542d338d3334fe90e944714cd
Decoded as: utf-8-sig
Line count shown: 594
Detected class declarations: 2
  L13: class ExpansionRPCTypeMapping
  L35: class ExpansionRPCManager
Detected enum declarations: 0
Detected function/method-like declarations: 33
  L21: void DebugIDs()
  L52: void ExpansionRPCManager(Managed owner, typename type = NULLTYPE)
  L58: else if (owner)
  L62: void ~ExpansionRPCManager()
  L99: static ExpansionRPCManager Get(Managed owner, typename type = NULLTYPE)
  L110: else if (!type)
  L126: else if (manager.GetOwner() != owner)
  L134: void SetOwner(Managed owner)
  L143: void SetType(typename type)
  L158: Managed GetOwner()
  L163: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
  L178: protected int CreateRPCID(string fn, Managed instance = null)
  L189: else if (!m_Owner)
  L193: else if (!m_Owner.IsInherited(Object))
  L214: protected void Register(map<string, int> registeredRPCIDs, map<int, string> registeredRPCs, string fn, int rpcID)
  L252: ExpansionRPCTypeMapping GetTypeMapping()
  L264: int RegisterServer(string fn, Managed instance = null)
  L289: int RegisterClient(string fn, Managed instance = null)
  L314: int RegisterBoth(string fn, Managed instance = null)
  L327: else if (serverRPCID)
  L356: int GetRPCID(string fn)
  L393: string GetRPCName(int rpcID)
  L414: bool IsRegistered(string fn)
  L425: bool IsRegistered(int rpcID)
  L443: ExpansionScriptRPC CreateRPC(string fn)
  L449: return CreateRPC(GetRPCID(fn));
  L452: ExpansionScriptRPC CreateRPC(int rpcID)
  L466: ExpansionScriptRPC SendRPC(string fn, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)
  L468: return SendRPC(GetRPCID(fn), params, guaranteed, recipient);
  L471: ExpansionScriptRPC SendRPC(int rpcID, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)
  L483: static bool OnRPC(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L532: bool OnRPC(PlayerIdentity sender, Object target, int rpcID, ParamsReadContext ctx)
  L563: bool OnRPC(PlayerIdentity sender, int rpcID, ParamsReadContext ctx)

```

Full file content

```

000001 | /**
000002 |  * ExpansionRPCManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionRPCTypeMapping

```

```

000014 | {
000015 |     ///! @note server RPCs are received and executed on server, client RPCs are received and executed on client
000016 |     ref map<string, int> m_RegisteredServerRPCIDs = new map<string, int>;
000017 |     ref map<int, string> m_RegisteredServerRPCs = new map<int, string>;
000018 |     ref map<string, int> m_RegisteredClientRPCIDs = new map<string, int>;
000019 |     ref map<int, string> m_RegisteredClientRPCs = new map<int, string>;
000020 |
000021 |     void DebugIDs()
000022 |     {
000023 |         foreach (string serverRPC, int serverRPCID: m_RegisteredServerRPCIDs)
000024 |         {
000025 |             PrintFormat("SERVER: %1 %2 %3", ToString(), serverRPC, serverRPCID);
000026 |         }
000027 |
000028 |         foreach (string clientRPC, int clientRPCID: m_RegisteredClientRPCIDs)
000029 |         {
000030 |             PrintFormat("CLIENT: %1 %2 %3", ToString(), clientRPC, clientRPCID);
000031 |         }
000032 |     }
000033 | }
000034 |
000035 | class ExpansionRPCManager
000036 | {
000037 |     static const typename NULLTYPE;
000038 |
000039 |     static ref map<typename, ExpansionRPCManager> s_TargetlessManagersByType = new map<typename, ExpansionRPCManager>;
000040 |     static ref map<int, ExpansionRPCManager> s_RegisteredTargetlessManagers = new map<int, ExpansionRPCManager>;
000041 |     static ref map<typename, ref ExpansionRPCTypeMapping> s_TypeMappings = new map<typename, ref ExpansionRPCTypeMapping>;
000042 |
000043 |     protected Managed m_Owner;
000044 |     protected bool m_OwnerIsObject;
000045 |     protected typename m_Type;
000046 |     protected ref ExpansionRPCTypeMapping m_TypeMapping;
000047 |
000048 |     ref map<int, Managed> m_RegisteredInstances = new map<int, Managed>;
000049 |
000050 |     ref ExpansionBitStreamSerializerReader m_Reader;
000051 |
000052 |     void ExpansionRPCManager(Managed owner, typename type = NULLTYPE)
000053 |     {
000054 |         SetOwner(owner);
000055 |
000056 |         if (type)
000057 |             SetType(type);
000058 |         else if (owner)
000059 |             SetType(owner.Type());
000060 |     }
000061 |
000062 |     void ~ExpansionRPCManager()
000063 |     {
000064 |         if (!g_Game)
000065 |             return;
000066 |
000067 |         if (!m_OwnerIsObject)
000068 |         {
000069 | #ifdef EXTRACE
000070 |             auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, "" + s_RegisteredTargetlessManagers.Count());
000071 | #endif
000072 |
000073 |             if (s_TargetlessManagersByType) {
000074 |                 s_TargetlessManagersByType.Remove(m_Type);
000075 |             }

```

```
000076 |
000077 |         foreach (int serverRPCID: m_TypeMapping.m_RegisteredServerRPCIDs)
000078 |         {
000079 |             s_RegisteredTargetlessManagers.Remove(serverRPCID);
000080 |         }
000081 |
000082 |         foreach (int clientRPCID: m_TypeMapping.m_RegisteredClientRPCIDs)
000083 |         {
000084 |             s_RegisteredTargetlessManagers.Remove(clientRPCID);
000085 |         }
000086 |
000087 | #ifdef EXTRACE
000088 |         EXTrace.Add(trace, "" + s_RegisteredTargetlessManagers.Count());
000089 | #endif
000090 |     }
000091 | }
000092 |
000093 | /**
000094 |  * @brief Get new or existing RPC manager instance
000095 |  *
000096 |  * @note Use this instead of calling `new ExpansionRPCManager` directly if owner is effectively a singleton,
000097 |  * but is recreated before the existing instance is destroyed.
000098 |  */
000099 | static ExpansionRPCManager Get(Managed owner, typename type = NULLTYPE)
000100 | {
000101 | #ifdef EXTRACE_DIAG
000102 |     auto trace = EXTrace.Start(EXTrace.RPC, ExpansionRPCManager, "" + owner, "" + type);
000103 | #endif
000104 |
000105 |     bool ownerIsObject;
000106 |     if (owner)
000107 |     {
000108 |         if (owner.IsInherited(Object))
000109 |             ownerIsObject = true;
000110 |         else if (!type)
000111 |             type = owner.Type();
000112 |     }
000113 |
000114 |     if (!s_TargetlessManagersByType) {
000115 |         s_TargetlessManagersByType = new map<typename, ExpansionRPCManager>();
000116 |     }
000117 |
000118 |     ExpansionRPCManager manager;
000119 |     if (ownerIsObject || !type || !s_TargetlessManagersByType.Find(type, manager) || !manager)
000120 |     {
000121 |         manager = new ExpansionRPCManager(owner, type);
000122 |
000123 |         if (!ownerIsObject && type)
000124 |             s_TargetlessManagersByType[type] = manager;
000125 |     }
000126 |     else if (manager.GetOwner() != owner)
000127 |     {
000128 |         manager.SetOwner(owner);
000129 |     }
000130 |
000131 |     return manager;
000132 | }
000133 |
000134 | void SetOwner(Managed owner)
000135 | {
000136 |     m_Owner = owner;
000137 |     if (m_Owner && m_Owner.IsInherited(Object))
```

```
000138 |         m_OwnerIsObject = true;
000139 |     else
000140 |         m_OwnerIsObject = false;
000141 | }
000142 |
000143 | void SetType(typename type)
000144 | {
000145 |     m_Type = type;
000146 |
000147 |     if (!s_TypeMappings) {
000148 |         s_TypeMappings = new map<typename, ref ExpansionRPCTypeMapping>();
000149 |     }
000150 |
000151 |     if (!s_TypeMappings.Find(m_Type, m_TypeMapping))
000152 |     {
000153 |         m_TypeMapping = new ExpansionRPCTypeMapping();
000154 |         s_TypeMappings[m_Type] = m_TypeMapping;
000155 |     }
000156 | }
000157 |
000158 | Managed GetOwner()
000159 | {
000160 |     return m_Owner;
000161 | }
000162 |
000163 | ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000164 | {
000165 |     if (m_Reader)
000166 |     {
000167 |         m_Reader.Reset();
000168 |         m_Reader.m_Serializer = ctx;
000169 |     }
000170 |     else
000171 |     {
000172 |         m_Reader = new ExpansionBitStreamSerializerReader(ctx);
000173 |     }
000174 |
000175 |     return m_Reader;
000176 | }
000177 |
000178 | protected int CreateRPCID(string fn, Managed instance = null)
000179 | {
000180 | #ifdef EXTRACE
000181 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this);
000182 | #endif
000183 |     string name;
000184 |
000185 |     if (instance)
000186 |     {
000187 |         name = instance.ClassName() + "::";
000188 |     }
000189 |     else if (!m_Owner)
000190 |     {
000191 |         name = m_Type.ToString() + "::";
000192 |     }
000193 |     else if (!m_Owner.IsInherited(Object))
000194 |     {
000195 |         name = m_Owner.ClassName() + "::";
000196 |     }
000197 |
000198 |     name += fn;
000199 | }
```

```
000200 | #ifdef EXTRACE
000201 |     EXTrace.Add(trace, name);
000202 | #endif
000203 |
000204 |     //int rpcID = ExpansionString.BetterHash(name);
000205 |     int rpcID = name.Hash();
000206 |
000207 | #ifdef EXTRACE
000208 |     EXTrace.Add(trace, rpcID);
000209 | #endif
000210 |
000211 |     return rpcID;
000212 | }
000213 |
000214 | protected void Register(map<string, int> registeredRPCIDs, map<int, string> registeredRPCs, string fn, int rpcID)
000215 | {
000216 |     string registeredFuncName;
000217 |
000218 |     if (!s_RegisteredTargetlessManagers) {
000219 |         s_RegisteredTargetlessManagers = new map<int, ExpansionRPCManager>();
000220 |     }
000221 |
000222 |     if (!m_OwnerIsObject)
000223 |     {
000224 |         ExpansionRPCManager manager;
000225 |         if (s_RegisteredTargetlessManagers.Find(rpcID, manager) && manager)
000226 |         {
000227 |             if (manager != this || (registeredRPCs.Find(rpcID, registeredFuncName) && registeredFuncName != fn))
000228 |             {
000229 |                 Error("Hash collision: " + ToString() + " " + fn + " " + manager + " " + registeredFuncName);
000230 |                 return;
000231 |             }
000232 |         }
000233 |         else
000234 |         {
000235 |             s_RegisteredTargetlessManagers[rpcID] = this;
000236 |         }
000237 |     }
000238 |     else
000239 |     {
000240 |         if (registeredRPCs.Find(rpcID, registeredFuncName))
000241 |         {
000242 |             if (registeredFuncName != fn)
000243 |                 Error("Hash collision: " + ToString() + " " + fn + " " + registeredFuncName);
000244 |             return;
000245 |         }
000246 |     }
000247 |
000248 |     registeredRPCIDs[fn] = rpcID;
000249 |     registeredRPCs[rpcID] = fn;
000250 | }
000251 |
000252 | ExpansionRPCTypeMapping GetTypeMapping()
000253 | {
000254 |     return m_TypeMapping;
000255 | }
000256 |
000257 | /**
000258 |  * @brief register RPC
000259 |  *
000260 |  * @param fn Name of function to register
000261 |  */
```

```
000262 |     * @return non-zero RPC ID
000263 |     */
000264 |     int RegisterServer(string fn, Managed instance = null)
000265 |     {
000266 | #ifdef EXTRACE
000267 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, fn, "" + instance);
000268 | #endif
000269 |
000270 |         int rpcID = m_TypeMapping.m_RegisteredServerRPCIDs[fn];
000271 |
000272 |         if (!rpcID)
000273 |         {
000274 |             //! Not yet registered, create RPC ID & register
000275 |             rpcID = CreateRPCID(fn, instance);
000276 |
000277 |             if (rpcID)
000278 |             {
000279 |                 Register(m_TypeMapping.m_RegisteredServerRPCIDs, m_TypeMapping.m_RegisteredServerRPCs, fn, rpcID);
000280 |             }
000281 |         }
000282 |
000283 |         if (instance && rpcID)
000284 |             m_RegisteredInstances[rpcID] = instance;
000285 |
000286 |         return rpcID;
000287 |     }
000288 |
000289 |     int RegisterClient(string fn, Managed instance = null)
000290 |     {
000291 | #ifdef EXTRACE
000292 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, fn, "" + instance);
000293 | #endif
000294 |
000295 |         int rpcID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000296 |
000297 |         if (!rpcID)
000298 |         {
000299 |             //! Not yet registered, create RPC ID & register
000300 |             rpcID = CreateRPCID(fn, instance);
000301 |
000302 |             if (rpcID)
000303 |             {
000304 |                 Register(m_TypeMapping.m_RegisteredClientRPCIDs, m_TypeMapping.m_RegisteredClientRPCs, fn, rpcID);
000305 |             }
000306 |         }
000307 |
000308 |         if (instance && rpcID)
000309 |             m_RegisteredInstances[rpcID] = instance;
000310 |
000311 |         return rpcID;
000312 |     }
000313 |
000314 |     int RegisterBoth(string fn, Managed instance = null)
000315 |     {
000316 | #ifdef EXTRACE
000317 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + m_Owner, "" + m_Type, fn, "" + instance);
000318 | #endif
000319 |
000320 |         int rpcID;
000321 |         int serverRPCID = m_TypeMapping.m_RegisteredServerRPCIDs[fn];
000322 |         int clientRPCID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000323 |     }
```



```
000324 |      //!< Not yet registered, create RPC ID & register
000325 |      if (!serverRPCID && !clientRPCID)
000326 |          rpcID = CreateRPCID(fn, instance);
000327 |      else if (serverRPCID)
000328 |          rpcID = serverRPCID;
000329 |      else
000330 |          rpcID = clientRPCID;
000331 |
000332 |      if (!serverRPCID || !clientRPCID)
000333 |      {
000334 |          if (rpcID)
000335 |          {
000336 |              if (!serverRPCID)
000337 |                  Register(m_TypeMapping.m_RegisteredServerRPCIDs, m_TypeMapping.m_RegisteredServerRPCs, fn, rpcID);
000338 |              if (!clientRPCID)
000339 |                  Register(m_TypeMapping.m_RegisteredClientRPCIDs, m_TypeMapping.m_RegisteredClientRPCs, fn, rpcID);
000340 |          }
000341 |      }
000342 |
000343 |      if (instance && rpcID)
000344 |          m_RegisteredInstances[rpcID] = instance;
000345 |
000346 |      return rpcID;
000347 |  }
000348 |
000349 |  /**
000350 |   * @brief return registered RPC ID
000351 |   *
000352 |   * @param fn Name of registered function
000353 |   *
000354 |   * @return non-zero RPC ID if registered, else zero.
000355 |   */
000356 |  int GetRPCID(string fn)
000357 |  {
000358 |      #ifdef EXPANSION_RPCMANAGER_TRACE
000359 |          auto trace = EXTrace.Start(EXTrace.PROFILING, this, fn);
000360 |      #endif
000361 |
000362 |      int rpcID;
000363 |
000364 |      #ifdef SERVER
000365 |          //!< On server, we want to send RPC to client
000366 |          rpcID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000367 |
000368 |          if (!rpcID)
000369 |          {
000370 |              m_TypeMapping.DebugIDs();
000371 |              Error("No CLIENT RPC registered for type " + m_Type + " and function " + fn);
000372 |          }
000373 |      #else
000374 |          //!< On client, we want to send RPC to server
000375 |          rpcID = m_TypeMapping.m_RegisteredServerRPCIDs[fn];
000376 |
000377 |          if (!rpcID)
000378 |          {
000379 |              if (!g_Game.IsMultiplayer())
000380 |                  rpcID = m_TypeMapping.m_RegisteredClientRPCIDs[fn];
000381 |
000382 |              if (!rpcID)
000383 |              {
000384 |                  m_TypeMapping.DebugIDs();
000385 |                  Error("No SERVER RPC registered for type " + m_Type + " and function " + fn);
```

```
000386 |     }
000387 | }
000388 | #endif
000389 |
000390 |     return rpcID;
000391 | }
000392 |
000393 | string GetRPCName(int rpcID)
000394 | {
000395 |     string fn;
000396 |
000397 | #ifdef SERVER
000398 |     fn = m_TypeMapping.m_RegisteredServerRPCs[rpcID];
000399 | #ifdef EXPANSION_RPCMANAGER_TRACE
000400 |     EXTrace.Print(EXTrace.PROFILING, this, "::GetRPCName SERVER " + rpcID + " " + fn);
000401 | #endif
000402 | #else
000403 |     fn = m_TypeMapping.m_RegisteredClientRPCs[rpcID];
000404 |     if (!fn && !g_Game.IsMultiplayer() && !GetDayZGame().IsLoading() && !GetDayZGame().Expansion_IsMissionMainMenu())
000405 |         fn = m_TypeMapping.m_RegisteredServerRPCs[rpcID];
000406 | #ifdef EXPANSION_RPCMANAGER_TRACE
000407 |     EXTrace.Print(EXTrace.PROFILING, this, "::GetRPCName CLIENT " + rpcID + " " + fn);
000408 | #endif
000409 | #endif
000410 |
000411 |     return fn;
000412 | }
000413 |
000414 | bool IsRegistered(string fn)
000415 | {
000416 | #ifdef SERVER
000417 |     ///! On server, we want to send RPC to client
000418 |     return m_TypeMapping.m_RegisteredClientRPCIDs.Contains(fn);
000419 | #else
000420 |     ///! On client, we want to send RPC to server
000421 |     return m_TypeMapping.m_RegisteredServerRPCIDs.Contains(fn);
000422 | #endif
000423 | }
000424 |
000425 | bool IsRegistered(int rpcID)
000426 | {
000427 | #ifdef SERVER
000428 |     ///! On server, we want to send RPC to client
000429 |     return m_TypeMapping.m_RegisteredClientRPCs.Contains(rpcID);
000430 | #else
000431 |     ///! On client, we want to send RPC to server
000432 |     return m_TypeMapping.m_RegisteredServerRPCs.Contains(rpcID);
000433 | #endif
000434 | }
000435 |
000436 | /**
000437 | * @brief create RPC
000438 | *
000439 | * @param fn Name of registered function
000440 | *
000441 | * @return ExpansionScriptRPC instance
000442 | */
000443 | ExpansionScriptRPC CreateRPC(string fn)
000444 | {
000445 | #ifdef EXPANSION_RPCMANAGER_TRACE
000446 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this, fn);
000447 | #endif
```

```
000448 |  
000449 |     return CreateRPC(GetRPCID(fn));  
000450 | }  
000451 |  
000452 | ExpansionScriptRPC CreateRPC(int rpcID)  
000453 | {  
000454 |     #ifdef EXPANSION_RPCMANAGER_TRACE  
000455 |         auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + rpcID);  
000456 |     #endif  
000457 |  
000458 |     ExpansionScriptRPC rpc = ExpansionScriptRPC.Create(rpcID);  
000459 |  
000460 |     if (m_OwnerIsObject)  
000461 |         rpc.m_Expansion_Target = Object.Cast(m_Owner);  
000462 |  
000463 |     return rpc;  
000464 | }  
000465 |  
000466 | ExpansionScriptRPC SendRPC(string fn, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)  
000467 | {  
000468 |     return SendRPC(GetRPCID(fn), params, guaranteed, recipient);  
000469 | }  
000470 |  
000471 | ExpansionScriptRPC SendRPC(int rpcID, Param params = null, bool guaranteed = true, PlayerIdentity recipient = null)  
000472 | {  
000473 |     auto rpc = CreateRPC(rpcID);  
000474 |  
000475 |     if (params)  
000476 |         params.Serialize(rpc);  
000477 |  
000478 |     rpc.Expansion_Send(guaranteed, recipient);  
000479 |  
000480 |     return rpc;  
000481 | }  
000482 |  
000483 | static bool OnRPC(PlayerIdentity sender, Object target, ParamsReadContext ctx)  
000484 | {  
000485 |     #ifdef EXPANSION_RPCMANAGER_TRACE  
000486 |         auto trace = EXTrace.Start(EXTrace.PROFILING, ExpansionRPCManager, "" + sender, "" + target);  
000487 |     #endif  
000488 |  
000489 |     #ifdef SERVER  
000490 |         if (!sender)  
000491 |             return false;  
000492 |  
000493 |         //if (!sender.GetPlayer())  
000494 |             //return false;  
000495 |     #endif  
000496 |  
000497 |     int rpcID;  
000498 |  
000499 |     if (!ctx.Read(rpcID))  
000500 |     {  
000501 |         Error("Couldn't read Expansion RPC ID");  
000502 |         return false;  
000503 |     }  
000504 |  
000505 |     if (!rpcID)  
000506 |     {  
000507 |         Error("Invalid Expansion RPC ID 0");  
000508 |         return false;  
000509 |     }  
000509 | }
```

```
000510 |
000511 |     ExpansionRPCManager manager;
000512 |
000513 |     if (target)
000514 |         EnScript.GetClassVar(target, "m_Expansion_RPCManager", 0, manager);
000515 |
000516 |     if (manager && manager.OnRPC(sender, rpcID, ctx))
000517 |     {
000518 |         return true;
000519 |     }
000520 |     else
000521 |     {
000522 |         manager = s_RegisteredTargetlessManagers[rpcID];
000523 |         if (manager && manager.OnRPC(sender, target, rpcID, ctx))
000524 |             return true;
000525 |
000526 |         EXPrint("Warning: No function registered for target " + target + " manager " + manager + " Expansion RPC ID " + rpcID);
000527 |     }
000528 |
000529 |     return false;
000530 | }
000531 |
000532 | bool OnRPC(PlayerIdentity sender, Object target, int rpcID, ParamsReadContext ctx)
000533 | {
000534 | #ifdef EXPANSION_RPCMANAGER_TRACE
000535 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + sender, "" + target, "" + rpcID);
000536 | #endif
000537 |
000538 |     string fn = GetRPCName(rpcID);
000539 |
000540 |     if (!fn)
000541 |         return false;
000542 |
000543 |     Managed instance;
000544 |     if (!m_RegisteredInstances.Find(rpcID, instance))
000545 |         instance = m_Owner;
000546 |
000547 |     if (!instance)
000548 |     {
000549 |         Error("Expansion RPC " + rpcID + " " + fn + " has no instance!");
000550 |         return false;
000551 |     }
000552 |
000553 | #ifdef EXPANSION_RPCMANAGER_TRACE
000554 |     EXTrace.Add(trace, instance);
000555 | #endif
000556 |
000557 |     auto params = new Param3<PlayerIdentity, Object, ParamsReadContext>(sender, target, ctx);
000558 |     g_Game.GameScript.CallFunctionParams(instance, fn, null, params);
000559 |
000560 |     return true;
000561 | }
000562 |
000563 | bool OnRPC(PlayerIdentity sender, int rpcID, ParamsReadContext ctx)
000564 | {
000565 | #ifdef EXPANSION_RPCMANAGER_TRACE
000566 |     auto trace = EXTrace.Start(EXTrace.PROFILING, this, "" + sender, "" + rpcID);
000567 | #endif
000568 |
000569 |     string fn = GetRPCName(rpcID);
000570 |
000571 |     if (!fn)
```

```
000572 |         return false;
000573 |
000574 |         Managed instance;
000575 |         if (!m_RegisteredInstances.Find(rpcID, instance))
000576 |             instance = m_Owner;
000577 |
000578 |         if (!instance)
000579 |         {
000580 |             Error("Expansion RPC " + rpcID + " " + fn + " has no instance!");
000581 |             return false;
000582 |         }
000583 |
000584 | #ifdef EXPANSION_RPCMANAGER_TRACE
000585 |     EXTrace.Add(trace, instance);
000586 | #endif
000587 |
000588 |     auto params = new Param2<PlayerIdentity, ParamsReadContext>(sender, ctx);
000589 |     g_Game.GameScript.CallFunctionParams(instance, fn, null, params);
000590 |
000591 |     return true;
000592 | }
000593 | }
000594 |
```

0064. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionScriptRPC.c
Size bytes: 4374
SHA-256: a59109057bce93f207342b1a84524aee652eb1a75d83633c384c415042c82e9e
Decoded as: utf-8-sig
Line count shown: 164
Detected class declarations: 1
L14: class ExpansionScriptRPC: ScriptRPC
Detected enum declarations: 0
Detected function/method-like declarations: 21
L28: void Write(int value, int bits)
L33: void WriteUInt(int value, int bits)
L41: void Write(int value, int min, int max)
L46: void WriteBool(bool value)
L51: void WriteChar(int value)
L56: void WriteUChar(int value)
L61: void WriteShort(int value)
L66: void WriteUShort(int value)
L71: void Write(float value, int bits)
L77: void WriteHalf(float value)
L82: void Write(vector value, int bits)
L88: void WriteHalf(vector value)
L93: void Write(string value, int bits)
L98: void Write(string value, int bits, string alphabet)
L103: void WriteClassName(string value)
L108: void WriteClassNameLower(string value)
L113: void Flush()
L120: void Expansion_WriteNetworkID(Object object)
L128: void Expansion_Send(bool guaranteed = true, PlayerIdentity recipient = null)
L133: void Expansion_Send(Object target, bool guaranteed = true, PlayerIdentity recipient = null)
L153: static ExpansionScriptRPC Create(int rpcID)

Full file content

```
000001 | /**
000002 |  * ExpansionScriptRPC.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | ///! @note do not instantiate directly! Use ExpansionRPCManager::Create
000014 | class ExpansionScriptRPC: ScriptRPC
000015 | {
000016 |     static const int EXPANSION_RPC_UNTARGETED = 1506850293; ///! "DayZ Expansion".Hash()
000017 |     static const int EXPANSION_RPC_TARGETED = 1506850294; ///! "DayZ Expansion".Hash() + 1
000018 |     static const int EXPANSION_RPC_SJ = 1506850295; ///! "DayZ Expansion".Hash() + 2
000019 |
000020 |     int m_Expansion_RPCID;
000021 |     Object m_Expansion_Target;
000022 |
000023 |     /* Packed write ----- */
000024 |
000025 |     int m_Packed;
000026 |     int m_PackedBits;
```

```
000027 |
000028 | void Write(int value, int bits)
000029 | {
000030 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);
000031 | }
000032 |
000033 | void WriteUInt(int value, int bits)
000034 | {
000035 |     ExpansionBitStreamSerializerWriter.WriteUInt(this, value, bits, m_Packed, m_PackedBits);
000036 | }
000037 |
000038 | /**
000039 |  * @brief Optimized writing of integer in range [min..max]
000040 |  */
000041 | void Write(int value, int min, int max)
000042 | {
000043 |     ExpansionBitStreamSerializerWriter.Write(this, value, min, max, m_Packed, m_PackedBits);
000044 | }
000045 |
000046 | void WriteBool(bool value)
000047 | {
000048 |     ExpansionBitStreamSerializerWriter.WriteBool(this, value, m_Packed, m_PackedBits);
000049 | }
000050 |
000051 | void WriteChar(int value)
000052 | {
000053 |     ExpansionBitStreamSerializerWriter.WriteChar(this, value, m_Packed, m_PackedBits);
000054 | }
000055 |
000056 | void WriteUChar(int value)
000057 | {
000058 |     ExpansionBitStreamSerializerWriter.WriteUChar(this, value, m_Packed, m_PackedBits);
000059 | }
000060 |
000061 | void WriteShort(int value)
000062 | {
000063 |     ExpansionBitStreamSerializerWriter.WriteShort(this, value, m_Packed, m_PackedBits);
000064 | }
000065 |
000066 | void WriteUShort(int value)
000067 | {
000068 |     ExpansionBitStreamSerializerWriter.WriteUShort(this, value, m_Packed, m_PackedBits);
000069 | }
000070 |
000071 | void Write(float value, int bits)
000072 | {
000073 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);
000074 | }
000075 |
000076 | ///! @note converts float to fp16
000077 | void WriteHalf(float value)
000078 | {
000079 |     ExpansionBitStreamSerializerWriter.WriteHalf(this, value, m_Packed, m_PackedBits);
000080 | }
000081 |
000082 | void Write(vector value, int bits)
000083 | {
000084 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);
000085 | }
000086 |
000087 | ///! @note converts float to fp16
000088 | void WriteHalf(vector value)
```

```
000089 | {
000090 |     ExpansionBitStreamSerializerWriter.WriteHalf(this, value, m_Packed, m_PackedBits);
000091 | }
000092 |
000093 | void Write(string value, int bits)
000094 | {
000095 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, m_Packed, m_PackedBits);
000096 | }
000097 |
000098 | void Write(string value, int bits, string alphabet)
000099 | {
000100 |     ExpansionBitStreamSerializerWriter.Write(this, value, bits, alphabet, m_Packed, m_PackedBits);
000101 | }
000102 |
000103 | void WriteClassName(string value)
000104 | {
000105 |     ExpansionBitStreamSerializerWriter.WriteClassName(this, value, m_Packed, m_PackedBits);
000106 | }
000107 |
000108 | void WriteClassNameLower(string value)
000109 | {
000110 |     ExpansionBitStreamSerializerWriter.WriteClassNameLower(this, value, m_Packed, m_PackedBits);
000111 | }
000112 |
000113 | void Flush()
000114 | {
000115 |     ExpansionBitStreamSerializerWriter.Flush(this, m_Packed, m_PackedBits);
000116 | }
000117 |
000118 | /* ----- */
000119 |
000120 | void Expansion_WriteNetworkID(Object object)
000121 | {
000122 |     int low, high;
000123 |     object.GetNetworkID(low, high);
000124 |     Write(low);
000125 |     Write(high);
000126 | }
000127 |
000128 | void Expansion_Send(bool guaranteed = true, PlayerIdentity recipient = null)
000129 | {
000130 |     Expansion_Send(m_Expansion_Target, guaranteed, recipient);
000131 | }
000132 |
000133 | void Expansion_Send(Object target, bool guaranteed = true, PlayerIdentity recipient = null)
000134 | {
000135 |     if (!m_Expansion_RPCID)
000136 |         return;
000137 |
000138 |     Flush();
000139 |
000140 |     if (target)
000141 |         Send(target, EXPANSION_RPC_TARGETED, guaranteed, recipient);
000142 |     else
000143 |         Send(null, EXPANSION_RPC_UNTARGETED, guaranteed, recipient);
000144 | }
000145 |
000146 | /**
000147 |  * @brief create and return ExpansionScriptRPC instance
000148 |  *
000149 |  * @param rpcID Expansion RPC ID
000150 |  */
```



```
000151 |      * @return ExpansionScriptRPC instance
000152 |      */
000153 |      static ExpansionScriptRPC Create(int rpcID)
000154 |      {
000155 |          ExpansionScriptRPC rpc = new ExpansionScriptRPC();
000156 |          if (!rpcID)
000157 |              Error("Invalid Expansion RPC ID 0");
000158 |          else
000159 |              rpc.m_Expansion_RPCID = rpcID;
000160 |          rpc.Write(rpcID);
000161 |          return rpc;
000162 |      }
000163 | }
000164 |
```

0065. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionSHA256.c

Size bytes: 5829

SHA-256: 8371ef4c9516aab6195ce388094aea914c36385b32d76ba9a0f046f282b2d578

Decoded as: utf-8-sig

Line count shown: 250

Detected class declarations: 1

L26: class ExpansionSHA256

Detected enum declarations: 0

Detected function/method-like declarations: 9

L51: static bool Reset()

L65: protected static bool DoUnitTest()

L93: protected static void Process()

L151: protected static void IncrementTotalBitsBy(CF_Unicode amount)

L162: static void Update(string input, bool reset = true, bool finalize = true)

L185: static bool IsDirty()

L193: static void Finalize()

L221: static void Digest(out CF_Unicode digest[32])

L235: static string HexDigest()

Full file content

```

000001 | /**
000002 |  * ExpansionSHA256.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**
000014 |  * @brief SHA256 implementation in EnforceScript
000015 |  *
000016 |  * @code
000017 |  * // Example usage
000018 |  * string inputString = "Hello, EnforceScript!";
000019 |  * ExpansionSHA256.Update(inputString);
000020 |  * string hash = ExpansionSHA256.HexDigest();
000021 |  * ExpansionSHA256.Reset(); // Don't forget to reset for next use!
000022 |  * Print("Input: " + inputString);
000023 |  * Print("SHA-256: " + hash);
000024 |  * @endcode
000025 | */
000026 | class ExpansionSHA256
000027 | {
000028 |     protected static CF_Unicode s_K[64] = {
000029 |         0x428a2f98, 0x71374491, 0xb5c0fbcf, 0xe9b5dba5, 0x3956c25b, 0x59f111f1, 0x923f82a4, 0xab1c5ed5,
000030 |         0xd807aa98, 0x12835b01, 0x243185be, 0x550c7dc3, 0x72be5d74, 0x80deb1fe, 0x9bdc06a7, 0xc19bf174,
000031 |         0xe49b69c1, 0xefbe4786, 0x0fc19dc6, 0x240ca1cc, 0x2de92c6f, 0x4a7484aa, 0x5cb0a9dc, 0x76f988da,
000032 |         0x983e5152, 0xa831c66d, 0xb00327c8, 0xbf597fc7, 0xc6e00bf3, 0xd5a79147, 0x06ca6351, 0x14292967,
000033 |         0x27b70a85, 0x2e1b2138, 0x4d2c6dfe, 0x53380d13, 0x650a7354, 0x766a0abb, 0x81c2c92e, 0x92722c85,
000034 |         0xa2bfe8a1, 0xa81a664b, 0xc24b8b70, 0xc76c51a3, 0xd192e819, 0xd6990624, 0xf40e3585, 0x106aa070,
000035 |         0x19a4c116, 0x1e376c08, 0x27487774, 0x34b0bcb5, 0x391c0cb3, 0x4ed8aa4a, 0x5b9cca4f, 0x682e6fff,
000036 |         0x748f82ee, 0x78a5636f, 0x84c87814, 0x8cc70208, 0x90befffa, 0xa4506ceb, 0xbef9a3f7, 0xc67178f2
000037 |     };
000038 | };

```

```
000039 | protected static CF_Uint s_InitialHash[8] = {
000040 |     0x6a09e667, 0xbb67ae85, 0x3c6ef372, 0xa54ff53a, 0x510e527f, 0x9b05688c, 0x1f83d9ab, 0x5be0cd19
000041 | };
000042 |
000043 | protected static CF_Uint s_Hash[8];
000044 | protected static CF_Uint s_TotalBits[2];
000045 | protected static CF_Uint s_Buffer[64];
000046 | protected static int s_BufferIndex;
000047 |
000048 | protected static bool s_Reset = Reset();
000049 | protected static bool s_Test = DoUnitTest();
000050 |
000051 | static bool Reset()
000052 | {
000053 |     for (int i = 0; i < 8; i++)
000054 |     {
000055 |         s_Hash[i] = s_InitialHash[i];
000056 |     }
000057 |
000058 |     s_TotalBits[0] = 0;
000059 |     s_TotalBits[1] = 0;
000060 |     s_BufferIndex = 0;
000061 |
000062 |     return true;
000063 | }
000064 |
000065 | protected static bool DoUnitTest()
000066 | {
000067 |     Update("76561197968396131");
000068 |
000069 | #ifdef DIAG_DEVELOPER
000070 |     Print(HexDigest());
000071 | #endif
000072 |
000073 |     CF_Byte digest[32];
000074 |     Digest(digest);
000075 |
000076 |     Reset();
000077 |
000078 |     string id = PlayerIdentity.Expansion_EncodeDigest(digest);
000079 |
000080 | #ifdef DIAG_DEVELOPER
000081 |     Print(id);
000082 | #endif
000083 |
000084 |     if (id != "XoIwo96jCq0GY-Rs9_PlsZf1YHNQ-ey54aB08cuT0VY=")
000085 |     {
000086 |         Error("ExpansionSHA256 generated wrong hash!");
000087 |         return false;
000088 |     }
000089 |
000090 |     return true;
000091 | }
000092 |
000093 | protected static void Process()
000094 | {
000095 |     CF_Uint words[64];
000096 |     int i;
000097 |
000098 |     for (i = 0; i < 16; i++)
000099 |     {
000100 |         words[i] = (s_Buffer[i * 4] << 24) | (s_Buffer[i * 4 + 1] << 16) | (s_Buffer[i * 4 + 2] << 8) | s_Buffer[i * 4 + 3];
```

```
000101 |     }
000102 |
000103 |     CF_Uint s0;
000104 |     CF_Uint s1;
000105 |
000106 |     for (i = 16; i < 64; i++)
000107 |     {
000108 |         s0 = CF_Uint.SIG0(words[i - 15]);
000109 |         s1 = CF_Uint.SIG1(words[i - 2]);
000110 |         words[i] = words[i - 16].Add(s0).Add(words[i - 7]).Add(s1);
000111 |     }
000112 |
000113 |     CF_Uint a = s_Hash[0];
000114 |     CF_Uint b = s_Hash[1];
000115 |     CF_Uint c = s_Hash[2];
000116 |     CF_Uint d = s_Hash[3];
000117 |     CF_Uint e = s_Hash[4];
000118 |     CF_Uint f = s_Hash[5];
000119 |     CF_Uint g = s_Hash[6];
000120 |     CF_Uint h = s_Hash[7];
000121 |
000122 |     for (i = 0; i < 64; i++)
000123 |     {
000124 |         s1 = CF_Uint.EP1(e);
000125 |         CF_Uint ch = CF_Uint.CH(e, f, g);
000126 |         CF_Uint temp1 = h.Add(s1).Add(ch).Add(s_K[i]).Add(words[i]);
000127 |         s0 = CF_Uint.EP0(a);
000128 |         CF_Uint maj = CF_Uint.MAJ(a, b, c);
000129 |         CF_Uint temp2 = s0.Add(maj);
000130 |
000131 |         h = g;
000132 |         g = f;
000133 |         f = e;
000134 |         e = d.Add(temp1);
000135 |         d = c;
000136 |         c = b;
000137 |         b = a;
000138 |         a = temp1.Add(temp2);
000139 |     }
000140 |
000141 |     s_Hash[0] = s_Hash[0].Add(a);
000142 |     s_Hash[1] = s_Hash[1].Add(b);
000143 |     s_Hash[2] = s_Hash[2].Add(c);
000144 |     s_Hash[3] = s_Hash[3].Add(d);
000145 |     s_Hash[4] = s_Hash[4].Add(e);
000146 |     s_Hash[5] = s_Hash[5].Add(f);
000147 |     s_Hash[6] = s_Hash[6].Add(g);
000148 |     s_Hash[7] = s_Hash[7].Add(h);
000149 | }
000150 |
000151 | protected static void IncrementTotalBitsBy(CF_Uint amount)
000152 | {
000153 |     CF_Uint max = 0xffffffff;
000154 |     CF_Uint test = max - amount;
000155 |
000156 |     if (s_TotalBits[0].IsGt(test))
000157 |         s_TotalBits[1] = s_TotalBits[1] + 1;
000158 |
000159 |     s_TotalBits[0] = s_TotalBits[0].Add(amount);
000160 | }
000161 |
000162 | static void Update(string input, bool reset = true, bool finalize = true)
```

```
000163 | {
000164 | #ifdef EXTRACE
000165 |     auto trace = EXTrace.Start(EXTrace.PROFILING, ExpansionSHA256);
000166 | #endif
000167 |     if (reset && IsDirty())
000168 |         Reset();
000169 |
000170 |     for (int i = 0; i < input.Length(); i++)
000171 |     {
000172 |         s_Buffer[s_BufferIndex++] = input[i].ToAscii() & 255;
000173 |         if (s_BufferIndex == 64)
000174 |         {
000175 |             Process();
000176 |             IncrementTotalBitsBy(512);
000177 |             s_BufferIndex = 0;
000178 |         }
000179 |     }
000180 |
000181 |     if (finalize)
000182 |         Finalize();
000183 | }
000184 |
000185 | static bool IsDirty()
000186 | {
000187 |     if (s_BufferIndex || s_TotalBits)
000188 |         return true;
000189 |
000190 |     return false;
000191 | }
000192 |
000193 | static void Finalize()
000194 | {
000195 |     IncrementTotalBitsBy(s_BufferIndex * 8);
000196 |
000197 |     //! Pad the message
000198 |     s_Buffer[s_BufferIndex++] = 0x80;
000199 |     while (s_BufferIndex != 56)
000200 |     {
000201 |         if (s_BufferIndex == 64)
000202 |         {
000203 |             Process();
000204 |             s_BufferIndex = 0;
000205 |         }
000206 |         s_Buffer[s_BufferIndex++] = 0;
000207 |     }
000208 |
000209 |     //! Append the total bits at the end
000210 |     for (int i = 0, k = 63; i < 2; i++)
000211 |     {
000212 |         for (int j = 0; j < 4; j++)
000213 |         {
000214 |             s_Buffer[k--] = s_TotalBits[i].ShiftRight(j * 8) & 0xFF;
000215 |         }
000216 |     }
000217 |
000218 |     Process();
000219 | }
000220 |
000221 | static void Digest(out CF_Byte digest[32])
000222 | {
000223 |     int n;
000224 |     for (int i = 0; i < 8; i++)
```

```
000225 |     {
000226 |         for (int j = 0; j < 4; j++)
000227 |         {
000228 |             CF_Byte value = s_Hash[i].ShiftRight(24 - j * 8) & 0xFF;
000229 |             n = i * 4 + j;
000230 |             digest[n] = value;
000231 |         }
000232 |     }
000233 | }
000234 |
000235 | static string HexDigest()
000236 | {
000237 |     string result;
000238 |
000239 |     for (int i = 0; i < 8; i++)
000240 |     {
000241 |         for (int j = 0; j < 8; j++)
000242 |         {
000243 |             result += ExpansionStatic.BASE16[s_Hash[i].ShiftRight(28 - j * 4) & 0xF];
000244 |         }
000245 |     }
000246 |
000247 |     return result;
000248 | }
000249 | }
000250 |
```

0066. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionStatic.c
Size bytes: 80641
SHA-256: eb74fc1276fb382e784a69d827ef8e7a021c0a4030faae4f4cc2d45d0056d344
Decoded as: utf-8-sig
Line count shown: 2926
Detected class declarations: 5
  L33: class EXTee
  L139: class EXError
  L394: class EXTimeIt
  L425: class EXHitch: EXTimeIt
  L464: class ExpansionStatic: ExpansionStaticCore
Detected enum declarations: 3
  L134: enum EXErrorSeverity: ErrorExSeverity
  L450: enum ExpansionVectorToString
  L458: enum ExpansionFindFileMode
Detected function/method-like declarations: 80
  L13: static bool Expansion_Assert_False( bool check, string message )
  L24: static void Expansion_Error(string s, inout bool check = false)
  L44: void EXTee(string fileName, FileMode mode = FileMode.APPEND)
  L49: void ~EXTee()
  L57: bool CanWrite()
  L65: void WriteLine(string str, bool print = true)
  L126: void Flush()
  L145: static void Info(Class instance, string msg, TStringArray stack = null)
  L150: static void InfoTrace(Class instance, string msg, TStringArray stack = null)
  L155: static void Warn(Class instance, string msg, TStringArray stack = null)
  L160: static void Error(Class instance, string msg, TStringArray stack = null)
  L165: static bool ErrorFalse(Class instance, string msg, TStringArray stack = null)
  L171: static void InfoOnce(Class instance, string msg, TStringArray stack = null)
  L176: static void WarnOnce(Class instance, string msg, TStringArray stack = null)
  L181: static void ErrorOnce(Class instance, string msg, TStringArray stack = null)
  L186: static void LogOnce(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
  L198: static void Log(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
  L237: else if (line.IndexOf("Info()") > -1)
  L239: else if (line.IndexOf("Warn()") > -1)
  L241: else if (line.IndexOf("Error()") > -1)
  L243: else if (line.IndexOf("InfoOnce()") > -1)
  L245: else if (line.IndexOf("WarnOnce()") > -1)
  L247: else if (line.IndexOf("ErrorOnce()") > -1)
  L249: else if (line.IndexOf("InfoTrace()") > -1)
  L259: static void LogToFile(string fileName, Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERR
  L347: static void EXPrint( string s, string prefix = " [EXPANSION DEBUG]: " )
  L352: static void EXPrint( Class instance, string s, string prefix = " [EXPANSION DEBUG]: " )
  L360: static void EXLogPrint( string s )
  L365: static void EXLogPrint( Class instance, string s )
  L373: static void EXLogPrint( float s )
  L381: static void EXLogPrint( int s )
  L387: static void EXPrintHitch( string msgPrefix, float startTime, float threshold = 0.0125 )
  L398: void EXTimeIt()
  L403: void Start()
  L408: int GetElapsed()
  L410: return TickCount(m_Ticks);
  L413: float GetElapsedMS()
  L415: return TickCount(m_Ticks) * 0.0001;
  L418: void Log()
  L430: void EXHitch(string msgPrefix, int threshold = 125000)
  L436: void ~EXHitch()
  L442: override void Log()
```

```

L476: static SurfaceDetectionParameters CreateSurfaceDetectionParams()
L484: static string BitmaskEnumToString(typename e, int enumValue, string delim = "|")
L499: else if (enumValue != 0)
L527: static bool StringToEnumEx(typename e, string enumName, out int value)
L540: static bool HasEnumValue(typename e, int enumValue)
L561: static string FloatToString(float nmb)
L563: return FormatFloat(nmb, 6, false, false);
L578: static string FormatFloat(float number, int precision = 6, bool useLocale = true, bool formatInt = true, bool enableIncreasedAccuracy = false)
L590: return FormatInt(i, false, useLocale);
L631: else if (Math.AbsFloat(f) != floor)
L701: else if (useComponents)
L744: else if (isNegativeExp)
L759: static int GetPrecision(int n)
L764: return FloatToString(1.0 / n).Length() - 2;
L769: static string FloatFixedDecimals(float f, int decimals = 4)
L792: static float FloatNewPrecision(float n, float i)
L801: static TStringArray GetWorkingZombieClasses()
L854: static string GetInstanceID(Class instance)
L877: static string GetDebugInfo(Class instance, bool checkParent = true)
L958: static string GetHierarchyInfo(Class instance)
L992: static string DumpToString(InventoryLocation loc)
L1041: string GetDisplayNameRaw(Object obj)
L1048: else if (obj.IsMagazine())
L1064: static string GetItemDisplayNameWithType( string type_name, map<string, string> cache = NULL )
L1073: else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
L1078: else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
L1083: else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
L1109: static string GetItemDescriptionWithType( string type_name, map<string, string> cache = NULL )
L1118: else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
L1123: else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
L1128: else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
L1142: static string GetPreviewClassName(string className, bool ignoreBaseBuildingKits = false)
L1148: else if (!ignoreBaseBuildingKits && className.IndexOf("kit") == className.Length() - 3)
L1189: static bool CanObstruct(Object obj)
L1209: static TStringArray GetAnimationSources(string type, string source = "user")
L1230: static void GetAnimationSourcesEx(string path, notnull TStringArray animationSources, string source = "user")
L1245: static float GetBoundingRadius(string className)
L1248: return ClippingInfo(className, minMax);
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionStatic.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | static bool Expansion_Assert_False( bool check, string message )
000014 | {
000015 |     if ( check == false )
000016 |     {
000017 |         Error( message );
000018 |         return true;
000019 |     }
000020 | }

```



```
000021 |     return false;
000022 | }
000023 |
000024 | static void Expansion_Error(string s, inout bool check = false)
000025 | {
000026 |     if (!check)
000027 |     {
000028 |         check = true;
000029 |         Error(s);
000030 |     }
000031 | }
000032 |
000033 | class EXTee
000034 | {
000035 |     ///! Effective printable max length (not including " SCRIPT      : " prefix)
000036 |     ///! Under diag server the effective max length is 16365
000037 |     ///! but we use the client/nondiag server max length for consistency
000038 |     static const int MAX_PRINTABLE_TEXT_LENGTH = 239;
000039 |
000040 |     FileHandle m_File;
000041 |     autoptr TStringArray m_PrintBuffer = {};
000042 |     int m_BufferLength;
000043 |
000044 |     void EXTee(string fileName, FileMode mode = FileMode.APPEND)
000045 |     {
000046 |         m_File = OpenFile(fileName, mode);
000047 |     }
000048 |
000049 |     void ~EXTee()
000050 |     {
000051 |         if (m_BufferLength > 0)
000052 |             Flush();
000053 |         if (m_File)
000054 |             CloseFile(m_File);
000055 |     }
000056 |
000057 |     bool CanWrite()
000058 |     {
000059 |         if (m_File)
000060 |             return true;
000061 |
000062 |         return false;
000063 |     }
000064 |
000065 |     void WriteLine(string str, bool print = true)
000066 |     {
000067 |         if (m_File)
000068 |             FPrintln(m_File, str);
000069 |
000070 |         if (print)
000071 |         {
000072 |             int strLen = str.Length();
000073 |
000074 |             int bufferLength = m_BufferLength;
000075 |             if (bufferLength > 0)
000076 |             {
000077 |                 ///! @note \n gets expanded to \r\n when printing, we need to deal with this by temporarily adjusting buffer length
000078 |                 bufferLength += m_PrintBuffer.Count() * 2;
000079 |
000080 |                 if (bufferLength + strLen > MAX_PRINTABLE_TEXT_LENGTH)
000081 |                     Flush();
000082 |             }
```

```
000083 |
000084 |         while (strLen > MAX_PRINTABLE_TEXT_LENGTH)
000085 |         {
000086 |             string chunk = str.Substring(0, MAX_PRINTABLE_TEXT_LENGTH);
000087 |
000088 |             ///! Try to break on whitespace if possible
000089 |             int indexS = chunk.LastIndexOf(" ");
000090 |             int indexN = chunk.LastIndexOf("\n");
000091 |
000092 |             int index;
000093 |
000094 |             if (indexN > indexS)
000095 |                 index = indexN;
000096 |             else
000097 |                 index = indexS;
000098 |
000099 |             if (index > -1)
000100 |             {
000101 |                 index++;
000102 |
000103 |                 chunk = str.Substring(0, index);
000104 |             }
000105 |             else
000106 |             {
000107 |                 index = MAX_PRINTABLE_TEXT_LENGTH;
000108 |             }
000109 |
000110 |             Print("" + chunk);
000111 |
000112 |             strLen -= index;
000113 |
000114 |             ///! string::Substring has a hard length limit of 8191
000115 |             if (strLen > 8191)
000116 |                 strLen = 8191;
000117 |
000118 |             str = str.Substring(index, strLen);
000119 |         }
000120 |
000121 |         m_PrintBuffer.Insert(str);
000122 |         m_BufferLength += strLen;
000123 |     }
000124 | }
000125 |
000126 | void Flush()
000127 | {
000128 |     Print(ExpansionString.JoinStrings(m_PrintBuffer, "\n"));
000129 |     m_PrintBuffer.Clear();
000130 |     m_BufferLength = 0;
000131 | }
000132 | }
000133 |
000134 | enum EXErrorSeverity: ErrorExSeverity
000135 | {
000136 |     INFO_TRACE
000137 | }
000138 |
000139 | class EXError
000140 | {
000141 |     static ref CF_Date s_Start = CF_Date.Now();
000142 |     static ref map<ErrorExSeverity, string> s_BaseNames = new map<ErrorExSeverity, string>;
000143 |     static ref map<string, int> s_Suppressed = new map<string, int>;
000144 | }
```

```
000145 | static void Info(Class instance, string msg, TStringArray stack = null)
000146 | {
000147 |     Log(instance, msg, stack, ErrorExSeverity.INFO);
000148 | }
000149 |
000150 | static void InfoTrace(Class instance, string msg, TStringArray stack = null)
000151 | {
000152 |     Log(instance, msg, stack, EXErrorSeverity.INFO_TRACE);
000153 | }
000154 |
000155 | static void Warn(Class instance, string msg, TStringArray stack = null)
000156 | {
000157 |     Log(instance, msg, stack, ErrorExSeverity.WARNING);
000158 | }
000159 |
000160 | static void Error(Class instance, string msg, TStringArray stack = null)
000161 | {
000162 |     Log(instance, msg, stack, ErrorExSeverity.ERROR);
000163 | }
000164 |
000165 | static bool ErrorFalse(Class instance, string msg, TStringArray stack = null)
000166 | {
000167 |     EXError.Error(instance, msg, stack);
000168 |     return false;
000169 | }
000170 |
000171 | static void InfoOnce(Class instance, string msg, TStringArray stack = null)
000172 | {
000173 |     LogOnce(instance, msg, stack, ErrorExSeverity.INFO);
000174 | }
000175 |
000176 | static void WarnOnce(Class instance, string msg, TStringArray stack = null)
000177 | {
000178 |     LogOnce(instance, msg, stack, ErrorExSeverity.WARNING);
000179 | }
000180 |
000181 | static void ErrorOnce(Class instance, string msg, TStringArray stack = null)
000182 | {
000183 |     LogOnce(instance, msg, stack, ErrorExSeverity.ERROR);
000184 | }
000185 |
000186 | static void LogOnce(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
000187 | {
000188 |     int count;
000189 |
000190 |     if (!s_Suppressed.Find(msg, count))
000191 |         Log(instance, msg, stack, severity);
000192 |     else
000193 |         count++;
000194 |
000195 |     s_Suppressed[msg] = count;
000196 | }
000197 |
000198 | static void Log(Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
000199 | {
000200 |     string baseName;
000201 |
000202 |     if (!s_BaseNames)
000203 |         s_BaseNames = new map<ErrorExSeverity, string>;
000204 |
000205 |     int key;
000206 |     if (severity == EXErrorSeverity.INFO_TRACE)
```

```
000207 |         key = ErrorExSeverity.INFO;
000208 |     else
000209 |         key = severity;
000210 |
000211 |     if (!s_BaseNames.Find(key, baseName))
000212 |     {
000213 |         string prefix = typename.EnumToString(ErrorExSeverity, key);
000214 |         prefix.ToLower();
000215 |
000216 |         if (!s_Start)
000217 |             s_Start = CF_Date.Now();
000218 |
000219 |         baseName = string.Format("%1_%2.log", prefix, s_Start.GetISODateTime("_", "-"));
000220 |         s_BaseNames[key] = baseName;
000221 |     }
000222 |
000223 |     TStringArray filtered;
000224 |     if (!stack)
000225 |     {
000226 |         string tmp;
000227 |         DumpStackString(tmp);
000228 |         TStringArray lines = {};
000229 |         tmp.Split("\n", lines);
000230 |
000231 |         filtered = {};
000232 |         bool insert;
000233 |         foreach (string line: lines)
000234 |         {
000235 |             if (insert)
000236 |                 filtered.Insert(line);
000237 |             else if (line.IndexOf("Info()") > -1)
000238 |                 insert = true;
000239 |             else if (line.IndexOf("Warn()") > -1)
000240 |                 insert = true;
000241 |             else if (line.IndexOf("Error()") > -1)
000242 |                 insert = true;
000243 |             else if (line.IndexOf("InfoOnce()") > -1)
000244 |                 insert = true;
000245 |             else if (line.IndexOf("WarnOnce()") > -1)
000246 |                 insert = true;
000247 |             else if (line.IndexOf("ErrorOnce()") > -1)
000248 |                 insert = true;
000249 |             else if (line.IndexOf("InfoTrace()") > -1)
000250 |                 insert = true;
000251 |         }
000252 |
000253 |         stack = filtered;
000254 |     }
000255 |
000256 |     LogToFile("$profile:" + baseName, instance, msg, stack, severity);
000257 | }
000258 |
000259 | static void LogToFile(string fileName, Class instance, string msg, TStringArray stack = null, ErrorExSeverity severity = ErrorExSeverity.ERROR)
000260 | {
000261 |     //! Format like ErrorEx but with timestamps including ms
000262 |
000263 |     EXTee tee;
000264 |
000265 |     if (FileExist(fileName))
000266 |     {
000267 |         tee = new EXTee(fileName, FileMode.APPEND);
000268 |     }
```

```
000269 |     else
000270 |     {
000271 |         int key;
000272 |         if (severity == EXErrorSeverity.INFO_TRACE)
000273 |             key = ErrorExSeverity.INFO;
000274 |         else
000275 |             key = severity;
000276 |
000277 |         tee = new EXTee(fileName, FileMode.WRITE);
000278 |
000279 |         tee.WriteLine("-----", false);
000280 |         tee.WriteLine(string.Format("Log %1 started at %2", s_BaseNames[key], ExpansionStatic.GetISODateTime(false, " ")), false);
000281 |         tee.WriteLine("", false);
000282 |     }
000283 |
000284 |     string callerInfo;
000285 |
000286 |     if (instance)
000287 |     {
000288 |         callerInfo += "[" + instance.ToString();
000289 |
000290 |         if (stack.Count())
000291 |             callerInfo += ":@" + stack[0].Substring(0, stack[0].IndexOf("("));
000292 |
000293 |         callerInfo += "]" :: " ";
000294 |     }
000295 |
000296 |     string tag;
000297 |     if (severity == EXErrorSeverity.INFO_TRACE)
000298 |         tag = "INFO";
000299 |     else
000300 |         tag = typename.EnumToString(ErrorExSeverity, severity);
000301 |
000302 |     msg = string.Format("%1 %2[%3] :: %4", ExpansionStatic.GetISOTime(), callerInfo, tag, msg);
000303 |
000304 |     switch (severity)
000305 |     {
000306 |         case ErrorExSeverity.INFO:
000307 |             tee.WriteLine(msg);
000308 |             return;
000309 |     }
000310 |
000311 |     tee.WriteLine("", false);
000312 |     tee.WriteLine("", false);
000313 |     tee.WriteLine("-----", false);
000314 |     tee.WriteLine(string.Format("%1, %2", GetMachineName(), ExpansionStatic.GetISODate()), false);
000315 |
000316 |     tee.WriteLine(msg);
000317 |
000318 |     if (instance)
000319 |     {
000320 |         tee.WriteLine(string.Format("Class:      '%1'", instance.ClassName()));
000321 |         IEntity entity;
000322 |         if (Class.CastTo(entity, instance))
000323 |             tee.WriteLine(string.Format("Entity id:%1", entity.GetID()));
000324 |     }
000325 |
000326 |     if (stack.Count())
000327 |     {
000328 |         tee.WriteLine(string.Format("Function: '%1'", stack[0].Substring(0, stack[0].IndexOf("("))));
000329 |
000330 |         tee.WriteLine("Stack trace:");
```

```
000331 |
000332 |         bool print = true;
000333 |         foreach (string line: stack)
000334 |         {
000335 |             line.Replace(" : ", ":");
000336 |             int index = line.IndexOf("(") + 2;
000337 |             tee.WriteLine(line.Substring(index, line.Length() - index), print);
000338 |             print = false;
000339 |         }
000340 |     }
000341 | }
000342 | }
000343 |
000344 | // -----
000345 | // Expansion EXPrint
000346 | // -----
000347 | static void EXPrint( string s, string prefix = " [EXPANSION DEBUG]: " )
000348 | {
000349 |     PrintFormat("%1%2%3", ExpansionStatic.GetISOTime(), prefix, s );
000350 | }
000351 |
000352 | static void EXPrint( Class instance, string s, string prefix = " [EXPANSION DEBUG]: " )
000353 | {
000354 |     PrintFormat("%1%2%3 %4", ExpansionStatic.GetISOTime(), prefix, instance.ToString(), s );
000355 | }
000356 |
000357 | // -----
000358 | // Expansion EXLogPrint
000359 | // -----
000360 | static void EXLogPrint( string s )
000361 | {
000362 |     PrintFormat("%1%2%3", ExpansionStatic.GetISOTime(), " [EXPANSION LOG]: ", s );
000363 | }
000364 |
000365 | static void EXLogPrint( Class instance, string s )
000366 | {
000367 |     PrintFormat("%1%2%3 %4", ExpansionStatic.GetISOTime(), " [EXPANSION LOG]: ", instance.ToString(), s );
000368 | }
000369 |
000370 | // -----
000371 | // Expansion EXLogPrint
000372 | // -----
000373 | static void EXLogPrint( float s )
000374 | {
000375 |     EXLogPrint( s.ToString() );
000376 | }
000377 |
000378 | // -----
000379 | // Expansion EXLogPrint
000380 | // -----
000381 | static void EXLogPrint( int s )
000382 | {
000383 |     EXLogPrint( s.ToString() );
000384 | }
000385 |
000386 | //! Prints a hitch warning if elapsed time since startTime is above threshold (DEPRECATED, use EXHitch)
000387 | static void EXPrintHitch( string msgPrefix, float startTime, float threshold = 0.0125 )
000388 | {
000389 |     float elapsedTime = g_Game.GetTickTime() - startTime;
000390 |     if (elapsedTime > threshold)
000391 |         EXPrint(msgPrefix + "HITCH: " + (elapsedTime * 1000) + "ms");
000392 | }
```

```
000393 |
000394 | class EXTimeIt
000395 | {
000396 |     protected int m_Ticks;
000397 |
000398 |     void EXTimeIt()
000399 |     {
000400 |         Start();
000401 |     }
000402 |
000403 |     void Start()
000404 |     {
000405 |         m_Ticks = TickCount(0);
000406 |     }
000407 |
000408 |     int GetElapsed()
000409 |     {
000410 |         return TickCount(m_Ticks);
000411 |     }
000412 |
000413 |     float GetElapsedMS()
000414 |     {
000415 |         return TickCount(m_Ticks) * 0.0001;
000416 |     }
000417 |
000418 |     void Log()
000419 |     {
000420 |         int elapsed = TickCount(m_Ticks);
000421 |         PrintFormat("%1 elapsed: %2ms", ExpansionStatic.GetISOTime(), (elapsed / 10000.0).ToString());
000422 |     }
000423 | }
000424 |
000425 | class EXHitch: EXTimeIt
000426 | {
000427 |     protected int m_Threshold;
000428 |     protected string m_MsgPrefix;
000429 |
000430 |     void EXHitch(string msgPrefix, int threshold = 125000)
000431 |     {
000432 |         m_Threshold = threshold;
000433 |         m_MsgPrefix = msgPrefix;
000434 |     }
000435 |
000436 |     void ~EXHitch()
000437 |     {
000438 |         if (g_Game)
000439 |             Log();
000440 |     }
000441 |
000442 |     override void Log()
000443 |     {
000444 |         int elapsed = TickCount(m_Ticks);
000445 |         if (elapsed > m_Threshold)
000446 |             PrintFormat("%1 %2HITCH: %3ms", ExpansionStatic.GetISOTime(), m_MsgPrefix, (elapsed / 10000.0).ToString());
000447 |     }
000448 | }
000449 |
000450 | enum ExpansionVectorToString
000451 | {
000452 |     Plain,
000453 |     Beautify,
000454 |     Labels
```

```
000455 | }
000456 |
000457 | /// Bitmask
000458 | enum ExpansionFindFileMode
000459 | {
000460 |     FILES = 1,
000461 |     DIRECTORIES = 2
000462 | }
000463 |
000464 | class ExpansionStatic: ExpansionStaticCore
000465 | {
000466 |     static const string BASE16 = "0123456789ABCDEF";
000467 |     static const typename NULLTYPE;
000468 |     static const string DIRSEPARATOR = "\\";
000469 |     static const string DIRSEPARATOR_ALT = "/";
000470 |
000471 |     static ref TStringArray s_VehicleClassNames = {"CarScript", "BoatScript", "ExpansionVehicleBase", "HypeTrain_PartBase"};
000472 |
000473 |     static ref SurfaceDetectionParameters s_SurfParams = CreateSurfaceDetectionParams();
000474 |     static ref SurfaceDetectionResult s_SurfResult = new SurfaceDetectionResult();
000475 |
000476 |     static SurfaceDetectionParameters CreateSurfaceDetectionParams()
000477 |     {
000478 |         auto surfParams = new SurfaceDetectionParameters();
000479 |         surfParams.type = SurfaceDetectionType.Roadway;
000480 |         surfParams.syncMode = UseObjectsMode.NoWait;
000481 |         return surfParams;
000482 |     }
000483 |
000484 |     static string BitmaskEnumToString(typename e, int enumValue, string delim = "|")
000485 |     {
000486 |         int cnt = e.GetVariableCount();
000487 |         int val;
000488 |
000489 |         string ret;
000490 |         for (int i = 0; i < cnt; i++)
000491 |         {
000492 |             if (e.GetVariableType(i) == int && e.GetVariableValue(null, i, val))
000493 |             {
000494 |                 if (val != 0)
000495 |                 {
000496 |                     if ((enumValue & val) != val)
000497 |                         continue;
000498 |                 }
000499 |                 else if (enumValue != 0)
000500 |                 {
000501 |                     continue;
000502 |                 }
000503 |
000504 |                 if (ret.Length() > 0)
000505 |                     ret += delim;
000506 |                 ret += e.GetVariableName(i);
000507 |             }
000508 |         }
000509 |
000510 |         if (ret.Length() > 0)
000511 |             return ret;
000512 |
000513 |         return "unknown";
000514 |     }
000515 |
000516 | /**
```



```

000517 | * @brief Set value to enum value if it exists
000518 | *
000519 | * @param e typename/enum
000520 | * @param enumName name
000521 | * @param [out] value (if found)
000522 | *
000523 | * @return true if found, false if not
000524 | *
000525 | * @note use this instead of typename.ToStringToEnum if you need to know if value exists or not
000526 | */
000527 | static bool StringToEnumEx(typename e, string enumName, out int value)
000528 | {
000529 |     int count = e.GetVariableCount();
000530 |
000531 |     for (int i = 0; i < count; i++)
000532 |     {
000533 |         if (e.GetVariableType(i) == int && e.GetVariableName(i) == enumName && e.GetVariableValue(null, i, value))
000534 |             return true;
000535 |     }
000536 |
000537 |     return false;
000538 | }
000539 |
000540 | static bool HasEnumValue(typename e, int enumValue)
000541 | {
000542 |     int cnt = e.GetVariableCount();
000543 |     int val;
000544 |
000545 |     for (int i = 0; i < cnt; i++)
000546 |     {
000547 |         if (e.GetVariableType(i) == int && e.GetVariableValue(null, i, val) && val == enumValue)
000548 |             return true;
000549 |     }
000550 |
000551 |     return false;
000552 | }
000553 |
000554 | /**
000555 | * @brief Float to string conversion
000556 | *
000557 | * @param nmb Float number
000558 | *
000559 | * @note unlike float::ToString(), returns non-scientific notation for any number
000560 | */
000561 | static string FloatToString(float nmb)
000562 | {
000563 |     return FormatFloat(nmb, 6, false, false);
000564 | }
000565 |
000566 | /**
000567 | * @brief Format float number as string with given precision
000568 | *
000569 | * @param nmb Float number
000570 | * @param precision Decimal places after decimal separator
000571 | * @param useLocale Use localized decimal/thousands separator
000572 | * @param formatInt Format integer part of number (using localized or SI thousands separator)
000573 | * @param enableIncreasedAccuracy Gain 1-3 additional digits of precision before and after the decimal point,
000574 | *     but at roughly 50% performance cost (avg)
000575 | *
000576 | * @note unlike float::ToString(), returns non-scientific notation for any number
000577 | */
000578 | static string FormatFloat(float number, int precision = 6, bool useLocale = true, bool formatInt = true, bool enableIncreasedAccuracy = false)

```

```
000579 | {
000580 |     int i;
000581 |
000582 |     if (number > (float) int.MIN && number < (float) int.MAX)
000583 |         i = number;
000584 |
000585 |     float f = i;
000586 |
000587 |     if (number == f)
000588 |     {
000589 |         if (formatInt)
000590 |             return FormatInt(i, false, useLocale);
000591 |         else
000592 |             return i.ToString();
000593 |     }
000594 |
000595 |     /*
000596 |     ///! XXX: It's easier and should be sufficient to just not do rounding at all and always truncate
000597 |     ///! Leaving this here just in case I change my mind
000598 |     if (precision > 0)
000599 |     {
000600 |         float m = Math.Pow(10, precision);
000601 |         if (Math.AbsFloat(number) <= float.MAX / m)
000602 |             number = Math.Round(number * m) / m;
000603 |     }
000604 |     */
000605 |
000606 |     float abs = Math.AbsFloat(number);
000607 |     //float floor = Math.Floor(abs); ///! It's broken, e.g. float.MAX gets turned into 1.70141e+38, half of what it should be
000608 |     float floor = -Math.Ceil(-abs); ///! Gives correct floor
000609 |     float frac = abs - floor;
000610 |
000611 |     string tmp = abs.ToString();
000612 |     string real;
000613 |     string zeros;
000614 |
000615 |     bool isNegativeExp;
000616 |     bool useComponents;
000617 |
000618 |     int count;
000619 |     int digit;
000620 |
000621 |     string str;
000622 |
000623 |     int expIdx = tmp.IndexOf("e");
000624 |
000625 |     if (expIdx > -1)
000626 |     {
000627 |         int exp = tmp.Substring(expIdx + 1, tmp.Length() - expIdx - 1).ToInt();
000628 |
000629 |         if (exp < 0)
000630 |             isNegativeExp = true;
000631 |         else if (Math.AbsFloat(f) != floor)
000632 |             useComponents = true;
000633 |
000634 |         if (isNegativeExp || useComponents)
000635 |         {
000636 |             count = Math.AbsInt(exp);
000637 |
000638 |             if (enableIncreasedAccuracy)
000639 |             {
000640 |                 if (useComponents)
```

```
000641 |         {
000642 |             while (floor >= 1.0)
000643 |             {
000644 |                 float fdigit = ExpansionMath.FMod(floor, 10.0);
000645 |                 digit = fdigit;
000646 |                 if (digit < 0)
000647 |                     digit = 0;
000648 |                 //PrintFormat("DIGIT %1 %2", fdigit, digit);
000649 |                 real = digit.ToString() + real;
000650 |                 floor = (floor - digit) / 10.0;
000651 |             }
000652 |
000653 |             if (real.Length() > ++count)
000654 |                 real = real.Substring(0, count);
000655 |         }
000656 |     else
000657 |     {
000658 |         count += tmp.Substring(0, expIdx).Length() - 1;
000659 |
000660 |         if (precision > count)
000661 |             precision = count;
000662 |     }
000663 | }
000664 | else
000665 | {
000666 |     int decimalLen;
000667 |
000668 |     if (expIdx >= 3)
000669 |     {
000670 |         //! coefficient has decimal point, e.g. 1.2e-05
000671 |         decimalLen = expIdx - 2;
000672 |         real = tmp.Substring(0, 1) + tmp.Substring(2, decimalLen);
000673 |     }
000674 |     else
000675 |     {
000676 |         //! coefficient has no decimal point, e.g. 1e-05
000677 |         decimalLen = 1;
000678 |         real = tmp.Substring(0, expIdx);
000679 |     }
000680 |
000681 |     if (isNegativeExp)
000682 |         count--;
000683 |     else
000684 |         count -= decimalLen;
000685 |
000686 |     while (count-- > 0)
000687 |     {
000688 |         zeros += "0";
000689 |     }
000690 | }
000691 |
000692 | if (number < 0)
000693 |     str = "-";
000694 | }
000695 | }
000696 |
000697 | if (isNegativeExp)
000698 | {
000699 |     str += "0";
000700 | }
000701 | else if (useComponents)
000702 | {
```

```
000703 |         if (formatInt)
000704 |             str += FormatIntStr(real + zeros, useLocale);
000705 |         else
000706 |             str += real + zeros;
000707 |     }
000708 |     else
000709 |     {
000710 |         if (number < 0 && i >= 0)
000711 |             str = "-.";
000712 |
000713 |         if (formatInt)
000714 |             str += FormatInt(i, false, useLocale);
000715 |         else
000716 |             str += i.ToString();
000717 |     }
000718 |
000719 |     if (frac)
000720 |     {
000721 |         if (useLocale)
000722 |             str += Widget.TranslateString("#STR_EXPANSION_NUMBER_SEPARATOR_DECIMAL");
000723 |         else
000724 |             str += ".";
000725 |
000726 |         if (enableIncreasedAccuracy)
000727 |         {
000728 |             if (!isNegativeExp)
000729 |             {
000730 |                 count = frac.ToString().Length() - 1;
000731 |
000732 |                 if (precision > count)
000733 |                     precision = count;
000734 |             }
000735 |
000736 |             while (precision-- > 0)
000737 |             {
000738 |                 frac *= 10;
000739 |                 digit = frac;
000740 |                 str += digit.ToString();
000741 |                 frac -= digit;
000742 |             }
000743 |         }
000744 |         else if (isNegativeExp)
000745 |         {
000746 |             tmp = zeros + real;
000747 |             str += tmp.Substring(0, Math.Min(tmp.Length(), precision));
000748 |         }
000749 |         else
000750 |         {
000751 |             tmp = frac.ToString(false);
000752 |             str += tmp.Substring(2, Math.Min(tmp.Length() - 2, precision));
000753 |         }
000754 |     }
000755 |
000756 |     return str;
000757 | }
000758 |
000759 | static int GetPrecision(int n)
000760 | {
000761 |     n = Math.AbsInt(n);
000762 |
000763 |     if (n)
000764 |         return FloatToString(1.0 / n).Length() - 2;
```

```
000765 |
000766 |     return 0;
000767 | }
000768 |
000769 | static string FloatFixedDecimals(float f, int decimals = 4)
000770 | {
000771 |     string str = f.ToString();
000772 |     int i = str.IndexOf(".");
000773 |
000774 |     if (i > -1)
000775 |     {
000776 |         while (str.Length() - i < decimals + 1)
000777 |         {
000778 |             str += "0";
000779 |         }
000780 |
000781 |         int len = str.Length() - i - 1;
000782 |         if (len > decimals)
000783 |             str = str.Substring(0, i + decimals + 1);
000784 |     }
000785 |
000786 |     return str;
000787 | }
000788 |
000789 | // -----
000790 | // Expansion Float FloatNewPrecision
000791 | // -----
000792 | static float FloatNewPrecision(float n, float i)
000793 | {
000794 |     float m = Math.Pow(10, i);
000795 |     return Math.Floor(m * n) / m;
000796 | }
000797 |
000798 | // -----
000799 | // Expansion TStringArray GetWorkingZombieClasses
000800 | // -----
000801 | static TStringArray GetWorkingZombieClasses()
000802 | {
000803 |     return { "ZmbM_HermitSkinny_Beige", "ZmbM_HermitSkinny_Black", "ZmbM_HermitSkinny_Green",
000804 |             "ZmbM_HermitSkinny_Red", "ZmbM_FarmerFat_Beige", "ZmbM_FarmerFat_Blue", "ZmbM_FarmerFat_Brown",
000805 |             "ZmbM_FarmerFat_Green", "ZmbF_CitizenANormal_Beige", "ZmbF_CitizenANormal_Brown",
000806 |             "ZmbF_CitizenANormal_Blue", "ZmbM_CitizenASkinny_Blue", "ZmbM_CitizenASkinny_Brown",
000807 |             "ZmbM_CitizenASkinny_Grey", "ZmbM_CitizenASkinny_Red", "ZmbM_CitizenBFat_Blue", "ZmbM_CitizenBFat_Red",
000808 |             "ZmbM_CitizenBFat_Green", "ZmbF_CitizenBSkinny", "ZmbM_PrisonerSkinny",
000809 |             "ZmbM_FirefighterNormal", "ZmbM_FishermanOld_Blue", "ZmbM_FishermanOld_Green",
000810 |             "ZmbM_FishermanOld_Grey", "ZmbM_FishermanOld_Red", "ZmbM_JournalistSkinny",
000811 |             "ZmbF_JournalistNormal_Blue", "ZmbF_JournalistNormal_Green", "ZmbF_JournalistNormal_Red", "ZmbF_JournalistNormal_White",
000812 |             "ZmbM_ParamedicNormal_Blue", "ZmbM_ParamedicNormal_Green", "ZmbM_ParamedicNormal_Red",
000813 |             "ZmbM_ParamedicNormal_Black", "ZmbF_ParamedicNormal_Blue", "ZmbF_ParamedicNormal_Green",
000814 |             "ZmbF_ParamedicNormal_Red", "ZmbM_HikerSkinny_Blue", "ZmbM_HikerSkinny_Green", "ZmbM_HikerSkinny_Yellow",
000815 |             "ZmbF_HikerSkinny_Blue", "ZmbF_HikerSkinny_Grey", "ZmbF_HikerSkinny_Green", "ZmbF_HikerSkinny_Red",
000816 |             "ZmbM_HunterOld_Autumn", "ZmbM_HunterOld_Spring", "ZmbM_HunterOld_Summer", "ZmbM_HunterOld_Winter",
000817 |             "ZmbF_SurvivorNormal_Blue", "ZmbF_SurvivorNormal_Orange", "ZmbF_SurvivorNormal_Red",
000818 |             "ZmbF_SurvivorNormal_White",
000819 |             "ZmbM_PolicemanFat", "ZmbF_PoliceWomanNormal",
000820 |             "ZmbM_PolicemanSpecForce", "ZmbM_SoldierNormal",
000821 |             "ZmbM_usSoldier_normal_Woodland", "ZmbM_usSoldier_normal_Desert", "ZmbM_CommercialPilotOld_Blue",
000822 |             "ZmbM_CommercialPilotOld_Olive", "ZmbM_CommercialPilotOld_Brown", "ZmbM_CommercialPilotOld_Grey",
000823 |             "ZmbM_PatrolNormal_PautRev", "ZmbM_PatrolNormal_Autumn", "ZmbM_PatrolNormal_Flat", "ZmbM_PatrolNormal_Summer",
000824 |             "ZmbM_JoggerSkinny_Blue", "ZmbM_JoggerSkinny_Green", "ZmbM_JoggerSkinny_Red", "ZmbF_JoggerSkinny_Blue",
000825 |             "ZmbF_JoggerSkinny_Brown", "ZmbF_JoggerSkinny_Green", "ZmbF_JoggerSkinny_Red", "ZmbM_MotobikerFat_Beige",
000826 |             "ZmbM_MotobikerFat_Black", "ZmbM_MotobikerFat_Blue", "ZmbM_VillagerOld_Blue", "ZmbM_VillagerOld_Green",
```

```

000827 |         "ZmbM_VillagerOld_White", "ZmbM_SkaterYoung_Blue", "ZmbM_SkaterYoung_Brown", "ZmbM_SkaterYoung_Green",
000828 |         "ZmbM_SkaterYoung_Grey", "ZmbF_SkaterYoung_Brown", "ZmbF_SkaterYoung_Striped", "ZmbF_SkaterYoung_Violet",
000829 |         "ZmbF_DoctorSkinny", "ZmbF_BlueCollarFat_Blue", "ZmbF_BlueCollarFat_Green",
000830 |         "ZmbF_BlueCollarFat_Red", "ZmbF_BlueCollarFat_White", "ZmbF_MechanicNormal_Beige", "ZmbF_MechanicNormal_Green",
000831 |         "ZmbF_MechanicNormal_Grey", "ZmbF_MechanicNormal_Orange", "ZmbM_MechanicSkinny_Blue", "ZmbM_MechanicSkinny_Grey",
000832 |         "ZmbM_MechanicSkinny_Green", "ZmbM_MechanicSkinny_Red", "ZmbM_ConstrWorkerNormal_Beige",
000833 |         "ZmbM_ConstrWorkerNormal_Black", "ZmbM_ConstrWorkerNormal_Green", "ZmbM_ConstrWorkerNormal_Grey",
000834 |         "ZmbM_HeavyIndustryWorker", "ZmbM_OffshoreWorker_Green", "ZmbM_OffshoreWorker_Orange", "ZmbM_OffshoreWorker_Red",
000835 |         "ZmbM_OffshoreWorker_Yellow", "ZmbF_NurseFat", "ZmbM_HandymanNormal_Beige",
000836 |         "ZmbM_HandymanNormal_Blue", "ZmbM_HandymanNormal_Green", "ZmbM_HandymanNormal_Grey", "ZmbM_HandymanNormal_White",
000837 |         "ZmbM_DoctorFat", "ZmbM_Jacket_beige", "ZmbM_Jacket_black", "ZmbM_Jacket_blue", "ZmbM_Jacket_bluechecks",
000838 |         "ZmbM_Jacket_brown", "ZmbM_Jacket_greenchecks", "ZmbM_Jacket_grey", "ZmbM_Jacket_khaki", "ZmbM_Jacket_magenta", "ZmbM_Jacket_stripes",
000839 |         "ZmbF_PatientOld", "ZmbM_PatientSkinny", "ZmbF_ShortSkirt_beige",
000840 |         "ZmbF_ShortSkirt_black", "ZmbF_ShortSkirt_brown", "ZmbF_ShortSkirt_green", "ZmbF_ShortSkirt_grey", "ZmbF_ShortSkirt_checks",
000841 |         "ZmbF_ShortSkirt_red", "ZmbF_ShortSkirt_stripes", "ZmbF_ShortSkirt_white", "ZmbF_ShortSkirt_yellow",
000842 |         "ZmbF_VillagerOld_Blue", "ZmbF_VillagerOld_Green", "ZmbF_VillagerOld_Red", "ZmbF_VillagerOld_White",
000843 |         "ZmbF_MilkMaidOld_Beige", "ZmbF_MilkMaidOld_Black", "ZmbF_MilkMaidOld_Green", "ZmbF_MilkMaidOld_Grey",
000844 |         "ZmbM_priestPopSkinny", "ZmbM_ClerkFat_Brown", "ZmbM_ClerkFat_Grey", "ZmbM_ClerkFat_Khaki", "ZmbM_ClerkFat_White",
000845 |         "ZmbF_Clerk_Normal_Blue", "ZmbF_Clerk_Normal_White", "ZmbF_Clerk_Normal_Green", "ZmbF_Clerk_Normal_Red",
000846 |         "ZmbM_NBC_Grey", "ZmbM_NBC_Yellow", "ZmbM_PolicemanSpecForce_Heavy", "ZmbM_Santa", "ZmbM_usSoldier_Heavy_Woodland",
000847 |         "ZmbM_usSoldier_Officer_Desert" };
000848 |     }
000849 |
000850 | /**
000851 |  * @brief get the hex part of an instance's representational string,
000852 |  * e.g. if instance repr string is "SomeObject<4461795a>", returns "4461795a"
000853 |  */
000854 | static string GetInstanceID(Class instance)
000855 | {
000856 |     string repr = instance.ToString();
000857 |     int start = repr.LastIndexOf("<") + 1;
000858 |     int len = repr.LastIndexOf(">") - start;
000859 |     return repr.Substring(start, len);
000860 | }
000861 |
000862 | /**
000863 |  * @brief Get instance dbg info as string (null-safe if instance is managed)
000864 |  *
000865 |  * @param instance
000866 |  * @param checkParent When determining if inventory locked, don't check parent if set to false
000867 |  *
000868 |  * @return instance dbg name + instance id, followed by indicators for pending deletion and inventory locked (if applicable)
000869 |  *
000870 |  * @code
000871 |  *     string info = ExpansionStatic.GetEntityDebugInfo(g_Game.GetPlayer());
000872 |  *     Print(info);
000873 |  *
000874 |  *     >> info = 'PlayerBase:1:INSTANCETYPE_CLIENT<59d0b5f5>'
000875 |  * @endcode
000876 |  */
000877 | static string GetDebugInfo(Class instance, bool checkParent = true)
000878 | {
000879 |     if (!instance)
000880 |         return "null";
000881 |
000882 |     string dbgName = instance.GetDebugName();
000883 |     string dbgInfo;
000884 |
000885 |     Object obj;
000886 |     if (Class.CastTo(obj, instance))
000887 |     {
000888 |         string cls = obj.ClassName();

```

```
000889 |         string type = obj.GetType();
000890 |
000891 |         if (type)
000892 |         {
000893 |             //! Check if cls inherits from type (normally, it's the other way around), and if so, override type with cls
000894 |             if (Is(cls, type))
000895 |                 type = cls;
000896 |
000897 |             int i = dbgName.IndexOf(":");
000898 |             if (i > -1)
000899 |                 dbgName = type + dbgName.Substring(i, dbgName.Length() - i);
000900 |         }
000901 |
000902 |         dbgInfo = string.Format("%1<%2>", dbgName, GetInstanceID(instance));
000903 |
000904 |         if (obj.IsDamageDestroyed())
000905 |             dbgInfo += "[DEAD]";
000906 |
000907 |         //! Is object marked to be deleted soon?
000908 |         if (obj.ToDelete())
000909 |             dbgInfo += "[TO_DELETE]";
000910 |
000911 |         //! Is object in process of being deleted?
000912 |         if (obj.IsPendingDeletion())
000913 |             dbgInfo += "[PENDING_DELETION]";
000914 |     }
000915 |     else
000916 |     {
000917 |         dbgInfo = string.Format("%1<%2>", dbgName, GetInstanceID(instance));
000918 |     }
000919 |
000920 |     EntityAI entity;
000921 |     if (Class.CastTo(entity, instance))
000922 |     {
000923 |         //! Has EntityAI::SetPrepareToDelete been called?
000924 |         if (entity.IsPreparedToDelete())
000925 |             dbgInfo += "[PREPARED_TO_DELETE]";
000926 |
000927 |         //! Has EntityAI::Delete or EntityAI::EEDelete been called?
000928 |         if (entity.m_PendingDelete)
000929 |             dbgInfo += "[PENDING_DELETE]";
000930 |
000931 |         int lockType;
000932 |         EntityAI lockedEntity;
000933 |         if (IsInventoryLocked(entity, lockType, lockedEntity, checkParent))
000934 |         {
000935 |             string lockTypeInfo;
000936 |
000937 |             switch (lockType)
000938 |             {
000939 |                 case LOCK_FROM_SCRIPT:
000940 |                     lockTypeInfo = "LOCK";
000941 |                     break;
000942 |
000943 |                 case HIDE_INV_FROM_SCRIPT:
000944 |                     lockTypeInfo = "HIDE_INV";
000945 |                     break;
000946 |             }
000947 |
000948 |             if (lockedEntity != entity)
000949 |                 dbgInfo += string.Format("[%1=%2]", lockTypeInfo, lockedEntity);
000950 |             else
```

```
000951 |         dbgInfo += string.Format("[%1]", lockTypeInfo);
000952 |     }
000953 | }
000954 |
000955 |     return dbgInfo;
000956 | }
000957 |
000958 | static string GetHierarchyInfo(Class instance)
000959 | {
000960 |     string hierarchyInfo = GetDebugInfo(instance, false);
000961 |
000962 |     EntityAI entity;
000963 |     if (!Class.CastTo(entity, instance))
000964 |         return hierarchyInfo;
000965 |
000966 |     EntityAI parent = entity.GetHierarchyParent();
000967 |     auto il = new InventoryLocation;
000968 |
000969 |     while (parent)
000970 |     {
000971 |         if (parent.IsMan())
000972 |             hierarchyInfo += " on ";
000973 |         else
000974 |             hierarchyInfo += " in ";
000975 |
000976 |         if (entity.GetInventory().GetCurrentInventoryLocation(il))
000977 |         {
000978 |             if (il.GetType() == InventoryLocationType.ATTACHMENT)
000979 |                 hierarchyInfo += string.Format("slot %1 of ", InventorySlots.GetSlotName(il.GetSlot()));
000980 |         }
000981 |
000982 |         hierarchyInfo += GetDebugInfo(parent, false);
000983 |
000984 |         entity = parent;
000985 |         parent = parent.GetHierarchyParent();
000986 |     }
000987 |
000988 |     return hierarchyInfo;
000989 | }
000990 |
000991 | //! Better version of InventoryLocation.DumpToString (includes item/parent dbg info, slot name instead of ID, and whether loc is valid)
000992 | static string DumpToString(InventoryLocation loc)
000993 | {
000994 |     if (!loc)
000995 |         return "{ null }";
000996 |
000997 |     string res = "{ type=" + typename.EnumToString(InventoryLocationType, loc.GetType());
000998 |
000999 |     if (loc.GetType() != InventoryLocationType.UNKNOWN)
001000 |     {
001001 |         res += " item=" + GetDebugInfo(loc.GetItem());
001002 |
001003 |         if (loc.GetType() != InventoryLocationType.GROUND)
001004 |             res += " parent=" + GetDebugInfo(loc.GetParent());
001005 |     }
001006 |
001007 |     switch (loc.GetType())
001008 |     {
001009 |         case InventoryLocationType.UNKNOWN:
001010 |             break;
001011 |         case InventoryLocationType.GROUND:
001012 |             vector pos = loc.GetPos();
```



```
001013 |         float dir[4];
001014 |         loc.GetDir( dir );
001015 |         res += " pos=(" + pos[0] + ", " + pos[1] + ", " + pos[2] + ")";
001016 |         res += " dir=(" + dir[0] + ", " + dir[1] + ", " + dir[2] + ", " + dir[3] + ")";
001017 |         break;
001018 |     case InventoryLocationType.ATTACHMENT:
001019 |         res += " slot=" + InventorySlots.GetSlotName(loc.GetSlot());
001020 |         break;
001021 |     case InventoryLocationType.CARGO:
001022 |     case InventoryLocationType.PROXYCARGO:
001023 |         res += " idx=" + loc.GetIdx() + " row=" + loc.GetRow() + " col=" + loc.GetCol() + " f=" + loc.GetFlip();
001024 |         break;
001025 |     case InventoryLocationType.HANDS:
001026 |         break;
001027 |     case InventoryLocationType.VEHICLE:
001028 |         res += " idx=" + loc.GetIdx();
001029 |         break;
001030 |     default:
001031 |         res += "??";
001032 |         break;
001033 |     }
001034 |
001035 |     res += " valid=" + loc.IsValid().ToString();
001036 |     res += " }";
001037 |
001038 |     return res;
001039 | }
001040 |
001041 | string GetDisplayNameRaw(Object obj)
001042 | {
001043 |     string path;
001044 |     string displayName;
001045 |
001046 |     if (obj.IsWeapon())
001047 |         path = CFG_WEAPONSPATH;
001048 |     else if (obj.IsMagazine())
001049 |         path = CFG_MAGAZINESPATH;
001050 |     else
001051 |         path = CFG_VEHICLESPTH;
001052 |
001053 |     if (g_Game.ConfigGetTextRaw(path + " " + obj.GetType() + " displayName", displayName))
001054 |         g_Game.FormatRawConfigStringKeys(displayName);
001055 |
001056 |     return displayName;
001057 | }
001058 |
001059 | // -----
001060 | // Expansion String GetItemDisplayNameWithType
001061 | // -----
001062 | ///! @note this is for the rare cases where we only have a classname, not an object.
001063 | ///! If we have an object, should use <object>.GetDisplayName() instead.
001064 | static string GetItemDisplayNameWithType( string type_name, map<string, string> cache = NULL )
001065 | {
001066 |     string cfg_name;
001067 |     string cfg_name_path;
001068 |
001069 |     if ( cache && cache.Find( type_name, cfg_name ) )
001070 |     {
001071 |         return cfg_name;
001072 |     }
001073 |     else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
001074 |     {
```

```
001075 |         cfg_name_path = CFG_WEAPONSPATH + " " + type_name + " displayName";
001076 |         g_Game.ConfigGetText( cfg_name_path, cfg_name );
001077 |     }
001078 |     else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
001079 |     {
001080 |         cfg_name_path = CFG_VEHICLESPATH + " " + type_name + " displayName";
001081 |         g_Game.ConfigGetText( cfg_name_path, cfg_name );
001082 |     }
001083 |     else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
001084 |     {
001085 |         cfg_name_path = CFG_MAGAZINESPATH + " " + type_name + " displayName";
001086 |         g_Game.ConfigGetText( cfg_name_path, cfg_name );
001087 |     }
001088 |     if (!cfg_name)
001089 |     {
001090 |         cfg_name = type_name;
001091 |     }
001092 |
001093 |     if (cfg_name.IndexOf("$UNT$") == 0)
001094 |         cfg_name.Replace("$UNT$", "");
001095 |
001096 |     if ( cache )
001097 |     {
001098 |         cache.Insert( type_name, cfg_name );
001099 |     }
001100 |
001101 |     return cfg_name;
001102 | }
001103 |
001104 | // -----
001105 | // Expansion String GetItemDescriptionWithType
001106 | // -----
001107 | ///! @note this is for the rare cases where we only have a classname, not an object.
001108 | ///! If we have an object, should use <object>.ConfigGetString('descriptionShort') instead.
001109 | static string GetItemDescriptionWithType( string type_name, map<string, string> cache = NULL )
001110 | {
001111 |     string cfg_des;
001112 |     string cfg_des_path;
001113 |
001114 |     if ( cache && cache.Find( type_name, cfg_des ) )
001115 |     {
001116 |         return cfg_des;
001117 |     }
001118 |     else if ( g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) )
001119 |     {
001120 |         cfg_des_path = CFG_WEAPONSPATH + " " + type_name + " descriptionShort";
001121 |         g_Game.ConfigGetText( cfg_des_path, cfg_des );
001122 |     }
001123 |     else if ( g_Game.ConfigIsExisting( CFG_VEHICLESPATH + " " + type_name ) )
001124 |     {
001125 |         cfg_des_path = CFG_VEHICLESPATH + " " + type_name + " descriptionShort";
001126 |         g_Game.ConfigGetText( cfg_des_path, cfg_des );
001127 |     }
001128 |     else if ( g_Game.ConfigIsExisting( CFG_MAGAZINESPATH + " " + type_name ) )
001129 |     {
001130 |         cfg_des_path = CFG_MAGAZINESPATH + " " + type_name + " descriptionShort";
001131 |         g_Game.ConfigGetText( cfg_des_path, cfg_des );
001132 |     }
001133 |
001134 |     if ( cache )
001135 |     {
001136 |         cache.Insert( type_name, cfg_des );
```

```

001137 |     }
001138 |
001139 |     return cfg_des;
001140 | }
001141 |
001142 | static string GetPreviewClassName(string className, bool ignoreBaseBuildingKits = false)
001143 | {
001144 |     if (g_Game.ConfigIsExisting("CfgVehicles " + className + "_ExpansionMarketPreview"))
001145 |     {
001146 |         return className + "_ExpansionMarketPreview";
001147 |     }
001148 |     else if (!ignoreBaseBuildingKits && className.IndexOf("kit") == className.Length() - 3)
001149 |     {
001150 |         /*****
001151 |         * WARNING: Only TESTED basebuilding items!
001152 |         * Most mods do NOT have the necessary rvConfig entries to get a reasonable preview and/or can cause client CTD if used!
001153 |         * Do NOT add other classnames unless they are GUARANTEED to work properly in market menu!
001154 |         *****/
001155 |
001156 |         //! Expansion
001157 |         if (g_Game.IsKindOf(className, "ExpansionKitLarge"))
001158 |         {
001159 |             string path = "CfgVehicles " + className + " placingTypes";
001160 |             if (g_Game.ConfigIsExisting(path))
001161 |             {
001162 |                 TStringArray placingTypes = new TStringArray;
001163 |                 g_Game.ConfigGetTextArray(path, placingTypes);
001164 |                 foreach (string placingType : placingTypes)
001165 |                 {
001166 |                     path = "CfgVehicles " + placingType + " deployType";
001167 |                     if (g_Game.ConfigIsExisting(path))
001168 |                     {
001169 |                         return g_Game.ConfigGetTextOut(path);
001170 |                     }
001171 |                 }
001172 |             }
001173 |         }
001174 |
001175 |         //! Vanilla
001176 |         if (className == "fencekit" || className == "watchtowerkit" || className == "territoryflagkit")
001177 |         {
001178 |             //! Item name is kit name without "kit" at the end
001179 |             string previewClassName = className.Substring(0, className.Length() - 3);
001180 |             if (g_Game.ConfigIsExisting("CfgVehicles " + previewClassName))
001181 |                 return previewClassName;
001182 |         }
001183 |     }
001184 |     return className;
001185 | }
001186 |
001187 | //! Will return sensible result on server for all objects, including ItemBase
001188 | //! (vanilla ItemBase::CanObstruct will always return true on server as it is only meant to be called on client because it relies on g_Game.GetPlayer)
001189 | static bool CanObstruct(Object obj)
001190 | {
001191 |     //! TODO: Move ItemBase::Expansion_CanObstruct from BaseBuilding to Core
001192 |     if (obj.IsItemBase())
001193 |     {
001194 |         if (obj.ConfigGetString("physLayer") != "item_large")
001195 |             return false;
001196 |
001197 |         if (!obj.ConfigGetBool("carveNavmesh"))
001198 |             return false;

```

```
001199 |
001200 |         if (obj.ConfigGetString("forceFarBubble") != "true")
001201 |             return false;
001202 |
001203 |         return true;
001204 |     }
001205 |
001206 |     return obj.CanObstruct();
001207 | }
001208 |
001209 | static TStringArray GetAnimationSources(string type, string source = "user")
001210 | {
001211 |     TStringArray paths = {CFG_VEHICLESPATH, CFG_WEAPONSPATH, CFG_MAGAZINESPATH};
001212 |     TStringArray animationSources = {};
001213 |
001214 |     foreach (string rootPath: paths)
001215 |     {
001216 |         string path = rootPath + " " + type;
001217 |         if (g_Game.ConfigIsExisting(path))
001218 |         {
001219 |             string baseName;
001220 |             if (g_Game.ConfigGetBaseName(path, baseName))
001221 |                 GetAnimationSourcesEx(rootPath + " " + baseName, animationSources, source);
001222 |
001223 |             GetAnimationSourcesEx(path, animationSources, source);
001224 |         }
001225 |     }
001226 |
001227 |     return animationSources;
001228 | }
001229 |
001230 | static void GetAnimationSourcesEx(string path, notnull TStringArray animationSources, string source = "user")
001231 | {
001232 |     string animPath = path + " AnimationSources";
001233 |     int childCount = g_Game.ConfigGetChildrenCount(animPath);
001234 |     for (int i = 0; i < childCount; ++i)
001235 |     {
001236 |         string name;
001237 |         if (g_Game.ConfigGetChildName(animPath, i, name))
001238 |         {
001239 |             if (g_Game.ConfigGetTextOut(animPath + " " + name + " source") == source)
001240 |                 animationSources.Insert(name);
001241 |         }
001242 |     }
001243 | }
001244 |
001245 | static float GetBoundingRadius(string className)
001246 | {
001247 |     vector minMax[2];
001248 |     return ClippingInfo(className, minMax);
001249 | }
001250 |
001251 | static float GetBoundingRadius(Object obj)
001252 | {
001253 |     vector minMax[2];
001254 |     return obj.ClippingInfo(minMax);
001255 | }
001256 |
001257 | static float ClippingInfo(string className, out vector minMax[2])
001258 | {
001259 |     float radius;
001260 | }
```

```
001261 |         Object obj = g_Game.CreateObjectEx(className, "0 0 0", ECE_LOCAL);
001262 |
001263 |         if (obj)
001264 |         {
001265 |             radius = obj.ClippingInfo(minMax);
001266 |             g_Game.ObjectDelete(obj);
001267 |         }
001268 |
001269 |         return radius;
001270 |     }
001271 |
001272 |     //! If collision box does not exist, minMax is set to clipping info (bounding box)
001273 |     static bool GetCollisionBox(string className, out vector minMax[2])
001274 |     {
001275 |         bool hasCollisionBox;
001276 |
001277 |         Object obj = g_Game.CreateObjectEx(className, "0 0 0", ECE_LOCAL);
001278 |
001279 |         if (obj)
001280 |         {
001281 |             hasCollisionBox = GetCollisionBox(obj, minMax);
001282 |             g_Game.ObjectDelete(obj);
001283 |         }
001284 |
001285 |         return hasCollisionBox;
001286 |     }
001287 |
001288 |     static bool GetCollisionBox(Object obj, out vector minMax[2])
001289 |     {
001290 |         bool hasCollisionBox = obj.GetCollisionBox(minMax);
001291 |         if (!hasCollisionBox)
001292 |             obj.ClippingInfo(minMax);
001293 |         return hasCollisionBox;
001294 |     }
001295 |
001296 |     static bool IsColliding(Object obj, vector point)
001297 |     {
001298 |         vector minMax[2];
001299 |         if (obj.GetCollisionBox(minMax))
001300 |         {
001301 |             vector localPoint = obj.WorldToModel(point);
001302 |
001303 |             for (int i = 0; i < 3; i++)
001304 |             {
001305 |                 if (localPoint[i] < minMax[0][i])
001306 |                     return false;
001307 |
001308 |                 if (localPoint[i] > minMax[1][i])
001309 |                     return false;
001310 |             }
001311 |
001312 |             return true;
001313 |         }
001314 |
001315 |         return false;
001316 |     }
001317 |
001318 |     static bool HasQuantity(string item_name)
001319 |     {
001320 |         float min;
001321 |         float max;
001322 |     }
```

```
001323 |         if (g_Game.IsKindOf(item_name, "Magazine_Base"))
001324 |         {
001325 |             max = g_Game.ConfigGetInt("CfgMagazines " + item_name + " count");
001326 |         }
001327 |     else
001328 |     {
001329 |         min = g_Game.ConfigGetInt("CfgVehicles " + item_name + " varQuantityMin");
001330 |         max = g_Game.ConfigGetFloat("CfgVehicles " + item_name + " varStackMax");
001331 |         if (!max)
001332 |             max = g_Game.ConfigGetInt("CfgVehicles " + item_name + " varQuantityMax");
001333 |     }
001334 |
001335 |     return max - min > 0;
001336 | }
001337 |
001338 | static bool ItemExists(string type_name)
001339 | {
001340 |     return g_Game.ConfigIsExisting( CFG_VEHICLES_PATH + " " + type_name ) || g_Game.ConfigIsExisting( CFG_WEAPONSPATH + " " + type_name ) || g_Game.ConfigIsExi
001341 | sting( CFG_MAGAZINES_PATH + " " + type_name );
001342 | }
001343 |
001344 | static bool TypeExists(string type_name)
001345 | {
001346 |     typename nullType;
001347 |     return type_name.ToType() != nullType;
001348 | }
001349 |
001350 | //! Inheritance check based on rvConfig class name or EnforceScript typename
001351 | static bool IsAnyOf(string className, TStringArray parentNames)
001352 | {
001353 |     foreach (string parentName: parentNames)
001354 |     {
001355 |         if (Is(className, parentName))
001356 |             return true;
001357 |     }
001358 |     return false;
001359 | }
001360 |
001361 | static bool IsAnyOf(string className, TTypeNameArray parent_types)
001362 | {
001363 |     foreach (typename parent_type: parent_types)
001364 |     {
001365 |         if (Is(className, parent_type))
001366 |             return true;
001367 |     }
001368 |     return false;
001369 | }
001370 |
001371 | //! Inheritance check based on rvConfig class name or EnforceScript typename
001372 | //! @note `check_script_inheritance` is a legacy parameter and no longer used (script inheritance is always checked).
001373 | static bool IsAnyOf(Object obj, TStringArray parentNames, bool check_script_inheritance = false)
001374 | {
001375 |     foreach (string parentName: parentNames)
001376 |     {
001377 |         typename parentType = parentName.ToType();
001378 |         if (parentType && obj.IsInherited(parentType))
001379 |             return true;
001380 |         if (g_Game.ObjectIsKindOf(obj, parentName))
001381 |             return true;
001382 |     }
001383 |     return false;
001384 | }
```

```
001384 |
001385 |     //! Inheritance check based on typename
001386 |     static bool IsAnyOf(typename type, TTypenameArray parent_types)
001387 |     {
001388 |         foreach (typename parent_type: parent_types)
001389 |         {
001390 |             if (type.IsInherited(parent_type))
001391 |                 return true;
001392 |         }
001393 |         return false;
001394 |     }
001395 |
001396 |     //! Inheritance check based on instance
001397 |     static bool IsAnyOf(Class instance, TTypenameArray parent_types)
001398 |     {
001399 |         foreach (typename parent_type: parent_types)
001400 |         {
001401 |             if (instance.IsInherited(parent_type))
001402 |                 return true;
001403 |         }
001404 |         return false;
001405 |     }
001406 |
001407 |     //! Inheritance check based on rvConfig class name or EnforceScript typename
001408 |     static bool Is(string className, string parentName)
001409 |     {
001410 |         typename classType = className.ToType();
001411 |         if (classType)
001412 |         {
001413 |             typename parentType = parentName.ToType();
001414 |
001415 |             if (parentType && classType.IsInherited(parentType))
001416 |                 return true;
001417 |         }
001418 |
001419 |         return g_Game.IsKindOf(className, parentName);
001420 |     }
001421 |
001422 |     static bool Is(typename type, string parentName)
001423 |     {
001424 |         typename parentType = parentName.ToType();
001425 |
001426 |         if (parentType && type.IsInherited(parentType))
001427 |             return true;
001428 |
001429 |         return g_Game.IsKindOf(type.ToString(), parentName);
001430 |     }
001431 |
001432 |     //! Inheritance check based on rvConfig class name or EnforceScript typename
001433 |     static bool Is(Object obj, string parentName)
001434 |     {
001435 |         typename parentType = parentName.ToType();
001436 |
001437 |         if (parentType && obj.IsInherited(parentType))
001438 |             return true;
001439 |
001440 |         return g_Game.ObjectIsKindOf(obj, parentName);
001441 |     }
001442 |
001443 |     //! Inheritance check based on rvConfig class name or EnforceScript typename
001444 |     static bool Is(string className, typename parentType)
001445 |     {
```

```
001446 |         typename classType = className.ToType();
001447 |         if (classType && classType.IsInherited(parentType))
001448 |             return true;
001449 |
001450 |         return g_Game.IsKindOf(className, parentType.ToString());
001451 |     }
001452 |
001453 |     static bool IsVehicle(string className)
001454 |     {
001455 |         if (ExpansionStatic.IsAnyOf(className, s_VehicleClassNames))
001456 |             return true;
001457 |
001458 |         return false;
001459 |     }
001460 |
001461 |     ///! Special case: Any inventory item (rvConfig Inventory_Base, CfgWeapons, CfgMagazines or EnforceScript ItemBase type)
001462 |     static bool IsInventoryItem(string className)
001463 |     {
001464 |         typename classType = className.ToType();
001465 |         if (classType)
001466 |         {
001467 |             string itemClass = "ItemBase";
001468 |             typename itemType = itemClass.ToType();
001469 |
001470 |             if (classType.IsInherited(itemType))
001471 |                 return true;
001472 |         }
001473 |
001474 |         if (g_Game.IsKindOf(className, "Inventory_Base"))
001475 |             return true;
001476 |
001477 |         if (g_Game.ConfigIsExisting("CfgMagazines " + className))
001478 |             return true;
001479 |
001480 |         if (g_Game.ConfigIsExisting("CfgWeapons " + className))
001481 |             return true;
001482 |
001483 |         return false;
001484 |     }
001485 |
001486 |     ///! Special case: Any player (rvConfig SurvivorBase or EnforceScript PlayerBase type)
001487 |     static bool IsPlayer(string className)
001488 |     {
001489 |         typename classType = className.ToType();
001490 |         if (classType)
001491 |         {
001492 |             string playerClass = "PlayerBase";
001493 |             typename playerType = playerClass.ToType();
001494 |
001495 |             if (classType.IsInherited(playerType))
001496 |                 return true;
001497 |         }
001498 |
001499 |         return g_Game.IsKindOf(className, "SurvivorBase");
001500 |     }
001501 |
001502 |     ///! TODO: Maybe use CF_Byte after next CF update?
001503 |     static TIntArray IntToByteArray(int n)
001504 |     {
001505 |         TIntArray bytes = {};
001506 |
001507 |         for (int i = 0; i < 4; i++)
```



```
001508 |         bytes.Insert((n >> (24 - i * 8)) & 255);
001509 |
001510 |     return bytes;
001511 | }
001512 |
001513 |     ///! TODO0: Maybe remove and use CF_Encoding::ToHex instead after next CF update?
001514 |     static string ByteArrayToHex(TIntArray bytes)
001515 |     {
001516 |         string hex;
001517 |
001518 |         foreach (int byte: bytes)
001519 |             hex += ByteToHex(byte);
001520 |
001521 |         return hex;
001522 |     }
001523 |
001524 |     static int ByteArrayToInt(TIntArray bytes)
001525 |     {
001526 |         int n;
001527 |
001528 |         for (int i = 0; i < 4; i++)
001529 |             n |= bytes[i] << (24 - i * 8);
001530 |
001531 |         return n;
001532 |     }
001533 |
001534 |     ///! TODO0: Maybe remove and use CF_Byte::ToHex instead after next CF update?
001535 |     static string ByteToHex(int byte)
001536 |     {
001537 |         return BASE16[(int) Math.Floor(byte / 16)] + BASE16[byte % 16];
001538 |     }
001539 |
001540 |     static string IntToHex(int n)
001541 |     {
001542 |         return ByteArrayToHex(IntToByteArray(n));
001543 |     }
001544 |
001545 |     static string IntToHex(TIntArray ints)
001546 |     {
001547 |         string hex;
001548 |         foreach (int n: ints)
001549 |         {
001550 |             hex += IntToHex(n);
001551 |         }
001552 |         return hex;
001553 |     }
001554 |
001555 |     static int HexToInt(string hex)
001556 |     {
001557 |         hex.ToUpper();
001558 |
001559 |         int n;
001560 |
001561 |         for (int i = 0; i < hex.Length(); i++)
001562 |         {
001563 |             ///! Snatched from Dabs Framework
001564 |             n += BASE16.IndexOf(hex[i]) * Math.Pow(16, Math.AbsInt(i - hex.Length() + 1));
001565 |         }
001566 |
001567 |         return n;
001568 |     }
001569 | }
```

```
001570 |    //! TODO: These should be moved to ExpansionColor
001571 |    // -----
001572 |    // Expansion RGBtoInt
001573 |    // -----
001574 |    static int RGBtoInt(int r, int g, int b)
001575 |    {
001576 |        return ( r << 0 ) | ( g << 8 ) | ( b << 16 );
001577 |    }
001578 |
001579 |
001580 |    // -----
001581 |    // Expansion ARGBtoInt
001582 |    // -----
001583 |    static int ARGBtoInt(int a, int r, int g, int b)
001584 |    {
001585 |        return ( a << 24 ) | ( r << 16 ) | ( g << 8 ) | b;
001586 |    }
001587 |
001588 |    // -----
001589 |    // Expansion IntToRGB
001590 |    // -----
001591 |    static void IntToRGB(int value, out int red, out int green, out int blue)
001592 |    {
001593 |        red = ( value >> 0 ) & 255;
001594 |        green = ( value >> 8 ) & 255;
001595 |        blue = ( value >> 16 ) & 255;
001596 |    }
001597 |
001598 |    // -----
001599 |    // Expansion IntToARGB
001600 |    // -----
001601 |    static void IntToARGB(int value, out int alpha, out int red, out int green, out int blue)
001602 |    {
001603 |        alpha = ( value >> 24 ) & 255;
001604 |        red = ( value >> 16 ) & 255;
001605 |        green = ( value >> 8 ) & 255;
001606 |        blue = ( value ) & 255;
001607 |    }
001608 |
001609 |    static bool StringArrayContainsIgnoreCase(TStringArray elements, string search)
001610 |    {
001611 |        search.ToLower();
001612 |
001613 |        foreach (string element: elements)
001614 |        {
001615 |            element.ToLower();
001616 |            if (element == search)
001617 |                return true;
001618 |        }
001619 |
001620 |        return false;
001621 |    }
001622 |
001623 |    static string GetISODate(bool useUTC = false)
001624 |    {
001625 |        int year;
001626 |        int month;
001627 |        int day;
001628 |
001629 |        if (useUTC)
001630 |            GetYearMonthDayUTC(year, month, day);
001631 |        else
```

```
001632 |         GetYearMonthDay(year, month, day);
001633 |
001634 |     return year.ToStringLen(4) + "-" + month.ToStringLen(2) + "-" + day.ToStringLen(2);
001635 | }
001636 |
001637 | static string GetISODateTime(bool useUTC = false, string delim = "T", string delimHMS = ":", bool include_ms = false)
001638 | {
001639 |     return GetISODate(useUTC) + delim + GetISOTime(useUTC, include_ms, delimHMS);
001640 | }
001641 |
001642 | /*!
001643 |  * @brief format time (value in seconds)
001644 |  * @return one of the following formats as string (depending on arguments):
001645 |  * "HH:MM:SS.SSS" (default)
001646 |  * "HH:MM:SS" (include_ms = false)
001647 |  * "MM:SS.SSS" (include_hours = false)
001648 |  * "MM:SS" (include_ms = false, include_hours = false)
001649 |  * @note HH is the total number of hours and can exceed 24 unless `discard_days` is set to true!
001650 | */
001651 | static string FormatTime(float time, bool include_ms = true, bool include_hours = true, bool discard_days = false, string delimHMS = ":")
001652 | {
001653 |     if (include_hours)
001654 |     {
001655 |         int hours = (int) time / 3600;
001656 |         time -= hours * 3600;
001657 |
001658 |         if (discard_days && hours >= 24)
001659 |             hours = hours % 24;
001660 |     }
001661 |
001662 |     int minutes = (int) time / 60;
001663 |     time -= minutes * 60;
001664 |     int seconds = (int) time;
001665 |
001666 |     string timestring;
001667 |
001668 |     if (include_hours)
001669 |         timestring = hours.ToStringLen(2) + delimHMS + minutes.ToStringLen(2) + delimHMS + seconds.ToStringLen(2);
001670 |     else
001671 |         timestring = minutes.ToStringLen(2) + delimHMS + seconds.ToStringLen(2);
001672 |
001673 |     if ( include_ms )
001674 |     {
001675 |         time -= seconds;
001676 |         int ms = time * 1000;
001677 |         timestring += "." + ms.ToStringLen(3);
001678 |     }
001679 |
001680 |     return timestring;
001681 | }
001682 |
001683 | static string GetISOTime(bool useUTC = false, bool include_ms = true, string delimHMS = ":")
001684 | {
001685 | #ifndef CF_LOG_TIMESTAMP
001686 |     if ( include_ms && GetDayZGame() )
001687 |     {
001688 |         return FormatTime(GetDayZGame().ExpansionGetStartTime(useUTC) + GetDayZGame().GetTickTime(), true, true, true, delimHMS);
001689 |     }
001690 | #else
001691 |     if ( include_ms )
001692 |     {
001693 |         //! Accurate, including milliseconds
```

```
001694 |         return CF_Log.FormatTime(useUTC, delimHMS);
001695 |     }
001696 | #endif
001697 |     else
001698 |     {
001699 |         ///! Next best thing
001700 |         int hour;
001701 |         int minute;
001702 |         int second;
001703 |
001704 |         if (useUTC)
001705 |             GetHourMinuteSecondUTC(hour, minute, second);
001706 |         else
001707 |             GetHourMinuteSecond(hour, minute, second);
001708 |
001709 |         return hour.ToStringLen(2) + delimHMS + minute.ToStringLen(2) + delimHMS + second.ToStringLen(2);
001710 |     }
001711 | }
001712 |
001713 | override string CF_GetISOTime()
001714 | {
001715 |     return GetISOTime();
001716 | }
001717 |
001718 | ///! Fast timestamp, use this instead of CF_Date.Now().GetTimestamp() when performance counts
001719 | static int GetTimestamp(bool useUTC = false)
001720 | {
001721 |     return GetDayZGame().ExpansionGetStartTimestamp(useUTC) + (int) GetDayZGame().GetTickTime();
001722 | }
001723 |
001724 | ///! Fast accurate time in seconds, not including years/months/days
001725 | static float GetTime(bool useUTC = false)
001726 | {
001727 | #ifndef CF_LOG_TIMESTAMP
001728 |     return GetDayZGame().ExpansionGetStartTime(useUTC) + GetDayZGame().GetTickTime();
001729 | #else
001730 |     return CF_Log.s_TimestampHelper.GetTime(useUTC) * 0.001;
001731 | #endif
001732 | }
001733 |
001734 | static string GetTimeString( float total_time, bool include_seconds = false )
001735 | {
001736 |     string time_string;
001737 |
001738 |     if ( total_time <= 0 )
001739 |     {
001740 |         time_string = "0 #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_SECONDS";
001741 |         return time_string;
001742 |     }
001743 |
001744 |     int time_seconds = total_time;    ///! Convert total time to int
001745 |
001746 |     int days = time_seconds / 86400;
001747 |     if ( days > 0 )
001748 |     {
001749 |         time_string += GetValueString( days ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_DAYS";    ///! Days
001750 |     }
001751 |
001752 |     int hours = ( time_seconds % 86400 ) / 3600;
001753 |     if ( hours > 0 )
001754 |     {
001755 |         if (time_string)
```

```
001756 |         time_string += " ";    //!< Separator
001757 |         time_string += GetValueString( hours ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_HOURS";    //!< Hours
001758 |     }
001759 |
001760 |     int minutes = ( time_seconds % 3600 ) / 60;
001761 |     if ( minutes > 0 )
001762 |     {
001763 |         if (time_string)
001764 |             time_string += " ";    //!< Separator
001765 |         time_string += GetValueString( minutes ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_MINUTES";    //!< Minutes
001766 |     }
001767 |
001768 |     if ( include_seconds )
001769 |     {
001770 |         int seconds = time_seconds - days * 86400 - hours * 3600 - minutes * 60;
001771 |         if ( seconds > 0 )
001772 |         {
001773 |             if (time_string)
001774 |                 time_string += " ";    //!< Separator
001775 |             time_string += GetValueString( seconds ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_SECONDS";
001776 |         }
001777 |     }
001778 |
001779 |     return time_string;
001780 | }
001781 |
001782 | static string GetWeightString(int weight, bool grams_only = false)
001783 | {
001784 |     string weight_string;
001785 |
001786 |     if( weight < 0 )
001787 |     {
001788 |         weight_string = "0 #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_GRAMS";
001789 |         return weight_string;
001790 |     }
001791 |
001792 |     int weight_grams = weight;
001793 |
001794 |     int kilograms = weight_grams / 1000;
001795 |     if ( kilograms > 0 && !grams_only )
001796 |     {
001797 |         weight_string = GetValueString( kilograms ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KG";    //kilograms
001798 |     }
001799 |     else
001800 |     {
001801 |         weight_string = GetValueString( weight_grams ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_GRAMS";    //grams
001802 |     }
001803 |
001804 |     return weight_string;
001805 | }
001806 |
001807 | static string GetDistanceString( float total_distance, bool meters_only = false )
001808 | {
001809 |     string distance_string;
001810 |
001811 |     if( total_distance < 0 )
001812 |     {
001813 |         distance_string = "0 #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_METERS";
001814 |         return distance_string;
001815 |     }
001816 |
001817 |     int distance_meters = total_distance;
```

```
001818 |
001819 |     int kilometers = distance_meters / 1000;
001820 |     if ( kilometers > 0 && !meters_only )
001821 |     {
001822 |         distance_string = GetValueString( kilometers ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KM";           //kilometers
001823 |     }
001824 |     else
001825 |     {
001826 |         distance_string = GetValueString( distance_meters ) + " #STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_METERS";       //meters
001827 |     }
001828 |
001829 |     return distance_string;
001830 | }
001831 |
001832 | static string GetValueString( float total_value )
001833 | {
001834 |     if( total_value < 0 )
001835 |         return "0";
001836 |
001837 |     int value = total_value;
001838 |     string out_string;
001839 |
001840 |     if ( value >= 1000 )
001841 |     {
001842 |         string value_string = value.ToString();
001843 |
001844 |         int count;
001845 |         int first_length = value_string.Length() % 3;           //calculate position of the first separator
001846 |         if ( first_length > 0 )
001847 |         {
001848 |             count = 3 - first_length;
001849 |         }
001850 |
001851 |         for ( int i = 0; i < value_string.Length(); ++i )
001852 |         {
001853 |             out_string += value_string.Get( i );
001854 |             count ++;
001855 |
001856 |             if ( count >= 3 )
001857 |             {
001858 |                 out_string += " ";           //separator
001859 |                 count = 0;
001860 |             }
001861 |         }
001862 |     }
001863 |     else
001864 |     {
001865 |         out_string = value.ToString();
001866 |     }
001867 |
001868 |     return out_string.Trim();
001869 | }
001870 |
001871 | static string GetPersistentIDString(EntityAI entity)
001872 | {
001873 |     int b1, b2, b3, b4;
001874 |     entity.GetPersistentID(b1, b2, b3, b4);
001875 |     return GetPersistentIDString(b1, b2, b3, b4);
001876 | }
001877 |
001878 | static string GetPersistentIDString(int b1, int b2, int b3, int b4)
001879 | {
```

```
001880 |         string id;
001881 |         id += IntToHex(b1);
001882 |         id += IntToHex(b2);
001883 |         id += IntToHex(b3);
001884 |         id += IntToHex(b4);
001885 |         return id;
001886 |     }
001887 |
001888 |     // -----
001889 |     // Expansion GetWeightedRandom
001890 |     // -----
001891 |     //! Returns an index into the 'weights' array, or -1 if all weights are zero
001892 |     static int GetWeightedRandom( array< float > weights )
001893 |     {
001894 |         float weightSum = 0;
001895 |         for ( int i = 0; i < weights.Count(); i++ )
001896 |         {
001897 |             weightSum += weights[i];
001898 |         }
001899 |
001900 |         if ( weightSum == 0 )
001901 |             return -1;
001902 |
001903 |         float rnd = Math.RandomFloat( 0, weightSum );
001904 |         int index = 0;
001905 |         int count = weights.Count();
001906 |         while ( index < count )
001907 |         {
001908 |             if ( rnd < weights[ index ] )
001909 |             {
001910 |                 return index;
001911 |             }
001912 |
001913 |             rnd -= weights[index++];
001914 |         }
001915 |
001916 |         //! Should never get here
001917 |         return -1;
001918 |     }
001919 |
001920 |     static array< string > FindInLocation( string folder, string ext = "", int mode = ExpansionFindFileMode.FILES, bool recursive = false )
001921 |     {
001922 |         array< string > files = new array< string >;
001923 |         if (!FileExist(folder))
001924 |             return files;
001925 |         string fileName;
001926 |         FileAttr fileAttr;
001927 |         string pattern = folder + "*";
001928 |         if (!recursive)
001929 |             pattern += ext;
001930 |         FindFileHandle findFileHandle = FindFile( pattern, fileName, fileAttr, 0 );
001931 |         if ( findFileHandle )
001932 |         {
001933 |             bool isValid = true;
001934 |
001935 |             bool includeFiles;
001936 |             if (mode & ExpansionFindFileMode.FILES)
001937 |                 includeFiles = true;
001938 |
001939 |             bool includeDirs;
001940 |             if (mode & ExpansionFindFileMode.DIRECTORIES)
001941 |                 includeDirs = true;
```

```
001942 |
001943 |         while (isValid)
001944 |         {
001945 |             bool isDir = false;
001946 |             if (fileAttr & FileAttr.DIRECTORY)
001947 |                 isDir = true;
001948 |
001949 |             if (fileName.Length() > 0)
001950 |             {
001951 |                 if ((includeFiles && !isDir) || (includeDirs && isDir))
001952 |                 {
001953 |                     if (!recursive || ExpansionString.EndsWithIgnoreCase(fileName, ext))
001954 |                         files.Insert( fileName );
001955 |                 }
001956 |
001957 |                 if (recursive && isDir)
001958 |                 {
001959 |                     TStringArray subFolderFileNames = FindInLocation(folder + fileName + DIRSEPARATOR, ext, mode, true);
001960 |                     foreach (string subFolderFileName: subFolderFileNames)
001961 |                     {
001962 |                         files.Insert( fileName + DIRSEPARATOR + subFolderFileName );
001963 |                     }
001964 |                 }
001965 |             }
001966 |
001967 |             isValid = FindNextFile(findFileHandle, fileName, fileAttr);
001968 |         }
001969 |
001970 |         CloseFindFile( findFileHandle );
001971 |     }
001972 | #ifdef DIAG_DEVELOPER
001973 |     EXTrace.Print(EXTrace.MISC, null, "FindInLocation " + folder + "*" + ext + " mode=" + typename.EnumToString(ExpansionFindFileMode, mode) + " recursive=" +
recursive.ToString());
001974 |     foreach (string file: files)
001975 |     {
001976 |         EXTrace.Print(EXTrace.MISC, null, folder + file);
001977 |     }
001978 | #endif
001979 |     return files;
001980 | }
001981 |
001982 | static array< string > FindFilesInLocation( string folder, string ext = "", bool recursive = false )
001983 | {
001984 |     return FindInLocation(folder, ext, ExpansionFindFileMode.FILES, recursive);
001985 | }
001986 |
001987 | static array< string > FindDirectoriesInLocation( string folder, string ext = "", bool recursive = false )
001988 | {
001989 |     return FindInLocation(folder, ext, ExpansionFindFileMode.DIRECTORIES, recursive);
001990 | }
001991 |
001992 | static bool MakeDirectoryRecursive(string path)
001993 | {
001994 |     TStringArray parts = {};
001995 |     path.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
001996 |     path.Split(DIRSEPARATOR, parts);
001997 |     path = "";
001998 |     foreach (string part: parts)
001999 |     {
002000 |         if (!part)
002001 |             continue;
002002 |         path += part + DIRSEPARATOR;
```



```
002003 |         if (part.IndexOf(":") == part.Length() - 1)
002004 |             continue;
002005 |         if (!FileExist(path) && !MakeDirectory(path))
002006 |         {
002007 |             EXError.Error(null, "Couldn't create directory " + path);
002008 |             return false;
002009 |         }
002010 |     }
002011 |     return true;
002012 | }
002013 |
002014 | ///! Copies the directory tree rooted in srcDir to dstDir.
002015 | ///! If `ext` is given, limit to files and directories with that extension.
002016 | ///! If `move` is true and copying is successful, removes srcDir afterwards if empty.
002017 | static bool CopyDirectoryTree(string srcDir, string dstDir, string ext = "", bool move = false)
002018 | {
002019 |     srcDir.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002020 |     ExpansionString srcDirEx = srcDir;
002021 |     if (srcDirEx.LastIndexOf(DIRSEPARATOR) != srcDir.Length() - 1)
002022 |         srcDir += DIRSEPARATOR;
002023 |
002024 |     dstDir.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002025 |     ExpansionString dstDirEx = dstDir;
002026 |     if (dstDirEx.LastIndexOf(DIRSEPARATOR) != dstDir.Length() - 1)
002027 |         dstDir += DIRSEPARATOR;
002028 |
002029 |     if (!FileExist(dstDir) && !MakeDirectoryRecursive(dstDir))
002030 |         return false;
002031 |
002032 |     string fileName;
002033 |     FileAttr fileAttr;
002034 |     FindFileHandle findFileHandle = FindFile(srcDir + "*" + ext, fileName, fileAttr, 0);
002035 |
002036 |     if (!findFileHandle)
002037 |     {
002038 |         ///! FindFileHandle of NULL means there were no files found
002039 |         return false;
002040 |     }
002041 |
002042 |     if (fileName.Length() > 0 && !CopyFileOrDirectoryTree(srcDir + fileName, dstDir + fileName, ext, move, fileAttr))
002043 |     {
002044 |         EXError.Error(null, "CopyDirectoryTree " + srcDir + fileName + " " + dstDir + fileName + " ext " + ext + " move " + move + " failed");
002045 |         CloseFindFile(findFileHandle);
002046 |         return false;
002047 |     }
002048 |
002049 |     while (FindNextFile(findFileHandle, fileName, fileAttr))
002050 |     {
002051 |         if (fileName.Length() > 0 && !CopyFileOrDirectoryTree(srcDir + fileName, dstDir + fileName, ext, move, fileAttr))
002052 |         {
002053 |             EXError.Error(null, "CopyDirectoryTree " + srcDir + fileName + " " + dstDir + fileName + " ext " + ext + " move " + move + " failed");
002054 |             CloseFindFile(findFileHandle);
002055 |             return false;
002056 |         }
002057 |     }
002058 |
002059 |     CloseFindFile(findFileHandle);
002060 |
002061 |     if (move && (!ext || !FindFilesInLocation(srcDir).Count()) && !DeleteFile(srcDir))
002062 |     {
002063 |         EXError.Error(null, "CopyDirectoryTree remove src failed");
002064 |         return false;
```

```
002065 |     }
002066 |
002067 |     return true;
002068 | }
002069 |
002070 | /**
002071 |  * @brief delete whole directory structure rooted at path.
002072 |  * If `ext` is given, only files matching that extension are deleted (else all files).
002073 |  * Directories that still contain files after all matching files have been deleted are kept.
002074 |  *
002075 |  * @note passed in path needs to end with backslash!
002076 |  */
002077 | static bool DeleteDirectoryStructureRecursive(string path, string ext = string.Empty)
002078 | {
002079 |     if (FileExist(path))
002080 |     {
002081 |         TStringArray files = ExpansionStatic.FindFilesInLocation(path, ext);
002082 |         foreach (string baseName: files)
002083 |         {
002084 |             DeleteFile(path + baseName);
002085 |         }
002086 |
002087 |         TStringArray dirs = ExpansionStatic.FindDirectoriesInLocation(path);
002088 |         foreach (string dirBaseName: dirs)
002089 |         {
002090 |             DeleteDirectoryStructureRecursive(path + dirBaseName + DIRSEPARATOR, ext);
002091 |         }
002092 |
002093 |         return DeleteFile(path);
002094 |     }
002095 |
002096 |     return false;
002097 | }
002098 |
002099 | //! @note if copying a directory, make sure paths end with a path separator or provide fileAttr parameter
002100 | static bool CopyFileOrDirectoryTree(string srcPath, string dstPath, string ext = "", bool move = false, FileAttr fileAttr = 0)
002101 | {
002102 |     srcPath.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002103 |     dstPath.Replace(DIRSEPARATOR_ALT, DIRSEPARATOR);
002104 |
002105 |     bool isDir = (fileAttr & FileAttr.DIRECTORY);
002106 |     ExpansionString srcPathEx = srcPath;
002107 |     if (!isDir && srcPathEx.LastIndexOf(DIRSEPARATOR) == srcPath.Length() - 1)
002108 |         isDir = true;
002109 |
002110 |     if (isDir)
002111 |     {
002112 |         if (!CopyDirectoryTree(srcPath, dstPath, ext, move))
002113 |             return false;
002114 |     }
002115 |     else
002116 |     {
002117 |         ExpansionString dstPathEx = dstPath;
002118 |         string dstDir = dstPathEx.Substring(0, dstPathEx.LastIndexOf(DIRSEPARATOR));
002119 |         if (!FileExist(dstDir) && !MakeDirectoryRecursive(dstDir))
002120 |             return false;
002121 |
002122 |         if (!CopyFile(srcPath, dstPath))
002123 |         {
002124 |             EXError.Error(null, "CopyFileOrDirectoryTree copy failed");
002125 |             return false;
002126 |         }
```

```

002127 |
002128 |         if (move && !DeleteFile(srcPath))
002129 |         {
002130 |             EXError.Error(null, "CopyFileOrDirectoryTree remove src failed");
002131 |             return false;
002132 |         }
002133 |     }
002134 |
002135 |     return true;
002136 | }
002137 |
002138 | static void DeleteFiles( string folder, array< string > files )
002139 | {
002140 |     for ( int i = 0; i < files.Count(); i++ )
002141 |     {
002142 |         DeleteFile( folder + files[i] );
002143 |     }
002144 | }
002145 |
002146 | #ifdef ENFUSION_AI_PROJECT
002147 | static TStringArray GetWorkingAIClasses()
002148 | {
002149 |     return { "eAI_SurvivorM_Mirek", "eAI_SurvivorM_Denis", "eAI_SurvivorM_Boris",
002150 |             "eAI_SurvivorM_Cyril", "eAI_SurvivorM_Elias", "eAI_SurvivorM_Francis", "eAI_SurvivorM_Guo",
002151 |             "eAI_SurvivorM_Hassan", "eAI_SurvivorM_Indar", "eAI_SurvivorM_Jose",
002152 |             "eAI_SurvivorM_Kaito", "eAI_SurvivorM_Lewis", "eAI_SurvivorM_Manua",
002153 |             "eAI_SurvivorM_Niki", "eAI_SurvivorM_Oliver", "eAI_SurvivorM_Peter",
002154 |             "eAI_SurvivorM_Quinn", "eAI_SurvivorM_Rolf", "eAI_SurvivorM_Seth",
002155 |             "eAI_SurvivorM-Taiki", "eAI_SurvivorF_Linda", "eAI_SurvivorF_Maria",
002156 |             "eAI_SurvivorF_Frida", "eAI_SurvivorF_Gabi", "eAI_SurvivorF_Helga",
002157 |             "eAI_SurvivorF_Irena", "eAI_SurvivorF_Judy", "eAI_SurvivorF_Keiko",
002158 |             "eAI_SurvivorF_Eva", "eAI_SurvivorF_Naomi", "eAI_SurvivorF_Baty"};
002159 | }
002160 | #endif
002161 |
002162 | //! DEPRECATED, use FormatInt
002163 | static string IntToCurrencyString(int number, string separator, bool shorten = false)
002164 | {
002165 |     return FormatInt(number, shorten);
002166 | }
002167 |
002168 | /**
002169 |  * @brief Format integer number as string
002170 |  *
002171 |  * @param number
002172 |  * @param shorten If true, use K and M suffixes to denote thousands and millions
002173 |  * @param useLocale Use localized thousands separator (otherwise, scientific)
002174 |  */
002175 | static string FormatInt(int number, bool shorten = false, bool useLocale = true)
002176 | {
002177 |     int abs;
002178 |
002179 |     //! Protect against integer overflow in AbsInt
002180 |     if (number > int.MIN)
002181 |     {
002182 |         abs = Math.AbsInt(number);
002183 |
002184 |         if (abs < 1000)
002185 |             return number.ToString();
002186 |     }
002187 |     else
002188 |     {

```

```
002189 |         abs = int.MAX;
002190 |     }
002191 |
002192 |     if (shorten)
002193 |     {
002194 |         float dec = number;
002195 |         string suffix;
002196 |
002197 |         if (abs >= 1000000)
002198 |         {
002199 |             dec /= 1000000;
002200 |             suffix = "M";
002201 |         }
002202 |         else
002203 |         {
002204 |             //! abs >= 1000
002205 |             dec /= 1000;
002206 |             suffix = "K";
002207 |         }
002208 |
002209 |         dec = Math.Round(dec * 100) / 100;
002210 |
002211 |         string str = dec.ToString();
002212 |
002213 |         if (useLocale)
002214 |             str.Replace(".", Widget.TranslateString("#STR_EXPANSION_NUMBER_SEPARATOR_DECIMAL"));
002215 |
002216 |         return str + suffix;
002217 |     }
002218 |
002219 |     return FormatIntStr(number.ToString(), useLocale);
002220 | }
002221 |
002222 | static string FormatIntStr(string numberStr, bool useLocale = true)
002223 | {
002224 |     int len = numberStr.Length();
002225 |     int digits = len;
002226 |
002227 |     if (numberStr[0] == "-")
002228 |         digits--;
002229 |
002230 |     if (digits < 4)
002231 |         return numberStr;
002232 |
002233 |     int processedCount = 0;
002234 |
002235 |     string str;
002236 |
002237 |     string separator;
002238 |
002239 |     if (useLocale)
002240 |         separator = Widget.TranslateString("#STR_EXPANSION_NUMBER_SEPARATOR_THOUSANDS");
002241 |
002242 |     if (!separator)
002243 |         separator = " ";
002244 |
002245 |     for (int i = (len - 1); i >= 0; i--)
002246 |     {
002247 |         str = numberStr[i] + str;
002248 |
002249 |         if (digits == len || i)
002250 |             processedCount += 1;
```

```

002251 |
002252 |         if ((processedCount % 3) == 0 && processedCount < digits)
002253 |             str = separator + str;
002254 |     }
002255 |
002256 |     return str;
002257 | }
002258 |
002259 | /**
002260 |  * @brief Advanced string formatting
002261 |  *
002262 |  * @param fmt    Format string. Can use special format parameters in the form {<n>:<property_name>}
002263 |  *  <n>          parameter number (1..9)
002264 |  *  :<property_name> optional parameter property name, can be one of:
002265 |  *      name      player's identity name if param is a player and has identity, else display name if object, else classname
002266 |  *      id         player's identity ID if param is a player and has identity, else object network ID formatted as lowercase hex
002267 |  *                for better readability if object, else the param's instance ID (the part between "<>" in "Object<380e60b0>")
002268 |  *      global_id  object global ID as lowercase hex if param is object and param has global ID, else 0
002269 |  *      identity_id player's identity ID if param is a player, else 0
002270 |  *      instance_id param instance ID (the part between "<>" in "Object<380e60b0>").
002271 |  *      network_id  object network ID as lowercase hex if param is object, else 0
002272 |  *      persistent_id entity persistent ID as lowercase hex if param is entity, else 0
002273 |  *      classname  param classname
002274 |  *      type        object GetType() if param is object, else an error is thrown
002275 |  *      position    object position if param is object, else an error is thrown
002276 |  *      orientation object orientation if param is object, else an error is thrown
002277 |  *
002278 |  * @param p1..p9    Parameter values. Note if you want to pass in primitives like bool, int, float, string or vector,
002279 |  *                  you need to wrap them in EXTypeT.
002280 |  *                  The most convenient way to do that is to use EXBool/EXFloat/EXInt/EXString/EXVector, e.g.
002281 |  *                  `auto p = new EXInt(42)`
002282 |  *
002283 |  * @return formatted string
002284 |  *
002285 |  * @code
002286 |  *     Man player = g_Game.GetPlayer();
002287 |  *     string test = ExpansionStatic.FormatString("Player {1} \"{:1:name}\" (id={1:id} pos={1:position})", player);
002288 |  *     Print(test);
002289 |  *     >> test = 'Player DayZPlayer<4461795a> "ClientA" (id=XoIwo96...= pos=<7500, 0, 7500>)'
002290 |  * @endcode
002291 |  */
002292 | static string FormatString(string fmt, Class p1 = null, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null,
Class p8 = null, Class p9 = null)
002293 | {
002294 |     string output;
002295 |
002296 |     int tokenStart;
002297 |     int tokenEnd = -1;
002298 |     string tokenPayload;
002299 |     string propertyName;
002300 |     Class p;
002301 |
002302 |     while (true)
002303 |     {
002304 |         tokenStart = fmt.IndexOfFrom(tokenEnd + 1, "{");
002305 |
002306 |         if (tokenStart > -1)
002307 |         {
002308 |             output += fmt.Substring(tokenEnd + 1, tokenStart - tokenEnd - 1);
002309 |
002310 |             tokenEnd = fmt.IndexOfFrom(tokenStart, "}");
002311 |

```

```
002312 |         if (tokenEnd > -1)
002313 |         {
002314 |             tokenPayload = fmt.Substring(tokenStart + 1, tokenEnd - tokenStart - 1);
002315 |         }
002316 |     else
002317 |     {
002318 |         output += fmt.Substring(tokenStart, fmt.Length() - tokenStart);
002319 |         break;
002320 |     }
002321 | }
002322 | else
002323 | {
002324 |     output += fmt.Substring(tokenEnd + 1, fmt.Length() - tokenEnd - 1);
002325 |     break;
002326 | }
002327 |
002328 | switch (tokenPayload[0].ToInt())
002329 | {
002330 |     case 1:
002331 |         p = p1;
002332 |         break;
002333 |     case 2:
002334 |         p = p2;
002335 |         break;
002336 |     case 3:
002337 |         p = p3;
002338 |         break;
002339 |     case 4:
002340 |         p = p4;
002341 |         break;
002342 |     case 5:
002343 |         p = p5;
002344 |         break;
002345 |     case 6:
002346 |         p = p6;
002347 |         break;
002348 |     case 7:
002349 |         p = p7;
002350 |         break;
002351 |     case 8:
002352 |         p = p8;
002353 |         break;
002354 |     case 9:
002355 |         p = p9;
002356 |         break;
002357 |
002358 |     default:
002359 |         p = null;
002360 |         break;
002361 | }
002362 |
002363 | if (tokenPayload.Length() > 1 && p)
002364 | {
002365 |     if (tokenPayload[1] != ":")
002366 |     {
002367 |         EXError.Error(null, "Invalid token " + tokenPayload);
002368 |         continue;
002369 |     }
002370 |
002371 |     propertyName = tokenPayload.Substring(2, tokenPayload.Length() - 2);
002372 |
002373 |     EntityAI entity;
```

```
002374 |         Man player;
002375 |         Object obj;
002376 |         int lowBits, highBits;
002377 |
002378 |         switch (propertyName)
002379 |         {
002380 |             case "name":
002381 |                 if (Class.CastTo(player, p))
002382 |                     output += GetDayZGame().GetExpansionGame().GetPlayerName(player);
002383 |                 else if (Class.CastTo(obj, p) && obj.GetDisplayName())
002384 |                     output += obj.GetDisplayName();
002385 |                 else
002386 |                     output += p.ClassName();
002387 |                 break;
002388 |
002389 |             case "classname":
002390 |                 output += p.ClassName();
002391 |                 break;
002392 |
002393 |             case "id":
002394 |                 if (Class.CastTo(player, p))
002395 |                 {
002396 |                     output += GetDayZGame().GetExpansionGame().GetPlayerID(player);
002397 |                 }
002398 |                 else if (Class.CastTo(obj, p))
002399 |                 {
002400 |                     obj.GetNetworkID(lowBits, highBits);
002401 |                     output += IntToHex(highBits);
002402 |                     output += IntToHex(lowBits);
002403 |                 }
002404 |                 else
002405 |                 {
002406 |                     output += GetInstanceID(p);
002407 |                 }
002408 |                 break;
002409 |
002410 |             case "identity_id":
002411 |                 if (Class.CastTo(player, p))
002412 |                     output += GetDayZGame().GetExpansionGame().GetPlayerID(player);
002413 |                 else
002414 |                     output += "0";
002415 |                 break;
002416 |
002417 |             case "network_id":
002418 |                 if (Class.CastTo(obj, p))
002419 |                 {
002420 |                     obj.GetNetworkID(lowBits, highBits);
002421 |                     output += IntToHex(highBits);
002422 |                     output += IntToHex(lowBits);
002423 |                 }
002424 |                 else
002425 |                 {
002426 |                     output += "0";
002427 |                 }
002428 |                 break;
002429 |
002430 |             case "instance_id":
002431 |                 output += GetInstanceID(p);
002432 |                 break;
002433 |
002434 |             case "global_id":
002435 |                 ExpansionGlobalID globalID;
```

```
002436 |         EnScript.GetClassVar(p, "m_Expansion_GlobalID", 0, globalID);
002437 |         if (globalID)
002438 |             output += globalID.IDToHex();
002439 |         else
002440 |             output += "0";
002441 |         break;
002442 |
002443 |     case "persistent_id":
002444 |         if (Class.CastTo(entity, p))
002445 |             output += GetPersistentIDString(entity);
002446 |         else
002447 |             output += "0";
002448 |         break;
002449 |
002450 |     case "lifetime":
002451 |         if (Class.CastTo(entity, p))
002452 |             output += entity.GetLifetime().ToString();
002453 |         else
002454 |             EXError.Error(null, p.ToString() + " is not an entity");
002455 |         break;
002456 |
002457 |     case "type":
002458 |         if (Class.CastTo(obj, p))
002459 |             output += obj.GetType();
002460 |         else
002461 |             EXError.Error(null, p.ToString() + " is not an object");
002462 |         break;
002463 |
002464 |     case "position":
002465 |         if (Class.CastTo(obj, p))
002466 |             output += VectorToString(obj.GetPosition());
002467 |         else
002468 |             EXError.Error(null, p.ToString() + " is not an object");
002469 |         break;
002470 |
002471 |     case "orientation":
002472 |         if (Class.CastTo(obj, p))
002473 |             output += VectorToString(obj.GetOrientation());
002474 |         else
002475 |             EXError.Error(null, p.ToString() + " is not an object");
002476 |         break;
002477 |
002478 |     default:
002479 |         EXError.Error(null, "Invalid property name " + tokenPayload);
002480 |         break;
002481 |     }
002482 | }
002483 | else
002484 | {
002485 |     EXType type;
002486 |     if (Class.CastTo(type, p))
002487 |     {
002488 |         if (type.GetValueType() == vector)
002489 |             output += VectorToString(EXTypeT<vector>.Cast(type).GetValue());
002490 |         else
002491 |             output += type.ToString(false, false, false);
002492 |     }
002493 |     else
002494 |     {
002495 |         output += p.ToString();
002496 |     }
002497 | }
```



```
002498 |     }
002499 |
002500 |     return output;
002501 | }
002502 |
002503 | static bool Key_SHIFT()
002504 | {
002505 |     return( ( KeyState( KeyCode.KC_LSHIFT ) > 0 ) || ( KeyState( KeyCode.KC_RSHIFT ) > 0 ) );
002506 | }
002507 |
002508 | static bool Key_CTRL()
002509 | {
002510 |     return( ( KeyState( KeyCode.KC_LCONTROL ) > 0 ) || ( KeyState( KeyCode.KC_RCONTROL ) > 0 ) );
002511 | }
002512 |
002513 | static bool Key_ALT()
002514 | {
002515 |     return( ( KeyState( KeyCode.KC_LMENU ) > 0 ) || ( KeyState( KeyCode.KC_RMENU ) > 0 ) );
002516 | }
002517 |
002518 | static bool Key_Y()
002519 | {
002520 |     return KeyState(KeyCode.KC_Y) > 0;
002521 | }
002522 |
002523 | static bool Key_Z()
002524 | {
002525 |     return KeyState(KeyCode.KC_Z) > 0;
002526 | }
002527 |
002528 | static bool Key_C()
002529 | {
002530 |     return KeyState(KeyCode.KC_C) > 0;
002531 | }
002532 |
002533 | static bool Key_B()
002534 | {
002535 |     return KeyState(KeyCode.KC_B) > 0;
002536 | }
002537 |
002538 | static bool Key_S()
002539 | {
002540 |     return KeyState(KeyCode.KC_S) > 0;
002541 | }
002542 |
002543 | static bool Key_UP()
002544 | {
002545 |     return KeyState(KeyCode.KC_UP) > 0;
002546 | }
002547 |
002548 | static bool Key_DOWN()
002549 | {
002550 |     return KeyState(KeyCode.KC_DOWN) > 0;
002551 | }
002552 |
002553 | static bool Key_LEFT()
002554 | {
002555 |     return KeyState(KeyCode.KC_LEFT) > 0;
002556 | }
002557 |
002558 | static bool Key_RIGHT()
002559 | {
```

```
002560 |         return KeyState(KeyCode.KC_RIGHT) > 0;
002561 |     }
002562 |
002563 |     static bool INPUT_FORWARD()
002564 |     {
002565 |         return g_Game.GetInput().LocalPress( "UAMoveForward", false );
002566 |     }
002567 |
002568 |     static bool INPUT_BACK()
002569 |     {
002570 |         return g_Game.GetInput().LocalPress( "UAMoveBack", false );
002571 |     }
002572 |
002573 |     static bool INPUT_LEFT()
002574 |     {
002575 |         return g_Game.GetInput().LocalPress( "UAMoveLeft", false );
002576 |     }
002577 |
002578 |     static bool INPUT_RIGHT()
002579 |     {
002580 |         return g_Game.GetInput().LocalPress( "UAMoveRight", false );
002581 |     }
002582 |
002583 |     static bool INPUT_GETOVER()
002584 |     {
002585 |         return g_Game.GetInput().LocalPress( "UAGetOver", false );
002586 |     }
002587 |
002588 |     static bool INPUT_STANCE()
002589 |     {
002590 |         return g_Game.GetInput().LocalPress( "UAStance", false );
002591 |     }
002592 |
002593 |     static void MessageNearPlayers(vector position, float radius, string msg)
002594 |     {
002595 |         float radiusSq = radius * radius;
002596 |         array<Man> players();
002597 |         g_Game.GetPlayers(players);
002598 |         foreach (Man player: players)
002599 |         {
002600 |             if (vector.DistanceSq(position, player.GetPosition()) < radiusSq)
002601 |             {
002602 |                 g_Game.RPCSingleParam(player, ERPCs.RPC_USER_ACTION_MESSAGE, new Param1<string>(msg), true, player.GetIdentity());
002603 |             }
002604 |         }
002605 |     }
002606 |
002607 |     static vector GetCursorHitPos(out Object hitObject = null, float fallbackDistance = 20.0)
002608 |     {
002609 | #ifdef EXTRACE_DIAG
002610 |         auto trace = EXTrace.Start(EXTrace.MISC, ExpansionStatic);
002611 | #endif
002612 |
002613 |         vector begPos = g_Game.GetCurrentCameraPosition();
002614 |         vector endPos = begPos + g_Game.GetCurrentCameraDirection() * 1000.0;
002615 |
002616 | #ifdef EXTRACE_DIAG
002617 |         EXTrace.Add(trace, begPos);
002618 |         EXTrace.Add(trace, endPos);
002619 | #endif
002620 |
002621 |         vector hitPosition, hitNormal;
```

```
002622 |         int hitComponent;
002623 |         set<Object> results = new set<Object>;
002624 |
002625 |         if (DayZPhysics.RaycastRV(begPos, endPos, hitPosition, hitNormal, hitComponent, results, null, g_Game.GetPlayer()))
002626 |         {
002627 |             if (results.Count())
002628 |                 hitObject = results[0];
002629 |         }
002630 |         else if (fallbackDistance)
002631 |         {
002632 |             hitPosition = begPos + g_Game.GetCurrentCameraDirection() * fallbackDistance;
002633 |             float surfaceY = g_Game.SurfaceY(hitPosition[0], hitPosition[2]);
002634 |             if (surfaceY > hitPosition[1])
002635 |                 hitPosition[1] = surfaceY;
002636 |         }
002637 |
002638 | #ifdef TRACE_DIAG
002639 |     EXTrace.Add(trace, hitPosition);
002640 | #endif
002641 |
002642 |     return hitPosition;
002643 | }
002644 |
002645 | static vector GetSurfacePosition(vector position)
002646 | {
002647 |     return GetSurfacePosition(position[0], position[2]);
002648 | }
002649 |
002650 | static vector GetSurfacePosition(float x, float z)
002651 | {
002652 |     return Vector(x, g_Game.SurfaceY(x, z), z);
002653 | }
002654 |
002655 | static vector GetSurfaceRoadPosition(vector position, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002656 | {
002657 |     return Vector(position[0], GetSurfaceRoadY3D(position, rsd, syncMode), position[2]);
002658 | }
002659 |
002660 | static vector GetSurfaceRoadPosition(float x, float y, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002661 | {
002662 |     return Vector(x, GetSurfaceRoadY3D(x, y + 0.1, z, rsd, syncMode), z);
002663 | }
002664 |
002665 | static float GetSurfaceRoadY3D(float x, float y, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002666 | {
002667 |     return GetSurfaceRoadY3D(Vector(x, y, z));
002668 | }
002669 |
002670 | static float GetSurfaceRoadY3D(vector position, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002671 | {
002672 |     s_SurfParams.position = position;
002673 |     s_SurfParams.syncMode = syncMode;
002674 |
002675 |     float roadY;
002676 |
002677 |     switch (rsd)
002678 |     {
002679 |         case RoadSurfaceDetection.CLOSEST:
002680 |             //! CLOSEST doesn't always return actual closest surface https://feedback.bistudio.com/T192568
002681 |             s_SurfParams.rsd = RoadSurfaceDetection.ABOVE;
```

```
002682 |         g_Game.GetSurface(s_SurfParams, s_SurfResult);
002683 |         float roadY_Above = s_SurfResult.height;
002684 |         s_SurfParams.rsd = RoadSurfaceDetection.UNDER;
002685 |         g_Game.GetSurface(s_SurfParams, s_SurfResult);
002686 |         float roadY_Under = s_SurfResult.height;
002687 |         float y = position[1];
002688 |         float dist_Above = Math.AbsFloat(roadY_Above - y);
002689 |         float dist_Under = Math.AbsFloat(roadY_Under - y);
002690 |         if (dist_Above < dist_Under)
002691 |             roadY = roadY_Above;
002692 |         else
002693 |             roadY = roadY_Under;
002694 |         break;
002695 |
002696 |     default:
002697 |         s_SurfParams.rsd = rsd;
002698 |         g_Game.GetSurface(s_SurfParams, s_SurfResult);
002699 |         roadY = s_SurfResult.height;
002700 |         break;
002701 |     }
002702 |
002703 |     return roadY;
002704 | }
002705 |
002706 | static vector GetSurfaceRoadPosition(float x, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.LEGACY, UseObjectsMode syncMode = UseObjectsMode.NoWait
002707 | )
002708 | {
002709 |     return Vector(x, GetSurfaceRoadY3D(x, 0, z, rsd, syncMode), z);
002710 | }
002711 |
002712 | static float GetSurfaceRoadY(float x, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.LEGACY, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002713 | {
002714 |     return GetSurfaceRoadY3D(x, 0, z, rsd, syncMode);
002715 | }
002716 |
002717 | static float GetSurfaceWaterDepth(vector position)
002718 | {
002719 |     return GetSurfaceWaterDepth(position[0], position[2]);
002720 | }
002721 |
002722 | static float GetSurfaceWaterDepth(float x, float z)
002723 | {
002724 |     return g_Game.GetWaterDepth(GetSurfacePosition(x, z));
002725 | }
002726 |
002727 | ///! Get ground surface position or water surface position, whichever has higher elevation
002728 | static vector GetSurfaceWaterPosition(vector position)
002729 | {
002730 |     return GetSurfaceWaterPosition(position[0], position[2]);
002731 | }
002732 |
002733 | ///! Get ground surface position or water surface position, whichever has higher elevation
002734 | static vector GetSurfaceWaterPosition(float x, float z)
002735 | {
002736 |     vector position = GetSurfacePosition(x, z);
002737 |     float waterDepth = g_Game.GetWaterDepth(position);
002738 |     if (waterDepth > 0)
002739 |         position[1] = position[1] + waterDepth;
002740 |     return position;
002741 | }
002742 |
002743 | static bool SurfaceIsWater(vector position, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
```

```
002743 | {
002744 |     float surfaceY = GetSurfaceRoadY3D(position[0], position[1] + 0.1, position[2], rsd, syncMode);
002745 |     float waterDepth = g_Game.GetWaterDepth(Vector(position[0], surfaceY, position[2]));
002746 |     if (waterDepth > 0)
002747 |         return true;
002748 |
002749 |     return false;
002750 | }
002751 |
002752 | static bool SurfaceIsWater(float x, float z, RoadSurfaceDetection rsd = RoadSurfaceDetection.UNDER, UseObjectsMode syncMode = UseObjectsMode.NoWait)
002753 | {
002754 |     return SurfaceIsWater(Vector(x, 0, z), rsd, syncMode);
002755 | }
002756 |
002757 | static string GetImpactSurfaceType(Object directHit, vector hitPosition, vector relativeVelocityBefore)
002758 | {
002759 |     string surfaceImpact;
002760 |
002761 |     if (directHit)
002762 |     {
002763 |         vector add = relativeVelocityBefore.Normalized() * 0.1;
002764 |         if (DayZPhysics.GetHitSurface(
002765 |             directHit,
002766 |             hitPosition - add,
002767 |             hitPosition + add,
002768 |             surfaceImpact) && surfaceImpact != string.Empty)
002769 |         {
002770 |             #ifdef DIAG_DEVELOPER
002771 |                 EXTrace.Print(EXTrace.AI, null, "GetHitSurface " + surfaceImpact);
002772 |             #endif
002773 |
002774 |             return surfaceImpact;
002775 |         }
002776 |
002777 |         ///! Sometimes, GetHitSurface fails to return something useful
002778 |         if (directHit.IsMan() || directHit.IsInherited(DayZCreature))
002779 |             surfaceImpact = "Hit_MeatBones";
002780 |         else if (directHit.IsBuilding())
002781 |             surfaceImpact = "Hit_Concrete";
002782 |         else if (directHit.IsBush())
002783 |             surfaceImpact = "Hit_Foliage";
002784 |         else if (directHit.IsTree())
002785 |             surfaceImpact = "Hit_Wood";
002786 |         else if (directHit.IsRock())
002787 |             surfaceImpact = "Hit_Gravel";
002788 |         else if (directHit.IsWeapon() || directHit.IsMagazine() || directHit.IsTransport())
002789 |             surfaceImpact = "Hit_Metal";
002790 |         else if (directHit.IsClothing())
002791 |             surfaceImpact = "Hit_Textile";
002792 |         else if (SurfaceIsWater(hitPosition))
002793 |             surfaceImpact = "Hit_Water";
002794 |         else
002795 |             surfaceImpact = "Hit_Dirt";
002796 |     }
002797 |     else
002798 |     {
002799 |         if (SurfaceIsWater(hitPosition))
002800 |             surfaceImpact = "Hit_Water";
002801 |         else
002802 |             surfaceImpact = "Hit_Dirt";
002803 |     }
002804 | }
```

```
002805 |     return surfaceImpact;
002806 | }
002807 |
002808 | //! @brief return lowercase game world name, with "gloom" suffix removed (if present)
002809 | static string GetCanonicalWorldName(CGame game = NULL)
002810 | {
002811 |     if (!game)
002812 |         game = g_Game;
002813 |
002814 |     string worldName;
002815 |     game.GetWorldName(worldName);
002816 |     worldName.ToLower();
002817 |
002818 |     if (worldName.Length() < 5)
002819 |         return worldName;
002820 |
002821 |     if (worldName.IndexOf("gloom") == worldName.Length() - 5)
002822 |         worldName = worldName.Substring(0, worldName.Length() - 5);
002823 |
002824 |     return worldName;
002825 | }
002826 |
002827 | static string VectorToString(vector vec, ExpansionVectorToString format = ExpansionVectorToString.Beautify, int precision = 2)
002828 | {
002829 |     float m = Math.Pow(10, precision);
002830 |     TStringArray output = {};
002831 |
002832 |     for (int i = 0; i < 3; i++)
002833 |         output.Insert((Math.Round(vec[i] * m) / m).ToString());
002834 |
002835 |     switch (format)
002836 |     {
002837 |         case ExpansionVectorToString.Beautify:
002838 |             return "<" + ExpansionString.JoinStrings(output, ", ") + ">";
002839 |         case ExpansionVectorToString.Labels:
002840 |             return "X: " + output[0] + " Y: " + output[1] + " Z: " + output[2];
002841 |     }
002842 |
002843 |     return ExpansionString.JoinStrings(output, " ");
002844 | }
002845 |
002846 | static bool GetVariableIntByName(typename type, string name, out int val)
002847 | {
002848 |     return StringToEnumEx(type, name, val);
002849 | }
002850 |
002851 | static void LockInventoryRecursive(EntityAI entity, int lockType = HIDE_INV_FROM_SCRIPT)
002852 | {
002853 |     int attcount = entity.GetInventory().AttachmentCount();
002854 |     for (int att = 0; att < attcount; att++)
002855 |     {
002856 |         EntityAI attachmentEntity = entity.GetInventory().GetAttachmentFromIndex(att);
002857 |         if (attachmentEntity)
002858 |             LockInventoryRecursive(attachmentEntity, lockType);
002859 |     }
002860 |     entity.GetInventory().LockInventory(lockType);
002861 | }
002862 |
002863 | static void UnlockInventoryRecursive(EntityAI entity, int lockType = HIDE_INV_FROM_SCRIPT)
002864 | {
002865 |     int attcount = entity.GetInventory().AttachmentCount();
002866 |     for (int att = 0; att < attcount; att++)
```

```
002867 |     {
002868 |         EntityAI attachmentEntity = entity.GetInventory().GetAttachmentFromIndex(att);
002869 |         if (attachmentEntity)
002870 |             UnlockInventoryRecursive(attachmentEntity, lockType);
002871 |     }
002872 |     entity.GetInventory().UnlockInventory(lockType);
002873 | }
002874 |
002875 | /**
002876 |  * @brief Check whether inventory of entity or its parent is locked
002877 |  *
002878 |  * @param [out] lockType      Set to LOCK_FROM_SCRIPT or HIDE_INV_FROM_SCRIPT if locked
002879 |  * @param [out] lockedEntity  Set to entity whose inventory is locked (i.e. entity itself or parent)
002880 |  *
002881 |  * @param checkParent        Don't check parent if set to false
002882 |  *
002883 |  * @return true if entity or parent is locked, else false
002884 |  */
002885 | static bool IsInventoryLocked(EntityAI entity, out int lockType = 0, out EntityAI lockedEntity = null, bool checkParent = true)
002886 | {
002887 |     auto inventory = entity.GetInventory();
002888 |
002889 |     if (inventory && inventory.IsInventoryLocked())
002890 |     {
002891 |         if (inventory.IsInventoryLockedForLockType(HIDE_INV_FROM_SCRIPT))
002892 |             lockType = HIDE_INV_FROM_SCRIPT;
002893 |         else
002894 |             lockType = LOCK_FROM_SCRIPT;
002895 |
002896 |         lockedEntity = entity;
002897 |
002898 |         return true;
002899 |     }
002900 |
002901 |     if (checkParent && entity.GetHierarchyParent())
002902 |         return IsInventoryLocked(entity.GetHierarchyParent(), lockType, lockedEntity, false);
002903 |
002904 |     return false;
002905 | }
002906 |
002907 | //! Only kept for compatibility with old mods, remove after next update
002908 | void LoadFlagTextures()
002909 | {
002910 |     Error("DEPRECATED - please use ExpansionFlagTextures::Load instead!");
002911 | }
002912 |
002913 | //! Only kept for compatibility with old mods, remove after next update
002914 | void AddFlagTexture( string path, string name )
002915 | {
002916 |     Error("DEPRECATED - please use ExpansionFlagTextures::Add instead!");
002917 | }
002918 |
002919 | //! Only kept for compatibility with old mods, remove after next update
002920 | bool RemoveFlagTexture( string path )
002921 | {
002922 |     Error("DEPRECATED - please use ExpansionFlagTextures::Remove instead!");
002923 |     return false;
002924 | }
002925 | }
002926 |
```

0067. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionTracing.c
Size bytes: 20427
SHA-256: 30fe84a8009fe5a84216cacc8cca5dd09a25c61a0c65e4337cc478331051fd2d
Decoded as: utf-8-sig
Line count shown: 770
Detected class declarations: 1
  L30: class EXTrace
Detected enum declarations: 0
Detected function/method-like declarations: 51
  L135: static bool IsEnabled()
  L192: private void EXTrace(Class instance, typename typeName, bool initialDump = true)
  L199: else if (typeName)
  L210: void ~EXTrace()
  L229: void InitialDump(int initialDumpStart = 1)
  L235: void Dump(int depth = 1, int start = 1, bool end = false)
  L254: else if (m_ClassName)
  L275: void ProcessStack(int depth = 1, int start = 1, bool end = false, bool dump = true, float elapsed = 0, string prefix = string.Empty, string
  L317: void Profile(float elapsed)
  L351: void DumpLine(string line, float elapsed, bool end = false)
  L360: static void DumpProfilingData()
  L405: EXTrace Add(bool param)
  L407: return Add(param.ToString());
  L410: EXTrace Add(int param)
  L412: return Add(param.ToString());
  L415: EXTrace Add(float param)
  L417: return Add(param.ToString());
  L420: EXTrace Add(vector param, bool beautify = true)
  L422: return Add(param.ToString(beautify));
  L425: EXTrace Add(typename param)
  L427: return Add(param.ToString());
  L430: EXTrace Add(Class param)
  L432: return Add(param.ToString());
  L435: EXTrace Add(string param)
  L442: static void Add(EXTrace trace, bool param)
  L447: static void Add(EXTrace trace, int param)
  L452: static void Add(EXTrace trace, float param)
  L457: static void Add(EXTrace trace, vector param, bool beautify = true)
  L465: static void Add(EXTrace trace, typename param)
  L470: static void Add(EXTrace trace, Class param)
  L475: static void Add(EXTrace trace, string param)
  L484: void SetDepth(int depth)
  L489: void SetFuncName(string funcName)
  L494: void SetStart(int start)
  L499: void SetSilent(bool silent)
  L504: void Print(string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", strin
  L509: static void Print(bool yes, Class instance, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", stri
  L520: static void Print(bool yes, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", s
  L531: static void PrintEx(Class instance, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5
  L538: else if (typeName)
  L549: static void PrintHit(bool yes = true, Class instance = null, string msg = "", TotalDamageResult damageResult = null, int damageType = 0, Ent
  L584: static EXTrace Start(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "",
  L619: static EXTrace StartStack(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3
  L634: static EXTrace Start0(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = ""
  L649: static EXTrace Start(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string par
  L684: static EXTrace StartStack(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", strin
  L699: static EXTrace Start0(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string pa
  L713: static EXTrace Profile(bool yes, Class instance)
  L726: static EXTrace Profile(bool yes, Class instance, string funcName)
```



```
L740: static EXTrace Profile(bool yes, typename typeName)
L753: static EXTrace Profile(bool yes, typename typeName, string funcName)
```

Full file content

```
000001 | /**
000002 |  * ExpansionTracing.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /*
000014 |  * Call tracing that can be enabled on a per-ID basis.
000015 |  * Insert in each method at the top one of the following:
000016 |  *
000017 |  * auto trace = EXTrace.Start(EXTrace.<ID>, <instance|typename|null>); //!< Includes only 1st line of stack
000018 |  * auto trace = EXTrace.StartStack(EXTrace.<ID>, <instance|typename|null>); //!< Includes whole stack
000019 |  * auto trace = EXTrace.Start0(EXTrace.<ID>, <instance|typename|null>); //!< Excludes stack
000020 |  *
000021 |  * Calling trace.Dump(<int> depth) will output the current stack with the desired depth (this happens automatically when the trace is destroyed).
000022 |  * Leave out the depth parameter to use default depth.
000023 |  * You can also change the default depth on-the-fly by calling trace.SetDepth(<int> depth).
000024 |  *
000025 |  * static bool EXTrace.<ID> needs to exist in Core\DayZExpansion_Core\3_Game\ExpansionTracing.c
000026 |  * and be set to return value of IsEnabled() (will enable if DayZDiag, DayZ Experimental or CLI param `extrace` is set to true)
000027 |  * or uncomment global define EXPANSIONTRACE in DayZExpansion_Core_Defines.c
000028 |  * DON'T use without wrapping in ifdef EXPANSIONTRACE ... #endif in OnUpdate or anywhere else it would get called rapidly!
000029 |  */
000030 | class EXTrace
000031 | {
000032 |     //!< Please keep these alphabetically ordered when inserting new variables
000033 |
000034 |     static bool ACTIONS = IsEnabled();
000035 |
000036 |     static bool AI = IsEnabled();
000037 |
000038 |     static bool AI_PROFILE = IsEnabled();
000039 |
000040 |     static bool BASEBUILDING = IsEnabled();
000041 |
000042 |     static bool BOOK;
000043 |
000044 |     static bool CE = IsEnabled();
000045 |
000046 |     static bool CHAT = IsEnabled();
000047 |
000048 |     static bool CHICKEN;
000049 |
000050 |     static bool COT_GROUPS = IsEnabled();
000051 |
000052 |     static bool DATACOLLECTION = IsEnabled();
000053 |
000054 |     static bool FSM;
000055 |
000056 |     static bool GENERAL_ITEMS = IsEnabled();
000057 | }
```

```
000058 | static bool GLOBAL;
000059 |
000060 | static bool GROUPS = IsEnabled();
000061 |
000062 | static bool GARAGE = IsEnabled();
000063 |
000064 | static bool HARDLINE = IsEnabled();
000065 |
000066 | static bool KILLFEED = IsEnabled();
000067 |
000068 | static bool LIGHTHOUSE = IsEnabled();
000069 |
000070 | static bool LIGHTS = IsEnabled();
000071 |
000072 | static bool LOADOUTS = IsEnabled();
000073 |
000074 | static bool MAPPING = IsEnabled();
000075 |
000076 | static bool MARKER;
000077 |
000078 | static bool MARKET = IsEnabled();
000079 |
000080 | static bool MISC = IsEnabled();
000081 |
000082 | static bool MISSIONS = IsEnabled();
000083 |
000084 | static bool NOTIFICATIONS = IsEnabled();
000085 |
000086 | static bool NAMALSKADVENTURE = IsEnabled();
000087 |
000088 | static bool P2PMARKET = IsEnabled();
000089 |
000090 | static bool PATH_INTERPOLATION;
000091 |
000092 | static bool PERSONALSTORAGE = IsEnabled();
000093 |
000094 | static bool PLAYER = IsEnabled();
000095 |
000096 | static bool PLAYER_CONSTANT; // Will fill up the logs
000097 |
000098 | static bool PLAYER_MONITOR;
000099 |
000100 | static bool PROFILING = IsEnabled();
000101 |
000102 | static bool QUESTS = IsEnabled();
000103 |
000104 | static bool RESPAWN = IsEnabled();
000105 |
000106 | static bool RPC = IsEnabled();
000107 |
000108 | static bool SETTINGS = IsEnabled();
000109 |
000110 | static bool SOUND = IsEnabled();
000111 |
000112 | static bool CLIENT_SETTINGS = IsEnabled();
000113 |
000114 | static bool SPAWNSELECTION;
000115 |
000116 | static bool SKIN;
000117 |
000118 | static bool TELEPORTER = IsEnabled();
000119 |
```

```
000120 | static bool TERRITORY;
000121 |
000122 | static bool UI = IsEnabled();
000123 |
000124 | static bool VEHICLES = IsEnabled();
000125 |
000126 | static bool WEAPONS = IsEnabled();
000127 |
000128 | static bool ZONES;
000129 |
000130 | //! -----
000131 |
000132 | protected static bool s_Initialized;
000133 | protected static bool s_Enabled;
000134 |
000135 | static bool IsEnabled()
000136 | {
000137 |     if (!s_Initialized)
000138 |     {
000139 | #ifdef DIAG
000140 |         s_Enabled = true;
000141 | #else
000142 |     #ifdef BUILD_EXPERIMENTAL
000143 |         #ifndef DEVELOPER
000144 |             s_Enabled = true;
000145 |         #endif
000146 |     #endif
000147 | #endif
000148 |
000149 |         string extrace;
000150 |         if (GetCLIParam("extrace", extrace))
000151 |         {
000152 |             if (extrace != "0" && extrace != "false")
000153 |                 s_Enabled = true;
000154 |             else
000155 |                 s_Enabled = false;
000156 |             if (s_Enabled)
000157 |                 EXPrint("Command line parameter `extrace` found - enabling tracing");
000158 |             else
000159 |                 EXPrint("Command line parameter `extrace` " + extrace + " found - disabling tracing");
000160 |         }
000161 |
000162 |         if (s_Enabled)
000163 |             CF_Log.Level = CF_LogLevel.TRACE;
000164 |
000165 |         s_Initialized = true;
000166 |     }
000167 |
000168 |     return s_Enabled;
000169 | }
000170 |
000171 | //! -----
000172 |
000173 | static const typename NULLTYPE;
000174 |
000175 | static const string INDENT = " ";
000176 | static string s_Indent;
000177 |
000178 | static ref CF_Date s_StartDate = CF_Date.Now();
000179 | static ref map<string, ref Param4<int, float, int, float>> s_Profiling = new map<string, ref Param4<int, float, int, float>>;
000180 |
000181 | protected string m_Instance;
```

```
000182 |     protected string m_Params[10];
000183 |     protected int m_ParamsCount;
000184 |     protected int m_Ticks;
000185 |     protected int m_Depth = 1; ///! Default depth = 1 (first line of stack). Set to -1 to include whole stack, set to 0 to exclude stack.
000186 |     protected int m_Start = 2; ///! Default start = 2 (second line of stack)
000187 |     protected bool m_End;
000188 |     protected bool m_Silent;
000189 |     protected string m_ClassName;
000190 |     protected string m_FuncName;
000191 |
000192 |     private void EXTrace(Class instance, typename typeName, bool initialDump = true)
000193 |     {
000194 |         if (instance)
000195 |         {
000196 |             m_Instance = instance.ToString();
000197 |             m_ClassName = instance.ClassName();
000198 |         }
000199 |         else if (typeName)
000200 |         {
000201 |             m_ClassName = typeName.ToString();
000202 |         }
000203 |
000204 |         m_Ticks = TickCount(0);
000205 |
000206 |         if (initialDump)
000207 |             InitialDump();
000208 |     }
000209 |
000210 |     void ~EXTrace()
000211 |     {
000212 |         if (m_Silent)
000213 |         {
000214 |             float elapsed = TickCount(m_Ticks) * 0.0001;
000215 |             if (m_FuncName)
000216 |                 Profile(elapsed);
000217 |             else
000218 |                 ProcessStack(1, m_Start, true, false, elapsed);
000219 |         }
000220 |         else
000221 |         {
000222 |             if (m_Depth == -1)
000223 |                 m_Depth = 1;
000224 |             s_Indent = s_Indent.Substring(0, s_Indent.Length() - 1);
000225 |             Dump(m_Depth, m_Start, true);
000226 |         }
000227 |     }
000228 |
000229 |     void InitialDump(int initialDumpStart = 1)
000230 |     {
000231 |         Dump(m_Depth, m_Start + initialDumpStart);
000232 |         s_Indent += " ";
000233 |     }
000234 |
000235 |     void Dump(int depth = 1, int start = 1, bool end = false)
000236 |     {
000237 |         if (m_End)
000238 |             return;
000239 |
000240 |         m_End = end;
000241 |
000242 |         float elapsed = TickCount(m_Ticks) * 0.0001;
000243 |         string params;
```

```
000244 |
000245 |     for (int i = 0; i < m_ParamsCount; i++)
000246 |     {
000247 |         params += " " + m_Params[i];
000248 |     }
000249 |
000250 |     string prefix;
000251 |
000252 |     if (m_Instance)
000253 |         prefix = m_Instance;
000254 |     else if (m_ClassName)
000255 |         prefix = m_ClassName;
000256 |
000257 |     if (prefix)
000258 |     {
000259 |         if (depth != 0)
000260 |             prefix += "::";
000261 |     }
000262 |
000263 |     if (depth == 0)
000264 |     {
000265 |         DumpLine(prefix + params, elapsed, end);
000266 |     }
000267 |     else
000268 |     {
000269 |         ProcessStack(depth, start + 1, end, true, elapsed, prefix, params);
000270 |     }
000271 |
000272 |     m_Ticks = TickCount(0);
000273 | }
000274 |
000275 | void ProcessStack(int depth = 1, int start = 1, bool end = false, bool dump = true, float elapsed = 0, string prefix = string.Empty, string params = string.Empty)
000276 | {
000277 |     string stack;
000278 |     DumpStackString(stack);
000279 |
000280 |     TStringArray stacka = {};
000281 |     stack.Split("\n", stacka);
000282 |
000283 |     int n = start;
000284 |
000285 |     while (depth != 0 && n < stacka.Count())
000286 |     {
000287 |         string line = stacka[n];
000288 |
000289 |         if (n > start)
000290 |         {
000291 |             PrintFormat("%1%2", s_Indent + INDENT, line);
000292 |         }
000293 |         else
000294 |         {
000295 |             if (end || m_ClassName)
000296 |             {
000297 |                 line = line.Substring(0, line.IndexOf("("));
000298 |                 m_FuncName = line;
000299 |             }
000300 |
000301 |             if (end)
000302 |                 Profile(elapsed);
000303 |
000304 |             if (dump)
```

```
000305 |         DumpLine(prefix + line + params, elapsed, end);
000306 |     else
000307 |         break;
000308 |     }
000309 |
000310 |     n++;
000311 |
000312 |     if (depth > 0)
000313 |         depth--;
000314 | }
000315 | }
000316 |
000317 | void Profile(float elapsed)
000318 | {
000319 |     string name = m_ClassName;
000320 |
000321 |     if (m_FuncName)
000322 |     {
000323 |         if (name)
000324 |             name += "::";
000325 |         name += m_FuncName;
000326 |     }
000327 |
000328 |     int hitchCount;
000329 |     float hitchTime;
000330 |     if (elapsed > 1.0)
000331 |     {
000332 |         hitchCount = 1;
000333 |         hitchTime = elapsed;
000334 |     }
000335 |
000336 |     Param4<int, float, int, float> profile;
000337 |     if (s_Profiling.Find(name, profile))
000338 |     {
000339 |         profile.param1 += 1;
000340 |         profile.param2 += elapsed;
000341 |         profile.param3 += hitchCount;
000342 |         profile.param4 += hitchTime;
000343 |     }
000344 |     else
000345 |     {
000346 |         s_Profiling[name] = new Param4<int, float, int, float>(1, elapsed, hitchCount, hitchTime);
000347 |     }
000348 | }
000349 |
000350 | //! @note max script log printable text length client 240, server 1026 characters
000351 | void DumpLine(string line, float elapsed, bool end = false)
000352 | {
000353 |     if (end)
000354 |         PrintFormat("%1 [EXTRACE] %2 %3 ms", ExpansionStatic.GetISOTime(), s_Indent + "-" + line, elapsed.ToString());
000355 |     else
000356 |         PrintFormat("%1 [EXTRACE] %2", ExpansionStatic.GetISOTime(), s_Indent + "+" + line);
000357 | }
000358 |
000359 | #ifdef EXTRACE
000360 | static void DumpProfilingData()
000361 | {
000362 |     FileHandle file = OpenFile(string.Format("$profile:EXTrace_Profiling_%1.csv", s_StartDate.GetISODateTime("_", "-")), FileMode.WRITE);
000363 |     if (!file)
000364 |         return;
000365 |
000366 |     string calls = ExpansionString.JustifyRight(" CALLS", 10, "-");
```

```
000367 |         string time = ExpansionString.JustifyRight(" TOTAL TIME MS", 16, "-");
000368 |         string avg = ExpansionString.JustifyRight(" AVG TIME MS", 16, "-");
000369 |         string hitchCalls = ExpansionString.JustifyRight(" HITCHES", 10, "-");
000370 |         string hitchTime = ExpansionString.JustifyRight(" TOTAL HITCH MS", 16, "-");
000371 |         string hitchAvg = ExpansionString.JustifyRight(" AVG HITCH MS", 16, "-");
000372 |
000373 |         FPrintln(file, string.Format("%1 | %2 | %3 | %4 | %5 | %6 | %7", ExpansionString.JustifyLeft("NAME ", 90, "-"), calls, time, avg, hitchCalls, hitchTime, h
itchAvg));
000374 |
000375 |         TStringArray names = s_Profiling.GetKeyArray();
000376 |         names.Sort();
000377 |
000378 |         Param4<int, float, int, float> profile;
000379 |
000380 |         foreach (string name: names)
000381 |         {
000382 |             profile = s_Profiling[name];
000383 |             calls = ExpansionString.JustifyRight(profile.param1.ToString(), 10, " ");
000384 |             time = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param2, 4), 16, " ");
000385 |             avg = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param2 / profile.param1, 4), 16, " ");
000386 |             if (profile.param3)
000387 |             {
000388 |                 hitchCalls = ExpansionString.JustifyRight(profile.param3.ToString(), 10, " ");
000389 |                 hitchTime = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param4, 4), 16, " ");
000390 |                 hitchAvg = ExpansionString.JustifyRight(ExpansionStatic.FloatFixedDecimals(profile.param4 / profile.param3, 4), 16, " ");
000391 |             }
000392 |             else
000393 |             {
000394 |                 hitchCalls = "          ";
000395 |                 hitchTime = "          ";
000396 |                 hitchAvg = "          ";
000397 |             }
000398 |             FPrintln(file, string.Format("%1 | %2 | %3 | %4 | %5 | %6 | %7", ExpansionString.JustifyLeft(name, 90, " "), calls, time, avg, hitchCalls, hitchTime,
hitchAvg));
000399 |         }
000400 |
000401 |         CloseFile(file);
000402 |     }
000403 | #endif
000404 |
000405 |     EXTrace Add(bool param)
000406 |     {
000407 |         return Add(param.ToString());
000408 |     }
000409 |
000410 |     EXTrace Add(int param)
000411 |     {
000412 |         return Add(param.ToString());
000413 |     }
000414 |
000415 |     EXTrace Add(float param)
000416 |     {
000417 |         return Add(param.ToString());
000418 |     }
000419 |
000420 |     EXTrace Add(vector param, bool beautify = true)
000421 |     {
000422 |         return Add(param.ToString(beautify));
000423 |     }
000424 |
000425 |     EXTrace Add(typename param)
000426 |     {
```

```
000427 |         return Add(param.ToString());
000428 |     }
000429 |
000430 |     EXTrace Add(Class param)
000431 |     {
000432 |         return Add(param.ToString());
000433 |     }
000434 |
000435 |     EXTrace Add(string param)
000436 |     {
000437 |         m_Params[m_ParamsCount++] = param;
000438 |         return this;
000439 |     }
000440 |
000441 | #ifdef EXTRACE
000442 |     static void Add(EXTrace trace, bool param)
000443 |     {
000444 |         Add(trace, param.ToString());
000445 |     }
000446 |
000447 |     static void Add(EXTrace trace, int param)
000448 |     {
000449 |         Add(trace, param.ToString());
000450 |     }
000451 |
000452 |     static void Add(EXTrace trace, float param)
000453 |     {
000454 |         Add(trace, param.ToString());
000455 |     }
000456 |
000457 |     static void Add(EXTrace trace, vector param, bool beautify = true)
000458 |     {
000459 |         if (!trace)
000460 |             return;
000461 |
000462 |         trace.Add(param, beautify);
000463 |     }
000464 |
000465 |     static void Add(EXTrace trace, typename param)
000466 |     {
000467 |         Add(trace, param.ToString());
000468 |     }
000469 |
000470 |     static void Add(EXTrace trace, Class param)
000471 |     {
000472 |         Add(trace, param.ToString());
000473 |     }
000474 |
000475 |     static void Add(EXTrace trace, string param)
000476 |     {
000477 |         if (!trace)
000478 |             return;
000479 |
000480 |         trace.Add(param);
000481 |     }
000482 | #endif
000483 |
000484 |     void SetDepth(int depth)
000485 |     {
000486 |         m_Depth = depth;
000487 |     }
000488 |
```



```
000489 | void SetFuncName(string funcName)
000490 | {
000491 |     m_FuncName = funcName;
000492 | }
000493 |
000494 | void SetStart(int start)
000495 | {
000496 |     m_Start = start;
000497 | }
000498 |
000499 | void SetSilent(bool silent)
000500 | {
000501 |     m_Silent = silent;
000502 | }
000503 |
000504 | void Print(string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "", string
p9 = "")
000505 | {
000506 |     PrintFormat("%1 [EXPRINT] %2%3", ExpansionStatic.GetISOTime(), s_Indent, string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000507 | }
000508 |
000509 | static void Print(bool yes, Class instance, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string
p7 = "", string p8 = "", string p9 = "")
000510 | {
000511 |     ///! Unconditionally conditionally enable if define not defined kappa
000512 | #ifndef EXPANSIONTRACE
000513 |     if (!yes || !msg)
000514 |         return;
000515 | #endif
000516 |
000517 |     PrintEx(instance, NULLTYPE, msg, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000518 | }
000519 |
000520 | static void Print(bool yes, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", str
ing p7 = "", string p8 = "", string p9 = "")
000521 | {
000522 |     ///! Unconditionally conditionally enable if define not defined kappa
000523 | #ifndef EXPANSIONTRACE
000524 |     if (!yes || !msg)
000525 |         return;
000526 | #endif
000527 |
000528 |     PrintEx(null, typeName, msg, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000529 | }
000530 |
000531 | static void PrintEx(Class instance, typename typeName, string msg, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 =
"", string p7 = "", string p8 = "", string p9 = "")
000532 | {
000533 |     string ts = ExpansionStatic.GetISOTime();
000534 |
000535 |     string prefix;
000536 |     if (instance)
000537 |         prefix = instance.ToString();
000538 |     else if (typeName)
000539 |         prefix = typeName.ToString();
000540 |
000541 |     msg = string.Format(msg, p1, p2, p3, p4, p5, p6, p7, p8, p9);
000542 |
000543 |     if (prefix)
000544 |         PrintFormat("%1 [EXPRINT] %2%3 %4", ts, s_Indent, prefix, msg);
000545 |     else
000546 |         PrintFormat("%1 [EXPRINT] %2 %3", ts, s_Indent, msg);
```

```
000547 |     }
000548 |
000549 |     static void PrintHit(bool yes = true, Class instance = null, string msg = "", TotalDamageResult damageResult = null, int damageType = 0, EntityAI source = nul
1, int component = 0, string dmgZone = "", string ammo = "", vector modelPos = "0 0 0", float speedCoef = 1.0)
000550 |     {
000551 |         //! Unconditionally conditionally enable if define not defined kappa
000552 | #ifndef EXPANSIONTRACE
000553 |     if (!yes)
000554 |         return;
000555 | #endif
000556 |
000557 |     if (msg)
000558 |         msg += " ";
000559 |
000560 |     if (damageResult)
000561 |     {
000562 |         msg += damageResult.GetDamage(dmgZone, "Health").ToString() + " ";
000563 |         if (instance && instance.IsInherited(Man))
000564 |         {
000565 |             msg += damageResult.GetDamage(dmgZone, "Blood").ToString() + " ";
000566 |             msg += damageResult.GetDamage(dmgZone, "Shock").ToString() + " ";
000567 |         }
000568 |     }
000569 |
000570 |     msg += typename.EnumToString(DamageType, damageType) + " ";
000571 |
000572 |     msg += source.ToString() + " ";
000573 |     msg += component.ToString() + " ";
000574 |     msg += dmgZone + " ";
000575 |     msg += ammo + " ";
000576 |     msg += modelPos.ToString() + " ";
000577 |     msg += speedCoef.ToString();
000578 |
000579 |     Print(true, instance, msg);
000580 | }
000581 |
000582 | #ifdef EXTRACE
000583 |     //! Includes 1st line of stack
000584 |     static EXTrace Start(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "
", string param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "", int initialDumpStart = 1)
000585 |     {
000586 |         //! Unconditionally conditionally enable if define not defined kappa
000587 | #ifndef EXPANSIONTRACE
000588 |     if (!yes)
000589 |         return null;
000590 | #endif
000591 |
000592 |     auto trace = new EXTrace(instance, NULLTYPE, false);
000593 |     if (param0)
000594 |         trace.Add(param0);
000595 |     if (param1)
000596 |         trace.Add(param1);
000597 |     if (param2)
000598 |         trace.Add(param2);
000599 |     if (param3)
000600 |         trace.Add(param3);
000601 |     if (param4)
000602 |         trace.Add(param4);
000603 |     if (param5)
000604 |         trace.Add(param5);
000605 |     if (param6)
000606 |         trace.Add(param6);
```

```
000607 |         if (param7)
000608 |             trace.Add(param7);
000609 |         if (param8)
000610 |             trace.Add(param8);
000611 |         if (param9)
000612 |             trace.Add(param9);
000613 |         if (initialDumpStart)
000614 |             trace.InitialDump(initialDumpStart);
000615 |         return trace;
000616 |     }
000617 |
000618 |     //! Includes whole stack
000619 |     static EXTrace StartStack(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param
4 = "", string param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000620 |     {
000621 |         //! Unconditionally conditionally enable if define not defined kappa
000622 | #ifndef EXPANSIONTRACE
000623 |     if (!yes)
000624 |         return null;
000625 | #endif
000626 |
000627 |         auto trace = Start(yes, instance, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000628 |         trace.SetDepth(-1);
000629 |         trace.InitialDump(1);
000630 |         return trace;
000631 |     }
000632 |
000633 |     //! Excludes stack
000634 |     static EXTrace Start0(bool yes = true, Class instance = null, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 =
"", string param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000635 |     {
000636 |         //! Unconditionally conditionally enable if define not defined kappa
000637 | #ifndef EXPANSIONTRACE
000638 |     if (!yes)
000639 |         return null;
000640 | #endif
000641 |
000642 |         auto trace = Start(yes, instance, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000643 |         trace.SetDepth(0);
000644 |         trace.InitialDump(1);
000645 |         return trace;
000646 |     }
000647 |
000648 |     //! Includes 1st line of stack
000649 |     static EXTrace Start(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "", string p
aram5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "", int initialDumpStart = 1)
000650 |     {
000651 |         //! Unconditionally conditionally enable if define not defined kappa
000652 | #ifndef EXPANSIONTRACE
000653 |     if (!yes)
000654 |         return null;
000655 | #endif
000656 |
000657 |         auto trace = new EXTrace(null, typeName, false);
000658 |         if (param0)
000659 |             trace.Add(param0);
000660 |         if (param1)
000661 |             trace.Add(param1);
000662 |         if (param2)
000663 |             trace.Add(param2);
000664 |         if (param3)
000665 |             trace.Add(param3);
```

```
000666 |         if (param4)
000667 |             trace.Add(param4);
000668 |         if (param5)
000669 |             trace.Add(param5);
000670 |         if (param6)
000671 |             trace.Add(param6);
000672 |         if (param7)
000673 |             trace.Add(param7);
000674 |         if (param8)
000675 |             trace.Add(param8);
000676 |         if (param9)
000677 |             trace.Add(param9);
000678 |         if (initialDumpStart)
000679 |             trace.InitialDump(initialDumpStart);
000680 |         return trace;
000681 |     }
000682 |
000683 |     //! Includes whole stack
000684 |     static EXTrace StartStack(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "", str
ing param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000685 |     {
000686 |         //! Unconditionally conditionally enable if define not defined kappa
000687 | #ifndef EXPANSIONTRACE
000688 |         if (!yes)
000689 |             return null;
000690 | #endif
000691 |
000692 |         auto trace = Start(yes, typeName, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000693 |         trace.SetDepth(-1);
000694 |         trace.InitialDump(1);
000695 |         return trace;
000696 |     }
000697 |
000698 |     //! Excludes stack
000699 |     static EXTrace Start0(bool yes, typename typeName, string param0 = "", string param1 = "", string param2 = "", string param3 = "", string param4 = "", string
param5 = "", string param6 = "", string param7 = "", string param8 = "", string param9 = "")
000700 |     {
000701 |         //! Unconditionally conditionally enable if define not defined kappa
000702 | #ifndef EXPANSIONTRACE
000703 |         if (!yes)
000704 |             return null;
000705 | #endif
000706 |
000707 |         auto trace = Start(yes, typeName, param0, param1, param2, param3, param4, param5, param6, param7, param8, param9, 0);
000708 |         trace.SetDepth(0);
000709 |         trace.InitialDump(1);
000710 |         return trace;
000711 |     }
000712 |
000713 |     static EXTrace Profile(bool yes, Class instance)
000714 |     {
000715 |         //! Unconditionally conditionally enable if define not defined kappa
000716 | #ifndef EXPANSIONTRACE
000717 |         if (!yes)
000718 |             return null;
000719 | #endif
000720 |
000721 |         auto trace = new EXTrace(instance, NULLTYPE, false);
000722 |         trace.SetSilent(true);
000723 |         return trace;
000724 |     }
000725 |
```

```
000726 | static EXTrace Profile(bool yes, Class instance, string funcName)
000727 | {
000728 |     //! Unconditionally conditionally enable if define not defined kappa
000729 | #ifndef EXPANSIONTRACE
000730 |     if (!yes)
000731 |         return null;
000732 | #endif
000733 |
000734 |     auto trace = new EXTrace(instance, NULLTYPE, false);
000735 |     trace.SetSilent(true);
000736 |     trace.SetFuncName(funcName);
000737 |     return trace;
000738 | }
000739 |
000740 | static EXTrace Profile(bool yes, typename typeName)
000741 | {
000742 |     //! Unconditionally conditionally enable if define not defined kappa
000743 | #ifndef EXPANSIONTRACE
000744 |     if (!yes)
000745 |         return null;
000746 | #endif
000747 |
000748 |     auto trace = new EXTrace(null, typeName, false);
000749 |     trace.SetSilent(true);
000750 |     return trace;
000751 | }
000752 |
000753 | static EXTrace Profile(bool yes, typename typeName, string funcName)
000754 | {
000755 |     //! Unconditionally conditionally enable if define not defined kappa
000756 | #ifndef EXPANSIONTRACE
000757 |     if (!yes)
000758 |         return null;
000759 | #endif
000760 |
000761 |     auto trace = new EXTrace(null, typeName, false);
000762 |     trace.SetSilent(true);
000763 |     trace.SetFuncName(funcName);
000764 |     return trace;
000765 | }
000766 | #endif
000767 | }
000768 |
000769 | typedef EXTrace ExpansionTracing;
000770 |
```

0068. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionUIManager.c
Size bytes: 3286
SHA-256: d8249dd22bf16cade14d6161f15e6865045cc5ce06320c53748940a204140376
Decoded as: utf-8-sig
Line count shown: 145
Detected class declarations: 1
L14: class ExpansionUIManager
Detected enum declarations: 0
Detected function/method-like declarations: 11
L19: void ExpansionUIManager()
L25: protected void SetMenu(ExpansionScriptViewMenuBase view)
L33: ExpansionScriptViewMenuBase GetMenu()
L38: void CloseMenu()
L56: void CloseAll(bool includeVanilla = false)
L65: protected void CloseAllScriptViews()
L82: protected void CloseAllUIScriptedMenus(bool includeVanilla = false)
L101: ExpansionScriptViewMenuBase CreateSVMenu(string viewName)
L123: protected void DestroySVMenu(ExpansionScriptViewMenuBase menu, bool doDelete = true)
L134: map<string, ExpansionScriptViewMenuBase> GetActiveMenus()
L139: protected ExpansionScriptViewMenuBase CreateMenuInstance(string className)

Full file content

```
000001 | /**
000002 |  * ExpansionUIManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionUIManager
000015 | {
000016 |     private ref ExpansionScriptViewMenuBase m_CurrentMenu;
000017 |     private ref map<string, ExpansionScriptViewMenuBase> m_ActiveMenus;
000018 |
000019 |     void ExpansionUIManager()
000020 |     {
000021 |         m_CurrentMenu = NULL;
000022 |         m_ActiveMenus = new map<string, ExpansionScriptViewMenuBase>;
000023 |     }
000024 |
000025 |     protected void SetMenu(ExpansionScriptViewMenuBase view)
000026 |     {
000027 |         if (m_CurrentMenu)
000028 |             m_CurrentMenu.Destroy();
000029 |
000030 |         m_CurrentMenu = view;
000031 |     }
000032 |
000033 |     ExpansionScriptViewMenuBase GetMenu()
000034 |     {
000035 |         return m_CurrentMenu;
000036 |     }
000036 | }
```

```
000037 |  
000038 | void CloseMenu()  
000039 | {  
000040 |     if (m_CurrentMenu)  
000041 |     {  
000042 |         if (m_CurrentMenu.IsVisible())  
000043 |             m_CurrentMenu.Hide();  
000044 |  
000045 |         Print("[EXPANSION UI MANAGER]: Removing menu " + m_CurrentMenu + " from UI manager.");  
000046 |         DestroySVMenu(m_CurrentMenu);  
000047 |         m_CurrentMenu = NULL;  
000048 |     }  
000049 | }  
000050 |  
000051 | /**  
000052 |  * @brief Close all Expansion menus  
000053 |  *  
000054 |  * @param includeVanilla If true, close all vanilla menus as well (may include pause menu and menus of other mods, use with care!)  
000055 |  */  
000056 | void CloseAll(bool includeVanilla = false)  
000057 | {  
000058 |     CloseAllScriptViews();  
000059 |     CloseAllUIScriptedMenus(includeVanilla);  
000060 | }  
000061 |  
000062 | /**  
000063 |  * @brief Close all Expansion ScriptView menus  
000064 |  */  
000065 | protected void CloseAllScriptViews()  
000066 | {  
000067 |     foreach (ExpansionScriptViewMenuBase menu: m_ActiveMenus)  
000068 |     {  
000069 |         if (menu.IsVisible())  
000070 |             menu.Hide();  
000071 |  
000072 |         menu.Destroy();  
000073 |     }  
000074 |  
000075 |     m_ActiveMenus.Clear();  
000076 |     m_CurrentMenu = NULL;  
000077 | }  
000078 |  
000079 | /**  
000080 |  * @brief Close all Expansion UIScripted menus  
000081 |  */  
000082 | protected void CloseAllUIScriptedMenus(bool includeVanilla = false)  
000083 | {  
000084 |     UIMenuPanel menu = g_Game.GetUIManager().GetMenu();  
000085 |     while (menu)  
000086 |     {  
000087 |         if (menu.GetParentMenu())  
000088 |         {  
000089 |             menu = menu.GetParentMenu();  
000090 |         }  
000091 |         else  
000092 |         {  
000093 |             if (includeVanilla || (menu.GetID() >= MENU_EXPANSION_MENU_START && menu.GetID() < MENU_EXPANSION_MENU_END))  
000094 |                 menu.Close();  
000095 |  
000096 |             break;  
000097 |         }  
000098 |     }
```

```
000099 | }
000100 |
000101 | ExpansionScriptViewMenuBase CreateSVMenu(string viewName)
000102 | {
000103 |     ExpansionScriptViewMenuBase viewMenu;
000104 |     if (m_ActiveMenus.Find(viewName, viewMenu))
000105 |     {
000106 |         m_ActiveMenus.Remove(viewName);
000107 |         viewMenu.Destroy();
000108 |     }
000109 |
000110 |     viewMenu = CreateMenuInstance(viewName);
000111 |
000112 |     if (viewMenu)
000113 |     {
000114 |         SetMenu(viewMenu);
000115 |         m_ActiveMenus.Insert(viewName, viewMenu);
000116 |         viewMenu.Show();
000117 |         Print("[EXPANSION UI MANAGER]: Created menu " + viewMenu + ".");
000118 |     }
000119 |
000120 |     return viewMenu;
000121 | }
000122 |
000123 | protected void DestroySVMenu(ExpansionScriptViewMenuBase menu, bool doDelete = true)
000124 | {
000125 |     ExpansionScriptViewMenuBase viewMenu;
000126 |     if (m_ActiveMenus.Find(menu.ClassName(), viewMenu))
000127 |     {
000128 |         m_ActiveMenus.Remove(menu.ClassName());
000129 |         if (doDelete)
000130 |             viewMenu.Destroy();
000131 |     }
000132 | }
000133 |
000134 | map<string, ExpansionScriptViewMenuBase> GetActiveMenus()
000135 | {
000136 |     return m_ActiveMenus;
000137 | }
000138 |
000139 | protected ExpansionScriptViewMenuBase CreateMenuInstance(string className)
000140 | {
000141 |     return ExpansionScriptViewMenuBase.Cast(className.ToType().Spawn());
000142 | }
000143 | };
000144 | #endif
000145 |
```


0069. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\ExpansionWeaponUtils.c

Size bytes: 2738

SHA-256: 9d871c4030784809de3470209b866dff607fc391bbd5d77e4e085bfca79fb3eb

Decoded as: utf-8-sig

Line count shown: 85

Detected class declarations: 1

L13: class ExpansionWeaponUtils

Detected enum declarations: 0

Detected function/method-like declarations: 3

L24: static float GetDamageAppliedByAmmo(string ammoTypeName, string healthType="Health")

L47: static float GetDamageAppliedByBullet(string bulletTypeName, string healthType="Health")

L69: static float GetWeaponInitSpeedMultiplier(string weaponTypeName)

Full file content

```
000001 | /**
000002 |  * ExpansionWeaponUtils.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionWeaponUtils
000014 | {
000015 |     //! Maps ammo type to health type to damage applied
000016 |     static ref map<string, ref map<string, float>> s_DamageAppliedByAmmo = new map<string, ref map<string, float>>();
000017 |
000018 |     //! Maps bullet type to health type to damage applied
000019 |     static ref map<string, ref map<string, float>> s_DamageAppliedByBullet = new map<string, ref map<string, float>>();
000020 |
000021 |     //! Maps weapon classname to init speed mult
000022 |     static ref map<string, float> s_InitSpeedMultipliers = new map<string, float>();
000023 |
000024 |     static float GetDamageAppliedByAmmo(string ammoTypeName, string healthType="Health")
000025 |     {
000026 |         map<string, float> healthTypeMap;
000027 |         float damageApplied;
000028 |
000029 |         if (s_DamageAppliedByAmmo.Find(ammoTypeName, healthTypeMap))
000030 |         {
000031 |             damageApplied = healthTypeMap[healthType];
000032 |         }
000033 |         else
000034 |         {
000035 |             string bulletTypeNamePath = "CfgMagazines " + ammoTypeName + " ammo";
000036 |             if (g_Game.ConfigIsExisting(bulletTypeNamePath))
000037 |             {
000038 |                 string bulletTypeName = g_Game.ConfigGetTextOut(bulletTypeNamePath);
000039 |                 damageApplied = GetDamageAppliedByBullet(bulletTypeName, healthType);
000040 |                 s_DamageAppliedByAmmo[ammoTypeName] = s_DamageAppliedByBullet[bulletTypeName];
000041 |             }
000042 |         }
000043 |
000044 |         return damageApplied;
```

```
000045 |     }
000046 |
000047 |     static float GetDamageAppliedByBullet(string bulletTypeName, string healthType="Health")
000048 |     {
000049 |         map<string, float> healthTypeMap;
000050 |         float damageApplied;
000051 |
000052 |         if (!s_DamageAppliedByBullet.Find(bulletTypeName, healthTypeMap))
000053 |         {
000054 |             healthTypeMap = new map<string, float>;
000055 |             s_DamageAppliedByBullet[bulletTypeName] = healthTypeMap;
000056 |         }
000057 |
000058 |         if (!healthTypeMap.Find(healthType, damageApplied))
000059 |         {
000060 |             string damageAppliedPath = "CfgAmmo " + bulletTypeName + " DamageApplied " + healthType + " damage";
000061 |             if (g_Game.ConfigIsExisting(damageAppliedPath))
000062 |                 damageApplied = g_Game.ConfigGetFloat(damageAppliedPath);
000063 |             healthTypeMap[healthType] = damageApplied;
000064 |         }
000065 |
000066 |         return damageApplied;
000067 |     }
000068 |
000069 |     static float GetWeaponInitSpeedMultiplier(string weaponTypeName)
000070 |     {
000071 |         float mult = 1.0;
000072 |
000073 |         if (!s_InitSpeedMultipliers.Find(weaponTypeName, mult))
000074 |         {
000075 |             string path = "CfgWeapons " + weaponTypeName + " initSpeedMultiplier";
000076 |             if (g_Game.ConfigIsExisting(path))
000077 |                 mult = g_Game.ConfigGetFloat(path);
000078 |             s_InitSpeedMultipliers.Insert(weaponTypeName, mult);
000079 |             //EXPrint(weaponTypeName + " " + mult, " [ExpansionWeaponUtils] ");
000080 |         }
000081 |
000082 |         return mult;
000083 |     }
000084 | }
000085 |
```

0070. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Hud.c
Size bytes: 496
SHA-256: 912254a796ed585329b896d45dbcd6f056f133d4f847a96e6d214f9156eeffb2
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L13: modded class Hud
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L15: bool Expansion_CanShowHUDElements(DayZPlayer player = null)
 L20: bool Expansion_IsVisible()

Full file content

```
000001 | /**
000002 |  * Hud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class Hud
000014 | {
000015 |     bool Expansion_CanShowHUDElements(DayZPlayer player = null)
000016 |     {
000017 |         return true;
000018 |     }
000019 |
000020 |     bool Expansion_IsVisible()
000021 |     {
000022 |         return true;
000023 |     }
000024 | };
```

0071. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocation.c

Size bytes: 5376

SHA-256: d4138992befe6c763e16b68395700034eca45c01c2e6489a30df281997d2b140

Decoded as: utf-8-sig

Line count shown: 178

Detected class declarations: 2

L14: class ExpansionLocation

L77: class ExpansionLocationT<Class T>

Detected enum declarations: 0

Detected function/method-like declarations: 5

L32: void ExpansionLocation(vector position = vector.Zero, float radius = 0, string name = string.Empty, string type = string.Empty, string class

L37: void Init(vector position, float radius, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj

L48: static float GetRadius(string type)

L71: static array<ref ExpansionLocation> GetWorldLocations(int include = 0)

L79: static array<ref T> GetWorldLocations(int include = 0)

Full file content

```

000001 | /**
000002 |  * ExpansionLocation.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 |
000014 | class ExpansionLocation
000015 | {
000016 |     static const ref TStringArray SETTLEMENTS = {"Capital", "City", "Village"};
000017 |
000018 |     string Name;
000019 |     vector Position;
000020 |     float Radius;
000021 |     string Type;
000022 |
000023 |     [NonSerialized()]
000024 |     string m_ClassName;
000025 |
000026 |     [NonSerialized()]
000027 |     Object m_Object;
000028 |
000029 |     [NonSerialized()]
000030 |     int m_Index;
000031 |
000032 |     void ExpansionLocation(vector position = vector.Zero, float radius = 0, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj = null, int index = -1)
000033 |     {
000034 |         Init(position, radius, name, type, className, obj, index);
000035 |     }
000036 |
000037 |     void Init(vector position, float radius, string name = string.Empty, string type = string.Empty, string className = string.Empty, Object obj = null, int index = -1)
000038 |     {
000039 |         Name = name;

```

```
000040 |         Position = position;
000041 |         Radius = radius;
000042 |         Type = type;
000043 |         m_ClassName = className;
000044 |         m_Object = obj;
000045 |         m_Index = index;
000046 |     }
000047 |
000048 |     static float GetRadius(string type)
000049 |     {
000050 |         ///! Most maps use these types.
000051 |         ///! One exception is Rostow which prepends "Name", e.g. "NameCapital", "NameCity" etc.
000052 |
000053 |         if ( type.Contains( "Capital" ) )
000054 |             return 1000;
000055 |
000056 |         if ( type.Contains( "City" ) )
000057 |             return 500;
000058 |
000059 |         if ( type.Contains( "Village" ) || type.Contains( "Suburb" ) )
000060 |             return 200;
000061 |
000062 |         if ( type.Contains( "Camp" ) )
000063 |             return 100;
000064 |
000065 |         if ( type.Contains( "Local" ) )
000066 |             return 100;
000067 |
000068 |         return 100;
000069 |     }
000070 |
000071 |     static array<ref ExpansionLocation> GetWorldLocations(int include = 0)
000072 |     {
000073 |         return ExpansionLocationT<ExpansionLocation>.GetWorldLocations(include);
000074 |     }
000075 | }
000076 |
000077 | class ExpansionLocationT<Class T>
000078 | {
000079 |     static array<ref T> GetWorldLocations(int include = 0)
000080 |     {
000081 |         if (!include)
000082 |         {
000083 |             include |= ExpansionLocationType.CAMP;
000084 |             include |= ExpansionLocationType.HILL;
000085 |             include |= ExpansionLocationType.LOCAL;
000086 |             include |= ExpansionLocationType.MARINE;
000087 |             include |= ExpansionLocationType.RUIN;
000088 |             include |= ExpansionLocationType.SETTLEMENT;
000089 |         }
000090 |
000091 |         array<ref T> areaArray = {};
000092 |
000093 |         string worldName = g_Game.GetWorldName();
000094 |         string location_config_path = "CfgWorlds " + worldName + " Names";
000095 |         int classNamesCount = g_Game.ConfigGetChildrenCount( location_config_path );
000096 |
000097 |         worldName.ToLower();
000098 |
000099 |         int index;
000100 |         for ( int l = 0; l < classNamesCount; ++l )
000101 |         {
```

```
000102 |         string location_class_name;
000103 |         g_Game.ConfigGetChildName( location_config_path, l, location_class_name );
000104 |
000105 |         string location_class_name_path = location_config_path + " " + location_class_name;
000106 |
000107 |         string location_type_path = location_class_name_path + " type";
000108 |         string location_name_path = location_class_name_path + " name";
000109 |         string location_position_path = location_class_name_path + " position";
000110 |
000111 |         string location_type;
000112 |         string location_name;
000113 |         g_Game.ConfigGetText( location_type_path, location_type );
000114 |         g_Game.ConfigGetText( location_name_path, location_name );
000115 |
000116 |         TFloatArray location_position = {};
000117 |         g_Game.ConfigGetFloatArray( location_position_path, location_position );
000118 |
000119 |         if ( location_position == null || location_position.Count() != 2 )
000120 |         {
000121 |             //Error("ExpansionLocation::GetWorldLocations location_position.Count() != 2 count : " + location_position.Count());
000122 |             continue;
000123 |         }
000124 |
000125 |         if ( (include & ExpansionLocationType.CAMP) == 0 && location_type.Contains( "Camp" ) )
000126 |             continue;
000127 |
000128 |         if ( (include & ExpansionLocationType.HILL) == 0 && location_type.Contains( "Hill" ) )
000129 |             continue;
000130 |
000131 |         if ( (include & ExpansionLocationType.LOCAL) == 0 && location_type.Contains( "Local" ) )
000132 |             continue;
000133 |
000134 |         if ( (include & ExpansionLocationType.LOCALOFFICE) == 0 && location_type.Contains( "LocalOffice" ) )
000135 |             continue;
000136 |
000137 |         if ( (include & ExpansionLocationType.MARINE) == 0 && location_type.Contains( "Marine" ) )
000138 |             continue;
000139 |
000140 |         if ( (include & ExpansionLocationType.RAILROADSTATION) == 0 && location_type.Contains( "RailroadStation" ) )
000141 |             continue;
000142 |
000143 |         if ( (include & ExpansionLocationType.RUIN) == 0 && location_type.Contains( "Ruin" ) )
000144 |             continue;
000145 |
000146 |         if ( (include & ExpansionLocationType.SETTLEMENT) == 0 && ExpansionString.ContainsAny(location_type, ExpansionLocation.SETTLEMENTS) )
000147 |             continue;
000148 |
000149 |         if ( (include & ExpansionLocationType.VIEWPOINT) == 0 && location_type.Contains( "ViewPoint" ) )
000150 |             continue;
000151 |
000152 |         if (worldName == "chernarusplus")
000153 |         {
000154 |             if ( location_class_name.Contains( "ZalivGuba" ) )
000155 |                 continue;
000156 |
000157 |             if ( location_class_name.Contains( "Dubovo" ) )
000158 |                 location_type = "Suburb";
000159 |
000160 |             if ( location_class_name.Contains( "Novoselki" ) )
000161 |                 location_type = "Suburb";
000162 |
000163 |             if ( location_class_name.Contains( "Vysotovo" ) )
```

```
000164 |         location_type = "Suburb";
000165 |     }
000166 |
000167 |     T loc;
000168 |     if (Class.CastTo(loc, ((typename)T).Spawn()))
000169 |     {
000170 |         float radius = ExpansionLocation.GetRadius(location_type);
000171 |         loc.Init(Vector(location_position[0], 0, location_position[1]), radius, location_name, location_type, location_class_name, null, index++);
000172 |         areaArray.Insert(loc);
000173 |     }
000174 | }
000175 |
000176 | return areaArray;
000177 | }
000178 | }
```

0072. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Locations\ExpansionLocationType.c

Size bytes: 532

SHA-256: 986cea5d0c2b3771324a93dac6dc0eef8292e9724a47b21b1364963fc5a947e2

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 0

Detected enum declarations: 1

L14: enum ExpansionLocationType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionLocationType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 |
000014 | enum ExpansionLocationType
000015 | {
000016 |     CAMP = 1,
000017 |     HILL = 2,
000018 |     LOCAL = 4,
000019 |     LOCALOFFICE = 8,
000020 |     MARINE = 16,
000021 |     RAILROADSTATION = 32,
000022 |     RUIN = 64,
000023 |     SETTLEMENT = 128,
000024 |     VIEWPOINT = 256
000025 | }
000026 |
```


0073. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLoot.c

Size bytes: 2778

SHA-256: 3309b7cd781b6a292f606e0088773cb8ef6f0985c70d1dda62d13b05c66205c7

Decoded as: utf-8-sig

Line count shown: 109

Detected class declarations: 5

L13: class ExpansionLootBase

L19: class ExpansionLootVariantV1: ExpansionLootBase

L42: class ExpansionLootV1 : ExpansionLootVariantV1

L76: class ExpansionLootVariant: ExpansionLootBase

L91: class ExpansionLoot : ExpansionLootVariant

Detected enum declarations: 0

Detected function/method-like declarations: 7

L23: void ExpansionLootVariantV1(string name = "", TStringArray attachments = NULL, float chance = 1)

L30: ExpansionLootVariant ConvertVariant()

L38: return new ExpansionLootVariant(Name, new_Att, Chance);

L49: void ExpansionLoot(string name = "", TStringArray attachments = NULL, float chance = 1, int quantityPercent = -1, array< ref ExpansionLootV

L57: ExpansionLoot Convert()

L83: void ExpansionLootVariant(string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1)

L101: void ExpansionLoot(string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1, int quantityPercent = -1, array<

Full file content

```

000001 | /**
000002 |  * ExpansionLoot.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLootBase
000014 | {
000015 |     string Name;
000016 |     float Chance;
000017 | }
000018 |
000019 | class ExpansionLootVariantV1: ExpansionLootBase
000020 | {
000021 |     ref TStringArray Attachments;
000022 |
000023 |     void ExpansionLootVariantV1( string name = "", TStringArray attachments = NULL, float chance = 1 )
000024 |     {
000025 |         Name = name;
000026 |         Attachments = attachments;
000027 |         Chance = chance;
000028 |     }
000029 |
000030 |     ExpansionLootVariant ConvertVariant()
000031 |     {
000032 |         array<ref ExpansionLootVariant> new_Att = new array<ref ExpansionLootVariant>;
000033 |         foreach(string att: Attachments)
000034 |         {
000035 |             new_Att.Insert(new ExpansionLootVariant(att, null, 1));
000036 |         }

```

```
000037 |
000038 |         return new ExpansionLootVariant(Name, new_Att, Chance);
000039 |     }
000040 | };
000041 |
000042 | class ExpansionLootV1 : ExpansionLootVariantV1
000043 | {
000044 |     float QuantityPercent;
000045 |     int Max;
000046 |     int Min;
000047 |     ref array< ref ExpansionLootVariantV1 > Variants;
000048 |
000049 |     void ExpansionLoot( string name = "", TStringArray attachments = NULL, float chance = 1, int quantityPercent = -1, array< ref ExpansionLootVariantV1 > variant
s = NULL, int max = -1, int min = 0 )
000050 |     {
000051 |         QuantityPercent = quantityPercent;
000052 |         Max = max;
000053 |         Min = min;
000054 |         Variants = variants;
000055 |     }
000056 |
000057 |     ExpansionLoot Convert()
000058 |     {
000059 |         auto loot = ConvertVariant();
000060 |         auto newLoot = new ExpansionLoot(Name, loot.Attachments, Chance);
000061 |
000062 |         array< ref ExpansionLootVariant > newVariants = new array< ref ExpansionLootVariant >;
000063 |         foreach(ExpansionLootVariantV1 variant: Variants)
000064 |         {
000065 |             newVariants.Insert(variant.ConvertVariant());
000066 |         }
000067 |         newLoot.Variants = newVariants;
000068 |         newLoot.QuantityPercent = QuantityPercent;
000069 |         newLoot.Max = Max;
000070 |         newLoot.Min = Min;
000071 |
000072 |         return newLoot;
000073 |     }
000074 | };
000075 |
000076 | class ExpansionLootVariant: ExpansionLootBase
000077 | {
000078 |     ref array<ref ExpansionLootVariant> Attachments;
000079 |
000080 |     [NonSerialized()]
000081 |     float m_RemainingChance;
000082 |
000083 |     void ExpansionLootVariant( string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1 )
000084 |     {
000085 |         Name = name;
000086 |         Attachments = attachments;
000087 |         Chance = chance;
000088 |     }
000089 | };
000090 |
000091 | class ExpansionLoot : ExpansionLootVariant
000092 | {
000093 |     float QuantityPercent;
000094 |     int Max;
000095 |     int Min;
000096 |     ref array< ref ExpansionLootVariant > Variants;
000097 | }
```

```
000098 |     [NonSerialized()]
000099 |     int m_Remaining;
000100 |
000101 |     void ExpansionLoot( string name = "", array<ref ExpansionLootVariant> attachments = NULL, float chance = 1, int quantityPercent = -1, array< ref ExpansionLoot
000102 | Variant > variants = NULL, int max = -1, int min = 0 )
000103 |     {
000104 |         QuantityPercent = quantityPercent;
000105 |         Max = max;
000106 |         Min = min;
000107 |         Variants = variants;
000108 |     }
000109 | };
```

0074. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Loot\ExpansionLootDefaults.c

Size bytes: 382

SHA-256: b6c9d4e9e0b4577e44834923576a6d6975ab114e53f582e0ba54f717d99a59b1

Decoded as: utf-8-sig

Line count shown: 14

Detected class declarations: 1

 L13: class ExpansionLootDefaults {};

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionLootDefaults.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLootDefaults {};
000014 |
```

0075. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMapMarkerType.c

Size bytes: 574

SHA-256: 29d0ee735c6012b70e018c6d698a28eea7100ea57a171abe351cbc97a95868a1

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 0

Detected enum declarations: 1

L13: enum ExpansionMapMarkerType

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionMapMarkerType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionMapMarkerType
000014 | {
000015 |     //!< if a type is removed, just rename it to "REMOVED", if a type is added, append to the end
000016 |     UNKNOWN      = 0,
000017 |     PERSONAL     = 1,
000018 |     PARTY        = 2,
000019 |     SERVER       = 3,
000020 |     PLAYER       = 4,
000021 |     PARTY_QUICK  = 5
000022 | };
```

0076. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionMarkerData.c
Size bytes: 8401
SHA-256: 7d7980fd3ad137e9d8c608f1ad4dc89f61ee60e27806db4f6adfb75d501b2328
Decoded as: utf-8-sig
Line count shown: 429
Detected class declarations: 1
    L18: class ExpansionMarkerData
Detected enum declarations: 0
Detected function/method-like declarations: 50
    L42: void ExpansionMarkerData( string uid = "", bool persist = true )
    L51: static ExpansionMarkerData Create( ExpansionMapMarkerType type, string uid = "", bool persist = true )
    L56: return new ExpansionPersonalMarkerData( uid, persist );
    L58: return new ExpansionServerMarkerData( uid, persist );
    L61: return new ExpansionPartyMarkerData( uid, persist );
    L63: return new ExpansionPlayerMarkerData( uid, persist );
    L65: return new ExpansionPartyQuickMarkerData( uid, persist );
    L72: static ExpansionMarkerData Copy( ExpansionMarkerData src, ExpansionMapMarkerType type = ExpansionMapMarkerType.UNKNOWN, string uid = "" )
    L102: ExpansionMapMarkerType GetType()
    L108: void SetUID( string uid )
    L113: string GetUID()
    L118: void SetName( string text )
    L123: string GetName()
    L128: void SetPosition( vector pos )
    L133: vector GetPosition()
    L140: void SetLockState( bool locked )
    L145: bool GetLockState()
    L150: void Update()
    L156: void UpdateObject( Object object )
    L168: Object GetObject()
    L176: vector GetAdjustedPosition()
    L181: void SetIconName( string iconName )
    L186: string GetIconName()
    L191: void SetIcon( ExpansionIcon icon )
    L202: void SetIcon(string icon)
    L214: string GetIcon()
    L223: ExpansionIcon GetExpansionIcon()
    L228: void SetColor( int color )
    L233: int GetColor()
    L238: void Set3D( bool is )
    L243: bool Is3D()
    L248: int ApplyVisibility( int vis )
    L254: int SetVisibility( int vis )
    L260: int FlipVisibility( int vis )
    L270: int RemoveVisibility( int vis )
    L276: int ClearVisibility()
    L282: int GetVisibility()
    L287: bool IsVisible()
    L292: bool IsWorldVisible()
    L297: bool IsMapVisible()
    L302: void SetHandler( ScriptedWidgetEventHandler handler )
    L307: ScriptedWidgetEventHandler GetHandler()
    L312: void OnSend( ParamsWriteContext ctx )
    L324: void OnSendObject( ParamsWriteContext ctx )
    L339: bool OnRecieve( ParamsReadContext ctx )
    L359: bool OnReceiveObject( ParamsReadContext ctx )
    L376: void OnSendFull(ParamsWriteContext ctx)
    L383: bool OnRecieveFull(ParamsReadContext ctx)
    L394: void OnStoreSave( ParamsWriteContext ctx )
```

```
L404: bool OnStoreLoad( ParamsReadContext ctx, int version )
```

Full file content

```
000001 | /**
000002 |  * ExpansionMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! TODO: Change these constants to an enum (same values)
000014 | const int EXPANSION_MARKER_VIS_NONE = 0;
000015 | const int EXPANSION_MARKER_VIS_WORLD = 2;
000016 | const int EXPANSION_MARKER_VIS_MAP = 4;
000017 |
000018 | class ExpansionMarkerData
000019 | {
000020 |     protected string m_UID;
000021 |     protected int m_Visibility;
000022 |     protected bool m_Is3D;
000023 |     protected string m_Text;
000024 |     protected string m_IconName;
000025 |     protected int m_Color;
000026 |     protected vector m_Position;
000027 |     protected bool m_Locked = false;
000028 |
000029 |     bool m_Persist = true;
000030 |
000031 |     [NonSerialized()]
000032 |     protected Object m_Object;
000033 |
000034 |     [NonSerialized()]
000035 |     protected int m_ObjectNetworkLow;
000036 |     [NonSerialized()]
000037 |     protected int m_ObjectNetworkHigh;
000038 |
000039 |     [NonSerialized()]
000040 |     protected ScriptedWidgetEventHandler m_Handler;
000041 |
000042 |     void ExpansionMarkerData( string uid = "", bool persist = true )
000043 |     {
000044 |         m_UID = uid;
000045 |         m_Handler = NULL;
000046 |         m_Persist = persist;
000047 |
000048 |         SetVisibility( EXPANSION_MARKER_VIS_WORLD | EXPANSION_MARKER_VIS_MAP );
000049 |     }
000050 |
000051 |     static ExpansionMarkerData Create( ExpansionMapMarkerType type, string uid = "", bool persist = true )
000052 |     {
000053 |         switch ( type )
000054 |         {
000055 |             case ExpansionMapMarkerType.PERSONAL:
000056 |                 return new ExpansionPersonalMarkerData( uid, persist );
000057 |             case ExpansionMapMarkerType.SERVER:
000058 |                 return new ExpansionServerMarkerData( uid, persist );
```

```
000059 | #ifdef EXPANSIONMODGROUPS
000060 |     case ExpansionMapMarkerType.PARTY:
000061 |         return new ExpansionPartyMarkerData( uid, persist );
000062 |     case ExpansionMapMarkerType.PLAYER:
000063 |         return new ExpansionPlayerMarkerData( uid, persist );
000064 |     case ExpansionMapMarkerType.PARTY_QUICK:
000065 |         return new ExpansionPartyQuickMarkerData( uid, persist );
000066 | #endif
000067 | }
000068 |
000069 |     return NULL;
000070 | }
000071 |
000072 | static ExpansionMarkerData Copy( ExpansionMarkerData src, ExpansionMapMarkerType type = ExpansionMapMarkerType.UNKNOWN, string uid = "" )
000073 | {
000074 |     if ( type == ExpansionMapMarkerType.UNKNOWN )
000075 |         type = src.GetType();
000076 |
000077 |     ExpansionMarkerData dst = Create( type, uid );
000078 |     if ( !dst )
000079 |         return NULL;
000080 |
000081 |     if ( src.GetType() == dst.GetType() )
000082 |     {
000083 |         ScriptReadWriteContext ctx = new ScriptReadWriteContext;
000084 |         src.OnStoreSave( ctx.GetWriteContext() );
000085 |         dst.OnStoreLoad( ctx.GetReadContext(), int.MAX );
000086 |     } else
000087 |     {
000088 |         dst.m_Is3D = src.m_Is3D;
000089 |         dst.m_Text = src.m_Text;
000090 |         dst.m_IconName = src.m_IconName;
000091 |         dst.m_Color = src.m_Color;
000092 |         dst.m_Position = src.m_Position;
000093 |         dst.m_Locked = src.m_Locked;
000094 |         dst.m_Object = src.m_Object;
000095 |         dst.m_ObjectNetworkLow = src.m_ObjectNetworkLow;
000096 |         dst.m_ObjectNetworkHigh = src.m_ObjectNetworkHigh;
000097 |     }
000098 |
000099 |     return dst;
000100 | }
000101 |
000102 | ExpansionMapMarkerType GetType()
000103 | {
000104 |     return ExpansionMapMarkerType.UNKNOWN;
000105 | }
000106 |
000107 | // Do not call
000108 | void SetUID( string uid )
000109 | {
000110 |     m_UID = uid;
000111 | }
000112 |
000113 | string GetUID()
000114 | {
000115 |     return m_UID;
000116 | }
000117 |
000118 | void SetName( string text )
000119 | {
000120 |     m_Text = text;
```



```
000121 |     }
000122 |
000123 |     string GetName()
000124 |     {
000125 |         return m_Text;
000126 |     }
000127 |
000128 |     void SetPosition( vector pos )
000129 |     {
000130 |         m_Position = pos;
000131 |     }
000132 |
000133 |     vector GetPosition()
000134 |     {
000135 |         if ( m_Object )
000136 |             m_Position = m_Object.GetPosition();
000137 |         return m_Position;
000138 |     }
000139 |
000140 |     void SetLockState( bool locked )
000141 |     {
000142 |         m_Locked = locked;
000143 |     }
000144 |
000145 |     bool GetLockState()
000146 |     {
000147 |         return m_Locked;
000148 |     }
000149 |
000150 |     void Update()
000151 |     {
000152 |         if ( m_Object )
000153 |             m_Position = m_Object.GetPosition();
000154 |     }
000155 |
000156 |     void UpdateObject( Object object )
000157 |     {
000158 |         m_Object = object;
000159 |
000160 |         if ( m_Object )
000161 |         {
000162 |             m_Position = m_Object.GetPosition();
000163 |
000164 |             m_Object.GetNetworkID( m_ObjectNetworkLow, m_ObjectNetworkHigh );
000165 |         }
000166 |     }
000167 |
000168 |     Object GetObject()
000169 |     {
000170 |         if ( IsMissionClient() )
000171 |             m_Object = g_Game.GetObjectByNetworkId( m_ObjectNetworkLow, m_ObjectNetworkHigh );
000172 |
000173 |         return m_Object;
000174 |     }
000175 |
000176 |     vector GetAdjustedPosition()
000177 |     {
000178 |         return m_Position;
000179 |     }
000180 |
000181 |     void SetIconName( string iconName )
000182 |     {
```

```
000183 |         m_IconName = iconName;
000184 |     }
000185 |
000186 |     string GetIconName()
000187 |     {
000188 |         return m_IconName;
000189 |     }
000190 |
000191 |     void SetIcon( ExpansionIcon icon )
000192 |     {
000193 |         if ( icon == NULL )
000194 |         {
000195 |             m_IconName = "";
000196 |         } else
000197 |         {
000198 |             m_IconName = icon.Name;
000199 |         }
000200 |     }
000201 |
000202 |     void SetIcon(string icon)
000203 |     {
000204 |         if (icon == "")
000205 |         {
000206 |             m_IconName = "";
000207 |         }
000208 |         else
000209 |         {
000210 |             m_IconName = icon;
000211 |         }
000212 |     }
000213 |
000214 |     string GetIcon()
000215 |     {
000216 |         ExpansionIcon icon = ExpansionIcons.Get(m_IconName);
000217 |         if (icon)
000218 |             return icon.IconPath;
000219 |         else
000220 |             return m_IconName;
000221 |     }
000222 |
000223 |     ExpansionIcon GetExpansionIcon()
000224 |     {
000225 |         return ExpansionIcons.Get( m_IconName );
000226 |     }
000227 |
000228 |     void SetColor( int color )
000229 |     {
000230 |         m_Color = color;
000231 |     }
000232 |
000233 |     int GetColor()
000234 |     {
000235 |         return m_Color;
000236 |     }
000237 |
000238 |     void Set3D( bool is )
000239 |     {
000240 |         m_Is3D = is;
000241 |     }
000242 |
000243 |     bool Is3D()
000244 |     {
```

```
000245 |         return m_Is3D;
000246 |     }
000247 |
000248 |     int ApplyVisibility( int vis )
000249 |     {
000250 |         m_Visibility = vis;
000251 |         return m_Visibility;
000252 |     }
000253 |
000254 |     int SetVisibility( int vis )
000255 |     {
000256 |         m_Visibility |= vis;
000257 |         return m_Visibility;
000258 |     }
000259 |
000260 |     int FlipVisibility( int vis )
000261 |     {
000262 |         if ( ( m_Visibility & vis ) != 0 )
000263 |             m_Visibility &= ~vis;
000264 |         else
000265 |             m_Visibility |= vis;
000266 |
000267 |         return m_Visibility;
000268 |     }
000269 |
000270 |     int RemoveVisibility( int vis )
000271 |     {
000272 |         m_Visibility &= ~vis;
000273 |         return m_Visibility;
000274 |     }
000275 |
000276 |     int ClearVisibility()
000277 |     {
000278 |         m_Visibility = 0;
000279 |         return m_Visibility;
000280 |     }
000281 |
000282 |     int GetVisibility()
000283 |     {
000284 |         return m_Visibility;
000285 |     }
000286 |
000287 |     bool IsVisible()
000288 |     {
000289 |         return m_Visibility != 0;
000290 |     }
000291 |
000292 |     bool IsWorldVisible()
000293 |     {
000294 |         return (m_Visibility & EXPANSION_MARKER_VIS_WORLD) != 0;
000295 |     }
000296 |
000297 |     bool IsMapVisible()
000298 |     {
000299 |         return (m_Visibility & EXPANSION_MARKER_VIS_MAP) != 0;
000300 |     }
000301 |
000302 |     void SetHandler( ScriptedWidgetEventHandler handler )
000303 |     {
000304 |         m_Handler = handler;
000305 |     }
000306 |
```

```
000307 | ScriptedWidgetEventHandler GetHandler()
000308 | {
000309 |     return m_Handler;
000310 | }
000311 |
000312 | void OnSend( ParamsWriteContext ctx )
000313 | {
000314 |     ctx.Write( m_Text );
000315 |     ctx.Write( Is3D() );
000316 |     ctx.Write( m_IconName );
000317 |     ctx.Write( m_Color );
000318 |
000319 |     ctx.Write( m_Position );
000320 |
000321 |     ctx.Write( m_Locked );
000322 | }
000323 |
000324 | void OnSendObject( ParamsWriteContext ctx )
000325 | {
000326 |     if ( m_Object )
000327 |     {
000328 |         ctx.Write( true );
000329 |
000330 |         m_Object.GetNetworkID( m_ObjectNetworkLow, m_ObjectNetworkHigh );
000331 |         ctx.Write( m_ObjectNetworkLow );
000332 |         ctx.Write( m_ObjectNetworkHigh );
000333 |     } else
000334 |     {
000335 |         ctx.Write( false );
000336 |     }
000337 | }
000338 |
000339 | bool OnRecieve( ParamsReadContext ctx )
000340 | {
000341 |     if ( !ctx.Read( m_Text ) )
000342 |         return false;
000343 |     if ( !ctx.Read( m_Is3D ) )
000344 |         return false;
000345 |     if ( !ctx.Read( m_IconName ) )
000346 |         return false;
000347 |     if ( !ctx.Read( m_Color ) )
000348 |         return false;
000349 |
000350 |     if ( !ctx.Read( m_Position ) )
000351 |         return false;
000352 |
000353 |     if ( !ctx.Read( m_Locked ) )
000354 |         return false;
000355 |
000356 |     return true;
000357 | }
000358 |
000359 | bool OnReceiveObject( ParamsReadContext ctx )
000360 | {
000361 |     bool hasObject;
000362 |     if ( !ctx.Read( hasObject ) )
000363 |         return false;
000364 |
000365 |     if ( hasObject )
000366 |     {
000367 |         if ( !ctx.Read( m_ObjectNetworkLow ) || !ctx.Read( m_ObjectNetworkHigh ) )
000368 |             return false;
```

```
000369 |  
000370 |         m_Object = g_Game.GetObjectByNetworkId( m_ObjectNetworkLow, m_ObjectNetworkHigh );  
000371 |     }  
000372 |  
000373 |     return true;  
000374 | }  
000375 |  
000376 | void OnSendFull(ParamsWriteContext ctx)  
000377 | {  
000378 |     OnSend(ctx);  
000379 |  
000380 |     ctx.Write(m_Visibility);  
000381 | }  
000382 |  
000383 | bool OnRecieveFull(ParamsReadContext ctx)  
000384 | {  
000385 |     if (!OnRecieve(ctx))  
000386 |         return false;  
000387 |  
000388 |     if (!ctx.Read(m_Visibility))  
000389 |         return false;  
000390 |  
000391 |     return true;  
000392 | }  
000393 |  
000394 | void OnStoreSave( ParamsWriteContext ctx )  
000395 | {  
000396 |     ctx.Write( Is3D() );  
000397 |     ctx.Write( m_Text );  
000398 |     ctx.Write( m_IconName );  
000399 |     ctx.Write( m_Color );  
000400 |     ctx.Write( m_Position );  
000401 |     ctx.Write( m_Locked );  
000402 | }  
000403 |  
000404 | bool OnStoreLoad( ParamsReadContext ctx, int version )  
000405 | {  
000406 |     if ( Expansion_Assert_False( ctx.Read( m_Is3D ), "[" + this + "]" Failed reading m_Is3D" ) )  
000407 |         return false;  
000408 |  
000409 |     if ( Expansion_Assert_False( ctx.Read( m_Text ), "[" + this + "]" Failed reading m_Text" ) )  
000410 |         return false;  
000411 |  
000412 |     if ( Expansion_Assert_False( ctx.Read( m_IconName ), "[" + this + "]" Failed reading m_IconName" ) )  
000413 |         return false;  
000414 |  
000415 |     if ( Expansion_Assert_False( ctx.Read( m_Color ), "[" + this + "]" Failed reading m_Color" ) )  
000416 |         return false;  
000417 |  
000418 |     if ( Expansion_Assert_False( ctx.Read( m_Position ), "[" + this + "]" Failed reading m_Position" ) )  
000419 |         return false;  
000420 |  
000421 |     if ( version >= 38 )  
000422 |     {  
000423 |         if ( Expansion_Assert_False( ctx.Read( m_Locked ), "[" + this + "]" Failed reading m_Locked" ) )  
000424 |             return false;  
000425 |     }  
000426 |  
000427 |     return true;  
000428 | }  
000429 | }
```

0077. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyMarkerData.c

Size bytes: 539

SHA-256: 02976c6bb6ab0df050a67c335e9bec5ed83d2697b8abfbb1a4c03fabbd291b29

Decoded as: utf-8-sig

Line count shown: 21

Detected class declarations: 1

L14: class ExpansionPartyMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: override ExpansionMapMarkerType GetType()

Full file content

```
000001 | /**
000002 |  * ExpansionPartyMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONMODGROUPS
000014 | class ExpansionPartyMarkerData : ExpansionMarkerData
000015 | {
000016 |     override ExpansionMapMarkerType GetType()
000017 |     {
000018 |         return ExpansionMapMarkerType.PARTY;
000019 |     }
000020 | };
000021 | #endif
```

0078. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPartyQuickMarkerData.c

Size bytes: 853

SHA-256: 3312a918bcac5bafbf59bf71bcde35f0f5e0c4d6720a14982f85b07b595afbbc

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L14: class ExpansionPartyQuickMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 3

L16: override ExpansionMapMarkerType GetType()

L21: override void OnSend(ParamsWriteContext ctx)

L28: override bool OnRecieve(ParamsReadContext ctx)

Full file content

```
000001 | /**
000002 |  * ExpansionPartyQuickMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONMODGROUPS
000014 | class ExpansionPartyQuickMarkerData : ExpansionMarkerData
000015 | {
000016 |     override ExpansionMapMarkerType GetType()
000017 |     {
000018 |         return ExpansionMapMarkerType.PARTY_QUICK;
000019 |     }
000020 |
000021 |     override void OnSend( ParamsWriteContext ctx )
000022 |     {
000023 |         ctx.Write( m_Color );
000024 |
000025 |         ctx.Write( m_Position );
000026 |     }
000027 |
000028 |     override bool OnRecieve( ParamsReadContext ctx )
000029 |     {
000030 |         if ( !ctx.Read( m_Color ) )
000031 |             return false;
000032 |
000033 |         if ( !ctx.Read( m_Position ) )
000034 |             return false;
000035 |
000036 |         return true;
000037 |     }
000038 | };
000039 | #endif
```

0079. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPersonalMarkerData.c

Size bytes: 924

SHA-256: 045940f6e9667309d8e987acba5b3062e3ca05aecbf445f1c59e0a075bc1cae0

Decoded as: utf-8-sig

Line count shown: 37

Detected class declarations: 1

L13: class ExpansionPersonalMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override ExpansionMapMarkerType GetType()

L20: override bool OnStoreLoad(ParamsReadContext ctx, int version)

L31: override void OnStoreSave(ParamsWriteContext ctx)

Full file content

```
000001 | /**
000002 |  * ExpansionPersonalMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionPersonalMarkerData : ExpansionMarkerData
000014 | {
000015 |     override ExpansionMapMarkerType GetType()
000016 |     {
000017 |         return ExpansionMapMarkerType.PERSONAL;
000018 |     }
000019 |
000020 |     override bool OnStoreLoad( ParamsReadContext ctx, int version )
000021 |     {
000022 |         if ( !super.OnStoreLoad( ctx, version ) )
000023 |             return false;
000024 |
000025 |         if ( Expansion_Assert_False( ctx.Read( m_Visibility ), "[" + this + "] Failed reading m_Visibility" ) )
000026 |             return false;
000027 |
000028 |         return true;
000029 |     }
000030 |
000031 |     override void OnStoreSave( ParamsWriteContext ctx )
000032 |     {
000033 |         super.OnStoreSave( ctx );
000034 |
000035 |         ctx.Write( m_Visibility );
000036 |     }
000037 | };
```


0080. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionPlayerMarkerData.c

Size bytes: 1283

SHA-256: d662a3dec8230cd77700cf64b3de2192c29311df06c3e3594f274cd46a98f9c4

Decoded as: utf-8-sig

Line count shown: 61

Detected class declarations: 1

L14: class ExpansionPlayerMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 5

L16: override ExpansionMapMarkerType GetType()

L21: override vector GetAdjustedPosition()

L41: override void OnSend(ParamsWriteContext ctx)

L50: override bool OnRecieve(ParamsReadContext ctx)

L58: return OnReceiveObject(ctx);

Full file content

```
000001 | /**
000002 |  * ExpansionPlayerMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONMODGROUPS
000014 | class ExpansionPlayerMarkerData : ExpansionMarkerData
000015 | {
000016 |     override ExpansionMapMarkerType GetType()
000017 |     {
000018 |         return ExpansionMapMarkerType.PLAYER;
000019 |     }
000020 |
000021 |     override vector GetAdjustedPosition()
000022 |     {
000023 |         vector position = GetPosition();
000024 |         Object object = GetObject();
000025 |
000026 |         Human human;
000027 |         if ( Class.CastTo( human, object ) )
000028 |         {
000029 |             if ( human.IsAlive() )
000030 |             {
000031 |                 position = human.GetBonePositionWS( human.GetBoneIndexByName( "Head" ) ) + "0.0 0.25 0.0";
000032 |             } else
000033 |             {
000034 |                 position = human.GetPosition();
000035 |             }
000036 |         }
000037 |
000038 |         return position;
000039 |     }
000040 |
000041 |     override void OnSend( ParamsWriteContext ctx )
000042 |     {
```

```
000043 |         ctx.Write( m_Color );
000044 |
000045 |         ctx.Write( m_Position );
000046 |
000047 |         OnSendObject( ctx );
000048 |     }
000049 |
000050 |     override bool OnRecieve( ParamsReadContext ctx )
000051 |     {
000052 |         if ( !ctx.Read( m_Color ) )
000053 |             return false;
000054 |
000055 |         if ( !ctx.Read( m_Position ) )
000056 |             return false;
000057 |
000058 |         return OnReceiveObject( ctx );
000059 |     }
000060 | };
000061 | #endif
```

0081. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Markers\ExpansionServerMarkerData.c

Size bytes: 507

SHA-256: 7ed2ac911831b94385360c9bfff7e633ab51e455be84191f9121284298310e1b6

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

L13: class ExpansionServerMarkerData : ExpansionMarkerData

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override ExpansionMapMarkerType GetType()

Full file content

```
000001 | /**
000002 |  * ExpansionServerMarkerData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionServerMarkerData : ExpansionMarkerData
000014 | {
000015 |     override ExpansionMapMarkerType GetType()
000016 |     {
000017 |         return ExpansionMapMarkerType.SERVER;
000018 |     }
000019 | };
```

0082. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Matrix3.c
Size bytes: 6904
SHA-256: f359090426e370f54a0a856f5f2518198756e553e2c483333342058fa251a67e
Decoded as: utf-8-sig
Line count shown: 339
Detected class declarations: 1
  L13: class ExpansionMatrix3
Detected enum declarations: 0
Detected function/method-like declarations: 29
  L19: static void Transpose(vector a[3], out vector b[3])
  L32: void ExpansionMatrix3()
  L37: static ExpansionMatrix3 SetRotationX(float angle)
  L52: void Set(int _index, vector _value)
  L57: void Set(int _index, string _value)
  L62: vector Get(int _index)
  L67: void Update()
  L73: void ToQuaternion(out ExpansionQuaternion quat)
  L83: ExpansionMatrix3 Invert()
  L112: ExpansionMatrix3 Scaled(vector scale)
  L131: ExpansionMatrix3 Transpose()
  L150: ExpansionMatrix3 Adjoint()
  L169: float TDotX(vector v)
  L174: float TDotY(vector v)
  L179: float TDotZ(vector v)
  L184: float Cofactor(int r1, int c1, int r2, int c2)
  L198: vector Multiply(vector other)
  L209: void FromYawPitchRoll(vector ypr)
  L216: static ExpansionMatrix3 YawPitchRoll(vector ypr)
  L227: vector ToYawPitchRoll()
  L232: static void Tilda(vector vIn, out ExpansionMatrix3 mat)
  L251: ExpansionMatrix3 Multiply(ExpansionMatrix3 m)
  L260: void Multiply(ExpansionMatrix3 m, out ExpansionMatrix3 n)
  L268: static void Multiply(ExpansionMatrix3 a, ExpansionMatrix3 b, out ExpansionMatrix3 n)
  L276: ExpansionMatrix3 InvMultiply(ExpansionMatrix3 m)
  L285: static void DirectionAndUp(vector dir, vector up, out ExpansionMatrix3 mat)
  L298: ExpansionMatrix3 BISAdd(ExpansionMatrix3 m)
  L309: ExpansionMatrix3 BISSubtract(ExpansionMatrix3 m)
  L320: ExpansionMatrix3 BISMultiply(float m)
```

Full file content

```
000001 | /**
000002 |  * ExpansionMatrix3.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionMatrix3
000014 | {
000015 |     vector data[3];
000016 |
000017 |     ExpansionTransform m_trans;
000018 | }
```

```
000019 | static void Transpose(vector a[3], out vector b[3])
000020 | {
000021 |     b[0][0] = a[0][0];
000022 |     b[0][1] = a[1][0];
000023 |     b[0][2] = a[1][0];
000024 |     b[1][0] = a[0][1];
000025 |     b[1][1] = a[1][1];
000026 |     b[1][2] = a[1][1];
000027 |     b[2][0] = a[0][2];
000028 |     b[2][1] = a[1][2];
000029 |     b[2][2] = a[1][2];
000030 | }
000031 |
000032 | void ExpansionMatrix3()
000033 | {
000034 |     data = {"1 0 0", "0 1 0", "0 0 1"};
000035 | }
000036 |
000037 | static ExpansionMatrix3 SetRotationX(float angle)
000038 | {
000039 |     ExpansionMatrix3 mat = new ExpansionMatrix3();
000040 |
000041 |     float s = Math.Sin(angle);
000042 |     float c = Math.Cos(angle);
000043 |
000044 |     mat.data[1][1] = c;
000045 |     mat.data[1][2] = -s;
000046 |     mat.data[2][1] = s;
000047 |     mat.data[2][2] = c;
000048 |
000049 |     return mat;
000050 | }
000051 |
000052 | void Set(int _index, vector _value)
000053 | {
000054 |     data[_index] = _value;
000055 | }
000056 |
000057 | void Set(int _index, string _value)
000058 | {
000059 |     data[_index] = _value.ToVector();
000060 | }
000061 |
000062 | vector Get(int _index)
000063 | {
000064 |     return data[_index];
000065 | }
000066 |
000067 | void Update()
000068 | {
000069 |     if (m_trans)
000070 |         m_trans.UpdateBasis();
000071 | }
000072 |
000073 | void ToQuaternion(out ExpansionQuaternion quat)
000074 | {
000075 |     if (quat == NULL)
000076 |         quat = new ExpansionQuaternion();
000077 |
000078 |     Math3D.MatrixToQuat(data, quat.data);
000079 |
000080 |     quat.Update();
```

```
000081 |     }
000082 |
000083 | ExpansionMatrix3 Invert()
000084 | {
000085 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000086 |
000087 |     vector co = Vector(Cofactor(1, 1, 2, 2), Cofactor(1, 2, 2, 0), Cofactor(1, 0, 2, 1));
000088 |
000089 |     float det = vector.Dot(data[0], co);
000090 |     if (det == 0)
000091 |     {
000092 |         return n;
000093 |     }
000094 |
000095 |     float s = 1.0 / det;
000096 |
000097 |     n.data[0][0] = co[0] * s;
000098 |     n.data[0][1] = Cofactor(0, 2, 2, 1) * s;
000099 |     n.data[0][2] = Cofactor(0, 1, 1, 2) * s;
000100 |
000101 |     n.data[1][0] = co[1] * s;
000102 |     n.data[1][1] = Cofactor(0, 0, 2, 2) * s;
000103 |     n.data[1][2] = Cofactor(0, 2, 1, 0) * s;
000104 |
000105 |     n.data[2][0] = co[2] * s;
000106 |     n.data[2][1] = Cofactor(0, 1, 2, 0) * s;
000107 |     n.data[2][2] = Cofactor(0, 0, 1, 1) * s;
000108 |
000109 |     return n;
000110 | }
000111 |
000112 | ExpansionMatrix3 Scaled(vector scale)
000113 | {
000114 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000115 |
000116 |     n.data[0][0] = data[0][0] * scale[0];
000117 |     n.data[1][0] = data[1][0] * scale[1];
000118 |     n.data[2][0] = data[2][0] * scale[2];
000119 |
000120 |     n.data[0][1] = data[0][1] * scale[0];
000121 |     n.data[1][1] = data[1][1] * scale[1];
000122 |     n.data[2][1] = data[2][1] * scale[2];
000123 |
000124 |     n.data[0][2] = data[0][2] * scale[0];
000125 |     n.data[1][2] = data[1][2] * scale[1];
000126 |     n.data[2][2] = data[2][2] * scale[2];
000127 |
000128 |     return n;
000129 | }
000130 |
000131 | ExpansionMatrix3 Transpose()
000132 | {
000133 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000134 |
000135 |     n.data[0][0] = data[0][0];
000136 |     n.data[0][1] = data[1][0];
000137 |     n.data[0][2] = data[2][0];
000138 |
000139 |     n.data[1][0] = data[0][1];
000140 |     n.data[1][1] = data[1][1];
000141 |     n.data[1][2] = data[2][1];
000142 | }
```

```
000143 |         n.data[2][0] = data[0][2];
000144 |         n.data[2][1] = data[1][2];
000145 |         n.data[2][2] = data[2][2];
000146 |
000147 |     return n;
000148 | }
000149 |
000150 | ExpansionMatrix3 Adjoint()
000151 | {
000152 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000153 |
000154 |     n.data[0][0] = Cofactor(1, 1, 2, 2);
000155 |     n.data[0][1] = Cofactor(0, 2, 2, 1);
000156 |     n.data[0][2] = Cofactor(0, 1, 1, 2);
000157 |
000158 |     n.data[1][0] = Cofactor(1, 2, 2, 0);
000159 |     n.data[1][1] = Cofactor(0, 0, 2, 2);
000160 |     n.data[1][2] = Cofactor(0, 2, 1, 0);
000161 |
000162 |     n.data[2][0] = Cofactor(1, 0, 2, 1);
000163 |     n.data[2][1] = Cofactor(0, 1, 2, 0);
000164 |     n.data[2][2] = Cofactor(0, 0, 1, 1);
000165 |
000166 |     return n;
000167 | }
000168 |
000169 | float TDotX(vector v)
000170 | {
000171 |     return data[0][0] * v[0] + data[1][0] * v[1] + data[2][0] * v[2];
000172 | }
000173 |
000174 | float TDotY(vector v)
000175 | {
000176 |     return data[0][1] * v[0] + data[1][1] * v[1] + data[2][1] * v[2];
000177 | }
000178 |
000179 | float TDotZ(vector v)
000180 | {
000181 |     return data[0][2] * v[0] + data[1][2] * v[1] + data[2][2] * v[2];
000182 | }
000183 |
000184 | float Cofactor(int r1, int c1, int r2, int c2)
000185 | {
000186 |     float a = data[r1][c1];
000187 |     float b = data[r2][c2];
000188 |     float c = data[r1][c2];
000189 |     float d = data[r2][c1];
000190 |
000191 |     float ab = a * b;
000192 |     float cd = c * d;
000193 |     float ret = ab - cd;
000194 |
000195 |     return ret;
000196 | }
000197 |
000198 | vector Multiply(vector other)
000199 | {
000200 |     vector n = vector.Zero;
000201 |
000202 |     n[0] = vector.Dot(data[0], other);
000203 |     n[1] = vector.Dot(data[1], other);
000204 |     n[2] = vector.Dot(data[2], other);
```

```
000205 |  
000206 |     return n;  
000207 | }  
000208 |  
000209 | void FromYawPitchRoll(vector ypr)  
000210 | {  
000211 |     Math3D.YawPitchRollMatrix(ypr, data);  
000212 |  
000213 |     Update();  
000214 | }  
000215 |  
000216 | static ExpansionMatrix3 YawPitchRoll(vector ypr)  
000217 | {  
000218 |     ExpansionMatrix3 mat = new ExpansionMatrix3;  
000219 |  
000220 |     Math3D.YawPitchRollMatrix(ypr, mat.data);  
000221 |  
000222 |     mat.Update();  
000223 |  
000224 |     return mat;  
000225 | }  
000226 |  
000227 | vector ToYawPitchRoll()  
000228 | {  
000229 |     return Math3D.MatrixToAngles(data);  
000230 | }  
000231 |  
000232 | static void Tilda(vector vIn, out ExpansionMatrix3 mat)  
000233 | {  
000234 |     if (mat == NULL)  
000235 |         mat = new ExpansionMatrix3;  
000236 |  
000237 |     mat.data[0][0] = 0.0;  
000238 |     mat.data[1][1] = 0.0;  
000239 |     mat.data[2][2] = 0.0;  
000240 |  
000241 |     mat.data[0][1] = -vIn[2];  
000242 |     mat.data[1][0] = vIn[2];  
000243 |     mat.data[2][0] = -vIn[1];  
000244 |     mat.data[0][2] = vIn[1];  
000245 |     mat.data[1][2] = -vIn[0];  
000246 |     mat.data[2][1] = vIn[0];  
000247 |  
000248 |     mat.Update();  
000249 | }  
000250 |  
000251 | ExpansionMatrix3 Multiply(ExpansionMatrix3 m)  
000252 | {  
000253 |     ExpansionMatrix3 n = new ExpansionMatrix3;  
000254 |  
000255 |     Math3D.MatrixMultiply3(data, m.data, n.data);  
000256 |  
000257 |     return n;  
000258 | }  
000259 |  
000260 | void Multiply(ExpansionMatrix3 m, out ExpansionMatrix3 n)  
000261 | {  
000262 |     if (n == NULL)  
000263 |         n = new ExpansionMatrix3;  
000264 |  
000265 |     Math3D.MatrixMultiply3(data, m.data, n.data);  
000266 | }
```



```
000267 |
000268 | static void Multiply(ExpansionMatrix3 a, ExpansionMatrix3 b, out ExpansionMatrix3 n)
000269 | {
000270 |     if (n == NULL)
000271 |         n = new ExpansionMatrix3;
000272 |
000273 |     Math3D.MatrixMultiply3(a.data, b.data, n.data);
000274 | }
000275 |
000276 | ExpansionMatrix3 InvMultiply(ExpansionMatrix3 m)
000277 | {
000278 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000279 |
000280 |     Math3D.MatrixInvMultiply3(data, m.data, n.data);
000281 |
000282 |     return n;
000283 | }
000284 |
000285 | static void DirectionAndUp(vector dir, vector up, out ExpansionMatrix3 mat)
000286 | {
000287 |     if (mat == NULL)
000288 |         mat = new ExpansionMatrix3;
000289 |
000290 |     vector temp[4];
000291 |     Math3D.DirectionAndUpMatrix(dir, up, temp);
000292 |
000293 |     mat.data[0] = temp[0];
000294 |     mat.data[1] = temp[1];
000295 |     mat.data[2] = temp[2];
000296 | }
000297 |
000298 | ExpansionMatrix3 BISAdd(ExpansionMatrix3 m)
000299 | {
000300 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000301 |
000302 |     n.data[0] = data[0] + m.data[0];
000303 |     n.data[1] = data[1] + m.data[1];
000304 |     n.data[2] = data[2] + m.data[2];
000305 |
000306 |     return n;
000307 | }
000308 |
000309 | ExpansionMatrix3 BISSubtract(ExpansionMatrix3 m)
000310 | {
000311 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000312 |
000313 |     n.data[0] = data[0] - m.data[0];
000314 |     n.data[1] = data[1] - m.data[1];
000315 |     n.data[2] = data[2] - m.data[2];
000316 |
000317 |     return n;
000318 | }
000319 |
000320 | ExpansionMatrix3 BISMultiply(float m)
000321 | {
000322 |     ExpansionMatrix3 n = new ExpansionMatrix3;
000323 |
000324 |     n.data[0][0] = data[0][0] * m;
000325 |     n.data[1][0] = data[1][0] * m;
000326 |     n.data[2][0] = data[2][0] * m;
000327 |
000328 |     n.data[0][1] = data[0][1] * m;
```

```
000329 |         n.data[1][1] = data[1][1] * m;
000330 |         n.data[2][1] = data[2][1] * m;
000331 |
000332 |         n.data[0][2] = data[0][2] * m;
000333 |         n.data[1][2] = data[1][2] * m;
000334 |         n.data[2][2] = data[2][2] * m;
000335 |
000336 |         return n;
000337 |     }
000338 | };
000339 |
```

0083. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Quaternion.c

Size bytes: 2208

SHA-256: d453214066caff3a15e43acd44e45a8c70c8e46728d555daa076ee4e4607a09b

Decoded as: utf-8-sig

Line count shown: 109

Detected class declarations: 1

L13: class ExpansionQuaternion

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: void ExpansionQuaternion()

L24: void Update()

L30: void ToMatrix(out ExpansionMatrix3 matrix)

L40: void ToAngles(out vector vec)

L44: void SetRotation(float angle, vector axis)

L57: static ExpansionQuaternion Rotation(float angle, vector axis)

L65: ExpansionQuaternion Add(ExpansionQuaternion other)

L77: ExpansionQuaternion AddSelf(ExpansionQuaternion other)

L87: ExpansionQuaternion Multiply(float other)

L99: ExpansionQuaternion MultiplySelf(float other)

Full file content

```
000001 | /**
000002 |  * ExpansionQuaternion.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionQuaternion
000014 | {
000015 |     float data[4];
000016 |
000017 |     ExpansionTransform m_trans;
000018 |
000019 |     void ExpansionQuaternion()
000020 |     {
000021 |         data = {0, 0, 0, 1};
000022 |     }
000023 |
000024 |     void Update()
000025 |     {
000026 |         if (m_trans)
000027 |             m_trans.UpdateRotation();
000028 |     }
000029 |
000030 |     void ToMatrix(out ExpansionMatrix3 matrix)
000031 |     {
000032 |         if (matrix == NULL)
000033 |             matrix = new ExpansionMatrix3;
000034 |
000035 |         Math3D.QuatToMatrix(data, matrix.data);
000036 |
000037 |         matrix.Update();
```

```
000038 |     }
000039 |
000040 |     void ToAngles(out vector vec)
000041 |     {
000042 |     }
000043 |
000044 |     void SetRotation(float angle, vector axis)
000045 |     {
000046 |         float len = axis.Length();
000047 |         if (len == 0)
000048 |             return;
000049 |
000050 |         float s = Math.Sin(angle * 0.5) / len;
000051 |         data[0] = axis[0] * s;
000052 |         data[1] = axis[1] * s;
000053 |         data[2] = axis[2] * s;
000054 |         data[3] = Math.Cos(angle * 0.5);
000055 |     }
000056 |
000057 |     static ExpansionQuaternion Rotation(float angle, vector axis)
000058 |     {
000059 |         ExpansionQuaternion q = new ExpansionQuaternion();
000060 |         q.SetRotation(angle, axis);
000061 |
000062 |         return q;
000063 |     }
000064 |
000065 |     ExpansionQuaternion Add(ExpansionQuaternion other)
000066 |     {
000067 |         ExpansionQuaternion n = new ExpansionQuaternion();
000068 |
000069 |         n.data[0] = data[0] + other.data[0];
000070 |         n.data[1] = data[1] + other.data[1];
000071 |         n.data[2] = data[2] + other.data[2];
000072 |         n.data[3] = data[3] + other.data[3];
000073 |
000074 |         return n;
000075 |     }
000076 |
000077 |     ExpansionQuaternion AddSelf(ExpansionQuaternion other)
000078 |     {
000079 |         data[0] = data[0] + other.data[0];
000080 |         data[1] = data[1] + other.data[1];
000081 |         data[2] = data[2] + other.data[2];
000082 |         data[3] = data[3] + other.data[3];
000083 |
000084 |         return this;
000085 |     }
000086 |
000087 |     ExpansionQuaternion Multiply(float other)
000088 |     {
000089 |         ExpansionQuaternion n = new ExpansionQuaternion();
000090 |
000091 |         n.data[0] = data[0] * other;
000092 |         n.data[1] = data[1] * other;
000093 |         n.data[2] = data[2] * other;
000094 |         n.data[3] = data[3] * other;
000095 |
000096 |         return n;
000097 |     }
000098 |
000099 |     ExpansionQuaternion MultiplySelf(float other)
```

```
000100 | {
000101 |     data[0] = data[0] * other;
000102 |     data[1] = data[1] * other;
000103 |     data[2] = data[2] * other;
000104 |     data[3] = data[3] * other;
000105 |
000106 |     return this;
000107 | }
000108 | };
000109 |
```

0084. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Transform.c
Size bytes: 4914
SHA-256: 489facc0c87d79a2b63f7ba58b38e0824e838608c06f49fd562098b906799102
Decoded as: utf-8-sig
Line count shown: 270
Detected class declarations: 1
  L13: class ExpansionTransform // also known as Matrix4
Detected enum declarations: 0
Detected function/method-like declarations: 30
  L20: void ExpansionTransform()
  L32: ExpansionTransform Clone()
  L42: void Debug()
  L51: ExpansionTransform Add(ExpansionTransform transform)
  L56: void Set(int _index, vector _value)
  L61: void Set(int _index, string _value)
  L66: vector Get(int _index)
  L71: ExpansionTransform Set(notnull Object obj, bool update = false)
  L83: ExpansionTransform Get(notnull Object obj)
  L92: static ExpansionTransform GetArray(vector trans[4])
  L106: static ExpansionTransform GetObject(notnull Object obj)
  L115: static ExpansionTransform GetPlayerBoneWS(notnull Human human, int boneIdx, int mode = 0)
  L126: else if (mode == 2)
  L136: static void Set(notnull Object obj, ExpansionTransform trans)
  L141: void UpdateBasis()
  L150: void UpdateRotation()
  L159: void UpdateUnion()
  L168: ExpansionMatrix3 GetBasis()
  L173: void SetBasis(ExpansionMatrix3 basis)
  L181: ExpansionQuaternion GetRotation()
  L186: void SetRotation(ExpansionQuaternion rotation)
  L194: vector GetYawPitchRoll()
  L199: vector GetOrigin()
  L204: void SetOrigin(vector origin)
  L209: static void DirectionAndUp(vector dir, vector up, out ExpansionTransform trans, vector pos = "0 0 0")
  L220: vector ExpansionTransform(vector v)
  L231: static ExpansionTransform YawPitchRoll(vector ypr, vector pos = "0 0 0")
  L244: ExpansionTransform Multiply(ExpansionTransform m)
  L253: ExpansionTransform InvMultiply(ExpansionTransform m)
  L262: void CopyTo(out vector mat[4])
```

Full file content

```
000001 | /**
000002 |  * ExpansionTransform.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionTransform // also known as Matrix4
000014 | {
000015 |     vector data[4];
000016 |
000017 |     ref ExpansionMatrix3 m_basis;
```

```
000018 |     ref ExpansionQuaternion m_rotation;
000019 |
000020 | void ExpansionTransform()
000021 | {
000022 |     data = {"1 0 0", "0 1 0", "0 1 0", "0 0 0"};
000023 |
000024 |     m_basis = new ExpansionMatrix3;
000025 |     m_rotation = new ExpansionQuaternion;
000026 |     m_basis.m_trans = this;
000027 |     m_rotation.m_trans = this;
000028 |
000029 |     UpdateUnion();
000030 | }
000031 |
000032 | ExpansionTransform Clone()
000033 | {
000034 |     ExpansionTransform n = new ExpansionTransform();
000035 |
000036 |     n.data = data;
000037 |     n.UpdateUnion();
000038 |
000039 |     return n;
000040 | }
000041 |
000042 | void Debug()
000043 | {
000044 |     Print("ExpansionTransform::Debug");
000045 |     Print("[0] " + data[0]);
000046 |     Print("[1] " + data[1]);
000047 |     Print("[2] " + data[2]);
000048 |     Print("[3] " + data[3]);
000049 | }
000050 |
000051 | ExpansionTransform Add(ExpansionTransform transform)
000052 | {
000053 |     return NULL;
000054 | }
000055 |
000056 | void Set(int _index, vector _value)
000057 | {
000058 |     data[_index] = _value;
000059 | }
000060 |
000061 | void Set(int _index, string _value)
000062 | {
000063 |     data[_index] = _value.ToVector();
000064 | }
000065 |
000066 | vector Get(int _index)
000067 | {
000068 |     return data[_index];
000069 | }
000070 |
000071 | ExpansionTransform Set(notnull Object obj, bool update = false)
000072 | {
000073 |     obj.SetTransform(data);
000074 |
000075 |     if (update)
000076 |     {
000077 |         obj.Update();
000078 |     }
000079 | }
```

```
000080 |     return this;
000081 | }
000082 |
000083 | ExpansionTransform Get(notnull Object obj)
000084 | {
000085 |     obj.GetTransform(data);
000086 |
000087 |     UpdateUnion();
000088 |
000089 |     return this;
000090 | }
000091 |
000092 | static ExpansionTransform GetArray(vector trans[4])
000093 | {
000094 |     ExpansionTransform n = new ExpansionTransform();
000095 |
000096 |     n.data[0] = trans[0];
000097 |     n.data[1] = trans[1];
000098 |     n.data[2] = trans[2];
000099 |     n.data[3] = trans[3];
000100 |
000101 |     n.UpdateUnion();
000102 |
000103 |     return n;
000104 | }
000105 |
000106 | static ExpansionTransform GetObject(notnull Object obj)
000107 | {
000108 |     ExpansionTransform n = new ExpansionTransform();
000109 |
000110 |     n.Get(obj);
000111 |
000112 |     return n;
000113 | }
000114 |
000115 | static ExpansionTransform GetPlayerBoneWS(notnull Human human, int boneIdx, int mode = 0)
000116 | {
000117 |     ExpansionTransform n = new ExpansionTransform();
000118 |
000119 |     human.GetBoneTransformWS(boneIdx, n.data);
000120 |     if (mode == 1)
000121 |     {
000122 |         n.data[0] = "1 0 0";
000123 |         n.data[1] = "0 1 0";
000124 |         n.data[2] = "0 0 1";
000125 |     }
000126 |     else if (mode == 2)
000127 |     {
000128 |         n.data[3] = "0 0 0";
000129 |     }
000130 |
000131 |     n.UpdateUnion();
000132 |
000133 |     return n;
000134 | }
000135 |
000136 | static void Set(notnull Object obj, ExpansionTransform trans)
000137 | {
000138 |     trans.Set(obj);
000139 | }
000140 |
000141 | void UpdateBasis()
```



```
000142 | {
000143 |     data[0] = m_basis.data[0];
000144 |     data[1] = m_basis.data[1];
000145 |     data[2] = m_basis.data[2];
000146 |
000147 |     Math3D.MatrixToQuat(m_basis.data, m_rotation.data);
000148 | }
000149 |
000150 | void UpdateRotation()
000151 | {
000152 |     Math3D.QuatToMatrix(m_rotation.data, m_basis.data);
000153 |
000154 |     data[0] = m_basis.data[0];
000155 |     data[1] = m_basis.data[1];
000156 |     data[2] = m_basis.data[2];
000157 | }
000158 |
000159 | void UpdateUnion()
000160 | {
000161 |     m_basis.data[0] = data[0];
000162 |     m_basis.data[1] = data[1];
000163 |     m_basis.data[2] = data[2];
000164 |
000165 |     Math3D.MatrixToQuat(m_basis.data, m_rotation.data);
000166 | }
000167 |
000168 | ExpansionMatrix3 GetBasis()
000169 | {
000170 |     return m_basis;
000171 | }
000172 |
000173 | void SetBasis(ExpansionMatrix3 basis)
000174 | {
000175 |     m_basis = basis;
000176 |     m_basis.m_trans = this;
000177 |
000178 |     UpdateBasis();
000179 | }
000180 |
000181 | ExpansionQuaternion GetRotation()
000182 | {
000183 |     return m_rotation;
000184 | }
000185 |
000186 | void SetRotation(ExpansionQuaternion rotation)
000187 | {
000188 |     m_rotation = rotation;
000189 |     m_rotation.m_trans = this;
000190 |
000191 |     UpdateRotation();
000192 | }
000193 |
000194 | vector GetYawPitchRoll()
000195 | {
000196 |     return m_basis.ToYawPitchRoll();
000197 | }
000198 |
000199 | vector GetOrigin()
000200 | {
000201 |     return data[3];
000202 | }
000203 |
```

```
000204 | void SetOrigin(vector origin)
000205 | {
000206 |     data[3] = origin;
000207 | }
000208 |
000209 | static void DirectionAndUp(vector dir, vector up, out ExpansionTransform trans, vector pos = "0 0 0")
000210 | {
000211 |     if (trans == NULL)
000212 |         trans = new ExpansionTransform;
000213 |
000214 |     Math3D.DirectionAndUpMatrix(dir, up, trans.data);
000215 |     trans.UpdateUnion();
000216 |
000217 |     trans.data[3] = pos;
000218 | }
000219 |
000220 | vector ExpansionTransform(vector v)
000221 | {
000222 |     vector n = vector.Zero;
000223 |
000224 |     n[0] = vector.Dot(data[0], v) + data[3][0];
000225 |     n[1] = vector.Dot(data[1], v) + data[3][1];
000226 |     n[2] = vector.Dot(data[2], v) + data[3][2];
000227 |
000228 |     return n;
000229 | }
000230 |
000231 | static ExpansionTransform YawPitchRoll(vector ypr, vector pos = "0 0 0")
000232 | {
000233 |     ExpansionTransform trans = new ExpansionTransform;
000234 |
000235 |     Math3D.YawPitchRollMatrix(ypr, trans.m_basis.data);
000236 |
000237 |     trans.UpdateBasis();
000238 |
000239 |     trans.data[3] = pos;
000240 |
000241 |     return trans;
000242 | }
000243 |
000244 | ExpansionTransform Multiply(ExpansionTransform m)
000245 | {
000246 |     ExpansionTransform n = new ExpansionTransform;
000247 |
000248 |     Math3D.MatrixMultiply4(data, m.data, n.data);
000249 |
000250 |     return n;
000251 | }
000252 |
000253 | ExpansionTransform InvMultiply(ExpansionTransform m)
000254 | {
000255 |     ExpansionTransform n = new ExpansionTransform;
000256 |
000257 |     Math3D.MatrixInvMultiply4(data, m.data, n.data);
000258 |
000259 |     return n;
000260 | }
000261 |
000262 | void CopyTo(out vector mat[4])
000263 | {
000264 |     mat[0] = data[0];
000265 |     mat[1] = data[1];
```

```
000266 |         mat[2] = data[2];
000267 |         mat[3] = data[3];
000268 |     }
000269 | };
000270 |
```

0085. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Math\Vector.c

Size bytes: 2857

SHA-256: 8e06c80e4a953ca40e5805b41fc2a512781834e6a38237dcbblef83eae944952

Decoded as: utf-8-sig

Line count shown: 125

Detected class declarations: 1

L13: class ExpansionVectorHelper

Detected enum declarations: 0

Detected function/method-like declarations: 10

L15: static vector Rotate(ExpansionMatrix3 a, vector o)

L42: static vector Multiply(vector data, vector other)

L53: static vector Multiply(vector data, float other)

L64: static vector Multiply(vector data, ExpansionMatrix3 other)

L69: static vector Multiply(vector data, ExpansionTransform other)

L74: static vector InvMultiply(vector data, ExpansionMatrix3 other)

L79: static vector InvMultiply(vector data, ExpansionTransform other)

L84: static ExpansionQuaternion Multiply(vector data, ExpansionQuaternion q)

L96: static vector CrossProduct(vector a, vector b)

L114: static vector Cross(vector data, vector other)

Full file content

```
000001 | /**
000002 |  * ExpansionVectorHelper.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionVectorHelper
000014 | {
000015 |     static vector Rotate( ExpansionMatrix3 a, vector o )
000016 |     {
000017 |         vector n = vector.Zero;
000018 |
000019 |         float x = o[0];
000020 |         float y = o[1];
000021 |         float z = o[2];
000022 |
000023 |         float xx = a.data[0][0] * x;
000024 |         float xy = a.data[0][1] * y;
000025 |         float xz = a.data[0][2] * z;
000026 |
000027 |         float yx = a.data[1][0] * x;
000028 |         float yy = a.data[1][1] * y;
000029 |         float yz = a.data[1][2] * z;
000030 |
000031 |         float zx = a.data[2][0] * x;
000032 |         float zy = a.data[2][1] * y;
000033 |         float zz = a.data[2][2] * z;
000034 |
000035 |         n[0] = xx + xy + xz;
000036 |         n[1] = yx + yy + yz;
000037 |         n[2] = zx + zy + zz;
```

```
000038 |
000039 |     return n;
000040 | }
000041 |
000042 | static vector Multiply( vector data, vector other )
000043 | {
000044 |     vector n = vector.Zero;
000045 |
000046 |     n[0] = data[0] * other[0];
000047 |     n[1] = data[1] * other[1];
000048 |     n[2] = data[2] * other[2];
000049 |
000050 |     return n;
000051 | }
000052 |
000053 | static vector Multiply( vector data, float other )
000054 | {
000055 |     vector n = vector.Zero;
000056 |
000057 |     n[0] = data[0] * other;
000058 |     n[1] = data[1] * other;
000059 |     n[2] = data[2] * other;
000060 |
000061 |     return n;
000062 | }
000063 |
000064 | static vector Multiply( vector data, ExpansionMatrix3 other )
000065 | {
000066 |     return data.Multiply3( other.data );
000067 | }
000068 |
000069 | static vector Multiply( vector data, ExpansionTransform other )
000070 | {
000071 |     return data.Multiply4( other.data );
000072 | }
000073 |
000074 | static vector InvMultiply( vector data, ExpansionMatrix3 other )
000075 | {
000076 |     return data.InvMultiply3( other.data );
000077 | }
000078 |
000079 | static vector InvMultiply( vector data, ExpansionTransform other )
000080 | {
000081 |     return data.InvMultiply4( other.data );
000082 | }
000083 |
000084 | static ExpansionQuaternion Multiply( vector data, ExpansionQuaternion q )
000085 | {
000086 |     ExpansionQuaternion n = new ExpansionQuaternion;
000087 |
000088 |     n.data[0] = data[0] * q.data[3] + data[1] * q.data[2] - data[2] * q.data[1];
000089 |     n.data[1] = data[1] * q.data[3] + data[2] * q.data[0] - data[0] * q.data[2];
000090 |     n.data[2] = data[2] * q.data[3] + data[0] * q.data[1] - data[1] * q.data[0];
000091 |     n.data[3] = -data[0] * q.data[0] - data[1] * q.data[1] - data[2] * q.data[2];
000092 |
000093 |     return n;
000094 | }
000095 |
000096 | static vector CrossProduct( vector a, vector b )
000097 | {
000098 |     float ox = b[0];
000099 |     float oy = b[1];
```

```
000100 |         float oz = b[2];
000101 |         float lx = a[0];
000102 |         float ly = a[1];
000103 |         float lz = a[2];
000104 |
000105 |         float x = ly * oz - lz * oy;
000106 |         float y = lz * ox - lx * oz;
000107 |         float z = lx * oy - ly * ox;
000108 |
000109 |         vector n = Vector( x, y, z );
000110 |
000111 |         return n;
000112 |     }
000113 |
000114 |     static vector Cross( vector data, vector other )
000115 |     {
000116 |         vector n = vector.Zero;
000117 |
000118 |         n[0] = data[1] * other[2] - data[2] * other[1];
000119 |         n[1] = data[2] * other[0] - data[0] * other[2];
000120 |         n[2] = data[0] * other[1] - data[1] * other[0];
000121 |
000122 |         return n;
000123 |     }
000124 | };
000125 |
```

0086. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c
Size bytes: 2258
SHA-256: dcfa50127b6f68715deafc5ce637ea7baa7194569001710bdf1f470ab4bb57f9
Decoded as: utf-8-sig
Line count shown: 122
Detected class declarations: 2
  L14: class ExpansionViewController: ViewController
  L22: class ExpansionScriptViewBase: ScriptView
Detected enum declarations: 0
Detected function/method-like declarations: 20
  L16: void ExpansionViewController()
  L27: void ExpansionScriptViewBase()
  L33: void Destroy()
  L41: void SetIsVisible(bool state)
  L46: override bool IsVisible()
  L51: void SetAlpha(float alpha)
  L56: float GetAlpha()
  L61: override void Show(bool show);
  L63: void Show();
  L65: void OnShow();
  L67: void Hide();
  L69: void OnHide();
  L71: bool CanShow();
  L73: void Refresh();
  L75: static array<ScriptView> GetAll()
  L80: static void DestroyAll()
  L90: static ScriptView GetScriptViewByClassName(string name)
  L109: void UpdatePlayerPreviewObject(Object previewObject)
  L113: void SpawnPlayerPreviewAttachments(EntityAI item)
  L117: void SetCurrentPreviewObject(Object obj)
```

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionViewController: ViewController
000015 | {
000016 |     void ExpansionViewController()
000017 |     {
000018 |         Debug_Logging = false;
000019 |     }
000020 | };
000021 |
000022 | class ExpansionScriptViewBase: ScriptView
000023 | {
000024 |     protected bool m_IsVisible;
000025 |     protected float m_Alpha;
000026 | }
```

```
000027 | void ExpansionScriptViewBase()
000028 | {
000029 |     Debug_Logging = false;
000030 |     m_IsVisible = !IsInherited(ExpansionScriptViewMenuBase);
000031 | }
000032 |
000033 | void Destroy()
000034 | {
000035 |     if (!g_Game)
000036 |         return;
000037 |
000038 |     delete this;
000039 | }
000040 |
000041 | void SetIsVisible(bool state)
000042 | {
000043 |     m_IsVisible = state;
000044 | }
000045 |
000046 | override bool IsVisible()
000047 | {
000048 |     return m_IsVisible;
000049 | }
000050 |
000051 | void SetAlpha(float alpha)
000052 | {
000053 |     m_Alpha = alpha;
000054 | }
000055 |
000056 | float GetAlpha()
000057 | {
000058 |     return m_Alpha;
000059 | }
000060 |
000061 | override void Show(bool show);
000062 |
000063 | void Show();
000064 |
000065 | void OnShow();
000066 |
000067 | void Hide();
000068 |
000069 | void OnHide();
000070 |
000071 | bool CanShow();
000072 |
000073 | void Refresh();
000074 |
000075 | static array<ScriptView> GetAll()
000076 | {
000077 |     return All;
000078 | }
000079 |
000080 | static void DestroyAll()
000081 | {
000082 |     for (int i = All.Count() - 1; i >= 0; i--)
000083 |     {
000084 |         ExpansionScriptViewBase scriptView;
000085 |         if (Class.CastTo(scriptView, All[i]))
000086 |             scriptView.Destroy();
000087 |     }
000088 | }
```



```
000089 | static ScriptView GetScriptViewByClassName(string name)
000090 | {
000091 |     Print("ExpansionScriptViewBase::GetScriptViewByClassName - Search for view with name: " + name);
000092 |     foreach (ScriptView view: All)
000093 |     {
000094 |         string viewName = view.ClassName();
000095 |         Print("ExpansionScriptViewBase::GetScriptViewByClassName - View name: " + viewName);
000096 |         if (viewName == name)
000097 |         {
000098 |             Print("ExpansionScriptViewBase::GetScriptViewByClassName - Found and return view: " + viewName);
000099 |             return view;
000100 |         }
000101 |     }
000102 |     Print("ExpansionScriptViewBase::GetScriptViewByClassName - Could not find view name. Return NULL.");
000103 |     return null;
000104 | }
000105 |
000106 | void UpdatePlayerPreviewObject(Object previewObject)
000107 | {
000108 | }
000109 |
000110 | void SpawnPlayerPreviewAttachments(EntityAI item)
000111 | {
000112 | }
000113 |
000114 | void SetCurrentPreviewObject(Object obj)
000115 | {
000116 | }
000117 | }
000118 | }
000119 | #endif
000120 |
000121 |
000122 |
```

0087. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewFadeTimer.c
 Size bytes: 2664
 SHA-256: 5efa3c2998a27c711c2ebe36fbe16aed3a51001dea16982ef42c2ba4f2183492
 Decoded as: utf-8-sig
 Line count shown: 134
 Detected class declarations: 1
 L14: class ExpansionScriptViewFadeTimer: TimerBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L21: void ExpansionScriptViewFadeTimer()
 L33: void FadeIn(ExpansionScriptViewBase scriptView, float time, bool continue_ = false)
 L68: void FadeOut(ExpansionScriptViewBase scriptView, float time, bool continue_ = false, bool hide = true)
 L99: override private void OnTimer()
 L116: override private void OnUpdate()

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewFadeTimer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptViewFadeTimer: TimerBase
000015 | {
000016 |     private ExpansionScriptViewBase m_ScriptView;
000017 |     bool m_FadeIn;
000018 |     bool m_Hide;
000019 |     float m_Alpha;
000020 |
000021 |     void ExpansionScriptViewFadeTimer()
000022 |     {
000023 |         OnInit(CALL_CATEGORY_GUI);
000024 |         m_FadeIn = true;
000025 |     }
000026 |
000027 |     /**
000028 |     \brief "fade in" effect
000029 |     @param scriptView which will be faded
000030 |     @param time duration of effect
000031 |     @param continue - if True continue from current alpha value, otherwise always begin from 0.0 alpha
000032 |     */
000033 |     void FadeIn(ExpansionScriptViewBase scriptView, float time, bool continue_ = false)
000034 |     {
000035 |         m_Alpha = scriptView.GetAlpha();
000036 |
000037 |         if (continue_ && m_Alpha > 0.99)
000038 |         {
000039 |             scriptView.SetAlpha(1.0);
000040 |             scriptView.Show(true);
000041 |             return;
000042 |         }
```

```
000043 |
000044 |     m_ScriptView = scriptView;
000045 |     m_FadeIn = true;
000046 |
000047 |     OnStart(time, false);
000048 |
000049 |     if (m_ScriptView && !continue_)
000050 |     {
000051 |         m_Alpha = 0.0;
000052 |         m_ScriptView.SetAlpha(m_Alpha);
000053 |         m_ScriptView.Show(true);
000054 |     }
000055 |
000056 |     if (continue_)
000057 |     {
000058 |         m_time = m_Alpha * time;
000059 |     }
000060 | }
000061 |
000062 | /**
000063 |  \brief "fade out" effect
000064 |  @param scriptView which will be faded
000065 |  @param time duration of effect
000066 |  @param continue - if True continue from current alpha value, otherwise always begin from 1.0 alpha
000067 |  */
000068 | void FadeOut(ExpansionScriptViewBase scriptView, float time, bool continue_ = false, bool hide = true)
000069 | {
000070 |     m_Alpha = scriptView.GetAlpha();
000071 |
000072 |     if (continue_ && m_Alpha < 0.01)
000073 |     {
000074 |         scriptView.SetAlpha(0);
000075 |         if (hide)
000076 |             scriptView.Show(false);
000077 |         return;
000078 |     }
000079 |
000080 |     m_ScriptView = scriptView;
000081 |     m_FadeIn = false;
000082 |     m_Hide = hide;
000083 |
000084 |     OnStart(time, false);
000085 |
000086 |     if (m_ScriptView && !continue_)
000087 |     {
000088 |         m_Alpha = 1.0;
000089 |         m_ScriptView.SetAlpha(m_Alpha);
000090 |         m_ScriptView.Show(true);
000091 |     }
000092 |
000093 |     if (continue_)
000094 |     {
000095 |         m_time = (1.0 - m_Alpha) * time;
000096 |     }
000097 | }
000098 |
000099 | override private void OnTimer()
000100 | {
000101 |     if (m_ScriptView)
000102 |     {
000103 |         if (m_FadeIn)
000104 |         {
```

```
000105 |         m_ScriptView.SetAlpha(1);
000106 |     }
000107 |     else
000108 |     {
000109 |         m_ScriptView.SetAlpha(0);
000110 |         if (m_Hide)
000111 |             m_ScriptView.Show(false);
000112 |     }
000113 | }
000114 | }
000115 |
000116 | override private void OnUpdate()
000117 | {
000118 |     float timeDiff = m_time / m_duration;
000119 |
000120 |     if (m_ScriptView)
000121 |     {
000122 |         if (m_FadeIn)
000123 |         {
000124 |             m_ScriptView.SetAlpha(timeDiff);
000125 |         }
000126 |         else
000127 |         {
000128 |             m_ScriptView.SetAlpha(m_Alpha - timeDiff);
000129 |         }
000130 |     }
000131 | }
000132 | };
000133 | #endif
000134 |
```

0088. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenuBase.c
Size bytes: 880
SHA-256: f9480f1c383ec8733df375ac4b03342d9e0b6db90da35fb223db84be584217e6
Decoded as: utf-8-sig
Line count shown: 38
Detected class declarations: 1
 L14: class ExpansionScriptViewMenuBase: ExpansionScriptViewBase
Detected enum declarations: 0
Detected function/method-like declarations: 9
 L16: void LockControls(bool lockMovement = true);
 L17: void UnlockControls();
 L18: void LockInputs(bool state, bool lockMovement = true);
 L19: void UnlockInputs();
 L20: void ShowHud(bool state);
 L21: void ShowUICursor(bool state);
 L22: void CloseMenu();
 L24: override bool CanShow()
 L29: bool CanClose()

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewMenuBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptViewMenuBase: ExpansionScriptViewBase
000015 | {
000016 |     void LockControls(bool lockMovement = true);
000017 |     void UnlockControls();
000018 |     void LockInputs(bool state, bool lockMovement = true);
000019 |     void UnlockInputs();
000020 |     void ShowHud(bool state);
000021 |     void ShowUICursor(bool state);
000022 |     void CloseMenu();
000023 |
000024 |     override bool CanShow()
000025 |     {
000026 |         return true;
000027 |     }
000028 |
000029 |     bool CanClose()
000030 |     {
000031 |         return true;
000032 |     }
000033 | };
000034 | #else
000035 | //! Dummy for MissionGameplay::Expansion_OnUpdate
000036 | typedef bool ExpansionScriptViewMenuBase;
000037 | #endif
000038 |
```

0089. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\MVC\ScriptViews\Bases\ScriptedViewBase.c

Size bytes: 578

SHA-256: 43b51ce6c124c514b274b85f4bf2990c1e9da655f8a3e875f1d29c30ad76d859

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L14: modded class ScriptedViewBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L16: void SetSort(int sort, bool immedUpdate = true)

L21: int GetSort()

L23: return GetLayoutRoot().GetSort();

Full file content

```
000001 | /**
000002 |  * ScriptedViewBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | modded class ScriptedViewBase
000015 | {
000016 |     void SetSort(int sort, bool immedUpdate = true)
000017 |     {
000018 |         GetLayoutRoot().SetSort(sort, immedUpdate);
000019 |     }
000020 |
000021 |     int GetSort()
000022 |     {
000023 |         return GetLayoutRoot().GetSort();
000024 |     }
000025 | };
000026 | #endif
000027 |
```

0090. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Particles\ParticleList.c

Size bytes: 3328

SHA-256: e3b8d3afbfbfa2284faaa15b9de4e61ade8988463af9ba39ae8fce29d6eb91e84

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L13: modded class ParticleList

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionParticles.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ParticleList
000014 | {
000015 |     //! Explosions
000016 |     static const int EXPANSION_EXPLOSION_HELICOPTER = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Vehicle");
000017 |     static const int EXPANSION_EXPLOSION_ROCKET = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Rocket");
000018 |     static const int EXPANSION_EXPLOSION_WATER = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Water");
000019 |     static const int EXPANSION_EXPLOSION_FLARE = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Explosion_Flare");
000020 |     static const int EXPANSION_FIRE_HELICOPTER = RegisterParticle( "DayZExpansion/Particles/Explosions/" , "Expansion_Fire_Vehicle");
000021 |
000022 |     //! Boats
000023 |     static const int EXPANSION_BOAT_WATER = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Boat_Water");
000024 |     static const int EXPANSION_BOAT_DECAL = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Boat_Decal");
000025 |     static const int EXPANSION_BOAT_ENGINE = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Boat_Engine");
000026 |
000027 |     //! Helicopters
000028 |     static const int EXPANSION_HELICOPTER_WATER = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Helicopter_Water");
000029 |     static const int EXPANSION_HELICOPTER_GROUND = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Helicopter_Ground");
000030 |     static const int EXPANSION_HELICOPTER_EXHAUST = RegisterParticle( "DayZExpansion/Particles/Vehicles/" , "Expansion_Helicopter_Exhaust");
000031 |
000032 |     // Weapons
000033 |     static const int EXPANSION_FLARE_SMOKE = RegisterParticle( "DayZExpansion/Particles/Weapons/" , "Expansion_World_Flare");
000034 |     static const int EXPANSION_ROCKET_SMOKE = RegisterParticle( "DayZExpansion/Particles/Weapons/" , "Expansion_World_Rocket");
000035 |     static const int EXPANSION_ROCKET_DUST = RegisterParticle( "DayZExpansion/Particles/Weapons/" , "Expansion_World_Dust");
000036 |
000037 |     //! Airdrop
000038 |     static const int EXPANSION_AIRDROP_SMOKE = RegisterParticle( "DayZExpansion/Particles/Airdrop/" , "Expansion_Airdrop");
000039 |
000040 |     //! World
000041 |     static const int EXPANSION_CLOUD = RegisterParticle( "DayZExpansion/Particles/World/" , "Expansion_World_Cloud");
000042 |     static const int EXPANSION_FOG = RegisterParticle( "DayZExpansion/Particles/World/" , "Expansion_World_Fog");
000043 |
000044 |     //! Lights
000045 |     static const int EXPANSION_LIGHT_BLUE = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_Blue");
000046 |     static const int EXPANSION_LIGHT_RED = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_Red");
000047 |     static const int EXPANSION_LIGHT_WHITE = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_White");
```

```
000048 | static const int EXPANSION_LIGHT_YELLOW = RegisterParticle( "DayZExpansion/Particles/Lights/" , "Expansion_World_Light_Yellow");
000049 |
000050 | //! Misc
000051 | static const int EXPANSION_PROPANE_FLAME = RegisterParticle( "DayZExpansion/Particles/Misc/" , "Expansion_Propane_Flame");
000052 | };
```


0091. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\PlayerIdentity.c

Size bytes: 4344

SHA-256: a3da38bf54acc509a5b848331d90e1927e32e71ae69e1183814644f4901bf627

Decoded as: utf-8-sig

Line count shown: 196

Detected class declarations: 1

L13: modded class PlayerIdentity

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: string Expansion_GetPlainId()

L22: return GetPlainId();

L41: void Expansion_PlainIdToInt(out int plainId[2])

L57: static string Expansion_PlainIdToString(int plainId[2])

L65: void Expansion_IdToInt(out int id[9])

L95: static string Expansion_IdToString(int id[9])

L116: static string Expansion_EncodeDigest(CF_Byte digest[32])

L150: static string Expansion_PlainIdToId(string steamId)

L168: static PlayerIdentity Expansion_GetIdentityByPlainId(string steamId)

L182: static PlayerIdentity Expansion_GetIdentityById(string id)

Full file content

```
000001 | /**
000002 |  * PlayerIdentity.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class PlayerIdentity
000014 | {
000015 |     static const string EXPANSION_ID64_ALPHABET = "ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz0123456789-_" ;
000016 |
000017 |     static ref map<string, string> s_Expansion_PlainID2ID = new map<string, string>;
000018 |
000019 |     string Expansion_GetPlainId()
000020 |     {
000021 |         if (g_Game.IsServer())
000022 |             return GetPlainId();
000023 |
000024 |         //! @note on client, PlayerIdentity::GetPlainId() will return empty string,
000025 |         //! so we have to find corresponding SyncPlayer using hashed ID.
000026 |         foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000027 |         {
000028 |             if (!syncPlayer)
000029 |                 continue;
000030 |
000031 |             if (syncPlayer.m_RUID == GetId())
000032 |                 return syncPlayer.m_UID;
000033 |         }
000034 |
000035 |         return string.Empty;
000036 |     }
000037 | }
```

```
000038 | /**
000039 |  * @brief Get plain ID as array of ints (2)
000040 |  */
000041 | void Expansion_PlainIdToInt(out int plainId[2])
000042 | {
000043 |     string steamId = GetPlainId();
000044 |     int idLen = steamId.Length();
000045 |
000046 |     if (idLen != 17)
000047 |     {
000048 |         Error("Unsupported plain ID length " + idLen);
000049 |     }
000050 |     else
000051 |     {
000052 |         plainId[0] = steamId.Substring(0, 9).ToInt();
000053 |         plainId[1] = steamId.Substring(9, idLen - 9).ToInt();
000054 |     }
000055 | }
000056 |
000057 | static string Expansion_PlainIdToString(int plainId[2])
000058 | {
000059 |     return plainId[0].ToString() + ExpansionString.JustifyRight(plainId[1].ToString(), 8, "0");
000060 | }
000061 |
000062 | /**
000063 |  * @brief Get ID as array of ints (9)
000064 |  */
000065 | void Expansion_IdToInt(out int id[9])
000066 | {
000067 |     string uid = GetId();
000068 |     int idLen = uid.Length();
000069 |
000070 |     if (idLen > 44)
000071 |     {
000072 |         Error("Unsupported ID length " + idLen);
000073 |     }
000074 |     else
000075 |     {
000076 |         int inputLength = idLen - 1;
000077 |         int outputLength = 9;
000078 |
000079 |         for (int i = 0, j = 0; i < outputLength; i++)
000080 |         {
000081 |             int packedValue = 0;
000082 |
000083 |             //! Up to five 6-bit numbers can be packed into one 32-bit signed int
000084 |             for (int k = 0; k < 5 && j < inputLength; k++)
000085 |             {
000086 |                 packedValue |= (EXPANSION_ID64_ALPHABET.IndexOf(uid[j]) & 0x3F) << (k * 6);
000087 |                 j++;
000088 |             }
000089 |
000090 |             id[i] = packedValue;
000091 |         }
000092 |     }
000093 | }
000094 |
000095 | static string Expansion_IdToString(int id[9])
000096 | {
000097 |     int inputLength = 9;
000098 |     string output;
```

```
000100 |         for (int i = 0; i < inputLength; i++)
000101 |         {
000102 |             int packedValue = id[i];
000103 |
000104 |             for (int k = 0; k < 5; k++)
000105 |             {
000106 |                 output += EXPANSION_ID64_ALPHABET[(packedValue >> (k * 6)) & 0x3F];
000107 |
000108 |                 if (i == inputLength - 1 && k == 2)
000109 |                     break;
000110 |             }
000111 |         }
000112 |
000113 |         return output + "=";
000114 |     }
000115 |
000116 |     static string Expansion_EncodeDigest(CF_Byte digest[32])
000117 |     {
000118 |         string id;
000119 |
000120 |         int i = 0;
000121 |         while (i < 32)
000122 |         {
000123 |             CF_Uint value = 0;
000124 |
000125 |             value = value.Add(digest[i] << 16);
000126 |             i++;
000127 |
000128 |             if (i < 32)
000129 |             {
000130 |                 value = value.Add(digest[i] << 8);
000131 |                 i++;
000132 |             }
000133 |
000134 |             if (i < 32)
000135 |             {
000136 |                 value = value.Add(digest[i]);
000137 |                 i++;
000138 |             }
000139 |
000140 |             id += EXPANSION_ID64_ALPHABET[value.ShiftRight(18) & 63];
000141 |             id += EXPANSION_ID64_ALPHABET[value.ShiftRight(12) & 63];
000142 |             id += EXPANSION_ID64_ALPHABET[value.ShiftRight(6) & 63];
000143 |             if (i < 32)
000144 |                 id += EXPANSION_ID64_ALPHABET[value & 63];
000145 |         }
000146 |
000147 |         return id + "=";
000148 |     }
000149 |
000150 |     static string Expansion_PlainIdToId(string steamId)
000151 |     {
000152 |         string uid;
000153 |
000154 |         if (!s_Expansion_PlainID2ID.Find(steamId, uid))
000155 |         {
000156 |             ///! EXPENSIVE! About ~1ms per calculated digest, so only do this if we don't have the value cached
000157 |             ExpansionSHA256.Update(steamId);
000158 |             CF_Byte digest[32];
000159 |             ExpansionSHA256.Digest(digest);
000160 |             ExpansionSHA256.Reset();
000161 |             uid = Expansion_EncodeDigest(digest);
```

```
000162 |         s_Expansion_PlainID2ID[steamId] = uid;
000163 |     }
000164 |
000165 |     return uid;
000166 | }
000167 |
000168 | static PlayerIdentity Expansion_GetIdentityByPlainId(string steamId)
000169 | {
000170 |     array<PlayerIdentity> identities = {};
000171 |     g_Game.GetPlayerIndentities(identities);
000172 |
000173 |     foreach (PlayerIdentity identity: identities)
000174 |     {
000175 |         if (identity.GetPlainId() == steamId)
000176 |             return identity;
000177 |     }
000178 |
000179 |     return null;
000180 | }
000181 |
000182 | static PlayerIdentity Expansion_GetIdentityById(string id)
000183 | {
000184 |     array<PlayerIdentity> identities = {};
000185 |     g_Game.GetPlayerIndentities(identities);
000186 |
000187 |     foreach (PlayerIdentity identity: identities)
000188 |     {
000189 |         if (identity.GetId() == id)
000190 |             return identity;
000191 |     }
000192 |
000193 |     return null;
000194 | }
000195 | }
000196 |
```

0092. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Prefab\ExpansionMinMax.c

Size bytes: 597

SHA-256: 44bf73260dfe0423c9d7bf947b6b3b68ffcb59a7bc4409b270182dd22be3d92

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 2

L1: class ExpansionMinMax

L37: class ExpansionHealth: ExpansionMinMax

Detected enum declarations: 0

Detected function/method-like declarations: 4

L6: void ExpansionMinMax(float min = 0, float max = 0)

L11: void Set(float min, float max)

L20: float GetRandom()

L41: void ExpansionHealth(float min = 0, float max = 0, string zone = "")

Full file content

```
000001 | class ExpansionMinMax
000002 | {
000003 |     float Min;
000004 |     float Max;
000005 |
000006 |     void ExpansionMinMax(float min = 0, float max = 0)
000007 |     {
000008 |         Set(min, max);
000009 |     }
000010 |
000011 |     void Set(float min, float max)
000012 |     {
000013 |         Min = min;
000014 |         Max = max;
000015 |
000016 |         if (Max < Min)
000017 |             Max = Min;
000018 |     }
000019 |
000020 |     float GetRandom()
000021 |     {
000022 |         if (Max <= 0)
000023 |         {
000024 |             return -1;
000025 |         }
000026 |
000027 |         float random = Math.RandomFloatInclusive(Min, Max);
000028 |         if (random <= 0)
000029 |         {
000030 |             return 0;
000031 |         }
000032 |
000033 |         return random;
000034 |     }
000035 | };
000036 |
000037 | class ExpansionHealth: ExpansionMinMax
000038 | {
000039 |     string Zone;
000040 |
000041 |     void ExpansionHealth(float min = 0, float max = 0, string zone = "")
000042 |     {
```

```
000043 |      Zone = zone;
000044 |    }
000045 | };
000046 |
```

0093. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Renders\ExpansionRenders.c

Size bytes: 3382

SHA-256: 72932e2c0a8e640b503608e1182672d6c5af9a453f94deaed7f99515f15cd6cc

Decoded as: utf-8-sig

Line count shown: 123

Detected class declarations: 2

L13: class ExpansionCircle

L32: class ExpansionCircleRender

Detected enum declarations: 0

Detected function/method-like declarations: 8

L21: void ExpansionCircle(float rad, float x, float y, float width, float color)

L41: void ExpansionCircleRender(Widget parent)

L46: void ~ExpansionCircleRender()

L52: void AddCircle(ExpansionCircle circle)

L57: void Render(MapWidget mapWidget)

L69: bool CircleOverlap(ExpansionCircle a, ExpansionCircle b)

L77: bool IsPointInCircle(array<ExpansionCircle> overlaps, float x, float y)

L89: void RenderCircle(ExpansionCircle circle)

Full file content

```
000001 | /**
000002 |  * ExpansionRenders.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionCircle
000014 | {
000015 |     float Radius;
000016 |     float X;
000017 |     float Y;
000018 |     float Width;
000019 |     int Color;
000020 |
000021 |     void ExpansionCircle(float rad, float x, float y, float width, float color)
000022 |     {
000023 |         Radius = rad;
000024 |         X = x;
000025 |         Y = y;
000026 |         Width = width;
000027 |         Color = color;
000028 |     }
000029 | };
000030 |
000031 |
000032 | class ExpansionCircleRender
000033 | {
000034 |     //Widget m_LayoutCanvas;
000035 |     CanvasWidget m_CanvasWidget;
000036 |     const int SEGMENTS = 180;
000037 |     ref array<ref ExpansionCircle> m_Circles = new array<ref ExpansionCircle>();
000038 |     Widget m_Parent;
```

```
000039 | MapWidget m_MapWidget;
000040 |
000041 | void ExpansionCircleRender(Widget parent)
000042 | {
000043 |     m_Parent = parent;
000044 | }
000045 |
000046 | void ~ExpansionCircleRender()
000047 | {
000048 |     m_CanvasWidget.Clear();
000049 |     m_Circles.Clear();
000050 | }
000051 |
000052 | void AddCircle(ExpansionCircle circlce)
000053 | {
000054 |     m_Circles.Insert(circlce);
000055 | }
000056 |
000057 | void Render(MapWidget mapWidget)
000058 | {
000059 |     m_MapWidget = mapWidget;
000060 |     Widget layoutCanvas = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/Core/GUI/layouts/map/expansion_map_canvaslayout.layout", m_Parent);
000061 |     m_CanvasWidget = CanvasWidget.Cast( layoutCanvas.FindAnyWidget( "CanvasWidget" ) );
000062 |
000063 |     for (int i = 0; i < m_Circles.Count(); i++)
000064 |     {
000065 |         RenderCircle(m_Circles[i]);
000066 |     }
000067 | }
000068 |
000069 | bool CircleOverlap(ExpansionCircle a, ExpansionCircle b)
000070 | {
000071 |     float xx = (a.X - b.X);
000072 |     float yy = (a.Y - b.Y);
000073 |     float rr = a.Radius + b.Radius;
000074 |     return ((xx * xx) + (yy * yy)) < (rr * rr);
000075 | }
000076 |
000077 | bool IsPointInCircle(array<ExpansionCircle> overlaps, float x, float y)
000078 | {
000079 |     for (int i = 0; i < overlaps.Count(); i++)
000080 |     {
000081 |         float xx = (overlaps[i].X - x);
000082 |         float yy = (overlaps[i].Y - y);
000083 |         float rr = overlaps[i].Radius;
000084 |         if (((xx * xx) + (yy * yy)) < (rr * rr)) return true;
000085 |     }
000086 |     return false;
000087 | }
000088 |
000089 | void RenderCircle(ExpansionCircle circle)
000090 | {
000091 |     m_CanvasWidget.Clear();
000092 |
000093 |     array<ExpansionCircle> overlaps = new array<ExpansionCircle>();
000094 |     for (int i = 0; i < m_Circles.Count(); i++)
000095 |     {
000096 |         if (m_Circles[i] == circle) continue;
000097 |
000098 |         if (CircleOverlap(circle, m_Circles[i]))
000099 |             overlaps.Insert(m_Circles[i]);
000100 |     }
```



```
000101 |  
000102 |     for (int a = 0; a < SEGMENTS; a++)  
000103 |     {  
000104 |         float stride = 360.0 / SEGMENTS;  
000105 |  
000106 |         float a1 = Math.DEG2RAD * a * stride;  
000107 |         float a2 = Math.DEG2RAD * (a + SEGMENTS) * stride;  
000108 |  
000109 |         float x1 = circle.X + Math.Sin(a1) * circle.Radius;  
000110 |         float y1 = circle.Y + Math.Cos(a1) * circle.Radius;  
000111 |  
000112 |         float x2 = circle.X + Math.Sin(a2) * circle.Radius;  
000113 |         float y2 = circle.Y + Math.Cos(a2) * circle.Radius;  
000114 |  
000115 |         //if (IsPointInCircle(overlaps, x1, y1)) continue;  
000116 |  
000117 |         vector map_pos1 = m_MapWidget.ScreenToMap(Vector(x1, y1, 0));  
000118 |         vector map_pos2 = m_MapWidget.ScreenToMap(Vector(x2, y2, 0));  
000119 |  
000120 |         m_CanvasWidget.DrawLine(map_pos1[0], map_pos1[2], map_pos2[0], map_pos2[2], circle.Width, circle.Color);  
000121 |     }  
000122 | }  
000123 | };
```

0094. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationBase.c

Size bytes: 1475

SHA-256: 90a1919684d75795b0e044183587d9adcba3b4766b28ad50bfeeadad2d501ee1

Decoded as: utf-8-sig

Line count shown: 72

Detected class declarations: 1

L13: class ExpansionSettingSerializationBase

Detected enum declarations: 0

Detected function/method-like declarations: 5

L29: void ExpansionSettingSerializationBase(notnull Class instance, string variable)

L38: void SetFromTemp()

L43: void ResetTemp()

L48: bool IsTempSet()

L53: protected bool FindClassInstanceAndVariable()

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationBase
000014 | {
000015 |     protected string m_Variable;
000016 |     string m_Name;
000017 |
000018 |     string m_DetailContent;
000019 |
000020 |     protected Class m_Instance;
000021 |
000022 |     protected Class m_ActualInstance;
000023 |     protected string m_ActualVariable;
000024 |
000025 |     Managed m_WidgetHandle;
000026 |
000027 |     bool m_IsTempSet;
000028 |
000029 |     void ExpansionSettingSerializationBase(notnull Class instance, string variable)
000030 |     {
000031 |         m_Instance = instance;
000032 |         m_Variable = variable;
000033 |
000034 |         if (!FindClassInstanceAndVariable())
000035 |             CF.FormatError("Variable '%1' not found on %2", m_Variable, m_Instance.ToString());
000036 |     }
000037 |
000038 |     void SetFromTemp()
000039 |     {
000040 |         ResetTemp();
000041 |     }
000042 | }
```

```
000043 | void ResetTemp()
000044 | {
000045 |     m_IsTempSet = false;
000046 | }
000047 |
000048 | bool IsTempSet()
000049 | {
000050 |     return m_IsTempSet;
000051 | }
000052 |
000053 | protected bool FindClassInstanceAndVariable()
000054 | {
000055 |     array<string> arr = {};
000056 |     m_Variable.Split( ".", arr );
000057 |
000058 |     m_ActualInstance = m_Instance;
000059 |
000060 |     for ( int i = 0; i < arr.Count() - 1; ++i )
000061 |     {
000062 |         EnScript.GetClassVar( m_ActualInstance, arr[i], 0, m_ActualInstance );
000063 |
000064 |         if ( m_ActualInstance == NULL )
000065 |             return false;
000066 |     }
000067 |
000068 |     m_ActualVariable = arr[arr.Count() - 1];
000069 |
000070 |     return true;
000071 | }
000072 | };
```

0095. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationEnum.c

Size bytes: 1058

SHA-256: beb7297d31cfe14e077e409a4948c713ff17d15c1641e1c0ab107d9639bad8e5

Decoded as: utf-8-sig

Line count shown: 50

Detected class declarations: 1

L13: class ExpansionSettingSerializationEnum: ExpansionSettingSerializationInt

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: void ExpansionSettingSerializationEnum(notnull Class instance, string variable)

L22: void SetTempValue(string value)

L31: void SetValue(string value)

L40: override void SetValue(int value)

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationEnum.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettingSerializationEnum: ExpansionSettingSerializationInt
000014 | {
000015 |     ref array< string > m_Values;
000016 |
000017 |     void ExpansionSettingSerializationEnum(notnull Class instance, string variable)
000018 |     {
000019 |         m_Values = new array< string >();
000020 |     }
000021 |
000022 |     void SetTempValue( string value )
000023 |     {
000024 |         int idx = m_Values.Find( value );
000025 |         if ( idx == -1 )
000026 |             return;
000027 |
000028 |         SetTempValue( idx );
000029 |     }
000030 |
000031 |     void SetValue( string value )
000032 |     {
000033 |         int idx = m_Values.Find( value );
000034 |         if ( idx == -1 )
000035 |             return;
000036 |
000037 |         SetValue( idx );
000038 |     }
000039 |
000040 |     override void SetValue( int value )
000041 |     {
000042 |         if ( value >= m_Values.Count() )
000043 |             value = m_Values.Count();
```

```
000044 |  
000045 |         if ( value < 0 )  
000046 |             value = 0;  
000047 |  
000048 |         super.SetValue( value );  
000049 |     }  
000050 | };
```

0096. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationInt.c

Size bytes: 1054

SHA-256: 47a4286fec8b43ee09fe2fc00520a01cc93c8760cbf2daf0fc0fbfd077ecb340

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: class ExpansionSettingSerializationInt: ExpansionSettingSerializationBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: void SetTempValue(int value)

L23: override void SetFromTemp()

L30: int GetValue()

L39: void SetValue(int value)

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationInt.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationInt: ExpansionSettingSerializationBase
000014 | {
000015 |     int m_TempValue;
000016 |
000017 |     void SetTempValue( int value )
000018 |     {
000019 |         m_TempValue = value;
000020 |         m_IsTempSet = true;
000021 |     }
000022 |
000023 |     override void SetFromTemp()
000024 |     {
000025 |         super.SetFromTemp();
000026 |
000027 |         SetValue( m_TempValue );
000028 |     }
000029 |
000030 |     int GetValue()
000031 |     {
000032 |         int value;
000033 |
000034 |         EnScript.GetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000035 |
000036 |         return value;
000037 |     }
000038 |
000039 |     void SetValue( int value )
000040 |     {
000041 |         EnScript.SetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000042 |
000043 |         auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );
```

```
000044 |      g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000045 |    }
000046 | };
```

0097. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationSlider.c
 Size bytes: 1987
 SHA-256: 6f344ea7771ea16a1a45b1fa251d9a4765f3ad844cfda1c60e2753b21d78879e
 Decoded as: utf-8-sig
 Line count shown: 94
 Detected class declarations: 1
 L13: class ExpansionSettingSerializationSlider: ExpansionSettingSerializationBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L23: override protected bool FindClassInstanceAndVariable()
 L43: void SetTempValue(float value)
 L49: override void SetFromTemp()
 L56: float GetValue()
 L74: void SetValue(float value)

Full file content

```

000001 | /**
000002 |  * ExpansionSettingSerializationSlider.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationSlider: ExpansionSettingSerializationBase
000014 | {
000015 |     float m_Min;
000016 |     float m_Max;
000017 |     float m_Step;
000018 |
000019 |     float m_TempValue;
000020 |
000021 |     typename m_VariableType;
000022 |
000023 |     override protected bool FindClassInstanceAndVariable()
000024 |     {
000025 |         if (super.FindClassInstanceAndVariable())
000026 |         {
000027 |             typename type = m_ActualInstance.Type();
000028 |             int count = type.GetVariableCount();
000029 |
000030 |             for (int i = 0; i < count; i++)
000031 |             {
000032 |                 if (type.GetVariableName(i) == m_ActualVariable)
000033 |                 {
000034 |                     m_VariableType = type.GetVariableType(i);
000035 |                     return true;
000036 |                 }
000037 |             }
000038 |         }
000039 |
000040 |         return false;
000041 |     }
000042 |

```



```
000043 | void SetTempValue( float value )
000044 | {
000045 |     m_TempValue = value;
000046 |     m_IsTempSet = true;
000047 | }
000048 |
000049 | override void SetFromTemp()
000050 | {
000051 |     super.SetFromTemp();
000052 |
000053 |     SetValue( m_TempValue );
000054 | }
000055 |
000056 | float GetValue()
000057 | {
000058 |     switch (m_VariableType)
000059 |     {
000060 |         case int:
000061 |             int i;
000062 |             EnScript.GetClassVar(m_ActualInstance, m_ActualVariable, 0, i);
000063 |             return i;
000064 |
000065 |         case float:
000066 |             float f;
000067 |             EnScript.GetClassVar(m_ActualInstance, m_ActualVariable, 0, f);
000068 |             return f;
000069 |     }
000070 |
000071 |     return 0;
000072 | }
000073 |
000074 | void SetValue( float value )
000075 | {
000076 |     value = Math.Clamp( value, m_Min, m_Max );
000077 |
000078 |     switch (m_VariableType)
000079 |     {
000080 |         case int:
000081 |             int i = Math.Round(value);
000082 |             EnScript.SetClassVar(m_ActualInstance, m_ActualVariable, 0, i);
000083 |             break;
000084 |
000085 |         case float:
000086 |             float f = value;
000087 |             EnScript.SetClassVar(m_ActualInstance, m_ActualVariable, 0, f);
000088 |             break;
000089 |     }
000090 |
000091 |     auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );
000092 |     g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000093 | }
000094 | };
```

0098. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationString.c
Size bytes: 1079
SHA-256: 21e830ecdd1847279cc28abf2cd5aa45910aa35759986953baa178e7808c4ce3
Decoded as: utf-8-sig
Line count shown: 46
Detected class declarations: 1
L13: class ExpansionSettingSerializationString: ExpansionSettingSerializationBase
Detected enum declarations: 0
Detected function/method-like declarations: 4
L17: void SetTempValue(string value)
L23: override void SetFromTemp()
L30: string GetValue()
L39: void SetValue(string value)

Full file content

```
000001 | /**
000002 |  * ExpansionSettingSerializationString.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationString: ExpansionSettingSerializationBase
000014 | {
000015 |     string m_TempValue;
000016 |
000017 |     void SetTempValue( string value )
000018 |     {
000019 |         m_TempValue = value;
000020 |         m_IsTempSet = true;
000021 |     }
000022 |
000023 |     override void SetFromTemp()
000024 |     {
000025 |         super.SetFromTemp();
000026 |
000027 |         SetValue( m_TempValue );
000028 |     }
000029 |
000030 |     string GetValue()
000031 |     {
000032 |         string value;
000033 |
000034 |         EnScript.GetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000035 |
000036 |         return value;
000037 |     }
000038 |
000039 |     void SetValue( string value )
000040 |     {
000041 |         EnScript.SetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000042 |
000043 |         auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );
```

```
000044 |      g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000045 |    }
000046 | };
```

0099. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Serialization\ExpansionSettingSerializationToggle.c

Size bytes: 1069

SHA-256: a7570b48673a986fe73366553e5e72121b7279e11dbaec026662da4d5b22a2a

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: class ExpansionSettingSerializationToggle: ExpansionSettingSerializationBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L17: void SetTempValue(bool value)

L23: override void SetFromTemp()

L30: bool GetValue()

L39: void SetValue(bool value)

Full file content

```

000001 | /**
000002 |  * ExpansionSettingSerializationToggle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSettingSerializationToggle: ExpansionSettingSerializationBase
000014 | {
000015 |     bool m_TempValue;
000016 |
000017 |     void SetTempValue( bool value )
000018 |     {
000019 |         m_TempValue = value;
000020 |         m_IsTempSet = true;
000021 |     }
000022 |
000023 |     override void SetFromTemp()
000024 |     {
000025 |         super.SetFromTemp();
000026 |
000027 |         SetValue( m_TempValue );
000028 |     }
000029 |
000030 |     bool GetValue()
000031 |     {
000032 |         bool value;
000033 |
000034 |         EnScript.GetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000035 |
000036 |         return value;
000037 |     }
000038 |
000039 |     void SetValue( bool value )
000040 |     {
000041 |         EnScript.SetClassVar( m_ActualInstance, m_ActualVariable, 0, value );
000042 |
000043 |         auto param = new Param2< typename, ExpansionSettingSerializationBase >( Type(), this );

```

```
000044 |      g_Game.GameScript.Call( m_Instance, "OnSettingsUpdated", param );
000045 |    }
000046 | };
```

0100. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Core\ExpansionCoreSettings.c
 Size bytes: 5734
 SHA-256: b4f2340add1e85a52b93f543548ba6d37db1d662d6a7ee462e492519fad9649e
 Decoded as: utf-8-sig
 Line count shown: 216
 Detected class declarations: 1
 L15: class ExpansionCoreSettings: ExpansionSettingBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 12
 L27: override bool OnRecieve(ParamsReadContext ctx)
 L55: override void OnSend(ParamsWriteContext ctx)
 L62: override int Send(PlayerIdentity identity)
 L81: override bool Copy(ExpansionSettingBase setting)
 L92: private void CopyInternal(ExpansionCoreSettings s)
 L104: override bool IsLoaded()
 L110: override void Unload()
 L116: override bool OnLoad()
 L182: override bool OnSave()
 L194: override void Update(ExpansionSettingBase setting)
 L202: override void Defaults()
 L212: override string SettingName()

Full file content

```
000001 | /**
000002 |  * ExpansionCoreSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | typedef ExpansionCoreSettings ExpansionDebugSettings; //!< Legacy compat
000014 |
000015 | class ExpansionCoreSettings: ExpansionSettingBase
000016 | {
000017 |     static const int VERSION = 9;
000018 |
000019 |     int ServerUpdateRateLimit;
000020 |     bool ForceExactCEItemLifetime;
000021 |     bool EnableInventoryCargoTidy;
000022 |
000023 |     [NonSerialized()]
000024 |     private bool m_IsLoaded;
000025 |
000026 |     // -----
000027 |     override bool OnRecieve( ParamsReadContext ctx )
000028 |     {
000029 | #ifdef EXPANSIONTRACE
000030 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000031 | #endif
000032 |
000033 |         if (!ctx.Read(EnableInventoryCargoTidy))
000034 |         {
000035 |             Error("ExpansionCoreSettings::OnRecieve EnableInventoryCargoTidy");
```

```
000036 |         return false;
000037 |     }
000038 |
000039 |     float foodDecayModifier;
000040 |     if ( !ctx.Read( foodDecayModifier ) )
000041 |     {
000042 |         Error("ExpansionCoreSettings::OnRecieve foodDecayModifier");
000043 |         return false;
000044 |     }
000045 |
000046 |     g_Game.Expansion_SetFoodDecayModifier(foodDecayModifier);
000047 |
000048 |     m_IsLoaded = true;
000049 |
000050 |     ExpansionSettings.SI_Core.Invoke();
000051 |
000052 |     return true;
000053 | }
000054 |
000055 | override void OnSend( ParamsWriteContext ctx )
000056 | {
000057 |     ctx.Write(EnableInventoryCargoTidy);
000058 |     ctx.Write(g_Game.GetFoodDecayModifier());
000059 | }
000060 |
000061 | // -----
000062 | override int Send( PlayerIdentity identity )
000063 | {
000064 | #ifdef EXPANSIONTRACE
000065 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Send").Add(identity);
000066 | #endif
000067 |
000068 |     if ( !IsMissionHost() )
000069 |     {
000070 |         return 0;
000071 |     }
000072 |
000073 |     auto rpc = CreateRPC();
000074 |     OnSend( rpc );
000075 |     rpc.Expansion_Send(true, identity);
000076 |
000077 |     return 0;
000078 | }
000079 |
000080 | // -----
000081 | override bool Copy( ExpansionSettingBase setting )
000082 | {
000083 |     ExpansionCoreSettings s;
000084 |     if ( !Class.CastTo( s, setting ) )
000085 |         return false;
000086 |
000087 |     CopyInternal( s );
000088 |     return true;
000089 | }
000090 |
000091 | // -----
000092 | private void CopyInternal( ExpansionCoreSettings s )
000093 | {
000094 | #ifdef EXPANSIONTRACE
000095 |     auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "CopyInternal").Add(s);
000096 | #endif
000097 | }
```

```
000098 |         ServerUpdateRateLimit = s.ServerUpdateRateLimit;
000099 |         ForceExactCEItemLifetime = s.ForceExactCEItemLifetime;
000100 |         EnableInventoryCargoTidy = s.EnableInventoryCargoTidy;
000101 |     }
000102 |
000103 |     // -----
000104 |     override bool IsLoaded()
000105 |     {
000106 |         return m_IsLoaded;
000107 |     }
000108 |
000109 |     // -----
000110 |     override void Unload()
000111 |     {
000112 |         m_IsLoaded = false;
000113 |     }
000114 |
000115 |     // -----
000116 |     override bool OnLoad()
000117 |     {
000118 | #ifdef EXPANSIONTRACE
000119 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnLoad");
000120 | #endif
000121 |
000122 |         m_IsLoaded = true;
000123 |
000124 |         if (FileExist(EXPANSION_DEBUG_SETTINGS))
000125 |             MoveSettings(EXPANSION_DEBUG_SETTINGS, EXPANSION_CORE_SETTINGS);
000126 |
000127 |         bool save;
000128 |
000129 |         bool coreSettingsExist = FileExist(EXPANSION_CORE_SETTINGS);
000130 |
000131 |         if (coreSettingsExist)
000132 |         {
000133 |             EXPrint("[ExpansionCoreSettings] Load existing setting file:" + EXPANSION_CORE_SETTINGS);
000134 |
000135 |             string errorMsg;
000136 |             if (!JsonFileLoader<ExpansionCoreSettings>.LoadFile(EXPANSION_CORE_SETTINGS, this, errorMsg))
000137 |                 EXError.Error(this, errorMsg, {});
000138 |
000139 |             if (m_Version < VERSION)
000140 |             {
000141 |                 auto settingsDefaults = new ExpansionCoreSettings();
000142 |                 settingsDefaults.Defaults();
000143 |
000144 |                 if (m_Version < 8 && !EnableInventoryCargoTidy)
000145 |                     EnableInventoryCargoTidy = settingsDefaults.EnableInventoryCargoTidy;
000146 |
000147 |                 m_Version = VERSION;
000148 |
000149 |                 save = true;
000150 |             }
000151 |
000152 |             if (ForceExactCEItemLifetime)
000153 |                 EXError.Warn(this, "ForceExactCEItemLifetime is enabled and staggered item de-/respawning is essentially no longer in effect as a result. This may
negatively affect server and loot economy performance. Recommended setting for ForceExactCEItemLifetime is 0 or false unless you're sure you still want it despit
e the potential drawback.", {});
000154 |             }
000155 |             else
000156 |             {
000157 |                 EXPrint("[ExpansionCoreSettings] No existing setting file:" + EXPANSION_CORE_SETTINGS + ". Creating defaults!");
```



```
000158 |         Defaults();
000159 |         save = true;
000160 |     }
000161 |
000162 |     if (ServerUpdateRateLimit > 0)
000163 |     {
000164 |         if (ServerUpdateRateLimit >= 40)
000165 |         {
000166 |             EXPrint("[ExpansionCoreSettings] Limiting server script update rate to " + ServerUpdateRateLimit + " per second");
000167 |             GetDayZGame().Expansion_SetServerUpdateRateLimit(ServerUpdateRateLimit);
000168 |         }
000169 |         else
000170 |         {
000171 |             EXPrint("[ExpansionCoreSettings] ERROR: ServerUpdateRateLimit " + ServerUpdateRateLimit + " is too low!");
000172 |         }
000173 |     }
000174 |
000175 |     if (save)
000176 |         Save();
000177 |
000178 |     return coreSettingsExist;
000179 | }
000180 |
000181 | // -----
000182 | override bool OnSave()
000183 | {
000184 |     Print("[ExpansionCoreSettings] Saving settings");
000185 |
000186 |     string errorMsg;
000187 |     if (!JsonFileLoader<ExpansionCoreSettings>.SaveFile(EXPANSION_CORE_SETTINGS, this, errorMsg))
000188 |         EXError.Error(this, errorMsg, {});
000189 |
000190 |     return true;
000191 | }
000192 |
000193 | // -----
000194 | override void Update( ExpansionSettingBase setting )
000195 | {
000196 |     super.Update( setting );
000197 |
000198 |     ExpansionSettings.SI_Core.Invoke();
000199 | }
000200 |
000201 | // -----
000202 | override void Defaults()
000203 | {
000204 |     m_Version = VERSION;
000205 |
000206 |     ServerUpdateRateLimit = 0;
000207 |     ForceExactCEItemLifetime = false;
000208 |
000209 |     EnableInventoryCargoTidy = false;
000210 | }
000211 |
000212 | override string SettingName()
000213 | {
000214 |     return "Core Settings";
000215 | }
000216 | };
```

0101. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\DamageSystem\DamageSystemSettings.c

Size bytes: 3002

SHA-256: ab50c85bc42d1989e2484795c7fafc3e6e5c73f8476d3a22ce02e3e5d849ff63

Decoded as: utf-8-sig

Line count shown: 135

Detected class declarations: 1

L16: class ExpansionDamageSystemSettings: ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 12

L32: override bool OnRecieve(ParamsReadContext ctx)

L37: override void OnSend(ParamsWriteContext ctx)

L41: override int Send(PlayerIdentity identity)

L46: override bool Copy(ExpansionSettingBase setting)

L57: private void CopyInternal(ExpansionDamageSystemSettings s)

L64: override bool IsLoaded()

L69: override void Unload()

L74: override bool OnLoad()

L101: override bool OnSave()

L108: override void Update(ExpansionSettingBase setting)

L115: override void Defaults()

L130: override string SettingName()

Full file content

```

000001 | /**
000002 |  * ExpansionDamageSystemSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionDamageSystemSettings
000014 |  * @brief      Vehicle settings class
000015 |  */
000016 | class ExpansionDamageSystemSettings: ExpansionSettingBase
000017 | {
000018 |     static const int VERSION = 1;
000019 |
000020 |     bool Enabled;
000021 |     bool CheckForBlockingObjects;
000022 |
000023 |     //! List of classnames that should use the Expansion damage system for explosion damage if enabled
000024 |     autoptr TStringArray ExplosionTargets = new TStringArray;
000025 |
000026 |     //! Mapping bullet ammo type to explosion ammo type
000027 |     ref map<string, string> ExplosiveProjectiles = new map<string, string>;
000028 |
000029 |     [NonSerialized()]
000030 |     private bool m_IsLoaded;
000031 |
000032 |     override bool OnRecieve(ParamsReadContext ctx)
000033 |     {
000034 |         return true;
000035 |     }

```

```
000036 |
000037 | override void OnSend(ParamsWriteContext ctx)
000038 | {
000039 | }
000040 |
000041 | override int Send(PlayerIdentity identity)
000042 | {
000043 |     return 0;
000044 | }
000045 |
000046 | override bool Copy( ExpansionSettingBase setting )
000047 | {
000048 |     ExpansionDamageSystemSettings s;
000049 |     if (!Class.CastTo(s, setting))
000050 |         return false;
000051 |
000052 |     CopyInternal(s);
000053 |
000054 |     return true;
000055 | }
000056 |
000057 | private void CopyInternal(ExpansionDamageSystemSettings s)
000058 | {
000059 |     Enabled = s.Enabled;
000060 |     CheckForBlockingObjects = s.CheckForBlockingObjects;
000061 |     ExplosionTargets = s.ExplosionTargets;
000062 | }
000063 |
000064 | override bool IsLoaded()
000065 | {
000066 |     return m_IsLoaded;
000067 | }
000068 |
000069 | override void Unload()
000070 | {
000071 |     m_IsLoaded = false;
000072 | }
000073 |
000074 | override bool OnLoad()
000075 | {
000076 |     m_IsLoaded = true;
000077 |
000078 |     bool save;
000079 |
000080 |     bool settingsExist = FileExist(EXPANSION_DAMAGESYSTEM_SETTINGS);
000081 |
000082 |     if (settingsExist)
000083 |     {
000084 |         EXPrint("[ExpansionDamageSystemSettings] Load existing setting file:" + EXPANSION_DAMAGESYSTEM_SETTINGS);
000085 |
000086 |         JsonFileLoader<ExpansionDamageSystemSettings>.JsonLoadFile(EXPANSION_DAMAGESYSTEM_SETTINGS, this);
000087 |     }
000088 |     else
000089 |     {
000090 |         EXPrint("[ExpansionDamageSystemSettings] No existing setting file:" + EXPANSION_DAMAGESYSTEM_SETTINGS + ". Creating defaults!");
000091 |         Defaults();
000092 |         save = true;
000093 |     }
000094 |
000095 |     if (save)
000096 |         Save();
000097 | }
```

```
000098 |         return settingsExist;
000099 |     }
000100 |
000101 |     override bool OnSave()
000102 |     {
000103 |         JsonFileLoader<ExpansionDamageSystemSettings>.JsonSaveFile(EXPANSION_DAMAGESYSTEM_SETTINGS, this);
000104 |
000105 |         return true;
000106 |     }
000107 |
000108 |     override void Update(ExpansionSettingBase setting)
000109 |     {
000110 |         super.Update(setting);
000111 |
000112 |         ExpansionSettings.SI_DamageSystem.Invoke();
000113 |     }
000114 |
000115 |     override void Defaults()
000116 |     {
000117 |         m_Version = VERSION;
000118 |
000119 | #ifdef EXPANSIONMODBASEBUILDING
000120 |         Enabled = true;
000121 |         ExplosionTargets.Insert("ExpansionBaseBuilding");
000122 |         ExplosionTargets.Insert("ExpansionSafeBase");
000123 | #else
000124 |         Enabled = false;
000125 | #endif
000126 |         CheckForBlockingObjects = true;
000127 |         ExplosiveProjectiles.Insert("Bullet_40mm_Explosive", "Explosion_40mm_Ammo");
000128 |     }
000129 |
000130 |     override string SettingName()
000131 |     {
000132 |         return "Damage System Settings";
000133 |     }
000134 | };
000135 |
```

0102. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionColorSettingsBase.c

Size bytes: 2079

SHA-256: 11eb2b7f01c66915525eeb0f180a67df9b9d03a931d3ad1ddc08fbe250495dac

Decoded as: utf-8-sig

Line count shown: 98

Detected class declarations: 1

L13: class ExpansionColorSettingsBase

Detected enum declarations: 0

Detected function/method-like declarations: 8

L18: void ExpansionColorSettingsBase()

L23: int Get(string name)

L28: void Set(string name, int color)

L35: void Set(string name, string color)

L42: void _Set(string name, int color)

L50: void OnSend(ParamsWriteContext ctx)

L66: void OnReceive(ParamsReadContext ctx)

L82: void Update()

Full file content

```
000001 | /**
000002 |  * ExpansionColorSettingsBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionColorSettingsBase
000014 | {
000015 |     [NonSerialized()]
000016 |     ref map<string, int> m_Colors;
000017 |
000018 |     void ExpansionColorSettingsBase()
000019 |     {
000020 |         m_Colors = new map<string, int>;
000021 |     }
000022 |
000023 |     int Get(string name)
000024 |     {
000025 |         return m_Colors.Get(name);
000026 |     }
000027 |
000028 |     void Set(string name, int color)
000029 |     {
000030 |         EnScript.SetClassVar(this, name, 0, ExpansionColor.ARGBToHex(color));
000031 |
000032 |         _Set(name, color);
000033 |     }
000034 |
000035 |     void Set(string name, string color)
000036 |     {
000037 |         EnScript.SetClassVar(this, name, 0, color);
000038 |
000039 |         _Set(name, ExpansionColor.ToARGB(color));
```

```
000040 | }
000041 |
000042 | void _Set(string name, int color)
000043 | {
000044 |     if (m_Colors.Contains(name))
000045 |         m_Colors.Set(name, color);
000046 |     else
000047 |         m_Colors.Insert(name, color);
000048 | }
000049 |
000050 | void OnSend(ParamsWriteContext ctx)
000051 | {
000052 |     typename type = Type();
000053 |     int count = type.GetVariableCount();
000054 |     for (int i = 0; i < count; i++)
000055 |     {
000056 |         if (type.GetVariableType(i) != string)
000057 |             continue;
000058 |
000059 |         string color;
000060 |         type.GetVariableValue(this, i, color);
000061 |         //! Network optimization: We send the color as int
000062 |         ctx.Write(ExpansionColor.ToARGB(color));
000063 |     }
000064 | }
000065 |
000066 | void OnReceive(ParamsReadContext ctx)
000067 | {
000068 |     typename type = Type();
000069 |     int count = type.GetVariableCount();
000070 |     for (int i = 0; i < count; i++)
000071 |     {
000072 |         if (type.GetVariableType(i) != string)
000073 |             continue;
000074 |
000075 |         int color;
000076 |         ctx.Read(color);
000077 |         string name = type.GetVariableName(i);
000078 |         Set(name, color);
000079 |     }
000080 | }
000081 |
000082 | void Update()
000083 | {
000084 |     typename type = Type();
000085 |     int count = type.GetVariableCount();
000086 |     for (int i = 0; i < count; i++)
000087 |     {
000088 |         if (type.GetVariableType(i) != string)
000089 |             continue;
000090 |
000091 |         string name = type.GetVariableName(i);
000092 |         string color;
000093 |         type.GetVariableValue(this, i, color);
000094 |         _Set(name, ExpansionColor.ToARGB(color));
000095 |     }
000096 | }
000097 | }
000098 | }
```

0103. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettingBase.c

Size bytes: 3676

SHA-256: 5a7a4ba7157e9ec8f49efb00b74e995ec59ac5319eabcb3d2c9ebbddeaeef65d

Decoded as: utf-8-sig

Line count shown: 184

Detected class declarations: 1

L13: class ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 24

L20: void ExpansionSettingBase()

L24: void ~ExpansionSettingBase()

L28: ExpansionScriptRPC CreateRPC()

L30: return GetExpansionSettings().CreateRPC(Type());

L33: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)

L35: return GetExpansionSettings().GetReader(ctx);

L38: bool OnRecieve(ParamsReadContext ctx)

L45: void OnSend(ParamsWriteContext ctx)

L50: bool Load()

L58: return OnLoad();

L61: protected bool OnLoad()

L67: void Unload()

L72: bool Save()

L89: return OnSave();

L92: protected bool OnSave()

L98: void Defaults()

L103: void SetIsUsingDefaults(bool isUsingDefaults = true)

L108: bool IsUsingDefaults()

L113: bool IsLoaded()

L119: bool Copy(ExpansionSettingBase setting)

L125: int Send(PlayerIdentity identity)

L131: void Update(ExpansionSettingBase setting)

L147: string SettingName()

L153: static bool MoveSettings(string srcPath, string dstPath, string ext = "")

Full file content

```
000001 | /**
000002 |  * ExpansionSettingBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettingBase
000014 | {
000015 |     int m_Version;
000016 |
000017 |     [NonSerialized()]
000018 |     protected bool m_IsUsingDefaults;
000019 |
000020 |     void ExpansionSettingBase()
000021 |     {
000022 |     }
000023 | }
```

```
000024 | void ~ExpansionSettingBase()
000025 | {
000026 | }
000027 |
000028 | ExpansionScriptRPC CreateRPC()
000029 | {
000030 |     return GetExpansionSettings().CreateRPC(Type());
000031 | }
000032 |
000033 | ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000034 | {
000035 |     return GetExpansionSettings().GetReader(ctx);
000036 | }
000037 |
000038 | bool OnRecieve( ParamsReadContext ctx )
000039 | {
000040 |     Error("Not implemented");
000041 |
000042 |     return false;
000043 | }
000044 |
000045 | void OnSend( ParamsWriteContext ctx )
000046 | {
000047 |     Error("Not implemented");
000048 | }
000049 |
000050 | bool Load()
000051 | {
000052 |     if ( !g_Game.IsDedicatedServer() )
000053 |     {
000054 |         Defaults();
000055 |         return false;
000056 |     }
000057 |
000058 |     return OnLoad();
000059 | }
000060 |
000061 | protected bool OnLoad()
000062 | {
000063 |     Error("Not implemented");
000064 |     return false;
000065 | }
000066 |
000067 | void Unload()
000068 | {
000069 |     Error("Not implemented");
000070 | }
000071 |
000072 | bool Save()
000073 | {
000074 |     if ( g_Game.IsClient() )
000075 |     {
000076 |         return false;
000077 |     }
000078 |
000079 |     if ( !FileExist( EXPANSION_SETTINGS_FOLDER ) )
000080 |     {
000081 |         ExpansionStatic.MakeDirectoryRecursive( EXPANSION_SETTINGS_FOLDER );
000082 |     }
000083 |
000084 |     if ( !FileExist( EXPANSION_MISSION_SETTINGS_FOLDER ) )
000085 |     {
```



```
000086 |         ExpansionStatic.MakeDirectoryRecursive( EXPANSION_MISSION_SETTINGS_FOLDER );
000087 |     }
000088 |
000089 |     return OnSave();
000090 | }
000091 |
000092 | protected bool OnSave()
000093 | {
000094 |     Error("Not implemented");
000095 |     return false;
000096 | }
000097 |
000098 | void Defaults()
000099 | {
000100 |     Error("Not implemented");
000101 | }
000102 |
000103 | void SetIsUsingDefaults(bool isUsingDefaults = true)
000104 | {
000105 |     m_IsUsingDefaults = isUsingDefaults;
000106 | }
000107 |
000108 | bool IsUsingDefaults()
000109 | {
000110 |     return m_IsUsingDefaults;
000111 | }
000112 |
000113 | bool IsLoaded()
000114 | {
000115 |     Error("Not implemented");
000116 |     return true;
000117 | }
000118 |
000119 | bool Copy( ExpansionSettingBase setting )
000120 | {
000121 |     Error("Not implemented");
000122 |     return false;
000123 | }
000124 |
000125 | int Send( PlayerIdentity identity )
000126 | {
000127 |     Error("Not implemented");
000128 |     return 0;
000129 | }
000130 |
000131 | void Update( ExpansionSettingBase setting )
000132 | {
000133 |     if ( setting )
000134 |     {
000135 |         if ( setting == this )
000136 |             EXPrint("ExpansionSettingBase::Update - Warning: " + setting + " is trying to copy from itself. This may be unintended.");
000137 |         else
000138 |             Copy( setting );
000139 |
000140 |         Save();
000141 |     }
000142 |
000143 |     if ( !IsMissionClient() )
000144 |         Send( NULL );
000145 | }
000146 |
000147 | string SettingName()
```

```
000148 | {
000149 |     return "Base Settings";
000150 | }
000151 |
000152 | //! @note if moving a directory, make sure paths end with "\\"
000153 | static bool MoveSettings(string srcPath, string dstPath, string ext = "")
000154 | {
000155 |     EXPrint("Moving " + srcPath + " to " + dstPath);
000156 |     if (ExpansionStatic.CopyFileOrDirectoryTree(srcPath, dstPath, ext, true))
000157 |     {
000158 |         //! Use original src path for info line
000159 |         string infoLine = "Info: '" + srcPath + "' has moved to '" + dstPath + "'.";
000160 |
000161 |         ExpansionString src = srcPath;
000162 |         int lastIdx = src.LastIndexOf("\\");
000163 |         if (lastIdx == srcPath.Length() - 1)
000164 |         {
000165 |             //! It's a directory. Strip trailing backslash and go again
000166 |             srcPath = srcPath.Substring(0, lastIdx);
000167 |             src = srcPath;
000168 |             lastIdx = src.LastIndexOf("\\");
000169 |         }
000170 |
000171 |         string hintFileName = srcPath.Substring(0, lastIdx + 1) + srcPath.Substring(lastIdx + 1, srcPath.Length() - lastIdx - 1) + " ReadMe.txt";
000172 |
000173 |         FileHandle hintFile = OpenFile(hintFileName, FileMode.WRITE);
000174 |         FPrintln(hintFile, infoLine);
000175 |         FPrintln(hintFile, "Feel free to delete this ReadMe file at your convenience.");
000176 |         CloseFile(hintFile);
000177 |         return true;
000178 |     }
000179 |     else
000180 |     {
000181 |         return false;
000182 |     }
000183 | }
000184 | }
```

0104. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\ExpansionSettings.c

Size bytes: 8877

SHA-256: 4d3e1c782dd21407cd8417d2b144cedde50be2d803867bbda6812cd28a6690f4

Decoded as: utf-8-sig

Line count shown: 333

Detected class declarations: 1

L13: class ExpansionSettings

Detected enum declarations: 0

Detected function/method-like declarations: 28

L31: void ServerInit()

L45: void Unload()

L57: void Load(ExpansionSettingBase setting)

L72: bool IsLoaded(typename type)

L84: void Init()

L98: void RegisterClientRPC(typename type)

L105: ExpansionScriptRPC CreateRPC(typename type)

L114: ExpansionScriptRPC CreateRPC(string fn)

L119: ExpansionBitStreamReader GetReader(ParamsReadContext ctx)

L124: void Init(typename type, bool registerClientRPC = false)

L139: void OnInit(typename type)

L143: void GameInit()

L163: void Send(notnull PlayerIdentity identity)

L178: void RPC_CoreSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L183: void RPC_MonitoringSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L188: void RPC_NotificationSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)

L193: void Receive(typename type, ParamsReadContext ctx)

L206: void Save()

L221: ExpansionSettingBase Get(typename type, bool checkLoaded = true)

L242: private void WarnNotLoaded(typename type)

L281: ExpansionCoreSettings GetCore(bool checkLoaded = true)

L286: ExpansionDebugSettings GetDebug(bool checkLoaded = true)

L292: ExpansionLogSettings GetLog(bool checkLoaded = true)

L297: ExpansionSafeZoneSettings GetSafeZone(bool checkLoaded = true)

L302: ExpansionNotificationSettings GetNotification(bool checkLoaded = true)

L307: ExpansionMonitoringSettings GetMonitoring(bool checkLoaded = true)

L312: ExpansionDamageSystemSettings GetDamageSystem(bool checkLoaded = true)

L320: static ExpansionSettings GetExpansionSettings()

Full file content

```
000001 | /**
000002 |  * ExpansionSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSettings
000014 | {
000015 |     static ref ScriptInvoker SI_Core = new ScriptInvoker();
000016 |     static ref ScriptInvoker SI_Debug = SI_Core; /// Legacy compat
000017 |     static ref ScriptInvoker SI_Log = new ScriptInvoker();
000018 |     static ref ScriptInvoker SI_SafeZone = new ScriptInvoker();
000019 |     static ref ScriptInvoker SI_Notification = new ScriptInvoker();
```

```
000020 | static ref ScriptInvoker SI_DamageSystem = new ScriptInvoker();
000021 |
000022 | protected bool m_GameInit = false;
000023 |
000024 | protected ref map<typename, ref ExpansionSettingBase> m_Settings = new map<typename, ref ExpansionSettingBase>;
000025 | protected autoptr array<ExpansionSettingBase> m_SettingsOrdered = new array<ExpansionSettingBase>;
000026 | protected ref map<typename, int> m_Warnings = new map<typename, int>;
000027 |
000028 | ref ExpansionRPCManager m_Expansion_RPCManager = new ExpansionRPCManager(this);
000029 | protected ref map<typename, int> m_RPCIDs = new map<typename, int>;
000030 |
000031 | void ServerInit()
000032 | {
000033 | #ifdef EXTRACE
000034 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000035 | #endif
000036 |
000037 |     Init();
000038 |
000039 |     foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000040 |     {
000041 |         Load(setting);
000042 |     }
000043 | }
000044 |
000045 | void Unload()
000046 | {
000047 | #ifdef EXTRACE
000048 |     auto trace = EXTrace.StartStack(EXTrace.SETTINGS, this);
000049 | #endif
000050 |
000051 |     foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000052 |     {
000053 |         setting.Unload();
000054 |     }
000055 | }
000056 |
000057 | void Load(ExpansionSettingBase setting)
000058 | {
000059 | #ifdef EXPANSIONTRACE
000060 |     auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "LoadSetting");
000061 | #endif
000062 |
000063 |     if ( setting.Load() )
000064 |     {
000065 |         CF_Log.Info( "ExpansionSettings: Successfully Loaded " + setting.ClassName() );
000066 |     } else
000067 |     {
000068 |         CF_Log.Info( "ExpansionSettings: Unsuccessful load, using defaults for " + setting.ClassName() );
000069 |     }
000070 | }
000071 |
000072 | bool IsLoaded(typename type)
000073 | {
000074 |     ExpansionSettingBase setting;
000075 |     if (m_Settings.Find(type, setting))
000076 |     {
000077 |         if (setting.IsLoaded())
000078 |             return true;
000079 |     }
000080 |
000081 |     return false;
```

```
000082 |     }
000083 |
000084 |     void Init()
000085 |     {
000086 | #ifdef EXTRACE
000087 |         auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000088 | #endif
000089 |
000090 |         Init(ExpansionCoreSettings, true);
000091 |         Init(ExpansionLogSettings);
000092 |         Init(ExpansionSafeZoneSettings);
000093 |         Init(ExpansionNotificationSettings, true);
000094 |         Init(ExpansionMonitoringSettings, true);
000095 |         Init(ExpansionDamageSystemSettings);
000096 |     }
000097 |
000098 |     void RegisterClientRPC(typename type)
000099 |     {
000100 |         string name = type.ToString();
000101 |         name = name.Substring(9, name.Length() - 9); //! Strip "Expansion"
000102 |         m_RPCIDs[type] = m_Expansion_RPCManager.RegisterClient("RPC_" + name);
000103 |     }
000104 |
000105 |     ExpansionScriptRPC CreateRPC(typename type)
000106 |     {
000107 | #ifdef EXTRACE
000108 |         auto trace = EXTrace.Profile(EXTrace.SETTINGS, this);
000109 | #endif
000110 |
000111 |         return m_Expansion_RPCManager.CreateRPC(m_RPCIDs[type]);
000112 |     }
000113 |
000114 |     ExpansionScriptRPC CreateRPC(string fn)
000115 |     {
000116 |         return m_Expansion_RPCManager.CreateRPC(fn);
000117 |     }
000118 |
000119 |     ExpansionBitStreamReader GetReader(ParamsReadContext ctx)
000120 |     {
000121 |         return m_Expansion_RPCManager.GetReader(ctx);
000122 |     }
000123 |
000124 |     void Init(typename type, bool registerClientRPC = false)
000125 |     {
000126 |         if (!m_Settings.Contains(type))
000127 |         {
000128 |             auto setting = ExpansionSettingBase.Cast(type.Spawn());
000129 |             m_Settings.Insert(type, setting);
000130 |             m_SettingsOrdered.Insert(setting);
000131 |
000132 |             if (registerClientRPC)
000133 |                 RegisterClientRPC(type);
000134 |
000135 |             OnInit(type);
000136 |         }
000137 |     }
000138 |
000139 |     void OnInit(typename type)
000140 |     {
000141 |     }
000142 |
000143 |     void GameInit()
```

```
000144 | {
000145 | #ifdef EXTRACE
000146 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000147 | #endif
000148 |
000149 |     if (m_GameInit)
000150 |     {
000151 |         Unload();
000152 |
000153 |         m_GameInit = false;
000154 |     }
000155 |     else
000156 |     {
000157 |         m_GameInit = true;
000158 |     }
000159 |
000160 |     Init();
000161 | }
000162 |
000163 | void Send( notnull PlayerIdentity identity )
000164 | {
000165 | #ifdef EXTRACE
000166 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this);
000167 | #endif
000168 |
000169 |     if ( IsMissionClient() )
000170 |         return;
000171 |
000172 |     foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000173 |     {
000174 |         setting.Send(identity);
000175 |     }
000176 | }
000177 |
000178 | void RPC_CoreSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000179 | {
000180 |     Receive(ExpansionCoreSettings, ctx);
000181 | }
000182 |
000183 | void RPC_MonitoringSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000184 | {
000185 |     Receive(ExpansionMonitoringSettings, ctx);
000186 | }
000187 |
000188 | void RPC_NotificationSettings(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000189 | {
000190 |     Receive(ExpansionNotificationSettings, ctx);
000191 | }
000192 |
000193 | void Receive(typename type, ParamsReadContext ctx)
000194 | {
000195 | #ifdef EXTRACE
000196 |     auto trace = EXTrace.Start(EXTrace.SETTINGS, this, type.ToString());
000197 | #endif
000198 |
000199 |     if (g_Game.IsDedicatedServer())
000200 |         return;
000201 |
000202 |     Init(type);
000203 |     Expansion_Assert_False(m_Settings[type].OnRecieve(ctx), "Failed reading " + type.ToString() );
000204 | }
000205 |
```

```
000206 | void Save()
000207 | {
000208 | #ifdef EXPANSIONTRACE
000209 |     auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "Save");
000210 | #endif
000211 |
000212 |     if ( IsMissionHost() && g_Game.IsMultiplayer() )
000213 |     {
000214 |         foreach (ExpansionSettingBase setting: m_SettingsOrdered)
000215 |         {
000216 |             setting.Save();
000217 |         }
000218 |     }
000219 | }
000220 |
000221 | ExpansionSettingBase Get(typename type, bool checkLoaded = true)
000222 | {
000223 |     auto setting = m_Settings[type];
000224 |     if (setting && !setting.IsLoaded())
000225 |     {
000226 |         if (checkLoaded && (g_Game.IsDedicatedServer() || !g_Game.GetMission() || (g_Game.GetMission().IsMissionGameplay() && g_Game.IsMultiplayer()) || (GetDayZGame().IsLoading() && !GetDayZGame().Expansion_IsMissionMainMenu() && !GetDayZGame().Expansion_IsMissionSinglePlayer())))
000227 |             WarnNotLoaded(type);
000228 |
000229 |         if (!setting.IsUsingDefaults() && (g_Game.IsDedicatedServer() || GetDayZGame().Expansion_IsMissionSinglePlayer()))
000230 |         {
000231 |             //! IMPORTANT: Only use defaults if dedicated server or SP!
000232 |             EXTrace.Print(true, type, "Using defaults");
000233 |             setting.Defaults();
000234 |             setting.SetIsUsingDefaults();
000235 |             EnScript.SetClassVar(setting, "m_IsLoaded", 0, true);
000236 |         }
000237 |     }
000238 |
000239 |     return setting;
000240 | }
000241 |
000242 | private void WarnNotLoaded(typename type)
000243 | {
000244 |     int count;
000245 |     if (!m_Warnings.Find(type, count))
000246 |         m_Warnings.Insert(type, 1);
000247 |     else
000248 |         m_Warnings[type] = ++count;
000249 |
000250 |     if (count % 10 == 0)
000251 |     {
000252 |         string msg = "Trying to access " + type.ToString() + " before it has been ";
000253 |
000254 |         if (g_Game.IsDedicatedServer() || GetDayZGame().Expansion_IsMissionSinglePlayer())
000255 |             msg += "loaded!";
000256 |         else
000257 |             msg += "received!";
000258 |
000259 |         if (count)
000260 |         {
000261 |             EXError.Warn(this, "WARNING: " + msg + " (there have been " + count + " more suppressed warnings)");
000262 |         }
000263 |         else
000264 |         {
000265 |             EXError.Error(this, "ERROR: " + msg);
000266 |         }
000266 |     }
```

```
000267 |
000268 |     #ifdef DIAG_DEVELOPER
000269 |         EXTrace.Print(true, null, "Dedicated server: " + g_Game.IsDedicatedServer());
000270 |         EXTrace.Print(true, null, "Is mission singleplayer: " + GetDayZGame().Expansion_IsMissionSinglePlayer());
000271 |         EXTrace.Print(true, null, "Is multiplayer: " + g_Game.IsMultiplayer());
000272 |         EXTrace.Print(true, null, "Is loading: " + GetDayZGame().IsLoading());
000273 |         EXTrace.Print(true, null, "Mission: " + g_Game.GetMission());
000274 |         if (g_Game.GetMission())
000275 |             EXTrace.Print(true, null, "Is mission gameplay: " + g_Game.GetMission().IsMissionGameplay());
000276 |         EXTrace.Print(true, null, "Is mission main menu: " + GetDayZGame().Expansion_IsMissionMainMenu());
000277 |     #endif
000278 | }
000279 | }
000280 |
000281 | ExpansionCoreSettings GetCore(bool checkLoaded = true)
000282 | {
000283 |     return ExpansionCoreSettings.Cast(Get(ExpansionCoreSettings, checkLoaded));
000284 | }
000285 |
000286 | ExpansionDebugSettings GetDebug(bool checkLoaded = true)
000287 | {
000288 |     EXError.ErrorOnce(this, "DEPRECATED, use GetExpansionSettings().GetCore() instead");
000289 |     return ExpansionDebugSettings.Cast(Get(ExpansionDebugSettings, checkLoaded));
000290 | }
000291 |
000292 | ExpansionLogSettings GetLog(bool checkLoaded = true)
000293 | {
000294 |     return ExpansionLogSettings.Cast(Get(ExpansionLogSettings, checkLoaded));
000295 | }
000296 |
000297 | ExpansionSafeZoneSettings GetSafeZone(bool checkLoaded = true)
000298 | {
000299 |     return ExpansionSafeZoneSettings.Cast(Get(ExpansionSafeZoneSettings, checkLoaded));
000300 | }
000301 |
000302 | ExpansionNotificationSettings GetNotification(bool checkLoaded = true)
000303 | {
000304 |     return ExpansionNotificationSettings.Cast(Get(ExpansionNotificationSettings, checkLoaded));
000305 | }
000306 |
000307 | ExpansionMonitoringSettings GetMonitoring(bool checkLoaded = true)
000308 | {
000309 |     return ExpansionMonitoringSettings.Cast(Get(ExpansionMonitoringSettings, checkLoaded));
000310 | }
000311 |
000312 | ExpansionDamageSystemSettings GetDamageSystem(bool checkLoaded = true)
000313 | {
000314 |     return ExpansionDamageSystemSettings.Cast(Get(ExpansionDamageSystemSettings, checkLoaded));
000315 | }
000316 | };
000317 |
000318 | static ref ExpansionSettings g_exGlobalSettings;
000319 |
000320 | static ExpansionSettings GetExpansionSettings()
000321 | {
000322 |     if ( g_exGlobalSettings == NULL )
000323 |     {
000324 |         g_exGlobalSettings = new ExpansionSettings();
000325 |     #ifdef SERVER
000326 |         g_exGlobalSettings.ServerInit();
000327 |     #else
000328 |         g_exGlobalSettings.GameInit();
```



```
000329 | #endif
000330 |     }
000331 |
000332 |     return g_exGlobalSettings;
000333 | }
```

0105. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Logging\ExpansionLogSettings.c
Size bytes: 10666
SHA-256: 31ed08d491b222e60793939d15780a18592ba44dfd4def5b5522b7fd566b348b
Decoded as: utf-8-sig
Line count shown: 392
Detected class declarations: 1
  L16: class ExpansionLogSettings: ExpansionSettingBase
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L78: void ExpansionLogSettings()
  L83: override bool OnRecieve( ParamsReadContext ctx )
  L104: override void OnSend( ParamsWriteContext ctx )
  L112: override int Send( PlayerIdentity identity )
  L118: override bool Copy( ExpansionSettingBase setting )
  L129: private void CopyInternal( ExpansionLogSettings s )
  L180: override bool IsLoaded()
  L186: override void Unload()
  L192: override bool OnLoad()
  L283: override bool OnSave()
  L293: override void Update( ExpansionSettingBase setting )
  L301: override void Defaults()
  L354: override string SettingName()
  L359: void PrintLog(string text, string param1 = string.Empty, string param2 = string.Empty, string param3 = string.Empty, string param4 = string.
  L388: void PrintLog(string fmt, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Cl

```

Full file content

```

000001 | /**
000002 |  * ExpansionLogSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionLogSettings
000014 |  * @brief      Log settings class
000015 |  **/
000016 | class ExpansionLogSettings: ExpansionSettingBase
000017 | {
000018 |     static const int VERSION = 8;
000019 |
000020 |     bool Safezone;          //!< If enabled, generate logs when the player leave or enter a safezone
000021 |     bool AdminTools;        //!< If enabled, generate logs of the adminhammer and expansionadmindcarkey when used
000022 |     bool ExplosionDamageSystem;  //!< If enabled, generate logs of the Expansion explosion damage system when used
000023 |
000024 |     bool VehicleCarKey;      //!< If enabled, generate logs about pairing, unpairing, locking, unlocking vehicles with car keys
000025 |     bool VehicleTowing;      //!< If enabled, generate logs about towing and untowing vehicles
000026 |     bool VehicleLockPicking;  //!< If enabled, generate logs about lockpicking a vehicle
000027 |     bool VehicleDestroyed;    //!< Print a log when a vehicle is destroyed
000028 |     bool VehicleAttachments;
000029 |     bool VehicleEnter;
000030 |     bool VehicleLeave;
000031 |     bool VehicleDeleted;
000032 |     bool VehicleEngine;

```

```
000033 |
000034 | bool BaseBuildingRaiding;    //!< If enabled, generate logs about raiding expansion basebuilding and safes
000035 | bool CodeLockRaiding;       //!< If enabled, generate logs about codelock raiding (wrong core)
000036 | bool Territory;             //!< If enabled, generate logs about creating, deleting territories and inviting players
000037 |
000038 | bool Killfeed;              //!< If enabled, generate logs based on the killfeed module
000039 |
000040 | bool SpawnSelection;        //!< If enabled, generate logs when the player spawn
000041 |
000042 | bool Party;                 //!< If enabled, generate logs when the player create a party or invite someone
000043 |
000044 | bool MissionAirdrop;        //!< If enabled, generate logs of spawned airdrops from missions or player called
000045 | //bool MissionHorde;        //!< Will log Horde missions
000046 |
000047 | bool Chat;                  //!< If enabled, generate logs of the chat
000048 |
000049 | bool Market;                //!< If enabled, generate logs for market system actions by all players
000050 | bool ATM;                   //!< If enabled, generate logs for ATM system actions by all players
000051 |
000052 | bool AIGeneral;             // If enabled, generate logs about AI. This logs will be non specific
000053 | bool AIPatrol;              // If enabled, generate logs about AI Patrols
000054 | bool AIObjectPatrol;        // If enabled, generate logs about AI Crash Patrols
000055 |
000056 | bool LogToScripts;          // Should the prints be logged in the scripts logs ?
000057 | bool LogToADM;              // Should the prints be logged in the ADM logs ?
000058 |
000059 | bool Hardline;              //!< If enabled, generate logs for market system actions by all players
000060 |
000061 | bool Garage;                //!< If enabled, generate logs for garage module events.
000062 | bool VehicleCover;          //!< If enabled, generate logs for vehicle-cover actions.
000063 |
000064 | bool EntityStorage;         //!< If enabled, generate logs for entity-storage actions.
000065 |
000066 | bool Quests;
000067 |
000068 | [NonSerialized()]
000069 | private string m_FileName;
000070 |
000071 | [NonSerialized()]
000072 | private FileHandle m_FileLog;
000073 |
000074 | [NonSerialized()]
000075 | private bool m_IsLoaded;
000076 |
000077 | // -----
000078 | void ExpansionLogSettings()
000079 | {
000080 | }
000081 |
000082 | // -----
000083 | override bool OnRecieve( ParamsReadContext ctx )
000084 | {
000085 |     //Not sent to client under normal operation
000086 |     m_IsLoaded = true;
000087 |
000088 |     ExpansionLogSettings setting;
000089 |     if ( !ctx.Read( setting ) )
000090 |     {
000091 |         Error("ExpansionLogSettings::OnRecieve setting");
000092 |         return false;
000093 |     }
000094 | }
```

```
000095 |         CopyInternal( setting );
000096 |
000097 |         m_IsLoaded = true;
000098 |
000099 |         ExpansionSettings.SI_Log.Invoke();
000100 |
000101 |         return true;
000102 |     }
000103 |
000104 |     override void OnSend( ParamsWriteContext ctx )
000105 |     {
000106 |         ExpansionLogSettings thisSetting = this;
000107 |
000108 |         ctx.Write( thisSetting );
000109 |     }
000110 |
000111 |     // -----
000112 |     override int Send( PlayerIdentity identity )
000113 |     {
000114 |         //Not sent to client
000115 |     }
000116 |
000117 |     // -----
000118 |     override bool Copy( ExpansionSettingBase setting )
000119 |     {
000120 |         ExpansionLogSettings s;
000121 |         if ( !Class.CastTo( s, setting ) )
000122 |             return false;
000123 |
000124 |         CopyInternal( s );
000125 |         return true;
000126 |     }
000127 |
000128 |     // -----
000129 |     private void CopyInternal( ExpansionLogSettings s )
000130 |     {
000131 |         Safezone = s.Safezone;
000132 |         ExplosionDamageSystem = s.ExplosionDamageSystem;
000133 |
000134 |         VehicleCarKey = s.VehicleCarKey;
000135 |         VehicleTowing = s.VehicleTowing;
000136 |         VehicleLockPicking = s.VehicleLockPicking;
000137 |         VehicleDestroyed = s.VehicleDestroyed;
000138 |         VehicleAttachments = s.VehicleAttachments;
000139 |         VehicleEnter = s.VehicleEnter;
000140 |         VehicleLeave = s.VehicleLeave;
000141 |         VehicleDeleted = s.VehicleDeleted;
000142 |         VehicleEngine = s.VehicleEngine;
000143 |
000144 |         BaseBuildingRaiding = s.BaseBuildingRaiding;
000145 |         CodeLockRaiding = s.CodeLockRaiding;
000146 |         Territory = s.Territory;
000147 |
000148 |         Killfeed = s.Killfeed;
000149 |
000150 |         SpawnSelection = s.SpawnSelection;
000151 |
000152 |         MissionAirdrop = s.MissionAirdrop;
000153 |         //MissionHorde = s.MissionHorde;
000154 |
000155 |         Party = s.Party;
000156 |     }
```

```
000157 |         Chat = s.Chat;
000158 |
000159 |         Market = s.Market;
000160 |         ATM = s.ATM;
000161 |
000162 |         Hardline = s.Hardline;
000163 |
000164 |         AIGeneral = s.AIGeneral;
000165 |         AIPatrol = s.AIPatrol;
000166 |         AIObjectPatrol = s.AIObjectPatrol;
000167 |
000168 |         AdminTools = s.AdminTools;
000169 |
000170 |         LogToScripts = s.LogToScripts;
000171 |         LogToADM = s.LogToADM;
000172 |
000173 |         Garage = s.Garage;
000174 |         VehicleCover = s.VehicleCover;
000175 |
000176 |         EntityStorage = s.EntityStorage;
000177 |     }
000178 |
000179 |     // -----
000180 |     override bool IsLoaded()
000181 |     {
000182 |         return m_IsLoaded;
000183 |     }
000184 |
000185 |     // -----
000186 |     override void Unload()
000187 |     {
000188 |         m_IsLoaded = false;
000189 |     }
000190 |
000191 |     // -----
000192 |     override bool OnLoad()
000193 |     {
000194 |         m_IsLoaded = true;
000195 |
000196 |         m_FileName = EXPANSION_LOG_FOLDER + "\\\" + \"ExpLog_\" + ExpansionStatic.GetISODateTime(false, \"_\", \"-\") + \".log\";
000197 |
000198 |         bool save;
000199 |
000200 |         bool logSettingsExist = FileExist(EXPANSION_LOG_SETTINGS);
000201 |
000202 |         if (logSettingsExist)
000203 |         {
000204 |             EXPrint(\"[ExpansionLogSettings] Load existing setting file:\" + EXPANSION_LOG_SETTINGS);
000205 |
000206 |             ExpansionLogSettings settingsDefault = new ExpansionLogSettings;
000207 |             settingsDefault.Defaults();
000208 |
000209 |             JsonFileLoader<ExpansionLogSettings>.JsonLoadFile(EXPANSION_LOG_SETTINGS, this);
000210 |
000211 |             if (m_Version < VERSION)
000212 |             {
000213 |                 EXPrint(\"[ExpansionLogSettings] Load - Converting v\" + m_Version + \" \" + \"\" + EXPANSION_LOG_SETTINGS + \" \" to v\" + VERSION);
000214 |
000215 |                 if (m_Version < 2)
000216 |                 {
000217 |                     //! New with v2
000218 |                     LogToScripts = settingsDefault.LogToScripts;
```

```
000219 |         LogToADM = settingsDefault.LogToADM;
000220 |
000221 |         VehicleDestroyed = settingsDefault.VehicleDestroyed;
000222 |     }
000223 |
000224 |     if (m_Version < 3)
000225 |     {
000226 |         AIGeneral = settingsDefault.AIGeneral;
000227 |         AIPatrol = settingsDefault.AIPatrol;
000228 |     }
000229 |
000230 |     if (m_Version < 4)
000231 |     {
000232 |         AIObjectPatrol = settingsDefault.AIObjectPatrol;
000233 |     }
000234 |
000235 |     if (m_Version < 5)
000236 |     {
000237 |         ExplosionDamageSystem = settingsDefault.ExplosionDamageSystem;
000238 |     }
000239 |
000240 |     if (m_Version < 6)
000241 |     {
000242 |         VehicleAttachments = settingsDefault.VehicleAttachments;
000243 |         VehicleEnter = settingsDefault.VehicleEnter;
000244 |         VehicleLeave = settingsDefault.VehicleLeave;
000245 |         VehicleDeleted = settingsDefault.VehicleDeleted;
000246 |         VehicleEngine = settingsDefault.VehicleEngine;
000247 |     }
000248 |
000249 |     if (m_Version < 7)
000250 |     {
000251 |         Garage = settingsDefault.Garage;
000252 |         VehicleCover = settingsDefault.VehicleCover;
000253 |     }
000254 |
000255 |     if (m_Version < 7)
000256 |     {
000257 |         EntityStorage = settingsDefault.EntityStorage;
000258 |     }
000259 |
000260 |     if (m_Version < 8)
000261 |     {
000262 |         Quests = settingsDefault.Quests;
000263 |     }
000264 |
000265 |     m_Version = VERSION;
000266 |     save = true;
000267 | }
000268 | }
000269 | else
000270 | {
000271 |     EXPrint("[ExpansionLogSettings] No existing setting file:" + EXPANSION_LOG_SETTINGS + ". Creating defaults!");
000272 |     Defaults();
000273 |     save = true;
000274 | }
000275 |
000276 | if (save)
000277 |     Save();
000278 |
000279 | return logSettingsExist;
000280 | }
```

```
000281 |  
000282 | // -----  
000283 | override bool OnSave()  
000284 | {  
000285 |     Print("[ExpansionLogSettings] Saving settings");  
000286 |  
000287 |     JsonFileLoader<ExpansionLogSettings>.JsonSaveFile( EXPANSION_LOG_SETTINGS, this );  
000288 |  
000289 |     return true;  
000290 | }  
000291 |  
000292 | // -----  
000293 | override void Update( ExpansionSettingBase setting )  
000294 | {  
000295 |     super.Update( setting );  
000296 |  
000297 |     ExpansionSettings.SI_Log.Invoke();  
000298 | }  
000299 |  
000300 | // -----  
000301 | override void Defaults()  
000302 | {  
000303 |     m_Version = VERSION;  
000304 |  
000305 |     Safezone = true;  
000306 |     AdminTools = true;  
000307 |     ExplosionDamageSystem = true;  
000308 |  
000309 |     LogToScripts = false;  
000310 |     LogToADM = false;  
000311 |  
000312 |     VehicleDestroyed = true;  
000313 |     VehicleCarKey = true;  
000314 |     VehicleTowing = true;  
000315 |     VehicleLockPicking = true;  
000316 |     VehicleAttachments = true;  
000317 |     VehicleEnter = true;  
000318 |     VehicleLeave = true;  
000319 |     VehicleDeleted = true;  
000320 |     VehicleEngine = true;  
000321 |  
000322 |     BaseBuildingRaiding = true;  
000323 |     CodeLockRaiding = true;  
000324 |     Territory = true;  
000325 |  
000326 |     Killfeed = true;  
000327 |  
000328 |     SpawnSelection = true;  
000329 |  
000330 |     MissionAirdrop = true;  
000331 |     //MissionHorde = true;  
000332 |  
000333 |     Party = true;  
000334 |  
000335 |     Chat = true;  
000336 |  
000337 |     AIGeneral = true;  
000338 |     AIPatrol = true;  
000339 |     AIObjectPatrol = true;  
000340 |  
000341 |     Market = true;  
000342 |     ATM = true;
```

```
000343 |
000344 |     Hardline = true;
000345 |
000346 |     Garage = true;
000347 |     VehicleCover = true;
000348 |
000349 |     EntityStorage = true;
000350 |
000351 |     Quests = true;
000352 | }
000353 |
000354 | override string SettingName()
000355 | {
000356 |     return "Log Settings";
000357 | }
000358 |
000359 | void PrintLog(string text, string param1 = string.Empty, string param2 = string.Empty, string param3 = string.Empty, string param4 = string.Empty, string para
m5 = string.Empty, string param6 = string.Empty, string param7 = string.Empty, string param8 = string.Empty, string param9 = string.Empty)
000360 | {
000361 |     if ( !FileExist( EXPANSION_LOG_FOLDER ) )
000362 |     {
000363 |         ExpansionStatic.MakeDirectoryRecursive( EXPANSION_LOG_FOLDER );
000364 |     }
000365 |
000366 |     string output = ExpansionStatic.GetISOTime() + " " + string.Format(text, param1, param2, param3, param4, param5, param6, param7, param8, param9);
000367 |
000368 |     if (LogToScripts || LogToADM)
000369 |     {
000370 |         if (LogToScripts)
000371 |         {
000372 |             Print(output);
000373 |         }
000374 |         if (LogToADM)
000375 |         {
000376 |             g_Game.AdminLog(output);
000377 |         }
000378 |     } else {
000379 |         if (!FileExist( m_FileName ))
000380 |             m_FileLog = OpenFile(m_FileName, FileMode.WRITE);
000381 |         else
000382 |             m_FileLog = OpenFile(m_FileName, FileMode.APPEND);
000383 |         FPrintln(m_FileLog, output);
000384 |         CloseFile(m_FileLog);
000385 |     }
000386 | }
000387 |
000388 | void PrintLog(string fmt, Class p1, Class p2 = null, Class p3 = null, Class p4 = null, Class p5 = null, Class p6 = null, Class p7 = null, Class p8 = null, Cla
ss p9 = null)
000389 | {
000390 |     PrintLog(ExpansionStatic.FormatString(fmt, p1, p2, p3, p4, p5, p6, p7, p8, p9));
000391 | }
000392 | };
```


0106. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Monitoring\ExpansionMonitoringSettings.c

Size bytes: 3513

SHA-256: 1dcc8b0bc0c3b1042ba5db8295e8d3cab8132fe13bfaa79c14b836ef6e9ad821

Decoded as: utf-8-sig

Line count shown: 159

Detected class declarations: 1

L16: class ExpansionMonitoringSettings: ExpansionSettingBase

Detected enum declarations: 0

Detected function/method-like declarations: 13

L26: void ExpansionMonitoringSettings()

L31: override bool OnRecieve(ParamsReadContext ctx)

L44: override void OnSend(ParamsWriteContext ctx)

L50: override int Send(PlayerIdentity identity)

L65: override bool Copy(ExpansionSettingBase setting)

L76: private void CopyInternal(ExpansionMonitoringSettings s)

L82: override bool IsLoaded()

L88: override void Unload()

L94: override bool OnLoad()

L122: override bool OnSave()

L132: override void Update(ExpansionSettingBase setting)

L138: override void Defaults()

L155: override string SettingName()

Full file content

```

000001 | /**
000002 |  * ExpansionMonitoringSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionMonitoringSettings
000014 |  * @brief      Vehicle settings class
000015 |  */
000016 | class ExpansionMonitoringSettings: ExpansionSettingBase
000017 | {
000018 |     static const int VERSION = 1;
000019 |
000020 |     bool Enabled;
000021 |
000022 |     [NonSerialized()]
000023 |     private bool m_IsLoaded;
000024 |
000025 |     // -----
000026 |     void ExpansionMonitoringSettings()
000027 |     {
000028 |     }
000029 |
000030 |     // -----
000031 |     override bool OnRecieve( ParamsReadContext ctx )
000032 |     {
000033 |         if (!ctx.Read(Enabled))
000034 |         {

```

```
000035 |         Error(Classname() + "::OnRecieve Enabled");
000036 |         return false;
000037 |     }
000038 |
000039 |     m_IsLoaded = true;
000040 |
000041 |     return true;
000042 | }
000043 |
000044 | override void OnSend( ParamsWriteContext ctx )
000045 | {
000046 |     ctx.Write(Enabled);
000047 | }
000048 |
000049 | // -----
000050 | override int Send( PlayerIdentity identity )
000051 | {
000052 |     if ( !IsMissionHost() )
000053 |     {
000054 |         return 0;
000055 |     }
000056 |
000057 |     auto rpc = CreateRPC();
000058 |     OnSend( rpc );
000059 |     rpc.Expansion_Send(true, identity);
000060 |
000061 |     return 0;
000062 | }
000063 |
000064 | // -----
000065 | override bool Copy( ExpansionSettingBase setting )
000066 | {
000067 |     ExpansionMonitoringSettings s;
000068 |     if ( !Class.CastTo( s, setting ) )
000069 |         return false;
000070 |
000071 |     CopyInternal( s );
000072 |     return true;
000073 | }
000074 |
000075 | // -----
000076 | private void CopyInternal( ExpansionMonitoringSettings s )
000077 | {
000078 |     Enabled = s.Enabled;
000079 | }
000080 |
000081 | // -----
000082 | override bool IsLoaded()
000083 | {
000084 |     return m_IsLoaded;
000085 | }
000086 |
000087 | // -----
000088 | override void Unload()
000089 | {
000090 |     m_IsLoaded = false;
000091 | }
000092 |
000093 | // -----
000094 | override bool OnLoad()
000095 | {
000096 |     m_IsLoaded = true;
```

```
000097 |
000098 |         bool save;
000099 |
000100 |         bool settingsExist = FileExist(EXPANSION_MONITORING_SETTINGS);
000101 |
000102 |         if (settingsExist)
000103 |         {
000104 |             EXPrint("[ExpansionMonitoringSettings] Load existing setting file:" + EXPANSION_MONITORING_SETTINGS);
000105 |
000106 |             JsonFileLoader<ExpansionMonitoringSettings>.JsonLoadFile( EXPANSION_MONITORING_SETTINGS, this );
000107 |         }
000108 |     else
000109 |     {
000110 |         EXPrint("[ExpansionMonitoringSettings] No existing setting file:" + EXPANSION_MONITORING_SETTINGS + ". Creating defaults!");
000111 |         Defaults();
000112 |         save = true;
000113 |     }
000114 |
000115 |     if (save)
000116 |         Save();
000117 |
000118 |     return settingsExist;
000119 | }
000120 |
000121 | // -----
000122 | override bool OnSave()
000123 | {
000124 |     Print("[ExpansionMonitoringSettings] Saving settings");
000125 |
000126 |     JsonFileLoader<ExpansionMonitoringSettings>.JsonSaveFile( EXPANSION_MONITORING_SETTINGS, this );
000127 |
000128 |     return true;
000129 | }
000130 |
000131 | // -----
000132 | override void Update( ExpansionSettingBase setting )
000133 | {
000134 |     super.Update( setting );
000135 | }
000136 |
000137 | // -----
000138 | override void Defaults()
000139 | {
000140 |     m_Version = VERSION;
000141 |
000142 | #ifdef EXPANSIONMOD
000143 |     Enabled = true;
000144 | #endif
000145 |
000146 | #ifdef EXPANSIONMODBOOK
000147 |     Enabled = true;
000148 | #endif
000149 |
000150 | #ifdef EXPANSIONMODGROUPS
000151 |     Enabled = true;
000152 | #endif
000153 | }
000154 |
000155 | override string SettingName()
000156 | {
000157 |     return "Monitoring Settings";
000158 | }
```

000159 | };

0107. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionAnnouncementType.c
Size bytes: 438
SHA-256: 148b35bdff2f3256f80c9b856661542190fb108cec0435001dcc410d3a87b81e
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 0
Detected enum declarations: 1
 L13: enum ExpansionAnnouncementType
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionAnnouncementType.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | enum ExpansionAnnouncementType
000014 | {
000015 |     CHAT = 0,
000016 |     NOTIFICATION,
000017 |     MUTEDNOTIFICATION
000018 | };
```

0108. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Notifications\ExpansionNotificationSettings.c
Size bytes: 11824
SHA-256: bd6c69b3b8a8d3939427d7a9fcd2759c1fc151192d6d27e0eedfef41099eb702
Decoded as: utf-8-sig
Line count shown: 407
Detected class declarations: 2
  L16: class ExpansionNotificationSettingsBase: ExpansionSettingBase
  L86: class ExpansionNotificationSettings: ExpansionNotificationSettingsBase
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L100: void ExpansionNotificationSettings()
  L105: override bool OnRecieve( ParamsReadContext ctx )
  L127: override void OnSend( ParamsWriteContext ctx )
  L135: override int Send( PlayerIdentity identity )
  L154: override bool Copy( ExpansionSettingBase setting )
  L165: private void CopyInternal( ExpansionNotificationSettings s )
  L178: private void CopyInternal( ExpansionNotificationSettingsBase s )
  L235: override bool IsLoaded()
  L241: override void Unload()
  L247: override bool OnLoad()
  L317: override bool OnSave()
  L327: override void Update( ExpansionSettingBase setting )
  L335: override void Defaults()
  L403: override string SettingName()

```

Full file content

```

000001 | /**
000002 |  * ExpansionNotificationSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionNotificationSettingsBase
000014 |  * @brief      Map settings base class
000015 |  **/
000016 | class ExpansionNotificationSettingsBase: ExpansionSettingBase
000017 | {
000018 |     bool EnableNotification;
000019 |     bool ShowPlayerJoinServer;
000020 |     ExpansionAnnouncementType JoinMessageType;
000021 |     bool ShowPlayerLeftServer;
000022 |     ExpansionAnnouncementType LeftMessageType;
000023 |
000024 |     bool ShowAirdropStarted;
000025 |     bool ShowAirdropClosingOn;
000026 |     bool ShowAirdropDropped;
000027 |     bool ShowAirdropEnded;
000028 |
000029 |     bool ShowPlayerAirdropStarted;
000030 |     bool ShowPlayerAirdropClosingOn;
000031 |     bool ShowPlayerAirdropDropped;
000032 |

```

```
000033 | #ifdef EXPANSION_MISSION_AI_ENABLE
000034 | bool ShowAIMissionStarted;
000035 | bool ShowAIMissionAction;
000036 | bool ShowAIMissionEnded;
000037 | #endif
000038 |
000039 | bool ShowTerritoryNotifications;          //!< Show the notifications when entering or leaving territory.
000040 |
000041 | bool EnableKillFeed;
000042 | ExpansionAnnouncementType KillFeedMessageType;
000043 | bool KillFeedFall;
000044 | bool KillFeedCarHitDriver;
000045 | bool KillFeedCarHitNoDriver;
000046 | bool KillFeedCarCrash;
000047 | bool KillFeedCarCrashCrew;
000048 |
000049 | bool KillFeedHeliHitDriver;
000050 | bool KillFeedHeliHitNoDriver;
000051 | bool KillFeedHeliCrash;
000052 | bool KillFeedHeliCrashCrew;
000053 | bool KillFeedBoatHitDriver;
000054 | bool KillFeedBoatHitNoDriver;
000055 | bool KillFeedBoatCrash;
000056 | bool KillFeedBoatCrashCrew;
000057 | /*bool KillFeedPlaneHitDriver;
000058 | bool KillFeedPlaneHitNoDriver;
000059 | bool KillFeedBikeHitDriver;
000060 | bool KillFeedBikeHitNoDriver;*/
000061 |
000062 | bool KillFeedBarbedWire;
000063 | bool KillFeedFire;
000064 | bool KillFeedWeaponExplosion;
000065 | bool KillFeedDehydration;
000066 | bool KillFeedStarvation;
000067 | bool KillFeedBleeding;
000068 | bool KillFeedStatusEffects;
000069 | bool KillFeedSuicide;
000070 | bool KillFeedWeapon;
000071 | bool KillFeedMeleeWeapon;
000072 | bool KillFeedBarehands;
000073 | bool KillFeedInfected;
000074 | bool KillFeedAnimal;
000075 | bool KillFeedAI;
000076 | bool KillFeedDrowned;
000077 | bool KillFeedKilledUnknown;
000078 | bool KillFeedDiedUnknown;
000079 |
000080 | bool EnableKillFeedDiscordMsg;
000081 | }
000082 |
000083 | /**@class      ExpansionNotificationSettings
000084 |  * @brief      Notification settings class
000085 |  */
000086 | class ExpansionNotificationSettings: ExpansionNotificationSettingsBase
000087 | {
000088 |     static const int VERSION = 5;
000089 |
000090 |     //!< These are not implemented, uncomment once done
000091 |     //bool ShowVictimOnKillFeed;
000092 |     //bool ShowDistanceOnKillFeed;
000093 |     //bool ShowKillerOnKillFeed;
000094 |     //bool ShowWeaponOnKillFeed;
```

```
000095 |
000096 |     [NonSerialized()]
000097 |     private bool m_IsLoaded;
000098 |
000099 |     // -----
000100 |     void ExpansionNotificationSettings()
000101 |     {
000102 |     }
000103 |
000104 |     // -----
000105 |     override bool OnRecieve( ParamsReadContext ctx )
000106 |     {
000107 | #ifdef EXPANSIONTRACE
000108 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000109 | #endif
000110 |
000111 |         ExpansionNotificationSettings setting;
000112 |         if ( !ctx.Read( setting ) )
000113 |         {
000114 |             Error("ExpansionNotificationSettings::OnRecieve setting");
000115 |             return false;
000116 |         }
000117 |
000118 |         CopyInternal( setting );
000119 |
000120 |         m_IsLoaded = true;
000121 |
000122 |         ExpansionSettings.SI_Notification.Invoke();
000123 |
000124 |         return true;
000125 |     }
000126 |
000127 |     override void OnSend( ParamsWriteContext ctx )
000128 |     {
000129 |         ExpansionNotificationSettings thisSetting = this;
000130 |
000131 |         ctx.Write( thisSetting );
000132 |     }
000133 |
000134 |     // -----
000135 |     override int Send( PlayerIdentity identity )
000136 |     {
000137 | #ifdef EXPANSIONTRACE
000138 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Send").Add(identity);
000139 | #endif
000140 |
000141 |         if ( !IsMissionHost() )
000142 |         {
000143 |             return 0;
000144 |         }
000145 |
000146 |         auto rpc = CreateRPC();
000147 |         OnSend( rpc );
000148 |         rpc.Expansion_Send(true, identity);
000149 |
000150 |         return 0;
000151 |     }
000152 |
000153 |     // -----
000154 |     override bool Copy( ExpansionSettingBase setting )
000155 |     {
000156 |         ExpansionNotificationSettings s;
```



```
000157 |         if ( !Class.CastTo( s, setting ) )
000158 |             return false;
000159 |
000160 |         CopyInternal( s );
000161 |         return true;
000162 |     }
000163 |
000164 |     // -----
000165 |     private void CopyInternal( ExpansionNotificationSettings s )
000166 |     {
000167 |         //! These are not implemented, uncomment once done
000168 |         //ShowDistanceOnKillFeed = s.ShowDistanceOnKillFeed;
000169 |         //ShowVictimOnKillFeed = s.ShowVictimOnKillFeed;
000170 |         //ShowKillerOnKillFeed = s.ShowKillerOnKillFeed;
000171 |         //ShowWeaponOnKillFeed = s.ShowWeaponOnKillFeed;
000172 |
000173 |         ExpansionNotificationSettingsBase sb = s;
000174 |         CopyInternal( sb );
000175 |     }
000176 |
000177 |     // -----
000178 |     private void CopyInternal( ExpansionNotificationSettingsBase s )
000179 |     {
000180 |         EnableNotification = s.EnableNotification;
000181 |         ShowPlayerJoinServer = s.ShowPlayerJoinServer;
000182 |         JoinMessageType = s.JoinMessageType;
000183 |         ShowPlayerLeftServer = s.ShowPlayerLeftServer;
000184 |         LeftMessageType = s.LeftMessageType;
000185 |
000186 |         ShowAirdropStarted = s.ShowAirdropStarted;
000187 |         ShowAirdropClosingOn = s.ShowAirdropClosingOn;
000188 |         ShowAirdropDropped = s.ShowAirdropDropped;
000189 |         ShowAirdropEnded = s.ShowAirdropEnded;
000190 |         ShowPlayerAirdropStarted = s.ShowPlayerAirdropStarted;
000191 |         ShowPlayerAirdropClosingOn = s.ShowPlayerAirdropClosingOn;
000192 |         ShowPlayerAirdropDropped = s.ShowPlayerAirdropDropped;
000193 |
000194 |         ShowTerritoryNotifications = s.ShowTerritoryNotifications;
000195 |
000196 |         EnableKillFeed = s.EnableKillFeed;
000197 |         KillFeedMessageType = s.KillFeedMessageType;
000198 |         KillFeedFall = s.KillFeedFall;
000199 |         KillFeedCarHitDriver = s.KillFeedCarHitDriver;
000200 |         KillFeedCarHitNoDriver = s.KillFeedCarHitNoDriver;
000201 |         KillFeedCarCrash = s.KillFeedCarCrash;
000202 |         KillFeedCarCrashCrew = s.KillFeedCarCrashCrew;
000203 |         KillFeedHeliHitDriver = s.KillFeedHeliHitDriver;
000204 |         KillFeedHeliHitNoDriver = s.KillFeedHeliHitNoDriver;
000205 |         KillFeedHeliCrash = s.KillFeedHeliCrash;
000206 |         KillFeedHeliCrashCrew = s.KillFeedHeliCrashCrew;
000207 |         KillFeedBoatHitDriver = s.KillFeedBoatHitDriver;
000208 |         KillFeedBoatHitNoDriver = s.KillFeedBoatHitNoDriver;
000209 |         KillFeedBoatCrash = s.KillFeedBoatCrash;
000210 |         KillFeedBoatCrashCrew = s.KillFeedBoatCrashCrew;
000211 |         /*KillFeedPlaneHitDriver = s.KillFeedPlaneHitDriver;
000212 |         KillFeedPlaneHitNoDriver = s.KillFeedPlaneHitNoDriver;
000213 |         KillFeedBikeHitDriver = s.KillFeedBikeHitDriver;
000214 |         KillFeedBikeHitNoDriver = s.KillFeedBikeHitNoDriver;*/
000215 |         KillFeedBarbedWire = s.KillFeedBarbedWire;
000216 |         KillFeedFire = s.KillFeedFire;
000217 |         KillFeedWeaponExplosion = s.KillFeedWeaponExplosion;
000218 |         KillFeedDehydration = s.KillFeedDehydration;
```

```
000219 |         KillFeedStarvation = s.KillFeedStarvation;
000220 |         KillFeedBleeding = s.KillFeedBleeding;
000221 |         KillFeedStatusEffects = s.KillFeedStatusEffects;
000222 |         KillFeedSuicide = s.KillFeedSuicide;
000223 |         KillFeedWeapon = s.KillFeedWeapon;
000224 |         KillFeedMeleeWeapon = s.KillFeedMeleeWeapon;
000225 |         KillFeedBarehands = s.KillFeedBarehands;
000226 |         KillFeedInfected = s.KillFeedInfected;
000227 |         KillFeedAnimal = s.KillFeedAnimal;
000228 |         KillFeedAI = s.KillFeedAI;
000229 |         KillFeedKilledUnknown = s.KillFeedKilledUnknown;
000230 |         KillFeedDiedUnknown = s.KillFeedDiedUnknown;
000231 |         EnableKillFeedDiscordMsg = s.EnableKillFeedDiscordMsg;
000232 |     }
000233 |
000234 |     // -----
000235 |     override bool IsLoaded()
000236 |     {
000237 |         return m_IsLoaded;
000238 |     }
000239 |
000240 |     // -----
000241 |     override void Unload()
000242 |     {
000243 |         m_IsLoaded = false;
000244 |     }
000245 |
000246 |     // -----
000247 |     override bool OnLoad()
000248 |     {
000249 |         m_IsLoaded = true;
000250 |
000251 |         bool save;
000252 |
000253 |         bool notificationSettingsExist = FileExist(EXPANSION_NOTIFICATION_SETTINGS);
000254 |
000255 |         if (notificationSettingsExist)
000256 |         {
000257 |             EXPrint("[ExpansionNotificationSettings] Load existing setting file:" + EXPANSION_NOTIFICATION_SETTINGS);
000258 |
000259 |             ExpansionNotificationSettings settingsDefault = new ExpansionNotificationSettings();
000260 |             settingsDefault.Defaults();
000261 |
000262 |             ExpansionNotificationSettingsBase settingsBase;
000263 |
000264 |             JsonFileLoader<ExpansionNotificationSettingsBase>.JsonLoadFile(EXPANSION_NOTIFICATION_SETTINGS, settingsBase);
000265 |
000266 |             if (settingsBase.m_Version < VERSION)
000267 |             {
000268 |                 if (settingsBase.m_Version < 2)
000269 |                 {
000270 |                     EXPrint("[ExpansionNotificationSettings] Load - Converting v1 \" + EXPANSION_NOTIFICATION_SETTINGS + "\" to v" + VERSION);
000271 |
000272 |                     //! New with v2
000273 |                     CopyInternal(settingsDefault);
000274 |                 }
000275 |
000276 |                 //! Copy over old settings that haven't changed
000277 |                 CopyInternal(settingsBase);
000278 |
000279 |                 if (settingsBase.m_Version < 3)
000280 |                 {
```

```
000281 |             KillFeedBoatHitDriver = settingsDefault.KillFeedBoatHitDriver;
000282 |             KillFeedBoatHitNoDriver = settingsDefault.KillFeedBoatHitNoDriver;
000283 |         }
000284 |
000285 |         if (settingsBase.m_Version < 4)
000286 |         {
000287 |             KillFeedStatusEffects = settingsDefault.KillFeedStatusEffects;
000288 |         }
000289 |
000290 |         if (settingsBase.m_Version < 5)
000291 |         {
000292 |             KillFeedAI = settingsDefault.KillFeedAI;
000293 |         }
000294 |
000295 |         m_Version = VERSION;
000296 |         save = true;
000297 |     }
000298 |     else
000299 |     {
000300 |         JsonFileLoader<ExpansionNotificationSettings>.JsonLoadFile(EXPANSION_NOTIFICATION_SETTINGS, this);
000301 |     }
000302 | }
000303 | else
000304 | {
000305 |     EXPrint("[ExpansionNotificationSettings] No existing setting file:" + EXPANSION_NOTIFICATION_SETTINGS + ". Creating defaults!");
000306 |     Defaults();
000307 |     save = true;
000308 | }
000309 |
000310 | if (save)
000311 |     Save();
000312 |
000313 | return notificationSettingsExist;
000314 | }
000315 |
000316 | // -----
000317 | override bool OnSave()
000318 | {
000319 |     Print("[ExpansionNotificationSettings] Saving settings");
000320 |
000321 |     JsonFileLoader<ExpansionNotificationSettings>.JsonSaveFile( EXPANSION_NOTIFICATION_SETTINGS, this );
000322 |
000323 |     return true;
000324 | }
000325 |
000326 | // -----
000327 | override void Update( ExpansionSettingBase setting )
000328 | {
000329 |     super.Update( setting );
000330 |
000331 |     ExpansionSettings.SI_Notification.Invoke();
000332 | }
000333 |
000334 | // -----
000335 | override void Defaults()
000336 | {
000337 |     m_Version = VERSION;
000338 |
000339 |     EnableNotification = true;
000340 |
000341 |     ShowPlayerJoinServer = true;
000342 |     JoinMessageType = ExpansionAnnouncementType.NOTIFICATION;
```

```
000343 |     ShowPlayerLeftServer = true;
000344 |     LeftMessageType = ExpansionAnnouncementType.NOTIFICATION;
000345 |
000346 |     ShowAirdropStarted = true;
000347 |     ShowAirdropClosingOn = true;
000348 |     ShowAirdropDropped = true;
000349 |     ShowAirdropEnded = true;
000350 |     ShowPlayerAirdropStarted = true;
000351 |     ShowPlayerAirdropClosingOn = true;
000352 |     ShowPlayerAirdropDropped = true;
000353 |
000354 |     ShowTerritoryNotifications = true;
000355 |
000356 |     EnableKillFeed = true;
000357 |     KillFeedMessageType = ExpansionAnnouncementType.NOTIFICATION;
000358 |
000359 |     //!< These are not implemented, uncomment once done
000360 |     //ShowDistanceOnKillFeed = true;
000361 |     //ShowVictimOnKillFeed = true;
000362 |     //ShowKillerOnKillFeed = true;
000363 |     //ShowWeaponOnKillFeed = true;
000364 |
000365 |     KillFeedFall = true;
000366 |     KillFeedCarHitDriver = true;
000367 |     KillFeedCarHitNoDriver = true;
000368 |     KillFeedCarCrash = true;
000369 |     KillFeedCarCrashCrew = true;
000370 |     KillFeedHeliHitDriver = true;
000371 |     KillFeedHeliHitNoDriver = true;
000372 |     KillFeedHeliCrash = true;
000373 |     KillFeedHeliCrashCrew = true;
000374 |     KillFeedBoatHitDriver = true;
000375 |     KillFeedBoatHitNoDriver = true;
000376 |     KillFeedBoatCrash = true;
000377 |     KillFeedBoatCrashCrew = true;
000378 |     /*KillFeedPlaneHitDriver = true;
000379 |     KillFeedPlaneHitNoDriver = true;
000380 |     KillFeedBikeHitDriver = true;
000381 |     KillFeedBikeHitNoDriver = true;*/
000382 |     KillFeedBarbedWire = true;
000383 |     KillFeedFire = true;
000384 |     KillFeedWeaponExplosion = true;
000385 |     KillFeedDehydration = true;
000386 |     KillFeedStarvation = true;
000387 |     KillFeedBleeding = true;
000388 |     KillFeedStatusEffects = true;
000389 |     KillFeedSuicide = true;
000390 |     KillFeedWeapon = true;
000391 |     KillFeedMeleeWeapon = true;
000392 |     KillFeedBarehands = true;
000393 |     KillFeedInfected = true;
000394 |     KillFeedAnimal = true;
000395 |     KillFeedAI = true;
000396 |     KillFeedKilledUnknown = true;
000397 |     KillFeedDiedUnknown = true;
000398 |
000399 |     EnableKillFeedDiscordMsg = false;
000400 | }
000401 |
000402 | // -----
000403 | override string SettingName()
000404 | {
```

```
000405 |         return "Notification Settings";  
000406 |     }  
000407 | };
```

0109. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCircle.c

Size bytes: 742

SHA-256: 5819d3bab6d5266d5a424b283ca30b9f6e586d8e9495ef80a6398598625947de

Decoded as: utf-8-sig

Line count shown: 32

Detected class declarations: 1

L16: class ExpansionSafeZoneCircle: ExpansionSafeZoneElement

Detected enum declarations: 0

Detected function/method-like declarations: 3

L21: void ExpansionSafeZoneCircle(vector center, float radius)

L27: override ExpansionZone Create()

L29: return new ExpansionZoneCircle(ExpansionZoneType.SAFE, Center, Radius);

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneCircle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZoneCircle
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZoneCircle: ExpansionSafeZoneElement
000017 | {
000018 |     vector Center;
000019 |     float Radius;
000020 |
000021 |     void ExpansionSafeZoneCircle( vector center, float radius )
000022 |     {
000023 |         this.Center = center;
000024 |         this.Radius = radius;
000025 |     }
000026 |
000027 |     override ExpansionZone Create()
000028 |     {
000029 |         return new ExpansionZoneCircle(ExpansionZoneType.SAFE, Center, Radius);
000030 |     }
000031 | };
000032 |
```

0110. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneCylinder.c

Size bytes: 798

SHA-256: f58423573f8a8b4157a866bd60cbcb1808da9e564c4a46d8de159a14ee00fae4

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L16: class ExpansionSafeZoneCylinder: ExpansionSafeZoneElement

Detected enum declarations: 0

Detected function/method-like declarations: 3

L22: void ExpansionSafeZoneCylinder(vector center, float radius, float height)

L29: override ExpansionZone Create()

L31: return new ExpansionZoneCylinder(ExpansionZoneType.SAFE, Center, Radius, Height);

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneCylinder.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZoneCylinder
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZoneCylinder: ExpansionSafeZoneElement
000017 | {
000018 |     vector Center;
000019 |     float Radius;
000020 |     float Height;
000021 |
000022 |     void ExpansionSafeZoneCylinder(vector center, float radius, float height)
000023 |     {
000024 |         Center = center;
000025 |         Radius = radius;
000026 |         Height = height;
000027 |     }
000028 |
000029 |     override ExpansionZone Create()
000030 |     {
000031 |         return new ExpansionZoneCylinder(ExpansionZoneType.SAFE, Center, Radius, Height);
000032 |     }
000033 | };
000034 |
```

0111. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneElement.c

Size bytes: 504

SHA-256: 6788342003437795d11136fc0b0ffd582ecfcce0665e19b9bbbd4894b46acb99

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L16: class ExpansionSafeZoneElement : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: ExpansionZone Create()

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZoneElement.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZoneElement
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZoneElement : Managed
000017 | {
000018 |     ExpansionZone Create()
000019 |     {
000020 |         return null;
000021 |     }
000022 | };
000023 |
```


0112. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZonePolygon.c

Size bytes: 713

SHA-256: 62cc49079ee6a9df40f54ef5e8dc58954575de5286d74fd712e9f6e10a3df282

Decoded as: utf-8-sig

Line count shown: 30

Detected class declarations: 1

L16: class ExpansionSafeZonePolygon : ExpansionSafeZoneElement

Detected enum declarations: 0

Detected function/method-like declarations: 3

L20: void ExpansionSafeZonePolygon(TVectorArray positions)

L25: override ExpansionZone Create()

L27: return new ExpansionZonePolygon(ExpansionZoneType.SAFE, Positions);

Full file content

```
000001 | /**
000002 |  * ExpansionSafeZonePolygon.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSafeZonePolygon
000014 |  * @brief
000015 |  */
000016 | class ExpansionSafeZonePolygon : ExpansionSafeZoneElement
000017 | {
000018 |     autoptr TVectorArray Positions;
000019 |
000020 |     void ExpansionSafeZonePolygon(TVectorArray positions)
000021 |     {
000022 |         Positions = positions;
000023 |     }
000024 |
000025 |     override ExpansionZone Create()
000026 |     {
000027 |         return new ExpansionZonePolygon(ExpansionZoneType.SAFE, Positions);
000028 |     }
000029 | };
000030 |
```

0113. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Settings\Safezone\ExpansionSafeZoneSettings.c

Size bytes: 9690

SHA-256: 7e738722bbffbf99c29b99c8c0aa0a2813923f6f33899e51d37bc9c0baf8cb18

Decoded as: utf-8-sig

Line count shown: 336

Detected class declarations: 3

L16: class ExpansionSafeZoneSettingsBase: ExpansionSettingBase

L27: class ExpansionSafeZoneSettingsV0: ExpansionSafeZoneSettingsBase

L35: class ExpansionSafeZoneSettings: ExpansionSafeZoneSettingsBase

Detected enum declarations: 0

Detected function/method-like declarations: 16

L53: void ExpansionSafeZoneSettings() {};

L56: override bool OnRecieve(ParamsReadContext ctx)

L79: override void OnSend(ParamsWriteContext ctx)

L87: override int Send(PlayerIdentity identity)

L93: override bool Copy(ExpansionSettingBase setting)

L104: private void CopyInternal(ExpansionSafeZoneSettings s)

L128: private void CopyInternal(ExpansionSafeZoneSettingsBase s)

L151: override bool IsLoaded()

L157: override void Unload()

L163: override bool OnLoad()

L250: override bool OnSave()

L260: override void Defaults()

L300: void DefaultChernarusSafeZones()

L317: void DefaultNamalskSafeZones()

L323: void DefaultTakistanSafeZones()

L331: override string SettingName()

Full file content

```

000001 | /**
000002 |  * ExpansionSafeZoneSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionSafeZoneSettingsBase
000014 |  * @brief      Safezone settings base class
000015 |  */
000016 | class ExpansionSafeZoneSettingsBase: ExpansionSettingBase
000017 | {
000018 |     bool Enabled;                                     // Enable Safezone when set to 1
000019 |     int FrameRateCheckSafeZoneInMs;                   // How often in ms the server need to check if the player is inside a Safezone
000020 |     autoptr array<ref ExpansionSafeZoneCircle> CircleZones = new array< ref ExpansionSafeZoneCircle >;
000021 |     autoptr array<ref ExpansionSafeZonePolygon> PolygonZones = new array< ref ExpansionSafeZonePolygon >;
000022 | }
000023 |
000024 | /**@class      ExpansionSafeZoneSettingsBase
000025 |  * @brief      Safezone settings v0 class
000026 |  */
000027 | class ExpansionSafeZoneSettingsV0: ExpansionSafeZoneSettingsBase
000028 | {
000029 |     bool EnableVehicleInvincibleInsideSafeZone;

```

```
000030 | }
000031 |
000032 | /**@class      ExpansionSafeZoneSettings
000033 | * @brief      SafeZone settings class
000034 | **/
000035 | class ExpansionSafeZoneSettings: ExpansionSafeZoneSettingsBase
000036 | {
000037 |     static const int VERSION = 11;
000038 |
000039 |     autoptr array<ref ExpansionSafeZoneCylinder> CylinderZones = new array< ref ExpansionSafeZoneCylinder >;
000040 |
000041 |     int ActorsPerTick;
000042 |     bool DisablePlayerCollision;
000043 |     bool DisableVehicleDamageInSafeZone;
000044 |     bool EnableForceSZCleanup;
000045 |     float ItemLifetimeInSafeZone;
000046 |     bool EnableForceSZCleanupVehicles;
000047 |     float VehicleLifetimeInSafeZone;
000048 |     autoptr TStringArray ForceSZCleanup_ExcludedItems = new TStringArray;
000049 |
000050 |     [NonSerialized()]
000051 |     private bool m_IsLoaded;
000052 |
000053 |     void ExpansionSafeZoneSettings() {};
000054 |
000055 |     // -----
000056 |     override bool OnRecieve( ParamsReadContext ctx )
000057 |     {
000058 | #ifdef EXPANSIONTRACE
000059 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "OnRecieve").Add(ctx);
000060 | #endif
000061 |
000062 |         //Not sent to client under normal operation
000063 |         m_IsLoaded = true;
000064 |
000065 |         ExpansionSafeZoneSettings setting;
000066 |         if ( !ctx.Read( setting ) )
000067 |         {
000068 |             Error("ExpansionSafeZoneSettings::OnRecieve setting");
000069 |             return false;
000070 |         }
000071 |
000072 |         CopyInternal( setting );
000073 |
000074 |         m_IsLoaded = true;
000075 |
000076 |         return true;
000077 |     }
000078 |
000079 |     override void OnSend( ParamsWriteContext ctx )
000080 |     {
000081 |         ExpansionSafeZoneSettings thisSetting = this;
000082 |
000083 |         ctx.Write( thisSetting );
000084 |     }
000085 |
000086 |     // -----
000087 |     override int Send( PlayerIdentity identity )
000088 |     {
000089 |         //Not sent to client
000090 |     }
000091 |
```

```
000092 | // -----
000093 | override bool Copy( ExpansionSettingBase setting )
000094 | {
000095 |     ExpansionSafeZoneSettings s;
000096 |     if ( !Class.CastTo( s, setting ) )
000097 |         return false;
000098 |
000099 |     CopyInternal( s );
000100 |     return true;
000101 | }
000102 |
000103 | // -----
000104 | private void CopyInternal(ExpansionSafeZoneSettings s)
000105 | {
000106 |     ActorsPerTick = s.ActorsPerTick;
000107 |
000108 |     DisablePlayerCollision = s.DisablePlayerCollision;
000109 |
000110 |     DisableVehicleDamageInSafeZone = s.DisableVehicleDamageInSafeZone;
000111 |     EnableForceSZCleanup = s.EnableForceSZCleanup;
000112 |     ItemLifetimeInSafeZone = s.ItemLifetimeInSafeZone;
000113 |     EnableForceSZCleanupVehicles = s.EnableForceSZCleanupVehicles;
000114 |     VehicleLifetimeInSafeZone = s.VehicleLifetimeInSafeZone;
000115 |
000116 |     CylinderZones.Clear();
000117 |
000118 |     foreach (auto cylinderZone: s.CylinderZones)
000119 |     {
000120 |         CylinderZones.Insert(cylinderZone);
000121 |     }
000122 |
000123 |     ExpansionSafeZoneSettingsBase sb = s;
000124 |     CopyInternal( sb );
000125 | }
000126 |
000127 | // -----
000128 | private void CopyInternal(ExpansionSafeZoneSettingsBase s)
000129 | {
000130 |     int i = 0;
000131 |
000132 |     Enabled = s.Enabled;
000133 |
000134 |     CircleZones.Clear();
000135 |     PolygonZones.Clear();
000136 |
000137 |     foreach (auto circleZone: s.CircleZones)
000138 |     {
000139 |         CircleZones.Insert(circleZone);
000140 |     }
000141 |
000142 |     foreach (auto polygonZone: s.PolygonZones)
000143 |     {
000144 |         PolygonZones.Insert(polygonZone);
000145 |     }
000146 |
000147 |     FrameRateCheckSafeZoneInMs = s.FrameRateCheckSafeZoneInMs;
000148 | }
000149 |
000150 | // -----
000151 | override bool IsLoaded()
000152 | {
000153 |     return m_IsLoaded;
```

```
000154 |     }
000155 |
000156 |     // -----
000157 |     override void Unload()
000158 |     {
000159 |         m_IsLoaded = false;
000160 |     }
000161 |
000162 |     // -----
000163 |     override bool OnLoad()
000164 |     {
000165 |         m_IsLoaded = true;
000166 |
000167 |         //! Move existing settings file over from old location in $profile to new location in $mission
000168 |         string fileNameOld = EXPANSION_SETTINGS_FOLDER + "SafeZoneSettings.json";
000169 |         if (FileExist(fileNameOld))
000170 |             MoveSettings(fileNameOld, EXPANSION_SAFE_ZONES_SETTINGS);
000171 |
000172 |         bool save;
000173 |
000174 |         bool safezoneSettingsExist = FileExist(EXPANSION_SAFE_ZONES_SETTINGS);
000175 |
000176 |         if (safezoneSettingsExist)
000177 |         {
000178 |             ExpansionSafeZoneSettings settingsDefault = new ExpansionSafeZoneSettings;
000179 |             settingsDefault.Defaults();
000180 |
000181 |             ExpansionSafeZoneSettingsBase settingsBase;
000182 |
000183 |             JsonFileLoader<ExpansionSafeZoneSettingsBase>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, settingsBase);
000184 |
000185 |             if (settingsBase.m_Version < VERSION)
000186 |             {
000187 |                 EXPrint("[ExpansionSafeZoneSettingsBase] Load - Converting v" + settingsBase.m_Version + " \" + EXPANSION_SAFE_ZONES_SETTINGS + "\" to v" + VERSI
000188 | ON);
000189 |
000190 |                 if (settingsBase.m_Version < 2)
000191 |                 {
000192 |                     ExpansionSafeZoneSettingsV0 settings_v0;
000193 |                     JsonFileLoader<ExpansionSafeZoneSettingsV0>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, settings_v0);
000194 |
000195 |                     DisableVehicleDamageInSafeZone = settings_v0.EnableVehicleInvincibleInsideSafeZone;
000196 |
000197 |                     //! Copy over old settings that haven't changed
000198 |                     CopyInternal(settingsBase);
000199 |                 }
000200 |                 else
000201 |                 {
000202 |                     JsonFileLoader<ExpansionSafeZoneSettings>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, this);
000203 |                 }
000204 |
000205 |                 if (settingsBase.m_Version < 3)
000206 |                     EnableForceSZCleanup = settingsDefault.EnableForceSZCleanup;
000207 |
000208 |                 if (settingsBase.m_Version < 4)
000209 |                     ItemLifetimeInSafeZone = settingsDefault.ItemLifetimeInSafeZone;
000210 |
000211 |                 if (settingsBase.m_Version < 5)
000212 |                     ForceSZCleanup_ExcludedItems = settingsDefault.ForceSZCleanup_ExcludedItems;
000213 |
000214 |                 if (settingsBase.m_Version < 6)
000215 |                 {
```

```
000215 |         FrameRateCheckSafeZoneInMs = settingsDefault.FrameRateCheckSafeZoneInMs;
000216 |         ActorsPerTick = settingsDefault.ActorsPerTick;
000217 |     }
000218 |
000219 |     if (settingsBase.m_Version < 8)
000220 |         ForceSZCleanup_ExcludedItems.Insert("ExpansionVehicleCover");
000221 |
000222 |     if (settingsBase.m_Version < 9 && !VehicleLifetimeInSafeZone)
000223 |         VehicleLifetimeInSafeZone = settingsDefault.VehicleLifetimeInSafeZone;
000224 |
000225 |     if (settingsBase.m_Version < 11)
000226 |         DisablePlayerCollision = settingsDefault.DisablePlayerCollision;
000227 |
000228 |     m_Version = VERSION;
000229 |     save = true;
000230 | }
000231 | else
000232 | {
000233 |     JsonFileLoader<ExpansionSafeZoneSettings>.JsonLoadFile(EXPANSION_SAFE_ZONES_SETTINGS, this);
000234 | }
000235 | }
000236 | else
000237 | {
000238 |     EXPrint("[ExpansionSafeZoneSettings] No existing setting file:" + EXPANSION_SAFE_ZONES_SETTINGS + ". Creating defaults!");
000239 |     Defaults();
000240 |     save = true;
000241 | }
000242 |
000243 | if (save)
000244 |     Save();
000245 |
000246 | return safezoneSettingsExist;
000247 | }
000248 |
000249 | // -----
000250 | override bool OnSave()
000251 | {
000252 |     Print("[ExpansionSafeZoneSettings] Saving settings");
000253 |
000254 |     JsonFileLoader<ExpansionSafeZoneSettings>.JsonSaveFile( EXPANSION_SAFE_ZONES_SETTINGS, this );
000255 |
000256 |     return true;
000257 | }
000258 |
000259 | // -----
000260 | override void Defaults()
000261 | {
000262 |     m_Version = VERSION;
000263 |
000264 | #ifdef EXPANSIONMODMARKET
000265 |     Enabled = true;
000266 | #else
000267 |     Enabled = false;
000268 | #endif
000269 |     DisableVehicleDamageInSafeZone = true;
000270 |     FrameRateCheckSafeZoneInMs = 0;
000271 |     ActorsPerTick = 5;
000272 |     DisablePlayerCollision = false;
000273 |     EnableForceSZCleanup = true;
000274 |     ItemLifetimeInSafeZone = 15 * 60; //! 15 Minutes
000275 |     EnableForceSZCleanupVehicles = false;
000276 |     VehicleLifetimeInSafeZone = 60 * 60; //! 60 Minutes
```

```
000277 |
000278 | #ifdef CARCOVER
000279 |     ForceSZCleanup_ExcludedItems = {"CarCoverBase", "ExpansionVehicleCover"};
000280 | #endif
000281 |
000282 | #ifdef EXPANSIONMODMARKET
000283 |     switch (ExpansionStatic.GetCanonicalWorldName())
000284 |     {
000285 |         //! Vanilla Maps
000286 |         case "chernarusplus":
000287 |             DefaultChernarusSafeZones();
000288 |             break;
000289 |         case "namalsk":
000290 |             DefaultNamalskSafeZones();
000291 |             break;
000292 |         case "takistanplus":
000293 |             DefaultTakistanSafeZones();
000294 |             break;
000295 |     }
000296 | #endif
000297 | }
000298 |
000299 | #ifdef EXPANSIONMODMARKET
000300 | void DefaultChernarusSafeZones()
000301 | {
000302 |     //! Krasnostav Trader Camp
000303 |     TVectorArray points = new TVectorArray;
000304 |     points.Insert( Vector(12288.9, 142.4, 12804.4) );
000305 |     points.Insert( Vector(12068.4, 139.8, 12923.4) );
000306 |     points.Insert( Vector(11680.6, 141.1, 12650.6) );
000307 |     points.Insert( Vector(11805.3, 146.3, 12258.9) );
000308 |     points.Insert( Vector(12327.7, 140.0, 12453.8) );
000309 |     PolygonZones.Insert( new ExpansionSafeZonePolygon( points ) );
000310 |     //CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(12013.4, 140.0, 12556.7), 700 ) );
000311 |     //! Green Mountain Trader Camp
000312 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(3728.27, 403, 6003.6), 500 ) );
000313 |     //! Kamenka Trader Camp
000314 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(1143.14, 6.9, 2423.27), 700 ) );
000315 | }
000316 |
000317 | void DefaultNamalskSafeZones()
000318 | {
000319 |     //! Jalovisko Trader Camp
000320 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(8583.67, 29, 10515), 400 ) );
000321 | }
000322 |
000323 | void DefaultTakistanSafeZones()
000324 | {
000325 |     //! Marastar Oasis
000326 |     CircleZones.Insert( new ExpansionSafeZoneCircle( Vector(4611.26, 4.6, 12334.0), 500 ) );
000327 | }
000328 | #endif
000329 |
000330 | // -----
000331 | override string SettingName()
000332 | {
000333 |     return "Safe-Zone Settings";
000334 | }
000335 | };
000336 |
```

0114. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSound.c
Size bytes: 10136
SHA-256: 7b4e06c8a9f2eeda418cee90ac301cbebaea607a593af3ac11d76cf8b5071ddd
Decoded as: utf-8-sig
Line count shown: 407
Detected class declarations: 1
  L13: class ExpansionSound
Detected enum declarations: 0
Detected function/method-like declarations: 31
  L24: void ExpansionSound(notnull ExpansionSoundSet soundSet, vector position, Object parent = null)
  L35: void ~ExpansionSound()
  L48: static ExpansionSound Play(string soundSetName, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L58: static ExpansionSound Play(int soundSetID, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L68: static ExpansionSound Play(string soundSetName, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L78: static ExpansionSound Play(int soundSetID, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L88: void Play(float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L123: static ExpansionSound Stop(string soundSetName, vector position, float fadeOut = -1.0)
  L133: static ExpansionSound Stop(int soundSetID, vector position, float fadeOut = -1.0)
  L143: static ExpansionSound Stop(string soundSetName, notnull Object parent, float fadeOut = -1.0)
  L153: static ExpansionSound Stop(int soundSetID, notnull Object parent, float fadeOut = -1.0)
  L163: void Stop(float fadeOut = -1.0)
  L185: static ExpansionSound FadeIn(string soundSetName, vector position, float duration = -1.0)
  L195: static ExpansionSound FadeIn(int soundSetID, vector position, float duration = -1.0)
  L205: static ExpansionSound FadeIn(string soundSetName, notnull Object parent, float duration = -1.0)
  L215: static ExpansionSound FadeIn(int soundSetID, notnull Object parent, float duration = -1.0)
  L225: void FadeIn(float duration = -1.0)
  L244: static ExpansionSound FadeOut(string soundSetName, vector position, float duration = -1.0)
  L254: static ExpansionSound FadeOut(int soundSetID, vector position, float duration = -1.0)
  L264: static ExpansionSound FadeOut(string soundSetName, notnull Object parent, float duration = -1.0)
  L274: static ExpansionSound FadeOut(int soundSetID, notnull Object parent, float duration = -1.0)
  L284: void FadeOut(float duration = -1.0)
  L306: static ExpansionSound SetVolume(string soundSetName, vector position, float duration)
  L316: static ExpansionSound SetVolume(int soundSetID, vector position, float duration)
  L326: static ExpansionSound SetVolume(string soundSetName, notnull Object parent, float duration)
  L336: static ExpansionSound SetVolume(int soundSetID, notnull Object parent, float duration)
  L346: void SetVolume(float volume)
  L363: protected void OnStop()
  L374: void Unlink()
  L390: protected void WriteParams(ParamsWriteContext ctx, Param params = null)
  L399: protected void Send(ExpansionScriptRPC rpc)

```

Full file content

```

000001 | /**
000002 |  * ExpansionSound.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSound
000014 | {
000015 |     ExpansionSoundSet m_SoundSet;
000016 |     vector m_Position;

```



```
000017 | Object m_Parent;
000018 | ref EffectSound m_Sound;
000019 | float m_FadeIn;
000020 | float m_FadeOut;
000021 | bool m_Loop;
000022 | bool m_IsLinked;
000023 |
000024 | void ExpansionSound(notnull ExpansionSoundSet soundSet, vector position, Object parent = null)
000025 | {
000026 |     m_SoundSet = soundSet;
000027 |     m_Position = position;
000028 |     m_Parent = parent;
000029 |
000030 | #ifndef SERVER
000031 |     m_IsLinked = true;
000032 | #endif
000033 | }
000034 |
000035 | void ~ExpansionSound()
000036 | {
000037 |     if (!g_Game)
000038 |         return;
000039 |
000040 |     if (m_IsLinked)
000041 |         Unlink();
000042 |
000043 | #ifdef DIAG_DEVELOPER
000044 |     EXTrace.Print(EXTrace.SOUND, this, "::~~ExpansionSound() " + m_SoundSet.m_Name + " ID " + m_SoundSet.m_ID + " " + m_Position + " " + m_Parent + " " + m_Fad
eIn + " " + m_FadeOut + " " + m_Loop);
000045 | #endif
000046 | }
000047 |
000048 | static ExpansionSound Play(string soundSetName, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000049 | {
000050 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000051 |
000052 |     if (!soundSet)
000053 |         return null;
000054 |
000055 |     return soundSet.Play(position, fadeIn, fadeOut, loop);
000056 | }
000057 |
000058 | static ExpansionSound Play(int soundSetID, vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000059 | {
000060 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000061 |
000062 |     if (!soundSet)
000063 |         return null;
000064 |
000065 |     return soundSet.Play(position, fadeIn, fadeOut, loop);
000066 | }
000067 |
000068 | static ExpansionSound Play(string soundSetName, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000069 | {
000070 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000071 |
000072 |     if (!soundSet)
000073 |         return null;
000074 |
000075 |     return soundSet.Play(parent, fadeIn, fadeOut, loop);
000076 | }
000077 |
```

```
000078 | static ExpansionSound Play(int soundSetID, notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000079 | {
000080 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000081 |
000082 |     if (!soundSet)
000083 |         return null;
000084 |
000085 |     return soundSet.Play(parent, fadeIn, fadeOut, loop);
000086 | }
000087 |
000088 | void Play(float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000089 | {
000090 |     #ifdef EXTRACE_DIAG
000091 |         auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, fadeIn.ToString(), fadeOut.ToString(), loop.ToString());
000092 |     #endif
000093 |
000094 |     if (fadeIn >= 0.0)
000095 |         m_FadeIn = fadeIn;
000096 |
000097 |     if (fadeOut >= 0.0)
000098 |         m_FadeOut = fadeOut;
000099 |
000100 |     if (loop >= 0)
000101 |         m_Loop = loop;
000102 |
000103 |     #ifdef SERVER
000104 |         auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_Play");
000105 |         WriteParams(rpc);
000106 |         rpc.Write(m_FadeIn);
000107 |         rpc.Write(m_FadeOut);
000108 |         rpc.Write(m_Loop);
000109 |         Send(rpc);
000110 |     #else
000111 |         if (m_Sound)
000112 |             m_Sound.Event_OnSoundWaveEnded.Remove(OnStop);
000113 |
000114 |         if (m_Parent)
000115 |             m_Sound = SEffectManager.Expansion_PlaySoundOnObject(m_SoundSet.m_Name, m_Parent, m_FadeIn, m_FadeOut, m_Loop);
000116 |         else
000117 |             m_Sound = SEffectManager.Expansion_PlaySound(m_SoundSet.m_Name, m_Position, m_FadeIn, m_FadeOut, m_Loop);
000118 |
000119 |         m_Sound.Event_OnSoundWaveEnded.Insert(OnStop);
000120 |     #endif
000121 | }
000122 |
000123 | static ExpansionSound Stop(string soundSetName, vector position, float fadeOut = -1.0)
000124 | {
000125 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000126 |
000127 |     if (!soundSet)
000128 |         return null;
000129 |
000130 |     return soundSet.Stop(position, fadeOut);
000131 | }
000132 |
000133 | static ExpansionSound Stop(int soundSetID, vector position, float fadeOut = -1.0)
000134 | {
000135 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000136 |
000137 |     if (!soundSet)
000138 |         return null;
```

```
000139 |
000140 |     return soundSet.Stop(position, fadeOut);
000141 | }
000142 |
000143 | static ExpansionSound Stop(string soundSetName, notnull Object parent, float fadeOut = -1.0)
000144 | {
000145 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000146 |
000147 |     if (!soundSet)
000148 |         return null;
000149 |
000150 |     return soundSet.Stop(parent, fadeOut);
000151 | }
000152 |
000153 | static ExpansionSound Stop(int soundSetID, notnull Object parent, float fadeOut = -1.0)
000154 | {
000155 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000156 |
000157 |     if (!soundSet)
000158 |         return null;
000159 |
000160 |     return soundSet.Stop(parent, fadeOut);
000161 | }
000162 |
000163 | void Stop(float fadeOut = -1.0)
000164 | {
000165 |     #ifdef EXTRACE_DIAG
000166 |         auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, fadeOut.ToString());
000167 |     #endif
000168 |
000169 |     #ifdef SERVER
000170 |         auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_Stop");
000171 |         WriteParams(rpc);
000172 |         rpc.Write(fadeOut);
000173 |         Send(rpc);
000174 |     #else
000175 |         if (m_Sound)
000176 |         {
000177 |             if (fadeOut >= 0)
000178 |                 m_Sound.SetSoundFadeOut(fadeOut);
000179 |
000180 |             m_Sound.SoundStop();
000181 |         }
000182 |     #endif
000183 | }
000184 |
000185 | static ExpansionSound FadeIn(string soundSetName, vector position, float duration = -1.0)
000186 | {
000187 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000188 |
000189 |     if (!soundSet)
000190 |         return null;
000191 |
000192 |     return soundSet.FadeIn(position, duration);
000193 | }
000194 |
000195 | static ExpansionSound FadeIn(int soundSetID, vector position, float duration = -1.0)
000196 | {
000197 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000198 |
000199 |     if (!soundSet)
000200 |         return null;
```

```
000201 |
000202 |     return soundSet.FadeIn(position, duration);
000203 | }
000204 |
000205 | static ExpansionSound FadeIn(string soundSetName, notnull Object parent, float duration = -1.0)
000206 | {
000207 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000208 |
000209 |     if (!soundSet)
000210 |         return null;
000211 |
000212 |     return soundSet.FadeIn(parent, duration);
000213 | }
000214 |
000215 | static ExpansionSound FadeIn(int soundSetID, notnull Object parent, float duration = -1.0)
000216 | {
000217 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000218 |
000219 |     if (!soundSet)
000220 |         return null;
000221 |
000222 |     return soundSet.FadeIn(parent, duration);
000223 | }
000224 |
000225 | void FadeIn(float duration = -1.0)
000226 | {
000227 | #ifdef EXTRACE_DIAG
000228 |     auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, duration.ToString());
000229 | #endif
000230 |
000231 | #ifdef SERVER
000232 |     auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_FadeIn");
000233 |     WriteParams(rpc);
000234 |     rpc.Write(duration);
000235 |     Send(rpc);
000236 | #else
000237 |     if (duration < 0)
000238 |         duration = m_FadeIn;
000239 |
000240 |     Play(duration, m_FadeOut, m_Loop);
000241 | #endif
000242 | }
000243 |
000244 | static ExpansionSound FadeOut(string soundSetName, vector position, float duration = -1.0)
000245 | {
000246 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000247 |
000248 |     if (!soundSet)
000249 |         return null;
000250 |
000251 |     return soundSet.FadeOut(position, duration);
000252 | }
000253 |
000254 | static ExpansionSound FadeOut(int soundSetID, vector position, float duration = -1.0)
000255 | {
000256 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000257 |
000258 |     if (!soundSet)
000259 |         return null;
000260 |
000261 |     return soundSet.FadeOut(position, duration);
000262 | }
```

```
000263 |
000264 | static ExpansionSound FadeOut(string soundSetName, notnull Object parent, float duration = -1.0)
000265 | {
000266 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000267 |
000268 |     if (!soundSet)
000269 |         return null;
000270 |
000271 |     return soundSet.FadeOut(parent, duration);
000272 | }
000273 |
000274 | static ExpansionSound FadeOut(int soundSetID, notnull Object parent, float duration = -1.0)
000275 | {
000276 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000277 |
000278 |     if (!soundSet)
000279 |         return null;
000280 |
000281 |     return soundSet.FadeOut(parent, duration);
000282 | }
000283 |
000284 | void FadeOut(float duration = -1.0)
000285 | {
000286 | #ifdef EXTRACE_DIAG
000287 |     auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, duration.ToString());
000288 | #endif
000289 |
000290 | #ifdef SERVER
000291 |     auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_FadeOut");
000292 |     WriteParams(rpc);
000293 |     rpc.Write(duration);
000294 |     Send(rpc);
000295 | #else
000296 |     if (m_Sound)
000297 |     {
000298 |         if (duration >= 0)
000299 |             m_Sound.SetSoundFadeOut(duration);
000300 |
000301 |             m_Sound.SoundStop();
000302 |     }
000303 | #endif
000304 | }
000305 |
000306 | static ExpansionSound SetVolume(string soundSetName, vector position, float duration)
000307 | {
000308 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000309 |
000310 |     if (!soundSet)
000311 |         return null;
000312 |
000313 |     return soundSet.SetVolume(position, duration);
000314 | }
000315 |
000316 | static ExpansionSound SetVolume(int soundSetID, vector position, float duration)
000317 | {
000318 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000319 |
000320 |     if (!soundSet)
000321 |         return null;
000322 |
000323 |     return soundSet.SetVolume(position, duration);
000324 | }
```

```
000325 |
000326 | static ExpansionSound SetVolume(string soundSetName, notnull Object parent, float duration)
000327 | {
000328 |     auto soundSet = ExpansionSoundSet.Get(soundSetName);
000329 |
000330 |     if (!soundSet)
000331 |         return null;
000332 |
000333 |     return soundSet.SetVolume(parent, duration);
000334 | }
000335 |
000336 | static ExpansionSound SetVolume(int soundSetID, notnull Object parent, float duration)
000337 | {
000338 |     auto soundSet = ExpansionSoundSet.Get(soundSetID);
000339 |
000340 |     if (!soundSet)
000341 |         return null;
000342 |
000343 |     return soundSet.SetVolume(parent, duration);
000344 | }
000345 |
000346 | void SetVolume(float volume)
000347 | {
000348 | #ifdef EXTRACE_DIAG
000349 |     auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID, m_Position.ToString(), "" + m_Parent, volume.ToString());
000350 | #endif
000351 |
000352 | #ifdef SERVER
000353 |     auto rpc = ExpansionSoundModule.s_Instance.Expansion_CreateRPC("RPC_SetVolume");
000354 |     WriteParams(rpc);
000355 |     rpc.Write(volume);
000356 |     Send(rpc);
000357 | #else
000358 |     if (m_Sound)
000359 |         m_Sound.SetSoundVolume(volume);
000360 | #endif
000361 | }
000362 |
000363 | protected void OnStop()
000364 | {
000365 | #ifdef EXTRACE_DIAG
000366 |     auto trace = EXTrace.Start(EXTrace.SOUND, this, m_SoundSet.m_Name, "ID " + m_SoundSet.m_ID);
000367 | #endif
000368 |
000369 |     Unlink();
000370 |
000371 |     m_Sound = null;
000372 | }
000373 |
000374 | void Unlink()
000375 | {
000376 | #ifndef SERVER
000377 |     if (m_Parent)
000378 |         m_SoundSet.m_ObjectSounds.Remove(m_Parent);
000379 |     else
000380 |         m_SoundSet.m_PositionalSounds.Remove(m_Position.ToString());
000381 | #endif
000382 |
000383 |     m_IsLinked = false;
000384 |
000385 | #ifdef DIAG_DEVELOPER
000386 |     EXTrace.Print(EXTrace.SOUND, this, "::Unlink()");
```

```
000387 |     #endif
000388 | }
000389 |
000390 | protected void WriteParams(ParamsWriteContext ctx, Param params = null)
000391 | {
000392 |     ctx.Write(m_SoundSet.m_ID);
000393 |     if (!m_Parent)
000394 |         ctx.Write(m_Position);
000395 |     if (params)
000396 |         params.Serialize(ctx);
000397 | }
000398 |
000399 | protected void Send(ExpansionScriptRPC rpc)
000400 | {
000401 |     if (m_Parent)
000402 |         GetDayZGame().GetExpansionGame().Expansion_SendNear(rpc, m_Parent.GetPosition(), m_SoundSet.m_Range, m_Parent, true);
000403 |     else
000404 |         GetDayZGame().GetExpansionGame().Expansion_SendNear(rpc, m_Position, m_SoundSet.m_Range, null, true);
000405 | }
000406 | }
000407 |
```

0115. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundModule.c
Size bytes: 3467
SHA-256: 1db38065397785ea881f7bf23d92d37648c3893e944885a058b37442e9f9d0c4
Decoded as: utf-8-sig
Line count shown: 128
Detected class declarations: 1
  L18: class ExpansionSoundModule: CF_ModuleGame
Detected enum declarations: 0
Detected function/method-like declarations: 8
  L22: void ExpansionSoundModule()
  L27: override void OnInit()
  L39: void RPC_Play(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L54: void RPC_Stop(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L69: void RPC_FadeIn(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L84: void RPC_FadeOut(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L99: void RPC_SetVolume(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L114: protected bool ReadParams(Object target, ParamsReadContext ctx, out int soundSetID, out vector position, Param params)
```

Full file content

```
000001 | /**
000002 |  * ExpansionSoundModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSoundModule
000014 |  * @brief      This module provides functionality like playing sound for near players at given position
000015 |  */
000016 |
000017 | [CF_RegisterModule(ExpansionSoundModule)]
000018 | class ExpansionSoundModule: CF_ModuleGame
000019 | {
000020 |     static ExpansionSoundModule s_Instance;
000021 |
000022 |     void ExpansionSoundModule()
000023 |     {
000024 |         s_Instance = this;
000025 |     }
000026 |
000027 |     override void OnInit()
000028 |     {
000029 |         super.OnInit();
000030 |
000031 |         Expansion_EnableRPCManager();
000032 |         Expansion_RegisterClientRPC("RPC_Play");
000033 |         Expansion_RegisterClientRPC("RPC_Stop");
000034 |         Expansion_RegisterClientRPC("RPC_FadeIn");
000035 |         Expansion_RegisterClientRPC("RPC_FadeOut");
000036 |         Expansion_RegisterClientRPC("RPC_SetVolume");
000037 |     }
000038 |
000039 |     void RPC_Play(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```



```
000040 | {
000041 |     int soundSetID;
000042 |     vector position;
000043 |     auto params = new Param3<float, float, bool>(-1.0, -1.0, false); //!< fadeIn, fadeOut, loop
000044 |
000045 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000046 |         return;
000047 |
000048 |     if (target)
000049 |         ExpansionSound.Play(soundSetID, target, params.param1, params.param2, params.param3);
000050 |     else
000051 |         ExpansionSound.Play(soundSetID, position, params.param1, params.param2, params.param3);
000052 | }
000053 |
000054 | void RPC_Stop(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000055 | {
000056 |     int soundSetID;
000057 |     vector position;
000058 |     auto params = new Param1<float>(0.0); //!< fadeOut
000059 |
000060 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000061 |         return;
000062 |
000063 |     if (target)
000064 |         ExpansionSound.Stop(soundSetID, target, params.param1);
000065 |     else
000066 |         ExpansionSound.Stop(soundSetID, position, params.param1);
000067 | }
000068 |
000069 | void RPC_FadeIn(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000070 | {
000071 |     int soundSetID;
000072 |     vector position;
000073 |     auto params = new Param1<float>(0.0); //!< duration
000074 |
000075 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000076 |         return;
000077 |
000078 |     if (target)
000079 |         ExpansionSound.FadeIn(soundSetID, target, params.param1);
000080 |     else
000081 |         ExpansionSound.FadeIn(soundSetID, position, params.param1);
000082 | }
000083 |
000084 | void RPC_FadeOut(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000085 | {
000086 |     int soundSetID;
000087 |     vector position;
000088 |     auto params = new Param1<float>(0.0); //!< duration
000089 |
000090 |     if (!ReadParams(target, ctx, soundSetID, position, params))
000091 |         return;
000092 |
000093 |     if (target)
000094 |         ExpansionSound.FadeOut(soundSetID, target, params.param1);
000095 |     else
000096 |         ExpansionSound.FadeOut(soundSetID, position, params.param1);
000097 | }
000098 |
000099 | void RPC_SetVolume(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000100 | {
000101 |     int soundSetID;
```

```
000102 |         vector position;
000103 |         auto params = new Param1<float>(0.0); //!< volume
000104 |
000105 |         if (!ReadParams(target, ctx, soundSetID, position, params))
000106 |             return;
000107 |
000108 |         if (target)
000109 |             ExpansionSound.SetVolume(soundSetID, target, params.param1);
000110 |         else
000111 |             ExpansionSound.SetVolume(soundSetID, position, params.param1);
000112 |     }
000113 |
000114 | protected bool ReadParams(Object target, ParamsReadContext ctx, out int soundSetID, out vector position, Param params)
000115 | {
000116 |     if (!ctx.Read(soundSetID))
000117 |         return false;
000118 |
000119 |     if (!target && !ctx.Read(position))
000120 |         return false;
000121 |
000122 |     if (!params.Deserializer(ctx))
000123 |         return false;
000124 |
000125 |     return true;
000126 | }
000127 | }
000128 |
```

0116. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Sound\ExpansionSoundSet.c
Size bytes: 4682
SHA-256: a3d08fe72cf2ed7cce8d750f8e0e07e9ce3ff29e21372caea23e63c37a85d9d9
Decoded as: utf-8-sig
Line count shown: 208
Detected class declarations: 1
  L13: class ExpansionSoundSet
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L27: void ExpansionSoundSet(string name)
  L44: static ExpansionSoundSet Register(string name)
  L58: static ExpansionSoundSet Get(string name)
  L68: static ExpansionSoundSet Get(int soundSetID)
  L78: ExpansionSound GetSound(vector position, bool create = true)
  L95: ExpansionSound GetSound(Object parent, bool create = true)
  L112: ExpansionSound Play(vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L121: ExpansionSound Play(notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
  L130: ExpansionSound Stop(vector position, float fadeOut = -1.0)
  L140: ExpansionSound Stop(notnull Object parent, float fadeOut = -1.0)
  L150: ExpansionSound FadeIn(vector position, float duration = -1.0)
  L159: ExpansionSound FadeIn(notnull Object parent, float duration = -1.0)
  L168: ExpansionSound FadeOut(vector position, float duration = -1.0)
  L178: ExpansionSound FadeOut(notnull Object parent, float duration = -1.0)
  L188: ExpansionSound SetVolume(vector position, float volume)
  L198: ExpansionSound SetVolume(notnull Object parent, float volume)

```

Full file content

```

000001 | /**
000002 |  * ExpansionSoundSet.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSoundSet
000014 | {
000015 |     static ref map<int, ref ExpansionSoundSet> s_RegisteredSoundSets_ByID = new map<int, ref ExpansionSoundSet>;
000016 |     static ref map<string, ExpansionSoundSet> s_RegisteredSoundSets_ByName = new map<string, ExpansionSoundSet>;
000017 |
000018 |     string m_Name;
000019 |     int m_ID;
000020 |     float m_Range;
000021 |
000022 | #ifndef SERVER
000023 |     ref map<string, ref ExpansionSound> m_PositionalSounds = new map<string, ref ExpansionSound>;
000024 |     ref map<Object, ref ExpansionSound> m_ObjectSounds = new map<Object, ref ExpansionSound>;
000025 | #endif
000026 |
000027 |     void ExpansionSoundSet(string name)
000028 |     {
000029 |         m_Name = name;
000030 |         m_ID = name.Hash();
000031 |

```

```
000032 |     TStringArray soundShaders = {};
000033 |     g_Game.ConfigGetTextArray("CfgSoundSets " + name + " soundShaders", soundShaders);
000034 |     foreach (string soundShader: soundShaders)
000035 |     {
000036 |         m_Range = Math.Max(g_Game.ConfigGetFloat("CfgSoundShaders " + soundShader + " range"), m_Range);
000037 |     }
000038 |
000039 | #ifdef DIAG_DEVELOPER
000040 |     EXTrace.Print(EXTrace.SOUND, this, name + " ID " + m_ID + " range " + m_Range);
000041 | #endif
000042 | }
000043 |
000044 | static ExpansionSoundSet Register(string name)
000045 | {
000046 |     ExpansionSoundSet soundSet;
000047 |
000048 |     if (!s_RegisteredSoundSets_ByName.Find(name, soundSet))
000049 |     {
000050 |         soundSet = new ExpansionSoundSet(name);
000051 |         s_RegisteredSoundSets_ByID[soundSet.m_ID] = soundSet;
000052 |         s_RegisteredSoundSets_ByName[name] = soundSet;
000053 |     }
000054 |
000055 |     return soundSet;
000056 | }
000057 |
000058 | static ExpansionSoundSet Get(string name)
000059 | {
000060 |     auto soundSet = s_RegisteredSoundSets_ByName[name];
000061 |
000062 |     if (!soundSet)
000063 |         Error("Not a registered soundset: " + name);
000064 |
000065 |     return soundSet;
000066 | }
000067 |
000068 | static ExpansionSoundSet Get(int soundSetID)
000069 | {
000070 |     auto soundSet = s_RegisteredSoundSets_ByID[soundSetID];
000071 |
000072 |     if (!soundSet)
000073 |         Error("Not a registered soundset ID: " + soundSetID);
000074 |
000075 |     return soundSet;
000076 | }
000077 |
000078 | ExpansionSound GetSound(vector position, bool create = true)
000079 | {
000080 |     ExpansionSound sound;
000081 |
000082 | #ifndef SERVER
000083 |     if (!m_PositionalSounds.Find(position.ToString(), sound) && create)
000084 |     {
000085 | #endif
000086 |         sound = new ExpansionSound(this, position);
000087 | #ifndef SERVER
000088 |         m_PositionalSounds[position.ToString()] = sound;
000089 |     }
000090 | #endif
000091 |
000092 |     return sound;
000093 | }
```

```
000094 |
000095 | ExpansionSound GetSound(Object parent, bool create = true)
000096 | {
000097 |     ExpansionSound sound;
000098 |
000099 | #ifndef SERVER
000100 |     if (!m_ObjectSounds.Find(parent, sound) && create)
000101 |     {
000102 | #endif
000103 |         sound = new ExpansionSound(this, vector.Zero, parent);
000104 | #ifndef SERVER
000105 |         m_ObjectSounds[parent] = sound;
000106 |     }
000107 | #endif
000108 |
000109 |     return sound;
000110 | }
000111 |
000112 | ExpansionSound Play(vector position, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000113 | {
000114 |     ExpansionSound sound = GetSound(position);
000115 |
000116 |     sound.Play(fadeIn, fadeOut, loop);
000117 |
000118 |     return sound;
000119 | }
000120 |
000121 | ExpansionSound Play(notnull Object parent, float fadeIn = -1.0, float fadeOut = -1.0, int loop = -1)
000122 | {
000123 |     ExpansionSound sound = GetSound(parent);
000124 |
000125 |     sound.Play(fadeIn, fadeOut, loop);
000126 |
000127 |     return sound;
000128 | }
000129 |
000130 | ExpansionSound Stop(vector position, float fadeOut = -1.0)
000131 | {
000132 |     ExpansionSound sound = GetSound(position, false);
000133 |
000134 |     if (sound)
000135 |         sound.Stop(fadeOut);
000136 |
000137 |     return sound;
000138 | }
000139 |
000140 | ExpansionSound Stop(notnull Object parent, float fadeOut = -1.0)
000141 | {
000142 |     ExpansionSound sound = GetSound(parent, false);
000143 |
000144 |     if (sound)
000145 |         sound.Stop(fadeOut);
000146 |
000147 |     return sound;
000148 | }
000149 |
000150 | ExpansionSound FadeIn(vector position, float duration = -1.0)
000151 | {
000152 |     ExpansionSound sound = GetSound(position);
000153 |
000154 |     sound.FadeIn(duration);
000155 | }
```

```
000156 |     return sound;
000157 | }
000158 |
000159 | ExpansionSound FadeIn(notnull Object parent, float duration = -1.0)
000160 | {
000161 |     ExpansionSound sound = GetSound(parent);
000162 |
000163 |     sound.FadeIn(duration);
000164 |
000165 |     return sound;
000166 | }
000167 |
000168 | ExpansionSound FadeOut(vector position, float duration = -1.0)
000169 | {
000170 |     ExpansionSound sound = GetSound(position, false);
000171 |
000172 |     if (sound)
000173 |         sound.FadeOut(duration);
000174 |
000175 |     return sound;
000176 | }
000177 |
000178 | ExpansionSound FadeOut(notnull Object parent, float duration = -1.0)
000179 | {
000180 |     ExpansionSound sound = GetSound(parent, false);
000181 |
000182 |     if (sound)
000183 |         sound.FadeOut(duration);
000184 |
000185 |     return sound;
000186 | }
000187 |
000188 | ExpansionSound SetVolume(vector position, float volume)
000189 | {
000190 |     ExpansionSound sound = GetSound(position, false);
000191 |
000192 |     if (sound)
000193 |         sound.SetVolume(volume);
000194 |
000195 |     return sound;
000196 | }
000197 |
000198 | ExpansionSound SetVolume(notnull Object parent, float volume)
000199 | {
000200 |     ExpansionSound sound = GetSound(parent, false);
000201 |
000202 |     if (sound)
000203 |         sound.SetVolume(volume);
000204 |
000205 |     return sound;
000206 | }
000207 | }
000208 |
```

0117. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\SyncEvents.c

Size bytes: 944

SHA-256: 62a021056dc367e3cb4c0223ccfd15205b22da60fe0ac52b1e6e42be3004333e

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L13: modded class SyncEvents

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: override static void SendPlayerList()

Full file content

```
000001 | /**
000002 |  * SyncEvents.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2023 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class SyncEvents
000014 | {
000015 |     static ref map<string, bool> s_Expansion_RespawningUIDs = new map<string, bool>;
000016 |     static bool s_Expansion_IsClientRespawn;
000017 |
000018 |     override static void SendPlayerList()
000019 |     {
000020 |         if (s_Expansion_IsClientRespawn)
000021 |         {
000022 |             EXTrace.Print(EXTrace.PLAYER, SyncEvents, "Client respawn - not sending playerlist");
000023 |             s_Expansion_IsClientRespawn = false;
000024 |             return;
000025 |         }
000026 |
000027 |         SyncData data = new SyncData;
000028 |         data.m_ServerPlayerList = new SyncPlayerList;
000029 |         data.m_ServerPlayerList.CreatePlayerList();
000030 |
000031 |         SendSyncEvent( ERPCs.RPC_SYNC_EVENT, ESyncevent.PlayerList, data, true );
000032 |     }
000033 | }
000034 |
```

0118. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionItemNameTable.c

Size bytes: 5951

SHA-256: fc6244b32c04bfd47c14cf523b3690e512687f5036cf6ea7ac65db5eccf3ec4b

Decoded as: utf-8-sig

Line count shown: 241

Detected class declarations: 1

L13: class ExpansionItemNameTable

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: static void LoadNameTable()

L110: static void Hash(string type, out int hashA, out int hashB)

L117: static void WriteHash(ParamsWriteContext ctx, int hashA, int hashB)

L124: static bool ReadHash(ParamsReadContext ctx, out int hashA, out int hashB)

L138: static void WriteHash(ExpansionBitStreamWriter writer, int hashA, int hashB)

L144: static bool ReadHash(ExpansionBitStreamReader reader, out int hashA, out int hashB)

L155: static bool IsHashColliding(string type)

L163: static string GetTypeByHash(int hashA, int hashB)

L172: static string GetTypeLowerByHash(int hashA, int hashB)

L179: static array<string> GetTypeNamesByString(string displayName)

Full file content

```
000001 | /**
000002 |  * ExpansionItemNameTable.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionItemNameTable
000014 | {
000015 |     static ref map<string, ref array<string>> s_NameTable = new map<string, ref array<string>>;
000016 |     static ref map<int, ref map<int, string>> s_HashTable = new map<int, ref map<int, string>>;
000017 |     static ref set<string> s_Collisions = new set<string>;
000018 |
000019 |     static void LoadNameTable()
000020 |     {
000021 |         #ifdef EXTRACE
000022 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionItemNameTable);
000023 |         #endif
000024 |
000025 |         if (s_NameTable.Count() > 0)
000026 |             return;
000027 |
000028 |         array<string> configClasses = {CFG_WEAPONSPATH, CFG_MAGAZINESPATH, CFG_VEHICLESPTH};
000029 |         foreach(string configClass: configClasses)
000030 |         {
000031 |             int childCount = g_Game.ConfigGetChildrenCount(configClass);
000032 |             for (int i = 0; i < childCount; i++)
000033 |             {
000034 |                 string childName;
000035 |                 g_Game.ConfigGetChildName(configClass, i, childName);
000036 |
000037 |                 int scope = g_Game.ConfigGetInt(configClass + " " + childName + " scope");
```



```
000038 |         if (scope != 2)
000039 |             continue;
000040 |
000041 |         //! -----
000042 |
000043 |         //! Item name table - maps display name to types
000044 |
000045 |         string displayName;
000046 |         g_Game.ConfigGetText(configClass + " " + childName + " displayName", displayName);
000047 |         string childNameLower = childName;
000048 |         childNameLower.ToLower();
000049 |
000050 |         if (displayName != "")
000051 |         {
000052 |             displayName.ToLower();
000053 |
000054 |             array<string> currentTypes;
000055 |             if (!s_NameTable.Find(displayName, currentTypes))
000056 |             {
000057 |                 currentTypes = new array<string>;
000058 |                 s_NameTable[displayName] = currentTypes;
000059 |             }
000060 |
000061 |             if (currentTypes.Find(childNameLower) == -1)
000062 |                 currentTypes.Insert(childNameLower);
000063 |         }
000064 |
000065 |         //! -----
000066 |
000067 |         //! Hash table - maps hash to type. We use a combined 16 bit + 8 bit hash for optimized network efficiency
000068 |
000069 |         int hashA;
000070 |         int hashB;
000071 |         Hash(childNameLower, hashA, hashB);
000072 |
000073 |         map<int, string> hashTable;
000074 |         if (!s_HashTable.Find(hashA, hashTable))
000075 |         {
000076 |             hashTable = new map<int, string>;
000077 |             s_HashTable[hashA] = hashTable;
000078 |         }
000079 |
000080 |         if (hashTable.Contains(hashB))
000081 |         {
000082 |             #ifdef DIAG_DEVELOPER
000083 |                 EXError.Info(null, "Hash collision: " + childName + " collides with " + hashTable[hashB], {});
000084 |             #endif
000085 |             s_Collisions.Insert(childNameLower);
000086 |         }
000087 |         else
000088 |         {
000089 |             hashTable[hashB] = childName;
000090 |         }
000091 |     }
000092 | }
000093 |
000094 | #ifdef EXTRACE
000095 | trace = null;
000096 | #endif
000097 |
000098 | #ifdef DIAG_DEVELOPER
000099 | foreach(string dN, array<string> tN: s_NameTable)
```

```
000100 |     {
000101 |         ErroEx("Display name:" + dN + " | Types count: " + tN.Count(), ErroExSeverity.INFO);
000102 |         foreach(string t: tN)
000103 |         {
000104 |             ErroEx("----- Type:" + t, ErroExSeverity.INFO);
000105 |         }
000106 |     }
000107 | #endif
000108 | }
000109 |
000110 | static void Hash(string type, out int hashA, out int hashB)
000111 | {
000112 |     ExpansionString tmp = type;
000113 |     hashA = tmp.DJB2Hash() & 0xffff;
000114 |     hashB = tmp.JenkinsHash() & 0xff;
000115 | }
000116 |
000117 | static void WriteHash(ParamsWriteContext ctx, int hashA, int hashB)
000118 | {
000119 |     int hash = hashA;
000120 |     hash |= hashB << 16;
000121 |     ctx.Write(hash);
000122 | }
000123 |
000124 | static bool ReadHash(ParamsReadContext ctx, out int hashA, out int hashB)
000125 | {
000126 |     int hash;
000127 |     if (!ctx.Read(hash))
000128 |         return false;
000129 |
000130 |     hashA = hash & 0x0000ffff;
000131 |
000132 |     int shift = 16;
000133 |     hashB = ExpansionBitStream.Unpack(hash, 8, shift);
000134 |
000135 |     return true;
000136 | }
000137 |
000138 | static void WriteHash(ExpansionBitStreamWriter writer, int hashA, int hashB)
000139 | {
000140 |     writer.WriteUInt(hashA, 16);
000141 |     writer.WriteUInt(hashB, 8);
000142 | }
000143 |
000144 | static bool ReadHash(ExpansionBitStreamReader reader, out int hashA, out int hashB)
000145 | {
000146 |     if (!reader.ReadUInt(hashA, 16))
000147 |         return false;
000148 |
000149 |     if (!reader.ReadUInt(hashB, 8))
000150 |         return false;
000151 |
000152 |     return true;
000153 | }
000154 |
000155 | static bool IsHashColliding(string type)
000156 | {
000157 |     type.ToLower();
000158 |     if (s_Collisions.Find(type) > -1)
000159 |         return true;
000160 |     return false;
000161 | }
```

```
000162 |
000163 | static string GetTypeByHash(int hashA, int hashB)
000164 | {
000165 |     map<int, string> hashTable;
000166 |     if (s_HashTable.Find(hashA, hashTable))
000167 |         return hashTable[hashB];
000168 |
000169 |     return "";
000170 | }
000171 |
000172 | static string GetTypeLowerByHash(int hashA, int hashB)
000173 | {
000174 |     string type = GetTypeByHash(hashA, hashB);
000175 |     type.ToLower();
000176 |     return type;
000177 | }
000178 |
000179 | static array<string> GetTypeNamesByString(string displayName)
000180 | {
000181 |     TStringArray validTypeNames = {};
000182 |     string lowerName = displayName;
000183 |     lowerName.ToLower();
000184 |     TStringArray tokens = {};
000185 |     lowerName.Split(" ", tokens);
000186 |
000187 |     set<string> dST = new set<string>;
000188 |     foreach (string sM: tokens)
000189 |     {
000190 |         dST.Insert(sM);
000191 |     }
000192 |
000193 |     foreach(string dN, array<string> tN: s_NameTable)
000194 |     {
000195 |         #ifdef DIAG_DEVELOPER
000196 |         ErrorEx("Display name: " + dN + " | Types count: " + tN.Count(), ErrorExSeverity.INFO);
000197 |         #endif
000198 |
000199 |         TStringArray dNT = {};
000200 |         if (dN.IndexOf(" ") > -1)
000201 |             dN.Split(" ", dNT);
000202 |         else
000203 |             dNT.Insert(dN);
000204 |
000205 |         set<string> dNST = new set<string>;
000206 |         foreach (string sT: dNT)
000207 |         {
000208 |             dNST.Insert(sT);
000209 |         }
000210 |
000211 |         foreach(string dW: dST) //! Display name tokens
000212 |         {
000213 |             foreach(string nW: dNST) //! Type name tokens
000214 |             {
000215 |                 #ifdef DIAG_DEVELOPER
000216 |                 ErrorEx("Compare [" + nW + "] with [" + dW + "]", ErrorExSeverity.INFO);
000217 |                 #endif
000218 |                 if (nW.IndexOf(dW) != -1)
000219 |                 {
000220 |                     #ifdef DIAG_DEVELOPER
000221 |                     ErrorEx("Compare [" + nW + "] with [" + dW + "] - LEGIT", ErrorExSeverity.INFO);
000222 |                     #endif
000223 |                     foreach(string t: tN)
```

```
000224 |         {
000225 |             if (validTypeNames.Find(t) == -1)
000226 |                 validTypeNames.Insert(t);
000227 |         }
000228 |     }
000229 |     #ifdef DIAG_DEVELOPER
000230 |     else
000231 |     {
000232 |         ErrorEx("Compare [" + nW + "] with [" + dW + "] - SKIP", ErrorExSeverity.INFO);
000233 |     }
000234 |     #endif
000235 | }
000236 |     }
000237 | }
000238 |
000239 | return validTypeNames;
000240 | }
000241 | }
```

0119. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonFileParser.c

Size bytes: 36820

SHA-256: 7497128fc237bb6fdd82facbd03e875c37b647a2081ec2d5faf70db0da2d6658

Decoded as: utf-8-sig

Line count shown: 1966

Detected class declarations: 12

```
L13: class ExpansionJsonFileParser<Class T>
L71: class ExpansionJSONElementBase: JsonApiStruct
L215: class ExpansionJSONBool: ExpansionJSONElementBase
L260: class ExpansionJSONFloat: ExpansionJSONElementBase
L308: class ExpansionJSONInt: ExpansionJSONElementBase
L353: class ExpansionJSONNull: ExpansionJSONElementBase
L371: class ExpansionJSONString: ExpansionJSONElementBase
L419: class ExpansionJSONUndefined: ExpansionJSONElementBase
L427: class ExpansionJSONCollection: ExpansionJSONElementBase
L435: class ExpansionJSONArray: ExpansionJSONCollection
L566: class ExpansionJSONObject: ExpansionJSONCollection
L666: class ExpansionJSON: ExpansionJSONElementBase
```

Detected enum declarations: 0

Detected function/method-like declarations: 80

```
L17: static bool Load(string filename, out T data)
L44: static void Save(string filename, T data)
L55: static bool ReadFromString(string string_data, out T data, out string error = string.Empty)
L63: static string AsString(T data)
L78: typename GetValueType()
L84: array<ref ExpansionJSONElementBase> GetArray()
L89: map<string, ref ExpansionJSONElementBase> GetMap()
L94: TBoolArray GetBoolArray()
L99: TIntArray GetIntArray()
L104: TFloatArray GetFloatArray()
L109: TStringArray GetStringArray()
L114: int Insert(ExpansionJSONElementBase element)
L119: int InsertAt(ExpansionJSONElementBase element, int index)
L124: bool Insert(string name, ExpansionJSONElementBase element)
L129: void Set(string name, ExpansionJSONElementBase element)
L133: ExpansionJSONElementBase Get(int index)
L138: ExpansionJSONElementBase Get(string name)
L143: bool GetBool()
L148: int GetInt()
L153: float GetFloat()
L158: string GetString()
L163: override string GetDebugName()
L165: return ToString();
L168: bool IsNull()
L173: bool IsUndefined()
L178: bool IsCollection()
L183: bool IsArray()
L188: bool IsObject()
L193: int Count()
L198: string ToJSONString(bool pretty = true)
L203: static string ToJSONString(string value)
L219: void ExpansionJSONBool(bool value)
L224: override typename GetValueType()
L229: override bool GetBool()
L234: override int GetInt()
L239: override float GetFloat()
L244: override string GetString()
L249: override string GetDebugName()
```

```
L254: override string ToJSONString(bool pretty = true)
L256: return GetString();
L264: void ExpansionJSONFloat(float value)
L269: override typename GetValueType()
L274: override bool GetBool()
L279: override int GetInt()
L284: override float GetFloat()
L289: override string GetString()
L297: override string GetDebugName()
L302: override string ToJSONString(bool pretty = true)
L304: return GetString();
L312: void ExpansionJSONInt(int value)
L317: override typename GetValueType()
L322: override bool GetBool()
L327: override int GetInt()
L332: override float GetFloat()
L337: override string GetString()
L342: override string GetDebugName()
L347: override string ToJSONString(bool pretty = true)
L349: return GetString();
L355: override bool IsNull()
L360: override string GetString()
L365: override string ToJSONString(bool pretty = true)
L375: void ExpansionJSONString(string value)
L380: override typename GetValueType()
L385: override bool GetBool()
L393: override int GetInt()
L398: override float GetFloat()
L403: override string GetString()
L408: override string GetDebugName()
L413: override string ToJSONString(bool pretty = true)
L415: return ToJSONString(m_Value);
L421: override bool IsUndefined()
L429: override bool IsCollection()
L439: override typename GetValueType()
L444: override array<ref ExpansionJSONElementBase> GetArray()
L449: override TBoolArray GetBoolArray()
L461: override TIntArray GetIntArray()
L473: override TFloatArray GetFloatArray()
L485: override TStringArray GetStringArray()
L497: override int Insert(ExpansionJSONElementBase element)
L502: override int InsertAt(ExpansionJSONElementBase element, int index)
... detector capped this preview at 80 entries; full code follows.
```

Full file content

```
000001 | /**
000002 |  * ExpansionJsonFileParser.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionJsonFileParser<Class T>
000014 | {
000015 |     protected static ref JsonSerializer m_Serializer = new JsonSerializer;
000016 | }
```

```
000017 | static bool Load(string filename, out T data)
000018 | {
000019 |     if (!FileExist(filename))
000020 |         return false;
000021 |
000022 |     FileHandle handle = OpenFile(filename, FileMode.READ);
000023 |     if (!handle)
000024 |         return false;
000025 |
000026 |     string file_content;
000027 |     string line_content;
000028 |
000029 |     while (FGets(handle, line_content) >= 0)
000030 |     {
000031 |         file_content += line_content;
000032 |     }
000033 |
000034 |     CloseFile(handle);
000035 |
000036 |     string error;
000037 |     bool ret = ReadFromString(file_content, data, error);
000038 |     if (!ret)
000039 |         Error(string.Format("File %1:\n%2", filename, error));
000040 |
000041 |     return ret;
000042 | }
000043 |
000044 | static void Save(string filename, T data)
000045 | {
000046 |     FileHandle handle = OpenFile(filename, FileMode.WRITE);
000047 |     if (!handle)
000048 |         return;
000049 |
000050 |     FPrint(handle, AsString(data));
000051 |
000052 |     CloseFile(handle);
000053 | }
000054 |
000055 | static bool ReadFromString(string string_data, out T data, out string error = string.Empty)
000056 | {
000057 |     if (m_Serializer.ReadFromString(data, string_data, error))
000058 |         return true;
000059 |
000060 |     return false;
000061 | }
000062 |
000063 | static string AsString(T data)
000064 | {
000065 |     string string_data;
000066 |     m_Serializer.WriteString(data, true, string_data);
000067 |     return string_data;
000068 | }
000069 | }
000070 |
000071 | class ExpansionJSONElementBase: JsonApiStruct
000072 | {
000073 |     static const string BACKSPACE = (8).AsciiToString();
000074 |     static const string FORMFEED = (12).AsciiToString();
000075 |
000076 |     static string s_Indent;
000077 |
000078 |     typename GetValueType()
```

```
000079 | {
000080 |     typename nullType;
000081 |     return nullType;
000082 | }
000083 |
000084 | array<ref ExpansionJSONElementBase> GetArray()
000085 | {
000086 |     return null;
000087 | }
000088 |
000089 | map<string, ref ExpansionJSONElementBase> GetMap()
000090 | {
000091 |     return null;
000092 | }
000093 |
000094 | TBoolArray GetBoolArray()
000095 | {
000096 |     return null;
000097 | }
000098 |
000099 | TIntArray GetIntArray()
000100 | {
000101 |     return null;
000102 | }
000103 |
000104 | TFloatArray GetFloatArray()
000105 | {
000106 |     return null;
000107 | }
000108 |
000109 | TStringArray GetStringArray()
000110 | {
000111 |     return null;
000112 | }
000113 |
000114 | int Insert(ExpansionJSONElementBase element)
000115 | {
000116 |     return 0;
000117 | }
000118 |
000119 | int InsertAt(ExpansionJSONElementBase element, int index)
000120 | {
000121 |     return 0;
000122 | }
000123 |
000124 | bool Insert(string name, ExpansionJSONElementBase element)
000125 | {
000126 |     return false;
000127 | }
000128 |
000129 | void Set(string name, ExpansionJSONElementBase element)
000130 | {
000131 | }
000132 |
000133 | ExpansionJSONElementBase Get(int index)
000134 | {
000135 |     return new ExpansionJSONUndefined;
000136 | }
000137 |
000138 | ExpansionJSONElementBase Get(string name)
000139 | {
000140 |     return new ExpansionJSONUndefined;
```



```
000141 | }
000142 |
000143 | bool GetBool()
000144 | {
000145 |     return false;
000146 | }
000147 |
000148 | int GetInt()
000149 | {
000150 |     return 0;
000151 | }
000152 |
000153 | float GetFloat()
000154 | {
000155 |     return 0.0;
000156 | }
000157 |
000158 | string GetString()
000159 | {
000160 |     return string.Empty;
000161 | }
000162 |
000163 | override string GetDebugName()
000164 | {
000165 |     return ToString();
000166 | }
000167 |
000168 | bool IsNull()
000169 | {
000170 |     return false;
000171 | }
000172 |
000173 | bool IsUndefined()
000174 | {
000175 |     return false;
000176 | }
000177 |
000178 | bool IsCollection()
000179 | {
000180 |     return false;
000181 | }
000182 |
000183 | bool IsArray()
000184 | {
000185 |     return false;
000186 | }
000187 |
000188 | bool IsObject()
000189 | {
000190 |     return false;
000191 | }
000192 |
000193 | int Count()
000194 | {
000195 |     return 0;
000196 | }
000197 |
000198 | string ToJSONString(bool pretty = true)
000199 | {
000200 |     return "";
000201 | }
000202 |
```

```
000203 | static string ToJSONString(string value)
000204 | {
000205 |     value.Replace(BACKSPACE, "\\b");
000206 |     value.Replace(FORMFEED, "\\f");
000207 |     value.Replace("\\n", "\\n");
000208 |     value.Replace("\\r", "\\r");
000209 |     value.Replace("\\t", "\\t");
000210 |     value.Replace("\\\"", "\\\" + \"\\\"");
000211 |     return string.Format("\"%1\"", value);
000212 | }
000213 | }
000214 |
000215 | class ExpansionJSONBool: ExpansionJSONElementBase
000216 | {
000217 |     bool m_Value;
000218 |
000219 |     void ExpansionJSONBool(bool value)
000220 |     {
000221 |         m_Value = value;
000222 |     }
000223 |
000224 |     override typename GetValueType()
000225 |     {
000226 |         return bool;
000227 |     }
000228 |
000229 |     override bool GetBool()
000230 |     {
000231 |         return m_Value;
000232 |     }
000233 |
000234 |     override int GetInt()
000235 |     {
000236 |         return m_Value;
000237 |     }
000238 |
000239 |     override float GetFloat()
000240 |     {
000241 |         return m_Value;
000242 |     }
000243 |
000244 |     override string GetString()
000245 |     {
000246 |         return m_Value.ToString();
000247 |     }
000248 |
000249 |     override string GetDebugName()
000250 |     {
000251 |         return string.Format("%1(%2)", ToString(), GetString());
000252 |     }
000253 |
000254 |     override string ToJSONString(bool pretty = true)
000255 |     {
000256 |         return GetString();
000257 |     }
000258 | }
000259 |
000260 | class ExpansionJSONFloat: ExpansionJSONElementBase
000261 | {
000262 |     float m_Value;
000263 |
000264 |     void ExpansionJSONFloat(float value)
```

```
000265 | {
000266 |     m_Value = value;
000267 | }
000268 |
000269 | override typename GetValueType()
000270 | {
000271 |     return float;
000272 | }
000273 |
000274 | override bool GetBool()
000275 | {
000276 |     return m_Value;
000277 | }
000278 |
000279 | override int GetInt()
000280 | {
000281 |     return m_Value;
000282 | }
000283 |
000284 | override float GetFloat()
000285 | {
000286 |     return m_Value;
000287 | }
000288 |
000289 | override string GetString()
000290 | {
000291 |     string s = m_Value.ToString();
000292 |     if (s.IndexOf(".") == -1 && s.IndexOf("e") == -1)
000293 |         s += ".0";
000294 |     return s;
000295 | }
000296 |
000297 | override string GetDebugName()
000298 | {
000299 |     return string.Format("%1(%2)", ToString(), GetString());
000300 | }
000301 |
000302 | override string ToJSONString(bool pretty = true)
000303 | {
000304 |     return GetString();
000305 | }
000306 | }
000307 |
000308 | class ExpansionJSONInt: ExpansionJSONElementBase
000309 | {
000310 |     int m_Value;
000311 |
000312 |     void ExpansionJSONInt(int value)
000313 |     {
000314 |         m_Value = value;
000315 |     }
000316 |
000317 |     override typename GetValueType()
000318 |     {
000319 |         return int;
000320 |     }
000321 |
000322 |     override bool GetBool()
000323 |     {
000324 |         return m_Value;
000325 |     }
000326 | }
```

```
000327 |     override int GetInt()
000328 |     {
000329 |         return m_Value;
000330 |     }
000331 |
000332 |     override float GetFloat()
000333 |     {
000334 |         return m_Value;
000335 |     }
000336 |
000337 |     override string GetString()
000338 |     {
000339 |         return m_Value.ToString();
000340 |     }
000341 |
000342 |     override string GetDebugName()
000343 |     {
000344 |         return string.Format("%1(%2)", ToString(), m_Value);
000345 |     }
000346 |
000347 |     override string ToJSONString(bool pretty = true)
000348 |     {
000349 |         return GetString();
000350 |     }
000351 | }
000352 |
000353 | class ExpansionJSONNull: ExpansionJSONElementBase
000354 | {
000355 |     override bool IsNull()
000356 |     {
000357 |         return true;
000358 |     }
000359 |
000360 |     override string GetString()
000361 |     {
000362 |         return "NULL";
000363 |     }
000364 |
000365 |     override string ToJSONString(bool pretty = true)
000366 |     {
000367 |         return "null";
000368 |     }
000369 | }
000370 |
000371 | class ExpansionJSONString: ExpansionJSONElementBase
000372 | {
000373 |     string m_Value;
000374 |
000375 |     void ExpansionJSONString(string value)
000376 |     {
000377 |         m_Value = value;
000378 |     }
000379 |
000380 |     override typename GetValueType()
000381 |     {
000382 |         return string;
000383 |     }
000384 |
000385 |     override bool GetBool()
000386 |     {
000387 |         if (m_Value)
000388 |             return true;
```

```
000389 |  
000390 |         return false;  
000391 |     }  
000392 |  
000393 |     override int GetInt()  
000394 |     {  
000395 |         return m_Value.ToInt();  
000396 |     }  
000397 |  
000398 |     override float GetFloat()  
000399 |     {  
000400 |         return m_Value.ToFloat();  
000401 |     }  
000402 |  
000403 |     override string GetString()  
000404 |     {  
000405 |         return m_Value;  
000406 |     }  
000407 |  
000408 |     override string GetDebugName()  
000409 |     {  
000410 |         return string.Format("%1(%2)", ToString(), ToJSONString(m_Value));  
000411 |     }  
000412 |  
000413 |     override string ToJSONString(bool pretty = true)  
000414 |     {  
000415 |         return ToJSONString(m_Value);  
000416 |     }  
000417 | }  
000418 |  
000419 | class ExpansionJSONUndefined: ExpansionJSONElementBase  
000420 | {  
000421 |     override bool IsUndefined()  
000422 |     {  
000423 |         return true;  
000424 |     }  
000425 | }  
000426 |  
000427 | class ExpansionJSONCollection: ExpansionJSONElementBase  
000428 | {  
000429 |     override bool IsCollection()  
000430 |     {  
000431 |         return true;  
000432 |     }  
000433 | }  
000434 |  
000435 | class ExpansionJSONArray: ExpansionJSONCollection  
000436 | {  
000437 |     ref array<ref ExpansionJSONElementBase> m_Elements = new array<ref ExpansionJSONElementBase>;  
000438 |  
000439 |     override typename GetValueType()  
000440 |     {  
000441 |         return array;  
000442 |     }  
000443 |  
000444 |     override array<ref ExpansionJSONElementBase> GetArray()  
000445 |     {  
000446 |         return m_Elements;  
000447 |     }  
000448 |  
000449 |     override TBoolArray GetBoolArray()  
000450 |     {
```

```
000451 |         TBoolArray a = {};
000452 |
000453 |         foreach (ExpansionJSONElementBase element: m_Elements)
000454 |         {
000455 |             a.Insert(element.GetBool());
000456 |         }
000457 |
000458 |         return a;
000459 |     }
000460 |
000461 |     override TIntArray GetIntArray()
000462 |     {
000463 |         TIntArray a = {};
000464 |
000465 |         foreach (ExpansionJSONElementBase element: m_Elements)
000466 |         {
000467 |             a.Insert(element.GetInt());
000468 |         }
000469 |
000470 |         return a;
000471 |     }
000472 |
000473 |     override TFloatArray GetFloatArray()
000474 |     {
000475 |         TFloatArray a = {};
000476 |
000477 |         foreach (ExpansionJSONElementBase element: m_Elements)
000478 |         {
000479 |             a.Insert(element.GetFloat());
000480 |         }
000481 |
000482 |         return a;
000483 |     }
000484 |
000485 |     override TStringArray GetStringArray()
000486 |     {
000487 |         TStringArray a = {};
000488 |
000489 |         foreach (ExpansionJSONElementBase element: m_Elements)
000490 |         {
000491 |             a.Insert(element.GetString());
000492 |         }
000493 |
000494 |         return a;
000495 |     }
000496 |
000497 |     override int Insert(ExpansionJSONElementBase element)
000498 |     {
000499 |         return m_Elements.Insert(element);
000500 |     }
000501 |
000502 |     override int InsertAt(ExpansionJSONElementBase element, int index)
000503 |     {
000504 |         return m_Elements.InsertAt(element, index);
000505 |     }
000506 |
000507 |     override ExpansionJSONElementBase Get(int index)
000508 |     {
000509 |         ExpansionJSONElementBase element = m_Elements[index];
000510 |         if (!element)
000511 |             element = new ExpansionJSONUndefined;
000512 |         return element;
```

```
000513 |     }
000514 |
000515 |     override bool IsArray()
000516 |     {
000517 |         return true;
000518 |     }
000519 |
000520 |     override int Count()
000521 |     {
000522 |         return m_Elements.Count();
000523 |     }
000524 |
000525 |     override string ToJSONString(bool pretty = true)
000526 |     {
000527 |         string s = "[";
000528 |
000529 |         if (pretty && m_Elements.Count())
000530 |         {
000531 |             s += "\n";
000532 |             s_Indent += "    ";
000533 |         }
000534 |
000535 |         foreach (int i, ExpansionJSONElementBase element: m_Elements)
000536 |         {
000537 |             if (i)
000538 |             {
000539 |                 s += ",";
000540 |
000541 |                 if (pretty)
000542 |                     s += "\n";
000543 |             }
000544 |
000545 |             if (pretty)
000546 |                 s += s_Indent;
000547 |
000548 |             s += element.ToJSONString(pretty);
000549 |         }
000550 |
000551 |         if (pretty && m_Elements.Count())
000552 |         {
000553 |             if (i)
000554 |                 s += "\n";
000555 |
000556 |             s_Indent = s_Indent.Substring(0, s_Indent.Length() - 4);
000557 |             s += s_Indent;
000558 |         }
000559 |
000560 |         s += "]";
000561 |
000562 |         return s;
000563 |     }
000564 | }
000565 |
000566 | class ExpansionJSONObject: ExpansionJSONCollection
000567 | {
000568 |     ref TStringArray m_Keys = {};
000569 |     ref map<string, ref ExpansionJSONElementBase> m_Elements = new map<string, ref ExpansionJSONElementBase>;
000570 |
000571 |     override typename GetValueType()
000572 |     {
000573 |         return map;
000574 |     }
}
```

```
000575 |
000576 | override map<string, ref ExpansionJSONElementBase> GetMap()
000577 | {
000578 |     return m_Elements;
000579 | }
000580 |
000581 | override bool Insert(string name, ExpansionJSONElementBase element)
000582 | {
000583 |     m_Keys.Insert(name);
000584 |
000585 |     return m_Elements.Insert(name, element);
000586 | }
000587 |
000588 | override void Set(string name, ExpansionJSONElementBase element)
000589 | {
000590 |     if (!m_Elements.Contains(name))
000591 |         m_Keys.Insert(name);
000592 |
000593 |     m_Elements[name] = element;
000594 | }
000595 |
000596 | override ExpansionJSONElementBase Get(string name)
000597 | {
000598 |     ExpansionJSONElementBase element = m_Elements[name];
000599 |     if (!element)
000600 |         element = new ExpansionJSONUndefined;
000601 |     return element;
000602 | }
000603 |
000604 | bool Contains(string name)
000605 | {
000606 |     return m_Elements.Contains(name);
000607 | }
000608 |
000609 | override bool IsObject()
000610 | {
000611 |     return true;
000612 | }
000613 |
000614 | override int Count()
000615 | {
000616 |     return m_Elements.Count();
000617 | }
000618 |
000619 | override string ToJSONString(bool pretty = true)
000620 | {
000621 |     string s = "{";
000622 |
000623 |     if (pretty && m_Elements.Count())
000624 |     {
000625 |         s += "\n";
000626 |         s_Indent += "    ";
000627 |     }
000628 |
000629 |     foreach (int i, string name: m_Keys)
000630 |     {
000631 |         ExpansionJSONElementBase element = m_Elements[name];
000632 |
000633 |         if (i)
000634 |         {
000635 |             s += ", ";
000636 |         }
```



```
000637 |         if (pretty)
000638 |             s += "\n";
000639 |     }
000640 |
000641 |     if (pretty)
000642 |         s += s_Indent;
000643 |
000644 |     s += ToJSONString(name) + ": " + element.ToJSONString(pretty);
000645 | }
000646 |
000647 | if (pretty && m_Elements.Count())
000648 | {
000649 |     if (i)
000650 |         s += "\n";
000651 |
000652 |     s_Indent = s_Indent.Substring(0, s_Indent.Length() - 4);
000653 |     s += s_Indent;
000654 | }
000655 |
000656 | s += "}";
000657 |
000658 | return s;
000659 | }
000660 | }
000661 |
000662 | #ifdef DIAG_DEVELOPER
000663 | #define EXPANSIONJSON_DIAG
000664 | #endif
000665 |
000666 | class ExpansionJSON: ExpansionJSONElementBase
000667 | {
000668 |     static const string NUMBER = "0123456789";
000669 |     static const string NUMBER_START = "+-" + NUMBER;
000670 |     static const string NUMBER_END = "." + NUMBER + "e,";
000671 |     static const string NUMBER_END_DECIMAL = NUMBER + "e,";
000672 |     static const string NUMBER_END_EXPONENT = "." + NUMBER + ",";
000673 |     static const string NUMBER_END_EXPONENT_DECIMAL = NUMBER + ",";
000674 |     static const string TOKEN_START = "\"{" + NUMBER_START + "tfn";
000675 |     static const int TOKEN_ERROR = 0;
000676 |     static const int TOKEN_SPECIAL = 1;
000677 |     static const int TOKEN_STRING = 2;
000678 |     static const int TOKEN_LITERAL = 3;
000679 |     static const int TOKEN_NUMBER = 4;
000680 |     static const int TOKEN_EOL = 5;
000681 |
000682 |     ref ExpansionJSONElementBase m_Root;
000683 |
000684 |     //! @note the following are all related to parser state (see Reset/DumpState)
000685 |     int m_StateChangeCount;
000686 |     int m_PrevStateChangeCount;
000687 |     ExpansionJSONElementBase m_Current;
000688 |     ref array<ExpansionJSONElementBase> m_CurrentHierarchy = {};
000689 | #ifdef EXPANSIONJSON_DIAG
000690 |     ref TStringArray m_CurrentHierarchyPath = {};
000691 | #endif
000692 |     string m_Buffer;
000693 |     string m_LineBuffer;
000694 |     int m_CurrentOffset;
000695 |     int m_LineNumber;
000696 |     bool m_HasKey;
000697 |     string m_Key;
000698 |     string m_Token;
```

```
000699 | bool m_ResetToken;
000700 | bool m_InString;
000701 | bool m_InBool;
000702 | bool m_InNumber;
000703 | bool m_HasDecimalPoint;
000704 | bool m_HasExponent;
000705 | bool m_Escaped;
000706 | bool m_InUnicodeEscapeSequence;
000707 | string m_UnicodeEscapeSequence;
000708 | string m_Expect;
000709 | bool m_ExpectEOF;
000710 | string m_Error;
000711 |
000712 | override typename GetValueType()
000713 | {
000714 |     return m_Root.GetValueType();
000715 | }
000716 |
000717 | override array<ref ExpansionJSONElementBase> GetArray()
000718 | {
000719 |     return m_Root.GetArray();
000720 | }
000721 |
000722 | override map<string, ref ExpansionJSONElementBase> GetMap()
000723 | {
000724 |     return m_Root.GetMap();
000725 | }
000726 |
000727 | override TBoolArray GetBoolArray()
000728 | {
000729 |     return m_Root.GetBoolArray();
000730 | }
000731 |
000732 | override TIntArray GetIntArray()
000733 | {
000734 |     return m_Root.GetIntArray();
000735 | }
000736 |
000737 | override TFloatArray GetFloatArray()
000738 | {
000739 |     return m_Root.GetFloatArray();
000740 | }
000741 |
000742 | override TStringArray GetStringArray()
000743 | {
000744 |     return m_Root.GetStringArray();
000745 | }
000746 |
000747 | override int Insert(ExpansionJSONElementBase element)
000748 | {
000749 |     return m_Root.Insert(element);
000750 | }
000751 |
000752 | override int InsertAt(ExpansionJSONElementBase element, int index)
000753 | {
000754 |     return m_Root.InsertAt(element, index);
000755 | }
000756 |
000757 | override bool Insert(string name, ExpansionJSONElementBase element)
000758 | {
000759 |     return m_Root.Insert(name, element);
000760 | }
```

```
000761 |  
000762 |     override void Set(string name, ExpansionJSONElementBase element)  
000763 |     {  
000764 |         m_Root[name] = element;  
000765 |     }  
000766 |  
000767 |     override ExpansionJSONElementBase Get(int index)  
000768 |     {  
000769 |         return m_Root.Get(index);  
000770 |     }  
000771 |  
000772 |     override ExpansionJSONElementBase Get(string name)  
000773 |     {  
000774 |         return m_Root.Get(name);  
000775 |     }  
000776 |  
000777 |     override bool GetBool()  
000778 |     {  
000779 |         return m_Root.GetBool();  
000780 |     }  
000781 |  
000782 |     override int GetInt()  
000783 |     {  
000784 |         return m_Root.GetInt();  
000785 |     }  
000786 |  
000787 |     override float GetFloat()  
000788 |     {  
000789 |         return m_Root.GetFloat();  
000790 |     }  
000791 |  
000792 |     override string GetString()  
000793 |     {  
000794 |         return m_Root.GetString();  
000795 |     }  
000796 |  
000797 |     override bool IsNull()  
000798 |     {  
000799 |         return m_Root.IsNull();  
000800 |     }  
000801 |  
000802 |     override bool IsUndefined()  
000803 |     {  
000804 |         return m_Root.IsUndefined();  
000805 |     }  
000806 |  
000807 |     override bool IsCollection()  
000808 |     {  
000809 |         return m_Root.IsCollection();  
000810 |     }  
000811 |  
000812 |     override bool IsArray()  
000813 |     {  
000814 |         return m_Root.IsArray();  
000815 |     }  
000816 |  
000817 |     override bool IsObject()  
000818 |     {  
000819 |         return m_Root.IsObject();  
000820 |     }  
000821 |  
000822 |     override int Count()
```

```
000823 | {
000824 |     return m_Root.Count();
000825 | }
000826 |
000827 | static ExpansionJSON Load(string fileName)
000828 | {
000829 |     FileHandle file = OpenFile(fileName, FileMode.READ);
000830 |
000831 |     if (!file)
000832 |         return null;
000833 |
000834 |     string data;
000835 |     string line;
000836 |
000837 |     int n;
000838 |     while (FGets(file, line) >= 0)
000839 |     {
000840 |         if (n++)
000841 |             data += "\n";
000842 |
000843 |         data += line;
000844 |     }
000845 |
000846 |     CloseFile(file);
000847 |
000848 |     return FromString(data);
000849 | }
000850 |
000851 | static ExpansionJSON FromString(string data, out bool success = false)
000852 | {
000853 |     auto json = new ExpansionJSON;
000854 |
000855 |     if (json.Parse(data))
000856 |         success = true;
000857 |
000858 |     return json;
000859 | }
000860 |
000861 | override string ToJSONString(bool pretty = true)
000862 | {
000863 |     return m_Root.ToJSONString(pretty);
000864 | }
000865 |
000866 | /**
000867 |  * @brief Reset internal parser state
000868 |  */
000869 | void Reset()
000870 | {
000871 |     m_Root = new ExpansionJSONUndefined;
000872 |
000873 |     m_StateChangeCount = 0;
000874 |     m_PrevStateChangeCount = 0;
000875 |     m_Current = null;
000876 |     m_CurrentHierarchy.Clear();
000877 | #ifdef EXPANSIONJSON_DIAG
000878 |     m_CurrentHierarchyPath.Clear();
000879 | #endif
000880 |     m_Buffer = "";
000881 |     m_LineBuffer = "";
000882 |     m_CurrentOffset = 0;
000883 |     m_LineNumber = 1;
000884 |     m_HasKey = false;
```

```
000885 |         m_Key = "";
000886 |         m-Token = "";
000887 |         m_ResetToken = false;
000888 |         m_InString = false;
000889 |         m_InBool = false;
000890 |         m_InNumber = false;
000891 |         m_HasDecimalPoint = false;
000892 |         m_HasExponent = false;
000893 |         m_Escaped = false;
000894 |         m_InUnicodeEscapeSequence = false;
000895 |         m_UnicodeEscapeSequence = "";
000896 |         m_Expect = TOKEN_START;
000897 |         m_ExpectEOF = false;
000898 |         m_Error = "";
000899 |     }
000900 |
000901 |     bool Parse(string data)
000902 |     {
000903 |     #ifdef EXTRACE_DIAG
000904 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000905 |     #endif
000906 |
000907 |         Reset();
000908 |
000909 |     #ifdef EXPANSIONJSON_DIAG
000910 |         DumpState();
000911 |     #endif
000912 |
000913 |     #ifdef EXPANSIONJSON_PARSEBYCHAR
000914 |         m_Buffer = data;
000915 |         data = "";
000916 |
000917 |         while (m_CurrentOffset < m_Buffer.Length())
000918 |         {
000919 |             if (!ParseSingleCharacter(m_Buffer[m_CurrentOffset], false))
000920 |                 return false;
000921 |         }
000922 |     #else
000923 |         string token;
000924 |         int type;
000925 |
000926 |         while (data)
000927 |         {
000928 |             type = data.ParseStringEx(token);
000929 |             if (!type || !ParseToken(type, token))
000930 |                 return false;
000931 |         }
000932 |     #endif
000933 |
000934 |         if (m_InString)
000935 |             return ParseError("Unexpected EOF at line %2 column %3, expected '\"'");
000936 |         else if (m_Expect && !m_ExpectEOF)
000937 |             return ParseError("Unexpected EOF at line %2 column %3, expected '%4'", "", m_Expect);
000938 |         else if (m_InNumber)
000939 |             ParseNumber(m-Token);
000940 |
000941 |     #ifdef EXPANSIONJSON_PARSEBYCHAR
000942 |         m_Buffer = "";
000943 |     #endif
000944 |
000945 |         return true;
000946 |     }
```

```
000947 |
000948 | bool ParseToken(int type, string token)
000949 | {
000950 |     switch (type)
000951 |     {
000952 |         case TOKEN_EOL:
000953 |             m_LineBuffer = "";
000954 |             m_LineNumber++;
000955 |
000956 |             return true;
000957 |
000958 |         case TOKEN_LITERAL:
000959 |             m_LineBuffer += token;
000960 |
000961 |             if (m_Current && m_Current.IsObject() && !m_HasKey)
000962 |                 return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
000963 |
000964 |             if (!ParseLiteral(token))
000965 |                 return false;
000966 |
000967 |             Expect("", ",", true);
000968 |
000969 | #ifdef EXPANSIONJSON_DIAG
000970 |     DumpState();
000971 | #endif
000972 |
000973 |             return true;
000974 |
000975 |         case TOKEN_NUMBER:
000976 |             m_LineBuffer += token;
000977 |
000978 |             if (m_Current && m_Current.IsObject() && !m_HasKey)
000979 |                 return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
000980 |
000981 |             if (!ParseNumber(token))
000982 |                 return false;
000983 |
000984 |             Expect("", ",", true);
000985 |
000986 | #ifdef EXPANSIONJSON_DIAG
000987 |     DumpState();
000988 | #endif
000989 |
000990 |             return true;
000991 |
000992 |         case TOKEN_STRING:
000993 |             m_LineBuffer += "\"" + token + "\"";
000994 |
000995 |             if (m_Current && m_Current.IsObject() && !m_HasKey)
000996 |             {
000997 |                 m_Key = token;
000998 |                 Expect("", ":");
000999 |             }
001000 |             else
001001 |             {
001002 |                 if (!ParseString(token))
001003 |                     return false;
001004 |
001005 |                 Expect("", ",", true);
001006 |             }
001007 |
001008 | #ifdef EXPANSIONJSON_DIAG
```

```
001009 |         DumpState();
001010 |     #endif
001011 |
001012 |         return true;
001013 |
001014 |     case TOKEN_SPECIAL:
001015 |         m_LineBuffer += token;
001016 |
001017 |         if (!m_Current && !m_Root.IsUndefined())
001018 |         {
001019 |             if (token == ",")
001020 |                 return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", token);
001021 |             else
001022 |                 return ParseError("Invalid character '%1' at line %2 column %3", token);
001023 |         }
001024 |         else if (m_Expect)
001025 |         {
001026 |             if (m_Expect.IndexOf(token) > -1)
001027 |                 m_Expect = "";
001028 |             else
001029 |                 return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
001030 |         }
001031 |
001032 |         break;
001033 |     }
001034 |
001035 |     switch (token)
001036 |     {
001037 |     case "{":
001038 |         OnStartObjectEx(m_Key);
001039 |
001040 |         Expect("", "\",", true);
001041 |
001042 |         break;
001043 |
001044 |     case "}":
001045 |         OnEndObjectEx();
001046 |
001047 |         if (m_Current)
001048 |             Expect("", ", ", true);
001049 |     #ifdef EXPANSIONJSON_DIAG
001050 |     else
001051 |         m_StateChangeCount++;
001052 |     #endif
001053 |
001054 |         break;
001055 |
001056 |     case "[":
001057 |         OnStartArray(m_Key);
001058 |
001059 |         Expect("", "TOKEN_START", true);
001060 |
001061 |         break;
001062 |
001063 |     case "]":
001064 |         OnEndArray(m_Current.Count());
001065 |
001066 |         if (m_Current)
001067 |             Expect("", ", ", true);
001068 |     #ifdef EXPANSIONJSON_DIAG
001069 |     else
001070 |         m_StateChangeCount++;
```

```
001071 |         #endif
001072 |
001073 |             break;
001074 |
001075 |         case ":":
001076 |             m_HasKey = true;
001077 |
001078 |             Expect("", TOKEN_START);
001079 |
001080 |             break;
001081 |
001082 |         case ",":
001083 |             if (!m_Current)
001084 |                 return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", token);
001085 |             else if (m_Current.IsArray())
001086 |                 Expect("", TOKEN_START);
001087 |             else
001088 |                 Expect("", "\\");
001089 |
001090 |             break;
001091 |
001092 |         default:
001093 |             return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", token, m_Expect);
001094 |     }
001095 |
001096 | #ifdef EXPANSIONJSON_DIAG
001097 |     DumpState();
001098 | #endif
001099 |
001100 |     return true;
001101 | }
001102 |
001103 | bool ParseSingleCharacter(string c, bool buffer = true)
001104 | {
001105 |     if (c)
001106 |     {
001107 |         if (buffer)
001108 |             m_Buffer += c;
001109 |
001110 |         if (c == "\\n")
001111 |         {
001112 |             if (m_InString)
001113 |                 return ParseError("Unterminated string at line %2 column %3, expected '\\\"');
001114 |
001115 |             if (m_InNumber)
001116 |                 ParseNumber(m-Token);
001117 |
001118 |             m_LineBuffer = "";
001119 |             m_LineNumber++;
001120 |         }
001121 |         else
001122 |         {
001123 |             m_LineBuffer += c;
001124 |         }
001125 |
001126 |         if (!m_InString)
001127 |         {
001128 |             if (!c.Trim() || c == "\\n")
001129 |             {
001130 |                 //! Skip whitespace if not in string
001131 |                 return IncrementOffset();
001132 |             }
001132 |         }
```



```
001133 |
001134 |         if (!m_Current && !m_Root.IsUndefined())
001135 |         {
001136 |             if (c == ",")
001137 |                 return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", c);
001138 |             else
001139 |                 return ParseError("Invalid character '%1' at line %2 column %3", c);
001140 |         }
001141 |     else if (m_Expect)
001142 |     {
001143 |         if (m_Expect.IndexOf(c) > -1)
001144 |         {
001145 |             m_Expect = "";
001146 |         }
001147 |         else
001148 |         {
001149 |             return ParseError("Invalid character '%1' at line %2 column %3, expected '%4'", c, m_Expect);
001150 |         }
001151 |     }
001152 | }
001153 | else if (c == "\\\" && !m_Escaped)
001154 | {
001155 |     m_Escaped = true;
001156 |
001157 | #ifdef EXPANSIONJSON_DIAG
001158 |     m_StateChangeCount++;
001159 | #endif
001160 |
001161 |     return IncrementOffset();
001162 | }
001163 | else if (m_Escaped)
001164 | {
001165 |     if (c == "u")
001166 |     {
001167 |         if (m_Buffer.Length() > m_CurrentOffset + 4)
001168 |         {
001169 |             ///! If we have a buffer, look ahead
001170 |             m-Token += UnescapeUnicode(m_Buffer.Substring(m_CurrentOffset + 1, 4));
001171 |
001172 |             m_CurrentOffset += 4;
001173 |
001174 |             m_Escaped = false;
001175 |         }
001176 |         else
001177 |         {
001178 |             m_InUnicodeEscapeSequence = true;
001179 |         }
001180 |     }
001181 |     else if (m_InUnicodeEscapeSequence)
001182 |     {
001183 |         if (m_UnicodeEscapeSequence.Length() < 4)
001184 |         {
001185 |             m_UnicodeEscapeSequence += c;
001186 |
001187 |             if (m_UnicodeEscapeSequence.Length() == 4)
001188 |             {
001189 |                 m-Token += UnescapeUnicode(m_UnicodeEscapeSequence);
001190 |                 m_InUnicodeEscapeSequence = false;
001191 |                 m_Escaped = false;
001192 |             }
001193 |         }
001194 |     }
001194 | }
```

```
001195 |         else
001196 |         {
001197 |             m_Token += Unescape(c);
001198 |             m_Escaped = false;
001199 |         }
001200 |
001201 |         if (!m_Escaped)
001202 |             m_UnicodeEscapeSequence = "";
001203 |
001204 | #ifdef EXPANSIONJSON_DIAG
001205 |     m_StateChangeCount++;
001206 | #endif
001207 |
001208 |     return IncrementOffset();
001209 | }
001210 | else if (c != "\\")
001211 | {
001212 |     if (m_Buffer.Length() > m_CurrentOffset + 1)
001213 |     {
001214 |         //! If we have a buffer, look ahead
001215 |
001216 |         int index = m_Buffer.IndexOfFrom(m_CurrentOffset, "\\");
001217 |
001218 |         if (index > -1)
001219 |         {
001220 |             int len = index - m_CurrentOffset;
001221 |
001222 |             if (len > 0)
001223 |             {
001224 |                 string token = m_Buffer.Substring(m_CurrentOffset, len);
001225 |
001226 |                 index = token.IndexOf("\\");
001227 |                 int newline = token.IndexOf("\n");
001228 |
001229 |                 if (newline > -1 && (index == -1 || newline < index))
001230 |                     index = newline;
001231 |
001232 |                 if (index > -1)
001233 |                 {
001234 |                     len = index;
001235 |                     token = token.Substring(0, len);
001236 |                 }
001237 |
001238 |                 m_Token += token;
001239 |             }
001240 |
001241 |             m_CurrentOffset += len;
001242 |
001243 |             return true;
001244 |         }
001245 |     }
001246 |
001247 |     m_Token += c;
001248 |
001249 |     return IncrementOffset();
001250 | }
001251 |
001252 | switch (c)
001253 | {
001254 |     case "{":
001255 |         OnStartObjectEx(m_Key);
001256 |
```

```
001257 |         Expect("", "\"", true);
001258 |
001259 |         break;
001260 |
001261 |     case "}":
001262 |     /*
001263 |     if (m_Current.IsObject())
001264 |     {
001265 |     /*
001266 |         if (m-Token)
001267 |         {
001268 |             //! float or int
001269 |             ParseNumber(m-Token);
001270 |         }
001271 |
001272 |         OnEndObjectEx();
001273 |
001274 |         if (m_Current)
001275 |             Expect("", ",", true);
001276 |     #ifdef EXPANSIONJSON_DIAG
001277 |     else
001278 |         m_StateChangeCount++;
001279 |     #endif
001280 |     /*
001281 |     }
001282 |     else
001283 |     {
001284 |         return ParseError("Invalid character '%1' at line %2 column %3", c);
001285 |     }
001286 |     */
001287 |
001288 |     break;
001289 |
001290 |     case "[":
001291 |         OnStartArray(m_Key);
001292 |
001293 |         Expect("", TOKEN_START, true);
001294 |
001295 |         break;
001296 |
001297 |     case "]":
001298 |     /*
001299 |     if (m_Current.IsArray())
001300 |     {
001301 |     /*
001302 |         if (m-Token)
001303 |         {
001304 |             //! float or int
001305 |             ParseNumber(m-Token);
001306 |         }
001307 |
001308 |         OnEndArray(m_Current.Count());
001309 |
001310 |         if (m_Current)
001311 |             Expect("", ",", true);
001312 |     #ifdef EXPANSIONJSON_DIAG
001313 |     else
001314 |         m_StateChangeCount++;
001315 |     #endif
001316 |     /*
001317 |     }
001318 |     else
```

```
001319 |         {
001320 |             return ParseError("Invalid character '%1' at line %2 column %3", c);
001321 |         }
001322 |     */
001323 |
001324 |     break;
001325 |
001326 | case "\\\"":
001327 |     if (m_InString)
001328 |     {
001329 |         m_InString = false;
001330 |
001331 |         if (m_Current && m_Current.IsObject() && !m_HasKey)
001332 |         {
001333 |             m_Key = m-Token;
001334 |             m_ResetToken = true;
001335 |             Expect("", ".");
001336 |         }
001337 |     }
001338 |     else
001339 |     {
001340 |         OnString(m_Key, m-Token);
001341 |         Expect("", ",", true);
001342 |     }
001343 | }
001344 | /*
001345 | else if (m-Token)
001346 | {
001347 |     return ParseError("Invalid character '%1' at line %2 column %3", c);
001348 | }
001349 | */
001350 | else
001351 | {
001352 |     m_InString = true;
001353 |     m_Expect = "";
001354 |
001355 |     #ifdef EXPANSIONJSON_DIAG
001356 |         m_StateChangeCount++;
001357 |     #endif
001358 | }
001359 |
001360 | break;
001361 |
001362 | case ":":
001363 |     /*
001364 |     if (m_Current.IsObject() && !m_HasKey)
001365 |     {
001366 |         /*
001367 |             m_HasKey = true;
001368 |
001369 |             Expect("", TOKEN_START);
001370 |         */
001371 |     }
001372 |     else
001373 |     {
001374 |         return ParseError("Invalid character '%1' at line %2 column %3", c);
001375 |     }
001376 |     */
001377 |
001378 |     break;
001379 |
001380 | case ",":
```

```
001381 |         if (m_Token)
001382 |         {
001383 |             //! float or int
001384 |             ParseNumber(m_Token);
001385 |         }
001386 |
001387 |         if (!m_Current)
001388 |         {
001389 |             return ParseError("Invalid character '%1' at line %2 column %3 (JSON can only have one root element)", c);
001390 |         }
001391 |         else if (m_Current.IsArray())
001392 |         {
001393 |             Expect("", TOKEN_START);
001394 |         }
001395 |         else
001396 |         {
001397 |             Expect("", "\\");
001398 |         }
001399 |
001400 |         break;
001401 |
001402 |     //! true
001403 |     case "t":
001404 |         if (m_Buffer.Length() > m_CurrentOffset + 3)
001405 |         {
001406 |             //! If we have a buffer, look ahead
001407 |             m_Token += m_Buffer.Substring(m_CurrentOffset, 4);
001408 |
001409 |             m_CurrentOffset += 3;
001410 |
001411 |             Expect("", ",", true);
001412 |
001413 |             if (!ParseLiteral(m_Token))
001414 |                 return false;
001415 |         }
001416 |         else
001417 |         {
001418 |             m_InBool = true;
001419 |             Expect(c, "r");
001420 |         }
001421 |         break;
001422 |
001423 |     case "r":
001424 |         Expect(c, "u");
001425 |         break;
001426 |
001427 |     case "u":
001428 |         if (m_InBool)
001429 |             Expect(c, "e"); //! Expect true
001430 |         else
001431 |             Expect(c, "l"); //! Expect null
001432 |         break;
001433 |
001434 |     //! false
001435 |     case "f":
001436 |         if (m_Buffer.Length() > m_CurrentOffset + 4)
001437 |         {
001438 |             //! If we have a buffer, look ahead
001439 |             m_Token += m_Buffer.Substring(m_CurrentOffset, 5);
001440 |
001441 |             m_CurrentOffset += 4;
001442 |
```

```
001443 |         Expect("", "", true);
001444 |
001445 |         if (!ParseLiteral(m-Token))
001446 |             return false;
001447 |     }
001448 |     else
001449 |     {
001450 |         m_InBool = true;
001451 |         Expect(c, "a");
001452 |     }
001453 |     break;
001454 |
001455 | case "a":
001456 |     Expect(c, "l");
001457 |     break;
001458 |
001459 | case "l":
001460 |     if (m_InBool)
001461 |     {
001462 |         Expect(c, "s"); //! Expect false
001463 |     }
001464 |     else if (m-Token.Length() < 3)
001465 |     {
001466 |         Expect(c, "l"); //! Expect null
001467 |     }
001468 |     else
001469 |     {
001470 |         Expect(c, "", true);
001471 |
001472 |         //! null
001473 |         ParseLiteral(m-Token);
001474 |     }
001475 |     break;
001476 |
001477 | case "s":
001478 |     Expect(c, "e");
001479 |     break;
001480 |
001481 | //! null
001482 | case "n":
001483 |     if (m-Buffer.Length() > m-CurrentOffset + 3)
001484 |     {
001485 |         //! If we have a buffer, look ahead
001486 |         m-Token += m-Buffer.Substring(m-CurrentOffset, 4);
001487 |
001488 |         m-CurrentOffset += 3;
001489 |
001490 |         Expect("", "", true);
001491 |
001492 |         if (!ParseLiteral(m-Token))
001493 |             return false;
001494 |     }
001495 |     else
001496 |     {
001497 |         Expect(c, "u");
001498 |     }
001499 |     break;
001500 |
001501 | //! Numbers
001502 | case "+":
001503 | case "-":
001504 |     m-InNumber = true;
```

```
001505 |         Expect(c, NUMBER);
001506 |         break;
001507 |
001508 |     case ".":
001509 |         m_HasDecimalPoint = true;
001510 |         Expect(c, NUMBER);
001511 |         break;
001512 |
001513 |     case "e":
001514 |         if (m_InNumber)
001515 |         {
001516 |             m_HasDecimalPoint = false;
001517 |             m_HasExponent = true;
001518 |             Expect(c, NUMBER_START);
001519 |         }
001520 |     else
001521 |     {
001522 |         Expect(c, ",", true);
001523 |
001524 |         //! true or false
001525 |         ParseLiteral(m-Token);
001526 |     }
001527 |     break;
001528 |
001529 | default:
001530 |     if (c.ToInt().ToString() == c)
001531 |     {
001532 |         if (!m_InNumber)
001533 |             m_InNumber = true;
001534 |
001535 |         if (m_HasDecimalPoint)
001536 |         {
001537 |             if (m_HasExponent)
001538 |                 Expect(c, NUMBER_END_EXPONENT_DECIMAL, true);
001539 |             else
001540 |                 Expect(c, NUMBER_END_DECIMAL, true);
001541 |         }
001542 |     else
001543 |     {
001544 |         if (m_HasExponent)
001545 |             Expect(c, NUMBER_END_EXPONENT, true);
001546 |         else
001547 |             Expect(c, NUMBER_END, true);
001548 |     }
001549 | }
001550 | else
001551 | {
001552 |     return ParseError("Invalid character '%1' at line %2 column %3", c);
001553 | }
001554 | break;
001555 | }
001556 |
001557 |     return IncrementOffset();
001558 | }
001559 |
001560 | return false;
001561 | }
001562 |
001563 | void Expect(string c, string e, bool expectElementEnd = false)
001564 | {
001565 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001566 |     if (c)
```

```
001567 |         m-Token += c;
001568 |     #endif
001569 |
001570 |         m_Expect = e;
001571 |         m_ExpectEOF = false;
001572 |
001573 |         if (expectElementEnd)
001574 |         {
001575 |             if (m_Current)
001576 |             {
001577 |                 if (m_Current.IsArray())
001578 |                     m_Expect += "];";
001579 |                 else
001580 |                     m_Expect += "}]";
001581 |             }
001582 |             else
001583 |             {
001584 |                 m_ExpectEOF = true;
001585 |             }
001586 |         }
001587 |
001588 | #ifdef EXPANSIONJSON_DIAG
001589 |     m_StateChangeCount++;
001590 | #endif
001591 | }
001592 |
001593 | bool IncrementOffset()
001594 | {
001595 | #ifdef EXPANSIONJSON_DIAG
001596 |     if (m_StateChangeCount != m_PrevStateChangeCount)
001597 |     {
001598 |         DumpState();
001599 |         m_PrevStateChangeCount = m_StateChangeCount;
001600 |     }
001601 | #endif
001602 |
001603 |     if (m_ResetToken)
001604 |     {
001605 |         m-Token = "";
001606 |         m_ResetToken = false;
001607 |     }
001608 |
001609 |     m_CurrentOffset++;
001610 |     return true;
001611 | }
001612 |
001613 | bool ParseError(string error, string c = "", string expect = string.Empty)
001614 | {
001615 |     int column = m_LineBuffer.Length() - 1;
001616 |
001617 |     string line = m_LineBuffer;
001618 |     line.Replace("\t", " ");
001619 |
001620 |     m_Error = string.Format(error, c, m_LineNumber, column, expect) + "\n";
001621 |     m_Error += line + "\n";
001622 |     m_Error += GetParseMarker();
001623 |
001624 |     Error(m_Error);
001625 |
001626 |     return false;
001627 | }
001628 |
```



```
001629 | string Unescape(string c)
001630 | {
001631 | #ifdef EXPANSIONJSON_DIAG
001632 |     DiagPrint("Unescape %1", c);
001633 | #endif
001634 |
001635 |     switch (c)
001636 |     {
001637 |         case "b":
001638 |             return BACKSPACE;
001639 |
001640 |         case "f":
001641 |             return FORMFEED;
001642 |
001643 |         case "n":
001644 |             return "\n";
001645 |
001646 |         case "r":
001647 |             return "\r";
001648 |
001649 |         case "t":
001650 |             return "\t";
001651 |     }
001652 |
001653 |     return c;
001654 | }
001655 |
001656 | string UnescapeUnicode(string sequence)
001657 | {
001658 | #ifdef EXPANSIONJSON_DIAG
001659 |     DiagPrint("UnescapeUnicode %1", sequence);
001660 | #endif
001661 |
001662 |     int codepoint = ("0x" + sequence).HexToInt();
001663 |
001664 |     string s;
001665 |
001666 |     if (codepoint <= 0x7f)
001667 |     {
001668 |         //!< Single-byte UTF-8
001669 |         s = codepoint.AsciiToString();
001670 |     }
001671 |     else if (codepoint <= 0x7ff)
001672 |     {
001673 |         //!< Two-byte UTF-8
001674 |         s = (0xc0 | (codepoint >> 6)).AsciiToString();
001675 |         s += (0x80 | (codepoint & 0x3f)).AsciiToString();
001676 |     }
001677 |     else if (codepoint <= 0xffff)
001678 |     {
001679 |         //!< Three-byte UTF-8
001680 |         s = (0xe0 | (codepoint >> 12)).AsciiToString();
001681 |         s += (0x80 | ((codepoint >> 6) & 0x3f)).AsciiToString();
001682 |         s += (0x80 | (codepoint & 0x3f)).AsciiToString();
001683 |     }
001684 |     //!< @note four-byte UTF-8 not supported by JSON standard
001685 |     else if (codepoint <= 0x10ffff)
001686 |     {
001687 |         //!< Four-byte UTF-8
001688 |         s = (0xf0 | (codepoint >> 18)).AsciiToString();
001689 |         s += (0x80 | ((codepoint >> 12) & 0x3f)).AsciiToString();
001690 |         s += (0x80 | ((codepoint >> 6) & 0x3f)).AsciiToString();
```

```
001691 |         s += (0x80 | (codepoint & 0x3f)).AsciiToString();
001692 |     }
001693 |     else
001694 |     {
001695 |         ///! Invalid code point
001696 |         Error("Invalid Unicode escape sequence: " + sequence);
001697 |     }
001698 |
001699 |     return s;
001700 | }
001701 |
001702 | void OnStartObjectEx(string name)
001703 | {
001704 |     #ifdef EXPANSIONJSON_DIAG
001705 |         DiagPrint("OnStartObjectEx");
001706 |     #endif
001707 |
001708 |     InsertIntoCurrentHierarchy(name, new ExpansionJSONObject);
001709 | }
001710 |
001711 | void OnEndObjectEx()
001712 | {
001713 |     #ifdef EXPANSIONJSON_DIAG
001714 |         DiagPrint("OnEndObjectEx %1", string.Join("", m_CurrentHierarchyPath));
001715 |     #endif
001716 |
001717 |     OnEndElement();
001718 | }
001719 |
001720 | override void OnStartArray(string name)
001721 | {
001722 |     #ifdef EXPANSIONJSON_DIAG
001723 |         DiagPrint("OnStartArray");
001724 |     #endif
001725 |
001726 |     InsertIntoCurrentHierarchy(name, new ExpansionJSONArray);
001727 | }
001728 |
001729 | override void OnEndArray(int itemCount)
001730 | {
001731 |     #ifdef EXPANSIONJSON_DIAG
001732 |         DiagPrint("OnEndArray %1", string.Join("", m_CurrentHierarchyPath));
001733 |     #endif
001734 |
001735 |     OnEndElement();
001736 | }
001737 |
001738 | void OnEndElement()
001739 | {
001740 |     #ifdef EXPANSIONJSON_DIAG
001741 |         ExpansionJSONElementBase element = m_Current;
001742 |     #endif
001743 |
001744 |     m_CurrentHierarchy.Remove(m_CurrentHierarchy.Count() - 1);
001745 |     m_Current = m_CurrentHierarchy[m_CurrentHierarchy.Count() - 1];
001746 |
001747 |     #ifdef EXPANSIONJSON_DIAG
001748 |         m_CurrentHierarchyPath.Remove(m_CurrentHierarchyPath.Count() - 1);
001749 |         DiagPrint("OnEndElement %1 -> %2", element.ToString(), m_Current.ToString());
001750 |     #endif
001751 | }
001752 |
```

```
001753 | override void OnString(string name, string value)
001754 | {
001755 |     InsertIntoCurrentHierarchy(name, new ExpansionJSONString(value));
001756 |
001757 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001758 |     m_ResetToken = true;
001759 | #endif
001760 | }
001761 |
001762 | bool ParseLiteral(string token)
001763 | {
001764 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001765 |     m_InBool = false;
001766 |     m_ResetToken = true;
001767 | #endif
001768 |
001769 |     ExpansionJSONElementBase element;
001770 |
001771 |     switch (token)
001772 |     {
001773 |         case "true":
001774 |             element = new ExpansionJSONBool(true);
001775 |             break;
001776 |
001777 |         case "false":
001778 |             element = new ExpansionJSONBool(false);
001779 |             break;
001780 |
001781 |         case "null":
001782 |             element = new ExpansionJSONNull();
001783 |             break;
001784 |
001785 |         default:
001786 |             return ParseError("Invalid token %1 at line %2 column %3", token);
001787 |     }
001788 |
001789 |     return InsertIntoCurrentHierarchy(m_Key, element);
001790 | }
001791 |
001792 | bool ParseNumber(string token)
001793 | {
001794 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001795 |     m_HasDecimalPoint = false;
001796 |     m_HasExponent = false;
001797 |     m_InNumber = false;
001798 |     m_ResetToken = true;
001799 | #endif
001800 |
001801 |     ExpansionJSONElementBase element;
001802 |
001803 |     if (token.IndexOf(".") > -1 || token.IndexOf("e") > -1)
001804 |         element = new ExpansionJSONFloat(token.ToFloat());
001805 |     else
001806 |         element = new ExpansionJSONInt(token.ToInt());
001807 |
001808 |     return InsertIntoCurrentHierarchy(m_Key, element);
001809 | }
001810 |
001811 | bool ParseString(string token)
001812 | {
001813 |     int index;
001814 |     string s;
```

```
001815 |  
001816 |     while (true)  
001817 |     {  
001818 |         index = token.IndexOf("\\");  
001819 |  
001820 |         if (index == -1 || index == token.Length() - 1)  
001821 |         {  
001822 |             s += token;  
001823 |             break;  
001824 |         }  
001825 |  
001826 |         s += token.Substring(0, index);  
001827 |  
001828 |         string c = token[index + 1];  
001829 |         string sequence;  
001830 |  
001831 |         switch (c)  
001832 |         {  
001833 |             case "u":  
001834 |                 sequence = token.Substring(index + 2, 4);  
001835 |                 s += UnescapeUnicode(sequence);  
001836 |                 token = token.Substring(index + 6, token.Length() - index - 6);  
001837 |                 break;  
001838 |  
001839 |             default:  
001840 |                 s += Unescape(c);  
001841 |                 token = token.Substring(index + 2, token.Length() - index - 2);  
001842 |                 break;  
001843 |         }  
001844 |     }  
001845 |  
001846 |     OnString(m_Key, s);  
001847 |  
001848 |     return true;  
001849 | }  
001850 |  
001851 | bool InsertIntoCurrentHierarchy(string name, ExpansionJSONElementBase element)  
001852 | {  
001853 |     ExpansionJSONArray arr;  
001854 |     ExpansionJSONObject obj;  
001855 |  
001856 |     if (Class.CastTo(arr, m_Current))  
001857 |     {  
001858 |         #ifdef EXPANSIONJSON_DIAG  
001859 |             DiagPrint("InsertIntoCurrentHierarchy %1 %2 %3", string.Join("", m_CurrentHierarchyPath), arr.Count().ToString(), element.GetDebugName());  
001860 |  
001861 |             if (element.IsCollection())  
001862 |                 m_CurrentHierarchyPath.Insert(string.Format("[%1]", arr.Count()));  
001863 |         #endif  
001864 |  
001865 |         arr.Insert(element);  
001866 |     }  
001867 |     else if (Class.CastTo(obj, m_Current))  
001868 |     {  
001869 |         #ifdef EXPANSIONJSON_DIAG  
001870 |             DiagPrint("InsertIntoCurrentHierarchy %1 %2 %3", string.Join("", m_CurrentHierarchyPath), name, element.GetDebugName());  
001871 |  
001872 |             if (element.IsCollection())  
001873 |                 m_CurrentHierarchyPath.Insert(string.Format("[\\\"%1\\\"]", name));  
001874 |         #endif  
001875 |  
001876 |         obj[name] = element;
```

```
001877 |     }
001878 |     else
001879 |     {
001880 |     #ifdef EXPANSIONJSON_DIAG
001881 |         DiagPrint("InsertIntoCurrentHierarchy %1", element.GetDebugName());
001882 |
001883 |         m_CurrentHierarchyPath.Insert("ROOT");
001884 |     #endif
001885 |
001886 |         m_Root = element;
001887 |     }
001888 |
001889 |     if (element.IsCollection())
001890 |     {
001891 |         m_Current = element;
001892 |         m_CurrentHierarchy.Insert(element);
001893 |     }
001894 |
001895 |     m_Key = "";
001896 |     m_HasKey = false;
001897 |
001898 |     return true;
001899 | }
001900 |
001901 | void InsertIntoCurrentHierarchyAt(int index, ExpansionJSONElementBase element)
001902 | {
001903 |     #ifdef EXPANSIONJSON_DIAG
001904 |         DiagPrint("InsertIntoCurrentHierarchyAt %1 %2", index.ToString(), element.GetDebugName());
001905 |     #endif
001906 |
001907 |     ExpansionJSONArray arr;
001908 |     if (Class.CastTo(arr, m_Current))
001909 |         arr.InsertAt(element, index);
001910 | }
001911 |
001912 | void DiagPrint(string s, string p1 = "", string p2 = "", string p3 = "", string p4 = "", string p5 = "", string p6 = "", string p7 = "", string p8 = "", string p9 = "")
001913 | {
001914 |     PrintFormat(s, p1, p2, p3, p4, p5, p6, p7, p8, p9);
001915 | }
001916 |
001917 | string GetParseMarker()
001918 | {
001919 |     string marker;
001920 |
001921 |     for (int i = 0; i < m_LineBuffer.Length() - 1; i++)
001922 |     {
001923 |         marker += "-";
001924 |     }
001925 |
001926 |     marker += "^";
001927 |
001928 |     return marker;
001929 | }
001930 |
001931 | void DumpState()
001932 | {
001933 |     string prefix = "JSON parser state[" + m_StateChangeCount + "]: %1";
001934 |
001935 |     if (m_LineBuffer)
001936 |     {
001937 |         string line = m_LineBuffer;
```

```
001938 |         line.Replace("\t", " ");
001939 |         DiagPrint(prefix, line);
001940 |         DiagPrint(prefix, GetParseMarker());
001941 |     }
001942 |
001943 |     DiagPrint(prefix, "m_LineNumber = " + m_LineNumber);
001944 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001945 |     DiagPrint(prefix, "m_CurrentOffset = " + m_CurrentOffset);
001946 | #endif
001947 |     DiagPrint(prefix, "m_HasKey = " + m_HasKey);
001948 |     DiagPrint(prefix, "m_Key = " + m_Key);
001949 | #ifdef EXPANSIONJSON_PARSEBYCHAR
001950 |     DiagPrint(prefix, "m-Token = " + m-Token);
001951 |     DiagPrint(prefix, "m_ResetToken = " + m_ResetToken);
001952 |     DiagPrint(prefix, "m_InString = " + m_InString);
001953 |     DiagPrint(prefix, "m_InBool = " + m_InBool);
001954 |     DiagPrint(prefix, "m_InNumber = " + m_InNumber);
001955 |     DiagPrint(prefix, "m_HasDecimalPoint = " + m_HasDecimalPoint);
001956 |     DiagPrint(prefix, "m_HasExponent = " + m_HasExponent);
001957 |     DiagPrint(prefix, "m_Escaped = " + m_Escaped);
001958 |     DiagPrint(prefix, "m_InUnicodeEscapeSequence = " + m_InUnicodeEscapeSequence);
001959 |     DiagPrint(prefix, "m_UnicodeEscapeSequence = " + m_UnicodeEscapeSequence);
001960 | #endif
001961 |     DiagPrint(prefix, "m_Expect = " + m_Expect);
001962 |     DiagPrint(prefix, "m_ExpectEOF = " + m_ExpectEOF);
001963 |     DiagPrint("-----");
001964 | }
001965 | }
001966 |
```

0120. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionJsonSchemaExporter.c

Size bytes: 8999

SHA-256: e03f1a4f53c336163c26cc1673dba37bc9d2ddb35462a048a09cde2da28b75fc

Decoded as: utf-8-sig

Line count shown: 368

Detected class declarations: 1

L13: class ExpansionJsonSchemaExporter

Detected enum declarations: 0

Detected function/method-like declarations: 35

L22: void ExpansionJsonSchemaExporter()

L28: ExpansionJsonSchemaExporter GetSchema()

L33: string ToJSONString(typename type, bool pretty = true)

L39: bool ToFile(typename type, string path, bool pretty = true)

L55: private ExpansionJsonSchemaExporter Export(typename type)

L64: private ExpansionJsonSchemaExporter Build(typename type)

L86: private ExpansionJsonSchemaExporter BuildProperties(typename type)

L107: private ExpansionJsonSchemaExporter BaseTypeToSchema(typename type)

L113: return SimpleType("integer");

L117: return SimpleType("number");

L121: return SimpleType("string");

L125: return BuildBoolSchema();

L129: return BuildVectorSchema();

L166: return BuildClassRef(type);

L175: private ExpansionJsonSchemaExporter TypeNameToSchema(string name)

L183: return SimpleType("integer");

L187: return SimpleType("number");

L191: return SimpleType("string");

L195: return BuildBoolSchema();

L199: return BuildVectorSchema();

L235: return BuildClassRef(resolved);

L244: private ExpansionJsonSchemaExporter BuildClassRef(typename type)

L250: return MakeRef(key);

L255: return MakeRef(key);

L268: return MakeRef(key);

L271: private ExpansionJsonSchemaExporter MakeRef(string defName)

L278: private ExpansionJsonSchemaExporter BuildVectorSchema()

L298: private ExpansionJsonSchemaExporter BuildBoolSchema()

L311: private ExpansionJsonSchemaExporter SimpleType(string jsonType)

L318: private string StripRef(string typeName)

L328: private string ExtractGenericParam(string typeName)

L332: return StripRef(typeName.Substring(start, end - start));

L335: private void ExtractMapParams(string typeName, out string keyType, out string valueType)

L353: else if (c == ">")

L357: else if (c == "," && depth == 0)

Full file content

```
000001 | /**
000002 |  * ExpansionJsonSchemaExporter.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
```

```
000013 | class ExpansionJsonSchemaExporter
000014 | {
000015 |     private ref map<string, ref ExpansionJSONObject> m_Defs;
000016 |     private ref map<string, bool> m_Visiting;
000017 |     private ref ExpansionJSONObject m_Schema;
000018 |
000019 |     private ref ExpansionJSONObject m_BoolSchema;
000020 |     private ref ExpansionJSONObject m_VectorSchema;
000021 |
000022 |     void ExpansionJsonSchemaExporter()
000023 |     {
000024 |         m_Defs = new map<string, ref ExpansionJSONObject>();
000025 |         m_Visiting = new map<string, bool>();
000026 |     }
000027 |
000028 |     ExpansionJSONObject GetSchema()
000029 |     {
000030 |         return m_Schema;
000031 |     }
000032 |
000033 |     string ToJSONString(typename type, bool pretty = true)
000034 |     {
000035 |         Export(type);
000036 |         return m_Schema.ToJSONString(pretty);
000037 |     }
000038 |
000039 |     bool ToFile(typename type, string path, bool pretty = true)
000040 |     {
000041 |         Export(type);
000042 |
000043 |         FileHandle file = OpenFile(path, FileMode.WRITE);
000044 |         if (!file)
000045 |         {
000046 |             return false;
000047 |         }
000048 |
000049 |         FPrintln(file, ToJSONString(type, pretty));
000050 |         CloseFile(file);
000051 |
000052 |         return true;
000053 |     }
000054 |
000055 |     private ExpansionJSONObject Export(typename type)
000056 |     {
000057 |         m_Defs.Clear();
000058 |         m_Visiting.Clear();
000059 |
000060 |         m_Schema = Build(type);
000061 |         return m_Schema;
000062 |     }
000063 |
000064 |     private ExpansionJSONObject Build(typename type)
000065 |     {
000066 |         ExpansionJSONObject schema = new ExpansionJSONObject();
000067 |         schema.Set("$schema", new ExpansionJSONString("https://json-schema.org/draft/2020-12/schema"));
000068 |         schema.Set("$id", new ExpansionJSONString(type.ToString() + ".schema.json"));
000069 |         schema.Set("title", new ExpansionJSONString(type.ToString()));
000070 |         schema.Set("type", new ExpansionJSONString("object"));
000071 |         schema.Set("properties", BuildProperties(type));
000072 |
000073 |         if (m_Defs.Count() > 0)
000074 |         {
```



```
000075 |         ExpansionJSONObject defs = new ExpansionJSONObject();
000076 |         foreach (string defName, ExpansionJSONObject defSchema : m_Defs)
000077 |         {
000078 |             defs.Set(defName, defSchema);
000079 |         }
000080 |         schema.Set("$defs", defs);
000081 |     }
000082 |
000083 |     return schema;
000084 | }
000085 |
000086 | private ExpansionJSONObject BuildProperties(typename type)
000087 | {
000088 |     ExpansionJSONObject props = new ExpansionJSONObject();
000089 |     int count = type.GetVariableCount();
000090 |
000091 |     for (int i = 0; i < count; i++)
000092 |     {
000093 |         string varName = type.GetVariableName(i);
000094 |
000095 |         if (varName.IndexOf("m_") == 0 || varName.IndexOf("s_") == 0)
000096 |         {
000097 |             continue;
000098 |         }
000099 |
000100 |         typename varType = type.GetVariableType(i);
000101 |         props.Set(varName, TypeToSchema(varType));
000102 |     }
000103 |
000104 |     return props;
000105 | }
000106 |
000107 | private ExpansionJSONElementBase TypeToSchema(typename type)
000108 | {
000109 |     switch (type)
000110 |     {
000111 |         case int:
000112 |         {
000113 |             return SimpleType("integer");
000114 |         }
000115 |         case float:
000116 |         {
000117 |             return SimpleType("number");
000118 |         }
000119 |         case string:
000120 |         {
000121 |             return SimpleType("string");
000122 |         }
000123 |         case bool:
000124 |         {
000125 |             return BuildBoolSchema();
000126 |         }
000127 |         case vector:
000128 |         {
000129 |             return BuildVectorSchema();
000130 |         }
000131 |     }
000132 |
000133 |     string typeName = type.ToString();
000134 |
000135 |     string inner;
000136 |     ExpansionJSONObject obj;
```

```
000137 |         if (typeName.IndexOf("array<") == 0)
000138 |         {
000139 |             inner = ExtractGenericParam(typeName);
000140 |             obj = new ExpansionJSONObject();
000141 |             obj.Set("type", new ExpansionJSONString("array"));
000142 |             obj.Set("items", TypeNameToSchema(inner));
000143 |             return obj;
000144 |         }
000145 |         if (typeName.IndexOf("set<") == 0)
000146 |         {
000147 |             inner = ExtractGenericParam(typeName);
000148 |             obj = new ExpansionJSONObject();
000149 |             obj.Set("type", new ExpansionJSONString("array"));
000150 |             obj.Set("uniqueItems", new ExpansionJSONBool(true));
000151 |             obj.Set("items", TypeNameToSchema(inner));
000152 |             return obj;
000153 |         }
000154 |         if (typeName.IndexOf("map<") == 0)
000155 |         {
000156 |             string keyType, valueType;
000157 |             ExtractMapParams(typeName, keyType, valueType);
000158 |             obj = new ExpansionJSONObject();
000159 |             obj.Set("type", new ExpansionJSONString("object"));
000160 |             obj.Set("additionalProperties", TypeNameToSchema(valueType));
000161 |             return obj;
000162 |         }
000163 |
000164 |         if (type.IsInherited(Class))
000165 |         {
000166 |             return BuildClassRef(type);
000167 |         }
000168 |
000169 |         ExpansionJSONObject fallback = new ExpansionJSONObject();
000170 |         fallback.Set("type", new ExpansionJSONString("string"));
000171 |         fallback.Set("description", new ExpansionJSONString("unmapped: " + typeName));
000172 |         return fallback;
000173 |     }
000174 |
000175 |     private ExpansionJSONElementBase TypeNameToSchema(string name)
000176 |     {
000177 |         name = name.Trim();
000178 |
000179 |         switch (name)
000180 |         {
000181 |             case "int":
000182 |             {
000183 |                 return SimpleType("integer");
000184 |             }
000185 |             case "float":
000186 |             {
000187 |                 return SimpleType("number");
000188 |             }
000189 |             case "string":
000190 |             {
000191 |                 return SimpleType("string");
000192 |             }
000193 |             case "bool":
000194 |             {
000195 |                 return BuildBoolSchema();
000196 |             }
000197 |             case "vector":
000198 |             {
```

```
000199 |         return BuildVectorSchema();
000200 |     }
000201 | }
000202 |
000203 | string inner;
000204 | ExpansionJSONObject obj;
000205 | if (name.IndexOf("array<") == 0)
000206 | {
000207 |     inner = ExtractGenericParam(name);
000208 |     obj = new ExpansionJSONObject();
000209 |     obj.Set("type", new ExpansionJSONString("array"));
000210 |     obj.Set("items", TypeNameToSchema(inner));
000211 |     return obj;
000212 | }
000213 | if (name.IndexOf("set<") == 0)
000214 | {
000215 |     inner = ExtractGenericParam(name);
000216 |     obj = new ExpansionJSONObject();
000217 |     obj.Set("type", new ExpansionJSONString("array"));
000218 |     obj.Set("uniqueItems", new ExpansionJSONBool(true));
000219 |     obj.Set("items", TypeNameToSchema(inner));
000220 |     return obj;
000221 | }
000222 | if (name.IndexOf("map<") == 0)
000223 | {
000224 |     string keyType, valueType;
000225 |     ExtractMapParams(name, keyType, valueType);
000226 |     obj = new ExpansionJSONObject();
000227 |     obj.Set("type", new ExpansionJSONString("object"));
000228 |     obj.Set("additionalProperties", TypeNameToSchema(valueType));
000229 |     return obj;
000230 | }
000231 |
000232 | typename resolved = name.ToType();
000233 | if (resolved && resolved.IsInherited(Class))
000234 | {
000235 |     return BuildClassRef(resolved);
000236 | }
000237 |
000238 | ExpansionJSONObject fallback = new ExpansionJSONObject();
000239 | fallback.Set("type", new ExpansionJSONString("string"));
000240 | fallback.Set("description", new ExpansionJSONString("unresolved: " + name));
000241 | return fallback;
000242 | }
000243 |
000244 | private ExpansionJSONObject BuildClassRef(typename type)
000245 | {
000246 |     string key = type.ToString();
000247 |
000248 |     if (m_Visiting.Contains(key))
000249 |     {
000250 |         return MakeRef(key);
000251 |     }
000252 |
000253 |     if (m_Defs.Contains(key))
000254 |     {
000255 |         return MakeRef(key);
000256 |     }
000257 |
000258 |     m_Visiting.Set(key, true);
000259 |
000260 |     ExpansionJSONObject def = new ExpansionJSONObject();
```

```
000261 |         def.Set("type", new ExpansionJSONString("object"));
000262 |         def.Set("title", new ExpansionJSONString(key));
000263 |         def.Set("properties", BuildProperties(type));
000264 |
000265 |         m_Defs.Set(key, def);
000266 |         m_Visiting.Remove(key);
000267 |
000268 |         return MakeRef(key);
000269 |     }
000270 |
000271 | private ExpansionJSONObject MakeRef(string defName)
000272 | {
000273 |     ExpansionJSONObject refObj = new ExpansionJSONObject();
000274 |     refObj.Set("$ref", new ExpansionJSONString("#/$defs/" + defName));
000275 |     return refObj;
000276 | }
000277 |
000278 | private ExpansionJSONObject BuildVectorSchema()
000279 | {
000280 |     if (!m_VectorSchema)
000281 |     {
000282 |         ExpansionJSONArray prefixItems = new ExpansionJSONArray();
000283 |         prefixItems.Insert(SimpleType("number"));
000284 |         prefixItems.Insert(SimpleType("number"));
000285 |         prefixItems.Insert(SimpleType("number"));
000286 |
000287 |         m_VectorSchema = new ExpansionJSONObject();
000288 |         m_VectorSchema.Set("type", new ExpansionJSONString("array"));
000289 |         m_VectorSchema.Set("prefixItems", prefixItems);
000290 |         m_VectorSchema.Set("items", new ExpansionJSONBool(false));
000291 |         m_VectorSchema.Set("minItems", new ExpansionJSONInt(3));
000292 |         m_VectorSchema.Set("maxItems", new ExpansionJSONInt(3));
000293 |     }
000294 |
000295 |     return m_VectorSchema;
000296 | }
000297 |
000298 | private ExpansionJSONObject BuildBoolSchema()
000299 | {
000300 |     if (!m_BoolSchema)
000301 |     {
000302 |         m_BoolSchema = new ExpansionJSONObject();
000303 |         m_BoolSchema.Set("type", new ExpansionJSONString("integer"));
000304 |         m_BoolSchema.Set("minimum", new ExpansionJSONInt(0));
000305 |         m_BoolSchema.Set("maximum", new ExpansionJSONInt(1));
000306 |     }
000307 |
000308 |     return m_BoolSchema;
000309 | }
000310 |
000311 | private ExpansionJSONObject SimpleType(string jsonType)
000312 | {
000313 |     ExpansionJSONObject obj = new ExpansionJSONObject();
000314 |     obj.Set("type", new ExpansionJSONString(jsonType));
000315 |     return obj;
000316 | }
000317 |
000318 | private string StripRef(string typeName)
000319 | {
000320 |     if (typeName[0] == "@")
000321 |     {
000322 |         return typeName.Substring(1, typeName.Length() - 1);
```

```
000323 |     }
000324 |
000325 |     return typeName;
000326 | }
000327 |
000328 | private string ExtractGenericParam(string typeName)
000329 | {
000330 |     int start = typeName.IndexOf("<") + 1;
000331 |     int end = typeName.Length() - 1;
000332 |     return StripRef(typeName.Substring(start, end - start));
000333 | }
000334 |
000335 | private void ExtractMapParams(string typeName, out string keyType, out string valueType)
000336 | {
000337 |     int len = typeName.Length();
000338 |     int start = typeName.IndexOf("<") + 1;
000339 |
000340 |     string inner = typeName.Substring(start, len - start - 1);
000341 |     int innerLen = inner.Length();
000342 |
000343 |     int depth = 0;
000344 |     int splitAt = -1;
000345 |
000346 |     for (int i = 0; i < innerLen; i++)
000347 |     {
000348 |         string c = inner[i];
000349 |         if (c == "<")
000350 |         {
000351 |             depth++;
000352 |         }
000353 |         else if (c == ">")
000354 |         {
000355 |             depth--;
000356 |         }
000357 |         else if (c == "," && depth == 0)
000358 |         {
000359 |             splitAt = i;
000360 |             break;
000361 |         }
000362 |     }
000363 |
000364 |     keyType = StripRef(inner.Substring(0, splitAt));
000365 |     valueType = StripRef(inner.Substring(splitAt + 1, innerLen - splitAt - 1));
000366 | }
000367 | }
000368 |
```

0121. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Tools\ExpansionUIScriptedMenu.c

Size bytes: 1292

SHA-256: 84f1fe162bcd68596231181d5b2ec49c9697b00d8997f9d9cb63640259c02e89

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L13: class ExpansionUIScriptedMenu: UIScriptedMenu

Detected enum declarations: 0

Detected function/method-like declarations: 3

L18: override void OnShow()

L28: override void OnHide()

L38: void ShowHud(bool state)

Full file content

```
000001 | /**
000002 |  * ExpansionUIScriptedMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionUIScriptedMenu: UIScriptedMenu
000014 | {
000015 |     // -----
000016 |     // ExpansionUIScriptedMenu OnShow
000017 |     // -----
000018 |     override void OnShow()
000019 |     {
000020 |         super.OnShow();
000021 |
000022 |         ShowHud(false);
000023 |     }
000024 |
000025 |     // -----
000026 |     // ExpansionUIScriptedMenu OnHide
000027 |     // -----
000028 |     override void OnHide()
000029 |     {
000030 |         super.OnHide();
000031 |
000032 |         ShowHud(true);
000033 |     }
000034 |
000035 |     // -----
000036 |     // ExpansionUIScriptedMenu ShowHud
000037 |     // -----
000038 |     void ShowHud(bool state)
000039 |     {
000040 |         Mission mission = g_Game.GetMission();
000041 |
000042 |         if (!mission)
000043 |             return;
000044 |     }
```

```
000045 |      Hud hud = mission.GetHud();
000046 |      if (!hud)
000047 |          return;
000048 |
000049 |      hud.ShowHudUI(state);
000050 |      hud.ShowQuickbarUI(state);
000051 |  }
000052 | }
```

0122. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML.c
Size bytes: 348
SHA-256: 2465f00c8a24260a9ee71d7b0c258198c39ed5ad4ace352d7cd51ed360469c1f
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class CF_XML
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L5: static CF_XML_Document ReadDocumentEx(string file)

Full file content

```
000001 | modded class CF_XML
000002 | {
000003 |     #ifndef CF_XML_READ_DOCUMENT_EX
000004 |         //! TODO: Move this to CF
000005 |         static CF_XML_Document ReadDocumentEx(string file)
000006 |         {
000007 |             if (!FileExist(file))
000008 |             {
000009 |                 CF.FormatError("File does not exist: '%1'", file);
000010 |                 return null;
000011 |             }
000012 |
000013 |             CF_XML_Document document;
000014 |             ReadDocument(file, document);
000015 |             return document;
000016 |         }
000017 |     #endif
000018 | }
000019 |
```


0123. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\CF_XML_Element.c

Size bytes: 154

SHA-256: 84f32720210d9de7acdb419a00eae1849ca98d4493a9a9fbf817cd667c329055

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L3: modded class CF_XML_Element

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L5: array<ref CF_XML_Tag> GetTags()

Full file content

```
000001 | #ifndef CF_XML_GET_TAGS
000002 | //! TODO: Move this to CF
000003 | modded class CF_XML_Element
000004 | {
000005 |     array<ref CF_XML_Tag> GetTags()
000006 |     {
000007 |         return _tags;
000008 |     }
000009 | }
000010 | #endif
000011 |
```

0124. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\XML\ExpansionXML.c
 Size bytes: 2199
 SHA-256: b63244d388ca2c584427263409c3fb76d48199e68d5e99adbef53fb9d3fb56c8
 Decoded as: utf-8-sig
 Line count shown: 90
 Detected class declarations: 1
 L1: class ExpansionXML
 Detected enum declarations: 0
 Detected function/method-like declarations: 6
 L8: static bool GetAttributeBool(CF_XML_Tag tag, string name, bool defaultValue = false)
 L31: static float GetAttributeFloat(CF_XML_Tag tag, string name, float defaultValue = 0)
 L43: static int GetAttributeInt(CF_XML_Tag tag, string name, int defaultValue = 0)
 L55: static string GetAttributeString(CF_XML_Tag tag, string name, string defaultValue = "")
 L67: static int GetTagContentInt(CF_XML_Tag tag, string type, int defaultValue = 0)
 L79: static string GetTagContentString(CF_XML_Tag tag, string type, string defaultValue = "")

Full file content

```
000001 | class ExpansionXML
000002 | {
000003 |     ///! TODO: Move below static functions to CF_XML_Tag as non-static methods
000004 |
000005 |     /**
000006 |      * @brief Get attribute value as bool. If attribute does not exist, return defaultValue.
000007 |      */
000008 |     static bool GetAttributeBool(CF_XML_Tag tag, string name, bool defaultValue = false)
000009 |     {
000010 |         auto attr = tag.GetAttribute(name);
000011 |         if (attr)
000012 |         {
000013 |             ///! TODO: Change CF_XML_Attribute::ValueAsBool to detect "1" value as true
000014 |             switch (attr.GetValue())
000015 |             {
000016 |                 case "true":
000017 |                 case "1":
000018 |                     return true;
000019 |
000020 |                 default:
000021 |                     return false;
000022 |             }
000023 |         }
000024 |
000025 |         return defaultValue;
000026 |     }
000027 |
000028 |     /**
000029 |      * @brief Get attribute value as float. If attribute does not exist, return defaultValue.
000030 |      */
000031 |     static float GetAttributeFloat(CF_XML_Tag tag, string name, float defaultValue = 0)
000032 |     {
000033 |         auto attr = tag.GetAttribute(name);
000034 |         if (attr)
000035 |             return attr.ValueAsFloat();
000036 |
000037 |         return defaultValue;
000038 |     }
000039 |
000040 |     /**
000041 |      * @brief Get attribute value as int. If attribute does not exist, return defaultValue.
```

```
000042 | */
000043 | static int GetAttributeInt(CF_XML_Tag tag, string name, int defaultValue = 0)
000044 | {
000045 |     auto attr = tag.GetAttribute(name);
000046 |     if (attr)
000047 |         return attr.ValueAsInt();
000048 |
000049 |     return defaultValue;
000050 | }
000051 |
000052 | /**
000053 |  * @brief Get attribute value as string. If attribute does not exist, return defaultValue.
000054 |  */
000055 | static string GetAttributeString(CF_XML_Tag tag, string name, string defaultValue = "")
000056 | {
000057 |     auto attr = tag.GetAttribute(name);
000058 |     if (attr)
000059 |         return attr.ValueAsString();
000060 |
000061 |     return defaultValue;
000062 | }
000063 |
000064 | /**
000065 |  * @brief Get tag content as int. If tag does not exist, return defaultValue.
000066 |  */
000067 | static int GetTagContentInt(CF_XML_Tag tag, string type, int defaultValue = 0)
000068 | {
000069 |     auto children = tag.GetTag(type);
000070 |     if (children.Count() > 0)
000071 |         return children[0].GetContent().GetContent().ToInt();
000072 |
000073 |     return defaultValue;
000074 | }
000075 |
000076 | /**
000077 |  * @brief Get tag content as string. If tag does not exist, return defaultValue.
000078 |  */
000079 | static string GetTagContentString(CF_XML_Tag tag, string type, string defaultValue = "")
000080 | {
000081 |     auto children = tag.GetTag(type);
000082 |     if (children.Count() > 0)
000083 |         return children[0].GetContent().GetContent();
000084 |
000085 |     return defaultValue;
000086 | }
000087 |
000088 |
000089 | }
000090 |
```

0125. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZone.c
Size bytes: 1091
SHA-256: 9b8859d883e241c56d094d72ea5279860954026dc6e0dc3f47b41cbbd558d77a
Decoded as: utf-8-sig
Line count shown: 70
Detected class declarations: 1
 L1: class ExpansionZone
Detected enum declarations: 0
Detected function/method-like declarations: 5
 L15: void ExpansionZone(ExpansionZoneType type)
 L30: void ~ExpansionZone()
 L58: void Check(vector position)
 L65: string ToString()
 L67: return ToString();

Full file content

```
000001 | class ExpansionZone
000002 | {
000003 |     static const int COUNT = ExpansionZoneType.Count;
000004 |
000005 |     static ref ExpansionZone s_Head;
000006 |
000007 |     static bool s_InsideBuffer[COUNT];
000008 |
000009 |     int m_ID;
000010 |     ExpansionZoneType m_Type;
000011 |
000012 |     ref ExpansionZone m_Next = null;
000013 |     ExpansionZone m_Prev = null;
000014 |
000015 |     void ExpansionZone(ExpansionZoneType type)
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZone");
000019 | #endif
000020 |
000021 |         m_Type = type;
000022 |
000023 |         m_Next = s_Head;
000024 |         if (m_Next)
000025 |             m_Next.m_Prev = this;
000026 |
000027 |         s_Head = this;
000028 |     }
000029 |
000030 |     void ~ExpansionZone()
000031 |     {
000032 | #ifdef EXPANSIONTRACE
000033 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "~ExpansionZone");
000034 | #endif
000035 |
000036 |         if (!g_Game)
000037 |             return;
000038 |
000039 |         if (s_Head)
000040 |         {
000041 |             if (s_Head == this)
000042 |             {
```

```
000043 |         s_Head = m_Next;
000044 |     }
000045 |
000046 |     if (m_Next)
000047 |     {
000048 |         m_Next.m_Prev = m_Prev;
000049 |     }
000050 |
000051 |     if (m_Prev)
000052 |     {
000053 |         m_Prev.m_Next = m_Next;
000054 |     }
000055 |     }
000056 | }
000057 |
000058 | void Check(vector position)
000059 | {
000060 | #ifdef EXPANSIONTRACE
000061 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000062 | #endif
000063 | }
000064 |
000065 | string ToStr()
000066 | {
000067 |     return ToString();
000068 | }
000069 | };
000070 |
```

0126. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneActor.c

Size bytes: 4515

SHA-256: 118e25670d2310cbc37a2a5f1599bf294ff10b399c40347108a29666810f16c4

Decoded as: utf-8-sig

Line count shown: 235

Detected class declarations: 3

L13: class ExpansionZoneActor

L173: class ExpansionZoneActorT<Class T> : ExpansionZoneActor

L199: class ExpansionZoneEntity<Class T> : ExpansionZoneActor

Detected enum declarations: 0

Detected function/method-like declarations: 17

L27: void ExpansionZoneActor()

L44: void ~ExpansionZoneActor()

L77: static void UpdateAll(int max)

L113: void Update()

L125: protected void OnUpdate()

L144: else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])

L152: void OnEnterZone(ExpansionZoneType type);

L154: void OnExitZone(ExpansionZoneType type);

L156: vector GetPosition()

L161: bool InZone()

L177: void ExpansionZoneActorT(T instance)

L182: override void OnEnterZone(ExpansionZoneType type)

L187: override void OnExitZone(ExpansionZoneType type)

L192: override vector GetPosition()

L203: void ExpansionZoneEntity(T instance)

L208: override void OnUpdate()

L227: else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])

Full file content

```
000001 | /**
000002 |  * ExpansionZoneActor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionZoneActor
000014 | {
000015 |     static const int COUNT = ExpansionZoneType.Count;
000016 |
000017 |     static ExpansionZoneActor s_Head = null;
000018 |     static ExpansionZoneActor s_Current = null;
000019 |
000020 |     ExpansionZoneActor m_Next = null;
000021 |     ExpansionZoneActor m_Prev = null;
000022 |
000023 |     bool m_Inside[COUNT];
000024 |
000025 |     vector m_Position;
000026 |
000027 |     void ExpansionZoneActor()
000028 |     {
```

```
000029 | #ifdef EXPANSIONTRACE
000030 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZoneActor");
000031 | #endif
000032 |
000033 |     m_Next = s_Head;
000034 |     m_Prev = null;
000035 |
000036 |     if (s_Head)
000037 |     {
000038 |         s_Head.m_Prev = this;
000039 |     }
000040 |
000041 |     s_Head = this;
000042 | }
000043 |
000044 | void ~ExpansionZoneActor()
000045 | {
000046 | #ifdef EXPANSIONTRACE
000047 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "~ExpansionZoneActor");
000048 | #endif
000049 |
000050 |     if (!g_Game)
000051 |         return;
000052 |
000053 |     if (!s_Head)
000054 |         return;
000055 |
000056 |     if (s_Head == this)
000057 |     {
000058 |         s_Head = m_Next;
000059 |     }
000060 |
000061 |     if (s_Current == this)
000062 |     {
000063 |         s_Current = m_Next;
000064 |     }
000065 |
000066 |     if (m_Next)
000067 |     {
000068 |         m_Next.m_Prev = m_Prev;
000069 |     }
000070 |
000071 |     if (m_Prev)
000072 |     {
000073 |         m_Prev.m_Next = m_Next;
000074 |     }
000075 | }
000076 |
000077 | static void UpdateAll(int max)
000078 | {
000079 | #ifdef EXPANSIONTRACE
000080 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, "ExpansionZoneActor", "UpdateAll");
000081 | #endif
000082 |
000083 |     int index = 0;
000084 |     bool passedHead = false;
000085 |
000086 |     if (!s_Current)
000087 |     {
000088 |         s_Current = s_Head;
000089 |         passedHead = true;
000090 |     }
```

```
000091 |
000092 |     for (int i = 0; i < COUNT; i++)
000093 |         ExpansionZone.s_InsideBuffer[i] = false;
000094 |
000095 |     while (s_Current)
000096 |     {
000097 |         ExpansionZoneActor next = s_Current.m_Next;
000098 |         s_Current.OnUpdate();
000099 |         s_Current = next;
000100 |
000101 |         if ((index++) > max)
000102 |             return;
000103 |
000104 |         // small chance duplicate entries will be processed, but doing a proper check will prove to be ineffcient
000105 |         if (!passedHead && !s_Current)
000106 |         {
000107 |             s_Current = s_Head;
000108 |             passedHead = true;
000109 |         }
000110 |     }
000111 | }
000112 |
000113 | void Update()
000114 | {
000115 | #ifdef EXPANSIONTRACE
000116 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Update");
000117 | #endif
000118 |
000119 |     for (int i = 0; i < COUNT; i++)
000120 |         ExpansionZone.s_InsideBuffer[i] = false;
000121 |
000122 |     OnUpdate();
000123 | }
000124 |
000125 | protected void OnUpdate()
000126 | {
000127 | #ifdef EXPANSIONTRACE
000128 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnUpdate");
000129 | #endif
000130 |
000131 |     m_Position = GetPosition();
000132 |
000133 |     ExpansionZone element = ExpansionZone.s_Head;
000134 |     while (element)
000135 |     {
000136 |         element.Check(m_Position);
000137 |         element = element.m_Next;
000138 |     }
000139 |
000140 |     for (int i = 0; i < COUNT; i++)
000141 |     {
000142 |         if (ExpansionZone.s_InsideBuffer[i] && !m_Inside[i])
000143 |             OnEnterZone(i);
000144 |         else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])
000145 |             OnExitZone(i);
000146 |
000147 |         m_Inside[i] = ExpansionZone.s_InsideBuffer[i];
000148 |         ExpansionZone.s_InsideBuffer[i] = false;
000149 |     }
000150 | }
000151 |
000152 | void OnEnterZone(ExpansionZoneType type);
```



```
000153 |  
000154 |     void OnExitZone(ExpansionZoneType type);  
000155 |  
000156 |     vector GetPosition()  
000157 |     {  
000158 |         return vector.Zero;  
000159 |     }  
000160 |  
000161 |     bool InZone()  
000162 |     {  
000163 |         for (int i = 0; i < COUNT; i++)  
000164 |         {  
000165 |             if (m_Inside[i])  
000166 |                 return true;  
000167 |         }  
000168 |  
000169 |         return false;  
000170 |     }  
000171 | };  
000172 |  
000173 | class ExpansionZoneActorT<Class T> : ExpansionZoneActor  
000174 | {  
000175 |     T m_Instance;  
000176 |  
000177 |     void ExpansionZoneActorT(T instance)  
000178 |     {  
000179 |         m_Instance = instance;  
000180 |     }  
000181 |  
000182 |     override void OnEnterZone(ExpansionZoneType type)  
000183 |     {  
000184 |         m_Instance.OnEnterZone(type);  
000185 |     }  
000186 |  
000187 |     override void OnExitZone(ExpansionZoneType type)  
000188 |     {  
000189 |         m_Instance.OnExitZone(type);  
000190 |     }  
000191 |  
000192 |     override vector GetPosition()  
000193 |     {  
000194 |         return m_Instance.GetPosition();  
000195 |     }  
000196 | };  
000197 |  
000198 | // Optimized for entities, reduces number of functions called in iterator  
000199 | class ExpansionZoneEntity<Class T> : ExpansionZoneActor  
000200 | {  
000201 |     T m_Instance;  
000202 |  
000203 |     void ExpansionZoneEntity(T instance)  
000204 |     {  
000205 |         m_Instance = instance;  
000206 |     }  
000207 |  
000208 |     override void OnUpdate()  
000209 |     {  
000210 | #ifdef EXPANSIONTRACE  
000211 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnUpdate");  
000212 | #endif  
000213 |  
000214 |         m_Position = m_Instance.GetPosition();
```

```
000215 |  
000216 |     ExpansionZone element = ExpansionZone.s_Head;  
000217 |     while (element)  
000218 |     {  
000219 |         element.Check(m_Position);  
000220 |         element = element.m_Next;  
000221 |     }  
000222 |  
000223 |     for (int i = 0; i < COUNT; i++)  
000224 |     {  
000225 |         if (ExpansionZone.s_InsideBuffer[i] && !m_Inside[i])  
000226 |             m_Instance.OnEnterZone(i);  
000227 |         else if (!ExpansionZone.s_InsideBuffer[i] && m_Inside[i])  
000228 |             m_Instance.OnExitZone(i);  
000229 |  
000230 |         m_Inside[i] = ExpansionZone.s_InsideBuffer[i];  
000231 |         ExpansionZone.s_InsideBuffer[i] = false;  
000232 |     }  
000233 | }  
000234 | };  
000235 |
```

0127. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCircle.c

Size bytes: 1159

SHA-256: 2c8849ba5b83a173763636721378f9041aff6b6ae908554693333674e317ed7a

Decoded as: utf-8-sig

Line count shown: 50

Detected class declarations: 1

L16: class ExpansionZoneCircle : ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 3

L21: void ExpansionZoneCircle(ExpansionZoneType type, vector position, float radius)

L31: override void Check(vector position)

L45: override string ToStr()

Full file content

```
000001 | /**
000002 |  * ExpansionZoneCircle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZoneCircle
000014 |  * @brief
000015 |  */
000016 | class ExpansionZoneCircle : ExpansionZone
000017 | {
000018 |     vector m_Position;
000019 |     float m_Radius;
000020 |
000021 |     void ExpansionZoneCircle(ExpansionZoneType type, vector position, float radius)
000022 |     {
000023 | #ifdef EXPANSIONTRACE
000024 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZoneCircle");
000025 | #endif
000026 |
000027 |         m_Position = position;
000028 |         m_Radius = radius;
000029 |     }
000030 |
000031 |     override void Check(vector position)
000032 |     {
000033 | #ifdef EXPANSIONTRACE
000034 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000035 | #endif
000036 |
000037 |         if (s_InsideBuffer[m_Type])
000038 |             return;
000039 |
000040 |         bool isInside = Math.IsPointInCircle(position, m_Radius, m_Position);
000041 |
000042 |         s_InsideBuffer[m_Type] = isInside;
000043 |     }
000044 | }
```

```
000045 |     override string ToString()
000046 |     {
000047 |         return super.ToString() + " position=" + m_Position + " radius=" + m_Radius;
000048 |     }
000049 | };
000050 |
```

0128. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneCylinder.c

Size bytes: 1332

SHA-256: 86568227fa551e92a60829dbc1842fa905d42241ddf807d0285aa1136a922d21

Decoded as: utf-8-sig

Line count shown: 57

Detected class declarations: 1

L16: class ExpansionZoneCylinder : ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 3

L22: void ExpansionZoneCylinder(ExpansionZoneType type, vector position, float radius, float height)

L33: override void Check(vector position)

L53: override string ToString()

Full file content

```
000001 | /**
000002 |  * ExpansionZoneCylinder.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZoneCylinder
000014 |  * @brief
000015 |  */
000016 | class ExpansionZoneCylinder : ExpansionZone
000017 | {
000018 |     vector m_Position;
000019 |     float m_Radius;
000020 |     float m_Height;
000021 |
000022 |     void ExpansionZoneCylinder(ExpansionZoneType type, vector position, float radius, float height)
000023 |     {
000024 | #ifdef EXPANSIONTRACE
000025 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZoneCylinder");
000026 | #endif
000027 |
000028 |         m_Position = position;
000029 |         m_Radius = radius;
000030 |         m_Height = height;
000031 |     }
000032 |
000033 |     override void Check(vector position)
000034 |     {
000035 | #ifdef EXPANSIONTRACE
000036 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000037 | #endif
000038 |
000039 |         if (s_InsideBuffer[m_Type])
000040 |             return;
000041 |
000042 |         if (position[1] < m_Position[1])
000043 |             return;
000044 |     }
```

```
000045 |         if (position[1] > m_Position[1] + m_Height)
000046 |             return;
000047 |
000048 |         bool isInside = Math.IsPointInCircle(position, m_Radius, m_Position);
000049 |
000050 |         s_InsideBuffer[m_Type] = isInside;
000051 |     }
000052 |
000053 |     override string ToString()
000054 |     {
000055 |         return super.ToString() + " position=" + m_Position + " radius=" + m_Radius;
000056 |     }
000057 | };
```

0129. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZonePolygon.c

Size bytes: 2950

SHA-256: f60d4a717a1d092169d652087a129406b7986aeaf14ae9565712a3bbca042f62

Decoded as: utf-8-sig

Line count shown: 123

Detected class declarations: 1

L16: class ExpansionZonePolygon : ExpansionZone

Detected enum declarations: 0

Detected function/method-like declarations: 3

L34: void ExpansionZonePolygon(ExpansionZoneType type, TVectorArray positions)

L82: override void Check(vector position)

L118: override string ToString()

Full file content

```
000001 | /**
000002 |  * ExpansionZonePolygon.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZonePolygon
000014 |  * @brief
000015 |  */
000016 | class ExpansionZonePolygon : ExpansionZone
000017 | {
000018 |     vector m_Position;
000019 |     float m_Radius;
000020 |
000021 |     int m_Count;
000022 |     float m_Positions_X[32];
000023 |     float m_Positions_Z[32];
000024 |
000025 |     static float s_PosX;
000026 |     static float s_PosZ;
000027 |     static float s_PosX0;
000028 |     static float s_PosZ0;
000029 |     static float s_PosX1;
000030 |     static float s_PosZ1;
000031 |     static int s_ItrK;
000032 |     static int s_ItrJ;
000033 |
000034 |     void ExpansionZonePolygon(ExpansionZoneType type, TVectorArray positions)
000035 |     {
000036 | #ifdef EXPANSIONTRACE
000037 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "ExpansionZonePolygon");
000038 | #endif
000039 |
000040 |         int i, j;
000041 |
000042 |         m_Count = positions.Count();
000043 |         if (m_Count <= 2 || m_Count >= 32)
000044 |         {
```

```
000045 |         Error("Invalid number of positions supplied for polygon zone, got " + m_Count + ", expected 2<n<32");
000046 |     }
000047 |
000048 |     for (i = 0; i < m_Count; i++)
000049 |     {
000050 |         m_Positions_X[i] = positions[i][0];
000051 |         m_Positions_Z[i] = positions[i][2];
000052 |     }
000053 |
000054 |     float accumulatedArea = 0.0;
000055 |     j = m_Count - 1;
000056 |     for (i = 0; i < m_Count; ++i)
000057 |     {
000058 |         float area = m_Positions_X[i] * m_Positions_Z[j] - m_Positions_X[j] * m_Positions_Z[i];
000059 |         accumulatedArea += area;
000060 |         m_Position[0] = m_Position[0] + ((m_Positions_X[i] + m_Positions_X[j]) * area);
000061 |         m_Position[2] = m_Position[2] + ((m_Positions_Z[i] + m_Positions_Z[j]) * area);
000062 |         j = i;
000063 |     }
000064 |
000065 |     accumulatedArea *= 3.0;
000066 |     if (accumulatedArea == 0.0)
000067 |         return;
000068 |
000069 |     m_Position[0] = m_Position[0] / accumulatedArea;
000070 |     m_Position[2] = m_Position[2] / accumulatedArea;
000071 |
000072 |     for (i = 0; i < m_Count; ++i)
000073 |     {
000074 |         float distance = vector.Distance(m_Position, positions[i]);
000075 |         if (distance > m_Radius)
000076 |         {
000077 |             m_Radius = distance;
000078 |         }
000079 |     }
000080 | }
000081 |
000082 | override void Check(vector position)
000083 | {
000084 | #ifdef EXPANSIONTRACE
000085 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "Check");
000086 | #endif
000087 |
000088 |     m_Position[1] = position[1];
000089 |
000090 |     if (s_InsideBuffer[m_Type] || !Math.IsPointInCircle(position, m_Radius, m_Position))
000091 |         return;
000092 |
000093 |     bool ins = false;
000094 |
000095 |     s_PosX = position[0];
000096 |     s_PosZ = position[2];
000097 |
000098 |     s_ItrK = 0;
000099 |     s_ItrJ = m_Count - 1;
000100 |
000101 |     while (s_ItrK < m_Count)
000102 |     {
000103 |         s_PosX0 = m_Positions_X[s_ItrK];
000104 |         s_PosZ0 = m_Positions_Z[s_ItrK];
000105 |         s_PosX1 = m_Positions_X[s_ItrJ];
000106 |         s_PosZ1 = m_Positions_Z[s_ItrJ];
```



```
000107 |  
000108 |         if ((s_PosZ0 > s_PosZ) != (s_PosZ1 > s_PosZ) && s_PosX < (s_PosX1 - s_PosX0) * (s_PosZ - s_PosZ0) / (s_PosZ1 - s_PosZ0) + s_PosX0)  
000109 |             ins = !ins;  
000110 |  
000111 |         s_ItrJ = s_ItrK;  
000112 |         s_ItrK++;  
000113 |     }  
000114 |  
000115 |     s_InsideBuffer[m_Type] = ins;  
000116 | }  
000117 |  
000118 | override string ToString()  
000119 | {  
000120 |     return super.ToString() + " position=" + m_Position + " radius=" + m_Radius;  
000121 | }  
000122 | };  
000123 |
```

0130. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 3_Game\DayZExpansion_Core\Zone\ExpansionZoneType.c

Size bytes: 77

SHA-256: aa7670e5ab3680b69768cefe51f1420e5cd33712859611ff08b5d5482c1ca4e6

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 0

Detected enum declarations: 1

 L1: enum ExpansionZoneType

Detected function/method-like declarations: 0

Full file content

```
000001 | enum ExpansionZoneType
000002 | {
000003 |     SAFE = 0,
000004 |     MARKET,
000005 |     CONTAMINATED,
000006 |     Count
000007 | };
000008 |
```

0131. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ArrowManager\ArrowManagerPlayer.c

Size bytes: 2340

SHA-256: e4262aedc4088e191550899f1f6342816502058a6f7eb6e6deaba2e59ab892ed

Decoded as: utf-8-sig

Line count shown: 127

Detected class declarations: 1

L1: modded class ArrowManagerPlayer

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_Save(CF_ModStorage ctx)

L41: bool CF_Load(CF_ModStorage ctx)

Full file content

```

000001 | modded class ArrowManagerPlayer
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_Save(CF_ModStorage ctx)
000005 |     {
000006 |         ctx.Write(VERSION);
000007 |
000008 |         int count = m_Arrows.Count();
000009 |         int i;
000010 |
000011 |         for (i = count - 1; i >= 0; i--)
000012 |         {
000013 |             if (!m_Arrows[i])
000014 |                 m_Arrows.Remove(i);
000015 |         }
000016 |
000017 |         count = m_Arrows.Count();
000018 |
000019 |         ctx.Write(count);
000020 |
000021 |         foreach (EntityAI arrow: m_Arrows)
000022 |         {
000023 |             string type = arrow.GetType();
000024 |             ctx.Write(type.Hash());
000025 |
000026 |             vector angle = arrow.GetLocalYawPitchRoll();
000027 |             vector pos = arrow.GetLocalPosition();
000028 |
000029 |             ctx.Write(angle[0]);
000030 |             ctx.Write(angle[1]);
000031 |             ctx.Write(angle[2]);
000032 |             ctx.Write(pos[0]);
000033 |             ctx.Write(pos[1]);
000034 |             ctx.Write(pos[2]);
000035 |
000036 |             int pivot = arrow.GetHierarchyPivot();
000037 |             ctx.Write(pivot);
000038 |         }
000039 |     }
000040 |
000041 |     bool CF_Load(CF_ModStorage ctx)
000042 |     {
000043 |         int version;
000044 |         if (!ctx.Read(version))
000045 |             return false;

```

```
000046 |
000047 |     int count;
000048 |     if (!ctx.Read(count))
000049 |         return false;
000050 |
000051 |     while (count--)
000052 |     {
000053 |         if (version >= 1)
000054 |         {
000055 |             int hash;
000056 |             if (!ctx.Read(hash))
000057 |                 return false;
000058 |
000059 |             float angleF[3];
000060 |             float posF[3];
000061 |             float value;
000062 |
000063 |             if (!ctx.Read(value))
000064 |                 return false;
000065 |
000066 |             angleF[0] = value;
000067 |
000068 |             if (!ctx.Read(value))
000069 |                 return false;
000070 |
000071 |             angleF[1] = value;
000072 |
000073 |             if (!ctx.Read(value))
000074 |                 return false;
000075 |
000076 |             angleF[2] = value;
000077 |
000078 |             if (!ctx.Read(value))
000079 |                 return false;
000080 |
000081 |             posF[0] = value;
000082 |
000083 |             if (!ctx.Read(value))
000084 |                 return false;
000085 |
000086 |             posF[1] = value;
000087 |
000088 |             if (!ctx.Read(value))
000089 |                 return false;
000090 |
000091 |             posF[2] = value;
000092 |
000093 |             vector angle = "0 0 0";
000094 |             vector pos = "0 0 0";
000095 |
000096 |             angle = vector.ArrayToVec(angleF);
000097 |             pos = vector.ArrayToVec(posF);
000098 |
000099 |             int pivot;
000100 |             if (!ctx.Read(pivot))
000101 |                 return false;
000102 |
000103 |             if (version >= 2)
000104 |             {
000105 |                 #ifdef SERVER
000106 |                     int spawnFlags = ECE_KEEPHEIGHT|ECE_DYNAMIC_PERSISTENCY;
000107 |                 #else
```

```
000108 |         int spawnFlags = ECE_LOCAL|ECE_KEEPHEIGHT|ECE_DYNAMIC_PERSISTENCY;
000109 |     #endif
000110 |
000111 |         typename arrowType = GetArrowTypeFromHash(hash);
000112 |         EntityAI arrow = EntityAI.Cast(g_Game.CreateObjectEx(arrowType.ToString(), pos, spawnFlags));
000113 |         if (arrow)
000114 |         {
000115 |             arrow.SetQuantityToMinimum();
000116 |             arrow.SetYawPitchRoll(angle);
000117 |             m_Owner.AddChild(arrow, pivot);
000118 |         }
000119 |     }
000120 | }
000121 | }
000122 |
000123 |     return true;
000124 | }
000125 | #endif
000126 | }
000127 |
```

0132. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BaseBuilding\Construction.c

Size bytes: 4106

SHA-256: 2c7275ab28104276cbc9aaf514fc26888fb1762119672edf649ba30c29ad7df1

Decoded as: utf-8-sig

Line count shown: 138

Detected class declarations: 1

L13: modded class Construction

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: static void ExpansionBuildFullIfSupported(Object obj)

L60: void ExpansionBuildFull()

L76: ConstructionPart ExpansionBuildPartFull(string part_name)

L89: void ExpansionBuildPartFull(ConstructionPart construction_part)

L125: override bool CanBuildPart(string part_name, ItemBase tool, bool use_tool)

Full file content

```
000001 | /**
000002 |  * Construction.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class Construction
000014 | {
000015 |     static void ExpansionBuildFullIfSupported(Object obj)
000016 |     {
000017 |         BaseBuildingBase baseBuilding;
000018 |         if (Class.CastTo(baseBuilding, obj) && baseBuilding.CanUseConstruction())
000019 |         {
000020 |             /*****
000021 |              * WARNING: Only TESTED basebuilding items!
000022 |              * Most 3rd-party mods do NOT have the necessary rvConfig entries to get a reasonable preview and/or can cause client CTD if used!
000023 |              * Do NOT add other classnames unless they are GUARANTEED to work properly in market menu!
000024 |              *****/
000025 |
000026 |             bool isSupportedBB;
000027 |
000028 |             switch (baseBuilding.GetType())
000029 |             {
000030 |                 case "Fence":
000031 |                 case "Watchtower":
000032 |                 case "TerritoryFlag":
000033 |                     isSupportedBB = true;
000034 |                     break;
000035 |
000036 |                 default:
000037 |                     #ifdef EXPANSIONMODBASEBUILDING
000038 |                         if (baseBuilding.IsInherited(ExpansionBaseBuilding))
000039 |                             isSupportedBB = true;
000040 |                     #endif
000041 |                     break;
000042 |             }
```

```
000043 |
000044 |         if (isSupportedBB)
000045 |         {
000046 |             Construction construction = baseBuilding.GetConstruction();
000047 |             if (construction)
000048 |             {
000049 |                 if (construction.GetConstructionParts().Count() == 0)
000050 |                     construction.Init();
000051 |
000052 |                 construction.ExpansionBuildFull();
000053 |             }
000054 |         }
000055 |     }
000056 | }
000057 |
000058 |     /// Builds the whole thing without requiring materials
000059 |     /// Useful for client-side preview, currently used by Market for that purpose
000060 |     void ExpansionBuildFull()
000061 |     {
000062 | #ifdef EXPANSIONTRACE
000063 |         auto trace = CF_Trace_0(ExpansionTracing.BASEBUILDING, this, "ExpansionBuildFull");
000064 | #endif
000065 |
000066 |         TStringArray construction_parts = GetConstructionParts().GetKeyArray();
000067 |         construction_parts.Sort();
000068 |         foreach (string part_name : construction_parts)
000069 |         {
000070 |             ExpansionBuildPartFull(part_name);
000071 |         }
000072 |         GetParent().UpdateVisuals();
000073 |     }
000074 |
000075 |     /// Builds the part and all required parts, returns the part if it exists, else NULL
000076 |     ConstructionPart ExpansionBuildPartFull(string part_name)
000077 |     {
000078 | #ifdef EXPANSIONTRACE
000079 |         auto trace = CF_Trace_0(ExpansionTracing.BASEBUILDING, this, "ExpansionBuildPartFull");
000080 | #endif
000081 |
000082 |         ConstructionPart constrution_part = GetConstructionPart(part_name);
000083 |         if (constrution_part)
000084 |             ExpansionBuildPartFull(constrution_part);
000085 |         return constrution_part;
000086 |     }
000087 |
000088 |     /// Builds the part and all required parts
000089 |     void ExpansionBuildPartFull(ConstructionPart constrution_part)
000090 |     {
000091 | #ifdef EXPANSIONTRACE
000092 |         auto trace = CF_Trace_0(ExpansionTracing.BASEBUILDING, this, "ExpansionBuildPartFull");
000093 | #endif
000094 |
000095 |         string part_name = constrution_part.GetPartName();
000096 |
000097 |         if (!constrution_part.IsBuilt() && !HasConflictPart(part_name))
000098 |         {
000099 |             array<string> required_parts = constrution_part.GetRequiredParts();
000100 |             foreach (string required_part_name : required_parts)
000101 |             {
000102 |                 ConstructionPart required_part = GetConstructionPart(required_part_name);
000103 |                 ExpansionBuildPartFull(required_part);
000104 |                 if (!required_part.IsBuilt())
```

```
000105 |         return;
000106 |     }
000107 |
000108 |     if (!g_Game.IsServer())
000109 |     {
000110 |         constrution_part.SetBuiltState(true);
000111 |
000112 |         if (constrution_part.IsBase())
000113 |             GetParent().SetBaseState(true);
000114 |     }
000115 |
000116 |     GetParent().ExpansionUpdateBaseBuildingStateFromPartBuilt(part_name);
000117 |
000118 |     if (g_Game.IsServer())
000119 |         GetParent().Expansion_OnPartBuiltServer(constrution_part);
000120 |     else
000121 |         GetParent().UpdateVisuals();
000122 | }
000123 |
000124 |
000125 | override bool CanBuildPart( string part_name, ItemBase tool, bool use_tool )
000126 | {
000127 |     if ( tool && tool.Expansion_IsAdminTool() )
000128 |     {
000129 |         if ( !IsPartConstructed( part_name ) && HasRequiredPart( part_name ) && !HasConflictPart( part_name ) )
000130 |         {
000131 |             return true;
000132 |         }
000133 |     }
000134 |
000135 |     return super.CanBuildPart( part_name, tool, use_tool );
000136 | }
000137 | }
000138 |
```


0133. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerBase.c
Size bytes: 571
SHA-256: ebbf1ff32550d20e0c79486bfb6dbec2da8a7bb04ee1fa494d9085e85a2b8a57
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class BleedingSourcesManagerBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override protected bool CanAddBleedingSource(int bit)

Full file content

```
000001 | /**
000002 |  * BleedingSourcesManagerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class BleedingSourcesManagerBase
000014 | {
000015 |     override protected bool CanAddBleedingSource(int bit)
000016 |     {
000017 |         if (!m_Player.Expansion_CanBeDamaged())
000018 |             return false;
000019 |
000020 |         return super.CanAddBleedingSource(bit);
000021 |     }
000022 | }
000023 |
```

0134. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\BleedingSources\BleedingSourcesManagerServer.c

Size bytes: 1301

SHA-256: d4b37a787d66c19b1df7646f46273d74e8bc01724fd5d62f68d9c3f36f1305b7

Decoded as: utf-8-sig

Line count shown: 68

Detected class declarations: 1

L1: modded class BleedingSourcesManagerServer

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_OnStoreSave(CF_ModStorage ctx)

L29: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class BleedingSourcesManagerServer
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         int active_bits = m_Player.GetBleedingBits();
000007 |
000008 |         ctx.Write(active_bits);
000009 |
000010 |         int bit_offset = 0;
000011 |
000012 |         for (int i = 0; i < BIT_INT_SIZE; i++)
000013 |         {
000014 |             int bit = 1 << bit_offset;
000015 |
000016 |             if ((bit & active_bits) != 0)
000017 |             {
000018 |                 int active_time = GetBleedingSourceActiveTime(bit);
000019 |                 eBleedingSourceType type = GetBleedingSourceType(bit);
000020 |
000021 |                 ctx.Write(active_time);
000022 |                 ctx.Write(type);
000023 |             }
000024 |
000025 |             bit_offset++;
000026 |         }
000027 |     }
000028 |
000029 |     bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000030 |     {
000031 |         int active_bits;
000032 |         if (!ctx.Read(active_bits))
000033 |             return false;
000034 |
000035 |         int bit_offset = 0;
000036 |
000037 |         for (int i = 0; i < BIT_INT_SIZE; i++)
000038 |         {
000039 |             int bit = 1 << bit_offset;
000040 |
000041 |             if ((bit & active_bits) != 0 && CanAddBleedingSource(bit))
000042 |             {
000043 |                 AddBleedingSource(bit);
000044 |
000045 |                 int active_time = 0;
```

```
000046 |         if (!ctx.Read(active_time))
000047 |             return false;
000048 |         else
000049 |             SetBleedingSourceActiveTime(bit, active_time);
000050 |
000051 |         if (version >= 121)
000052 |         {
000053 |             eBleedingSourceType type = eBleedingSourceType.NORMAL;
000054 |             if (!ctx.Read(type))
000055 |                 return false;
000056 |             else
000057 |                 SetBleedingSourceType(bit, type);
000058 |         }
000059 |     }
000060 |
000061 |     bit_offset++;
000062 | }
000063 |
000064 | return true;
000065 | }
000066 | #endif
000067 | }
000068 |
```

0135. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommand.c

Size bytes: 5429

SHA-256: 119a88192c7ae90f3d5ce520014f0ff247571b50bdc94df529aad72cd8b1817e

Decoded as: utf-8-sig

Line count shown: 237

Detected class declarations: 1

L14: class ExpansionHumanCommand

Detected enum declarations: 0

Detected function/method-like declarations: 30

L33: void ExpansionHumanCommand(DayZPlayerImplement player, ExpansionHumanST table)

L39: void ~ExpansionHumanCommand()

L44: void SetLookDirection(vector pDirection)

L50: void SetLookAnglesRel(float lookLR, float lookUD)

L62: void SetAimAnglesRel(float aimLR, float aimUD) { }

L65: void AnglesToQuat(vector angles, out float[] quat)

L72: void PrePhys_SetAngles(vector angles)

L79: void PrePhys_SetRotation(float rotation[4])

L83: void ClearDebugShapes()

L93: void SetCurrentStance(int stance)

L98: int GetCurrentStance()

L103: void SetCurrentMovement(int movement)

L108: int GetCurrentMovement()

L113: void SetCurrentLeaning(float leaning)

L118: float GetCurrentLeaning()

L123: void PreAnimUpdate(float pDt)

L150: void OnActivate()

L155: void OnDeactivate()

L160: void Finish()

L165: bool PostPhysUpdate(float pDt)

L171: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L177: void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)

L188: void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)

L193: void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)

L202: void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)

L207: void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)

L212: void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)

L217: void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)

L222: void DBGAddShape(Shape shape)

L229: vector DBGFixDebugPosition(inout vector position)

Full file content

```
000001 | /**
000002 |  * ExpansionHumanCommand.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! NO MEMLEAKS ANS SEGFAULTS, unlike HumanCommandScript
000014 | class ExpansionHumanCommand
000015 | {
000016 |     DayZPlayerImplement m_Player;
000017 |     ExpansionHumanST m_Table;
```

```
000018 |
000019 |     vector m_Transform[4];
000020 |
000021 |     autoptr array<Shape> m_DebugShapes = new array<Shape>();
000022 |
000023 |     private bool m_Look = true;
000024 |     private float m_LookLR;
000025 |     private float m_LookUD;
000026 |
000027 |     private int m_CurrentStance = DayZPlayerConstants.STANCEIDX_ERECT;
000028 |     private int m_CurrentMovement = DayZPlayerConstants.MOVEMENT_IDLE;
000029 |     private float m_CurrentLeaning;
000030 |
000031 |     bool m_Continue = true;
000032 |
000033 |     void ExpansionHumanCommand(DayZPlayerImplement player, ExpansionHumanST table)
000034 |     {
000035 |         m_Player = player;
000036 |         m_Table = table;
000037 |     }
000038 |
000039 |     void ~ExpansionHumanCommand()
000040 |     {
000041 |         ClearDebugShapes();
000042 |     }
000043 |
000044 |     void SetLookDirection(vector pDirection)
000045 |     {
000046 |         vector angles = pDirection.VectorToAngles();
000047 |         SetLookAnglesRel(ExpansionMath.RelAngle(angles[0]), ExpansionMath.RelAngle(angles[1]));
000048 |     }
000049 |
000050 |     void SetLookAnglesRel(float lookLR, float lookUD)
000051 |     {
000052 |         m_LookLR = lookLR;
000053 |         m_LookUD = lookUD;
000054 |
000055 |         //!< https://feedback.bistudio.com/T173348
000056 |         if (Math.AbsFloat(m_LookLR) > 0.01 || Math.AbsFloat(m_LookUD) > 0.01)
000057 |             m_Look = true;
000058 |         else
000059 |             m_Look = false;
000060 |     }
000061 |
000062 |     void SetAimAnglesRel(float aimLR, float aimUD) { }
000063 |
000064 |     //!< Helper functions
000065 |     void AnglesToQuat(vector angles, out float[] quat)
000066 |     {
000067 |         vector rotationMatrix[3];
000068 |         Math3D.YawPitchRollMatrix(angles, rotationMatrix);
000069 |         Math3D.MatrixToQuat(rotationMatrix, quat);
000070 |     }
000071 |
000072 |     void PrePhys_SetAngles(vector angles)
000073 |     {
000074 |         float rotation[4];
000075 |         AnglesToQuat(angles, rotation);
000076 |         PrePhys_SetRotation(rotation);
000077 |     }
000078 |
000079 |     void PrePhys_SetRotation(float rotation[4])
```

```
000080 | {
000081 | }
000082 |
000083 | void ClearDebugShapes()
000084 | {
000085 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000086 |     for (int dbg = 0; dbg < m_DebugShapes.Count(); ++dbg)
000087 |         m_DebugShapes[dbg].Destroy();
000088 |
000089 |     m_DebugShapes.Clear();
000090 | #endif
000091 | }
000092 |
000093 | void SetCurrentStance(int stance)
000094 | {
000095 |     m_CurrentStance = stance;
000096 | }
000097 |
000098 | int GetCurrentStance()
000099 | {
000100 |     return m_CurrentStance;
000101 | }
000102 |
000103 | void SetCurrentMovement(int movement)
000104 | {
000105 |     m_CurrentMovement = movement;
000106 | }
000107 |
000108 | int GetCurrentMovement()
000109 | {
000110 |     return m_CurrentMovement;
000111 | }
000112 |
000113 | void SetCurrentLeaning(float leaning)
000114 | {
000115 |     m_CurrentLeaning = leaning;
000116 | }
000117 |
000118 | float GetCurrentLeaning()
000119 | {
000120 |     return m_CurrentLeaning;
000121 | }
000122 |
000123 | void PreAnimUpdate(float pDt)
000124 | {
000125 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000126 |     ClearDebugShapes();
000127 | #endif
000128 |
000129 |     m_Player.GetTransform(m_Transform);
000130 |
000131 |     m_Table.SetLook(m_Player, m_Look);
000132 |
000133 |     switch (m_Player.GetInstanceType())
000134 |     {
000135 |     case DayZPlayerInstanceType.INSTANCETYPE_AI_SERVER:
000136 |     case DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE:
000137 |     case DayZPlayerInstanceType.INSTANCETYPE_AI_SINGLEPLAYER:
000138 |         m_Table.SetLookDirX(m_Player, m_LookLR);
000139 |         m_Table.SetLookDirY(m_Player, m_LookUD);
000140 |         break;
000141 |     }
```

```
000142 |         default:
000143 |             HumanCommandWeapons hcw = m_Player.GetCommandModifier_Weapons();
000144 |             m_Table.SetLookDirX(m_Player, hcw.GetBaseAimingAngleLR());
000145 |             m_Table.SetLookDirY(m_Player, hcw.GetBaseAimingAngleUD());
000146 |             break;
000147 |     }
000148 | }
000149 |
000150 | void OnActivate()
000151 | {
000152 |     ClearDebugShapes();
000153 | }
000154 |
000155 | void OnDeactivate()
000156 | {
000157 |     ClearDebugShapes();
000158 | }
000159 |
000160 | void Finish()
000161 | {
000162 |     m_Continue = false;
000163 | }
000164 |
000165 | bool PostPhysUpdate(float pDt)
000166 | {
000167 |     return m_Continue;
000168 | }
000169 |
000170 | #ifdef CF_DebugUI
000171 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000172 |     {
000173 |         return true;
000174 |     }
000175 | #endif
000176 |
000177 | void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)
000178 | {
000179 |     vector pts[2];
000180 |     pts[0] = DBGFixDebugPosition(start);
000181 |     pts[1] = DBGFixDebugPosition(end);
000182 |
000183 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000184 |     DBGAddShape(Shape.CreateLines(color, ShapeFlags TRANSP | ShapeFlags.NOZBUFFER, pts, 2));
000185 | #endif
000186 | }
000187 |
000188 | void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)
000189 | {
000190 |     DBGDrawLineMS(start.InvMultiply4(m_Transform), end.InvMultiply4(m_Transform), color);
000191 | }
000192 |
000193 | void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)
000194 | {
000195 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000196 |     position = DBGFixDebugPosition(position);
000197 |
000198 |     DBGAddShape(Shape.CreateSphere(color, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, position, size));
000199 | #endif
000200 | }
000201 |
000202 | void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)
000203 | {
```

```
000204 |         DBGDrawSphereMS(position.InvMultiply4(m_Transform), size, color);
000205 |     }
000206 |
000207 |     void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)
000208 |     {
000209 |         DBGDrawLineMS("0 0 0", direction, color);
000210 |     }
000211 |
000212 |     void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)
000213 |     {
000214 |         DBGDrawLineMS(start, start + direction, color);
000215 |     }
000216 |
000217 |     void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)
000218 |     {
000219 |         DBGDrawLineDirectionMS(start.InvMultiply4(m_Transform), direction.InvMultiply3(m_Transform), color);
000220 |     }
000221 |
000222 |     void DBGAddShape(Shape shape)
000223 |     {
000224 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000225 |         m_DebugShapes.Insert(shape);
000226 | #endif
000227 |     }
000228 |
000229 |     vector DBGFixDebugPosition(inout vector position)
000230 |     {
000231 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000232 |         position = position.Multiply4(m_Transform);
000233 | #endif
000234 |
000235 |         return position;
000236 |     }
000237 | };
```


0136. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandScript.c

Size bytes: 5328

SHA-256: 43e16c39dcea385efb90d4ffb1a904aab2a73da91a3f3ccf58c13820dc9175d6

Decoded as: utf-8-sig

Line count shown: 223

Detected class declarations: 1

L13: class ExpansionHumanCommandScript : HumanCommandScript

Detected enum declarations: 0

Detected function/method-like declarations: 27

L31: void ExpansionHumanCommandScript(DayZPlayerImplement player, ExpansionHumanST table)

L39: void ~ExpansionHumanCommandScript()

L44: void SetLookDirection(vector pDirection)

L50: void SetLookAnglesRel(float lookLR, float lookUD)

L62: void SetAimAnglesRel(float aimLR, float aimUD) { }

L65: void AnglesToQuat(vector angles, out float[] quat)

L72: void PrePhys_SetAngles(vector angles)

L79: void ClearDebugShapes()

L89: void SetCurrentStance(int stance)

L94: override int GetCurrentStance()

L99: void SetCurrentMovement(int movement)

L104: override int GetCurrentMovement()

L109: void SetCurrentLeaning(float leaning)

L114: override float GetCurrentLeaning()

L119: override void PreAnimUpdate(float pDt)

L146: override void OnActivate()

L151: override void OnDeactivate()

L157: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L163: void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)

L174: void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)

L179: void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)

L188: void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)

L193: void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)

L198: void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)

L203: void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)

L208: void DBGAddShape(Shape shape)

L215: vector DBGFixDebugPosition(inout vector position)

Full file content

```
000001 | /**
000002 |  * ExpansionHumanCommandScript.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionHumanCommandScript : HumanCommandScript
000014 | {
000015 |     DayZPlayerImplement m_Player;
000016 |     ExpansionHumanST m_Table;
000017 |     HumanInputController m_Input;
000018 |
000019 |     vector m_Transform[4];
000020 | }
```

```
000021 |     autoptr array<Shape> m_DebugShapes = new array<Shape>();
000022 |
000023 |     private bool m_Look = true;
000024 |     private float m_LookLR;
000025 |     private float m_LookUD;
000026 |
000027 |     private int m_CurrentStance = DayZPlayerConstants.STANCEIDX_ERECT;
000028 |     private int m_CurrentMovement = DayZPlayerConstants.MOVEMENT_IDLE;
000029 |     private float m_CurrentLeaning;
000030 |
000031 |     void ExpansionHumanCommandScript(DayZPlayerImplement player, ExpansionHumanST table)
000032 |     {
000033 |         m_Player = player;
000034 |         m_Table = table;
000035 |
000036 |         m_Input = player.GetInputController();
000037 |     }
000038 |
000039 |     void ~ExpansionHumanCommandScript()
000040 |     {
000041 |         ClearDebugShapes();
000042 |     }
000043 |
000044 |     void SetLookDirection(vector pDirection)
000045 |     {
000046 |         vector angles = pDirection.VectorToAngles();
000047 |         SetLookAnglesRel(ExpansionMath.RelAngle(angles[0]), ExpansionMath.RelAngle(angles[1]));
000048 |     }
000049 |
000050 |     void SetLookAnglesRel(float lookLR, float lookUD)
000051 |     {
000052 |         m_LookLR = lookLR;
000053 |         m_LookUD = lookUD;
000054 |
000055 |         //! https://feedback.bistudio.com/T173348
000056 |         if (Math.AbsFloat(m_LookLR) > 0.01 || Math.AbsFloat(m_LookUD) > 0.01)
000057 |             m_Look = true;
000058 |         else
000059 |             m_Look = false;
000060 |     }
000061 |
000062 |     void SetAimAnglesRel(float aimLR, float aimUD) { }
000063 |
000064 |     //! Helper functions
000065 |     void AnglesToQuat(vector angles, out float[] quat)
000066 |     {
000067 |         vector rotationMatrix[3];
000068 |         Math3D.YawPitchRollMatrix(angles, rotationMatrix);
000069 |         Math3D.MatrixToQuat(rotationMatrix, quat);
000070 |     }
000071 |
000072 |     void PrePhys_SetAngles(vector angles)
000073 |     {
000074 |         float rotation[4];
000075 |         AnglesToQuat(angles, rotation);
000076 |         PrePhys_SetRotation(rotation);
000077 |     }
000078 |
000079 |     void ClearDebugShapes()
000080 |     {
000081 |     #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000082 |         for (int dbg = 0; dbg < m_DebugShapes.Count(); ++dbg)
```

```
000083 |         m_DebugShapes[dbg].Destroy();
000084 |
000085 |     m_DebugShapes.Clear();
000086 | #endif
000087 | }
000088 |
000089 | void SetCurrentStance(int stance)
000090 | {
000091 |     m_CurrentStance = stance;
000092 | }
000093 |
000094 | override int GetCurrentStance()
000095 | {
000096 |     return m_CurrentStance;
000097 | }
000098 |
000099 | void SetCurrentMovement(int movement)
000100 | {
000101 |     m_CurrentMovement = movement;
000102 | }
000103 |
000104 | override int GetCurrentMovement()
000105 | {
000106 |     return m_CurrentMovement;
000107 | }
000108 |
000109 | void SetCurrentLeaning(float leaning)
000110 | {
000111 |     m_CurrentLeaning = leaning;
000112 | }
000113 |
000114 | override float GetCurrentLeaning()
000115 | {
000116 |     return m_CurrentLeaning;
000117 | }
000118 |
000119 | override void PreAnimUpdate(float pDt)
000120 | {
000121 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000122 |     ClearDebugShapes();
000123 | #endif
000124 |
000125 |     m_Player.GetTransform(m_Transform);
000126 |
000127 |     m_Table.SetLook(this, m_Look);
000128 |
000129 |     switch (m_Player.GetInstanceType())
000130 |     {
000131 |         case DayZPlayerInstanceType.INSTANCETYPE_AI_SERVER:
000132 |         case DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE:
000133 |         case DayZPlayerInstanceType.INSTANCETYPE_AI_SINGLEPLAYER:
000134 |             m_Table.SetLookDirX(this, m_LookLR);
000135 |             m_Table.SetLookDirY(this, m_LookUD);
000136 |             break;
000137 |
000138 |         default:
000139 |             HumanCommandWeapons hcw = m_Player.GetCommandModifier_Weapons();
000140 |             m_Table.SetLookDirX(this, hcw.GetBaseAimingAngleLR());
000141 |             m_Table.SetLookDirY(this, hcw.GetBaseAimingAngleUD());
000142 |             break;
000143 |     }
000144 | }
```

```
000145 |
000146 |     override void OnActivate()
000147 |     {
000148 |         ClearDebugShapes();
000149 |     }
000150 |
000151 |     override void OnDeactivate()
000152 |     {
000153 |         ClearDebugShapes();
000154 |     }
000155 |
000156 | #ifdef CF_DebugUI
000157 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000158 |     {
000159 |         return true;
000160 |     }
000161 | #endif
000162 |
000163 |     void DBGDrawLineMS(vector start, vector end, int color = 0x44FFFFFF)
000164 |     {
000165 |         vector pts[2];
000166 |         pts[0] = DBGFixDebugPosition(start);
000167 |         pts[1] = DBGFixDebugPosition(end);
000168 |
000169 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000170 |         DBGAddShape(Shape.CreateLines(color, ShapeFlags TRANSP | ShapeFlags.NOZBUFFER, pts, 2));
000171 | #endif
000172 |     }
000173 |
000174 |     void DBGDrawLine(vector start, vector end, int color = 0x44FFFFFF)
000175 |     {
000176 |         DBGDrawLineMS(start.InvMultiply4(m_Transform), end.InvMultiply4(m_Transform), color);
000177 |     }
000178 |
000179 |     void DBGDrawSphereMS(vector position, float size, int color = 0x44FFFFFF)
000180 |     {
000181 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000182 |         position = DBGFixDebugPosition(position);
000183 |
000184 |         DBGAddShape(Shape.CreateSphere(color, ShapeFlags.WIREFRAME | ShapeFlags.NOZBUFFER, position, size));
000185 | #endif
000186 |     }
000187 |
000188 |     void DBGDrawSphere(vector position, float size, int color = 0x44FFFFFF)
000189 |     {
000190 |         DBGDrawSphereMS(position.InvMultiply4(m_Transform), size, color);
000191 |     }
000192 |
000193 |     void DBGDrawLineDirectionMS(vector direction, int color = 0x44FFFFFF)
000194 |     {
000195 |         DBGDrawLineMS("0 0 0", direction, color);
000196 |     }
000197 |
000198 |     void DBGDrawLineDirectionMS(vector start, vector direction, int color = 0x44FFFFFF)
000199 |     {
000200 |         DBGDrawLineMS(start, start + direction, color);
000201 |     }
000202 |
000203 |     void DBGDrawLineDirection(vector start, vector direction, int color = 0x44FFFFFF)
000204 |     {
000205 |         DBGDrawLineDirectionMS(start.InvMultiply4(m_Transform), direction.InvMultiply3(m_Transform), color);
000206 |     }
```

```
000207 |  
000208 |     void DBGAddShape(Shape shape)  
000209 |     {  
000210 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE  
000211 |         m_DebugShapes.Insert(shape);  
000212 | #endif  
000213 |     }  
000214 |  
000215 |     vector DBGFixDebugPosition(inout vector position)  
000216 |     {  
000217 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE  
000218 |         position = position.Multiply4(m_Transform);  
000219 | #endif  
000220 |  
000221 |         return position;  
000222 |     }  
000223 | };
```

0137. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanCommandVehicle.c
Size bytes: 1351
SHA-256: 8e79e347d29a259be6c0540e304a06d757319953de2f2a23e659fa2951bbb47a
Decoded as: utf-8-sig
Line count shown: 89
Detected class declarations: 1
  L13: class ExpansionHumanCommandVehicle : ExpansionHumanCommandScript
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L15: void ExpansionHumanCommandVehicle(DayZPlayerImplement player, ExpansionHumanST table, Object vehicle, int seatIdx, int seat_anim, bool fromU
  L19: void LeaveVehicle()
  L23: void GetOutVehicle()
  L27: void JumpOutVehicle()
  L31: void SwitchSeat(int seatIdx, int seatAnimType)
  L35: bool IsGettingOut()
  L40: bool IsGettingIn()
  L45: bool IsSwitchSeat()
  L50: Object GetObject()
  L55: Transport GetTransport()
  L61: ExpansionVehicleBase GetExpansionVehicle()
  L67: int GetVehicleSeat()
  L72: void SetVehicleType(int vehicleType)
  L76: void KeepInVehicleSpaceAfterLeave(bool state)
  L80: bool WasGearChange()
  L85: void SetClutchState(bool state)

```

Full file content

```

000001 | /**
000002 |  * ExpansionHumanCommandVehicle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionHumanCommandVehicle : ExpansionHumanCommandScript
000014 | {
000015 |     void ExpansionHumanCommandVehicle(DayZPlayerImplement player, ExpansionHumanST table, Object vehicle, int seatIdx, int seat_anim, bool fromUnconscious)
000016 |     {
000017 |     }
000018 |
000019 |     void LeaveVehicle()
000020 |     {
000021 |     }
000022 |
000023 |     void GetOutVehicle()
000024 |     {
000025 |     }
000026 |
000027 |     void JumpOutVehicle()
000028 |     {
000029 |     }
000030 |
000031 |     void SwitchSeat(int seatIdx, int seatAnimType)

```

```
000032 | {
000033 | }
000034 |
000035 | bool IsGettingOut()
000036 | {
000037 |     return false;
000038 | }
000039 |
000040 | bool IsGettingIn()
000041 | {
000042 |     return false;
000043 | }
000044 |
000045 | bool IsSwitchSeat()
000046 | {
000047 |     return false;
000048 | }
000049 |
000050 | Object GetObject()
000051 | {
000052 |     return null;
000053 | }
000054 |
000055 | Transport GetTransport()
000056 | {
000057 |     return null;
000058 | }
000059 |
000060 | #ifdef EXPANSIONMODVEHICLE
000061 |     ExpansionVehicleBase GetExpansionVehicle()
000062 |     {
000063 |         return null;
000064 |     }
000065 | #endif
000066 |
000067 | int GetVehicleSeat()
000068 | {
000069 |     return -1;
000070 | }
000071 |
000072 | void SetVehicleType(int vehicleType)
000073 | {
000074 | }
000075 |
000076 | void KeepInVehicleSpaceAfterLeave(bool state)
000077 | {
000078 | }
000079 |
000080 | bool WasGearChange()
000081 | {
000082 |     return false;
000083 | }
000084 |
000085 | void SetClutchState(bool state)
000086 | {
000087 | }
000088 | };
000089 |
```

0138. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Commands\ExpansionHumanST.c
Size bytes: 15617
SHA-256: d005447634fc05147bf84e50f9e1d98902a8573855cdf1570fc65499252011ba
Decoded as: utf-8-sig
Line count shown: 540
Detected class declarations: 1
  L13: class ExpansionHumanST
Detected enum declarations: 0
Detected function/method-like declarations: 72
  L77: void ExpansionHumanST( Human human )
  L155: void CallFall( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L160: void CallFall( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L165: void CallFallCancel( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L170: void CallFallCancel( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L175: void CallJump( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L180: void CallJump( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L185: void CallLand( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L190: void CallLand( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L195: void CallSwim( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L200: void CallSwim( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L205: void CallTurn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L210: void CallTurn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L215: void CallStopTurn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L220: void CallStopTurn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L225: void CallWeaponFire( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L230: void CallWeaponFire( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L245: void CallVehicleGetIn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L250: void CallVehicleGetIn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L255: void CallVehicleSwitchSeat( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L260: void CallVehicleSwitchSeat( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L265: void CallVehicleGetOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L270: void CallVehicleGetOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L275: void CallVehicleClimbOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L280: void CallVehicleClimbOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L285: void CallVehicleCrawlOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L290: void CallVehicleCrawlOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L295: void CallVehicleJumpOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
  L300: void CallVehicleJumpOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
  L315: void SetMovementSpeed( HumanCommandScript script, float param )
  L320: void SetMovementSpeed( DayZPlayer player, float param )
  L325: void SetMovementDirection( HumanCommandScript script, float param )
  L330: void SetMovementDirection( DayZPlayer player, float param )
  L335: void SetTurnAmount( HumanCommandScript script, float param )
  L340: void SetTurnAmount( DayZPlayer player, float param )
  L345: void SetWaterLevel( HumanCommandScript script, float param )
  L350: void SetWaterLevel( DayZPlayer player, float param )
  L355: bool IsLandEarlyExit( HumanCommandScript script )
  L360: void SetVehicleType( HumanCommandScript script, int param )
  L365: void SetVehicleType( DayZPlayer player, int param )
  L370: void SetVehicleSteering( HumanCommandScript script, float param )
  L375: void SetVehicleSteering( DayZPlayer player, float param )
  L380: void SetVehicleThrottle( HumanCommandScript script, float param )
  L385: void SetVehicleThrottle( DayZPlayer player, float param )
  L390: void SetVehicleClutch( HumanCommandScript script, float param )
  L395: void SetVehicleClutch( DayZPlayer player, float param )
  L400: void SetVehicleBrake( HumanCommandScript script, bool param )
  L405: void SetVehicleBrake( DayZPlayer player, bool param )
  L410: void SetVehicleAccelerationFB( HumanCommandScript script, float param )
```



```
L415: void SetVehicleAccelerationFB( DayZPlayer player, float param )
L420: void SetVehicleAccelerationLR( HumanCommandScript script, float param )
L425: void SetVehicleAccelerationLR( DayZPlayer player, float param )
L430: bool IsLeaveVehicle( HumanCommandScript script )
L435: bool IsLandVehicle( HumanCommandScript script )
L440: void SetLook( HumanCommandScript script, bool param )
L445: void SetLook( DayZPlayer player, bool param )
L450: void SetLookDirX( HumanCommandScript script, float param )
L455: void SetLookDirX( DayZPlayer player, float param )
L460: void SetLookDirY( HumanCommandScript script, float param )
L465: void SetLookDirY( DayZPlayer player, float param )
L480: void SetAimX( HumanCommandScript script, float param )
L485: void SetAimX( DayZPlayer player, float param )
L490: void SetAimY( HumanCommandScript script, float param )
L495: void SetAimY( DayZPlayer player, float param )
L500: void SetRaised( HumanCommandScript script, bool param )
L505: void SetRaised( DayZPlayer player, bool param )
L510: void SetADS( HumanCommandScript script, bool param )
L515: void SetADS( DayZPlayer player, bool param )
L520: void SetStance( HumanCommandScript script, int param )
L525: void SetStance( DayZPlayer player, int param )
L530: void SetLean( HumanCommandScript script, float param )
L535: void SetLean( DayZPlayer player, float param )
```

Full file content

```
000001 | /**
000002 |  * ExpansionHumanST.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionHumanST
000014 | {
000015 |     int m_CMD_Fall;
000016 |     int m_CMD_FallCancel;
000017 |     int m_CMD_Jump;
000018 |     int m_CMD_Land;
000019 |     int m_CMD_Swim;
000020 |
000021 |     int m_CMD_Turn;
000022 |     int m_CMD_StopTurn;
000023 |
000024 |     int m_CMD_WeaponFire;
000025 |
000026 |     //int m_CMD_Expansion_Parachute_Pull;
000027 |     //int m_CMD_Expansion_Parachute_Cut;
000028 |
000029 |     int m_CMD_Vehicle_GetIn;
000030 |     int m_CMD_Vehicle_SwitchSeat;
000031 |     int m_CMD_Vehicle_GetOut;
000032 |     int m_CMD_Vehicle_ClimbOut;
000033 |     int m_CMD_Vehicle_CrawlOut;
000034 |     int m_CMD_Vehicle_JumpOut;
000035 |
000036 |     //int m_CMD_Guitar;
```

```
000037 | //int m_CMD_Guitar_Stop;
000038 |
000039 | int m_VAR_MovementSpeed;
000040 | int m_VAR_MovementDirection;
000041 |
000042 | int m_VAR_TurnAmount;
000043 |
000044 | int m_VAR_WaterLevel;
000045 |
000046 | int m_EVT_LandEarlyExit;
000047 |
000048 | int m_VAR_VehicleType;
000049 | int m_VAR_VehicleSteering;
000050 | int m_VAR_VehicleThrottle;
000051 | int m_VAR_VehicleClutch;
000052 | int m_VAR_VehicleBrake;
000053 | int m_VAR_VehicleAccelerationFB;
000054 | int m_VAR_VehicleAccelerationLR;
000055 |
000056 | int m_EVT_LeaveVehicle;
000057 | int m_EVT_LandVehicle;
000058 |
000059 | int m_VAR_Look;
000060 | int m_VAR_LookDirX;
000061 | int m_VAR_LookDirY;
000062 |
000063 | //int m_VAR_GuitarChord;
000064 | //int m_VAR_GuitarFret;
000065 |
000066 | int m_VAR_AimX;
000067 | int m_VAR_AimY;
000068 |
000069 | int m_VAR_Raised;
000070 | int m_VAR_ADS;
000071 | int m_VAR_Stance;
000072 |
000073 | int m_VAR_Lean;
000074 |
000075 | int m_TAG_WeaponFire;
000076 |
000077 | void ExpansionHumanST( Human human )
000078 | {
000079 |     HumanAnimInterface hai = human.GetAnimInterface();
000080 |
000081 |     m_CMD_Fall = hai.BindCommand( "CMD_Fall" );
000082 |     m_CMD_FallCancel = hai.BindCommand( "CMD_FallCancel" );
000083 |     m_CMD_Jump = hai.BindCommand( "CMD_Jump" );
000084 |     m_CMD_Land = hai.BindCommand( "CMD_Land" );
000085 |     m_CMD_Swim = hai.BindCommand( "CMD_Swim" );
000086 |
000087 | #ifdef EXPANSIONMODAI
000088 |     m_CMD_Turn = hai.BindCommand( "CMD_eAI_Turn" );
000089 |     m_CMD_StopTurn = hai.BindCommand( "CMD_eAI_StopTurn" );
000090 | #endif
000091 |
000092 |     m_CMD_WeaponFire = hai.BindCommand( "CMD_WeaponFire" );
000093 |
000094 |     //m_CMD_Expansion_Parachute_Pull = hai.BindCommand( "CMD_Expansion_Parachute_Pull" );
000095 |     //m_CMD_Expansion_Parachute_Cut = hai.BindCommand( "CMD_Expansion_Parachute_Cut" );
000096 |
000097 |     m_CMD_Vehicle_GetIn = hai.BindCommand( "CMD_Vehicle_GetIn" );
000098 |     m_CMD_Vehicle_SwitchSeat = hai.BindCommand( "CMD_Vehicle_SwitchSeat" );
```

```
000099 |         m_CMD_Vehicle_GetOut = hai.BindCommand( "CMD_Vehicle_GetOut" );
000100 |         m_CMD_Vehicle_ClimbOut = hai.BindCommand( "CMD_Vehicle_ClimbOut" );
000101 |         m_CMD_Vehicle_CrawlOut = hai.BindCommand( "CMD_Vehicle_CrawlOut" );
000102 |         m_CMD_Vehicle_JumpOut = hai.BindCommand( "CMD_Vehicle_JumpOut" );
000103 |
000104 |         //m_CMD_Guitar = hai.BindCommand( "CMD_Guitar" );
000105 |         //m_CMD_Guitar_Stop = hai.BindCommand( "CMD_Guitar_Stop" );
000106 |
000107 |         m_VAR_MovementSpeed = hai.BindVariableFloat( "MovementSpeed" );
000108 |         m_VAR_MovementDirection = hai.BindVariableFloat( "MovementDirection" );
000109 |
000110 | #ifdef EXPANSIONMODAI
000111 |     m_VAR_TurnAmount = hai.BindVariableFloat( "eAI_TurnAmount" );
000112 | #endif
000113 |
000114 |     m_VAR_WaterLevel = hai.BindVariableFloat( "WaterLevel" );
000115 |
000116 |     m_EVT_LandEarlyExit = hai.BindEvent( "LandEarlyExit" );
000117 |
000118 |     m_VAR_VehicleType = hai.BindVariableInt( "VehicleType" );
000119 |     m_VAR_VehicleSteering = hai.BindVariableFloat( "VehicleSteering" );
000120 |     m_VAR_VehicleThrottle = hai.BindVariableFloat( "VehicleThrottle" );
000121 |     m_VAR_VehicleClutch = hai.BindVariableFloat( "VehicleClutch" );
000122 |     m_VAR_VehicleBrake = hai.BindVariableBool( "VehicleBrake" );
000123 |     m_VAR_VehicleAccelerationFB = hai.BindVariableFloat( "VehicleAccelerationFB" );
000124 |     m_VAR_VehicleAccelerationLR = hai.BindVariableFloat( "VehicleAccelerationLR" );
000125 |
000126 |     m_EVT_LeaveVehicle = hai.BindEvent( "LeaveVehicle" );
000127 |     m_EVT_LandVehicle = hai.BindEvent( "LandVehicle" );
000128 |
000129 |     m_VAR_Look = hai.BindVariableBool( "Look" );
000130 | #ifdef EXPANSIONMODAI
000131 |     m_VAR_LookDirX = hai.BindVariableFloat( "eAI_LookDirX" );
000132 |     m_VAR_LookDirY = hai.BindVariableFloat( "eAI_LookDirY" );
000133 | #endif
000134 |
000135 |     //m_VAR_GuitarChord = hai.BindVariableInt( "GuitarChord" );
000136 |     //m_VAR_GuitarFret = hai.BindVariableFloat( "GuitarFret" );
000137 |
000138 | #ifdef EXPANSIONMODAI
000139 |     m_VAR_AimX = hai.BindVariableFloat( "eAI_AimX" );
000140 |     m_VAR_AimY = hai.BindVariableFloat( "eAI_AimY" );
000141 |
000142 |     m_VAR_Raised = hai.BindVariableBool( "eAI_Raised" );
000143 | #endif
000144 |
000145 |     m_VAR_ADS = hai.BindVariableBool( "ADS" );
000146 |     m_VAR_Stance = hai.BindVariableInt( "Stance" );
000147 |
000148 | #ifdef EXPANSIONMODAI
000149 |     m_VAR_Lean = hai.BindVariableFloat( "eAI_Lean" );
000150 | #endif
000151 |
000152 |     m_TAG_WeaponFire = hai.BindTag("TagWeaponFire");
000153 | }
000154 |
000155 | void CallFall( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000156 | {
000157 |     script.PreAnim_CallCommand( m_CMD_Fall, pParamInt, pParamFloat );
000158 | }
000159 |
000160 | void CallFall( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
```

```
000161 | {
000162 |     player.AnimCallCommand( m_CMD_Fall, pParamInt, pParamFloat );
000163 | }
000164 |
000165 | void CallFallCancel( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000166 | {
000167 |     script.PreAnim_CallCommand( m_CMD_FallCancel, pParamInt, pParamFloat );
000168 | }
000169 |
000170 | void CallFallCancel( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000171 | {
000172 |     player.AnimCallCommand( m_CMD_FallCancel, pParamInt, pParamFloat );
000173 | }
000174 |
000175 | void CallJump( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000176 | {
000177 |     script.PreAnim_CallCommand( m_CMD_Jump, pParamInt, pParamFloat );
000178 | }
000179 |
000180 | void CallJump( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000181 | {
000182 |     player.AnimCallCommand( m_CMD_Jump, pParamInt, pParamFloat );
000183 | }
000184 |
000185 | void CallLand( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000186 | {
000187 |     script.PreAnim_CallCommand( m_CMD_Land, pParamInt, pParamFloat );
000188 | }
000189 |
000190 | void CallLand( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000191 | {
000192 |     player.AnimCallCommand( m_CMD_Land, pParamInt, pParamFloat );
000193 | }
000194 |
000195 | void CallSwim( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000196 | {
000197 |     script.PreAnim_CallCommand( m_CMD_Swim, pParamInt, pParamFloat );
000198 | }
000199 |
000200 | void CallSwim( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000201 | {
000202 |     player.AnimCallCommand( m_CMD_Swim, pParamInt, pParamFloat );
000203 | }
000204 |
000205 | void CallTurn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000206 | {
000207 |     script.PreAnim_CallCommand( m_CMD_Turn, pParamInt, pParamFloat );
000208 | }
000209 |
000210 | void CallTurn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000211 | {
000212 |     player.AnimCallCommand( m_CMD_Turn, pParamInt, pParamFloat );
000213 | }
000214 |
000215 | void CallStopTurn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000216 | {
000217 |     script.PreAnim_CallCommand( m_CMD_StopTurn, pParamInt, pParamFloat );
000218 | }
000219 |
000220 | void CallStopTurn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000221 | {
000222 |     player.AnimCallCommand( m_CMD_StopTurn, pParamInt, pParamFloat );
```

```
000223 | }
000224 |
000225 | void CallWeaponFire( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000226 | {
000227 |     script.PreAnim_CallCommand( m_CMD_WeaponFire, pParamInt, pParamFloat );
000228 | }
000229 |
000230 | void CallWeaponFire( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000231 | {
000232 |     player.AnimCallCommand( m_CMD_WeaponFire, pParamInt, pParamFloat );
000233 | }
000234 |
000235 | //void CallParachutePull( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000236 | //{
000237 | //    script.PreAnim_CallCommand( m_CMD_Expansion_Parachute_Pull, pParamInt, pParamFloat );
000238 | //}
000239 |
000240 | //void CallParachuteCut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000241 | //{
000242 | //    script.PreAnim_CallCommand( m_CMD_Expansion_Parachute_Cut, pParamInt, pParamFloat );
000243 | //}
000244 |
000245 | void CallVehicleGetIn( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000246 | {
000247 |     script.PreAnim_CallCommand( m_CMD_Vehicle_GetIn, pParamInt, pParamFloat );
000248 | }
000249 |
000250 | void CallVehicleGetIn( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000251 | {
000252 |     player.AnimCallCommand( m_CMD_Vehicle_GetIn, pParamInt, pParamFloat );
000253 | }
000254 |
000255 | void CallVehicleSwitchSeat( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000256 | {
000257 |     script.PreAnim_CallCommand( m_CMD_Vehicle_SwitchSeat, pParamInt, pParamFloat );
000258 | }
000259 |
000260 | void CallVehicleSwitchSeat( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000261 | {
000262 |     player.AnimCallCommand( m_CMD_Vehicle_SwitchSeat, pParamInt, pParamFloat );
000263 | }
000264 |
000265 | void CallVehicleGetOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000266 | {
000267 |     script.PreAnim_CallCommand( m_CMD_Vehicle_GetOut, pParamInt, pParamFloat );
000268 | }
000269 |
000270 | void CallVehicleGetOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000271 | {
000272 |     player.AnimCallCommand( m_CMD_Vehicle_GetOut, pParamInt, pParamFloat );
000273 | }
000274 |
000275 | void CallVehicleClimbOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000276 | {
000277 |     script.PreAnim_CallCommand( m_CMD_Vehicle_ClimbOut, pParamInt, pParamFloat );
000278 | }
000279 |
000280 | void CallVehicleClimbOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000281 | {
000282 |     player.AnimCallCommand( m_CMD_Vehicle_ClimbOut, pParamInt, pParamFloat );
000283 | }
000284 |
```

```
000285 | void CallVehicleCrawlOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000286 | {
000287 |     script.PreAnim_CallCommand( m_CMD_Vehicle_CrawlOut, pParamInt, pParamFloat );
000288 | }
000289 |
000290 | void CallVehicleCrawlOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000291 | {
000292 |     player.AnimCallCommand( m_CMD_Vehicle_CrawlOut, pParamInt, pParamFloat );
000293 | }
000294 |
000295 | void CallVehicleJumpOut( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000296 | {
000297 |     script.PreAnim_CallCommand( m_CMD_Vehicle_JumpOut, pParamInt, pParamFloat );
000298 | }
000299 |
000300 | void CallVehicleJumpOut( DayZPlayer player, int pParamInt = 0, float pParamFloat = 0 )
000301 | {
000302 |     player.AnimCallCommand( m_CMD_Vehicle_JumpOut, pParamInt, pParamFloat );
000303 | }
000304 |
000305 | //void CallGuitar( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000306 | //{
000307 | //    script.PreAnim_CallCommand( m_CMD_Guitar, pParamInt, pParamFloat );
000308 | //}
000309 |
000310 | //void CallGuitarStop( HumanCommandScript script, int pParamInt = 0, float pParamFloat = 0 )
000311 | //{
000312 | //    script.PreAnim_CallCommand( m_CMD_Guitar_Stop, pParamInt, pParamFloat );
000313 | //}
000314 |
000315 | void SetMovementSpeed( HumanCommandScript script, float param )
000316 | {
000317 |     script.PreAnim_SetFloat( m_VAR_MovementSpeed, param );
000318 | }
000319 |
000320 | void SetMovementSpeed( DayZPlayer player, float param )
000321 | {
000322 |     player.AnimSetFloat( m_VAR_MovementSpeed, param );
000323 | }
000324 |
000325 | void SetMovementDirection( HumanCommandScript script, float param )
000326 | {
000327 |     script.PreAnim_SetFloat( m_VAR_MovementDirection, param );
000328 | }
000329 |
000330 | void SetMovementDirection( DayZPlayer player, float param )
000331 | {
000332 |     player.AnimSetFloat( m_VAR_MovementDirection, param );
000333 | }
000334 |
000335 | void SetTurnAmount( HumanCommandScript script, float param )
000336 | {
000337 |     script.PreAnim_SetFloat( m_VAR_TurnAmount, param );
000338 | }
000339 |
000340 | void SetTurnAmount( DayZPlayer player, float param )
000341 | {
000342 |     player.AnimSetFloat( m_VAR_TurnAmount, param );
000343 | }
000344 |
000345 | void SetWaterLevel( HumanCommandScript script, float param )
000346 | {
```

```
000347 |     script.PreAnim_SetFloat( m_VAR_WaterLevel, param );
000348 | }
000349 |
000350 | void SetWaterLevel( DayZPlayer player, float param )
000351 | {
000352 |     player.AnimSetFloat( m_VAR_WaterLevel, param );
000353 | }
000354 |
000355 | bool IsLandEarlyExit( HumanCommandScript script )
000356 | {
000357 |     return script.PrePhys_IsEvent( m_EVT_LandEarlyExit );
000358 | }
000359 |
000360 | void SetVehicleType( HumanCommandScript script, int param )
000361 | {
000362 |     script.PreAnim_SetInt( m_VAR_VehicleType, param );
000363 | }
000364 |
000365 | void SetVehicleType( DayZPlayer player, int param )
000366 | {
000367 |     player.AnimSetInt( m_VAR_VehicleType, param );
000368 | }
000369 |
000370 | void SetVehicleSteering( HumanCommandScript script, float param )
000371 | {
000372 |     script.PreAnim_SetFloat( m_VAR_VehicleSteering, param );
000373 | }
000374 |
000375 | void SetVehicleSteering( DayZPlayer player, float param )
000376 | {
000377 |     player.AnimSetFloat( m_VAR_VehicleSteering, param );
000378 | }
000379 |
000380 | void SetVehicleThrottle( HumanCommandScript script, float param )
000381 | {
000382 |     script.PreAnim_SetFloat( m_VAR_VehicleThrottle, param );
000383 | }
000384 |
000385 | void SetVehicleThrottle( DayZPlayer player, float param )
000386 | {
000387 |     player.AnimSetFloat( m_VAR_VehicleThrottle, param );
000388 | }
000389 |
000390 | void SetVehicleClutch( HumanCommandScript script, float param )
000391 | {
000392 |     script.PreAnim_SetFloat( m_VAR_VehicleClutch, param );
000393 | }
000394 |
000395 | void SetVehicleClutch( DayZPlayer player, float param )
000396 | {
000397 |     player.AnimSetFloat( m_VAR_VehicleClutch, param );
000398 | }
000399 |
000400 | void SetVehicleBrake( HumanCommandScript script, bool param )
000401 | {
000402 |     script.PreAnim_SetBool( m_VAR_VehicleBrake, param );
000403 | }
000404 |
000405 | void SetVehicleBrake( DayZPlayer player, bool param )
000406 | {
000407 |     player.AnimSetBool( m_VAR_VehicleBrake, param );
000408 | }
```

```
000409 |
000410 | void SetVehicleAccelerationFB( HumanCommandScript script, float param )
000411 | {
000412 |     script.PreAnim_SetFloat( m_VAR_VehicleAccelerationFB, param );
000413 | }
000414 |
000415 | void SetVehicleAccelerationFB( DayZPlayer player, float param )
000416 | {
000417 |     player.AnimSetFloat( m_VAR_VehicleAccelerationFB, param );
000418 | }
000419 |
000420 | void SetVehicleAccelerationLR( HumanCommandScript script, float param )
000421 | {
000422 |     script.PreAnim_SetFloat( m_VAR_VehicleAccelerationLR, param );
000423 | }
000424 |
000425 | void SetVehicleAccelerationLR( DayZPlayer player, float param )
000426 | {
000427 |     player.AnimSetFloat( m_VAR_VehicleAccelerationLR, param );
000428 | }
000429 |
000430 | bool IsLeaveVehicle( HumanCommandScript script )
000431 | {
000432 |     return script.PrePhys_IsEvent( m_EVT_LeaveVehicle );
000433 | }
000434 |
000435 | bool IsLandVehicle( HumanCommandScript script )
000436 | {
000437 |     return script.PrePhys_IsEvent( m_EVT_LandVehicle );
000438 | }
000439 |
000440 | void SetLook( HumanCommandScript script, bool param )
000441 | {
000442 |     script.PreAnim_SetBool( m_VAR_Look, param );
000443 | }
000444 |
000445 | void SetLook( DayZPlayer player, bool param )
000446 | {
000447 |     player.AnimSetBool( m_VAR_Look, param );
000448 | }
000449 |
000450 | void SetLookDirX( HumanCommandScript script, float param )
000451 | {
000452 |     script.PreAnim_SetFloat( m_VAR_LookDirX, param );
000453 | }
000454 |
000455 | void SetLookDirX( DayZPlayer player, float param )
000456 | {
000457 |     player.AnimSetFloat( m_VAR_LookDirX, param );
000458 | }
000459 |
000460 | void SetLookDirY( HumanCommandScript script, float param )
000461 | {
000462 |     script.PreAnim_SetFloat( m_VAR_LookDirY, param );
000463 | }
000464 |
000465 | void SetLookDirY( DayZPlayer player, float param )
000466 | {
000467 |     player.AnimSetFloat( m_VAR_LookDirY, param );
000468 | }
000469 |
000470 | //void SetGuitarChord( HumanCommandScript script, int param )
```



```
000471 | //{\n000472 | //    script.PreAnim_SetInt( m_VAR_GuitarChord, param );\n000473 | //}\n000474 |\n000475 | //void SetGuitarFret( HumanCommandScript script, float param )\n000476 | //{\n000477 | //    script.PreAnim_SetFloat( m_VAR_GuitarFret, param );\n000478 | //}\n000479 |\n000480 | void SetAimX( HumanCommandScript script, float param )\n000481 | {\n000482 |     script.PreAnim_SetFloat( m_VAR_AimX, param );\n000483 | }\n000484 |\n000485 | void SetAimX( DayZPlayer player, float param )\n000486 | {\n000487 |     player.AnimSetFloat( m_VAR_AimX, param );\n000488 | }\n000489 |\n000490 | void SetAimY( HumanCommandScript script, float param )\n000491 | {\n000492 |     script.PreAnim_SetFloat( m_VAR_AimY, param );\n000493 | }\n000494 |\n000495 | void SetAimY( DayZPlayer player, float param )\n000496 | {\n000497 |     player.AnimSetFloat( m_VAR_AimY, param );\n000498 | }\n000499 |\n000500 | void SetRaised( HumanCommandScript script, bool param )\n000501 | {\n000502 |     script.PreAnim_SetBool( m_VAR_Raised, param );\n000503 | }\n000504 |\n000505 | void SetRaised( DayZPlayer player, bool param )\n000506 | {\n000507 |     player.AnimSetBool( m_VAR_Raised, param );\n000508 | }\n000509 |\n000510 | void SetADS( HumanCommandScript script, bool param )\n000511 | {\n000512 |     script.PreAnim_SetBool( m_VAR_ADS, param );\n000513 | }\n000514 |\n000515 | void SetADS( DayZPlayer player, bool param )\n000516 | {\n000517 |     player.AnimSetBool( m_VAR_ADS, param );\n000518 | }\n000519 |\n000520 | void SetStance( HumanCommandScript script, int param )\n000521 | {\n000522 |     script.PreAnim_SetInt( m_VAR_Stance, param );\n000523 | }\n000524 |\n000525 | void SetStance( DayZPlayer player, int param )\n000526 | {\n000527 |     player.AnimSetInt( m_VAR_Stance, param );\n000528 | }\n000529 |\n000530 | void SetLean( HumanCommandScript script, float param )\n000531 | {\n000532 |     script.PreAnim_SetFloat( m_VAR_Lean, param );
```

```
000533 |    }
000534 |
000535 |    void SetLean( DayZPlayer player, float param )
000536 |    {
000537 |        player.AnimSetFloat( m_VAR_Lean, param );
000538 |    }
000539 | };
000540 |
```

0139. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Environment\Environment.c
Size bytes: 8656
SHA-256: 299e397f7bda7b852945ed9b66aa9700b15aba7726f2db54e2bca2f17bee4622
Decoded as: utf-8-sig
Line count shown: 251
Detected class declarations: 1
  L1: modded class Environment
Detected enum declarations: 0
Detected function/method-like declarations: 7
  L117: static void Expansion_GetWeatherVisibility(float fog, float overcast, float rain, float snow, out float fogVisibility, out float overcastVis
  L125: static void Expansion_GetWeatherVisibilityCurrent(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float
  L137: void Expansion_GetWeatherVisibility(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float snowVisibilit
  L142: float Expansion_GetDynVolFogVisibility()
  L144: return Expansion_GetDynVolFogVisibilityEx(m_PlayerHeightPos);
  L147: static float Expansion_GetDynVolFogVisibilityEx(float height)
  L222: else if (dynVolFogDistDensity == 1)
```

Full file content

```
000001 | modded class Environment
000002 | {
000003 |     ///! Normal fog
000004 |     ///! -----
000005 |
000006 |     static float s_Expansion_Visibility_In[5] = {
000007 |         0.0,
000008 |         0.25,
000009 |         0.5,
000010 |         0.75,
000011 |         1.0
000012 |     };
000013 |
000014 |     ///! At 25% fog, visibility is around 900 m
000015 |     ///! At 50% fog, visibility is around 445 m
000016 |     ///! At 75% fog, visibility is around 250 m
000017 |     ///! At 100% fog, visibility is around 44 m
000018 |     static float s_Expansion_FogVisibility_Out[5] = {
000019 |         1.000,
000020 |         0.900,
000021 |         0.445,
000022 |         0.250,
000023 |         0.044
000024 |     };
000025 |
000026 |     ///! Dynamic volumetric fog
000027 |     ///! -----
000028 |
000029 |     static float s_Expansion_DistDensity_In[6] = {
000030 |         0,
000031 |         0.1,
000032 |         0.25,
000033 |         0.5,
000034 |         0.75,
000035 |         1
000036 |     };
000037 |
000038 |     static float s_Expansion_DistDensity_Out[6] = {
000039 |         1.000,
000040 |         0.500,
```

```
000041 |         0.100,
000042 |         0.070,
000043 |         0.050,
000044 |         0.040
000045 |     };
000046 |
000047 |     static float s_Expansion_HeightDiff_DistDensity0_In[9] = {
000048 |         0,
000049 |         30,
000050 |         40,
000051 |         50,
000052 |         60,
000053 |         70,
000054 |         80,
000055 |         90,
000056 |         100
000057 |     };
000058 |
000059 |     /*! Values for height density = 0
000060 |     static float s_Expansion_HeightDiff_DistDensity0_Out[9] = {
000061 |         1.000,
000062 |         0.900,
000063 |         0.300,
000064 |         0.100,
000065 |         0.045,
000066 |         0.020,
000067 |         0.0075,
000068 |         0.003,
000069 |         0.001
000070 |     };
000071 |
000072 |     static float s_Expansion_HeightDiff_DistDensity1_In[9] = {
000073 |         -40,
000074 |         -30,
000075 |         -20,
000076 |         -10,
000077 |         0,
000078 |         10,
000079 |         20,
000080 |         30,
000081 |         40
000082 |     };
000083 |
000084 |     /*! Values for height density = 0
000085 |     static float s_Expansion_HeightDiff_DistDensity1_Out[9] = {
000086 |         1.000,
000087 |         0.900,
000088 |         0.300,
000089 |         0.100,
000090 |         0.045,
000091 |         0.020,
000092 |         0.0075,
000093 |         0.0025,
000094 |         0.0
000095 |     };
000096 |
000097 |     static float s_Expansion_DistDensity_Scale_In[6] = {
000098 |         0,
000099 |         0.01,
000100 |         0.05,
000101 |         0.1,
000102 |         0.35,
```

```

000103 |     1
000104 | };
000105 |
000106 | static float s_Expansion_HeightDiff_Scale_Out[6] = {
000107 |     1,
000108 |     0.166666,
000109 |     0.066666,
000110 |     0.033333,
000111 |     0.008333,
000112 |     0
000113 | };
000114 |
000115 | //! -----
000116 |
000117 | static void Expansion_GetWeatherVisibility(float fog, float overcast, float rain, float snow, out float fogVisibility, out float overcastVisibility, out float
rainVisibility, out float snowVisibility)
000118 | {
000119 |     fogVisibility = ExpansionMath.LookUp(fog, 5, s_Expansion_Visibility_In, s_Expansion_FogVisibility_Out);
000120 |     overcastVisibility = ExpansionMath.LinearConversion(0.75 - Math.Min(rain, 0.75), 1.0, overcast, 1.0, 0.5 * fogVisibility);
000121 |     rainVisibility = ExpansionMath.LinearConversion(0.5, 1.0, rain, 1.0, 0.33);
000122 |     snowVisibility = ExpansionMath.LinearConversion(0.5, 1.0, snow, 1.0, 0.33);
000123 | }
000124 |
000125 | static void Expansion_GetWeatherVisibilityCurrent(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float snowVisibility)
000126 | {
000127 |     Weather weather    = g_Game.GetWeather();
000128 |
000129 |     float fog = weather.GetFog().GetActual();
000130 |     float overcast = weather.GetOvercast().GetActual();
000131 |     float rain = weather.GetRain().GetActual();
000132 |     float snow = weather.GetSnowfall().GetActual();
000133 |
000134 |     Expansion_GetWeatherVisibility(fog, overcast, rain, snow, fogVisibility, overcastVisibility, rainVisibility, snowVisibility);
000135 | }
000136 |
000137 | void Expansion_GetWeatherVisibility(out float fogVisibility, out float overcastVisibility, out float rainVisibility, out float snowVisibility)
000138 | {
000139 |     Expansion_GetWeatherVisibility(m_Fog, m_Clouds, m_Rain, m_Snowfall, fogVisibility, overcastVisibility, rainVisibility, snowVisibility);
000140 | }
000141 |
000142 | float Expansion_GetDynVolFogVisibility()
000143 | {
000144 |     return Expansion_GetDynVolFogVisibilityEx(m_PlayerHeightPos);
000145 | }
000146 |
000147 | static float Expansion_GetDynVolFogVisibilityEx(float height)
000148 | {
000149 |     /**
000150 |     * Default values for dynamic fog
000151 |     *
000152 |     * Chernarus: Height bias 50..200, distance density 0.01..0.05, height density 0.9..1
000153 |     * Enoch: Height bias 155..170, distance density 0.01..0.05, height density 0.9..1
000154 |     * Sakhal: Height bias 0, distance density 0.001..0.35, height density 1
000155 |     *
000156 |     * Observations:
000157 |     *
000158 |     * If distance density is 0 and height density is 1, there is no meaningful fog regardless of height bias.
000159 |     * If both distance and height density are 1, height bias has no effect.
000160 |     * If height density is 1, height bias has little to no effect and fog density is controlled by distance density.
000161 |     * If height density is 0, height bias has full effect.
000162 |     *
000163 |     * View distances for distance/height density = 0 (VERY rough visually determined estimates):

```

```

000164 | *
000165 | * Height bias = current altitude - 20 m: No discernible fog
000166 | * Height bias = current altitude - 10 m: Faint fog on horizon
000167 | * Height bias = current altitude: Slightly less faint fog on horizon
000168 | * Height bias = current altitude + 10 m: Fog more clearly discernible but doesn't limit view distance yet
000169 | * Height bias = current altitude + 20 m: ~1000 m
000170 | * Height bias = current altitude + 30 m: ~900 m
000171 | * Height bias = current altitude + 40 m: ~300 m
000172 | * Height bias = current altitude + 50 m: ~100 m
000173 | * Height bias = current altitude + 60 m: ~50 m
000174 | * Height bias = current altitude + 70 m: ~20 m
000175 | * Height bias = current altitude + 80 m: ~7.5 m
000176 | * Height bias = current altitude + 90 m: ~3 m
000177 | * Height bias = current altitude + 100 m: ~1 m
000178 | * Height bias = current altitude + 110 m: ~0 m
000179 | *
000180 | * View distances for distance density = 1 and height density = 0 (VERY rough visually determined estimates):
000181 | *
000182 | * Height bias = current altitude - 80 m: No discernible fog
000183 | * Height bias = current altitude - 70 m: Faint fog on horizon
000184 | * Height bias = current altitude - 60 m: Slightly less faint fog on horizon
000185 | * Height bias = current altitude - 50 m: Fog more clearly discernible but doesn't limit view distance yet
000186 | * Height bias = current altitude - 40 m: ~1000 m
000187 | * Height bias = current altitude - 30 m: ~900 m
000188 | * Height bias = current altitude - 20 m: ~300 m
000189 | * Height bias = current altitude - 10 m: ~100 m
000190 | * Height bias = current altitude: ~40 m
000191 | * Height bias = current altitude + 10 m: ~20 m
000192 | * Height bias = current altitude + 20 m: ~7 m
000193 | * Height bias = current altitude + 30 m: ~2.5 m
000194 | * Height bias = current altitude + 40 m: ~0 m
000195 | *
000196 | * The following values result in roughly same effective view distance:
000197 | *
000198 | * Height bias = current altitude with dist density 1 and height density 0
000199 | * Height bias = current altitude + 15 with dist density 0.5 and height density 0.5
000200 | */
000201 |
000202 | Weather weather = g_Game.GetWeather();
000203 |
000204 | float dynVolFogDistDensity = weather.GetDynVolFogDistanceDensity(); /// Density percentage in <0,1> range
000205 | float dynVolFogHeightDensity = weather.GetDynVolFogHeightDensity(); /// Density percentage in <0,1> range
000206 | float dynVolFogHeightBias = weather.GetDynVolFogHeightBias(); /// Height offset in meters relative to 0
000207 |
000208 | float heightDiff = dynVolFogHeightBias - height; /// How "deep" we are into dynamic fog vertically. Negative value = above fog
000209 |
000210 | if (dynVolFogDistDensity > 0 || dynVolFogHeightDensity < 1)
000211 | {
000212 |     float hBias_Vis = 1.0;
000213 |
000214 |     float distDensity_Vis = ExpansionMath.LookUp(dynVolFogDistDensity, 6, s_Expansion_DistDensity_In, s_Expansion_DistDensity_Out);
000215 |
000216 |     if (dynVolFogHeightDensity < 1)
000217 |     {
000218 |         if (dynVolFogDistDensity == 0)
000219 |         {
000220 |             hBias_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity0_In, s_Expansion_HeightDiff_DistDensity0_Out);
000221 |         }
000222 |         else if (dynVolFogDistDensity == 1)
000223 |         {
000224 |             hBias_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity1_In, s_Expansion_HeightDiff_DistDensity1_Out);
000225 |         }
000225 |     }

```

```
000226 |         else
000227 |         {
000228 |             float hBias_distDensity0_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity0_In, s_Expansion_HeightDiff_DistDensity0
000229 |             float hBias_distDensity1_Vis = ExpansionMath.LookUp(heightDiff, 9, s_Expansion_HeightDiff_DistDensity1_In, s_Expansion_HeightDiff_DistDensity1
000230 |             _Out);
000231 |             _Out);
000232 |             ///! @note this over-corrects (estimated view distance is too low) for 0 < dist density < 1 with height density 1,
000233 |             ///! but a more accurate solution would have to use more/finer grained lookup tables and thus require more manual labor in
000234 |             ///! painstakingly obtaining the table values, so this will have to do
000235 |             float scale = ExpansionMath.LookUp(dynVolFogDistDensity, 6, s_Expansion_DistDensity_Scale_In, s_Expansion_HeightDiff_Scale_Out);
000236 |             hBias_distDensity0_Vis *= ExpansionMath.LinearConversion(-40, 20, heightDiff, 1 - dynVolFogDistDensity, scale);
000237 |             hBias_Vis = ExpansionMath.LinearConversion(0, 1, dynVolFogDistDensity, hBias_distDensity0_Vis, hBias_distDensity1_Vis);
000238 |         }
000239 |     }
000240 |     else
000241 |     {
000242 |         return distDensity_Vis;
000243 |     }
000244 |
000245 |     return ExpansionMath.LinearConversion(0, 1, dynVolFogHeightDensity, hBias_Vis, distDensity_Vis);
000246 | }
000247 |
000248 | return 1.0;
000249 | }
000250 | }
000251 |
```

0140. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionAttachmentHelper.c

Size bytes: 2753

SHA-256: 756560a9c85b97582b6b02dc96f77106f3636c806dfe696275193501f1118fb6

Decoded as: utf-8-sig

Line count shown: 137

Detected class declarations: 1

L13: class ExpansionAttachmentHelper

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: static bool CanAttachTo(Object child, Object target)

L35: static Object FindRootAttach(Object child, Object obj)

L49: static Object FindBestAttach(Object child, array<ref RaycastRVResult> results)

L89: static Object FindBestAttach(Object child, set<Object> objects)

L117: static Object IsAttachment(Object owner, vector position, float radius)

Full file content

```
000001 | /**
000002 |  * ExpansionAttachmentHelper.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionAttachmentHelper
000014 | {
000015 |     static bool CanAttachTo(Object child, Object target)
000016 |     {
000017 |         ExpansionVehicle vehicle;
000018 |         if (ExpansionVehicle.Get(vehicle, target))
000019 |         {
000020 |             return vehicle.CanObjectAttach(child);
000021 |         }
000022 |
000023 |         ItemBase item;
000024 |         if (Class.CastTo(item, target))
000025 |         {
000026 |             if (!item.m_Expansion_AcceptingAttachment)
000027 |                 return false;
000028 |
000029 |             return item.Expansion_CanObjectAttach(child);
000030 |         }
000031 |
000032 |         return false;
000033 |     }
000034 |
000035 |     static Object FindRootAttach(Object child, Object obj)
000036 |     {
000037 |         while (obj)
000038 |         {
000039 |             if (CanAttachTo(child, obj))
000040 |                 return obj;
000041 |
000042 |             if (!Class.CastTo(obj, obj.GetParent()))
```



```
000043 |         break;
000044 |     }
000045 |
000046 |     return null;
000047 | }
000048 |
000049 | static Object FindBestAttach(Object child, array<ref RaycastRVResult> results)
000050 | {
000051 |     Object best;
000052 |
000053 |     Object obj;
000054 |     IEntity parent;
000055 |     DayZPlayerImplement player;
000056 |
000057 |     if (Class.CastTo(player, child))
000058 |         parent = player.Expansion_GetParent();
000059 |     else
000060 |         parent = child.GetParent();
000061 |
000062 |     foreach (RaycastRVResult result: results)
000063 |     {
000064 |         if (!CanAttachTo(child, result.parent))
000065 |         {
000066 |             if (!CanAttachTo(child, result.obj))
000067 |                 continue;
000068 |
000069 |             obj = result.obj;
000070 |         }
000071 |
000072 |         if (!obj)
000073 |         {
000074 |             obj = result.parent;
000075 |
000076 |             if (!obj)
000077 |                 continue;
000078 |         }
000079 |
000080 |         if (obj == parent)
000081 |             return obj;
000082 |
000083 |         best = obj;
000084 |     }
000085 |
000086 |     return best;
000087 | }
000088 |
000089 | static Object FindBestAttach(Object child, set<Object> objects)
000090 | {
000091 |     Object best;
000092 |
000093 |     Object root;
000094 |     IEntity parent;
000095 |     DayZPlayerImplement player;
000096 |
000097 |     if (Class.CastTo(player, child))
000098 |         parent = player.Expansion_GetParent();
000099 |     else
000100 |         parent = child.GetParent();
000101 |
000102 |     foreach (Object obj: objects)
000103 |     {
000104 |         root = FindRootAttach(child, obj);
```

```
000105 |         if (!root)
000106 |             continue;
000107 |
000108 |         if (root == parent)
000109 |             return root;
000110 |
000111 |         best = root;
000112 |     }
000113 |
000114 |     return best;
000115 | }
000116 |
000117 | static Object IsAttachment(Object owner, vector position, float radius)
000118 | {
000119 |     vector boundingBox[2];
000120 |
000121 |     vector start = position;
000122 |     vector end = position - Vector(0, radius, 0);
000123 |
000124 |     RaycastRVParams params = new RaycastRVParams(start, end, owner, radius);
000125 |     params.sorted = true;
000126 |     params.type = ObjIntersectGeom;
000127 |     params.flags = CollisionFlags.ALLOBJECTS;
000128 |
000129 |     //! Initiate the raycast
000130 |     array<ref RaycastRVResult> results = new array<ref RaycastRVResult>();
000131 |     if (DayZPhysics.RaycastRVProxy(params, results))
000132 |         return ExpansionAttachmentHelper.FindBestAttach(owner, results);
000133 |
000134 |     return null;
000135 | }
000136 | };
000137 |
```

0141. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEmoteManager.c

Size bytes: 1069

SHA-256: d3ab69619f713e4a29d6bcff91c22bade6d933656e9dafb1d34062098ed926b6

Decoded as: utf-8-sig

Line count shown: 53

Detected class declarations: 1

L13: modded class EmoteManager

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override protected void CommitSuicide()

L32: override void CreateBleedingEffect(int Callback_ID)

L49: int Expansion_GetCurrentGesture()

Full file content

```
000001 | /**
000002 |  * ExpansionEmoteManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class EmoteManager
000014 | {
000015 |     override protected void CommitSuicide()
000016 |     {
000017 |         #ifdef EXPANSIONTRACE
000018 |             auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "CommitSuicide");
000019 |         #endif
000020 |
000021 |         if (m_Player)
000022 |         {
000023 |             if (m_Player.Expansion_IsInSafeZone())
000024 |             {
000025 |                 return;
000026 |             }
000027 |         }
000028 |
000029 |         super.CommitSuicide( );
000030 |     }
000031 |
000032 |     override void CreateBleedingEffect(int Callback_ID)
000033 |     {
000034 |         #ifdef EXPANSIONTRACE
000035 |             auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "CreateBleedingEffect");
000036 |         #endif
000037 |
000038 |         if (m_Player)
000039 |         {
000040 |             if (m_Player.Expansion_IsInSafeZone())
000041 |             {
000042 |                 return;
000043 |             }
000044 |         }
```

```
000045 |  
000046 |         super.CreateBleedingEffect( Callback_ID );  
000047 |     }  
000048 |  
000049 |     int Expansion_GetCurrentGesture()  
000050 |     {  
000051 |         return m_CurrentGestureID;  
000052 |     }  
000053 | };
```

0142. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionEntityStorage.c
Size bytes: 40841
SHA-256: ebb2173a30356ccc250aaaae4ea0cbb441ae7f898c9ce89fef62c172ba073303
Decoded as: utf-8-sig
Line count shown: 1331
Detected class declarations: 3
  L13: class ExpansionCartridgeInfo
  L39: class ExpansionEntityStorageContext
  L84: class ExpansionEntityStorageModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L19: void OnSave(ParamsWriteContext ctx)
  L26: bool OnLoad(ParamsReadContext ctx)
  L45: void ExpansionEntityStorageContext()
  L50: bool Open(string fileName, int mode)
  L56: void Close()
  L102: void ExpansionEntityStorageModule()
  L110: override void OnInit()
  L117: override void OnMissionStart(Class sender, CF_EventArgs args)
  L131: static bool Save(EntityAI entity, ParamsWriteContext ctx, string basePath, bool inventoryOnly = false, EntityAI placeholder = null, int level)
  L149: else if (result == SKIP)
  L165: return ErrorFalse("Couldn't open file for writing " + childFileName);
  L193: static int Save_Phase1(ParamsWriteContext ctx, EntityAI entity, bool inventoryOnly = false, int level = 0)
  L275: static int Save_Phase2a(ParamsWriteContext ctx, int itemCount, string basePath, int level)
  L285: static bool Save_Phase2(ParamsWriteContext ctx, string basePath, EntityAI entity, bool inventoryOnly = false, EntityAI placeholder = null, int level)
  L316: else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)
  L321: else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)
  L361: static void Save_Phase3(ParamsWriteContext ctx, EntityAI entity)
  L467: static bool ErrorFalse(string message)
  L474: static bool Restore(ParamsReadContext ctx, FileSerializer file, string basePath = string.Empty, inout EntityAI entity = null, EntityAI parent)
  L486: return ErrorFalse("Couldn't read entity storage version");
  L494: return ErrorFalse("Couldn't read timestamp");
  L498: else if (entityStorageVersion < 4)
  L500: return ErrorFalse("Outdated entity storage version " + entityStorageVersion);
  L515: else if (result == SKIP)
  L564: static int Restore_Phase1(ParamsReadContext ctx, out EntityAI entity, EntityAI parent, PlayerBase player = null, int entityStorageVersion = 0)
  L580: return ErrorFalse("Couldn't read type");
  L589: return ErrorFalse(type + ": Couldn't read inventory location type");
  L600: return ErrorFalse(type + ": Couldn't read position");
  L603: return ErrorFalse(type + ": Couldn't read orientation");
  L620: return ErrorFalse(type + ": Couldn't read slot ID");
  L623: return ErrorFalse(type + ": Couldn't read slot locked state");
  L665: return ErrorFalse(type + ": Couldn't read cargo index");
  L667: return ErrorFalse(type + ": Couldn't read cargo row");
  L669: return ErrorFalse(type + ": Couldn't read cargo col");
  L671: return ErrorFalse(type + ": Couldn't read cargo flip");
  L677: return ErrorFalse(type + ": Unknown inventory location type " + typename.EnumToString(InventoryLocationType, ilt));
  L701: return ErrorFalse(errorMsg);
  L723: else if (parent)
  L736: return ErrorFalse(errorMsg);
  L749: static bool Restore_Phase2(ParamsReadContext ctx, string basePath, EntityAI entity, EntityAI placeholder = null, PlayerBase player = null, int entityStorageVersion = 0)
  L760: return ErrorFalse(entity.GetType() + ": Couldn't read inventory count");
  L777: return ErrorFalse("Couldn't read type");
  L787: return ErrorFalse("Couldn't open file for reading " + childFileName);
  L817: static bool Restore_Phase3a(ParamsReadContext ctx, EntityAI entity, int entityStorageVersion)
  L833: return ErrorFalse(entity.GetType() + ": Couldn't read muzzle count");
  L846: return ErrorFalse(entity.GetType() + ": Couldn't read chamber empty");
  L850: return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
```

```

L852: return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
L858: return ErrorFalse(entity.GetType() + ": Couldn't read internal mag cartridge count");
L865: return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
L867: return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
L876: return ErrorFalse(entity.GetType() + ": Couldn't read game version");
L881: return ErrorFalse(entity.GetType() + ": Couldn't OnStoreLoad");
L895: return ErrorFalse(entity.GetType() + ": Couldn't read additional data version");
L901: return ErrorFalse(entity.GetType() + ": Couldn't read additional data");
L912: return ErrorFalse(entity.GetType() + ": Couldn't read ammo count");
L922: return ErrorFalse(entity.GetType() + ": Couldn't read cartridge count");
L932: return ErrorFalse(entity.GetType() + ": Couldn't read cartridge info");
L956: return ErrorFalse(entity.GetType() + ": Couldn't read global health");
L962: return ErrorFalse(entity.GetType() + ": Couldn't read damage zone count");
L970: return ErrorFalse(entity.GetType() + ": Couldn't read damage zone");
L973: return ErrorFalse(entity.GetType() + ": Couldn't read damage zone health");
L983: static void Restore_Phase3b(EntityAI entity, int elapsed)
L1004: static string GetFileName(int id)
L1006: return GetStorageDirectory() + id.ToString() + EXT;
L1009: static string GetFileName(string name)
L1011: return GetStorageDirectory() + name + EXT;
L1014: static string GetStorageDirectory()
L1020: static void DeleteSavedEntity(EntityAI entity)
L1029: static EntityAI GetSavedEntityToBeDeleted()
L1038: static EntityAI GetCurrentEntity()
L1043: static bool IsCurrentEntity(EntityAI entity)
L1055: static EntityAI GetCurrentRootEntity()
L1060: static bool IsCurrentRootEntity(EntityAI entity)
L1068: static bool IsInCurrentHierarchy(EntityAI entity)
L1083: static int GetRestoredVersion()
L1088: static bool DeleteFiles(string name, string storageDirectory = string.Empty)
L1122: static bool SaveToFile(EntityAI entity, string fileName, bool inventoryOnly = false, EntityAI placeholder = null, bool removeOrphaned = false)
L1127: return ErrorFalse("Couldn't open file for writing " + fileName);
L1152: static bool RestoreFromFile(string fileName, inout EntityAI entity = null, EntityAI placeholder = null, PlayerBase player = null, bool deleteOrphaned = false)
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionEntityStorage.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCartridgeInfo
000014 | {
000015 |     int Count;
000016 |     float Damage;
000017 |     string Type;
000018 |
000019 |     void OnSave(ParamsWriteContext ctx)
000020 |     {
000021 |         ctx.Write(Count);
000022 |         ctx.Write(Damage);
000023 |         ctx.Write(Type);
000024 |     }
000025 | }

```

```
000026 |     bool OnLoad(ParamsReadContext ctx)
000027 |     {
000028 |         if (!ctx.Read(Count))
000029 |             return false;
000030 |         if (!ctx.Read(Damage))
000031 |             return false;
000032 |         if (!ctx.Read(Type))
000033 |             return false;
000034 |
000035 |         return true;
000036 |     }
000037 | }
000038 |
000039 | class ExpansionEntityStorageContext
000040 | {
000041 |     ref FileSerializer m_Context;
000042 |     string m_FileName;
000043 |     int m_FailedCount;
000044 |
000045 |     void ExpansionEntityStorageContext()
000046 |     {
000047 |         m_Context = new FileSerializer();
000048 |     }
000049 |
000050 |     bool Open(string fileName, int mode)
000051 |     {
000052 |         m_FileName = fileName;
000053 |         return m_Context.Open(fileName, mode);
000054 |     }
000055 |
000056 |     void Close()
000057 |     {
000058 |         m_Context.Close();
000059 |     }
000060 | }
000061 |
000062 |
000063 | /**
000064 |  * Vanilla order:
000065 |  *
000066 |  * OnStoreLoad
000067 |  * For each attachment/cargo (if any):
000068 |  *   attachment OnStoreLoad
000069 |  *   attachment AfterStoreLoad
000070 |  * AfterStoreLoad
000071 |  *
000072 |  * EntityStorage order:
000073 |  *
000074 |  * For each attachment/cargo (if any):
000075 |  *   attachment OnStoreLoad
000076 |  *   attachment AfterStoreLoad
000077 |  * OnStoreLoad
000078 |  * AfterStoreLoad
000079 |  *
000080 |  * @note This difference is intentional so that restored parent entity state is less likely to interfere with creation of child entities.
000081 |  */
000082 |
000083 | [CF_RegisterModule(ExpansionEntityStorageModule)]
000084 | class ExpansionEntityStorageModule: CF_ModuleWorld
000085 | {
000086 |     static const int VERSION = 13;
000087 |     static const string EXT = ".bin";
```

```
000088 |
000089 |     static const int FAILURE = 0;
000090 |     static const int SUCCESS = 1;
000091 |     static const int SKIP = 2;
000092 |
000093 |     static ref map<string, ref ExpansionEntityStorageContext> s_SubContexts = new map<string, ref ExpansionEntityStorageContext>;
000094 |
000095 |     static int Now;
000096 |
000097 |     static EntityAI s_SavedEntityToBeDeleted;
000098 |     static EntityAI s_CurrentEntity;
000099 |     static EntityAI s_CurrentRootEntity;
000100 |     static int s_LastRestoredVersion;
000101 |
000102 |     void ExpansionEntityStorageModule()
000103 |     {
000104 |         #ifdef JM_COT
000105 |             GetPermissionsManager().Expansion_RegisterPermission("Expansion.EntityStorage.Goatify", JMPPermissionType.DISALLOW);
000106 |         #endif
000107 |     }
000108 |
000109 | #ifdef SERVER
000110 |     override void OnInit()
000111 |     {
000112 |         super.OnInit();
000113 |
000114 |         EnableMissionStart();
000115 |     }
000116 |
000117 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000118 |     {
000119 |         #ifdef EXTRACE
000120 |             auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, this);
000121 |         #endif
000122 |
000123 |         super.OnMissionStart(sender, args);
000124 |
000125 |         if (!FileExist(GetStorageDirectory()))
000126 |             ExpansionStatic.MakeDirectoryRecursive(GetStorageDirectory());
000127 |     }
000128 | #endif
000129 |
000130 |     /// @brief save entity and all its children (attachments/cargo) to ctx. Will not delete the entity!
000131 |     static bool Save(EntityAI entity, ParamsWriteContext ctx, string basePath, bool inventoryOnly = false, EntityAI placeholder = null, int level = 0, TStringArra
y orphanedFiles = null)
000132 |     {
000133 |         if (!level)
000134 |         {
000135 |             Reset();
000136 |             ResetState();
000137 |
000138 |             ctx.Write(VERSION);
000139 |             ctx.Write(Now);
000140 |         }
000141 |
000142 |         /// @note order of operations matters! DO NOT CHANGE!
000143 |
000144 |         if (!inventoryOnly || level > 0)
000145 |         {
000146 |             int result = Save_Phase1(ctx, entity, inventoryOnly, level);
000147 |             if (result == FAILURE)
000148 |                 return false;
```



```
000149 |         else if (result == SKIP)
000150 |             return true;
000151 |     }
000152 |
000153 |     ExpansionEntityStorageContext context;
000154 |     FileSerializer file;
000155 |
000156 |     if (level > 0)
000157 |     {
000158 |         string type = entity.GetType();
000159 |
000160 |         if (!s_SubContexts.Find(type, context))
000161 |         {
000162 |             string childFileName = string.Format("%1\\%2%3", basePath, type, EXT);
000163 |             context = new ExpansionEntityStorageContext();
000164 |             if (!context.Open(childFileName, FileMode.WRITE))
000165 |                 return ErrorFalse("Couldn't open file for writing " + childFileName);
000166 |             s_SubContexts[type] = context;
000167 |         }
000168 |
000169 |         file = context.m_Context;
000170 |     }
000171 |     else
000172 |     {
000173 |         file = FileSerializer.Cast(ctx);
000174 |     }
000175 |
000176 |     if (!Save_Phase2(file, basePath, entity, inventoryOnly, placeholder, level, orphanedFiles))
000177 |         return false;
000178 |
000179 |     if (!inventoryOnly || level > 0)
000180 |         Save_Phase3(file, entity);
000181 |
000182 |     s_CurrentEntity = null;
000183 |
000184 |     if (!level)
000185 |     {
000186 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Save " + s_CurrentRootEntity + " -> null");
000187 |         s_CurrentRootEntity = null;
000188 |     }
000189 |
000190 |     return true;
000191 | }
000192 |
000193 | static int Save_Phase1(ParamsWriteContext ctx, EntityAI entity, bool inventoryOnly = false, int level = 0)
000194 | {
000195 |     InventoryLocation il = new InventoryLocation();
000196 |     GameInventory inventory = entity.GetInventory();
000197 |     if (inventory)
000198 |     {
000199 |         inventory.GetCurrentInventoryLocation(il);
000200 |     }
000201 |     else
000202 |     {
000203 |         vector mat[4];
000204 |         entity.GetTransform(mat);
000205 |         il.SetGround(null, mat);
000206 |     }
000207 |     if (!il.IsValid())
000208 |     {
000209 |         EXError.Error(entity, "Invalid location");
000210 |         return FAILURE;
```

```

000211 |     }
000212 |     InventoryLocationType ilt = il.GetType();
000213 |     EntityAI parent = entity.GetHierarchyParent();
000214 |     if (inventoryOnly && ilt == InventoryLocationType.ATTACHMENT && level == 1)
000215 |     {
000216 |         //! If only saving inventory, don't save attachments on hierarchy root if it is openable or attachment slot is locked
000217 |         bool isOpenable;
000218 | #ifdef EXPANSIONMODBASEBUILDING
000219 |         ItemBase itemParent;
000220 |         if (Class.CastTo(itemParent, parent) && (itemParent.ExpansionIsOpenable() || itemParent.IsNonExpansionOpenable()))
000221 |             isOpenable = true;
000222 | #endif
000223 |         if (isOpenable || parent.GetInventory().GetSlotLock(il.GetSlot()) || entity.IsKindOf("CombinationLock") || entity.IsKindOf("ExpansionCodeLock") || ent
ity.IsKindOf("RA_CodeLock") || entity.IsKindOf("CodeLock"))
000224 |         {
000225 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, parent, "ExpansionEntityStorage::Save_Phase1 - skippping " + entity.GetType() + " in locked slot");
000226 |             ctx.Write(""); //! Have to write empty entry because we already have written inventory count and no way to retroactively overwrite it
000227 |             return SKIP;
000228 |         }
000229 |     }
000230 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, parent, "ExpansionEntityStorage::Save_Phase1 " + entity.GetType() + " inventory location type " + typename.EnumToStri
ng(InventoryLocationType, ilt));
000231 |
000232 |     //! 1a) entity type
000233 |     ctx.Write(entity.GetType());
000234 |
000235 |     //! 1b) location
000236 |     ctx.Write(ilt);
000237 |     switch (ilt)
000238 |     {
000239 |         case InventoryLocationType.GROUND:
000240 |             ctx.Write(entity.GetPosition());
000241 |             ctx.Write(entity.GetOrientation());
000242 |             break;
000243 |         case InventoryLocationType.ATTACHMENT:
000244 |             int slotId = il.GetSlot();
000245 |             ctx.Write(slotId);
000246 |             ctx.Write(parent.GetInventory().GetSlotLock(slotId));
000247 |             break;
000248 |         case InventoryLocationType.HANDS:
000249 |             //! Nothing to do
000250 |             break;
000251 |         case InventoryLocationType.CARGO:
000252 |         case InventoryLocationType.PROXYCARGO:
000253 |             ctx.Write(il.GetIdx());
000254 |             ctx.Write(il.GetRow());
000255 |             ctx.Write(il.GetCol());
000256 |             ctx.Write(il.GetFlip());
000257 |             break;
000258 |         default:
000259 |             EXError.Error(entity, "Unknown location type " + typename.EnumToString(InventoryLocationType, ilt));
000260 |             return FAILURE;
000261 |             break;
000262 |     }
000263 |
000264 |     s_CurrentEntity = entity;
000265 |
000266 |     if (!level)
000267 |     {
000268 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Save_Phase1 " + s_CurrentRootEntity + " -> " + entity);
000269 |         s_CurrentRootEntity = entity;
000270 |     }

```

```
000271 |  
000272 |     return SUCCESS;  
000273 | }  
000274 |  
000275 | static int Save_Phase2a(ParamsWriteContext ctx, int itemCount, string basePath, int level)  
000276 | {  
000277 |     ctx.Write(itemCount);  
000278 |  
000279 |     if (itemCount && !level && !FileExist(basePath))  
000280 |         MakeDirectory(basePath);  
000281 |  
000282 |     return itemCount;  
000283 | }  
000284 |  
000285 | static bool Save_Phase2(ParamsWriteContext ctx, string basePath, EntityAI entity, bool inventoryOnly = false, EntityAI placeholder = null, int level = 0, TStr  
ingArray orphanedFiles = null)  
000286 | {  
000287 |     //!< 2) attachments + cargo  
000288 |     GameInventory inventory = entity.GetInventory();  
000289 |     CargoBase cargo;  
000290 |     int attCount;  
000291 |     int cargoItemCount;  
000292 |  
000293 |     if (inventory)  
000294 |     {  
000295 |         if (!level && placeholder && entity.HasAnyCargo() && !MiscGameplayFunctions.Expansion_MoveCargo(entity, placeholder))  
000296 |             EXPrint("[EntityStorage] " + entity.GetType() + ": Couldn't move cargo to placeholder " + placeholder.GetType() + " - serializing instead");  
000297 |         attCount = inventory.AttachmentCount();  
000298 |         cargo = inventory.GetCargo();  
000299 |         if (cargo)  
000300 |             cargoItemCount = cargo.GetItemCount();  
000301 |     }  
000302 |  
000303 |     int inventoryCount = attCount + cargoItemCount;  
000304 |  
000305 |     bool success = true;  
000306 |  
000307 |     if (entity.IsMan())  
000308 |     {  
000309 |         Man player = Man.Cast(entity);  
000310 |         EntityAI entityInHands = player.GetHumanInventory().GetEntityInHands();  
000311 |         if (entityInHands)  
000312 |         {  
000313 |             Save_Phase2a(ctx, inventoryCount + 1, basePath, level);  
000314 |             success = Save(entityInHands, ctx, basePath, inventoryOnly, null, level + 1);  
000315 |         }  
000316 |         else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)  
000317 |         {  
000318 |             return true;  
000319 |         }  
000320 |     }  
000321 |     else if (Save_Phase2a(ctx, inventoryCount, basePath, level) == 0)  
000322 |     {  
000323 |         return true;  
000324 |     }  
000325 |  
000326 |     for (int i = 0; i < inventoryCount; i++)  
000327 |     {  
000328 |         EntityAI item;  
000329 |         if (i < attCount)  
000330 |             item = inventory.GetAttachmentFromIndex(i);  
000331 |         else
```

```
000332 |         item = cargo.GetItem(i - attCount);
000333 |
000334 |         success = Save(item, ctx, basePath, inventoryOnly, null, level + 1);
000335 |
000336 |         if (!success)
000337 |             break;
000338 |     }
000339 |
000340 |     if (!level)
000341 |     {
000342 |         Reset(false, orphanedFiles);
000343 |
000344 |         if (orphanedFiles)
000345 |         {
000346 |             ///! Remove orphaned files
000347 |             foreach (string orphanedFile: orphanedFiles)
000348 |             {
000349 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, entity, "ExpansionEntityStorage::Save_Phase2 - deleting orphaned " + orphanedFile);
000350 |                 DeleteFile(basePath + "\\\" + orphanedFile);
000351 |             }
000352 |         }
000353 |     }
000354 |
000355 |     if (!success)
000356 |         return false;
000357 |
000358 |     return true;
000359 | }
000360 |
000361 | static void Save_Phase3(ParamsWriteContext ctx, EntityAI entity)
000362 | {
000363 |     int i;
000364 |
000365 |     s_CurrentEntity = entity;
000366 |
000367 |     ///! 3) special treatment for weapons
000368 |     Weapon_Base weapon;
000369 |     if (Class.CastTo(weapon, entity))
000370 |     {
000371 |         float ammoDamage;
000372 |         string ammoTypeName;
000373 |
000374 |         ctx.Write(weapon.GetMuzzleCount());
000375 |         for (int mi = 0; mi < weapon.GetMuzzleCount(); ++mi)
000376 |         {
000377 |             ctx.Write(weapon.IsChamberEmpty(mi));
000378 |             if (!weapon.IsChamberEmpty(mi))
000379 |             {
000380 |                 if (weapon.GetCartridgeInfo(mi, ammoDamage, ammoTypeName))
000381 |                 {
000382 |                     ctx.Write(ammoDamage);
000383 |                     ctx.Write(ammoTypeName);
000384 |                 }
000385 |             }
000386 |
000387 |             ctx.Write(weapon.GetInternalMagazineCartridgeCount(mi));
000388 |             for (int ci = 0; ci < weapon.GetInternalMagazineCartridgeCount(mi); ++ci)
000389 |             {
000390 |                 if (weapon.GetInternalMagazineCartridgeInfo(mi, ci, ammoDamage, ammoTypeName))
000391 |                 {
000392 |                     ctx.Write(ammoDamage);
000393 |                     ctx.Write(ammoTypeName);
```

```
000394 |     }
000395 |     }
000396 | }
000397 | }
000398 |
000399 | //! 4) storesave
000400 | int version = g_Game.SaveVersion();
000401 | ctx.Write(version);
000402 | entity.OnStoreSave(ctx);
000403 |
000404 | DayZPlayerImplement player;
000405 | if (Class.CastTo(player, entity))
000406 | {
000407 |     ctx.Write(player.Expansion_GetEntityStorageAdditionalDataVersion());
000408 |     player.Expansion_OnEntityStorageAdditionalDataSave(ctx);
000409 | }
000410 |
000411 | //! 5) special treatment for mags/ammo
000412 | Magazine mag;
000413 | if (Class.CastTo(mag, entity))
000414 | {
000415 |     if (mag.IsAmmoPile())
000416 |     {
000417 |         ctx.Write(mag.GetAmmoCount());
000418 |     }
000419 |     else
000420 |     {
000421 |         //! Need to store actual cartridges
000422 |         //! Try to optimize amount of data written
000423 |         auto cartridges = new array<ref ExpansionCartridgeInfo>;
000424 |         ExpansionCartridgeInfo info;
000425 |         float damage; //! @note damage is the damage of the cartridge itself (0..1), NOT the damage it inflicts!
000426 |         string cartTypeName;
000427 |         for (i = 0; i < mag.GetAmmoCount(); i++)
000428 |         {
000429 |             mag.GetCartridgeAtIndex(i, damage, cartTypeName);
000430 |             if (!info || damage != info.Damage || cartTypeName != info.Type)
000431 |             {
000432 |                 info = new ExpansionCartridgeInfo;
000433 |                 info.Damage = damage;
000434 |                 info.Type = cartTypeName;
000435 |                 cartridges.Insert(info);
000436 |             }
000437 |             info.Count++;
000438 |         }
000439 |         ctx.Write(cartridges.Count());
000440 |         foreach (auto cartridge: cartridges)
000441 |         {
000442 |             cartridge.OnSave(ctx);
000443 |         }
000444 |     }
000445 | }
000446 |
000447 | //! 6) Special treatment for vehicles (no special treatment needed for ExpansionVehicleBase since it inherits from ItemBase)
000448 | ExpansionVehicle vehicle;
000449 | if (!entity.IsItemBase() && ExpansionVehicle.Get(vehicle, entity))
000450 | {
000451 |     vehicle.WriteFluidsTo(ctx);
000452 | }
000453 |
000454 | //! 7) global health and damage zones
000455 | ctx.Write(entity.GetHealth());
```

```

000456 |         TStringArray dmgZones = new TStringArray();
000457 |         entity.GetDamageZones(dmgZones);
000458 |         ctx.Write(dmgZones.Count());
000459 |         foreach (string dmgZone: dmgZones)
000460 |         {
000461 |             float dmgZoneHealth = entity.GetHealth(dmgZone, "Health");
000462 |             ctx.Write(dmgZone);
000463 |             ctx.Write(dmgZoneHealth);
000464 |         }
000465 |     }
000466 |
000467 |     static bool ErrorFalse(string message)
000468 |     {
000469 |         EXError.Error(null, message);
000470 |         return false;
000471 |     }
000472 |
000473 |     ///! @brief restore entity and all its children from ctx (creates entities)
000474 |     static bool Restore(ParamsReadContext ctx, FileSerializer file, string basePath = string.Empty, inout EntityAI entity = null, EntityAI parent = null, EntityAI
000475 |     placeholder = null, PlayerBase player = null, int entityStorageVersion = 0, string type = string.Empty, int level = 0, int elapsed = 0, bool deleteRestored = tru
000476 |     e)
000477 |     {
000478 |         #ifdef EXTRACE_DIAG
000479 |             auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, basePath, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "parent
000480 |             =" + ExpansionStatic.GetDebugInfo(parent, false), "placeholder=" + ExpansionStatic.GetDebugInfo(placeholder, false), "player=" + ExpansionStatic.GetDebugInfo(play
000481 |             er, false), "version=" + entityStorageVersion, "type=" + type, "level=" + level, "elapsed=" + elapsed, "deleteRestored=" + deleteRestored);
000482 |             #endif
000483 |
000484 |             if (!level)
000485 |             {
000486 |                 Reset();
000487 |                 ResetState();
000488 |
000489 |                 if (!ctx.Read(entityStorageVersion))
000490 |                     return ErrorFalse("Couldn't read entity storage version");
000491 |
000492 |                 s_LastRestoredVersion = entityStorageVersion;
000493 |
000494 |                 if (entityStorageVersion >= 5)
000495 |                 {
000496 |                     int timestamp;
000497 |                     if (!ctx.Read(timestamp))
000498 |                         return ErrorFalse("Couldn't read timestamp");
000499 |
000500 |                     elapsed = Now - timestamp;
000501 |                 }
000502 |                 else if (entityStorageVersion < 4)
000503 |                 {
000504 |                     return ErrorFalse("Outdated entity storage version " + entityStorageVersion);
000505 |                 }
000506 |             }
000507 |
000508 |             ///! @note order of operations matters! DO NOT CHANGE!
000509 |
000510 |             bool createEntity;
000511 |             ///! https://feedback.bistudio.com/T173348
000512 |             if (level || !entity)
000513 |                 createEntity = true;
000514 |             if (createEntity)
000515 |             {
000516 |                 int result = Restore_Phase1(ctx, entity, parent, player, entityStorageVersion, type, level);
000517 |                 if (result == FAILURE)

```

```

000514 |         return false;
000515 |     else if (result == SKIP)
000516 |         return true;
000517 | }
000518 |
000519 | if (!file)
000520 |     file = FileSerializer.Cast(ctx);
000521 |
000522 | bool restored;
000523 |
000524 | if (createEntity && entityStorageVersion == 10)
000525 |     restored = Restore_Phase3a(file, entity, entityStorageVersion);
000526 | else
000527 |     restored = true;
000528 |
000529 | if (restored)
000530 |     restored = Restore_Phase2(file, basePath, entity, placeholder, player, entityStorageVersion, type, level, elapsed, deleteRestored);
000531 |
000532 | if (restored && createEntity)
000533 | {
000534 |     if (entityStorageVersion != 10)
000535 |     {
000536 |         restored = Restore_Phase3a(file, entity, entityStorageVersion);
000537 |         if (restored)
000538 |             Restore_Phase3b(entity, elapsed);
000539 |     }
000540 |     else
000541 |     {
000542 |         Restore_Phase3b(entity, elapsed);
000543 |     }
000544 | }
000545 |
000546 | if (!restored && createEntity)
000547 | {
000548 |     if (!level && placeholder && entity.HasAnyCargo() && !MiscGameplayFunctions.Expansion_MoveCargo(entity, placeholder))
000549 |         EXError.Error(null, "Couldn't move cargo from " + entity + " back to placeholder " + placeholder);
000550 |     entity.Delete();
000551 | }
000552 |
000553 | s_CurrentEntity = null;
000554 |
000555 | if (!level)
000556 | {
000557 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Restore " + s_CurrentRootEntity + " -> null");
000558 |     s_CurrentRootEntity = null;
000559 | }
000560 |
000561 | return restored;
000562 | }
000563 |
000564 | static int Restore_Phase1(ParamsReadContext ctx, out EntityAI entity, EntityAI parent, PlayerBase player = null, int entityStorageVersion = 0, string type = s
tring.Empty, int level = 0)
000565 | {
000566 |     #ifdef EXTRACE_DIAG
000567 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "parent=" + Expans
ionStatic.GetDebugInfo(parent, false), "player=" + ExpansionStatic.GetDebugInfo(player, false), "version=" + entityStorageVersion, "type=" + type, "level=" + lev
el);
000568 |     #endif
000569 |
000570 |     if (entity)
000571 |     {
000572 |         EXError.Warn(null, "[EntityStorage] Passed in entity is not NULL! " + ExpansionStatic.GetHierarchyInfo(entity));

```

```
000573 |         entity = null;
000574 |     }
000575 |
000576 |     //! 1a) entity type
000577 |     if (!level || !type)
000578 |     {
000579 |         if (!ctx.Read(type))
000580 |             return ErrorFalse("Couldn't read type");
000581 |
000582 |         if (type == string.Empty)
000583 |             return SKIP;
000584 |     }
000585 |
000586 |     //! 1b) location (creates entity)
000587 |     InventoryLocationType ilt;
000588 |     if (!ctx.Read(ilt))
000589 |         return ErrorFalse(type + ": Couldn't read inventory location type");
000590 |     if (!level && !parent && player)
000591 |         parent = player;
000592 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, parent, "ExpansionEntityStorage::Restore_Phase1 " + type + " inventory location type " + typename.EnumToString(Invent
oryLocationType, ilt));
000593 |     InventoryLocation il;
000594 |     string errorMsg;
000595 |     switch (ilt)
000596 |     {
000597 |         case InventoryLocationType.GROUND:
000598 |             vector position;
000599 |             if (!ctx.Read(position))
000600 |                 return ErrorFalse(type + ": Couldn't read position");
000601 |             vector orientation;
000602 |             if (!ctx.Read(orientation))
000603 |                 return ErrorFalse(type + ": Couldn't read orientation");
000604 |             int flags = ECE_OBJECT_SWAP;
000605 |             if (g_Game.IsKindOf(type, "DZ_LightAI"))
000606 |                 flags |= ECE_INITAI;
000607 |             if (Class.CastTo(entity, g_Game.CreateObjectEx(type, position, flags, RF_DEFAULT)))
000608 |             {
000609 |                 entity.SetPosition(position);
000610 |                 entity.SetOrientation(orientation);
000611 |             }
000612 |             else
000613 |             {
000614 |                 errorMsg = "Couldn't create " + type + " on ground at " + position;
000615 |             }
000616 |             break;
000617 |         case InventoryLocationType.ATTACHMENT:
000618 |             int slotId;
000619 |             if (!ctx.Read(slotId))
000620 |                 return ErrorFalse(type + ": Couldn't read slot ID");
000621 |             bool slotLocked;
000622 |             if (entityStorageVersion >= 9 && !ctx.Read(slotLocked))
000623 |                 return ErrorFalse(type + ": Couldn't read slot locked state");
000624 |             il = new InventoryLocation();
000625 |             if (level)
000626 |             {
000627 |                 //! Some 3rd party mods create default attachments in EEInit without checking slots, boo!
000628 |                 //! If it's a different type, create restored entity elsewhere, else use existing attachment
000629 |                 entity = parent.GetInventory().FindAttachment(slotId);
000630 |                 if (entity)
000631 |                 {
000632 |                     if (entity.GetType() != type)
000633 |                     {
```



```

000634 |         EXError.Warn(null, "[EntityStorage] Existing attachment " + entity.GetType() + " on " + parent + " is blocking entity to be restored "
+ type + ", will try to create in inventory");
000635 |         entity = null;
000636 |     }
000637 |     else
000638 |     {
000639 |         EXError.Warn(null, "[EntityStorage] Using existing attachment " + entity.GetType() + " on " + parent);
000640 |     }
000641 | }
000642 | }
000643 | if (!entity)
000644 | {
000645 |     il.SetAttachment(parent, null, slotId);
000646 |     entity = GameInventory.LocationCreateEntity(il, type, ECE_IN_INVENTORY, RF_DEFAULT);
000647 | }
000648 | if (entity)
000649 |     parent.GetInventory().SetSlotLock(slotId, slotLocked);
000650 | else
000651 |     errorMsg = "Couldn't create " + type + " on " + parent + " in slot " + InventorySlots.GetSlotName(slotId);
000652 | break;
000653 | case InventoryLocationType.HANDS:
000654 |     il = new InventoryLocation();
000655 |     il.SetHands(parent, null);
000656 |     entity = GameInventory.LocationCreateEntity(il, type, ECE_IN_INVENTORY, RF_DEFAULT);
000657 |     if (!entity)
000658 |         errorMsg = "Couldn't create " + type + " in hands of " + parent;
000659 |     break;
000660 | case InventoryLocationType.CARGO:
000661 | case InventoryLocationType.PROXYCARGO:
000662 |     int idx, row, col;
000663 |     bool flip;
000664 |     if (!ctx.Read(idx))
000665 |         return ErrorFalse(type + ": Couldn't read cargo index");
000666 |     if (!ctx.Read(row))
000667 |         return ErrorFalse(type + ": Couldn't read cargo row");
000668 |     if (!ctx.Read(col))
000669 |         return ErrorFalse(type + ": Couldn't read cargo col");
000670 |     if (!ctx.Read(flip))
000671 |         return ErrorFalse(type + ": Couldn't read cargo flip");
000672 |     entity = parent.GetInventory().CreateEntityInCargoEx(type, idx, row, col, flip); //! Only way to get flip correct
000673 |     if (!entity)
000674 |         errorMsg = "Couldn't create " + type + " in cargo of " + parent;
000675 |     break;
000676 | default:
000677 |     return ErrorFalse(type + ": Unknown inventory location type " + typename.EnumToString(InventoryLocationType, ilt));
000678 |     break;
000679 | }
000680 |
000681 | if (!entity)
000682 | {
000683 |     bool cfgExists;
000684 |
000685 |     TStringArray paths = {CFG_VEHICLESPATH, CFG_WEAPONSPATH, CFG_MAGAZINESPATH};
000686 |     foreach (string path: paths)
000687 |     {
000688 |         if (g_Game.ConfigIsExisting(string.Format("%1 %2", path, type)))
000689 |         {
000690 |             cfgExists = true;
000691 |             break;
000692 |         }
000693 |     }
000694 | }

```

```

000695 |         if (!cfgExists)
000696 |         {
000697 |             ///! Config type was removed or renamed
000698 |             errorMsg += " because the classname doesn't exist (removed or renamed?)";
000699 |
000700 |             if (!level)
000701 |                 return ErrorFalse(errorMsg);
000702 |
000703 |             EXError.Warn(null, errorMsg);
000704 |             return false;
000705 |         }
000706 |     }
000707 |
000708 |     if (!entity && ilt != InventoryLocationType.GROUND)
000709 |     {
000710 |         string locInfo;
000711 |         if (!level && player)
000712 |         {
000713 |             ///! Try to create in player inventory, falling back to owned container
000714 |             entity = ExpansionItemSpawnHelper.SpawnInInventorySecure(type, player, parent);
000715 |             ///! Try to create on ground at player pos
000716 |             if (!entity && Class.CastTo(entity, g_Game.CreateObjectEx(type, player.GetPosition(), ECE_PLACE_ON_SURFACE, RF_DEFAULT)))
000717 |             {
000718 |                 if (il)
000719 |                     locInfo = " " + ExpansionStatic.DumpToString(il);
000720 |                 EXError.Warn(null, "ExpansionEntityStorage::Restore_Phase1 - WARNING: Couldn't create " + type + " on " + parent + locInfo + ", created at pla
000721 | yer position " + player.GetPosition() + " instead");
000722 |             }
000723 |         }
000724 |         else if (parent)
000725 |         {
000726 |             ///! Try to create at parent position
000727 |             if (Class.CastTo(entity, g_Game.CreateObjectEx(type, parent.GetPosition(), ECE_PLACE_ON_SURFACE, RF_DEFAULT)))
000728 |             {
000729 |                 if (il)
000730 |                     locInfo = " " + ExpansionStatic.DumpToString(il);
000731 |                 EXError.Warn(null, "ExpansionEntityStorage::Restore_Phase1 - WARNING: Couldn't create " + type + " on " + parent + locInfo + ", created at par
000732 | ent position " + parent.GetPosition() + " instead");
000733 |             }
000734 |         }
000735 |     }
000736 |     if (!entity)
000737 |         return ErrorFalse(errorMsg);
000738 |
000739 |     s_CurrentEntity = entity;
000740 |
000741 |     if (!level)
000742 |     {
000743 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "Restore_Phase1 " + s_CurrentRootEntity + " -> " + entity);
000744 |         s_CurrentRootEntity = entity;
000745 |     }
000746 |     return SUCCESS;
000747 | }
000748 |
000749 | static bool Restore_Phase2(ParamsReadContext ctx, string basePath, EntityAI entity, EntityAI placeholder = null, PlayerBase player = null, int entityStorageVe
000750 | rsion = 0, string type = string.Empty, int level = 0, int elapsed = 0, bool deleteRestored = true)
000751 | {
000752 |     #ifdef EXTRACE_DIAG
000753 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, basePath, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "placeh
000754 | older=" + ExpansionStatic.GetDebugInfo(placeholder, false), "player=" + ExpansionStatic.GetDebugInfo(player, false), "version=" + entityStorageVersion, "type=" +

```

```
000753 | type, "level=" + level, "elapsed=" + elapsed, "deleteRestored=" + deleteRestored);
000754 | #endif
000755 |
000756 |     //! 2) attachments + cargo
000757 |     if (!level && placeholder && placeholder.HasAnyCargo() && !MiscGameplayFunctions.Expansion_MoveCargo(placeholder, entity))
000758 |         EXError.Error(null, "Couldn't move cargo from placeholder " + placeholder + " to " + entity);
000759 |     int inventoryCount;
000760 |     if (!ctx.Read(inventoryCount))
000761 |         return ErrorFalse(entity.GetType() + ": Couldn't read inventory count");
000762 |
000763 |     if (!inventoryCount)
000764 |         return true;
000765 |
000766 |     string childFileName;
000767 |     ExpansionEntityStorageContext context;
000768 |     FileSerializer file;
000769 |
000770 |     int restored;
000771 |     EntityAI child;
000772 |     for (int i = 0; i < inventoryCount; i++)
000773 |     {
000774 |         if (entityStorageVersion >= 7)
000775 |         {
000776 |             if (!ctx.Read(type))
000777 |                 return ErrorFalse("Couldn't read type");
000778 |
000779 |             if (type == string.Empty)
000780 |                 continue;
000781 |
000782 |             if (!s_SubContexts.Find(type, context))
000783 |             {
000784 |                 childFileName = string.Format("%1\\%2%3", basePath, type, EXT);
000785 |                 context = new ExpansionEntityStorageContext();
000786 |                 if (!context.Open(childFileName, FileMode.READ))
000787 |                     return ErrorFalse("Couldn't open file for reading " + childFileName);
000788 |                 s_SubContexts[type] = context;
000789 |             }
000790 |
000791 |             file = context.m_Context;
000792 |         }
000793 |
000794 |         child = null;
000795 |         if (!Restore(ctx, file, basePath, child, entity, null, player, entityStorageVersion, type, level + 1, elapsed))
000796 |         {
000797 |             if (entityStorageVersion < 7)
000798 |                 return false;
000799 |             else
000800 |                 context.m_FailedCount++;
000801 |         }
000802 |         else
000803 |         {
000804 |             restored++;
000805 |         }
000806 |     }
000807 |
000808 |     if (entityStorageVersion >= 7 && !level)
000809 |     {
000810 |         if (Reset(deleteRestored))
000811 |             DeleteFile(basePath);
000812 |     }
000813 |
```

```
000814 |     return restored > 0;
000815 | }
000816 |
000817 | static bool Restore_Phase3a(ParamsReadContext ctx, EntityAI entity, int entityStorageVersion)
000818 | {
000819 |     #ifdef EXTRACE_DIAG
000820 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "version=" + enti
tyStorageVersion);
000821 |     #endif
000822 |
000823 |     int i;
000824 |
000825 |     s_CurrentEntity = entity;
000826 |
000827 |     //! 3) special treatment for weapons
000828 |     Weapon_Base weapon;
000829 |     if (Class.CastTo(weapon, entity))
000830 |     {
000831 |         int muzzleCount;
000832 |         if (!ctx.Read(muzzleCount))
000833 |             return ErrorFalse(entity.GetType() + ": Couldn't read muzzle count");
000834 |
000835 |     #ifdef DIAG_DEVELOPER
000836 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Muzzle count: " + muzzleCount);
000837 |     #endif
000838 |
000839 |         float ammoDamage;
000840 |         string ammoTypeName;
000841 |
000842 |         for (int mi = 0; mi < muzzleCount; ++mi)
000843 |         {
000844 |             bool isChamberEmpty;
000845 |             if (!ctx.Read(isChamberEmpty))
000846 |                 return ErrorFalse(entity.GetType() + ": Couldn't read chamber empty");
000847 |             if (!isChamberEmpty)
000848 |             {
000849 |                 if (!ctx.Read(ammoDamage))
000850 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
000851 |                 if (!ctx.Read(ammoTypeName))
000852 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
000853 |                 weapon.PushCartridgeToChamber(mi, ammoDamage, ammoTypeName);
000854 |             }
000855 |
000856 |             int internalMagCartridgeCount;
000857 |             if (!ctx.Read(internalMagCartridgeCount))
000858 |                 return ErrorFalse(entity.GetType() + ": Couldn't read internal mag cartridge count");
000859 |             #ifdef DIAG_DEVELOPER
000860 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Internal magazine cartridge count: " + internalMagCartridgeCount);
000861 |             #endif
000862 |             for (int ci = 0; ci < internalMagCartridgeCount; ++ci)
000863 |             {
000864 |                 if (!ctx.Read(ammoDamage))
000865 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo damage");
000866 |                 if (!ctx.Read(ammoTypeName))
000867 |                     return ErrorFalse(entity.GetType() + ": Couldn't read ammo type");
000868 |                 weapon.PushCartridgeToInternalMagazine(mi, ammoDamage, ammoTypeName);
000869 |             }
000870 |         }
000871 |     }
000872 |
000873 |     //! 4) storeload
000874 |     int version;
```

```
000875 |         if (!ctx.Read(version))
000876 |             return ErrorFalse(entity.GetType() + ": Couldn't read game version");
000877 | #ifdef DIAG_DEVELOPER
000878 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Storage version: " + version);
000879 | #endif
000880 |     if (!entity.OnStoreLoad(ctx, version))
000881 |         return ErrorFalse(entity.GetType() + ": Couldn't OnStoreLoad");
000882 |
000883 | #ifdef DIAG_DEVELOPER
000884 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Entity OnStoreLoad SUCCESS");
000885 | #endif
000886 |
000887 |     if (weapon)
000888 |         weapon.Expansion_ResetMuzzleModes();
000889 |
000890 |     DayZPlayerImplement player;
000891 |     if (version >= 12 && Class.CastTo(player, entity))
000892 |     {
000893 |         int entityStorageAdditionalDataVersion;
000894 |         if (!ctx.Read(entityStorageAdditionalDataVersion))
000895 |             return ErrorFalse(entity.GetType() + ": Couldn't read additional data version");
000896 | #ifdef DIAG_DEVELOPER
000897 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Additional data version: " + entityStorageAdditionalDataVersion);
000898 | #endif
000899 |
000900 |         if (!player.Expansion_OnEntityStorageAdditionalDataLoad(ctx, entityStorageAdditionalDataVersion))
000901 |             return ErrorFalse(entity.GetType() + ": Couldn't read additional data");
000902 |     }
000903 |
000904 |     //! 5) special treatment for mags/ammo
000905 |     Magazine mag;
000906 |     int ammoCount;
000907 |     if (Class.CastTo(mag, entity))
000908 |     {
000909 |         if (mag.IsAmmoPile() || entityStorageVersion < 8)
000910 |         {
000911 |             if (!ctx.Read(ammoCount))
000912 |                 return ErrorFalse(entity.GetType() + ": Couldn't read ammo count");
000913 | #ifdef DIAG_DEVELOPER
000914 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Ammo count: " + ammoCount);
000915 | #endif
000916 |             mag.ServerSetAmmoCount(ammoCount);
000917 |         }
000918 |         else
000919 |         {
000920 |             int count;
000921 |             if (!ctx.Read(count))
000922 |                 return ErrorFalse(entity.GetType() + ": Couldn't read cartridge count");
000923 | #ifdef DIAG_DEVELOPER
000924 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Cartridge count: " + count);
000925 | #endif
000926 |             mag.ServerSetAmmoCount(0);
000927 |             auto cartridges = new array<ref ExpansionCartridgeInfo>;
000928 |             for (i = 0; i < count; i++)
000929 |             {
000930 |                 auto info = new ExpansionCartridgeInfo;
000931 |                 if (!info.OnLoad(ctx))
000932 |                     return ErrorFalse(entity.GetType() + ": Couldn't read cartridge info");
000933 |                 cartridges.Insert(info);
000934 |             }
000935 |             foreach (auto cartridge: cartridges)
000936 |             {
```

```

000937 |         for (i = 0; i < cartridge.Count; i++)
000938 |         {
000939 |             mag.ServerStoreCartridge(cartridge.Damage, cartridge.Type);
000940 |         }
000941 |     }
000942 | }
000943 |
000944 |
000945 | //! 6) Special treatment for vehicles (no special treatment needed for ExpansionVehicleBase since it inherits from ItemBase)
000946 | ExpansionVehicle vehicle;
000947 | if (!entity.IsItemBase() && ExpansionVehicle.Get(vehicle, entity))
000948 | {
000949 |     if (!vehicle.ReadFluidsFrom(ctx, entityStorageVersion))
000950 |         return false;
000951 | }
000952 |
000953 | //! 7) global health and damage zones
000954 | float globalHealth;
000955 | if (!ctx.Read(globalHealth))
000956 |     return ErrorFalse(entity.GetType() + ": Couldn't read global health");
000957 | entity.SetHealth(globalHealth);
000958 | //TStringArray dmgZones = new TStringArray();
000959 | //entity.GetDamageZones(dmgZones);
000960 | int dmgZoneCount;
000961 | if (!ctx.Read(dmgZoneCount))
000962 |     return ErrorFalse(entity.GetType() + ": Couldn't read damage zone count");
000963 | #ifdef DIAG_DEVELOPER
000964 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Damage zone count: " + dmgZoneCount);
000965 | #endif
000966 | for (i = 0; i < dmgZoneCount; i++)
000967 | {
000968 |     string dmgZone;
000969 |     if (!ctx.Read(dmgZone))
000970 |         return ErrorFalse(entity.GetType() + ": Couldn't read damage zone");
000971 |     float dmgZoneHealth;
000972 |     if (!ctx.Read(dmgZoneHealth))
000973 |         return ErrorFalse(entity.GetType() + ": Couldn't read damage zone health");
000974 |     //if (dmgZones.Find(dmgZone) > -1)
000975 |     entity.SetHealth(dmgZone, "Health", dmgZoneHealth);
000976 |     //else
000977 |         //EXPrint("[EntityStorage] " + entity.GetType() + ": Couldn't find damage zone \"" + dmgZone + "\"");
000978 | }
000979 |
000980 | return true;
000981 | }
000982 |
000983 | static void Restore_Phase3b(EntityAI entity, int elapsed)
000984 | {
000985 |     #ifdef EXTRACE_DIAG
000986 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "elapsed=" + elapsed);
000987 |     #endif
000988 |
000989 |     //! 8) Process wetness/temperature/decay
000990 |     ItemBase item;
000991 |     if (elapsed > 0 && Class.CastTo(item, entity))
000992 |         item.Expansion_ProcessWTD(elapsed);
000993 |
000994 |     //! FINAL
000995 |     entity.AfterStoreLoad();
000996 |     entity.SetSynchDirty();
000997 |     Weapon_Base weapon;

```

```
000998 |         if (Class.CastTo(weapon, entity))
000999 |             weapon.Synchronize();
001000 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(entity.EEOnAfterLoad);  /// Make sure EEOnAfterLoad gets called AFTER whole hierarchy has loaded
001001 |     }
001002 |
001003 |     /// Legacy
001004 |     static string GetFileName(int id)
001005 |     {
001006 |         return GetStorageDirectory() + id.ToString() + EXT;
001007 |     }
001008 |
001009 |     static string GetFileName(string name)
001010 |     {
001011 |         return GetStorageDirectory() + name + EXT;
001012 |     }
001013 |
001014 |     static string GetStorageDirectory()
001015 |     {
001016 |         int instance_id = g_Game.ServerConfigGetInt("instanceId");
001017 |         return "$mission:storage_" + instance_id + "\\expansion\\entitystorage\\";
001018 |     }
001019 |
001020 |     static void DeleteSavedEntity(EntityAI entity)
001021 |     {
001022 |         s_SavedEntityToBeDeleted = entity;
001023 |
001024 |         g_Game.ObjectDelete(entity);
001025 |
001026 |         s_SavedEntityToBeDeleted = null;
001027 |     }
001028 |
001029 |     static EntityAI GetSavedEntityToBeDeleted()
001030 |     {
001031 |         return s_SavedEntityToBeDeleted;
001032 |     }
001033 |
001034 |     /** @brief get current entity during entity storage save/restore operations
001035 |     *
001036 |     * @note use only during Save/Restore! Will be nulled afterwards
001037 |     */
001038 |     static EntityAI GetCurrentEntity()
001039 |     {
001040 |         return s_CurrentEntity;
001041 |     }
001042 |
001043 |     static bool IsCurrentEntity(EntityAI entity)
001044 |     {
001045 |         if (s_CurrentEntity == entity)
001046 |             return true;
001047 |
001048 |         return false;
001049 |     }
001050 |
001051 |     /** @brief get current root entity during entity storage save/restore operations
001052 |     *
001053 |     * @note use only during Save/Restore! Will be nulled afterwards
001054 |     */
001055 |     static EntityAI GetCurrentRootEntity()
001056 |     {
001057 |         return s_CurrentRootEntity;
001058 |     }
001059 |
```

```
001060 | static bool IsCurrentRootEntity(EntityAI entity)
001061 | {
001062 |     if (s_CurrentRootEntity == entity)
001063 |         return true;
001064 |
001065 |     return false;
001066 | }
001067 |
001068 | static bool IsInCurrentHierarchy(EntityAI entity)
001069 | {
001070 |     while (entity)
001071 |     {
001072 |         if (entity == s_CurrentRootEntity)
001073 |             return true;
001074 |
001075 |         entity = entity.GetHierarchyParent();
001076 |     }
001077 |
001078 |     return false;
001079 | }
001080 |
001081 | /** @brief get last restored entity storage version
001082 |  */
001083 | static int GetRestoredVersion()
001084 | {
001085 |     return s_LastRestoredVersion;
001086 | }
001087 |
001088 | static bool DeleteFiles(string name, string storageDirectory = string.Empty)
001089 | {
001090 |     if (storageDirectory == string.Empty)
001091 |         storageDirectory = GetStorageDirectory();
001092 |
001093 |     string folderName = storageDirectory + name;
001094 |     string fileName = folderName + EXT;
001095 |
001096 |     if (FileExist(fileName))
001097 |     {
001098 |         if (!DeleteFile(fileName))
001099 |             EXError.Error(null, "[EntityStorage] couldn't delete " + fileName);
001100 |
001101 |         if (FileExist(folderName))
001102 |         {
001103 |             TStringArray files = ExpansionStatic.FindFilesInLocation(folderName + "\\*", EXT);
001104 |
001105 |             foreach (string baseName: files)
001106 |             {
001107 |                 if (!DeleteFile(folderName + "\\" + baseName))
001108 |                     EXError.Error(null, "[EntityStorage] couldn't delete " + folderName + "\\" + baseName);
001109 |             }
001110 |
001111 |             if (!DeleteFile(folderName))
001112 |                 EXError.Error(null, "[EntityStorage] couldn't delete " + folderName);
001113 |             else
001114 |                 return true;
001115 |         }
001116 |     }
001117 |
001118 |     return false;
001119 | }
001120 |
001121 | //! @brief saves entity and all its children (attachments/cargo) to file.
```



```
001122 | static bool SaveToFile(EntityAI entity, string fileName, bool inventoryOnly = false, EntityAI placeholder = null, bool removeOrphaned = false)
001123 | {
001124 |     FileSerializer file = new FileSerializer();
001125 |
001126 |     if (!file.Open(fileName, FileMode.WRITE))
001127 |         return ErrorFalse("Couldn't open file for writing " + fileName);
001128 |
001129 |     Now = CF_Date.Now(true).DateToEpoch();
001130 |
001131 |     auto hitch = new EXHitch("[ExpansionEntityStorage] ");
001132 |
001133 |     string basePath;
001134 |     TStringArray orphanedFiles;
001135 |     ExpansionString exFileName = fileName;
001136 |     if (exFileName.EndsWith(EXT))
001137 |     {
001138 |         basePath = fileName.Substring(0, fileName.Length() - EXT.Length());
001139 |         if (removeOrphaned)
001140 |             orphanedFiles = ExpansionStatic.FindFilesInLocation(basePath + "\\*", EXT);
001141 |     }
001142 |
001143 |     bool success = Save(entity, file, basePath, inventoryOnly, placeholder, 0, orphanedFiles);
001144 |
001145 |     file.Close();
001146 |
001147 |     return success;
001148 | }
001149 |
001150 | ///! @brief restores entity and all its children from file (creates entities). Deletes file on success.
001151 | ///! @note if you pass in an existing entity, only its children (inventory) will be restored.
001152 | static bool RestoreFromFile(string fileName, inout EntityAI entity = null, EntityAI placeholder = null, PlayerBase player = null, bool deleteRestored = true)
001153 | {
001154 |     #ifdef EXTRACE_DIAG
001155 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, fileName, "entity=" + ExpansionStatic.GetDebugInfo(entity, false), "placeholder=" + ExpansionStatic.GetDebugInfo(placeholder, false), "player=" + ExpansionStatic.GetDebugInfo(player, false), "deleteRestored=" + deleteRestored);
001156 |     #endif
001157 |
001158 |     FileSerializer file = new FileSerializer();
001159 |
001160 |     if (!file.Open(fileName, FileMode.READ))
001161 |         return ErrorFalse("Couldn't open file for reading " + fileName);
001162 |
001163 |     GameInventory inventory;
001164 |     bool isInventoryLocked;
001165 |     if (entity)
001166 |     {
001167 |         inventory = entity.GetInventory();
001168 |         if (inventory && inventory.IsInventoryLockedForLockType(HIDE_INV_FROM_SCRIPT))
001169 |         {
001170 |             isInventoryLocked = true;
001171 |             inventory.UnlockInventory(HIDE_INV_FROM_SCRIPT);
001172 |         }
001173 |     }
001174 |
001175 |     Now = CF_Date.Now(true).DateToEpoch();
001176 |
001177 |     auto hitch = new EXHitch("[ExpansionEntityStorage] ");
001178 |
001179 |     string basePath;
001180 |     ExpansionString exFileName = fileName;
001181 |     if (exFileName.EndsWith(EXT))
001182 |         basePath = fileName.Substring(0, fileName.Length() - EXT.Length());
```

```
001183 |
001184 |     bool success = Restore(file, null, basePath, entity, entity, placeholder, player, 0, string.Empty, 0, 0, deleteRestored);
001185 |
001186 |     if (isInventoryLocked)
001187 |         inventory.LockInventory(HIDE_INV_FROM_SCRIPT);
001188 |
001189 |     file.Close();
001190 |
001191 |     if (!success)
001192 |         return false;
001193 |
001194 |     if (deleteRestored)
001195 |         DeleteFile(fileName);
001196 |
001197 |     return true;
001198 | }
001199 |
001200 | ///! @brief saves entity and all its children (attachments/cargo) and replaces original entity with placeholder. Deletes original entity on success!
001201 | ///! @note if storeCargo is false (default), move cargo to placeholder, else save cargo to virtual storage
001202 | static bool SaveToFileAndReplace(EntityAI entity, string fileName, string placeholderType, vector position, int iFlags = ECE_OBJECT_SWAP, out EntityAI placeho
lder = null, bool storeCargo = false, array<EntityAI> transferAttachments = null)
001203 | {
001204 |     Object placeholderObject = g_Game.CreateObjectEx(placeholderType, position, iFlags);
001205 |
001206 |     if (!Class.CastTo(placeholder, placeholderObject))
001207 |     {
001208 |         EXError.Error(entity, "ExpansionEntityStorageModule::SaveToFileAndReplace - Couldn't cast to EntityAI " + placeholderObject);
001209 |         g_Game.ObjectDelete(placeholderObject);
001210 |         return false;
001211 |     }
001212 |
001213 |     GameInventory inventory = entity.GetInventory();
001214 |     bool isInventoryLocked;
001215 |     if (inventory && inventory.IsInventoryLockedForLockType(HIDE_INV_FROM_SCRIPT))
001216 |     {
001217 |         isInventoryLocked = true;
001218 |         inventory.UnlockInventory(HIDE_INV_FROM_SCRIPT);
001219 |     }
001220 |
001221 |     InventoryLocation transferAttachmentInvLoc;
001222 |     if (transferAttachments)
001223 |     {
001224 |         transferAttachmentInvLoc = new InventoryLocation();
001225 |         foreach (EntityAI transferAttachment: transferAttachments)
001226 |         {
001227 |             transferAttachment.GetInventory().GetCurrentInventoryLocation(transferAttachmentInvLoc);
001228 |             placeholder.ServerTakeEntityAsAttachmentEx(transferAttachment, transferAttachmentInvLoc.GetSlot());
001229 |         }
001230 |     }
001231 |
001232 |     bool success;
001233 |
001234 |     if (storeCargo)
001235 |         success = SaveToFile(entity, fileName);
001236 |     else
001237 |         success = SaveToFile(entity, fileName, false, placeholder);
001238 |
001239 |     if (!success)
001240 |     {
001241 |         ///! Need to undo...
001242 |         if (transferAttachments)
001243 |         {
```

```
001244 |         foreach (EntityAI undoTransferAttachment: transferAttachments)
001245 |         {
001246 |             undoTransferAttachment.GetInventory().GetCurrentInventoryLocation(transferAttachmentInvLoc);
001247 |             entity.ServerTakeEntityAsAttachmentEx(undoTransferAttachment, transferAttachmentInvLoc.GetSlot());
001248 |         }
001249 |     }
001250 |
001251 |     if (isInventoryLocked)
001252 |         inventory.LockInventory(HIDE_INV_FROM_SCRIPT);
001253 |     if (placeholder)
001254 |         g_Game.ObjectDelete(placeholder);
001255 |
001256 |     return false;
001257 | }
001258 |
001259 | vector orientation = entity.GetOrientation();
001260 |
001261 | if ((iFlags & ECE_KEEPEIGHT) == 0)
001262 | {
001263 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, entity, "ExpansionEntityStorageModule::SaveToFileAndReplace - position " + position);
001264 |
001265 |     vector surface = ExpansionStatic.GetSurfaceWaterPosition(position);
001266 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "ExpansionEntityStorageModule::SaveToFileAndReplace - surface position " + surface);
001267 |
001268 |     PhxInteractionLayers layerMask;
001269 |     layerMask |= PhxInteractionLayers.BUILDING;
001270 |     layerMask |= PhxInteractionLayers.DOOR;
001271 |     layerMask |= PhxInteractionLayers.VEHICLE;
001272 |     layerMask |= PhxInteractionLayers.ROADWAY;
001273 |     layerMask |= PhxInteractionLayers.TERRAIN;
001274 |     layerMask |= PhxInteractionLayers.ITEM_LARGE;
001275 |     layerMask |= PhxInteractionLayers.FENCE;
001276 |     vector hitPosition;
001277 |     if (DayZPhysics.RayCastBullet(position, surface, layerMask, entity, null, hitPosition, null, null))
001278 |     {
001279 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, entity, "ExpansionEntityStorageModule::SaveToFileAndReplace - hit position " + hitPosition);
001280 |         position = hitPosition;
001281 |     }
001282 |     else
001283 |     {
001284 |         position = surface;
001285 |     }
001286 | }
001287 |
001288 | DeleteSavedEntity(entity);
001289 |
001290 | if (placeholder)
001291 | {
001292 |     placeholder.SetPosition(position);
001293 |     placeholder.SetOrientation(orientation);
001294 | }
001295 |
001296 | return true;
001297 | }
001298 |
001299 | static bool Reset(bool deleteRestored = false, TStringArray orphanedFiles = null)
001300 | {
001301 |     int failedCount;
001302 |
001303 |     foreach (string type, ExpansionEntityStorageContext context: s_SubContexts)
001304 |     {
001305 |         context.Close();
```

```
001306 |         failedCount += context.m_FailedCount;
001307 |         if (deleteRestored && !context.m_FailedCount)
001308 |             DeleteFile(context.m_FileName);
001309 |
001310 |         if (orphanedFiles)
001311 |         {
001312 |             int index = orphanedFiles.Find(type + EXT);
001313 |             if (index > -1)
001314 |                 orphanedFiles.Remove(index);
001315 |         }
001316 |     }
001317 |
001318 |     s_SubContexts.Clear();
001319 |
001320 |     return !deleteRestored || failedCount == 0;
001321 | }
001322 |
001323 | static void ResetState()
001324 | {
001325 |     s_LastRestoredVersion = 0;
001326 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionEntityStorageModule, "ResetState " + s_CurrentRootEntity + " -> null");
001327 |     s_CurrentEntity = null;
001328 |     s_CurrentRootEntity = null;
001329 | }
001330 | }
001331 |
```

0143. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionNetsyncData.c

Size bytes: 4242

SHA-256: ald7f94d6e64a310f46881cf694fed2d165ffbb782a13e40e7bf4064c1684f1d

Decoded as: utf-8-sig

Line count shown: 154

Detected class declarations: 1

L13: class ExpansionNetsyncData

Detected enum declarations: 0

Detected function/method-like declarations: 7

L22: void ExpansionNetsyncData(Object object, bool lateClientInit = true)

L54: void LateClientInit()

L68: void Set(int index, string value)

L81: bool Get(int index, out string output)

L93: void Request()

L103: void Send(PlayerIdentity recipient, ParamsReadContext ctx = null)

L129: void Receive(PlayerIdentity sender, ParamsReadContext ctx)

Full file content

```
000001 | /**
000002 |  * ExpansionNetsyncData.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionNetsyncData
000014 | {
000015 |     Object m_Object;
000016 |     ref TStringArray m_Data;
000017 |     ref ScriptInvoker SI_Receive;
000018 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000019 |     bool m_WasDataRequested;
000020 |     bool m_WasDataSent;
000021 |
000022 |     void ExpansionNetsyncData(Object object, bool lateClientInit = true)
000023 |     {
000024 |         m_Object = object;
000025 |
000026 |         EnScript.GetClassVar(object, "m_Expansion_RPCManager", 0, m_Expansion_RPCManager);
000027 |         if (!m_Expansion_RPCManager)
000028 |         {
000029 |             EntityAI entity;
000030 |             typename type;
000031 |             if (Class.CastTo(entity, object))
000032 |                 type = ExpansionWorld.GetModdableRootType(entity);
000033 |             m_Expansion_RPCManager = new ExpansionRPCManager(object, type);
000034 |             EnScript.SetClassVar(object, "m_Expansion_RPCManager", 0, m_Expansion_RPCManager);
000035 |         }
000036 |
000037 |         m_Expansion_RPCManager.RegisterServer("Send", this);
000038 |         m_Expansion_RPCManager.RegisterClient("Receive", this);
000039 |
000040 |         if (g_Game.IsClient() && lateClientInit)
```

```
000041 |     {
000042 |         SI_Receive = new ScriptInvoker();
000043 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(LateClientInit, 250); //!< Has to be delayed, else won't work!
000044 |     }
000045 | }
000046 |
000047 | /**
000048 |  * @brief Late client initialization for entities w/o netsynced vars (others will request netsync data in OnVariablesSynchronized)
000049 |  *
000050 |  * @note if you take an item to hand, vanilla will create a temporary copy of the item on client only.
000051 |  * We don't want to request netsync data for that item, since the RPC will go into nowhere on server.
000052 |  * We can detect such an item by checking its network ID. If it's client only, net ID will be zero.
000053 |  */
000054 | void LateClientInit()
000055 | {
000056 |     if (!m_WasDataRequested && m_Object)
000057 |     {
000058 |         int low, high;
000059 |         m_Object.GetNetworkID(low, high);
000060 |         #ifdef DIAG_DEVELOPER
000061 |             EXTrace.Print(EXTrace.MISC, m_Object, "Netsync data late client init - network ID " + low + " " + high);
000062 |         #endif
000063 |         if (low || high)
000064 |             Request();
000065 |     }
000066 | }
000067 |
000068 | void Set(int index, string value)
000069 | {
000070 |     if (!m_Data)
000071 |         m_Data = new TStringArray;
000072 |     if (index < m_Data.Count())
000073 |         m_Data[index] = value;
000074 |     else
000075 |         m_Data.Insert(value);
000076 |     #ifdef DIAG_DEVELOPER
000077 |         EXTrace.Print(EXTrace.MISC, m_Object, "Set netsync data " + index + " '" + m_Data[index] + "'");
000078 |     #endif
000079 | }
000080 |
000081 | bool Get(int index, out string output)
000082 | {
000083 |     if (m_Data && index < m_Data.Count())
000084 |     {
000085 |         output = m_Data[index];
000086 |         return true;
000087 |     }
000088 |
000089 |     return false;
000090 | }
000091 |
000092 | //!< Request name override from server
000093 | void Request()
000094 | {
000095 |     #ifdef DIAG_DEVELOPER
000096 |         EXTrace.Print(EXTrace.MISC, m_Object, "Requesting netsync data");
000097 |     #endif
000098 |     m_Expansion_RPCManager.SendRPC("Send");
000099 |     m_WasDataRequested = true;
000100 | }
000101 |
000102 | //!< Send netsync data to client
```

```
000103 | void Send(PlayerIdentity recipient, ParamsReadContext ctx = null)
000104 | {
000105 |     if (!m_Data || !m_Data.Count())
000106 |         return;
000107 |
000108 | #ifdef DIAG_DEVELOPER
000109 |     if (recipient)
000110 |         EXTrace.Print(EXTrace.MISC, m_Object, "Sending " + m_Data.Count() + " netsync data entries to " + recipient.GetId());
000111 |     else
000112 |         EXTrace.Print(EXTrace.MISC, m_Object, "Sending " + m_Data.Count() + " netsync data entries to players in object netbubble");
000113 | #endif
000114 |
000115 |     auto rpc = m_Expansion_RPCManager.CreateRPC("Receive");
000116 |     rpc.Write(m_Data.Count());
000117 |     foreach (string value: m_Data)
000118 |     {
000119 |         rpc.Write(value);
000120 |     }
000121 |     if (!recipient)
000122 |         PlayerBase.Expansion_Send(rpc, m_Object, true);
000123 |     else
000124 |         rpc.Expansion_Send(true, recipient);
000125 |
000126 |     m_WasDataSent = true;
000127 | }
000128 |
000129 | void Receive(PlayerIdentity sender, ParamsReadContext ctx)
000130 | {
000131 |     int count;
000132 |     ctx.Read(count);
000133 |
000134 |     string value;
000135 |     m_Data = new TStringArray;
000136 |     while (count)
000137 |     {
000138 |         ctx.Read(value);
000139 |         #ifdef DIAG_DEVELOPER
000140 |             EXTrace.Print(EXTrace.MISC, m_Object, "Received netsync data entry '" + value + "'");
000141 |         #endif
000142 |         m_Data.Insert(value);
000143 |         count--;
000144 |     }
000145 |
000146 |     if (SI_Receive)
000147 |         SI_Receive.Invoke();
000148 |
000149 | #ifdef DIAG_DEVELOPER
000150 |     EXTrace.Print(EXTrace.MISC, m_Object, "Received " + m_Data.Count() + " netsync data entries");
000151 | #endif
000152 | }
000153 | }
000154 |
```

0144. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionShape.c
Size bytes: 5691
SHA-256: 33a9d20ad70a7c20acbc26d85f3f71df12e1b7ed3eec47e140a1f8af45d48259
Decoded as: utf-8-sig
Line count shown: 256
Detected class declarations: 3
  L1: class ExpansionShapeBase : Managed
  L17: class ExpansionShape : ExpansionShapeBase
  L180: class ExpansionDebugText : ExpansionShapeBase
Detected enum declarations: 0
Detected function/method-like declarations: 30
  L5: ExpansionShapeBase NotAligned()
  L11: void Update(vector objTransform[4], vector physTransform[4])
  L24: static ExpansionShape Create(ShapeType type, int color, ShapeFlags flags, vector p1, vector p2)
  L26: ExpansionShape res();
  L35: static ExpansionShape CreateLines(int color, ShapeFlags flags, vector p[], int num)
  L37: ExpansionShape res();
  L46: static ExpansionShape CreateMatrix(ShapeFlags flags, vector mat[4], float scale = 0.5)
  L48: ExpansionShape res();
  L67: static ExpansionShape CreateLine(int color, ShapeFlags flags, vector p0, vector p1)
  L72: return CreateLines(color, flags, line, 2);
  L75: static ExpansionShape CreateDirLine(int color, ShapeFlags flags, vector p, vector dir)
  L80: return CreateLines(color, flags, line, 2);
  L83: static ExpansionShape CreateTris(int color, ShapeFlags flags, vector p[], int num)
  L85: ExpansionShape res();
  L94: static ExpansionShape CreateTriangle(int color, ShapeFlags flags, vector p0, vector p1, vector p2)
  L100: return CreateTris(color, flags, tri, 1);
  L103: static ExpansionShape CreateSphere(int color, ShapeFlags flags, vector origin, float radius)
  L105: ExpansionShape res();
  L115: static ExpansionShape CreateSphere(bool toggled, int colorA, int colorB, ShapeFlags flags, vector origin, float radius)
  L123: return CreateSphere(color, flags, origin, radius);
  L126: static ExpansionShape CreateCylinder(int color, ShapeFlags flags, vector origin, float radius, float length)
  L128: ExpansionShape res();
  L138: static ExpansionShape CreateArrow(vector from, vector to, float size, int color, ShapeFlags flags)
  L140: ExpansionShape res();
  L149: void ~ExpansionShape()
  L157: override void Update(vector objTransform[4], vector physTransform[4])
  L185: static ExpansionDebugText Create(string text, vector position, int size = 16)
  L187: ExpansionDebugText res();
  L204: void ~ExpansionDebugText()
  L217: override void Update(vector objTransform[4], vector physTransform[4])
```

Full file content

```
000001 | class ExpansionShapeBase : Managed
000002 | {
000003 |     bool m_NotAligned;
000004 |
000005 |     ExpansionShapeBase NotAligned()
000006 |     {
000007 |         m_NotAligned = true;
000008 |         return this;
000009 |     }
000010 |
000011 |     void Update(vector objTransform[4], vector physTransform[4])
000012 |     {
000013 |         //m_Shape.SetMatrix(inTransform);
000014 |     }
000015 | };
```



```
000016 |
000017 | class ExpansionShape : ExpansionShapeBase
000018 | {
000019 |     static int s_MatrixColours[3] = { 0xFFFF0000, 0xFF00FF00, 0xFF0000FF };
000020 |
000021 |     Shape m_Shape;
000022 |     vector m-Origin;
000023 |
000024 |     static ExpansionShape Create(ShapeType type, int color, ShapeFlags flags, vector p1, vector p2)
000025 |     {
000026 |         ExpansionShape res();
000027 |
000028 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000029 |         res.m_Shape = Shape.Create(type, color, flags, p1, p2);
000030 | #endif
000031 |
000032 |         return res;
000033 |     }
000034 |
000035 |     static ExpansionShape CreateLines(int color, ShapeFlags flags, vector p[], int num)
000036 |     {
000037 |         ExpansionShape res();
000038 |
000039 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000040 |         res.m_Shape = Shape.CreateLines(color, flags, p, num);
000041 | #endif
000042 |
000043 |         return res;
000044 |     }
000045 |
000046 |     static ExpansionShape CreateMatrix(ShapeFlags flags, vector mat[4], float scale = 0.5)
000047 |     {
000048 |         ExpansionShape res();
000049 |
000050 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000051 |         vector line[6];
000052 |         res.m-Origin = mat[3];
000053 |
000054 |         for (int i = 0; i < 3; i++)
000055 |         {
000056 |             int ii = i * 2;
000057 |             line[ii + 0] = "0 0 0";
000058 |             line[ii + 1] = (mat[i] * scale);
000059 |         }
000060 |
000061 |         res.m_Shape = Shape.CreateLines(s_MatrixColours[i], flags, line, 6);
000062 | #endif
000063 |
000064 |         return res;
000065 |     }
000066 |
000067 |     static ExpansionShape CreateLine(int color, ShapeFlags flags, vector p0, vector p1)
000068 |     {
000069 |         vector line[2];
000070 |         line[0] = p0;
000071 |         line[1] = p1;
000072 |         return CreateLines(color, flags, line, 2);
000073 |     }
000074 |
000075 |     static ExpansionShape CreateDirLine(int color, ShapeFlags flags, vector p, vector dir)
000076 |     {
000077 |         vector line[2];
```

```
000078 |         line[0] = p;
000079 |         line[1] = p + dir;
000080 |         return CreateLines(color, flags, line, 2);
000081 |     }
000082 |
000083 |     static ExpansionShape CreateTris(int color, ShapeFlags flags, vector p[], int num)
000084 |     {
000085 |         ExpansionShape res();
000086 |
000087 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000088 |         res.m_Shape = Shape.CreateTris(color, flags, p, num);
000089 | #endif
000090 |
000091 |         return res;
000092 |     }
000093 |
000094 |     static ExpansionShape CreateTriangle(int color, ShapeFlags flags, vector p0, vector p1, vector p2)
000095 |     {
000096 |         vector tri[3];
000097 |         tri[0] = p0;
000098 |         tri[1] = p1;
000099 |         tri[2] = p2;
000100 |         return CreateTris(color, flags, tri, 1);
000101 |     }
000102 |
000103 |     static ExpansionShape CreateSphere(int color, ShapeFlags flags, vector origin, float radius)
000104 |     {
000105 |         ExpansionShape res();
000106 |
000107 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000108 |         res.m_Origin = origin;
000109 |         res.m_Shape = Shape.CreateSphere(color, flags, origin, radius);
000110 | #endif
000111 |
000112 |         return res;
000113 |     }
000114 |
000115 |     static ExpansionShape CreateSphere(bool toggled, int colorA, int colorB, ShapeFlags flags, vector origin, float radius)
000116 |     {
000117 |         int color = colorA;
000118 |         if (toggled)
000119 |         {
000120 |             color = colorB;
000121 |         }
000122 |
000123 |         return CreateSphere(color, flags, origin, radius);
000124 |     }
000125 |
000126 |     static ExpansionShape CreateCylinder(int color, ShapeFlags flags, vector origin, float radius, float length)
000127 |     {
000128 |         ExpansionShape res();
000129 |
000130 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000131 |         res.m_Origin = origin;
000132 |         res.m_Shape = Shape.CreateCylinder(color, flags, origin, radius, length);
000133 | #endif
000134 |
000135 |         return res;
000136 |     }
000137 |
000138 |     static ExpansionShape CreateArrow(vector from, vector to, float size, int color, ShapeFlags flags)
000139 |     {
```

```
000140 |         ExpansionShape res();
000141 |
000142 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000143 |     res.m_Shape = Shape.CreateArrow(from, to, size, color, flags);
000144 | #endif
000145 |
000146 |     return res;
000147 | }
000148 |
000149 | void ~ExpansionShape()
000150 | {
000151 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000152 |     m_Shape.Destroy();
000153 |     m_Shape = null;
000154 | #endif
000155 | }
000156 |
000157 | override void Update(vector objTransform[4], vector physTransform[4])
000158 | {
000159 |     if (m_NotAligned)
000160 |     {
000161 |         return;
000162 |     }
000163 |
000164 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000165 |     vector objPhysTransform[4];
000166 |     Math3D.MatrixMultiply4(physTransform, objTransform, objPhysTransform);
000167 |
000168 |     vector localTransform[4];
000169 |     Math3D.MatrixIdentity4(localTransform);
000170 |     localTransform[3] = m-Origin;
000171 |
000172 |     vector worldTransform[4];
000173 |     Math3D.MatrixMultiply4(objTransform, localTransform, worldTransform);
000174 |
000175 |     m_Shape.SetMatrix(worldTransform);
000176 | #endif
000177 | }
000178 | };
000179 |
000180 | class ExpansionDebugText : ExpansionShapeBase
000181 | {
000182 |     ref TextWidget m_Widget;
000183 |     vector m-Origin;
000184 |
000185 |     static ExpansionDebugText Create(string text, vector position, int size = 16)
000186 |     {
000187 |         ExpansionDebugText res();
000188 |
000189 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000190 |         Widget layoutRoot = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/Core/GUI/layouts/expansion_debug.layout");
000191 |
000192 |         res.m-Origin = position;
000193 |
000194 |         if (Class.CastTo(res.m_Widget, layoutRoot))
000195 |         {
000196 |             res.m_Widget.SetText(text);
000197 |             res.m_Widget.SetTextExactSize(size);
000198 |         }
000199 | #endif
000200 |
000201 |     return res;
```

```
000202 |     }
000203 |
000204 |     void ~ExpansionDebugText()
000205 |     {
000206 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000207 |         if (!m_Widget)
000208 |         {
000209 |             return;
000210 |         }
000211 |
000212 |         m_Widget.Unlink();
000213 |         m_Widget = null;
000214 | #endif
000215 |     }
000216 |
000217 |     override void Update(vector objTransform[4], vector physTransform[4])
000218 |     {
000219 | #ifndef EXPANSION_DEBUG_SHAPES_DISABLE
000220 |         if (!m_Widget)
000221 |         {
000222 |             return;
000223 |         }
000224 |
000225 |         vector transform[4];
000226 |         Math3D.MatrixIdentity4(transform);
000227 |         transform[3] = m-Origin;
000228 |
000229 |         Math3D.MatrixMultiply4(objTransform, transform, transform);
000230 |
000231 |         vector position = g_Game.GetScreenPos(transform[3]);
000232 |
000233 |         float width;
000234 |         float height;
000235 |         m_Widget.GetScreenSize(width, height);
000236 |
000237 |         float aWidth = 200;
000238 |         float aHeight = height;
000239 |
000240 |         position[0] = position[0] - (aWidth * 0.5);
000241 |         position[1] = position[1] - (aHeight * 0.5);
000242 |
000243 |
000244 |         float scale = 18.0 * (1.0 / position[2]);
000245 |
000246 |         m_Widget.SetFlags(WidgetFlags.EXACTSIZE);
000247 |         //m_Widget.SetSize(width * scale, height * scale);
000248 |         m_Widget.SetTextExactSize(scale);
000249 |
000250 |         m_Widget.SetPos(position[0], position[1]);
000251 |         m_Widget.Show(position[2] > 0);
000252 |         m_Widget.Update();
000253 | #endif
000254 |     }
000255 | };
000256 |
```

0145. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehicle.c
Size bytes: 39309
SHA-256: e11c6f337a7ae0b054fc09000f36ecd2811c6bdeff3ae91922f162c5e2aff35e
Decoded as: utf-8-sig
Line count shown: 1730
Detected class declarations: 2
  L4: class ExpansionVehicle
  L944: class ExpansionVehicleT<Class T>: ExpansionVehicle
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L37: void ExpansionVehicle()
  L42: void ~ExpansionVehicle()
  L53: static ExpansionVehicle Get(IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
  L65: else if (Class.CastTo(bs, entity))
  L70: else if (Class.CastTo(evb, entity))
  L73: else if (Class.CastTo(player, entity))
  L80: return Get(player.Expansion_GetParent());
  L88: return Get(vehCmd.GetTransport(), errorOnFailure);
  L92: return Get(exVehCmd.GetObject(), errorOnFailure);
  L104: static bool Get(out ExpansionVehicle ev, IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
  L114: static ExpansionVehicleType GetVehicleType(string type)
  L145: void DeferredInit()
  L155: void SetActions()
  L159: void Init()
  L165: EntityAI GetEntity()
  L171: Transport GetTransport()
  L177: BoatScript GetBoat()
  L182: CarScript GetCar()
  L187: HelicopterScript GetHelicopter()
  L192: ExpansionGlobalID GetGlobalID()
  L199: NetworkMoveStrategy GetNetworkMoveStrategy()
  L206: string GetPersistentIDString()
  L211: vector GetOrientation()
  L213: return GetEntity().GetOrientation();
  L216: vector GetPosition()
  L218: return GetEntity().GetPosition();
  L221: string GetType()
  L223: return GetEntity().GetType();
  L226: string GetDisplayName()
  L228: return GetEntity().GetDisplayName();
  L231: int GetHealthLevel(string zone = "")
  L233: return GetEntity().GetHealthLevel(zone);
  L236: void SetSkin(int skinIndex)
  L241: bool HasSkin(int skinIndex)
  L247: int GetCurrentSkinIndex()
  L253: string GetCurrentSkinName()
  L259: void UpdateCargoCount(int delta)
  L272: int GetCargoCount()
  L277: void FillFluid(int fluid, float amount)
  L282: void FillFluids(float relativeAmount = 1.0)
  L287: void CloneFluidsTo(ExpansionVehicle dst)
  L292: void LeakFluids()
  L297: float GetFluidCapacity(int fluid)
  L303: float GetFluidFraction(int fluid)
  L309: void WriteFluidsTo(ParamsWriteContext ctx)
  L314: bool ReadFluidsFrom(ParamsReadContext ctx, int entityStorageVersion)
  L320: void Synchronize()
  L325: bool IsBike()
```

```
L330: bool IsBoat()
L335: bool IsCar()
L340: bool IsHelicopter()
L345: bool IsPlane()
L350: bool IsDuck()
L355: bool IsCECreated()
L360: bool IsDestroyed()
L362: return GetEntity().IsDamageDestroyed();
L365: bool IsExploded()
L371: bool IsScriptedLightsOn()
L377: bool IsVitalAircraftBattery()
L383: bool IsVitalCarBattery()
L389: bool IsVitalHelicopterBattery()
L395: bool IsVitalTruckBattery()
L401: int GetEngineStartAnimation()
L407: int GetEngineStopAnimation()
L413: bool OnBeforeEngineStart(int index = 0)
L419: void OnEngineStart(int index = 0)
L423: void OnEngineStop(int index = 0)
L427: bool EngineIsOn()
L433: bool EngineIsOn(int index)
L439: int EngineGetRunningAboveOrAtIdleRPMCount()
L445: void EngineStart()
L450: void EngineStop()
L455: int EngineGetCount()
L461: int EngineGetCurrent()
L467: void EngineSetNext()
L472: string EngineGetName()
L478: float GetThrottle()
L484: float GetThrottle(int index)
L490: void ConsumeFuel(float fuelConsumption)
L495: void ConsumeFuelOverTime(float dt)
... detector capped this preview at 80 entries; full code follows.
```

Full file content

```
000001 | /**
000002 |  * @brief Wrapper class for vehicle functionality that is shared among vehicles inheriting from otherwise unrelated classes
000003 |  */
000004 | class ExpansionVehicle
000005 | {
000006 |     static ref CF_DoublyLinkedNodes_WeakRef<ExpansionVehicle> s_All = new CF_DoublyLinkedNodes_WeakRef<ExpansionVehicle>();
000007 |
000008 |     ref CF_DoublyLinkedNode_WeakRef<ExpansionVehicle> m_Node;
000009 |
000010 |     protected bool m_IsBike;
000011 |     protected bool m_IsBoat;
000012 |     protected bool m_IsCar;
000013 |     protected bool m_IsHelicopter;
000014 |     protected bool m_IsPlane;
000015 |     protected bool m_IsDuck;
000016 |
000017 |     protected bool m_IsCECreated;
000018 |     protected bool m_DestructionLogged;
000019 |     protected bool m_HasLifetime;
000020 |     protected int m_CargoCount;
000021 |
000022 |     protected bool m_IsInSafeZone;
000023 |     protected bool m_SZCleanup;
000024 |     protected float m_SZParkingTime;
000025 |
000026 |     protected string m_LastDriverUID;
```

```
000027 |     protected bool m_SynchLastDriverUID;
000028 |     protected bool m_LastDriverUIDSynched;
000029 |
000030 |     protected float m_CrewKilledTimestamp;
000031 |
000032 |     protected float m_FuelConsumption;
000033 | #ifdef DIAG_DEVELOPER
000034 |     protected float m_FuelConsumption_Prev;
000035 | #endif
000036 |
000037 |     void ExpansionVehicle()
000038 |     {
000039 |         m_Node = s_All.Add(this);
000040 |     }
000041 |
000042 |     void ~ExpansionVehicle()
000043 |     {
000044 |     #ifndef DIAG_DEVELOPER
000045 |         if (!g_Game)
000046 |             return;
000047 |     #endif
000048 |
000049 |         if (s_All)
000050 |             s_All.Remove(m_Node);
000051 |     }
000052 |
000053 |     static ExpansionVehicle Get(IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
000054 |     {
000055 |         BoatScript bs;
000056 |         CarScript cs;
000057 |         //HelicopterScript hs;
000058 |     #ifdef EXPANSIONMODVEHICLE
000059 |         ExpansionVehicleBase evb;
000060 |     #endif
000061 |         DayZPlayerImplement player;
000062 |
000063 |         if (Class.CastTo(cs, entity))
000064 |             return cs.GetExpansionVehicle();
000065 |         else if (Class.CastTo(bs, entity))
000066 |             return bs.GetExpansionVehicle();
000067 |         //else if (Class.CastTo(hs, entity))
000068 |             //return new ExpansionVehicleT<HelicopterScript>(hs);
000069 |     #ifdef EXPANSIONMODVEHICLE
000070 |         else if (Class.CastTo(evb, entity))
000071 |             return evb.GetExpansionVehicle();
000072 |     #endif
000073 |         else if (Class.CastTo(player, entity))
000074 |         {
000075 |             if (includeAttached)
000076 |             {
000077 |                 ///! Expansion_GetParent will both check GetParent (which will satisfy any players with
000078 |                 ///! VehicleCmd aka sitting in vehicle seats as well as custom player attachment systems of
000079 |                 ///! Expansion under DayZ 1.25 and 3rd party mods) as well as DayZ 1.26 vanilla PhysicsGetLinkedEntity
000080 |                 return Get(player.Expansion_GetParent());
000081 |             }
000082 |             else
000083 |             {
000084 |                 ///! Don't use GetParent here since it is used for player attachment by Expansion (only under DayZ 1.25)
000085 |                 ///! and potentially other vehicle mods that do not use vanilla 1.26 attachment system
000086 |                 auto vehCmd = player.GetCommand_Vehicle();
000087 |                 if (vehCmd)
000088 |                     return Get(vehCmd.GetTransport(), errorOnFailure);
```

```
000089 |         #ifdef EXPANSIONMODVEHICLE
000090 |             auto exVehCmd = player.GetCommand_ExpansionVehicle();
000091 |             if (exVehCmd)
000092 |                 return Get(exVehCmd.GetObject(), errorOnFailure);
000093 |         #endif
000094 |     }
000095 | }
000096 |
000097 |
000098 |     if (errorOnFailure)
000099 |         EXError.Error(null, string.Format("%1 is not of a known vehicle type", entity));
000100 |
000101 |     return null;
000102 | }
000103 |
000104 | static bool Get(out ExpansionVehicle ev, IEntity entity, bool errorOnFailure = false, bool includeAttached = false)
000105 | {
000106 |     ev = Get(entity, errorOnFailure, includeAttached);
000107 |
000108 |     if (!ev)
000109 |         return false;
000110 |
000111 |     return true;
000112 | }
000113 |
000114 | static ExpansionVehicleType GetVehicleType(string type)
000115 | {
000116 |     string vehicleClass = g_Game.ConfigGetTextOut("CfgVehicles " + type + " vehicleClass");
000117 |     switch (vehicleClass)
000118 |     {
000119 |         case "Expansion_Helicopter":
000120 |         case "Expansion_Plane":
000121 |         case "Vehicles_Helicopter":
000122 |         case "Vehicles_Plane":
000123 |             return ExpansionVehicleType.AIR;
000124 |         case "Expansion_Boat":
000125 |         case "Expansion_Ship":
000126 |         case "Vehicles_Boat":
000127 |         case "Vehicles_Ship":
000128 |             return ExpansionVehicleType.WATER;
000129 |     #ifdef HypeTrain
000130 |         case "HypeTrain_Locomotive":
000131 |         case "HypeTrain_Wagon":
000132 |             return ExpansionVehicleType.RAILTRACK;
000133 |     #endif
000134 |     }
000135 |
000136 |     if (g_Game.IsKindOf(type, "BoatScript"))
000137 |         return ExpansionVehicleType.WATER;
000138 |
000139 |     if (g_Game.IsKindOf(type, "CarScript"))
000140 |         return ExpansionVehicleType.LAND;
000141 |
000142 |     return ExpansionVehicleType.NONE;
000143 | }
000144 |
000145 | void DeferredInit()
000146 | {
000147 |     EntityAI entity = GetEntity();
000148 |     if (IsStoreLoaded() && !entity.IsSetForDeletion() && ExpansionEntityStoragePlaceholder.Expansion_HasPlaceholder(this))
000149 |     {
000150 |         EXPrint("Deleting " + entity + " " + entity.GetPosition() + " global ID " + GetGlobalID().IDToString());
```



```
000151 |         entity.Delete();
000152 |     }
000153 | }
000154 |
000155 | void SetActions()
000156 | {
000157 | }
000158 |
000159 | void Init()
000160 | {
000161 | }
000162 |
000163 | //! -----
000164 |
000165 | EntityAI GetEntity()
000166 | {
000167 |     EXError.Error(this, "NOT IMPLEMENTED");
000168 |     return null;
000169 | }
000170 |
000171 | Transport GetTransport()
000172 | {
000173 |     EXError.Error(this, "NOT IMPLEMENTED");
000174 |     return null;
000175 | }
000176 |
000177 | BoatScript GetBoat()
000178 | {
000179 |     return BoatScript.Cast(GetEntity());
000180 | }
000181 |
000182 | CarScript GetCar()
000183 | {
000184 |     return CarScript.Cast(GetEntity());
000185 | }
000186 |
000187 | HelicopterScript GetHelicopter()
000188 | {
000189 |     return HelicopterScript.Cast(GetEntity());
000190 | }
000191 |
000192 | ExpansionGlobalID GetGlobalID()
000193 | {
000194 |     EXError.Error(this, "NOT IMPLEMENTED");
000195 |     return null;
000196 | }
000197 |
000198 | #ifdef FEATURE_NETWORK_RECONCILIATION
000199 |     NetworkMoveStrategy GetNetworkMoveStrategy()
000200 |     {
000201 |         EXError.Error(this, "NOT IMPLEMENTED");
000202 |         return NetworkMoveStrategy.NONE;
000203 |     }
000204 | #endif
000205 |
000206 | string GetPersistentIDString()
000207 | {
000208 |     return ExpansionStatic.GetPersistentIDString(GetEntity());
000209 | }
000210 |
000211 | vector GetOrientation()
000212 | {
```

```
000213 |         return GetEntity().GetOrientation();
000214 |     }
000215 |
000216 |     vector GetPosition()
000217 |     {
000218 |         return GetEntity().GetPosition();
000219 |     }
000220 |
000221 |     string GetType()
000222 |     {
000223 |         return GetEntity().GetType();
000224 |     }
000225 |
000226 |     string GetDisplayName()
000227 |     {
000228 |         return GetEntity().GetDisplayName();
000229 |     }
000230 |
000231 |     int GetHealthLevel(string zone = "")
000232 |     {
000233 |         return GetEntity().GetHealthLevel(zone);
000234 |     }
000235 |
000236 |     void SetSkin(int skinIndex)
000237 |     {
000238 |         EXError.Error(this, "NOT IMPLEMENTED");
000239 |     }
000240 |
000241 |     bool HasSkin(int skinIndex)
000242 |     {
000243 |         EXError.Error(this, "NOT IMPLEMENTED");
000244 |         return false;
000245 |     }
000246 |
000247 |     int GetCurrentSkinIndex()
000248 |     {
000249 |         EXError.Error(this, "NOT IMPLEMENTED");
000250 |         return -1;
000251 |     }
000252 |
000253 |     string GetCurrentSkinName()
000254 |     {
000255 |         EXError.Error(this, "NOT IMPLEMENTED");
000256 |         return string.Empty;
000257 |     }
000258 |
000259 |     void UpdateCargoCount(int delta)
000260 |     {
000261 |         m_CargoCount += delta;
000262 | #ifdef SERVER
000263 |         EntityAI entity = GetEntity();
000264 |         if (entity.IsInitialized())
000265 |             entity.SetSynchDirty();
000266 | #endif
000267 | #ifdef DIAG_DEVELOPER
000268 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, GetEntity().ToString() + " cargo count + " + delta + " = " + m_CargoCount);
000269 | #endif
000270 |     }
000271 |
000272 |     int GetCargoCount()
000273 |     {
000274 |         return m_CargoCount;
```

```
000275 | }
000276 |
000277 | void FillFluid(int fluid, float amount)
000278 | {
000279 |     EXError.Error(this, "NOT IMPLEMENTED");
000280 | }
000281 |
000282 | void FillFluids(float relativeAmount = 1.0)
000283 | {
000284 |     EXError.Error(this, "NOT IMPLEMENTED");
000285 | }
000286 |
000287 | void CloneFluidsTo(ExpansionVehicle dst)
000288 | {
000289 |     EXError.Error(this, "NOT IMPLEMENTED");
000290 | }
000291 |
000292 | void LeakFluids()
000293 | {
000294 |     EXError.Error(this, "NOT IMPLEMENTED");
000295 | }
000296 |
000297 | float GetFluidCapacity(int fluid)
000298 | {
000299 |     EXError.Error(this, "NOT IMPLEMENTED");
000300 |     return 0;
000301 | }
000302 |
000303 | float GetFluidFraction(int fluid)
000304 | {
000305 |     EXError.Error(this, "NOT IMPLEMENTED");
000306 |     return 0;
000307 | }
000308 |
000309 | void WriteFluidsTo(ParamsWriteContext ctx)
000310 | {
000311 |     EXError.Error(this, "NOT IMPLEMENTED");
000312 | }
000313 |
000314 | bool ReadFluidsFrom(ParamsReadContext ctx, int entityStorageVersion)
000315 | {
000316 |     EXError.Error(this, "NOT IMPLEMENTED");
000317 |     return false;
000318 | }
000319 |
000320 | void Synchronize()
000321 | {
000322 |     EXError.Error(this, "NOT IMPLEMENTED");
000323 | }
000324 |
000325 | bool IsBike()
000326 | {
000327 |     return m_IsBike;
000328 | }
000329 |
000330 | bool IsBoat()
000331 | {
000332 |     return m_IsBoat;
000333 | }
000334 |
000335 | bool IsCar()
000336 | {
```

```
000337 |         return m_IsCar;
000338 |     }
000339 |
000340 |     bool IsHelicopter()
000341 |     {
000342 |         return m_IsHelicopter;
000343 |     }
000344 |
000345 |     bool IsPlane()
000346 |     {
000347 |         return m_IsPlane;
000348 |     }
000349 |
000350 |     bool IsDuck()
000351 |     {
000352 |         return m_IsDuck;
000353 |     }
000354 |
000355 |     bool IsCECreated()
000356 |     {
000357 |         return m_IsCECreated;
000358 |     }
000359 |
000360 |     bool IsDestroyed()
000361 |     {
000362 |         return GetEntity().IsDamageDestroyed();
000363 |     }
000364 |
000365 |     bool IsExploded()
000366 |     {
000367 |         EXError.Error(this, "NOT IMPLEMENTED");
000368 |         return false;
000369 |     }
000370 |
000371 |     bool IsScriptedLightsOn()
000372 |     {
000373 |         EXError.Error(this, "NOT IMPLEMENTED");
000374 |         return false;
000375 |     }
000376 |
000377 |     bool IsVitalAircraftBattery()
000378 |     {
000379 |         EXError.Error(this, "NOT IMPLEMENTED");
000380 |         return false;
000381 |     }
000382 |
000383 |     bool IsVitalCarBattery()
000384 |     {
000385 |         EXError.Error(this, "NOT IMPLEMENTED");
000386 |         return false;
000387 |     }
000388 |
000389 |     bool IsVitalHelicopterBattery()
000390 |     {
000391 |         EXError.Error(this, "NOT IMPLEMENTED");
000392 |         return false;
000393 |     }
000394 |
000395 |     bool IsVitalTruckBattery()
000396 |     {
000397 |         EXError.Error(this, "NOT IMPLEMENTED");
000398 |         return false;
```

```
000399 | }
000400 |
000401 | int GetEngineStartAnimation()
000402 | {
000403 |     EXError.Error(this, "NOT IMPLEMENTED");
000404 |     return 0;
000405 | }
000406 |
000407 | int GetEngineStopAnimation()
000408 | {
000409 |     EXError.Error(this, "NOT IMPLEMENTED");
000410 |     return 0;
000411 | }
000412 |
000413 | bool OnBeforeEngineStart(int index = 0)
000414 | {
000415 |     EXError.Error(this, "NOT IMPLEMENTED");
000416 |     return false;
000417 | }
000418 |
000419 | void OnEngineStart(int index = 0)
000420 | {
000421 | }
000422 |
000423 | void OnEngineStop(int index = 0)
000424 | {
000425 | }
000426 |
000427 | bool EngineIsOn()
000428 | {
000429 |     EXError.Error(this, "NOT IMPLEMENTED");
000430 |     return false;
000431 | }
000432 |
000433 | bool EngineIsOn(int index)
000434 | {
000435 |     EXError.Error(this, "NOT IMPLEMENTED");
000436 |     return false;
000437 | }
000438 |
000439 | int EngineGetRunningAboveOrAtIdleRPMCount()
000440 | {
000441 |     EXError.Error(this, "NOT IMPLEMENTED");
000442 |     return 0;
000443 | }
000444 |
000445 | void EngineStart()
000446 | {
000447 |     EXError.Error(this, "NOT IMPLEMENTED");
000448 | }
000449 |
000450 | void EngineStop()
000451 | {
000452 |     EXError.Error(this, "NOT IMPLEMENTED");
000453 | }
000454 |
000455 | int EngineGetCount()
000456 | {
000457 |     EXError.Error(this, "NOT IMPLEMENTED");
000458 |     return 0;
000459 | }
000460 |
```

```
000461 | int EngineGetCurrent()
000462 | {
000463 |     EXError.Error(this, "NOT IMPLEMENTED");
000464 |     return -1;
000465 | }
000466 |
000467 | void EngineSetNext()
000468 | {
000469 |     EXError.Error(this, "NOT IMPLEMENTED");
000470 | }
000471 |
000472 | string EngineGetName()
000473 | {
000474 |     EXError.Error(this, "NOT IMPLEMENTED");
000475 |     return string.Empty;
000476 | }
000477 |
000478 | float GetThrottle()
000479 | {
000480 |     EXError.Error(this, "NOT IMPLEMENTED");
000481 |     return 0;
000482 | }
000483 |
000484 | float GetThrottle(int index)
000485 | {
000486 |     EXError.Error(this, "NOT IMPLEMENTED");
000487 |     return 0;
000488 | }
000489 |
000490 | void ConsumeFuel(float fuelConsumption)
000491 | {
000492 |     EXError.Error(this, "NOT IMPLEMENTED");
000493 | }
000494 |
000495 | void ConsumeFuelOverTime(float dt)
000496 | {
000497 |     EXError.Error(this, "NOT IMPLEMENTED");
000498 | }
000499 |
000500 | bool HasGear()
000501 | {
000502 |     EXError.Error(this, "NOT IMPLEMENTED");
000503 |     return false;
000504 | }
000505 |
000506 | void SwitchGear()
000507 | {
000508 |     EXError.Error(this, "NOT IMPLEMENTED");
000509 | }
000510 |
000511 | bool IsInSafeZone()
000512 | {
000513 |     return m_IsInSafeZone;
000514 | }
000515 |
000516 | bool CanBeLocked()
000517 | {
000518 |     return true;
000519 | }
000520 |
000521 | bool CanBeDamaged()
000522 | {
```

```
000523 |         if (GetExpansionSettings().GetSafeZone().Enabled && IsInSafeZone())
000524 |             return !GetExpansionSettings().GetSafeZone().DisableVehicleDamageInSafeZone;
000525 |
000526 |         return GetEntity().GetAllowDamage();
000527 |     }
000528 |
000529 |     bool CanObjectAttach(Object obj)
000530 |     {
000531 |         EXError.Error(this, "NOT IMPLEMENTED");
000532 |         return false;
000533 |     }
000534 |
000535 |     bool CanPlayerAttach()
000536 |     {
000537 |         EXError.Error(this, "NOT IMPLEMENTED");
000538 |         return false;
000539 |     }
000540 |
000541 |     bool IsFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
000542 |     {
000543 |         EXError.Error(this, "NOT IMPLEMENTED");
000544 |         return false;
000545 |     }
000546 |
000547 |     CarDoorState GetDoorState(int seatIdx)
000548 |     {
000549 |         EXError.Error(this, "NOT IMPLEMENTED");
000550 |         return CarDoorState.DOORS_MISSING;
000551 |     }
000552 |
000553 |     CarDoorState GetDoorState(string slotName)
000554 |     {
000555 |         EXError.Error(this, "NOT IMPLEMENTED");
000556 |         return CarDoorState.DOORS_MISSING;
000557 |     }
000558 |
000559 |     bool HasDoor(int seatIdx)
000560 |     {
000561 |         return GetDoorState(seatIdx) != CarDoorState.DOORS_MISSING;
000562 |     }
000563 |
000564 |     bool IsDoorClosed(int seatIdx)
000565 |     {
000566 |         return GetDoorState(seatIdx) == CarDoorState.DOORS_CLOSED;
000567 |     }
000568 |
000569 |     void SetLockState(ExpansionVehicleLockState lockState)
000570 |     {
000571 |         EXError.Error(this, "NOT IMPLEMENTED");
000572 |     }
000573 |
000574 |     ExpansionVehicleLockState GetLockState()
000575 |     {
000576 |         EXError.Error(this, "NOT IMPLEMENTED");
000577 |         return ExpansionVehicleLockState.NOLOCK;
000578 |     }
000579 |
000580 |     bool IsLocked()
000581 |     {
000582 |         return false;
000583 |     }
000584 |
```

```
000585 | void ResetKeyPairing()
000586 | {
000587 |     EXError.Error(this, "NOT IMPLEMENTED");
000588 | }
000589 |
000590 | int CrewSize()
000591 | {
000592 |     EXError.Error(this, "NOT IMPLEMENTED");
000593 |     return 0;
000594 | }
000595 |
000596 | Human CrewMember(int posIdx)
000597 | {
000598 |     EXError.Error(this, "NOT IMPLEMENTED");
000599 |     return null;
000600 | }
000601 |
000602 | int CrewMemberIndex(Human player)
000603 | {
000604 |     EXError.Error(this, "NOT IMPLEMENTED");
000605 |     return -1;
000606 | }
000607 |
000608 | int CrewPositionIndex(int componentIdx)
000609 | {
000610 |     EXError.Error(this, "NOT IMPLEMENTED");
000611 |     return -1;
000612 | }
000613 |
000614 | bool IsPlayerInSeat(DayZPlayerImplement player, int seatIdx = DayZPlayerConstants.VEHICLESEAT_DRIVER)
000615 | {
000616 | #ifdef EXPANSIONMODVEHICLE
000617 |     if (GetEntity().IsInherited(ExpansionVehicleBase))
000618 |     {
000619 |         auto exVehCmd = player.GetCommand_ExpansionVehicle();
000620 |         if (exVehCmd && exVehCmd.GetVehicleSeat() == seatIdx)
000621 |             return true;
000622 |
000623 |         return false;
000624 |     }
000625 | #endif
000626 |
000627 |     auto vehCmd = player.GetCommand_Vehicle();
000628 |     if (vehCmd && vehCmd.GetVehicleSeat() == seatIdx)
000629 |         return true;
000630 |
000631 |     return false;
000632 | }
000633 |
000634 | int GetSeatAnimationType(int posIdx)
000635 | {
000636 |     EXError.Error(this, "NOT IMPLEMENTED");
000637 |     return 0;
000638 | }
000639 |
000640 | int GetAnimInstance()
000641 | {
000642 |     EXError.Error(this, "NOT IMPLEMENTED");
000643 |     return 0;
000644 | }
000645 |
000646 | string GetAnimSourceFromSelection(string selection)
```



```
000647 | {
000648 |     EXError.Error(this, "NOT IMPLEMENTED");
000649 |     return string.Empty;
000650 | }
000651 |
000652 | string GetDoorInvSlotNameFromSeatPos(int posIdx)
000653 | {
000654 |     EXError.Error(this, "NOT IMPLEMENTED");
000655 |     return string.Empty;
000656 | }
000657 |
000658 | string GetDoorSelectionNameFromSeatPos(int posIdx)
000659 | {
000660 |     EXError.Error(this, "NOT IMPLEMENTED");
000661 |     return string.Empty;
000662 | }
000663 |
000664 | float GetSpeedometer()
000665 | {
000666 |     vector velocity = GetVelocity(GetEntity());
000667 |     velocity[1] = 0;
000668 |     return velocity.Length() * 3.6;
000669 | }
000670 |
000671 | float GetSpeedometerAbsolute()
000672 | {
000673 |     return Math.AbsFloat(GetSpeedometer());
000674 | }
000675 |
000676 | bool CrewCanGetThrough(int posIdx)
000677 | {
000678 |     EXError.Error(this, "NOT IMPLEMENTED");
000679 |     return false;
000680 | }
000681 |
000682 | bool CanGetInSeat(PlayerBase player, int seatIdx)
000683 | {
000684 |     EXError.Error(this, "NOT IMPLEMENTED");
000685 |     return false;
000686 | }
000687 |
000688 | void OnVariablesSynchronized()
000689 | {
000690 | }
000691 |
000692 | void SetLastDriverUID(PlayerBase player)
000693 | {
000694 |     m_LastDriverUID = player.GetIdentityUID();
000695 |
000696 |     EXPrint(ToString() + "::SetLastDriverUID - " + m_LastDriverUID);
000697 |
000698 |     if (!IsMissionHost())
000699 |         return;
000700 |
000701 |     m_SynchLastDriverUID = true;
000702 |
000703 |     GetEntity().SetSynchDirty();
000704 | }
000705 |
000706 | void ResetLastDriverUIDSynch()
000707 | {
000708 |     EXPrint(ToString() + "::ResetLastDriverUIDSynch");
```

```
000709 |
000710 |         m_SynchLastDriverUID = false;
000711 |
000712 |         GetEntity().SetSynchDirty();
000713 |     }
000714 |
000715 |     string GetLastDriverUID()
000716 |     {
000717 |         return m_LastDriverUID;
000718 |     }
000719 |
000720 |     void SetCrewKilledTimestamp(float timestamp)
000721 |     {
000722 |         m_CrewKilledTimestamp = timestamp;
000723 |     }
000724 |
000725 |     float GetCrewKilledTimestamp()
000726 |     {
000727 |         return m_CrewKilledTimestamp;
000728 |     }
000729 |
000730 |     void SetAllDoorsAnimationPhase(float phase)
000731 |     {
000732 |         EXError.Error(this, "NOT IMPLEMENTED");
000733 |     }
000734 |
000735 |     void CloseAllDoors()
000736 |     {
000737 |     }
000738 |
000739 |     set<Human> GetCrew(bool playersOnly = false, bool includeAttached = false)
000740 |     {
000741 |         EXError.Error(this, "NOT IMPLEMENTED");
000742 |         return new set<Human>;
000743 |     }
000744 |
000745 |     void ForceCrewGetOut()
000746 |     {
000747 |         EXError.Error(this, "NOT IMPLEMENTED");
000748 |     }
000749 |
000750 |     void CreateSafeZoneCleanup()
000751 |     {
000752 |         if (m_SZCleanup)
000753 |             return;
000754 |
000755 |         EntityAI vehicle = GetEntity();
000756 |
000757 |         if (ExpansionStatic.IsAnyOf(vehicle, GetExpansionSettings().GetSafeZone().ForceSZCleanup_ExcludedItems, true))
000758 |             return;
000759 |
000760 |         m_SZCleanup = true;
000761 |
000762 | #ifdef EXPANSION_SAFEZONE_DEBUG
000763 |         EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + vehicle.GetPosition() + " marked for cleanup - lifetime " + vehicle.GetLifetime());
000764 | #endif
000765 |     }
000766 |
000767 |     void SafeZoneCleanup(float elapsedSinceLastUpdate)
000768 |     {
000769 |         //! If vehicle is not in a safezone, bail
000770 |         if (!m_IsInSafeZone)
```

```
000771 |         return;
000772 |
000773 |         ///! If vehicle vehicle safezone cleanup is not enabled, bail
000774 |         if (!m_SZCleanup)
000775 |             return;
000776 |
000777 | #ifdef EXPANSIONMODVEHICLE
000778 |     ///! Heli needs to be landed to count as parked
000779 |     ExpansionHelicopterScript heli;
000780 |     if (Class.CastTo(heli, GetEntity()) && heli.Expansion_EngineIsSpinning() && !heli.IsLanded())
000781 |         return;
000782 | #endif
000783 |
000784 |     EntityAI vehicle = GetEntity();
000785 |
000786 |     ///! If vehicle isn't moving, consider it parked and increase parking time
000787 |     if (GetVelocity(vehicle).LengthSq() < 0.01)
000788 |         m_SZParkingTime += elapsedSinceLastUpdate;
000789 |
000790 |     ///! If parking time is zero, bail
000791 |     if (!m_SZParkingTime)
000792 |         return;
000793 |
000794 |     ///! If parking time exceeds max allowed vehicle lifetime in SZ, delete it
000795 |     float lifetime = GetExpansionSettings().GetSafeZone().VehicleLifetimeInSafeZone;
000796 |     if (m_SZParkingTime > lifetime)
000797 |     {
000798 |         ForceCrewGetOut();
000799 |
000800 |         ///! If we have last driver UID, notify player that their vehicle is being deleted
000801 |         if (m_LastDriverUID)
000802 |         {
000803 |             PlayerBase player = PlayerBase.GetPlayerByUID(m_LastDriverUID);
000804 |             if (player)
000805 |             {
000806 |                 string displayName = GetDisplayName();
000807 |                 string posText = ExpansionStatic.VectorToString(GetPosition(), ExpansionVectorToString.Labels);
000808 |                 string lifetimeText = ExpansionStatic.GetTimeString(lifetime, true);
000809 |                 CF_Localiser localiser = new CF_Localiser("STR_EXPANSION_SAFEZONE_VEHICLE_CLEANUP_1", displayName, posText, lifetimeText);
000810 |                 ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", localiser).Error(player.GetIdentity());
000811 |             }
000812 |         }
000813 |
000814 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(DeleteVehicleWhenCrewLeft, 3000, false, lifetime);
000815 |     }
000816 | }
000817 |
000818 | void DeleteVehicleWhenCrewLeft(float lifetime)
000819 | {
000820 |     if (!GetCrew(false, false).Count())
000821 |     {
000822 |         ///! If we have last driver UID, notify player that their vehicle is being deleted
000823 |         if (m_LastDriverUID)
000824 |         {
000825 |             PlayerBase player = PlayerBase.GetPlayerByUID(m_LastDriverUID);
000826 |             if (player)
000827 |             {
000828 |                 string displayName = GetDisplayName();
000829 |                 string posText = ExpansionStatic.VectorToString(GetPosition(), ExpansionVectorToString.Labels);
000830 |                 string lifetimeText = ExpansionStatic.GetTimeString(lifetime, true);
000831 |                 CF_Localiser localiser = new CF_Localiser("STR_EXPANSION_SAFEZONE_VEHICLE_CLEANUP_2", displayName, posText, lifetimeText);
000832 |                 ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", localiser).Error(player.GetIdentity());
000833 |             }
000834 |         }
000835 |     }
000836 | }
```

```
000833 |         }
000834 |     }
000835 |
000836 |     GetEntity().Delete();
000837 | }
000838 | }
000839 |
000840 | void ResetSZParkingTime()
000841 | {
000842 |     m_SZParkingTime = 0;
000843 | }
000844 |
000845 | void OnEnterZone(ExpansionZoneType type)
000846 | {
000847 |     if (type != ExpansionZoneType.SAFE) return;
000848 |
000849 |     EXTrace.Print(EXTrace.VEHICLES, GetEntity(), "::OnEnterZone " + GetPosition());
000850 |
000851 |     m_IsInSafeZone = true;
000852 |
000853 |     if (GetExpansionSettings().GetSafeZone().EnableForceSZCleanupVehicles)
000854 |         CreateSafeZoneCleanup();
000855 | }
000856 |
000857 | void OnExitZone(ExpansionZoneType type)
000858 | {
000859 |     if (type != ExpansionZoneType.SAFE) return;
000860 |
000861 |     EXTrace.Print(EXTrace.VEHICLES, GetEntity(), "::OnExitZone " + GetPosition());
000862 |
000863 |     m_IsInSafeZone = false;
000864 |     m_SZCleanup = false;
000865 |     ResetSZParkingTime();
000866 | }
000867 |
000868 | void OnCECreate()
000869 | {
000870 |     m_IsCECreated = true;
000871 | }
000872 |
000873 | void OnCEUpdate()
000874 | {
000875 | }
000876 |
000877 | bool IsStoreLoaded()
000878 | {
000879 |     EXError.Error(this, "NOT IMPLEMENTED");
000880 |     return false;
000881 | }
000882 |
000883 | bool IsStoreSaved()
000884 | {
000885 |     EXError.Error(this, "NOT IMPLEMENTED");
000886 |     return false;
000887 | }
000888 |
000889 | void OnDestroyed(Object killer)
000890 | {
000891 |     if (g_Game.IsServer() && GetExpansionSettings().GetLog().VehicleDestroyed && !m_DestructionLogged)
000892 |     {
000893 |         GetExpansionSettings().GetLog().PrintLog("[VehicleDestroyed] {1:type} (id={1:persistent_id} pos={1:position})", GetEntity());
000894 |     }
```

```
000895 |         m_DestructionLogged = true;
000896 |     }
000897 | }
000898 |
000899 | void OnDelete()
000900 | {
000901 |     if (g_Game.IsServer())
000902 |     {
000903 |         auto settings = GetExpansionSettings().GetLog();
000904 |         if (settings.VehicleDeleted)
000905 |         {
000906 |             //! Only log vehicle deleted message if not deleted as part of entity storage (e.g. cover/garage)
000907 |             EntityAI entity = GetEntity();
000908 |             if (ExpansionEntityStorageModule.GetSavedEntityToBeDeleted() != entity)
000909 |                 settings.PrintLog("[VehicleDeleted] {1:type} (id={1:persistent_id} pos={1:position} lifetime={1:lifetime})", entity);
000910 |         }
000911 |     }
000912 | }
000913 |
000914 | void OnDoorOpened(string selection)
000915 | {
000916 | }
000917 |
000918 | void OnDoorClosed(string selection)
000919 | {
000920 | }
000921 |
000922 | void OnLocked(ExpansionVehicleLockState previousLockState)
000923 | {
000924 | }
000925 |
000926 | void OnUnlocked(ExpansionVehicleLockState previousLockState)
000927 | {
000928 | }
000929 |
000930 | protected void KeyMessage(string message)
000931 | {
000932 | #ifdef EXPANSION_CARKEY_LOGGING
000933 |     #ifndef SERVER
000934 |         PlayerBase player;
000935 |         if (Class.CastTo(player, g_Game.GetPlayer()))
000936 |             player.Message(message);
000937 |     #endif
000938 |
000939 |     Print(message);
000940 | #endif
000941 | }
000942 | }
000943 |
000944 | class ExpansionVehicleT<Class T>: ExpansionVehicle
000945 | {
000946 |     protected T m_Vehicle;
000947 |
000948 | #ifdef EXPANSIONMODVEHICLE
000949 |     //! Very annoying that vehicle mod stuff has to be here, but you cannot mod classes with type parameters...
000950 |     protected EffectSound m_SoundLock;
000951 | #endif
000952 |
000953 |     void ExpansionVehicleT(T vehicle)
000954 |     {
000955 |         m_Vehicle = vehicle;
000956 |     }
```

```
000957 |         m_IsBike = vehicle.Expansion_IsBike();
000958 |         m_IsBoat = vehicle.Expansion_IsBoat();
000959 |         m_IsCar = vehicle.Expansion_IsCar();
000960 |         m_IsHelicopter = vehicle.Expansion_IsHelicopter();
000961 |         m_IsPlane = vehicle.Expansion_IsPlane();
000962 |         m_IsDuck = vehicle.Expansion_IsDuck();
000963 |
000964 |         m_FuelConsumption = g_Game.ConfigGetFloat("CfgVehicles " + vehicle.GetType() + " fuelConsumption");
000965 |     }
000966 |
000967 |     override void Init()
000968 |     {
000969 |         super.Init();
000970 |
000971 |         m_Vehicle.RegisterNetSyncVariableInt("m_ExpansionVehicle.m_CargoCount");
000972 |         m_Vehicle.RegisterNetSyncVariableBool("m_ExpansionVehicle.m_SynchLastDriverUID");
000973 |
000974 |         #ifdef EXPANSIONMODMARKET
000975 |             m_Vehicle.RegisterNetSyncVariableInt("m_ExpansionVehicle.m_ParkingFine");
000976 |         #endif
000977 |
000978 |         #ifdef EXPANSIONMODVEHICLE
000979 |             m_NetsyncData = new ExpansionNetsyncData(m_Vehicle);
000980 |
000981 |             m_Vehicle.m_Expansion_RPCManager.RegisterClient("RPC_PlayLockSound", (ExpansionVehicle) this);
000982 |         #endif
000983 |     }
000984 |
000985 |     //! -----
000986 |
000987 |     override EntityAI GetEntity()
000988 |     {
000989 |         return m_Vehicle;
000990 |     }
000991 |
000992 |     override Transport GetTransport()
000993 |     {
000994 |         return Transport.Cast(GetEntity()); //! @note will obviously return null if entity doesn't inherit from transport
000995 |     }
000996 |
000997 |     override ExpansionGlobalID GetGlobalID()
000998 |     {
000999 |         return m_Vehicle.m_Expansion_GlobalID;
001000 |     }
001001 |
001002 |     #ifdef FEATURE_NETWORK_RECONCILIATION
001003 |         override NetworkMoveStrategy GetNetworkMoveStrategy()
001004 |         {
001005 |             return m_Vehicle.GetNetworkMoveStrategy();
001006 |         }
001007 |     #endif
001008 |
001009 |     override void SetSkin(int skinIndex)
001010 |     {
001011 |         m_Vehicle.ExpansionSetSkin(skinIndex);
001012 |     }
001013 |
001014 |     override bool HasSkin(int skinIndex)
001015 |     {
001016 |         return m_Vehicle.ExpansionHasSkin(skinIndex);
001017 |     }
001018 |
```

```
001019 | override int GetCurrentSkinIndex()
001020 | {
001021 |     return m_Vehicle.ExpansionGetCurrentSkinIndex();
001022 | }
001023 |
001024 | override string GetCurrentSkinName()
001025 | {
001026 |     return m_Vehicle.ExpansionGetCurrentSkinName();
001027 | }
001028 |
001029 | override void FillFluid(int fluid, float amount)
001030 | {
001031 |     m_Vehicle.Fill(fluid, amount);
001032 | }
001033 |
001034 | override void FillFluids(float relativeAmount = 1.0)
001035 | {
001036 |     typename fluidEnum = CarFluid;
001037 |     if (GetBoat())
001038 |         fluidEnum = BoatFluid;
001039 |     int fluid;
001040 |     for (int i = 0; i < EnumTools.GetEnumSize(fluidEnum); i++)
001041 |     {
001042 |         fluid = EnumTools.GetEnumValue(fluidEnum, i);
001043 |         m_Vehicle.Fill(fluid, m_Vehicle.GetFluidCapacity(fluid) * relativeAmount);
001044 |     }
001045 | }
001046 |
001047 | override void CloneFluidsTo(ExpansionVehicle dst)
001048 | {
001049 |     typename fluidEnum = CarFluid;
001050 |     if (GetBoat())
001051 |         fluidEnum = BoatFluid;
001052 |     int fluid;
001053 |     for (int i = 0; i < EnumTools.GetEnumSize(fluidEnum); i++)
001054 |     {
001055 |         fluid = EnumTools.GetEnumValue(fluidEnum, i);
001056 |         dst.FillFluid(fluid, m_Vehicle.GetFluidFraction(fluid) * dst.GetFluidCapacity(fluid));
001057 |     }
001058 | }
001059 |
001060 | override void LeakFluids()
001061 | {
001062 |     typename fluidEnum = CarFluid;
001063 |     if (GetBoat())
001064 |         fluidEnum = BoatFluid;
001065 |     int fluid;
001066 |     for (int i = 0; i < EnumTools.GetEnumSize(fluidEnum); i++)
001067 |     {
001068 |         fluid = EnumTools.GetEnumValue(fluidEnum, i);
001069 |         m_Vehicle.LeakAll(fluid);
001070 |     }
001071 | }
001072 |
001073 | override float GetFluidCapacity(int fluid)
001074 | {
001075 |     return m_Vehicle.GetFluidCapacity(fluid);
001076 | }
001077 |
001078 | override float GetFluidFraction(int fluid)
001079 | {
001080 |     return m_Vehicle.GetFluidFraction(fluid);
```

```
001081 |     }
001082 |
001083 |     override void WriteFluidsTo(ParamsWriteContext ctx)
001084 |     {
001085 |         typename fluidEnum = CarFluid;
001086 |         if (GetBoat())
001087 |             fluidEnum = BoatFluid;
001088 |         int fluidCount = EnumTools.GetEnumSize(fluidEnum);
001089 |         ctx.Write(fluidCount);
001090 |         for (int i = 0; i < fluidCount; i++)
001091 |         {
001092 |             ctx.Write(m_Vehicle.GetFluidFraction(EnumTools.GetEnumValue(fluidEnum, i)));
001093 |         }
001094 |     }
001095 |
001096 |     override bool ReadFluidsFrom(ParamsReadContext ctx, int entityStorageVersion)
001097 |     {
001098 |         int fluid;
001099 |         float fluidFraction;
001100 |         typename fluidEnum = CarFluid;
001101 |         if (GetBoat())
001102 |             fluidEnum = BoatFluid;
001103 |         int fluidEnumSize = EnumTools.GetEnumSize(fluidEnum);
001104 |         int fluidCount;
001105 |
001106 |         if (entityStorageVersion >= 6)
001107 |             ctx.Read(fluidCount);
001108 |         else
001109 |             fluidCount = fluidEnumSize;
001110 |
001111 |         #ifdef DIAG_DEVELOPER
001112 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Fluid count: " + fluidCount);
001113 |         #endif
001114 |
001115 |         for (int i = 0; i < fluidCount; i++)
001116 |         {
001117 |             if (i < fluidEnumSize)
001118 |                 fluid = EnumTools.GetEnumValue(fluidEnum, i);
001119 |
001120 |             if (!ctx.Read(fluidFraction))
001121 |             {
001122 |                 EXError.Error(null, GetType() + ": Couldn't read fluid fraction for " + typename.EnumToString(fluidEnum, fluid));
001123 |             }
001124 |
001125 |             if (i < fluidEnumSize)
001126 |                 m_Vehicle.Fill(fluid, fluidFraction * m_Vehicle.GetFluidCapacity(fluid));
001127 |         }
001128 |         return true;
001129 |     }
001130 |
001131 |     override void Synchronize()
001132 |     {
001133 |         m_Vehicle.Synchronize();
001134 |     }
001135 |
001136 |     override bool IsStoreLoaded()
001137 |     {
001138 |         return m_Vehicle.Expansion_IsStoreLoaded();
001139 |     }
001140 |
001141 |     override bool IsStoreSaved()
001142 |     {
```



```
001143 |         return m_Vehicle.Expansion_IsStoreSaved();
001144 |     }
001145 |
001146 |     override bool IsFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
001147 |     {
001148 |         return m_Vehicle.Expansion_IsVehicleFunctional(checkOptionalParts, missingComponents);
001149 |     }
001150 |
001151 |     override bool EngineIsOn()
001152 |     {
001153 |     #ifdef EXPANSIONMODVEHICLE
001154 |         return m_Vehicle.Expansion_EngineIsOn();
001155 |     #else
001156 |         return m_Vehicle.EngineIsOn();
001157 |     #endif
001158 |     }
001159 |
001160 |     override void EngineStart()
001161 |     {
001162 |     #ifdef EXPANSIONMODVEHICLE
001163 |         m_Vehicle.Expansion_EngineStart();
001164 |     #else
001165 |         m_Vehicle.EngineStart();
001166 |     #endif
001167 |     }
001168 |
001169 |     override void EngineStop()
001170 |     {
001171 |     #ifdef EXPANSIONMODVEHICLE
001172 |         m_Vehicle.Expansion_EngineStop();
001173 |     #else
001174 |         m_Vehicle.EngineStop();
001175 |     #endif
001176 |     }
001177 |
001178 |     override float GetThrottle()
001179 |     {
001180 |         return m_Vehicle.Expansion_GetThrottle();
001181 |     }
001182 |
001183 |     override int CrewSize()
001184 |     {
001185 |         return m_Vehicle.CrewSize();
001186 |     }
001187 |
001188 |     override Human CrewMember(int posIdx)
001189 |     {
001190 |         return m_Vehicle.CrewMember(posIdx);
001191 |     }
001192 |
001193 |     override int CrewMemberIndex(Human player)
001194 |     {
001195 |         return m_Vehicle.CrewMemberIndex(player);
001196 |     }
001197 |
001198 |     override int CrewPositionIndex(int componentIdx)
001199 |     {
001200 |         return m_Vehicle.CrewPositionIndex(componentIdx);
001201 |     }
001202 |
001203 |     override int GetSeatAnimationType(int posIdx)
001204 |     {
```

```
001205 |         return m_Vehicle.GetSeatAnimationType(posIdx);
001206 |     }
001207 |
001208 |     override int GetAnimInstance()
001209 |     {
001210 |         return m_Vehicle.GetAnimInstance();
001211 |     }
001212 |
001213 |     override string GetAnimSourceFromSelection(string selection)
001214 |     {
001215 |         return m_Vehicle.Expansion_GetAnimSourceFromSelection(selection);
001216 |     }
001217 |
001218 |     override string GetDoorInvSlotNameFromSeatPos(int posIdx)
001219 |     {
001220 |         return m_Vehicle.Expansion_GetDoorInvSlotNameFromSeatPos(posIdx);
001221 |     }
001222 |
001223 |     override string GetDoorSelectionNameFromSeatPos(int posIdx)
001224 |     {
001225 |         return m_Vehicle.Expansion_GetDoorSelectionNameFromSeatPos(posIdx);
001226 |     }
001227 |
001228 |     override void SetAllDoorsAnimationPhase(float phase)
001229 |     {
001230 |         CarDoor carDoor;
001231 |
001232 |         for (int i = 0; i < m_Vehicle.GetInventory().AttachmentCount(); i++)
001233 |         {
001234 |             if (Class.CastTo(carDoor, m_Vehicle.GetInventory().GetAttachmentFromIndex(i)))
001235 |             {
001236 |                 TStringArray selectionNames = {};
001237 |
001238 |                 carDoor.GetActionComponentNameList(0, selectionNames);
001239 |
001240 |                 if (!selectionNames.Count())
001241 |                     continue;
001242 |
001243 |                 TStringArray animSources = {};
001244 |                 string animSource;
001245 |
001246 |                 foreach (string selectionName: selectionNames)
001247 |                 {
001248 |                     animSource = m_Vehicle.Expansion_GetAnimSourceFromSelection(selectionName);
001249 |                     if (animSource)
001250 |                         animSources.Insert(animSource);
001251 |                 }
001252 |
001253 |                 //! Turns out correct selection is always last one when doing it this way
001254 |                 int lastIdx = animSources.Count() - 1;
001255 |                 if (lastIdx > -1)
001256 |                 {
001257 |                     animSource = animSources[lastIdx];
001258 |                     if (m_Vehicle.GetAnimationPhase(animSource) != phase)
001259 |                         m_Vehicle.SetAnimationPhase(animSource, phase);
001260 |                 }
001261 |             }
001262 |         }
001263 |     }
001264 |
001265 |     override bool CrewCanGetThrough(int posIdx)
001266 |     {
```

```
001267 |     return m_Vehicle.CrewCanGetThrough(posIdx);
001268 | }
001269 |
001270 | override bool CanGetInSeat(PlayerBase player, int seatIdx)
001271 | {
001272 |     return m_Vehicle.Expansion_CanGetInSeat(player, seatIdx);
001273 | }
001274 |
001275 | override void CloseAllDoors()
001276 | {
001277 |     m_Vehicle.Expansion_CloseAllDoors();
001278 | }
001279 |
001280 | override void OnVariablesSynchronized()
001281 | {
001282 |     if (m_SynchLastDriverUID != m_LastDriverUIDSynched)
001283 |     {
001284 |         m_LastDriverUIDSynched = m_SynchLastDriverUID;
001285 |
001286 |         if (!m_SynchLastDriverUID)
001287 |             return;
001288 |
001289 |         ///! Reset m_LastDriverUID client-side if vehicle has driver and it is not the player
001290 |         Human driver = m_Vehicle.CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER);
001291 |         Man player = g_Game.GetPlayer();
001292 |         if (driver && player && driver != player)
001293 |         {
001294 |             m_LastDriverUID = "";
001295 |         }
001296 |     }
001297 | }
001298 |
001299 | override set<Human> GetCrew(bool playersOnly = false, bool includeAttached = false)
001300 | {
001301 |     set<Human> players = new set<Human>;
001302 |     Human crew;
001303 |
001304 |     ///! Seated players
001305 |     for (int i = 0; i < m_Vehicle.CrewSize(); i++)
001306 |     {
001307 |         crew = m_Vehicle.CrewMember(i);
001308 |         if (!crew)
001309 |             continue;
001310 |
001311 |         if (!playersOnly || crew.GetIdentity())
001312 |             players.Insert(crew);
001313 |     }
001314 |
001315 |     if (!includeAttached)
001316 |         return players;
001317 |
001318 |     ///! Attached players
001319 |     ///! TODO: this is fairly inefficient
001320 |     auto node = PlayerBase.s_Expansion_AllPlayers.m_Head;
001321 |     while (node)
001322 |     {
001323 |         crew = node.m_Value;
001324 |
001325 |         node = node.m_Next;
001326 |
001327 |         if (crew.PhysicsGetLinkedEntity() != m_Vehicle)
001328 |             continue;
```

```
001329 |
001330 |         if (!playersOnly || crew.GetIdentity())
001331 |             players.Insert(crew);
001332 |     }
001333 |
001334 |     return players;
001335 | }
001336 |
001337 | override void ForceCrewGetOut()
001338 | {
001339 |     ///! TODO/FIXME ForceCrewGetOut doesn't work under DayZ 1.28 or newer
001340 |     return;
001341 |
001342 |     auto crew = GetCrew(false, false);
001343 |     foreach (auto member: crew)
001344 |     {
001345 |         ///! Open the door so player can get out
001346 |         int crewIdx = CrewMemberIndex(member);
001347 |         string selection = GetDoorSelectionNameFromSeatPos(crewIdx);
001348 |         if (selection)
001349 |         {
001350 |             string animSource = GetAnimSourceFromSelection(selection);
001351 |             if (animSource)
001352 |                 m_Vehicle.SetAnimationPhase(animSource, 1.0);
001353 |         }
001354 |
001355 |         ///! Push them out
001356 |         HumanCommandVehicle vehCommand = member.GetCommand_Vehicle();
001357 |         if (vehCommand)
001358 |             vehCommand.GetOutVehicle();
001359 |     }
001360 | }
001361 |
001362 | override bool CanObjectAttach(Object obj)
001363 | {
001364 |     return m_Vehicle.Expansion_CanObjectAttach(obj);
001365 | }
001366 |
001367 | override bool CanPlayerAttach()
001368 | {
001369 |     return m_Vehicle.Expansion_CanPlayerAttach();
001370 | }
001371 |
001372 | override CarDoorState GetDoorState(int seatIdx)
001373 | {
001374 |     string slotName = GetDoorInvSlotNameFromSeatPos(seatIdx);
001375 |     return GetDoorState(slotName);
001376 | }
001377 |
001378 | override CarDoorState GetDoorState(string slotName)
001379 | {
001380 |     return m_Vehicle.Expansion_GetCarDoorsState(slotName);
001381 | }
001382 |
001383 | #ifdef EXPANSIONMODVEHICLE
001384 |     override void SetActions()
001385 |     {
001386 |         m_Vehicle.Expansion_AddAction(ExpansionActionPairKey);
001387 |         m_Vehicle.Expansion_AddAction(ExpansionActionAdminUnpairKey);
001388 |
001389 |         m_Vehicle.Expansion_AddAction(ExpansionActionLockVehicle);
001390 |     }
```

```
001391 |
001392 | override bool AllDoorsClosed(bool includeHoodAndTrunk = true)
001393 | {
001394 |     foreach (ExpansionDoor door: m_Doors)
001395 |     {
001396 |         if (!includeHoodAndTrunk && (door.m_IsHood || door.m_IsTrunk))
001397 |             continue;
001398 |
001399 |         if (m_Vehicle.Expansion_GetCarDoorsState(door.m_InventorySlot) != CarDoorState.DOORS_CLOSED)
001400 |             return false;
001401 |     }
001402 |
001403 |     return true;
001404 | }
001405 |
001406 | override bool IsAutoHover()
001407 | {
001408 |     EntityAI entity = GetEntity();
001409 |     ExpansionHelicopterScript hs;
001410 |     ExpansionVehicleHelicopterBase evhb;
001411 |     if (Class.CastTo(hs, entity))
001412 |         return hs.IsAutoHover();
001413 |     else if (Class.CastTo(evhb, entity))
001414 |         return evhb.IsAutoHover();
001415 |
001416 |     return false;
001417 | }
001418 |
001419 | override void SwitchAutoHover()
001420 | {
001421 |     EntityAI entity = GetEntity();
001422 |     ExpansionHelicopterScript hs;
001423 |     ExpansionVehicleHelicopterBase evhb;
001424 |     if (Class.CastTo(hs, entity))
001425 |         hs.SwitchAutoHover();
001426 |     else if (Class.CastTo(evhb, entity))
001427 |         evhb.SwitchAutoHover();
001428 | }
001429 |
001430 | override bool LeavingSeatDoesAttachment(int posIdx)
001431 | {
001432 |     return m_Vehicle.LeavingSeatDoesAttachment(posIdx);
001433 | }
001434 |
001435 | override int NumberTowConnections()
001436 | {
001437 |     return m_Vehicle.Expansion_NumberTowConnections();
001438 | }
001439 |
001440 | override bool GetOverlappingTowConnection(vector towPosition, float towRadius, out int index)
001441 | {
001442 |     return m_Vehicle.Expansion_GetOverlappingTowConnection(towPosition, towRadius, index);
001443 | }
001444 |
001445 | override vector GetTowDirection()
001446 | {
001447 |     return m_Vehicle.Expansion_GetTowDirection();
001448 | }
001449 |
001450 | override float GetTowLength()
001451 | {
001452 |     return m_Vehicle.Expansion_GetTowLength();
```

```
001453 | }
001454 |
001455 | override vector GetTowPosition()
001456 | {
001457 |     return m_Vehicle.Expansion_GetTowPosition();
001458 | }
001459 |
001460 | override vector GetTowPositionWS()
001461 | {
001462 |     return m_Vehicle.ModelToWorld(GetTowPosition());
001463 | }
001464 |
001465 | override EntityAI GetTowedEntity()
001466 | {
001467 |     return m_Vehicle.Expansion_GetTowedEntity();
001468 | }
001469 |
001470 | override bool IsTowing()
001471 | {
001472 |     return m_Vehicle.Expansion_IsTowing();
001473 | }
001474 |
001475 | override void CreateTow(Object tow, int index)
001476 | {
001477 |     m_Vehicle.Expansion_CreateTow(tow, index);
001478 | }
001479 |
001480 | override void DestroyTow()
001481 | {
001482 |     m_Vehicle.Expansion_DestroyTow();
001483 | }
001484 |
001485 | override bool IsScriptedLightsOn()
001486 | {
001487 |     return m_Vehicle.IsScriptedLightsOn();
001488 | }
001489 |
001490 | override bool IsVitalAircraftBattery()
001491 | {
001492 |     return m_Vehicle.IsVitalAircraftBattery();
001493 | }
001494 |
001495 | override bool IsVitalCarBattery()
001496 | {
001497 |     return m_Vehicle.IsVitalCarBattery();
001498 | }
001499 |
001500 | override bool IsVitalHelicopterBattery()
001501 | {
001502 |     return m_Vehicle.IsVitalHelicopterBattery();
001503 | }
001504 |
001505 | override bool IsVitalTruckBattery()
001506 | {
001507 |     return m_Vehicle.IsVitalTruckBattery();
001508 | }
001509 |
001510 | override bool IsExploded()
001511 | {
001512 |     return m_Vehicle.Expansion_IsExploded();
001513 | }
001514 |
```

```
001515 | override int GetEngineStartAnimation()
001516 | {
001517 |     return m_Vehicle.Expansion_EngineStartAnimation();
001518 | }
001519 |
001520 | override int GetEngineStopAnimation()
001521 | {
001522 |     return m_Vehicle.Expansion_EngineStopAnimation();
001523 | }
001524 |
001525 | override int EngineGetCount()
001526 | {
001527 |     return m_Vehicle.Expansion_EngineGetCount();
001528 | }
001529 |
001530 | override int EngineGetCurrent()
001531 | {
001532 |     return m_Vehicle.Expansion_EngineGetCurrent();
001533 | }
001534 |
001535 | override void EngineSetNext()
001536 | {
001537 |     m_Vehicle.Expansion_EngineSetNext();
001538 | }
001539 |
001540 | override string EngineGetName()
001541 | {
001542 |     return m_Vehicle.Expansion_EngineGetName();
001543 | }
001544 |
001545 | override bool OnBeforeEngineStart(int index = 0)
001546 | {
001547 |     if (g_Game.IsClient())
001548 |         return true;
001549 |
001550 |     float engineHealth = GetEntity().GetHealth01("Engine", "");
001551 |     //! @note chance when engine is damaged (health level 0.5)
001552 |     float chance = GetExpansionSettings().GetVehicle().DamagedEngineStartupChancePercent / 100.0;
001553 |     //! @note calculated chance follows a power curve (linear if chance == 0.5)
001554 |     float chanceMin = 0.0025;
001555 |     bool clamp = chance == 0;
001556 |
001557 |     if (chance < chanceMin)
001558 |         chance = chanceMin;
001559 |
001560 |     chance = Math.Pow(engineHealth, -ExpansionMath.Log2(chance));
001561 |
001562 |     if (clamp)
001563 |         chance = ExpansionMath.LinearConversion(chanceMin, 1.0, chance, 0.0, 1.0);
001564 |
001565 |     if (chance >= Math.RandomFloatInclusive(0.0, 1.0))
001566 |         return true;
001567 |
001568 |     return false;
001569 | }
001570 |
001571 | override void OnEngineStart(int index = 0)
001572 | {
001573 |     if (g_Game.IsServer() && GetExpansionSettings().GetLog().VehicleEngine)
001574 |         GetExpansionSettings().GetLog().PrintLog("[VehicleEngine] Player \"{1:name}\" (id={1:id}) started vehicle {2:name} (id={2:persistent_id} pos={2:positi
001575 | on})", CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER), GetEntity());
}
```

```
001576 |
001577 |     override void OnEngineStop(int index = 0)
001578 |     {
001579 |         if (g_Game.IsServer() && GetExpansionSettings().GetLog().VehicleEngine)
001580 |             GetExpansionSettings().GetLog().PrintLog("[VehicleEngine] Player \"{{1:name}}\" (id={{1:id}}) stopped vehicle {{2:name}} (id={{2:persistent_id}} pos={{2:positi
on}})", CrewMember(DayZPlayerConstants.VEHICLESEAT_DRIVER), GetEntity());
001581 |     }
001582 |
001583 |     override bool EngineIsOn(int index)
001584 |     {
001585 |         return m_Vehicle.Expansion_EngineIsOn(index);
001586 |     }
001587 |
001588 |     override float GetThrottle(int index)
001589 |     {
001590 |         return m_Vehicle.Expansion_GetThrottle(index);
001591 |     }
001592 |
001593 |     override int EngineGetRunningAboveOrAtIdleRPMCount()
001594 |     {
001595 |         int count;
001596 |
001597 |         for (int i = 0; i < m_Vehicle.Expansion_EngineGetCount(); ++i)
001598 |         {
001599 |             if (m_Vehicle.Expansion_EngineGetRPM(i) >= m_Vehicle.Expansion_EngineGetRPMIdle(i) || m_Vehicle.Expansion_GetThrottle(i) > 0)
001600 |                 count++;
001601 |         }
001602 |
001603 |         return count;
001604 |     }
001605 |
001606 |     override void ConsumeFuel(float fuelConsumption)
001607 |     {
001608 |         float fuelConsumptionNominal = fuelConsumption;
001609 |
001610 |         float fuelConsumptionPct = GetExpansionSettings().GetVehicle().FuelConsumptionPercent;
001611 |
001612 |         if (fuelConsumptionPct != 100)
001613 |             fuelConsumption *= fuelConsumptionPct * 0.01;
001614 |
001615 |         //! @note fuel consumption for engine 0 is handled by the game internally, so we need to subtract nominal fuel consumption.
001616 |         //! If resulting consumption is negative, FuelConsumptionPercent was set to below 100% (= add some fuel back after consumption)
001617 |         if (m_Vehicle.Expansion_EngineGetRPM(0) >= m_Vehicle.Expansion_EngineGetRPMIdle(0) || m_Vehicle.Expansion_GetThrottle(0) > 0)
001618 |             fuelConsumption -= fuelConsumptionNominal / EngineGetRunningAboveOrAtIdleRPMCount();
001619 |
001620 | #ifdef DIAG_DEVELOPER
001621 |     if (EXTrace.VEHICLES && fuelConsumption != m_FuelConsumption_Prev)
001622 |     {
001623 |         EXTrace.Print(true, this, m_Vehicle.GetType() + " fuel consumption (liters/s) " + fuelConsumption + " (" + fuelConsumptionPct + "%)");
001624 |         m_FuelConsumption_Prev = fuelConsumption;
001625 |     }
001626 | #endif
001627 |
001628 |     if (fuelConsumption != 0.0)
001629 |     {
001630 |         int fluid;
001631 |         if (m_Vehicle.IsInherited(Boat))
001632 |             fluid = BoatFluid.FUEL;
001633 |         else
001634 |             fluid = CarFluid.FUEL;
001635 |
001636 |         if (fuelConsumption < 0.0)
```



```
001637 |         {
001638 |             //! Will only be negative if engine 0 is on with FuelConsumptionPercent < 100
001639 |
001640 |             //! Need to make sure to only add fuel if not already depleted else we will never run out of fuel
001641 |             if (m_Vehicle.GetFluidFraction(fluid) > 0)
001642 |                 m_Vehicle.Fill(fluid, -fuelConsumption);
001643 |         }
001644 |         else
001645 |         {
001646 |             m_Vehicle.Leak(fluid, fuelConsumption);
001647 |         }
001648 |     }
001649 | }
001650 |
001651 | override void ConsumeFuelOverTime(float dt)
001652 | {
001653 |     ConsumeFuel(m_FuelConsumption * dt / 3600.0);
001654 | }
001655 |
001656 | override bool HasGear()
001657 | {
001658 |     return m_Vehicle.Expansion_HasGear();
001659 | }
001660 |
001661 | override void SwitchGear()
001662 | {
001663 |     m_Vehicle.Expansion_SwitchGear();
001664 | }
001665 |
001666 | override ExpansionPhysicsState GetPhysicsState()
001667 | {
001668 |     return m_Vehicle.Expansion_GetPhysicsState();
001669 | }
001670 |
001671 | override void OnDoorOpened(string selection)
001672 | {
001673 |     super.OnDoorOpened(selection);
001674 |
001675 |     m_Vehicle.Expansion_OnDoorOpened(selection);
001676 | }
001677 |
001678 | override void OnDoorClosed(string selection)
001679 | {
001680 |     super.OnDoorClosed(selection);
001681 |
001682 |     m_Vehicle.Expansion_OnDoorClosed(selection);
001683 | }
001684 |
001685 | override void OnLocked(ExpansionVehicleLockState previousLockState)
001686 | {
001687 |     KeyMessage("OnLocked");
001688 |
001689 |     if (g_Game.IsServer())
001690 |     {
001691 |         auto rpc = m_Vehicle.m_Expansion_RPCManager.CreateRPC("RPC_PlayLockSound");
001692 |         PlayerBase.Expansion_SendNear(rpc, GetEntity().GetPosition(), 20.0, GetEntity(), true);
001693 |     }
001694 | }
001695 |
001696 | override void OnUnlocked(ExpansionVehicleLockState previousLockState)
001697 | {
001698 |     KeyMessage("OnUnlocked");
```

```
001699 |
001700 |     if (g_Game.IsServer())
001701 |     {
001702 |         switch (previousLockState)
001703 |         {
001704 |             case ExpansionVehicleLockState.LOCKED:
001705 |             case ExpansionVehicleLockState.FORCEDLOCKED:
001706 |                 break;
001707 |             default:
001708 |                 return;
001709 |         }
001710 |
001711 |         auto rpc = m_Vehicle.m_Expansion_RPCManager.CreateRPC("RPC_PlayLockSound");
001712 |         PlayerBase.Expansion_SendNear(rpc, GetEntity().GetPosition(), 20.0, GetEntity(), true);
001713 |     }
001714 | }
001715 |
001716 | void RPC_PlayLockSound(PlayerIdentity sender, ParamsReadContext ctx)
001717 | {
001718 | #ifdef EXTRACE
001719 |     auto trace = EXTrace.Start(EXTrace.VEHICLES, this);
001720 | #endif
001721 |
001722 |     if (m_SoundLock)
001723 |         delete m_SoundLock;
001724 |
001725 |     m_SoundLock = SEffectManager.PlaySound("Expansion_Car_Lock_SoundSet", m_Vehicle.GetPosition());
001726 |     m_SoundLock.SetSoundAutodestroy(true);
001727 | }
001728 | #endif
001729 | }
001730 |
```

0146. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\ExpansionVehiclesStatic.c
Size bytes: 1133
SHA-256: bfa3ae4e33f447f11bc095cb3f7a084e0cf6611e3f342e1687b03344cff2b924
Decoded as: utf-8-sig
Line count shown: 41
Detected class declarations: 1
  L13: class ExpansionVehiclesStatic
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L15: static vector GetCenterSelection(Object target, string pLODName, string pSelectionName)
  L38: return Vector(totalVertices[0] / count, totalVertices[1] / count, totalVertices[2] / count);
```

Full file content

```
000001 | /**
000002 |  * ExpansionVehiclesStatic.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionVehiclesStatic
000014 | {
000015 |     static vector GetCenterSelection(Object target, string pLODName, string pSelectionName)
000016 |     {
000017 |         LOD lod = target.GetLODByName(pLODName);
000018 |         if (!lod)
000019 |             return "0 0 0";
000020 |
000021 |         Selection selection = lod.GetSelectionByName(pSelectionName);
000022 |         if (!selection)
000023 |             return "0 0 0";
000024 |
000025 |         vector offset = vector.Zero; // m_WheelDirectionMS * m_Axle.GetWheelHubRadius() * -0.5;
000026 |
000027 |         vector totalVertices = "0 0 0";
000028 |         int count = selection.GetVertexCount();
000029 |         for (int i = 0; i < count; ++i)
000030 |         {
000031 |             vector vp = lod.GetVertexPosition(selection.GetLODVertexIndex(i)) + offset;
000032 |             totalVertices += vp;
000033 |         }
000034 |
000035 |         if (count == 0)
000036 |             return "0 0 0";
000037 |
000038 |         return Vector(totalVertices[0] / count, totalVertices[1] / count, totalVertices[2] / count);
000039 |     }
000040 | };
000041 |
```

0147. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSM.c
Size bytes: 8075
SHA-256: 56b261522af58a1802d89bb537a39c0c53da9b46e31ebc7dfab5405cc1a04ac4
Decoded as: utf-8-sig
Line count shown: 352
Detected class declarations: 1
    L3: class ExpansionFSM
Detected enum declarations: 0
Detected function/method-like declarations: 18
    L22: void ExpansionFSM(ExpansionFSMOwnerType owner, ExpansionState parentState)
    L36: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
    L56: ExpansionFSMOwnerType GetOwner()
    L65: string GetName()
    L74: ExpansionState GetParent()
    L79: void AddState(ExpansionState state)
    L88: void AddTransition(ExpansionTransition transition)
    L106: ExpansionState GetState()
    L115: ExpansionState GetState(string type)
    L126: ExpansionState GetState(typename type)
    L137: bool IsInState(string name)
    L142: bool IsInState(typename type)
    L147: bool StartDefault()
    L178: bool Start(string e = "")
    L210: bool Abort(string e = "")
    L231: int Update(float pDt, int pSimulationPrecision)
    L290: bool FindSuitableTransition(ExpansionState s, string e, out ExpansionState dst)
    L324: bool FindSuitableTransition(array<ref ExpansionTransition> transitions, string e, out ExpansionState dst)

```

Full file content

```

000001 | typedef Class ExpansionFSMOwnerType;
000002 |
000003 | class ExpansionFSM
000004 | {
000005 |     static const int EXIT = 0;
000006 |     static const int CONTINUE = 1;
000007 |     static const int RESTART = 2;
000008 |
000009 |     private autoptr array<ref ExpansionState> m_States;
000010 |     private autoptr array<ref ExpansionTransition> m_Transitions;
000011 |
000012 |     private ExpansionState m_CurrentState;
000013 |     private ExpansionState m_ParentState;
000014 |
000015 |     protected ExpansionFSMOwnerType m_Owner;
000016 |
000017 |     protected string m_Name;
000018 |     protected string m_DefaultState;
000019 |
000020 |     int m_NoTransitionCount;
000021 |
000022 |     void ExpansionFSM(ExpansionFSMOwnerType owner, ExpansionState parentState)
000023 |     {
000024 |         #ifdef EAI_TRACE
000025 |             auto trace = CF_Trace_1(this, "ExpansionFSM").Add(parentState);
000026 |             #endif
000027 |
000028 |             m_Owner = owner;
000029 |             m_ParentState = parentState;

```

```
000030 |
000031 |     m_States = new array<ref ExpansionState>();
000032 |     m_Transitions = new array<ref ExpansionTransition>();
000033 | }
000034 |
000035 | #ifdef CF_DEBUG
000036 | bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000037 | {
000038 |     int i;
000039 |
000040 |     instance.Add("Active State", m_CurrentState);
000041 |     if (m_CurrentState)
000042 |     {
000043 |         instance.IncrementTab();
000044 |         instance.Add(m_CurrentState);
000045 |         instance.DecrementTab();
000046 |     }
000047 |
000048 |     instance.Add("Transitions", m_Transitions.Count());
000049 |     for (i = 0; i < m_Transitions.Count(); i++)
000050 |         instance.Add(m_Transitions[i]);
000051 |
000052 |     return false;
000053 | }
000054 | #endif
000055 |
000056 | ExpansionFSMOwnerType GetOwner()
000057 | {
000058 |     #ifdef EAI_TRACE
000059 |         auto trace = CF_Trace_0(this, "GetOwner");
000060 |     #endif
000061 |
000062 |     return m_Owner;
000063 | }
000064 |
000065 | string GetName()
000066 | {
000067 |     #ifdef EAI_TRACE
000068 |         auto trace = CF_Trace_0(this, "GetName");
000069 |     #endif
000070 |
000071 |     return m_Name;
000072 | }
000073 |
000074 | ExpansionState GetParent()
000075 | {
000076 |     return m_ParentState;
000077 | }
000078 |
000079 | void AddState(ExpansionState state)
000080 | {
000081 |     #ifdef EAI_TRACE
000082 |         auto trace = CF_Trace_1(this, "AddState").Add(state);
000083 |     #endif
000084 |
000085 |     m_States.Insert(state);
000086 | }
000087 |
000088 | void AddTransition(ExpansionTransition transition)
000089 | {
000090 |     ExpansionState src = transition.GetSource();
000091 | }
```

```
000092 |         if (src)
000093 |         {
000094 |             src.AddTransition(transition);
000095 |         }
000096 |     else
000097 |     {
000098 |         m_Transitions.Insert(transition);
000099 |
000100 |         #ifdef DIAG_DEVELOPER
000101 |             EXTrace.Print(EXTrace.FSM, this, "AddTransition NULL -> " + transition.GetDestination() + " | count: " + m_Transitions.Count());
000102 |         #endif
000103 |     }
000104 | }
000105 |
000106 | ExpansionState GetState()
000107 | {
000108 |     #ifdef EAI_TRACE
000109 |         auto trace = CF_Trace_0(this, "GetState");
000110 |     #endif
000111 |
000112 |     return m_CurrentState;
000113 | }
000114 |
000115 | ExpansionState GetState(string type)
000116 | {
000117 |     #ifdef EAI_TRACE
000118 |         auto trace = CF_Trace_1(this, "GetState").Add(type);
000119 |     #endif
000120 |
000121 |     for (int i = 0; i < m_States.Count(); i++) if (m_States[i].ClassName() == type) return m_States[i];
000122 |
000123 |     return null;
000124 | }
000125 |
000126 | ExpansionState GetState(typename type)
000127 | {
000128 |     #ifdef EAI_TRACE
000129 |         auto trace = CF_Trace_1(this, "GetState").Add(type.ToString());
000130 |     #endif
000131 |
000132 |     for (int i = 0; i < m_States.Count(); i++) if (m_States[i].Type() == type) return m_States[i];
000133 |
000134 |     return null;
000135 | }
000136 |
000137 | bool IsInState(string name)
000138 | {
000139 |     return m_CurrentState && m_CurrentState.GetName() == name;
000140 | }
000141 |
000142 | bool IsInState(typename type)
000143 | {
000144 |     return m_CurrentState && m_CurrentState.IsInherited(type);
000145 | }
000146 |
000147 | bool StartDefault()
000148 | {
000149 |     #ifdef EAI_TRACE
000150 |         auto trace = CF_Trace_0(this, "StartDefault");
000151 |     #endif
000152 |
000153 |     if (m_DefaultState == "") return Start();
```

```
000154 |
000155 |     ExpansionState src = m_CurrentState;
000156 |     ExpansionState dst = GetState(m_DefaultState);
000157 |
000158 |     if (src && src != dst)
000159 |     {
000160 |         EXTrace.Print(EXTrace.FSM, m_Owner, "StartDefault - Exiting state: %1", src.GetName());
000161 |         src.OnExit("", true, dst);
000162 |     }
000163 |
000164 |     m_CurrentState = dst;
000165 |
000166 |     if (m_CurrentState)
000167 |     {
000168 |         EXTrace.Print(EXTrace.FSM, m_Owner, "StartDefault - Starting state: %1", m_CurrentState.GetName());
000169 |         m_CurrentState.OnEntry("", src);
000170 |         return true;
000171 |     }
000172 |
000173 |     CF_Log.Warn("%1 StartDefault - No valid state found.", m_Owner.ToString());
000174 |
000175 |     return false;
000176 | }
000177 |
000178 | bool Start(string e = "")
000179 | {
000180 |     #ifdef EAI_TRACE
000181 |     auto trace = CF_Trace_1(this, "Start").Add(e);
000182 |     #endif
000183 |
000184 |     ExpansionState new_state;
000185 |     FindSuitableTransition(m_CurrentState, e, new_state);
000186 |
000187 |     ExpansionState src = m_CurrentState;
000188 |     ExpansionState dst = new_state;
000189 |
000190 |     if (m_CurrentState && m_CurrentState != dst)
000191 |     {
000192 |         EXTrace.Print(EXTrace.FSM, m_Owner, "Start - Exiting state: %1", m_CurrentState.GetName());
000193 |         m_CurrentState.OnExit(e, true, dst);
000194 |     }
000195 |
000196 |     m_CurrentState = dst;
000197 |
000198 |     if (m_CurrentState && src != m_CurrentState)
000199 |     {
000200 |         EXTrace.Print(EXTrace.FSM, m_Owner, "Start - Starting state: %1", m_CurrentState.GetName());
000201 |         m_CurrentState.OnEntry(e, src);
000202 |         return true;
000203 |     }
000204 |
000205 |     CF_Log.Warn("%1 Start - No valid state found.", m_Owner.ToString());
000206 |
000207 |     return false;
000208 | }
000209 |
000210 | bool Abort(string e = "")
000211 | {
000212 |     #ifdef EAI_TRACE
000213 |     auto trace = CF_Trace_1(this, "Abort").Add(e);
000214 |     #endif
000215 | }
```

```
000216 |         if (m_CurrentState)
000217 |         {
000218 |             EXTrace.Print(EXTrace.FSM, m_Owner, "Abort - Exiting state: %1", m_CurrentState.GetName());
000219 |             m_CurrentState.OnExit(e, true, null);
000220 |             m_CurrentState = null;
000221 |             return true;
000222 |         }
000223 |
000224 |         return false;
000225 |     }
000226 |
000227 |     /**
000228 |     * @return EXIT Tell the parent FSM that the child FSM is complete
000229 |     * @return CONTINUE Tell the parent FSM that the child FSM is still running
000230 |     */
000231 |     int Update(float pDt, int pSimulationPrecision)
000232 |     {
000233 | #ifdef EXTRACE_DIAG
000234 |         auto trace = EXTrace.Profile(EXTrace.AI, this, "Update");
000235 | #endif
000236 |
000237 |         if (!m_Owner)
000238 |             return EXIT;
000239 |
000240 |         //EXTrace.Print(EXTrace.FSM, m_Owner, "m_CurrentState: %1", m_CurrentState.ToString());
000241 |
000242 |         if (m_CurrentState)
000243 |         {
000244 |             switch (m_CurrentState.OnUpdate(pDt, pSimulationPrecision))
000245 |             {
000246 |                 case RESTART:
000247 |                     m_CurrentState.OnEntry("", m_CurrentState);
000248 |                     return CONTINUE;
000249 |
000250 |                 case CONTINUE:
000251 |                     return CONTINUE;
000252 |             }
000253 |         }
000254 |
000255 |         ExpansionState new_state;
000256 |         bool found = FindSuitableTransition(m_CurrentState, "", new_state);
000257 |         if (!found || (new_state && m_CurrentState == new_state))
000258 |         {
000259 |             return CONTINUE;
000260 |         }
000261 |
000262 |         ExpansionState src = m_CurrentState;
000263 |
000264 |         if (m_CurrentState)
000265 |         {
000266 |             m_CurrentState.OnExit("", false, new_state);
000267 |             if (m_CurrentState.m_SubFSM)
000268 |                 m_CurrentState.m_SubFSM.m_CurrentState = null;
000269 |         }
000270 |
000271 |         m_CurrentState = new_state;
000272 |
000273 |         if (m_CurrentState == null)
000274 |         {
000275 |             if (src)
000276 |                 EXTrace.Print(EXTrace.FSM, m_Owner, "State transition exit %1", src.GetName());
000277 |             return EXIT;
```



```

000278 |     }
000279 |
000280 |     if (src)
000281 |         EXTrace.Print(EXTrace.FSM, m_Owner, "State transition %1 -> %2", src.GetName(), m_CurrentState.GetName());
000282 |     else
000283 |         EXTrace.Print(EXTrace.FSM, m_Owner, "State transition NULL -> %1", m_CurrentState.GetName());
000284 |
000285 |     m_CurrentState.OnEntry("", src);
000286 |
000287 |     return CONTINUE;
000288 | }
000289 |
000290 | bool FindSuitableTransition(ExpansionState s, string e, out ExpansionState dst)
000291 | {
000292 |     #ifdef EAI_TRACE
000293 |         auto trace = CF_Trace_2(this, "FindSuitableTransition").Add(s).Add(e);
000294 |     #endif
000295 |
000296 |     bool found;
000297 |
000298 |     //! First, look for suitable transition in state
000299 |     if (s)
000300 |         found = FindSuitableTransition(s.m_Transitions, e, dst);
000301 |
000302 |     //! If none found, look for suitable transition in FSM
000303 |     if (!found)
000304 |         found = FindSuitableTransition(m_Transitions, e, dst);
000305 |
000306 | #ifdef EAI_DEBUG_TRANSITION
000307 |     if (!found && m_NoTransitionCount == 0)
000308 |     {
000309 |         m_NoTransitionCount++;
000310 |         int transitionsCount = m_Transitions.Count();
000311 |         if (s)
000312 |             transitionsCount += s.m_Transitions.Count();
000313 |         EXPrint(m_Owner.ToString() + " no suitable transition found in " + transitionsCount + " transitions!");
000314 |     }
000315 |     else
000316 |     {
000317 |         m_NoTransitionCount = -1;
000318 |     }
000319 | #endif
000320 |
000321 |     return found;
000322 | }
000323 |
000324 | bool FindSuitableTransition(array<ref ExpansionTransition> transitions, string e, out ExpansionState dst)
000325 | {
000326 |     foreach (auto t: transitions)
000327 |     {
000328 |         if (e == "" || t.GetEvent() == e)
000329 |         {
000330 |             switch (t.Guard())
000331 |             {
000332 |                 case ExpansionTransition.SUCCESS:
000333 |                     #ifdef EAI_DEBUG_TRANSITION
000334 |                         m_NoTransitionCount = 0;
000335 |                     #endif
000336 |                     dst = t.GetDestination();
000337 |
000338 |                     return true;
000339 |                 case ExpansionTransition.FAIL:

```

```
000340 |         break;
000341 |     }
000342 | }
000343 | #ifdef EAI_DEBUG_TRANSITION
000344 |     if (m_NoTransitionCount > 0)
000345 |         EXPrint(m_Owner.ToString() + " not a suitable transition: " + t.GetSource() + " -> " + t.GetDestination());
000346 | #endif
000347 | }
000348 |
000349 |     return false;
000350 | }
000351 | };
000352 |
```

0148. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionFSMType.c

Size bytes: 8282

SHA-256: 3e650fba8c3d04b39de16c71bd938ddeeb9fe923948779c8e66739bb94fb41d3

Decoded as: utf-8-sig

Line count shown: 283

Detected class declarations: 1

L1: class ExpansionFSMType

Detected enum declarations: 0

Detected function/method-like declarations: 10

L19: void ExpansionFSMType()

L27: static void UnloadAll()

L36: static bool Contains(string name)

L45: static void AddSpawnable(string name, ExpansionFSMType type)

L54: static void Add(ExpansionFSMType type)

L63: static ExpansionFSMType Get(string type)

L72: ExpansionFSM Spawn(ExpansionFSMOwnerType owner, ExpansionState parentState)

L84: static ExpansionFSM Spawn(string type, ExpansionFSMOwnerType owner, ExpansionState parentState)

L93: static ExpansionFSMType LoadXML(string path, string fileName)

L150: static ExpansionFSMType LoadXML(string path, string fileName, FileHandle file)

Full file content

```

000001 | class ExpansionFSMType
000002 | {
000003 |     static int s_ReloadNumber = 0;
000004 |     static ref map<string, bool> s_Loaded = new map<string, bool>;
000005 |
000006 |     private static autoptr map<string, ExpansionFSMType> m_SpawnableTypes = new map<string, ExpansionFSMType>();
000007 |     private static autoptr array<autoptr ExpansionFSMType> m_Types = new array<autoptr ExpansionFSMType>();
000008 |
000009 |     string m_Name;
000010 |     string m_Type;
000011 |
000012 |     string m_ClassName;
000013 |     ScriptModule m_Module;
000014 |
000015 |     autoptr array<string> m_Variables = new array<string>();
000016 |     autoptr array<autoptr ExpansionStateType> m_States = new array<autoptr ExpansionStateType>();
000017 |     autoptr array<autoptr ExpansionTransitionType> m_Transitions = new array<autoptr ExpansionTransitionType>();
000018 |
000019 |     void ExpansionFSMType()
000020 |     {
000021 |         #ifdef EAI_TRACE
000022 |             auto trace = CF_Trace_0(this, "ExpansionFSMType");
000023 |             #endif
000024 |
000025 |     }
000026 |
000027 |     static void UnloadAll()
000028 |     {
000029 |         s_ReloadNumber++;
000030 |         s_Loaded.Clear();
000031 |
000032 |         m_Types.Clear();
000033 |         m_SpawnableTypes.Clear();
000034 |     }
000035 |
000036 |     static bool Contains(string name)
000037 |     {

```

```
000038 |     #ifdef EAI_TRACE
000039 |     auto trace = CF_Trace_1("ExpansionFSMType", "Contains").Add(name);
000040 |     #endif
000041 |
000042 |     return m_SpawnableTypes.Contains(name);
000043 | }
000044 |
000045 | static void AddSpawnable(string name, ExpansionFSMType type)
000046 | {
000047 |     #ifdef EAI_TRACE
000048 |     auto trace = CF_Trace_2("ExpansionFSMType", "AddSpawnable").Add(name).Add(type);
000049 |     #endif
000050 |
000051 |     m_SpawnableTypes.Insert(name, type);
000052 | }
000053 |
000054 | static void Add(ExpansionFSMType type)
000055 | {
000056 |     #ifdef EAI_TRACE
000057 |     auto trace = CF_Trace_1("ExpansionFSMType", "Add").Add(type);
000058 |     #endif
000059 |
000060 |     m_Types.Insert(type);
000061 | }
000062 |
000063 | static ExpansionFSMType Get(string type)
000064 | {
000065 |     #ifdef EAI_TRACE
000066 |     auto trace = CF_Trace_1("ExpansionFSMType", "Get").Add(type);
000067 |     #endif
000068 |
000069 |     return m_SpawnableTypes[type];
000070 | }
000071 |
000072 | ExpansionFSM Spawn(ExpansionFSMOwnerType owner, ExpansionState parentState)
000073 | {
000074 |     #ifdef EAI_TRACE
000075 |     auto trace = CF_Trace_1(this, "Spawn").Add(owner).Add(parentState);
000076 |     #endif
000077 |
000078 |     ExpansionFSM retValue = null;
000079 |     Param params = new Param2<ExpansionFSMOwnerType, ExpansionState>(owner, parentState);
000080 |     m_Module.CallFunctionParams(null, "Create_" + m_ClassName, retValue, params);
000081 |     return retValue;
000082 | }
000083 |
000084 | static ExpansionFSM Spawn(string type, ExpansionFSMOwnerType owner, ExpansionState parentState)
000085 | {
000086 |     #ifdef EAI_TRACE
000087 |     auto trace = CF_Trace_3("ExpansionFSMType", "Spawn").Add(type).Add(owner).Add(parentState);
000088 |     #endif
000089 |
000090 |     return m_SpawnableTypes[type].Spawn(owner, parentState);
000091 | }
000092 |
000093 | static ExpansionFSMType LoadXML(string path, string fileName)
000094 | {
000095 |     #ifdef EAI_TRACE
000096 |     auto trace = CF_Trace_2("ExpansionFSMType", "LoadXML").Add(path).Add(fileName);
000097 |     #endif
000098 |
000099 |     if (ExpansionFSMType.Contains(fileName))
```

```
000100 | {
000101 |     return ExpansionFSMType.Get(fileName);
000102 | }
000103 |
000104 | bool success;
000105 | if (s_Loaded.Find(path + "/" + fileName, success) && !success)
000106 |     return null;
000107 |
000108 | if (!FileExist(EXPANSION_AI_FOLDER))
000109 | {
000110 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_AI_FOLDER);
000111 | }
000112 |
000113 | if (!FileExist(EXPANSION_AI_FSM_FOLDER))
000114 | {
000115 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_AI_FSM_FOLDER);
000116 | }
000117 |
000118 | string script_path = EXPANSION_AI_FSM_FOLDER + fileName + ".c";
000119 | FileHandle file = OpenFile(script_path, FileMode.WRITE);
000120 | if (!file)
000121 | {
000122 |     return null;
000123 | }
000124 |
000125 | ExpansionFSMType new_type = LoadXML(path, fileName, file);
000126 |
000127 | CloseFile(file);
000128 |
000129 | ScriptModule module = g_Game.GetMission().MissionScript;
000130 | new_type.m_Module = ScriptModule.LoadScript(module, script_path, false);
000131 | if (new_type.m_Module == null)
000132 | {
000133 |     Error("There was an error loading in the FSM generated from " + path + "/" + fileName + ".xml, check $profile:script_<date>_<time>.log and " + script_
000134 | path);
000135 |     s_Loaded[path + "/" + fileName] = false;
000136 |     return null;
000137 | }
000138 |
000139 | s_Loaded[path + "/" + fileName] = true;
000140 | #ifdef DIAG_DEVELOPER
000141 |     //! Create a backup to ease debugging
000142 |     CopyFile(script_path, script_path + ".bak");
000143 | #endif
000144 |
000145 | AddSpawnable(fileName, new_type);
000146 |
000147 | return new_type;
000148 | }
000149 |
000150 | static ExpansionFSMType LoadXML(string path, string fileName, FileHandle file)
000151 | {
000152 |     #ifdef EAI_TRACE
000153 |     auto trace = CF_Trace_3("ExpansionFSMType", "LoadXML").Add(path).Add(fileName).Add("FileHandle");
000154 |     #endif
000155 |
000156 |     string actualFilePath = path + "/" + fileName + ".xml";
000157 |     CF_Log.Debug(actualFilePath);
000158 |     if (!FileExist(actualFilePath))
000159 |     {
000160 |         return null;
```

```
000161 |     }
000162 |
000163 |     CF_XML_Document document;
000164 |     CF_XML.ReadDocument(actualFilePath, document);
000165 |
000166 |     #ifdef DIAG_DEVELOPER
000167 |     ///! XXX: CF_XML_Document::Save doesn't write a proper representation of the parsed document
000168 |     document.Save(EXPANSION_AI_FSM_FOLDER + fileName + ".xml");
000169 |     #endif
000170 |
000171 |     string name = document.Get("fsm")[0].GetAttribute("name").ValueAsString();
000172 |     string type = document.Get("fsm")[0].GetAttribute("type").ValueAsString();
000173 |     string class_name = "Expansion_" + name + "_FSM_" + s_ReloadNumber;
000174 |
000175 |     auto files = document.Get("fsm");
000176 |     files = files[0].GetTag("files");
000177 |     if (files.Count() > 0)
000178 |     {
000179 |         files = files[0].GetTag("file");
000180 |
000181 |         for (int i = 0; i < files.Count(); i++)
000182 |         {
000183 |             string subFSMName = files[i].GetAttribute("name").ValueAsString();
000184 |             ExpansionFSMType.LoadXML(path, subFSMName, file);
000185 |         }
000186 |     }
000187 |
000188 |     ExpansionFSMType new_type = new ExpansionFSMType();
000189 |     new_type.m_Name = name;
000190 |     new_type.m_Type = type;
000191 |     new_type.m_ClassName = class_name;
000192 |
000193 |     auto states = document.Get("fsm");
000194 |     states = states[0].GetTag("states");
000195 |     auto defaultStateAttrib = states[0].GetAttribute("default");
000196 |     string defaultState = "";
000197 |     if (defaultStateAttrib)
000198 |     {
000199 |         defaultState = "Expansion_" + name + "_" + defaultStateAttrib.ValueAsString() + "_State_" + ExpansionFSMType.s_ReloadNumber;
000200 |     }
000201 |
000202 |     states = states[0].GetTag("state");
000203 |
000204 |     foreach (auto state : states)
000205 |     {
000206 |         ExpansionStateType stateType = ExpansionStateType.LoadXML(new_type, state, file);
000207 |         new_type.m_States.Insert(stateType);
000208 |     }
000209 |
000210 |     auto transitions = document.Get("fsm");
000211 |     transitions = transitions[0].GetTag("transitions");
000212 |     transitions = transitions[0].GetTag("transition");
000213 |     foreach (auto transition : transitions)
000214 |     {
000215 |         array<auto_ptr< ExpansionTransitionType> transitionTypes = ExpansionTransitionType.LoadXML(new_type, transition, file);
000216 |         foreach (auto transitionType: transitionTypes)
000217 |         {
000218 |             new_type.m_Transitions.Insert(transitionType);
000219 |         }
000220 |     }
000221 |
000222 |     FPrintln(file, "class " + class_name + ": " + type + "FSM {");
```

```

000223 |
000224 |     auto variables = document.Get("fsm");
000225 |     variables = variables[0].GetTag("variables");
000226 |     if (variables.Count() > 0)
000227 |     {
000228 |         variables = variables[0].GetTag("variable");
000229 |         foreach (auto variable : variables)
000230 |         {
000231 |             string variable_name = variable.GetAttribute("name").ValueAsString();
000232 |             string variable_type = variable.GetAttribute("type").ValueAsString();
000233 |             string variable_default = "";
000234 |             if (variable.GetAttribute("default"))
000235 |             {
000236 |                 variable_default = variable.GetAttribute("default").ValueAsString();
000237 |             }
000238 |
000239 |             new_type.m_Variables.Insert(variable_name);
000240 |
000241 |             string variable_line = "" + variable_type + " " + variable_name;
000242 |             if (variable_default != "") variable_line += " = " + variable_default;
000243 |             variable_line += ";";
000244 |
000245 |             FPrintln(file, "      " + variable_line);
000246 |         }
000247 |     }
000248 |
000249 |     FPrintln(file, "    void " + class_name + "(ExpansionFSMOwnerType owner, ExpansionState parentState) {");
000250 |     FPrintln(file, "        m_Name = \"" + name + "\";");
000251 |     FPrintln(file, "        m_DefaultState = \"" + defaultState + "\";");
000252 |     FPrintln(file, "        Setup();");
000253 |     FPrintln(file, "    }");
000254 |
000255 |     FPrintln(file, "    void Setup() {");
000256 | #ifdef EAI_TRACE
000257 |     FPrintln(file, "        auto trace = CF_Trace_0(this, \"Setup\");");
000258 | #endif
000259 |
000260 |     foreach (auto stateType0 : new_type.m_States)
000261 |     {
000262 |         FPrintln(file, "        AddState(new " + stateType0.m_ClassName + "(this));");
000263 |     }
000264 |
000265 |     foreach (auto transitionType0 : new_type.m_Transitions)
000266 |     {
000267 |         FPrintln(file, "        AddTransition(new " + transitionType0.m_ClassName + "(this));");
000268 |     }
000269 |
000270 |     FPrintln(file, "    }");
000271 |
000272 |     FPrintln(file, "}");
000273 |
000274 |     FPrintln(file, "ExpansionFSM Create_" + class_name + "(ExpansionFSMOwnerType owner, ExpansionState parentState) {");
000275 |     FPrintln(file, "        return new " + class_name + "(owner, parentState);");
000276 |     FPrintln(file, "}");
000277 |
000278 |     ExpansionFSMType.Add(new_type);
000279 |
000280 |     return new_type;
000281 | }
000282 | };
000283 |

```

0149. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionState.c

Size bytes: 1324

SHA-256: 079f6aceec58cd0fceb705234197ec32e69573e4772f95cd0738f7ad5c3c85a3

Decoded as: utf-8-sig

Line count shown: 75

Detected class declarations: 1

L1: class ExpansionState

Detected enum declarations: 0

Detected function/method-like declarations: 8

L18: void ExpansionState(ExpansionFSM _fsm)

L23: void AddTransition(ExpansionTransition transition)

L33: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)

L49: string GetName()

L54: ExpansionFSM GetSubFSM()

L60: void OnEntry(string Event, ExpansionState From)

L65: void OnExit(string Event, bool Aborted, ExpansionState To)

L70: int OnUpdate(float DeltaTime, int SimulationPrecision)

Full file content

```
000001 | class ExpansionState
000002 | {
000003 |     static const int EXIT = 0;
000004 |     static const int CONTINUE = 1;
000005 |     static const int RESTART = 2;
000006 |
000007 |     string m_Name;
000008 |     string m_ClassName;
000009 |
000010 |     //! only used if there is a sub-fsm
000011 |     ref ExpansionFSM m_SubFSM;
000012 |
000013 |     autoptr array<ref ExpansionTransition> m_Transitions = {};
000014 |
000015 |     /* STATE VARIABLES */
000016 |     ExpansionState parent;
000017 |
000018 |     void ExpansionState(ExpansionFSM _fsm)
000019 |     {
000020 |         parent = _fsm.GetParent();
000021 |     }
000022 |
000023 |     void AddTransition(ExpansionTransition transition)
000024 |     {
000025 |         m_Transitions.Insert(transition);
000026 |
000027 |         #ifdef DIAG_DEVELOPER
000028 |             EXTrace.Print(EXTrace.FSM, this, "AddTransition -> " + transition.GetDestination() + " | count: " + m_Transitions.Count());
000029 |         #endif
000030 |     }
000031 |
000032 |     #ifdef CF_DEBUG
000033 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000034 |     {
000035 |         int i;
000036 |
000037 |         instance.Add("FSM", m_SubFSM);
000038 |         if (m_SubFSM)
000039 |         {
```



```
000040 |         instance.IncrementTab();
000041 |         instance.Add(m_SubFSM);
000042 |         instance.DecrementTab();
000043 |     }
000044 |
000045 |     return false;
000046 | }
000047 | #endif
000048 |
000049 | string GetName()
000050 | {
000051 |     return m_Name;
000052 | }
000053 |
000054 | ExpansionFSM GetSubFSM()
000055 | {
000056 |     return m_SubFSM;
000057 | }
000058 |
000059 | /* IMPLEMENTED IN XML */
000060 | void OnEntry(string Event, ExpansionState From)
000061 | {
000062 |
000063 | }
000064 |
000065 | void OnExit(string Event, bool Aborted, ExpansionState To)
000066 | {
000067 |
000068 | }
000069 |
000070 | int OnUpdate(float DeltaTime, int SimulationPrecision)
000071 | {
000072 |     return CONTINUE;
000073 | }
000074 | };
000075 |
```

0150. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionStateType.c
Size bytes: 8020
SHA-256: 3b14c2b993fcda197503abe66e0e4c80936f10f735cdb01500dea7494c0fa917
Decoded as: utf-8-sig
Line count shown: 257
Detected class declarations: 1
 L1: class ExpansionStateType
Detected enum declarations: 0
Detected function/method-like declarations: 7
 L8: void ExpansionStateType()
 L17: static bool Contains(string name)
 L26: static void Add(ExpansionStateType type)
 L35: static ExpansionStateType Get(string type)
 L44: static ExpansionStateType LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
 L223: static bool FPrintTag0(FileHandle file, array<CF_XML_Tag> tags)
 L238: static void FPrintContent(FileHandle file, string content)

Full file content

```
000001 | class ExpansionStateType
000002 | {
000003 |     private static ref map<string, autoptr ExpansionStateType> m_Types = new map<string, autoptr ExpansionStateType>();
000004 |
000005 |     string m_ClassName;
000006 |     ref array<string> m_Variables;
000007 |
000008 |     void ExpansionStateType()
000009 |     {
000010 |         #ifdef EAI_TRACE
000011 |             auto trace = CF_Trace_0(this, "ExpansionStateType");
000012 |             #endif
000013 |
000014 |         m_Variables = new array<string>();
000015 |     }
000016 |
000017 |     static bool Contains(string name)
000018 |     {
000019 |         #ifdef EAI_TRACE
000020 |             auto trace = CF_Trace_1("ExpansionStateType", "Contains").Add(name);
000021 |             #endif
000022 |
000023 |         return m_Types.Contains(name);
000024 |     }
000025 |
000026 |     static void Add(ExpansionStateType type)
000027 |     {
000028 |         #ifdef EAI_TRACE
000029 |             auto trace = CF_Trace_1("ExpansionStateType", "Add").Add(type);
000030 |             #endif
000031 |
000032 |         m_Types.Insert(type.m_ClassName, type);
000033 |     }
000034 |
000035 |     static ExpansionStateType Get(string type)
000036 |     {
000037 |         #ifdef EAI_TRACE
000038 |             auto trace = CF_Trace_1("ExpansionStateType", "Get").Add(type);
000039 |             #endif
000040 |     }
```

```
000041 |     return m_Types[type];
000042 | }
000043 |
000044 | static ExpansionStateType LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
000045 | {
000046 |     #ifdef EAI_TRACE
000047 |     auto trace = CF_Trace_2("ExpansionStateType", "LoadXML").Add(fsmName).Add(xml_root_tag);
000048 |     #endif
000049 |
000050 |     string fsmName = fsmType.m_Name;
000051 |
000052 |     string name = xml_root_tag.GetAttribute("name").ValueAsString();
000053 |
000054 |     string child_fsm;
000055 |     if (xml_root_tag.GetAttribute("fsm"))
000056 |     {
000057 |         child_fsm = xml_root_tag.GetAttribute("fsm").ValueAsString();
000058 |     }
000059 |
000060 |     bool inheritsFromCustom = false;
000061 |
000062 |     string inherited = fsmType.m_Type + "State";
000063 |     if (xml_root_tag.GetAttribute("class"))
000064 |     {
000065 |         typename inherited_type = xml_root_tag.GetAttribute("class").ValueAsString().ToType();
000066 |         if (!inherited_type.IsInherited(inherited.ToType()))
000067 |         {
000068 |             Error("class doesn't inherit from fsm base type");
000069 |         }
000070 |
000071 |         inherited = inherited_type.ToString();
000072 |         inheritsFromCustom = true;
000073 |     }
000074 |
000075 |     string class_name = "Expansion_" + fsmName + "_" + name + "_State_" + ExpansionFSMType.s_ReloadNumber;
000076 |
000077 |     //if (child_fsm != "") class_name = "Expansion_FSM_" + child_fsm + "_State_";
000078 |
000079 |     if (ExpansionStateType.Contains(class_name))
000080 |     {
000081 |         return ExpansionStateType.Get(class_name);
000082 |     }
000083 |
000084 |     ExpansionStateType new_type = new ExpansionStateType();
000085 |     new_type.m_ClassName = class_name;
000086 |
000087 |     FPrintln(file, "class " + class_name + ": " + inherited + " {}");
000088 |
000089 |     string child_fsm_name = "Expansion_" + child_fsm + "_FSM_" + ExpansionFSMType.s_ReloadNumber;
000090 |
000091 |     if (child_fsm != "")
000092 |     {
000093 |         FPrintln(file, "    " + child_fsm_name + " sub_fsm;");
000094 |     }
000095 |
000096 |     FPrintln(file, "    Expansion_" + fsmName + "_FSM_" + ExpansionFSMType.s_ReloadNumber + " fsm;");
000097 |
000098 |     auto variables = xml_root_tag.GetTag("variables");
000099 |     if (variables.Count() > 0)
000100 |     {
000101 |         variables = variables[0].GetTag("variable");
000102 |         foreach (auto variable : variables)
```

```

000103 |         {
000104 |             string variable_name = variable.GetAttribute("name").ValueAsString();
000105 |             string variable_type = variable.GetAttribute("type").ValueAsString();
000106 |             string variable_default = "";
000107 |
000108 |             if (variable.GetAttribute("default"))
000109 |             {
000110 |                 variable_default = variable.GetAttribute("default").ValueAsString();
000111 |             }
000112 |
000113 |             new_type.m_Variables.Insert(variable_name);
000114 |
000115 |             string variable_line = "" + variable_type + " " + variable_name;
000116 |             if (variable_default != "")
000117 |             {
000118 |                 variable_line += " = " + variable_default;
000119 |             }
000120 |
000121 |             variable_line += ";";
000122 |
000123 |             FPrintln(file, "    " + variable_line);
000124 |         }
000125 |     }
000126 |
000127 |     FPrintln(file, "    void " + class_name + "(ExpansionFSM _fsm) {");
000128 |     FPrintln(file, "        Class.CastTo(fsm, _fsm);");
000129 |     FPrintln(file, "        m_ClassName = \"" + class_name + "\";");
000130 |     if (child_fsm != "")
000131 |     {
000132 |         FPrintln(file, "            m_Name = \"" + child_fsm + "\";");
000133 |         FPrintln(file, "            m_SubFSM = new " + child_fsm_name + "(_fsm.GetOwner(), this);");
000134 |         FPrintln(file, "            Class.CastTo(sub_fsm, m_SubFSM);");
000135 |     }
000136 |     else
000137 |     {
000138 |         FPrintln(file, "            m_Name = \"" + name + "\";");
000139 |     }
000140 |
000141 |     FPrintln(file, "    }");
000142 |
000143 |     auto event_entry = xml_root_tag.GetTag("event_entry");
000144 |     auto event_exit = xml_root_tag.GetTag("event_exit");
000145 |     auto event_update = xml_root_tag.GetTag("event_update");
000146 |
000147 |     if (child_fsm != "")
000148 |     {
000149 |         FPrintln(file, "        override void OnEntry(string Event, ExpansionState From) {");
000150 |     #ifdef EAI_TRACE
000151 |         FPrintln(file, "            auto trace = CF_Trace_2(this, \"OnEntry\").Add(Event).Add(From);");
000152 |     #endif
000153 |         if (inheritsFromCustom) FPrintln(file, "            super.OnEntry(Event, From);");
000154 |         FPrintln(file, "            if (Event != \"\"+\"\") m_SubFSM.Start(Event);");
000155 |         FPrintln(file, "            else m_SubFSM.StartDefault();");
000156 |         FPrintTag0(file, event_entry);
000157 |         FPrintln(file, "        }");
000158 |
000159 |         FPrintln(file, "        override void OnExit(string Event, bool Aborted, ExpansionState To) {");
000160 |     #ifdef EAI_TRACE
000161 |         FPrintln(file, "            auto trace = CF_Trace_3(this, \"OnExit\").Add(Event).Add(Aborted).Add(To);");
000162 |     #endif
000163 |         if (inheritsFromCustom) FPrintln(file, "            super.OnExit(Event, Aborted, To);");
000164 |         FPrintln(file, "            if (Aborted) m_SubFSM.Abort(Event);");

```

```

000165 |         FPrintTag0(file, event_exit);
000166 |         FPrintln(file, "    }");
000167 |
000168 |         FPrintln(file, "    override int OnUpdate(float DeltaTime, int SimulationPrecision) {");
000169 | #ifdef EAI_TRACE
000170 |         FPrintln(file, "        auto trace = CF_Trace_2(this, \"OnUpdate\").Add(DeltaTime).Add(SimulationPrecision);");
000171 | #endif
000172 |         if (inheritsFromCustom) FPrintln(file, "            if (super.OnUpdate(DeltaTime, SimulationPrecision) == EXIT) return EXIT;");
000173 |         FPrintln(file, "            if (m_SubFSM.Update(DeltaTime, SimulationPrecision) == EXIT) return EXIT;");
000174 |         if (!FPrintTag0(file, event_update))
000175 |         {
000176 |             FPrintln(file, "        return CONTINUE;");
000177 |         }
000178 |         FPrintln(file, "    }");
000179 |     }
000180 |     else
000181 |     {
000182 |         if (event_entry.Count() > 0 && event_entry[0].GetContent().GetContent().Trim())
000183 |         {
000184 |             FPrintln(file, "        override void OnEntry(string Event, ExpansionState From) {");
000185 | #ifdef EAI_TRACE
000186 |             FPrintln(file, "            auto trace = CF_Trace_2(this, \"OnEntry\").Add(Event).Add(From);");
000187 | #endif
000188 |             if (inheritsFromCustom) FPrintln(file, "                super.OnEntry(Event, From);");
000189 |             FPrintContent(file, event_entry[0].GetContent().GetContent());
000190 |             FPrintln(file, "        }");
000191 |         }
000192 |
000193 |         if (event_exit.Count() > 0 && event_exit[0].GetContent().GetContent().Trim())
000194 |         {
000195 |             FPrintln(file, "        override void OnExit(string Event, bool Aborted, ExpansionState To) {");
000196 | #ifdef EAI_TRACE
000197 |             FPrintln(file, "            auto trace = CF_Trace_3(this, \"OnExit\").Add(Event).Add(Aborted).Add(To);");
000198 | #endif
000199 |             if (inheritsFromCustom) FPrintln(file, "                super.OnExit(Event, Aborted, To);");
000200 |             FPrintContent(file, event_exit[0].GetContent().GetContent());
000201 |             FPrintln(file, "        }");
000202 |         }
000203 |
000204 |         if (event_update.Count() > 0 && event_update[0].GetContent().GetContent().Trim())
000205 |         {
000206 |             FPrintln(file, "        override int OnUpdate(float DeltaTime, int SimulationPrecision) {");
000207 | #ifdef EAI_TRACE
000208 |             FPrintln(file, "            auto trace = CF_Trace_2(this, \"OnUpdate\").Add(DeltaTime).Add(SimulationPrecision);");
000209 | #endif
000210 |             if (inheritsFromCustom) FPrintln(file, "                if (super.OnUpdate(DeltaTime, SimulationPrecision) == EXIT) return EXIT;");
000211 |             FPrintContent(file, event_update[0].GetContent().GetContent());
000212 |             FPrintln(file, "        }");
000213 |         }
000214 |     }
000215 |
000216 |     FPrintln(file, "}");
000217 |
000218 |     ExpansionStateType.Add(new_type);
000219 |
000220 |     return new_type;
000221 | }
000222 |
000223 | static bool FPrintTag0(FileHandle file, array<CF_XML_Tag> tags)
000224 | {
000225 |     if (tags.Count() > 0)
000226 |     {

```

```
000227 |         string content = tags[0].GetContent().GetContent();
000228 |         if (content.Trim())
000229 |         {
000230 |             FPrintContent(file, content);
000231 |             return true;
000232 |         }
000233 |     }
000234 |
000235 |     return false;
000236 | }
000237 |
000238 | static void FPrintContent(FileHandle file, string content)
000239 | {
000240 |     TStringArray lines = {};
000241 |     content.Split("\n", lines);
000242 |     string indent = "    ";
000243 |     foreach (string line: lines)
000244 |     {
000245 |         //! Minimal "Code formatting"
000246 |         line = line.Trim();
000247 |         bool hasCurlyL = line.Contains("{");
000248 |         bool hasCurlyR = line.Contains("}");
000249 |         if (hasCurlyR && !hasCurlyL)
000250 |             indent = indent.Substring(0, indent.Length() - 1);
000251 |         FPrintln(file, indent + line);
000252 |         if (hasCurlyL && !hasCurlyR)
000253 |             indent += "    ";
000254 |     }
000255 | }
000256 | };
000257 |
```

0151. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransition.c
Size bytes: 681
SHA-256: d29b1cdd58cd629219a54a0e01f75cffc4e32116b8d0b618cd2b03615580dfae
Decoded as: utf-8-sig
Line count shown: 46
Detected class declarations: 1
 L1: class ExpansionTransition
Detected enum declarations: 0
Detected function/method-like declarations: 6
 L8: void ExpansionTransition(ExpansionFSM _fsm)
 L13: bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
 L26: ExpansionState GetSource()
 L31: ExpansionState GetDestination()
 L36: string GetEvent()
 L41: int Guard()

Full file content

```
000001 | class ExpansionTransition
000002 | {
000003 |     static const int FAIL = 0;
000004 |     static const int SUCCESS = 1;
000005 |
000006 |     protected string m_ClassName;
000007 |
000008 |     void ExpansionTransition(ExpansionFSM _fsm)
000009 |     {
000010 |     }
000011 |
000012 | #ifdef CF_DEBUG
000013 |     bool CF_OnDebugUpdate(CF_Debug instance, CF_DebugUI_Type type)
000014 |     {
000015 |         int i;
000016 |
000017 |         instance.Add("Source", GetSource());
000018 |         instance.Add("Destination", GetDestination());
000019 |         instance.Add("Event", GetEvent());
000020 |         instance.Add("Guard", Guard());
000021 |
000022 |         return false;
000023 |     }
000024 | #endif
000025 |
000026 |     ExpansionState GetSource()
000027 |     {
000028 |         return null;
000029 |     }
000030 |
000031 |     ExpansionState GetDestination()
000032 |     {
000033 |         return null;
000034 |     }
000035 |
000036 |     string GetEvent()
000037 |     {
000038 |         return "";
000039 |     }
000040 |
000041 |     int Guard()
```

```
000042 |      {  
000043 |      return SUCCESS;  
000044 |      }  
000045 | };  
000046 |
```


0152. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\FSM\ExpansionTransitionType.c
Size bytes: 5458
SHA-256: 273afaf3620644ea6b6426be248db11dc15a027fb298e90ab1b9933b37f10ccd
Decoded as: utf-8-sig
Line count shown: 185
Detected class declarations: 1
  L1: class ExpansionTransitionType
Detected enum declarations: 0
Detected function/method-like declarations: 7
  L7: void ExpansionTransitionType()
  L14: static void UnloadAll()
  L19: static bool Contains(string name)
  L28: static void Add(ExpansionTransitionType type)
  L37: static ExpansionTransitionType Get(string type)
  L46: static array<autoptr ExpansionTransitionType> LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
  L81: static ExpansionTransitionType CreateTransition(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file, string from_state_name =

```

Full file content

```

000001 | class ExpansionTransitionType
000002 | {
000003 |     private static ref map<string, autoptr ExpansionTransitionType> m_Types = new map<string, autoptr ExpansionTransitionType>();
000004 |
000005 |     string m_ClassName;
000006 |
000007 |     void ExpansionTransitionType()
000008 |     {
000009 | #ifdef EAI_TRACE
000010 |         auto trace = CF_Trace_0(this, "ExpansionTransitionType");
000011 | #endif
000012 |     }
000013 |
000014 |     static void UnloadAll()
000015 |     {
000016 |         m_Types.Clear();
000017 |     }
000018 |
000019 |     static bool Contains(string name)
000020 |     {
000021 | #ifdef EAI_TRACE
000022 |         auto trace = CF_Trace_1("ExpansionTransitionType", "Contains").Add(name);
000023 | #endif
000024 |
000025 |         return m_Types.Contains(name);
000026 |     }
000027 |
000028 |     static void Add(ExpansionTransitionType type)
000029 |     {
000030 | #ifdef EAI_TRACE
000031 |         auto trace = CF_Trace_1("ExpansionTransitionType", "Add").Add(type);
000032 | #endif
000033 |
000034 |         m_Types.Insert(type.m_ClassName, type);
000035 |     }
000036 |
000037 |     static ExpansionTransitionType Get(string type)
000038 |     {
000039 | #ifdef EAI_TRACE
000040 |         auto trace = CF_Trace_1("ExpansionTransitionType", "Get").Add(type);

```

```
000041 | #endif
000042 |
000043 |     return m_Types[type];
000044 | }
000045 |
000046 | static array<auto_ptr ExpansionTransitionType> LoadXML(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file)
000047 | {
000048 | #ifdef EAI_TRACE
000049 |     auto trace = CF_Trace_1("ExpansionTransitionType", "LoadXML").Add(fsmType.m_Name);
000050 | #endif
000051 |
000052 |     TStringArray from_state_names = {};
000053 |     auto from_state = xml_root_tag.GetTag("from_state");
000054 |     if (from_state.Count() > 0)
000055 |     {
000056 |         auto from_state_name_attr = from_state[0].GetAttribute("name");
000057 |         if (from_state_name_attr)
000058 |         {
000059 |             from_state_name_attr.ValueAsString().Split(",", from_state_names);
000060 |         }
000061 |     }
000062 |
000063 |     array<auto_ptr ExpansionTransitionType> transitionTypes = {};
000064 |
000065 |     if (from_state_names.Count())
000066 |     {
000067 |         foreach (string from_state_name: from_state_names)
000068 |         {
000069 |             from_state_name.Trim();
000070 |             transitionTypes.Insert(CreateTransition(fsmType, xml_root_tag, file, from_state_name));
000071 |         }
000072 |     }
000073 |     else
000074 |     {
000075 |         transitionTypes.Insert(CreateTransition(fsmType, xml_root_tag, file));
000076 |     }
000077 |
000078 |     return transitionTypes;
000079 | }
000080 |
000081 | static ExpansionTransitionType CreateTransition(ExpansionFSMType fsmType, CF_XML_Tag xml_root_tag, FileHandle file, string from_state_name = string.Empty)
000082 | {
000083 |     string fsmName = fsmType.m_Name;
000084 |
000085 |     string from_state_class = "ExpansionState";
000086 |     if (from_state_name != "")
000087 |     {
000088 |         from_state_class = "Expansion_" + fsmName + "_" + from_state_name + "_State_" + ExpansionFSMType.s_ReloadNumber;
000089 |     }
000090 |
000091 |     string to_state_name;
000092 |     auto to_state = xml_root_tag.GetTag("to_state");
000093 |     if (to_state.Count() > 0)
000094 |     {
000095 |         auto to_state_name_attr = to_state[0].GetAttribute("name");
000096 |         if (to_state_name_attr)
000097 |         {
000098 |             to_state_name = to_state_name_attr.ValueAsString();
000099 |         }
000100 |     }
000101 |     string to_state_class = "ExpansionState";
000102 |     if (to_state_name != "")
```

```
000103 | {
000104 |     to_state_class = "Expansion_" + fsmName + "_" + to_state_name + "_State_" + ExpansionFSMType.s_ReloadNumber;
000105 | }
000106 |
000107 | string event_name;
000108 | auto evt = xml_root_tag.GetTag("event");
000109 | if (evt.Count() > 0)
000110 | {
000111 |     auto evt_name_attr = evt[0].GetAttribute("name");
000112 |     if (evt_name_attr)
000113 |     {
000114 |         event_name = evt_name_attr.ValueAsString();
000115 |     }
000116 | }
000117 | string event_class = "";
000118 | if (event_name != "")
000119 | {
000120 |     event_class = "Expansion_" + event_name + "_Event";
000121 | }
000122 |
000123 | bool inheritsFromCustom = false;
000124 |
000125 | string inherited = fsmType.m_Type + "Transition";
000126 | if (xml_root_tag.GetAttribute("class"))
000127 | {
000128 |     typename inherited_type = xml_root_tag.GetAttribute("class").ValueAsString().ToType();
000129 |     if (!inherited_type.IsInherited(inherited.ToType()))
000130 |     {
000131 |         Error("class doesn't inherit from fsm base type");
000132 |     }
000133 |
000134 |     inherited = inherited_type.ToString();
000135 |     inheritsFromCustom = true;
000136 | }
000137 |
000138 | string class_name = "Expansion_" + fsmName + "_" + from_state_name + "_" + to_state_name + "_Transition_" + ExpansionFSMType.s_ReloadNumber;
000139 |
000140 | if (ExpansionTransitionType.Contains(class_name))
000141 | {
000142 |     return ExpansionTransitionType.Get(class_name);
000143 | }
000144 |
000145 | ExpansionTransitionType new_type = new ExpansionTransitionType();
000146 | new_type.m_ClassName = class_name;
000147 |
000148 | FPrintln(file, "class " + class_name + ": " + inherited + " {");
000149 |
000150 | FPrintln(file, "    private " + from_state_class + " src;");
000151 | FPrintln(file, "    private " + to_state_class + " dst;");
000152 |
000153 | FPrintln(file, "    Expansion_" + fsmName + "_FSM_" + ExpansionFSMType.s_ReloadNumber + " fsm;");
000154 |
000155 | FPrintln(file, "    void " + class_name + "(ExpansionFSM _fsm) {");
000156 | FPrintln(file, "        Class.CastTo(fsm, _fsm);");
000157 | FPrintln(file, "        m_ClassName = \"" + class_name + "\";");
000158 | FPrintln(file, "        Class.CastTo(src, _fsm.GetState(\"\" + from_state_class + \"\"));");
000159 | FPrintln(file, "        Class.CastTo(dst, _fsm.GetState(\"\" + to_state_class + \"\"));");
000160 | FPrintln(file, "    }");
000161 |
000162 | auto guard = xml_root_tag.GetTag("guard");
000163 | if (guard.Count() > 0 && guard[0].GetContent().GetContent().Trim())
000164 | {
```

```
000165 |         FPrintln(file, "    override int Guard() {");
000166 | #ifdef EAI_TRACE
000167 |         FPrintln(file, "    auto trace = CF_Trace_0(this, \"Guard\");");
000168 | #endif
000169 |         if (inheritsFromCustom) FPrintln(file, "        if (super.Guard() == FAIL) return FAIL;");
000170 |         ExpansionStateType.FPrintContent(file, guard[0].GetContent().GetContent());
000171 |         FPrintln(file, "    }");
000172 |     }
000173 |
000174 |     FPrintln(file, "    override ExpansionState GetSource() { return src; }");
000175 |     FPrintln(file, "    override ExpansionState GetDestination() { return dst; }");
000176 |     FPrintln(file, "    override string GetEvent() { return \"\" + event_class + \"\"; }");
000177 |
000178 |     FPrintln(file, "}");
000179 |
000180 |     ExpansionTransitionType.Add(new_type);
000181 |
000182 |     return new_type;
000183 | }
000184 | };
000185 |
```

0153. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\JMAAnimRegister.c

Size bytes: 1933

SHA-256: 395e7c0a3546ba9eecdb86c1bbc5b825f6b6b410274d9497c6f89ebb585350f9

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L13: modded class ModItemRegisterCallbacks

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override void RegisterHeavy(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)

L23: override void RegisterOneHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)

L32: override void RegisterTwoHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)

Full file content

```
000001 | /**
000002 |  * JMAAnimRegister.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ModItemRegisterCallbacks
000014 | {
000015 |     override void RegisterHeavy( DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior )
000016 |     {
000017 |         super.RegisterHeavy( pType, pBehavior );
000018 |
000019 |         pType.AddItemInHandsProfileIK("ExpansionBriefcase", "dz/anim/workspaces/player/player_main/player_main_2h.asi", pBehavior, "dz/anim/anm/player/ik/two_ha
000020 | nded/jerrycan.anm");
000021 |         pType.AddItemInHandsProfileIK("ExpansionTemporaryOwnedContainer", "dz/anim/workspaces/player/player_main/player_main_heavy.asi", pBehavior, "dz/anim/anm
000022 | /player/ik/heavy/wooden_crate.anm");
000023 |     }
000024 |
000025 |     override void RegisterOneHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)
000026 |     {
000027 |         super.RegisterOneHanded(pType, pBehavior);
000028 |
000029 |         pType.AddItemInHandsProfileIK("ExpansionCircuitBoard_MK1", "dz/anim/workspaces/player/player_main/player_main_1h.asi", pBehavior, "dz/anim/anm/player/ik
000030 | /gear/tuna.anm");
000031 |         pType.AddItemInHandsProfileIK("ExpansionCircuitBoard_MK2", "dz/anim/workspaces/player/player_main/player_main_1h.asi", pBehavior, "dz/anim/anm/player/ik
000032 | /gear/tuna.anm");
000033 |         pType.AddItemInHandsProfileIK("ExpansionCircuitBoard_MK3", "dz/anim/workspaces/player/player_main/player_main_1h.asi", pBehavior, "dz/anim/anm/player/ik
000034 | /gear/tuna.anm");
000035 |     }
000036 |
000037 |     override void RegisterTwoHanded(DayZPlayerType pType, DayzPlayerItemBehaviorCfg pBehavior)
000038 |     {
000039 |         super.RegisterTwoHanded(pType, pBehavior);
000040 |
000041 |         pType.AddItemInHandsProfileIK("ExpansionDebugGoat", "dz/anim/workspaces/player/player_main/weapons/player_main_2h_extinguisher.asi", pBehavior, "dz/anim
000042 | /anm/player/ik/two_handed/alice_g.anm");
000043 |     }
000044 | }
```

000039 |

0154. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Loadout\ExpansionLoadout.c
Size bytes: 114731
SHA-256: 2a377ed1139d21140692b7472a8d2feadb39fe6e4965d1d8bf41098e9ad71dfd
Decoded as: utf-8-sig
Line count shown: 3220
Detected class declarations: 1
  L3: class ExpansionHumanLoadout
Detected enum declarations: 0
Detected function/method-like declarations: 22
  L9: static void Init()
  L75: static void DefaultPlayerFemaleSuitLoadout()
  L155: static void DefaultPlayerMaleSuitLoadout()
  L235: static void DefaultPlayerSurvivorLoadout()
  L321: static void DefaultBanditLoadout()
  L665: static void DefaultSurvivorWeapon(inout ExpansionPrefabObject loadout)
  L1081: static void DefaultSurvivorLoadout()
  L1360: static void DefaultFireFighterLoadout()
  L1438: static void DefaultWestLoadout()
  L1572: static void DefaultWestWeapon(inout ExpansionPrefabObject loadout)
  L1775: static void DefaultEastLoadout()
  L2026: static void DefaultEastWeapon(inout ExpansionPrefabObject loadout)
  L2252: static void DefaultGorkaLoadout()
  L2448: static void DefaultTTsK0Loadout()
  L2556: static void DefaultTTsK0Weapon(inout ExpansionPrefabObject loadout)
  L2664: static void DefaultNBCLoadout()
  L2811: static void DefaultPoliceLoadout()
  L2887: static void DefaultPoliceWeapon(inout ExpansionPrefabObject loadout)
  L2982: static void DefaultHumanLoadout()
  L3091: static void DefaultYellowKingLoadout()
  L3139: static void DefaultYeetBrigadeLoadout()
  L3199: static bool Apply(EntityAI other, string file, bool forceReload = false)
```

Full file content

```
000001 | typedef ExpansionPrefab ExpansionLoadout;
000002 |
000003 | class ExpansionHumanLoadout
000004 | {
000005 |     static const string FILETYPE = ".json";
000006 |
000007 |     protected static bool s_Initialized;
000008 |
000009 |     static void Init()
000010 |     {
000011 |         #ifdef EXTRACE_DIAG
000012 |             auto trace = EXTrace.Start(EXTrace.LOADOUTS, ExpansionHumanLoadout);
000013 |         #endif
000014 |
000015 |         if (s_Initialized)
000016 |             return;
000017 |
000018 |         s_Initialized = true;
000019 |
000020 |         ///! Move previous loadouts to new location
000021 |         string loadoutFolderAI = EXPANSION_FOLDER + "AI\\Loadouts\\";
000022 |         if (FileExist(loadoutFolderAI))
000023 |             ExpansionSettingBase.MoveSettings(loadoutFolderAI, EXPANSION_LOADOUT_FOLDER);
000024 |
000025 |         if (!FileExist(EXPANSION_LOADOUT_FOLDER))
```

```
000026 | {
000027 |     ExpansionStatic.MakeDirectoryRecursive(EXPANSION_LOADOUT_FOLDER);
000028 | }
000029 | else
000030 | {
000031 |     //! Load existing loadouts
000032 |     TStringArray loadouts = ExpansionStatic.FindFilesInLocation(EXPANSION_LOADOUT_FOLDER, ".json");
000033 |     foreach (string loadout: loadouts)
000034 |     {
000035 |         ExpansionLoadout.Load(loadout.Substring(0, loadout.Length() - 5));
000036 |     }
000037 | }
000038 |
000039 | //! Always create default loadouts if they don't exist
000040 |
000041 | // Armed Loadouts
000042 | DefaultHumanLoadout();
000043 | DefaultPoliceLoadout();
000044 | DefaultFireFighterLoadout();
000045 | DefaultTTsKOLoadout();
000046 | DefaultGorkaLoadout();
000047 | DefaultNBCLoadout();
000048 |
000049 | // Default faction loadouts
000050 | DefaultEastLoadout();
000051 | DefaultWestLoadout();
000052 | DefaultSurvivorLoadout();
000053 | DefaultBanditLoadout();
000054 |
000055 | // Unarmed Loadouts
000056 | DefaultPlayerSurvivorLoadout();
000057 | DefaultPlayerMaleSuitLoadout();
000058 | DefaultPlayerFemaleSuitLoadout();
000059 |
000060 | //! Misc Loadouts
000061 | DefaultYellowKingLoadout();
000062 | DefaultYeetBrigadeLoadout();
000063 |
000064 | //DefaultPlayerFemaleSurvivorLoadout();
000065 |
000066 | //DefaultPlayerUniversalMedicLoadout();
000067 | //DefaultPlayerMaleMedicLoadout();
000068 | //DefaultPlayerFemaleMedicLoadout();
000069 |
000070 | //DefaultPlayerFireFighterLoadout();
000071 | //DefaultPlayerMecanicLoadout();
000072 | //DefaultPlayerFisherLoadout();
000073 | }
000074 |
000075 | static void DefaultPlayerFemaleSuitLoadout()
000076 | {
000077 |     if (FileExist(ExpansionLoadout.GetPath("PlayerFemaleSuitLoadout")))
000078 |         return;
000079 |
000080 |     // Generate the default PlayerFemaleSuitLoadout.json file
000081 |     auto loadout = ExpansionLoadout.Create("PlayerFemaleSuitLoadout");
000082 |
000083 |     if (!loadout)
000084 |         return;
000085 |
000086 |     loadout = loadout.BeginAttachment("WomanSuit_Blue", "Body");
000087 |     loadout.SetHealth(0.7, 1.0);
```



```
000088 |         loadout = loadout.End();
000089 |         loadout = loadout.BeginAttachment("WomanSuit_Brown", "Body");
000090 |         loadout.SetHealth(0.7, 1.0);
000091 |         loadout = loadout.End();
000092 |         loadout = loadout.BeginAttachment("WomanSuit_DarkGrey", "Body");
000093 |         loadout.SetHealth(0.7, 1.0);
000094 |         loadout = loadout.End();
000095 |         loadout = loadout.BeginAttachment("WomanSuit_Khaki", "Body");
000096 |         loadout.SetHealth(0.7, 1.0);
000097 |         loadout = loadout.End();
000098 |         loadout = loadout.BeginAttachment("WomanSuit_LightGrey", "Body");
000099 |         loadout.SetHealth(0.7, 1.0);
000100 |         loadout = loadout.End();
000101 |         loadout = loadout.BeginAttachment("WomanSuit_White", "Body");
000102 |         loadout.SetHealth(0.7, 1.0);
000103 |         loadout = loadout.End();
000104 |         loadout = loadout.BeginAttachment("WomanSuit_Black", "Body");
000105 |         loadout.SetHealth(0.7, 1.0);
000106 |         loadout = loadout.End();
000107 |
000108 |         loadout = loadout.BeginAttachment("SlacksPants_Blue", "Legs");
000109 |         loadout.SetHealth(0.7, 1.0);
000110 |         loadout = loadout.End();
000111 |         loadout = loadout.BeginAttachment("SlacksPants_Brown", "Legs");
000112 |         loadout.SetHealth(0.7, 1.0);
000113 |         loadout = loadout.End();
000114 |         loadout = loadout.BeginAttachment("SlacksPants_DarkGrey", "Legs");
000115 |         loadout.SetHealth(0.7, 1.0);
000116 |         loadout = loadout.End();
000117 |         loadout = loadout.BeginAttachment("SlacksPants_Khaki", "Legs");
000118 |         loadout.SetHealth(0.7, 1.0);
000119 |         loadout = loadout.End();
000120 |         loadout = loadout.BeginAttachment("SlacksPants_LightGrey", "Legs");
000121 |         loadout.SetHealth(0.7, 1.0);
000122 |         loadout = loadout.End();
000123 |         loadout = loadout.BeginAttachment("SlacksPants_White", "Legs");
000124 |         loadout.SetHealth(0.7, 1.0);
000125 |         loadout = loadout.End();
000126 |         loadout = loadout.BeginAttachment("SlacksPants_Black", "Legs");
000127 |         loadout.SetHealth(0.7, 1.0);
000128 |         loadout = loadout.End();
000129 |
000130 |         loadout = loadout.BeginAttachment("DressShoes_White", "Feet");
000131 |         loadout.SetHealth(0.7, 1.0);
000132 |         loadout = loadout.End();
000133 |         loadout = loadout.BeginAttachment("DressShoes_Beige", "Feet");
000134 |         loadout.SetHealth(0.7, 1.0);
000135 |         loadout = loadout.End();
000136 |         loadout = loadout.BeginAttachment("DressShoes_Black", "Feet");
000137 |         loadout.SetHealth(0.7, 1.0);
000138 |         loadout = loadout.End();
000139 |         loadout = loadout.BeginAttachment("DressShoes_Brown", "Feet");
000140 |         loadout.SetHealth(0.7, 1.0);
000141 |         loadout = loadout.End();
000142 |         loadout = loadout.BeginAttachment("DressShoes_Sunburst", "Feet");
000143 |         loadout.SetHealth(0.7, 1.0);
000144 |         loadout = loadout.End();
000145 |
000146 |         loadout = loadout.BeginCargo("Apple");
000147 |         loadout.Chance = 0.1;
000148 |         loadout = loadout.End();
000149 |         loadout = loadout.BeginCargo("BandageDressing");
```

```
000150 |         loadout.Chance = 0.15;
000151 |         loadout = loadout.End();
000152 |     loadout.Save();
000153 | }
000154 |
000155 | static void DefaultPlayerMaleSuitLoadout()
000156 | {
000157 |     if (FileExist(ExpansionLoadout.GetPath("PlayerMaleSuitLoadout")))
000158 |         return;
000159 |
000160 |     // Generate the default PlayerMaleSuitLoadout.json file
000161 |     auto loadout = ExpansionLoadout.Create("PlayerMaleSuitLoadout");
000162 |
000163 |     if (!loadout)
000164 |         return;
000165 |
000166 |     loadout = loadout.BeginAttachment("ManSuit_Blue", "Body");
000167 |     loadout.SetHealth(0.7, 1.0);
000168 |     loadout = loadout.End();
000169 |     loadout = loadout.BeginAttachment("ManSuit_Brown", "Body");
000170 |     loadout.SetHealth(0.7, 1.0);
000171 |     loadout = loadout.End();
000172 |     loadout = loadout.BeginAttachment("ManSuit_DarkGrey", "Body");
000173 |     loadout.SetHealth(0.7, 1.0);
000174 |     loadout = loadout.End();
000175 |     loadout = loadout.BeginAttachment("ManSuit_Khaki", "Body");
000176 |     loadout.SetHealth(0.7, 1.0);
000177 |     loadout = loadout.End();
000178 |     loadout = loadout.BeginAttachment("ManSuit_LightGrey", "Body");
000179 |     loadout.SetHealth(0.7, 1.0);
000180 |     loadout = loadout.End();
000181 |     loadout = loadout.BeginAttachment("ManSuit_White", "Body");
000182 |     loadout.SetHealth(0.7, 1.0);
000183 |     loadout = loadout.End();
000184 |     loadout = loadout.BeginAttachment("ManSuit_Black", "Body");
000185 |     loadout.SetHealth(0.7, 1.0);
000186 |     loadout = loadout.End();
000187 |
000188 |     loadout = loadout.BeginAttachment("SlacksPants_Blue", "Legs");
000189 |     loadout.SetHealth(0.7, 1.0);
000190 |     loadout = loadout.End();
000191 |     loadout = loadout.BeginAttachment("SlacksPants_Brown", "Legs");
000192 |     loadout.SetHealth(0.7, 1.0);
000193 |     loadout = loadout.End();
000194 |     loadout = loadout.BeginAttachment("SlacksPants_DarkGrey", "Legs");
000195 |     loadout.SetHealth(0.7, 1.0);
000196 |     loadout = loadout.End();
000197 |     loadout = loadout.BeginAttachment("SlacksPants_Khaki", "Legs");
000198 |     loadout.SetHealth(0.7, 1.0);
000199 |     loadout = loadout.End();
000200 |     loadout = loadout.BeginAttachment("SlacksPants_LightGrey", "Legs");
000201 |     loadout.SetHealth(0.7, 1.0);
000202 |     loadout = loadout.End();
000203 |     loadout = loadout.BeginAttachment("SlacksPants_White", "Legs");
000204 |     loadout.SetHealth(0.7, 1.0);
000205 |     loadout = loadout.End();
000206 |     loadout = loadout.BeginAttachment("SlacksPants_Black", "Legs");
000207 |     loadout.SetHealth(0.7, 1.0);
000208 |     loadout = loadout.End();
000209 |
000210 |     loadout = loadout.BeginAttachment("DressShoes_White", "Feet");
000211 |     loadout.SetHealth(0.7, 1.0);
```

```
000212 |         loadout = loadout.End();
000213 |         loadout = loadout.BeginAttachment("DressShoes_Beige", "Feet");
000214 |         loadout.SetHealth(0.7, 1.0);
000215 |         loadout = loadout.End();
000216 |         loadout = loadout.BeginAttachment("DressShoes_Black", "Feet");
000217 |         loadout.SetHealth(0.7, 1.0);
000218 |         loadout = loadout.End();
000219 |         loadout = loadout.BeginAttachment("DressShoes_Brown", "Feet");
000220 |         loadout.SetHealth(0.7, 1.0);
000221 |         loadout = loadout.End();
000222 |         loadout = loadout.BeginAttachment("DressShoes_Sunburst", "Feet");
000223 |         loadout.SetHealth(0.7, 1.0);
000224 |         loadout = loadout.End();
000225 |
000226 |         loadout = loadout.BeginCargo("Apple");
000227 |         loadout.Chance = 0.1;
000228 |         loadout = loadout.End();
000229 |         loadout = loadout.BeginCargo("BandageDressing");
000230 |         loadout.Chance = 0.15;
000231 |         loadout = loadout.End();
000232 |     loadout.Save();
000233 | }
000234 |
000235 | static void DefaultPlayerSurviorLoadout()
000236 | {
000237 |     if (FileExist(ExpansionLoadout.GetPath("PlayerSurvivorLoadout")))
000238 |         return;
000239 |
000240 |     // Generate the default PlayerSurvivorLoadout.json file
000241 |     auto loadout = ExpansionLoadout.Create("PlayerSurvivorLoadout");
000242 |
000243 |     if (!loadout)
000244 |         return;
000245 |
000246 |     loadout = loadout.BeginAttachment("Hoodie_Black", "Body");
000247 |     loadout.SetHealth(0.7, 1.0);
000248 |     loadout = loadout.End();
000249 |     loadout = loadout.BeginAttachment("Hoodie_Blue", "Body");
000250 |     loadout.SetHealth(0.7, 1.0);
000251 |     loadout = loadout.End();
000252 |     loadout = loadout.BeginAttachment("Hoodie_Brown", "Body");
000253 |     loadout.SetHealth(0.7, 1.0);
000254 |     loadout = loadout.End();
000255 |     loadout = loadout.BeginAttachment("Hoodie_Green", "Body");
000256 |     loadout.SetHealth(0.7, 1.0);
000257 |     loadout = loadout.End();
000258 |     loadout = loadout.BeginAttachment("Hoodie_Grey", "Body");
000259 |     loadout.SetHealth(0.7, 1.0);
000260 |     loadout = loadout.End();
000261 |     loadout = loadout.BeginAttachment("Hoodie_Red", "Body");
000262 |     loadout.SetHealth(0.7, 1.0);
000263 |     loadout = loadout.End();
000264 |     loadout = loadout.BeginAttachment("Shirt_BlueCheck", "Body");
000265 |     loadout.SetHealth(0.7, 1.0);
000266 |     loadout = loadout.End();
000267 |     loadout = loadout.BeginAttachment("Shirt_BlueCheckBright", "Body");
000268 |     loadout.SetHealth(0.7, 1.0);
000269 |     loadout = loadout.End();
000270 |     loadout = loadout.BeginAttachment("Shirt_GreenCheck", "Body");
000271 |     loadout.SetHealth(0.7, 1.0);
000272 |     loadout = loadout.End();
000273 |     loadout = loadout.BeginAttachment("Shirt_PlaneBlack", "Body");
```

```
000274 |         loadout.SetHealth(0.7, 1.0);
000275 |         loadout = loadout.End();
000276 |         loadout = loadout.BeginAttachment("Shirt_RedCheck", "Body");
000277 |         loadout.SetHealth(0.7, 1.0);
000278 |         loadout = loadout.End();
000279 |         loadout = loadout.BeginAttachment("Shirt_WhiteCheck", "Body");
000280 |         loadout.SetHealth(0.7, 1.0);
000281 |         loadout = loadout.End();
000282 |
000283 |         loadout = loadout.BeginAttachment("Jeans_Black", "Legs");
000284 |         loadout.SetHealth(0.7, 1.0);
000285 |         loadout = loadout.End();
000286 |         loadout = loadout.BeginAttachment("Jeans_Blue", "Legs");
000287 |         loadout.SetHealth(0.7, 1.0);
000288 |         loadout = loadout.End();
000289 |         loadout = loadout.BeginAttachment("Jeans_BlueDark", "Legs");
000290 |         loadout.SetHealth(0.7, 1.0);
000291 |         loadout = loadout.End();
000292 |         loadout = loadout.BeginAttachment("Jeans_Brown", "Legs");
000293 |         loadout.SetHealth(0.7, 1.0);
000294 |         loadout = loadout.End();
000295 |         loadout = loadout.BeginAttachment("Jeans_Green", "Legs");
000296 |         loadout.SetHealth(0.7, 1.0);
000297 |         loadout = loadout.End();
000298 |         loadout = loadout.BeginAttachment("Jeans_Grey", "Legs");
000299 |         loadout.SetHealth(0.7, 1.0);
000300 |         loadout = loadout.End();
000301 |
000302 |         loadout = loadout.BeginAttachment("AthleticShoes_Black", "Feet");
000303 |         loadout.SetHealth(0.7, 1.0);
000304 |         loadout = loadout.End();
000305 |         loadout = loadout.BeginAttachment("AthleticShoes_Blue", "Feet");
000306 |         loadout.SetHealth(0.7, 1.0);
000307 |         loadout = loadout.End();
000308 |         loadout = loadout.BeginAttachment("AthleticShoes_Brown", "Feet");
000309 |         loadout.SetHealth(0.7, 1.0);
000310 |         loadout = loadout.End();
000311 |         loadout = loadout.BeginAttachment("AthleticShoes_Green", "Feet");
000312 |         loadout.SetHealth(0.7, 1.0);
000313 |         loadout = loadout.End();
000314 |         loadout = loadout.BeginAttachment("AthleticShoes_Grey", "Feet");
000315 |         loadout.SetHealth(0.7, 1.0);
000316 |         loadout = loadout.End();
000317 |
000318 |         loadout.Save();
000319 |     }
000320 |
000321 |     static void DefaultBanditLoadout()
000322 |     {
000323 |         if (FileExist(ExpansionLoadout.GetPath("BanditLoadout")))
000324 |             return;
000325 |
000326 |         // Generate the default BanditLoadout.json file
000327 |         auto loadout = ExpansionLoadout.Create("BanditLoadout");
000328 |
000329 |         if (!loadout)
000330 |             return;
000331 |
000332 |         loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
000333 |         loadout.SetHealth(0.7, 1.0);
000334 |         loadout = loadout.End();
000335 |         loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
```

```
000336 |         loadout.SetHealth(0.7, 1.0);
000337 |         loadout = loadout.End();
000338 |         loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
000339 |         loadout.SetHealth(0.7, 1.0);
000340 |         loadout = loadout.End();
000341 |         loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
000342 |         loadout.SetHealth(0.7, 1.0);
000343 |         loadout = loadout.End();
000344 |         loadout = loadout.BeginAttachment("TTsK0Jacket_Camo", "Body");
000345 |         loadout.SetHealth(0.7, 1.0);
000346 |         loadout = loadout.End();
000347 |         loadout = loadout.BeginAttachment("Hoodie_Black", "Body");
000348 |         loadout.SetHealth(0.7, 1.0);
000349 |         loadout = loadout.End();
000350 |         loadout = loadout.BeginAttachment("Hoodie_Blue", "Body");
000351 |         loadout.SetHealth(0.7, 1.0);
000352 |         loadout = loadout.End();
000353 |         loadout = loadout.BeginAttachment("Hoodie_Brown", "Body");
000354 |         loadout.SetHealth(0.7, 1.0);
000355 |         loadout = loadout.End();
000356 |         loadout = loadout.BeginAttachment("Hoodie_Green", "Body");
000357 |         loadout.SetHealth(0.7, 1.0);
000358 |         loadout = loadout.End();
000359 |         loadout = loadout.BeginAttachment("Hoodie_Grey", "Body");
000360 |         loadout.SetHealth(0.7, 1.0);
000361 |         loadout = loadout.End();
000362 |         loadout = loadout.BeginAttachment("Hoodie_Red", "Body");
000363 |         loadout.SetHealth(0.7, 1.0);
000364 |         loadout = loadout.End();
000365 |         loadout = loadout.BeginAttachment("BomberJacket_Black", "Body");
000366 |         loadout.SetHealth(0.7, 1.0);
000367 |         loadout = loadout.End();
000368 |         loadout = loadout.BeginAttachment("BomberJacket_Blue", "Body");
000369 |         loadout.SetHealth(0.7, 1.0);
000370 |         loadout = loadout.End();
000371 |         loadout = loadout.BeginAttachment("BomberJacket_Brown", "Body");
000372 |         loadout.SetHealth(0.7, 1.0);
000373 |         loadout = loadout.End();
000374 |         loadout = loadout.BeginAttachment("BomberJacket_Grey", "Body");
000375 |         loadout.SetHealth(0.7, 1.0);
000376 |         loadout = loadout.End();
000377 |         loadout = loadout.BeginAttachment("BomberJacket_Maroon", "Body");
000378 |         loadout.SetHealth(0.7, 1.0);
000379 |         loadout = loadout.End();
000380 |         loadout = loadout.BeginAttachment("BomberJacket_Olive", "Body");
000381 |         loadout.SetHealth(0.7, 1.0);
000382 |         loadout = loadout.End();
000383 |         loadout = loadout.BeginAttachment("BomberJacket_SkyBlue", "Body");
000384 |         loadout.SetHealth(0.7, 1.0);
000385 |         loadout = loadout.End();
000386 |         loadout = loadout.BeginAttachment("DenimJacket", "Body");
000387 |         loadout.SetHealth(0.7, 1.0);
000388 |         loadout = loadout.End();
000389 |         loadout = loadout.BeginAttachment("HikingJacket_Black", "Body");
000390 |         loadout.SetHealth(0.7, 1.0);
000391 |         loadout = loadout.End();
000392 |         loadout = loadout.BeginAttachment("HikingJacket_Blue", "Body");
000393 |         loadout.SetHealth(0.7, 1.0);
000394 |         loadout = loadout.End();
000395 |         loadout = loadout.BeginAttachment("HikingJacket_Green", "Body");
000396 |         loadout.SetHealth(0.7, 1.0);
000397 |         loadout = loadout.End();
```

```
000398 |         loadout = loadout.BeginAttachment("HikingJacket_Red", "Body");
000399 |         loadout.SetHealth(0.7, 1.0);
000400 |         loadout = loadout.End();
000401 |         loadout = loadout.BeginAttachment("QuiltedJacket_Black", "Body");
000402 |         loadout.SetHealth(0.7, 1.0);
000403 |         loadout = loadout.End();
000404 |         loadout = loadout.BeginAttachment("QuiltedJacket_Blue", "Body");
000405 |         loadout.SetHealth(0.7, 1.0);
000406 |         loadout = loadout.End();
000407 |         loadout = loadout.BeginAttachment("QuiltedJacket_Green", "Body");
000408 |         loadout.SetHealth(0.7, 1.0);
000409 |         loadout = loadout.End();
000410 |         loadout = loadout.BeginAttachment("QuiltedJacket_Grey", "Body");
000411 |         loadout.SetHealth(0.7, 1.0);
000412 |         loadout = loadout.End();
000413 |         loadout = loadout.BeginAttachment("QuiltedJacket_Orange", "Body");
000414 |         loadout.SetHealth(0.7, 1.0);
000415 |         loadout = loadout.End();
000416 |         loadout = loadout.BeginAttachment("QuiltedJacket_Red", "Body");
000417 |         loadout.SetHealth(0.7, 1.0);
000418 |         loadout = loadout.End();
000419 |         loadout = loadout.BeginAttachment("QuiltedJacket_Violet", "Body");
000420 |         loadout.SetHealth(0.7, 1.0);
000421 |         loadout = loadout.End();
000422 |         loadout = loadout.BeginAttachment("QuiltedJacket_Yellow", "Body");
000423 |         loadout.SetHealth(0.7, 1.0);
000424 |         loadout = loadout.End();
000425 |         loadout = loadout.BeginAttachment("Shirt_BlueCheck", "Body");
000426 |         loadout.SetHealth(0.7, 1.0);
000427 |         loadout = loadout.End();
000428 |         loadout = loadout.BeginAttachment("Shirt_BlueCheckBright", "Body");
000429 |         loadout.SetHealth(0.7, 1.0);
000430 |         loadout = loadout.End();
000431 |         loadout = loadout.BeginAttachment("Shirt_GreenCheck", "Body");
000432 |         loadout.SetHealth(0.7, 1.0);
000433 |         loadout = loadout.End();
000434 |         loadout = loadout.BeginAttachment("Shirt_PlaneBlack", "Body");
000435 |         loadout.SetHealth(0.7, 1.0);
000436 |         loadout = loadout.End();
000437 |         loadout = loadout.BeginAttachment("Shirt_RedCheck", "Body");
000438 |         loadout.SetHealth(0.7, 1.0);
000439 |         loadout = loadout.End();
000440 |         loadout = loadout.BeginAttachment("Shirt_WhiteCheck", "Body");
000441 |         loadout.SetHealth(0.7, 1.0);
000442 |         loadout = loadout.End();
000443 |
000444 |         loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
000445 |         loadout.SetHealth(0.7, 1.0);
000446 |         loadout = loadout.End();
000447 |         loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
000448 |         loadout.SetHealth(0.7, 1.0);
000449 |         loadout = loadout.End();
000450 |         loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
000451 |         loadout.SetHealth(0.7, 1.0);
000452 |         loadout = loadout.End();
000453 |         loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
000454 |         loadout.SetHealth(0.7, 1.0);
000455 |         loadout = loadout.End();
000456 |         loadout = loadout.BeginAttachment("TTSK0Pants", "Legs");
000457 |         loadout.SetHealth(0.7, 1.0);
000458 |         loadout = loadout.End();
000459 |         loadout = loadout.BeginAttachment("Jeans_Black", "Legs");
```

```
000460 |         loadout.SetHealth(0.7, 1.0);
000461 |         loadout = loadout.End();
000462 |         loadout = loadout.BeginAttachment("Jeans_Blue", "Legs");
000463 |         loadout.SetHealth(0.7, 1.0);
000464 |         loadout = loadout.End();
000465 |         loadout = loadout.BeginAttachment("Jeans_BlueDark", "Legs");
000466 |         loadout.SetHealth(0.7, 1.0);
000467 |         loadout = loadout.End();
000468 |         loadout = loadout.BeginAttachment("Jeans_Brown", "Legs");
000469 |         loadout.SetHealth(0.7, 1.0);
000470 |         loadout = loadout.End();
000471 |         loadout = loadout.BeginAttachment("Jeans_Green", "Legs");
000472 |         loadout.SetHealth(0.7, 1.0);
000473 |         loadout = loadout.End();
000474 |         loadout = loadout.BeginAttachment("Jeans_Grey", "Legs");
000475 |         loadout.SetHealth(0.7, 1.0);
000476 |         loadout = loadout.End();
000477 |         loadout = loadout.BeginAttachment("TrackSuitPants_Black", "Legs");
000478 |         loadout.SetHealth(0.7, 1.0);
000479 |         loadout = loadout.End();
000480 |         loadout = loadout.BeginAttachment("TrackSuitPants_Blue", "Legs");
000481 |         loadout.SetHealth(0.7, 1.0);
000482 |         loadout = loadout.End();
000483 |         loadout = loadout.BeginAttachment("TrackSuitPants_Green", "Legs");
000484 |         loadout.SetHealth(0.7, 1.0);
000485 |         loadout = loadout.End();
000486 |         loadout = loadout.BeginAttachment("TrackSuitPants_LightBlue", "Legs");
000487 |         loadout.SetHealth(0.7, 1.0);
000488 |         loadout = loadout.End();
000489 |         loadout = loadout.BeginAttachment("TrackSuitPants_Red", "Legs");
000490 |         loadout.SetHealth(0.7, 1.0);
000491 |         loadout = loadout.End();
000492 |         loadout = loadout.BeginAttachment("CargoPants_Beige", "Legs");
000493 |         loadout.SetHealth(0.7, 1.0);
000494 |         loadout = loadout.End();
000495 |         loadout = loadout.BeginAttachment("CargoPants_Black", "Legs");
000496 |         loadout.SetHealth(0.7, 1.0);
000497 |         loadout = loadout.End();
000498 |         loadout = loadout.BeginAttachment("CargoPants_Blue", "Legs");
000499 |         loadout.SetHealth(0.7, 1.0);
000500 |         loadout = loadout.End();
000501 |         loadout = loadout.BeginAttachment("CargoPants_Green", "Legs");
000502 |         loadout.SetHealth(0.7, 1.0);
000503 |         loadout = loadout.End();
000504 |         loadout = loadout.BeginAttachment("CargoPants_Grey", "Legs");
000505 |         loadout.SetHealth(0.7, 1.0);
000506 |         loadout = loadout.End();
000507 |
000508 |         loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
000509 |         loadout.SetHealth(0.7, 1.0);
000510 |         loadout = loadout.End();
000511 |         loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
000512 |         loadout.SetHealth(0.7, 1.0);
000513 |         loadout = loadout.End();
000514 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
000515 |         loadout.SetHealth(0.7, 1.0);
000516 |         loadout = loadout.End();
000517 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
000518 |         loadout.SetHealth(0.7, 1.0);
000519 |         loadout = loadout.End();
000520 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
000521 |         loadout.SetHealth(0.7, 1.0);
```

```
000522 |         loadout = loadout.End();
000523 |         loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
000524 |         loadout.SetHealth(0.7, 1.0);
000525 |         loadout = loadout.End();
000526 |
000527 |         loadout = loadout.BeginAttachment("WorkingBoots_Beige", "Feet");
000528 |         loadout.SetHealth(0.7, 1.0);
000529 |         loadout = loadout.End();
000530 |         loadout = loadout.BeginAttachment("WorkingBoots_Grey", "Feet");
000531 |         loadout.SetHealth(0.7, 1.0);
000532 |         loadout = loadout.End();
000533 |         loadout = loadout.BeginAttachment("WorkingBoots_Yellow", "Feet");
000534 |         loadout.SetHealth(0.7, 1.0);
000535 |         loadout = loadout.End();
000536 |
000537 |         loadout = loadout.BeginAttachment("WorkingGloves_Beige", "Gloves");
000538 |         loadout.SetHealth(0.7, 1.0);
000539 |         loadout = loadout.End();
000540 |         loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
000541 |         loadout.SetHealth(0.7, 1.0);
000542 |         loadout = loadout.End();
000543 |         loadout = loadout.BeginAttachment("WorkingGloves_Brown", "Gloves");
000544 |         loadout.SetHealth(0.7, 1.0);
000545 |         loadout = loadout.End();
000546 |         loadout = loadout.BeginAttachment("WorkingGloves_Yellow", "Gloves");
000547 |         loadout.SetHealth(0.7, 1.0);
000548 |         loadout = loadout.End();
000549 |         loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
000550 |         loadout.SetHealth(0.7, 1.0);
000551 |         loadout.Chance = 0.02;
000552 |         loadout = loadout.End();
000553 |         loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
000554 |         loadout.SetHealth(0.7, 1.0);
000555 |         loadout.Chance = 0.02;
000556 |         loadout = loadout.End();
000557 |
000558 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Black", "MASK");
000559 |         loadout.SetHealth(0.7, 1.0);
000560 |         loadout = loadout.End();
000561 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Beige", "MASK");
000562 |         loadout.SetHealth(0.7, 1.0);
000563 |         loadout = loadout.End();
000564 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Blue", "MASK");
000565 |         loadout.SetHealth(0.7, 1.0);
000566 |         loadout = loadout.End();
000567 |         loadout = loadout.BeginAttachment("Balaclava3Holes_Green", "MASK");
000568 |         loadout.SetHealth(0.7, 1.0);
000569 |         loadout = loadout.End();
000570 |         loadout = loadout.BeginAttachment("BalaclavaMask_Beige", "MASK");
000571 |         loadout.SetHealth(0.7, 1.0);
000572 |         loadout = loadout.End();
000573 |         loadout = loadout.BeginAttachment("BalaclavaMask_Black", "MASK");
000574 |         loadout.SetHealth(0.7, 1.0);
000575 |         loadout = loadout.End();
000576 |         loadout = loadout.BeginAttachment("BalaclavaMask_Blackskull", "MASK");
000577 |         loadout.SetHealth(0.7, 1.0);
000578 |         loadout = loadout.End();
000579 |         loadout = loadout.BeginAttachment("BalaclavaMask_Blue", "MASK");
000580 |         loadout.SetHealth(0.7, 1.0);
000581 |         loadout = loadout.End();
000582 |         loadout = loadout.BeginAttachment("BalaclavaMask_Green", "MASK");
000583 |         loadout.SetHealth(0.7, 1.0);
```



```
000584 |         loadout = loadout.End();
000585 |         loadout = loadout.BeginAttachment("BalaclavaMask_Pink", "MASK");
000586 |         loadout.SetHealth(0.7, 1.0);
000587 |         loadout = loadout.End();
000588 |         loadout = loadout.BeginAttachment("BalaclavaMask_White", "MASK");
000589 |         loadout.SetHealth(0.7, 1.0);
000590 |         loadout = loadout.End();
000591 |         loadout = loadout.BeginAttachment("WeldingMask", "MASK");
000592 |         loadout.SetHealth(0.7, 1.0);
000593 |         loadout = loadout.End();
000594 |         loadout = loadout.BeginAttachment("Bandana_Blackpattern", "MASK");
000595 |         loadout.SetHealth(0.7, 1.0);
000596 |         loadout = loadout.End();
000597 |         loadout = loadout.BeginAttachment("Bandana_Camopattern", "MASK");
000598 |         loadout.SetHealth(0.7, 1.0);
000599 |         loadout = loadout.End();
000600 |         loadout = loadout.BeginAttachment("Bandana_Greenpattern", "MASK");
000601 |         loadout.SetHealth(0.7, 1.0);
000602 |         loadout = loadout.End();
000603 |         loadout = loadout.BeginAttachment("Bandana_Polkapattern", "MASK");
000604 |         loadout.SetHealth(0.7, 1.0);
000605 |         loadout = loadout.End();
000606 |         loadout = loadout.BeginAttachment("Bandana_Redpattern", "MASK");
000607 |         loadout.SetHealth(0.7, 1.0);
000608 |         loadout = loadout.End();
000609 |
000610 |         loadout = loadout.BeginAttachment("PoliceVest", "Vest");
000611 |         loadout.SetHealth(0.7, 1.0);
000612 |         loadout = loadout.End();
000613 |         loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
000614 |         loadout.SetHealth(0.7, 1.0);
000615 |         loadout = loadout.End();
000616 |         loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
000617 |         loadout.SetHealth(0.7, 1.0);
000618 |         loadout = loadout.End();
000619 |         loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
000620 |         loadout.SetHealth(0.7, 1.0);
000621 |         loadout = loadout.End();
000622 |
000623 |         loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
000624 |         loadout.SetHealth(0.7, 1.0);
000625 |         loadout.Chance = 0.2;
000626 |         loadout = loadout.End();
000627 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
000628 |         loadout.SetHealth(0.7, 1.0);
000629 |         loadout = loadout.End();
000630 |
000631 |         loadout = loadout.BeginAttachment("BaseballBat", "Melee");
000632 |         loadout.SetHealth(0.7, 1.0);
000633 |         loadout.Chance = 0.05;
000634 |         loadout = loadout.End();
000635 |         loadout = loadout.BeginAttachment("FirefighterAxe", "Melee");
000636 |         loadout.SetHealth(0.7, 1.0);
000637 |         loadout.Chance = 0.05;
000638 |         loadout = loadout.End();
000639 |         loadout = loadout.BeginAttachment("Shovel", "Melee");
000640 |         loadout.SetHealth(0.7, 1.0);
000641 |         loadout.Chance = 0.05;
000642 |         loadout = loadout.End();
000643 |         loadout = loadout.BeginAttachment("PipeWrench", "Melee");
000644 |         loadout.SetHealth(0.7, 1.0);
000645 |         loadout.Chance = 0.05;
```

```
000646 |         loadout = loadout.End();
000647 |         loadout = loadout.BeginAttachment("Pipe", "Melee");
000648 |         loadout.SetHealth(0.7, 1.0);
000649 |         loadout.Chance = 0.05;
000650 |         loadout = loadout.End();
000651 |         loadout = loadout.BeginAttachment("Pickaxe", "Melee");
000652 |         loadout.SetHealth(0.7, 1.0);
000653 |         loadout.Chance = 0.05;
000654 |         loadout = loadout.End();
000655 |         loadout = loadout.BeginAttachment("Crowbar", "Melee");
000656 |         loadout.SetHealth(0.7, 1.0);
000657 |         loadout.Chance = 0.1;
000658 |         loadout = loadout.End();
000659 |
000660 |         DefaultSurvivorWeapon(loadout);
000661 |
000662 |     loadout.Save();
000663 | }
000664 |
000665 | static void DefaultSurvivorWeapon(inout ExpansionPrefabObject loadout)
000666 | {
000667 |     loadout = loadout.BeginSet("WEAPON");
000668 |     loadout = loadout.BeginAttachment("AK101", "Shoulder");
000669 |     loadout = loadout.BeginAttachment("Mag_AK101_30Rnd");
000670 |     loadout = loadout.End();
000671 |     loadout = loadout.BeginAttachment("AK_PlasticBttstck");
000672 |     loadout.Chance = 0.3;
000673 |     loadout = loadout.End();
000674 |     loadout = loadout.BeginAttachment("AK_FoldingBttstck");
000675 |     loadout.Chance = 0.3;
000676 |     loadout = loadout.End();
000677 |     loadout = loadout.BeginAttachment("AK74_WoodBttstck");
000678 |     loadout.Chance = 0.1;
000679 |     loadout = loadout.End();
000680 |     loadout = loadout.BeginAttachment("AK_WoodBttstck");
000681 |     loadout = loadout.End();
000682 |     loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
000683 |     loadout = loadout.End();
000684 |     loadout = loadout.BeginAttachment("AK_WoodHndgrd");
000685 |     loadout = loadout.End();
000686 |     loadout = loadout.BeginAttachment("KashtanOptic");
000687 |     loadout.Chance = 0.1;
000688 |     loadout = loadout.End();
000689 |     loadout = loadout.BeginAttachment("KobraOptic");
000690 |     loadout.Chance = 0.2;
000691 |     loadout = loadout.BeginAttachment("Battery9V");
000692 |     loadout = loadout.End();
000693 |     loadout = loadout.End();
000694 |     loadout = loadout.BeginAttachment("PS010ptic");
000695 |     loadout.Chance = 0.2;
000696 |     loadout = loadout.BeginAttachment("Battery9V");
000697 |     loadout = loadout.End();
000698 |     loadout = loadout.End();
000699 |     loadout = loadout.End();
000700 |
000701 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
000702 |     loadout.Chance = 1.0;
000703 |     loadout = loadout.End();
000704 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
000705 |     loadout.Chance = 0.15;
000706 |     loadout = loadout.End();
000707 |     loadout = loadout.End();
```

```
000708 |
000709 |     loadout = loadout.BeginSet("WEAPON");
000710 |         loadout = loadout.BeginAttachment("AK74", "Shoulder");
000711 |             loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
000712 |             loadout = loadout.End();
000713 |             loadout = loadout.BeginAttachment("AK_PlasticBttstck");
000714 |             loadout.Chance = 0.3;
000715 |             loadout = loadout.End();
000716 |             loadout = loadout.BeginAttachment("AK_FoldingBttstck");
000717 |             loadout.Chance = 0.3;
000718 |             loadout = loadout.End();
000719 |             loadout = loadout.BeginAttachment("AK74_WoodBttstck");
000720 |             loadout.Chance = 0.1;
000721 |             loadout = loadout.End();
000722 |             loadout = loadout.BeginAttachment("AK_WoodBttstck");
000723 |             loadout = loadout.End();
000724 |             loadout = loadout.BeginAttachment("AK74_Hndgrd");
000725 |             loadout = loadout.End();
000726 |             loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
000727 |             loadout = loadout.End();
000728 |             loadout = loadout.BeginAttachment("AK_WoodHndgrd");
000729 |             loadout = loadout.End();
000730 |             loadout = loadout.BeginAttachment("KashtanOptic");
000731 |             loadout.Chance = 0.1;
000732 |             loadout = loadout.End();
000733 |             loadout = loadout.BeginAttachment("KobraOptic");
000734 |             loadout.Chance = 0.2;
000735 |                 loadout = loadout.BeginAttachment("Battery9V");
000736 |                 loadout = loadout.End();
000737 |             loadout = loadout.End();
000738 |             loadout = loadout.BeginAttachment("PS010ptic");
000739 |             loadout.Chance = 0.2;
000740 |                 loadout = loadout.BeginAttachment("Battery9V");
000741 |                 loadout = loadout.End();
000742 |             loadout = loadout.End();
000743 |         loadout = loadout.End();
000744 |
000745 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
000746 |         loadout.Chance = 1.0;
000747 |         loadout = loadout.End();
000748 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
000749 |         loadout.Chance = 0.15;
000750 |         loadout = loadout.End();
000751 |     loadout = loadout.End();
000752 |
000753 |     loadout = loadout.BeginSet("WEAPON");
000754 |         loadout = loadout.BeginAttachment("AKS74U", "Shoulder");
000755 |             loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
000756 |             loadout = loadout.End();
000757 |             loadout = loadout.BeginAttachment("AKS74U_Bttstck");
000758 |             loadout = loadout.End();
000759 |             loadout = loadout.BeginAttachment("KobraOptic");
000760 |             loadout.Chance = 0.1;
000761 |                 loadout = loadout.BeginAttachment("Battery9V");
000762 |                 loadout = loadout.End();
000763 |             loadout = loadout.End();
000764 |         loadout = loadout.End();
000765 |
000766 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
000767 |         loadout.Chance = 1.0;
000768 |         loadout = loadout.End();
000769 |         loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
```

```
000770 |         loadout.Chance = 0.15;
000771 |         loadout = loadout.End();
000772 |     loadout = loadout.End();
000773 |
000774 |     loadout = loadout.BeginSet("WEAPON");
000775 |         loadout = loadout.BeginAttachment("AKM", "Shoulder");
000776 |         loadout = loadout.BeginAttachment("Mag_AKM_30Rnd");
000777 |         loadout.Chance = 0.9;
000778 |         loadout = loadout.End();
000779 |         loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
000780 |         loadout.Chance = 0.1;
000781 |         loadout = loadout.End();
000782 |         loadout = loadout.BeginAttachment("AK_PlasticBttstck");
000783 |         loadout.Chance = 0.3;
000784 |         loadout = loadout.End();
000785 |         loadout = loadout.BeginAttachment("AK_FoldingBttstck");
000786 |         loadout.Chance = 0.3;
000787 |         loadout = loadout.End();
000788 |         loadout = loadout.BeginAttachment("AK74_WoodBttstck");
000789 |         loadout.Chance = 0.1;
000790 |         loadout = loadout.End();
000791 |         loadout = loadout.BeginAttachment("AK_WoodBttstck");
000792 |         loadout = loadout.End();
000793 |         loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
000794 |         loadout = loadout.End();
000795 |         loadout = loadout.BeginAttachment("AK_WoodHndgrd");
000796 |         loadout = loadout.End();
000797 |         loadout = loadout.BeginAttachment("KashtanOptic");
000798 |         loadout.Chance = 0.1;
000799 |         loadout = loadout.End();
000800 |         loadout = loadout.BeginAttachment("KobraOptic");
000801 |         loadout.Chance = 0.2;
000802 |         loadout = loadout.BeginAttachment("Battery9V");
000803 |         loadout = loadout.End();
000804 |         loadout = loadout.End();
000805 |         loadout = loadout.BeginAttachment("PS010ptic");
000806 |         loadout.Chance = 0.2;
000807 |         loadout = loadout.BeginAttachment("Battery9V");
000808 |         loadout = loadout.End();
000809 |         loadout = loadout.End();
000810 |     loadout = loadout.End();
000811 |
000812 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
000813 |     loadout.Chance = 1.0;
000814 |     loadout = loadout.End();
000815 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
000816 |     loadout.Chance = 0.15;
000817 |     loadout = loadout.End();
000818 | loadout = loadout.End();
000819 |
000820 | loadout = loadout.BeginSet("WEAPON");
000821 |     loadout = loadout.BeginAttachment("MP5K", "Shoulder");
000822 |     loadout = loadout.BeginAttachment("Mag_MP5_30Rnd");
000823 |     loadout.Chance = 0.8;
000824 |     loadout = loadout.End();
000825 |     loadout = loadout.BeginAttachment("Mag_MP5_15Rnd");
000826 |     loadout = loadout.End();
000827 |     loadout = loadout.BeginAttachment("MP5k_StockBttstck");
000828 |     loadout.Chance = 0.8;
000829 |     loadout = loadout.End();
000830 |     loadout = loadout.BeginAttachment("MP5_PlasticHndgrd");
000831 |     loadout.Chance = 0.8;
```

```
000832 |         loadout = loadout.End();
000833 |         loadout = loadout.BeginAttachment("MP5_RailHndgrd");
000834 |         loadout = loadout.End();
000835 |         loadout = loadout.BeginAttachment("MP5_Compensator");
000836 |         loadout.Chance = 0.2;
000837 |         loadout = loadout.End();
000838 |         loadout = loadout.BeginAttachment("ReflexOptic");
000839 |         loadout.Chance = 0.1;
000840 |         loadout = loadout.BeginAttachment("Battery9V");
000841 |         loadout = loadout.End();
000842 |         loadout = loadout.End();
000843 |     loadout = loadout.End();
000844 |
000845 |     loadout = loadout.BeginCargo("Mag_MP5_15Rnd");
000846 |     loadout.Chance = 0.5;
000847 |     loadout = loadout.End();
000848 |     loadout = loadout.BeginCargo("Mag_MP5_15Rnd");
000849 |     loadout.Chance = 0.5;
000850 |     loadout = loadout.End();
000851 |     loadout = loadout.BeginCargo("Mag_MP5_30Rnd");
000852 |     loadout.Chance = 0.15;
000853 |     loadout = loadout.End();
000854 | loadout = loadout.End();
000855 |
000856 | loadout = loadout.BeginSet("WEAPON");
000857 |     loadout = loadout.BeginAttachment("Mosin9130", "Shoulder");
000858 |     loadout = loadout.BeginAttachment("PUScopeOptic");
000859 |     loadout.Chance = 0.4;
000860 |     loadout = loadout.End();
000861 |     loadout = loadout.End();
000862 |
000863 |     loadout = loadout.BeginCargo("Ammo_762x54");
000864 |     loadout = loadout.End();
000865 |     loadout = loadout.BeginCargo("Ammo_762x54");
000866 |     loadout.Chance = 1.0;
000867 |     loadout = loadout.End();
000868 |     loadout = loadout.BeginCargo("Ammo_762x54");
000869 |     loadout.Chance = 0.15;
000870 |     loadout = loadout.End();
000871 | loadout = loadout.End();
000872 |
000873 | loadout = loadout.BeginSet("WEAPON");
000874 |     loadout = loadout.BeginAttachment("SKS", "Shoulder");
000875 |     loadout = loadout.BeginAttachment("PUScopeOptic");
000876 |     loadout.Chance = 0.3;
000877 |     loadout = loadout.End();
000878 |     loadout = loadout.End();
000879 |
000880 |     loadout = loadout.BeginCargo("Ammo_762x39");
000881 |     loadout = loadout.End();
000882 |     loadout = loadout.BeginCargo("Ammo_762x39");
000883 |     loadout.Chance = 1.0;
000884 |     loadout = loadout.End();
000885 |     loadout = loadout.BeginCargo("Ammo_762x39");
000886 |     loadout.Chance = 0.15;
000887 |     loadout = loadout.End();
000888 | loadout = loadout.End();
000889 |
000890 | loadout = loadout.BeginSet("WEAPON");
000891 |     loadout = loadout.BeginAttachment("Ruger1022", "Shoulder");
000892 |     loadout = loadout.BeginAttachment("Mag_Ruger1022_30Rnd");
000893 |     loadout.Chance = 0.4;
```

```
000894 |         loadout = loadout.End();
000895 |         loadout = loadout.BeginAttachment("Mag_Ruger1022_15Rnd");
000896 |         loadout = loadout.End();
000897 |     loadout = loadout.End();
000898 |
000899 |     loadout = loadout.BeginCargo("Mag_Ruger1022_15Rnd");
000900 |     loadout.Chance = 0.5;
000901 |     loadout = loadout.End();
000902 |     loadout = loadout.BeginCargo("Mag_Ruger1022_15Rnd");
000903 |     loadout.Chance = 0.5;
000904 |     loadout = loadout.End();
000905 |     loadout = loadout.BeginCargo("Mag_Ruger1022_30Rnd");
000906 |     loadout.Chance = 0.15;
000907 |     loadout = loadout.End();
000908 | loadout = loadout.End();
000909 |
000910 | loadout = loadout.BeginSet("WEAPON");
000911 |     loadout = loadout.BeginAttachment("CZ550", "Shoulder");
000912 |     loadout = loadout.BeginAttachment("Mag_CZ550_4rnd");
000913 |     loadout.Chance = 0.6;
000914 |     loadout = loadout.End();
000915 |     loadout = loadout.BeginAttachment("Mag_CZ550_10rnd");
000916 |     loadout = loadout.End();
000917 |     loadout = loadout.BeginAttachment("HuntingOptic");
000918 |     loadout.Chance = 0.4;
000919 |     loadout = loadout.End();
000920 | loadout = loadout.End();
000921 |
000922 |     loadout = loadout.BeginCargo("Mag_CZ550_10rnd");
000923 |     loadout.Chance = 1.0;
000924 |     loadout = loadout.End();
000925 |     loadout = loadout.BeginCargo("Mag_CZ550_10rnd");
000926 |     loadout.Chance = 0.15;
000927 |     loadout = loadout.End();
000928 | loadout = loadout.End();
000929 |
000930 | loadout = loadout.BeginSet("WEAPON");
000931 |     loadout = loadout.BeginAttachment("P1", "Hands");
000932 |     loadout = loadout.BeginAttachment("Mag_P1_8Rnd");
000933 |     loadout = loadout.End();
000934 |     loadout = loadout.End();
000935 |
000936 |     loadout = loadout.BeginCargo("Mag_P1_8Rnd");
000937 |     loadout.Chance = 1.0;
000938 |     loadout = loadout.End();
000939 |     loadout = loadout.BeginCargo("Mag_P1_8Rnd");
000940 |     loadout.Chance = 0.15;
000941 |     loadout = loadout.End();
000942 | loadout = loadout.End();
000943 |
000944 | loadout = loadout.BeginSet("WEAPON");
000945 |     loadout = loadout.BeginAttachment("Mp133Shotgun", "Shoulder");
000946 |     loadout = loadout.End();
000947 |
000948 |     loadout = loadout.BeginCargo("Ammo_12gaSlug");
000949 |     loadout = loadout.End();
000950 |     loadout = loadout.BeginCargo("Ammo_12gaPellets");
000951 |     loadout = loadout.End();
000952 |     loadout = loadout.BeginCargo("Ammo_12gaSlug");
000953 |     loadout.Chance = 0.5;
000954 |     loadout = loadout.End();
000955 |     loadout = loadout.BeginCargo("Ammo_12gaPellets");
```

```
000956 |         loadout.Chance = 0.5;
000957 |         loadout = loadout.End();
000958 |     loadout = loadout.End();
000959 |
000960 |     loadout = loadout.BeginSet("WEAPON");
000961 |         loadout = loadout.BeginAttachment("CZ527", "Shoulder");
000962 |         loadout = loadout.BeginAttachment("Mag_CZ527_5rnd");
000963 |         loadout = loadout.End();
000964 |         loadout = loadout.BeginAttachment("HuntingOptic");
000965 |         loadout.Chance = 0.5;
000966 |         loadout = loadout.End();
000967 |     loadout = loadout.End();
000968 |
000969 |         loadout = loadout.BeginCargo("Mag_CZ527_5rnd");
000970 |         loadout.Chance = 1.0;
000971 |         loadout = loadout.End();
000972 |         loadout = loadout.BeginCargo("Mag_CZ527_5rnd");
000973 |         loadout.Chance = 0.15;
000974 |         loadout = loadout.End();
000975 |     loadout = loadout.End();
000976 |
000977 |     loadout = loadout.BeginSet("WEAPON");
000978 |         loadout = loadout.BeginAttachment("UMP45", "Shoulder");
000979 |         loadout = loadout.BeginAttachment("Mag_UMP_25Rnd");
000980 |         loadout = loadout.End();
000981 |         loadout = loadout.BeginAttachment("ReflexOptic");
000982 |         loadout.Chance = 0.1;
000983 |         loadout = loadout.BeginAttachment("Battery9V");
000984 |         loadout = loadout.End();
000985 |         loadout = loadout.End();
000986 |     loadout = loadout.End();
000987 |
000988 |         loadout = loadout.BeginCargo("Mag_UMP_25Rnd");
000989 |         loadout.Chance = 1.0;
000990 |         loadout = loadout.End();
000991 |         loadout = loadout.BeginCargo("Mag_UMP_25Rnd");
000992 |         loadout.Chance = 0.15;
000993 |         loadout = loadout.End();
000994 |     loadout = loadout.End();
000995 |
000996 |     loadout = loadout.BeginSet("WEAPON");
000997 |         loadout = loadout.BeginAttachment("CZ61", "Shoulder");
000998 |         loadout = loadout.BeginAttachment("Mag_CZ61_20Rnd");
000999 |         loadout = loadout.End();
001000 |     loadout = loadout.End();
001001 |
001002 |         loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
001003 |         loadout.Chance = 1.0;
001004 |         loadout = loadout.End();
001005 |         loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
001006 |         loadout.Chance = 0.15;
001007 |         loadout = loadout.End();
001008 |     loadout = loadout.End();
001009 |
001010 |     loadout = loadout.BeginSet("WEAPON");
001011 |         loadout = loadout.BeginAttachment("FNX45", "Hands");
001012 |         loadout = loadout.BeginAttachment("Mag_FNX45_15Rnd");
001013 |         loadout = loadout.End();
001014 |     loadout = loadout.End();
001015 |
001016 |         loadout = loadout.BeginCargo("Mag_FNX45_15Rnd");
001017 |         loadout.Chance = 1.0;
```

```
001018 |         loadout = loadout.End();
001019 |         loadout = loadout.BeginCargo("Mag_FNX45_15Rnd");
001020 |         loadout.Chance = 0.15;
001021 |         loadout = loadout.End();
001022 |     loadout = loadout.End();
001023 |
001024 |     loadout = loadout.BeginSet("WEAPON");
001025 |         loadout = loadout.BeginAttachment("MKII", "Hands");
001026 |         loadout = loadout.BeginAttachment("Mag_MKII_10Rnd");
001027 |         loadout = loadout.End();
001028 |     loadout = loadout.End();
001029 |
001030 |         loadout = loadout.BeginCargo("Mag_MKII_10Rnd");
001031 |         loadout.Chance = 1.0;
001032 |         loadout = loadout.End();
001033 |         loadout = loadout.BeginCargo("Mag_MKII_10Rnd");
001034 |         loadout.Chance = 0.15;
001035 |         loadout = loadout.End();
001036 |     loadout = loadout.End();
001037 |
001038 |     loadout = loadout.BeginSet("WEAPON");
001039 |         loadout = loadout.BeginAttachment("CZ75", "Hands");
001040 |         loadout = loadout.BeginAttachment("Mag_CZ75_15Rnd");
001041 |         loadout = loadout.End();
001042 |     loadout = loadout.End();
001043 |
001044 |         loadout = loadout.BeginCargo("Mag_CZ75_15Rnd");
001045 |         loadout.Chance = 1.0;
001046 |         loadout = loadout.End();
001047 |         loadout = loadout.BeginCargo("Mag_CZ75_15Rnd");
001048 |         loadout.Chance = 0.15;
001049 |         loadout = loadout.End();
001050 |     loadout = loadout.End();
001051 |
001052 |     loadout = loadout.BeginSet("WEAPON");
001053 |         loadout = loadout.BeginAttachment("MakarovIJ70", "Hands");
001054 |         loadout = loadout.BeginAttachment("Mag_IJ70_8Rnd");
001055 |         loadout = loadout.End();
001056 |     loadout = loadout.End();
001057 |
001058 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001059 |         loadout.Chance = 1.0;
001060 |         loadout = loadout.End();
001061 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001062 |         loadout.Chance = 0.15;
001063 |         loadout = loadout.End();
001064 |     loadout = loadout.End();
001065 |
001066 |     loadout = loadout.BeginSet("WEAPON");
001067 |         loadout = loadout.BeginAttachment("Glock19", "Hands");
001068 |         loadout = loadout.BeginAttachment("Mag_Glock_15Rnd");
001069 |         loadout = loadout.End();
001070 |     loadout = loadout.End();
001071 |
001072 |         loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
001073 |         loadout.Chance = 1.0;
001074 |         loadout = loadout.End();
001075 |         loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
001076 |         loadout.Chance = 0.15;
001077 |         loadout = loadout.End();
001078 |     loadout = loadout.End();
001079 | }
```



```
001080 |
001081 | static void DefaultSurvivorLoadout()
001082 | {
001083 |     if (FileExist(ExpansionLoadout.GetPath("SurvivorLoadout")))
001084 |         return;
001085 |
001086 |     // Generate the default SurvivorLoadout.json file
001087 |     auto loadout = ExpansionLoadout.Create("SurvivorLoadout");
001088 |
001089 |     if (!loadout)
001090 |         return;
001091 |
001092 |         loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
001093 |         loadout.SetHealth(0.7, 1.0);
001094 |         loadout = loadout.End();
001095 |         loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
001096 |         loadout.SetHealth(0.7, 1.0);
001097 |         loadout = loadout.End();
001098 |         loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
001099 |         loadout.SetHealth(0.7, 1.0);
001100 |         loadout = loadout.End();
001101 |         loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
001102 |         loadout.SetHealth(0.7, 1.0);
001103 |         loadout = loadout.End();
001104 |         loadout = loadout.BeginAttachment("TTsK0Jacket_Camo", "Body");
001105 |         loadout.SetHealth(0.7, 1.0);
001106 |         loadout = loadout.End();
001107 |         loadout = loadout.BeginAttachment("Hoodie_Black", "Body");
001108 |         loadout.SetHealth(0.7, 1.0);
001109 |         loadout = loadout.End();
001110 |         loadout = loadout.BeginAttachment("Hoodie_Blue", "Body");
001111 |         loadout.SetHealth(0.7, 1.0);
001112 |         loadout = loadout.End();
001113 |         loadout = loadout.BeginAttachment("Hoodie_Brown", "Body");
001114 |         loadout.SetHealth(0.7, 1.0);
001115 |         loadout = loadout.End();
001116 |         loadout = loadout.BeginAttachment("Hoodie_Green", "Body");
001117 |         loadout.SetHealth(0.7, 1.0);
001118 |         loadout = loadout.End();
001119 |         loadout = loadout.BeginAttachment("Hoodie_Grey", "Body");
001120 |         loadout.SetHealth(0.7, 1.0);
001121 |         loadout = loadout.End();
001122 |         loadout = loadout.BeginAttachment("Hoodie_Red", "Body");
001123 |         loadout.SetHealth(0.7, 1.0);
001124 |         loadout = loadout.End();
001125 |         loadout = loadout.BeginAttachment("BomberJacket_Black", "Body");
001126 |         loadout.SetHealth(0.7, 1.0);
001127 |         loadout = loadout.End();
001128 |         loadout = loadout.BeginAttachment("BomberJacket_Blue", "Body");
001129 |         loadout.SetHealth(0.7, 1.0);
001130 |         loadout = loadout.End();
001131 |         loadout = loadout.BeginAttachment("BomberJacket_Brown", "Body");
001132 |         loadout.SetHealth(0.7, 1.0);
001133 |         loadout = loadout.End();
001134 |         loadout = loadout.BeginAttachment("BomberJacket_Grey", "Body");
001135 |         loadout.SetHealth(0.7, 1.0);
001136 |         loadout = loadout.End();
001137 |         loadout = loadout.BeginAttachment("BomberJacket_Maroon", "Body");
001138 |         loadout.SetHealth(0.7, 1.0);
001139 |         loadout = loadout.End();
001140 |         loadout = loadout.BeginAttachment("BomberJacket_Olive", "Body");
001141 |         loadout.SetHealth(0.7, 1.0);
```

```
001142 |         loadout = loadout.End();
001143 |         loadout = loadout.BeginAttachment("BomberJacket_SkyBlue", "Body");
001144 |         loadout.SetHealth(0.7, 1.0);
001145 |         loadout = loadout.End();
001146 |         loadout = loadout.BeginAttachment("DenimJacket", "Body");
001147 |         loadout.SetHealth(0.7, 1.0);
001148 |         loadout = loadout.End();
001149 |         loadout = loadout.BeginAttachment("HikingJacket_Black", "Body");
001150 |         loadout.SetHealth(0.7, 1.0);
001151 |         loadout = loadout.End();
001152 |         loadout = loadout.BeginAttachment("HikingJacket_Blue", "Body");
001153 |         loadout.SetHealth(0.7, 1.0);
001154 |         loadout = loadout.End();
001155 |         loadout = loadout.BeginAttachment("HikingJacket_Green", "Body");
001156 |         loadout.SetHealth(0.7, 1.0);
001157 |         loadout = loadout.End();
001158 |         loadout = loadout.BeginAttachment("HikingJacket_Red", "Body");
001159 |         loadout.SetHealth(0.7, 1.0);
001160 |         loadout = loadout.End();
001161 |         loadout = loadout.BeginAttachment("QuiltedJacket_Black", "Body");
001162 |         loadout.SetHealth(0.7, 1.0);
001163 |         loadout = loadout.End();
001164 |         loadout = loadout.BeginAttachment("QuiltedJacket_Blue", "Body");
001165 |         loadout.SetHealth(0.7, 1.0);
001166 |         loadout = loadout.End();
001167 |         loadout = loadout.BeginAttachment("QuiltedJacket_Green", "Body");
001168 |         loadout.SetHealth(0.7, 1.0);
001169 |         loadout = loadout.End();
001170 |         loadout = loadout.BeginAttachment("QuiltedJacket_Grey", "Body");
001171 |         loadout.SetHealth(0.7, 1.0);
001172 |         loadout = loadout.End();
001173 |         loadout = loadout.BeginAttachment("QuiltedJacket_Orange", "Body");
001174 |         loadout.SetHealth(0.7, 1.0);
001175 |         loadout = loadout.End();
001176 |         loadout = loadout.BeginAttachment("QuiltedJacket_Red", "Body");
001177 |         loadout.SetHealth(0.7, 1.0);
001178 |         loadout = loadout.End();
001179 |         loadout = loadout.BeginAttachment("QuiltedJacket_Violet", "Body");
001180 |         loadout.SetHealth(0.7, 1.0);
001181 |         loadout = loadout.End();
001182 |         loadout = loadout.BeginAttachment("QuiltedJacket_Yellow", "Body");
001183 |         loadout.SetHealth(0.7, 1.0);
001184 |         loadout = loadout.End();
001185 |         loadout = loadout.BeginAttachment("Shirt_BlueCheck", "Body");
001186 |         loadout.SetHealth(0.7, 1.0);
001187 |         loadout = loadout.End();
001188 |         loadout = loadout.BeginAttachment("Shirt_BlueCheckBright", "Body");
001189 |         loadout.SetHealth(0.7, 1.0);
001190 |         loadout = loadout.End();
001191 |         loadout = loadout.BeginAttachment("Shirt_GreenCheck", "Body");
001192 |         loadout.SetHealth(0.7, 1.0);
001193 |         loadout = loadout.End();
001194 |         loadout = loadout.BeginAttachment("Shirt_PlaneBlack", "Body");
001195 |         loadout.SetHealth(0.7, 1.0);
001196 |         loadout = loadout.End();
001197 |         loadout = loadout.BeginAttachment("Shirt_RedCheck", "Body");
001198 |         loadout.SetHealth(0.7, 1.0);
001199 |         loadout = loadout.End();
001200 |         loadout = loadout.BeginAttachment("Shirt_WhiteCheck", "Body");
001201 |         loadout.SetHealth(0.7, 1.0);
001202 |         loadout = loadout.End();
001203 |
```

```
001204 |         loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
001205 |         loadout.SetHealth(0.7, 1.0);
001206 |         loadout = loadout.End();
001207 |         loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
001208 |         loadout.SetHealth(0.7, 1.0);
001209 |         loadout = loadout.End();
001210 |         loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
001211 |         loadout.SetHealth(0.7, 1.0);
001212 |         loadout = loadout.End();
001213 |         loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
001214 |         loadout.SetHealth(0.7, 1.0);
001215 |         loadout = loadout.End();
001216 |         loadout = loadout.BeginAttachment("TTSK0Pants", "Legs");
001217 |         loadout.SetHealth(0.7, 1.0);
001218 |         loadout = loadout.End();
001219 |         loadout = loadout.BeginAttachment("Jeans_Black", "Legs");
001220 |         loadout.SetHealth(0.7, 1.0);
001221 |         loadout = loadout.End();
001222 |         loadout = loadout.BeginAttachment("Jeans_Blue", "Legs");
001223 |         loadout.SetHealth(0.7, 1.0);
001224 |         loadout = loadout.End();
001225 |         loadout = loadout.BeginAttachment("Jeans_BlueDark", "Legs");
001226 |         loadout.SetHealth(0.7, 1.0);
001227 |         loadout = loadout.End();
001228 |         loadout = loadout.BeginAttachment("Jeans_Brown", "Legs");
001229 |         loadout.SetHealth(0.7, 1.0);
001230 |         loadout = loadout.End();
001231 |         loadout = loadout.BeginAttachment("Jeans_Green", "Legs");
001232 |         loadout.SetHealth(0.7, 1.0);
001233 |         loadout = loadout.End();
001234 |         loadout = loadout.BeginAttachment("Jeans_Grey", "Legs");
001235 |         loadout.SetHealth(0.7, 1.0);
001236 |         loadout = loadout.End();
001237 |         loadout = loadout.BeginAttachment("TrackSuitPants_Black", "Legs");
001238 |         loadout.SetHealth(0.7, 1.0);
001239 |         loadout = loadout.End();
001240 |         loadout = loadout.BeginAttachment("TrackSuitPants_Blue", "Legs");
001241 |         loadout.SetHealth(0.7, 1.0);
001242 |         loadout = loadout.End();
001243 |         loadout = loadout.BeginAttachment("TrackSuitPants_Green", "Legs");
001244 |         loadout.SetHealth(0.7, 1.0);
001245 |         loadout = loadout.End();
001246 |         loadout = loadout.BeginAttachment("TrackSuitPants_LightBlue", "Legs");
001247 |         loadout.SetHealth(0.7, 1.0);
001248 |         loadout = loadout.End();
001249 |         loadout = loadout.BeginAttachment("TrackSuitPants_Red", "Legs");
001250 |         loadout.SetHealth(0.7, 1.0);
001251 |         loadout = loadout.End();
001252 |         loadout = loadout.BeginAttachment("CargoPants_Beige", "Legs");
001253 |         loadout.SetHealth(0.7, 1.0);
001254 |         loadout = loadout.End();
001255 |         loadout = loadout.BeginAttachment("CargoPants_Black", "Legs");
001256 |         loadout.SetHealth(0.7, 1.0);
001257 |         loadout = loadout.End();
001258 |         loadout = loadout.BeginAttachment("CargoPants_Blue", "Legs");
001259 |         loadout.SetHealth(0.7, 1.0);
001260 |         loadout = loadout.End();
001261 |         loadout = loadout.BeginAttachment("CargoPants_Green", "Legs");
001262 |         loadout.SetHealth(0.7, 1.0);
001263 |         loadout = loadout.End();
001264 |         loadout = loadout.BeginAttachment("CargoPants_Grey", "Legs");
001265 |         loadout.SetHealth(0.7, 1.0);
```

```
001266 |         loadout = loadout.End();
001267 |
001268 |         loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
001269 |         loadout.SetHealth(0.7, 1.0);
001270 |         loadout = loadout.End();
001271 |         loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
001272 |         loadout.SetHealth(0.7, 1.0);
001273 |         loadout = loadout.End();
001274 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
001275 |         loadout.SetHealth(0.7, 1.0);
001276 |         loadout = loadout.End();
001277 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
001278 |         loadout.SetHealth(0.7, 1.0);
001279 |         loadout = loadout.End();
001280 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
001281 |         loadout.SetHealth(0.7, 1.0);
001282 |         loadout = loadout.End();
001283 |         loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
001284 |         loadout.SetHealth(0.7, 1.0);
001285 |         loadout = loadout.End();
001286 |
001287 |         loadout = loadout.BeginAttachment("WorkingBoots_Beige", "Feet");
001288 |         loadout.SetHealth(0.7, 1.0);
001289 |         loadout = loadout.End();
001290 |         loadout = loadout.BeginAttachment("WorkingBoots_Grey", "Feet");
001291 |         loadout.SetHealth(0.7, 1.0);
001292 |         loadout = loadout.End();
001293 |         loadout = loadout.BeginAttachment("WorkingBoots_Yellow", "Feet");
001294 |         loadout.SetHealth(0.7, 1.0);
001295 |         loadout = loadout.End();
001296 |
001297 |         loadout = loadout.BeginAttachment("WorkingGloves_Beige", "Gloves");
001298 |         loadout.SetHealth(0.7, 1.0);
001299 |         loadout = loadout.End();
001300 |         loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
001301 |         loadout.SetHealth(0.7, 1.0);
001302 |         loadout = loadout.End();
001303 |         loadout = loadout.BeginAttachment("WorkingGloves_Brown", "Gloves");
001304 |         loadout.SetHealth(0.7, 1.0);
001305 |         loadout = loadout.End();
001306 |         loadout = loadout.BeginAttachment("WorkingGloves_Yellow", "Gloves");
001307 |         loadout.SetHealth(0.7, 1.0);
001308 |         loadout = loadout.End();
001309 |         loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
001310 |         loadout.SetHealth(0.7, 1.0);
001311 |         loadout.Chance = 0.02;
001312 |         loadout = loadout.End();
001313 |         loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
001314 |         loadout.SetHealth(0.7, 1.0);
001315 |         loadout.Chance = 0.02;
001316 |         loadout = loadout.End();
001317 |
001318 |         loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
001319 |         loadout.SetHealth(0.7, 1.0);
001320 |         loadout.Chance = 0.2;
001321 |         loadout = loadout.End();
001322 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
001323 |         loadout.SetHealth(0.7, 1.0);
001324 |         loadout = loadout.End();
001325 |
001326 |         loadout = loadout.BeginAttachment("BaseballBat", "Melee");
001327 |         loadout.SetHealth(0.7, 1.0);
```

```
001328 |         loadout.Chance = 0.05;
001329 |         loadout = loadout.End();
001330 |         loadout = loadout.BeginAttachment("FirefighterAxe", "Melee");
001331 |         loadout.SetHealth(0.7, 1.0);
001332 |         loadout.Chance = 0.05;
001333 |         loadout = loadout.End();
001334 |         loadout = loadout.BeginAttachment("Shovel", "Melee");
001335 |         loadout.SetHealth(0.7, 1.0);
001336 |         loadout.Chance = 0.05;
001337 |         loadout = loadout.End();
001338 |         loadout = loadout.BeginAttachment("PipeWrench", "Melee");
001339 |         loadout.SetHealth(0.7, 1.0);
001340 |         loadout.Chance = 0.05;
001341 |         loadout = loadout.End();
001342 |         loadout = loadout.BeginAttachment("Pipe", "Melee");
001343 |         loadout.SetHealth(0.7, 1.0);
001344 |         loadout.Chance = 0.05;
001345 |         loadout = loadout.End();
001346 |         loadout = loadout.BeginAttachment("Pickaxe", "Melee");
001347 |         loadout.SetHealth(0.7, 1.0);
001348 |         loadout.Chance = 0.05;
001349 |         loadout = loadout.End();
001350 |         loadout = loadout.BeginAttachment("Crowbar", "Melee");
001351 |         loadout.SetHealth(0.7, 1.0);
001352 |         loadout.Chance = 0.1;
001353 |         loadout = loadout.End();
001354 |
001355 |         DefaultSurvivorWeapon(loadout);
001356 |
001357 |         loadout.Save();
001358 |     }
001359 |
001360 | static void DefaultFireFighterLoadout()
001361 | {
001362 |     if (FileExist(ExpansionLoadout.GetPath("FireFighterLoadout")))
001363 |         return;
001364 |
001365 |     // Generate the default FireFighterLoadout.json file
001366 |     auto loadout = ExpansionLoadout.Create("FireFighterLoadout");
001367 |
001368 |     if (!loadout)
001369 |         return;
001370 |
001371 |     loadout = loadout.BeginAttachment("FirefighterJacket_Beige", "Body");
001372 |     loadout.SetHealth(0.7, 1.0);
001373 |     loadout = loadout.End();
001374 |     loadout = loadout.BeginAttachment("FirefighterJacket_Black", "Body");
001375 |     loadout.SetHealth(0.7, 1.0);
001376 |     loadout = loadout.End();
001377 |
001378 |     loadout = loadout.BeginAttachment("FirefightersPants_Beige", "Legs");
001379 |     loadout.SetHealth(0.7, 1.0);
001380 |     loadout = loadout.End();
001381 |     loadout = loadout.BeginAttachment("FirefightersPants_Black", "Legs");
001382 |     loadout.SetHealth(0.7, 1.0);
001383 |     loadout = loadout.End();
001384 |
001385 |     loadout = loadout.BeginAttachment("WorkingBoots_Beige", "Feet");
001386 |     loadout.SetHealth(0.7, 1.0);
001387 |     loadout = loadout.End();
001388 |     loadout = loadout.BeginAttachment("WorkingBoots_Grey", "Feet");
001389 |     loadout.SetHealth(0.7, 1.0);
```

```
001390 |         loadout = loadout.End();
001391 |         loadout = loadout.BeginAttachment("WorkingBoots_Yellow", "Feet");
001392 |         loadout.SetHealth(0.7, 1.0);
001393 |         loadout = loadout.End();
001394 |
001395 |         loadout = loadout.BeginAttachment("ReflexVest", "Vest");
001396 |         loadout.SetHealth(0.7, 1.0);
001397 |         loadout.Chance = 0.1;
001398 |         loadout = loadout.End();
001399 |
001400 |         loadout = loadout.BeginAttachment("FirefightersHelmet_Red", "Headgear");
001401 |         loadout.SetHealth(0.7, 1.0);
001402 |         loadout = loadout.End();
001403 |         loadout = loadout.BeginAttachment("FirefightersHelmet_White", "Headgear");
001404 |         loadout.SetHealth(0.7, 1.0);
001405 |         loadout = loadout.End();
001406 |         loadout = loadout.BeginAttachment("FirefightersHelmet_Yellow", "Headgear");
001407 |         loadout.SetHealth(0.7, 1.0);
001408 |         loadout = loadout.End();
001409 |
001410 |         loadout = loadout.BeginAttachment("WorkingGloves_Beige", "Gloves");
001411 |         loadout.SetHealth(0.7, 1.0);
001412 |         loadout = loadout.End();
001413 |         loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
001414 |         loadout.SetHealth(0.7, 1.0);
001415 |         loadout = loadout.End();
001416 |         loadout = loadout.BeginAttachment("WorkingGloves_Brown", "Gloves");
001417 |         loadout.SetHealth(0.7, 1.0);
001418 |         loadout = loadout.End();
001419 |         loadout = loadout.BeginAttachment("WorkingGloves_Yellow", "Gloves");
001420 |         loadout.SetHealth(0.7, 1.0);
001421 |         loadout = loadout.End();
001422 |
001423 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
001424 |         loadout.SetHealth(0.7, 1.0);
001425 |         loadout = loadout.End();
001426 |
001427 |         loadout = loadout.BeginAttachment("FirefighterAxe", "Melee");
001428 |         loadout.SetHealth(0.7, 1.0);
001429 |         loadout.Chance = 0.3;
001430 |         loadout = loadout.End();
001431 |         loadout = loadout.BeginAttachment("Crowbar", "Melee");
001432 |         loadout.SetHealth(0.7, 1.0);
001433 |         loadout.Chance = 0.1;
001434 |         loadout = loadout.End();
001435 |     loadout.Save();
001436 | }
001437 |
001438 | static void DefaultWestLoadout()
001439 | {
001440 |     if (FileExist(ExpansionLoadout.GetPath("WestLoadout")))
001441 |         return;
001442 |
001443 |     // Generate the default WestLoadout.json file
001444 |     auto loadout = ExpansionLoadout.Create("WestLoadout");
001445 |
001446 |     if (!loadout)
001447 |         return;
001448 |
001449 |     loadout = loadout.BeginAttachment("USMCJacket_Desert", "Body");
001450 |     loadout.SetHealth(0.7, 1.0);
001451 |     loadout = loadout.End();
```

```
001452 |         loadout = loadout.BeginAttachment("USMCJacket_Woodland", "Body");
001453 |         loadout.SetHealth(0.7, 1.0);
001454 |         loadout = loadout.End();
001455 |
001456 |         loadout = loadout.BeginAttachment("USMCPants_Desert", "Legs");
001457 |         loadout.SetHealth(0.7, 1.0);
001458 |         loadout = loadout.End();
001459 |         loadout = loadout.BeginAttachment("USMCPants_Woodland", "Legs");
001460 |         loadout.SetHealth(0.7, 1.0);
001461 |         loadout = loadout.End();
001462 |
001463 |         loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
001464 |         loadout.SetHealth(0.7, 1.0);
001465 |         loadout = loadout.End();
001466 |         loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
001467 |         loadout.SetHealth(0.7, 1.0);
001468 |         loadout = loadout.End();
001469 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
001470 |         loadout.SetHealth(0.7, 1.0);
001471 |         loadout = loadout.End();
001472 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
001473 |         loadout.SetHealth(0.7, 1.0);
001474 |         loadout = loadout.End();
001475 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
001476 |         loadout.SetHealth(0.7, 1.0);
001477 |         loadout = loadout.End();
001478 |
001479 |         loadout = loadout.BeginAttachment("CoyoteBag_Brown", "Back");
001480 |         loadout.SetHealth(0.7, 1.0);
001481 |         loadout.Chance = 0.6;
001482 |         loadout = loadout.BeginCargo("BandageDressing");
001483 |         loadout.Chance = 0.1;
001484 |         loadout = loadout.End();
001485 |
001486 |         loadout = loadout.BeginCargo("BandageDressing");
001487 |         loadout.Chance = 0.1;
001488 |         loadout = loadout.End();
001489 |
001490 |         loadout = loadout.BeginCargo("Chemlight_Green");
001491 |         loadout.Chance = 0.1;
001492 |         loadout = loadout.End();
001493 |
001494 |         loadout = loadout.BeginCargo("Chemlight_Green");
001495 |         loadout.Chance = 0.1;
001496 |         loadout = loadout.End();
001497 |         loadout = loadout.End();
001498 |
001499 |         loadout = loadout.BeginAttachment("CoyoteBag_Green", "Back");
001500 |         loadout.SetHealth(0.7, 1.0);
001501 |         loadout = loadout.BeginCargo("BandageDressing");
001502 |         loadout.Chance = 0.1;
001503 |         loadout = loadout.End();
001504 |
001505 |         loadout = loadout.BeginCargo("BandageDressing");
001506 |         loadout.Chance = 0.1;
001507 |         loadout = loadout.End();
001508 |
001509 |         loadout = loadout.BeginCargo("Chemlight_Green");
001510 |         loadout.Chance = 0.1;
001511 |         loadout = loadout.End();
001512 |
001513 |         loadout = loadout.BeginCargo("Chemlight_Green");
```

```
001514 |         loadout.Chance = 0.1;
001515 |         loadout = loadout.End();
001516 |     loadout = loadout.End();
001517 |
001518 |     loadout = loadout.BeginAttachment("PlateCarrierVest", "Vest");
001519 |     loadout.SetHealth(0.7, 1.0);
001520 |     loadout = loadout.BeginAttachment("PlateCarrierPouches");
001521 |     loadout.Chance = 0.8;
001522 |     loadout = loadout.End();
001523 |     loadout = loadout.BeginAttachment("PlateCarrierHolster");
001524 |     loadout.Chance = 0.5;
001525 |     loadout = loadout.End();
001526 |     loadout = loadout.End();
001527 |     loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
001528 |     loadout.SetHealth(0.7, 1.0);
001529 |     loadout = loadout.End();
001530 |
001531 |     loadout = loadout.BeginAttachment("BallisticHelmet_Black", "Headgear");
001532 |     loadout.SetHealth(0.7, 1.0);
001533 |     loadout = loadout.End();
001534 |     loadout = loadout.BeginAttachment("BallisticHelmet_Green", "Headgear");
001535 |     loadout.SetHealth(0.7, 1.0);
001536 |     loadout = loadout.End();
001537 |     loadout = loadout.BeginAttachment("Mich2001Helmet", "Headgear");
001538 |     loadout = loadout.BeginAttachment("NVGoggles", "Headgear");
001539 |     loadout.Chance = 0.4;
001540 |     loadout.SetHealth(0.7, 1.0);
001541 |     loadout = loadout.BeginAttachment("Battery9V");
001542 |     loadout = loadout.End();
001543 |     loadout = loadout.End();
001544 |     loadout.SetHealth(0.7, 1.0);
001545 |     loadout = loadout.End();
001546 |
001547 |     loadout = loadout.BeginAttachment("TacticalGloves_Beige", "Gloves");
001548 |     loadout.SetHealth(0.7, 1.0);
001549 |     loadout = loadout.End();
001550 |     loadout = loadout.BeginAttachment("TacticalGloves_Black", "Gloves");
001551 |     loadout.SetHealth(0.7, 1.0);
001552 |     loadout = loadout.End();
001553 |     loadout = loadout.BeginAttachment("TacticalGloves_Green", "Gloves");
001554 |     loadout.SetHealth(0.7, 1.0);
001555 |     loadout = loadout.End();
001556 |
001557 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
001558 |     loadout.SetHealth(0.7, 1.0);
001559 |     loadout = loadout.End();
001560 |
001561 |     DefaultWestWeapon(loadout);
001562 |
001563 |     loadout = loadout.BeginCargo("Apple");
001564 |     loadout.Chance = 0.1;
001565 |     loadout = loadout.End();
001566 |     loadout = loadout.BeginCargo("BandageDressing");
001567 |     loadout.Chance = 0.15;
001568 |     loadout = loadout.End();
001569 |     loadout.Save();
001570 | }
001571 |
001572 | static void DefaultWestWeapon(inout ExpansionPrefabObject loadout)
001573 | {
001574 |     loadout = loadout.BeginSet("WEAPON");
001575 |     loadout = loadout.BeginAttachment("Scout", "Shoulder");
```



```
001576 |         loadout.SetHealth(0.7, 1.0);
001577 |         loadout = loadout.BeginAttachment("Mag_Scout_5Rnd");
001578 |         loadout = loadout.End();
001579 |         loadout = loadout.BeginAttachment("ACOGOptic");
001580 |         loadout.Chance = 0.3;
001581 |         loadout = loadout.End();
001582 |         loadout = loadout.BeginAttachment("ACOGOptic_6x");
001583 |         loadout.Chance = 0.15;
001584 |         loadout = loadout.End();
001585 |         loadout = loadout.BeginAttachment("ReflexOptic");
001586 |         loadout.Chance = 0.075;
001587 |         loadout = loadout.BeginAttachment("Battery9V");
001588 |         loadout = loadout.End();
001589 |         loadout = loadout.End();
001590 |         loadout = loadout.BeginAttachment("M680Optic");
001591 |         loadout.Chance = 0.075;
001592 |         loadout = loadout.BeginAttachment("Battery9V");
001593 |         loadout = loadout.End();
001594 |         loadout = loadout.End();
001595 |         loadout = loadout.BeginAttachment("StarlightOptic");
001596 |         loadout.Chance = 0.05;
001597 |         loadout = loadout.BeginAttachment("Battery9V");
001598 |         loadout = loadout.End();
001599 |         loadout = loadout.End();
001600 |     loadout = loadout.End();
001601 |
001602 |     loadout = loadout.BeginCargo("Mag_Scout_5Rnd");
001603 |     loadout.Chance = 1.0;
001604 |     loadout = loadout.End();
001605 |     loadout = loadout.BeginCargo("Mag_Scout_5Rnd");
001606 |     loadout.Chance = 0.15;
001607 |     loadout = loadout.End();
001608 | loadout = loadout.End();
001609 |
001610 | loadout = loadout.BeginSet("WEAPON");
001611 |     loadout = loadout.BeginAttachment("FAMAS", "Shoulder");
001612 |     loadout.SetHealth(0.7, 1.0);
001613 |     loadout = loadout.BeginAttachment("Mag_FAMAS_25Rnd");
001614 |     loadout = loadout.End();
001615 |     loadout = loadout.End();
001616 |
001617 |     loadout = loadout.BeginCargo("Mag_FAMAS_25Rnd");
001618 |     loadout.Chance = 1.0;
001619 |     loadout = loadout.End();
001620 |     loadout = loadout.BeginCargo("Mag_FAMAS_25Rnd");
001621 |     loadout.Chance = 0.15;
001622 |     loadout = loadout.End();
001623 | loadout = loadout.End();
001624 |
001625 | loadout = loadout.BeginSet("WEAPON");
001626 |     loadout = loadout.BeginAttachment("M4A1", "Shoulder");
001627 |     loadout.SetHealth(0.7, 1.0);
001628 |     loadout = loadout.BeginAttachment("Mag_STANAG_30Rnd");
001629 |     loadout.Chance = 0.60;
001630 |     loadout = loadout.End();
001631 |     loadout = loadout.BeginAttachment("Mag_STANAG_60Rnd");
001632 |     loadout.Chance = 0.10;
001633 |     loadout = loadout.End();
001634 |     loadout = loadout.BeginAttachment("Mag_CMAG_10Rnd");
001635 |     loadout.Chance = 0.05;
001636 |     loadout = loadout.End();
001637 |     loadout = loadout.BeginAttachment("Mag_CMAG_20Rnd");
```

```
001638 |         loadout.Chance = 0.05;
001639 |         loadout = loadout.End();
001640 |         loadout = loadout.BeginAttachment("Mag_CMAG_30Rnd");
001641 |         loadout.Chance = 0.05;
001642 |         loadout = loadout.End();
001643 |         loadout = loadout.BeginAttachment("Mag_CMAG_40Rnd");
001644 |         loadout.Chance = 0.05;
001645 |         loadout = loadout.End();
001646 |         loadout = loadout.BeginAttachment("M4_CQBBttstck");
001647 |         loadout.Chance = 0.33;
001648 |         loadout = loadout.End();
001649 |         loadout = loadout.BeginAttachment("M4_MPBttstck");
001650 |         loadout.Chance = 0.33;
001651 |         loadout = loadout.End();
001652 |         loadout = loadout.BeginAttachment("M4_OEBttstck");
001653 |         loadout = loadout.End();
001654 |         loadout = loadout.BeginAttachment("M4_MPHndgrd");
001655 |         loadout.Chance = 0.33;
001656 |         loadout = loadout.End();
001657 |         loadout = loadout.BeginAttachment("M4_PlasticHndgrd");
001658 |         loadout = loadout.End();
001659 |         loadout = loadout.BeginAttachment("M4_RISHndgrd");
001660 |         loadout.Chance = 0.33;
001661 |         loadout = loadout.End();
001662 |         loadout = loadout.BeginAttachment("ACOG0ptic");
001663 |         loadout.Chance = 0.3;
001664 |         loadout = loadout.End();
001665 |         loadout = loadout.BeginAttachment("ACOG0ptic_6x");
001666 |         loadout.Chance = 0.05;
001667 |         loadout = loadout.End();
001668 |         loadout = loadout.BeginAttachment("Reflex0ptic");
001669 |         loadout.Chance = 0.1;
001670 |         loadout = loadout.BeginAttachment("Battery9V");
001671 |         loadout = loadout.End();
001672 |         loadout = loadout.End();
001673 |         loadout = loadout.BeginAttachment("M680ptic");
001674 |         loadout.Chance = 0.1;
001675 |         loadout = loadout.BeginAttachment("Battery9V");
001676 |         loadout = loadout.End();
001677 |         loadout = loadout.End();
001678 |         loadout = loadout.BeginAttachment("M4_T3NRDS0ptic");
001679 |         loadout.Chance = 0.1;
001680 |         loadout = loadout.BeginAttachment("Battery9V");
001681 |         loadout = loadout.End();
001682 |         loadout = loadout.End();
001683 |         loadout = loadout.BeginAttachment("Starlight0ptic");
001684 |         loadout.Chance = 0.01;
001685 |         loadout = loadout.BeginAttachment("Battery9V");
001686 |         loadout = loadout.End();
001687 |         loadout = loadout.End();
001688 |         loadout = loadout.BeginAttachment("M4_CarryHandle0ptic");
001689 |         loadout = loadout.End();
001690 |         loadout = loadout.End();
001691 |
001692 |         loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001693 |         loadout.Chance = 1.0;
001694 |         loadout = loadout.End();
001695 |         loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001696 |         loadout.Chance = 0.15;
001697 |         loadout = loadout.End();
001698 |         loadout = loadout.End();
001699 |
```

```
001700 |         loadout = loadout.BeginSet("WEAPON");
001701 |             loadout = loadout.BeginAttachment("Aug", "Shoulder");
001702 |             loadout.SetHealth(0.7, 1.0);
001703 |                 loadout = loadout.BeginAttachment("Mag_Aug_30Rnd");
001704 |                 loadout = loadout.End();
001705 |             loadout = loadout.End();
001706 |
001707 |             loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001708 |             loadout.Chance = 1.0;
001709 |             loadout = loadout.End();
001710 |             loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001711 |             loadout.Chance = 0.15;
001712 |             loadout = loadout.End();
001713 |         loadout = loadout.End();
001714 |
001715 |         loadout = loadout.BeginSet("WEAPON");
001716 |             loadout = loadout.BeginAttachment("AugShort", "Shoulder");
001717 |             loadout.SetHealth(0.7, 1.0);
001718 |                 loadout = loadout.BeginAttachment("Mag_Aug_30Rnd");
001719 |                 loadout = loadout.End();
001720 |                 loadout = loadout.BeginAttachment("ACOGOptic");
001721 |                 loadout.Chance = 0.3;
001722 |                 loadout = loadout.End();
001723 |                 loadout = loadout.BeginAttachment("ACOGOptic_6x");
001724 |                 loadout.Chance = 0.05;
001725 |                 loadout = loadout.End();
001726 |                 loadout = loadout.BeginAttachment("ReflexOptic");
001727 |                 loadout.Chance = 0.1;
001728 |                 loadout = loadout.BeginAttachment("Battery9V");
001729 |                 loadout = loadout.End();
001730 |             loadout = loadout.End();
001731 |             loadout = loadout.BeginAttachment("M680Optic");
001732 |             loadout.Chance = 0.1;
001733 |                 loadout = loadout.BeginAttachment("Battery9V");
001734 |                 loadout = loadout.End();
001735 |             loadout = loadout.End();
001736 |             loadout = loadout.BeginAttachment("M4_T3NRDSOptic");
001737 |             loadout.Chance = 0.1;
001738 |                 loadout = loadout.BeginAttachment("Battery9V");
001739 |                 loadout = loadout.End();
001740 |             loadout = loadout.End();
001741 |             loadout = loadout.BeginAttachment("StarlightOptic");
001742 |             loadout.Chance = 0.01;
001743 |                 loadout = loadout.BeginAttachment("Battery9V");
001744 |                 loadout = loadout.End();
001745 |             loadout = loadout.End();
001746 |         loadout = loadout.End();
001747 |
001748 |         loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001749 |         loadout.Chance = 1.0;
001750 |         loadout = loadout.End();
001751 |         loadout = loadout.BeginCargo("Mag_Aug_30Rnd");
001752 |         loadout.Chance = 0.15;
001753 |         loadout = loadout.End();
001754 |     loadout = loadout.End();
001755 |
001756 |     loadout = loadout.BeginSet("WEAPON");
001757 |         loadout = loadout.BeginAttachment("M16A2", "Shoulder");
001758 |         loadout.SetHealth(0.7, 1.0);
001759 |             loadout = loadout.BeginAttachment("Mag_STANAG_60Rnd");
001760 |             loadout.Chance = 0.2;
001761 |             loadout = loadout.End();
```

```
001762 |         loadout = loadout.BeginAttachment("Mag_STANAG_30Rnd");
001763 |         loadout = loadout.End();
001764 |     loadout = loadout.End();
001765 |
001766 |     loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001767 |     loadout.Chance = 1.0;
001768 |     loadout = loadout.End();
001769 |     loadout = loadout.BeginCargo("Mag_STANAG_30Rnd");
001770 |     loadout.Chance = 0.15;
001771 |     loadout = loadout.End();
001772 |     loadout = loadout.End();
001773 | }
001774 |
001775 | static void DefaultEastLoadout()
001776 | {
001777 |     if (FileExist(ExpansionLoadout.GetPath("EastLoadout")))
001778 |         return;
001779 |
001780 |     // Generate the default EastLoadout.json file
001781 |     auto loadout = ExpansionLoadout.Create("EastLoadout");
001782 |
001783 |     if (!loadout)
001784 |         return;
001785 |
001786 |     loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
001787 |     loadout.SetHealth(0.7, 1.0);
001788 |     loadout = loadout.End();
001789 |     loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
001790 |     loadout.SetHealth(0.7, 1.0);
001791 |     loadout = loadout.End();
001792 |     loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
001793 |     loadout.SetHealth(0.7, 1.0);
001794 |     loadout = loadout.End();
001795 |     loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
001796 |     loadout.SetHealth(0.7, 1.0);
001797 |     loadout = loadout.End();
001798 |     loadout = loadout.BeginAttachment("TTsK0Jacket_Camo", "Body");
001799 |     loadout.SetHealth(0.7, 1.0);
001800 |     loadout = loadout.End();
001801 |
001802 |     loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
001803 |     loadout.SetHealth(0.7, 1.0);
001804 |     loadout = loadout.End();
001805 |     loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
001806 |     loadout.SetHealth(0.7, 1.0);
001807 |     loadout = loadout.End();
001808 |     loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
001809 |     loadout.SetHealth(0.7, 1.0);
001810 |     loadout = loadout.End();
001811 |     loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
001812 |     loadout.SetHealth(0.7, 1.0);
001813 |     loadout = loadout.End();
001814 |     loadout = loadout.BeginAttachment("TTsK0Pants", "Legs");
001815 |     loadout.SetHealth(0.7, 1.0);
001816 |     loadout = loadout.End();
001817 |
001818 |     loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
001819 |     loadout.SetHealth(0.7, 1.0);
001820 |     loadout = loadout.End();
001821 |     loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
001822 |     loadout.SetHealth(0.7, 1.0);
001823 |     loadout = loadout.End();
```

```
001824 |         loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
001825 |         loadout.SetHealth(0.7, 1.0);
001826 |         loadout = loadout.End();
001827 |         loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
001828 |         loadout.SetHealth(0.7, 1.0);
001829 |         loadout = loadout.End();
001830 |         loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
001831 |         loadout.SetHealth(0.7, 1.0);
001832 |         loadout = loadout.End();
001833 |         loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
001834 |         loadout.SetHealth(0.7, 1.0);
001835 |         loadout = loadout.End();
001836 |
001837 |         loadout = loadout.BeginAttachment("TortillaBag", "Back");
001838 |         loadout.SetHealth(0.7, 1.0);
001839 |         loadout.Chance = 0.6;
001840 |             loadout = loadout.BeginCargo("MakarovIJ70");
001841 |             loadout.Chance = 0.34;
001842 |             loadout = loadout.End();
001843 |
001844 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001845 |             loadout.Chance = 0.3;
001846 |             loadout = loadout.End();
001847 |
001848 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001849 |             loadout.Chance = 0.2;
001850 |             loadout = loadout.End();
001851 |
001852 |             loadout = loadout.BeginCargo("BandageDressing");
001853 |             loadout.Chance = 0.1;
001854 |             loadout = loadout.End();
001855 |
001856 |             loadout = loadout.BeginCargo("BandageDressing");
001857 |             loadout.Chance = 0.1;
001858 |             loadout = loadout.End();
001859 |
001860 |             loadout = loadout.BeginCargo("Chemlight_Green");
001861 |             loadout.Chance = 0.1;
001862 |             loadout = loadout.End();
001863 |
001864 |             loadout = loadout.BeginCargo("Chemlight_Green");
001865 |             loadout.Chance = 0.1;
001866 |             loadout = loadout.End();
001867 |
001868 |             loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
001869 |             loadout.Chance = 0.1;
001870 |             loadout = loadout.End();
001871 |
001872 |             loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
001873 |             loadout.Chance = 0.1;
001874 |             loadout = loadout.End();
001875 |
001876 |             loadout = loadout.BeginCargo("Ammo_762x39");
001877 |             loadout.Chance = 0.1;
001878 |             loadout = loadout.End();
001879 |         loadout = loadout.End();
001880 |
001881 |         loadout = loadout.BeginAttachment("AssaultBag_Ttsko", "Back");
001882 |         loadout.SetHealth(0.7, 1.0);
001883 |             loadout = loadout.BeginCargo("MakarovIJ70");
001884 |             loadout.Chance = 0.34;
001885 |             loadout = loadout.End();
```

```
001886 |
001887 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001888 |         loadout.Chance = 0.3;
001889 |         loadout = loadout.End();
001890 |
001891 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001892 |         loadout.Chance = 0.2;
001893 |         loadout = loadout.End();
001894 |
001895 |         loadout = loadout.BeginCargo("BandageDressing");
001896 |         loadout.Chance = 0.1;
001897 |         loadout = loadout.End();
001898 |
001899 |         loadout = loadout.BeginCargo("BandageDressing");
001900 |         loadout.Chance = 0.1;
001901 |         loadout = loadout.End();
001902 |
001903 |         loadout = loadout.BeginCargo("Chemlight_Green");
001904 |         loadout.Chance = 0.1;
001905 |         loadout = loadout.End();
001906 |
001907 |         loadout = loadout.BeginCargo("Chemlight_Green");
001908 |         loadout.Chance = 0.1;
001909 |         loadout = loadout.End();
001910 |
001911 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
001912 |         loadout.Chance = 0.1;
001913 |         loadout = loadout.End();
001914 |
001915 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
001916 |         loadout.Chance = 0.1;
001917 |         loadout = loadout.End();
001918 |
001919 |         loadout = loadout.BeginCargo("Ammo_762x39");
001920 |         loadout.Chance = 0.1;
001921 |         loadout = loadout.End();
001922 |         loadout = loadout.End();
001923 |
001924 |         loadout = loadout.BeginAttachment("SmershBag", "Back");
001925 |         loadout.SetHealth(0.7, 1.0);
001926 |         loadout.Chance = 0.1;
001927 |         loadout = loadout.BeginCargo("MakarovIJ70");
001928 |         loadout.Chance = 0.34;
001929 |         loadout = loadout.End();
001930 |
001931 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001932 |         loadout.Chance = 0.3;
001933 |         loadout = loadout.End();
001934 |
001935 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
001936 |         loadout.Chance = 0.2;
001937 |         loadout = loadout.End();
001938 |
001939 |         loadout = loadout.BeginCargo("BandageDressing");
001940 |         loadout.Chance = 0.1;
001941 |         loadout = loadout.End();
001942 |
001943 |         loadout = loadout.BeginCargo("BandageDressing");
001944 |         loadout.Chance = 0.1;
001945 |         loadout = loadout.End();
001946 |
001947 |         loadout = loadout.BeginCargo("Chemlight_Green");
```

```
001948 |         loadout.Chance = 0.1;
001949 |         loadout = loadout.End();
001950 |
001951 |         loadout = loadout.BeginCargo("Chemlight_Green");
001952 |         loadout.Chance = 0.1;
001953 |         loadout = loadout.End();
001954 |
001955 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
001956 |         loadout.Chance = 0.1;
001957 |         loadout = loadout.End();
001958 |
001959 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
001960 |         loadout.Chance = 0.1;
001961 |         loadout = loadout.End();
001962 |
001963 |         loadout = loadout.BeginCargo("Ammo_762x39");
001964 |         loadout.Chance = 0.1;
001965 |         loadout = loadout.End();
001966 |     loadout = loadout.End();
001967 |
001968 |     loadout = loadout.BeginAttachment("SmershVest", "Vest");
001969 |     loadout.SetHealth(0.7, 1.0);
001970 |     loadout = loadout.BeginAttachment("SmershBag");
001971 |     loadout.Chance = 0.8;
001972 |     loadout = loadout.End();
001973 |     loadout = loadout.End();
001974 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
001975 |     loadout.SetHealth(0.7, 1.0);
001976 |     loadout = loadout.End();
001977 |     loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
001978 |     loadout.SetHealth(0.7, 1.0);
001979 |     loadout = loadout.End();
001980 |     loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
001981 |     loadout.SetHealth(0.7, 1.0);
001982 |     loadout = loadout.End();
001983 |
001984 |     loadout = loadout.BeginAttachment("Ssh68Helmet", "Headgear");
001985 |     loadout.SetHealth(0.7, 1.0);
001986 |     loadout = loadout.End();
001987 |     loadout = loadout.BeginAttachment("TankerHelmet", "Headgear");
001988 |     loadout.SetHealth(0.7, 1.0);
001989 |     loadout = loadout.End();
001990 |     loadout = loadout.BeginAttachment("PilotkaCap", "Headgear");
001991 |     loadout.SetHealth(0.7, 1.0);
001992 |     loadout = loadout.End();
001993 |     loadout = loadout.BeginAttachment("OfficerHat", "Headgear");
001994 |     loadout.SetHealth(0.7, 1.0);
001995 |     loadout = loadout.End();
001996 |     loadout = loadout.BeginAttachment("GorkaHelmet", "Headgear");
001997 |     loadout = loadout.BeginAttachment("GorkaHelmetVisor", "Glass");
001998 |     loadout.Chance = 0.4;
001999 |     loadout.SetHealth(0.7, 1.0);
002000 |     loadout = loadout.End();
002001 |     loadout.SetHealth(0.7, 1.0);
002002 |     loadout = loadout.End();
002003 |
002004 |     loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
002005 |     loadout.SetHealth(0.7, 1.0);
002006 |     loadout = loadout.End();
002007 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
002008 |     loadout.SetHealth(0.7, 1.0);
002009 |     loadout = loadout.End();
```

```
002010 |
002011 |         loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002012 |         loadout.SetHealth(0.7, 1.0);
002013 |         loadout = loadout.End();
002014 |
002015 |         DefaultEastWeapon(loadout);
002016 |
002017 |         loadout = loadout.BeginCargo("Apple");
002018 |         loadout.Chance = 0.1;
002019 |         loadout = loadout.End();
002020 |         loadout = loadout.BeginCargo("BandageDressing");
002021 |         loadout.Chance = 0.15;
002022 |         loadout = loadout.End();
002023 |     loadout.Save();
002024 | }
002025 |
002026 | static void DefaultEastWeapon(inout ExpansionPrefabObject loadout)
002027 | {
002028 |     loadout = loadout.BeginSet("WEAPON");
002029 |     loadout = loadout.BeginAttachment("AK101", "Shoulder");
002030 |     loadout = loadout.BeginAttachment("Mag_AK101_30Rnd");
002031 |     loadout = loadout.End();
002032 |     loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002033 |     loadout.Chance = 0.3;
002034 |     loadout = loadout.End();
002035 |     loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002036 |     loadout.Chance = 0.3;
002037 |     loadout = loadout.End();
002038 |     loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002039 |     loadout.Chance = 0.1;
002040 |     loadout = loadout.End();
002041 |     loadout = loadout.BeginAttachment("AK_WoodBttstck");
002042 |     loadout = loadout.End();
002043 |     loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002044 |     loadout = loadout.End();
002045 |     loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002046 |     loadout = loadout.End();
002047 |     loadout = loadout.BeginAttachment("KashtanOptic");
002048 |     loadout.Chance = 0.1;
002049 |     loadout = loadout.End();
002050 |     loadout = loadout.BeginAttachment("KobraOptic");
002051 |     loadout.Chance = 0.2;
002052 |     loadout = loadout.BeginAttachment("Battery9V");
002053 |     loadout = loadout.End();
002054 |     loadout = loadout.End();
002055 |     loadout = loadout.BeginAttachment("PS010ptic");
002056 |     loadout.Chance = 0.2;
002057 |     loadout = loadout.BeginAttachment("Battery9V");
002058 |     loadout = loadout.End();
002059 |     loadout = loadout.End();
002060 |     loadout = loadout.End();
002061 |
002062 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
002063 |     loadout.Chance = 1.0;
002064 |     loadout = loadout.End();
002065 |     loadout = loadout.BeginCargo("Mag_AK101_30Rnd");
002066 |     loadout.Chance = 0.15;
002067 |     loadout = loadout.End();
002068 |     loadout = loadout.End();
002069 |
002070 |     loadout = loadout.BeginSet("WEAPON");
002071 |     loadout = loadout.BeginAttachment("AK74", "Shoulder");
```



```
002072 |         loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
002073 |         loadout = loadout.End();
002074 |         loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002075 |         loadout.Chance = 0.3;
002076 |         loadout = loadout.End();
002077 |         loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002078 |         loadout.Chance = 0.3;
002079 |         loadout = loadout.End();
002080 |         loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002081 |         loadout.Chance = 0.1;
002082 |         loadout = loadout.End();
002083 |         loadout = loadout.BeginAttachment("AK_WoodBttstck");
002084 |         loadout = loadout.End();
002085 |         loadout = loadout.BeginAttachment("AK74_Hndgrd");
002086 |         loadout = loadout.End();
002087 |         loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002088 |         loadout = loadout.End();
002089 |         loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002090 |         loadout = loadout.End();
002091 |         loadout = loadout.BeginAttachment("KashtanOptic");
002092 |         loadout.Chance = 0.1;
002093 |         loadout = loadout.End();
002094 |         loadout = loadout.BeginAttachment("KobraOptic");
002095 |         loadout.Chance = 0.2;
002096 |         loadout = loadout.BeginAttachment("Battery9V");
002097 |         loadout = loadout.End();
002098 |         loadout = loadout.End();
002099 |         loadout = loadout.BeginAttachment("PS010ptic");
002100 |         loadout.Chance = 0.2;
002101 |         loadout = loadout.BeginAttachment("Battery9V");
002102 |         loadout = loadout.End();
002103 |         loadout = loadout.End();
002104 |     loadout = loadout.End();
002105 |
002106 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002107 |     loadout.Chance = 1.0;
002108 |     loadout = loadout.End();
002109 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002110 |     loadout.Chance = 0.15;
002111 |     loadout = loadout.End();
002112 | loadout = loadout.End();
002113 |
002114 | loadout = loadout.BeginSet("WEAPON");
002115 |     loadout = loadout.BeginAttachment("AKS74U", "Shoulder");
002116 |     loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
002117 |     loadout = loadout.End();
002118 |     loadout = loadout.BeginAttachment("AKS74U_Bttstck");
002119 |     loadout = loadout.End();
002120 |     loadout = loadout.BeginAttachment("KobraOptic");
002121 |     loadout.Chance = 0.1;
002122 |     loadout = loadout.BeginAttachment("Battery9V");
002123 |     loadout = loadout.End();
002124 |     loadout = loadout.End();
002125 | loadout = loadout.End();
002126 |
002127 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002128 |     loadout.Chance = 1.0;
002129 |     loadout = loadout.End();
002130 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002131 |     loadout.Chance = 0.15;
002132 |     loadout = loadout.End();
002133 | loadout = loadout.End();
```

```
002134 |
002135 |     loadout = loadout.BeginSet("WEAPON");
002136 |         loadout = loadout.BeginAttachment("AKM", "Shoulder");
002137 |             loadout = loadout.BeginAttachment("Mag_AKM_30Rnd");
002138 |             loadout.Chance = 0.9;
002139 |             loadout = loadout.End();
002140 |             loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
002141 |             loadout.Chance = 0.1;
002142 |             loadout = loadout.End();
002143 |             loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002144 |             loadout.Chance = 0.3;
002145 |             loadout = loadout.End();
002146 |             loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002147 |             loadout.Chance = 0.3;
002148 |             loadout = loadout.End();
002149 |             loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002150 |             loadout.Chance = 0.1;
002151 |             loadout = loadout.End();
002152 |             loadout = loadout.BeginAttachment("AK_WoodBttstck");
002153 |             loadout = loadout.End();
002154 |             loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002155 |             loadout = loadout.End();
002156 |             loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002157 |             loadout = loadout.End();
002158 |             loadout = loadout.BeginAttachment("KashtanOptic");
002159 |             loadout.Chance = 0.1;
002160 |             loadout = loadout.End();
002161 |             loadout = loadout.BeginAttachment("KobraOptic");
002162 |             loadout.Chance = 0.2;
002163 |                 loadout = loadout.BeginAttachment("Battery9V");
002164 |                 loadout = loadout.End();
002165 |             loadout = loadout.End();
002166 |             loadout = loadout.BeginAttachment("PS010ptic");
002167 |             loadout.Chance = 0.2;
002168 |                 loadout = loadout.BeginAttachment("Battery9V");
002169 |                 loadout = loadout.End();
002170 |             loadout = loadout.End();
002171 |         loadout = loadout.End();
002172 |
002173 |         loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002174 |         loadout.Chance = 1.0;
002175 |         loadout = loadout.End();
002176 |         loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002177 |         loadout.Chance = 0.15;
002178 |         loadout = loadout.End();
002179 |     loadout = loadout.End();
002180 |
002181 |     loadout = loadout.BeginSet("WEAPON");
002182 |         loadout = loadout.BeginAttachment("SVD", "Shoulder");
002183 |             loadout = loadout.BeginAttachment("Mag_SVD_10Rnd");
002184 |             loadout = loadout.End();
002185 |             loadout = loadout.BeginAttachment("PS010ptic");
002186 |             loadout.Chance = 0.2;
002187 |                 loadout = loadout.BeginAttachment("Battery9V");
002188 |                 loadout = loadout.End();
002189 |             loadout = loadout.End();
002190 |         loadout = loadout.End();
002191 |
002192 |         loadout = loadout.BeginCargo("Mag_SVD_10Rnd");
002193 |         loadout.Chance = 1.0;
002194 |         loadout = loadout.End();
002195 |         loadout = loadout.BeginCargo("Mag_SVD_10Rnd");
```

```
002196 |         loadout.Chance = 0.15;
002197 |         loadout = loadout.End();
002198 |     loadout = loadout.End();
002199 |
002200 |     loadout = loadout.BeginSet("WEAPON");
002201 |         loadout = loadout.BeginAttachment("PP19", "Shoulder");
002202 |         loadout = loadout.BeginAttachment("Mag_PP19_64Rnd");
002203 |         loadout = loadout.End();
002204 |         loadout = loadout.BeginAttachment("PP19_Bttstck");
002205 |         loadout = loadout.End();
002206 |         loadout = loadout.BeginAttachment("PistolSuppressor");
002207 |         loadout.Chance = 0.2;
002208 |         loadout = loadout.End();
002209 |         loadout = loadout.BeginAttachment("KobraOptic");
002210 |         loadout.Chance = 0.2;
002211 |         loadout = loadout.BeginAttachment("Battery9V");
002212 |         loadout = loadout.End();
002213 |     loadout = loadout.End();
002214 |     loadout = loadout.End();
002215 |
002216 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002217 |     loadout.Chance = 1.0;
002218 |     loadout = loadout.End();
002219 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002220 |     loadout.Chance = 0.15;
002221 |     loadout = loadout.End();
002222 |     loadout = loadout.End();
002223 |
002224 |     loadout = loadout.BeginSet("WEAPON");
002225 |         loadout = loadout.BeginAttachment("FAL", "Shoulder");
002226 |         loadout = loadout.BeginAttachment("Mag_FAL_20Rnd");
002227 |         loadout = loadout.End();
002228 |         loadout = loadout.BeginAttachment("Fal_FoldingBttstck");
002229 |         loadout.Chance = 0.5;
002230 |         loadout = loadout.End();
002231 |         loadout = loadout.BeginAttachment("Fal_0eBttstck");
002232 |         loadout = loadout.End();
002233 |         loadout = loadout.BeginAttachment("ACOGOptic");
002234 |         loadout.Chance = 0.2;
002235 |         loadout = loadout.End();
002236 |         loadout = loadout.BeginAttachment("ReflexOptic");
002237 |         loadout.Chance = 0.2;
002238 |         loadout = loadout.BeginAttachment("Battery9V");
002239 |         loadout = loadout.End();
002240 |     loadout = loadout.End();
002241 |     loadout = loadout.End();
002242 |
002243 |     loadout = loadout.BeginCargo("Mag_FAL_20Rnd");
002244 |     loadout.Chance = 1.0;
002245 |     loadout = loadout.End();
002246 |     loadout = loadout.BeginCargo("Mag_FAL_20Rnd");
002247 |     loadout.Chance = 0.15;
002248 |     loadout = loadout.End();
002249 |     loadout = loadout.End();
002250 | }
002251 |
002252 | static void DefaultGorkaLoadout()
002253 | {
002254 |     if (FileExist(ExpansionLoadout.GetPath("GorkaLoadout")))
002255 |         return;
002256 |
002257 |     // Generate the default GorkaLoadout.json file
```

```
002258 |         auto loadout = ExpansionLoadout.Create("GorkaLoadout");
002259 |
002260 |         if (!loadout)
002261 |             return;
002262 |
002263 |             loadout = loadout.BeginAttachment("GorkaEJacket_Autumn", "Body");
002264 |             loadout.SetHealth(0.7, 1.0);
002265 |             loadout = loadout.End();
002266 |             loadout = loadout.BeginAttachment("GorkaEJacket_Flat", "Body");
002267 |             loadout.SetHealth(0.7, 1.0);
002268 |             loadout = loadout.End();
002269 |             loadout = loadout.BeginAttachment("GorkaEJacket_PautRev", "Body");
002270 |             loadout.SetHealth(0.7, 1.0);
002271 |             loadout = loadout.End();
002272 |             loadout = loadout.BeginAttachment("GorkaEJacket_Summer", "Body");
002273 |             loadout.SetHealth(0.7, 1.0);
002274 |             loadout = loadout.End();
002275 |
002276 |             loadout = loadout.BeginAttachment("GorkaPants_Autumn", "Legs");
002277 |             loadout.SetHealth(0.7, 1.0);
002278 |             loadout = loadout.End();
002279 |             loadout = loadout.BeginAttachment("GorkaPants_Flat", "Legs");
002280 |             loadout.SetHealth(0.7, 1.0);
002281 |             loadout = loadout.End();
002282 |             loadout = loadout.BeginAttachment("GorkaPants_PautRev", "Legs");
002283 |             loadout.SetHealth(0.7, 1.0);
002284 |             loadout = loadout.End();
002285 |             loadout = loadout.BeginAttachment("GorkaPants_Summer", "Legs");
002286 |             loadout.SetHealth(0.7, 1.0);
002287 |             loadout = loadout.End();
002288 |
002289 |             loadout = loadout.BeginAttachment("CombatBoots_Beige", "Feet");
002290 |             loadout.SetHealth(0.7, 1.0);
002291 |             loadout = loadout.End();
002292 |             loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
002293 |             loadout.SetHealth(0.7, 1.0);
002294 |             loadout = loadout.End();
002295 |             loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
002296 |             loadout.SetHealth(0.7, 1.0);
002297 |             loadout = loadout.End();
002298 |             loadout = loadout.BeginAttachment("CombatBoots_Green", "Feet");
002299 |             loadout.SetHealth(0.7, 1.0);
002300 |             loadout = loadout.End();
002301 |             loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
002302 |             loadout.SetHealth(0.7, 1.0);
002303 |             loadout = loadout.End();
002304 |
002305 |             loadout = loadout.BeginAttachment("TortillaBag", "Back");
002306 |             loadout.SetHealth(0.7, 1.0);
002307 |             loadout.Chance = 0.6;
002308 |                 loadout = loadout.BeginCargo("MakarovIJ70");
002309 |                 loadout.Chance = 0.34;
002310 |                 loadout = loadout.End();
002311 |
002312 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002313 |             loadout.Chance = 0.3;
002314 |             loadout = loadout.End();
002315 |
002316 |             loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002317 |             loadout.Chance = 0.2;
002318 |             loadout = loadout.End();
002319 |
```

```
002320 |         loadout = loadout.BeginCargo("BandageDressing");
002321 |         loadout.Chance = 0.1;
002322 |         loadout = loadout.End();
002323 |
002324 |         loadout = loadout.BeginCargo("BandageDressing");
002325 |         loadout.Chance = 0.1;
002326 |         loadout = loadout.End();
002327 |
002328 |         loadout = loadout.BeginCargo("Chemlight_Green");
002329 |         loadout.Chance = 0.1;
002330 |         loadout = loadout.End();
002331 |
002332 |         loadout = loadout.BeginCargo("Chemlight_Green");
002333 |         loadout.Chance = 0.1;
002334 |         loadout = loadout.End();
002335 |
002336 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002337 |         loadout.Chance = 0.1;
002338 |         loadout = loadout.End();
002339 |
002340 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
002341 |         loadout.Chance = 0.1;
002342 |         loadout = loadout.End();
002343 |
002344 |         loadout = loadout.BeginCargo("Ammo_762x39");
002345 |         loadout.Chance = 0.1;
002346 |         loadout = loadout.End();
002347 |     loadout = loadout.End();
002348 |
002349 |     loadout = loadout.BeginAttachment("SmershBag", "Back");
002350 |     loadout.SetHealth(0.7, 1.0);
002351 |     loadout.Chance = 0.1;
002352 |         loadout = loadout.BeginCargo("MakarovIJ70");
002353 |         loadout.Chance = 0.34;
002354 |         loadout = loadout.End();
002355 |
002356 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002357 |         loadout.Chance = 0.3;
002358 |         loadout = loadout.End();
002359 |
002360 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002361 |         loadout.Chance = 0.2;
002362 |         loadout = loadout.End();
002363 |
002364 |         loadout = loadout.BeginCargo("BandageDressing");
002365 |         loadout.Chance = 0.1;
002366 |         loadout = loadout.End();
002367 |
002368 |         loadout = loadout.BeginCargo("BandageDressing");
002369 |         loadout.Chance = 0.1;
002370 |         loadout = loadout.End();
002371 |
002372 |         loadout = loadout.BeginCargo("Chemlight_Green");
002373 |         loadout.Chance = 0.1;
002374 |         loadout = loadout.End();
002375 |
002376 |         loadout = loadout.BeginCargo("Chemlight_Green");
002377 |         loadout.Chance = 0.1;
002378 |         loadout = loadout.End();
002379 |
002380 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002381 |         loadout.Chance = 0.1;
```

```
002382 |         loadout = loadout.End();
002383 |
002384 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
002385 |         loadout.Chance = 0.1;
002386 |         loadout = loadout.End();
002387 |
002388 |         loadout = loadout.BeginCargo("Ammo_762x39");
002389 |         loadout.Chance = 0.1;
002390 |         loadout = loadout.End();
002391 |     loadout = loadout.End();
002392 |
002393 |     loadout = loadout.BeginAttachment("SmershVest", "Vest");
002394 |     loadout.SetHealth(0.7, 1.0);
002395 |     loadout = loadout.BeginAttachment("SmershBag");
002396 |     loadout.Chance = 0.8;
002397 |     loadout = loadout.End();
002398 |     loadout = loadout.End();
002399 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
002400 |     loadout.SetHealth(0.7, 1.0);
002401 |     loadout = loadout.End();
002402 |     loadout = loadout.BeginAttachment("HighCapacityVest_Olive", "Vest");
002403 |     loadout.SetHealth(0.7, 1.0);
002404 |     loadout = loadout.End();
002405 |
002406 |     loadout = loadout.BeginAttachment("Ssh68Helmet", "Headgear");
002407 |     loadout.SetHealth(0.7, 1.0);
002408 |     loadout = loadout.End();
002409 |     loadout = loadout.BeginAttachment("TankerHelmet", "Headgear");
002410 |     loadout.SetHealth(0.7, 1.0);
002411 |     loadout = loadout.End();
002412 |     loadout = loadout.BeginAttachment("PilotkaCap", "Headgear");
002413 |     loadout.SetHealth(0.7, 1.0);
002414 |     loadout = loadout.End();
002415 |     loadout = loadout.BeginAttachment("OfficerHat", "Headgear");
002416 |     loadout.SetHealth(0.7, 1.0);
002417 |     loadout = loadout.End();
002418 |     loadout = loadout.BeginAttachment("GorkaHelmet", "Headgear");
002419 |     loadout = loadout.BeginAttachment("GorkaHelmetVisor", "Glass");
002420 |     loadout.Chance = 0.4;
002421 |     loadout.SetHealth(0.7, 1.0);
002422 |     loadout = loadout.End();
002423 |     loadout.SetHealth(0.7, 1.0);
002424 |     loadout = loadout.End();
002425 |
002426 |     loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
002427 |     loadout.SetHealth(0.7, 1.0);
002428 |     loadout = loadout.End();
002429 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
002430 |     loadout.SetHealth(0.7, 1.0);
002431 |     loadout = loadout.End();
002432 |
002433 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002434 |     loadout.SetHealth(0.7, 1.0);
002435 |     loadout = loadout.End();
002436 |
002437 |     DefaultEastWeapon(loadout);
002438 |
002439 |     loadout = loadout.BeginCargo("Apple");
002440 |     loadout.Chance = 0.1;
002441 |     loadout = loadout.End();
002442 |     loadout = loadout.BeginCargo("BandageDressing");
002443 |     loadout.Chance = 0.15;
```

```
002444 |         loadout = loadout.End();
002445 |         loadout.Save();
002446 |     }
002447 |
002448 | static void DefaultTTSK0Loadout()
002449 | {
002450 |     if (FileExist(ExpansionLoadout.GetPath("TTSK0Loadout")))
002451 |         return;
002452 |
002453 |     // Generate the default TTSK0Loadout.json file
002454 |     auto loadout = ExpansionLoadout.Create("TTSK0Loadout");
002455 |
002456 |     if (!loadout)
002457 |         return;
002458 |
002459 |     loadout = loadout.BeginAttachment("TTSK0Jacket_Camo", "Body");
002460 |     loadout.SetHealth(0.7, 1.0);
002461 |     loadout = loadout.End();
002462 |
002463 |     loadout = loadout.BeginAttachment("TTSK0Pants", "Legs");
002464 |     loadout.SetHealth(0.7, 1.0);
002465 |     loadout = loadout.End();
002466 |
002467 |     loadout = loadout.BeginAttachment("TTSK0Boots", "Feet");
002468 |     loadout.SetHealth(0.7, 1.0);
002469 |     loadout = loadout.End();
002470 |
002471 |     loadout = loadout.BeginAttachment("AssaultBag_Ttsko", "Back");
002472 |     loadout.SetHealth(0.7, 1.0);
002473 |     loadout = loadout.BeginCargo("MakarovIJ70");
002474 |     loadout.Chance = 0.34;
002475 |     loadout = loadout.End();
002476 |
002477 |     loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002478 |     loadout.Chance = 0.3;
002479 |     loadout = loadout.End();
002480 |
002481 |     loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002482 |     loadout.Chance = 0.2;
002483 |     loadout = loadout.End();
002484 |
002485 |     loadout = loadout.BeginCargo("BandageDressing");
002486 |     loadout.Chance = 0.1;
002487 |     loadout = loadout.End();
002488 |
002489 |     loadout = loadout.BeginCargo("BandageDressing");
002490 |     loadout.Chance = 0.1;
002491 |     loadout = loadout.End();
002492 |
002493 |     loadout = loadout.BeginCargo("Chemlight_Green");
002494 |     loadout.Chance = 0.1;
002495 |     loadout = loadout.End();
002496 |
002497 |     loadout = loadout.BeginCargo("Chemlight_Green");
002498 |     loadout.Chance = 0.1;
002499 |     loadout = loadout.End();
002500 |
002501 |     loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002502 |     loadout.Chance = 0.1;
002503 |     loadout = loadout.End();
002504 |
002505 |     loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
```

```
002506 |         loadout.Chance = 0.1;
002507 |         loadout = loadout.End();
002508 |
002509 |         loadout = loadout.BeginCargo("Ammo_762x39");
002510 |         loadout.Chance = 0.1;
002511 |         loadout = loadout.End();
002512 |     loadout = loadout.End();
002513 |
002514 |     loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
002515 |     loadout.SetHealth(0.7, 1.0);
002516 |     loadout = loadout.End();
002517 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
002518 |     loadout.SetHealth(0.7, 1.0);
002519 |     loadout = loadout.End();
002520 |
002521 |     loadout = loadout.BeginAttachment("Ssh68Helmet", "Headgear");
002522 |     loadout.SetHealth(0.7, 1.0);
002523 |     loadout = loadout.End();
002524 |     loadout = loadout.BeginAttachment("TankerHelmet", "Headgear");
002525 |     loadout.SetHealth(0.7, 1.0);
002526 |     loadout = loadout.End();
002527 |     loadout = loadout.BeginAttachment("PilotkaCap", "Headgear");
002528 |     loadout.SetHealth(0.7, 1.0);
002529 |     loadout = loadout.End();
002530 |     loadout = loadout.BeginAttachment("OfficerHat", "Headgear");
002531 |     loadout.SetHealth(0.7, 1.0);
002532 |     loadout = loadout.End();
002533 |
002534 |     loadout = loadout.BeginAttachment("OMNOGloves_Brown", "Gloves");
002535 |     loadout.SetHealth(0.7, 1.0);
002536 |     loadout = loadout.End();
002537 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
002538 |     loadout.SetHealth(0.7, 1.0);
002539 |     loadout = loadout.End();
002540 |
002541 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002542 |     loadout.SetHealth(0.7, 1.0);
002543 |     loadout = loadout.End();
002544 |
002545 |     DefaultTTsK0Weapon(loadout);
002546 |
002547 |     loadout = loadout.BeginCargo("Apple");
002548 |     loadout.Chance = 0.1;
002549 |     loadout = loadout.End();
002550 |     loadout = loadout.BeginCargo("BandageDressing");
002551 |     loadout.Chance = 0.15;
002552 |     loadout = loadout.End();
002553 |     loadout.Save();
002554 | }
002555 |
002556 | static void DefaultTTsK0Weapon(inout ExpansionPrefabObject loadout)
002557 | {
002558 |     loadout = loadout.BeginSet("WEAPON");
002559 |     loadout = loadout.BeginAttachment("AKS74U", "Shoulder");
002560 |     loadout = loadout.BeginAttachment("Mag_AK74_30Rnd");
002561 |     loadout = loadout.End();
002562 |     loadout = loadout.BeginAttachment("AKS74U_Bttstck");
002563 |     loadout = loadout.End();
002564 |     loadout = loadout.BeginAttachment("KobraOptic");
002565 |     loadout.Chance = 0.1;
002566 |     loadout = loadout.BeginAttachment("Battery9V");
002567 |     loadout = loadout.End();
```



```
002568 |         loadout = loadout.End();
002569 |     loadout = loadout.End();
002570 |
002571 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002572 |     loadout.Chance = 1.0;
002573 |     loadout = loadout.End();
002574 |     loadout = loadout.BeginCargo("Mag_AK74_30Rnd");
002575 |     loadout.Chance = 0.15;
002576 |     loadout = loadout.End();
002577 | loadout = loadout.End();
002578 |
002579 | loadout = loadout.BeginSet("WEAPON");
002580 |     loadout = loadout.BeginAttachment("AKM", "Shoulder");
002581 |     loadout = loadout.BeginAttachment("Mag_AKM_30Rnd");
002582 |     loadout.Chance = 0.9;
002583 |     loadout = loadout.End();
002584 |     loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
002585 |     loadout.Chance = 0.1;
002586 |     loadout = loadout.End();
002587 |     loadout = loadout.BeginAttachment("AK_PlasticBttstck");
002588 |     loadout.Chance = 0.3;
002589 |     loadout = loadout.End();
002590 |     loadout = loadout.BeginAttachment("AK_FoldingBttstck");
002591 |     loadout.Chance = 0.3;
002592 |     loadout = loadout.End();
002593 |     loadout = loadout.BeginAttachment("AK74_WoodBttstck");
002594 |     loadout.Chance = 0.1;
002595 |     loadout = loadout.End();
002596 |     loadout = loadout.BeginAttachment("AK_WoodBttstck");
002597 |     loadout = loadout.End();
002598 |     loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
002599 |     loadout = loadout.End();
002600 |     loadout = loadout.BeginAttachment("AK_WoodHndgrd");
002601 |     loadout = loadout.End();
002602 |     loadout = loadout.BeginAttachment("KashtanOptic");
002603 |     loadout.Chance = 0.1;
002604 |     loadout = loadout.End();
002605 |     loadout = loadout.BeginAttachment("KobraOptic");
002606 |     loadout.Chance = 0.2;
002607 |     loadout = loadout.BeginAttachment("Battery9V");
002608 |     loadout = loadout.End();
002609 |     loadout = loadout.End();
002610 |     loadout = loadout.BeginAttachment("PS010ptic");
002611 |     loadout.Chance = 0.2;
002612 |     loadout = loadout.BeginAttachment("Battery9V");
002613 |     loadout = loadout.End();
002614 |     loadout = loadout.End();
002615 | loadout = loadout.End();
002616 |
002617 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002618 |     loadout.Chance = 1.0;
002619 |     loadout = loadout.End();
002620 |     loadout = loadout.BeginCargo("Mag_AKM_30Rnd");
002621 |     loadout.Chance = 0.15;
002622 |     loadout = loadout.End();
002623 | loadout = loadout.End();
002624 |
002625 | loadout = loadout.BeginSet("WEAPON");
002626 |     loadout = loadout.BeginAttachment("PP19", "Shoulder");
002627 |     loadout = loadout.BeginAttachment("Mag_PP19_64Rnd");
002628 |     loadout = loadout.End();
002629 |     loadout = loadout.BeginAttachment("PP19_Bttstck");
```

```
002630 |         loadout = loadout.End();
002631 |         loadout = loadout.BeginAttachment("PistolSuppressor");
002632 |         loadout.Chance = 0.2;
002633 |         loadout = loadout.End();
002634 |         loadout = loadout.BeginAttachment("KobraOptic");
002635 |         loadout.Chance = 0.2;
002636 |         loadout = loadout.BeginAttachment("Battery9V");
002637 |         loadout = loadout.End();
002638 |         loadout = loadout.End();
002639 |     loadout = loadout.End();
002640 |
002641 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002642 |     loadout.Chance = 1.0;
002643 |     loadout = loadout.End();
002644 |     loadout = loadout.BeginCargo("Mag_PP19_64Rnd");
002645 |     loadout.Chance = 0.15;
002646 |     loadout = loadout.End();
002647 | loadout = loadout.End();
002648 |
002649 | loadout = loadout.BeginSet("WEAPON");
002650 |     loadout = loadout.BeginAttachment("SKS", "Shoulder");
002651 |     loadout = loadout.End();
002652 |
002653 |     loadout = loadout.BeginCargo("Ammo_762x39");
002654 |     loadout = loadout.End();
002655 |     loadout = loadout.BeginCargo("Ammo_762x39");
002656 |     loadout.Chance = 1.0;
002657 |     loadout = loadout.End();
002658 |     loadout = loadout.BeginCargo("Ammo_762x39");
002659 |     loadout.Chance = 0.15;
002660 |     loadout = loadout.End();
002661 | loadout = loadout.End();
002662 | }
002663 |
002664 | static void DefaultNBCLoadout()
002665 | {
002666 |     if (FileExist(ExpansionLoadout.GetPath("NBCLoadout")))
002667 |         return;
002668 |
002669 |     // Generate the default NBCLoadout.json file
002670 |     auto loadout = ExpansionLoadout.Create("NBCLoadout");
002671 |
002672 |     if (!loadout)
002673 |         return;
002674 |
002675 |     ///! NBC Gray
002676 |     loadout = loadout.BeginSet("CLOTHING");
002677 |     loadout = loadout.BeginAttachment("NBCJacketGray", "Body");
002678 |     loadout.SetHealth(0.7, 1.0);
002679 |     loadout = loadout.End();
002680 |
002681 |     loadout = loadout.BeginAttachment("NBCPantsGray", "Legs");
002682 |     loadout.SetHealth(0.7, 1.0);
002683 |     loadout = loadout.End();
002684 |
002685 |     loadout = loadout.BeginAttachment("NBCBootsGray", "Feet");
002686 |     loadout.SetHealth(0.7, 1.0);
002687 |     loadout = loadout.End();
002688 |
002689 |     loadout = loadout.BeginAttachment("NBCHoodGray", "Headgear");
002690 |     loadout.SetHealth(0.7, 1.0);
002691 |     loadout = loadout.End();
```

```
002692 |
002693 |         loadout = loadout.BeginAttachment("NBCGlovesGray", "Gloves");
002694 |         loadout.SetHealth(0.7, 1.0);
002695 |         loadout = loadout.End();
002696 |     loadout = loadout.End();
002697 |
002698 |     ///! NBC Yellow
002699 |     loadout = loadout.BeginSet("CLOTHING");
002700 |         loadout = loadout.BeginAttachment("NBCJacketYellow", "Body");
002701 |         loadout.SetHealth(0.7, 1.0);
002702 |         loadout = loadout.End();
002703 |
002704 |         loadout = loadout.BeginAttachment("NBCPantsYellow", "Legs");
002705 |         loadout.SetHealth(0.7, 1.0);
002706 |         loadout = loadout.End();
002707 |
002708 |         loadout = loadout.BeginAttachment("NBCBootsYellow", "Feet");
002709 |         loadout.SetHealth(0.7, 1.0);
002710 |         loadout = loadout.End();
002711 |
002712 |         loadout = loadout.BeginAttachment("NBCHoodYellow", "Headgear");
002713 |         loadout.SetHealth(0.7, 1.0);
002714 |         loadout = loadout.End();
002715 |
002716 |         loadout = loadout.BeginAttachment("NBCGlovesYellow", "Gloves");
002717 |         loadout.SetHealth(0.7, 1.0);
002718 |         loadout = loadout.End();
002719 |     loadout = loadout.End();
002720 |
002721 |     loadout = loadout.BeginAttachment("TortillaBag", "Back");
002722 |     loadout.SetHealth(0.7, 1.0);
002723 |         loadout = loadout.BeginCargo("MakarovIJ70");
002724 |         loadout.Chance = 0.34;
002725 |         loadout = loadout.End();
002726 |
002727 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002728 |         loadout.Chance = 0.3;
002729 |         loadout = loadout.End();
002730 |
002731 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002732 |         loadout.Chance = 0.2;
002733 |         loadout = loadout.End();
002734 |
002735 |         loadout = loadout.BeginCargo("BandageDressing");
002736 |         loadout.Chance = 0.1;
002737 |         loadout = loadout.End();
002738 |
002739 |         loadout = loadout.BeginCargo("BandageDressing");
002740 |         loadout.Chance = 0.1;
002741 |         loadout = loadout.End();
002742 |
002743 |         loadout = loadout.BeginCargo("Chemlight_Green");
002744 |         loadout.Chance = 0.1;
002745 |         loadout = loadout.End();
002746 |
002747 |         loadout = loadout.BeginCargo("Chemlight_Green");
002748 |         loadout.Chance = 0.1;
002749 |         loadout = loadout.End();
002750 |
002751 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_Black");
002752 |         loadout.Chance = 0.1;
002753 |         loadout = loadout.End();
```

```
002754 |
002755 |         loadout = loadout.BeginCargo("RDG2SmokeGrenade_White");
002756 |         loadout.Chance = 0.1;
002757 |         loadout = loadout.End();
002758 |
002759 |         loadout = loadout.BeginCargo("Ammo_762x39");
002760 |         loadout.Chance = 0.1;
002761 |         loadout = loadout.End();
002762 |     loadout = loadout.End();
002763 |
002764 |     loadout = loadout.BeginAttachment("UKAssVest_Camo", "Vest");
002765 |     loadout.SetHealth(0.7, 1.0);
002766 |     loadout.Chance = 0.1;
002767 |     loadout = loadout.End();
002768 |     loadout = loadout.BeginAttachment("UKAssVest_Olive", "Vest");
002769 |     loadout.SetHealth(0.7, 1.0);
002770 |     loadout.Chance = 0.1;
002771 |     loadout = loadout.End();
002772 |
002773 |     loadout = loadout.BeginAttachment("GasMask", "Mask");
002774 |     loadout.SetHealth(0.7, 1.0);
002775 |     loadout = loadout.End();
002776 |     loadout = loadout.BeginAttachment("GP5GasMask", "Mask");
002777 |     loadout.SetHealth(0.7, 1.0);
002778 |         loadout = loadout.BeginAttachment("GasMask_Filter", "");
002779 |         loadout.SetHealth(0.7, 1.0);
002780 |         loadout = loadout.End();
002781 |     loadout = loadout.End();
002782 |     loadout = loadout.BeginAttachment("AirborneMask", "Mask");
002783 |     loadout.SetHealth(0.7, 1.0);
002784 |         loadout = loadout.BeginAttachment("GasMask_Filter", "");
002785 |         loadout.SetHealth(0.7, 1.0);
002786 |         loadout = loadout.End();
002787 |     loadout = loadout.End();
002788 |
002789 |     loadout = loadout.BeginAttachment("MilitaryBelt", "Hips");
002790 |     loadout.SetHealth(0.7, 1.0);
002791 |     loadout = loadout.End();
002792 |
002793 |     DefaultEastWeapon(loadout);
002794 |     DefaultWestWeapon(loadout);
002795 |
002796 |     loadout = loadout.BeginCargo("Apple");
002797 |     loadout.Chance = 0.1;
002798 |     loadout = loadout.End();
002799 |     loadout = loadout.BeginCargo("BandageDressing");
002800 |     loadout.Chance = 0.15;
002801 |     loadout = loadout.End();
002802 |     loadout = loadout.BeginCargo("GasMask_Filter");
002803 |     loadout.Chance = 0.15;
002804 |     loadout = loadout.End();
002805 |     loadout = loadout.BeginCargo("AntiChemInjector");
002806 |     loadout.Chance = 0.05;
002807 |     loadout = loadout.End();
002808 |     loadout.Save();
002809 | }
002810 |
002811 | static void DefaultPoliceLoadout()
002812 | {
002813 |     if (FileExist(ExpansionLoadout.GetPath("PoliceLoadout")))
002814 |         return;
002815 | }
```

```
002816 | // Generate the default PoliceLoadout.json file
002817 | auto loadout = ExpansionLoadout.Create("PoliceLoadout");
002818 |
002819 | if (!loadout)
002820 |     return;
002821 |
002822 |     loadout = loadout.BeginAttachment("PoliceJacket", "Body");
002823 |     loadout.SetHealth(0.7, 1.0);
002824 |     loadout = loadout.End();
002825 |     loadout = loadout.BeginAttachment("PoliceJacket0rel", "Body");
002826 |     loadout.SetHealth(0.7, 1.0);
002827 |     loadout = loadout.End();
002828 |
002829 |     loadout = loadout.BeginAttachment("PolicePants", "Legs");
002830 |     loadout.SetHealth(0.7, 1.0);
002831 |     loadout = loadout.End();
002832 |     loadout = loadout.BeginAttachment("PolicePants0rel", "Legs");
002833 |     loadout.SetHealth(0.7, 1.0);
002834 |     loadout = loadout.End();
002835 |
002836 |     loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
002837 |     loadout.SetHealth(0.7, 1.0);
002838 |     loadout = loadout.End();
002839 |     loadout = loadout.BeginAttachment("CombatBoots_Brown", "Feet");
002840 |     loadout.SetHealth(0.7, 1.0);
002841 |     loadout = loadout.End();
002842 |     loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
002843 |     loadout.SetHealth(0.7, 1.0);
002844 |     loadout = loadout.End();
002845 |
002846 |     loadout = loadout.BeginAttachment("PoliceVest", "Vest");
002847 |     loadout.SetHealth(0.7, 1.0);
002848 |     loadout = loadout.End();
002849 |
002850 |     loadout = loadout.BeginAttachment("PoliceCap", "Headgear");
002851 |     loadout.SetHealth(0.7, 1.0);
002852 |     loadout = loadout.End();
002853 |     loadout = loadout.BeginAttachment("DirtBikeHelmet_Police", "Headgear");
002854 |     loadout.SetHealth(0.7, 1.0);
002855 |     loadout = loadout.End();
002856 |
002857 |     loadout = loadout.BeginAttachment("SurgicalGloves_Blue", "Gloves");
002858 |     loadout.SetHealth(0.7, 1.0);
002859 |     loadout = loadout.End();
002860 |
002861 |     loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
002862 |     loadout.SetHealth(0.7, 1.0);
002863 |     loadout = loadout.End();
002864 |
002865 |     loadout = loadout.BeginAttachment("StunBaton", "Melee");
002866 |     loadout.SetHealth(0.7, 1.0);
002867 |     loadout.Chance = 0.8;
002868 |         loadout = loadout.BeginAttachment("Battery9V");
002869 |         loadout.Chance = 0.8;
002870 |         loadout = loadout.End();
002871 |     loadout = loadout.End();
002872 |
002873 |     DefaultPoliceWeapon(loadout);
002874 |
002875 |     loadout = loadout.BeginCargo("Apple");
002876 |     loadout.Chance = 0.1;
002877 |     loadout = loadout.End();
```

```
002878 |         loadout = loadout.BeginCargo("Handcuffs");
002879 |         loadout.Chance = 0.15;
002880 |         loadout = loadout.End();
002881 |         loadout = loadout.BeginCargo("HandcuffKeys");
002882 |         loadout.Chance = 0.15;
002883 |         loadout = loadout.End();
002884 |     loadout.Save();
002885 | }
002886 |
002887 | static void DefaultPoliceWeapon(inout ExpansionPrefabObject loadout)
002888 | {
002889 |     loadout = loadout.BeginSet("WEAPON");
002890 |     loadout = loadout.BeginAttachment("MP5K", "Shoulder");
002891 |     loadout = loadout.BeginAttachment("Mag_MP5_30Rnd");
002892 |     loadout.Chance = 0.8;
002893 |     loadout = loadout.End();
002894 |     loadout = loadout.BeginAttachment("Mag_MP5_15Rnd");
002895 |     loadout = loadout.End();
002896 |     loadout = loadout.BeginAttachment("MP5k_StockBttstck");
002897 |     loadout.Chance = 0.8;
002898 |     loadout = loadout.End();
002899 |     loadout = loadout.BeginAttachment("MP5_PlasticHndgrd");
002900 |     loadout.Chance = 0.8;
002901 |     loadout = loadout.End();
002902 |     loadout = loadout.BeginAttachment("MP5_RailHndgrd");
002903 |     loadout = loadout.End();
002904 |     loadout = loadout.BeginAttachment("MP5_Compensator");
002905 |     loadout.Chance = 0.2;
002906 |     loadout = loadout.End();
002907 |     loadout = loadout.BeginAttachment("ReflexOptic");
002908 |     loadout.Chance = 0.1;
002909 |     loadout = loadout.BeginAttachment("Battery9V");
002910 |     loadout = loadout.End();
002911 |     loadout = loadout.End();
002912 |     loadout = loadout.End();
002913 |
002914 |     loadout = loadout.BeginCargo("Mag_MP5_30Rnd");
002915 |     loadout.Chance = 0.5;
002916 |     loadout = loadout.End();
002917 |     loadout = loadout.BeginCargo("Mag_MP5_30Rnd");
002918 |     loadout.Chance = 0.5;
002919 |     loadout = loadout.End();
002920 |     loadout = loadout.BeginCargo("Mag_MP5_15Rnd");
002921 |     loadout.Chance = 0.15;
002922 |     loadout = loadout.End();
002923 |     loadout = loadout.End();
002924 |
002925 |     loadout = loadout.BeginSet("WEAPON");
002926 |     loadout = loadout.BeginAttachment("Mp133Shotgun", "Shoulder");
002927 |     loadout = loadout.End();
002928 |
002929 |     loadout = loadout.BeginCargo("Ammo_12gaRubberSlug");
002930 |     loadout = loadout.End();
002931 |     loadout = loadout.BeginCargo("Ammo_12gaRubberSlug");
002932 |     loadout.Chance = 1.0;
002933 |     loadout = loadout.End();
002934 |     loadout = loadout.BeginCargo("Ammo_12gaRubberSlug");
002935 |     loadout.Chance = 0.15;
002936 |     loadout = loadout.End();
002937 |     loadout = loadout.End();
002938 |
002939 |     loadout = loadout.BeginSet("WEAPON");
```

```
002940 |         loadout = loadout.BeginAttachment("CZ61", "Shoulder");
002941 |         loadout = loadout.BeginAttachment("Mag_CZ61_20Rnd");
002942 |         loadout = loadout.End();
002943 |         loadout = loadout.End();
002944 |
002945 |         loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
002946 |         loadout.Chance = 1.0;
002947 |         loadout = loadout.End();
002948 |         loadout = loadout.BeginCargo("Mag_CZ61_20Rnd");
002949 |         loadout.Chance = 0.15;
002950 |         loadout = loadout.End();
002951 |     loadout = loadout.End();
002952 |
002953 |     loadout = loadout.BeginSet("WEAPON");
002954 |         loadout = loadout.BeginAttachment("MakarovIJ70", "Hands");
002955 |         loadout = loadout.BeginAttachment("Mag_IJ70_8Rnd");
002956 |         loadout = loadout.End();
002957 |         loadout = loadout.End();
002958 |
002959 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002960 |         loadout.Chance = 1.0;
002961 |         loadout = loadout.End();
002962 |         loadout = loadout.BeginCargo("Mag_IJ70_8Rnd");
002963 |         loadout.Chance = 0.15;
002964 |         loadout = loadout.End();
002965 |     loadout = loadout.End();
002966 |
002967 |     loadout = loadout.BeginSet("WEAPON");
002968 |         loadout = loadout.BeginAttachment("Glock19", "Hands");
002969 |         loadout = loadout.BeginAttachment("Mag_Glock_15Rnd");
002970 |         loadout = loadout.End();
002971 |         loadout = loadout.End();
002972 |
002973 |         loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
002974 |         loadout.Chance = 1.0;
002975 |         loadout = loadout.End();
002976 |         loadout = loadout.BeginCargo("Mag_Glock_15Rnd");
002977 |         loadout.Chance = 0.15;
002978 |         loadout = loadout.End();
002979 |     loadout = loadout.End();
002980 | }
002981 |
002982 | static void DefaultHumanLoadout()
002983 | {
002984 |     if (FileExist(ExpansionLoadout.GetPath("HumanLoadout")))
002985 |         return;
002986 |
002987 |     // Generate the default HumanLoadout.json file
002988 |     auto loadout = ExpansionLoadout.Create("HumanLoadout");
002989 |
002990 |     if (!loadout)
002991 |         return;
002992 |
002993 |         loadout = loadout.BeginAttachment("HikingJacket_Blue", "Body");
002994 |         loadout.SetHealth(0.7, 1.0);
002995 |         loadout = loadout.End();
002996 |         loadout = loadout.BeginAttachment("HikingJacket_Black", "Body");
002997 |         loadout.SetHealth(0.7, 1.0);
002998 |         loadout = loadout.End();
002999 |         loadout = loadout.BeginAttachment("HikingJacket_Green", "Body");
003000 |         loadout.SetHealth(0.7, 1.0);
003001 |         loadout = loadout.End();
```

```
003002 |
003003 |         loadout = loadout.BeginAttachment("SlacksPants_Blue", "Legs");
003004 |         loadout.SetHealth(0.7, 1.0);
003005 |         loadout = loadout.End();
003006 |         loadout = loadout.BeginAttachment("SlacksPants_Black", "Legs");
003007 |         loadout.SetHealth(0.7, 1.0);
003008 |         loadout = loadout.End();
003009 |         loadout = loadout.BeginAttachment("SlacksPants_DarkGrey", "Legs");
003010 |         loadout.SetHealth(0.7, 1.0);
003011 |         loadout = loadout.End();
003012 |
003013 |         loadout = loadout.BeginAttachment("HikingBootsLow_Blue", "Feet");
003014 |         loadout.SetHealth(0.7, 1.0);
003015 |         loadout = loadout.End();
003016 |         loadout = loadout.BeginAttachment("HikingBootsLow_Black", "Feet");
003017 |         loadout.SetHealth(0.7, 1.0);
003018 |         loadout = loadout.End();
003019 |         loadout = loadout.BeginAttachment("HikingBootsLow_Grey", "Feet");
003020 |         loadout.SetHealth(0.7, 1.0);
003021 |         loadout = loadout.End();
003022 |
003023 |         loadout = loadout.BeginAttachment("TaloonaBag_Blue", "Back");
003024 |         loadout.SetHealth(0.7, 1.0);
003025 |             loadout = loadout.BeginCargo("MakarovIJ70");
003026 |             loadout.Chance = 0.2;
003027 |             loadout = loadout.End();
003028 |
003029 |             loadout = loadout.BeginCargo("SodaCan_Cola");
003030 |             loadout.Chance = 0.1;
003031 |             loadout = loadout.End();
003032 |
003033 |             loadout = loadout.BeginCargo("Screwdriver");
003034 |             loadout.Chance = 0.1;
003035 |             loadout = loadout.End();
003036 |         loadout = loadout.End();
003037 |
003038 |         loadout = loadout.BeginAttachment("PressVest_Blue", "Vest");
003039 |         loadout.SetHealth(0.7, 1.0);
003040 |         loadout = loadout.End();
003041 |
003042 |         loadout = loadout.BeginAttachment("BaseballCap_Blue", "Headgear");
003043 |         loadout.SetHealth(0.7, 1.0);
003044 |         loadout = loadout.End();
003045 |         loadout = loadout.BeginAttachment("BaseballCap_Black", "Headgear");
003046 |         loadout.SetHealth(0.7, 1.0);
003047 |         loadout = loadout.End();
003048 |         loadout = loadout.BeginAttachment("BaseballCap_Olive", "Headgear");
003049 |         loadout.SetHealth(0.7, 1.0);
003050 |         loadout = loadout.End();
003051 |
003052 |         loadout = loadout.BeginAttachment("SurgicalGloves_Blue", "Gloves");
003053 |         loadout.SetHealth(0.7, 1.0);
003054 |         loadout = loadout.End();
003055 |
003056 |         loadout = loadout.BeginAttachment("CivilianBelt", "Hips");
003057 |         loadout.SetHealth(0.7, 1.0);
003058 |         loadout = loadout.End();
003059 |
003060 |         loadout = loadout.BeginAttachment("BaseballBat", "Melee");
003061 |         loadout = loadout.End();
003062 |
003063 |         loadout = loadout.BeginAttachment("AKM", "Shoulder");
```



```
003064 |         loadout = loadout.BeginAttachment("Mag_AKM_Drum75Rnd");
003065 |         loadout = loadout.End();
003066 |         loadout = loadout.BeginAttachment("AK_PlasticBttstck");
003067 |         loadout = loadout.End();
003068 |         loadout = loadout.BeginAttachment("AK_WoodBttstck");
003069 |         loadout = loadout.End();
003070 |         loadout = loadout.BeginAttachment("AK_PlasticHndgrd");
003071 |         loadout = loadout.End();
003072 |         loadout = loadout.BeginAttachment("AK_WoodHndgrd");
003073 |         loadout = loadout.End();
003074 |         loadout = loadout.BeginAttachment("KashtanOptic");
003075 |         loadout.Chance = 0.1;
003076 |         loadout = loadout.End();
003077 |         loadout = loadout.BeginAttachment("KobraOptic");
003078 |         loadout.Chance = 0.2;
003079 |         loadout = loadout.End();
003080 |     loadout = loadout.End();
003081 |
003082 |     loadout = loadout.BeginCargo("Apple");
003083 |     loadout.Chance = 0.1;
003084 |     loadout = loadout.End();
003085 |     loadout = loadout.BeginCargo("BandageDressing");
003086 |     loadout.Chance = 0.15;
003087 |     loadout = loadout.End();
003088 |     loadout.Save();
003089 | }
003090 |
003091 | static void DefaultYellowKingLoadout()
003092 | {
003093 |     if (FileExist(ExpansionLoadout.GetPath("YellowKingLoadout")))
003094 |         return;
003095 |
003096 |     // Generate the default YellowKingLoadout.json file
003097 |     auto loadout = ExpansionLoadout.Create("YellowKingLoadout");
003098 |
003099 |     if (!loadout)
003100 |         return;
003101 |
003102 |     loadout = loadout.BeginAttachment("DarkMotoHelmet_YellowScarred", "Headgear");
003103 |     loadout.SetHealth(0.7, 1.0);
003104 |     loadout = loadout.End();
003105 |
003106 |     loadout = loadout.BeginAttachment("BalaclavaMask_Black", "Mask");
003107 |     loadout.SetHealth(0.7, 1.0);
003108 |     loadout = loadout.End();
003109 |
003110 |     loadout = loadout.BeginAttachment("TacticalShirt_Black", "Body");
003111 |     loadout.SetHealth(0.7, 1.0);
003112 |     loadout = loadout.End();
003113 |
003114 |     loadout = loadout.BeginAttachment("PlateCarrierVest_Black", "Vest");
003115 |     loadout.SetHealth(0.7, 1.0);
003116 |     loadout = loadout.BeginAttachment("PlateCarrierHolster_Black");
003117 |     loadout.Chance = 1.0;
003118 |     loadout = loadout.End();
003119 |     loadout = loadout.BeginAttachment("PlateCarrierPouches_Black");
003120 |     loadout.Chance = 1.0;
003121 |     loadout = loadout.End();
003122 |     loadout = loadout.End();
003123 |
003124 |     loadout = loadout.BeginAttachment("WorkingGloves_Black", "Gloves");
003125 |     loadout.SetHealth(0.7, 1.0);
```

```
003126 |         loadout = loadout.End();
003127 |
003128 |         loadout = loadout.BeginAttachment("CargoPants_Black", "Legs");
003129 |         loadout.SetHealth(0.7, 1.0);
003130 |         loadout = loadout.End();
003131 |
003132 |         loadout = loadout.BeginAttachment("JungleBoots_Brown", "Feet");
003133 |         loadout.SetHealth(0.7, 1.0);
003134 |         loadout = loadout.End();
003135 |
003136 |     loadout.Save();
003137 | }
003138 |
003139 | static void DefaultYeetBrigadeLoadout()
003140 | {
003141 |     if (FileExist(ExpansionLoadout.GetPath("YeetBrigadeLoadout")))
003142 |         return;
003143 |
003144 |     // Generate the default YeetBrigade.json file
003145 |     auto loadout = ExpansionLoadout.Create("YeetBrigadeLoadout");
003146 |
003147 |     if (!loadout)
003148 |         return;
003149 |
003150 |     loadout = loadout.BeginAttachment("PoliceJacket", "Body");
003151 |     loadout.SetHealth(0.7, 1.0);
003152 |     loadout = loadout.End();
003153 |
003154 |     loadout = loadout.BeginAttachment("PolicePants", "Legs");
003155 |     loadout.SetHealth(0.7, 1.0);
003156 |     loadout = loadout.End();
003157 |
003158 |     loadout = loadout.BeginAttachment("CombatBoots_Black", "Feet");
003159 |     loadout.SetHealth(0.7, 1.0);
003160 |     loadout = loadout.End();
003161 |     loadout = loadout.BeginAttachment("CombatBoots_Grey", "Feet");
003162 |     loadout.SetHealth(0.7, 1.0);
003163 |     loadout = loadout.End();
003164 |
003165 |     loadout = loadout.BeginAttachment("Expansion_PlateCarrierVest_Yeet", "Vest");
003166 |     loadout.SetHealth(0.7, 1.0);
003167 |     loadout = loadout.End();
003168 |     loadout = loadout.BeginAttachment("Expansion_PressVest_Blue_Yeet", "Vest");
003169 |     loadout.SetHealth(0.7, 1.0);
003170 |     loadout = loadout.End();
003171 |
003172 |     loadout = loadout.BeginAttachment("Expansion_GorkaHelmet_Yeet", "Headgear");
003173 |     loadout = loadout.BeginAttachment("GorkaHelmetVisor", "Glass");
003174 |     loadout.Chance = 1.0;
003175 |     loadout.SetHealth(0.7, 1.0);
003176 |     loadout = loadout.End();
003177 |     loadout.SetHealth(0.7, 1.0);
003178 |     loadout = loadout.End();
003179 |
003180 |     loadout = loadout.BeginAttachment("TacticalGloves_Black", "Gloves");
003181 |     loadout.SetHealth(0.7, 1.0);
003182 |     loadout = loadout.End();
003183 |     loadout = loadout.BeginAttachment("OMNOGloves_Gray", "Gloves");
003184 |     loadout.SetHealth(0.7, 1.0);
003185 |     loadout = loadout.End();
003186 |
003187 |     loadout = loadout.BeginCargo("Apple");
```

```
003188 |         loadout.Chance = 0.1;
003189 |         loadout = loadout.End();
003190 |         loadout = loadout.BeginCargo("BandageDressing");
003191 |         loadout.Chance = 1.0;
003192 |         loadout = loadout.End();
003193 |         loadout = loadout.BeginCargo("BandageDressing");
003194 |         loadout.Chance = 0.15;
003195 |         loadout = loadout.End();
003196 |         loadout.Save();
003197 |     }
003198 |
003199 |     static bool Apply(EntityAI other, string file, bool forceReload = false)
003200 |     {
003201 |         #ifdef EXTRACE_DIAG
003202 |             auto trace = EXTrace.Start(EXTrace.LOADOUTS, ExpansionHumanLoadout);
003203 |         #endif
003204 |
003205 |         ExpansionHumanLoadout.Init();
003206 |
003207 |         string name = ExpansionString.StripExtension(file, FILETYPE);
003208 |
003209 |         ExpansionLoadout loadout = ExpansionLoadout.Load(name, forceReload);
003210 |         if (!loadout)
003211 |         {
003212 |             EXError.Error(null, "Unknown loadout requested ('" + file + "')");
003213 |             return false;
003214 |         }
003215 |
003216 |         loadout.SpawnOn(other);
003217 |         return true;
003218 |     }
003219 | };
003220 |
```

0155. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\MissionBaseWorld.c

Size bytes: 573

SHA-256: a52eb6feb66b45ea71c05c0fe27a9b24d6ded072a628c6d4299166a5df0db82c

Decoded as: utf-8-sig

Line count shown: 21

Detected class declarations: 1

L13: modded class MissionBaseWorld

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: bool Expansion_CheckActionSuccess(ActionBase action, ActionData action_data)

Full file content

```
000001 | /**
000002 |  * MissionBaseWorld.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class MissionBaseWorld
000014 | {
000015 |     //! This being here allows overriding in init.c
000016 |     bool Expansion_CheckActionSuccess(ActionBase action, ActionData action_data)
000017 |     {
000018 |         return action.Expansion_CheckSuccess(action_data);
000019 |     }
000020 | }
000021 |
```

0156. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Permissions\PermissionsManager.c

Size bytes: 2753

SHA-256: d18cbd44b3a8b8ea14469b0efc9f4f718c50cc4d29e5a8e3da74c657d1b9e7cb

Decoded as: utf-8-sig

Line count shown: 118

Detected class declarations: 2

L14: class ExpansionPermissionsManager

L96: modded class JMPermissionManager

Detected enum declarations: 0

Detected function/method-like declarations: 12

L18: void ExpansionPermissionsManager()

L22: void ~ExpansionPermissionsManager()

L26: void RegisterPermission(string permission)

L30: bool HasPermission(string permission)

L36: return HasPermission(permission, player.GetIdentity());

L42: bool HasPermission(string permission, PlayerIdentity ihp)

L52: return IsAdminToolsToggledOn();

L69: bool IsAdminToolsToggledOn()

L82: ExpansionPermissionsManager GetPermissionsManager()

L98: bool IsAdminToolsToggledOn()

L100: return GetCommunityOnlineToolsBase().IsActive();

L103: void Expansion_RegisterPermission(string permission, JMPermissionType permType)

Full file content

```
000001 | /**
000002 |  * ExpansionPermissionsManager.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2021 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifndef JM_COT
000014 | class ExpansionPermissionsManager
000015 | {
000016 |     bool m_AdminToolsToggledOn;
000017 |
000018 |     void ExpansionPermissionsManager()
000019 |     {
000020 |     }
000021 |
000022 |     void ~ExpansionPermissionsManager()
000023 |     {
000024 |     }
000025 |
000026 |     void RegisterPermission( string permission )
000027 |     {
000028 |     }
000029 |
000030 |     bool HasPermission( string permission )
000031 |     {
000032 |         if ( !g_Game.IsDedicatedServer() )
000033 |         {
000034 |             Man player = g_Game.GetPlayer();
```

```
000035 |         if (player && player.GetIdentity() )
000036 |             return HasPermission( permission, player.GetIdentity() );
000037 |     }
000038 |
000039 |     return false;
000040 | }
000041 |
000042 | bool HasPermission( string permission, PlayerIdentity ihp )
000043 | {
000044 |     switch ( permission )
000045 |     {
000046 |         case "Admin.Chat":
000047 |         case "Entity.Spawn":
000048 |         case "Expansion.Territories.Edit":
000049 |         case "Expansion.DayZCreature.Lobotomize":
000050 |             #ifdef VPPADMINTOOLS
000051 |                 if (!g_Game.IsDedicatedServer())
000052 |                     return IsAdminToolsToggledOn();
000053 |                 PermissionManager pm = GetPermissionManager();
000054 |                 if (!pm)
000055 |                     return false;
000056 |                 ///! I'm lazy and so SuperAdmins as well as anyone in group Admins will get blanket permission
000057 |                 if (pm.IsSuperAdmin(ihp.GetPlainId()))
000058 |                     return true;
000059 |                 UserGroup group = pm.GetUserGroup(ihp.GetPlainId());
000060 |                 if (group && group.GetGroupName() == "Admins")
000061 |                     return true;
000062 |                 #endif
000063 |                 break;
000064 |     }
000065 |
000066 |     return false;
000067 | }
000068 |
000069 | bool IsAdminToolsToggledOn()
000070 | {
000071 |     #ifdef VPPADMINTOOLS
000072 |         MissionBaseWorld mission = MissionBaseWorld.Cast(g_Game.GetMission());
000073 |         return mission && mission.VPPAT_AdminToolsToggled();
000074 |     #endif
000075 |
000076 |     return false;
000077 | }
000078 | }
000079 |
000080 | ref ExpansionPermissionsManager g_ExpansionPermissionsManager;
000081 |
000082 | ExpansionPermissionsManager GetPermissionsManager()
000083 | {
000084 |     if ( !g_ExpansionPermissionsManager )
000085 |     {
000086 |         g_ExpansionPermissionsManager = new ExpansionPermissionsManager();
000087 |     }
000088 |
000089 |     Assert_Null( g_ExpansionPermissionsManager );
000090 |
000091 |     return g_ExpansionPermissionsManager;
000092 | }
000093 | #endif
000094 |
000095 | #ifdef JM_COT
000096 | modded class JMPPermissionManager
```

```
000097 | {
000098 |     bool IsAdminToolsToggledOn()
000099 |     {
000100 |         return GetCommunityOnlineToolsBase().IsActive();
000101 |     }
000102 |
000103 | void Expansion_RegisterPermission( string permission, JMPPermissionType permType )
000104 | {
000105 |     #ifdef JM_COT_DIAG_LOGGING
000106 |         auto trace = CF_Trace_1(this, "RegisterPermission").Add(permission);
000107 |     #endif
000108 |
000109 |     Assert_Null( RootPermission );
000110 |
000111 |     if (m_MissionLoaded)
000112 |         Error("Cannot register new permissions once mission is loaded!");
000113 |     else
000114 |         RootPermission.AddPermission( permission, permType, false );
000115 | }
000116 | }
000117 | #endif
000118 |
```

0157. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\Modifiers\Conditions\AreaExposure.c
Size bytes: 721
SHA-256: 930f6c3a871dbf3620a0fd57c09efbe972f55a15a2f52b6561ab3fb3c525e027
Decoded as: utf-8-sig
Line count shown: 28
Detected class declarations: 1
 L14: modded class AreaExposureMdfc
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L16: override void OnActivate(PlayerBase player)
 L22: override void OnTick(PlayerBase player, float deltaT)

Full file content

```
000001 | /**
000002 |  * AreaExposureMdfc.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | //! @brief disable effects of exposure to contaminated area in safezones
000014 | modded class AreaExposureMdfc
000015 | {
000016 |     override void OnActivate(PlayerBase player)
000017 |     {
000018 |         if (!player.Expansion_IsInSafeZone())
000019 |             super.OnActivate(player);
000020 |     }
000021 |
000022 |     override void OnTick(PlayerBase player, float deltaT)
000023 |     {
000024 |         if (!player.Expansion_IsInSafeZone())
000025 |             super.OnTick(player, deltaT);
000026 |     }
000027 | }
000028 |
```


0158. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerModifiers\ModifiersManager.c
 Size bytes: 5508
 SHA-256: a642d8d0f5f158f810d774942312cedccf25b02c8fc3a3ee0bff39b4f218509e
 Decoded as: utf-8-sig
 Line count shown: 221
 Detected class declarations: 1
 L1: modded class ModifiersManager
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L4: void CF_OnStoreSave(CF_ModStorage ctx)
 L88: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class ModifiersManager
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         CachedObjectsArrays.ARRAY_INT.Clear();
000007 |
000008 |         int modifierCount;
000009 |         foreach (ModifierBase modifier : m_ModifierList)
000010 |         {
000011 |             if (modifier.IsActive() && modifier.IsPersistent())
000012 |             {
000013 |                 modifierCount++;
000014 |                 CachedObjectsArrays.ARRAY_INT.Insert(modifier.GetModifierID());
000015 |                 if (modifier.IsTrackAttachedTime())
000016 |                     CachedObjectsArrays.ARRAY_INT.Insert(modifier.GetAttachedTime());
000017 |                 else
000018 |                     CachedObjectsArrays.ARRAY_INT.Insert(-1); //! Always write a value
000019 |             }
000020 |         }
000021 |
000022 |         ctx.Write(modifierCount);
000023 |
000024 |         foreach (int item: CachedObjectsArrays.ARRAY_INT)
000025 |         {
000026 |             ctx.Write(item);
000027 |         }
000028 |
000029 |         //! Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000030 |         ctx.Write(m_ParamList.Count());
000031 |
000032 |         foreach (auto param: m_ParamList)
000033 |         {
000034 |             typename paramType = param.Type();
000035 |             int varCount = paramType.GetVariableCount();
000036 |
000037 |             ctx.Write(varCount);
000038 |
000039 |             for (int i = 0; i < varCount; i++)
000040 |             {
000041 |                 typename varType = paramType.GetVariableType(i);
000042 |                 switch (varType)
000043 |                 {
000044 |                     case bool:
000045 |                         bool vb;
```

```
000046 |         paramType.GetVariableValue(param, i, vb);
000047 |         ctx.Write(CF_ModStorageDataType.BOOL);
000048 |         ctx.Write(vb);
000049 |         break;
000050 |
000051 |     case int:
000052 |         int vi;
000053 |         paramType.GetVariableValue(param, i, vi);
000054 |         ctx.Write(CF_ModStorageDataType.INT);
000055 |         ctx.Write(vi);
000056 |         break;
000057 |
000058 |     case float:
000059 |         float vf;
000060 |         paramType.GetVariableValue(param, i, vf);
000061 |         ctx.Write(CF_ModStorageDataType.FLOAT);
000062 |         ctx.Write(vf);
000063 |         break;
000064 |
000065 |     case string:
000066 |         string vs;
000067 |         paramType.GetVariableValue(param, i, vs);
000068 |         ctx.Write(CF_ModStorageDataType.STRING);
000069 |         ctx.Write(vs);
000070 |         break;
000071 |
000072 |     case vector:
000073 |         vector vv;
000074 |         paramType.GetVariableValue(param, i, vv);
000075 |         ctx.Write(CF_ModStorageDataType.VECTOR);
000076 |         ctx.Write(vv);
000077 |         break;
000078 |
000079 |     default:
000080 |         EXError.Error(this, "Unsupported variable type " + varType);
000081 |         ctx.Write(CF_ModStorageDataType.INVALID);
000082 |         break;
000083 |     }
000084 | }
000085 | }
000086 | }
000087 |
000088 | bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000089 | {
000090 |     int modifierCount;
000091 |     if (!ctx.Read(modifierCount))
000092 |         return false;
000093 |
000094 |     while (modifierCount--)
000095 |     {
000096 |         int modifierId;
000097 |         if (!ctx.Read(modifierId))
000098 |             return false;
000099 |
000100 |         int time = -1;
000101 |         if (!ctx.Read(time))
000102 |             return false;
000103 |
000104 |         ModifierBase modifier = GetModifier(modifierId);
000105 |         if (modifier)
000106 |         {
000107 |             if (modifier.IsTrackAttachedTime() && time > -1)
```

```
000108 |         modifier.SetAttachedTime(time);
000109 |
000110 |         ActivateModifier(modifierId, EActivationType.TRIGGER_EVENT_ON_CONNECT);
000111 |     }
000112 |     else
000113 |     {
000114 |         Debug.LogError("DB loading: non-existent modifier with id:"+modifierId.ToString());
000115 |     }
000116 | }
000117 |
000118 | int paramsCount;
000119 | if (!ctx.Read(paramsCount))
000120 |     return false;
000121 |
000122 | typename paramType;
000123 | int paramVarCount;
000124 | typename paramVarType;
000125 |
000126 | for (int x = 0; x < paramsCount; x++)
000127 | {
000128 |     int varCount = 0;
000129 |     if (!ctx.Read(varCount))
000130 |         return false;
000131 |
000132 |     auto param = m_ParamList[x];
000133 |
000134 |     if (param)
000135 |     {
000136 |         paramType = param.Type();
000137 |         paramVarCount = paramType.GetVariableCount();
000138 |     }
000139 |     else
000140 |     {
000141 |         paramVarCount = 0;
000142 |     }
000143 |
000144 |     for (int i = 0; i < varCount; i++)
000145 |     {
000146 |         int varType;
000147 |         if (!ctx.Read(varType))
000148 |             return false;
000149 |
000150 |         bool vb = false;
000151 |         int vi = 0;
000152 |         float vf = 0;
000153 |         string vs = string.Empty;
000154 |         vector vv = vector.Zero;
000155 |
000156 |         if (i < paramVarCount)
000157 |             paramVarType = paramType.GetVariableType(i);
000158 |
000159 |         int n = i + 1;
000160 |
000161 |         switch (varType)
000162 |         {
000163 |             case CF_ModStorageDataType.B00L:
000164 |                 if (!ctx.Read(vb))
000165 |                     return false;
000166 |                 if (i < paramVarCount && paramVarType == bool)
000167 |                     EnScript.SetClassVar(param, "param" + n, 0, vb);
000168 |                 else
000169 |                     EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected bool");
```

```
000170 |         break;
000171 |
000172 |     case CF_ModStorageDataType.INT:
000173 |         if (!ctx.Read(vi))
000174 |             return false;
000175 |         if (i < paramVarCount && paramVarType == int)
000176 |             EnScript.SetClassVar(param, "param" + n, 0, vi);
000177 |         else
000178 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected int");
000179 |         break;
000180 |
000181 |     case CF_ModStorageDataType.FLOAT:
000182 |         if (!ctx.Read(vf))
000183 |             return false;
000184 |         if (i < paramVarCount && paramVarType == float)
000185 |             EnScript.SetClassVar(param, "param" + n, 0, vf);
000186 |         else
000187 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected float");
000188 |         break;
000189 |
000190 |     case CF_ModStorageDataType.STRING:
000191 |         if (!ctx.Read(vs))
000192 |             return false;
000193 |         if (i < paramVarCount && paramVarType == string)
000194 |             EnScript.SetClassVar(param, "param" + n, 0, vs);
000195 |         else
000196 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected string");
000197 |         break;
000198 |
000199 |     case CF_ModStorageDataType.VECTOR:
000200 |         if (!ctx.Read(vv))
000201 |             return false;
000202 |         if (i < paramVarCount && paramVarType == vector)
000203 |             EnScript.SetClassVar(param, "param" + n, 0, vv);
000204 |         else
000205 |             EXError.Error(this, "Invalid variable index or type " + i + " " + paramVarType + ", expected vector");
000206 |         break;
000207 |
000208 |     default:
000209 |         EXError.Error(this, "Unsupported variable type " + varType);
000210 |         break;
000211 |     }
000212 | }
000213 |     n++;
000214 | }
000215 | }
000216 |
000217 | return true;
000218 | }
000219 | #endif
000220 | }
000221 |
```

0159. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatBase.c
Size bytes: 297
SHA-256: 549950898ab3a40e1b34ca19d9f6f4e615de13ae67fb0afa9fe5871d7ad0f4b7
Decoded as: utf-8-sig
Line count shown: 21
Detected class declarations: 1
 L1: modded class PlayerStatBase
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void CF_OnStoreSave(CF_ModStorage ctx)
 L9: bool CF_OnStoreLoad(CF_ModStorage ctx)

Full file content

```
000001 | modded class PlayerStatBase
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         ctx.Write(Get());
000007 |     }
000008 |
000009 |     bool CF_OnStoreLoad(CF_ModStorage ctx)
000010 |     {
000011 |         float value;
000012 |         if (!ctx.Read(value))
000013 |             return false;
000014 |
000015 |         SetByFloat(value);
000016 |
000017 |         return true;
000018 |     }
000019 | #endif
000020 | }
000021 |
```

0160. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStats.c
Size bytes: 445
SHA-256: f346539c6d2aba600573314099f84c893a6ca7e5bf0e05b338b07f714be00425
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L1: modded class PlayerStats
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void CF_SaveStats(CF_ModStorage ctx)
 L13: bool CF_LoadStats(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class PlayerStats
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_SaveStats(CF_ModStorage ctx)
000005 |     {
000006 |         int current_version = g_Game.SaveVersion();
000007 |         PlayerStatsPCO_Base pco = GetPCO(current_version);
000008 |
000009 |         if (pco)
000010 |             pco.CF_OnStoreSave(ctx);
000011 |     }
000012 |
000013 |     bool CF_LoadStats(CF_ModStorage ctx, int version)
000014 |     {
000015 |         PlayerStatsPCO_Base pco = GetPCO(version);
000016 |         if (pco && pco.CF_OnStoreLoad(ctx))
000017 |             return true;
000018 |
000019 |         return false;
000020 |     }
000021 | #endif
000022 | }
000023 |
```

0161. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStats\PlayerStatsPC0.c
Size bytes: 855
SHA-256: e070a4606334fa2d419981410033bc840c47768333d7666e52b2b17544ab4473
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
 L1: modded class PlayerStatsPC0_Base
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void CF_OnStoreSave(CF_ModStorage ctx)
 L15: bool CF_OnStoreLoad(CF_ModStorage ctx)

Full file content

```
000001 | modded class PlayerStatsPC0_Base
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         //!< Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000007 |         ctx.Write(m_PlayerStats.Count());
000008 |
000009 |         foreach (PlayerStatBase playerStat: m_PlayerStats)
000010 |         {
000011 |             playerStat.CF_OnStoreSave(ctx);
000012 |         }
000013 |     }
000014 |
000015 |     bool CF_OnStoreLoad(CF_ModStorage ctx)
000016 |     {
000017 |         int count;
000018 |         if (!ctx.Read(count))
000019 |             return false;
000020 |
000021 |         for (int i = 0; i < count; i++)
000022 |         {
000023 |             auto playerStat = m_PlayerStats[i];
000024 |
000025 |             if (!playerStat)
000026 |             {
000027 |                 //!< Dummy, since stats are always either float or int, should be able to read successfully
000028 |                 playerStat = new PlayerStat<int>(float.MIN, float.MAX, 0, "", 0);
000029 |             }
000030 |
000031 |             if (!playerStat.CF_OnStoreLoad(ctx))
000032 |                 return false;
000033 |         }
000034 |
000035 |         return true;
000036 |     }
000037 | #endif
000038 | }
000039 |
```

0162. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerStomach\PlayerStomach.c

Size bytes: 1593

SHA-256: 0c15a1988fd5638d9fa39abedb7e7298ad5417118ed0bf643b05a279bb54e70e

Decoded as: utf-8-sig

Line count shown: 63

Detected class declarations: 1

L1: modded class PlayerStomach

Detected enum declarations: 0

Detected function/method-like declarations: 2

L4: void CF_OnStoreSave(CF_ModStorage ctx)

L21: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class PlayerStomach
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         ctx.Write(PlayerStomach.CHECKSUM);
000007 |         ctx.Write(m_StomachContents.Count());
000008 |         foreach (StomachItem stomach_item: m_StomachContents)
000009 |         {
000010 |             int id = PlayerStomach.GetIDFromClassname(stomach_item.m_ClassName);
000011 |
000012 |             int write_result = stomach_item.m_FoodStage | (id << id_bit_offset);
000013 |             write_result = write_result | ((int)stomach_item.m_Amount << quantity_bit_offset);
000014 |             ctx.Write(write_result);
000015 |             ctx.Write(stomach_item.m_Agents);
000016 |
000017 |             ctx.Write((int) stomach_item.GetTemperature());
000018 |         }
000019 |     }
000020 |
000021 | bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000022 | {
000023 |     int checksum, count;
000024 |
000025 |     if (!ctx.Read(checksum))
000026 |         return false;
000027 |
000028 |     if (!ctx.Read(count))
000029 |         return false;
000030 |
000031 |     for (int i = 0; i < count; i++)
000032 |     {
000033 |         int value, agents, temperature;
000034 |
000035 |         if (!ctx.Read(value))
000036 |             return false;
000037 |
000038 |         if (!ctx.Read(agents))
000039 |             return false;
000040 |
000041 |         if (version >= 140 && !ctx.Read(temperature))
000042 |             return false;
000043 |
000044 |         if (checksum == CHECKSUM)
000045 |         {
```



```
000046 |         int amount = value >> quantity_bit_offset;//isolate amount bits
000047 |         int id_mask = Math.Pow(2, quantity_bit_offset) - 1;
000048 |         int id = (id_mask & value) >> id_bit_offset;//isolate id bits
000049 |         int food_mask = Math.Pow(2, id_bit_offset) - 1;
000050 |         int food_stage = value & food_mask;
000051 |         string classname = GetClassnameFromID(id);
000052 |         AddToStomach(classname, amount, food_stage, agents, temperature);
000053 |     }
000054 | }
000055 |
000056 | if (checksum != CHECKSUM)
000057 |     Print("Stomach checksum fail");
000058 |
000059 | return true;
000060 | }
000061 | #endif
000062 | }
000063 |
```

0163. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\PlayerSymptoms\SymptomManager.c
Size bytes: 1005
SHA-256: e88a0258d6c54b3940fdeabb05749d922a2bc7df218ad10520e3d5e9abda93a9
Decoded as: utf-8-sig
Line count shown: 51
Detected class declarations: 1
 L1: modded class SymptomManager
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: void CF_OnStoreSave(CF_ModStorage ctx)
 L29: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class SymptomManager
000002 | {
000003 | #ifdef EXPANSION_MODSTORAGE
000004 |     void CF_OnStoreSave(CF_ModStorage ctx)
000005 |     {
000006 |         TIntArray symptoms = {};
000007 |
000008 |         foreach (auto primarySymptom: m_SymptomQueuePrimary)
000009 |         {
000010 |             if (primarySymptom.IsPersistent())
000011 |                 symptoms.Insert(primarySymptom.GetType());
000012 |         }
000013 |
000014 |         foreach (auto secondarySymptom: m_SymptomQueueSecondary)
000015 |         {
000016 |             if (secondarySymptom.IsPersistent())
000017 |                 symptoms.Insert(secondarySymptom.GetType());
000018 |         }
000019 |
000020 |         //! Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000021 |         ctx.Write(symptoms.Count());
000022 |
000023 |         foreach (int id: symptoms)
000024 |         {
000025 |             ctx.Write(id);
000026 |         }
000027 |     }
000028 |
000029 |     bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000030 |     {
000031 |         int count;
000032 |         if (!ctx.Read(count))
000033 |             return false;
000034 |
000035 |         while (count--)
000036 |         {
000037 |             int id;
000038 |             if (!ctx.Read(id))
000039 |                 return false;
000040 |
000041 |             if (IsSymptomPrimary(id))
000042 |                 QueueUpPrimarySymptom(id);
000043 |             else
000044 |                 QueueUpSecondarySymptom(id);
000045 |         }
```

```
000046 |  
000047 |         return true;  
000048 |     }  
000049 | #endif  
000050 | }  
000051 |
```

0164. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefab.c
Size bytes: 2169
SHA-256: 75580e28d7ef6cf9499e6027fbce727f720f406ec2dc9454992b2ca3dff6c84f
Decoded as: utf-8-sig
Line count shown: 99
Detected class declarations: 1
  L1: class ExpansionPrefab : ExpansionPrefabObject
Detected enum declarations: 0
Detected function/method-like declarations: 10
  L12: static ExpansionPrefab Load(string name, bool forceReload = false, string folder = EXPANSION_LOADOUT_FOLDER)
  L43: protected static void Insert(ExpansionPrefab prefab)
  L48: override string GetPath()
  L53: static string GetPath(string name, string folder = EXPANSION_LOADOUT_FOLDER)
  L58: override void Save()
  L63: Object Spawn(vector position, vector orientation = vector.Zero, int rotationFlags = RF_DEFAULT)
  L74: return Spawn(object);
  L77: Object SpawnOn(Object other)
  L79: return Spawn(other);
  L82: static ExpansionPrefabObject Create(string name, string folder = EXPANSION_LOADOUT_FOLDER)

```

Full file content

```

000001 | class ExpansionPrefab : ExpansionPrefabObject
000002 | {
000003 |     [NonSerialized()]
000004 |     static ref array<ExpansionPrefabObject> s_Begin = new array<ExpansionPrefabObject>();
000005 |
000006 |     [NonSerialized()]
000007 |     static ref map<string, ref ExpansionPrefab> s_Prefabs = new map<string, ref ExpansionPrefab>();
000008 |
000009 |     [NonSerialized()]
000010 |     string m_Path;
000011 |
000012 |     static ExpansionPrefab Load(string name, bool forceReload = false, string folder = EXPANSION_LOADOUT_FOLDER)
000013 |     {
000014 |         #ifdef EXTRACE_DIAG
000015 |             auto trace = EXTrace.Start(EXTrace.LOADOUTS, ExpansionPrefab);
000016 |         #endif
000017 |
000018 |         string path = GetPath(name, folder);
000019 |
000020 |         ExpansionPrefab prefab;
000021 |         if (s_Prefabs.Find(path, prefab) && !forceReload)
000022 |         {
000023 |             return prefab;
000024 |         }
000025 |
000026 |         if (!prefab)
000027 |         {
000028 |             prefab = new ExpansionPrefab();
000029 |             prefab.m_Name = name;
000030 |             prefab.m_Path = path;
000031 |             Insert(prefab);
000032 |         }
000033 |
000034 |         if (FileExist(prefab.m_Path))
000035 |         {
000036 |             JsonFileLoader<ExpansionPrefab>.JsonLoadFile(prefab.m_Path, prefab);
000037 |             return prefab;

```

```
000038 |     }
000039 |
000040 |     return null;
000041 | }
000042 |
000043 | protected static void Insert(ExpansionPrefab prefab)
000044 | {
000045 |     s_Prefabs.Insert(prefab.m_Path, prefab);
000046 | }
000047 |
000048 | override string GetPath()
000049 | {
000050 |     return m_Path;
000051 | }
000052 |
000053 | static string GetPath(string name, string folder = EXPANSION_LOADOUT_FOLDER)
000054 | {
000055 |     return folder + name + ".json";
000056 | }
000057 |
000058 | override void Save()
000059 | {
000060 |     JsonFileLoader<ExpansionPrefab>.JsonSaveFile(m_Path, this);
000061 | }
000062 |
000063 | Object Spawn(vector position, vector orientation = vector.Zero, int rotationFlags = RF_DEFAULT)
000064 | {
000065 |     int flags = ECE_PLACE_ON_SURFACE;
000066 |     if (g_Game.IsKindOf(ClassName, "DZ_LightAI"))
000067 |         flags |= ECE_INITAI;
000068 |
000069 |     Object object = g_Game.CreateObjectEx(ClassName, position, flags, rotationFlags);
000070 |
000071 |     if (orientation != vector.Zero)
000072 |         object.SetOrientation(orientation);
000073 |
000074 |     return Spawn(object);
000075 | }
000076 |
000077 | Object SpawnOn(Object other)
000078 | {
000079 |     return Spawn(other);
000080 | }
000081 |
000082 | static ExpansionPrefabObject Create(string name, string folder = EXPANSION_LOADOUT_FOLDER)
000083 | {
000084 |     s_Begin.Clear();
000085 |
000086 |     ExpansionPrefab prefab = new ExpansionPrefab();
000087 |
000088 |     prefab.m_Path = GetPath(name, folder);
000089 |
000090 |     if (prefab.m_Path == string.Empty)
000091 |     {
000092 |         return null;
000093 |     }
000094 |
000095 |     Insert(prefab);
000096 |     return prefab;
000097 | }
000098 | };
000099 |
```

0165. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Prefab\ExpansionPrefabObject.c
Size bytes: 15392
SHA-256: 4d61dccbf9d75efdbed0537fa2ed9fa0457a96ad14c1eb497677f82ba8d68416
Decoded as: utf-8-sig
Line count shown: 541
Detected class declarations: 2
  L1: class ExpansionPrefabObject : Managed
  L529: class ExpansionPrefabSlot : Managed
Detected enum declarations: 0
Detected function/method-like declarations: 22
  L31: ExpansionPrefabObject BeginAttachment(string className, string slotName = "")
  L49: bool FindAttachments(string slotName, out array<ref ExpansionPrefabObject> items)
  L63: void InsertAttachments(string slotName, array<ref ExpansionPrefabObject> items)
  L79: ExpansionPrefabObject BeginCargo(string className)
  L90: ExpansionPrefabObject BeginSet(string setName = "")
  L101: ExpansionPrefabObject End()
  L112: ExpansionPrefabObject SetQuantity(float quantityMin, float quantityMax = 0)
  L119: ExpansionPrefabObject SetHealth(string zone, float healthMin, float healthMax = 0.0)
  L127: ExpansionPrefabObject SetHealth(float healthMin, float healthMax = 0.0)
  L135: bool FindHealth(string zone, out ExpansionHealth health)
  L149: void InsertHealth(ExpansionHealth health)
  L162: ExpansionPrefabObject SetPartConstructed(string part)
  L169: string GetPath()
  L175: void Save()
  L180: bool CanSpawn()
  L188: Object Spawn(Object self, array<ref ExpansionPrefabObject> inventoryCargo = null)
  L313: array<ref ExpansionPrefabObject> candidates();
  L345: TStringArray setNames(); //! If set is named, will only spawn one per unique name
  L410: else if (ai)
  L418: else if (slotId == InventorySlots.HANDS && fallbackSlotId != InventorySlots.INVALID && slotTaken[InventorySlots.HANDS])
  L522: void FillCar(Car car, CarFluid fluid)
  L534: void ExpansionPrefabSlot(string slotName = "", array<ref ExpansionPrefabObject> items = null)

```

Full file content

```

000001 | class ExpansionPrefabObject : Managed
000002 | {
000003 |     // Config class name of the item
000004 |     string ClassName = "";
000005 |
000006 |     string Include;
000007 |
000008 |     float Chance = 1.0;
000009 |
000010 |     // Number of items in the stack
000011 |     autoptr ExpansionMinMax Quantity = new ExpansionMinMax(0, 0);
000012 |
000013 |     // Health of item per damage zone -> if empty string then it is global health
000014 |     autoptr array<ref ExpansionHealth> Health = new array<ref ExpansionHealth>;
000015 |
000016 |     // Inventory attachments -> if taken, won't spawn self and contents
000017 |     autoptr array<ref ExpansionPrefabSlot> InventoryAttachments = new array<ref ExpansionPrefabSlot>();
000018 |
000019 |     // Inventory Cargo -> if no free spot in cargo, won't spawn self and contents
000020 |     autoptr array<ref ExpansionPrefabObject> InventoryCargo = new array<ref ExpansionPrefabObject>();
000021 |
000022 |     // Construction parts built -> only works if object is basebuilding
000023 |     autoptr array<string> ConstructionPartsBuilt = new array<string>();
000024 |

```

```
000025 | // Sets of prefab objects (for making chance apply to whole set)
000026 | autoptr array<ref ExpansionPrefabObject> Sets = new array<ref ExpansionPrefabObject>();
000027 |
000028 | [NonSerialized()]
000029 | string m_Name;
000030 |
000031 | ExpansionPrefabObject BeginAttachment(string className, string slotName = "")
000032 | {
000033 |     ExpansionPrefabObject object = new ExpansionPrefabObject();
000034 |     object.ClassName = className;
000035 |
000036 |     ExpansionPrefab.s_Begin.Insert(this);
000037 |
000038 |     array<ref ExpansionPrefabObject> attachments;
000039 |     if (!FindAttachments(slotName, attachments))
000040 |     {
000041 |         attachments = new array<ref ExpansionPrefabObject>();
000042 |         InventoryAttachments.Insert(new ExpansionPrefabSlot(slotName, attachments));
000043 |     }
000044 |
000045 |     attachments.Insert(object);
000046 |     return object;
000047 | }
000048 |
000049 | bool FindAttachments(string slotName, out array<ref ExpansionPrefabObject> items)
000050 | {
000051 |     foreach (auto slot: InventoryAttachments)
000052 |     {
000053 |         if (slot.SlotName == slotName)
000054 |         {
000055 |             items = slot.Items;
000056 |             return true;
000057 |         }
000058 |     }
000059 |
000060 |     return false;
000061 | }
000062 |
000063 | void InsertAttachments(string slotName, array<ref ExpansionPrefabObject> items)
000064 | {
000065 |     array<ref ExpansionPrefabObject> existingItems;
000066 |     if (FindAttachments(slotName, existingItems))
000067 |     {
000068 |         foreach (auto object: items)
000069 |         {
000070 |             existingItems.Insert(object);
000071 |         }
000072 |     }
000073 |     else
000074 |     {
000075 |         InventoryAttachments.Insert(new ExpansionPrefabSlot(slotName, items));
000076 |     }
000077 | }
000078 |
000079 | ExpansionPrefabObject BeginCargo(string className)
000080 | {
000081 |     ExpansionPrefabObject object = new ExpansionPrefabObject();
000082 |     object.ClassName = className;
000083 |
000084 |     ExpansionPrefab.s_Begin.Insert(this);
000085 |
000086 |     InventoryCargo.Insert(object);
```

```
000087 |         return object;
000088 |     }
000089 |
000090 |     ExpansionPrefabObject BeginSet(string setName = "")
000091 |     {
000092 |         ExpansionPrefabObject object = new ExpansionPrefabObject();
000093 |         object.ClassName = setName;
000094 |
000095 |         ExpansionPrefab.s_Begin.Insert(this);
000096 |
000097 |         Sets.Insert(object);
000098 |         return object;
000099 |     }
000100 |
000101 |     ExpansionPrefabObject End()
000102 |     {
000103 |         int index = ExpansionPrefab.s_Begin.Count() - 1;
000104 |
000105 |         ExpansionPrefabObject object = ExpansionPrefab.s_Begin[index];
000106 |
000107 |         ExpansionPrefab.s_Begin.Remove(index);
000108 |
000109 |         return object;
000110 |     }
000111 |
000112 |     ExpansionPrefabObject SetQuantity(float quantityMin, float quantityMax = 0)
000113 |     {
000114 |         Quantity.Set(quantityMin, quantityMax);
000115 |
000116 |         return this;
000117 |     }
000118 |
000119 |     ExpansionPrefabObject SetHealth(string zone, float healthMin, float healthMax = 0.0)
000120 |     {
000121 |         ExpansionHealth health = new ExpansionHealth(healthMin, healthMax, zone);
000122 |         InsertHealth(health);
000123 |
000124 |         return this;
000125 |     }
000126 |
000127 |     ExpansionPrefabObject SetHealth(float healthMin, float healthMax = 0.0)
000128 |     {
000129 |         ExpansionHealth health = new ExpansionHealth(healthMin, healthMax, "");
000130 |         InsertHealth(health);
000131 |
000132 |         return this;
000133 |     }
000134 |
000135 |     bool FindHealth(string zone, out ExpansionHealth health)
000136 |     {
000137 |         foreach (auto existingHealth: Health)
000138 |         {
000139 |             if (existingHealth.Zone == zone)
000140 |             {
000141 |                 health = existingHealth;
000142 |                 return true;
000143 |             }
000144 |         }
000145 |
000146 |         return false;
000147 |     }
000148 | }
```



```
000149 | void InsertHealth(ExpansionHealth health)
000150 | {
000151 |     ExpansionHealth existingHealth;
000152 |     if (FindHealth(health.Zone, existingHealth))
000153 |     {
000154 |         existingHealth.Set(health.Min, health.Max);
000155 |     }
000156 |     else
000157 |     {
000158 |         Health.Insert(health);
000159 |     }
000160 | }
000161 |
000162 | ExpansionPrefabObject SetPartConstructed(string part)
000163 | {
000164 |     ConstructionPartsBuilt.Insert(part);
000165 |
000166 |     return this;
000167 | }
000168 |
000169 | string GetPath()
000170 | {
000171 |     CF_Log.Error("Not implemented.");
000172 |     return "";
000173 | }
000174 |
000175 | void Save()
000176 | {
000177 |     CF_Log.Error("Not implemented.");
000178 | }
000179 |
000180 | bool CanSpawn()
000181 | {
000182 |     if (!Chance || Chance < Math.RandomFloat(0.0, 1.0))
000183 |         return false;
000184 |
000185 |     return true;
000186 | }
000187 |
000188 | Object Spawn(Object self, array<ref ExpansionPrefabObject> inventoryCargo = null)
000189 | {
000190 |     #ifdef EXTRACE_DIAG
000191 |         auto trace = EXTrace.Start(EXTrace.LOADOUTS, this);
000192 |     #endif
000193 |
000194 |     if (!self)
000195 |     {
000196 |         return self;
000197 |     }
000198 |
000199 |     if (Include)
000200 |     {
000201 |         if (CF_String.EqualsIgnoreCase(Include, m_Name))
000202 |         {
000203 |             EXError.Error(this, string.Format("'%1' cannot include itself", m_Name), {});
000204 |         }
000205 |         else
000206 |         {
000207 |             string folder;
000208 |
000209 |             ExpansionPrefab thisPrefab;
000210 |             if (Class.CastTo(thisPrefab, this))
```

```
000211 |         folder = ExpansionString.DirName(thisPrefab.m_Path);
000212 |
000213 |     if (!folder)
000214 |         folder = EXPANSION_LOADOUT_FOLDER;
000215 |
000216 |     ExpansionPrefab prefab = ExpansionPrefab.Load(Include, false, folder);
000217 |     if (prefab)
000218 |     {
000219 |         if (prefab.Include && CF_String.EqualsIgnoreCase(prefab.Include, m_Name))
000220 |             EXError.Error(this, string.Format("'%1' cannot include parent '%2'", prefab.m_Name, m_Name), {});
000221 |         else
000222 |             prefab.Spawn(self, inventoryCargo);
000223 |     }
000224 | }
000225 | }
000226 |
000227 | foreach (ExpansionHealth health : Health)
000228 | {
000229 |     float maxHealth = self.GetMaxHealth(health.Zone, "");
000230 |     float healthModifier = Math.RandomFloatInclusive(health.Min, health.Max);
000231 |     self.SetHealth(health.Zone, "", maxHealth * healthModifier);
000232 | }
000233 |
000234 | EntityAI entity;
000235 | if (Class.CastTo(entity, self))
000236 | {
000237 |     ExpansionVehicle vehicle;
000238 |     if (ExpansionVehicle.Get(vehicle, entity))
000239 |     {
000240 |         vehicle.FillFluids();
000241 |     }
000242 |
000243 |     ItemBase item;
000244 |     Magazine mag;
000245 |     if (Class.CastTo(item, entity) && item.HasQuantity())
000246 |     {
000247 |         float quantity = Quantity.GetRandom();
000248 |
000249 |         if (quantity > -1)
000250 |         {
000251 |             float quantityMin;
000252 |             float quantityMax;
000253 |             if (Class.CastTo(mag, entity))
000254 |             {
000255 |                 quantityMax = mag.GetAmmoMax();
000256 |                 if (mag.IsAmmoPile())
000257 |                     quantityMin = 1.0 / quantityMax; //! Make sure ammo pile has at least one bullet
000258 |             }
000259 |             else
000260 |             {
000261 |                 quantityMin = item.GetQuantityMin();
000262 |                 quantityMax = item.GetQuantityMax();
000263 |             }
000264 |
000265 |             if (quantity == 0 || quantity < quantityMin)
000266 |             {
000267 |                 if (mag)
000268 |                     quantity = 1.0;
000269 |                 else
000270 |                     quantity = item.GetQuantityInit() / quantityMax;
000271 |             }
000272 |         }
```

```
000273 |         if (quantity > 0)
000274 |         {
000275 |             float itemQuantity = quantityMax * quantity;
000276 |             if (item.Expansion_IsStackable() || mag)
000277 |                 itemQuantity = Math.Round(itemQuantity);
000278 |             if (mag)
000279 |             {
000280 |                 mag.ServerSetAmmoCount(itemQuantity);
000281 |             }
000282 |             else
000283 |             {
000284 |                 item.SetQuantity(itemQuantity);
000285 |             }
000286 |         }
000287 |     }
000288 | }
000289 |
000290 | BaseBuildingBase baseBuilding;
000291 | if (Class.CastTo(baseBuilding, entity))
000292 | {
000293 |     Construction construction = baseBuilding.GetConstruction();
000294 |
000295 |     if (construction)
000296 |     {
000297 |         foreach (string partName: ConstructionPartsBuilt)
000298 |         {
000299 |             construction.ExpansionBuildPartFull(partName);
000300 |         }
000301 |     }
000302 | }
000303 |
000304 | GameInventory inventory = entity.GetInventory();
000305 | if (inventory)
000306 | {
000307 |     HumanInventory humanInventory = HumanInventory.Cast(inventory);
000308 |
000309 | #ifdef EXPANSIONMODAI
000310 |     eAIBase ai = eAIBase.Cast(entity);
000311 | #endif
000312 |
000313 |     array<ref ExpansionPrefabObject> candidates();
000314 |     int index;
000315 |
000316 |     //! Cargo from root of any set needs to be spawned last so that cargo containers (e.g. clothing) added via attachments are already there
000317 |     bool spawnCargo;
000318 |
000319 |     array<ref ExpansionPrefabObject> inventoryCargoLocal;
000320 |     if (!inventoryCargo)
000321 |     {
000322 |         //! Cannot assign new array directly to inventoryCargo inside this conditional block,
000323 |         //! leads to nonsensical compile error ("Variable 'inventoryCargo' is not strong ref")
000324 |         inventoryCargoLocal = new array<ref ExpansionPrefabObject>;
000325 |         inventoryCargo = inventoryCargoLocal;
000326 |         spawnCargo = true;
000327 |     }
000328 |
000329 |     foreach (ExpansionPrefabObject thisCargo: InventoryCargo)
000330 |     {
000331 |         if (thisCargo.ClassName && thisCargo.CanSpawn())
000332 |             inventoryCargo.Insert(thisCargo);
000333 |     }
000334 | }
```

```

000335 |         //!< Select sets by chance
000336 |         foreach (ExpansionPrefabObject selectedSet : Sets)
000337 |         {
000338 |             if (selectedSet.CanSpawn())
000339 |             {
000340 |                 candidates.Insert(selectedSet);
000341 |             }
000342 |         }
000343 |
000344 |         //!< Spawn sets in random order
000345 |         TStringArray setNames(); //!< If set is named, will only spawn one per unique name
000346 |         while (candidates.Count())
000347 |         {
000348 |             index = candidates.GetRandomIndex();
000349 |             selectedSet = candidates[index];
000350 |             candidates.Remove(index);
000351 |
000352 |             if (!selectedSet.ClassName || setNames.Find(selectedSet.ClassName) == -1)
000353 |             {
000354 |                 selectedSet.Spawn(self, inventoryCargo);
000355 |                 if (selectedSet.ClassName)
000356 |                 {
000357 |                     setNames.Insert(selectedSet.ClassName);
000358 |                 }
000359 |             }
000360 |         }
000361 |
000362 |         Object child;
000363 |         int fallbackSlotId = InventorySlots.INVALID;
000364 |         map<int, bool> slotTaken = new map<int, bool>;
000365 |
000366 |         foreach (auto slot : InventoryAttachments)
000367 |         {
000368 |             string slotName = slot.SlotName;
000369 |             array<ref ExpansionPrefabObject> attachments = slot.Items;
000370 |
000371 |             int slotId = InventorySlots.GetSlotIdFromString(slotName);
000372 |             int currentSlotId;
000373 |
000374 |             child = null;
000375 |
000376 |             candidates.Clear();
000377 |
000378 |             //!< Select attachments by chance
000379 |             foreach (ExpansionPrefabObject attachment : attachments)
000380 |             {
000381 |                 if (attachment.ClassName && attachment.CanSpawn())
000382 |                 {
000383 |                     candidates.Insert(attachment);
000384 |                     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000385 |                         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - selected candidate attachment " + attachment.ClassName + " for " + e
000386 | ntity);
000387 |                     #endif
000388 |                 }
000389 |                 #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000390 |                 else
000391 |                 {
000392 |                     EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - discarded candidate attachment " + attachment.ClassName + " for " +
000393 | entity);
000394 |                 }
000395 |             }
000396 |             #endif
000397 |         }

```

```

000395 |
000396 |     //!< Spawn candidate attachments in random order. If no valid inventory slot given, spawn all candidates.
000397 |     while (candidates.Count())
000398 |     {
000399 |         index = candidates.GetRandomIndex();
000400 |         attachment = candidates[index];
000401 |         candidates.Remove(index);
000402 |
000403 |         currentSlotId = slotId;
000404 |         if (slotId == InventorySlots.INVALID && entity.IsInherited(Weapon_Base))
000405 |         {
000406 |             if (g_Game.IsKindOf(attachment.ClassName, "Magazine_Base") && !g_Game.IsKindOf(attachment.ClassName, "Ammunition_Base"))
000407 |                 currentSlotId = InventorySlots.MAGAZINE;
000408 |         }
000409 |     #ifdef EXPANSIONMODAI
000410 |     else if (ai)
000411 |     {
000412 |         //!< Prefer hand slot for AI weapon to mitigate client sync issues
000413 |         if ((slotId == InventorySlots.SHOULDER || slotId == InventorySlots.MELEE) && !slotTaken[InventorySlots.HANDS] && g_Game.ConfigIsExisti
ng("CfgWeapons " + attachment.ClassName))
000414 |         {
000415 |             currentSlotId = InventorySlots.HANDS;
000416 |             fallbackSlotId = slotId;
000417 |         }
000418 |         else if (slotId == InventorySlots.HANDS && fallbackSlotId != InventorySlots.INVALID && slotTaken[InventorySlots.HANDS])
000419 |         {
000420 |             currentSlotId = fallbackSlotId;
000421 |             fallbackSlotId = InventorySlots.INVALID;
000422 |         }
000423 |     }
000424 |     #endif
000425 |
000426 |     if (currentSlotId != InventorySlots.INVALID && slotTaken[currentSlotId])
000427 |     {
000428 |         continue;
000429 |     }
000430 |
000431 |     switch (currentSlotId)
000432 |     {
000433 |     case InventorySlots.INVALID:
000434 |         child = attachment.Spawn(inventory.CreateAttachment(attachment.ClassName));
000435 |     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000436 |         if (child)
000437 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created attachment " + attachment.ClassName + " on " + entity);
000438 |         else
000439 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create attachment " + attachment.ClassName + " on " + e
ntity);
000440 |     #endif
000441 |         break;
000442 |     case InventorySlots.HANDS:
000443 |         if (humanInventory)
000444 |         {
000445 |             child = attachment.Spawn(humanInventory.CreateInHands(attachment.ClassName));
000446 |             if (child != null)
000447 |             {
000448 |                 slotTaken[currentSlotId] = true;
000449 |             #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000450 |                 EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created " + attachment.ClassName + " in hands of " + entity)
;
000451 |             #endif
000452 |             }
000453 |         #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN

```

```

000454 |         else
000455 |         {
000456 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create " + attachment.ClassName + " in hands of " +
entity);
000457 |         }
000458 |     #endif
000459 | }
000460 | break;
000461 | case InventorySlots.MAGAZINE:
000462 |     child = attachment.Spawn(item.ExpansionCreateInInventory(attachment.ClassName));
000463 |     if (child != null)
000464 |     {
000465 |         slotTaken[currentSlotId] = true;
000466 |         #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000467 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created mag " + attachment.ClassName + " on " + entity);
000468 |         #endif
000469 |     }
000470 | #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000471 |     else
000472 |     {
000473 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create mag " + attachment.ClassName + " on " + entity);
000474 |     }
000475 | #endif
000476 |     break;
000477 | default:
000478 |     child = attachment.Spawn(inventory.CreateAttachmentEx(attachment.ClassName, currentSlotId));
000479 |     if (child != null)
000480 |     {
000481 |         slotTaken[currentSlotId] = true;
000482 |         #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000483 |             EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created attachment " + attachment.ClassName + " on " + entity +
" in slot " + slotName);
000484 |         #endif
000485 |     }
000486 |     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000487 |     else
000488 |     {
000489 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create attachment " + attachment.ClassName + " on " + e
ntity + " in slot " + slotName);
000490 |     }
000491 |     #endif
000492 |     break;
000493 | }
000494 | }
000495 | }
000496 |
000497 | if (!spawnCargo)
000498 |     return self;
000499 |
000500 | //! Spawn candidate cargo in random order
000501 | ExpansionPrefabObject cargo;
000502 | while (inventoryCargo.Count())
000503 | {
000504 |     index = inventoryCargo.GetRandomIndex();
000505 |     cargo = inventoryCargo[index];
000506 |     inventoryCargo.Remove(index);
000507 |
000508 |     child = cargo.Spawn(ExpansionItemSpawnHelper.CreateInInventoryEx(entity, cargo.ClassName));
000509 |     #ifdef EXPANSION_LOADOUTS_DEBUGSPAWN
000510 |     if (child)
000511 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - created " + cargo.ClassName + " on " + entity);
000512 |     else

```

```
000513 |         EXTrace.Print(EXTrace.LOADOUTS, ExpansionPrefabObject, "::Spawn - couldn't create " + cargo.ClassName + " on " + entity);
000514 |     #endif
000515 |     }
000516 | }
000517 | }
000518 |
000519 |     return self;
000520 | }
000521 |
000522 | void FillCar(Car car, CarFluid fluid)
000523 | {
000524 |     EXError.WarnOnce(this, "DEPRECATED");
000525 |     car.Fill(fluid, car.GetFluidCapacity(fluid));
000526 | }
000527 | };
000528 |
000529 | class ExpansionPrefabSlot : Managed
000530 | {
000531 |     string SlotName;
000532 |     autoptr array<ref ExpansionPrefabObject> Items = new array<ref ExpansionPrefabObject>();
000533 |
000534 |     void ExpansionPrefabSlot(string slotName = "", array<ref ExpansionPrefabObject> items = null)
000535 |     {
000536 |         SlotName = slotName;
000537 |         if (items)
000538 |             Items = items;
000539 |     }
000540 | };
000541 |
```

0166. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionScene.c
Size bytes: 114
SHA-256: 0e6b12c6e3195b1b7016d7e6817c0f956d261d70a862a2cf8f59ebc48d7a4025
Decoded as: utf-8-sig
Line count shown: 6
Detected class declarations: 1
 L2: class ExpansionScene : ExpansionSceneObject
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | //TODO: maybe continue work on this? Not really needed ATM
000002 | class ExpansionScene : ExpansionSceneObject
000003 | {
000004 |
000005 | };
000006 |
```


0167. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\Scene\ExpansionSceneObject.c
Size bytes: 270
SHA-256: fe39e9a8e57de6bdc061a698bbc3b9d8357b9389b605f8b1c7ae141aa4cd33f5
Decoded as: utf-8-sig
Line count shown: 10
Detected class declarations: 1
 L2: class ExpansionSceneObject : ExpansionPrefabObject
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | //TODO: maybe continue work on this? Not really needed ATM
000002 | class ExpansionSceneObject : ExpansionPrefabObject
000003 | {
000004 |     vector Position;
000005 |     vector Orientation;
000006 |     vector Scale;
000007 |
000008 |     autoptr array<ref ExpansionSceneObject> Children = new array<ref ExpansionSceneObject>();
000009 | };
000010 |
```

0168. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionDamageSystem.c
Size bytes: 15846
SHA-256: efd59a5b5a61f68245318d1d4d12955543e071fbca0e06d682c7f69d23a1525f
Decoded as: utf-8-sig
Line count shown: 441
Detected class declarations: 1
  L14: class ExpansionDamageSystem
Detected enum declarations: 0
Detected function/method-like declarations: 20
  L20: static bool IsEnabledForExplosionTarget(EntityAI target)
  L28: static bool GetExplosionConfigValues(EntityAI source, inout string ammoType, out float explosionRange, out float explosionDropoffRange, out
  L69: static float GetExplosionDamage(EntityAI source, EntityAI target, string ammoType = "", out float dmgNominal = 0.0)
  L87: static float GetExplosionDamageNormalized(EntityAI source, EntityAI target, float explosionRange, float explosionDropoffRange, vector positi
  L103: static void OnBeforeExplode(EntityAI source, int damageType, string ammoType = "", vector position = vector.Zero)
  L123: map<EntityAI, float> targets();
  L168: else if (Class.CastTo(player, nearest_object))
  L174: else if (ExpansionVehicle.Get(vehicle, nearest_object))
  L180: else if (!Class.CastTo(nearest_entity, nearest_object))
  L262: static bool PerformRaycast(EntityAI source, EntityAI target, vector position, out bool targetHit, out Object blockingObject)
  L267: set<Object> results();
  L286: else if (obj.IsBuilding() || obj.ConfigGetString("physLayer") == "item_large")
  L300: static void OnAfterExplode(EntityAI source, string sourceIdentifier, string sourcePosition, int damageType, string ammoType, map<EntityAI, f
  L326: static void OnExplosionHit(EntityAI source, EntityAI target, string ammoType, bool applyDamageCorrection = false, TotalDamageResult damageRe
  L330: static bool OnExplosionDamageCalculated(TotalDamageResult damageResult, EntityAI source, EntityAI target, int component, string dmgZone, str
  L371: static void ApplyExplosionDamage(EntityAI source, EntityAI target, string dmgZone, string ammoType, vector modelPos, float dmgCoef)
  L377: static int GetQueuedExplosionCount(EntityAI target, string sourceIdentifier, string ammoType)
  L388: static void QueueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
  L403: static bool DequeueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
  L434: static void Log(string msg)
```

Full file content

```
000001 | /**
000002 |  * ExpansionDamageSystem.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | //! Consistent explosion damage
000014 | class ExpansionDamageSystem
000015 | {
000016 |     static const float BLOCKING_ANGLE_THRESHOLD = 0.5;  //! Math.Cos(60 * Math.DEG2RAD);
000017 |
000018 |     static ref map<EntityAI, ref map<string, ref map<string, int>>> s_ExplosionQueue = new map<EntityAI, ref map<string, ref map<string, int>>>;
000019 |
000020 |     static bool IsEnabledForExplosionTarget(EntityAI target)
000021 |     {
000022 |         if (!GetExpansionSettings().GetDamageSystem().Enabled)
000023 |             return false;
000024 |
000025 |         return ExpansionStatic.IsAnyOf(target, GetExpansionSettings().GetDamageSystem().ExplosionTargets, true);
000026 |     }
000027 | }
```

```
000028 | static bool GetExplosionConfigValues(EntityAI source, inout string ammoType, out float explosionRange, out float explosionDropoffRange, out bool directional,
000029 | out float indirectHitAngle1, out float indirectHitAngle2)
000030 | {
000031 |     if (!ammoType)
000032 |         ammoType = source.ConfigGetString("ammoType");
000033 |
000034 |     if (ammoType)
000035 |     {
000036 |         if (g_Game.ConfigIsExisting("CfgAmmo " + ammoType + " indirectHitRange"))
000037 |         {
000038 |             explosionDropoffRange = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitRange");
000039 |         }
000040 |         else
000041 |         {
000042 |             EXError.WarnOnce(null, "WARNING: Ammo " + ammoType + " has no indirectHitRange! Assuming 1.0", {});
000043 |             explosionDropoffRange = 1.0;
000044 |         }
000045 |
000046 |         if (g_Game.ConfigIsExisting("CfgAmmo " + ammoType + " indirectHitRangeMultiplier"))
000047 |         {
000048 |             explosionRange = explosionDropoffRange * g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitRangeMultiplier");
000049 |         }
000050 |         else
000051 |         {
000052 |             EXError.WarnOnce(null, "WARNING: Ammo " + ammoType + " has no indirectHitRangeMultiplier! Assuming 1.0", {});
000053 |             explosionRange = explosionDropoffRange;
000054 |         }
000055 |
000056 |         directional = g_Game.ConfigGetTextOut("CfgAmmo " + ammoType + " explosionType") == "directional";
000057 |         indirectHitAngle1 = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitAngle1");
000058 |         indirectHitAngle2 = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " indirectHitAngle2");
000059 |
000060 |         return true;
000061 |     }
000062 |     else
000063 |     {
000064 |         EXError.ErrorOnce(null, "ERROR: " + source.GetType() + " has no ammo!", {});
000065 |     }
000066 |
000067 |     return false;
000068 | }
000069 |
000070 | static float GetExplosionDamage(EntityAI source, EntityAI target, string ammoType = "", out float dmgNominal = 0.0)
000071 | {
000072 |     float explosionRange;
000073 |     float explosionDropoffRange;
000074 |     bool directional;
000075 |     float indirectHitAngle1;
000076 |     float indirectHitAngle2;
000077 |     GetExplosionConfigValues(source, ammoType, explosionRange, explosionDropoffRange, directional, indirectHitAngle1, indirectHitAngle2);
000078 |
000079 |     if (ammoType)
000080 |     {
000081 |         dmgNominal = g_Game.ConfigGetFloat("CfgAmmo " + ammoType + " DamageApplied Health damage");
000082 |         return dmgNominal * GetExplosionDamageNormalized(source, target, explosionRange, explosionDropoffRange);
000083 |     }
000084 |
000085 |     return 0.0;
000086 | }
000087 |
000088 | static float GetExplosionDamageNormalized(EntityAI source, EntityAI target, float explosionRange, float explosionDropoffRange, vector position = vector.Zero)
000089 | {
```

```
000089 |         if (position == vector.Zero)
000090 |             position = source.GetPosition();
000091 |
000092 |         float blastDistance = vector.Distance(position, target.GetPosition());
000093 |
000094 |         if (explosionRange > explosionDropoffRange)
000095 |             return ExpansionMath.LinearConversion(explosionRange, explosionDropoffRange, blastDistance);
000096 |
000097 |         if (blastDistance > explosionDropoffRange)
000098 |             return 0.0;
000099 |
000100 |         return 1.0;
000101 |     }
000102 |
000103 |     static void OnBeforeExplode(EntityAI source, int damageType, string ammoType = "", vector position = vector.Zero)
000104 |     {
000105 |         if (!g_Game.IsServer() || damageType != DamageType.EXPLOSION || !GetExpansionSettings().GetDamageSystem().Enabled)
000106 |             return;
000107 |
000108 |         if (position == vector.Zero)
000109 |             position = source.GetPosition();
000110 |
000111 |         array<Object> nearest_objects = new array<Object>;
000112 |         array<CargoBase> proxy_cargos = new array<CargoBase>;
000113 |
000114 |         float explosionRange;
000115 |         float explosionDropoffRange;
000116 |         bool directional;
000117 |         float indirectHitAngle1;
000118 |         float indirectHitAngle2;
000119 |         GetExplosionConfigValues(source, ammoType, explosionRange, explosionDropoffRange, directional, indirectHitAngle1, indirectHitAngle2);
000120 |
000121 |         Log("About to explode " + ammoType + " from " + source + " at " + ExpansionStatic.VectorToString(position) + " " + typename.EnumToString(DamageType, damageType) + " range " + explosionRange + " dropoff " + explosionDropoffRange);
000122 |
000123 |         map<EntityAI, float> targets();
000124 |
000125 |         if (directional)
000126 |         {
000127 |             //! XXX: GetEntitiesInCone doesn't work very well, often includes objects that are not in cone
000128 |             //vector dir = source.GetDirection();
000129 |             //dir[1] = 0;
000130 |             //dir.Normalize();
000131 |
000132 |             //!!! Using values for min/max height that are suitable for Claymore, and probably really should limit range or the search is going to be expensive
000133 |             //DayZPlayerUtils.GetEntitiesInCone(position, dir, indirectHitAngle1, explosionRange, -0.5, 2.0, nearest_objects);
000134 |
000135 |             //!!! Annoyingly, GetEntitiesInCone can include the same object multiple times, so we have to deal with that
000136 |             //map<Object, bool> seen();
000137 |
000138 |             vector sourceAngles = source.GetDirection().VectorToAngles();
000139 |         }
000140 |         //else
000141 |         //{
000142 |             g_Game.GetObjectsAtPosition3D(position, explosionRange, nearest_objects, proxy_cargos);
000143 |         //}
000144 |
000145 |         ItemBase nearest_item;
000146 |         DayZPlayerImplement player;
000147 |         ExpansionVehicle vehicle;
000148 |         EntityAI nearest_entity;
000149 |     }
```

```
000150 |         bool checkForBlockingObj = GetExpansionSettings().GetDamageSystem().CheckForBlockingObjects;
000151 |         bool targetHit;
000152 |         Object blockingObject;
000153 |
000154 |         foreach (Object nearest_object: nearest_objects)
000155 |         {
000156 |             if (nearest_object == source)
000157 |                 continue;
000158 |
000159 |             if (!nearest_object.GetAllowDamage())
000160 |                 continue;
000161 |
000162 |             if (Class.CastTo(nearest_item, nearest_object))
000163 |             {
000164 |                 if (!nearest_item.CanBeDamaged())
000165 |                     continue;
000166 |                 nearest_entity = nearest_item;
000167 |             }
000168 |             else if (Class.CastTo(player, nearest_object))
000169 |             {
000170 |                 if (!player.Expansion_CanBeDamaged(ammoType))
000171 |                     continue;
000172 |                 nearest_entity = player;
000173 |             }
000174 |             else if (ExpansionVehicle.Get(vehicle, nearest_object))
000175 |             {
000176 |                 if (!vehicle.CanBeDamaged())
000177 |                     continue;
000178 |                 nearest_entity = vehicle.GetEntity();
000179 |             }
000180 |             else if (!Class.CastTo(nearest_entity, nearest_object))
000181 |             {
000182 |                 continue;
000183 |             }
000184 |
000185 |             if (!IsEnabledForExplosionTarget(nearest_entity))
000186 |                 continue;
000187 |
000188 |             if (directional)
000189 |             {
000190 |                 //if (seen.Contains(nearest_object)) //! Deal w/ GetEntitiesInCone including the same object multiple times
000191 |                     //continue;
000192 |
000193 |                 //seen[nearest_object] = true;
000194 |
000195 |                 //! @note Important: Do not use position override here, use source position
000196 |                 vector targetDir = vector.Direction(source.GetPosition(), nearest_object.GetPosition());
000197 |                 vector targetAngles = targetDir.VectorToAngles();
000198 |
000199 |                 float hitAngle1;
000200 |                 float hitAngle2;
000201 |
000202 |                 if (targetDir.LengthSq() > 1.0)
000203 |                 {
000204 |                     hitAngle1 = indirectHitAngle1 / 2.0;
000205 |                     hitAngle2 = indirectHitAngle2 / 2.0;
000206 |                 }
000207 |                 else
000208 |                 {
000209 |                     //! Just check if roughly in front
000210 |                     hitAngle1 = 90.0;
000211 |                     hitAngle2 = 90.0;
```

```
000212 |         }
000213 |
000214 |         if (Math.AbsFloat(ExpansionMath.AngleDiff2(sourceAngles[0], targetAngles[0])) > hitAngle1)
000215 |         {
000216 | #ifdef DIAG_DEVELOPER
000217 |             Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " a
000218 | t " + ExpansionStatic.VectorToString(position) + " (not in blast direction)");
000219 | #endif
000220 |             continue;
000221 |         }
000222 |         if (Math.AbsFloat(ExpansionMath.AngleDiff2(sourceAngles[1], targetAngles[1])) > hitAngle2)
000223 |         {
000224 | #ifdef DIAG_DEVELOPER
000225 |             Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " a
000226 | t " + ExpansionStatic.VectorToString(position) + " (not in blast direction)");
000227 | #endif
000228 |             continue;
000229 |         }
000230 |     }
000231 |     float explosionDamageNormalized = GetExplosionDamageNormalized(source, nearest_entity, explosionRange, explosionDropoffRange, position);
000232 |     if (!explosionDamageNormalized)
000233 |     {
000234 | #ifdef DIAG_DEVELOPER
000235 |         Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " at "
000236 | + ExpansionStatic.VectorToString(position) + " (too far away)");
000237 | #endif
000238 |         continue;
000239 |     }
000240 |     if (checkForBlockingObj)
000241 |         PerformRaycast(source, nearest_entity, position, targetHit, blockingObject);
000242 |
000243 |     if (!blockingObject)
000244 |     {
000245 | #ifdef DIAG_DEVELOPER
000246 |         Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is a target for " + source + " at " + Ex
000247 | pansionStatic.VectorToString(position));
000248 | #endif
000249 |         targets.Insert(nearest_entity, explosionDamageNormalized);
000250 |         QueueExplosion(nearest_entity, source.ToString(), ammoType);
000251 |     }
000252 | #ifdef DIAG_DEVELOPER
000253 |     else
000254 |     {
000255 |         Log(nearest_object.ToString() + " at " + ExpansionStatic.VectorToString(nearest_object.GetPosition()) + " is NOT a target for " + source + " at "
000256 | + ExpansionStatic.VectorToString(position) + " (blocking " + blockingObject + " is in the way)");
000257 |     }
000258 | #endif
000259 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(OnAfterExplode, 34, false, source, source.ToString(), ExpansionStatic.VectorToString(position), damage
000260 | Type, ammoType, targets);
000261 | }
000262 |
000263 | static bool PerformRaycast(EntityAI source, EntityAI target, vector position, out bool targetHit, out Object blockingObject)
000264 | {
000265 |     vector hitPosition;
000266 |     vector hitNormal;
000267 |     int contactComponent;
000268 |     set<Object> results();
```

```

000268 |
000269 |         targetHit = false;
000270 |         blockingObject = null;
000271 |
000272 |         if (!DayZPhysics.RaycastRV(position, target.GetPosition(), hitPosition, hitNormal, contactComponent, results, null, source, true, false, ObjIntersectView,
000273 | 0.1, CollisionFlags.ALLOBJECTS))
000274 |             return false; ///! Ray didn't hit anything, but this also means nothing is in the way
000275 |
000276 |         vector offsetPos = position - source.GetDirection();
000277 |         vector targetDir = vector.Direction(position, target.GetPosition());
000278 |         vector targetDirNorm = targetDir.Normalized();
000279 |         float targetDistSq = targetDir.LengthSq();
000280 |
000281 |         foreach (Object obj: results)
000282 |         {
000283 |             if (obj == target)
000284 |             {
000285 |                 targetHit = true;
000286 |             }
000287 |             else if (obj.IsBuilding() || obj.ConfigGetString("physLayer") == "item_large")
000288 |             {
000289 |                 vector objDirNorm = vector.Direction(offsetPos, obj.GetPosition()).Normalized();
000290 |                 if (vector.Dot(objDirNorm, targetDirNorm) > BLOCKING_ANGLE_THRESHOLD && vector.DistanceSq(position, obj.GetPosition()) < targetDistSq)
000291 |                 {
000292 |                     blockingObject = obj;
000293 |                     break;
000294 |                 }
000295 |             }
000296 |         }
000297 |         return true;
000298 |     }
000299 |
000300 |     static void OnAfterExplode(EntityAI source, string sourceIdentifier, string sourcePosition, int damageType, string ammoType, map<EntityAI, float> targets)
000301 |     {
000302 |         EntityAI directDamageSource = source;
000303 |         foreach (EntityAI target, float dmg: targets)
000304 |         {
000305 |             if (!target)
000306 |                 continue;
000307 |
000308 |             if (GetQueuedExplosionCount(target, sourceIdentifier, ammoType))
000309 |             {
000310 |                 Log(target.ToString() + " at " + ExpansionStatic.VectorToString(target.GetPosition()) + " (destroyed " + target.IsDamageDestroyed() + ") was not h
000311 | it by " + ammoType + " from " + sourceIdentifier + " at " + sourcePosition + " - applying direct " + typename.EnumToString(DamageType, damageType) + " damage coef
000312 | " + dmg);
000313 |
000314 |                 if (!source)
000315 |                 {
000316 |                     directDamageSource = target;
000317 |                     DequeueExplosion(target, sourceIdentifier, ammoType);
000318 |                 }
000319 |
000320 |                 if (target.IsDamageDestroyed())
000321 |                     DequeueExplosion(target, sourceIdentifier, ammoType);
000322 |                 else
000323 |                     target.ProcessDirectDamage(damageType, directDamageSource, "", ammoType, "0 0 0", dmg);
000324 |             }
000325 |         }
000326 |     }
000327 |
000328 |     static void OnExplosionHit(EntityAI source, EntityAI target, string ammoType, bool applyDamageCorrection = false, TotalDamageResult damageResult = null, strin

```

```
000327 | g dmgZone = string.Empty)
000328 | {
000329 | }
000330 | static bool OnExplosionDamageCalculated(TotalDamageResult damageResult, EntityAI source, EntityAI target, int component, string dmgZone, string ammoType, vect
or modelPos, float speedCoef, bool applyDamageCorrection = false)
000331 | {
000332 |     if (!IsEnabledForExplosionTarget(target))
000333 |         return true;
000334 |
000335 |     if (!DequeueExplosion(target, source.ToString(), ammoType))
000336 |         return true;
000337 |
000338 |     if (applyDamageCorrection && !target.IsDamageDestroyed() && !target.GetHierarchyParent() && source && !source.GetHierarchyRootPlayer())
000339 |     {
000340 |         ///! Use our own damage system for consistent explosion damage
000341 |         ///! Note that this only works as intended if damage source root is not a player,
000342 |         ///! else won't be able to get actual source's position in relation to target
000343 |
000344 |         ///! Calling ProcessDirectDamage with source being any static/baked entity segfaults (https://feedback.bistudio.com/T192088)
000345 |         if (!source.IsItemBase() && !source.IsDayZCreature() && !source.IsMan() && !source.IsTransport())
000346 |         {
000347 |             if (!target.IsItemBase() && !target.IsDayZCreature() && !target.IsMan() && !target.IsTransport())
000348 |                 return true;
000349 |             else
000350 |                 source = target;
000351 |         }
000352 |
000353 |         float dmg = damageResult.GetDamage(dmgZone, "Health");
000354 |
000355 |         float dmgDirectHit;
000356 |         float baseDmg = GetExplosionDamage(source, target, ammoType, dmgDirectHit) * speedCoef;
000357 |         if (baseDmg > dmg && dmgDirectHit > 0.0)
000358 |         {
000359 |             Log("Overriding " + source.ToString() + " damage dealt to " + target.ToString() + " at " + target.GetPosition() + " " + dmg.ToString() + " -> " +
baseDmg.ToString() + " by dealing damage difference");
000360 |
000361 |             float dmgCoef = (baseDmg - dmg) / dmgDirectHit;
000362 |
000363 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(ApplyExplosionDamage, source, target, dmgZone, ammoType, modelPos, dmgCoef);
000364 |             return false;
000365 |         }
000366 |     }
000367 |
000368 |     return true;
000369 | }
000370 |
000371 | static void ApplyExplosionDamage(EntityAI source, EntityAI target, string dmgZone, string ammoType, vector modelPos, float dmgCoef)
000372 | {
000373 |     if (source && target)
000374 |         target.ProcessDirectDamage(DamageType.EXPLOSION, source, dmgZone, ammoType, modelPos, dmgCoef);
000375 | }
000376 |
000377 | static int GetQueuedExplosionCount(EntityAI target, string sourceIdentifier, string ammoType)
000378 | {
000379 |     if (!s_ExplosionQueue[target])
000380 |         return 0;
000381 |
000382 |     if (!s_ExplosionQueue[target][sourceIdentifier])
000383 |         return 0;
000384 |
000385 |     return s_ExplosionQueue[target][sourceIdentifier][ammoType];
```



```
000386 | }
000387 |
000388 | static void QueueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
000389 | {
000390 |     if (!s_ExplosionQueue[target])
000391 |         s_ExplosionQueue[target] = new map<string, ref map<string, int>>;
000392 |
000393 |     if (!s_ExplosionQueue[target][sourceIdentifier])
000394 |         s_ExplosionQueue[target][sourceIdentifier] = new map<string, int>;
000395 |
000396 |     int count = s_ExplosionQueue[target][sourceIdentifier][ammoType] + 1;
000397 |
000398 |     s_ExplosionQueue[target][sourceIdentifier][ammoType] = count;
000399 |
000400 |     Log("Queued " + sourceIdentifier + " " + ammoType + " for " + target + " - count: " + count);
000401 | }
000402 |
000403 | static bool DequeueExplosion(EntityAI target, string sourceIdentifier, string ammoType)
000404 | {
000405 |     int count = GetQueuedExplosionCount(target, sourceIdentifier, ammoType);
000406 |
000407 |     if (count)
000408 |     {
000409 |         count--;
000410 |
000411 |         if (count)
000412 |         {
000413 |             s_ExplosionQueue[target][sourceIdentifier][ammoType] = count;
000414 |         }
000415 |         else
000416 |         {
000417 |             s_ExplosionQueue[target][sourceIdentifier].Remove(ammoType);
000418 |             if (!s_ExplosionQueue[target][sourceIdentifier].Count())
000419 |             {
000420 |                 s_ExplosionQueue[target].Remove(sourceIdentifier);
000421 |                 if (!s_ExplosionQueue[target].Count())
000422 |                     s_ExplosionQueue.Remove(target);
000423 |             }
000424 |         }
000425 |
000426 |         Log("Dequeued " + sourceIdentifier + " " + ammoType + " for " + target + " - count: " + count);
000427 |
000428 |         return true;
000429 |     }
000430 |
000431 |     return false;
000432 | }
000433 |
000434 | static void Log(string msg)
000435 | {
000436 |     auto settings = GetExpansionSettings().GetLog();
000437 |     if (settings.ExplosionDamageSystem)
000438 |         settings.PrintLog("[ExplosionDamageSystem] " + msg);
000439 | }
000440 | }
000441 |
```

0169. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\ExpansionItemBaseModule.c
Size bytes: 7597
SHA-256: 86ffd30601db2bc9dc0c500fcf14fc8794915ab1069c21ea845de65d53f40da1
Decoded as: utf-8-sig
Line count shown: 280
Detected class declarations: 1
  L18: class ExpansionItemBaseModule : CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L28: void ExpansionItemBaseModule()
  L34: override void OnInit()
  L41: override void OnMissionStart(Class sender, CF_EventArgs args)
  L60: int ProcessQueuedEntityActions(EntityAI entity, int actionsFilter = int.MAX)
  L79: private void LoadQueuedEntityActions()
  L122: static string FormatQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
  L127: private void AddQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
  L156: private bool PopQueuedEntityActions(int b1, int b2, int b3, int b4, int actionsFilter, out int selectedActions = 0)
  L192: private void TruncateQueuedEntityActions(int b1, int b2, int b3, map<int, ref map<int, ref map<int, int>>> m1, map<int, ref map<int, int>> m
  L213: void QueueEntityActions(EntityAI entity, int actions)
  L225: private void WriteQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
  L235: private void WriteQueuedEntityActions(FileSerializer file, int b1, int b2, int b3, int b4, int actions)
  L248: private void SaveQueuedEntityActions()
  L271: static void SetLootable(EntityAI entity, bool state)
```

Full file content

```
000001 | /**
000002 |  * ExpansionItemBaseModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionItemBaseModule
000014 |  * @brief      This module provides misc functionality like doing queued actions for an existing item on server start.
000015 |  */
000016 |
000017 | [CF_RegisterModule(ExpansionItemBaseModule)]
000018 | class ExpansionItemBaseModule : CF_ModuleWorld
000019 | {
000020 |     static const int SETUNLOOTABLE = 1;
000021 |     static const int DELETE = 2;
000022 |
000023 |     static ExpansionItemBaseModule s_Instance;
000024 |
000025 |     string m_QueuedEntityActionsFileName;
000026 |     ref map<int, ref map<int, ref map<int, ref map<int, int>>>> m_QueuedEntityActions;
000027 |
000028 |     void ExpansionItemBaseModule()
000029 |     {
000030 |         s_Instance = this;
000031 |         m_QueuedEntityActions = new map<int, ref map<int, ref map<int, ref map<int, int>>>>;
000032 |     }
000033 | }
```

```
000034 |     override void OnInit()
000035 |     {
000036 |         super.OnInit();
000037 |
000038 |         EnableMissionStart();
000039 |     }
000040 |
000041 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000042 |     {
000043 | #ifdef EXTRACE
000044 |         auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, this);
000045 | #endif
000046 |         super.OnMissionStart(sender, args);
000047 |
000048 | #ifdef SERVER
000049 |         int instance_id = g_Game.ServerConfigGetInt( "instanceId" );
000050 |         string folder = "$mission:storage_" + instance_id + "\\expansion\\";
000051 |         m_QueuedEntityActionsFileName = folder + "queuedentityactions.bin";
000052 |
000053 |         if (FileExist(m_QueuedEntityActionsFileName))
000054 |             LoadQueuedEntityActions();
000055 |         else
000056 |             ExpansionStatic.MakeDirectoryRecursive(folder);
000057 | #endif
000058 |     }
000059 |
000060 |     int ProcessQueuedEntityActions(EntityAI entity, int actionsFilter = int.MAX)
000061 |     {
000062 |         int b1, b2, b3, b4;
000063 |         entity.GetPersistentID(b1, b2, b3, b4);
000064 |
000065 |         int selectedActions;
000066 |         if (!PopQueuedEntityActions(b1, b2, b3, b4, actionsFilter, selectedActions))
000067 |             return 0;
000068 |
000069 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::ProcessQueuedEntityActions " + entity.ToString() + " - do actions (bitmask) " + selectedActions);
000070 |
000071 |         if ((selectedActions & SETUNLOOTABLE) == SETUNLOOTABLE)
000072 |             SetLootable(entity, false);
000073 |         if ((selectedActions & DELETE) == DELETE)
000074 |             g_Game.ObjectDelete(entity);
000075 |
000076 |         return selectedActions;
000077 |     }
000078 |
000079 |     private void LoadQueuedEntityActions()
000080 |     {
000081 | #ifdef EXTRACE
000082 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this);
000083 | #endif
000084 |         if (!FileExist(m_QueuedEntityActionsFileName))
000085 |             return;
000086 |
000087 |         FileSerializer file = new FileSerializer;
000088 |         if (file.Open(m_QueuedEntityActionsFileName, FileMode.READ))
000089 |         {
000090 |             int count;
000091 |
000092 |             while (true)
000093 |             {
000094 |                 int b1 = 0, b2 = 0, b3 = 0, b4 = 0, actions = 0;
```

```
000096 |         file.Read(b1);
000097 |         file.Read(b2);
000098 |         file.Read(b3);
000099 |         file.Read(b4);
000100 |
000101 |         if (!b1 && !b2 && !b3 && !b4)
000102 |             break;
000103 |
000104 |         file.Read(actions);
000105 |
000106 |         if (actions > 0)
000107 |             AddQueuedEntityActions(b1, b2, b3, b4, actions);
000108 |         else
000109 |             PopQueuedEntityActions(b1, b2, b3, b4, -actions);
000110 |
000111 |         count++;
000112 |     }
000113 |
000114 |     file.Close();
000115 |
000116 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::LoadQueuedEntityActions " + count);
000117 | }
000118 |
000119 | DeleteFile(m_QueuedEntityActionsFileName);
000120 | }
000121 |
000122 | static string FormatQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
000123 | {
000124 |     return ExpansionStatic.IntToHex(b1) + " " + ExpansionStatic.IntToHex(b2) + " " + ExpansionStatic.IntToHex(b3) + " " + ExpansionStatic.IntToHex(b4) + " " +
actions;
000125 | }
000126 |
000127 | private void AddQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
000128 | {
000129 |     if (EXTrace.GENERAL_ITEMS)
000130 |         EXTrace.Print(true, this, "::AddQueuedEntityActions " + FormatQueuedEntityActions(b1, b2, b3, b4, actions));
000131 |
000132 |     map<int, ref map<int, ref map<int, int>>> m1 = m_QueuedEntityActions[b1];
000133 |     if (!m1)
000134 |     {
000135 |         m1 = new map<int, ref map<int, ref map<int, int>>>;
000136 |         m_QueuedEntityActions.Insert(b1, m1);
000137 |     }
000138 |
000139 |     map<int, ref map<int, int>> m2 = m1[b2];
000140 |     if (!m2)
000141 |     {
000142 |         m2 = new map<int, ref map<int, int>>;
000143 |         m1[b2] = m2;
000144 |     }
000145 |
000146 |     map<int, int> m3 = m2[b3];
000147 |     if (!m3)
000148 |     {
000149 |         m3 = new map<int, int>;
000150 |         m2[b3] = m3;
000151 |     }
000152 |
000153 |     m3[b4] = m3[b4] | actions; //! Operator '|' not supported with array accessor...
000154 | }
000155 |
000156 | private bool PopQueuedEntityActions(int b1, int b2, int b3, int b4, int actionsFilter, out int selectedActions = 0)
```

```

000157 | {
000158 |     map<int, ref map<int, ref map<int, int>>> m1 = m_QueuedEntityActions[b1];
000159 |     if (!m1)
000160 |         return false;
000161 |
000162 |     map<int, ref map<int, int>> m2 = m1[b2];
000163 |     if (!m2)
000164 |         return false;
000165 |
000166 |     map<int, int> m3 = m2[b3];
000167 |     if (!m3 || !m3.Contains(b4))
000168 |         return false;
000169 |
000170 |     int actions = m3[b4];
000171 |     selectedActions = actions & actionsFilter;
000172 |     if (!selectedActions)
000173 |         return false;
000174 |
000175 |     if (EXTrace.GENERAL_ITEMS)
000176 |         EXTrace.Print(true, this, "::PopQueuedEntityActions " + FormatQueuedEntityActions(b1, b2, b3, b4, actionsFilter));
000177 |
000178 |     int actionsRemaining = actions & ~actionsFilter;
000179 |     if (!actionsRemaining)
000180 |     {
000181 |         m3.Remove(b4);
000182 |         TruncateQueuedEntityActions(b1, b2, b3, m1, m2, m3);
000183 |     }
000184 |     else
000185 |     {
000186 |         m3[b4] = actionsRemaining;
000187 |     }
000188 |
000189 |     return true;
000190 | }
000191 |
000192 | private void TruncateQueuedEntityActions(int b1, int b2, int b3, map<int, ref map<int, ref map<int, int>>> m1, map<int, ref map<int, int>> m2, map<int, int> m
000193 | 3)
000194 | {
000195 |     if (!m3.Count())
000196 |     {
000197 |         m2.Remove(b3);
000198 |         if (!m2.Count())
000199 |         {
000200 |             m1.Remove(b2);
000201 |             if (!m1.Count())
000202 |             {
000203 |                 m_QueuedEntityActions.Remove(b1);
000204 |                 if (!m_QueuedEntityActions.Count())
000205 |                     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::TruncateQueuedEntityActions - queue empty");
000206 |             }
000207 |         }
000208 |     }
000209 | }
000210 |
000211 | ID.
000212 | //! @brief queue entity actions for next server start.
000213 | //! @note will only work correctly if OnStoreLoad/Save has been called on the entity at least once otherwise GetPersistentID won't return an actual persistent
000214 | void QueueEntityActions(EntityAI entity, int actions)
000215 | {
000216 | #ifdef EXTRACE
    auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, entity.ToString());

```

```
000217 | #endif
000218 |
000219 |     int b1, b2, b3, b4;
000220 |     entity.GetPersistentID(b1, b2, b3, b4);
000221 |
000222 |     WriteQueuedEntityActions(b1, b2, b3, b4, actions);
000223 | }
000224 |
000225 | private void WriteQueuedEntityActions(int b1, int b2, int b3, int b4, int actions)
000226 | {
000227 |     FileSerializer file = new FileSerializer;
000228 |     if (file.Open(m_QueuedEntityActionsFileName, FileMode.APPEND))
000229 |     {
000230 |         WriteQueuedEntityActions(file, b1, b2, b3, b4, actions);
000231 |         file.Close();
000232 |     }
000233 | }
000234 |
000235 | private void WriteQueuedEntityActions(FileSerializer file, int b1, int b2, int b3, int b4, int actions)
000236 | {
000237 |     if (EXTrace.GENERAL_ITEMS)
000238 |         EXTrace.Print(true, this, "::WriteQueuedEntityActions " + FormatQueuedEntityActions(b1, b2, b3, b4, actions));
000239 |
000240 |     file.Write(b1);
000241 |     file.Write(b2);
000242 |     file.Write(b3);
000243 |     file.Write(b4);
000244 |     file.Write(actions);
000245 | }
000246 |
000247 | /*
000248 | private void SaveQueuedEntityActions()
000249 | {
000250 |     FileSerializer file = new FileSerializer;
000251 |     if (file.Open(m_QueuedEntityActionsFileName, FileMode.WRITE))
000252 |     {
000253 |         foreach (int b1, map<int, ref map<int, ref map<int, int>>> m1: m_QueuedEntityActions)
000254 |         {
000255 |             foreach (int b2, map<int, ref map<int, int>> m2: m1)
000256 |             {
000257 |                 foreach (int b3, map<int, int> m3: m2)
000258 |                 {
000259 |                     foreach (int b4, int actions: m3)
000260 |                     {
000261 |                         WriteQueuedEntityActions(file, b1, b2, b3, b4, actions);
000262 |                     }
000263 |                 }
000264 |             }
000265 |         }
000266 |         file.Close();
000267 |     }
000268 | }
000269 | */
000270 |
000271 | static void SetLootable(EntityAI entity, bool state)
000272 | {
000273 |     ItemBase item;
000274 |     if (Class.CastTo(item, entity))
000275 |         item.Expansion_SetLootable(state);
000276 |     else
000277 |         entity.SetTakeable(state);
000278 | }
```

```
000279 | };  
000280 |
```

0170. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Locator\ExpansionLocatorDeprecated.c
Size bytes: 1464
SHA-256: db250fb8a6ed28985ed08234b3e433d7e1531f9ee1bae4ca97e4ca97bc0a4f82
Decoded as: utf-8-sig
Line count shown: 65
Detected class declarations: 2
  L13: class ExpansionLocatorArray
  L27: class ExpansionLocatorStatic
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L22: void ExpansionLocatorArray( vector pos, string className, string displayName, string typeName, Object obj = null, int idx = -1 )
  L31: static int GetRadius( string type )
  L38: static array<ref ExpansionLocatorArray> GetWorldLocations(int include = 0)
  L45: static void DeprecationError()
```

Full file content

```
000001 | /**
000002 |  * ExpansionLocatorDeprecated.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLocatorArray
000014 | {
000015 |     vector position;
000016 |     string classname;
000017 |     string name;
000018 |     string type;
000019 |     Object object;
000020 |     int index;
000021 |
000022 |     void ExpansionLocatorArray( vector pos, string className, string displayName, string typeName, Object obj = null, int idx = -1 )
000023 |     {
000024 |     }
000025 | }
000026 |
000027 | class ExpansionLocatorStatic
000028 | {
000029 |     static const ref TStringArray SETTLEMENTS = {};
000030 |
000031 |     static int GetRadius( string type )
000032 |     {
000033 |         DeprecationError();
000034 |
000035 |         return 100;
000036 |     }
000037 |
000038 |     static array<ref ExpansionLocatorArray> GetWorldLocations(int include = 0)
000039 |     {
000040 |         DeprecationError();
000041 |
000042 |         return {};
```



```
000043 |     }
000044 |
000045 |     static void DeprecationError()
000046 |     {
000047 |         string tmp;
000048 |         DumpStackString(tmp);
000049 |         TStringArray lines = {};
000050 |         tmp.Split("\n", lines);
000051 |
000052 |         lines.RemoveOrdered(0);
000053 |         lines.RemoveOrdered(0);
000054 |
000055 |         tmp = lines[0];
000056 |         TStringArray path = {};
000057 |         tmp.Split("/", path);
000058 |
000059 |         if (ExpansionString.EndsWith(path[0], ") DayZExpansion"))
000060 |             EXError.ErrorOnce(null, "@DayZ-Expansion-" + path[1] + " is out-of-date! Please update.", lines);
000061 |         else
000062 |             EXError.Error(null, "DEPRECATED, use ExpansionLocation::GetWorldLocations", lines);
000063 |     }
000064 | }
000065 |
```

0171. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionMonitorModule.c
Size bytes: 32872
SHA-256: 2d492d231f532538ffb69e2ea88558c9295d6bf1236612621dfa4ee0aa32d6b8
Decoded as: utf-8-sig
Line count shown: 1012
Detected class declarations: 1
  L21: class ExpansionMonitorModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 75
  L48: override void OnInit()
  L86: void RPC_SyncStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L95: void RPC_SyncStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L104: void RPC_RequestPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L109: void RPC_SendPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L114: void RPC_RequestPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L119: void RPC_SendPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L124: void RPC_RequestPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L129: void RPC_SendPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L134: override void OnClientNew(Class sender, CF_EventArgs args)
  L147: override void OnClientReady(Class sender, CF_EventArgs args)
  L156: void PlayerJoinedNotification(PlayerIdentity identity)
  L164: else if (GetExpansionSettings().GetNotification().JoinMessageType == ExpansionAnnouncementType.CHAT)
  L174: override void OnInvokeConnect(Class sender, CF_EventArgs args)
  L202: override void OnClientDisconnect(Class sender, CF_EventArgs args)
  L219: void PlayerLeftNotification(PlayerIdentity identity)
  L227: else if (GetExpansionSettings().GetNotification().LeftMessageType == ExpansionAnnouncementType.CHAT)
  L237: private void UpdateStats(string playerID)
  L259: private void UpdateStats(ExpansionSyncedPlayerStats stats, PlayerBase player, bool send = false, bool includeRegisteredStats = false, bool i
  L296: private void UpdateStates(string playerID)
  L318: private void UpdateStates(ExpansionSyncedPlayerStates states, PlayerBase player, bool send = false)
  L343: void AddPlayerStats(string playerID)
  L363: void AddPlayerStates(string playerID)
  L383: void RemovePlayerStats(string playerID)
  L400: void RemovePlayerStates(string playerID)
  L417: void ServerChatMessage(StringLocaliser tag, StringLocaliser message)
  L433: private void RPC_SendMessage(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L454: static int CalcHealth(PlayerBase player)
  L456: return Calc(player.GetHealth("", "Health"), player.GetMaxHealth("GlobalHealth", "Health"));
  L463: static int CalcBlood(PlayerBase player)
  L465: return Calc(player.GetHealth("", "Blood") - 2500, 2500);
  L472: static int CalcWater(PlayerBase player)
  L474: return CalcStat(player.GetStatWater());
  L481: static int CalcEnergy(PlayerBase player)
  L483: return CalcStat(player.GetStatEnergy());
  L490: static int CalcStamina(PlayerBase player)
  L492: return CalcStat(player.GetStatStamina());
  L499: static int Calc(float value, float max)
  L508: static int CalcStat(PlayerStat<float> stat)
  L510: return Calc(stat.Get(), stat.GetMax());
  L517: static int BonesState(PlayerBase player)
  L528: static bool IsBrainSick(PlayerBase player)
  L542: static bool HasCholera(PlayerBase player)
  L554: static bool HasInfluenza(PlayerBase player)
  L566: static bool HasSalmonella(PlayerBase player)
  L578: static bool HasFoodPoison(PlayerBase player)
  L590: static bool HasWoundInfection(PlayerBase player)
  L602: static int HasCuts(PlayerBase player)
  L606: return GetCuts(player);

```

```

L609: static int GetCuts(PlayerBase player)
L623: static ExpansionPlayerStanceStatus GetPlayerStance(PlayerBase player)
L633: else if (player.IsUnconscious())
L637: else if (ExpansionVehicle.Get(vehicle, player))
L643: else if (vehicle.IsBoat())
L658: else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_CROUCH) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDPROU
L662: else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_PRONE) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDPRONE
L675: ExpansionSyncedPlayerStats GetClientStats()
L684: ExpansionSyncedPlayerStates GetClientStates()
L693: void RequestPlayerStats(string playerID = "", bool includeRegisteredStats = false, bool includeBaseStats = true)
L711: private void RPC_RequestPlayerStatsAndStates(ParamsReadContext ctx, PlayerIdentity sender, bool includeStats = true, bool includeStates = tr
L798: ExpansionSyncedPlayerStats GetPlayerStatsByID(string playerID)
L809: void SendPlayerStatsAndStates(ExpansionSyncedPlayerStats playerStats, ExpansionSyncedPlayerStates playerStates, string playerID, PlayerIdent
L818: else if (playerStats)
L845: private void RPC_SendPlayerStatsAndStates(ParamsReadContext ctx, bool includeStats = true, bool includeStates = true)
L869: ExpansionSyncedPlayerStats playerStats();
L881: ExpansionSyncedPlayerStates playerStates();
L896: void RequestPlayerStates(string playerID)
L912: ExpansionSyncedPlayerStates GetPlayerStatesByID(string playerID)
L923: void RequestPlayerStatsAndStates(string playerID, bool includeRegisteredStats = false, bool includeBaseStats = true)
L941: void AddLastPlayerDeathPos(string playerUID, vector pos)
L953: vector GetLastDeathPosServer(string playerUID)
L962: void SyncLastDeathPos(PlayerIdentity identity)
L979: void SyncStatsToClient(PlayerBase player)
L994: private void RPC_SyncLastDeathPos(PlayerIdentity ident, Object target, ParamsReadContext ctx)
L1006: vector GetLastDeathPosClient()

```

Full file content

```

000001 | /**
000002 |  * ExpansionMonitorModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionMonitorModule
000014 |  * @brief      This class handle expansion monitor module
000015 |  * @note      Player identity plain (steam64) ID is used for stats and states to reduce data payload,
000016 |  *           normal (hashed) ID is used for player death position
000017 |  */
000018 |
000019 | #ifdef EXPANSIONMONITORMODULE
000020 | [CF_RegisterModule(ExpansionMonitorModule)]
000021 | class ExpansionMonitorModule: CF_ModuleWorld
000022 | {
000023 |     private const float UPDATE_TICK_TIME = 1.0; // refreshes 100 players every ten seconds
000024 |     private const int UPDATE_PLAYERS_PER_TICK = 10;
000025 |
000026 |     //Server only
000027 |     private ref map<string, ref ExpansionSyncedPlayerStats> m_Stats;
000028 |     private ref map<string, ref ExpansionSyncedPlayerStates> m_States;
000029 |
000030 |     private float m_UpdateQueueTimer;
000031 |     private int m_CurrentPlayerTick;
000032 |
000033 |     //Client only

```

```
000034 | static ref ExpansionSyncedPlayerStats m_ClientStats;
000035 | static ref ExpansionSyncedPlayerStates m_ClientStates;
000036 |
000037 | static ref ScriptInvoker m_StatsInvoker = new ScriptInvoker();
000038 | static ref ScriptInvoker m_StatesInvoker = new ScriptInvoker();
000039 |
000040 | vector m_LastDeathPos;
000041 |
000042 | // Server & Client
000043 | private ref map<string, vector> m_PlayerDeathPositions;
000044 |
000045 | // -----
000046 | // ExpansionMonitorModule OnInit
000047 | // -----
000048 | override void OnInit()
000049 | {
000050 | #ifdef EXPANSIONTRACE
000051 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "OnInit");
000052 | #endif
000053 |
000054 |     super.OnInit();
000055 |
000056 |     EnableClientDisconnect();
000057 |     EnableClientNew();
000058 |     EnableClientReady();
000059 |     EnableInvokeConnect();
000060 |     Expansion_EnableRPCManager();
000061 |
000062 |     //EXPrint(ToString() + "::OnInit - g_Game " + g_Game); // OK
000063 |     //EXPrint(ToString() + "::OnInit - g_Game.IsServer() " + g_Game.IsServer()); // true on client during init
000064 |     //EXPrint(ToString() + "::OnInit - g_Game.IsMultiplayer() " + g_Game.IsMultiplayer()); // false on client during init
000065 |
000066 |     m_Stats = new map<string, ref ExpansionSyncedPlayerStats>;
000067 |     m_States = new map<string, ref ExpansionSyncedPlayerStates>;
000068 |
000069 |     m_ClientStats = new ExpansionSyncedPlayerStats;
000070 |     m_ClientStates = new ExpansionSyncedPlayerStates;
000071 |
000072 |     m_PlayerDeathPositions = new map<string, vector>;
000073 |
000074 |     Expansion_RegisterServerRPC("RPC_RequestPlayerStates");
000075 |     Expansion_RegisterServerRPC("RPC_RequestPlayerStats");
000076 |     Expansion_RegisterServerRPC("RPC_RequestPlayerStatsAndStates");
000077 |     Expansion_RegisterClientRPC("RPC_SyncStats");
000078 |     Expansion_RegisterClientRPC("RPC_SyncStates");
000079 |     Expansion_RegisterClientRPC("RPC_SendMessage");
000080 |     Expansion_RegisterClientRPC("RPC_SendPlayerStates");
000081 |     Expansion_RegisterClientRPC("RPC_SendPlayerStats");
000082 |     Expansion_RegisterClientRPC("RPC_SendPlayerStatsAndStates");
000083 |     Expansion_RegisterClientRPC("RPC_SyncLastDeathPos");
000084 | }
000085 |
000086 | void RPC_SyncStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000087 | {
000088 |     if (!m_ClientStats)
000089 |         return;
000090 |
000091 |     m_ClientStats.OnRecieve(ctx, true, false);
000092 |     m_StatsInvoker.Invoke(m_ClientStats);
000093 | }
000094 |
000095 | void RPC_SyncStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
```

```
000096 | {
000097 |     if (!m_ClientStates)
000098 |         return;
000099 |
000100 |     m_ClientStates.OnRecieve(ctx);
000101 |     m_StatesInvoker.Invoke(m_ClientStates);
000102 | }
000103 |
000104 | void RPC_RequestPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000105 | {
000106 |     RPC_RequestPlayerStatsAndStates(ctx, sender, true, false);
000107 | }
000108 |
000109 | void RPC_SendPlayerStats(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000110 | {
000111 |     RPC_SendPlayerStatsAndStates(ctx, true, false);
000112 | }
000113 |
000114 | void RPC_RequestPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000115 | {
000116 |     RPC_RequestPlayerStatsAndStates(ctx, sender, false, true);
000117 | }
000118 |
000119 | void RPC_SendPlayerStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000120 | {
000121 |     RPC_SendPlayerStatsAndStates(ctx, false, true);
000122 | }
000123 |
000124 | void RPC_RequestPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000125 | {
000126 |     RPC_RequestPlayerStatsAndStates(ctx, sender, true, true);
000127 | }
000128 |
000129 | void RPC_SendPlayerStatsAndStates(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000130 | {
000131 |     RPC_SendPlayerStatsAndStates(ctx, true, true);
000132 | }
000133 |
000134 | override void OnClientNew(Class sender, CF_EventArgs args)
000135 | {
000136 |     super.OnClientNew(sender, args);
000137 |
000138 |     auto cArgs = CF_EventPlayerArgs.Cast(args);
000139 |
000140 |     bool isClientRespawn = SyncEvents.s_Expansion_RespawningUIDs[cArgs.Identity.GetId()];
000141 |     EXTrace.Print(EXTrace.PLAYER_MONITOR, this, "::OnClientNew - is client respawn? " + isClientRespawn);
000142 |
000143 |     if (!isClientRespawn)
000144 |         PlayerJoinedNotification(cArgs.Identity);
000145 | }
000146 |
000147 | override void OnClientReady(Class sender, CF_EventArgs args)
000148 | {
000149 |     super.OnClientReady(sender, args);
000150 |
000151 |     auto cArgs = CF_EventPlayerArgs.Cast(args);
000152 |
000153 |     PlayerJoinedNotification(cArgs.Identity);
000154 | }
000155 |
000156 | void PlayerJoinedNotification(PlayerIdentity identity)
000157 | {
```

```
000158 |         if (GetExpansionSettings().GetNotification().ShowPlayerJoinServer && identity)
000159 |         {
000160 |             if (GetExpansionSettings().GetNotification().JoinMessageType == ExpansionAnnouncementType.NOTIFICATION)
000161 |             {
000162 |                 ExpansionNotification("STR_EXPANSION_PLAYER_JOINED_TITLE", new StringLocaliser("STR_EXPANSION_PLAYER_JOINED_TEXT", identity.GetName()), EXPANSION_
NOTIFICATION_ICON_PERSONA).Info();
000163 |             }
000164 |             else if (GetExpansionSettings().GetNotification().JoinMessageType == ExpansionAnnouncementType.CHAT)
000165 |             {
000166 |                 ServerChatMessage(new StringLocaliser("STR_EXPANSION_PLAYER_JOINED_TITLE"), new StringLocaliser("STR_EXPANSION_PLAYER_JOINED_TEXT", identity.GetNa
me()));
000167 |             }
000168 |         }
000169 |     }
000170 |
000171 |     // -----
000172 |     // ExpansionMonitorModule OnInvokeConnect
000173 |     // -----
000174 |     override void OnInvokeConnect(Class sender, CF_EventArgs args)
000175 |     {
000176 | #ifdef EXPANSIONTRACE
000177 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "OnInvokeConnect");
000178 | #endif
000179 |
000180 |         super.OnInvokeConnect(sender, args);
000181 |
000182 |         auto cArgs = CF_EventPlayerArgs.Cast(args);
000183 |
000184 |         if (!cArgs.Identity)
000185 |             return;
000186 |
000187 |         //! If this is a respawn, need to do nothing of the below
000188 |         if (SyncEvents.s_Expansion_RespawningUIDs[cArgs.Identity.GetId()])
000189 |             return;
000190 |
000191 |         string playerID = cArgs.Identity.GetPlainId();
000192 |         AddPlayerStats(playerID);
000193 |         AddPlayerStates(playerID);
000194 |
000195 |         SyncLastDeathPos(cArgs.Identity);
000196 |     }
000197 |
000198 |     // -----
000199 |     // ExpansionMonitorModule OnClientDisconnect
000200 |     // Called on server
000201 |     // -----
000202 |     override void OnClientDisconnect(Class sender, CF_EventArgs args)
000203 |     {
000204 | #ifdef EXPANSIONTRACE
000205 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "OnClientDisconnect");
000206 | #endif
000207 |
000208 |         super.OnClientDisconnect(sender, args);
000209 |
000210 |         auto cArgs = CF_EventPlayerDisconnectedArgs.Cast(args);
000211 |
000212 |         string playerID = PlayerBase.Expansion_GetPlainIDByUID(cArgs.UID);
000213 |         RemovePlayerStats(playerID);
000214 |         RemovePlayerStates(playerID);
000215 |
000216 |         PlayerLeftNotification(cArgs.Identity);
000217 |     }
```

```

000218 |
000219 | void PlayerLeftNotification(PlayerIdentity identity)
000220 | {
000221 |     if (GetExpansionSettings().GetNotification().ShowPlayerLeftServer && identity)
000222 |     {
000223 |         if (GetExpansionSettings().GetNotification().LeftMessageType == ExpansionAnnouncementType.NOTIFICATION)
000224 |         {
000225 |             ExpansionNotification("STR_EXPANSION_PLAYER_LEFT_TITLE", new StringLocaliser("STR_EXPANSION_PLAYER_LEFT_TEXT", identity.GetName()), EXPANSION_NOTI
FICATION_ICON_PERSONA).Info();
000226 |         }
000227 |         else if (GetExpansionSettings().GetNotification().LeftMessageType == ExpansionAnnouncementType.CHAT)
000228 |         {
000229 |             ServerChatMessage(new StringLocaliser("STR_EXPANSION_PLAYER_LEFT_TITLE"), new StringLocaliser("STR_EXPANSION_PLAYER_LEFT_TEXT", identity.GetName()
));
000230 |         }
000231 |     }
000232 | }
000233 |
000234 | // -----
000235 | // ExpansionMonitorModule UpdateStats
000236 | // -----
000237 | private void UpdateStats(string playerID)
000238 | {
000239 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000240 |         return;
000241 |
000242 |     ExpansionSyncedPlayerStats stats = m_Stats.Get(playerID);
000243 |     if (!stats)
000244 |     {
000245 |         Error("ExpansionMonitorModule::UpdateStats - Could not get player stats for player with id: " + playerID);
000246 |         return;
000247 |     }
000248 |
000249 |     PlayerBase player = PlayerBase.Expansion_GetByPlainID(playerID);
000250 |     if (!player)
000251 |     {
000252 |         //! Don't error here, player will be NULL if dead
000253 |         return;
000254 |     }
000255 |
000256 |     UpdateStats(stats, player, false, false);
000257 | }
000258 |
000259 | private void UpdateStats(ExpansionSyncedPlayerStats stats, PlayerBase player, bool send = false, bool includeRegisteredStats = false, bool includeBaseStats =
true)
000260 | {
000261 |     if (includeBaseStats)
000262 |     {
000263 |         stats.m_Health = CalcHealth(player);
000264 |         stats.m_Blood = CalcBlood(player);
000265 |         stats.m_Water = CalcWater(player);
000266 |         stats.m_Energy = CalcEnergy(player);
000267 |         stats.m_Position = player.GetPosition();
000268 |     }
000269 |
000270 |     if (includeRegisteredStats)
000271 |     {
000272 |         //stats.m_Stamina = CalcStamina(player);
000273 |         stats.m_Distance = player.StatGet(AnalyticsManagerServer.STAT_DISTANCE);
000274 |         stats.m_Playtime = player.StatGet(AnalyticsManagerServer.STAT_PLAYTIME);
000275 |         stats.m_PlayersKilled = player.StatGet(AnalyticsManagerServer.STAT_PLAYERS_KILLED);
000276 | #ifdef ENFUSION_AI_PROJECT

```

```
000277 |         stats.m_AIKilled = player.StatGet(AnalyticsManagerServer.EXP_STAT_AI_PLAYERS_KILLED);
000278 |     #endif
000279 |         stats.m_InfectedKilled = player.StatGet(AnalyticsManagerServer.STAT_INFECTED_KILLED);
000280 |         stats.m_AnimalsKilled = player.StatGet(AnalyticsManagerServer.EXP_STAT_ANIMALS_KILLED);
000281 |         stats.m_LongestShot = player.StatGet(AnalyticsManagerServer.STAT_LONGEST_SURVIVOR_HIT);
000282 |     }
000283 |
000284 |     if (!send)
000285 |         return;
000286 |
000287 |     auto rpc = Expansion_CreateRPC("RPC_SyncStats");
000288 |     stats.OnSend(rpc, includeRegisteredStats, includeBaseStats);
000289 |     //! @note guaranteed = false is intentional here (performance)
000290 |     rpc.Expansion_Send(false, player.GetIdentity());
000291 | }
000292 |
000293 | // -----
000294 | // ExpansionMonitorModule UpdateStates
000295 | // -----
000296 | private void UpdateStates(string playerID)
000297 | {
000298 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000299 |         return;
000300 |
000301 |     ExpansionSyncedPlayerStates states = m_States.Get(playerID);
000302 |     if (!states)
000303 |     {
000304 |         Error("ExpansionMonitorModule::UpdateStates - Could not get player states for player with id: " + playerID);
000305 |         return;
000306 |     }
000307 |
000308 |     PlayerBase player = PlayerBase.Expansion_GetByPlainID(playerID);
000309 |     if (!player)
000310 |     {
000311 |         //! Don't error here, player will be NULL if dead
000312 |         return;
000313 |     }
000314 |
000315 |     UpdateStates(states, player, false);
000316 | }
000317 |
000318 | private void UpdateStates(ExpansionSyncedPlayerStates states, PlayerBase player, bool send = false)
000319 | {
000320 |     states.m_Bones = player.GetBrokenLegs();
000321 |     states.m_Sick = IsBrainSick(player);
000322 |     states.m_Cholera = HasCholera(player);
000323 |     states.m_Influenza = HasInfluenza(player);
000324 |     states.m_Salmonella = HasSalmonella(player);
000325 |     states.m_Poison = HasFoodPoison(player);
000326 |     states.m_Infection = HasWoundInfection(player);
000327 |     states.m_Cuts = GetCuts(player);
000328 |     states.m_Stance = GetPlayerStance(player);
000329 |
000330 |     if (!send)
000331 |         return;
000332 |
000333 |     auto rpc = Expansion_CreateRPC("RPC_SyncStates");
000334 |     states.OnSend(rpc);
000335 |     //! @note guaranteed = false is intentional here (performance)
000336 |     rpc.Expansion_Send(false, player.GetIdentity());
000337 | }
000338 |
```



```
000339 | // -----
000340 | // ExpansionMonitorModule AddPlayerStats
000341 | // Called on server
000342 | // -----
000343 | void AddPlayerStats(string playerID)
000344 | {
000345 | #ifdef EXPANSIONTRACE
000346 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "AddPlayerStats");
000347 | #endif
000348 |
000349 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000350 |         return;
000351 |
000352 |     if (!m_Stats.Contains(playerID)) //! RemovePlayerStats would never be called if AddPlayerStats was called twice (logout cancelled or reconnected in time)
000353 |     {
000354 |         auto stats = new ExpansionSyncedPlayerStats;
000355 |         m_Stats.Insert(playerID, stats);
000356 |     }
000357 | }
000358 |
000359 | // -----
000360 | // ExpansionMonitorModule AddPlayerStates
000361 | // Called on server
000362 | // -----
000363 | void AddPlayerStates(string playerID)
000364 | {
000365 | #ifdef EXPANSIONTRACE
000366 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "AddPlayerStates");
000367 | #endif
000368 |
000369 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000370 |         return;
000371 |
000372 |     if (!m_States.Contains(playerID)) //! RemovePlayerStates would never be called if AddPlayerStats was called twice (logout cancelled or reconnected in time)
000373 | )
000374 |     {
000375 |         auto states = new ExpansionSyncedPlayerStates;
000376 |         m_States.Insert(playerID, states);
000377 |     }
000378 | }
000379 | // -----
000380 | // ExpansionMonitorModule RemovePlayerStats
000381 | // Called on server
000382 | // -----
000383 | void RemovePlayerStats(string playerID)
000384 | {
000385 | #ifdef EXPANSIONTRACE
000386 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "RemovePlayerStats");
000387 | #endif
000388 |
000389 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000390 |         return;
000391 |
000392 |     if (m_Stats.Contains(playerID))
000393 |         m_Stats.Remove(playerID);
000394 | }
000395 |
000396 | // -----
000397 | // ExpansionMonitorModule RemovePlayerStates
000398 | // Called on server
000399 | // -----
```

```
000400 | void RemovePlayerStates(string playerID)
000401 | {
000402 | #ifdef EXPANSIONTRACE
000403 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "RemovePlayerStates");
000404 | #endif
000405 |
000406 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000407 |         return;
000408 |
000409 |     if (m_States.Contains(playerID))
000410 |         m_States.Remove(playerID);
000411 | }
000412 |
000413 | // -----
000414 | // ExpansionMonitorModule ServerChatMessage
000415 | // Called on server
000416 | // -----
000417 | void ServerChatMessage(StringLocaliser tag, StringLocaliser message)
000418 | {
000419 | #ifdef EXPANSIONTRACE
000420 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "ServerChatMessage");
000421 | #endif
000422 |
000423 |     auto message_rpc = Expansion_CreateRPC("RPC_SendMessage");
000424 |     message_rpc.Write(tag);
000425 |     message_rpc.Write(message);
000426 |     message_rpc.Expansion_Send(true);
000427 | }
000428 |
000429 | // -----
000430 | // ExpansionMonitorModule RPC_SendMessage
000431 | // Called on all Clients
000432 | // -----
000433 | private void RPC_SendMessage(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000434 | {
000435 | #ifdef EXPANSIONTRACE
000436 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER_MONITOR, this, "RPC_SendMessage");
000437 | #endif
000438 |
000439 |     StringLocaliser tag;
000440 |     if (!ctx.Read(tag))
000441 |         return;
000442 |
000443 |     StringLocaliser message;
000444 |     if (!ctx.Read(message))
000445 |         return;
000446 |
000447 |     g_Game.GetMission().OnEvent(ChatMessageEventTypeID, new ChatMessageEventParams(ExpansionChatChannels.CCSystem, "", tag.Format() + " - " + message.Format()
000448 | , ""));
000449 | }
000450 |
000451 | // -----
000452 | // ExpansionMonitorModule CalcHealth
000453 | // Called on server
000454 | // -----
000455 | static int CalcHealth(PlayerBase player)
000456 | {
000457 |     return Calc(player.GetHealth("", "Health"), player.GetMaxHealth("GlobalHealth", "Health"));
000458 | }
000459 |
000460 | // -----
000460 | // ExpansionMonitorModule CalcBlood
```

```
000461 | // Called on server
000462 | // -----
000463 | static int CalcBlood(PlayerBase player)
000464 | {
000465 |     return Calc(player.GetHealth("", "Blood") - 2500, 2500);
000466 | }
000467 |
000468 | // -----
000469 | // ExpansionMonitorModule CalcWater
000470 | // Called on server
000471 | // -----
000472 | static int CalcWater(PlayerBase player)
000473 | {
000474 |     return CalcStat(player.GetStatWater());
000475 | }
000476 |
000477 | // -----
000478 | // ExpansionMonitorModule CalcEnergy
000479 | // Called on server
000480 | // -----
000481 | static int CalcEnergy(PlayerBase player)
000482 | {
000483 |     return CalcStat(player.GetStatEnergy());
000484 | }
000485 |
000486 | // -----
000487 | // ExpansionMonitorModule CalcStamina
000488 | // Called on server
000489 | // -----
000490 | static int CalcStamina(PlayerBase player)
000491 | {
000492 |     return CalcStat(player.GetStatStamina());
000493 | }
000494 |
000495 | // -----
000496 | // ExpansionMonitorModule Calc
000497 | // Called on server
000498 | // -----
000499 | static int Calc(float value, float max)
000500 | {
000501 |     return (Math.Round(value) * 100) / max;
000502 | }
000503 |
000504 | // -----
000505 | // ExpansionMonitorModule CalcStat
000506 | // Called on server
000507 | // -----
000508 | static int CalcStat(PlayerStat<float> stat)
000509 | {
000510 |     return Calc(stat.Get(), stat.GetMax());
000511 | }
000512 |
000513 | // -----
000514 | // ExpansionMonitorModule BonesState
000515 | // Called on server
000516 | // -----
000517 | static int BonesState(PlayerBase player)
000518 | {
000519 |     EXError.Warn(null, "DEPRECATED, use player.GetBrokenLegs()");
000520 |
000521 |     return player.GetBrokenLegs();
000522 | }
```

```
000523 |
000524 | // -----
000525 | // ExpansionMonitorModule IsBrainSick
000526 | // Called on server
000527 | // -----
000528 | static bool IsBrainSick(PlayerBase player)
000529 | {
000530 |     bool brainSick = false;
000531 |
000532 |     if (player.GetSingleAgentCount(eAgents.BRAIN) >= BrainDiseaseMdfr.AGENT_THRESHOLD_ACTIVATE)
000533 |         return true;
000534 |
000535 |     return false;
000536 | }
000537 |
000538 | // -----
000539 | // ExpansionMonitorModule HasCholera
000540 | // Called on server
000541 | // -----
000542 | static bool HasCholera(PlayerBase player)
000543 | {
000544 |     if (player.GetSingleAgentCount(eAgents.CHOLERA) >= CholeraMdfr.AGENT_THRESHOLD_ACTIVATE)
000545 |         return true;
000546 |
000547 |     return false;
000548 | }
000549 |
000550 | // -----
000551 | // ExpansionMonitorModule HasInfluenza
000552 | // Called on server
000553 | // -----
000554 | static bool HasInfluenza(PlayerBase player)
000555 | {
000556 |     if (player.GetSingleAgentCount(eAgents.INFLUENZA) >= InfluenzaMdfr.AGENT_THRESHOLD_ACTIVATE)
000557 |         return true;
000558 |
000559 |     return false;
000560 | }
000561 |
000562 | // -----
000563 | // ExpansionMonitorModule HasSalmonella
000564 | // Called on server
000565 | // -----
000566 | static bool HasSalmonella(PlayerBase player)
000567 | {
000568 |     if (player.GetSingleAgentCount(eAgents.SALMONELLA) >= SalmonellaMdfr.AGENT_THRESHOLD_ACTIVATE)
000569 |         return true;
000570 |
000571 |     return false;
000572 | }
000573 |
000574 | // -----
000575 | // ExpansionMonitorModule HasFoodPoison
000576 | // Called on server
000577 | // -----
000578 | static bool HasFoodPoison(PlayerBase player)
000579 | {
000580 |     if (player.GetSingleAgentCount(eAgents.FOOD_POISON) >= PoisoningMdfr.AGENT_THRESHOLD_ACTIVATE)
000581 |         return true;
000582 |
000583 |     return false;
000584 | }
```

```
000585 |
000586 | // -----
000587 | // ExpansionMonitorModule HasWoundInfection
000588 | // Called on server
000589 | // -----
000590 | static bool HasWoundInfection(PlayerBase player)
000591 | {
000592 |     if (player.GetSingleAgentCount(eAgents.WOUND_AGENT) >= WoundInfectionMdfr.AGENT_THRESHOLD_ACTIVATE)
000593 |         return true;
000594 |
000595 |     return false;
000596 | }
000597 |
000598 | // -----
000599 | // ExpansionMonitorModule HasCuts
000600 | // Called on server
000601 | // -----
000602 | static int HasCuts(PlayerBase player)
000603 | {
000604 |     EXError.Warn(null, "DEPRECATED, use GetCuts");
000605 |
000606 |     return GetCuts(player);
000607 | }
000608 |
000609 | static int GetCuts(PlayerBase player)
000610 | {
000611 |     int cuts;
000612 |     cuts = player.GetBleedingSourceCount();
000613 |     if (player.IsBleeding() && cuts > 0)
000614 |         return cuts;
000615 |
000616 |     return 0;
000617 | }
000618 |
000619 | // -----
000620 | // ExpansionMonitorModule GetPlayerStance
000621 | // Called on server
000622 | // -----
000623 | static ExpansionPlayerStanceStatus GetPlayerStance(PlayerBase player)
000624 | {
000625 |     ExpansionPlayerStanceStatus stance = ExpansionPlayerStanceStatus.STAND;
000626 |     ExpansionVehicle vehicle;
000627 |
000628 |
000629 |     if (!player.IsAlive())
000630 |     {
000631 |         stance = ExpansionPlayerStanceStatus.DEAD;
000632 |     }
000633 |     else if (player.IsUnconscious())
000634 |     {
000635 |         stance = ExpansionPlayerStanceStatus.UNCONSCIOUS;
000636 |     }
000637 |     else if (ExpansionVehicle.Get(vehicle, player))
000638 |     {
000639 |         if (vehicle.IsHelicopter())
000640 |         {
000641 |             stance = ExpansionPlayerStanceStatus.HELICOPTER;
000642 |         }
000643 |         else if (vehicle.IsBoat())
000644 |         {
000645 |             stance = ExpansionPlayerStanceStatus.BOAT;
000646 |         }
000646 |     }
```

```
000647 |         else
000648 |         {
000649 |             stance = ExpansionPlayerStanceStatus.CAR;
000650 |         }
000651 |     }
000652 |     else
000653 |     {
000654 |         if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDIRECT) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_ERECT))
000655 |         {
000656 |             stance = ExpansionPlayerStanceStatus.STAND;
000657 |         }
000658 |         else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_CROUCH) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISED_CROUCH))
000659 |         {
000660 |             stance = ExpansionPlayerStanceStatus.CROUCH;
000661 |         }
000662 |         else if (player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_PRONE) || player.IsPlayerInStance(DayZPlayerConstants.STANCEMASK_RAISEDPRONE))
000663 |         {
000664 |             stance = ExpansionPlayerStanceStatus.PRONE;
000665 |         }
000666 |     }
000667 |
000668 |     return stance;
000669 | }
000670 |
000671 | // -----
000672 | // ExpansionMonitorModule GetClientStats
000673 | // Called on client
000674 | // -----
000675 | ExpansionSyncedPlayerStats GetClientStats()
000676 | {
000677 |     return m_ClientStats;
000678 | }
000679 |
000680 | // -----
000681 | // ExpansionMonitorModule GetClientStates
000682 | // Called on client
000683 | // -----
000684 | ExpansionSyncedPlayerStates GetClientStates()
000685 | {
000686 |     return m_ClientStates;
000687 | }
000688 |
000689 | // -----
000690 | // ExpansionMonitorModule RequestPlayerStats
000691 | // Called from client - if empty string given as playerID, use sender ID
000692 | // -----
000693 | void RequestPlayerStats(string playerID = "", bool includeRegisteredStats = false, bool includeBaseStats = true)
000694 | {
000695 | #ifdef EXTRACE
000696 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, playerID, "" + includeRegisteredStats, "" + includeBaseStats);
000697 | #endif
000698 |
000699 |     auto rpc = Expansion_CreateRPC("RPC_RequestPlayerStats");
000700 |     rpc.Write(playerID);
000701 |     rpc.Write(includeRegisteredStats);
000702 |     rpc.Write(includeBaseStats);
000703 |     //! @note guaranteed = false is intentional here (performance)
000704 |     rpc.Expansion_Send(false);
000705 | }
000706 |
000707 | // -----
000708 | // ExpansionMonitorModule RPC_RequestPlayerStatsAndStates
```

```
000709 | // Called on server
000710 | // -----
000711 | private void RPC_RequestPlayerStatsAndStates(ParamsReadContext ctx, PlayerIdentity sender, bool includeStats = true, bool includeStates = true)
000712 | {
000713 | #ifdef EXTRACE
000714 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, "" + includeStats, "" + includeStates);
000715 | #endif
000716 |
000717 |     string playerID;
000718 |     if (!ctx.Read(playerID))
000719 |         return;
000720 |
000721 | #ifdef EXTRACE
000722 |     EXTrace.Add(trace, playerID);
000723 | #endif
000724 |
000725 |     string originalPlayerID = playerID;
000726 |
000727 |     bool includeRegisteredStats;
000728 |     if (includeStats && !ctx.Read(includeRegisteredStats))
000729 |         return;
000730 |
000731 |     bool includeBaseStats;
000732 |     if (includeStats && !ctx.Read(includeBaseStats))
000733 |         return;
000734 |
000735 |     if (!sender)
000736 |         return;
000737 |
000738 |     PlayerBase player;
000739 |     if (playerID)
000740 |     {
000741 |         player = PlayerBase.Expansion_GetByPlainID(playerID);
000742 |
000743 |         if (!player)
000744 |         {
000745 |             //! Player instance was probably removed (e.g. gravecross deleted body)
000746 |             //EXPrint("[ExpansionMonitorModule] WARNING: Player with plain ID " + playerID + " was not found");
000747 |             return;
000748 |         }
000749 |     }
000750 |     else
000751 |     {
000752 |         playerID = sender.GetPlainId();
000753 |         player = PlayerBase.GetPlayerByUID(sender.GetId());
000754 |
000755 |         if (!player)
000756 |         {
000757 |             //! Player instance was probably removed (e.g. gravecross deleted body)
000758 |             //EXPrint("[ExpansionMonitorModule] WARNING: Player with ID " + sender.GetId() + " (plain ID " + playerID + ") was not found");
000759 |             return;
000760 |         }
000761 |     }
000762 |
000763 |     if (!playerID)
000764 |     {
000765 |         EXPrint("[ExpansionMonitorModule] WARNING: Player plain ID is empty string");
000766 |         return;
000767 |     }
000768 |
000769 |     ExpansionSyncedPlayerStats playerStats;
000770 |     if (includeStats)
```

```
000771 |     {
000772 |         playerStats = GetPlayerStatsByID(playerID);
000773 |         if (!playerStats)
000774 |         {
000775 |             return;
000776 |         }
000777 |         UpdateStats(playerStats, player, false, includeRegisteredStats, includeBaseStats);
000778 |     }
000779 |
000780 |     ExpansionSyncedPlayerStates playerStates;
000781 |     if (includeStates)
000782 |     {
000783 |         playerStates = GetPlayerStatesByID(playerID);
000784 |         if (!playerStates)
000785 |         {
000786 |             return;
000787 |         }
000788 |         UpdateStates(playerStates, player, false);
000789 |     }
000790 |
000791 |     SendPlayerStatsAndStates(playerStats, playerStates, originalPlayerID, sender, includeRegisteredStats, includeBaseStats);
000792 | }
000793 |
000794 | // -----
000795 | // ExpansionMonitorModule GetPlayerStatsByID
000796 | // Called on server
000797 | // -----
000798 | ExpansionSyncedPlayerStats GetPlayerStatsByID(string playerID)
000799 | {
000800 |     ExpansionSyncedPlayerStats playerStats;
000801 |     m_Stats.Find(playerID, playerStats);
000802 |     return playerStats;
000803 | }
000804 |
000805 | // -----
000806 | // ExpansionMonitorModule SendPlayerStatsAndStates
000807 | // Called on server
000808 | // -----
000809 | void SendPlayerStatsAndStates(ExpansionSyncedPlayerStats playerStats, ExpansionSyncedPlayerStates playerStates, string playerID, PlayerIdentity ident, bool in
cludeRegisteredStats = false, bool includeBaseStats = true)
000810 | {
000811 | #ifdef EXTRACE
000812 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, "" + playerStats, "" + playerStates, playerID, "" + includeRegisteredStats, "" + include
BaseStats);
000813 | #endif
000814 |
000815 |     string fn;
000816 |     if (playerStats && playerStates)
000817 |         fn = "RPC_SendPlayerStatsAndStates";
000818 |     else if (playerStats)
000819 |         fn = "RPC_SendPlayerStats";
000820 |     else
000821 |         fn = "RPC_SendPlayerStates";
000822 |
000823 |     auto rpc = Expansion_CreateRPC(fn);
000824 |
000825 |     rpc.Write(playerID);
000826 |
000827 |     if (playerStats)
000828 |     {
000829 |         rpc.Write(includeRegisteredStats);
000830 |         rpc.Write(includeBaseStats);
```



```
000831 |         playerStats.OnSend(rpc, includeRegisteredStats, includeBaseStats);
000832 |     }
000833 |
000834 |     if (playerStates)
000835 |         playerStates.OnSend(rpc);
000836 |
000837 |     //! @note guaranteed = false is intentional here (performance)
000838 |     rpc.Expansion_Send(false, ident);
000839 | }
000840 |
000841 | // -----
000842 | // ExpansionMonitorModule RPC_SendPlayerStatsAndStates
000843 | // Called on client
000844 | // -----
000845 | private void RPC_SendPlayerStatsAndStates(ParamsReadContext ctx, bool includeStats = true, bool includeStates = true)
000846 | {
000847 | #ifdef EXTRACE
000848 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, "" + includeStats, "" + includeStates);
000849 | #endif
000850 |
000851 |     string playerID;
000852 |     if (!ctx.Read(playerID))
000853 |         return;
000854 |
000855 | #ifdef EXTRACE
000856 |     EXTrace.Add(trace, playerID);
000857 | #endif
000858 |
000859 |     bool includeRegisteredStats;
000860 |     if (includeStats && !ctx.Read(includeRegisteredStats))
000861 |         return;
000862 |
000863 |     bool includeBaseStats;
000864 |     if (includeStats && !ctx.Read(includeBaseStats))
000865 |         return;
000866 |
000867 |     if (includeStats)
000868 |     {
000869 |         ExpansionSyncedPlayerStats playerStats();
000870 |         if (!playerStats.OnRecieve(ctx, includeRegisteredStats, includeBaseStats))
000871 |             return;
000872 |
000873 |         playerStats.m_PlainID = playerID;
000874 |
000875 |         m_StatsInvoker.Invoke(playerStats);
000876 |         m_ClientStats = playerStats;
000877 |     }
000878 |
000879 |     if (includeStates)
000880 |     {
000881 |         ExpansionSyncedPlayerStates playerStates();
000882 |         if (!playerStates.OnRecieve(ctx))
000883 |             return;
000884 |
000885 |         playerStates.m_PlainID = playerID;
000886 |
000887 |         m_StatesInvoker.Invoke(playerStates);
000888 |         m_ClientStates = playerStates;
000889 |     }
000890 | }
000891 |
000892 | // -----
```

```
000893 | // ExpansionMonitorModule RequestPlayerStates
000894 | // Called from client
000895 | // -----
000896 | void RequestPlayerStates(string playerID)
000897 | {
000898 | #ifdef EXTRACE
000899 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, playerID);
000900 | #endif
000901 |
000902 |     auto rpc = Expansion_CreateRPC("RPC_RequestPlayerStates");
000903 |     rpc.Write(playerID);
000904 |     //! @note guaranteed = false is intentional here (performance)
000905 |     rpc.Expansion_Send(false);
000906 | }
000907 |
000908 | // -----
000909 | // ExpansionMonitorModule GetPlayerStatesByID
000910 | // Called on server
000911 | // -----
000912 | ExpansionSyncedPlayerStates GetPlayerStatesByID(string playerID)
000913 | {
000914 |     ExpansionSyncedPlayerStates playerStates;
000915 |     m_States.Find(playerID, playerStates);
000916 |     return playerStates;
000917 | }
000918 |
000919 | // -----
000920 | // ExpansionMonitorModule RequestPlayerStatsAndStates
000921 | // Called from client
000922 | // -----
000923 | void RequestPlayerStatsAndStates(string playerID, bool includeRegisteredStats = false, bool includeBaseStats = true)
000924 | {
000925 | #ifdef EXTRACE
000926 |     auto trace = EXTrace.Start(ExpansionTracing.PLAYER_MONITOR, this, playerID, "" + includeRegisteredStats, "" + includeBaseStats);
000927 | #endif
000928 |
000929 |     auto rpc = Expansion_CreateRPC("RPC_RequestPlayerStatsAndStates");
000930 |     rpc.Write(playerID);
000931 |     rpc.Write(includeRegisteredStats);
000932 |     rpc.Write(includeBaseStats);
000933 |     //! @note guaranteed = false is intentional here (performance)
000934 |     rpc.Expansion_Send(false);
000935 | }
000936 |
000937 | // -----
000938 | // ExpansionMonitorModule AddLastPlayerDeathPos
000939 | // Called on server
000940 | // -----
000941 | void AddLastPlayerDeathPos(string playerUID, vector pos)
000942 | {
000943 |     if (m_PlayerDeathPositions.Get(playerUID))
000944 |         m_PlayerDeathPositions.Set(playerUID, pos);
000945 |     else
000946 |         m_PlayerDeathPositions.Insert(playerUID, pos);
000947 | }
000948 |
000949 | // -----
000950 | // ExpansionMonitorModule GetLastDeathPosServer
000951 | // Called on server
000952 | // -----
000953 | vector GetLastDeathPosServer(string playerUID)
000954 | {
```

```
000955 |     return m_PlayerDeathPositions.Get(playerUID);
000956 | }
000957 |
000958 | // -----
000959 | // ExpansionMonitorModule SyncLastDeathPos
000960 | // Called on server
000961 | // -----
000962 | void SyncLastDeathPos(PlayerIdentity identity)
000963 | {
000964 |     if (!g_Game.IsServer() && !g_Game.IsMultiplayer())
000965 |         return;
000966 |
000967 |     if (!identity)
000968 |         return;
000969 |
000970 |     vector pos = GetLastDeathPosServer(identity.GetId());
000971 |     if (pos == vector.Zero)
000972 |         return;
000973 |
000974 |     auto rpc = Expansion_CreateRPC("RPC_SyncLastDeathPos");
000975 |     rpc.Write(pos);
000976 |     rpc.Expansion_Send(true, identity);
000977 | }
000978 |
000979 | void SyncStatsToClient(PlayerBase player)
000980 | {
000981 |     string playerId = player.GetIdentity().GetPlainId();
000982 |
000983 |     auto playerStats = GetPlayerStatsByID(playerID);
000984 |     if (!playerStats)
000985 |         return;
000986 |
000987 |     UpdateStats(playerStats, player, true, true, false);
000988 | }
000989 |
000990 | // -----
000991 | // ExpansionMonitorModule RPC_SyncLastDeathPos
000992 | // Called on client
000993 | // -----
000994 | private void RPC_SyncLastDeathPos(PlayerIdentity ident, Object target, ParamsReadContext ctx)
000995 | {
000996 |     if (!ctx.Read(m_LastDeathPos))
000997 |     {
000998 |         Error(ToString() + "::
```

0172. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Monitor\ExpansionSyncedPlayerStats.c
Size bytes: 4085
SHA-256: 9d367c9ffcf0112613114349ef820378f8d7b5ce33063ce4c4480151896ca9c7
Decoded as: utf-8-sig
Line count shown: 201
Detected class declarations: 2
  L29: class ExpansionSyncedPlayerStats
  L90: class ExpansionSyncedPlayerStats
Detected enum declarations: 1
  L17: enum ExpansionPlayerStanceStatus
Detected function/method-like declarations: 5
  L44: void OnSend(ParamsWriteContext ctx)
  L57: bool OnRecieve(ParamsReadContext ctx)
  L113: void OnSend(ParamsWriteContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true)
  L139: bool OnRecieve(ParamsReadContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true )
  L195: void Acquire(PlayerBase player)
```

Full file content

```
000001 | /**
000002 |  * ExpansionSyncedPlayerStats.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionSyncedPlayerStats
000014 |  * @brief      This class handles the synchronised player stats values
000015 |  **/
000016 |
000017 | enum ExpansionPlayerStanceStatus
000018 | {
000019 |     STAND,
000020 |     CROUCH,
000021 |     PRONE,
000022 |     CAR,
000023 |     HELICOPTER,
000024 |     BOAT,
000025 |     DEAD,
000026 |     UNCONSCIOUS
000027 | }
000028 |
000029 | class ExpansionSyncedPlayerStats
000030 | {
000031 |     //!< ID not synched in 'OnSend', applied in 'RPC_SendPlayerStats'
000032 |     string m_PlainID;
000033 |
000034 |     int m_Bones;
000035 |     bool m_Sick;
000036 |     bool m_Cholera;
000037 |     bool m_Influenza;
000038 |     bool m_Salmonella;
000039 |     bool m_Poison;
000040 |     bool m_Infection;
```

```
000041 |     int m_Cuts;
000042 |     ExpansionPlayerStanceStatus m_Stance;
000043 |
000044 |     void OnSend(ParamsWriteContext ctx)
000045 |     {
000046 |         ctx.Write(m_Bones);
000047 |         ctx.Write(m_Sick);
000048 |         ctx.Write(m_Cholera);
000049 |         ctx.Write(m_Influenza);
000050 |         ctx.Write(m_Salmonella);
000051 |         ctx.Write(m_Poison);
000052 |         ctx.Write(m_Infection);
000053 |         ctx.Write(m_Cuts);
000054 |         ctx.Write(m_Stance);
000055 |     }
000056 |
000057 |     bool OnRecieve(ParamsReadContext ctx)
000058 |     {
000059 |         if (!ctx.Read(m_Bones))
000060 |             return false;
000061 |
000062 |         if (!ctx.Read(m_Sick))
000063 |             return false;
000064 |
000065 |         if (!ctx.Read(m_Cholera))
000066 |             return false;
000067 |
000068 |         if (!ctx.Read(m_Influenza))
000069 |             return false;
000070 |
000071 |         if (!ctx.Read(m_Salmonella))
000072 |             return false;
000073 |
000074 |         if (!ctx.Read(m_Poison))
000075 |             return false;
000076 |
000077 |         if (!ctx.Read(m_Infection))
000078 |             return false;
000079 |
000080 |         if (!ctx.Read(m_Cuts))
000081 |             return false;
000082 |
000083 |         if (!ctx.Read(m_Stance))
000084 |             return false;
000085 |
000086 |         return true;
000087 |     }
000088 | };
000089 |
000090 | class ExpansionSyncedPlayerStats
000091 | {
000092 |     //!< ID not synced in 'OnSend', applied in 'RPC_SendPlayerStats'
000093 |     string m_PlainID;
000094 |
000095 |     bool m_HasBaseStats;
000096 |     int m_Health;
000097 |     int m_Blood;
000098 |     int m_Water;
000099 |     int m_Energy;
000100 |     vector m_Position;
000101 |     int m_Stamina; //!< @note not synced for client player (can get synced values from StaminaHandler)
000102 | }
```

```
000103 | bool m_HasRegisteredStats;
000104 | float m_Distance;
000105 | float m_Playtime;
000106 | int m_PlayersKilled;
000107 | int m_AIKilled;
000108 | int m_InfectedKilled;
000109 | int m_AnimalsKilled;
000110 | float m_LongestShot;
000111 | float m_Weight; //! @note not synced (can calculate on client)
000112 |
000113 | void OnSend(ParamsWriteContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true)
000114 | {
000115 |     if (includeBaseStats)
000116 |     {
000117 |         ctx.Write(m_Health);
000118 |         ctx.Write(m_Blood);
000119 |         ctx.Write(m_Water);
000120 |         ctx.Write(m_Energy);
000121 |         ctx.Write(m_Position);
000122 |     }
000123 |
000124 |     if (includeRegisteredStats)
000125 |     {
000126 |         //ctx.Write(m_Stamina);
000127 |         ctx.Write(m_Distance);
000128 |         ctx.Write(m_Playtime);
000129 |         ctx.Write(m_PlayersKilled);
000130 |         #ifdef ENFUSION_AI_PROJECT
000131 |         ctx.Write(m_AIKilled);
000132 |         #endif
000133 |         ctx.Write(m_InfectedKilled);
000134 |         ctx.Write(m_AnimalsKilled);
000135 |         ctx.Write(m_LongestShot);
000136 |     }
000137 | }
000138 |
000139 | bool OnRecieve(ParamsReadContext ctx, bool includeRegisteredStats = false, bool includeBaseStats = true )
000140 | {
000141 |     if (includeBaseStats)
000142 |     {
000143 |         if (!ctx.Read(m_Health))
000144 |             return false;
000145 |
000146 |         if (!ctx.Read(m_Blood))
000147 |             return false;
000148 |
000149 |         if (!ctx.Read(m_Water))
000150 |             return false;
000151 |
000152 |         if (!ctx.Read(m_Energy))
000153 |             return false;
000154 |
000155 |         if (!ctx.Read(m_Position))
000156 |             return false;
000157 |
000158 |         m_HasBaseStats = true;
000159 |     }
000160 |
000161 |     if (includeRegisteredStats)
000162 |     {
000163 |         //if (!ctx.Read(m_Stamina))
000164 |             //return false;
```

```
000165 |
000166 |         if (!ctx.Read(m_Distance))
000167 |             return false;
000168 |
000169 |         if (!ctx.Read(m_Playtime))
000170 |             return false;
000171 |
000172 |         if (!ctx.Read(m_PlayersKilled))
000173 |             return false;
000174 |
000175 |         #ifdef ENFUSION_AI_PROJECT
000176 |             if (!ctx.Read(m_AIKilled))
000177 |                 return false;
000178 |         #endif
000179 |
000180 |         if (!ctx.Read(m_InfectedKilled))
000181 |             return false;
000182 |
000183 |         if (!ctx.Read(m_AnimalsKilled))
000184 |             return false;
000185 |
000186 |         if (!ctx.Read(m_LongestShot))
000187 |             return false;
000188 |
000189 |         m_HasRegisteredStats = true;
000190 |     }
000191 |
000192 |     return true;
000193 | }
000194 |
000195 | void Acquire(PlayerBase player)
000196 | {
000197 |     m_Stamina = player.m_StaminaHandler.GetSyncedStaminaNormalized() * 100;
000198 |     player.UpdateWeight();
000199 |     m_Weight = player.GetWeight();
000200 | }
000201 | };
```

0173. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkin.c

Size bytes: 703

SHA-256: d6d33e11f5e389f65e0aabcd6c9b2aabdb4451f1faa307ad7f810dcabfba2833

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 1

L13: class ExpansionSkin : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L21: void ExpansionSkin()

Full file content

```
000001 | /**
000002 |  * ExpansionSkin.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkin : Managed
000014 | {
000015 |     ref array< ref ExpansionSkinHiddenSelection > HiddenSelections;
000016 |     ref array< ref ExpansionSkinDamageZone > DamageZones;
000017 |
000018 |     string HornLong;
000019 |     string HornShort;
000020 |
000021 |     void ExpansionSkin()
000022 |     {
000023 |         HiddenSelections = new array< ref ExpansionSkinHiddenSelection >;
000024 |         DamageZones = new array< ref ExpansionSkinDamageZone >;
000025 |     }
000026 | };;
```


0174. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinDamageZone.c

Size bytes: 662

SHA-256: 97e16cb7392580011f8fc926bf8d404b458d481842b996ec168dffa7a162aa16

Decoded as: utf-8-sig

Line count shown: 25

Detected class declarations: 1

L13: class ExpansionSkinDamageZone : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 1

L20: void ExpansionSkinDamageZone()

Full file content

```
000001 | /**
000002 |  * ExpansionSkinDamageZone.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkinDamageZone : Managed
000014 | {
000015 |     string Zone;
000016 |
000017 |     ref array< string > HiddenSelections;
000018 |     ref array< ref ExpansionSkinHealthLevel > HealthLevels;
000019 |
000020 |     void ExpansionSkinDamageZone()
000021 |     {
000022 |         HiddenSelections = new array< string >;
000023 |         HealthLevels = new array< ref ExpansionSkinHealthLevel >;
000024 |     }
000025 | };
```

0175. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHealthLevel.c
Size bytes: 441
SHA-256: bf8f50c3691694823c9f655a944245e720c8946ea398cc34dbdf5270e44d14de
Decoded as: utf-8-sig
Line count shown: 17
Detected class declarations: 1
 L13: class ExpansionSkinHealthLevel : Managed
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionSkinHealthLevel.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkinHealthLevel : Managed
000014 | {
000015 |     string RVTexture;
000016 |     string RVMaterial;
000017 | };
```

0176. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinHiddenSelection.c
Size bytes: 475
SHA-256: af3692ed1d961de97a8d57e68eebe48e9f27240ca130e68a79f56d271e39fbca
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L13: class ExpansionSkinHiddenSelection : Managed
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionSkinHiddenSelection.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionSkinHiddenSelection : Managed
000014 | {
000015 |     string HiddenSelection;
000016 |     string RVTexture;
000017 |     string RVMaterial;
000018 | };
```

0177. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkinModule.c

Size bytes: 10179

SHA-256: a2d2b82a6ba2a549db0f0b7259477f61f2b1ec63fabb487dda9b5f2b2c952eb8

Decoded as: utf-8-sig

Line count shown: 380

Detected class declarations: 1

L14: class ExpansionSkinModule: CF_ModuleWorld

Detected enum declarations: 0

Detected function/method-like declarations: 15

L22: void ExpansionSkinModule()

L30: override void OnInit()

L113: private void LoadClassSkins(string folder, string rootFolder)

L147: private void LoadSkinsForObject(string file, string rootFolder)

L199: string GetConfigPath(string classname)

L227: int GetSkinIndex(string classname, string skin)

L250: string GetSkinName(string classname, int index)

L268: string GetSkinName(string classname)

L279: void RetrieveSkins(string classname, out array< ExpansionSkin > skinCopy, out string defaultSkin)

L336: string GetSkinBase(string classname)

L341: ExpansionSkins GetSkins(string classname)

L355: bool HasSkins(string classname)

L357: return GetSkins(classname) != NULL;

L363: bool HasSkin(string classname, int skinIndex)

L375: map< string, ref ExpansionSkins > GetAllSkins()

Full file content

```

000001 | /**
000002 |  * ExpansionSkinModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | [CF_RegisterModule(ExpansionSkinModule)]
000014 | class ExpansionSkinModule: CF_ModuleWorld
000015 | {
000016 |     static ExpansionSkinModule s_Instance;
000017 |
000018 |     private autoptr map< string, ref ExpansionSkins > m_Skins = new map< string, ref ExpansionSkins >;
000019 |     private autoptr map< string, string > m_SkinBase = new map< string, string >;
000020 |     private autoptr map< string, string > m_SkinName = new map< string, string >;
000021 |
000022 |     void ExpansionSkinModule()
000023 |     {
000024 |         s_Instance = this;
000025 |     }
000026 |
000027 |     // -----
000028 |     // ExpansionSkinModule OnInit
000029 |     // -----
000030 |     override void OnInit()
000031 |     {
000032 | #ifdef EXPANSIONTRACE

```

```
000033 | auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "OnInit");
000034 | #endif
000035 |
000036 | super.OnInit();
000037 |
000038 | int mod_count = g_Game.ConfigGetChildrenCount( "CfgMods" );
000039 |
000040 | for ( int i = 0; i < mod_count; ++i )
000041 | {
000042 |     string mod_name;
000043 |     g_Game.ConfigGetChildName( "CfgMods", i, mod_name );
000044 |
000045 |     string configSkins = "CfgMods " + mod_name + " expansionSkins";
000046 |     if ( !g_Game.ConfigIsExisting( configSkins ) )
000047 |     {
000048 |         continue;
000049 |     }
000050 |
000051 |     TStringArray folders = new TStringArray;
000052 |     g_Game.ConfigGetTextArray( configSkins, folders );
000053 |
000054 |     if ( !folders || folders.Count() == 0 )
000055 |     {
000056 |         continue;
000057 |     }
000058 |
000059 |     bool filePatching = IsCLIPParam( "filePatching" );
000060 |
000061 |     for ( int j = 0; j < folders.Count(); j++ )
000062 |     {
000063 |         string folder = folders[j];
000064 |         folder.Replace("/", "\\");
000065 |
000066 |         CF_Log.Debug( folder );
000067 |
000068 |         string folderName;
000069 |         FileAttr fileAttr;
000070 |         FindFileHandle findFileHandle = FindFile( folder + "*", folderName, fileAttr, FindFileFlags.ALL );
000071 |
000072 |         if ( findFileHandle )
000073 |         {
000074 |             if ( folderName.Length() > 0 )
000075 |             {
000076 |                 //if ( filePatching )
000077 |                 //{
000078 |                 //    LoadClassSkins( folderName, folder );
000079 |                 //} else
000080 |                 {
000081 |                     LoadSkinsForObject( folderName, folder );
000082 |                 }
000083 |             }
000084 |
000085 |             while ( FindNextFile( findFileHandle, folderName, fileAttr ) )
000086 |             {
000087 |                 if ( folderName.Length() > 0 )
000088 |                 {
000089 |                     //if ( filePatching )
000090 |                     //{
000091 |                     //    LoadClassSkins( folderName, folder );
000092 |                     //} else
000093 |                     {
000094 |                         LoadSkinsForObject( folderName, folder );
```

```
000095 |         }
000096 |     }
000097 | }
000098 |
000099 |     CloseFindFile(findFileHandle);
000100 | }
000101 | }
000102 | }
000103 |
000104 |     foreach (string classname, ExpansionSkins skins: m_Skins )
000105 |     {
000106 |         skins.Sort();
000107 |     }
000108 | }
000109 |
000110 | // -----
000111 | // ExpansionSkinModule LoadClassSkins
000112 | // -----
000113 | private void LoadClassSkins( string folder, string rootFolder )
000114 | {
000115 | #ifdef EXPANSIONTRACE
000116 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "LoadClassSkins");
000117 | #endif
000118 |
000119 |     string path = rootFolder + "\\\" + folder + "\\\";
000120 |
000121 |     string fileName;
000122 |     FileAttr fileAttr;
000123 |     FindFileHandle findFileHandle = FindFile( path + "*", fileName, fileAttr, FindFileFlags.ALL );
000124 |
000125 |     if ( findFileHandle )
000126 |     {
000127 |         if ( fileName.Length() > 0 ) // && ( fileAttr & FileAttr.DIRECTORY )
000128 |         {
000129 |             LoadSkinsForObject( folder + "\\\" + fileName, rootFolder );
000130 |         }
000131 |
000132 |         while ( FindNextFile( findFileHandle, fileName, fileAttr ) )
000133 |         {
000134 |             if ( fileName.Length() > 0 ) // && ( fileAttr & FileAttr.DIRECTORY )
000135 |             {
000136 |                 LoadSkinsForObject( folder + "\\\" + fileName, rootFolder );
000137 |             }
000138 |         }
000139 |
000140 |         CloseFindFile(findFileHandle);
000141 |     }
000142 | }
000143 |
000144 | // -----
000145 | // ExpansionSkinModule LoadSkinsForObject
000146 | // -----
000147 | private void LoadSkinsForObject( string file, string rootFolder )
000148 | {
000149 | #ifdef EXPANSIONTRACE
000150 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "LoadSkinsForObject");
000151 | #endif
000152 |
000153 |     int idx = file.IndexOf( "\\\" );
000154 |     if ( idx == -1 )
000155 |         idx = file.IndexOf( "/" );
000156 |     if ( idx == -1 )
```

```
000157 |         return; //! Fuck off Workbench
000158 |
000159 |         string classname = file.Substring( 0, idx );
000160 |         string skinname = file.Substring( idx + 1, file.Length() - idx - 1 );
000161 |         classname.ToLower();
000162 |
000163 |         int pos = skinname.IndexOf( "." );
000164 |         if ( pos > -1 )
000165 |         {
000166 |             skinname = skinname.Substring( 0, pos );
000167 |         }
000168 |
000169 |         skinname.ToLower();
000170 |
000171 |         string path = GetConfigPath( classname );
000172 |         if ( !path )
000173 |             return;
000174 |
000175 |         TStringArray applySkinsTo = new TStringArray;
000176 |         g_Game.ConfigGetTextArray( path + " " + classname + " applySkinsTo", applySkinsTo );
000177 |
000178 |         string defaultSkin = "";
000179 |         g_Game.ConfigGetText( path + " " + classname + " defaultSkin", defaultSkin );
000180 |
000181 |         applySkinsTo.Insert( classname );
000182 |
000183 |         for ( int i = 0; i < applySkinsTo.Count(); i++ )
000184 |         {
000185 |             classname = applySkinsTo[i];
000186 |             classname.ToLower();
000187 |
000188 |             ExpansionSkins skins = m_Skins.Get( classname );
000189 |             if ( !skins )
000190 |             {
000191 |                 m_Skins.Insert( classname, new ExpansionSkins( defaultSkin ) );
000192 |                 skins = m_Skins.Get( classname );
000193 |             }
000194 |
000195 |             skins.AddSkin( skinname, rootFolder + file );
000196 |         }
000197 |     }
000198 |
000199 |     string GetConfigPath( string classname )
000200 |     {
000201 |         string path = "cfgVehicles";
000202 |         if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000203 |         {
000204 |             path = "cfgWeapons";
000205 |             if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000206 |             {
000207 |                 path = "cfgMagazines";
000208 |                 if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000209 |                 {
000210 |                     path = "cfgNonAIVehicles";
000211 |                     if ( !g_Game.ConfigIsExisting( path + " " + classname ) )
000212 |                     {
000213 |                         if(classname)
000214 |                             Print( "ExpansionSkinModule::GetConfigPath - [ERROR]: Invalid class name " + classname );
000215 |
000216 |                         return "";
000217 |                     }
000218 |                 }
000219 |             }
000220 |         }
000221 |     }
000222 | }
```

```
000219 |     }
000220 | }
000221 |     return path;
000222 | }
000223 |
000224 | // -----
000225 | // ExpansionSkinModule GetSkinIndex
000226 | // -----
000227 | int GetSkinIndex( string classname, string skin )
000228 | {
000229 |     string skinBase = GetSkinBase( classname );
000230 |     if ( skinBase )
000231 |         classname = skinBase;
000232 |
000233 |     classname.ToLower();
000234 |     skin.ToLower();
000235 |
000236 |     ExpansionSkins skins = m_Skins.Get( classname );
000237 |     if ( !skins || skins.Count() == 0 )
000238 |         return -1;
000239 |
000240 |     for ( int i = 0; i < skins.Count(); i++ )
000241 |         if ( skins.GetName( i ) == skin )
000242 |             return i;
000243 |
000244 |     return -1;
000245 | }
000246 |
000247 | // -----
000248 | // ExpansionSkinModule GetSkinName
000249 | // -----
000250 | string GetSkinName( string classname, int index )
000251 | {
000252 |     if ( index < 0 )
000253 |         return "";
000254 |
000255 |     string skinBase = GetSkinBase( classname );
000256 |     if ( skinBase )
000257 |         classname = skinBase;
000258 |
000259 |     classname.ToLower();
000260 |
000261 |     ExpansionSkins skins = m_Skins.Get( classname );
000262 |     if ( !skins || index >= skins.Count() )
000263 |         return "";
000264 |
000265 |     return skins.GetName( index );
000266 | }
000267 |
000268 | string GetSkinName( string classname )
000269 | {
000270 |     string path = GetConfigPath( classname );
000271 |     if ( path && g_Game.ConfigIsExisting( path + " " + classname + " skinName" ) )
000272 |         return g_Game.ConfigGetTextOut( path + " " + classname + " skinName" );
000273 |     return "";
000274 | }
000275 |
000276 | // -----
000277 | // ExpansionSkinModule RetrieveSkins
000278 | // -----
000279 | void RetrieveSkins( string classname, out array< ExpansionSkin > skinCopy, out string defaultSkin )
000280 | {
```



```
000281 | #ifdef EXPANSIONTRACE
000282 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "RetrieveSkins");
000283 | #endif
000284 |
000285 |     defaultSkin = "";
000286 |
000287 |     string path;
000288 |
000289 |     string skinBase = GetSkinBase( classname );
000290 |     if ( !skinBase )
000291 |     {
000292 |         path = GetConfigPath( classname );
000293 |
000294 |         /// If it exists, use skinBase instead of given classname
000295 |         /// (so when spawning <thing>_<skinname>, it has the correct skin)
000296 |         if ( g_Game.ConfigIsExisting( path + " " + classname + " skinBase" ) )
000297 |             g_Game.ConfigGetText( path + " " + classname + " skinBase", skinBase );
000298 |
000299 |         if ( !skinBase )
000300 |             skinBase = classname;
000301 |
000302 |         m_SkinBase.Insert( classname, skinBase );
000303 |     }
000304 |
000305 |     skinBase.ToLower();
000306 |
000307 |     ExpansionSkins skins = m_Skins.Get( skinBase );
000308 |     if ( !skins )
000309 |     {
000310 |         return;
000311 |     }
000312 |
000313 |     string skinName = m_SkinName.Get( classname );
000314 |     if ( !skinName )
000315 |     {
000316 |         if ( !path )
000317 |             path = GetConfigPath( classname );
000318 |
000319 |         /// If it exists, use skinName instead of default skin
000320 |         /// (so when spawning <thing>_<skinname>, it has the correct skin)
000321 |         if ( g_Game.ConfigIsExisting( path + " " + classname + " skinName" ) )
000322 |             g_Game.ConfigGetText( path + " " + classname + " skinName", skinName );
000323 |
000324 |         if ( !skinName )
000325 |             skinName = skins.GetDefaultSkin();
000326 |
000327 |         m_SkinName.Insert( classname, skinName );
000328 |     }
000329 |
000330 |     defaultSkin = skinName;
000331 |
000332 |     for ( int i = 0; i < skins.Count(); ++i )
000333 |         skinCopy.Insert( skins.Get( i ) );
000334 | }
000335 |
000336 | string GetSkinBase( string classname )
000337 | {
000338 |     return m_SkinBase.Get( classname );
000339 | }
000340 |
000341 | ExpansionSkins GetSkins( string classname )
000342 | {
```

```
000343 |         string skinBase = GetSkinBase( classname );
000344 |         if ( skinBase )
000345 |             classname = skinBase;
000346 |
000347 |         classname.ToLower();
000348 |
000349 |         return m_Skins.Get( classname );
000350 |     }
000351 |
000352 |     // -----
000353 |     // ExpansionSkinModule HasSkins
000354 |     // -----
000355 |     bool HasSkins(string classname)
000356 |     {
000357 |         return GetSkins( classname ) != NULL;
000358 |     }
000359 |
000360 |     // -----
000361 |     // ExpansionSkinModule HasSkin
000362 |     // -----
000363 |     bool HasSkin(string classname, int skinIndex)
000364 |     {
000365 |         ExpansionSkins skins = GetSkins( classname );
000366 |         if (!skins || !skins.Get(skinIndex))
000367 |             return false;
000368 |
000369 |         return true;
000370 |     }
000371 |
000372 |     // -----
000373 |     // ExpansionSkinModule RetrieveSkins
000374 |     // -----
000375 |     map< string, ref ExpansionSkins > GetAllSkins()
000376 |     {
000377 |         return m_Skins;
000378 |     }
000379 | };
000380 |
```

0178. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Skins\ExpansionSkins.c

Size bytes: 2996

SHA-256: 5791d35f19bb0c9c7f6500fbc67df1087445b738184e62a786a716c139030939

Decoded as: utf-8-sig

Line count shown: 105

Detected class declarations: 1

L13: class ExpansionSkins : Managed

Detected enum declarations: 0

Detected function/method-like declarations: 9

L23: void ExpansionSkins(string defaultSkin)

L37: void AddSkin(string name, string path)

L53: int Count()

L61: int Find(string name)

L69: string GetName(int index)

L77: ExpansionSkin Get(int index)

L85: ExpansionSkin Get(string name)

L93: string GetDefaultSkin()

L101: void Sort()

Full file content

```
000001 | /**
000002 |  * ExpansionSkins.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionSkins : Managed
000014 | {
000015 |     private ref map< string, ref ExpansionSkin > m_Skins;
000016 |     private ref array< string > m_Order;
000017 |
000018 |     private string m_DefaultSkin;
000019 |
000020 |     // -----
000021 |     // ExpansionSkins Constructor
000022 |     // -----
000023 |     void ExpansionSkins( string defaultSkin )
000024 |     {
000025 | #ifdef EXPANSIONTRACE
000026 |         auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionSkins");
000027 | #endif
000028 |
000029 |         m_DefaultSkin = defaultSkin;
000030 |         m_Skins = new map< string, ref ExpansionSkin >;
000031 |         m_Order = new array< string >;
000032 |     }
000033 |
000034 |     // -----
000035 |     // ExpansionSkins AddSkin
000036 |     // -----
000037 |     void AddSkin( string name, string path )
000038 |     {
```

```
000039 | #ifdef EXPANSIONTRACE
000040 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "AddSkin");
000041 | #endif
000042 |
000043 |     ExpansionSkin skin = new ExpansionSkin;
000044 |     JsonFileLoader< ExpansionSkin >.JsonLoadFile( path, skin );
000045 |
000046 |     m_Skins.Insert( name, skin );
000047 |     m_Order.Insert( name );
000048 | }
000049 |
000050 | // -----
000051 | // ExpansionSkins Count
000052 | // -----
000053 | int Count()
000054 | {
000055 |     return m_Skins.Count();
000056 | }
000057 |
000058 | // -----
000059 | // ExpansionSkins Find
000060 | // -----
000061 | int Find( string name )
000062 | {
000063 |     return m_Order.Find( name );
000064 | }
000065 |
000066 | // -----
000067 | // ExpansionSkins GetName
000068 | // -----
000069 | string GetName( int index )
000070 | {
000071 |     return m_Order[index];
000072 | }
000073 |
000074 | // -----
000075 | // ExpansionSkins Get
000076 | // -----
000077 | ExpansionSkin Get( int index )
000078 | {
000079 |     return m_Skins[GetName(index)];
000080 | }
000081 |
000082 | // -----
000083 | // ExpansionSkins Get
000084 | // -----
000085 | ExpansionSkin Get( string name )
000086 | {
000087 |     return m_Skins[name];
000088 | }
000089 |
000090 | // -----
000091 | // ExpansionSkins GetDefaultSkin
000092 | // -----
000093 | string GetDefaultSkin()
000094 | {
000095 |     return m_DefaultSkin;
000096 | }
000097 |
000098 | // -----
000099 | // ExpansionSkins Sort
000100 | // -----
```

```
000101 | void Sort()  
000102 | {  
000103 |     m_Order.Sort();  
000104 | }  
000105 | };
```

0179. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\System\Zone\ExpansionZoneModule.c
Size bytes: 3456
SHA-256: 80053ebe2339e67e605584631a5026bcfb5114b1f622d5f44ecc447f6f59704
Decoded as: utf-8-sig
Line count shown: 164
Detected class declarations: 1
L17: class ExpansionZoneModule : CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 7
L27: override void OnInit()
L39: override void OnMissionLoaded(Class sender, CF_EventArgs args)
L106: override bool IsClient()
L111: static bool IsInsideSafeZone(vector position)
L117: return IsInside(position, ExpansionZoneType.SAFE);
L120: static bool IsInside(vector position, ExpansionZoneType type)
L144: override void OnUpdate(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionZoneModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionZoneModule
000014 |  * @brief
000015 |  */
000016 | [CF_RegisterModule(ExpansionZoneModule)]
000017 | class ExpansionZoneModule : CF_ModuleWorld
000018 | {
000019 |     static const int COUNT = ExpansionZoneType.Count;
000020 |
000021 |     int m_Interval = 100;
000022 |     int m_ActorsPerTick = 10;
000023 |     static bool s_ExEnabled = false;
000024 |
000025 |     int m_TimeCounter = 0;
000026 |
000027 |     override void OnInit()
000028 |     {
000029 | #ifdef EXPANSIONTRACE
000030 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnInit");
000031 | #endif
000032 |
000033 |         super.OnInit();
000034 |
000035 |         EnableMissionLoaded();
000036 |         EnableUpdate();
000037 |     }
000038 |
000039 |     override void OnMissionLoaded(Class sender, CF_EventArgs args)
000040 |     {
```

```
000041 |         super.OnMissionLoaded(sender, args);
000042 |
000043 |         auto settings = GetExpansionSettings().GetSafeZone();
000044 |         if (!settings)
000045 |             return;
000046 |
000047 |         m_Interval = settings.FrameRateCheckSafeZoneInMs;
000048 |         m_ActorsPerTick = settings.ActorsPerTick;
000049 |         s_ExEnabled = settings.Enabled;
000050 |
000051 |         bool failure = false;
000052 |
000053 |         auto circleZones = settings.CircleZones;
000054 |         auto polygonZones = settings.PolygonZones;
000055 |         auto cylinderZones = settings.CylinderZones;
000056 |
000057 |         if (!circleZones || !polygonZones || !cylinderZones)
000058 |         {
000059 |             failure = true;
000060 |         }
000061 |
000062 |         if (circleZones)
000063 |         {
000064 |             foreach (ExpansionSafeZoneCircle circleZone : circleZones)
000065 |             {
000066 |                 circleZone.Center[1] = 0;
000067 |                 circleZone.Create();
000068 |             }
000069 |         }
000070 |
000071 |         if (polygonZones)
000072 |         {
000073 |             foreach (ExpansionSafeZonePolygon polyZone : polygonZones)
000074 |             {
000075 |                 polyZone.Create();
000076 |             }
000077 |         }
000078 |
000079 |         if (cylinderZones)
000080 |         {
000081 |             foreach (ExpansionSafeZoneCylinder cylinderZone : cylinderZones)
000082 |             {
000083 |                 cylinderZone.Create();
000084 |             }
000085 |         }
000086 |
000087 |         int count = 0;
000088 |
000089 |         ExpansionZone element = ExpansionZone.s_Head;
000090 |         while (element)
000091 |         {
000092 |             Print(element.ToStr());
000093 |             element = element.m_Next;
000094 |             count++;
000095 |         }
000096 |
000097 |         Print("Found " + count + " zones!");
000098 |
000099 |         if (failure)
000100 |         {
000101 |             Error("Zone setup failed.");
000102 |             return;
```

```
000103 |     }
000104 | }
000105 |
000106 | override bool IsClient()
000107 | {
000108 |     return false;
000109 | }
000110 |
000111 | static bool IsInsideSafeZone(vector position)
000112 | {
000113 | #ifdef EXPANSIONTRACE
000114 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, "ExpansionZoneModule", "IsInsideSafeZone");
000115 | #endif
000116 |
000117 |     return IsInside(position, ExpansionZoneType.SAFE);
000118 | }
000119 |
000120 | static bool IsInside(vector position, ExpansionZoneType type)
000121 | {
000122 | #ifdef EXPANSIONTRACE
000123 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, "ExpansionZoneModule", "IsInside");
000124 | #endif
000125 |
000126 |     if (type == ExpansionZoneType.SAFE && !s_ExEnabled)
000127 |         return false;
000128 |
000129 |     for (int i = 0; i < COUNT; i++)
000130 |         ExpansionZone.s_InsideBuffer[i] = false;
000131 |
000132 |     position[1] = 0;
000133 |
000134 |     ExpansionZone element = ExpansionZone.s_Head;
000135 |     while (element)
000136 |     {
000137 |         element.Check(position);
000138 |         element = element.m_Next;
000139 |     }
000140 |
000141 |     return ExpansionZone.s_InsideBuffer[type];
000142 | }
000143 |
000144 | override void OnUpdate(Class sender, CF_EventArgs args)
000145 | {
000146 | #ifdef EXPANSIONTRACE
000147 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnUpdate");
000148 | #endif
000149 |
000150 |     if (!s_ExEnabled)
000151 |         return;
000152 |
000153 |     auto update = CF_EventUpdateArgs.Cast(args);
000154 |
000155 |     m_TimeCounter += update.DeltaTime * 1000;
000156 |     if (m_TimeCounter < m_Interval)
000157 |         return;
000158 |
000159 |     ExpansionZoneActor.UpdateAll(m_ActorsPerTick);
000160 |
000161 |     m_TimeCounter = 0;
000162 | }
000163 | };
000164 |
```


0180. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\TransmissionAgents\PlayerAgentPool.c

Size bytes: 1510

SHA-256: 3a70a4f73fbcffb940bca800b224a451fd33c0dcc9fd8e30b492c732ac8a95db

Decoded as: utf-8-sig

Line count shown: 62

Detected class declarations: 1

L1: modded class PlayerAgentPool

Detected enum declarations: 0

Detected function/method-like declarations: 3

L3: override void AddAgent(int agent_id, float count)

L14: void CF_OnStoreSave(CF_ModStorage ctx)

L30: bool CF_OnStoreLoad(CF_ModStorage ctx, int version)

Full file content

```
000001 | modded class PlayerAgentPool
000002 | {
000003 |     override void AddAgent(int agent_id, float count)
000004 |     {
000005 |         //!< Positive count means something bad is inserted (illness etc), negative count means something bad is removed (cured)
000006 |         //!< If dmg is disabled, allow removal, but not insertion
000007 |         if (count > 0 && !m_Player.Expansion_CanBeDamaged())
000008 |             return;
000009 |
000010 |         super.AddAgent(agent_id, count);
000011 |     }
000012 |
000013 | #ifdef EXPANSION_MODSTORAGE
000014 |     void CF_OnStoreSave(CF_ModStorage ctx)
000015 |     {
000016 |         //!< Unlike vanilla, we write count so we'll always be able to successfully read back what was actually saved
000017 |         int count = m_PluginTransmissionAgents.GetAgentList().Count();
000018 |         ctx.Write(count);
000019 |
000020 |         array<int> agentList = m_PluginTransmissionAgents.GetAgentList().GetKeyArray();
000021 |         foreach (int agentId: agentList)
000022 |         {
000023 |             ctx.Write(agentId);
000024 |             ctx.Write(GetSingleAgentCount(agentId));
000025 |
000026 |             ctx.Write(GetTemporaryResistance(agentId));
000027 |         }
000028 |     }
000029 |
000030 |     bool CF_OnStoreLoad(CF_ModStorage ctx, int version)
000031 |     {
000032 |         int count;
000033 |         if (!ctx.Read(count))
000034 |             return false;
000035 |
000036 |         for (int i = 0; i < count; ++i)
000037 |         {
000038 |             int agentId;
000039 |             if (!ctx.Read(agentId))
000040 |                 return false;
000041 |
000042 |             int agentCount;
000043 |             if (!ctx.Read(agentCount))
000044 |                 return false;
```

```
000045 |  
000046 |         if (version >= 140)  
000047 |         {  
000048 |             float agentTemporaryResistanceTime;  
000049 |             if (!ctx.Read(agentTemporaryResistanceTime))  
000050 |                 return false;  
000051 |  
000052 |             SetTemporaryResistance(agentId, agentTemporaryResistanceTime);  
000053 |         }  
000054 |  
000055 |         SetAgentCount(agentId, agentCount);  
000056 |     }  
000057 |  
000058 |     return true;  
000059 | }  
000060 | #endif  
000061 | }  
000062 |
```

0181. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionConstructor.c

Size bytes: 968

SHA-256: fe415886b2f7143690e5dddb0b8cf88941f664c15cb87ca0ced26ea6df99132e

Decoded as: utf-8-sig

Line count shown: 34

Detected class declarations: 1

L16: modded class ActionConstructor

Detected enum declarations: 0

Detected function/method-like declarations: 1

L21: override void RegisterActions(TTypeNameArray actions)

Full file content

```
000001 | /**
000002 |  * ActionConstructor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ActionConstructor
000014 |  * @brief
000015 |  */
000016 | modded class ActionConstructor
000017 | {
000018 |     // -----
000019 |     // ActionConstructor RegisterActions
000020 |     // -----
000021 |     override void RegisterActions( TTypeNameArray actions )
000022 |     {
000023 |         super.RegisterActions( actions );
000024 |
000025 |         actions.Insert( ExpansionActionPaint );
000026 |
000027 |         actions.Insert( ExpansionActionDebugStoreEntity );
000028 |
000029 |         actions.Insert( ExpansionActionRestoreEntity );
000030 |         actions.Insert( ExpansionActionPlaceDebugGoat );
000031 |
000032 |         actions.Insert( ExpansionActionDebugLobotomize );
000033 |     }
000034 | };
```

0182. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionBase.c

Size bytes: 1438

SHA-256: eb3a6fc9ff2824ab91fbacd9063b71f2f7953001879b50e93bad1352e215e11f

Decoded as: utf-8-sig

Line count shown: 60

Detected class declarations: 1

L13: modded class ActionBase

Detected enum declarations: 0

Detected function/method-like declarations: 6

L15: override void OnStart(ActionData action_data)

L23: override void OnUpdate(ActionData action_data)

L31: override void OnEndRequest(ActionData action_data)

L39: override void OnEndInput(ActionData action_data)

L47: override void OnEnd(ActionData action_data)

L55: bool Expansion_CheckSuccess(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ActionBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionBase
000014 | {
000015 |     override void OnStart( ActionData action_data )
000016 |     {
000017 |         super.OnStart( action_data );
000018 |
000019 |         if ( action_data.m_MainItem )
000020 |             action_data.m_MainItem.ExpansionActionOnStart( action_data );
000021 |     }
000022 |
000023 |     override void OnUpdate( ActionData action_data )
000024 |     {
000025 |         super.OnUpdate( action_data );
000026 |
000027 |         if ( action_data.m_MainItem )
000028 |             action_data.m_MainItem.ExpansionActionOnUpdate( action_data );
000029 |     }
000030 |
000031 |     override void OnEndRequest( ActionData action_data )
000032 |     {
000033 |         super.OnEndRequest( action_data );
000034 |
000035 |         if ( action_data.m_MainItem )
000036 |             action_data.m_MainItem.ExpansionActionOnEndRequest( action_data );
000037 |     }
000038 |
000039 |     override void OnEndInput( ActionData action_data )
000040 |     {
000041 |         super.OnEndInput( action_data );
```

```
000042 |  
000043 |         if ( action_data.m_MainItem )  
000044 |             action_data.m_MainItem.ExpansionActionOnEndInput( action_data );  
000045 |     }  
000046 |  
000047 |     override void OnEnd( ActionData action_data )  
000048 |     {  
000049 |         super.OnEnd( action_data );  
000050 |  
000051 |         if ( action_data.m_MainItem )  
000052 |             action_data.m_MainItem.ExpansionActionOnEnd( action_data );  
000053 |     }  
000054 |  
000055 |     bool Expansion_CheckSuccess(ActionData action_data)  
000056 |     {  
000057 |         return true;  
000058 |     }  
000059 | }  
000060 |
```

0183. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ActionContinuousBase.c
Size bytes: 1070
SHA-256: c68860058d8cf4dead80339447122c6f94d9809362105c692ba2447d1dc662f2
Decoded as: utf-8-sig
Line count shown: 39
Detected class declarations: 1
L13: modded class ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 3
L15: override void OnStartAnimationLoop(ActionData action_data)
L23: override void OnFinishProgress(ActionData action_data)
L31: override void OnEndAnimationLoop(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ActionContinuousBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionContinuousBase
000014 | {
000015 |     override void OnStartAnimationLoop( ActionData action_data )
000016 |     {
000017 |         super.OnStartAnimationLoop( action_data );
000018 |
000019 |         if ( action_data.m_MainItem )
000020 |             action_data.m_MainItem.ExpansionActionOnStartAnimationLoop( action_data );
000021 |     }
000022 |
000023 |     override void OnFinishProgress( ActionData action_data )
000024 |     {
000025 |         super.OnFinishProgress( action_data );
000026 |
000027 |         if ( action_data.m_MainItem )
000028 |             action_data.m_MainItem.ExpansionActionOnFinishProgress( action_data );
000029 |     }
000030 |
000031 |     override void OnEndAnimationLoop( ActionData action_data )
000032 |     {
000033 |         super.OnEndAnimationLoop( action_data );
000034 |
000035 |         if ( action_data.m_MainItem )
000036 |             action_data.m_MainItem.ExpansionActionOnEndAnimationLoop( action_data );
000037 |     }
000038 | }
000039 |
```

0184. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\AnimatedActionBase.c
Size bytes: 605
SHA-256: 5ebb1c0d7ea9c85c9f85ba89e4d9b12d851cd9e8359bea329e04cd1778584a09
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class AnimatedActionBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override void OnAnimationEvent(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * AnimatedActionBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class AnimatedActionBase
000014 | {
000015 |     override void OnAnimationEvent( ActionData action_data )
000016 |     {
000017 |         super.OnAnimationEvent( action_data );
000018 |
000019 |         if ( action_data.m_MainItem )
000020 |             action_data.m_MainItem.ExpansionActionOnAnimationEvent( action_data );
000021 |     }
000022 | }
000023 |
```

0185. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionActivateTrap.c

Size bytes: 602

SHA-256: ebd2c03019cddadfbf80f409aa1a41a0ef7f639098cf779f7d96c93cf999f188

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L13: modded class ActionActivateTrap

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionActivateTrap.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionActivateTrap
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```


0186. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionArmExplosive.c

Size bytes: 600

SHA-256: a1fbc7bb0d19ad1e42695989fcc6eae7886cc1ffd96a5352c2f7a012a971297c

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionArmExplosive

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionArmExplosive.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionArmExplosive
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0187. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionAttachExplosivesTrigger.c
Size bytes: 622
SHA-256: ee179a4dffe2270f6ca92b7356633479b1a81fcd23e35e2c5012e4f21cdd055
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionAttachExplosivesTrigger
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionAttachExplosivesTrigger.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionAttachExplosivesTrigger
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0188. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionBuildPart.c
Size bytes: 594
SHA-256: e284631f376b2f31cd88552e0000ce81d04c32984d1a48abf64e71532db9469e
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionBuildPart
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionBuildPart.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionBuildPart
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0189. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionCoverHeadTarget.c
Size bytes: 606
SHA-256: d30e9f6af1ed2d7eef45a130256c76594686c751458b20edb6962c1860b80549
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionCoverHeadTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCoverHeadTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCoverHeadTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0190. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDigInStash.c
Size bytes: 598
SHA-256: 7ff6d7f058d0d901310b5454e042cd3b3476fc97fb2dc1466767acf6484cb4b4
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionDigInStash
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionDigInStash.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionDigInStash
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```

0191. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionDismantlePart.c
Size bytes: 651
SHA-256: b52738649f5a25053874476f99c997a564c9afeddf840bdec595adfcf8fce042
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionDismantlePart
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override protected bool DismantleCondition(PlayerBase player, ActionTarget target, ItemBase item, bool camera_check)

Full file content

```
000001 | /**
000002 |  * ActionDismantlePart.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionDismantlePart
000014 | {
000015 |     override protected bool DismantleCondition( PlayerBase player, ActionTarget target, ItemBase item, bool camera_check )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.DismantleCondition( player, target, item, camera_check );
000021 |     }
000022 | }
```

0192. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionFoldBaseBuildingObject.c
Size bytes: 620
SHA-256: c302e05c914a29e20e64c5ef9be4974bdf29393e648859a926c2ffaab11d8571
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionFoldBaseBuildingObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionFoldBaseBuildingObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionFoldBaseBuildingObject
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0193. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionForceConsume.c
Size bytes: 726
SHA-256: cee0f413b62e5c2aed16ee5cb26dc7306d43ec823f3e7925095d207e1dcf46a2
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionForceConsume
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionForceConsume.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionForceConsume
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```


0194. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionGagTarget.c
Size bytes: 594
SHA-256: ab54af0864f2d83f829ec9f0c15e637124e81b7f2a74345567ddfdb147ecf419
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionGagTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionGagTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionGagTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0195. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionLockDoors.c
Size bytes: 593
SHA-256: 8a2ab8b4ddf081a328052a46f9a0f54097f90a8e4c5e10e75a5af731571e52a6
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionLockDoors
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionLockDoors.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionLockDoors
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0196. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineBush.c
Size bytes: 601
SHA-256: 8eda787e0f4afdde2fe582c921a22ead0736890a26c4d176d139c7a0b9b8e993
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L14: modded class ActionMineBush
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L16: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionMineBush.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /*
000014 | modded class ActionMineBush
000015 | {
000016 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000017 |     {
000018 |         if ( player.Expansion_IsInSafeZone() )
000019 |             return false;
000020 |
000021 |         return super.ActionCondition( player, target, item );
000022 |     }
000023 | };
000024 | */
```

0197. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineRock.c
Size bytes: 601
SHA-256: e2841bc6454caa6230fb8793b8cf11a6db12ada33102edd6a7c31152b97b344f
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L14: modded class ActionMineRock
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L16: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionMineRock.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /*
000014 | modded class ActionMineRock
000015 | {
000016 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000017 |     {
000018 |         if ( player.Expansion_IsInSafeZone() )
000019 |             return false;
000020 |
000021 |         return super.ActionCondition( player, target, item );
000022 |     }
000023 | };
000024 | */
```

0198. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionMineTree.c
Size bytes: 592
SHA-256: 52429cb63a190e37085414308edd3214a5d871811e2f4063975fbdd3a7b68d7f
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionMineTree
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionMineTree.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionMineTree
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0199. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPackTent.c
Size bytes: 595
SHA-256: 342a5e846c351cdf1cf336a9b7afe84d229e24e9bacc4777b7941933565e4871
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionPackTent
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionPackTent.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionPackTent
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0200. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionPushObject.c
Size bytes: 605
SHA-256: 28449ef4c73fd046534a679ef750b65a904194f71432641310bae43a1ee749ad
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionPushObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionPushObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionPushObject
000014 | {
000015 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | };
000023 |
```

0201. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainSelf.c
Size bytes: 601
SHA-256: 5afb966f9fc6055ae39226525c6ce21093ed19072b6a36965b650a20ea0113d7
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionRestrainSelf
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionRestrainSelf.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionRestrainSelf
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
000023 |
```


0202. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionRestrainTarget.c
Size bytes: 678
SHA-256: 131a3c578be571cd39ec2b3c349609ae043aecbf7529a0904f7d98efcdff0225
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 1
 L13: modded class ActionRestrainTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionRestrainTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionRestrainTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         if (target && !PlayerBase.Cast(target.GetObject()))
000021 |             return false;
000022 |
000023 |         return super.ActionCondition(player, target, item);
000024 |     }
000025 | };
```

0203. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionShaveTarget.c

Size bytes: 597

SHA-256: d7b1040526a850c068462e58639dbcd91c3932f2189c1caeee51f9c8ff7f66ff

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class ActionShaveTarget

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionShaveTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionShaveTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0204. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnlockDoors.c
Size bytes: 595
SHA-256: 78da30ea06dc3d182e392db9b034a099a8fed8889aedc699c3e547e12586b426
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnlockDoors
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnlockDoors.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnlockDoors
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | }
```

0205. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnMountBarbedWire.c
Size bytes: 609
SHA-256: 5de90c04f5d40c6c312946d1d2ef6abb54df5b3b413650ea44a936e4f99b29d2
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnmountBarbedWire
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnmountBarbedWire.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnmountBarbedWire
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
```

0206. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c
Size bytes: 620
SHA-256: a59a54c530eb3c030668c26d562ae0a3b7ba25c66d0c852a84455a391b228dac
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnrestrainTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnrestrainTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnrestrainTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (target && !PlayerBase.Cast(target.GetObject()))
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0207. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugLobotomize.c
Size bytes: 3894
SHA-256: b45bcc3141f144a515acb68549b75f6208cc15e1654c0e9c06633e3fe3127cb9
Decoded as: utf-8-sig
Line count shown: 143
Detected class declarations: 2
  L13: class ExpansionActionDebugLobotomizeCB: ActionContinuousBaseCB
  L21: class ExpansionActionDebugLobotomize: ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L15: override void CreateActionComponent()
  L27: void ExpansionActionDebugLobotomize()
  L36: override string GetText()
  L44: override void CreateConditionComponents()
  L50: override typename GetInputType()
  L55: override bool HasTarget()
  L60: override bool HasProgress()
  L65: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
  L67: return Expansion_ActionCondition(player, target, item);
  L70: override protected bool ActionConditionContinue( ActionData action_data )
  L72: return Expansion_ActionCondition(action_data.m_Player, action_data.m_Target, action_data.m_MainItem, true);
  L75: bool Expansion_ActionCondition(PlayerBase player, ActionTarget target, ItemBase item, bool isContinue = false)
  L97: else if (Class.CastTo(zombie, targetObject))
  L110: else if (zombie && zombie.m_Expansion_LobotomyInProgress)
  L120: override void OnFinishProgressServer(ActionData action_data)
  L134: else if (Class.CastTo(zombie, creature))
```

Full file content

```
000001 | /**
000002 |  * ExpansionActionDebugLobotomize.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionActionDebugLobotomizeCB: ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime(1.0);
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionDebugLobotomize: ActionContinuousBase
000022 | {
000023 |     static const ref TTypeNameArray EXPANSION_LOBOMTOMY_TOOLS = {Mosin_Bayonet, Screwdriver};
000024 |
000025 |     bool m_Expansion_IsLobotomized;  ///! Client only
000026 |
000027 |     void ExpansionActionDebugLobotomize()
000028 |     {
000029 |         m_CallbackClass = ExpansionActionDebugLobotomizeCB;
000030 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
```

```
000031 |         m_FullBody = true;
000032 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT;
000033 |         m_Text = "[ADMIN] Lobotomize";
000034 |     }
000035 |
000036 |     override string GetText()
000037 |     {
000038 |         if (m_Expansion_IsLobotomized)
000039 |             return "[ADMIN] Unlobotomize";
000040 |
000041 |         return m_Text;
000042 |     }
000043 |
000044 |     override void CreateConditionComponents()
000045 |     {
000046 |         m_ConditionTarget = new CCTObject;
000047 |         m_ConditionItem = new CCINone;
000048 |     }
000049 |
000050 |     override typename GetInputType()
000051 |     {
000052 |         return ContinuousInteractActionInput;
000053 |     }
000054 |
000055 |     override bool HasTarget()
000056 |     {
000057 |         return true;
000058 |     }
000059 |
000060 |     override bool HasProgress()
000061 |     {
000062 |         return true;
000063 |     }
000064 |
000065 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000066 |     {
000067 |         return Expansion_ActionCondition(player, target, item);
000068 |     }
000069 |
000070 |     override protected bool ActionConditionContinue( ActionData action_data )
000071 |     {
000072 |         return Expansion_ActionCondition(action_data.m_Player, action_data.m_Target, action_data.m_MainItem, true);
000073 |     }
000074 |
000075 |     bool Expansion_ActionCondition(PlayerBase player, ActionTarget target, ItemBase item, bool isContinue = false)
000076 |     {
000077 |         Object targetObject = target.GetObject();
000078 |
000079 |         if (!targetObject.IsDayZCreature() || !targetObject.IsAlive())
000080 |             return false;
000081 |
000082 |         auto permissionsManager = GetPermissionsManager();
000083 | #ifdef SERVER
000084 |         if (!permissionsManager.HasPermission("Expansion.Creature.Lobotomize", player.GetIdentity()))
000085 | #else
000086 |         if (!GetPermissionsManager().IsAdminToolsToggledOn() || !permissionsManager.HasPermission("Expansion.Creature.Lobotomize"))
000087 | #endif
000088 |             return false;
000089 |
000090 |         AnimalBase animal;
000091 |         ZombieBase zombie;
000092 |
```

```
000093 |         bool isLobotomized;
000094 |
000095 |         if (Class.CastTo(anim al, targetObject))
000096 |             isLobotomized = anim al.Expansion_IsLobotomized();
000097 |         else if (Class.CastTo(zombie, targetObject))
000098 |             isLobotomized = zombie.Expansion_IsLobotomized();
000099 |         else
000100 |             return false;
000101 |
000102 |         if (!isLobotomized && (!item || item.IsDamageDestroyed()) || !ExpansionStatic.IsAnyOf(item, EXPANSION_LOBOMTOMY_TOOLS))
000103 |             return false;
000104 |
000105 | #ifdef SERVER
000106 |     if (!isContinue)
000107 |     {
000108 |         if (anim al && anim al.m_Expansion_LobotomyInProgress)
000109 |             return false;
000110 |         else if (zombie && zombie.m_Expansion_LobotomyInProgress)
000111 |             return false;
000112 |     }
000113 | #else
000114 |     m_Expansion_IsLobotomized = isLobotomized;
000115 | #endif
000116 |
000117 |     return true;
000118 | }
000119 |
000120 | override void OnFinishProgressServer(ActionData action_data)
000121 | {
000122 | #ifdef EXTRACE_DIAG
000123 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000124 | #endif
000125 |
000126 |     auto creature = DayZCreatureAI.Cast(action_data.m_Target.GetObject());
000127 |
000128 |     bool isLobotomized;
000129 |
000130 |     AnimalBase anim al;
000131 |     ZombieBase zombie;
000132 |     if (Class.CastTo(anim al, creature))
000133 |         isLobotomized = anim al.Expansion_IsLobotomized();
000134 |     else if (Class.CastTo(zombie, creature))
000135 |         isLobotomized = zombie.Expansion_IsLobotomized();
000136 |
000137 |     if (!isLobotomized)
000138 |         creature.ProcessDirectDamage(DT_FIRE_ARM, action_data.m_Player, "", "Bullet_Expansion_LobotomyDart", "0 0 0", 1.0);
000139 |     else
000140 |         GetDayZGame().GetExpansionGame().Lobotomize(creature);
000141 | }
000142 | }
000143 |
```


0208. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionDebugStoreEntity.c
Size bytes: 3372
SHA-256: c2c624215315f3172b6e12863c449e79f22ea3901658a94b3733816cbc3f619f
Decoded as: utf-8-sig
Line count shown: 127
Detected class declarations: 2
 L13: class ExpansionActionDebugStoreEntityCB: ActionContinuousBaseCB
 L21: class ExpansionActionDebugStoreEntity: ActionContinuousBase
Detected enum declarations: 0
Detected function/method-like declarations: 10
 L15: override void CreateActionComponent()
 L23: void ExpansionActionDebugStoreEntity()
 L32: override void CreateConditionComponents()
 L38: override typename GetInputType()
 L43: override bool HasTarget()
 L48: override bool HasProgress()
 L53: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L103: override void OnStartServer(ActionData action_data)
 L109: override void OnEndServer(ActionData action_data)
 L116: override void OnFinishProgressServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionDebugStoreEntity.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionDebugStoreEntityCB: ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime(5);
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionDebugStoreEntity: ActionContinuousBase
000022 | {
000023 |     void ExpansionActionDebugStoreEntity()
000024 |     {
000025 |         m_CallbackClass = ExpansionActionDebugStoreEntityCB;
000026 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
000027 |         m_FullBody = true;
000028 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT;
000029 |         m_Text = "[ADMIN] Goatify";
000030 |     }
000031 |
000032 |     override void CreateConditionComponents()
000033 |     {
000034 |         m_ConditionTarget = new CCTCursor;
000035 |         m_ConditionItem = new CCINone;
000036 |     }
}
```

```
000037 |
000038 |     override typename GetInputType()
000039 |     {
000040 |         return ContinuousInteractActionInput;
000041 |     }
000042 |
000043 |     override bool HasTarget()
000044 |     {
000045 |         return true;
000046 |     }
000047 |
000048 |     override bool HasProgress()
000049 |     {
000050 |         return true;
000051 |     }
000052 |
000053 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000054 |     {
000055 |         if (item)
000056 |             return false;
000057 |
000058 |         if (!g_Game.IsMultiplayer())
000059 |             return false;
000060 |
000061 |         auto entity = EntityAI.Cast(target.GetParentOrObject());
000062 |         if (!entity)
000063 |             return false;
000064 |
000065 |         if (entity.IsInherited(ExpansionEntityStoragePlaceholder))
000066 |             return false;
000067 |
000068 |         if (entity.IsInherited(ExpansionNPCBase))
000069 |             return false;
000070 |
000071 |         #ifdef EXPANSIONMODAI
000072 |             if (entity.IsInherited(eAINPCBase))
000073 |                 return false;
000074 |         #endif
000075 |
000076 |         if (entity.ConfigGetInt("scope") != 2)
000077 |             return false;
000078 |
000079 |         auto permissionsManager = GetPermissionsManager();
000080 |         #ifdef SERVER
000081 |             if (!permissionsManager.HasPermission("Expansion.EntityStorage.Goatify", player.GetIdentity()))
000082 |                 #else
000083 |                 if (!permissionsManager.IsAdminToolsToggledOn() || !permissionsManager.HasPermission("Expansion.EntityStorage.Goatify"))
000084 |                 #endif
000085 |                     return false;
000086 |
000087 |         auto vehicle = ExpansionVehicle.Get(entity);
000088 |         if (vehicle)
000089 |         {
000090 |             if (vehicle.GetCrew().Count())
000091 |                 return false;
000092 |         }
000093 |
000094 |     #ifdef EXPANSIONMODBASEBUILDING
000095 |         ItemBase targetItem;
000096 |         if (Class.CastTo(targetItem, entity) && targetItem.Expansion_HasEntityStorage())
000097 |             return false;
000098 |     #endif
```

```
000099 |  
000100 |     return true;  
000101 | }  
000102 |  
000103 | override void OnStartServer(ActionData action_data)  
000104 | {  
000105 |     Object targetObject = action_data.m_Target.GetParentOrObject();  
000106 |     ExpansionSound.Play("cartent_deploy_SoundSet", targetObject.GetPosition());  
000107 | }  
000108 |  
000109 | override void OnEndServer(ActionData action_data)  
000110 | {  
000111 |     Object targetObject = action_data.m_Target.GetParentOrObject();  
000112 |     if (targetObject)  
000113 |         ExpansionSound.Stop("cartent_deploy_SoundSet", targetObject.GetPosition(), 0.1);  
000114 | }  
000115 |  
000116 | override void OnFinishProgressServer(ActionData action_data)  
000117 | {  
000118 |     auto entity = EntityAI.Cast(action_data.m_Target.GetParentOrObject());  
000119 |     if (!entity)  
000120 |         return;  
000121 |  
000122 |     ExpansionEntityStoragePlaceholder placeholder;  
000123 |     if (ExpansionEntityStoragePlaceholder.Expansion_StoreEntityAndReplace(entity, "ExpansionDebugGoat", entity.GetPosition(), ECE_OBJECT_SWAP, placeholder))  
000124 |         ExpansionSound.Play(placeholder.GetPlaceSoundset(), placeholder);  
000125 | }  
000126 | }  
000127 |
```

0209. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPaint.c
 Size bytes: 3298
 SHA-256: baf047be6bd200f7a95351b9548e3f598384b3594e4ec3a8a0ef7243786e2802
 Decoded as: utf-8-sig
 Line count shown: 122
 Detected class declarations: 2
 L13: class ExpansionActionPaintCB : ActionContinuousBaseCB
 L21: class ExpansionActionPaint: ActionContinuousBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 8
 L15: override void CreateActionComponent()
 L28: void ExpansionActionPaint()
 L39: override void CreateConditionComponents()
 L45: override typename GetInputType()
 L50: override string GetText()
 L55: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L82: override void OnStartServer(ActionData action_data)
 L116: override void OnStartClient(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionPaint.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionActionPaintCB : ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime( 0.1 );
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionPaint: ActionContinuousBase
000022 | {
000023 |     private string m_TargetName;
000024 |     private string m_TargetDisplayName;
000025 |
000026 |     private ExpansionSkinModule m_SkinModule;
000027 |
000028 |     void ExpansionActionPaint()
000029 |     {
000030 |         m_CallbackClass = ExpansionActionPaintCB;
000031 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONMOD_ATTACHITEM;
000032 |         m_FullBody = false;
000033 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_ALL;
000034 |         m_SpecialtyWeight = UASoftSkillsWeight.PRECISE_LOW;
000035 |
000036 |         CF_Modules<ExpansionSkinModule>.Get(m_SkinModule);
000037 |     }
000038 | }
```

```
000039 | override void CreateConditionComponents()
000040 | {
000041 |     m_ConditionItem = new CCINonRuined;
000042 |     m_ConditionTarget = new CCTObject(UAMaxDistances.BASEBUILDING);
000043 | }
000044 |
000045 | override typename GetInputType()
000046 | {
000047 |     return ContinuousInteractActionInput;
000048 | }
000049 |
000050 | override string GetText()
000051 | {
000052 |     return "#STR_EXPANSION_PAINT " + m_TargetDisplayName;
000053 | }
000054 |
000055 | override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000056 | {
000057 |     if ( !m_SkinModule )
000058 |         return false;
000059 |
000060 |     ExpansionSpraycanBase spraycan;
000061 |
000062 |     //! Print( player.GetItemInHands() );
000063 |     if ( !Class.CastTo( spraycan, player.GetItemInHands() ) )
000064 |         return false;
000065 |
000066 |     m_TargetName = target.GetObject().GetType();
000067 |
000068 |     string spraySkin;
000069 |     g_Game.ConfigGetText( "cfgVehicles " + spraycan.GetType() + " skinName", spraySkin );
000070 |
000071 |     int skinIndex = m_SkinModule.GetSkinIndex( m_TargetName, spraySkin );
000072 |
000073 |     if ( skinIndex == -1 )
000074 |         return false;
000075 |
000076 |     m_TargetDisplayName = target.GetObject().GetDisplayName();
000077 |     //! Print( m_TargetDisplayName );
000078 |
000079 |     return true;
000080 | }
000081 |
000082 | override void OnStartServer( ActionData action_data )
000083 | {
000084 | #ifdef EXPANSIONTRACE
000085 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "OnStartServer");
000086 | #endif
000087 |
000088 |     super.OnStartServer( action_data );
000089 |
000090 |     ExpansionVehicle vehicle;
000091 |     ItemBase item;
000092 |
000093 |     string spraySkin;
000094 |     g_Game.ConfigGetText( "cfgVehicles " + action_data.m_MainItem.GetType() + " skinName", spraySkin );
000095 |
000096 |     int skinIndex = m_SkinModule.GetSkinIndex( action_data.m_Target.GetObject().GetType(), spraySkin );
000097 |     if ( skinIndex == -1 )
000098 |         return;
000099 |
000100 |     if ( ExpansionVehicle.Get( vehicle, action_data.m_Target.GetObject() ) )
```

```
000101 |      {
000102 |          vehicle.SetSkin( skinIndex );
000103 |      } else if ( Class.CastTo( item, action_data.m_Target.GetObject() ) )
000104 |      {
000105 |          item.ExpansionSetSkin( skinIndex );
000106 |      }
000107 |
000108 |      action_data.m_MainItem.AddQuantity( -10 );
000109 |
000110 |      if ( !g_Game.IsServer() || !g_Game.IsMultiplayer() )
000111 |      {
000112 |          SEffectManager.PlaySound( "Expansion_Spraying_SoundSet", action_data.m_Target.GetObject().GetPosition() );
000113 |      }
000114 |  }
000115 |
000116 |  override void OnStartClient( ActionData action_data )
000117 |  {
000118 |      super.OnStartClient( action_data );
000119 |
000120 |      SEffectManager.PlaySound("Expansion_Spraying_SoundSet", action_data.m_Target.GetObject().GetPosition() );
000121 |  }
000122 | };
```

0210. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionPlaceDebugGoat.c
Size bytes: 1109
SHA-256: e7663d2f6667f6cb9d8eede6793b6054fe3dd4bf199c479173b8e51c6022eb33
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L1: class ExpansionActionPlaceDebugGoat: ActionPlaceObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void MoveEntityToFinalPosition(ActionData action_data, vector position, vector orientation)

Full file content

```
000001 | class ExpansionActionPlaceDebugGoat: ActionPlaceObject
000002 | {
000003 |     override void MoveEntityToFinalPosition(ActionData action_data, vector position, vector orientation)
000004 |     {
000005 |         EntityAI entity_for_placing = action_data.m_MainItem;
000006 |         vector rotation_matrix[3];
000007 |         float direction[4];
000008 |         InventoryLocation source = new InventoryLocation;
000009 |         InventoryLocation destination = new InventoryLocation;
000010 |
000011 |         Math3D.YawPitchRollMatrix(orientation, rotation_matrix);
000012 |         Math3D.MatrixToQuat(rotation_matrix, direction);
000013 |
000014 |         vector entityMinMax[2];
000015 |         if (!entity_for_placing.GetCollisionBox(entityMinMax))
000016 |             entity_for_placing.ClippingInfo(entityMinMax);
000017 |
000018 |         float entityOffsetY = entityMinMax[0][1];
000019 |         position[1] = position[1] - entityOffsetY;
000020 |
000021 |         if (entity_for_placing.GetInventory().GetCurrentInventoryLocation(source))
000022 |         {
000023 |             destination.SetGroundEx(entity_for_placing, position, direction);
000024 |
000025 |             if (g_Game.IsMultiplayer())
000026 |                 action_data.m_Player.ServerTakeToDst(source, destination);
000027 |             else // singleplayer
000028 |                 MoveEntityToFinalPositionSinglePlayer(action_data, source, destination);
000029 |
000030 |         }
000031 |     }
000032 | }
000033 |
```

0211. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\ExpansionActionRestoreEntity.c
 Size bytes: 5897
 SHA-256: 7eb7e408775dc841317e8c68dda0417fb9f0ff26154bbbcdfeea06b8e7eda636
 Decoded as: utf-8-sig
 Line count shown: 173
 Detected class declarations: 2
 L13: class ExpansionActionRestoreEntityCB: ActionContinuousBaseCB
 L21: class ExpansionActionRestoreEntity: ActionContinuousBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 11
 L15: override void CreateActionComponent()
 L23: void ExpansionActionRestoreEntity()
 L32: override void CreateConditionComponents()
 L38: override typename GetInputType()
 L43: override bool HasTarget()
 L48: override bool HasProgress()
 L53: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L90: override void OnStartServer(ActionData action_data)
 L97: override void OnEndServer(ActionData action_data)
 L104: bool Expansion_OnFinishProgressServer(ActionData action_data, bool deletePlaceholder = true, out ExpansionEntityStoragePlaceholder placehold
 L168: override void OnFinishProgressServer(ActionData action_data)

Full file content

```
000001 | /**
000002 |  * ExpansionActionRestoreEntity.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionActionRestoreEntityCB: ActionContinuousBaseCB
000014 | {
000015 |     override void CreateActionComponent()
000016 |     {
000017 |         m_ActionData.m_ActionComponent = new CAContinuousTime(5);
000018 |     }
000019 | };
000020 |
000021 | class ExpansionActionRestoreEntity: ActionContinuousBase
000022 | {
000023 |     void ExpansionActionRestoreEntity()
000024 |     {
000025 |         m_CallbackClass = ExpansionActionRestoreEntityCB;
000026 |         m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
000027 |         m_FullBody = true;
000028 |         m_StanceMask = DayZPlayerConstants.STANCEMASK_CROUCH | DayZPlayerConstants.STANCEMASK_ERECT;
000029 |         m_Text = "[ADMIN] Ungoatify";
000030 |     }
000031 |
000032 |     override void CreateConditionComponents()
000033 |     {
000034 |         m_ConditionTarget = new CCTCursor;
000035 |         m_ConditionItem = new CCINone;
```



```

000036 |     }
000037 |
000038 |     override typename GetInputType()
000039 |     {
000040 |         return ContinuousInteractActionInput;
000041 |     }
000042 |
000043 |     override bool HasTarget()
000044 |     {
000045 |         return true;
000046 |     }
000047 |
000048 |     override bool HasProgress()
000049 |     {
000050 |         return true;
000051 |     }
000052 |
000053 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000054 |     {
000055 |         auto placeholder = ExpansionEntityStoragePlaceholder.Cast(target.GetParentOrObject());
000056 |         if (!placeholder)
000057 |             return false;
000058 |
000059 |         if (placeholder.Type() == ExpansionDebugGoat)
000060 |         {
000061 |             auto permissionsManager = GetPermissionsManager();
000062 |             #ifdef SERVER
000063 |                 if (!permissionsManager.HasPermission("Expansion.EntityStorage.Goatify", player.GetIdentity()))
000064 |                     #else
000065 |                         if (!permissionsManager.IsAdminToolsToggledOn() || !permissionsManager.HasPermission("Expansion.EntityStorage.Goatify"))
000066 |                             #endif
000067 |                             return false;
000068 |         }
000069 |
000070 |         if (!placeholder.Expansion_HasStoredEntity())
000071 |         {
000072 |             if (g_Game.IsServer() && g_Game.IsMultiplayer())
000073 |             {
000074 |                 ExpansionNotification("Entity Storage", "Could not restore " + placeholder.Expansion_GetStoredEntityDisplayName() + " (missing data?).").Error(player.GetIdentity());
000075 |
000076 |                 if (GetExpansionSettings().GetLog().EntityStorage)
000077 |                 {
000078 |                     auto type = new EXString(placeholder.Expansion_GetStoredEntityType());
000079 |                     auto id = new EXString(placeholder.m_Expansion_StoredEntityGlobalID.IDToHex());
000080 |                     GetExpansionSettings().GetLog().PrintLog("[EntityStorage] ERROR: Player \"{1:name}\" (id={1:id} pos={1:position}) tried to restore entity \"{2:GlobalID={3} pos={4:position}} but it failed! (missing data?)", player, type, id, placeholder);
000081 |                 }
000082 |             }
000083 |
000084 |             return false;
000085 |         }
000086 |
000087 |         return true;
000088 |     }
000089 |
000090 |     override void OnStartServer(ActionData action_data)
000091 |     {
000092 |         Object targetObject = action_data.m_Target.GetParentOrObject();
000093 |         if (targetObject.Type() == ExpansionDebugGoat)
000094 |             ExpansionSound.Play("cartent_deploy_SoundSet", targetObject);
000095 |     }

```

```

000096 |
000097 |     override void OnEndServer(ActionData action_data)
000098 |     {
000099 |         Object targetObject = action_data.m_Target.GetParentOrObject();
000100 |         if (targetObject && targetObject.Type() == ExpansionDebugGoat)
000101 |             ExpansionSound.Stop("cartent_deploy_SoundSet", targetObject, 0.1);
000102 |     }
000103 |
000104 |     bool Expansion_OnFinishProgressServer(ActionData action_data, bool deletePlaceholder = true, out ExpansionEntityStoragePlaceholder placeholder = null, out EntityAI entity = null, bool log = true)
000105 |     {
000106 |         if (!Class.CastTo(placeholder, action_data.m_Target.GetParentOrObject()))
000107 |             return false;
000108 |
000109 |         string id = placeholder.m_Expansion_StoredEntityGlobalID.IDToHex();
000110 |
000111 |         vector position = placeholder.GetPosition();
000112 |         placeholder.SetPosition("0 0 0");
000113 |         if (ExpansionEntityStorageModule.RestoreFromFile(placeholder.Expansion_GetEntityStorageFileName(), entity, placeholder))
000114 |         {
000115 |             if (deletePlaceholder)
000116 |             {
000117 |                 ///! If we are deleting placeholder, move restored entity to placeholder position
000118 |
000119 |                 vector orientation = placeholder.GetOrientation();
000120 |
000121 |                 vector placeholderMinMax[2];
000122 |                 if (!placeholder.GetCollisionBox(placeholderMinMax))
000123 |                     placeholder.ClippingInfo(placeholderMinMax);
000124 |
000125 |                 float placeholderOffsetY = placeholderMinMax[0][1];
000126 |                 if (placeholderOffsetY > 0)
000127 |                     placeholderOffsetY = 0;
000128 |
000129 |                 vector entityMinMax[2];
000130 |                 if (!entity.GetCollisionBox(entityMinMax))
000131 |                     entity.ClippingInfo(entityMinMax);
000132 |
000133 |                 float entityOffsetY = entityMinMax[0][1];
000134 |                 if (entityOffsetY > 0)
000135 |                     entityOffsetY = 0;
000136 |
000137 |                 position[1] = position[1] + placeholderOffsetY - entityOffsetY;
000138 |
000139 |                 g_Game.ObjectDelete(placeholder);
000140 |
000141 |                 entity.SetPosition(position);
000142 |                 entity.SetOrientation(orientation);
000143 |             }
000144 |         }
000145 |         else
000146 |         {
000147 |             placeholder.SetPosition(position);
000148 |
000149 |             string type;
000150 |             placeholder.m_Expansion_NetsyncData.Get(0, type);
000151 |
000152 |             Error(ToString() + "::Expansion_OnFinishProgressServer - Could not restore vehicle " + type + " from file " + placeholder.Expansion_GetEntityStorageFileName());
000153 |
000154 |             ExpansionNotification("Entity Storage", "Could not restore " + placeholder.Expansion_GetStoredEntityDisplayName()).Error(action_data.m_Player.GetIdentity());

```

```
000155 |  
000156 |         if (log && GetExpansionSettings().GetLog().EntityStorage)  
000157 |             GetExpansionSettings().GetLog().PrintLog("[EntityStorage] ERROR: Player \"{1:name}\" (id={1:id} pos={1:position}) tried to restore entity \"{2}\""  
000158 | (GlobalID={3} pos={4:position}) but it failed!", action_data.m_Player, new EXString(type), new EXString(id), placeholder);  
000159 |         return false;  
000160 |     }  
000161 |  
000162 |     if (log && GetExpansionSettings().GetLog().EntityStorage)  
000163 |         GetExpansionSettings().GetLog().PrintLog("[EntityStorage] Player \"{1:name}\" (id={1:id} pos={1:position}) restored entity \"{2:type}\" (GlobalID={3}  
000164 | pos={2:position})", action_data.m_Player, entity, new EXString(id));  
000165 |     return true;  
000166 | }  
000167 |  
000168 | override void OnFinishProgressServer(ActionData action_data)  
000169 | {  
000170 |     Expansion_OnFinishProgressServer(action_data);  
000171 | }  
000172 | }  
000173 |
```

0212. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCheckPulseTarget.c
Size bytes: 776
SHA-256: 681c6b6d180aa8ee72a43ee4e935c723ebbbba9f423d559564c3343ba31b263b2
Decoded as: utf-8-sig
Line count shown: 27
Detected class declarations: 1
L13: modded class ActionCheckPulseTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCheckPulseTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCheckPulseTarget
000014 | {
000015 |     override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         //! Disable checking pulse if dmg disabled
000021 |         DayZPlayerImplement targetPlayer;
000022 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000023 |             return false;
000024 |
000025 |         return true;
000026 |     }
000027 | };
```

0213. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectBloodTarget.c
Size bytes: 740
SHA-256: 080c7927095b4621e30160be9def27c763a079e88ac8fb33f0c9ddde12deb935
Decoded as: utf-8-sig
Line count shown: 27
Detected class declarations: 1
 L13: modded class ActionCollectBloodTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCollectBloodTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCollectBloodTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
000027 |
```

0214. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionCollectSampleTarget.c
Size bytes: 740
SHA-256: 217e25120a3cbc55db4957353eb129ffe8984b0d93256eb9d566542f5e612261
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionCollectSampleTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionCollectSampleTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionCollectSampleTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0215. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionDefibrilateTarget.c
Size bytes: 736
SHA-256: fdf524658bfc815f1e0c2c37c286a1f18e8d8f4876554a738e27a44f32d9c067
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionDefibrilateTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionDefibrilateTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionDefibrilateTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0216. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Continuous\Medical\ActionGiveBloodTarget.c
Size bytes: 732
SHA-256: 929f2226992c535d131497aa63ebbd3b2da32f6bba63005c6e887cab001a41db
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionGiveBloodTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionGiveBloodTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionGiveBloodTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```


0217. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\ExpansionActionToolBase.c
 Size bytes: 5954
 SHA-256: cfc0135edfb7eb2aef72d6d618506852bf8cf41bac01cdaf47fd01f4d3678170
 Decoded as: utf-8-sig
 Line count shown: 196
 Detected class declarations: 2
 L16: class ExpansionActionToolBaseCB: ActionContinuousBaseCB
 L41: class ExpansionActionToolBase : ActionContinuousBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 11
 L18: override void CreateActionComponent()
 L51: void ExpansionActionToolBase()
 L56: bool SetupCondition()
 L61: void Setup(PlayerBase player, ActionTarget target, ItemBase item)
 L69: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)
 L90: override void CreateAndSetupActionCallback(ActionData action_data)
 L123: override void OnStartAnimationLoopServer(ActionData action_data)
 L137: override void OnEndAnimationLoopServer(ActionData action_data)
 L148: override void OnFinishProgressServer(ActionData action_data)
 L184: ItemBase GetTargetItem(Object targetObject)
 L191: Object GetActualTargetObject(Object targetObject)

Full file content

```
000001 | /**
000002 |  * ExpansionActionToolBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /*! @brief Provides base classes for tool-based continuous actions with animation fitting the tool.
000014 |  */
000015 |
000016 | class ExpansionActionToolBaseCB: ActionContinuousBaseCB
000017 | {
000018 |     override void CreateActionComponent()
000019 |     {
000020 |         ExpansionActionToolBase action = ExpansionActionToolBase.Cast( m_ActionData.m_Action );
000021 |
000022 |         int time;
000023 |         int cycles;
000024 |
000025 |         if ( action )
000026 |         {
000027 |             time = action.m_Time;
000028 |             cycles = action.m_Cycles;
000029 |         }
000030 |
000031 |         if ( !time )
000032 |             time = 15 * 60; //!< 15 minutes
000033 |
000034 |         if ( !cycles )
000035 |             cycles = 5;
```

```
000036 |
000037 |         m_ActionData.m_ActionComponent = new CAContinuousRepeat( time / cycles );
000038 |     }
000039 | }
000040 |
000041 | class ExpansionActionToolBase : ActionContinuousBase
000042 | {
000043 |     string m_TargetName;
000044 |
000045 |     int m_Cycles;
000046 |
000047 |     float m_Time;
000048 |     float m_ToolDamagePercent; ///! If tool damage is 100% and the tool does not consume energy, it WILL be ruined no matter what when the action finishes
000049 |     float m_MinHealth01; ///! Minimum health [0.0..1.0] at which target is considered destroyed, negative value = ignore
000050 |
000051 |     void ExpansionActionToolBase()
000052 |     {
000053 |         m_CallbackClass = ExpansionActionToolBaseCB;
000054 |     }
000055 |
000056 |     bool SetupCondition()
000057 |     {
000058 |         return true;
000059 |     }
000060 |
000061 |     void Setup( PlayerBase player, ActionTarget target, ItemBase item )
000062 |     {
000063 |         m_Time = 15 * 60; ///! 15 minutes
000064 |         m_Cycles = 1;
000065 |         m_ToolDamagePercent = 10;
000066 |         m_MinHealth01 = -1;
000067 |     }
000068 |
000069 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000070 |     {
000071 |         if ( !item || !target.GetParentOrObject() )
000072 |             return false;
000073 |
000074 |         if ( !SetupCondition() )
000075 |             return false;
000076 |
000077 |         Setup( player, target, item );
000078 |
000079 |         if ( m_Time <= 0 )
000080 |             return false;
000081 |
000082 |         if ( item.GetCompEM() && !item.GetCompEM().IsWorking() )
000083 |             return false;
000084 |
000085 |         m_TargetName = target.GetParentOrObject().GetDisplayName();
000086 |
000087 |         return true;
000088 |     }
000089 |
000090 |     override void CreateAndSetupActionCallback( ActionData action_data )
000091 |     {
000092 |         ItemBase item = action_data.m_MainItem;
000093 |
000094 |         if ( item.GetCompEM() )
000095 |         {
000096 |             ///! Powered items
000097 |             m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_FILLBOTTLEWELL;
```

```
000098 |         } else
000099 |         {
000100 |             string animClass;
000101 |             string suicideAnim;
000102 |
000103 |             if ( item.ConfigIsExisting( "animClass" ) )
000104 |                 animClass = item.ConfigGetString( "animClass" );
000105 |
000106 |             if ( item.ConfigIsExisting( "suicideAnim" ) )
000107 |                 suicideAnim = item.ConfigGetString( "suicideAnim" );
000108 |
000109 |             if ( ( suicideAnim != "" || item.KindOf( "Axe" ) || item.IsKindOf( "Hammer" ) || item.KindOf( "Knife" ) || item.KindOf( "Pickaxe" ) || item.KindOf( "SledgeHammer" ) ) && animClass != "Knife" && suicideAnim != "onehanded" )
000110 |             {
000111 |                 ///! Tools & melee weapons (excluding knives)
000112 |                 m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_DISASSEMBLE;
000113 |             } else
000114 |             {
000115 |                 ///! All other items
000116 |                 m_CommandUID = DayZPlayerConstants.CMD_ACTIONFB_INTERACT;
000117 |             }
000118 |         }
000119 |
000120 |         super.CreateAndSetupActionCallback( action_data );
000121 |     }
000122 |
000123 |     override void OnStartAnimationLoopServer( ActionData action_data )
000124 |     {
000125 |         super.OnStartAnimationLoopServer( action_data );
000126 |
000127 |         ItemBase item = action_data.m_MainItem;
000128 |         if ( item.GetCompEM() && item.HasQuantity() )
000129 |         {
000130 |             ///! Convert tool dmg pct to energy usage
000131 |             ///! (less ~10% so fully charged/filled tool will last for the configured number of raid cycles)
000132 |             float energyMax = item.GetCompEM().GetEnergyMaxPristine();
000133 |             item.GetCompEM().SetEnergyUsage( energyMax * m_ToolDamagePercent / 110.0 / m_Time );
000134 |         }
000135 |     }
000136 |
000137 |     override void OnEndAnimationLoopServer( ActionData action_data )
000138 |     {
000139 |         super.OnEndAnimationLoopServer( action_data );
000140 |
000141 |         ItemBase item = action_data.m_MainItem;
000142 |         if ( item.GetCompEM() && item.HasQuantity() )
000143 |         {
000144 |             item.GetCompEM().ResetEnergyUsage();
000145 |         }
000146 |     }
000147 |
000148 |     override void OnFinishProgressServer( ActionData action_data )
000149 |     {
000150 |         Object actualTargetObject = GetActualTargetObject( action_data.m_Target.GetParentOrObject() );
000151 |
000152 |         if ( !actualTargetObject )
000153 |             return;
000154 |
000155 |         if ( !action_data.m_MainItem.GetCompEM() || action_data.m_MainItem.HasQuantity() )
000156 |         {
000157 |             if ( !action_data.m_MainItem.HasQuantity() )
000158 |             {
```

```
000159 |         ///! Damage tool if it does not have an energy manager or quantity
000160 |
000161 |         float maxHealth = actualTargetObject.GetMaxHealth( "", "Health" );
000162 |         float minHealth = Math.Floor( maxHealth * m_MinHealth01 );
000163 |
000164 |         float toolDamage = action_data.m_MainItem.GetMaxHealth() * m_ToolDamagePercent / 100.0;
000165 |         ///! If it's the last cycle and tool damage is set to 100%, the tool will be ruined no matter what
000166 |         if ( actualTargetObject.GetHealth() > minHealth || m_ToolDamagePercent < 100.0 )
000167 |             toolDamage /= m_Cycles;
000168 |         action_data.m_MainItem.DecreaseHealth( toolDamage, false );
000169 |     } else
000170 |     {
000171 |         ///! Deplete tool by converting tool dmg to quantity
000172 |         float quantity = action_data.m_MainItem.GetQuantityMax() * m_ToolDamagePercent / 100.0;
000173 |         ///! If it's the last cycle and tool damage is set to 100%, the tool will be fully depleted no matter what
000174 |         if ( actualTargetObject.GetHealth() > minHealth || m_ToolDamagePercent < 100.0 )
000175 |             quantity /= m_Cycles;
000176 |         action_data.m_MainItem.SetQuantity( action_data.m_MainItem.GetQuantity() - quantity );
000177 |     }
000178 | }
000179 |
000180 |     action_data.m_Player.GetSoftSkillsManager().AddSpecialty( m_SpecialtyWeight / m_Cycles );
000181 | }
000182 |
000183 | ///! Just kept for compatibility with 3rd party mods
000184 | ItemBase GetTargetItem( Object targetObject )
000185 | {
000186 |     Error("DEPRECATED - please use ExpansionActionToolBase::GetActualTargetObject instead");
000187 |     return ItemBase.Cast( GetActualTargetObject( targetObject ) );
000188 | }
000189 |
000190 | ///! Override this in derived classes to return a different object than targetObject
000191 | Object GetActualTargetObject( Object targetObject )
000192 | {
000193 |     return targetObject;
000194 | }
000195 | }
000196 |
```

0218. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\Interact\ActionFoldObject.c
Size bytes: 598
SHA-256: 1f3003cc806e29a427d8b9850ab8802bfdffd51677868eb6580fce4f3fe1874d
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionFoldObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionFoldObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionFoldObject
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```

0219. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionForceConsumeSingle.c
Size bytes: 736
SHA-256: 6d920eb50931d5557e024dd50de9c30766e9b8a66b85ab3eb3e700cc5f5842ac
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionForceConsumeSingle
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionForceConsumeSingle.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionForceConsumeSingle
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0220. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionHandcuffTarget.c
Size bytes: 602
SHA-256: 485b647e39009c6304c32d3269e1e426ce5815bf5edac3fd5f388f2ce49404de
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionHandcuffTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionHandcuffTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionHandcuffTarget
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0221. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTogglePlaceObject.c
Size bytes: 611
SHA-256: 18f49926d2e84c4d7669ffc2cfecce99cf21b6833af8b1464d61e9663cf39207
Decoded as: utf-8-sig
Line count shown: 23
Detected class declarations: 1
 L13: modded class ActionTogglePlaceObject
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionTogglePlaceObject.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionTogglePlaceObject
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition( player, target, item );
000021 |     }
000022 | }
000023 |
```


0222. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionTriggerRemotely.c
Size bytes: 605
SHA-256: cbe38bf75b966fe995870469a607b498ae8flac39af856f247ce0848bc62027c
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionTriggerRemotely
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionTriggerRemotely.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionTriggerRemotely
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0223. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\ActionUnpin.c
Size bytes: 584
SHA-256: 108847838c79925ab4c880aedb0353284f541112a28a21d9f20fd8f47e28a5b4
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L13: modded class ActionUnpin
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition(PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionUnpin.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionUnpin
000014 | {
000015 |     override bool ActionCondition( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if ( player.Expansion_IsInSafeZone() )
000018 |             return false;
000019 |
000020 |         return super.ActionCondition(player, target, item);
000021 |     }
000022 | };
```

0224. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\Actions\SingleUse\Medical\ActionInjectTarget.c
Size bytes: 726
SHA-256: bd3d4046a4021e6ae276584dbf006810d6c6a7ac5ccdc1443afbf16f18faeca5
Decoded as: utf-8-sig
Line count shown: 26
Detected class declarations: 1
 L13: modded class ActionInjectTarget
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L15: override bool ActionCondition (PlayerBase player, ActionTarget target, ItemBase item)

Full file content

```
000001 | /**
000002 |  * ActionInjectTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionInjectTarget
000014 | {
000015 |     override bool ActionCondition ( PlayerBase player, ActionTarget target, ItemBase item )
000016 |     {
000017 |         if (!super.ActionCondition(player, target, item))
000018 |             return false;
000019 |
000020 |         DayZPlayerImplement targetPlayer;
000021 |         if (Class.CastTo(targetPlayer, target.GetObject()) && !targetPlayer.Expansion_CanBeDamaged())
000022 |             return false;
000023 |
000024 |         return true;
000025 |     }
000026 | };
```

0225. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Classes\UserActionsComponent\ActionTargets.c
Size bytes: 840
SHA-256: 09c9d114587d6f0dba0455c977fcce70e0205cbe6d70680384625107a11e0722
Decoded as: utf-8-sig
Line count shown: 36
Detected class declarations: 1
  L16: modded class ActionTarget
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L18: void ActionTarget(Object object, Object parent, int componentIndex, vector cursorHitPos, float utility, string surfaceName = "")
  L25: Object GetParentOrObject()
  L29: return GetParent();
  L33: return GetObject();
```

Full file content

```
000001 | /**
000002 |  * ActionTarget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ActionTarget
000014 |  * @brief
000015 |  */
000016 | modded class ActionTarget
000017 | {
000018 |     void ActionTarget(Object object, Object parent, int componentIndex, vector cursorHitPos, float utility, string surfaceName = "")
000019 |     {
000020 |         ExpansionNavmeshCarver navmeshCarver;
000021 |         if (Class.CastTo(navmeshCarver, object))
000022 |             m_Object = navmeshCarver.Expansion_GetAssociatedObject();
000023 |     }
000024 |
000025 |     Object GetParentOrObject()
000026 |     {
000027 |         if ( GetParent() )
000028 |         {
000029 |             return GetParent();
000030 |         }
000031 |         else
000032 |         {
000033 |             return GetObject();
000034 |         }
000035 |     }
000036 | };
```

0226. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Animals\AnimalBase.c
Size bytes: 6313
SHA-256: a3cb59a53efd82a8ada709fc04691c8e0cbfdb72539f443f957a977bbe1800ea
Decoded as: utf-8-sig
Line count shown: 223
Detected class declarations: 1
  L13: modded class AnimalBase
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L26: override void AfterStoreLoad()
  L34: bool Expansion_IsDanger()
  L45: void OnEnterZone(ExpansionZoneType type)
  L63: void OnExitZone(ExpansionZoneType type)
  L75: bool IsInSafeZone()
  L78: return Expansion_IsInSafeZone();
  L81: bool Expansion_IsInSafeZone()
  L86: override bool NameOverride(out string output)
  L94: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L108: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L116: else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
  L123: override void EEKilled(Object killer)
  L133: override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L154: override void CommandHandler(float dt, int currentCommandID, bool currentCommandFinished)
  L165: void Expansion_StartLobotomy()
  L184: void Expansion_SetLobotomized(bool isLobotomized)
  L189: bool Expansion_IsLobotomized()
  L197: void Expansion_EndLobotomy()
```

Full file content

```
000001 | /**
000002 |  * AnimalBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class AnimalBase
000014 | {
000015 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<AnimalBase>(this);
000016 |
000017 |     protected bool m_Expansion_IsInSafeZone;
000018 |     protected bool m_Expansion_IsInSafeZone_DeprecationWarning;
000019 |
000020 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000021 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000022 |
000023 |     bool m_Expansion_LobotomyInProgress;
000024 |     bool m_Expansion_IsLobotomized;
000025 |
000026 |     override void AfterStoreLoad()
000027 |     {
000028 |         super.AfterStoreLoad();
000029 |     }
```

```
000030 |         if (!GetAIAgent())
000031 |             GetDayZGame().GetExpansionGame().LobotomySync(this);
000032 |     }
000033 |
000034 |     bool Expansion_IsDanger()
000035 |     {
000036 |         if (!IsDanger())
000037 |             return false;
000038 |
000039 |         if (!GetAIAgent() || m_Expansion_LobotomyInProgress || m_Expansion_IsLobotomized)
000040 |             return false;
000041 |
000042 |         return true;
000043 |     }
000044 |
000045 |     void OnEnterZone(ExpansionZoneType type)
000046 |     {
000047 | #ifdef EXPANSIONTRACE
000048 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnEnterZone");
000049 | #endif
000050 |
000051 |         if (type == ExpansionZoneType.SAFE)
000052 |         {
000053 |             m_Expansion_IsInSafeZone = true;
000054 |
000055 |             if (IsDanger())
000056 |             {
000057 |                 SetHealth(0);
000058 |                 g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ).CallLater( g_Game.ObjectDelete, 5000, false, this );
000059 |             }
000060 |         }
000061 |     }
000062 |
000063 |     void OnExitZone(ExpansionZoneType type)
000064 |     {
000065 | #ifdef EXPANSIONTRACE
000066 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnExitZone");
000067 | #endif
000068 |
000069 |         if (type == ExpansionZoneType.SAFE)
000070 |         {
000071 |             m_Expansion_IsInSafeZone = false;
000072 |         }
000073 |     }
000074 |
000075 |     bool IsInSafeZone()
000076 |     {
000077 |         Expansion_Error("DEPRECATED: Please use Expansion_IsInSafeZone", m_Expansion_IsInSafeZone_DeprecationWarning);
000078 |         return Expansion_IsInSafeZone();
000079 |     }
000080 |
000081 |     bool Expansion_IsInSafeZone()
000082 |     {
000083 |         return m_Expansion_IsInSafeZone;
000084 |     }
000085 |
000086 |     override bool NameOverride(out string output)
000087 |     {
000088 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000089 |             return true;
000090 |         else
000091 |             return super.NameOverride(output);
```

```

000092 |     }
000093 |
000094 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000095 |     {
000096 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000097 |             return false;
000098 |
000099 |         if (damageType == DT_EXPLOSION)
000100 |         {
000101 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000102 |                 return false;
000103 |         }
000104 |
000105 |         return true;
000106 |     }
000107 |
000108 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000109 |     {
000110 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000111 |
000112 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000113 |         {
000114 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000115 |         }
000116 |         else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
000117 |         {
000118 |             if (GetAIAgent() && !m_Expansion_LobotomyInProgress && !m_Expansion_IsLobotomized)
000119 |                 Expansion_StartLobotomy();
000120 |         }
000121 |     }
000122 |
000123 |     override void EEKilled(Object killer)
000124 |     {
000125 |         super.EEKilled(killer);
000126 |
000127 |         //! Will CTD if targeted by another creature after health of this one is depleted while it has no AI agent,
000128 |         //! so remove the body to prevent that
000129 |         if (!GetAIAgent())
000130 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Delete, 1500);
000131 |     }
000132 |
000133 |     override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000134 |     {
000135 |         if (m_Expansion_IsLobotomized && IsAlive())
000136 |         {
000137 |             DayZAnimalInputController controller = GetInputController();
000138 |
000139 |             if (HandleDeath(pCurrentCommandID, controller))
000140 |                 return true;
000141 |
000142 |             if (HandleDamageHit(pCurrentCommandID))
000143 |                 return true;
000144 |
000145 |             return true;
000146 |         }
000147 |
000148 |         if (super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished))
000149 |             return true;
000150 |
000151 |         return false;

```

```
000152 |     }
000153 |
000154 |     override void CommandHandler(float dt, int currentCommandID, bool currentCommandFinished)
000155 |     {
000156 |         super.CommandHandler(dt, currentCommandID, currentCommandFinished);
000157 |
000158 |         if (m_Expansion_LobotomyInProgress /*|| m_Expansion_IsLobotomized || !GetAIAgent()*/)
000159 |         {
000160 |             if (currentCommandFinished && !m_Expansion_IsLobotomized)
000161 |                 GetDayZGame().GetExpansionGame().Lobotomize(this);
000162 |         }
000163 |     }
000164 |
000165 |     void Expansion_StartLobotomy()
000166 |     {
000167 | #ifdef EXTRACE_DIAG
000168 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000169 | #endif
000170 |
000171 |         m_Expansion_LobotomyInProgress = true;
000172 |
000173 |         auto controller = GetInputController();
000174 |
000175 |         controller.OverrideBehaviourSlot(true, DayZAnimalBehaviourSlot.NON_SPECIFIC_THREAT);
000176 |         controller.OverrideBehaviourAction(true, DayZAnimalBehaviourAction.IDLE1_INPUT);
000177 |
000178 |         controller.OverrideTurnSpeed(true, 0.0);
000179 |         controller.OverrideMovementSpeed(true, 0.0);
000180 |         controller.OverrideHeading(true, GetOrientation()[0] * Math.DEG2RAD);
000181 |         controller.OverrideAlertLevel(true, true, 0, 0.0);
000182 |     }
000183 |
000184 |     void Expansion_SetLobotomized(bool isLobotomized)
000185 |     {
000186 |         m_Expansion_IsLobotomized = isLobotomized;
000187 |     }
000188 |
000189 |     bool Expansion_IsLobotomized()
000190 |     {
000191 |         if (!GetAIAgent())
000192 |             return true;
000193 |
000194 |         return m_Expansion_IsLobotomized;
000195 |     }
000196 |
000197 |     void Expansion_EndLobotomy()
000198 |     {
000199 | #ifdef EXTRACE_DIAG
000200 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000201 | #endif
000202 |
000203 |         m_Expansion_LobotomyInProgress = false;
000204 |
000205 |         if (GetAIAgent() && !m_Expansion_IsLobotomized)
000206 |         {
000207 |             #ifdef DIAG_DEVELOPER
000208 |                 EXTrace.Print(EXTrace.MISC, this, "Resetting input controller...");
000209 |             #endif
000210 |
000211 |             auto controller = GetInputController();
000212 |
000213 |             controller.OverrideBehaviourSlot(false, DayZAnimalBehaviourSlot.NON_SPECIFIC_THREAT);
```



```
000214 |         controller.OverrideBehaviourAction(false, DayZAnimalBehaviourAction.TRAVELING_INPUT);
000215 |
000216 |         controller.OverrideTurnSpeed(false, 0.0);
000217 |         controller.OverrideMovementSpeed(false, 0.0);
000218 |         controller.OverrideHeading(false, GetOrientation()[0] * Math.DEG2RAD);
000219 |         controller.OverrideAlertLevel(false, false, 0, 0.0);
000220 |     }
000221 | }
000222 | }
000223 |
```

0227. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Creatures\Infected\ZombieBase.c
Size bytes: 6455
SHA-256: 98c371721ac287dbf9a97c2a43ee07954e6f2ba4a8d9626079f4a8f7141fc882
Decoded as: utf-8-sig
Line count shown: 228
Detected class declarations: 1
  L13: modded class ZombieBase
Detected enum declarations: 0
Detected function/method-like declarations: 19
  L26: override void AfterStoreLoad()
  L34: bool Expansion_IsDanger()
  L48: void OnEnterZone(ExpansionZoneType type)
  L66: void OnExitZone(ExpansionZoneType type)
  L78: bool IsInSafeZone()
  L81: return Expansion_IsInSafeZone();
  L84: bool Expansion_IsInSafeZone()
  L89: override bool NameOverride(out string output)
  L97: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L111: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L119: else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
  L126: override void EEKilled(Object killer)
  L136: override void OnVariablesSynchronized()
  L144: override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L166: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L177: void Expansion_StartLobotomy()
  L193: void Expansion_SetLobotomized(bool isLobotomized)
  L198: bool Expansion_IsLobotomized()
  L206: void Expansion_EndLobotomy()
```

Full file content

```
000001 | /**
000002 |  * ZombieBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ZombieBase
000014 | {
000015 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<ZombieBase>(this);
000016 |
000017 |     protected bool m_Expansion_IsInSafeZone;
000018 |     protected bool m_Expansion_IsInSafeZone_DeprecationWarning;
000019 |
000020 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000021 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000022 |
000023 |     bool m_Expansion_LobotomyInProgress;
000024 |     bool m_Expansion_IsLobotomized;
000025 |
000026 |     override void AfterStoreLoad()
000027 |     {
000028 |         super.AfterStoreLoad();
```

```
000029 |
000030 |         if (!GetAIAgent())
000031 |             GetDayZGame().GetExpansionGame().LobotomySync(this);
000032 |     }
000033 |
000034 |     bool Expansion_IsDanger()
000035 |     {
000036 |         if (!IsDanger())
000037 |             return false;
000038 |
000039 |         if (!GetAIAgent() || m_Expansion_LobotomyInProgress || m_Expansion_IsLobotomized)
000040 |             return false;
000041 |
000042 |         return true;
000043 |     }
000044 |
000045 |     // -----
000046 |     // ZombieBase OnEnterZone
000047 |     // -----
000048 |     void OnEnterZone(ExpansionZoneType type)
000049 |     {
000050 | #ifdef EXPANSIONTRACE
000051 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnEnterZone");
000052 | #endif
000053 |
000054 |         if (type == ExpansionZoneType.SAFE)
000055 |         {
000056 |             m_Expansion_IsInSafeZone = true;
000057 |
000058 |             SetHealth(0);
000059 |             g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ).CallLater( g_Game.ObjectDelete, 5000, false, this );
000060 |         }
000061 |     }
000062 |
000063 |     // -----
000064 |     // ZombieBase OnLeavingSafeZone
000065 |     // -----
000066 |     void OnExitZone(ExpansionZoneType type)
000067 |     {
000068 | #ifdef EXPANSIONTRACE
000069 |         auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnExitZone");
000070 | #endif
000071 |
000072 |         if (type == ExpansionZoneType.SAFE)
000073 |         {
000074 |             m_Expansion_IsInSafeZone = false;
000075 |         }
000076 |     }
000077 |
000078 |     bool IsInSafeZone()
000079 |     {
000080 |         Expansion_Error("DEPRECATED: Please use Expansion_IsInSafeZone", m_Expansion_IsInSafeZone_DeprecationWarning);
000081 |         return Expansion_IsInSafeZone();
000082 |     }
000083 |
000084 |     bool Expansion_IsInSafeZone()
000085 |     {
000086 |         return m_Expansion_IsInSafeZone;
000087 |     }
000088 |
000089 |     override bool NameOverride(out string output)
000090 |     {
```

```
000091 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000092 |             return true;
000093 |         else
000094 |             return super.NameOverride(output);
000095 |     }
000096 |
000097 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000098 |     {
000099 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000100 |             return false;
000101 |
000102 |         if (damageType == DT_EXPLOSION)
000103 |         {
000104 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000105 |                 return false;
000106 |         }
000107 |
000108 |         return true;
000109 |     }
000110 |
000111 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000112 |     {
000113 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000114 |
000115 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000116 |         {
000117 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000118 |         }
000119 |         else if (damageType == DT_FIRE_ARM && ammo == "Bullet_Expansion_LobotomyDart")
000120 |         {
000121 |             if (GetAIAgent() && !m_Expansion_LobotomyInProgress && !m_Expansion_IsLobotomized)
000122 |                 Expansion_StartLobotomy();
000123 |         }
000124 |     }
000125 |
000126 |     override void EEKilled(Object killer)
000127 |     {
000128 |         super.EEKilled(killer);
000129 |
000130 |         //! Will CTD if targeted by another creature after health of this one is depleted while it has no AI agent,
000131 |         //! so remove the body to prevent that
000132 |         if (!GetAIAgent())
000133 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Delete, 1500);
000134 |     }
000135 |
000136 |     override void OnVariablesSynchronized()
000137 |     {
000138 |         super.OnVariablesSynchronized();
000139 |
000140 |         if (m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested)
000141 |             m_Expansion_NetsyncData.Request();
000142 |     }
000143 |
000144 |     override bool ModCommandHandlerBefore(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000145 |     {
000146 |         if (m_Expansion_IsLobotomized && IsAlive())
000147 |         {
000148 |             if (HandleDeath(pCurrentCommandID))
000149 |                 return true;
000150 |         }
```

```
000151 |         if (HandleCrawlTransition(pCurrentCommandID))
000152 |             return true;
000153 |
000154 |         if (HandleDamageHit(pCurrentCommandID))
000155 |             return true;
000156 |
000157 |         return true;
000158 |     }
000159 |
000160 |     if (super.ModCommandHandlerBefore(pDt, pCurrentCommandID, pCurrentCommandFinished))
000161 |         return true;
000162 |
000163 |     return false;
000164 | }
000165 |
000166 | override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000167 | {
000168 |     super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000169 |
000170 |     if (m_Expansion_LobotomyInProgress /*|| m_Expansion_IsLobotomized || !GetAIAgent()*/)
000171 |     {
000172 |         if (pCurrentCommandFinished && !m_Expansion_IsLobotomized)
000173 |             GetDayZGame().GetExpansionGame().Lobotomize(this);
000174 |     }
000175 | }
000176 |
000177 | void Expansion_StartLobotomy()
000178 | {
000179 | #ifdef EXTRACE_DIAG
000180 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000181 | #endif
000182 |
000183 |     m_Expansion_LobotomyInProgress = true;
000184 |
000185 |     auto controller = GetInputController();
000186 |
000187 |     controller.OverrideTurnSpeed(true, 0.0);
000188 |     controller.OverrideMovementSpeed(true, 0.0);
000189 |     controller.OverrideHeading(true, GetOrientation()[0] * Math.DEG2RAD);
000190 |     controller.OverrideAlertLevel(true, true, 0, 0.0);
000191 | }
000192 |
000193 | void Expansion_SetLobotomized(bool isLobotomized)
000194 | {
000195 |     m_Expansion_IsLobotomized = isLobotomized;
000196 | }
000197 |
000198 | bool Expansion_IsLobotomized()
000199 | {
000200 |     if (!GetAIAgent())
000201 |         return true;
000202 |
000203 |     return m_Expansion_IsLobotomized;
000204 | }
000205 |
000206 | void Expansion_EndLobotomy()
000207 | {
000208 | #ifdef EXTRACE_DIAG
000209 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000210 | #endif
000211 |
000212 |     m_Expansion_LobotomyInProgress = false;
```

```
000213 |  
000214 |         if (GetAIAgent() && !m_Expansion_IsLobotomized)  
000215 |         {  
000216 |             #ifdef DIAG_DEVELOPER  
000217 |                 EXTrace.Print(EXTrace.MISC, this, "Resetting input controller...");  
000218 |             #endif  
000219 |  
000220 |                 auto controller = GetInputController();  
000221 |  
000222 |                 controller.OverrideTurnSpeed(false, 0.0);  
000223 |                 controller.OverrideMovementSpeed(false, 0.0);  
000224 |                 controller.OverrideHeading(false, GetOrientation()[0] * Math.DEG2RAD);  
000225 |                 controller.OverrideAlertLevel(false, false, 0, 0.0);  
000226 |             }  
000227 |         }  
000228 |     }
```

0228. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Buildings\BuildingBase.c
 Size bytes: 2068
 SHA-256: 77678c66a886ab3ced8c6d58ed7f3bc9969a510077f80679b4b165dcc368409a
 Decoded as: utf-8-sig
 Line count shown: 63
 Detected class declarations: 1
 L13: modded class BuildingBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L18: override bool NameOverride(out string output)
 L26: override void Explode(int damageType, string ammoType = "")
 L33: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
 L47: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
 L55: override void OnVariablesSynchronized()

Full file content

```
000001 | /**
000002 |  * BuildingBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class BuildingBase
000014 | {
000015 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000016 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000017 |
000018 |     override bool NameOverride(out string output)
000019 |     {
000020 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000021 |             return true;
000022 |         else
000023 |             return super.NameOverride(output);
000024 |     }
000025 |
000026 |     override void Explode(int damageType, string ammoType = "")
000027 |     {
000028 |         ExpansionDamageSystem.OnBeforeExplode(this, damageType, ammoType);
000029 |
000030 |         super.Explode(damageType, ammoType);
000031 |     }
000032 |
000033 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000034 |     {
000035 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000036 |             return false;
000037 |
000038 |         if (damageType == DT_EXPLOSION)
000039 |         {
000040 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000041 |                 return false;
```

```
000042 |     }
000043 |
000044 |     return true;
000045 | }
000046 |
000047 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000048 | {
000049 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000050 |
000051 |     if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000052 |         ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000053 | }
000054 |
000055 | override void OnVariablesSynchronized()
000056 | {
000057 |     super.OnVariablesSynchronized();
000058 |
000059 |     if (m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested)
000060 |         m_Expansion_NetsyncData.Request();
000061 | }
000062 | }
000063 |
```


0229. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionBakedMapObject.c
Size bytes: 688
SHA-256: 9d556dc37cbdd4a2ec23651ef9bcd17fb5ea9dca8f82de88cb2b1efdcc158b91
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: class ExpansionBakedMapObject : House
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L5: void ExpansionBakedMapObject()
 L10: void Create(EntityAI other, vector position, Contact data)
 L29: string ExpansionGetPhysicsType()

Full file content

```
000001 | class ExpansionBakedMapObject : House
000002 | {
000003 |     float m_ImpulseRequired;
000004 |
000005 |     void ExpansionBakedMapObject()
000006 |     {
000007 |         m_ImpulseRequired = 100.0;
000008 |     }
000009 |
000010 |     void Create(EntityAI other, vector position, Contact data)
000011 |     {
000012 |         if (data.Impulse < m_ImpulseRequired)
000013 |             return;
000014 |
000015 |         ItemBase.ExpansionPhaseObject(other);
000016 |
000017 |         if (g_Game.IsClient())
000018 |             return;
000019 |
000020 |         Object object = g_Game.CreateObjectEx(ExpansionGetPhysicsType(), GetPosition(), ECE_IN_INVENTORY);
000021 |
000022 |         ExpansionPhysicsStructure structure;
000023 |         if (Class.CastTo(structure, object))
000024 |         {
000025 |             structure.Create(this, other, position, data);
000026 |         }
000027 |     }
000028 |
000029 |     string ExpansionGetPhysicsType()
000030 |     {
000031 |         return "ExpansionPhysics_" + GetType();
000032 |     }
000033 | };
000034 |
```

0230. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionLampLightBase.c
Size bytes: 66
SHA-256: 72c0054b8d570895c4001538d8ed7401fba2d3c813bcb70e0aa520efd27fb9cf
Decoded as: utf-8-sig
Line count shown: 5
Detected class declarations: 1
 L1: class ExpansionLampLightBase : ExpansionStaticMapObject
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | class ExpansionLampLightBase : ExpansionStaticMapObject
000002 | {
000003 |
000004 | };
000005 |
```

0231. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionNavmeshCarver.c

Size bytes: 2029

SHA-256: 2a94704a12235e224360c419e940466adbe4a83252e0ed639ea20c3fae92488b

Decoded as: utf-8-sig

Line count shown: 69

Detected class declarations: 2

L1: class ExpansionNavmeshCarver: House

L62: class ExpansionLargeAnimalNavmeshCarver: ExpansionNavmeshCarver

Detected enum declarations: 0

Detected function/method-like declarations: 7

L7: void ExpansionNavmeshCarver()

L16: override void EEDelete(EntityAI parent)

L31: void Expansion_SetAssociatedObject(Object obj)

L43: Object Expansion_GetAssociatedObject()

L48: override bool IsBuilding()

L53: override void OnVariablesSynchronized()

L64: override void OnReceivedHit(ImpactEffectsData hitData)

Full file content

```
000001 | class ExpansionNavmeshCarver: House
000002 | {
000003 |     protected Object m_Expansion_AssociatedObject;
000004 |     protected int m_Expansion_AssociatedObjectNetIdLow;
000005 |     protected int m_Expansion_AssociatedObjectNetIdHigh;
000006 |
000007 |     void ExpansionNavmeshCarver()
000008 |     {
000009 |         RegisterNetSyncVariableInt("m_Expansion_AssociatedObjectNetIdLow");
000010 |         RegisterNetSyncVariableInt("m_Expansion_AssociatedObjectNetIdHigh");
000011 |
000012 |         if (g_Game.IsServer())
000013 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(g_Game.UpdatePathgraphRegionByObject, 100, false, this);
000014 |     }
000015 |
000016 |     override void EEDelete(EntityAI parent)
000017 |     {
000018 |         super.EEDelete(parent);
000019 |
000020 |         if (g_Game && g_Game.IsServer())
000021 |         {
000022 |             vector pos = GetPosition();
000023 |             vector minMax[2];
000024 |             float radius = ClippingInfo(minMax);
000025 |             vector min = Vector(pos[0] - radius, pos[1], pos[2] - radius);
000026 |             vector max = Vector(pos[0] + radius, pos[1], pos[2] + radius);
000027 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(g_Game.UpdatePathgraphRegion, 100, false, min, max);
000028 |         }
000029 |     }
000030 |
000031 |     void Expansion_SetAssociatedObject(Object obj)
000032 |     {
000033 |         EXTrace.Print(EXTrace.MISC, this, "Expansion_SetAssociatedObject - " + obj);
000034 |
000035 |         m_Expansion_AssociatedObject = obj;
000036 |
000037 | #ifdef SERVER
000038 |     m_Expansion_AssociatedObject.GetNetworkID(m_Expansion_AssociatedObjectNetIdLow, m_Expansion_AssociatedObjectNetIdHigh);
000039 |     SetSynchDirty();
```

```
000040 | #endif
000041 | }
000042 |
000043 | Object Expansion_GetAssociatedObject()
000044 | {
000045 |     return m_Expansion_AssociatedObject;
000046 | }
000047 |
000048 | override bool IsBuilding()
000049 | {
000050 |     return false;
000051 | }
000052 |
000053 | override void OnVariablesSynchronized()
000054 | {
000055 |     super.OnVariablesSynchronized();
000056 |
000057 |     if (!m_Expansion_AssociatedObject && (m_Expansion_AssociatedObjectNetIdLow != 0 || m_Expansion_AssociatedObjectNetIdHigh != 0))
000058 |         Expansion_SetAssociatedObject(g_Game.GetObjectByNetworkId(m_Expansion_AssociatedObjectNetIdLow, m_Expansion_AssociatedObjectNetIdHigh));
000059 | }
000060 | }
000061 |
000062 | class ExpansionLargeAnimalNavmeshCarver: ExpansionNavmeshCarver
000063 | {
000064 |     override void OnReceivedHit(ImpactEffectsData hitData)
000065 |     {
000066 |         hitData.m_Surface = "Hit_MeatBones";
000067 |     }
000068 | }
000069 |
```

0232. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionPhysicsStructure.c
 Size bytes: 3496
 SHA-256: 20711bcf06245967968f626a91d6e79898a5782665b2b7569096e24fa05f84ea
 Decoded as: utf-8-sig
 Line count shown: 157
 Detected class declarations: 1
 L3: class ExpansionPhysicsStructure : ItemBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 10
 L13: void ExpansionPhysicsStructure()
 L22: void ~ExpansionPhysicsStructure()
 L27: void Create(Object bakedObject, EntityAI other, vector position, Contact data)
 L60: void AdjustPosition(float yPos, vector position)
 L75: void OnCreate()
 L83: void OnDestroy()
 L91: string ExpansionGetPhysicsType()
 L98: override bool Expansion_CarContactActivates()
 L103: override void OnVariablesSynchronized()
 L136: override void EOnContact IEntity other, Contact extra)

Full file content

```
000001 | static bool s_ExpansionPhysicsStructure_Enabled = false;
000002 |
000003 | class ExpansionPhysicsStructure : ItemBase
000004 | {
000005 |     vector m_Transform[4];
000006 |
000007 |     float m_PosX;
000008 |     float m_PosY;
000009 |     float m_PosZ;
000010 |
000011 |     Object m_BakedMapObject;
000012 |
000013 |     void ExpansionPhysicsStructure()
000014 |     {
000015 |         SetEventMask(EntityEvent.CONTACT);
000016 |
000017 |         RegisterNetSyncVariableFloat("m_PosX", 0, 0, 8);
000018 |         RegisterNetSyncVariableFloat("m_PosY", 0, 0, 8);
000019 |         RegisterNetSyncVariableFloat("m_PosZ", 0, 0, 8);
000020 |     }
000021 |
000022 |     void ~ExpansionPhysicsStructure()
000023 |     {
000024 |         OnDestroy();
000025 |     }
000026 |
000027 |     void Create(Object bakedObject, EntityAI other, vector position, Contact data)
000028 |     {
000029 |         m_BakedMapObject = bakedObject;
000030 |
000031 |         m_PosX = m_BakedMapObject.GetPosition()[0];
000032 |         m_PosY = m_BakedMapObject.GetPosition()[1];
000033 |         m_PosZ = m_BakedMapObject.GetPosition()[2];
000034 |
000035 |         vector boundingBox[2];
000036 |         GetCollisionBox(boundingBox);
000037 |         float height = -boundingBox[0][1];
```

```
000038 |
000039 |     SetPosition(m_BakedMapObject.GetPosition());
000040 |     vector ori = m_BakedMapObject.GetOrientation();
000041 |     SetOrientation(Vector(180.0 - ori[0], ori[1], ori[2]));
000042 |     GetTransform(m_Transform);
000043 |
000044 |     // Call 'AdjustPosition' here only
000045 |     AdjustPosition(g_Game.SurfaceY(m_Transform[3][0], m_Transform[3][2]) + height, vector.Zero);
000046 |
000047 |     SetTransform(m_Transform);
000048 |     SetAffectPathgraph(false, false);
000049 |
000050 |     ExpansionCreateDynamicFromContact(other, position, data);
000051 |
000052 |     OnCreate();
000053 |
000054 |     if (g_Game.IsMultiplayer())
000055 |     {
000056 |         SetSynchDirty();
000057 |     }
000058 | }
000059 |
000060 | void AdjustPosition(float yPos, vector position)
000061 | {
000062 |     float yDiff = yPos - m_Transform[3][1];
000063 |     if (yDiff < 0)
000064 |         return;
000065 |
000066 |     vector adjust = Vector(0, yDiff, 0);
000067 |
000068 |     m_Transform[3] = m_Transform[3] + adjust;
000069 |
000070 |     //vector dir = position * adjust;
000071 |
000072 |     //Math3D.YawPitchRollMatrix();
000073 | }
000074 |
000075 | void OnCreate()
000076 | {
000077 |     if (!m_BakedMapObject)
000078 |         return;
000079 |
000080 |     CF_ObjectManager.HideMapObject(m_BakedMapObject, true);
000081 | }
000082 |
000083 | void OnDestroy()
000084 | {
000085 |     if (!m_BakedMapObject)
000086 |         return;
000087 |
000088 |     CF_ObjectManager.UnhideMapObject(m_BakedMapObject, true);
000089 | }
000090 |
000091 | string ExpansionGetPhysicsType()
000092 | {
000093 |     string type = GetType();
000094 |     type.Replace("ExpansionPhysics_", "");
000095 |     return type;
000096 | }
000097 |
000098 | override bool Expansion_CarContactActivates()
000099 | {
```

```
000100 |     return true;
000101 | }
000102 |
000103 | override void OnVariablesSynchronized()
000104 | {
000105 |     super.OnVariablesSynchronized();
000106 |
000107 |     if (m_BakedMapObject)
000108 |         return;
000109 |
000110 |     IEntity entity;
000111 |
000112 |     float minDistance = 1.0f;
000113 |
000114 |     array<Object> objects = new array<Object>;
000115 |     vector position = Vector(m_PosX, m_PosY, m_PosZ);
000116 |     g_Game.GetObjectsAtPosition3D(position, minDistance, objects, NULL);
000117 |     for (int i = 0; i < objects.Count(); i++)
000118 |     {
000119 |         if (objects[i].GetType() == ExpansionGetPhysicsType())
000120 |         {
000121 |             float distance = vector.DistanceSq(GetPosition(), position);
000122 |             if (distance < minDistance)
000123 |             {
000124 |                 minDistance = distance;
000125 |                 entity = objects[i];
000126 |             }
000127 |         }
000128 |     }
000129 |
000130 |     if (Class.CastTo(m_BakedMapObject, entity))
000131 |     {
000132 |         OnCreate();
000133 |     }
000134 | }
000135 |
000136 | override void EOnContact(IEntity other, Contact extra)
000137 | {
000138 |     auto item = ItemBase.Cast(other);
000139 |     if (item && !dBodyIsDynamic(item) && item.Expansion_CarContactActivates() && !item.GetHierarchyParent())
000140 |     {
000141 |         item.ExpansionCreateDynamicFromContact(this, extra.Position, extra);
000142 |     }
000143 |
000144 |     auto bakedObject = ExpansionBakedMapObject.Cast(other);
000145 |     if (bakedObject)
000146 |     {
000147 |         bakedObject.Create(this, extra.Position, extra);
000148 |     }
000149 |
000150 |     auto staticObject = ExpansionStaticMapObject.Cast(other);
000151 |     if (staticObject)
000152 |     {
000153 |         staticObject.Create(this, extra.Position, extra);
000154 |     }
000155 | }
000156 | };
000157 |
```

0233. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Collision\ExpansionStaticMapObject.c
Size bytes: 691
SHA-256: 83ef91db2d649afd0ddd93182234c503c6ebe6504d67a6786e923912782c4238
Decoded as: utf-8-sig
Line count shown: 34
Detected class declarations: 1
 L1: class ExpansionStaticMapObject : Static
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L5: void ExpansionStaticMapObject()
 L10: void Create(EntityAI other, vector position, Contact data)
 L29: string ExpansionGetPhysicsType()

Full file content

```
000001 | class ExpansionStaticMapObject : Static
000002 | {
000003 |     float m_ImpulseRequired;
000004 |
000005 |     void ExpansionStaticMapObject()
000006 |     {
000007 |         m_ImpulseRequired = 100.0;
000008 |     }
000009 |
000010 |     void Create(EntityAI other, vector position, Contact data)
000011 |     {
000012 |         if (data.Impulse < m_ImpulseRequired)
000013 |             return;
000014 |
000015 |         ItemBase.ExpansionPhaseObject(other);
000016 |
000017 |         if (g_Game.IsClient())
000018 |             return;
000019 |
000020 |         Object object = g_Game.CreateObjectEx(ExpansionGetPhysicsType(), GetPosition(), ECE_IN_INVENTORY);
000021 |
000022 |         ExpansionPhysicsStructure structure;
000023 |         if (Class.CastTo(structure, object))
000024 |         {
000025 |             structure.Create(this, other, position, data);
000026 |         }
000027 |     }
000028 |
000029 |     string ExpansionGetPhysicsType()
000030 |     {
000031 |         return "ExpansionPhysics_" + GetType();
000032 |     }
000033 | };
000034 |
```


0234. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\DayZPlayerImplementFallDamage.c

Size bytes: 425

SHA-256: 70669e0875887cb00de688b77a4073c1683e840e4824e4be5a2c84f8f9fbde33

Decoded as: utf-8-sig

Line count shown: 16

Detected class declarations: 1

L1: modded class DayZPlayerImplementFallDamage

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void HandleFallDamage(FallDamageData pData)

Full file content

```
000001 | modded class DayZPlayerImplementFallDamage
000002 | {
000003 |     override void HandleFallDamage(FallDamageData pData)
000004 |     {
000005 |         if (g_Game.IsServer())
000006 |         {
000007 |             DayZPlayerImplement player;
000008 |             //! @note `FallDamage` is just a placeholder we use, it doesn't actually exist as ammo since DayZ 1.21
000009 |             if (Class.CastTo(player, m_Player) && !player.Expansion_CanBeDamaged("FallDamage"))
000010 |                 return;
000011 |         }
000012 |
000013 |         super.HandleFallDamage(pData);
000014 |     }
000015 | }
000016 |
```

0235. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionBaseBuilding.c

Size bytes: 399

SHA-256: 6ec255c6aee2e2cce5ea04802183f95e593ac4500fab967f4441a947da761f5e

Decoded as: utf-8-sig

Line count shown: 13

Detected class declarations: 1

 L13: class ExpansionBaseBuilding: BaseBuildingBase {};

Detected enum declarations: 0

Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * ExpansionBaseBuilding.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionBaseBuilding: BaseBuildingBase {};
```

0236. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionDebugObjects.c

Size bytes: 3015

SHA-256: 1b247830ac3950959721e3966528ec0ebbe16769c0dac0314c21c7da89535804

Decoded as: utf-8-sig

Line count shown: 118

Detected class declarations: 1

L13: class ExpansionDebugObject: Building

Detected enum declarations: 0

Detected function/method-like declarations: 15

L24: void ExpansionDebugObject()

L37: else if (es.EndsWith("_Orange"))

L39: else if (es.EndsWith("_Yellow"))

L41: else if (es.EndsWith("_Blue"))

L43: else if (es.EndsWith("_Cyan"))

L45: else if (es.EndsWith("_Purple"))

L47: else if (es.EndsWith("_White"))

L49: else if (es.EndsWith("_Black"))

L56: override void EEInit()

L64: void ~ExpansionDebugObject()

L71: override void OnCEUpdate()

L79: override bool CanObstruct()

L84: override void OnVariablesSynchronized()

L93: void Expansion_SetDebugLineFlags(int flags)

L100: void Expansion_DrawDebugLine(vector origin)

Full file content

```
000001 | /**
000002 |  * ExpansionDebugObjects.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionDebugObject: Building
000014 | {
000015 |     float m_Expansion_DebugOriginX;
000016 |     float m_Expansion_DebugOriginY;
000017 |     float m_Expansion_DebugOriginZ;
000018 |     vector m_Expansion_DebugOrigin;
000019 |     bool m_Expansion_DrawDebugSignal;
000020 |     int m_Expansion_DebugColor;
000021 |     Shape m_Expansion_DebugLine;
000022 |     int m_Expansion_DebugLineFlags;
000023 |
000024 |     void ExpansionDebugObject()
000025 |     {
000026 |         RegisterNetSyncVariableFloat("m_Expansion_DebugOriginX", 0, 0, 2);
000027 |         RegisterNetSyncVariableFloat("m_Expansion_DebugOriginY", 0, 0, 2);
000028 |         RegisterNetSyncVariableFloat("m_Expansion_DebugOriginZ", 0, 0, 2);
000029 |         RegisterNetSyncVariableInt("m_Expansion_DebugLineFlags");
000030 |         RegisterNetSyncVariableBool("m_Expansion_DrawDebugSignal");
000031 |
000032 | #ifndef SERVER
```

```
000033 |         ExpansionString es = GetType();
000034 |
000035 |         if (es.EndsWith("_Red"))
000036 |             m_Expansion_DebugColor = 0xFFFF0000;
000037 |         else if (es.EndsWith("_Orange"))
000038 |             m_Expansion_DebugColor = 0xFFFF8000;
000039 |         else if (es.EndsWith("_Yellow"))
000040 |             m_Expansion_DebugColor = 0FFFFFF00;
000041 |         else if (es.EndsWith("_Blue"))
000042 |             m_Expansion_DebugColor = 0xFF0000FF;
000043 |         else if (es.EndsWith("_Cyan"))
000044 |             m_Expansion_DebugColor = 0xFF00FFFF;
000045 |         else if (es.EndsWith("_Purple"))
000046 |             m_Expansion_DebugColor = 0xFF8000FF;
000047 |         else if (es.EndsWith("_White"))
000048 |             m_Expansion_DebugColor = 0xFFFFFFFF;
000049 |         else if (es.EndsWith("_Black"))
000050 |             m_Expansion_DebugColor = 0xFF000000;
000051 |         else
000052 |             m_Expansion_DebugColor = 0xFF00FF00;
000053 | #endif
000054 |     }
000055 |
000056 |     override void EEInit()
000057 |     {
000058 |         super.EEInit();
000059 |
000060 |         if (dBodyIsSet(this))
000061 |             dBodyDestroy(this); //! Remove physics
000062 |     }
000063 |
000064 |     void ~ExpansionDebugObject()
000065 |     {
000066 | #ifndef SERVER
000067 |         Debug.RemoveShape(m_Expansion_DebugLine);
000068 | #endif
000069 |     }
000070 |
000071 |     override void OnCEUUpdate()
000072 |     {
000073 |         super.OnCEUUpdate();
000074 |
000075 |         if (GetLifetime() <= 0)
000076 |             Delete();
000077 |     }
000078 |
000079 |     override bool CanObstruct()
000080 |     {
000081 |         return false;
000082 |     }
000083 |
000084 |     override void OnVariablesSynchronized()
000085 |     {
000086 |         super.OnVariablesSynchronized();
000087 |
000088 |         m_Expansion_DebugOrigin = Vector(m_Expansion_DebugOriginX, m_Expansion_DebugOriginY, m_Expansion_DebugOriginZ);
000089 |
000090 |         Expansion_DrawDebugLine(m_Expansion_DebugOrigin);
000091 |     }
000092 |
000093 |     void Expansion_SetDebugLineFlags(int flags)
000094 |     {
```

```
000095 |         m_Expansion_DebugLineFlags = flags;
000096 |
000097 |         SetSynchDirty();
000098 |     }
000099 |
000100 |     void Expansion_DrawDebugLine(vector origin)
000101 |     {
000102 | #ifdef SERVER
000103 |         m_Expansion_DebugOriginX = origin[0];
000104 |         m_Expansion_DebugOriginY = origin[1];
000105 |         m_Expansion_DebugOriginZ = origin[2];
000106 |
000107 |         m_Expansion_DrawDebugSignal = !m_Expansion_DrawDebugSignal;
000108 |
000109 |         SetSynchDirty();
000110 | #else
000111 |         Debug.RemoveShape(m_Expansion_DebugLine);
000112 |
000113 |         if (origin != vector.Zero)
000114 |             m_Expansion_DebugLine = Debug.DrawLine(origin, GetPosition(), m_Expansion_DebugColor, m_Expansion_DebugLineFlags);
000115 | #endif
000116 |     }
000117 | }
000118 |
```

0237. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExpansionEntityStoragePlaceholder.c
Size bytes: 9401
SHA-256: dd79b78cc575556a7b66ba446af8b6b72341b36985664b0f9ba07c146a384f8a
Decoded as: utf-8-sig
Line count shown: 358
Detected class declarations: 2
  L13: class ExpansionEntityStoragePlaceholder: InventoryItemSuper
  L301: class ExpansionDebugGoat: ExpansionEntityStoragePlaceholder
Detected enum declarations: 0
Detected function/method-like declarations: 30
  L19: void ExpansionEntityStoragePlaceholder()
  L25: void ~ExpansionEntityStoragePlaceholder()
  L31: override void EEDelete(EntityAI parent)
  L44: override string Expansion_GetEntityStorageFileName()
  L49: static ExpansionEntityStoragePlaceholder GetByStoredEntityGlobalID(TIntArray id)
  L72: override string GetDisplayName()
  L75: return Expansion_GetStoredEntityDisplayName();
  L79: static bool Expansion_HasPlaceholder(ExpansionVehicle vehicle, bool includeGarage = false)
  L105: bool Expansion_HasStoredEntity()
  L131: override bool CanDisplayAttachmentSlot(int slot_id)
  L136: override bool CanDisplayCargo()
  L141: override bool CanPutAsAttachment(EntityAI parent)
  L146: override bool CanPutInCargo(EntityAI parent)
  L151: override bool CanPutIntoHands(EntityAI parent)
  L156: override bool IsInventoryVisible()
  L162: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L176: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L213: override void AfterStoreLoad()
  L224: string Expansion_GetStoredEntityDisplayName()
  L231: string Expansion_GetStoredEntityType()
  L238: void Expansion_SetStoredEntityData(string type, TIntArray entityGlobalID)
  L245: static bool Expansion_StoreEntityAndReplace(EntityAI entity, string placeholderType, vector position, int iFlags = ECE_OBJECT_SWAP, out Expa
  L266: else if (Class.CastTo(item, entity))
  L303: override void EEInit()
  L311: override void SetActions()
  L321: override bool CanPutIntoHands(EntityAI parent)
  L326: override void OnPlacementComplete(Man player, vector position = "0 0 0", vector orientation = "0 0 0")
  L335: override string GetPlaceSoundset()
  L347: override string GetLoopDeploySoundset()
  L352: void Expansion_CreateGoatAttachment()
```

Full file content

```
000001 | /**
000002 |  * ExpansionEntityStoragePlaceholder.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionEntityStoragePlaceholder: InventoryItemSuper
000014 | {
000015 |     static ref array<ExpansionEntityStoragePlaceholder> s_Expansion_AllPlaceholders = new array<ExpansionEntityStoragePlaceholder>;
000016 | }
```

```
000017 |     ref ExpansionGlobalID m_Expansion_StoredEntityGlobalID = new ExpansionGlobalID();
000018 |
000019 |     void ExpansionEntityStoragePlaceholder()
000020 |     {
000021 |         m_Expansion_NetsyncData = new ExpansionNetsyncData(this);
000022 |         s_Expansion_AllPlaceholders.Insert(this);
000023 |     }
000024 |
000025 |     void ~ExpansionEntityStoragePlaceholder()
000026 |     {
000027 |         if (s_Expansion_AllPlaceholders)
000028 |             s_Expansion_AllPlaceholders.RemoveItemUnOrdered(this);
000029 |     }
000030 |
000031 |     override void EEDelete(EntityAI parent)
000032 |     {
000033 |         if (g_Game.IsServer() && g_Game.IsMultiplayer())
000034 |         {
000035 |             if (HasAnyCargo())
000036 |                 EXPrint("WARNING: " + GetType() + " " + GetPosition() + " with cargo is about to be deleted!");
000037 |
000038 |             ExpansionEntityStorageModule.DeleteFiles(m_Expansion_StoredEntityGlobalID.IDToHex());
000039 |         }
000040 |
000041 |         super.EEDelete(parent);
000042 |     }
000043 |
000044 |     override string Expansion_GetEntityStorageFileName()
000045 |     {
000046 |         return ExpansionEntityStorageModule.GetFileName(m_Expansion_StoredEntityGlobalID.IDToHex());
000047 |     }
000048 |
000049 |     static ExpansionEntityStoragePlaceholder GetByStoredEntityGlobalID(TIntArray id)
000050 |     {
000051 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Looking for entity storage placeholder with ID " + id[0].ToString() + " " + id[1].ToString() + " " + id[2].ToS
tring() + " " + id[3].ToString());
000052 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Number of placeholders: " + s_Expansion_AllPlaceholders.Count());
000053 |
000054 |         foreach (auto placeholder: s_Expansion_AllPlaceholders)
000055 |         {
000056 |             if (placeholder.m_Expansion_StoredEntityGlobalID.IsZero())
000057 |             {
000058 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Skipping placeholder with zero ID " + placeholder.GetType() + " " + placeholder.GetPosition());
000059 |                 continue;
000060 |             }
000061 |
000062 |             if (placeholder.m_Expansion_StoredEntityGlobalID.IsEqual(id))
000063 |             {
000064 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Found matching placeholder " + placeholder.GetType() + " " + placeholder.GetPosition());
000065 |                 return placeholder;
000066 |             }
000067 |         }
000068 |
000069 |         return null;
000070 |     }
000071 |
000072 |     override string GetDisplayName()
000073 |     {
000074 |         if (m_Expansion_NetsyncData)
000075 |             return Expansion_GetStoredEntityDisplayName();
000076 |         return super.GetDisplayName();
000077 |     }
```

```
000078 |
000079 |     static bool Expansion_HasPlaceholder(ExpansionVehicle vehicle, bool includeGarage = false)
000080 |     {
000081 |         if (vehicle.GetGlobalID().IsZero())
000082 |             return false;
000083 |
000084 |         foreach (auto placeholder: s_Expansion_AllPlaceholders)
000085 |         {
000086 |             #ifdef DZ_Expansion_Garage
000087 |                 //! Dealt with by garage module
000088 |                 if (!includeGarage && placeholder.IsInherited(ExpansionGarageVehicle))
000089 |                     continue;
000090 |             #endif
000091 |
000092 |             if (vehicle.GetGlobalID().IsEqual(placeholder.m_Expansion_StoredEntityGlobalID.m_ID))
000093 |             {
000094 |                 string type;
000095 |                 placeholder.m_Expansion_NetsyncData.Get(0, type);
000096 |                 EXPrint("ExpansionEntityStoragePlaceholder::Expansion_HasPlaceholder " + vehicle.GetType() + " " + vehicle.GetPosition() + " has identical global
ID to placeholder " + type + " " + placeholder.GetPosition());
000097 |                 if (vehicle.GetType() == type)
000098 |                     return true;
000099 |             }
000100 |         }
000101 |
000102 |         return false;
000103 |     }
000104 |
000105 |     bool Expansion_HasStoredEntity()
000106 |     {
000107 |         string type;
000108 |         bool hasNetsyncData = m_Expansion_NetsyncData.Get(0, type);
000109 |
000110 |         if (g_Game.IsClient())
000111 |         {
000112 |             return hasNetsyncData;
000113 |         }
000114 |
000115 |         if (m_Expansion_StoredEntityGlobalID.IsZero())
000116 |         {
000117 |             EXPrint("[EntityStorage] ERROR: Global ID for " + GetType() + " (stored entity " + type + ") is zero!");
000118 |             return false;
000119 |         }
000120 |
000121 |         string fileName = Expansion_GetEntityStorageFileName();
000122 |         if (!FileExist(fileName))
000123 |         {
000124 |             EXPrint("[EntityStorage] ERROR: Storage file \"" + fileName + "\" for " + GetType() + " (stored entity " + type + ") does not exist!");
000125 |             return false;
000126 |         }
000127 |
000128 |         return true;
000129 |     }
000130 |
000131 |     override bool CanDisplayAttachmentSlot(int slot_id)
000132 |     {
000133 |         return false;
000134 |     }
000135 |
000136 |     override bool CanDisplayCargo()
000137 |     {
000138 |         return false;
```



```
000139 |     }
000140 |
000141 |     override bool CanPutAsAttachment(EntityAI parent)
000142 |     {
000143 |         return false;
000144 |     }
000145 |
000146 |     override bool CanPutInCargo(EntityAI parent)
000147 |     {
000148 |         return false;
000149 |     }
000150 |
000151 |     override bool CanPutIntoHands(EntityAI parent)
000152 |     {
000153 |         return false;
000154 |     }
000155 |
000156 |     override bool IsInventoryVisible()
000157 |     {
000158 |         return false;
000159 |     }
000160 |
000161 | #ifdef EXPANSION_MODSTORAGE
000162 |     override void CF_OnStoreSave(CF_ModStorageMap storage)
000163 |     {
000164 |         super.CF_OnStoreSave(storage);
000165 |
000166 |         auto ctx = storage[DZ_Expansion_Core];
000167 |         if (!ctx) return;
000168 |
000169 |         string type;
000170 |         m_Expansion_NetsyncData.Get(0, type);
000171 |         ctx.Write(type);
000172 |
000173 |         m_Expansion_StoredEntityGlobalID.OnStoreSave(ctx);
000174 |     }
000175 |
000176 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000177 |     {
000178 |         if (!super.CF_OnStoreLoad(storage))
000179 |             return false;
000180 |
000181 |         auto ctx = storage[DZ_Expansion_Core];
000182 |         if (!ctx) return true;
000183 |
000184 |         int version = ctx.GetVersion();
000185 |
000186 |         int storedEntityStorageID;
000187 |         if (version < 43)
000188 |         {
000189 |             if (!ctx.Read(storedEntityStorageID))
000190 |                 return false;
000191 |         }
000192 |
000193 |         string type;
000194 |         if (!ctx.Read(type))
000195 |             return false;
000196 |
000197 |         m_Expansion_NetsyncData.Set(0, type);
000198 |
000199 |         if (!m_Expansion_StoredEntityGlobalID.OnStoreLoad(ctx))
000200 |             return false;
```

```
000201 |
000202 |     if (version < 43)
000203 |     {
000204 |         string oldFileName = ExpansionEntityStorageModule.GetFileName(storedEntityStorageID);
000205 |         if (FileExist(oldFileName) && CopyFile(oldFileName, Expansion_GetEntityStorageFileName()))
000206 |             DeleteFile(oldFileName);
000207 |     }
000208 |
000209 |     return true;
000210 | }
000211 | #endif
000212 |
000213 | override void AfterStoreLoad()
000214 | {
000215 |     super.AfterStoreLoad();
000216 |
000217 |     if (!Expansion_HasStoredEntity())
000218 |     {
000219 |         EXPrint(ToString() + " Deleting placeholder");
000220 |         Delete();
000221 |     }
000222 | }
000223 |
000224 | string Expansion_GetStoredEntityDisplayName()
000225 | {
000226 |     string type;
000227 |     m_Expansion_NetsyncData.Get(0, type);
000228 |     return ExpansionStatic.GetItemDisplayNameWithType(type);
000229 | }
000230 |
000231 | string Expansion_GetStoredEntityType()
000232 | {
000233 |     string type;
000234 |     m_Expansion_NetsyncData.Get(0, type);
000235 |     return type;
000236 | }
000237 |
000238 | void Expansion_SetStoredEntityData(string type, TIntArray entityGlobalID)
000239 | {
000240 |     m_Expansion_NetsyncData.Set(0, type);
000241 |     for (int i = 0; i < 4; i++)
000242 |         m_Expansion_StoredEntityGlobalID.m_ID[i] = entityGlobalID[i];
000243 | }
000244 |
000245 | static bool Expansion_StoreEntityAndReplace(EntityAI entity, string placeholderType, vector position, int iFlags = ECE_OBJECT_SWAP, out ExpansionEntityStorage
Placeholder placeholder = null, bool storeCargo = false, array<EntityAI> transferAttachments = null)
000246 | {
000247 |     string type = entity.GetType();
000248 |
000249 |     float lifetime = entity.GetLifetimeMax();
000250 |
000251 |     ExpansionGlobalID gid;
000252 |     TIntArray entityGlobalID = new TIntArray;
000253 |
000254 |     ExpansionVehicle vehicle;
000255 |     ItemBase item;
000256 |     if (ExpansionVehicle.Get(vehicle, entity))
000257 |     {
000258 |         gid = vehicle.GetGlobalID();
000259 |
000260 |         if (!gid)
000261 |         {
```

```
000262 |         Error("Vehicle doesn't have global ID: " + entity);
000263 |         return false;
000264 |     }
000265 | }
000266 | else if (Class.CastTo(item, entity))
000267 | {
000268 |     if (!item.m_Expansion_GlobalID)
000269 |         item.m_Expansion_GlobalID = new ExpansionGlobalID();
000270 |
000271 |     gid = item.m_Expansion_GlobalID;
000272 | }
000273 | else
000274 | {
000275 |     EXError.Warn(null, "Entity doesn't have trackable global ID: " + entity);
000276 |     gid = new ExpansionGlobalID();
000277 | }
000278 |
000279 | if (!gid.m_IsSet)
000280 |     gid.Acquire();
000281 |
000282 | for (int i = 0; i < 4; i++)
000283 |     entityGlobalID.Insert(gid.m_ID[i]);
000284 |
000285 | EntityAI placeholderEntity;
000286 | if (!ExpansionEntityStorageModule.SaveToFileAndReplace(entity, ExpansionEntityStorageModule.GetFileName(ExpansionStatic.IntToHex(entityGlobalID)), placeholderType, position, iFlags, placeholderEntity, storeCargo, transferAttachments))
000287 |     return false;
000288 |
000289 | if (Class.CastTo(placeholder, placeholderEntity))
000290 |     placeholder.Expansion_SetStoredEntityData(type, entityGlobalID);
000291 | else
000292 |     EXPrint("Expansion_StoreEntityAndReplace - WARNING: Couldn't cast to ExpansionEntityStoragePlaceholder " + placeholderEntity);
000293 |
000294 | if (lifetime > placeholderEntity.GetLifetimeMax())
000295 |     placeholderEntity.SetLifetimeMax(lifetime);
000296 |
000297 | return true;
000298 | }
000299 | }
000300 |
000301 | class ExpansionDebugGoat: ExpansionEntityStoragePlaceholder
000302 | {
000303 |     override void EEInit()
000304 |     {
000305 |         super.EEInit();
000306 |
000307 |         if (g_Game.IsServer())
000308 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_CreateGoatAttachment);
000309 |     }
000310 |
000311 |     override void SetActions()
000312 |     {
000313 |         super.SetActions();
000314 |
000315 |         AddAction(ExpansionActionRestoreEntity);
000316 |
000317 |         AddAction(ActionTogglePlaceObject);
000318 |         AddAction(ExpansionActionPlaceDebugGoat);
000319 |     }
000320 |
000321 |     override bool CanPutIntoHands(EntityAI parent)
000322 |     {
```

```
000323 |         return true;
000324 |     }
000325 |
000326 |     override void OnPlacementComplete(Man player, vector position = "0 0 0", vector orientation = "0 0 0")
000327 |     {
000328 |         super.OnPlacementComplete(player, position, orientation);
000329 |
000330 |     #ifndef SERVER
000331 |         ExpansionSound.Play(GetPlaceSoundset(), this);
000332 |     #endif
000333 |     }
000334 |
000335 |     override string GetPlaceSoundset()
000336 |     {
000337 |         string bleat;
000338 |
000339 |         if (Math.RandomIntInclusive(0, 1))
000340 |             bleat = "GoatBleat_A_SoundSet";
000341 |         else
000342 |             bleat = "GoatBleat_E_SoundSet";
000343 |
000344 |         return bleat;
000345 |     }
000346 |
000347 |     override string GetLoopDeploySoundset()
000348 |     {
000349 |         return "mediumtent_deploy_SoundSet";
000350 |     }
000351 |
000352 |     void Expansion_CreateGoatAttachment()
000353 |     {
000354 |         if (!FindAttachmentBySlotName("ExpansionGoat_Attachment"))
000355 |             GetInventory().CreateAttachment("ExpansionGoat_Attachment");
000356 |     }
000357 | };
000358 |
```

0238. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ExplosivesBase.c

Size bytes: 301

SHA-256: f25a4648537aadf8182de2fc5c81fc05da5fa187d95eac9d8f51a05a06aa208a

Decoded as: utf-8-sig

Line count shown: 21

Detected class declarations: 1

L1: modded class ExplosivesBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L3: override TStringArray Expansion_GetAmmoTypes()

L8: override bool Expansion_IsDanger()

L10: return Expansion_IsLive();

L13: bool Expansion_IsLive()

Full file content

```
000001 | modded class ExplosivesBase
000002 | {
000003 |     override TStringArray Expansion_GetAmmoTypes()
000004 |     {
000005 |         return m_AmmoTypes;
000006 |     }
000007 |
000008 |     override bool Expansion_IsDanger()
000009 |     {
000010 |         return Expansion_IsLive();
000011 |     }
000012 |
000013 |     bool Expansion_IsLive()
000014 |     {
000015 |         if (GetArmed() && !GetDefused())
000016 |             return true;
000017 |
000018 |         return false;
000019 |     }
000020 | };
000021 |
```

0239. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Expansion_LobotomyDartGun.c

Size bytes: 1458

SHA-256: 1b009c07fcfa1ccd192a06945f4393b7494310bcbdf4e9e6227a2c1ae71f4064

Decoded as: utf-8-sig

Line count shown: 61

Detected class declarations: 3

L13: class Expansion_LobotomyDartGun: FNX45_Base

L29: class Expansion_LobotomyDartGun_Debug: Expansion_LobotomyDartGun

L58: class Mag_Expansion_LobotomyDart: Mag_FNX45_15Rnd

Detected enum declarations: 0

Detected function/method-like declarations: 4

L15: override void SetActions()

L23: override void OnDebugSpawn()

L32: void Expansion_LobotomyDartGun_Debug()

L38: override void EEFired(int muzzleType, int mode, string ammoType)

Full file content

```
000001 | /**
000002 |  * Expansion_LobotomyDartGun.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class Expansion_LobotomyDartGun: FNX45_Base
000014 | {
000015 |     override void SetActions()
000016 |     {
000017 |         super.SetActions();
000018 |         RemoveAction(FirearmActionMechanicManipulate);
000019 |         RemoveAction(ActionTurnOnWeaponFlashlight);
000020 |         RemoveAction(ActionTurnOffWeaponFlashlight);
000021 |     }
000022 |
000023 |     override void OnDebugSpawn()
000024 |     {
000025 |         SpawnAttachedMagazine("Mag_Expansion_LobotomyDart");
000026 |     }
000027 | };
000028 |
000029 | class Expansion_LobotomyDartGun_Debug: Expansion_LobotomyDartGun
000030 | {
000031 |     #ifdef DIAG_DEVELOPER
000032 |         void Expansion_LobotomyDartGun_Debug()
000033 |         {
000034 |             if (g_Game.IsServer())
000035 |                 SetAllowDamage(false);
000036 |         }
000037 |
000038 |         override void EEFired(int muzzleType, int mode, string ammoType)
000039 |         {
000040 |             super.EEFired(muzzleType, mode, ammoType);
000041 |         }
```

```
000042 |      //!< Always have unlimited ammo, even if vanilla debug option is disabled
000043 |      if ((ItemBase.GetDebugActionsMask() & DebugActionType.UNLIMITED_AMMO) == 0)
000044 |      {
000045 |          Magazine magazine = GetMagazine(GetCurrentMuzzle());
000046 |          if (magazine)
000047 |          {
000048 |              if (g_Game.IsServer())
000049 |                  magazine.ServerSetAmmoMax();
000050 |              else
000051 |                  magazine.LocalSetAmmoMax();
000052 |          }
000053 |      }
000054 |  }
000055 | #endif
000056 | }
000057 |
000058 | class Mag_Expansion_LobotomyDart: Mag_FNX45_15Rnd
000059 | {
000060 | }
000061 |
```

0240. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\FSM\States\WeaponStableState.c

Size bytes: 1459

SHA-256: 1be78f37812e23682b2629ea52708a46f2d1557c6434c92c8830127a3794c04d

Decoded as: utf-8-sig

Line count shown: 37

Detected class declarations: 1

L1: modded class WeaponStableState

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override void SyncAnimState()

Full file content

```
000001 | modded class WeaponStableState
000002 | {
000003 |     override void SyncAnimState()
000004 |     {
000005 |         //!< DayZ 1.24 changed p from DayZPlayer to PlayerBase
000006 |         ExpansionNotPlayerBase p;
000007 |         if (Class.CastTo(p, m_weapon.GetHierarchyParent()))
000008 |         {
000009 |             //!< Almost verbatim copy of vanilla except we use GetHumanInventory().GetEntityInHands() instead of GetItemInHands()
000010 |             int curr = m_weapon.GetWeaponAnimState();
000011 |             if (curr != m_animState)
000012 |             {
000013 |                 if (p.GetHumanInventory().GetEntityInHands() == m_weapon)
000014 |                 {
000015 |                     HumanCommandWeapons hcw = p.GetCommandModifier_Weapons();
000016 |                     if (hcw)
000017 |                     {
000018 |                         hcw.SetInitState(m_animState);
000019 |                         if (LogManager.IsWeaponLogEnable()) fsmDebugSpam("[wpnfsm] " + Object.GetDebugName(m_weapon) + " state=" + m_weapon.GetCurrentState().Type
() + " synchronized anim state: " + typename.EnumToString(PistolAnimState, curr) + " --> " + typename.EnumToString(PistolAnimState, m_animState));
000020 |                     }
000021 |                     else
000022 |                     {
000023 |                         Human wpnOwner = Human.Cast(m_weapon.GetHierarchyRootPlayer());
000024 |                         HumanCommandWeapons.StaticSetInitState(wpnOwner, m_animState);
000025 |                         if (LogManager.IsWeaponLogEnable()) fsmDebugSpam("[wpnfsm] " + Object.GetDebugName(m_weapon) + " state=" + m_weapon.GetCurrentState().Type
() + " synchronized remote anim state: " + typename.EnumToString(PistolAnimState, curr) + " --> " + typename.EnumToString(PistolAnimState, m_animState));
000026 |                     }
000027 |                 }
000028 |                 m_weapon.SetWeaponAnimState(m_animState);
000029 |             }
000030 |
000031 |             return;
000032 |         }
000033 |
000034 |         super.SyncAnimState();
000035 |     }
000036 | }
000037 |
```


0241. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\Weapon_Base.c
Size bytes: 14677
SHA-256: 74a7680803674315d8d90d63ee29e98f71075f4573b365e72621895213e05c98
Decoded as: utf-8-sig
Line count shown: 539
Detected class declarations: 2
  L25: class ExpansionWeaponInfo
  L143: modded class Weapon_Base
Detected enum declarations: 1
  L13: enum ExpansionWeaponType
Detected function/method-like declarations: 41
  L38: void ExpansionWeaponInfo(Weapon_Base weapon)
  L108: else if (weapon.IsKindOf("Pistol_Base"))
  L112: else if (weapon.IsKindOf("Shotgun_Base") || m_ChamberableFrom.Find("Ammo_12gaPellets") > -1)
  L116: else if (m_ReloadTimeMin < 0.1 && (m_FireModes.Contains(ExpansionFireMode.FullAuto) || m_FireModes.Contains(ExpansionFireMode.Burst)))
  L123: else if (weapon.ShootsExplosiveAmmo())
  L127: else if (m_AvgDmg >= 110 && weapon.GetMuzzleCount() == 1 && weapon.Expansion_HasAttachmentSlot(OPTICS))
  L150: void Weapon_Base()
  L163: void ~Weapon_Base()
  L177: override void AfterStoreLoad()
  L185: override void OnVariablesSynchronized()
  L192: override void EEItemAttached(EntityAI item, string slot_name)
  L200: override void EEItemDetached(EntityAI item, string slot_name)
  L208: bool Expansion_IsDelayedValidationTimerRunning()
  L216: void Expansion_CheckDelayedValidateAndRepair(string name)
  L232: void Expansion_DelayedValidateAndRepair(string name)
  L245: void Expansion_ValidateAndRepair(string name)
  L251: void Expansion_UpdateFireMode()
  L276: override float Expansion_GetDPS()
  L284: float Expansion_GetCurrentDPS()
  L294: float Expansion_GetAvgDmgPerShot()
  L299: ExpansionWeaponType Expansion_GetWeaponType()
  L307: bool Expansion_IsCompatibleMag(int muzzleIndex, Magazine mag)
  L314: else if (TestAttachMagazine(muzzleIndex, mag, false, true))
  L323: int ExpansionGetMagAttachedFSMStateID()
  L351: else if ( IsChamberJammed( mi ) )
  L361: else if ( IsChamberJammed( mi ) )
  L363: else if ( IsChamberFiredOut( mi ) )
  L374: else if ( IsChamberJammed( mi ) )
  L383: else if ( IsChamberJammed( mi ) )
  L397: bool Expansion_IsChambered()
  L401: return Expansion_IsChambered(mi);
  L404: bool Expansion_IsChambered(int mi)
  L412: bool Expansion_HasAmmo(out Magazine mag = null)
  L427: int Expansion_GetMagazineAmmoCount(out Magazine mag = null)
  L431: return Expansion_GetMagazineAmmoCount(mi, mag);
  L434: int Expansion_GetMagazineAmmoCount(int mi, out Magazine mag = null)
  L437: return GetInternalMagazineCartridgeCount(mi);
  L457: bool Expansion_SetFireMode(ExpansionFireMode fireMode, out bool changed = false)
  L491: override void OnFireModeChange(int fireMode)
  L512: ExpansionFireMode Expansion_GetFireMode()
  L529: void Expansion_ResetMuzzleModes()
```

Full file content

```
000001 | /**
000002 |  * Weapon_Base.c
000003 |  *
000004 |  * DayZ Expansion Mod
```

```
000005 | * www.dayzexpansion.com
000006 | * © 2022 DayZ Expansion Mod Team
000007 | *
000008 | * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 | * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 | *
000011 | */
000012 |
000013 | enum ExpansionWeaponType
000014 | {
000015 |     Handgun,
000016 |     Shotgun,
000017 |     Submachinegun,
000018 |     Assault,
000019 |     Marksman,
000020 |     GenericRifle,
000021 |     Launcher,
000022 |     Archery
000023 | };
000024 |
000025 | class ExpansionWeaponInfo
000026 | {
000027 |     static ref TStringArray OPTICS = {"weaponOptics", "weaponOpticsAK", "weaponOpticsAug", "weaponOpticsHunting", "weaponOpticsMosin", "ExpansionSniperOptics"};
000028 |
000029 |     ref map<ExpansionFireMode, int> m_FireModes = new map<ExpansionFireMode, int>();
000030 |     ref TStringArray m_ChamberableFrom = {};
000031 |     float m_AvgDmg;
000032 |     float m_ReloadTimeMin = float.MAX;
000033 |     float m_DPS;
000034 |     int m_FireRate; //! rounds per second
000035 |     bool m_AutoReload;
000036 |     ExpansionWeaponType m_WeaponType;
000037 |
000038 |     void ExpansionWeaponInfo(Weapon_Base weapon)
000039 |     {
000040 |         string type = weapon.GetType();
000041 |
000042 |         //! Fire modes
000043 |         TStringArray modes = {};
000044 |         weapon.ConfigGetTextArray("modes", modes);
000045 |         foreach (int i, string mode: modes)
000046 |         {
000047 |             ExpansionFireMode fireMode = typename.StringToEnum(ExpansionFireMode, mode);
000048 |             if (fireMode != -1)
000049 |             {
000050 |                 float reloadTime = g_Game.ConfigGetFloat(CFG_WEAPONSPATH + " " + type + " " + mode + " reloadTime");
000051 |                 if (reloadTime > 0.0 && reloadTime < m_ReloadTimeMin)
000052 |                     m_ReloadTimeMin = reloadTime;
000053 |                 #ifdef DIAG_DEVELOPER
000054 |                     EXTrace.Print(EXTrace.WEAPONS, null, type + " mode " + mode + " reload time " + reloadTime);
000055 |                 #endif
000056 |                 m_FireModes[fireMode] = i;
000057 |
000058 |                 switch (fireMode)
000059 |                 {
000060 |                     case ExpansionFireMode.Burst:
000061 |                     case ExpansionFireMode.FullAuto:
000062 |                     case ExpansionFireMode.SemiAuto:
000063 |                         m_AutoReload = true;
000064 |                         break;
000065 |                 }
000066 |             }
000066 |         }
```

```
000067 |     }
000068 |
000069 |     //! Compatible ammo
000070 |     weapon.ConfigGetTextArray("chamberableFrom", m_ChamberableFrom);
000071 |
000072 |     //! Avg dmg
000073 |     string bulletType;
000074 |     float dmg;
000075 |     int count;
000076 |     foreach (string ammoType: m_ChamberableFrom)
000077 |     {
000078 |         if (g_Game.ConfigGetText(CFG_MAGAZINESPATH + " " + ammoType + " ammo", bulletType))
000079 |         {
000080 |             dmg = g_Game.ConfigGetFloat(CFG_AMMO + " " + bulletType + " DamageApplied Health damage");
000081 |             if (dmg > 0.0)
000082 |             {
000083 |                 m_AvgDmg += dmg;
000084 |                 count++;
000085 |             }
000086 |         }
000087 |     }
000088 |     if (count > 0)
000089 |         m_AvgDmg /= count;
000090 |
000091 |     //! DPS
000092 |     if (m_AvgDmg > 0 && m_ReloadTimeMin < float.MAX && m_AutoReload)
000093 |     {
000094 |         m_DPS = m_AvgDmg / m_ReloadTimeMin;
000095 |         m_FireRate = m_DPS / m_AvgDmg;
000096 |     }
000097 |     else
000098 |     {
000099 |         m_DPS = m_AvgDmg;
000100 |         m_FireRate = 1;
000101 |     }
000102 |
000103 |     //! Weapon type
000104 |     if (weapon.IsInherited(Archery_Base))
000105 |     {
000106 |         m_WeaponType = ExpansionWeaponType.Archery;
000107 |     }
000108 |     else if (weapon.IsKindOf("Pistol_Base"))
000109 |     {
000110 |         m_WeaponType = ExpansionWeaponType.Handgun;
000111 |     }
000112 |     else if (weapon.IsKindOf("Shotgun_Base") || m_ChamberableFrom.Find("Ammo_12gaPellets") > -1)
000113 |     {
000114 |         m_WeaponType = ExpansionWeaponType.Shotgun;
000115 |     }
000116 |     else if (m_ReloadTimeMin < 0.1 && (m_FireModes.Contains(ExpansionFireMode.FullAuto) || m_FireModes.Contains(ExpansionFireMode.Burst)))
000117 |     {
000118 |         if (m_AvgDmg < 75) //! Use Bullet_9x39 health dmg as threshold
000119 |             m_WeaponType = ExpansionWeaponType.Submachinegun;
000120 |         else
000121 |             m_WeaponType = ExpansionWeaponType.Assault;
000122 |     }
000123 |     else if (weapon.ShootsExplosiveAmmo())
000124 |     {
000125 |         m_WeaponType = ExpansionWeaponType.Launcher;
000126 |     }
000127 |     else if (m_AvgDmg >= 110 && weapon.GetMuzzleCount() == 1 && weapon.Expansion_HasAttachmentSlot(OPTICS))
000128 |     {
```

```
000129 |         //!< @note SSG-82 creates SSG820ptic on weaponOpticsAug slot during init
000130 |         m_WeaponType = ExpansionWeaponType.Marksman;
000131 |     }
000132 |     else
000133 |     {
000134 |         m_WeaponType = ExpansionWeaponType.GenericRifle;
000135 |     }
000136 |
000137 | #ifdef DIAG_DEVELOPER
000138 |     EXTrace.Print(EXTrace.WEAPONS, null, type + " " + typename.EnumToString(ExpansionWeaponType, m_WeaponType) + " avg dmg " + m_AvgDmg + " DPS " + m_DPS);
000139 | #endif
000140 | }
000141 | }
000142 |
000143 | modded class Weapon_Base
000144 | {
000145 |     static ref map<string, ref ExpansionWeaponInfo> s_Expansion_WeaponInfo = new map<string, ref ExpansionWeaponInfo>();
000146 |     ref ExpansionWeaponInfo m_Expansion_WeaponInfo;
000147 |
000148 |     int m_Expansion_FireModeIndexSync;
000149 |
000150 |     void Weapon_Base()
000151 |     {
000152 |         string type = GetType();
000153 |
000154 |         if (!s_Expansion_WeaponInfo.Find(type, m_Expansion_WeaponInfo))
000155 |         {
000156 |             m_Expansion_WeaponInfo = new ExpansionWeaponInfo(this);
000157 |             s_Expansion_WeaponInfo[type] = m_Expansion_WeaponInfo;
000158 |         }
000159 |
000160 |         RegisterNetSyncVariableInt("m_Expansion_FireModeIndexSync", 0, 15);
000161 |     }
000162 |
000163 |     void ~Weapon_Base()
000164 |     {
000165 |         if (!g_Game)
000166 |             return;
000167 |
000168 |         //!< MagDetached also fires if the weapon is deleted; we cannot detect that beforehand on client, only after-the-fact
000169 |         //!< and remove the queued call to Expansion_ValidateAndRepair
000170 |         if (m_fsm && m_fsm.m_Expansion_ValidateAndRepairQueued)
000171 |         {
000172 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_ValidateAndRepair);
000173 |             m_fsm.m_Expansion_ValidateAndRepairQueued = "";
000174 |         }
000175 |     }
000176 |
000177 |     override void AfterStoreLoad()
000178 |     {
000179 |         super.AfterStoreLoad();
000180 |
000181 |         m_Expansion_FireModeIndexSync = GetCurrentMode(GetCurrentMuzzle());
000182 |         SetSynchDirty();
000183 |     }
000184 |
000185 |     override void OnVariablesSynchronized()
000186 |     {
000187 |         super.OnVariablesSynchronized();
000188 |
000189 |         Expansion_UpdateFireMode();
000190 |     }
```

```
000191 |
000192 | override void EEItemAttached(EntityAI item, string slot_name)
000193 | {
000194 |     super.EEItemAttached(item, slot_name);
000195 |
000196 |     if (item.IsMagazine())
000197 |         Expansion_CheckDelayedValidateAndRepair("MagAttached");
000198 | }
000199 |
000200 | override void EEItemDetached(EntityAI item, string slot_name)
000201 | {
000202 |     super.EEItemDetached(item, slot_name);
000203 |
000204 |     if (item.IsMagazine())
000205 |         Expansion_CheckDelayedValidateAndRepair("MagDetached");
000206 | }
000207 |
000208 | bool Expansion_IsDelayedValidationTimerRunning()
000209 | {
000210 |     if (m_DelayedValidationTimer)
000211 |         return m_DelayedValidationTimer.IsRunning();
000212 |
000213 |     return false;
000214 | }
000215 |
000216 | void Expansion_CheckDelayedValidateAndRepair(string name)
000217 | {
000218 |     if (!g_Game.IsDedicatedServer() && IsInitialized() && !IsSetForDeletion())
000219 |     {
000220 |         ///! Delayed validate and repair for AI - fixes occasional state mismatch that vanilla doesn't deal with
000221 |         PlayerBase player;
000222 |         if (Class.CastTo(player, GetHierarchyRootPlayer()) && player.GetInstanceType() == DayZPlayerInstanceType.INSTANCETYPE_AI_REMOTE)
000223 |         {
000224 |             ///! MagAttached also fires if the gun was newly created in inventory; we can detect that by checking if the vanilla
000225 |             ///! validation timer is running which fires OnInventoryEnter
000226 |             if (!Expansion_IsDelayedValidationTimerRunning())
000227 |                 Expansion_DelayedValidateAndRepair(name);
000228 |         }
000229 |     }
000230 | }
000231 |
000232 | void Expansion_DelayedValidateAndRepair(string name)
000233 | {
000234 |     if (m_fsm)
000235 |     {
000236 |         ///! Always remove any existing queued call and queue new call
000237 |         if (m_fsm.m_Expansion_ValidateAndRepairQueued)
000238 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_ValidateAndRepair);
000239 |
000240 |         m_fsm.m_Expansion_ValidateAndRepairQueued = name;
000241 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_ValidateAndRepair, 3000, false, name);
000242 |     }
000243 | }
000244 |
000245 | void Expansion_ValidateAndRepair(string name)
000246 | {
000247 |     if (m_fsm)
000248 |         m_fsm.Expansion_ValidateAndRepair(name);
000249 | }
000250 |
000251 | void Expansion_UpdateFireMode()
000252 | {
```

```
000253 |         int muzzleCount = GetMuzzleCount();
000254 |         bool changed;
000255 |
000256 |         for (int muzzleIndex = 0; muzzleIndex < muzzleCount; muzzleIndex++)
000257 |         {
000258 |             int mode = GetCurrentMode(muzzleIndex);
000259 |
000260 |             #ifdef DIAG_DEVELOPER
000261 |                 EXTrace.Print(EXTrace.WEAPONS, this, "Expansion_UpdateFireMode muzzle=" + muzzleIndex + " mode=" + mode + " m_Expansion_FireModeIndexSync=" + m_Expansion_FireModeIndexSync);
000262 |             #endif
000263 |
000264 |             //! @note there will only ever be mismatch if firemode wasn't changed by a player (e.g. AI)
000265 |             if (mode != m_Expansion_FireModeIndexSync)
000266 |             {
000267 |                 SetCurrentMode(muzzleIndex, m_Expansion_FireModeIndexSync);
000268 |                 changed = true;
000269 |             }
000270 |         }
000271 |
000272 |         if (changed)
000273 |             OnFireModeChange(m_Expansion_FireModeIndexSync);
000274 |     }
000275 |
000276 |     override float Expansion_GetDPS()
000277 |     {
000278 |         return m_Expansion_WeaponInfo.m_DPS;
000279 |     }
000280 |
000281 |     /**
000282 |     * @brief return current DPS capability of the weapon (depending on presence of mag)
000283 |     */
000284 |     float Expansion_GetCurrentDPS()
000285 |     {
000286 |         int mi = GetCurrentMuzzle();
000287 |
000288 |         if (!HasInternalMagazine(mi) && !GetMagazine(mi))
000289 |             return m_Expansion_WeaponInfo.m_AvgDmg;
000290 |
000291 |         return m_Expansion_WeaponInfo.m_DPS;
000292 |     }
000293 |
000294 |     float Expansion_GetAvgDmgPerShot()
000295 |     {
000296 |         return m_Expansion_WeaponInfo.m_AvgDmg;
000297 |     }
000298 |
000299 |     ExpansionWeaponType Expansion_GetWeaponType()
000300 |     {
000301 |         return m_Expansion_WeaponInfo.m_WeaponType;
000302 |     }
000303 |
000304 |     /**
000305 |     * @brief check if mag or ammo pile is compatible with weapon
000306 |     */
000307 |     bool Expansion_IsCompatibleMag(int muzzleIndex, Magazine mag)
000308 |     {
000309 |         if (mag.IsAmmoPile())
000310 |         {
000311 |             if (CanChamberFromMag(muzzleIndex, mag))
000312 |                 return true;
000313 |         }
```

```
000314 |         else if (TestAttachMagazine(muzzleIndex, mag, false, true))
000315 |         {
000316 |             return true;
000317 |         }
000318 |
000319 |         return false;
000320 |     }
000321 |
000322 |     ///! Return -1 on unknown state
000323 |     int ExpansionGetMagAttachedFSMStateID()
000324 |     {
000325 |         ///! https://feedback.bistudio.com/T149240
000326 |
000327 |         ///! BU0 = no bullet
000328 |         ///! BU1 = bullet in chamber
000329 |         ///! BUF = fired out bullet cartridge in chamber
000330 |         ///! MA0 = no magazine present
000331 |         ///! MA1 = magazine present
000332 |
000333 |         int stateId = -1;
000334 |
000335 |         int mi = GetCurrentMuzzle();
000336 |
000337 |         if ( IsInherited( SKS_Base ) )
000338 |         {
000339 |         } else if ( IsInherited( BoltActionRifle_InnerMagazine_Base ) )
000340 |         {
000341 |             ///! E.g. Mosin, Winchester 70
000342 |         } else if ( IsInherited( DoubleBarrel_Base ) )
000343 |         {
000344 |         } else if ( IsInherited( Magnum_Base ) )
000345 |         {
000346 |             //stateId = MagnumStableStateID.DEFAULT;
000347 |         } else if ( IsInherited( Pistol_Base ) )
000348 |         {
000349 |             if ( IsChamberEmpty( mi ) )
000350 |                 stateId = PistolStableStateID.CLO_DIS_BU0_MA1;
000351 |             else if ( IsChamberJammed( mi ) )
000352 |                 stateId = PistolStableStateID.CLO_JAM_BU1_MA1;
000353 |             else
000354 |                 stateId = PistolStableStateID.CLO_CHG_BU1_MA1;
000355 |             ///! DayZ 1.16 or above
000356 |         } else if ( IsInherited( BoltActionRifle_ExternalMagazine_Base ) )
000357 |         {
000358 |             ///! E.g. CZ527, Scout
000359 |             if ( IsChamberEmpty( mi ) )
000360 |                 stateId = BAREMStableStateID.BAREM_CLO_BU0_MA1;
000361 |             else if ( IsChamberJammed( mi ) )
000362 |                 stateId = BAREMStableStateID.BAREM_JAM_BU1_MA1;
000363 |             else if ( IsChamberFiredOut( mi ) )
000364 |                 stateId = BAREMStableStateID.BAREM_CLO_BUF_MA1;
000365 |             else
000366 |                 stateId = BAREMStableStateID.BAREM_CLO_BU1_MA1;
000367 |         } else if ( IsInherited( Repeater_Base ) )
000368 |         {
000369 |         } else if ( IsInherited( RifleBoltFree_Base ) )
000370 |         {
000371 |             ///! E.g. AKM, Sporter 22, Saiga, MP5, VSS
000372 |             if ( IsChamberEmpty( mi ) )
000373 |                 stateId = RBFStableStateID.RBF_CLO_BU0_MA1;
000374 |             else if ( IsChamberJammed( mi ) )
000375 |                 stateId = RBFStableStateID.RBF_JAM_BU1_MA1;
```

```
000376 |         else
000377 |             stateId = RBFStableStateID.RBF_CLO_BU1_MA1;
000378 |     } else if ( IsInherited( RifleBoltLock_Base ) )
000379 |     {
000380 |         ///! E.g. FAL, M4A1, SVD, CZ61, UMP-45
000381 |         if ( IsChamberEmpty( mi ) )
000382 |             stateId = RBLStableStateID.RBL_CLO_BU0_MA1;
000383 |         else if ( IsChamberJammed( mi ) )
000384 |             stateId = RBLStableStateID.RBL_JAM_BU1_MA1;
000385 |         else
000386 |             stateId = RBLStableStateID.RBL_CLO_BU1_MA1;
000387 |     } else if ( IsInherited( RifleSingleShot_Base ) )
000388 |     {
000389 |         ///! e.g. Izh-18
000390 |     } else if ( IsInherited( Mp133Shotgun_Base ) )
000391 |     {
000392 |     }
000393 |
000394 |     return stateId;
000395 | }
000396 |
000397 | bool Expansion_IsChambered()
000398 | {
000399 |     int mi = GetCurrentMuzzle();
000400 |
000401 |     return Expansion_IsChambered(mi);
000402 | }
000403 |
000404 | bool Expansion_IsChambered(int mi)
000405 | {
000406 |     if (!IsChamberEmpty(mi) && !IsChamberFiredOut(mi))
000407 |         return true;
000408 |
000409 |     return false;
000410 | }
000411 |
000412 | bool Expansion_HasAmmo(out Magazine mag = null)
000413 | {
000414 |     mag = null;
000415 |
000416 |     int mi = GetCurrentMuzzle();
000417 |
000418 |     if (!IsChamberEmpty(mi) && !IsChamberFiredOut(mi))
000419 |         return true;
000420 |
000421 |     if (Expansion_GetMagazineAmmoCount(mi, mag) > 0)
000422 |         return true;
000423 |
000424 |     return false;
000425 | }
000426 |
000427 | int Expansion_GetMagazineAmmoCount(out Magazine mag = null)
000428 | {
000429 |     int mi = GetCurrentMuzzle();
000430 |
000431 |     return Expansion_GetMagazineAmmoCount(mi, mag);
000432 | }
000433 |
000434 | int Expansion_GetMagazineAmmoCount(int mi, out Magazine mag = null)
000435 | {
000436 |     if (HasInternalMagazine(mi))
000437 |         return GetInternalMagazineCartridgeCount(mi);
```



```

000438 |
000439 |     mag = GetMagazine(mi);
000440 |     if (mag)
000441 |         return mag.GetAmmoCount();
000442 |
000443 |     return 0;
000444 | }
000445 |
000446 | /**
000447 |  * @brief Set fire mode for all muzzles
000448 |  *
000449 |  * @param fireMode
000450 |  * @param [out] changed true if fire mode was changed on at least one muzzle
000451 |  *
000452 |  * @return true if fire mode is valid
000453 |  *
000454 |  * @note Expansion fire mode enum is NOT the same as fire mode index used by SetCurrentMode/GetCurrentMode,
000455 |  * so translation between the two is handled.
000456 |  */
000457 | bool Expansion_SetFireMode(ExpansionFireMode fireMode, out bool changed = false)
000458 | {
000459 |     int fireModeIndex;
000460 |     if (!m_Expansion_WeaponInfo.m_FireModes.Find(fireMode, fireModeIndex))
000461 |         return false;
000462 |
000463 |     int muzzleCount = GetMuzzleCount();
000464 |
000465 |     for (int muzzleIndex = 0; muzzleIndex < muzzleCount; muzzleIndex++)
000466 |     {
000467 |         if (GetCurrentMode(muzzleIndex) != fireModeIndex)
000468 |         {
000469 |             #ifdef DIAG_DEVELOPER
000470 |                 EXTrace.Print(EXTrace.WEAPONS, this, "::Expansion_SetFireMode - setting muzzle " + muzzleIndex + " mode " + typename.EnumToString(ExpansionFireMod
000471 | e, fireMode));
000472 |             #endif
000473 |             SetCurrentMode(muzzleIndex, fireModeIndex);
000474 |             changed = true;
000475 |         }
000476 |     }
000477 |
000478 |     if (changed)
000479 |     {
000480 |         OnFireModeChange(fireModeIndex);
000481 |         #ifdef SERVER
000482 |             Synchronize();
000483 |         #endif
000484 |     }
000485 |
000486 |     return true;
000487 | }
000488 |
000489 | /// @note called by engine when changing mode with SetNextMuzzleMode, on both client+server if player was initiating (client gets called first),
000490 | /// but needs to be called explicitly if firemode is changed in other ways.
000491 | /// We also need to make sure to always sync firemode index to client.
000492 | override void OnFireModeChange(int fireMode)
000493 | {
000494 |     #ifdef EXTRACE_DIAG
000495 |         auto trace = EXTrace.StartStack(EXTrace.WEAPONS, this, "fireMode=" + fireMode);
000496 |     #endif
000497 |
000498 |     super.OnFireModeChange(fireMode);
000499 | }

```

```
000499 |         m_Expansion_FireModeIndexSync = fireMode;
000500 |
000501 |     #ifdef SERVER
000502 |         SetSynchDirty();
000503 |     #else
000504 |     #ifdef DIAG_DEVELOPER
000505 |         Man player = GetHierarchyRootPlayer();
000506 |         string msg = string.Format("%1 %2<%3> fireMode %4", player, GetType(), ExpansionStatic.GetInstanceID(this), fireMode);
000507 |         g_Game.Chat(msg, "colorAction");
000508 |     #endif
000509 |     #endif
000510 | }
000511 |
000512 | ExpansionFireMode Expansion_GetFireMode()
000513 | {
000514 |     int muzzleIndex = GetCurrentMuzzle();
000515 |     int mode = GetCurrentMode(muzzleIndex);
000516 |     foreach (ExpansionFireMode fireMode, int i: m_Expansion_WeaponInfo.m_FireModes)
000517 |     {
000518 |         if (mode == i)
000519 |         {
000520 |             #ifdef DIAG_DEVELOPER
000521 |                 EXTrace.Print(EXTrace.WEAPONS, this, "::Expansion_GetFireMode - current mode " + typename.EnumToString(ExpansionFireMode, fireMode));
000522 |             #endif
000523 |             return fireMode;
000524 |         }
000525 |     }
000526 |     return ExpansionFireMode.INVALID;
000527 | }
000528 |
000529 | void Expansion_ResetMuzzleModes()
000530 | {
000531 |     int muzzleCount = GetMuzzleCount();
000532 |
000533 |     for (int i = 0; i < muzzleCount; i++)
000534 |     {
000535 |         SetCurrentMode(i, 0);
000536 |     }
000537 | }
000538 | }
000539 |
```

0242. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Firearms\WeaponFSM.c
Size bytes: 4728
SHA-256: dc0d5d97890259c5c556c197cee66304105a277cee62c088319d54e706038d76
Decoded as: utf-8-sig
Line count shown: 138
Detected class declarations: 1
  L13: modded class WeaponFSM
Detected enum declarations: 0
Detected function/method-like declarations: 3
  L20: override protected bool ValidateAndRepairHelper(Weapon_Base weapon, string name, bool stateCondition, bool gunCondition, WeaponEventBase e1,
  L93: bool Expansion_ValidateAndRepair(string name)
  L111: else if (state.IsRepairEnabled())
```

Full file content

```
000001 | /**
000002 |  * WeaponFSM.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class WeaponFSM
000014 | {
000015 |     string m_Expansion_ValidateAndRepairQueued;
000016 |
000017 |     //! This is just here so that our custom ErrorEx string including owner is used,
000018 |     //! and queued calls to Expansion_ValidateAndRepair are removed.
000019 |     //! Other than that, this is exactly equivalent to vanilla ValidateAndRepairHelper
000020 |     override protected bool ValidateAndRepairHelper(Weapon_Base weapon, string name, bool stateCondition, bool gunCondition, WeaponEventBase e1, WeaponEventBase e
2, out WeaponStableState state)
000021 |     {
000022 |         if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + weapon.GetDebugName(weapon) + " ValidateAndRepair - " + name + " - " + m_State + " - sta
te: " + stateCondition + " & weapon: " + gunCondition); }
000023 |
000024 |         if (m_Expansion_ValidateAndRepairQueued)
000025 |         {
000026 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(weapon.Expansion_ValidateAndRepair);
000027 |             m_Expansion_ValidateAndRepairQueued = "";
000028 |         }
000029 |
000030 |         if (stateCondition != gunCondition)
000031 |         {
000032 |             WeaponStableState repairedState;
000033 |
000034 |             // Seeing this message is not T00 bad, it is mostly informative
000035 |             // It is simply being listed in the logs to identify how much the FSM state and weapon state still desyncs
000036 |             // Which can be because of a myriad of causes, such as incorrectly set up transitions
000037 |             // Or simply certain timings of certain actions or interrupts lined up perfectly, which can have repro rates such as 1/300
000038 |             ErrorEx(string.Format("[wpnfsm] ValidateAndRepair Attempting to repair: %1 (owner %2) - %3 - %4 - state: %5 != weapon: %6",
000039 |                 weapon.GetDebugName(weapon), weapon.GetHierarchyRootPlayer(), name, m_State, stateCondition, gunCondition), ErrorExSeverity.INFO);
000040 |
000041 |             if (e1 && e2)
000042 |                 repairedState = ValidateAndRepairStateFinder(gunCondition, e1, e2, state);
```

```
000043 |
000044 |         if (repairedState)
000045 |         {
000046 |             Terminate();
000047 |             m_State = repairedState;
000048 |             Start(null, true);
000049 |             state = repairedState;
000050 |             weapon.SyncSelectionState(state.HasBullet(), state.HasMagazine());
000051 |             repairedState.SyncAnimState();
000052 |
000053 |             if (LogManager.IsWeaponLogEnable()) { wpnDebugPrint("[wpnfsm] " + weapon.GetDebugName(weapon) + " ValidateAndRepair - " + name + " - Result - " +
m_State); }
000054 |             return true;
000055 |         }
000056 |     else
000057 |     {
000058 |         // Last ditch effort
000059 |         if (m_SynchronizeAttempts < MAX_SYNCHRONIZE_ATTEMPTS)
000060 |         {
000061 |             int currentTime = g_Game.GetTime();
000062 |             int timeDiff = currentTime - m_LastSynchronizeTime;
000063 |
000064 |             // Careful with calling synchronize
000065 |             if (timeDiff > MIN_SYNCHRONIZE_INTERVAL)
000066 |             {
000067 |                 // If a lot of time passed since last attempt
000068 |                 // There is a possibility the weapon was fixed for a period
000069 |                 if (timeDiff > RESET_SYNCHRONIZE_THRESHOLD)
000070 |                     m_SynchronizeAttempts = 0;
000071 |
000072 |                 // Only call this on server or in SP
000073 |                 // Synchronize will ask the server for its FSM state anyways
000074 |                 if (g_Game.IsServer())
000075 |                     weapon.RandomizeFSMState();
000076 |
000077 |                 weapon.Synchronize();
000078 |
000079 |                 ++m_SynchronizeAttempts;
000080 |                 m_LastSynchronizeTime = currentTime;
000081 |             }
000082 |         }
000083 |     else
000084 |     {
000085 |         OnFailThresholdBreachd(weapon, name, stateCondition, gunCondition);
000086 |     }
000087 | }
000088 | }
000089 |
000090 | return false;
000091 | }
000092 |
000093 | bool Expansion_ValidateAndRepair(string name)
000094 | {
000095 |     m_Expansion_ValidateAndRepairQueued = "";
000096 |
000097 |     WeaponStableState state = WeaponStableState.Cast(m_State);
000098 |     Weapon_Base weapon;
000099 |     Man owner;
000100 |     if (state)
000101 |     {
000102 |         weapon = state.m_weapon;
000103 |         owner = weapon.GetHierarchyRootPlayer();
```

```
000104 |  
000105 |         if (super.Internal_ValidateAndRepair())  
000106 |         {  
000107 |             EXError.Info(this, string.Format("Repaired state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000108 |             return true;  
000109 |         }  
000110 |     #ifdef DIAG_DEVELOPER  
000111 |         else if (state.IsRepairEnabled())  
000112 |         {  
000113 |             EXError.Info(this, string.Format("Validated state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000114 |         }  
000115 |         else  
000116 |         {  
000117 |             EXError.Info(this, string.Format("Skipped validating state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000118 |         }  
000119 |     #endif  
000120 |     }  
000121 | #ifdef DIAG_DEVELOPER  
000122 |     else  
000123 |     {  
000124 |         WeaponStateBase baseState = WeaponStateBase.Cast(m_State);  
000125 |         if (baseState)  
000126 |         {  
000127 |             weapon = baseState.m_weapon;  
000128 |             owner = weapon.GetHierarchyRootPlayer();  
000129 |         }  
000130 |  
000131 |         EXError.Info(this, string.Format("Skipped validating unstable state %1 of %2 (owner %3) - %4", m_State, weapon, owner, name));  
000132 |     }  
000133 | #endif  
000134 |  
000135 |     return false;  
000136 | }  
000137 | }  
000138 |
```

0243. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Grenade_Base\SmokeGrenadeBase.c
Size bytes: 412
SHA-256: c39c93c0ff130e9d937449f7678319fbc46a94e84e98f5530cf70eef2b59efcf
Decoded as: utf-8-sig
Line count shown: 24
Detected class declarations: 1
 L1: modded class SmokeGrenadeBase
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()
 L19: override bool Expansion_IsExplosive()

Full file content

```
000001 | modded class SmokeGrenadeBase
000002 | {
000003 |     //! Vanilla SmokeGrenadeBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla SmokeGrenadeBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 |
000019 |     override bool Expansion_IsExplosive()
000020 |     {
000021 |         return false;
000022 |     }
000023 | }
000024 |
```

0244. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase.c
Size bytes: 49239
SHA-256: aee226cf58b160133225dcc48e314e99b513a006bc33b3a1f1d9a675b85bf999
Decoded as: utf-8-sig
Line count shown: 1862
Detected class declarations: 1
  L13: modded class ItemBase
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L58: void ItemBase()
  L82: override string GetDisplayName()
  L92: ExpansionGlobalID Expansion_GetGlobalID()
  L100: int GetExpansionSaveVersion()
  L108: override bool OnStoreLoad( ParamsReadContext ctx, int version )
  L120: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L146: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L181: bool Expansion_IsStoreLoaded()
  L186: bool Expansion_IsStoreSaved()
  L191: bool ExpansionIsLocked()
  L196: static void ExpansionPhaseObject(EntityAI other)
  L207: else if (Class.CastTo(evb, other))
  L218: void ExpansionCreateDynamicFromContact(EntityAI other, vector position, Contact data)
  L226: void ExpansionHandleCollision(EntityAI other, vector position)
  L250: else if (Class.CastTo(evb, other))
  L276: bool ExpansionIsLiquidItem()
  L278: return IsLiquidContainer() || IsKindOf("SodaCan_ColorBase");
  L281: void Expansion_SetIsMeleeWeapon()
  L290: TStringArray inventorySlot();
  L308: bool Expansion_IsMeleeWeapon()
  L313: bool Expansion_IsMechanicalTrap()
  L318: bool Expansion_IsDanger()
  L323: bool Expansion_IsExplosive()
  L325: return IsExplosive();
  L328: bool Expansion_IsLiveExplosive()
  L337: TStringArray Expansion_GetAmmoTypes()
  L348: void ExpansionActionOnStart( ActionData action_data )
  L352: void ExpansionActionOnAnimationEvent( ActionData action_data )
  L356: void ExpansionActionOnStartAnimationLoop( ActionData action_data )
  L360: void ExpansionActionOnUpdate( ActionData action_data )
  L364: void ExpansionActionOnFinishProgress( ActionData action_data )
  L368: void ExpansionActionOnEndRequest( ActionData action_data )
  L372: void ExpansionActionOnEndInput( ActionData action_data )
  L376: void ExpansionActionOnEndAnimationLoop( ActionData action_data )
  L380: void ExpansionActionOnEnd( ActionData action_data )
  L384: void ExpansionActionOnStageStart( SequentialActionData action_data )
  L388: void ExpansionActionOnStageEnd( SequentialActionData action_data )
  L393: bool CanBeDamaged()
  L395: return GetAllowDamage();
  L398: protected string GetDestroySound()
  L403: override void OnVariablesSynchronized()
  L434: protected void ExpansionSetupSkins()
  L469: array< ExpansionSkin > ExpansionGetSkins()
  L474: bool ExpansionHasSkin( int skinIndex )
  L482: override void EEHealthLevelChanged( int oldLevel, int newLevel, string zone )
  L511: void ExpansionSetSkin( int skinIndex )
  L563: void ExpansionOnSkinDamageZoneUpdate( ExpansionSkinDamageZone zone, int level )
  L601: void ExpansionOnSkinUpdate()
  L635: ExpansionSkin ExpansionGetCurrentSkin()
```

```

L640: string ExpansionGetCurrentSkinName()
L645: int ExpansionGetCurrentSkinIndex()
L650: override void Explode(int damageType, string ammoType = "")
L657: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
L711: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
L749: void RaidLog( EntityAI source, string damageZone, float health, float dmg, float damageMultiplier )
L754: void RaidLog( EntityAI source, string damageZone, string ammo, float health, float dmg, float damageMultiplier )
L790: override void EEKilled( Object killer )
L800: void ExpansionOnDestroyed( Object killer )
L805: EntityAI ExpansionCreateInInventory(string className, bool attachOnly = false, int slotId = InventorySlots.INVALID)
L858: return GetInventory().CreateAttachment(className);
L860: return GetInventory().CreateAttachmentEx(className, slotId);
L863: return GetInventory().CreateInInventory(className);
L866: EntityAI ExpansionCreateAttachment(string className, int slotId = InventorySlots.INVALID)
L868: return ExpansionCreateInInventory(className, true, slotId);
L871: void OnEnterZone(ExpansionZoneType type)
L875: void OnExitZone(ExpansionZoneType type)
L879: override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
L937: else if (oldLoc.GetType() == InventoryLocationType.GROUND)
L957: void Expansion_UpdateParentCargoCount(InventoryLocation loc, int delta)
L962: void Expansion_UpdateParentCargoCountEx(EntityAI parent, int delta)
L972: override void OnInventoryEnter(Man player)
L979: void Expansion_OnInventoryEnter(Man player)
L991: override void OnInventoryExit(Man player)
L998: void Expansion_OnInventoryExit(Man player)
L1008: override void OnWorkStart()
L1015: void Expansion_OnWorkStart()
L1024: override void OnWorkStop()
L1031: void Expansion_OnWorkStop()
L1046: EntityAI Expansion_GetAttachmentRoot()
L1065: ItemBase Expansion_GetHierarchyRootItem()
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ItemBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ItemBase
000014 | {
000015 |     static ref ScriptInvoker s_Expansion_UpdateTidyPanelVisibilityExSI = new ScriptInvoker();
000016 |
000017 |     protected int m_ExpansionSaveVersion;
000018 |
000019 |     //! Skinning
000020 |     protected ExpansionSkinModule m_SkinModule;
000021 |     protected ExpansionSkin m_CurrentSkin;
000022 |
000023 |     protected string m_CurrentSkinName;
000024 |     protected int m_CurrentSkinIndex;
000025 |     protected int m_CurrentSkinSynchRemote;
000026 |
000027 |     protected bool m_CanBeSkinned;

```



```
000028 | protected autoptr array< ExpansionSkin > m_Skins;
000029 | protected bool m_Expansion_SZCleanup;
000030 | protected bool m_Expansion_IsStoreLoaded;
000031 | protected bool m_Expansion_IsStoreSaved;
000032 |
000033 | protected ref map<string, float> m_Expansion_HealthBeforeHit;
000034 | protected float m_Expansion_DamageMultiplier = 1.0;
000035 |
000036 | bool m_Expansion_AcceptingAttachment;
000037 | bool m_Expansion_CanPlayerAttach;
000038 |
000039 | bool m_Expansion_IsAdminTool;
000040 | bool m_Expansion_IsMeleeWeapon;
000041 |
000042 | bool m_Expansion_IsWorking;
000043 | Man m_Expansion_PreviousOwner;
000044 | Man m_Expansion_CurrentOwner;
000045 |
000046 | protected bool m_Expansion_SuppressDelete;
000047 |
000048 | protected int m_Expansion_QueuedActions;
000049 | protected bool m_Expansion_IsLootable = true;
000050 |
000051 | ref ExpansionNetsyncData m_Expansion_NetsyncData;
000052 | ref ExpansionRPCManager m_Expansion_RPCManager;
000053 |
000054 | ref ExpansionSoundSet m_Expansion_DestroySound_SoundSet;
000055 |
000056 | ref ExpansionGlobalID m_Expansion_GlobalID;
000057 |
000058 | void ItemBase()
000059 | {
000060 |     m_Expansion_IsAdminTool = ConfigGetBool("expansionIsAdminTool");
000061 |
000062 |     Expansion_SetIsMeleeWeapon();
000063 |
000064 |     ExpansionSetupSkins();
000065 |
000066 |     RegisterNetSyncVariableInt( "m_CurrentSkinSynchRemote", 0, m_Skins.Count() );
000067 |
000068 |     //! TODO: Once vanilla makes up its mind that untakeable items should not show in vicinity (they have code for it in VicinityItemManager,
000069 |     //! it just doesn't seem to work), could get rid of the netsync (but not the variable itself)
000070 |     RegisterNetSyncVariableBool("m_Expansion_IsLootable");
000071 |
000072 |     if (IsMissionHost())
000073 |     {
000074 |         m_Expansion_HealthBeforeHit = new map<string, float>;
000075 |     }
000076 |
000077 |     string destroySound = GetDestroySound();
000078 |     if (destroySound)
000079 |         m_Expansion_DestroySound_SoundSet = ExpansionSoundSet.Register(destroySound);
000080 | }
000081 |
000082 | override string GetDisplayName()
000083 | {
000084 |     string displayName = super.GetDisplayName();
000085 |
000086 |     if (displayName.IndexOf("$UNT$") == 0)
000087 |         displayName.Replace("$UNT$", "");
000088 |
000089 |     return displayName;
```

```
000090 |     }
000091 |
000092 |     ExpansionGlobalID Expansion_GetGlobalID()
000093 |     {
000094 |         return m_Expansion_GlobalID;
000095 |     }
000096 |
000097 |     //=====
000098 |     // GetExpansionSaveVersion
000099 |     //=====
000100 |     int GetExpansionSaveVersion()
000101 |     {
000102 |         return m_ExpansionSaveVersion;
000103 |     }
000104 |
000105 |     //=====
000106 |     // OnStoreLoad
000107 |     //=====
000108 |     override bool OnStoreLoad( ParamsReadContext ctx, int version )
000109 |     {
000110 | #ifdef EXPANSIONTRACE
000111 |         auto trace = CF_Trace_0(ExpansionTracing.GENERAL_ITEMS, this, "OnStoreLoad");
000112 | #endif
000113 |
000114 |         m_Expansion_IsStoreLoaded = true;
000115 |
000116 |         return super.OnStoreLoad( ctx, version );
000117 |     }
000118 |
000119 | #ifdef EXPANSION_MODSTORAGE
000120 |     override void CF_OnStoreSave(CF_ModStorageMap storage)
000121 |     {
000122 |         super.CF_OnStoreSave(storage);
000123 |
000124 |         //! Queue world untakeable items for next server start
000125 |         if (!m_Expansion_IsLootable && !m_Expansion_IsStoreSaved && !GetHierarchyParent() && GetLifetime())
000126 |             Expansion_QueueEntityActions(ExpansionItemBaseModule.SETUNLOOTABLE);
000127 |
000128 |         m_Expansion_IsStoreSaved = true;
000129 |
000130 |         auto ctx = storage[DZ_Expansion_Core];
000131 |         if (!ctx) return;
000132 |
000133 |         ctx.Write(m_CurrentSkinName);
000134 |
000135 |         if (m_Expansion_GlobalID && m_Expansion_GlobalID.m_IsSet)
000136 |         {
000137 |             ctx.Write(true);
000138 |             m_Expansion_GlobalID.OnStoreSave(ctx);
000139 |         }
000140 |         else
000141 |         {
000142 |             ctx.Write(false);
000143 |         }
000144 |     }
000145 |
000146 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000147 |     {
000148 |         if (!super.CF_OnStoreLoad(storage))
000149 |             return false;
000150 |
000151 |         auto ctx = storage[DZ_Expansion_Core];
```

```
000152 |         if (!ctx) return true;
000153 |
000154 |         /// @note needed so we can sucessfully load player inventory when they haven't connected in the transition period
000155 |         /// as well as menu character inventory (can cause client CTD otherwise)
000156 |         m_ExpansionSaveVersion = ctx.GetVersion();
000157 |
000158 |         if (!ctx.Read(m_CurrentSkinName))
000159 |             return false;
000160 |
000161 |         if (ctx.GetVersion() < 52)
000162 |             return true;
000163 |
000164 |         bool hasGlobalID;
000165 |         if (!ctx.Read(hasGlobalID))
000166 |             return false;
000167 |
000168 |         if (hasGlobalID)
000169 |         {
000170 |             if (!m_Expansion_GlobalID)
000171 |                 m_Expansion_GlobalID = new ExpansionGlobalID();
000172 |
000173 |             if (!m_Expansion_GlobalID.OnStoreLoad(ctx))
000174 |                 return false;
000175 |         }
000176 |
000177 |         return true;
000178 |     }
000179 | #endif
000180 |
000181 |     bool Expansion_IsStoreLoaded()
000182 |     {
000183 |         return m_Expansion_IsStoreLoaded;
000184 |     }
000185 |
000186 |     bool Expansion_IsStoreSaved()
000187 |     {
000188 |         return m_Expansion_IsStoreSaved;
000189 |     }
000190 |
000191 |     bool ExpansionIsLocked()
000192 |     {
000193 |         return false;
000194 |     }
000195 |
000196 |     static void ExpansionPhaseObject(EntityAI other)
000197 |     {
000198 | #ifdef EXPANSIONMODVEHICLE
000199 |         ExpansionVehicleBase evb;
000200 |         CarScript car;
000201 |
000202 |         if (Class.CastTo(car, other))
000203 |         {
000204 |             SetVelocity(other, car.m_State.m_LinearVelocity);
000205 |             dBodySetAngularVelocity(other, car.m_State.m_AngularVelocity);
000206 |         }
000207 |         else if (Class.CastTo(evb, other))
000208 |         {
000209 |             SetVelocity(other, evb.m_State.m_LinearVelocity);
000210 |             dBodySetAngularVelocity(other, evb.m_State.m_AngularVelocity);
000211 |         }
000212 |         else
000213 | #endif
```

```
000214 |     {
000215 |     }
000216 | }
000217 |
000218 | void ExpansionCreateDynamicFromContact(EntityAI other, vector position, Contact data)
000219 | {
000220 |     CreateDynamicPhysics(PhxInteractionLayers.DYNAMICITEM);
000221 |     EnableDynamicCCD(false);
000222 |
000223 |     ExpansionHandleCollision(other, position);
000224 | }
000225 |
000226 | void ExpansionHandleCollision(EntityAI other, vector position)
000227 | {
000228 |     vector transform[4];
000229 |     GetTransform(transform);
000230 |
000231 |     vector otherTransform[4];
000232 |     other.GetTransform(otherTransform);
000233 |
000234 |     vector hitVelocity;
000235 |     float massA = dBodyGetMass(this);
000236 |     float massB = dBodyGetMass(other);
000237 |     float massNorm = 0.0;
000238 |     if (massA < massB)
000239 |         massNorm = (0.5 * massA / massB);
000240 |     else
000241 |         massNorm = 1.0 - (0.5 * massB / massA);
000242 |
000243 | #ifdef EXPANSIONMODVEHICLE
000244 |     CarScript car;
000245 |     ExpansionVehicleBase evb;
000246 |     if (Class.CastTo(car, other))
000247 |     {
000248 |         hitVelocity = car.m_State.GetWorldVelocityAt(position.InvMultiply4(otherTransform)).Multiply3(transform);
000249 |     }
000250 |     else if (Class.CastTo(evb, other))
000251 |     {
000252 |         hitVelocity = evb.m_State.GetWorldVelocityAt(position.InvMultiply4(otherTransform)).Multiply3(transform);
000253 |     }
000254 |     else
000255 | #endif
000256 |     {
000257 |     }
000258 |
000259 |     vector linearVelocity;
000260 |     vector angularVelocity;
000261 |
000262 |     linearVelocity = -hitVelocity * (1.0 - massNorm);
000263 |     angularVelocity = position.InvMultiply4(otherTransform) * linearVelocity;
000264 |
000265 |     SetVelocity(other, linearVelocity.InvMultiply3(otherTransform));
000266 |     dBodySetAngularVelocity(other, angularVelocity.InvMultiply3(otherTransform));
000267 |
000268 |     linearVelocity = hitVelocity * massNorm;
000269 |     angularVelocity = position.InvMultiply4(transform) * linearVelocity;
000270 |
000271 |     SetVelocity(this, linearVelocity.InvMultiply3(transform));
000272 |     dBodySetAngularVelocity(this, angularVelocity.InvMultiply3(transform));
000273 | }
000274 |
000275 | //! Return true if the item contains liquid
```

```
000276 | bool ExpansionIsLiquidItem()
000277 | {
000278 |     return IsLiquidContainer() || IsKindOf("SodaCan_ColorBase");
000279 | }
000280 |
000281 | void Expansion_SetIsMeleeWeapon()
000282 | {
000283 |     if (IsWeapon())
000284 |         return;
000285 |
000286 |     if (IsMeleeWeapon())
000287 |     {
000288 |         ///! basically any item has isMeleeWeapon=1 in config, but we only want actual viable melee options
000289 |         ///! (axes, knives, sickles...)
000290 |         TStringArray inventorySlot();
000291 |         ConfigGetTextArray("inventorySlot", inventorySlot);
000292 |         if (inventorySlot.Find("Shoulder") == -1 && inventorySlot.Find("Melee") == -1 && inventorySlot.Find("Knife") == -1)
000293 |         {
000294 |             TStringArray itemInfo = {};
000295 |             ConfigGetTextArray("itemInfo", itemInfo);
000296 |             if (itemInfo.Find("Knife") == -1 && itemInfo.Find("Axe") == -1)
000297 |             {
000298 |                 string suicideAnim = ConfigGetString("suicideAnim");
000299 |                 if (!suicideAnim || suicideAnim != "woodaxe")
000300 |                     return;
000301 |             }
000302 |         }
000303 |
000304 |         m_Expansion_IsMeleeWeapon = true;
000305 |     }
000306 | }
000307 |
000308 | bool Expansion_IsMeleeWeapon()
000309 | {
000310 |     return m_Expansion_IsMeleeWeapon;
000311 | }
000312 |
000313 | bool Expansion_IsMechanicalTrap()
000314 | {
000315 |     return false;
000316 | }
000317 |
000318 | bool Expansion_IsDanger()
000319 | {
000320 |     return false;
000321 | }
000322 |
000323 | bool Expansion_IsExplosive()
000324 | {
000325 |     return IsExplosive();
000326 | }
000327 |
000328 | bool Expansion_IsLiveExplosive()
000329 | {
000330 |     ExplosivesBase explosive;
000331 |     if (Class.CastTo(explosive, this) && explosive.Expansion_IsLive())
000332 |         return true;
000333 |
000334 |     return false;
000335 | }
000336 |
000337 | TStringArray Expansion_GetAmmoTypes()
```

```
000338 | {
000339 |     return {ConfigGetString("ammoType")};
000340 | }
000341 |
000342 | /*! ExpansionActionOn<...>
000343 |
000344 |     Override these in inherited items and call them from within an action
000345 |     if you want the item to react to different phases of the action.
000346 | */
000347 |
000348 | void ExpansionActionOnStart( ActionData action_data )
000349 | {
000350 | }
000351 |
000352 | void ExpansionActionOnAnimationEvent( ActionData action_data )
000353 | {
000354 | }
000355 |
000356 | void ExpansionActionOnStartAnimationLoop( ActionData action_data )
000357 | {
000358 | }
000359 |
000360 | void ExpansionActionOnUpdate( ActionData action_data )
000361 | {
000362 | }
000363 |
000364 | void ExpansionActionOnFinishProgress( ActionData action_data )
000365 | {
000366 | }
000367 |
000368 | void ExpansionActionOnEndRequest( ActionData action_data )
000369 | {
000370 | }
000371 |
000372 | void ExpansionActionOnEndInput( ActionData action_data )
000373 | {
000374 | }
000375 |
000376 | void ExpansionActionOnEndAnimationLoop( ActionData action_data )
000377 | {
000378 | }
000379 |
000380 | void ExpansionActionOnEnd( ActionData action_data )
000381 | {
000382 | }
000383 |
000384 | void ExpansionActionOnStageStart( SequentialActionData action_data )
000385 | {
000386 | }
000387 |
000388 | void ExpansionActionOnStageEnd( SequentialActionData action_data )
000389 | {
000390 | }
000391 |
000392 | // This is just here so it can be overridden in derived classes, but should return a useful default.
000393 | bool CanBeDamaged()
000394 | {
000395 |     return GetAllowDamage();
000396 | }
000397 |
000398 | protected string GetDestroySound()
000399 | {
```

```
000400 |         return "";
000401 |     }
000402 |
000403 |     override void OnVariablesSynchronized()
000404 |     {
000405 | #ifdef EXPANSIONTRACE
000406 |         auto trace = CF_Trace_0(ExpansionTracing.GENERAL_ITEMS, this, "OnVariablesSynchronized");
000407 | #endif
000408 |
000409 |         super.OnVariablesSynchronized();
000410 |
000411 |         if ( m_CanBeSkinned && m_CurrentSkinSynchRemote != m_CurrentSkinIndex )
000412 |         {
000413 |             m_CurrentSkinIndex = m_CurrentSkinSynchRemote;
000414 |             if ( m_CurrentSkinIndex >= 0 && m_CurrentSkinIndex < m_Skins.Count() )
000415 |             {
000416 |                 m_CurrentSkinName = m_SkinModule.GetSkinName( GetType(), m_CurrentSkinIndex );
000417 |                 m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
000418 |             } else
000419 |             {
000420 |                 m_CurrentSkinName = "";
000421 |                 m_CurrentSkin = NULL;
000422 |             }
000423 |
000424 |             ExpansionOnSkinUpdate();
000425 |         }
000426 |
000427 |         if ( m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested )
000428 |             m_Expansion_NetsyncData.Request();
000429 |     }
000430 |
000431 | //=====
000432 | // ExpansionSetupSkins
000433 | //=====
000434 | protected void ExpansionSetupSkins()
000435 | {
000436 | #ifdef EXPANSIONTRACE
000437 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionSetupSkins");
000438 | #endif
000439 |
000440 |     m_Skins = new array< ExpansionSkin >;
000441 |
000442 |     if ( CF_Modules<ExpansionSkinModule>.Get(m_SkinModule) )
000443 |     {
000444 |         m_SkinModule.RetrieveSkins( GetType(), m_Skins, m_CurrentSkinName );
000445 |     }
000446 |
000447 |     if ( m_Skins.Count() != 0 )
000448 |         m_CanBeSkinned = true;
000449 |
000450 |     if ( m_CanBeSkinned )
000451 |     {
000452 |         if ( m_CurrentSkinName != "" )
000453 |         {
000454 |             m_CurrentSkinIndex = m_SkinModule.GetSkinIndex( GetType(), m_CurrentSkinName );
000455 |         } else
000456 |         {
000457 |             m_CurrentSkinIndex = 0;
000458 |
000459 |             m_CurrentSkinName = m_SkinModule.GetSkinName( GetType(), m_CurrentSkinIndex );
000460 |         }
000461 |     }
```

```
000462 |         m_CurrentSkinSynchRemote = m_CurrentSkinIndex;
000463 |         m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
000464 |
000465 |         ExpansionOnSkinUpdate();
000466 |     }
000467 | }
000468 |
000469 | array< ExpansionSkin > ExpansionGetSkins()
000470 | {
000471 |     return m_Skins;
000472 | }
000473 |
000474 | bool ExpansionHasSkin( int skinIndex )
000475 | {
000476 |     return skinIndex > -1 && skinIndex < m_Skins.Count();
000477 | }
000478 |
000479 | //=====
000480 | // EEHealthLevelChanged
000481 | //=====
000482 | override void EEHealthLevelChanged( int oldLevel, int newLevel, string zone )
000483 | {
000484 | #ifdef EXPANSIONTRACE
000485 |     auto trace = CF_Trace_0(ExpansionTracing.GENERAL_ITEMS, this, "EEHealthLevelChanged");
000486 | #endif
000487 |
000488 |     super.EEHealthLevelChanged( oldLevel, newLevel, zone );
000489 |
000490 |     if ( m_CanBeSkinned && m_CurrentSkin )
000491 |     {
000492 |         string sZone = zone;
000493 |         sZone.ToLower();
000494 |
000495 |         for ( int i = 0; i < m_CurrentSkin.DamageZones.Count(); i++ )
000496 |         {
000497 |             string cZone = m_CurrentSkin.DamageZones[i].Zone;
000498 |             cZone.ToLower();
000499 |
000500 |             if ( cZone == sZone )
000501 |             {
000502 |                 ExpansionOnSkinDamageZoneUpdate( m_CurrentSkin.DamageZones[i], newLevel );
000503 |             }
000504 |         }
000505 |     }
000506 | }
000507 |
000508 | //=====
000509 | // ExpansionSetSkin
000510 | //=====
000511 | void ExpansionSetSkin( int skinIndex )
000512 | {
000513 | #ifdef EXPANSIONTRACE
000514 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionSetSkin");
000515 | #endif
000516 |
000517 |     #ifdef EXPANSION_SKIN_LOGGING
000518 |     Print( m_CanBeSkinned );
000519 |     Print( skinIndex );
000520 |     #endif
000521 |
000522 |     if ( !m_CanBeSkinned )
000523 |     {
```



```
000524 |         m_CurrentSkinName = "";
000525 |
000526 |         return;
000527 |     }
000528 |
000529 |     m_CurrentSkinIndex = skinIndex;
000530 |
000531 |     if ( m_CurrentSkinIndex < 0 )
000532 |     {
000533 |         m_CurrentSkinIndex = 0;
000534 |     }
000535 |
000536 |     if ( m_CurrentSkinIndex >= m_Skins.Count() )
000537 |     {
000538 |         m_CurrentSkinIndex = 0;
000539 |     }
000540 |
000541 |     #ifdef EXPANSION_SKIN_LOGGING
000542 |     Print( m_CurrentSkinIndex );
000543 |     #endif
000544 |
000545 |     m_CurrentSkinName = m_SkinModule.GetSkinName( GetType(), m_CurrentSkinIndex );
000546 |     m_CurrentSkinSynchRemote = m_CurrentSkinIndex;
000547 |     m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
000548 |
000549 |     #ifdef EXPANSION_SKIN_LOGGING
000550 |     Print( m_CurrentSkinName );
000551 |     Print( m_CurrentSkinSynchRemote );
000552 |     Print( m_CurrentSkin );
000553 |     #endif
000554 |
000555 |     ExpansionOnSkinUpdate();
000556 |
000557 |     SetSynchDirty();
000558 | }
000559 |
000560 | //=====
000561 | // ExpansionOnSkinDamageZoneUpdate
000562 | //=====
000563 | void ExpansionOnSkinDamageZoneUpdate( ExpansionSkinDamageZone zone, int level )
000564 | {
000565 |     #ifdef EXPANSIONTRACE
000566 |         auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionOnSkinDamageZoneUpdate");
000567 |     #endif
000568 |
000569 |     #ifdef EXPANSION_SKIN_LOGGING
000570 |     Print( zone );
000571 |     Print( level );
000572 |     #endif
000573 |
000574 |     for ( int i = 0; i < zone.HiddenSelections.Count(); i++ )
000575 |     {
000576 |         int selectionIndex = GetHiddenSelectionIndex( zone.HiddenSelections[i] );
000577 |
000578 |         #ifdef EXPANSION_SKIN_LOGGING
000579 |         Print( "HiddenSelection: " + zone.HiddenSelections[i] );
000580 |         Print( "SelectionIndex: " + selectionIndex );
000581 |         #endif
000582 |
000583 |         if ( level >= 0 && level < zone.HealthLevels.Count() )
000584 |         {
000585 |             ExpansionSkinHealthLevel healthLevel = zone.HealthLevels[level];
```

```
000586 |
000587 |         #ifdef EXPANSION_SKIN_LOGGING
000588 |         Print( "RVTexture: " + healthLevel.RVTexture );
000589 |         Print( "RVMaterial: " + healthLevel.RVMaterial );
000590 |         #endif
000591 |
000592 |         SetObjectTexture( selectionIndex, healthLevel.RVTexture );
000593 |         SetObjectMaterial( selectionIndex, healthLevel.RVMaterial );
000594 |     }
000595 | }
000596 |
000597 |
000598 | //=====
000599 | // ExpansionOnSkinUpdate
000600 | //=====
000601 | void ExpansionOnSkinUpdate()
000602 | {
000603 | #ifdef EXPANSIONTRACE
000604 |     auto trace = CF_Trace_0(ExpansionTracing.SKIN, this, "ExpansionOnSkinUpdate");
000605 | #endif
000606 |
000607 |     if ( !m_CurrentSkin )
000608 |     {
000609 |         return;
000610 |     }
000611 |
000612 |     for ( int i = 0; i < m_CurrentSkin.HiddenSelections.Count(); i++ )
000613 |     {
000614 |         ExpansionSkinHiddenSelection selection = m_CurrentSkin.HiddenSelections[ i ];
000615 |
000616 |         int selectionIndex = GetHiddenSelectionIndex( selection.HiddenSelection );
000617 |
000618 |         #ifdef EXPANSION_SKIN_LOGGING
000619 |         Print( "HiddenSelection: " + selection.HiddenSelection );
000620 |         Print( "SelectionIndex: " + selectionIndex );
000621 |         Print( "RVTexture: " + selection.RVTexture );
000622 |         Print( "RVMaterial: " + selection.RVMaterial );
000623 |         #endif
000624 |
000625 |         SetObjectTexture( selectionIndex, selection.RVTexture );
000626 |         SetObjectMaterial( selectionIndex, selection.RVMaterial );
000627 |     }
000628 |
000629 |     for ( i = 0; i < m_CurrentSkin.DamageZones.Count(); i++ )
000630 |     {
000631 |         ExpansionOnSkinDamageZoneUpdate( m_CurrentSkin.DamageZones[i], GetHealthLevel( m_CurrentSkin.DamageZones[i].Zone ) );
000632 |     }
000633 | }
000634 |
000635 | ExpansionSkin ExpansionGetCurrentSkin()
000636 | {
000637 |     return m_CurrentSkin;
000638 | }
000639 |
000640 | string ExpansionGetCurrentSkinName()
000641 | {
000642 |     return m_CurrentSkinName;
000643 | }
000644 |
000645 | int ExpansionGetCurrentSkinIndex()
000646 | {
000647 |     return m_CurrentSkinIndex;
```

```
000648 |     }
000649 |
000650 |     override void Explode(int damageType, string ammoType = "")
000651 |     {
000652 |         ExpansionDamageSystem.OnBeforeExplode(this, damageType, ammoType);
000653 |
000654 |         super.Explode(damageType, ammoType);
000655 |     }
000656 |
000657 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000658 |     {
000659 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000660 |
000661 | #ifdef DIAG_DEVELOPER
000662 |     EXTrace.PrintHit(EXTrace.GENERAL_ITEMS, this, "EEHitBy", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000663 | #endif
000664 |
000665 |         string damageZone = dmgZone;
000666 |         if (damageZone == "")
000667 |             damageZone = "GlobalHealth";
000668 |
000669 |         float health = m_Expansion_HealthBeforeHit[dmgZone];
000670 |         float dmg = damageResult.GetDamage(damageZone, "Health");
000671 |
000672 |         bool applyDamageCorrection;
000673 |         if ((damageType == DT_EXPLOSION || damageType == DT_FIRE_ARM) && m_Expansion_DamageMultiplier != 1.0)
000674 |             applyDamageCorrection = true;
000675 |
000676 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000677 |         {
000678 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo);
000679 |
000680 |             ///! Use our own damage system for consistent explosion damage
000681 |             ///! Note that this only works as intended if damage source root is not a player,
000682 |             ///! else won't be able to get actual source's position in relation to target
000683 |
000684 |             if (!GetHierarchyParent() && source && !source.GetHierarchyRootPlayer())
000685 |             {
000686 |                 float baseDmg = ExpansionDamageSystem.GetExplosionDamage(source, this, ammo);
000687 |                 if (baseDmg > dmg)
000688 |                 {
000689 |                     ExpansionDamageSystem.Log("Overriding " + source.ToString() + " damage dealt to " + ToString() + " at " + GetPosition() + " " + dmg.ToString()
+ " -> " + baseDmg.ToString());
000690 |                     dmg = baseDmg;
000691 |                     applyDamageCorrection = true;
000692 |                 }
000693 |             }
000694 |         }
000695 |
000696 |         if (applyDamageCorrection)
000697 |         {
000698 |             ///! damageMultiplier > 1 applies bonus damage
000699 |             ///! damageMultiplier < 1 negates damage (partly if multiplier > 0 or fully if 0)
000700 |             ///! damageMultiplier == 1 effectively does nothing
000701 |             if (health > 0)
000702 |                 SetHealth(damageZone, "Health", Math.Max(health - (dmg * m_Expansion_DamageMultiplier), 0));
000703 |         }
000704 |
000705 | #ifdef EXPANSIONMODBASEBUILDING
000706 |         if (IsInherited(BaseBuildingBase) || IsInherited(ExpansionSafeBase))
000707 |             RaidLog(source, damageZone, ammo, health, dmg, m_Expansion_DamageMultiplier);
```

```
000708 | #endif
000709 | }
000710 |
000711 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
000712 | s, float speedCoef)
000713 | {
000714 |     if (!super.EEOnDamageCalculated( damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000715 |         return false;
000716 |
000717 |     EntityAI root = GetHierarchyRoot();
000718 |
000719 |     if (root != this)
000720 |     {
000721 |         DayZPlayerImplement player;
000722 |         if (Class.CastTo(player, root))
000723 |         {
000724 |             if (!player.Expansion_CanBeDamaged(ammo))
000725 |                 return false;
000726 |         }
000727 |         else
000728 |         {
000729 |             ExpansionVehicle vehicle;
000730 |             if (ExpansionVehicle.Get(vehicle, root))
000731 |             {
000732 |                 if (!vehicle.CanBeDamaged())
000733 |                     return false;
000734 |             }
000735 |         }
000736 |     }
000737 |
000738 |     if (damageType == DT_EXPLOSION)
000739 |     {
000740 |         if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, false))
000741 |             return false;
000742 |     }
000743 |
000744 |     m_Expansion_HealthBeforeHit[dmgZone] = GetHealth(dmgZone, "Health");
000745 |
000746 |     return true;
000747 | }
000748 | #ifdef EXPANSIONMODBASEBUILDING
000749 | void RaidLog( EntityAI source, string damageZone, float health, float dmg, float damageMultiplier )
000750 | {
000751 |     RaidLog( source, damageZone, "", health, dmg, damageMultiplier );
000752 | }
000753 |
000754 | void RaidLog( EntityAI source, string damageZone, string ammo, float health, float dmg, float damageMultiplier )
000755 | {
000756 |     if ( !GetExpansionSettings().GetLog().BaseBuildingRaiding )
000757 |         return;
000758 |
000759 |     if ( ( dmg * damageMultiplier ) == 0 )
000760 |         return;
000761 |
000762 |     PlayerBase player;
000763 |
000764 |     string sourceDesc;
000765 |
000766 |     if (source)
000767 |         sourceDesc = source.GetType();
000768 |     else
```

```

000769 |         sourceDesc = "<unknown source>";
000770 |
000771 |         if (ammo)
000772 |             sourceDesc = ammo + " from " + sourceDesc;
000773 |
000774 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] ----- Expansion Base Raiding Damage Report -----"
000775 | );
000776 |         if ( source && Class.CastTo( player, source.GetHierarchyRootPlayer() ) )
000777 |             GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] Player \"{1:name}\" (id={1:id} pos={1:position}) damaged {2:type} at {2:position}", p
000778 | layer, this );
000779 |         else
000780 |             GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] A player damaged {1:type} at {1:position}", this );
000781 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] They dealt " + dmg + " * " + damageMultiplier + " = " + ( dmg * damageMultiplier ) + " d
000782 | amage with " + sourceDesc );
000783 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] " + damageZone + " hitpoints decreased from " + health + " to " + GetHealth( damageZone,
000784 | "Health" ) );
000785 |         GetExpansionSettings().GetLog().PrintLog( "[BaseBuildingRaiding] -----"
000786 | );
000787 |     }
000788 | #endif
000789 |
000790 | // -----
000791 | // EEKilled
000792 | // -----
000793 | override void EEKilled( Object killer )
000794 | {
000795 |     super.EEKilled( killer );
000796 |
000797 |     if ( m_Expansion_DestroySound_SoundSet )
000798 |         m_Expansion_DestroySound_SoundSet.Play(GetPosition());
000799 |
000800 |     ExpansionOnDestroyed( killer );
000801 | }
000802 |
000803 | void ExpansionOnDestroyed( Object killer )
000804 | {
000805 | }
000806 |
000807 | //! This deals with spawning magazines on weapons correctly and should be used as a replacement for vanilla CreateInInventory
000808 | EntityAI ExpansionCreateInInventory(string className, bool attachOnly = false, int slotId = InventorySlots.INVALID)
000809 | {
000810 |     if (!GetInventory())
000811 |         return NULL;
000812 |
000813 |     //! NOTE: Both actual magazines and ammo inherit from Magazine_Base
000814 |     if (IsInherited(Weapon_Base) && g_Game.IsKindOf(className, "Magazine_Base") && !g_Game.IsKindOf(className, "Ammunition_Base"))
000815 |     {
000816 |         //! It's an actual magazine
000817 |         Weapon_Base weapon = Weapon_Base.Cast(this);
000818 |
000819 |         InventoryLocation il = new InventoryLocation;
000820 |         if (slotId == InventorySlots.INVALID)
000821 |             slotId = InventorySlots.MAGAZINE;
000822 |         il.SetAttachment(weapon, NULL, slotId);
000823 |
000824 |         EntityAI magazine = SpawnEntity(className, il, ECE_IN_INVENTORY, RF_DEFAULT);
000825 |         if (!magazine)
000826 |             return NULL;
000827 |
000828 |         //! Important: Needs to be called BEFORE pushing bullet to chamber, otherwise save will occur in FSM transition

```

```
000826 |         int stateId = weapon.ExpansionGetMagAttachedFSMStateID();
000827 |
000828 |         int muzzleIndex = weapon.GetCurrentMuzzle();
000829 |         if (!weapon.IsChamberFull(muzzleIndex) || weapon.IsChamberFiredOut(muzzleIndex))
000830 |         {
000831 |             #ifdef EXPANSIONEXPRINT
000832 |                 EXPrint("ExpansionCreateInInventory - pushing to chamber " + weapon);
000833 |             #endif
000834 |             pushToChamberFromAttachedMagazine(weapon, muzzleIndex);
000835 |         }
000836 |
000837 |         if (stateId > -1)
000838 |         {
000839 |             ScriptReadWriteContext ctx = new ScriptReadWriteContext();
000840 |             ctx.GetWriteContext().Write(stateId);
000841 |             weapon.LoadCurrentFSMState(ctx.GetReadContext(), g_Game.SaveVersion());
000842 |         }
000843 |
000844 |         #ifdef SERVER
000845 |             weapon.Synchronize();
000846 |         #else
000847 |             weapon.ShowMagazine();
000848 |         #endif
000849 |
000850 |         ///! We are done
000851 |         return magazine;
000852 |     }
000853 |
000854 |     ///! Any other item
000855 |     if (attachOnly)
000856 |     {
000857 |         if (slotId == InventorySlots.INVALID)
000858 |             return GetInventory().CreateAttachment(className);
000859 |         else
000860 |             return GetInventory().CreateAttachmentEx(className, slotId);
000861 |     }
000862 |
000863 |     return GetInventory().CreateInInventory(className);
000864 | }
000865 |
000866 | EntityAI ExpansionCreateAttachment(string className, int slotId = InventorySlots.INVALID)
000867 | {
000868 |     return ExpansionCreateInInventory(className, true, slotId);
000869 | }
000870 |
000871 | void OnEnterZone(ExpansionZoneType type)
000872 | {
000873 | }
000874 |
000875 | void OnExitZone(ExpansionZoneType type)
000876 | {
000877 | }
000878 |
000879 | override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
000880 | {
000881 |     EntityAI oldParent = oldLoc.GetParent();
000882 |     EntityAI newParent = newLoc.GetParent();
000883 |
000884 |     Man oldOwner;
000885 |     Man newOwner;
000886 |
000887 |     if (oldParent)
```

```

000888 |         oldOwner = oldParent.GetHierarchyRootPlayer();
000889 |
000890 |         if (newParent)
000891 |             newOwner = newParent.GetHierarchyRootPlayer();
000892 |
000893 |         //! Vanilla ItemBase::EEItemLocationChanged wants PlayerBase class,
000894 |         //! NPCs are not PlayerBase so this is to prevent the super method from being called and causing NULL ptrs
000895 |         if ((!oldOwner || oldOwner.IsInherited(PlayerBase)) && (!newOwner || newOwner.IsInherited(PlayerBase)))
000896 |             super.EEItemLocationChanged(oldLoc, newLoc);
000897 |
000898 | #ifndef SERVER
000899 |     DayZPlayer player = g_Game.GetPlayer();
000900 |     if (player)
000901 |     {
000902 |         if (oldParent && oldLoc.GetType() == InventoryLocationType.CARGO)
000903 |         {
000904 |             if (oldParent.GetHierarchyRootPlayer() == player || vector.DistanceSq(player.GetPosition(), oldParent.GetPosition()) <= UAMaxDistances.DEFAULT * U
AMaxDistances.DEFAULT)
000905 |                 s_Expansion_UpdateTidyPanelVisibilityExSI.Invoke(oldParent);
000906 |         }
000907 |
000908 |         if (newParent && newLoc.GetType() == InventoryLocationType.CARGO && newParent != oldParent)
000909 |         {
000910 |             if (newParent.GetHierarchyRootPlayer() == player || vector.DistanceSq(player.GetPosition(), newParent.GetPosition()) <= UAMaxDistances.DEFAULT * U
AMaxDistances.DEFAULT)
000911 |                 s_Expansion_UpdateTidyPanelVisibilityExSI.Invoke(newParent);
000912 |         }
000913 |     }
000914 |
000915 |     if (!g_Game.IsServer())
000916 |         return;
000917 | #endif
000918 |
000919 |     if (!GetExpansionSettings().GetSafeZone().Enabled)
000920 |         return;
000921 |
000922 |     if (!GetExpansionSettings().GetSafeZone().EnableForceSZCleanup)
000923 |         return;
000924 |
000925 |     //! Ignore unknown old location (item loaded from storage or newly created by CE or script)
000926 |     if (oldLoc.GetType() == InventoryLocationType.UNKNOWN)
000927 |         return;
000928 |
000929 |     #ifdef EXPANSION_SAFEZONE_DEBUG
000930 |     EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " location changed " + typename.EnumToString(InventoryLocationType, oldLoc.Get
Type()) + " -> " + typename.EnumToString(InventoryLocationType, newLoc.GetType()));
000931 |     #endif
000932 |
000933 |     if (newLoc.GetType() == InventoryLocationType.GROUND)
000934 |     {
000935 |         ExpansionCreateCleanup();
000936 |     }
000937 |     else if (oldLoc.GetType() == InventoryLocationType.GROUND)
000938 |     {
000939 |         float lifetime;
000940 |         if (GetEconomyProfile())
000941 |             lifetime = GetEconomyProfile().GetLifetime();
000942 |         if (m_Expansion_SZCleanup || GetLifetimeMax() < lifetime)
000943 |         {
000944 |             m_Expansion_SZCleanup = false;
000945 |
000946 |             //! Make sure to reset max lifetime to value from CE

```

```
000947 |         SetLifetimeMax(lifetime);
000948 |
000949 |         #ifdef EXPANSION_SAFEZONE_DEBUG
000950 |         EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " unmarked for cleanup - lifetime " + GetLifetime());
000951 |         #endif
000952 |     }
000953 | }
000954 |
000955 |
000956 | //! Workaround for vanilla not initializing vehicle inv on client if not close to player (cargo count is used by e.g. market to show unsellable items)
000957 | void Expansion_UpdateParentCargoCount(InventoryLocation loc, int delta)
000958 | {
000959 |     Expansion_UpdateParentCargoCountEx(loc.GetParent(), delta);
000960 | }
000961 |
000962 | void Expansion_UpdateParentCargoCountEx(EntityAI parent, int delta)
000963 | {
000964 |     auto vehicle = ExpansionVehicle.Get(parent);
000965 |     if (vehicle)
000966 |     {
000967 |         delta *= GetInventory().CountInventory();
000968 |         vehicle.UpdateCargoCount(delta);
000969 |     }
000970 | }
000971 |
000972 | override void OnInventoryEnter(Man player)
000973 | {
000974 |     super.OnInventoryEnter(player);
000975 |
000976 |     Expansion_OnInventoryEnter(player);
000977 | }
000978 |
000979 | void Expansion_OnInventoryEnter(Man player)
000980 | {
000981 |     m_Expansion_CurrentOwner = player;
000982 |
000983 |     PlayerBase pb;
000984 |     if (Class.CastTo(pb, player))
000985 |         pb.Expansion_OnInventoryUpdate(this, true);
000986 |
000987 |     if (GetCompEM())
000988 |         m_Expansion_IsWorking = GetCompEM().IsWorking();
000989 | }
000990 |
000991 | override void OnInventoryExit(Man player)
000992 | {
000993 |     super.OnInventoryExit(player);
000994 |
000995 |     Expansion_OnInventoryExit(player);
000996 | }
000997 |
000998 | void Expansion_OnInventoryExit(Man player)
000999 | {
001000 |     m_Expansion_PreviousOwner = m_Expansion_CurrentOwner;
001001 |     m_Expansion_CurrentOwner = null;
001002 |
001003 |     PlayerBase pb;
001004 |     if (Class.CastTo(pb, player))
001005 |         pb.Expansion_OnInventoryUpdate(this, false);
001006 | }
001007 |
001008 | override void OnWorkStart()
```



```
001009 | {
001010 |     super.OnWorkStart();
001011 |
001012 |     Expansion_OnWorkStart();
001013 | }
001014 |
001015 | void Expansion_OnWorkStart()
001016 | {
001017 |     PlayerBase pb;
001018 |     if (!m_Expansion_IsWorking && Class.CastTo(pb, GetHierarchyRootPlayer()))
001019 |         pb.Expansion_OnInventoryUpdate(this, true, true);
001020 |
001021 |     m_Expansion_IsWorking = true;
001022 | }
001023 |
001024 | override void OnWorkStop()
001025 | {
001026 |     super.OnWorkStop();
001027 |
001028 |     Expansion_OnWorkStop();
001029 | }
001030 |
001031 | void Expansion_OnWorkStop()
001032 | {
001033 |     PlayerBase pb;
001034 |     if (m_Expansion_IsWorking && Class.CastTo(pb, GetHierarchyRootPlayer()))
001035 |         pb.Expansion_OnInventoryUpdate(this, true, true);
001036 |
001037 |     m_Expansion_IsWorking = false;
001038 | }
001039 |
001040 | /**
001041 |  * @brief return the root the item is attached to
001042 |  *
001043 |  * I.e. if this item is a scope attached to a gun in cargo, return the gun.
001044 |  * If the item isn't attached to anything, return the item itself.
001045 |  */
001046 | EntityAI Expansion_GetAttachmentRoot()
001047 | {
001048 |     EntityAI root = this;
001049 |     EntityAI parent = GetHierarchyParent();
001050 |
001051 |     while (parent && root.GetInventory().IsAttachment())
001052 |     {
001053 |         root = parent;
001054 |         parent = parent.GetHierarchyParent();
001055 |     }
001056 |
001057 |     return root;
001058 | }
001059 |
001060 | /**
001061 |  * @brief return the root item of the hierarchy
001062 |  *
001063 |  * I.e. if this item is a scope attached to a gun on a player's shoulder, return the gun.
001064 |  */
001065 | ItemBase Expansion_GetHierarchyRootItem()
001066 | {
001067 |     ItemBase rootItem = this;
001068 |     ItemBase parentItem;
001069 |
001070 |     while (rootItem.GetHierarchyParent() && Class.CastTo(parentItem, rootItem.GetHierarchyParent()))
```

```
001071 |     {
001072 |         rootItem = parentItem;
001073 |     }
001074 |
001075 |     return rootItem;
001076 | }
001077 |
001078 | /**
001079 |  * @brief return the root of the hierarchy that is not a player
001080 |  *
001081 |  * I.e. if this item is a scope attached to a gun on a player's shoulder, return the gun,
001082 |  * but if the item is a scope attached to a gun inside a vehicle, return the vehicle.
001083 |  */
001084 | EntityAI Expansion_GetHierarchyRootExcludingPlayer()
001085 | {
001086 |     EntityAI root = this;
001087 |     EntityAI parent = GetHierarchyParent();
001088 |
001089 |     while (parent && !parent.IsMan())
001090 |     {
001091 |         root = parent;
001092 |         parent = parent.GetHierarchyParent();
001093 |     }
001094 |
001095 |     return root;
001096 | }
001097 |
001098 | /**
001099 |  * @brief checks whether this item is contained in other or any of it's children
001100 |  */
001101 | bool Expansion_IsContainedIn(EntityAI other)
001102 | {
001103 |     EntityAI parent = GetHierarchyParent();
001104 |
001105 |     while (parent)
001106 |     {
001107 |         if (parent == other)
001108 |             return true;
001109 |
001110 |         parent = parent.GetHierarchyParent();
001111 |     }
001112 |
001113 |     return false;
001114 | }
001115 |
001116 | typename Expansion_GetFamilyType()
001117 | {
001118 |     if (IsInherited(ItemCompass))
001119 |     {
001120 |         return ItemCompass;
001121 |     }
001122 |     else if (IsInherited(ItemMap))
001123 |     {
001124 |         return ItemMap;
001125 |     }
001126 |     else if (IsInherited(Pen_ColorBase))
001127 |     {
001128 |         return Pen_ColorBase;
001129 |     }
001130 |
001131 |     return Type();
001132 | }
```

```
001133 |
001134 | string Expansion_GetTypeLower()
001135 | {
001136 |     string type = GetType();
001137 |     type.ToLower();
001138 |     return type;
001139 | }
001140 |
001141 | /**
001142 |  * @brief Get raw (untranslated) display name of item
001143 |  *
001144 |  * This is useful (e.g.) to send over network so client can do translation in their locale
001145 |  */
001146 | string Expansion_GetDisplayNameRaw()
001147 | {
001148 |     string displayName = ConfigGetStringRaw("displayName");
001149 |     g_Game.FormatRawConfigStringKeys(displayName);
001150 |     return displayName;
001151 | }
001152 |
001153 | override void DeferredInit()
001154 | {
001155 |     super.DeferredInit();
001156 |
001157 |     //! Skin
001158 |
001159 |     if ( g_Game.IsServer() && m_CanBeSkinned )
001160 |     {
001161 |         m_CurrentSkinIndex = m_SkinModule.GetSkinIndex( GetType(), m_CurrentSkinName );
001162 |         m_CurrentSkinSynchRemote = m_CurrentSkinIndex;
001163 |         m_CurrentSkin = m_Skins[ m_CurrentSkinIndex ];
001164 |
001165 |         ExpansionOnSkinUpdate();
001166 |     }
001167 |
001168 |     if (!m_Expansion_IsStoreLoaded)
001169 |         return;
001170 |
001171 |     //! Ideally would do the following in AfterStoreLoad, but vanilla doesn't always call super >:(
001172 |
001173 |     ExpansionDeferredCreateCleanup();
001174 |
001175 |     int actions = ExpansionItemBaseModule.s_Instance.ProcessQueuedEntityActions(this);
001176 |     if ((actions & ExpansionItemBaseModule.SETUNLOOTABLE) == ExpansionItemBaseModule.SETUNLOOTABLE && GetLifetime())
001177 |         Expansion_QueueEntityActions(ExpansionItemBaseModule.SETUNLOOTABLE);
001178 | }
001179 |
001180 | void ExpansionDeferredCreateCleanup()
001181 | {
001182 |     if (!GetExpansionSettings().GetSafeZone().Enabled)
001183 |         return;
001184 |
001185 |     if (!GetExpansionSettings().GetSafeZone().EnableForceSZCleanup)
001186 |         return;
001187 |
001188 |     ExpansionCreateCleanup();
001189 | }
001190 |
001191 | void Expansion_SetLootable(bool pState)
001192 | {
001193 |     m_Expansion_IsLootable = pState;
001194 | }
```

```
001195 |         SetTakeable(pState);
001196 |
001197 |         if (GetInventory())
001198 |         {
001199 |             //! 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
001200 |             if (pState)
001201 |                 ExpansionStatic.UnlockInventoryRecursive(this, 10134);
001202 |             else
001203 |                 ExpansionStatic.LockInventoryRecursive(this, 10134);
001204 |         }
001205 |
001206 |         if (!m_Expansion_QueuedActions || GetHierarchyParent())
001207 |             return;
001208 |
001209 |         if (pState)
001210 |         {
001211 |             //! Deferred removal of setuntakeable entity action from queue
001212 |             Expansion_DequeueEntityActions(ExpansionItemBaseModule.SETUNLOOTABLE);
001213 |         }
001214 |     }
001215 |
001216 |     bool Expansion_IsLootable()
001217 |     {
001218 |         return m_Expansion_IsLootable;
001219 |     }
001220 |
001221 |     override bool IsInventoryVisible()
001222 |     {
001223 |         if (!super.IsInventoryVisible())
001224 |             return false;
001225 |
001226 |         return m_Expansion_IsLootable;
001227 |     }
001228 |
001229 |     //! Prevent pickup if it's set to unlootable
001230 |     override bool CanPutAsAttachment( EntityAI parent )
001231 |     {
001232 |         if (!super.CanPutAsAttachment(parent))
001233 |             return false;
001234 |
001235 |         if (parent)
001236 |         {
001237 |             DayZPlayerImplement player;
001238 |             if (Class.CastTo(player, parent.GetHierarchyRoot()) && player.Expansion_IsAI())
001239 |                 return true; //! AI can always take
001240 |         }
001241 |
001242 |         return m_Expansion_IsLootable;
001243 |     }
001244 |
001245 |     //! Prevent pickup if it's set to unlootable
001246 |     override bool CanPutInCargo(EntityAI parent)
001247 |     {
001248 |         if (!super.CanPutInCargo(parent))
001249 |             return false;
001250 |
001251 |         if (parent)
001252 |         {
001253 |             DayZPlayerImplement player;
001254 |             if (Class.CastTo(player, parent.GetHierarchyRoot()) && player.Expansion_IsAI())
001255 |                 return true; //! AI can always take
001256 |         }
001256 |     }
```

```
001257 |
001258 |     return m_Expansion_IsLootable;
001259 | }
001260 |
001261 | //! Prevent pickup if it's set to unlootable
001262 | override bool CanPutIntoHands(EntityAI parent)
001263 | {
001264 |     if (!super.CanPutIntoHands(parent))
001265 |         return false;
001266 |
001267 |     if (parent)
001268 |     {
001269 |         DayZPlayerImplement player;
001270 |         if (Class.CastTo(player, parent.GetHierarchyRoot()) && player.Expansion_IsAI())
001271 |             return true; //! AI can always take
001272 |     }
001273 |
001274 |     return m_Expansion_IsLootable;
001275 | }
001276 |
001277 | override void Delete()
001278 | {
001279 |     if (!m_Expansion_SuppressDelete)
001280 |         super.Delete();
001281 | }
001282 |
001283 | void Expansion_SuppressDelete(bool suppress)
001284 | {
001285 |     m_Expansion_SuppressDelete = suppress;
001286 | }
001287 |
001288 | override void EEDelete(EntityAI parent)
001289 | {
001290 |     super.EEDelete(parent);
001291 |
001292 |     if (!parent && m_Expansion_QueuedActions)
001293 |     {
001294 |         //! Deferred removal of all entity actions from queue
001295 |         ExpansionItemBaseModule.s_Instance.QueueEntityActions(this, -int.MAX);
001296 |         m_Expansion_QueuedActions = 0;
001297 |     }
001298 | }
001299 |
001300 | override void OnCEUpdate()
001301 | {
001302 |     super.OnCEUpdate();
001303 |
001304 |     if (m_Expansion_SZCleanup && GetLifetime() < 0)
001305 |     {
001306 |         if (!GetHierarchyParent())
001307 |         {
001308 |             g_Game.ObjectDelete(this);
001309 |
001310 |             #ifdef EXPANSION_SAFEZONE_DEBUG
001311 |             EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " deleted");
001312 |             #endif
001313 |         }
001314 |         else
001315 |         {
001316 |             //! Failsafe - this should not be able to happen
001317 |             m_Expansion_SZCleanup = false;
001318 |         }
```

```
001319 |         EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " unmarked for cleanup - object has parent");
001320 |     }
001321 | }
001322 | }
001323 |
001324 | void ExpansionCreateCleanup()
001325 | {
001326 |     if (IsInherited(ExpansionTemporaryOwnedContainer))
001327 |         return;
001328 |
001329 |     if (m_Expansion_SZCleanup)
001330 |         return;
001331 |
001332 |     if (GetHierarchyParent())
001333 |         return;
001334 |
001335 |     if (!ExpansionZoneModule.IsInsideSafeZone(GetPosition()))
001336 |         return;
001337 |
001338 |     if (ExpansionStatic.IsAnyOf(this, GetExpansionSettings().GetSafeZone().ForceSZCleanup_ExcludedItems, true))
001339 |         return;
001340 |
001341 |     m_Expansion_SZCleanup = true;
001342 |
001343 |     /// Using SetLifetimeMax here prevents the lifetime resetting to the value from CE
001344 |     /// if this item can receive attachments/cargo and something is attached/put in cargo
001345 |     /// while the item is on ground
001346 |     SetLifetimeMax(GetExpansionSettings().GetSafeZone().ItemLifetimeInSafeZone);
001347 |
001348 |     #ifdef EXPANSION_SAFEZONE_DEBUG
001349 |     EXPrint("[CORE][Expansion_SZCleanup] " + ToString() + " " + GetPosition() + " marked for cleanup - lifetime " + GetLifetime());
001350 |     #endif
001351 | }
001352 |
001353 | bool Expansion_CanObjectAttach(Object obj)
001354 | {
001355 |     if (obj.IsMan())
001356 |         return Expansion_CanPlayerAttach();
001357 |
001358 |     return false;
001359 | }
001360 |
001361 | bool Expansion_CanPlayerAttach()
001362 | {
001363 |     #ifdef EXPANSION_PLAYER_ATTACHMENT_CANATTACH_OVERRIDE
001364 |     m_Expansion_CanPlayerAttach = true;
001365 |     #endif
001366 |
001367 |     return m_Expansion_CanPlayerAttach;
001368 | }
001369 |
001370 | bool Expansion_CarContactActivates()
001371 | {
001372 |     if (IsInherited(CarWheel))
001373 |         return true;
001374 |
001375 |     return false;
001376 | }
001377 |
001378 | TStringArray Expansion_GetAttachmentSlots()
001379 | {
001380 |     TStringArray attachments = {};
```

```
001381 |         ConfigGetTextArray("attachments", attachments);
001382 |         return attachments;
001383 |     }
001384 |
001385 | TStringArray Expansion_GetInventorySlots()
001386 | {
001387 |     TStringArray inventorySlots = {};
001388 |     ConfigGetTextArray("inventorySlot", inventorySlots);
001389 |     return inventorySlots;
001390 | }
001391 |
001392 | bool Expansion_HasAttachmentSlot(string slotName)
001393 | {
001394 |     //! @note inventory is not available in constructor
001395 |     if (GetInventory())
001396 |     {
001397 |         int slotID = InventorySlots.GetSlotIdFromString(slotName);
001398 |
001399 |         if (!InventorySlots.IsSlotIdValid(slotID))
001400 |             return false;
001401 |
001402 |         if (!GetInventory().HasAttachmentSlot(slotID))
001403 |             return false;
001404 |     }
001405 |     else
001406 |     {
001407 |         TStringArray attachments = Expansion_GetAttachmentSlots();
001408 |
001409 |         return ExpansionStatic.StringArrayContainsIgnoreCase(attachments, slotName);
001410 |     }
001411 |
001412 |     return true;
001413 | }
001414 |
001415 | bool Expansion_HasAttachmentSlot(TStringArray slotNames)
001416 | {
001417 |     foreach (string slotName: slotNames)
001418 |     {
001419 |         if (Expansion_HasAttachmentSlot(slotName))
001420 |             return true;
001421 |     }
001422 |
001423 |     return false;
001424 | }
001425 |
001426 | bool Expansion_HasInventorySlot(string slotName)
001427 | {
001428 |     //! @note inventory is not available in constructor
001429 |     if (GetInventory())
001430 |     {
001431 |         int slotID = InventorySlots.GetSlotIdFromString(slotName);
001432 |
001433 |         if (!InventorySlots.IsSlotIdValid(slotID))
001434 |             return false;
001435 |
001436 |         if (!GetInventory().HasInventorySlot(slotID))
001437 |             return false;
001438 |     }
001439 |     else
001440 |     {
001441 |         TStringArray inventorySlots = Expansion_GetInventorySlots();
001442 |     }
```

```
001443 |         return ExpansionStatic.StringArrayContainsIgnoreCase(inventorySlots, slotName);
001444 |     }
001445 |
001446 |     return true;
001447 | }
001448 |
001449 | bool Expansion_HasInventorySlot(TStringArray slotNames)
001450 | {
001451 |     foreach (string slotName: slotNames)
001452 |     {
001453 |         if (Expansion_HasInventorySlot(slotName))
001454 |             return true;
001455 |     }
001456 |
001457 |     return false;
001458 | }
001459 |
001460 | bool Expansion_IsAdminTool()
001461 | {
001462 |     return m_Expansion_IsAdminTool;
001463 | }
001464 |
001465 | bool Expansion_IsSelectionRuined(string selection)
001466 | {
001467 |     string zone;
001468 |     DamageSystem.GetDamageZoneFromComponentName(this, selection, zone);
001469 |     return GetHealthLevel(zone) == GameConstants.STATE_RUINED;
001470 | }
001471 |
001472 | int Expansion_GetItemSize()
001473 | {
001474 |     vector itemSize = ConfigGetVector("itemSize");
001475 |     return itemSize[0] * itemSize[1];
001476 | }
001477 |
001478 | bool Expansion_IsStackable()
001479 | {
001480 |     return m_CanThisBeSplit && !ConfigGetBool("quantityBar");
001481 | }
001482 |
001483 | /// @brief Attempt to set stack amount if item is stackable. Return true if operation was performed, false if not.
001484 | /// Giving a negative amount is allowed (treated the same as an amount of zero) if deleteIfZero = true.
001485 | /// @note Valid to call on non-stackable items only if amount = 1 (no-op) or amount <= 0 and deleteIfZero = true
001486 | bool Expansion_SetStackAmount(int amount, bool deleteIfZero = false)
001487 | {
001488 |     if (amount <= 0 && deleteIfZero)
001489 |     {
001490 |         Delete();
001491 |         return true;
001492 |     }
001493 |
001494 |     if (!Expansion_IsStackable())
001495 |     {
001496 |         if (amount != 1)
001497 |             Error(ToString() + " is not a stackable item, cannot set stack amount to " + amount + "!");
001498 |         return false;
001499 |     }
001500 |
001501 |     if (amount < 0)
001502 |     {
001503 |         Error(ToString() + " cannot set stack amount to negative!");
001504 |         return false;
001505 |     }
```



```
001505 |     }
001506 |
001507 |     if (IsAmmoPile())
001508 |     {
001509 |         auto mag = Magazine.Cast(this);
001510 |         int ammoMax = mag.GetAmmoMax();
001511 |         if (amount > ammoMax)
001512 |             amount = ammoMax;
001513 |         if (g_Game.IsServer())
001514 |             mag.ServerSetAmmoCount(amount);
001515 |         else
001516 |             mag.LocalSetAmmoCount(amount);
001517 |     }
001518 |     else
001519 |     {
001520 |         ///! No max check needed since it's handled by SetQuantity
001521 |         SetQuantity(amount);
001522 |     }
001523 |
001524 |     return true;
001525 | }
001526 |
001527 | ///! @brief Attempt to decrease stack by amount. Return true if operation was performed, false if not.
001528 | ///! @note Changes amountToDelete in-place.
001529 | bool Expansion_DecreaseStackAmount(inout int amountToDelete, bool deleteIfZero = false)
001530 | {
001531 |     int amount = Expansion_GetStackAmount();
001532 |     if (!Expansion_SetStackAmount(amount - amountToDelete, deleteIfZero))
001533 |         return false;
001534 |     if (amount >= amountToDelete)
001535 |         amountToDelete = 0;
001536 |     else
001537 |         amountToDelete -= amount;
001538 |     return true;
001539 | }
001540 |
001541 | ///! @brief Get stack amount of item.
001542 | ///! @note Valid to call on non-stackable items (will return 1)
001543 | int Expansion_GetStackAmount()
001544 | {
001545 |     if (IsAmmoPile())
001546 |     {
001547 |         auto mag = Magazine.Cast(this);
001548 |         return mag.GetAmmoCount();
001549 |     }
001550 |     else if (Expansion_IsStackable())
001551 |     {
001552 |         return GetQuantity();
001553 |     }
001554 |
001555 |     return 1;
001556 | }
001557 |
001558 | int Expansion_GetStackMin()
001559 | {
001560 |     if (IsAmmoPile())
001561 |     {
001562 |         return 0;
001563 |     }
001564 |     else if (Expansion_IsStackable())
001565 |     {
001566 |         return GetQuantityMin();
```

```
001567 |     }
001568 |
001569 |     return 1;
001570 | }
001571 |
001572 | int Expansion_GetStackMax()
001573 | {
001574 |     if (IsAmmoPile())
001575 |     {
001576 |         auto mag = Magazine.Cast(this);
001577 |         return mag.GetAmmoMax();
001578 |     }
001579 |     else if (Expansion_IsStackable())
001580 |     {
001581 |         return GetQuantityMax();
001582 |     }
001583 |
001584 |     return 1;
001585 | }
001586 |
001587 | float Expansion_GetQuantity(inout int quantityType)
001588 | {
001589 |     float item_quantity = GetQuantity();
001590 |     int max_quantity = GetQuantityMax();
001591 |
001592 |     float quantity_ratio;
001593 |     float quantity_output;
001594 |
001595 |     if (max_quantity > 0) // Some items, like books, have max_quantity set to 0 => division by ZERO error in quantity_ratio
001596 |     {
001597 |         quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
001598 |         string stackedUnit = ConfigGetString("stackedUnit");
001599 |         if (stackedUnit == "pc." || stackedUnit == "pills")
001600 |         {
001601 |             quantity_output = item_quantity;
001602 |             quantityType = ExpansionItemQuantityType.PC;
001603 |         }
001604 |         else if (stackedUnit == "percentage")
001605 |         {
001606 |             quantity_output = quantity_ratio;
001607 |             quantityType = ExpansionItemQuantityType.PERCENTAGE;
001608 |         }
001609 |         else if (stackedUnit == "g")
001610 |         {
001611 |             quantity_output = quantity_ratio;
001612 |             quantityType = ExpansionItemQuantityType.GRAM;
001613 |         }
001614 |         else if (stackedUnit == "ml")
001615 |         {
001616 |             quantity_output = quantity_ratio;
001617 |             quantityType = ExpansionItemQuantityType.MILLILITER;
001618 |         }
001619 |         else if (stackedUnit == "w" || HasEnergyManager())
001620 |         {
001621 |             quantity_output = quantity_ratio;
001622 |             quantityType = ExpansionItemQuantityType.POWER;
001623 |         }
001624 |         else if (IsInherited(Magazine))
001625 |         {
001626 |             Magazine magazine_item;
001627 |             Class.CastTo(magazine_item, this);
001628 |             quantity_output = magazine_item.GetAmmoCount();
```

```
001629 |         quantityType = ExpansionItemQuantityType.MAGAZINE;
001630 |     }
001631 |     else
001632 |     {
001633 |         quantity_output = 0;
001634 |     }
001635 | }
001636 | else
001637 | {
001638 |     if (IsInherited(ClothingBase))
001639 |     {
001640 |         float heatIsolation = MiscGameplayFunctions.GetCurrentItemHeatIsolation(this);
001641 |         quantity_output = heatIsolation;
001642 |         quantityType = ExpansionItemQuantityType.HEATISOLATION;
001643 |     }
001644 | }
001645 |
001646 | return quantity_output;
001647 | }
001648 |
001649 | /// @brief if item is 9V battery or has one attached, return battery energy in range [0, 100], else 0
001650 | /// @note this uses quantity so works on client as well since Battery9V has convertEnergyToQuantity=1 (quantity, unlike energy, is netsynced by the game)
001651 | int Expansion_GetBatteryEnergy()
001652 | {
001653 |     Battery9V battery;
001654 |     if (Class.CastTo(battery, this) || Class.CastTo(battery, FindAttachmentBySlotName("BatteryD")))
001655 |         return Math.Ceil(battery.GetQuantity() / battery.GetQuantityMax() * 100);
001656 |
001657 |     return 0;
001658 | }
001659 |
001660 | float Expansion_GetDPS()
001661 | {
001662 |     if (m_Expansion_IsMeleeWeapon)
001663 |     {
001664 |         string ammoType;
001665 |         if (g_Game.ConfigGetText(CFG_VEHICLESPATH + " " + GetType() + " MeleeModes Default ammo", ammoType))
001666 |             return g_Game.ConfigGetFloat(CFG_AMMO + " " + ammoType + " DamageApplied Health damage");
001667 |     }
001668 |
001669 |     return 0.0;
001670 | }
001671 |
001672 | /**
001673 |  * @brief compare DPS (dmg per second) of weapons.
001674 |  *
001675 |  * @return -1 if this weapon's DPS is lower than the other's, 1 if higher, 0 if equal
001676 |  */
001677 | int Expansion_CompareDPS(ItemBase weapon)
001678 | {
001679 |     float dpsA = Expansion_GetDPS();
001680 |     float dpsB = weapon.Expansion_GetDPS();
001681 |
001682 |     if (dpsA < dpsB)
001683 |         return -1;
001684 |
001685 |     if (dpsA > dpsB)
001686 |         return 1;
001687 |
001688 |     return 0;
001689 | }
001690 |
```

```
001691 | void Expansion_DropAllCargo(float lifetime = -1)
001692 | {
001693 |     array<EntityAI> items = MiscGameplayFunctions.Expansion_GetCargoItems(this);
001694 |
001695 |     float angle = Math.Acos(Math.RandomFloat(-1.0, 1.0));
001696 |
001697 |     float cos = Math.Cos(angle);
001698 |     float sin = Math.Sin(angle);
001699 |
001700 |     vector halfExtents = "0.5 0 0.5";
001701 |     foreach (EntityAI item: items)
001702 |     {
001703 |         GetInventory().DropEntityInBounds(InventoryMode.SERVER, this, item, halfExtents, angle, cos, sin);
001704 |         if (lifetime > -1)
001705 |             item.SetLifetime(lifetime);
001706 |     }
001707 | }
001708 |
001709 | void Expansion_QueueEntityActions(int actions)
001710 | {
001711 |     if ((m_Expansion_QueuedActions & actions) == actions) //! Already queued
001712 |         return;
001713 |
001714 |     ExpansionItemBaseModule.s_Instance.QueueEntityActions(this, actions);
001715 |
001716 |     m_Expansion_QueuedActions |= actions;
001717 | }
001718 |
001719 | void Expansion_DequeueEntityActions(int actions)
001720 | {
001721 |     if ((m_Expansion_QueuedActions & actions) == 0) //! Not queued
001722 |         return;
001723 |
001724 |     ExpansionItemBaseModule.s_Instance.QueueEntityActions(this, -actions);
001725 |
001726 |     m_Expansion_QueuedActions &= ~actions;
001727 | }
001728 |
001729 | void Expansion_PlaceOnSurfaceProper(vector position)
001730 | {
001731 |     #ifdef EXTRACE_DIAG
001732 |         auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, position.ToString());
001733 |     #endif
001734 |
001735 |     vector pos = GetPosition();
001736 |     vector ori = GetOrientation();
001737 |
001738 |     //! -----
001739 |
001740 |     //! See hologram.c, AlignProjectionOnTerrain
001741 |
001742 |     vector yaw = Vector(ori[0], 0.0, 0.0);
001743 |     vector mat0[3];
001744 |     vector mat1[3];
001745 |     vector mat2[3];
001746 |     vector normal = g_Game.SurfaceGetNormal(position[0], position[2]);
001747 |
001748 |     vector angles = normal.VectorToAngles();
001749 |     angles[1] = angles[1] + 270;
001750 |
001751 |     angles[0] = Math.Clamp(angles[0], 0, 360);
001752 |     angles[1] = Math.Clamp(angles[1], 0, 360);
```

```
001753 |         angles[2] = Math.Clamp(angles[2], 0, 360);
001754 |
001755 |         yaw[0] = yaw[0] + (360 - angles[0]);
001756 |
001757 |         Math3D.YawPitchRollMatrix(yaw, mat0);
001758 |         Math3D.YawPitchRollMatrix(angles, mat1);
001759 |         Math3D.MatrixMultiply3(mat1, mat0, mat2);
001760 |
001761 |         //! -----
001762 |
001763 |         vector m4[4];
001764 |         m4[0] = mat2[0];
001765 |         m4[1] = mat2[1];
001766 |         m4[2] = mat2[2];
001767 |         m4[3] = position;
001768 |
001769 |         PlaceOnSurfaceRotated(m4, m4[3]);
001770 |
001771 |         //! -----
001772 |
001773 |     /*
001774 |     vector minMax[2];
001775 |     float offsetY;
001776 |     if (GetCollisionBox(minMax))
001777 |     {
001778 |         vector p1 = minMax[0].Multiply4(m4);
001779 |         vector p2 = minMax[1].Multiply4(m4);
001780 |         vector center = vector.Zero.Multiply4(m4);
001781 |         if (p2[1] < center[1])
001782 |             offsetY = center[1] - p2[1];
001783 |         else
001784 |             offsetY = center[1] - p1[1];
001785 |     }
001786 |
001787 | #ifdef DIAG_DEVELOPER
001788 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "" + pos + " " + ori + " -> " + m4[3] + " " + <0 " + offsetY + " 0> " + Math3D.MatrixToAngles(m4));
001789 | #endif
001790 |
001791 |     m4[3][1] = m4[3][1] + offsetY;
001792 | */
001793 |
001794 | #ifdef DIAG_DEVELOPER
001795 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "" + pos + " " + ori + " -> " + m4[3] + " " + Math3D.MatrixToAngles(m4));
001796 | #endif
001797 |
001798 |     SetTransform(m4);
001799 | }
001800 |
001801 | //! Process wetness/temperature/decay like vanilla does
001802 | void Expansion_ProcessWTD(float elapsed)
001803 | {
001804 |     bool hasParent = false, hasRootAsPlayer = false;
001805 |     ItemBase refParentIB;
001806 |
001807 |     bool wwtu = g_Game.IsWorldWetTempUpdateEnabled();
001808 |     bool foodDecay = g_Game.IsFoodDecayEnabled();
001809 |
001810 |     if ( wwtu || foodDecay )
001811 |     {
001812 |         bool processWetness;
001813 |         //! https://feedback.bistudio.com/T173348
001814 |         if (wwtu && CanHaveWetness())
```

```
001815 |         processWetness = true;
001816 |     bool processTemperature;
001817 |     if (wwtu && CanHaveTemperature())
001818 |         processTemperature = true;
001819 |     bool processDecay;
001820 |     if (foodDecay && CanDecay() && CanProcessDecay())
001821 |         processDecay = true;
001822 |
001823 |     if ( processWetness || processTemperature || processDecay)
001824 |     {
001825 |         HierarchyCheck( hasParent, hasRootAsPlayer, refParentIB );
001826 |
001827 |         if ( processWetness )
001828 |             ProcessItemWetness( elapsed, hasParent, hasRootAsPlayer, refParentIB );
001829 |
001830 |         if ( processTemperature )
001831 |             ProcessItemTemperature( elapsed, hasParent, hasRootAsPlayer, refParentIB );
001832 |
001833 |         if ( processDecay )
001834 |             ProcessDecay( elapsed, hasRootAsPlayer );
001835 |     }
001836 | }
001837 | }
001838 |
001839 | string Expansion_GetEntityStorageFileName()
001840 | {
001841 |     return string.Empty;
001842 | }
001843 |
001844 | bool Expansion_CanBeUsedToBandage()
001845 | {
001846 |     return IsInherited(Rag) || IsInherited(BandageDressing) || IsInherited(Bandana_ColorBase) || IsInherited(Shemag_ColorBase);
001847 | }
001848 |
001849 | bool Expansion_CanUseVirtualStorage(bool restoreOverride = false)
001850 | {
001851 |     return false;
001852 | }
001853 |
001854 | bool Expansion_StoreContents();
001855 |
001856 | bool Expansion_RestoreContents(PlayerBase player = null);
001857 |
001858 | void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)
001859 | {
001860 | }
001861 | };
001862 |
```

0245. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase.c

Size bytes: 985

SHA-256: 5a93497fa73cd512e3075b181bcd8ecb46eee721a3d71a1f6236e3159586c48b

Decoded as: utf-8-sig

Line count shown: 31

Detected class declarations: 1

L13: modded class BaseBuildingBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: void ExpansionUpdateBaseBuildingStateFromPartBuilt(string part_name) {};

L17: void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)

Full file content

```
000001 | /**
000002 |  * BaseBuildingBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class BaseBuildingBase
000014 | {
000015 |     void ExpansionUpdateBaseBuildingStateFromPartBuilt(string part_name) {};
000016 |
000017 |     void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)
000018 |     {
000019 |         //! Equivalent to vanilla BaseBuildingBase::OnPartBuiltServer (minus creating construction kit and requirement for player)
000020 |
000021 |         RegisterPartForSync(constructionPart.GetId());
000022 |         RegisterActionForSync(constructionPart.GetId(), AT_BUILD_PART);
000023 |         SynchronizeBaseState();
000024 |         SetPartFromSyncData(constructionPart);
000025 |         UpdateNavmesh();
000026 |         UpdateVisuals();
000027 |
000028 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ResetActionSyncData, 100, false);
000029 |     }
000030 | };
000031 |
```

0246. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BaseBuildingBase\Fence.c
Size bytes: 315
SHA-256: 4cc9865125f11017646b35564c86e890188a499de4bace4d63f72b1923d3f258
Decoded as: utf-8-sig
Line count shown: 14
Detected class declarations: 1
 L1: modded class Fence
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: override void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)

Full file content

```
000001 | modded class Fence
000002 | {
000003 |     override void Expansion_OnPartBuiltServer(ConstructionPart constructionPart)
000004 |     {
000005 |         //!< Equivalent to vanilla Fence::OnPartBuiltServer (minus requirement for player)
000006 |
000007 |         super.Expansion_OnPartBuiltServer(constructionPart);
000008 |
000009 |         SetGateState(CheckGateState());
000010 |
000011 |         UpdateVisuals();
000012 |     }
000013 | }
000014 |
```


0247. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\BatteryCharger.c

Size bytes: 339

SHA-256: 47edf8c1750027bfe70b2e7de385dd975a13e7e5a1cebfca3904a661e8fbdbe2

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class BatteryCharger

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class BatteryCharger
000002 | {
000003 |     //! Vanilla BatteryCharger::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla BatteryCharger::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0248. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Blowtorch.c

Size bytes: 174

SHA-256: 4449bbcd107e642824aacf3cff63f0a84154a480db555924bed565c4694217a5

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class Blowtorch

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override void OnWorkStop()

Full file content

```
000001 | modded class Blowtorch
000002 | {
000003 |     //! Vanilla Blowtorch::OnWorkStop doesn't call super
000004 |     override void OnWorkStop()
000005 |     {
000006 |         super.OnWorkStop();
000007 |
000008 |         Expansion_OnWorkStop();
000009 |     }
000010 | }
000011 |
```

0249. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\CattleProd.c
Size bytes: 327
SHA-256: 2074499066df925996d1092b9baf6145b598a5524b522d61478adf006faae6af
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class CattleProd
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class CattleProd
000002 | {
000003 |     //! Vanilla CattleProd::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla CattleProd::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0250. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ChemLight.c

Size bytes: 354

SHA-256: d782128eee3d011e6a9a9c4c6f8180c27721b9067b885cbeaafe9c2ed31e352

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Chemlight_ColorBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Chemlight_ColorBase
000002 | {
000003 |     //! Vanilla Chemlight_ColorBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Chemlight_ColorBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0251. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing\Armband_ColorBase.c
 Size bytes: 2047
 SHA-256: 4b04ac3ce2b0ac785921bab9336a2327891f231f7306aed41239ada096a94476
 Decoded as: utf-8-sig
 Line count shown: 66
 Detected class declarations: 1
 L1: modded class Armband_ColorBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L3: override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)

Full file content

```
000001 | modded class Armband_ColorBase
000002 | {
000003 |     override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)
000004 |     {
000005 |         super.Expansion_SwitchItemSelectionTextureEx(context, par);
000006 |
000007 |         if (context == EItemManipulationContext.ATTACHING || context == EItemManipulationContext.UPDATE)
000008 |         {
000009 |             Param1<ExpansionNotPlayerBase> data = Param1<ExpansionNotPlayerBase>.Cast(par);
000010 |             if (!data)
000011 |             {
000012 |                 return;
000013 |             }
000014 |
000015 |             ExpansionNotPlayerBase player = data.param1;
000016 |
000017 |             int selection_idx = -1;
000018 |             string texture;
000019 |
000020 |             array<string> show_selections = new array<string>;
000021 |             array<string> hide_selections = new array<string>;
000022 |
000023 |             //has top
000024 |             if (player.FindAttachmentBySlotName("Body"))
000025 |             {
000026 |                 show_selections.Insert("camoMale_big_a");
000027 |                 show_selections.Insert("camoMale_big_b");
000028 |                 show_selections.Insert("camoFemale_big_a");
000029 |                 show_selections.Insert("camoFemale_big_b");
000030 |
000031 |                 hide_selections.Insert("camoMale_small_a");
000032 |                 hide_selections.Insert("camoMale_small_b");
000033 |                 hide_selections.Insert("camoFemale_small_a");
000034 |                 hide_selections.Insert("camoFemale_small_b");
000035 |             }
000036 |             //has no top
000037 |             else
000038 |             {
000039 |                 hide_selections.Insert("camoMale_big_a");
000040 |                 hide_selections.Insert("camoMale_big_b");
000041 |                 hide_selections.Insert("camoFemale_big_a");
000042 |                 hide_selections.Insert("camoFemale_big_b");
000043 |
000044 |                 show_selections.Insert("camoMale_small_a");
000045 |                 show_selections.Insert("camoMale_small_b");
000046 |                 show_selections.Insert("camoFemale_small_a");
```

```
000047 |         show_selections.Insert("camoFemale_small_b");
000048 |     }
000049 |
000050 |     int i;
000051 |     for (i = 0; i < show_selections.Count(); i++)
000052 |     {
000053 |         selection_idx = GetHiddenSelectionIndex(show_selections[i]);
000054 |         texture = GetHiddenSelectionsData().GetHiddenSelectionsTextures()[selection_idx];
000055 |         SetObjectTexture( selection_idx, texture );
000056 |     }
000057 |
000058 |     for (i = 0; i < hide_selections.Count(); i++)
000059 |     {
000060 |         selection_idx = GetHiddenSelectionIndex(hide_selections[i]);
000061 |         SetObjectTexture( selection_idx, "" );
000062 |     }
000063 | }
000064 | }
000065 | }
000066 |
```

0252. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Clothing_Base.c
 Size bytes: 1037
 SHA-256: 36c1bc223097f4f7a4b7693daa056fbe0e2f07b62belac27ff00b1417d2a4929
 Decoded as: utf-8-sig
 Line count shown: 36
 Detected class declarations: 1
 L1: modded class Clothing
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L4: override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)

Full file content

```
000001 | modded class Clothing
000002 | {
000003 |     //! This controls arms/legs texture for ExpansionNotPlayerBase and inheriting classes (e.g. static Expansion NPCs)
000004 |     override void Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext context, Param par = null)
000005 |     {
000006 |         super.Expansion_SwitchItemSelectionTextureEx(context, par);
000007 |
000008 |         Param1<ExpansionNotPlayerBase> data = Param1<ExpansionNotPlayerBase>.Cast(par);
000009 |         if (!data)
000010 |         {
000011 |             return;
000012 |         }
000013 |
000014 |         ExpansionNotPlayerBase player = data.param1;
000015 |
000016 |         int personality = GetHiddenSelectionIndex("personality");
000017 |         if (personality >= 0)
000018 |         {
000019 |             string tone_mat = player.m_EmptyGloves.GetHiddenSelectionsMaterials().Get(0);
000020 |             string tone_texture;
000021 |
000022 |             if (player.m_CorpseState > PlayerConstants.CORPSE_STATE_FRESH)
000023 |             {
000024 |                 tone_texture = player.m_DecayedTexture;
000025 |             }
000026 |             else
000027 |             {
000028 |                 tone_texture = player.m_EmptyGloves.GetHiddenSelectionsTextures().Get(0);
000029 |             }
000030 |
000031 |             SetObjectMaterial( personality, tone_mat );
000032 |             SetObjectTexture( personality, tone_texture );
000033 |         }
000034 |     }
000035 | }
000036 |
```

0253. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Defibrillator.c

Size bytes: 336

SHA-256: 664778b0a1a58651494accf3ff13ea81348962e591d8164dd293eacfb361e44

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Defibrillator

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Defibrillator
000002 | {
000003 |     //! Vanilla Defibrillator::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Defibrillator::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```


0254. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Edible_Base.c

Size bytes: 6041

SHA-256: c732a9d624e04ee83000b83ddb56d0fcf8d4865c52d3a27cb46d54618e54bcc9

Decoded as: utf-8-sig

Line count shown: 177

Detected class declarations: 1

L13: modded class Edible_Base

Detected enum declarations: 0

Detected function/method-like declarations: 3

L17: FoodStageType Expansion_GetProcessedFoodStageDecay(float delta, bool hasRootAsPlayer)

L90: else if (IsMeat())

L136: else if (IsCorpse())

Full file content

```
000001 | /**
000002 |  * Edible_Base.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class Edible_Base
000014 | {
000015 |     //! Similar to vanilla ProcessDecay, but call to GetHealth01 has been replaced with GetHealthLevelValue so it works on client (used in P2P market and personal
000016 |     storage previews)
000017 |     //! @note due to some intended randomness in the decay values, computed state may be different on client than actual state on server
000018 |     FoodStageType Expansion_GetProcessedFoodStageDecay( float delta, bool hasRootAsPlayer )
000019 |     {
000020 |         int decayTimer;
000021 |         FoodStageType processedFoodStage = FoodStageType.NONE;
000022 |         FoodStageType lastDecayStage;
000023 |         float decayDelta = 0.0;
000024 |         decayDelta *= DayZGame.Cast(g_Game).GetFoodDecayModifier();
000025 |         decayDelta += ( 1 + ( 1 - GetHealthLevelValue(GetHealthLevel()) ) );
000026 |         if ( hasRootAsPlayer )
000027 |             decayDelta += GameConstants.DECAY_RATE_ON_PLAYER;
000028 |
000029 |         if ( IsFruit() || IsMushroom() )
000030 |         {
000031 |             switch ( GetFoodStageType() )
000032 |             {
000033 |                 case FoodStageType.RAW:
000034 |                     decayTimer = ( GameConstants.DECAY_FOOD_RAW_FRVG + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_RAW_FRVG * ( GameConstants.DECAY_TIMER_
000035 |                     RANDOM_PERCENTAGE / 100.0 ) ) ) );
000036 |                     lastDecayStage = FoodStageType.RAW;
000037 |                     break;
000038 |
000039 |                 case FoodStageType.BOILED:
000040 |                     decayTimer = ( GameConstants.DECAY_FOOD_BOILED_FRVG + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BOILED_FRVG * ( GameConstants.DECAY_
000041 |                     TIMER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000042 |                     lastDecayStage = FoodStageType.BOILED;
000043 |                     break;
```

```
000042 |         case FoodStageType.BAKED:
000043 |             decayTimer = ( GameConstants.DECAY_FOOD_BAKED_FRVG + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BAKED_FRVG * ( GameConstants.DECAY_TI
MER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000044 |             lastDecayStage = FoodStageType.BAKED;
000045 |             break;
000046 |
000047 |         case FoodStageType.DRIED:
000048 |         case FoodStageType.BURNED:
000049 |         case FoodStageType.ROTTEN:
000050 |         default:
000051 |             decayTimer = -1;
000052 |             lastDecayStage = FoodStageType.NONE;
000053 |             break;
000054 |     }
000055 |
000056 |     decayTimer -= ( delta * decayDelta );
000057 |
000058 |     if ( decayTimer <= 0 )
000059 |     {
000060 |         if ( lastDecayStage != FoodStageType.NONE )
000061 |         {
000062 |             // switch to decayed stage
000063 |             if ( ( lastDecayStage == FoodStageType.BOILED ) || ( lastDecayStage == FoodStageType.BAKED ) )
000064 |             {
000065 |                 processedFoodStage = FoodStageType.ROTTEN;
000066 |             }
000067 |             if ( lastDecayStage == FoodStageType.RAW )
000068 |             {
000069 |                 int rng = Math.RandomIntInclusive( 0, 100 );
000070 |                 if ( rng > GameConstants.DECAY_FOOD_FRVG_DRIED_CHANCE )
000071 |                 {
000072 |                     processedFoodStage = FoodStageType.ROTTEN;
000073 |                 }
000074 |                 else
000075 |                 {
000076 |                     if ( CanChangeToNewStage( FoodStageType.DRIED ) )
000077 |                     {
000078 |                         processedFoodStage = FoodStageType.DRIED;
000079 |                     }
000080 |                     else
000081 |                     {
000082 |                         processedFoodStage = FoodStageType.ROTTEN;
000083 |                     }
000084 |                 }
000085 |             }
000086 |         }
000087 |     }
000088 |
000089 | }
000090 | else if ( IsMeat() )
000091 | {
000092 |     switch ( GetFoodStageType() )
000093 |     {
000094 |         case FoodStageType.RAW:
000095 |             decayTimer = ( GameConstants.DECAY_FOOD_RAW_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_RAW_MEAT * ( GameConstants.DECAY_TIMER_
RANDOM_PERCENTAGE / 100.0 ) ) ) );
000096 |             lastDecayStage = FoodStageType.RAW;
000097 |             break;
000098 |
000099 |         case FoodStageType.BOILED:
000100 |             decayTimer = ( GameConstants.DECAY_FOOD_BOILED_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BOILED_MEAT * ( GameConstants.DECAY_
TIMER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
```

```
000101 |         lastDecayStage = FoodStageType.BOILED;
000102 |         break;
000103 |
000104 |         case FoodStageType.BAKED:
000105 |             decayTimer = ( GameConstants.DECAY_FOOD_BAKED_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_BAKED_MEAT * ( GameConstants.DECAY_TI
MER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000106 |             lastDecayStage = FoodStageType.BAKED;
000107 |             break;
000108 |
000109 |         case FoodStageType.DRIED:
000110 |             decayTimer = ( GameConstants.DECAY_FOOD_DRIED_MEAT + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_DRIED_MEAT * ( GameConstants.DECAY_TI
MER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000111 |             lastDecayStage = FoodStageType.DRIED;
000112 |             break;
000113 |
000114 |         case FoodStageType.BURNED:
000115 |         case FoodStageType.ROTTEN:
000116 |         default:
000117 |             decayTimer = -1;
000118 |             lastDecayStage = FoodStageType.NONE;
000119 |             break;
000120 |     }
000121 |
000122 |     decayTimer -= ( delta * decayDelta );
000123 |
000124 |     if ( decayTimer <= 0 )
000125 |     {
000126 |         if ( lastDecayStage != FoodStageType.NONE )
000127 |         {
000128 |             // switch to decayed stage
000129 |             if ( ( lastDecayStage == FoodStageType.DRIED ) || ( lastDecayStage == FoodStageType.RAW ) || ( lastDecayStage == FoodStageType.BOILED ) || ( l
astDecayStage == FoodStageType.BAKED ) )
000130 |             {
000131 |                 processedFoodStage = FoodStageType.ROTTEN;
000132 |             }
000133 |         }
000134 |     }
000135 | }
000136 | else if ( IsCorpse() )
000137 | {
000138 |     // corpse
000139 |     if ( lastDecayStage != GetFoodStageType() )
000140 |     {
000141 |         switch ( GetFoodStageType() )
000142 |         {
000143 |             case FoodStageType.RAW:
000144 |                 decayTimer = ( GameConstants.DECAY_FOOD_RAW_CORPSE + ( Math.RandomFloat01() * ( GameConstants.DECAY_FOOD_RAW_CORPSE * ( GameConstants.DECA
Y_TIMER_RANDOM_PERCENTAGE / 100.0 ) ) ) );
000145 |                 lastDecayStage = FoodStageType.RAW;
000146 |                 break;
000147 |
000148 |             case FoodStageType.BURNED:
000149 |             case FoodStageType.ROTTEN:
000150 |             default:
000151 |                 decayTimer = -1;
000152 |                 lastDecayStage = FoodStageType.NONE;
000153 |                 break;
000154 |         }
000155 |     }
000156 |
000157 |     decayTimer -= ( delta * decayDelta );
000158 |
```

```
000159 |         if ( decayTimer <= 0 )
000160 |         {
000161 |             if ( lastDecayStage != FoodStageType.NONE )
000162 |             {
000163 |                 // switch to decayed stage
000164 |                 if ( ( lastDecayStage == FoodStageType.DRIED ) || ( lastDecayStage == FoodStageType.RAW ) || ( lastDecayStage == FoodStageType.BOILED ) || ( l
astDecayStage == FoodStageType.BAKED ) )
000165 |                 {
000166 |                     processedFoodStage = FoodStageType.ROTTEN;
000167 |                 }
000168 |             }
000169 |         }
000170 |     }
000171 |
000172 |     if (processedFoodStage == FoodStageType.NONE && m_FoodStage)
000173 |         processedFoodStage = GetFoodStageType();
000174 |
000175 |     return processedFoodStage;
000176 | }
000177 | };
```

0255. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionAdminChest.c

Size bytes: 2384

SHA-256: 2ec0b049d3edd8e17dc2dc13baf438a25482bea1b2a45e1aca757b8ba9bfdd44

Decoded as: utf-8-sig

Line count shown: 103

Detected class declarations: 1

L13: class ExpansionAdminChest: SeaChest

Detected enum declarations: 0

Detected function/method-like declarations: 16

L15: void ExpansionAdminChest()

L21: override bool CanDisplayAttachmentSlot(int slot_id)

L26: return Expansion_HasPermission();

L29: override bool CanDisplayCargo()

L34: return Expansion_HasPermission();

L37: override bool CanPutInCargo(EntityAI parent)

L45: override bool CanPutIntoHands(EntityAI parent)

L53: override bool CanReceiveAttachment(EntityAI attachment, int slotId)

L61: override bool CanReceiveItemIntoCargo(EntityAI item)

L69: override bool CanReleaseAttachment(EntityAI attachment)

L77: override bool CanReleaseCargo(EntityAI cargo)

L85: override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)

L93: override bool IsInventoryVisible()

L95: return Expansion_HasPermission();

L98: bool Expansion_HasPermission()

L100: return GetPermissionsManager().HasPermission("Entity.Spawn");

Full file content

```
000001 | /**
000002 |  * ExpansionAdminChest.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2024 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionAdminChest: SeaChest
000014 | {
000015 |     void ExpansionAdminChest()
000016 |     {
000017 |         if (g_Game.IsServer())
000018 |             SetAllowDamage(false);
000019 |     }
000020 |
000021 |     override bool CanDisplayAttachmentSlot(int slot_id)
000022 |     {
000023 |         if (!super.CanDisplayAttachmentSlot(slot_id))
000024 |             return false;
000025 |
000026 |         return Expansion_HasPermission();
000027 |     }
000028 |
000029 |     override bool CanDisplayCargo()
000030 |     {
000031 |         if (!super.CanDisplayCargo())
```

```
000032 |         return false;
000033 |
000034 |         return Expansion_HasPermission();
000035 |     }
000036 |
000037 |     override bool CanPutInCargo(EntityAI parent)
000038 |     {
000039 |         if (!super.CanPutInCargo(parent))
000040 |             return false;
000041 |
000042 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000043 |     }
000044 |
000045 |     override bool CanPutIntoHands(EntityAI parent)
000046 |     {
000047 |         if (!super.CanPutIntoHands(parent))
000048 |             return false;
000049 |
000050 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000051 |     }
000052 |
000053 |     override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000054 |     {
000055 |         if (!super.CanReceiveAttachment(attachment, slotId))
000056 |             return false;
000057 |
000058 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000059 |     }
000060 |
000061 |     override bool CanReceiveItemIntoCargo(EntityAI item)
000062 |     {
000063 |         if (!super.CanReceiveItemIntoCargo(item))
000064 |             return false;
000065 |
000066 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000067 |     }
000068 |
000069 |     override bool CanReleaseAttachment(EntityAI attachment)
000070 |     {
000071 |         if (!super.CanReleaseAttachment(attachment))
000072 |             return false;
000073 |
000074 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000075 |     }
000076 |
000077 |     override bool CanReleaseCargo(EntityAI cargo)
000078 |     {
000079 |         if (!super.CanReleaseCargo(cargo))
000080 |             return false;
000081 |
000082 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000083 |     }
000084 |
000085 |     override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
000086 |     {
000087 |         if (!super.CanSwapItemInCargo(child_entity, new_entity))
000088 |             return false;
000089 |
000090 |         return g_Game.IsDedicatedServer() || Expansion_HasPermission();
000091 |     }
000092 |
000093 |     override bool IsInventoryVisible()
```

```
000094 | {  
000095 |     return Expansion_HasPermission();  
000096 | }  
000097 |  
000098 | bool Expansion_HasPermission()  
000099 | {  
000100 |     return GetPermissionsManager().HasPermission("Entity.Spawn");  
000101 | }  
000102 | }  
000103 |
```

0256. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionBriefcase.c

Size bytes: 823

SHA-256: ad327ca3a599e3a14c9617f754b60c1f325ea38fdb5c3a7363250696f77fb706

Decoded as: utf-8-sig

Line count shown: 35

Detected class declarations: 1

L13: class ExpansionBriefcase : Container_Base

Detected enum declarations: 0

Detected function/method-like declarations: 3

L15: override int GetDamageSystemVersionChange()

L19: override bool CanReceiveItemIntoCargo(EntityAI item)

L27: override bool CanLoadItemIntoCargo(EntityAI item)

Full file content

```
000001 | /**
000002 |  * ExpansionBriefcase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionBriefcase : Container_Base
000014 | {
000015 |     override int GetDamageSystemVersionChange()
000016 |     {
000017 |         return 110;
000018 |     }
000019 |     override bool CanReceiveItemIntoCargo( EntityAI item )
000020 |     {
000021 |         if (!super.CanReceiveItemIntoCargo(item))
000022 |             return false;
000023 |
000024 |         return item.IsKindOf("ExpansionMoneyBase");
000025 |     }
000026 |
000027 |     override bool CanLoadItemIntoCargo( EntityAI item )
000028 |     {
000029 |         if (!super.CanLoadItemIntoCargo(item))
000030 |             return false;
000031 |
000032 |         return item.IsKindOf("ExpansionMoneyBase");
000033 |     }
000034 | };
000035 |
```


0257. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionCircuitBoardBase.c

Size bytes: 820

SHA-256: d16e61bf0d9bd56ff600df248b7ba9efdf318cccd949de6ca1e87724c4f2e008

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 4

L13: class ExpansionCircuitBoardBase: ItemBase

L21: class ExpansionCircuitBoard_MK1: ExpansionCircuitBoardBase

L28: class ExpansionCircuitBoard_MK2: ExpansionCircuitBoardBase

L35: class ExpansionCircuitBoard_MK3: ExpansionCircuitBoardBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L15: int Expansion_GetTier()

L23: override int Expansion_GetTier()

L30: override int Expansion_GetTier()

L37: override int Expansion_GetTier()

Full file content

```
000001 | /**
000002 |  * ExpansionCircuitBoardBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionCircuitBoardBase: ItemBase
000014 | {
000015 |     int Expansion_GetTier()
000016 |     {
000017 |         return -1;
000018 |     }
000019 | };
000020 |
000021 | class ExpansionCircuitBoard_MK1: ExpansionCircuitBoardBase
000022 | {
000023 |     override int Expansion_GetTier()
000024 |     {
000025 |         return 1;
000026 |     }
000027 | };
000028 | class ExpansionCircuitBoard_MK2: ExpansionCircuitBoardBase
000029 | {
000030 |     override int Expansion_GetTier()
000031 |     {
000032 |         return 2;
000033 |     }
000034 | };
000035 | class ExpansionCircuitBoard_MK3: ExpansionCircuitBoardBase
000036 | {
000037 |     override int Expansion_GetTier()
000038 |     {
000039 |         return 3;
000040 |     }
000040 | }
```

000041 | };

0258. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionOwnedContainer.c
Size bytes: 12666
SHA-256: 26d88799dc939aab96f674df8a972ab342c99ed3c30805f9134df58d0b12c1ce
Decoded as: utf-8-sig
Line count shown: 478
Detected class declarations: 2
  L14: class ExpansionOwnedContainer: Container_Base
  L318: class ExpansionTemporaryOwnedContainer: ExpansionOwnedContainer
Detected enum declarations: 0
Detected function/method-like declarations: 55
  L21: void ExpansionOwnedContainer()
  L27: override void DeferredInit()
  L34: override void OnVariablesSynchronized()
  L41: protected void Expansion_UpdateOwner()
  L63: void Expansion_OnOwnerSync()
  L67: override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)
  L75: override bool CanDisplayAttachmentSlot(int slot_id)
  L80: return ExpansionIsContainerOwner();
  L85: override bool CanDisplayCargo()
  L87: return ExpansionIsContainerOwner();
  L90: override bool CanLoadAttachment(EntityAI attachment)
  L95: override bool CanLoadItemIntoCargo(EntityAI item)
  L100: override bool CanPutInCargo(EntityAI parent)
  L105: override bool CanPutIntoHands(EntityAI parent)
  L107: return ExpansionIsContainerOwner(Man.Cast(parent));
  L110: override bool CanReceiveAttachment(EntityAI attachment, int slotId)
  L115: override bool CanReceiveItemIntoCargo(EntityAI item)
  L123: override bool CanReleaseAttachment(EntityAI attachment)
  L131: override bool CanReleaseCargo(EntityAI cargo)
  L136: override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
  L145: override bool IsInventoryVisible()
  L147: return ExpansionIsContainerOwner();
  L150: override bool IsHealthVisible()
  L155: override bool NameOverride(out string output)
  L171: void ExpansionSetContainerOwner(Man player)
  L176: void ExpansionSetContainerOwner(PlayerIdentity identity)
  L199: void ExpansionSetContainerOwner(string uid)
  L222: PlayerBase ExpansionGetContainerOwner()
  L227: string ExpansionGetContainerOwnerUID()
  L233: bool ExpansionIsContainerOwner()
  L235: return ExpansionIsContainerOwner(g_Game.GetPlayer());
  L239: bool ExpansionIsContainerOwner(Man player)
  L244: return ExpansionIsContainerOwner(player.GetIdentity());
  L248: bool ExpansionIsContainerOwner(PlayerIdentity identity)
  L253: return ExpansionIsContainerOwner(identity.GetId());
  L257: bool ExpansionIsContainerOwner(string uid)
  L264: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L278: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L311: bool Expansion_PersistOwner()
  L322: void ExpansionTemporaryOwnedContainer()
  L341: void ~ExpansionTemporaryOwnedContainer()
  L354: override void Expansion_OnOwnerSync()
  L362: void ExpansionCheckContainerOwner()
  L377: override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
  L394: void Expansion_SetInvisible(EntityAI item, bool invisible = true)
  L406: override void EECargoOut(EntityAI item)
  L416: override void EEItemDetached(EntityAI item, string slot_name)
  L426: override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)
```

```
L431: override bool CanReceiveAttachment(EntityAI attachment, int slotId)
L436: override bool CanReceiveItemIntoCargo(EntityAI item)
L441: override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
L446: void ExpansionSetCanReceiveItems(bool state)
L451: void ExpansionStorageNotification(string msg)
L466: void ExpansionDeleteStorage()
L473: override bool Expansion_CanUseVirtualStorage(bool restoreOverride = false)
```

Full file content

```
000001 | /**
000002 |  * ExpansionOwnedContainer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | //! Cargo container that's only accessible by the designated owner
000014 | class ExpansionOwnedContainer: Container_Base
000015 | {
000016 |     protected string m_Expansion_OwnerUID; //! Server only
000017 |     protected int m_Expansion_OwnerPlainID[2]; //! Server + client (temp)
000018 |     protected int m_Expansion_OwnerPlainID0; //! Server + client (netsynced)
000019 |     protected int m_Expansion_OwnerPlainID1; //! Server + client (netsynced)
000020 |
000021 |     void ExpansionOwnedContainer()
000022 |     {
000023 |         RegisterNetSyncVariableInt("m_Expansion_OwnerPlainID0");
000024 |         RegisterNetSyncVariableInt("m_Expansion_OwnerPlainID1");
000025 |     }
000026 |
000027 |     override void DeferredInit()
000028 |     {
000029 |         super.DeferredInit();
000030 |
000031 |         Expansion_UpdateOwner();
000032 |     }
000033 |
000034 |     override void OnVariablesSynchronized()
000035 |     {
000036 |         super.OnVariablesSynchronized();
000037 |
000038 |         Expansion_UpdateOwner();
000039 |     }
000040 |
000041 |     protected void Expansion_UpdateOwner()
000042 |     {
000043 |         if (m_Expansion_OwnerPlainID[0] != m_Expansion_OwnerPlainID0 || m_Expansion_OwnerPlainID[1] != m_Expansion_OwnerPlainID1)
000044 |         {
000045 |             m_Expansion_OwnerPlainID[0] = m_Expansion_OwnerPlainID0;
000046 |             m_Expansion_OwnerPlainID[1] = m_Expansion_OwnerPlainID1;
000047 |
000048 |             string steamId = PlayerIdentity.Expansion_PlainIdToString(m_Expansion_OwnerPlainID);
000049 |
000050 |             m_Expansion_OwnerUID = PlayerIdentity.Expansion_PlainIdToId(steamId);
000051 |
000052 |             #ifdef DIAG_DEVELOPER
```

```
000053 |         EXTrace.Print(EXTrace.MISC, this, "::Expansion_UpdateOwner - owner " + m_Expansion_OwnerUID);
000054 |         EXTrace.Print(EXTrace.MISC, this, "::Expansion_UpdateOwner - owner steam64 " + steamId);
000055 |     #endif
000056 |
000057 |     #ifndef SERVER
000058 |         Expansion_OnOwnerSync();
000059 |     #endif
000060 | }
000061 |
000062 |
000063 | void Expansion_OnOwnerSync()
000064 | {
000065 | }
000066 |
000067 | override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)
000068 | {
000069 |     if (!super.CanCombineAttachment(e, slot, stack_max_limit))
000070 |         return false;
000071 |
000072 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000073 | }
000074 |
000075 | override bool CanDisplayAttachmentSlot(int slot_id)
000076 | {
000077 |     if (!super.CanDisplayAttachmentSlot(slot_id))
000078 |         return false;
000079 |
000080 |     return ExpansionIsContainerOwner();
000081 | }
000082 |
000083 | //! NOTE: Despite being a vanilla method, nothing in vanilla checks CanDisplayCargo.
000084 | //! We implement this ourself in 5_Mission/GUI/InventoryNew/Inherited/ContainerWithCargoAndAttachments.
000085 | override bool CanDisplayCargo()
000086 | {
000087 |     return ExpansionIsContainerOwner();
000088 | }
000089 |
000090 | override bool CanLoadAttachment(EntityAI attachment)
000091 | {
000092 |     return true;
000093 | }
000094 |
000095 | override bool CanLoadItemIntoCargo(EntityAI item)
000096 | {
000097 |     return true;
000098 | }
000099 |
000100 | override bool CanPutInCargo(EntityAI parent)
000101 | {
000102 |     return false;
000103 | }
000104 |
000105 | override bool CanPutIntoHands(EntityAI parent)
000106 | {
000107 |     return ExpansionIsContainerOwner(Man.Cast(parent));
000108 | }
000109 |
000110 | override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000111 | {
000112 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000113 | }
000114 |
```

```
000115 | override bool CanReceiveItemIntoCargo(EntityAI item)
000116 | {
000117 |     if (!super.CanReceiveItemIntoCargo(item))
000118 |         return false;
000119 |
000120 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000121 | }
000122 |
000123 | override bool CanReleaseAttachment(EntityAI attachment)
000124 | {
000125 |     if (!super.CanReleaseAttachment(attachment))
000126 |         return false;
000127 |
000128 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000129 | }
000130 |
000131 | override bool CanReleaseCargo(EntityAI cargo)
000132 | {
000133 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000134 | }
000135 |
000136 | override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
000137 | {
000138 |     if (!super.CanSwapItemInCargo(child_entity, new_entity))
000139 |         return false;
000140 |
000141 |     return g_Game.IsDedicatedServer() || ExpansionIsContainerOwner();
000142 | }
000143 |
000144 | //! This hides the container from vicinity completely
000145 | override bool IsInventoryVisible()
000146 | {
000147 |     return ExpansionIsContainerOwner();
000148 | }
000149 |
000150 | override bool IsHealthVisible()
000151 | {
000152 |     return false;
000153 | }
000154 |
000155 | override bool NameOverride(out string output)
000156 | {
000157 |     if (!g_Game.GetPlayer())
000158 |         return false;
000159 |
000160 |     PlayerIdentity identity = g_Game.GetPlayer().GetIdentity();
000161 |
000162 |     if (!ExpansionIsContainerOwner(identity))
000163 |         return false;
000164 |
000165 |     g_Game.ObjectGetDisplayName(this, output);
000166 |     output += " - " + identity.GetName();
000167 |
000168 |     return true;
000169 | }
000170 |
000171 | void ExpansionSetContainerOwner(Man player)
000172 | {
000173 |     ExpansionSetContainerOwner(player.GetIdentity());
000174 | }
000175 |
000176 | void ExpansionSetContainerOwner(PlayerIdentity identity)
```

```
000177 | {
000178 |     if (identity)
000179 |     {
000180 |         m_Expansion_OwnerUID = identity.GetId();
000181 |
000182 |         identity.Expansion_PlainIdToInt(m_Expansion_OwnerPlainID);
000183 |
000184 |         m_Expansion_OwnerPlainID0 = m_Expansion_OwnerPlainID[0];
000185 |         m_Expansion_OwnerPlainID1 = m_Expansion_OwnerPlainID[1];
000186 |
000187 |         #ifdef DIAG_DEVELOPER
000188 |             EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner " + m_Expansion_OwnerUID);
000189 |             EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner steam64 " + identity.GetPlainId());
000190 |         #endif
000191 |
000192 |         #ifdef SERVER
000193 |             SetSynchDirty();
000194 |         #endif
000195 |     }
000196 | }
000197 |
000198 | //! DEPRECATED, use ExpansionSetContainerOwner(PlayerIdentity identity)
000199 | void ExpansionSetContainerOwner(string uid)
000200 | {
000201 |     m_Expansion_OwnerUID = uid;
000202 |
000203 |     string steamId = PlayerBase.Expansion_GetPlainIDByUID(uid);
000204 |     int idLen = steamId.Length();
000205 |
000206 |     m_Expansion_OwnerPlainID0 = steamId.Substring(0, 9).ToInt();
000207 |     m_Expansion_OwnerPlainID1 = steamId.Substring(9, idLen - 9).ToInt();
000208 |
000209 |     m_Expansion_OwnerPlainID[0] = m_Expansion_OwnerPlainID0;
000210 |     m_Expansion_OwnerPlainID[1] = m_Expansion_OwnerPlainID1;
000211 |
000212 |     #ifdef DIAG_DEVELOPER
000213 |         EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner " + m_Expansion_OwnerUID);
000214 |         EXTrace.Print(EXTrace.MISC, this, "::ExpansionSetContainerOwner - owner steam64 " + steamId);
000215 |     #endif
000216 |
000217 |     #ifdef SERVER
000218 |         SetSynchDirty();
000219 |     #endif
000220 | }
000221 |
000222 | PlayerBase ExpansionGetContainerOwner()
000223 | {
000224 |     return PlayerBase.GetPlayerByUID(ExpansionGetContainerOwnerUID());
000225 | }
000226 |
000227 | string ExpansionGetContainerOwnerUID()
000228 | {
000229 |     return m_Expansion_OwnerUID;
000230 | }
000231 |
000232 | //! Callable client only
000233 | bool ExpansionIsContainerOwner()
000234 | {
000235 |     return ExpansionIsContainerOwner(g_Game.GetPlayer());
000236 | }
000237 |
000238 | //! Callable client/server
```

```
000239 | bool ExpansionIsContainerOwner(Man player)
000240 | {
000241 |     if (!player)
000242 |         return false;
000243 |
000244 |     return ExpansionIsContainerOwner(player.GetIdentity());
000245 | }
000246 |
000247 | //! Callable client/server
000248 | bool ExpansionIsContainerOwner(PlayerIdentity identity)
000249 | {
000250 |     if (!identity)
000251 |         return false;
000252 |
000253 |     return ExpansionIsContainerOwner(identity.GetId());
000254 | }
000255 |
000256 | //! Callable client/server
000257 | bool ExpansionIsContainerOwner(string uid)
000258 | {
000259 |     string owner = ExpansionGetContainerOwnerUID();
000260 |     return owner != string.Empty && owner == uid;
000261 | }
000262 |
000263 | #ifdef EXPANSION_MODSTORAGE
000264 | override void CF_OnStoreSave(CF_ModStorageMap storage)
000265 | {
000266 |     super.CF_OnStoreSave(storage);
000267 |
000268 |     if (!Expansion_PersistOwner())
000269 |         return;
000270 |
000271 |     auto ctx = storage[DZ_Expansion_Core];
000272 |     if (!ctx) return;
000273 |
000274 |     ctx.Write(m_Expansion_OwnerPlainID0);
000275 |     ctx.Write(m_Expansion_OwnerPlainID1);
000276 | }
000277 |
000278 | override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000279 | {
000280 |     if (!super.CF_OnStoreLoad(storage))
000281 |         return false;
000282 |
000283 |     if (!Expansion_PersistOwner())
000284 |         return true;
000285 |
000286 |     auto ctx = storage[DZ_Expansion_Core];
000287 |     if (!ctx) return true;
000288 |
000289 |     if (ctx.GetVersion() < 50)
000290 |     {
000291 |         string uid;
000292 |         if (!ctx.Read(uid))
000293 |             return false;
000294 |
000295 |         ExpansionSetContainerOwner(uid);
000296 |     }
000297 |     else
000298 |     {
000299 |         if (!ctx.Read(m_Expansion_OwnerPlainID0))
000300 |             return false;
```



```
000301 |
000302 |         if (!ctx.Read(m_Expansion_OwnerPlainID1))
000303 |             return false;
000304 |
000305 |         Expansion_UpdateOwner();
000306 |     }
000307 |
000308 |     return true;
000309 | }
000310 |
000311 | bool Expansion_PersistOwner()
000312 | {
000313 |     return true;
000314 | }
000315 | #endif
000316 | }
000317 |
000318 | class ExpansionTemporaryOwnedContainer: ExpansionOwnedContainer
000319 | {
000320 |     protected bool m_ExpansionCanReceiveItems;
000321 |
000322 |     void ExpansionTemporaryOwnedContainer()
000323 |     {
000324 |         if (g_Game.IsServer()) //! Server or SP
000325 |         {
000326 |             SetAllowDamage(false);
000327 |
000328 |             //! Delete after 20 minutes
000329 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ExpansionDeleteStorage, 1000 * 60 * 20, false);
000330 |         }
000331 |
000332 |         if (!g_Game.IsDedicatedServer()) //! Client or SP
000333 |         {
000334 |             //! Warn about pending deletion after 15 minutes
000335 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ExpansionStorageNotification, 1000 * 60 * 15, false, "STR_EXPANSION_TEMPORARY_STORAGE_EXPIRATION
_WARNING");
000336 |
000337 |             Expansion_SetInvisible(this);
000338 |         }
000339 |     }
000340 |
000341 |     void ~ExpansionTemporaryOwnedContainer()
000342 |     {
000343 |         if (!g_Game)
000344 |             return;
000345 |
000346 |         if (!g_Game.IsDedicatedServer())
000347 |         {
000348 |             ScriptCallQueue callQueue = g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY);
000349 |             callQueue.Remove(ExpansionCheckContainerOwner);
000350 |             callQueue.Remove(Expansion_SetInvisible);
000351 |         }
000352 |     }
000353 |
000354 |     override void Expansion_OnOwnerSync()
000355 |     {
000356 |         super.Expansion_OnOwnerSync();
000357 |
000358 |         //! @note g_Game.GetPlayer() will only be non-NULL after player has fully loaded in
000359 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(ExpansionCheckContainerOwner, 1000, true);
000360 |     }
000361 | }
```

```
000362 | void ExpansionCheckContainerOwner()
000363 | {
000364 |     if (!g_Game.GetPlayer())
000365 |         return;
000366 |
000367 |     g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Remove(ExpansionCheckContainerOwner);
000368 |
000369 |     EXTrace.Print(EXTrace.MISC, this, "ExpansionTemporaryOwnedContainer::Expansion_OnOwnerSync - is owner? " + ExpansionIsContainerOwner());
000370 |
000371 |     if (ExpansionIsContainerOwner())
000372 |         Expansion_SetInvisible(this, false);
000373 | }
000374 |
000375 | // default to visible unless on ground, owner will always see it once netsync received
000376 | // allow other players to see the container while it's being carried (no more mimes!)
000377 | override void EEItemLocationChanged(notnull InventoryLocation oldLoc, notnull InventoryLocation newLoc)
000378 | {
000379 |     EXTrace.Print(EXTrace.MISC, this, "EEItemLocationChanged " + typename.EnumToString(InventoryLocationType, oldLoc.GetType()) + " -> " + typename.EnumToString(InventoryLocationType, newLoc.GetType()));
000380 |
000381 |     super.EEItemLocationChanged(oldLoc, newLoc);
000382 |
000383 |     if (g_Game.IsDedicatedServer())
000384 |         return;
000385 |
000386 |     //! @note call to ClearFlags needs to be delayed one frame, else other clients won't see other items taken to hand afterwards
000387 |     //! Can't use ScriptCallQueue::Call to call ClearFlags directly, CTDs other clients
000388 |     if (!ExpansionIsContainerOwner() && newLoc.GetType() == InventoryLocationType.GROUND)
000389 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, true);
000390 |     else
000391 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, false);
000392 | }
000393 |
000394 | void Expansion_SetInvisible(EntityAI item, bool invisible = true)
000395 | {
000396 |     //! Client or SP
000397 |     if (!g_Game.IsDedicatedServer())
000398 |     {
000399 |         if (invisible)
000400 |             item.ClearFlags(EntityFlags.VISIBLE, false);
000401 |         else
000402 |             item.SetFlags(EntityFlags.VISIBLE, false);
000403 |     }
000404 | }
000405 |
000406 | override void EECargoOut(EntityAI item)
000407 | {
000408 |     super.EECargoOut(item);
000409 |
000410 |     if (IsEmpty())
000411 |         ExpansionDeleteStorage();
000412 |
000413 |     g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, false);
000414 | }
000415 |
000416 | override void EEItemDetached(EntityAI item, string slot_name)
000417 | {
000418 |     super.EEItemDetached(item, slot_name);
000419 |
000420 |     if (IsEmpty())
000421 |         ExpansionDeleteStorage();
000422 | }
```

```
000423 |         g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).Call(Expansion_SetInvisible, this, false);
000424 |     }
000425 |
000426 |     override bool CanCombineAttachment(notnull EntityAI e, int slot, bool stack_max_limit = false)
000427 |     {
000428 |         return false;
000429 |     }
000430 |
000431 |     override bool CanReceiveAttachment(EntityAI attachment, int slotId)
000432 |     {
000433 |         return m_ExpansionCanReceiveItems;
000434 |     }
000435 |
000436 |     override bool CanReceiveItemIntoCargo(EntityAI item)
000437 |     {
000438 |         return m_ExpansionCanReceiveItems;
000439 |     }
000440 |
000441 |     override bool CanSwapItemInCargo(EntityAI child_entity, EntityAI new_entity)
000442 |     {
000443 |         return false;
000444 |     }
000445 |
000446 |     void ExpansionSetCanReceiveItems(bool state)
000447 |     {
000448 |         m_ExpansionCanReceiveItems = state;
000449 |     }
000450 |
000451 |     void ExpansionStorageNotification(string msg)
000452 |     {
000453 |         if (IsEmpty())
000454 |             return;
000455 |
000456 |         PlayerBase player = PlayerBase.GetPlayerByUID(m_Expansion_OwnerUID);
000457 |         if (!player || !player.GetIdentity())
000458 |             return;
000459 |
000460 |         StringLocaliser title = new StringLocaliser("STR_EXPANSION_TEMPORARY_STORAGE");
000461 |         StringLocaliser text = new StringLocaliser(msg);
000462 |
000463 |         ExpansionNotification(title, text, EXPANSION_NOTIFICATION_ICON_TRADER, COLOR_EXPANSION_NOTIFICATION_ORANGE).Create(player.GetIdentity());
000464 |     }
000465 |
000466 |     void ExpansionDeleteStorage()
000467 |     {
000468 |         ExpansionStorageNotification("STR_EXPANSION_TEMPORARY_STORAGE_EXPIRED");
000469 |
000470 |         Delete();
000471 |     }
000472 |
000473 |     override bool Expansion_CanUseVirtualStorage(bool restoreOverride = false)
000474 |     {
000475 |         return false;
000476 |     }
000477 | }
000478 |
```

0259. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\ExpansionSpraycanBase.c

Size bytes: 1638

SHA-256: e9d6fe58d73f66939c84a3d233588d95145c7c06b66b2d6b99b0ae34c1bccf2a

Decoded as: utf-8-sig

Line count shown: 52

Detected class declarations: 1

L16: class ExpansionSpraycanBase: ItemBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L21: override bool DescriptionOverride(out string output)

L32: override void SetActions()

L40: override bool CanExplodeInFire()

L48: ExpansionSkinModule GetSkinModule()

Full file content

```
000001 | /**
000002 |  * ExpansionSpraycanBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionSpraycanBase
000014 |  * @brief
000015 |  */
000016 | class ExpansionSpraycanBase: ItemBase
000017 | {
000018 |     // -----
000019 |     // ExpansionSpraycanBase DescriptionOverride
000020 |     // -----
000021 |     override bool DescriptionOverride(out string output)
000022 |     {
000023 |         output = ConfigGetString("descriptionShort");
000024 |         if (output.IndexOf("STR_EXPANSION_SPRAYCAN_") == 0)
000025 |             output = "#STR_EXPANSION_SPRAYCAN_BASE_DESC";
000026 |         return true;
000027 |     }
000028 |
000029 |     // -----
000030 |     // ExpansionSpraycanBase SetActions
000031 |     // -----
000032 |     override void SetActions()
000033 |     {
000034 |         super.SetActions();
000035 |     }
000036 |
000037 |     // -----
000038 |     // ExpansionSpraycanBase CanExplodeInFire
000039 |     // -----
000040 |     override bool CanExplodeInFire()
000041 |     {
000042 |         return true;
000043 |     }
```

```
000044 |  
000045 | // -----  
000046 | // ExpansionSpraycanBase CanExplodeInFire  
000047 | // -----  
000048 | ExpansionSkinModule GetSkinModule()  
000049 | {  
000050 |     return ExpansionSkinModule.Cast(CF_ModuleCoreManager.Get(ExpansionSkinModule));  
000051 | }  
000052 | };
```

0260. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Flashlight.c
Size bytes: 327
SHA-256: 7ea6b692b9a633a11e3b3041058f0ca92855d361dea0feale454b94e0483cb2e
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class Flashlight
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Flashlight
000002 | {
000003 |     //! Vanilla Flashlight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Flashlight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0261. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Gear\Navigation\GPSReceiver.c
Size bytes: 330
SHA-256: 2e3310cf43f1325a9861d0bd54be0b283c9626be556e53b1ba2b5cbea9424a51
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class GPSReceiver
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class GPSReceiver
000002 | {
000003 |     //! Vanilla GPSReceiver::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla GPSReceiver::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0262. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Grenade_Base.c

Size bytes: 172

SHA-256: 0db4c940f985f8d3a358e17c38462d4e054f3af060ea357f0a9e16ea3221b40e

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class Grenade_Base

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override bool Expansion_IsLive()

Full file content

```
000001 | modded class Grenade_Base
000002 | {
000003 |     override bool Expansion_IsLive()
000004 |     {
000005 |         if (!m_Pinnable && !dBodyIsActive(this)) || IsPinned())
000006 |             return false;
000007 |
000008 |         return true;
000009 |     }
000010 | }
000011 |
```


0263. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Heatpack.c

Size bytes: 321

SHA-256: 4e3cb36ad7ca57d182dae8a18f1981f80893cdf23c78e7e013c37f5a68a655b1

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Heatpack

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Heatpack
000002 | {
000003 |     //! Vanilla Heatpack::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Heatpack::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0264. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\AmmunitionPiles.c
Size bytes: 733
SHA-256: 08ed7873a6eeb0bf824821631c0e384a74d6e522edb5a2b4ed52eb55cce50791
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L1: modded class Ammunition_Base
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L13: int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)

Full file content

```
000001 | modded class Ammunition_Base
000002 | {
000003 |     /**
000004 |      * @brief Transfer <amount> catridges from this ammo pile to destination pile
000005 |      *
000006 |      * @param dst Ammo pile to transfer cartridges to
000007 |      * @param amount Number of cartridges to transfer
000008 |      * @param resetDstAmmoCount Reset destination ammo count to zero before transfer
000009 |      * @param totalDamage Will be set to total cartridge damage of all successfully transferred cartridges
000010 |      *
000011 |      * @return Number of successfully transferred cartridges
000012 |      */
000013 |     int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
000014 |     {
000015 |         return MiscGameplayFunctions.Expansion_TransferCartridges(this, dst, amount, resetDstAmmoCount, totalDamage);
000016 |     }
000017 | }
000018 |
```

0265. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Magazine\Magazine.c
Size bytes: 720
SHA-256: 8a5f5bd46c8563ce019b98cbb2c871eb0dc131788e1550711cbb21cf586159a2
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L1: modded class MagazineStorage
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L13: int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)

Full file content

```
000001 | modded class MagazineStorage
000002 | {
000003 |     /**
000004 |      * @brief Transfer <amount> catridges from this mag to destination mag
000005 |      *
000006 |      * @param dst mag to transfer cartridges to
000007 |      * @param amount Number of cartridges to transfer
000008 |      * @param resetDstAmmoCount Reset destination ammo count to zero before transfer
000009 |      * @param totalDamage Will be set to total cartridge damage of all successfully transferred cartridges
000010 |      *
000011 |      * @return Number of successfully transferred cartridges
000012 |      */
000013 |     int Expansion_TransferCartridges(Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
000014 |     {
000015 |         return MiscGameplayFunctions.Expansion_TransferCartridges(this, dst, amount, resetDstAmmoCount, totalDamage);
000016 |     }
000017 | }
000018 |
```

0266. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Megaphone.c

Size bytes: 324

SHA-256: edcbf10b3634aec1c8f01bceb7ee37413f638c4e6d69312ad32450cf53c753e2

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Megaphone

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Megaphone
000002 | {
000003 |     //! Vanilla Megaphone::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Megaphone::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0267. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasLamp.c
Size bytes: 342
SHA-256: 7c17f3da25fd5d2d96c9c43033fd4866661f3488e7588c830b61a8408548ff2b
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class PortableGasLamp
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class PortableGasLamp
000002 | {
000003 |     //! Vanilla PortableGasLamp::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla PortableGasLamp::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0268. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PortableGasStove.c

Size bytes: 188

SHA-256: e96ecfdf5dca65ec525419175907deb339182f2fc22dce9623dbaa2157899b32

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class PortableGasStove

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override void OnWorkStop()

Full file content

```
000001 | modded class PortableGasStove
000002 | {
000003 |     //! Vanilla PortableGasStove::OnWorkStop doesn't call super
000004 |     override void OnWorkStop()
000005 |     {
000006 |         super.OnWorkStop();
000007 |
000008 |         Expansion_OnWorkStop();
000009 |     }
000010 | }
000011 |
```

0269. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PoweredOptic_Base.c

Size bytes: 374

SHA-256: d1814973ff2cbe650aefe395ba394ac221e973ee53a4f360d87a4e000e4554c2

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class PoweredOptic_Base

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class PoweredOptic_Base
000002 | {
000003 |     //! Vanilla ItemOptics::OnWorkStart doesn't call super and is not moddable
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla ItemOptics::OnWorkStop doesn't call super and is not moddable
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0270. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\PowerGenerator.c

Size bytes: 351

SHA-256: f69f9d19a004a1873f3f9d5acf080da271b0f9c4b1c3efccb078749a0780bff1

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class PowerGeneratorBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class PowerGeneratorBase
000002 | {
000003 |     //! Vanilla PowerGeneratorBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla PowerGeneratorBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```


0271. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Radio.c

Size bytes: 166

SHA-256: 5a23f1316cecb3dfe1051678c8c07795051ac1a8394f925e7dd8774a60b5b8c6

Decoded as: utf-8-sig

Line count shown: 11

Detected class declarations: 1

 L1: modded class Radio

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override void OnWorkStop()

Full file content

```
000001 | modded class Radio
000002 | {
000003 |     //! Vanilla Radio::OnWorkStop doesn't call super
000004 |     override void OnWorkStop()
000005 |     {
000006 |         super.OnWorkStop();
000007 |
000008 |         Expansion_OnWorkStop();
000009 |     }
000010 | }
000011 |
```

0272. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Rangefinder.c

Size bytes: 330

SHA-256: 5753b1299fe2aa160dbfb54b20ca10baa2332f2a8b9777f31263cfc3492818f4

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Rangefinder

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Rangefinder
000002 | {
000003 |     //! Vanilla Rangefinder::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Rangefinder::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0273. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Raycaster.c

Size bytes: 324

SHA-256: f6018d217f481ea24454b4e735b5f17bdbd5154eecf0d69038d11cf5b7bc1042

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Raycaster

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Raycaster
000002 | {
000003 |     //! Vanilla Raycaster::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Raycaster::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0274. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Refridgerator.c

Size bytes: 336

SHA-256: 004b2b82478b9535d9cb6dc703f1a7c16373e0cb02a9da1873ec60ad8ba2bf99

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Refridgerator

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Refridgerator
000002 | {
000003 |     //! Vanilla Refridgerator::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Refridgerator::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0275. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Roadflare.c

Size bytes: 324

SHA-256: 693854d7c72ecaa4e17d63bab9229819b412fc3f0aa920b21a567610fd2647a

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Roadflare

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Roadflare
000002 | {
000003 |     //! Vanilla Roadflare::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Roadflare::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0276. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Spotlight.c

Size bytes: 324

SHA-256: b544af9e2d85249714daf5dec18f3c4a6f5007990b93586915b8c90f8c3820da

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class Spotlight

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Spotlight
000002 | {
000003 |     //! Vanilla Spotlight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Spotlight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0277. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\StunBaton.c

Size bytes: 324

SHA-256: 7dca289059b271a650ebd719299501189d0bb7a38d855d3ad435db3a50f3c7be

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class StunBaton

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class StunBaton
000002 | {
000003 |     //! Vanilla StunBaton::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla StunBaton::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0278. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\TLRLight.c

Size bytes: 321

SHA-256: 922dc6ff0bc994e64cab3b54d2124163538a044e346cec56e8cbd14cc1e4a5dc

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class TLRLight

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class TLRLight
000002 | {
000003 |     //! Vanilla TLRLight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla TLRLight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```


0279. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Switchable_Base\UniversalLight.c
Size bytes: 339
SHA-256: 950fa02b733c8b5b11f21275d72108f6a54acbbb51f7e238cc4946958253340a
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class UniversalLight
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class UniversalLight
000002 | {
000003 |     //! Vanilla UniversalLight::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla UniversalLight::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0280. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\Torch.c
Size bytes: 312
SHA-256: 11a3a9659c2929bc5b366454d38962f6cae3c5b583c2942dc3764eb05d6ae398
Decoded as: utf-8-sig
Line count shown: 19
Detected class declarations: 1
 L1: modded class Torch
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnWorkStart()
 L12: override void OnWorkStop()

Full file content

```
000001 | modded class Torch
000002 | {
000003 |     //! Vanilla Torch::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla Torch::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0281. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\TransmitterBase.c

Size bytes: 342

SHA-256: 4eb1a0372e98f73b9b276bdad30644102af40d46f1e5c4432ed446212cc2a025

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class TransmitterBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class TransmitterBase
000002 | {
000003 |     //! Vanilla TransmitterBase::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla TransmitterBase::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0282. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ItemBase\XmasLights.c

Size bytes: 327

SHA-256: 927b5003989d7016bab67e7910a10b36d4d020b0ab2ea7a0b36a6ed809f8a34e

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

 L1: modded class XmasLights

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L4: override void OnWorkStart()

 L12: override void OnWorkStop()

Full file content

```
000001 | modded class XmasLights
000002 | {
000003 |     //! Vanilla XmasLights::OnWorkStart doesn't call super
000004 |     override void OnWorkStart()
000005 |     {
000006 |         super.OnWorkStart();
000007 |
000008 |         Expansion_OnWorkStart();
000009 |     }
000010 |
000011 |     //! Vanilla XmasLights::OnWorkStop doesn't call super
000012 |     override void OnWorkStop()
000013 |     {
000014 |         super.OnWorkStop();
000015 |
000016 |         Expansion_OnWorkStop();
000017 |     }
000018 | }
000019 |
```

0283. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayer\DayZPlayerMeleeFightLogic_LightHeavy.c
 Size bytes: 1031
 SHA-256: fd2c496140ddc0d85e9f32e75641991c0ab12f4a8963383ff44461c3daf49749
 Decoded as: utf-8-sig
 Line count shown: 32
 Detected class declarations: 1
 L13: modded class DayZPlayerMeleeFightLogic_LightHeavy
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L15: override void Init(DayZPlayerImplement player)
 L21: override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementSta

Full file content

```
000001 | /**
000002 |  * DayZPlayerMeleeFightLogic_LightHeavy.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerMeleeFightLogic_LightHeavy
000014 | {
000015 |     override void Init(DayZPlayerImplement player)
000016 |     {
000017 |         if (!player.IsInherited(ExpansionNotPlayerBase))
000018 |             super.Init(player);
000019 |     }
000020 |
000021 |     override bool HandleFightLogic(int pCurrentCommandID, HumanInputController pInputs, EntityAI pEntityInHands, HumanMovementState pMovementState, out bool pContinueAttack)
000022 |     {
000023 |         #ifdef EXPANSIONTRACE
000024 |             auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "HandleFightLogic");
000025 |         #endif
000026 |
000027 |         if (m_Player && m_Player.Expansion_IsInSafeZone())
000028 |             return false;
000029 |
000030 |         return super.HandleFightLogic(pCurrentCommandID, pInputs, pEntityInHands, pMovementState, pContinueAttack);
000031 |     }
000032 | }
```

0284. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplement.c
Size bytes: 17975
SHA-256: a0e3466a7ee7699259b87d892f526edacaa4cb17958e21354bbccd57f782cdaa
Decoded as: utf-8-sig
Line count shown: 684
Detected class declarations: 2
  L13: modded class DayZPlayerImplement
  L667: modded class DayZPlayerCommandDeathCallback
Detected enum declarations: 0
Detected function/method-like declarations: 48
  L59: void DayZPlayerImplement()
  L66: void ~DayZPlayerImplement()
  L73: override bool IsInventoryVisible()
  L81: void Expansion_Init()
  L86: bool Expansion_HasAdminToolGodMode()
  L91: bool Expansion_HasAdminToolInvisibility()
  L96: bool Expansion_IsAI()
  L101: void OnEnterZone(ExpansionZoneType type)
  L118: void OnExitZone(ExpansionZoneType type)
  L138: override void OnVariablesSynchronized()
  L153: else if ( !m_Expansion_IsInSafeZoneSynchRemote && m_Expansion_IsInSafeZone )
  L162: bool IsInSafeZone()
  L165: return Expansion_IsInSafeZone();
  L168: bool Expansion_IsInSafeZone()
  L174: void Expansion_SetAllowDamage(bool state)
  L182: void Expansion_SetAllowDamageEx(string ammoType, bool state)
  L188: bool Expansion_CanBeDamaged(string ammo = string.Empty)
  L198: void Expansion_SetCanBeLooted(bool canBeLooted)
  L203: bool Expansion_CanBeLooted()
  L208: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L225: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L233: override void EEKilled(Object killer)
  L244: override bool CanBeSkinned()
  L252: override bool NameOverride(out string output)
  L260: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
  L282: override void OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
  L303: void Expansion_OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
  L331: void Expansion_UpdateActualVelocity(float pDt)
  L357: vector Expansion_GetActualVelocity()
  L363: float Expansion_GetHeadingAngle()
  L365: return GetInputController().GetHeadingAngle();
  L368: vector Expansion_GetHeadingVector()
  L377: float Expansion_GetMovementSpeed()
  L386: float Expansion_GetMovementAngle()
  L398: IEntity Expansion_GetParent()
  L408: bool Expansion_IsAttached()
  L420: bool Expansion_IsInVehicleCmd()
  L428: void Expansion_DebugObject_Deferred(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin
  L436: Object Expansion_DebugObject(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin = vect
  L506: void Expansion_DeleteDebugObject(int i)
  L518: void Expansion_DeleteDebugObjects()
  L531: vector Expansion_GetAimDirection()
  L580: void Expansion_UpdateBonePositionTimes(float pDt)
  L634: bool Expansion_IsAnimationIdle()
  L652: int Expansion_GetEntityStorageAdditionalDataVersion()
  L657: void Expansion_OnEntityStorageAdditionalDataSave(ParamsWriteContext ctx)
  L661: bool Expansion_OnEntityStorageAdditionalDataLoad(ParamsWriteContext ctx, int version)
  L669: override void OnSimulationEnd()
```

Full file content

```
000001 | /**
000002 |  * DayZPlayerImplement.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerImplement
000014 | {
000015 |     static bool s_Expansion_DebugObjects_Enabled;
000016 |
000017 |     ref ExpansionHumanST m_ExpansionST;
000018 |
000019 |     //#ifdef EXPANSIONMODAI
000020 |         //[eAIAttribute<bool>.Register("m_Expansion_CanBeLooted")]
000021 |     //#endif
000022 |     protected bool m_Expansion_CanBeLooted = true;
000023 |
000024 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<DayZPlayerImplement>(this);
000025 |
000026 |     protected bool m_Expansion_IsInSafeZone;
000027 |     protected bool m_Expansion_IsInSafeZone_DeprecationWarning;
000028 |     protected bool m_Expansion_IsInSafeZoneSynchRemote;
000029 |
000030 |     ref ExpansionNetsyncData m_Expansion_NetsyncData;
000031 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000032 |
000033 |     ref map<string, bool> m_Expansion_DisabledAmmoDamage = new map<string, bool>;
000034 |     bool m_Expansion_AllowDamage = true;
000035 |
000036 |     vector m_Expansion_HeadBonePositionMS;
000037 |     float m_Expansion_HeadBoneIdleTime;
000038 |     vector m_Expansion_LHandBonePositionMS;
000039 |     float m_Expansion_LHandBoneIdleTime;
000040 |     vector m_Expansion_RHandBonePositionMS;
000041 |     float m_Expansion_RHandBoneIdleTime;
000042 |     vector m_Expansion_LFootBonePositionMS;
000043 |     float m_Expansion_LFootBoneIdleTime;
000044 |     vector m_Expansion_RFootBonePositionMS;
000045 |     float m_Expansion_RFootBoneIdleTime;
000046 |
000047 |     bool m_Expansion_EnableBonePositionUpdate;
000048 |
000049 |     int m_Expansion_CurrentPhxInteractionLayer;
000050 |
000051 |     float m_Expansion_ActualVelocityUpdateDT;
000052 |     vector m_Expansion_PreviousPosition;
000053 |     vector m_Expansion_ActualVelocity;
000054 |
000055 |     ref map<int, Object> m_Expansion_DebugObjects = new map<int, Object>();
000056 |
000057 |     ref SHumanCommandClimbResult m_ExClimbResult;
000058 |
000059 |     void DayZPlayerImplement()
```

```
000060 | {
000061 |     m_ExClimbResult = new SHumanCommandClimbResult;
000062 |
000063 |     Expansion_Init();
000064 | }
000065 |
000066 | void ~DayZPlayerImplement()
000067 | {
000068 |     if (g_Game)
000069 |         Expansion_DeleteDebugObjects();
000070 | }
000071 |
000072 | //! For NPCs that don't inherit from PlayerBase
000073 | override bool IsInventoryVisible()
000074 | {
000075 |     if (!super.IsInventoryVisible())
000076 |         return false;
000077 |
000078 |     return m_Expansion_CanBeLooted;
000079 | }
000080 |
000081 | void Expansion_Init()
000082 | {
000083 |     RegisterNetSyncVariableBool("m_Expansion_IsInSafeZoneSynchRemote");
000084 | }
000085 |
000086 | bool Expansion_HasAdminToolGodMode()
000087 | {
000088 |     return false;
000089 | }
000090 |
000091 | bool Expansion_HasAdminToolInvisibility()
000092 | {
000093 |     return false;
000094 | }
000095 |
000096 | bool Expansion_IsAI()
000097 | {
000098 |     return false;
000099 | }
000100 |
000101 | void OnEnterZone(ExpansionZoneType type)
000102 | {
000103 | #ifdef EXPANSIONTRACE
000104 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnEnterZone");
000105 | #endif
000106 |
000107 |     if (type == ExpansionZoneType.SAFE)
000108 |     {
000109 |         m_Expansion_IsInSafeZone = true;
000110 |
000111 |         #ifdef SERVER
000112 |             m_Expansion_IsInSafeZoneSynchRemote = true;
000113 |             SetSynchDirty();
000114 |         #endif
000115 |     }
000116 | }
000117 |
000118 | void OnExitZone(ExpansionZoneType type)
000119 | {
000120 | #ifdef EXPANSIONTRACE
000121 |     auto trace = CF_Trace_0(ExpansionTracing.ZONES, this, "OnExitZone");
```



```
000122 | #endif
000123 |
000124 |         if (type == ExpansionZoneType.SAFE)
000125 |         {
000126 |             m_Expansion_IsInSafeZone = false;
000127 |
000128 |             #ifdef SERVER
000129 |                 m_Expansion_IsInSafeZoneSynchRemote = false;
000130 |                 SetSynchDirty();
000131 |             #endif
000132 |         }
000133 |     }
000134 |
000135 |     // -----
000136 |     // Expansion OnVariablesSynchronized
000137 |     // -----
000138 |     override void OnVariablesSynchronized()
000139 |     {
000140 |     #ifdef EXPANSIONTRACE
000141 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnVariablesSynchronized");
000142 |     #endif
000143 |
000144 |         super.OnVariablesSynchronized();
000145 |
000146 |         if (!g_Game.IsClient())
000147 |             return;
000148 |
000149 |         if ( m_Expansion_IsInSafeZoneSynchRemote && !m_Expansion_IsInSafeZone )
000150 |         {
000151 |             OnEnterZone(ExpansionZoneType.SAFE);
000152 |         }
000153 |         else if ( !m_Expansion_IsInSafeZoneSynchRemote && m_Expansion_IsInSafeZone )
000154 |         {
000155 |             OnExitZone(ExpansionZoneType.SAFE);
000156 |         }
000157 |
000158 |         if (m_Expansion_NetsyncData && !m_Expansion_NetsyncData.m_WasDataRequested)
000159 |             m_Expansion_NetsyncData.Request();
000160 |     }
000161 |
000162 |     bool IsInSafeZone()
000163 |     {
000164 |         Expansion_Error("DEPRECATED: Please use Expansion_IsInSafeZone", m_Expansion_IsInSafeZone_DeprecationWarning);
000165 |         return Expansion_IsInSafeZone();
000166 |     }
000167 |
000168 |     bool Expansion_IsInSafeZone()
000169 |     {
000170 |         return m_Expansion_IsInSafeZone;
000171 |     }
000172 |
000173 |     //! Netsynced version of SetAllowDamage
000174 |     void Expansion_SetAllowDamage(bool state)
000175 |     {
000176 |         if (g_Game.IsServer())
000177 |             SetAllowDamage(state);
000178 |         else
000179 |             m_Expansion_AllowDamage = state;
000180 |     }
000181 |
000182 |     void Expansion_SetAllowDamageEx(string ammoType, bool state)
000183 |     {
```

```
000184 |      //!< @note State is inverted so we can easily check m_Expansion_DisabledAmmoDamage[ammoType] to see whether it's disabled
000185 |      m_Expansion_DisabledAmmoDamage[ammoType] = !state;
000186 |  }
000187 |
000188 |  bool Expansion_CanBeDamaged(string ammo = string.Empty)
000189 |  {
000190 |      bool canBeDamaged;
000191 |      if (g_Game.IsServer())
000192 |          canBeDamaged = GetAllowDamage();
000193 |      else
000194 |          canBeDamaged = m_Expansion_AllowDamage;
000195 |      return canBeDamaged && !m_Expansion_IsInSafeZone && !m_Expansion_DisabledAmmoDamage[ammo];
000196 |  }
000197 |
000198 |  void Expansion_SetCanBeLooted(bool canBeLooted)
000199 |  {
000200 |      m_Expansion_CanBeLooted = canBeLooted;
000201 |  }
000202 |
000203 |  bool Expansion_CanBeLooted()
000204 |  {
000205 |      return m_Expansion_CanBeLooted;
000206 |  }
000207 |
000208 |  override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000209 |  {
000210 |      if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000211 |          return false;
000212 |
000213 |      if (!Expansion_CanBeDamaged(ammo))
000214 |          return false;
000215 |
000216 |      if (damageType == DT_EXPLOSION)
000217 |      {
000218 |          if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000219 |              return false;
000220 |      }
000221 |
000222 |      return true;
000223 |  }
000224 |
000225 |  override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000226 |  {
000227 |      super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000228 |
000229 |      if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000230 |          ExpansionDamageSystem.OnExplosionHit(source, this, ammo, true, damageResult);
000231 |  }
000232 |
000233 |  override void EEKilled(Object killer)
000234 |  {
000235 |      super.EEKilled(killer);
000236 |
000237 |      if (!m_Expansion_CanBeLooted)
000238 |          //!< 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
000239 |          ExpansionStatic.LockInventoryRecursive(this, 10134);
000240 |
000241 |      Expansion_DeleteDebugObjects();
000242 |  }
000243 |
```

```
000244 |     override bool CanBeSkinned()
000245 |     {
000246 |         if (!m_Expansion_CanBeLooted)
000247 |             return false;
000248 |
000249 |         return super.CanBeSkinned();
000250 |     }
000251 |
000252 |     override bool NameOverride(out string output)
000253 |     {
000254 |         if (m_Expansion_NetsyncData && m_Expansion_NetsyncData.Get(0, output))
000255 |             return true;
000256 |         else
000257 |             return super.NameOverride(output);
000258 |     }
000259 |
000260 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000261 |     {
000262 | #ifdef DIAG_DEVELOPER
000263 |         int interactionLayer = dBodyGetInteractionLayer(this);
000264 | #endif
000265 |
000266 |         super.CommandHandler(pDt, pCurrentCommandID, pCurrentCommandFinished);
000267 |
000268 |         if (m_Expansion_EnableBonePositionUpdate)
000269 |             Expansion_UpdateBonePositionTimes(pDt);
000270 |
000271 | #ifdef DIAG_DEVELOPER
000272 |         if (interactionLayer != m_Expansion_CurrentPhxInteractionLayer)
000273 |         {
000274 |             m_Expansion_CurrentPhxInteractionLayer = interactionLayer;
000275 |             EXTrace.Print(EXTrace.PLAYER, this, "::CommandHandler current interaction layer " + ExpansionStatic.BitmaskEnumToString(PhxInteractionLayers, interact
ionLayer));
000276 |         }
000277 | #endif
000278 |
000279 |         Expansion_UpdateActualVelocity(pDt);
000280 |     }
000281 |
000282 |     override void OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
000283 |     {
000284 | #ifdef EXTRACE_DIAG
000285 |         CF_Trace trace;
000286 | #endif
000287 |
000288 |         super.OnSyncJuncture(pJunctureID, pCtx);
000289 |
000290 |         switch (pJunctureID)
000291 |         {
000292 |             case DayZPlayerSyncJunctures.EXPANSION_SJ:
000293 | #ifdef EXTRACE_DIAG
000294 |                 trace = CF_Trace_1(EXTrace.PLAYER, this).Add("EXPANSION_SJ");
000295 | #endif
000296 |                 int id;
000297 |                 pCtx.Read(id);
000298 |                 Expansion_OnSyncJuncture(id, pCtx);
000299 |                 break;
000300 |         }
000301 |     }
000302 |
000303 |     void Expansion_OnSyncJuncture(int pJunctureID, ParamsReadContext pCtx)
000304 |     {
```

```
000305 | #ifdef EXTRACE_DIAG
000306 |     EXTrace trace;
000307 | #endif
000308 |
000309 |     switch (pJunctureID)
000310 |     {
000311 |     case DayZPlayerSyncJunctures.EXPANSION_SJ_TELEPORT:
000312 |     #ifdef EXTRACE_DIAG
000313 |         trace = EXTrace.Start(EXTrace.PLAYER, this, "EXPANSION_SJ_TELEPORT");
000314 |     #endif
000315 |
000316 |         if (pCtx)
000317 |         {
000318 |             vector position;
000319 |             vector orientation;
000320 |
000321 |             DayZPlayerSyncJunctures.ExpansionReadTeleport(pCtx, position, orientation);
000322 |
000323 |             SetPosition(position);
000324 |             SetOrientation(orientation);
000325 |
000326 |             break;
000327 |         }
000328 |     }
000329 | }
000330 |
000331 | void Expansion_UpdateActualVelocity(float pDt)
000332 | {
000333 |     vector position = GetPosition();
000334 |
000335 |     if (m_Expansion_PreviousPosition == vector.Zero)
000336 |         m_Expansion_PreviousPosition = position;
000337 |
000338 |     m_Expansion_ActualVelocityUpdateDT += pDt;
000339 |
000340 |     if (m_Expansion_ActualVelocityUpdateDT < 0.333333)
000341 |         return;
000342 |
000343 |     m_Expansion_ActualVelocity = (position - m_Expansion_PreviousPosition) * (1.0 / m_Expansion_ActualVelocityUpdateDT);
000344 |
000345 |     m_Expansion_ActualVelocityUpdateDT = 0.0;
000346 |
000347 |     m_Expansion_PreviousPosition = position;
000348 | }
000349 |
000350 | /**
000351 |  * @brief return actual velocity of player
000352 |  *
000353 |  * @note vanilla GetVelocity does not return actual velocity in case player is stuck
000354 |  * (actual velocity will be close to zero, while GetVelocity will return a wrong, much higher value,
000355 |  * probably because it only takes the animation into account and not whether the player is actually moving from the position)
000356 |  */
000357 | vector Expansion_GetActualVelocity()
000358 | {
000359 |     return m_Expansion_ActualVelocity;
000360 | }
000361 |
000362 | //! Radians!
000363 | float Expansion_GetHeadingAngle()
000364 | {
000365 |     return GetInputController().GetHeadingAngle();
000366 | }
```

```
000367 |
000368 | vector Expansion_GetHeadingVector()
000369 | {
000370 |     vector dir = vector.Zero;
000371 |     float headingAngle = GetInputController().GetHeadingAngle();
000372 |     dir[0] = Math.Cos(headingAngle + Math.PI_HALF);
000373 |     dir[2] = Math.Sin(headingAngle + Math.PI_HALF);
000374 |     return dir.Normalized();
000375 | }
000376 |
000377 | float Expansion_GetMovementSpeed()
000378 | {
000379 |     HumanCommandMove hcm = GetCommand_Move();
000380 |     if (hcm)
000381 |         return hcm.GetCurrentMovementSpeed();
000382 |
000383 |     return 0.0;
000384 | }
000385 |
000386 | float Expansion_GetMovementAngle()
000387 | {
000388 |     HumanCommandMove hcm = GetCommand_Move();
000389 |     if (hcm)
000390 |         return hcm.GetCurrentMovementAngle();
000391 |
000392 |     return 0.0;
000393 | }
000394 |
000395 | /**
000396 |  * @brief return entity player is parented to (e.g. if sitting in or attached to vehicle)
000397 |  */
000398 | IEntity Expansion_GetParent()
000399 | {
000400 |     IEntity parent = GetParent();
000401 |
000402 |     if (!parent)
000403 |         parent = PhysicsGetLinkedEntity();
000404 |
000405 |     return parent;
000406 | }
000407 |
000408 | bool Expansion_IsAttached()
000409 | {
000410 |     if (PhysicsGetLinkedEntity())
000411 |         return true;
000412 |
000413 |     return false;
000414 | }
000415 |
000416 | /**
000417 |  * @brief meant as a reliable way to check if player is sitting in vehicle seat as GetParent()
000418 |  * will also return attached players if not using vanilla DayZ 1.26 attachment system
000419 |  */
000420 | bool Expansion_IsInVehicleCmd()
000421 | {
000422 |     if (GetCommand_Vehicle())
000423 |         return true;
000424 |
000425 |     return false;
000426 | }
000427 |
000428 | void Expansion_DebugObject_Deferred(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin = vector.Zero, fl
```

```
000429 |     oat lifetime = 300.0, int flags = 0)
000430 |     {
000431 |     #ifdef DIAG_DEVELOPER
000432 |         if (s_Expansion_DebugObjects_Enabled)
000433 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_DebugObject, 1, false, i, position, type, direction, origin, lifetime, flags);
000434 |     #endif
000435 |     }
000436 |     Object Expansion_DebugObject(int i, vector position, string type = "ExpansionDebugBox", vector direction = vector.Zero, vector origin = vector.Zero, float lif
000437 |     etime = 300.0, int flags = 0)
000438 |     {
000439 |     #ifdef DIAG_DEVELOPER
000440 |         if (!s_Expansion_DebugObjects_Enabled)
000441 |             return null;
000442 |
000443 |         Object obj = m_Expansion_DebugObjects[i];
000444 |
000445 |         bool createObject;
000446 |         if (!obj || obj.GetType() != type)
000447 |             createObject = true;
000448 |
000449 |         bool hideObject;
000450 |         if (createObject)
000451 |         {
000452 |             if (obj)
000453 |                 g_Game.ObjectDelete(obj);
000454 |             if (position == vector.Zero)
000455 |                 return null;
000456 |             int iFlags;
000457 |             #ifdef SERVER
000458 |                 iFlags = ECE_NOLIFETIME;
000459 |             #else
000460 |                 iFlags = ECE_LOCAL;
000461 |             #endif
000462 |             obj = g_Game.CreateObjectEx(type, position, iFlags);
000463 |             if (!obj)
000464 |                 return null;
000465 |             m_Expansion_DebugObjects[i] = obj;
000466 |             #ifdef SERVER
000467 |                 EntityAI ent;
000468 |                 if (Class.CastTo(ent, obj))
000469 |                     ent.SetLifetime(lifetime);
000470 |             #endif
000471 |         }
000472 |         else
000473 |         {
000474 |             if (position == vector.Zero)
000475 |             {
000476 |                 //!< Move below ground to hide instead of <0,0,0> so object stays in netbubble
000477 |                 position = obj.GetPosition();
000478 |                 position[1] = position[1] - 1000;
000479 |                 hideObject = true;
000480 |             }
000481 |
000482 |             obj.SetPosition(position);
000483 |         }
000484 |
000485 |         if (direction != vector.Zero)
000486 |         {
000487 |             obj.SetDirection(direction);
000488 |         }
```

```
000489 |
000490 |     if (origin != vector.Zero || hideObject)
000491 |     {
000492 |         ExpansionDebugObject dbgObj;
000493 |         if (Class.CastTo(dbgObj, obj))
000494 |         {
000495 |             dbgObj.Expansion_DrawDebugLine(origin);
000496 |             dbgObj.Expansion_SetDebugLineFlags(flags);
000497 |         }
000498 |     }
000499 |
000500 |     return obj;
000501 | #else
000502 |     return null;
000503 | #endif
000504 | }
000505 |
000506 | void Expansion_DeleteDebugObject(int i)
000507 | {
000508 |     Object obj;
000509 |     if (m_Expansion_DebugObjects.Find(i, obj))
000510 |     {
000511 |         if (obj)
000512 |             g_Game.ObjectDelete(obj);
000513 |
000514 |         m_Expansion_DebugObjects.Remove(i);
000515 |     }
000516 | }
000517 |
000518 | void Expansion_DeleteDebugObjects()
000519 | {
000520 |     foreach (Object obj: m_Expansion_DebugObjects)
000521 |     {
000522 |         if (obj)
000523 |             g_Game.ObjectDelete(obj);
000524 |     }
000525 |
000526 |     m_Expansion_DebugObjects.Clear();
000527 | }
000528 |
000529 | //! Uses head/barrel to determine direction, can be used on server
000530 | //! @note on server, aim direction is always an approximation
000531 | vector Expansion_GetAimDirection()
000532 | {
000533 |     vector headTransform[4];
000534 |     GetBoneTransformWS(GetBoneIndexByName("head"), headTransform);
000535 |
000536 |     auto hands = GetHumanInventory().GetEntityInHands();
000537 |
000538 |     vector dir;
000539 |
000540 |     if (hands && IsRaised() && hands.IsWeapon())
000541 |     {
000542 | #ifdef SERVER
000543 |         vector ori = GetOrientation();
000544 |         vector headOri = headTransform[1].VectorToAngles();
000545 |         ori[0] = headOri[0] + 5;
000546 |         if (ori[0] > 360)
000547 |             ori[0] = ori[0] - 360;
000548 |         ori[2] = headOri[2];
000549 |         //! @note pitch will only be accurate if looking straight ahead while ADS since it can't follow the barrel,
000550 |         //! and would need different adjustment if not ADS
```

```
000551 |         ori[1] = headOri[1] + 12.5;
000552 |         if (ori[1] > 360)
000553 |             ori[1] = ori[1] - 360;
000554 |         dir = ori.AnglesToVector();
000555 |     #else
000556 |         //!< Can only follow barrel on client, selection positions on server are completely off base
000557 |         vector weaponTransform[4];
000558 |         hands.GetTransform(weaponTransform);
000559 |         vector barrel_start = hands.GetSelectionPositionLS("konec hlavne").Multiply4(weaponTransform);
000560 |         vector barrel_end = hands.GetSelectionPositionLS("usti hlavne").Multiply4(weaponTransform);
000561 |         dir = vector.Direction(barrel_start, barrel_end).Normalized();
000562 |     #endif
000563 |     }
000564 |     else
000565 |     {
000566 |         dir = headTransform[1];
000567 |     }
000568 |
000569 | #ifdef SERVER
000570 | #ifdef DIAG_DEVELOPER
000571 |     vector neckPosition = GetBonePositionWS(GetBoneIndexByName("neck"));
000572 |     //Expansion_DebugObject(0, neckPosition, "ExpansionDebugSphereSmall_Red", dir);
000573 |     Expansion_DebugObject(1, neckPosition + dir, "ExpansionDebugSphereSmall_Blue", dir, neckPosition);
000574 | #endif
000575 | #endif
000576 |
000577 |     return dir;
000578 | }
000579 |
000580 | void Expansion_UpdateBonePositionTimes(float pDt)
000581 | {
000582 |     vector headPosition = GetBonePositionMS(GetBoneIndexByName("Head"));
000583 |     if (vector.DistanceSq(headPosition, m_Expansion_HeadBonePositionMS) < 0.0004)
000584 |     {
000585 |         m_Expansion_HeadBoneIdleTime += pDt;
000586 |     }
000587 |     else
000588 |     {
000589 |         m_Expansion_HeadBonePositionMS = headPosition;
000590 |         m_Expansion_HeadBoneIdleTime = 0;
000591 |     }
000592 |     vector lHandPosition = GetBonePositionMS(GetBoneIndexByName("LeftHand"));
000593 |     if (vector.DistanceSq(lHandPosition, m_Expansion_LHandBonePositionMS) < 0.01)
000594 |     {
000595 |         m_Expansion_LHandBoneIdleTime += pDt;
000596 |     }
000597 |     else
000598 |     {
000599 |         m_Expansion_LHandBonePositionMS = lHandPosition;
000600 |         m_Expansion_LHandBoneIdleTime = 0;
000601 |     }
000602 |     vector rHandPosition = GetBonePositionMS(GetBoneIndexByName("RightHand"));
000603 |     if (vector.DistanceSq(rHandPosition, m_Expansion_RHandBonePositionMS) < 0.01)
000604 |     {
000605 |         m_Expansion_RHandBoneIdleTime += pDt;
000606 |     }
000607 |     else
000608 |     {
000609 |         m_Expansion_RHandBonePositionMS = rHandPosition;
000610 |         m_Expansion_RHandBoneIdleTime = 0;
000611 |     }
000612 |     vector lFootPosition = GetBonePositionMS(GetBoneIndexByName("LeftFoot"));
```



```
000613 |         if (vector.DistanceSq(lFootPosition, m_Expansion_LFootBonePositionMS) < 0.0004)
000614 |         {
000615 |             m_Expansion_LFootBoneIdleTime += pDt;
000616 |         }
000617 |     else
000618 |     {
000619 |         m_Expansion_LFootBonePositionMS = lFootPosition;
000620 |         m_Expansion_LFootBoneIdleTime = 0;
000621 |     }
000622 |     vector rFootPosition = GetBonePositionMS(GetBoneIndexByName("RightFoot"));
000623 |     if (vector.DistanceSq(rFootPosition, m_Expansion_RFootBonePositionMS) < 0.0004)
000624 |     {
000625 |         m_Expansion_RFootBoneIdleTime += pDt;
000626 |     }
000627 |     else
000628 |     {
000629 |         m_Expansion_RFootBonePositionMS = rFootPosition;
000630 |         m_Expansion_RFootBoneIdleTime = 0;
000631 |     }
000632 | }
000633 |
000634 | bool Expansion_IsAnimationIdle()
000635 | {
000636 |     HumanCommandAdditives ad = GetCommandModifier_Additives();
000637 |     if (ad.IsModifierActive())
000638 |         return false;
000639 |     if (m_Expansion_HeadBoneIdleTime < 0.25)
000640 |         return false;
000641 |     if (m_Expansion_LHandBoneIdleTime < 0.25)
000642 |         return false;
000643 |     if (m_Expansion_RHandBoneIdleTime < 0.25)
000644 |         return false;
000645 |     if (m_Expansion_LFootBoneIdleTime < 0.25)
000646 |         return false;
000647 |     if (m_Expansion_RFootBoneIdleTime < 0.25)
000648 |         return false;
000649 |     return true;
000650 | }
000651 |
000652 | int Expansion_GetEntityStorageAdditionalDataVersion()
000653 | {
000654 |     return 0;
000655 | }
000656 |
000657 | void Expansion_OnEntityStorageAdditionalDataSave(ParamsWriteContext ctx)
000658 | {
000659 | }
000660 |
000661 | bool Expansion_OnEntityStorageAdditionalDataLoad(ParamsWriteContext ctx, int version)
000662 | {
000663 |     return true;
000664 | }
000665 | };
000666 |
000667 | modded class DayZPlayerCommandDeathCallback
000668 | {
000669 |     override void OnSimulationEnd()
000670 |     {
000671 |         EntityAI itemInHands;
000672 |         if (g_Game.IsServer())
000673 |             itemInHands = m_pPlayer.GetHumanInventory().GetEntityInHands();
000674 |     }
```

```
000675 |         super.OnSimulationEnd();
000676 |
000677 |         if (itemInHands && !m_pPlayer.Expansion_CanBeLooted())
000678 |         {
000679 |             ExpansionItemBaseModule.SetLootable(itemInHands, false);
000680 |             itemInHands.SetLifetimeMax(120); //! Make sure it despawns quickly when left alone
000681 |         }
000682 |     }
000683 | };
000684 |
```

0285. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementJumpClimb.c

Size bytes: 1167

SHA-256: 0ed9a1cc7114c17652053a615c1b5d1675d76bc771cc29f484b7375d925f1a81

Decoded as: utf-8-sig

Line count shown: 43

Detected class declarations: 1

L13: modded class DayZPlayerImplementJumpClimb

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: bool Expansion_Climb()

L33: else if (climbType == 2)

Full file content

```
000001 | /**
000002 |  * DayZPlayerImplementJumpClimb.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerImplementJumpClimb
000014 | {
000015 |     bool Expansion_Climb()
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = CF_Trace_1(EXTrace.PLAYER, this).Add(m_Player);
000019 | #endif
000020 |
000021 |         if (m_Player.m_ExClimbResult.m_bIsClimb || m_Player.m_ExClimbResult.m_bIsClimbOver)
000022 |         {
000023 |             int climbType = GetClimbType(m_Player.m_ExClimbResult.m_fClimbHeight);
000024 |
000025 |             if (climbType != -1 && m_Player.CanClimb(climbType, m_Player.m_ExClimbResult))
000026 |             {
000027 |                 //m_Player.Expansion_OnClimbStart(climbType);
000028 |                 m_Player.StartCommand_Climb(m_Player.m_ExClimbResult, climbType);
000029 |                 m_Player.StopHandEvent();
000030 |
000031 |                 if (climbType == 1)
000032 |                     m_Player.DepleteStamina(ESTaminaModifiers.VAULT);
000033 |                 else if (climbType == 2)
000034 |                     m_Player.DepleteStamina(ESTaminaModifiers.CLIMB);
000035 |
000036 |                 return true;
000037 |             }
000038 |         }
000039 |
000040 |         return false;
000041 |     }
000042 | };
000043 |
```

0286. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerImplementThrowing.c

Size bytes: 1024

SHA-256: 607407f9b15551fb8cee51101e41e8169c52bfcca2dedd6d9fe2204e38cdb2c5

Decoded as: utf-8-sig

Line count shown: 39

Detected class declarations: 1

L13: modded class DayZPlayerImplementThrowing

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override void HandleThrowing(HumanInputController pHic, HumanCommandWeapons pHcw, EntityAI pEntityInHands, float pDt)

Full file content

```

000001 | /**
000002 |  * DayZPlayerImplementThrowing.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZPlayerImplementThrowing
000014 | {
000015 |     override void HandleThrowing(HumanInputController pHic, HumanCommandWeapons pHcw, EntityAI pEntityInHands, float pDt)
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "HandleThrowing");
000019 | #endif
000020 |
000021 |         if ( m_bThrowingModeEnabled )
000022 |         {
000023 |             PlayerBase player = PlayerBase.Cast(m_Player);
000024 |             if ( player && player.Expansion_IsInSafeZone() )
000025 |             {
000026 |                 m_bThrowingModeEnabled = false;
000027 |                 ResetState();
000028 |
000029 |                 pHcw.SetActionProgressParams( 0, 0 );
000030 |                 pHcw.SetThrowingMode( false );
000031 |
000032 |                 return;
000033 |             }
000034 |         }
000035 |
000036 |         super.HandleThrowing( pHic, pHcw, pEntityInHands, pDt );
000037 |     }
000038 | };
000039 |

```

0287. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\DayZPlayerSyncJunctures.c
 Size bytes: 1446
 SHA-256: 34826a30329450114435715c7d67daf75539f446008932b247623d18a364fb4a
 Decoded as: utf-8-sig
 Line count shown: 53
 Detected class declarations: 1
 L13: modded class DayZPlayerSyncJunctures
 Detected enum declarations: 0
 Detected function/method-like declarations: 2
 L19: static void ExpansionTeleport(DayZPlayer pPlayer, vector position, vector orientation = "0 0 0")
 L41: static bool ExpansionReadTeleport(ParamsReadContext pCtx, out vector position, out vector orientation)

Full file content

```

000001 | /**
000002 |  * DayZPlayerSyncJunctures.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZPlayerSyncJunctures
000014 | {
000015 |     static const int EXPANSION_SJ = 100;
000016 |
000017 |     static const int EXPANSION_SJ_TELEPORT = 0;
000018 |
000019 |     static void ExpansionTeleport(DayZPlayer pPlayer, vector position, vector orientation = "0 0 0")
000020 |     {
000021 |         #ifdef EXTRACE
000022 |             auto trace = EXTrace.Start(EXTrace.PLAYER, DayZPlayerSyncJunctures, "" + pPlayer, "" + position, "" + orientation);
000023 |         #endif
000024 |
000025 |         auto rpc = new ScriptRPC;
000026 |         rpc.Write(EXPANSION_SJ_TELEPORT);
000027 |
000028 |         rpc.Write(position);
000029 |         rpc.Write(orientation);
000030 |
000031 |         rpc.Send(pPlayer, ExpansionScriptRPC.EXPANSION_RPC_SJ, true, pPlayer.GetIdentity());
000032 |
000033 |         pPlayer.SetPosition(position);
000034 |         pPlayer.SetOrientation(orientation);
000035 |
000036 |         DayZPlayerImplement player;
000037 |         if (Class.CastTo(player, pPlayer))
000038 |             player.Expansion_OnSyncJuncture(EXPANSION_SJ_TELEPORT, null);
000039 |     }
000040 |
000041 |     static bool ExpansionReadTeleport(ParamsReadContext pCtx, out vector position, out vector orientation)
000042 |     {
000043 |         #ifdef EXTRACE
000044 |             auto trace = EXTrace.Start(EXTrace.PLAYER, DayZPlayerSyncJunctures);
000045 |         #endif

```

```
000046 |  
000047 |         pCtx.Read(position);  
000048 |         pCtx.Read(orientation);  
000049 |  
000050 |         return true;  
000051 |     }  
000052 | };  
000053 |
```

0288. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNotPlayerBase.c

Size bytes: 18694

SHA-256: b61fe123b9fcdc82a401c048ff99279e87d19971490977c6187891887325830c

Decoded as: utf-8-sig

Line count shown: 692

Detected class declarations: 1

L16: class ExpansionNotPlayerBase: ManBase

Detected enum declarations: 0

Detected function/method-like declarations: 33

L46: void ExpansionNotPlayerBase()

L52: void Init()

L65: override void EEItemAttached(EntityAI item, string slot_name)

L103: else if (g_Game.IsServer())

L120: override void EEItemDetached(EntityAI item, string slot_name)

L167: void UpdateShoulderProxyVisibility(EntityAI item, string slot_name)

L178: else if (slot == "Shoulder")

L186: override void SwitchItemSelectionTexture(EntityAI item, string slot_name)

L200: bool IsMale()

L210: void SetActions()

L215: void InitializeActions()

L222: override void GetActions(typename action_input_type, out array<ActionBase_Basic> actions)

L234: void AddAction(typename actionName)

L257: void RemoveAction(typename actionName)

L279: void OnPlayerLoaded()

L291: void UpdateCorpseState()

L302: override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)

L315: override void OnVariablesSynchronized()

L332: void SetLifeSpanStateVisible(int show_state)

L349: int GetLifeSpanState()

L355: bool IsPlayerLoaded()

L362: void SetHairLevelToHide(int level, bool state, bool was_debug = false)

L415: void HideHairSelections(ItemBase item, bool state)

L465: void UpdateHairSelectionVisibility(bool was_debug = false)

L516: void UpdateTranslatedSelections(SelectionTranslation stt)

L530: void CheckHairClippingOnCharacterLoad()

L540: void AdjustBandana(EntityAI item, string slot_name)

L549: else if (slot_name == "Mask")

L557: void AdjustShemag(EntityAI item, string slot_name)

L566: else if (slot_name == "Mask")

L576: void UpdateCorpseStateVisual()

L622: void SetDecayEffects(int effect = -1)

L675: void PreloadDecayTexture()

Full file content

```
000001 | /**
000002 |  * ExpansionNotPlayerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /// Lightweight base class for NPCs etc without additional overhead from PlayerBase
000014 | /// Minimum amount of stuff mostly copied verbatim from vanilla PlayerBase to make character work properly visually (textures/clipping)
```

```
000015 | //! + ability to set actions (always as target, so no need for separate action maps like in PlayerBase)
000016 | class ExpansionNotPlayerBase: ManBase
000017 | {
000018 |     // 5
000019 |     private int m_LifeSpanState;
000020 |     // 14
000021 |     protected bool m_PlayerLoaded;
000022 |     // 21
000023 |     protected int m_LifespanLevelLocal; //control variable for change calls
000024 |     // 58
000025 |     int m_FliesIndex;
000026 |     // 70
000027 |     ref EffectParticle m_FliesEff;
000028 |     // 71
000029 |     protected ref TInputActionMap m_InputActionMap;
000030 |     // 74
000031 |     bool m_ActionsInitialize;
000032 |     // 76
000033 |     ref HiddenSelectionsData m_EmptyGloves;
000034 |     // 85
000035 |     ref EffectSound m_SoundFliesEffect;
000036 |     // 97
000037 |     int m_CorpseState;
000038 |     protected int m_CorpseStateLocal;
000039 |     // 130
000040 |     Head_Default m_CharactersHead;
000041 |     // 135
000042 |     bool m_HideHairAnimated;
000043 |     // 136
000044 |     string m_DecayedTexture;
000045 |
000046 |     void ExpansionNotPlayerBase()
000047 |     {
000048 |         Init();
000049 |     }
000050 |
000051 |     // 295
000052 |     void Init()
000053 |     {
000054 |         m_EmptyGloves = new HiddenSelectionsData(ConfigGetString("emptyGloves"));
000055 |
000056 |         RegisterNetSyncVariableInt("m_LifeSpanState", LifeSpanState.BEARD_NONE, LifeSpanState.COUNT);
000057 |         RegisterNetSyncVariableInt("m_CorpseState", -PlayerConstants.CORPSE_STATE_DECAYED, PlayerConstants.CORPSE_STATE_DECAYED);
000058 |
000059 |         m_DecayedTexture = ConfigGetString("decayedTexture");
000060 |
000061 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(OnPlayerLoaded);
000062 |     }
000063 |
000064 |     // 1137
000065 |     override void EEItemAttached(EntityAI item, string slot_name)
000066 |     {
000067 |         super.EEItemAttached(item, slot_name);
000068 |
000069 |         ItemBase itemIB = ItemBase.Cast(item);
000070 |         SwitchItemSelectionTexture(item, slot_name);
000071 |         Param1<ExpansionNotPlayerBase> p = new Param1<ExpansionNotPlayerBase>(this);
000072 |         itemIB.Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext.ATTACHING, p);
000073 |         /*
000074 |         m_QuickBarBase.updateSlotsCount();
000075 |         CalculateVisibilityForAI();
000076 |         */
000077 |     }
000078 | }
```



```
000077 |         UpdateShoulderProxyVisibility(item, slot_name);
000078 |
000079 |         HideHairSelections(itemIB,true);
000080 |
000081 |         g_Game.GetAnalyticsClient().OnItemAttachedAtPlayer(item, slot_name);
000082 |         Clothing clothing = Clothing.Cast(item);
000083 |         if (clothing)
000084 |         {
000085 |             if (!g_Game.IsDedicatedServer())
000086 |             {
000087 |                 /*
000088 |                 if (clothing.GetEffectWidgetTypes())
000089 |                 {
000090 |                     QueueAddEffectWidget(clothing.GetEffectWidgetTypes());
000091 |                 }
000092 |
000093 |                 if (clothing.GetGlassesEffectID() > -1)
000094 |                 {
000095 |                     QueueAddGlassesEffect(clothing.GetGlassesEffectID());
000096 |                 }
000097 |                 */
000098 |
000099 |                 g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseStateVisual, 200, false);//sometimes it takes a while to load in
000100 |                 UpdateCorpseStateVisual();//....but if possible, we don't want a delay
000101 |             }
000102 |             /*
000103 |             else if (g_Game.IsServer())
000104 |             {
000105 |                 if (clothing.IsGasMask())
000106 |                 {
000107 |                     GetModifiersManager().ActivateModifier(eModifiers.MDF_MASK);
000108 |                 }
000109 |             }
000110 |
000111 |             clothing.UpdateNVGStatus(this,true);
000112 |             */
000113 |         }
000114 |
000115 |         AdjustBandana(item,slot_name);
000116 |         AdjustShemag(item,slot_name);
000117 |     }
000118 |
000119 | // 1184
000120 | override void EEItemDetached(EntityAI item, string slot_name)
000121 | {
000122 |     super.EEItemDetached(item, slot_name);
000123 |     ItemBase item_base = ItemBase.Cast(item);
000124 |     SwitchItemSelectionTexture(item, slot_name);
000125 |     item.SwitchItemSelectionTextureEx(EItemManipulationContext.DETACHING);
000126 |     /*
000127 |     m_QuickBarBase.updateSlotsCount();
000128 |     CalculateVisibilityForAI();
000129 |     */
000130 |
000131 |     HideHairSelections(item_base,false);
000132 |
000133 |     Clothing clothing = Clothing.Cast(item);
000134 |
000135 |     if (clothing)
000136 |     {
000137 |         /*
000138 |         if (!g_Game.IsDedicatedServer())
```

```
000139 |         {
000140 |             if (clothing.GetEffectWidgetTypes())
000141 |             {
000142 |                 QueueRemoveEffectWidget(clothing.GetEffectWidgetTypes());
000143 |             }
000144 |
000145 |             if (clothing.GetGlassesEffectID() > -1)
000146 |             {
000147 |                 QueueRemoveGlassesEffect(clothing.GetGlassesEffectID());
000148 |             }
000149 |         }
000150 |
000151 |         if (g_Game.IsServer())
000152 |         {
000153 |             if (clothing.IsGasMask())
000154 |             {
000155 |                 GetModifiersManager().DeactivateModifier(eModifiers.MDF_MASK);
000156 |             }
000157 |         }
000158 |
000159 |         clothing.UpdateNVGStatus(this);
000160 |         */
000161 |         g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseStateVisual, 200, false); //sometimes it takes a while to load in
000162 |         UpdateCorpseStateVisual(); //...but if possible, we don't want a delay
000163 |     }
000164 | }
000165 |
000166 | // 1252
000167 | void UpdateShoulderProxyVisibility(EntityAI item, string slot_name)
000168 | {
000169 |     string slot = slot_name;
000170 |     bool boo;
000171 |     boo = item.IsWeapon();
000172 |
000173 |     if (slot == "Melee")
000174 |     {
000175 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_MELEE_RIFLE, boo);
000176 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_MELEE_MELEE, !boo);
000177 |     }
000178 |     else if (slot == "Shoulder")
000179 |     {
000180 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_SHOULDER_RIFLE, boo);
000181 |         SetSimpleHiddenSelectionState(SIMPLE_SELECTION_SHOULDER_MELEE, !boo);
000182 |     }
000183 | }
000184 |
000185 | // 1270
000186 | override void SwitchItemSelectionTexture(EntityAI item, string slot_name)
000187 | {
000188 |     super.SwitchItemSelectionTexture(item, slot_name);
000189 |
000190 |     //shirt + armband
000191 |     ItemBase armband = ItemBase.Cast(FindAttachmentBySlotName("Armband"));
000192 |     if (slot_name == "Body" && armband)
000193 |     {
000194 |         Param1<ExpansionNotPlayerBase> p = new Param1<ExpansionNotPlayerBase>(this);
000195 |         armband.Expansion_SwitchItemSelectionTextureEx(EItemManipulationContext.UPDATE, p);
000196 |     }
000197 | }
000198 |
000199 | // 1306
000200 | bool IsMale()
```

```
000201 | {
000202 |     if (ConfigGetBool("woman") != 1)
000203 |     {
000204 |         return true;
000205 |     }
000206 |     return false;
000207 | }
000208 |
000209 | // 1350
000210 | void SetActions()
000211 | {
000212 | }
000213 |
000214 | // 1395
000215 | void InitializeActions()
000216 | {
000217 |     m_InputActionMap = new TInputActionMap;
000218 |     SetActions();
000219 | }
000220 |
000221 | // 1417
000222 | override void GetActions(typename action_input_type, out array<ActionBase_Basic> actions)
000223 | {
000224 |     if (!m_ActionsInitialize)
000225 |     {
000226 |         m_ActionsInitialize = true;
000227 |         InitializeActions();
000228 |     }
000229 |
000230 |     actions = m_InputActionMap.Get(action_input_type);
000231 | }
000232 |
000233 | // 1448
000234 | void AddAction(typename actionName)
000235 | {
000236 |     ActionBase action = ActionManagerBase.GetAction(actionName);
000237 |
000238 |     typename ai = action.GetInputType();
000239 |     if (!ai)
000240 |     {
000241 |         m_ActionsInitialize = false;
000242 |         return;
000243 |     }
000244 |
000245 |     array<ActionBase_Basic> action_array = m_InputActionMap.Get(ai);
000246 |
000247 |     if (!action_array)
000248 |     {
000249 |         action_array = new array<ActionBase_Basic>;
000250 |         m_InputActionMap.Insert(ai, action_array);
000251 |     }
000252 |
000253 |     action_array.Insert(action);
000254 | }
000255 |
000256 | // 1474
000257 | void RemoveAction(typename actionName)
000258 | {
000259 |     ActionBase action = ActionManagerBase.GetAction(actionName);
000260 |     typename ai = action.GetInputType();
000261 |     array<ActionBase_Basic> action_array = m_InputActionMap.Get(ai);
000262 | }
```

```
000263 |         if (action_array)
000264 |         {
000265 |             for (int i = 0; i < action_array.Count(); i++)
000266 |             {
000267 |                 if (action == action_array.Get(i))
000268 |                 {
000269 |                     action_array.Remove(i);
000270 |                 }
000271 |             }
000272 |             action_array = new array<ActionBase_Basic>;
000273 |             m_InputActionMap.Insert(ai, action_array);
000274 |         }
000275 |         action_array.Insert(action);
000276 |     }
000277 |
000278 |     // 2063
000279 |     void OnPlayerLoaded()
000280 |     {
000281 |         int slot_id = InventorySlots.GetSlotIdFromString("Head");
000282 |         m_CharactersHead = Head_Default.Cast(GetInventory().FindPlaceholderForSlot(slot_id));
000283 |         CheckHairClippingOnCharacterLoad();
000284 |         UpdateHairSelectionVisibility();
000285 |         PreloadDecayTexture();
000286 |
000287 |         m_PlayerLoaded = true;
000288 |     }
000289 |
000290 |     // 5577
000291 |     void UpdateCorpseState()
000292 |     {
000293 |         UpdateCorpseStateVisual();
000294 |         if (m_CorpseState > 0 && !GetIsFrozen())
000295 |             SetDecayEffects(Math.AbsInt(m_CorpseState));
000296 |         else
000297 |             SetDecayEffects();//no params means remove the effects
000298 |         m_CorpseStateLocal = m_CorpseState;
000299 |     }
000300 |
000301 |     // 5588
000302 |     override void EEHealthLevelChanged(int oldLevel, int newLevel, string zone)
000303 |     {
000304 |         super.EEHealthLevelChanged(oldLevel, newLevel, zone);
000305 |         if (!g_Game.IsDedicatedServer())
000306 |         {
000307 |             if (m_CorpseState != 0)
000308 |             {
000309 |                 g_Game.GetCallQueue(CALL_CATEGORY_GUI).CallLater(UpdateCorpseState, 0, false);
000310 |             }
000311 |         }
000312 |     }
000313 |
000314 |     // 5607
000315 |     override void OnVariablesSynchronized()
000316 |     {
000317 |         super.OnVariablesSynchronized();
000318 |
000319 |         if (m_LifespanLevelLocal != m_LifeSpanState) //client solution, lifespan level changed
000320 |         {
000321 |             m_LifespanLevelLocal = m_LifeSpanState;
000322 |             UpdateHairSelectionVisibility();
000323 |         }
000324 |     }
```

```
000325 |         if (m_CorpseStateLocal != m_CorpseState && (IsPlayerLoaded() || IsControlledPlayer()))
000326 |         {
000327 |             UpdateCorpseState();
000328 |         }
000329 |     }
000330 |
000331 |     // 6569
000332 | void SetLifeSpanStateVisible(int show_state)
000333 | {
000334 |     bool state_changed;
000335 |     if (show_state != m_LifeSpanState)
000336 |         state_changed = true;
000337 |     m_LifeSpanState = show_state;
000338 |     SetSynchDirty();
000339 |
000340 |     if (state_changed) //server only, client solution in OnVariablesSynchronized()
000341 |     {
000342 |         //SendLifespanSyncEvent(m_LifeSpanState);
000343 |
000344 |         UpdateHairSelectionVisibility();
000345 |     }
000346 | }
000347 |
000348 | // 6585
000349 | int GetLifeSpanState()
000350 | {
000351 |     return m_LifeSpanState;
000352 | }
000353 |
000354 | // 8182
000355 | bool IsPlayerLoaded()
000356 | {
000357 |     return m_PlayerLoaded;
000358 | }
000359 |
000360 | // 8479
000361 | //! Dynamic hair hiding
000362 | void SetHairLevelToHide(int level, bool state, bool was_debug = false)
000363 | {
000364 |     if (was_debug && GetInstanceType() != DayZPlayerInstanceType.INSTANCETYPE_CLIENT)
000365 |         return;
000366 |
000367 |     if (!m_CharactersHead)
000368 |     {
000369 |         ErrorEx("No valid head detected on character!");
000370 |         return;
000371 |     }
000372 |
000373 |     if (level == -1) //hide/show ALL
000374 |     {
000375 |         m_HideHairAnimated = !m_HideHairAnimated;
000376 |         for (int i = 0; i < m_CharactersHead.m_HeadHairSelectionArray.Count(); ++i)
000377 |         {
000378 |             //m_CharactersHead.SetSimpleHiddenSelectionState(i,m_HideHairAnimated);
000379 |             SelectionTranslation stt = SelectionTranslation.Cast(m_CharactersHead.m_HeadHairHidingStateMap.Get(i));
000380 |             stt.SetSelectionState(m_HideHairAnimated);
000381 |             m_CharactersHead.m_HeadHairHidingStateMap.Set(i, stt);
000382 | #ifdef DIAG_DEVELOPER
000383 | #ifndef SERVER
000384 |             PluginDiagMenuClient diagmenu = PluginDiagMenuClient.Cast(GetPlugin(PluginDiagMenuClient));
000385 |             diagmenu.m_HairHidingStateMap.Set(i, m_HideHairAnimated);
000386 | #endif
```

```

000387 | #endif
000388 |         }
000389 |     }
000390 |     else //hide/show selected level only
000391 |     {
000392 |         bool switchState;
000393 |         if (was_debug)
000394 |         {
000395 |             #ifdef DIAG_DEVELOPER
000396 |             #ifndef SERVER
000397 |                 PluginDiagMenuClient diagmenuu = PluginDiagMenuClient.Cast(GetPlugin(PluginDiagMenuClient));
000398 |                 switchState = !diagmenuu.m_HairHidingStateMap.Get(level);
000399 |                 diagmenuu.m_HairHidingStateMap.Set(level, switchState);
000400 |             #endif
000401 |             #endif
000402 |         }
000403 |         else
000404 |         {
000405 |             switchState = !state;
000406 |         }
000407 |         //m_CharactersHead.SetSimpleHiddenSelectionState(level,switchState);
000408 |         stt = SelectionTranslation.Cast(m_CharactersHead.m_HeadHairHidingStateMap.Get(level));
000409 |         stt.SetSelectionState(switchState);
000410 |         m_CharactersHead.m_HeadHairHidingStateMap.Set(level, stt); //nescessary?
000411 |     }
000412 | }
000413 |
000414 | // 8531
000415 | void HideHairSelections(ItemBase item, bool state)
000416 | {
000417 |     if (!item || !item.GetHeadHidingSelection() || !m_CharactersHead)
000418 |         return;
000419 |
000420 |     int slot_id; //item currently attached (or detaching from) here
000421 |     string slot_name; //item currently attached (or detaching from) here
000422 |     string str
000423 |     int idx = 0;
000424 |     int i;
000425 |     int count;
000426 |     item.GetInventory().GetCurrentAttachmentSlotInfo(slot_id,slot_name);
000427 |
000428 |     if (item.HidesSelectionBySlot())
000429 |     {
000430 |         count = item.GetInventory().GetSlotIdCount();
000431 |         for (i = 0; i < count; i++)
000432 |         {
000433 |             if (item.GetInventory().GetSlotId(i) == slot_id)
000434 |             {
000435 |                 str = item.GetHeadHidingSelection().Get(i);
000436 |                 idx = m_CharactersHead.m_HeadHairSelectionArray.Find(str);
000437 |                 if (idx != -1)
000438 |                     SetHairLevelToHide(idx,state);
000439 |                 #ifdef DEVELOPER
000440 |                 else
000441 |                     Debug.Log("No valid selection '" + str + "' found on head of " + GetType() + ". Verify the p3d, model config, and the 'HAIR_HIDING_SELECTI
000442 |                 ONS' macro in basicDefines.");
000443 |                 #endif
000444 |             }
000445 |         }
000446 |     }
000447 |     else
000448 |     {

```

```
000448 |         count = item.GetHeadHidingSelection().Count();
000449 |         for (i = 0; i < count; i++)
000450 |         {
000451 |             str = item.GetHeadHidingSelection().Get(i);
000452 |             idx = m_CharactersHead.m_HeadHairSelectionArray.Find(str);
000453 |             if (idx != -1)
000454 |                 SetHairLevelToHide(idx,state);
000455 |             #ifdef DEVELOPER
000456 |             else
000457 |                 Debug.Log("No valid selection '" + str + "' found on head of " + GetType() + ". Verify the p3d, model config, and the 'HAIR_HIDING_SELECTIONS'
macro in basicDefines.");
000458 |             #endif
000459 |         }
000460 |     }
000461 |     UpdateHairSelectionVisibility();
000462 | }
000463 |
000464 | // 8580
000465 | void UpdateHairSelectionVisibility(bool was_debug = false)
000466 | {
000467 |     if (!m_CharactersHead)
000468 |         return;
000469 |     bool shown;
000470 |     bool exception_hidden = false;
000471 |     int i;
000472 |     int count = m_CharactersHead.m_HeadHairHidingStateMap.Count();
000473 |     SelectionTranslation stt;
000474 |
000475 |     //hide/show beard
000476 |     if (IsMale() && m_CharactersHead.GetBeardIndex() > -1 && !was_debug)
000477 |     {
000478 |         SetHairLevelToHide(m_CharactersHead.GetBeardIndex(),GetLifeSpanState() != LifeSpanState.BEARD_EXTRA);
000479 |     }
000480 |
000481 |     //show all first
000482 |     for (i = 0; i < count; i++)
000483 |     {
000484 |         m_CharactersHead.SetSimpleHiddenSelectionState(i,true);
000485 |     }
000486 |     //then carve it up
000487 |     for (i = 0; i < count; i++)
000488 |     {
000489 |         stt = m_CharactersHead.m_HeadHairHidingStateMap.Get(i);
000490 |         shown = stt.GetSelectionState();
000491 |         if (!shown)
000492 |         {
000493 |             if (!IsMale() && /*!m_CharactersHead.IsHandlingException()
000494 |             {
000495 |                 m_CharactersHead.SetSimpleHiddenSelectionState(i,shown);
000496 |                 UpdateTranslatedSelections(stt);
000497 |                 //Print("hidden idx: " + i);
000498 |             }
000499 |             else
000500 |             {
000501 |                 exception_hidden = true;
000502 |             }
000503 |         }
000504 |     }
000505 | }
000506 |
000507 | //exceptions handled differently; hides hair
000508 | if (exception_hidden)
000509 | {
```

```
000509 |         m_CharactersHead.SetSimpleHiddenSelectionState(m_CharactersHead.GetHairIndex(), false);
000510 |         if (IsMale())
000511 |             m_CharactersHead.SetSimpleHiddenSelectionState(m_CharactersHead.GetBeardIndex(), false);
000512 |     }
000513 | }
000514 |
000515 | // 8630
000516 | void UpdateTranslatedSelections(SelectionTranslation stt)
000517 | {
000518 |     int index;
000519 |     array<int> translatedSelectinosArray = stt.GetTranslatedSelections();
000520 |     for (int i = 0; i < translatedSelectinosArray.Count(); i++)
000521 |     {
000522 |         index = translatedSelectinosArray.Get(i);
000523 |         //if (index > -1)
000524 |             m_CharactersHead.SetSimpleHiddenSelectionState(index, false); //safe this way, only hiding/carving from shown parts
000525 |     }
000526 | }
000527 |
000528 | // 8643
000529 | ///! helper method for re-checking hairhiding on character load
000530 | void CheckHairClippingOnCharacterLoad()
000531 | {
000532 |     ItemBase headgear = ItemBase.Cast(GetInventory().FindAttachment(InventorySlots.HEADGEAR));
000533 |     ItemBase mask = ItemBase.Cast(GetInventory().FindAttachment(InventorySlots.MASK));
000534 |
000535 |     HideHairSelections(headgear, true);
000536 |     HideHairSelections(mask, true);
000537 | }
000538 |
000539 | // 8766
000540 | void AdjustBandana(EntityAI item, string slot_name)
000541 | {
000542 |     if (Bandana_ColorBase.Cast(item))
000543 |     {
000544 |         if (slot_name == "Headgear")
000545 |         {
000546 |             item.SetSimpleHiddenSelectionState(0, 1);
000547 |             item.SetSimpleHiddenSelectionState(1, 0);
000548 |         }
000549 |         else if (slot_name == "Mask")
000550 |         {
000551 |             item.SetSimpleHiddenSelectionState(0, 0);
000552 |             item.SetSimpleHiddenSelectionState(1, 1);
000553 |         }
000554 |     }
000555 | }
000556 |
000557 | void AdjustShemag(EntityAI item, string slot_name)
000558 | {
000559 |     if (Shemag_ColorBase.Cast(item))
000560 |     {
000561 |         if (slot_name == "Headgear")
000562 |         {
000563 |             item.SetSimpleHiddenSelectionState(0, 1);
000564 |             item.SetSimpleHiddenSelectionState(1, 0);
000565 |         }
000566 |         else if (slot_name == "Mask")
000567 |         {
000568 |             item.SetSimpleHiddenSelectionState(0, 0);
000569 |             item.SetSimpleHiddenSelectionState(1, 1);
000570 |         }
000570 |     }
```



```
000571 |     }
000572 | }
000573 |
000574 | // 8784
000575 | // client-side
000576 | void UpdateCorpseStateVisual()
000577 | {
000578 |     //Print("---Prettying up corpses... | " + g_Game.GetTime() + " | " + this + " | " + GetType() + "---");
000579 |     //Print("m_DecayedTexture = " + m_DecayedTexture);
000580 |     int state = Math.AbsInt(m_CorpseState); //negative sign denotes a special meaning(state was forced to a live player), but we are only intetested in the pos
itive value here
000581 |     if (state == PlayerConstants.CORPSE_STATE_DECAYED)
000582 |     {
000583 |         EntityAI bodypart;
000584 |         ItemBase item;
000585 |
000586 |         string path;
000587 |         int idx;
000588 |         int slot_id;
000589 |         array<string> bodyparts = {"Gloves","Body","Legs","Feet"};
000590 |
000591 |         for (int i = 0; i < bodyparts.Count(); i++)
000592 |         {
000593 |             slot_id = InventorySlots.GetSlotIdFromString(bodyparts.Get(i));
000594 |             bodypart = GetInventory().FindPlaceholderForSlot(slot_id);
000595 |             item = ItemBase.Cast(GetInventory().FindAttachment(slot_id));
000596 |
000597 |             if (bodypart)
000598 |             {
000599 |                 path = "cfgVehicles " + bodypart.GetType();
000600 |                 idx = bodypart.GetHiddenSelectionIndex("personality");
000601 |                 if (idx > -1)
000602 |                 {
000603 |                     bodypart.SetObjectTexture(idx,m_DecayedTexture);
000604 |                 }
000605 |             }
000606 |             if (item)
000607 |             {
000608 |                 path = "cfgVehicles " + item.GetType();
000609 |                 idx = item.GetHiddenSelectionIndex("personality");
000610 |                 if (idx > -1)
000611 |                 {
000612 |                     item.SetObjectTexture(idx,m_DecayedTexture);
000613 |                 }
000614 |             }
000615 |         }
000616 |         SetFaceTexture(m_DecayedTexture);
000617 |     }
000618 | }
000619 |
000620 |
000621 | // 8829
000622 | void SetDecayEffects(int effect = -1)
000623 | {
000624 |     int boneIdx = GetBoneIndexByName("Spine2");
000625 |     Particle p;
000626 |
000627 |     switch (effect)
000628 |     {
000629 |         case PlayerConstants.CORPSE_STATE_MEDIUM :
000630 |             //play medium sound/flies particle
000631 |             if (!m_FliesEff)
```

```
000632 |         m_FliesEff = new EffSwarmingFlies();
000633 |
000634 |     if (m_FliesEff && !SEffectManager.IsEffectExist(m_FliesIndex))
000635 |     {
000636 |         m_FliesEff.SetDecalOwner(this);
000637 |         m_FliesIndex = SEffectManager.PlayOnObject(m_FliesEff, this, "0 0.25 0");
000638 |         p = m_FliesEff.GetParticle();
000639 |         AddChild(p, boneIdx);
000640 |         if (!m_SoundFliesEffect)
000641 |         {
000642 |             PlaySoundSetLoop(m_SoundFliesEffect, "Flies_SoundSet", 1.0, 1.0);
000643 |             //      ErrorEx("DbgFlies | CORPSE_STATE_MEDIUM | m_SoundFliesEffect created! " + m_SoundFliesEffect,ErrorExSeverity.INFO);
000644 |         }
000645 |     }
000646 |     break;
000647 |     case PlayerConstants.CORPSE_STATE_DECAYED :
000648 |         //play serious sound/flies particle
000649 |         if (!m_FliesEff)
000650 |             m_FliesEff = new EffSwarmingFlies();
000651 |
000652 |         if (m_FliesEff && !SEffectManager.IsEffectExist(m_FliesIndex))
000653 |         {
000654 |             m_FliesEff.SetDecalOwner(this);
000655 |             m_FliesIndex = SEffectManager.PlayOnObject(m_FliesEff, this, "0 0.25 0");
000656 |             p = m_FliesEff.GetParticle();
000657 |             AddChild(p, boneIdx);
000658 |             if (!m_SoundFliesEffect)
000659 |             {
000660 |                 PlaySoundSetLoop(m_SoundFliesEffect, "Flies_SoundSet", 1.0, 1.0);
000661 |                 //      ErrorEx("DbgFlies | CORPSE_STATE_DECAYED | m_SoundFliesEffect created! " + m_SoundFliesEffect,ErrorExSeverity.INFO);
000662 |             }
000663 |         }
000664 |         break;
000665 |         //remove
000666 |         default:
000667 |             SEffectManager.DestroyEffect(m_FliesEff);
000668 |             //      ErrorEx("DbgFlies | StopSoundSet | exit 3 ",ErrorExSeverity.INFO);
000669 |             StopSoundSet(m_SoundFliesEffect);
000670 |             break;
000671 |     }
000672 | }
000673 |
000674 | // 8881
000675 | void PreloadDecayTexture()
000676 | {
000677 |     int idx;
000678 |     int slot_id;
000679 |
000680 |     idx = GetHiddenSelectionIndex("decay_preload");
000681 |     if (idx > -1)
000682 |     {
000683 |         SetObjectTexture(idx,m_DecayedTexture);
000684 |         //Print("'decay_preload'" + m_DecayedTexture +" loaded on " + GetModelName());
000685 |     }
000686 |     else
000687 |     {
000688 |         //Print("No 'decay_preload' selection found on " + this);
000689 |     }
000690 | }
000691 | }
000692 |
```

0289. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\ExpansionNPCBase.c

Size bytes: 2751

SHA-256: 3f45ceebb22f8c927eb7511856f6f73c46c95d1ce4cda30718f6cf104bd58103

Decoded as: utf-8-sig

Line count shown: 90

Detected class declarations: 32

```
L13: class ExpansionNPCBase: ExpansionNotPlayerBase
L59: class ExpansionNPCMirek: ExpansionNPCBase {};
L60: class ExpansionNPCDenis: ExpansionNPCBase {};
L61: class ExpansionNPCBoris: ExpansionNPCBase {};
L62: class ExpansionNPCCyril: ExpansionNPCBase {};
L63: class ExpansionNPCElias: ExpansionNPCBase {};
L64: class ExpansionNPCFrancis: ExpansionNPCBase {};
L65: class ExpansionNPCGuo: ExpansionNPCBase {};
L66: class ExpansionNPCHassan: ExpansionNPCBase {};
L67: class ExpansionNPCIndar: ExpansionNPCBase {};
L68: class ExpansionNPCJose: ExpansionNPCBase {};
L69: class ExpansionNPCKaito: ExpansionNPCBase {};
L70: class ExpansionNPCLewis: ExpansionNPCBase {};
L71: class ExpansionNPCManua: ExpansionNPCBase {};
L72: class ExpansionNPCNiki: ExpansionNPCBase {};
L73: class ExpansionNPCOliver: ExpansionNPCBase {};
L74: class ExpansionNPCPeter: ExpansionNPCBase {};
L75: class ExpansionNPCQuinn: ExpansionNPCBase {};
L76: class ExpansionNPCRolf: ExpansionNPCBase {};
L77: class ExpansionNPCSeth: ExpansionNPCBase {};
L78: class ExpansionNPCTaiki: ExpansionNPCBase {};
L79: class ExpansionNPCLinda: ExpansionNPCBase {};
L80: class ExpansionNPCMaria: ExpansionNPCBase {};
L81: class ExpansionNPCFrida: ExpansionNPCBase {};
L82: class ExpansionNPCGabi: ExpansionNPCBase {};
L83: class ExpansionNPCHelga: ExpansionNPCBase {};
L84: class ExpansionNPCIrena: ExpansionNPCBase {};
L85: class ExpansionNPCJudy: ExpansionNPCBase {};
L86: class ExpansionNPCKeiko: ExpansionNPCBase {};
L87: class ExpansionNPCEva: ExpansionNPCBase {};
L88: class ExpansionNPCNaomi: ExpansionNPCBase {};
L89: class ExpansionNPCBaty: ExpansionNPCBase {};
```

Detected enum declarations: 0

Detected function/method-like declarations: 6

```
L15: override void Expansion_Init()
L32: override bool IsInventoryVisible()
L37: override bool CanDisplayCargo()
L42: override bool CanPutIntoHands(EntityAI parent)
L47: override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
L53: override bool CanBeTargetedByAI(EntityAI ai)
```

Full file content

```
000001 | /**
000002 |  * ExpansionNPCBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
```

```
000011 | */
000012 |
000013 | class ExpansionNPCBase: ExpansionNotPlayerBase
000014 | {
000015 |     override void Expansion_Init()
000016 |     {
000017 |         Expansion_SetAllowDamage(false);
000018 |
000019 |         #ifdef EXPANSIONMODAI
000020 |         if (g_Game.IsServer())
000021 |         {
000022 |             m_eAI_FactionType = eAIFactionPassive;
000023 |             eAI_SetPassive(); //! In case this NPC joins another group that's part of a non-passive faction, we still want the NPC to be passive
000024 |         }
000025 |         #endif
000026 |
000027 |         super.Expansion_Init();
000028 |
000029 |         m_Expansion_NetsyncData = new ExpansionNetsyncData(this);
000030 |     }
000031 |
000032 |     override bool IsInventoryVisible()
000033 |     {
000034 |         return false;
000035 |     }
000036 |
000037 |     override bool CanDisplayCargo()
000038 |     {
000039 |         return false;
000040 |     }
000041 |
000042 |     override bool CanPutIntoHands(EntityAI parent)
000043 |     {
000044 |         return false;
000045 |     }
000046 |
000047 |     override void CommandHandler(float pDt, int pCurrentCommandID, bool pCurrentCommandFinished)
000048 |     {
000049 |         dBodyActive(this, ActiveState.INACTIVE);
000050 |     }
000051 |
000052 |     //! Vanilla, prevent being targeted by Zs/animals
000053 |     override bool CanBeTargetedByAI(EntityAI ai)
000054 |     {
000055 |         return false;
000056 |     }
000057 | }
000058 |
000059 | class ExpansionNPCMirek: ExpansionNPCBase {};
000060 | class ExpansionNPCDenis: ExpansionNPCBase {};
000061 | class ExpansionNPCBoris: ExpansionNPCBase {};
000062 | class ExpansionNPCCyril: ExpansionNPCBase {};
000063 | class ExpansionNPC Elias: ExpansionNPCBase {};
000064 | class ExpansionNPCFrancis: ExpansionNPCBase {};
000065 | class ExpansionNPCGuo: ExpansionNPCBase {};
000066 | class ExpansionNPC Hassan: ExpansionNPCBase {};
000067 | class ExpansionNPCIndar: ExpansionNPCBase {};
000068 | class ExpansionNPCJose: ExpansionNPCBase {};
000069 | class ExpansionNPCKaito: ExpansionNPCBase {};
000070 | class ExpansionNPCLewis: ExpansionNPCBase {};
000071 | class ExpansionNPCManua: ExpansionNPCBase {};
000072 | class ExpansionNPCNiki: ExpansionNPCBase {};
```

```
000073 | class ExpansionNPCOliver: ExpansionNPCBase {};  
000074 | class ExpansionNPCPeter: ExpansionNPCBase {};  
000075 | class ExpansionNPCQuinn: ExpansionNPCBase {};  
000076 | class ExpansionNPCRolf: ExpansionNPCBase {};  
000077 | class ExpansionNPCSeth: ExpansionNPCBase {};  
000078 | class ExpansionNPCTaiki: ExpansionNPCBase {};  
000079 | class ExpansionNPCLinda: ExpansionNPCBase {};  
000080 | class ExpansionNPCMaria: ExpansionNPCBase {};  
000081 | class ExpansionNPCFrida: ExpansionNPCBase {};  
000082 | class ExpansionNPCGabi: ExpansionNPCBase {};  
000083 | class ExpansionNPCHelga: ExpansionNPCBase {};  
000084 | class ExpansionNPCIrena: ExpansionNPCBase {};  
000085 | class ExpansionNPCJudy: ExpansionNPCBase {};  
000086 | class ExpansionNPCKeiko: ExpansionNPCBase {};  
000087 | class ExpansionNPCEva: ExpansionNPCBase {};  
000088 | class ExpansionNPCNaomi: ExpansionNPCBase {};  
000089 | class ExpansionNPCBaty: ExpansionNPCBase {};  
000090 |
```

0290. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\ManBase\PlayerBase.c
Size bytes: 38620
SHA-256: ecb3b940a9908792d436ad6649ed7d0db7c92083eb887248850148949ba1becd
Decoded as: utf-8-sig
Line count shown: 1334
Detected class declarations: 2
  L13: class ExpansionInventoryItemType
  L31: modded class PlayerBase
Detected enum declarations: 0
Detected function/method-like declarations: 80
  L18: int GetStackAmount()
  L63: void PlayerBase()
  L71: void ~PlayerBase()
  L87: static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
  L107: static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L124: static void Expansion_SendClose(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L141: static void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L159: static void Expansion_Send(ExpansionScriptRPC rpc, notnull Object target, bool guaranteed = false)
  L171: else if (root != target)
  L178: void Expansion_SetTemporaryOwnedContainer(ExpansionTemporaryOwnedContainer container)
  L189: ExpansionTemporaryOwnedContainer Expansion_GetTemporaryOwnedContainer(bool vicinity = true)
  L200: ItemBase Expansion_GetNVItem()
  L218: else if (Class.CastTo(optic, entityInHands) || (Class.CastTo(weapon, entityInHands) && Class.CastTo(optic, weapon.GetAttachedOptics())))
  L227: else if (!nvItem)
  L251: string GetIdentitySteam()
  L256: return GetIdentity().Expansion_GetPlainId();
  L257: else if ( IsMissionOffline() )
  L267: string GetIdentityName()
  L272: return GetIdentity().GetName();
  L273: else if ( IsMissionOffline() )
  L280: string Expansion_GetSurvivorName()
  L290: static set<PlayerBase> Expansion_GetInSphere(vector position, int radius)
  L293: set<PlayerBase> players();
  L329: static PlayerBase GetPlayerByUID( string id )
  L356: static PlayerBase Expansion_GetByPlainID(string id)
  L369: else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
  L380: return GetPlayerByUID(syncPlayer.m_RUID);
  L387: static string Expansion_GetPlainIDByUID(string id)
  L392: static PlayerBase ExpansionGetPlayerByIdentity( PlayerIdentity identity )
  L400: static bool Expansion_IsOnline(string uid)
  L406: else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
  L421: static int Expansion_GetOnlinePlayersCount()
  L431: static bool Expansion_IsPlayerInSphere(vector center, float outerRadius, float innerRadius = 0.0)
  L454: string GetIdentityUID()
  L459: return GetIdentity().GetId();
  L460: else if ( IsMissionOffline() )
  L471: static void Expansion_AddPlayer( PlayerBase player, PlayerIdentity identity )
  L494: static void RemovePlayer( string id )
  L499: static void Expansion_RemovePlayerPlainID(string id)
  L507: void DeferredClientInit()
  L511: override void SetActions( out TInputActionMap InputActionMap )
  L526: override bool DropItem(ItemBase item)
  L545: override void OnUnconsciousStart()
  L559: override void OnUnconsciousStop(int pCurrentCommandID)
  L568: override void OnRestrainedStart()
  L579: override bool IsInventoryVisible()
  L587: override void OnConnect()
  L596: override void OnReconnect()
```

```

L608: override void OnEnterZone(ExpansionZoneType type)
L621: protected eAIGroup ExpansionGetEAIGroup(bool createIfNoneExists = true)
L654: override void OnExitZone(ExpansionZoneType type)
L684: override bool Expansion_HasAdminToolGodMode()
L696: override bool Expansion_HasAdminToolInvisibility()
L711: bool Expansion_IsHelper(PlayerBase other, bool checkIfWeAreHelper = false)
L719: bool Expansion_IsFriendly(PlayerBase other)
L730: void OnEnterSafeZone()
L786: void OnLeftSafeZone()
L833: void SetCanRaise(bool mode)
L845: override void EEKilled( Object killer )
L861: override void OnVehicleSeatDriverEnter()
L874: static void Expansion_RegisterInventoryItemType(typename type)
L880: static void Expansion_RegisterInventoryItemType(string type)
L904: static bool Expansion_IsInventoryItemTypeRegistered(ItemBase item, out string registeredType)
L944: static bool Expansion_IsInventoryItemTypeRegistered(string type, out string registeredType)
L956: void Expansion_OnInventoryUpdate(ItemBase item, bool inInventory = true, bool checkOnlyIfWorking = false)
L988: protected ExpansionInventoryItemType Expansion_OnInventoryUpdateEx(string registeredType, ItemBase item, bool inInventory = true, bool check
L1012: else if (found && checkOnlyIfWorking && itemType.WorkingCount > 0)
L1017: else if (found)
L1037: int Expansion_GetInventoryCount(typename type, bool working = false)
L1039: return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
L1042: int Expansion_GetInventoryCount(string type, bool working = false)
L1044: return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
L1047: int Expansion_GetInventoryCount(ExpansionInventoryItemType itemType, bool working = false)
L1060: ExpansionInventoryItemType Expansion_GetInventoryItemType(typename type)
L1062: return Expansion_GetInventoryItemType(type.ToString());
L1065: ExpansionInventoryItemType Expansion_GetInventoryItemType(string type)
L1071: bool Expansion_PrepareTakeEntityToHands(EntityAI entity)
L1085: override void EEItemIntoHands(EntityAI item)
L1093: override void OnRestrainedChangeClient()
L1101: ScriptInvoker Expansion_GetOnRestrainedStateChaged()
... detector capped this preview at 80 entries; full code follows.

```

Full file content

```

000001 | /**
000002 |  * ExpansionPlayerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionInventoryItemType
000014 | {
000015 |     ref array<ItemBase> Items = new array<ItemBase>;
000016 |     int WorkingCount;
000017 |
000018 |     int GetStackAmount()
000019 |     {
000020 |         int amount;
000021 |
000022 |         foreach (ItemBase item: Items)
000023 |         {
000024 |             amount += item.Expansion_GetStackAmount();
000025 |         }
000026 |     }

```

```
000027 |         return amount;
000028 |     }
000029 | }
000030 |
000031 | modded class PlayerBase
000032 | {
000033 |     static ref ScriptInvoker s_Expansion_SI_OnPlayerConnected = new ScriptInvoker;
000034 |
000035 |     protected string m_PlayerUID;
000036 |     protected string m_PlayerSteam;
000037 |     protected string m_PlayerName;
000038 |
000039 |     private static autoptr map< string, PlayerBase > s_Expansion_AllPlayersUID = new map< string, PlayerBase >;
000040 |     private static autoptr map< string, string > s_Expansion_AllPlayersUID2PlainID = new map< string, string >;
000041 |
000042 |     static ref CF_DoublyLinkedNodes_WeakRef<PlayerBase> s_Expansion_AllPlayers = new CF_DoublyLinkedNodes_WeakRef<PlayerBase>();
000043 |
000044 |     ref CF_DoublyLinkedNode_WeakRef<PlayerBase> m_Expansion_Node;
000045 |
000046 |     PlayerBase m_Expansion_NextPlayer;
000047 |     PlayerBase m_Expansion_PrevPlayer;
000048 |
000049 |     protected bool m_Expansion_LeavingSafeZone;
000050 |
000051 |     static ref map<string, bool> s_Expansion_RegisteredInventoryItemTypes = new map<string, bool>;
000052 |     static ref set<typename> s_Expansion_RegisteredInventoryItemTypenames = new set<typename>;
000053 |     ref map<string, ref ExpansionInventoryItemType> m_Expansion_InventoryItemTypes = new map<string, ref ExpansionInventoryItemType>;
000054 |
000055 |     ExpansionTemporaryOwnedContainer m_Expansion_TemporaryOwnedContainer;
000056 |
000057 |     ref ExpansionEntity m_Expansion_Entity;
000058 |
000059 |     EntityAI m_Expansion_EntityToBeTakenToHands;
000060 |
000061 |     protected ref ScriptInvoker m_Expansion_OnRestrainedStateChaged;
000062 |
000063 |     void PlayerBase()
000064 |     {
000065 |         m_Expansion_Node = s_Expansion_AllPlayers.Add(this);
000066 |
000067 |         if ( IsMissionClient() && g_Game && g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ) )
000068 |             g_Game.GetCallQueue( CALL_CATEGORY_SYSTEM ).CallLater( DeferredClientInit, 100, false );
000069 |     }
000070 |
000071 |     void ~PlayerBase()
000072 |     {
000073 |     #ifndef DIAG_DEVELOPER
000074 |         if (!g_Game)
000075 |             return;
000076 |     #endif
000077 |
000078 |         if ( m_PlayerUID && s_Expansion_AllPlayersUID.Get( m_PlayerUID ) == this )
000079 |         {
000080 |             RemovePlayer( m_PlayerUID );
000081 |         }
000082 |
000083 |         if (s_Expansion_AllPlayers)
000084 |             s_Expansion_AllPlayers.Remove(m_Expansion_Node);
000085 |     }
000086 |
000087 |     static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
000088 |     {
```



```
000089 |         float distanceSq = distance * distance;
000090 |         foreach (string uid, PlayerBase player: s_Expansion_AllPlayersUID)
000091 |         {
000092 |             if (player.GetIdentity() && vector.DistanceSq(player.GetPosition(), position) <= distanceSq)
000093 |             {
000094 |                 rpc.Expansion_Send(target, guaranteed, player.GetIdentity());
000095 |             }
000096 |         }
000097 |     }
000098 |
000099 | /**
000100 |  * @brief Send RPC to players in near network range
000101 |  *
000102 |  * @param rpc ExpansionScriptRPC instance
000103 |  * @param position Center position to determine radius
000104 |  * @param target Target object (or null)
000105 |  * @param guaranteed
000106 |  */
000107 | static void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000108 | {
000109 |     float distance = g_Game.ServerConfigGetInt("networkRangeNear");
000110 |     if (distance == 0.0)
000111 |         distance = 150; //! default as per https://community.bistudio.com/wiki/DayZ:Server_Configuration
000112 |     //! @note verified that items have to be in network range + 10% for them to exist in client bubble
000113 |     Expansion_SendNear(rpc, position, distance * 1.10, target, guaranteed);
000114 | }
000115 |
000116 | /**
000117 |  * @brief Send RPC to players in close network range
000118 |  *
000119 |  * @param rpc ExpansionScriptRPC instance
000120 |  * @param position Center position to determine radius
000121 |  * @param target Target object (or null)
000122 |  * @param guaranteed
000123 |  */
000124 | static void Expansion_SendClose(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000125 | {
000126 |     float distance = g_Game.ServerConfigGetInt("networkRangeClose");
000127 |     if (distance == 0.0)
000128 |         distance = 20; //! default as per https://community.bistudio.com/wiki/DayZ:Server_Configuration
000129 |     //! @note verified that items have to be in network range + 10% for them to exist in client bubble
000130 |     Expansion_SendNear(rpc, position, distance * 1.10, target, guaranteed);
000131 | }
000132 |
000133 | /**
000134 |  * @brief Send RPC to players in far network range
000135 |  *
000136 |  * @param rpc ExpansionScriptRPC instance
000137 |  * @param position Center position to determine radius
000138 |  * @param target Target object (or null)
000139 |  * @param guaranteed
000140 |  */
000141 | static void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000142 | {
000143 |     float distance = g_Game.ServerConfigGetInt("networkRangeFar");
000144 |     if (distance == 0.0)
000145 |         distance = 1000; //! default as per https://community.bistudio.com/wiki/DayZ:Server_Configuration
000146 |     //! @note verified that items have to be in network range + 10% for them to exist in client bubble
000147 |     Expansion_SendNear(rpc, position, distance * 1.10, target, guaranteed);
000148 | }
000149 |
000150 | /**
```

```

000151 | * @brief Send RPC to players in network range of target object
000152 | *
000153 | * @param rpc ExpansionScriptRPC instance
000154 | * @param target Target object (non-null)
000155 | * @param guaranteed
000156 | *
000157 | * Appropriate network range is automatically chosen based on target hierarchy root.
000158 | */
000159 | static void Expansion_Send(ExpansionScriptRPC rpc, notnull Object target, bool guaranteed = false)
000160 | {
000161 |     Object root = target;
000162 |
000163 |     EntityAI targetEntity;
000164 |     if (Class.CastTo(targetEntity, target))
000165 |         root = targetEntity.GetHierarchyRoot();
000166 |
000167 |     ///! Target is man or is in inventory of man, or target is transport, or root has forceFarBubble
000168 |     if (root.IsMan() || target.IsTransport() || root.ConfigGetString("forceFarBubble") == "true")
000169 |         Expansion_SendFar(rpc, root.GetPosition(), target, guaranteed);
000170 |     ///! Target is in inventory of root (might be transport or non-man object)
000171 |     else if (root != target)
000172 |         Expansion_SendClose(rpc, root.GetPosition(), target, guaranteed);
000173 |     ///! Target has no parent
000174 |     else
000175 |         Expansion_SendNear(rpc, target.GetPosition(), target, guaranteed);
000176 | }
000177 |
000178 | void Expansion_SetTemporaryOwnedContainer(ExpansionTemporaryOwnedContainer container)
000179 | {
000180 |     container.ExpansionSetContainerOwner(this);
000181 |     m_Expansion_TemporaryOwnedContainer = container;
000182 | }
000183 |
000184 | /**
000185 | * @brief Get temporary owned container previously set, or null.
000186 | *
000187 | * @param vicinity If true (default), previously set container must be in vicinity (within 2 m of player), else null is returned.
000188 | */
000189 | ExpansionTemporaryOwnedContainer Expansion_GetTemporaryOwnedContainer(bool vicinity = true)
000190 | {
000191 |     if (m_Expansion_TemporaryOwnedContainer)
000192 |     {
000193 |         if (!vicinity || vector.DistanceSq(GetPosition(), m_Expansion_TemporaryOwnedContainer.GetPosition()) <= 4.0)
000194 |             return m_Expansion_TemporaryOwnedContainer;
000195 |     }
000196 |
000197 |     return null;
000198 | }
000199 |
000200 | ItemBase Expansion_GetNVItem()
000201 | {
000202 |     NVGoggles goggles;
000203 |     ItemBase nvItem;
000204 |
000205 |     if (IsInOptics())
000206 |     {
000207 |         ///! In hands check - priority since when in optics, NVG in hands or NV optics take precedence over NVG attached to headgear/eyewear
000208 |         EntityAI entityInHands = GetHumanInventory().GetEntityInHands();
000209 |         if (entityInHands)
000210 |         {
000211 |             Weapon weapon;
000212 |             ItemOptics optic;

```

```
000213 |
000214 |         if (Class.CastTo(goggles, entityInHands))
000215 |         {
000216 |             nvItem = goggles;
000217 |         }
000218 |         else if (Class.CastTo(optic, entityInHands) || (Class.CastTo(weapon, entityInHands) && Class.CastTo(optic, weapon.GetAttachedOptics()))
000219 |         {
000220 |             if (optic.GetCurrentNVType() != NVTypes.NONE)
000221 |             {
000222 |                 nvItem = optic;
000223 |             }
000224 |         }
000225 |     }
000226 | }
000227 | else if (!nvItem)
000228 | {
000229 |     //!< Headgear/eyewear check - eyewear (e.g. NVG headstrap) takes precedence over headgear (e.g. helmet)
000230 |     EntityAI headgear = FindAttachmentBySlotName("Eyewear");
000231 |     if (headgear && Class.CastTo(goggles, headgear.FindAttachmentBySlotName("NVG")))
000232 |     {
000233 |         nvItem = goggles;
000234 |     }
000235 |     else
000236 |     {
000237 |         headgear = FindAttachmentBySlotName("Headgear");
000238 |         if (headgear && Class.CastTo(goggles, headgear.FindAttachmentBySlotName("NVG")))
000239 |         {
000240 |             nvItem = goggles;
000241 |         }
000242 |     }
000243 | }
000244 |
000245 |     return nvItem;
000246 | }
000247 |
000248 | // -----
000249 | // PlayerBase GetIdentitySteam
000250 | // -----
000251 | string GetIdentitySteam()
000252 | {
000253 |     if ( IsMissionClient() )
000254 |     {
000255 |         if ( GetIdentity() )
000256 |             return GetIdentity().Expansion_GetPlainId();
000257 |         else if ( IsMissionOffline() )
000258 |             return "OFFLINE";
000259 |     }
000260 |
000261 |     return m_PlayerSteam;
000262 | }
000263 |
000264 | // -----
000265 | // PlayerBase GetIdentityName
000266 | // -----
000267 | string GetIdentityName()
000268 | {
000269 |     if ( IsMissionClient() )
000270 |     {
000271 |         if ( GetIdentity() )
000272 |             return GetIdentity().GetName();
000273 |         else if ( IsMissionOffline() )
000274 |             return "OFFLINE";
```

```
000275 |     }
000276 |
000277 |     return m_PlayerName;
000278 | }
000279 |
000280 | string Expansion_GetSurvivorName()
000281 | {
000282 |     string name = GetType();
000283 |     int index = ExpansionString.LastIndexOf(name, "_");
000284 |     if (index > -1)
000285 |         name = name.Substring(index + 1, name.Length() - index - 1);
000286 |
000287 |     return name;
000288 | }
000289 |
000290 | static set<PlayerBase> Expansion_GetInSphere(vector position, int radius)
000291 | {
000292 |     int radiusSq = radius * radius;
000293 |     set<PlayerBase> players();
000294 |
000295 |     if ( IsMissionHost() )
000296 |     {
000297 |         foreach (PlayerBase pb: s_Expansion_AllPlayersUID)
000298 |         {
000299 |             if (vector.DistanceSq(position, pb.GetPosition()) > radiusSq)
000300 |                 continue;
000301 |
000302 |             players.Insert(pb);
000303 |         }
000304 |     }
000305 |     else
000306 |     {
000307 |         PlayerBase pbc;
000308 |         ///! @note ClientData.m_PlayerBaseList only contains players in network bubble
000309 |         foreach (Man player: ClientData.m_PlayerBaseList)
000310 |         {
000311 |             if (!Class.CastTo( pbc, player ))
000312 |                 continue;
000313 |
000314 |             if (vector.DistanceSq(position, pbc.GetPosition()) > radiusSq)
000315 |                 continue;
000316 |
000317 |             players.Insert(pbc);
000318 |         }
000319 |     }
000320 |
000321 |     return players;
000322 | }
000323 |
000324 | // -----
000325 | // PlayerBase GetPlayerByUID
000326 | // string id = PlayerIdentity::GetId()
000327 | // Can be used on server/client side (note that on client, will only see players in network bubble)
000328 | // -----
000329 | static PlayerBase GetPlayerByUID( string id )
000330 | {
000331 |     if ( IsMissionHost() )
000332 |     {
000333 |         return s_Expansion_AllPlayersUID.Get( id );
000334 |     }
000335 |     else
000336 |     {
```

```
000337 |         PlayerBase pbc;
000338 |         ///! @note ClientData.m_PlayerBaseList only contains players in network bubble
000339 |         foreach (Man player: ClientData.m_PlayerBaseList)
000340 |         {
000341 |             if ( !Class.CastTo( pbc, player ) || !pbc.GetIdentity() )
000342 |                 continue;
000343 |
000344 |             if ( pbc.GetIdentity().GetId() == id )
000345 |                 return pbc;
000346 |         }
000347 |     }
000348 |
000349 |     return NULL;
000350 | }
000351 |
000352 | // -----
000353 | // PlayerBase Expansion_GetByPlainID
000354 | // string id = PlayerIdentity::GetPlainId()
000355 | // Can be used on server/client side (note that on client, will only see players in network bubble)
000356 | static PlayerBase Expansion_GetByPlainID(string id)
000357 | {
000358 |     if ( IsMissionHost() )
000359 |     {
000360 |         foreach (PlayerBase pb: s_Expansion_AllPlayersUID)
000361 |         {
000362 |             if (!pb.GetIdentity())
000363 |                 continue;
000364 |
000365 |             if ( pb.GetIdentity().GetPlainId() == id )
000366 |                 return pb;
000367 |         }
000368 |     }
000369 |     else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
000370 |     {
000371 |         ///! @note on client, PlayerIdentity::GetPlainId() will return empty string,
000372 |         ///! so we have to find corresponding SyncPlayer and can then match with associated player using normal (hashed) ID.
000373 |         ///! While ClientData.m_PlayerList.m_PlayerList contains ALL players, ClientData.m_PlayerBaseList only contains players in network bubble
000374 |         foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000375 |         {
000376 |             if (!syncPlayer)
000377 |                 continue;
000378 |
000379 |             if (syncPlayer.m_UID == id)
000380 |                 return GetPlayerByUID(syncPlayer.m_RUID);
000381 |         }
000382 |     }
000383 |
000384 |     return NULL;
000385 | }
000386 |
000387 | static string Expansion_GetPlainIDByUID(string id)
000388 | {
000389 |     return s_Expansion_AllPlayersUID2PlainID[id];
000390 | }
000391 |
000392 | static PlayerBase ExpansionGetPlayerByIdentity( PlayerIdentity identity )
000393 | {
000394 |     if ( !g_Game.IsMultiplayer() )
000395 |         return PlayerBase.Cast( g_Game.GetPlayer() );
000396 |
000397 |     return PlayerBase.Cast( identity.GetPlayer() );
000398 | }
```

```
000399 |
000400 | static bool Expansion_IsOnline(string uid)
000401 | {
000402 |     if ( IsMissionHost() )
000403 |     {
000404 |         return s_Expansion_AllPlayersUID.Contains(uid);
000405 |     }
000406 |     else if (ClientData.m_PlayerList && ClientData.m_PlayerList.m_PlayerList)
000407 |     {
000408 |         foreach (SyncPlayer syncPlayer: ClientData.m_PlayerList.m_PlayerList)
000409 |         {
000410 |             if (!syncPlayer)
000411 |                 continue;
000412 |
000413 |             if (syncPlayer.m_RUID == uid)
000414 |                 return true;
000415 |         }
000416 |     }
000417 |
000418 |     return false;
000419 | }
000420 |
000421 | static int Expansion_GetOnlinePlayersCount()
000422 | {
000423 |     return s_Expansion_AllPlayersUID.Count();
000424 | }
000425 |
000426 | /**
000427 |  * @brief Check whether any player is in sphere specified by outer and inner radius and centered at given position
000428 |  *
000429 |  * @note sphere is hollow if innerRadius > 0.0 and solid if innerRadius = 0.0 (default)
000430 |  */
000431 | static bool Expansion_IsPlayerInSphere(vector center, float outerRadius, float innerRadius = 0.0)
000432 | {
000433 |     float distanceSq;
000434 |     float outerRadiusSq = outerRadius * outerRadius;
000435 |     float innerRadiusSq = innerRadius * innerRadius;
000436 |
000437 |     foreach (string uid, PlayerBase player: s_Expansion_AllPlayersUID)
000438 |     {
000439 |         if (!player.IsAlive() || !player.GetIdentity())
000440 |             continue;
000441 |
000442 |         distanceSq = vector.DistanceSq(center, player.GetPosition());
000443 |
000444 |         if (distanceSq <= outerRadiusSq && distanceSq >= innerRadiusSq)
000445 |             return true;
000446 |     }
000447 |
000448 |     return false;
000449 | }
000450 |
000451 | // -----
000452 | // PlayerBase GetIdentityUID
000453 | // -----
000454 | string GetIdentityUID()
000455 | {
000456 |     if ( IsMissionClient() )
000457 |     {
000458 |         if ( GetIdentity() )
000459 |             return GetIdentity().GetId();
000460 |         else if ( IsMissionOffline() )
```

```
000461 |         return "OFFLINE";
000462 |     }
000463 |
000464 |     return m_PlayerUID;
000465 | }
000466 |
000467 | // -----
000468 | // PlayerBase Expansion_AddPlayer
000469 | // Only called server side, to get only alive players
000470 | // -----
000471 | static void Expansion_AddPlayer( PlayerBase player, PlayerIdentity identity )
000472 | {
000473 |     if ( !player )
000474 |         return;
000475 |
000476 |     if ( identity )
000477 |     {
000478 |         player.m_PlayerUID = identity.GetId();
000479 |         player.m_PlayerSteam = identity.GetPlainId();
000480 |         player.m_PlayerName = identity.GetName();
000481 |     }
000482 |
000483 |     if ( player.m_PlayerUID != "" )
000484 |     {
000485 |         s_Expansion_AllPlayersUID.Set( player.m_PlayerUID, player );
000486 |         s_Expansion_AllPlayersUID2PlainID.Set( player.m_PlayerUID, player.m_PlayerSteam );
000487 |     }
000488 | }
000489 |
000490 | // -----
000491 | // PlayerBase RemovePlayer
000492 | // Only called server side, to get only alive players
000493 | // -----
000494 | static void RemovePlayer( string id )
000495 | {
000496 |     s_Expansion_AllPlayersUID.Remove( id );
000497 | }
000498 |
000499 | static void Expansion_RemovePlayerPlainID(string id)
000500 | {
000501 |     s_Expansion_AllPlayersUID2PlainID.Remove( id );
000502 | }
000503 |
000504 | // -----
000505 | // PlayerBase DeferredClientInit
000506 | // -----
000507 | void DeferredClientInit()
000508 | {
000509 | }
000510 |
000511 | override void SetActions( out TInputActionMap InputActionMap )
000512 | {
000513 | #ifdef EXPANSIONTRACE
000514 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "SetActions");
000515 | #endif
000516 |
000517 |     super.SetActions( InputActionMap );
000518 |
000519 |     AddAction( ExpansionActionPaint, InputActionMap );
000520 |
000521 |     AddAction(ExpansionActionDebugStoreEntity, InputActionMap);
000522 | }
```

```
000523 |     AddAction(ExpansionActionDebugLobotomize, InputActionMap);
000524 | }
000525 |
000526 | override bool DropItem(ItemBase item)
000527 | {
000528 |     if (super.DropItem(item))
000529 |     {
000530 |         if (!m_Expansion_CanBeLooted)
000531 |         {
000532 |             item.Expansion_SetLootable(false);
000533 |             item.SetLifetimeMax(120); //! Make sure it despawns quickly when left alone
000534 |         }
000535 |
000536 |         return true;
000537 |     }
000538 |
000539 |     return false;
000540 | }
000541 |
000542 | // -----
000543 | // Expansion OnUnconsciousStart
000544 | // -----
000545 | override void OnUnconsciousStart()
000546 | {
000547 | #ifdef EXPANSIONUI
000548 |     if (IsMissionClient())
000549 |         GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseAll();
000550 | #endif
000551 |
000552 |     super.OnUnconsciousStart();
000553 |
000554 |     if (!m_Expansion_CanBeLooted)
000555 |         //! 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
000556 |         ExpansionStatic.LockInventoryRecursive(this, 10134);
000557 | }
000558 |
000559 | override void OnUnconsciousStop(int pCurrentCommandID)
000560 | {
000561 |     super.OnUnconsciousStop(pCurrentCommandID);
000562 |
000563 |     if (IsAlive() && !m_Expansion_CanBeLooted)
000564 |         //! 10134 = 2 | 4 | 16 | 128 | 256 | 512 | 1024 | 8192
000565 |         ExpansionStatic.UnlockInventoryRecursive(this, 10134);
000566 | }
000567 |
000568 | override void OnRestrainedStart()
000569 | {
000570 | #ifdef EXPANSIONUI
000571 |     if (IsMissionClient())
000572 |         GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseAll();
000573 | #endif
000574 |
000575 |     super.OnRestrainedStart();
000576 | }
000577 |
000578 | //! Need to override vanilla PlayerBase::IsInventoryVisible
000579 | override bool IsInventoryVisible()
000580 | {
000581 |     if (!super.IsInventoryVisible())
000582 |         return false;
000583 |
000584 |     return m_Expansion_CanBeLooted;
```



```
000585 |     }
000586 |
000587 |     override void OnConnect()
000588 |     {
000589 |         super.OnConnect();
000590 |
000591 |         ///! Make sure we check straight away if player connects in a safezone
000592 |         if (!Expansion_IsInSafeZone() && GetExpansionSettings().GetSafeZone().Enabled)
000593 |             m_Expansion_SafeZoneInstance.Update();
000594 |     }
000595 |
000596 |     override void OnReconnect()
000597 |     {
000598 |         super.OnReconnect();
000599 |
000600 |         ///! Make sure we check straight away if player reconnects in a safezone
000601 |         if (!Expansion_IsInSafeZone() && GetExpansionSettings().GetSafeZone().Enabled)
000602 |             m_Expansion_SafeZoneInstance.Update();
000603 |     }
000604 |
000605 |     // -----
000606 |     // PlayerBase OnEnterZone, server + client
000607 |     // -----
000608 |     override void OnEnterZone(ExpansionZoneType type)
000609 |     {
000610 | #ifdef EXPANSIONTRACE
000611 |         auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnEnterZone");
000612 | #endif
000613 |
000614 |         if (type == ExpansionZoneType.SAFE)
000615 |         {
000616 |             OnEnterSafeZone();
000617 |         }
000618 |     }
000619 |
000620 | #ifdef ENFUSION_AI_PROJECT
000621 | protected eAIGroup ExpansionGetEAIGroup(bool createIfNoneExists = true)
000622 | {
000623 |     #ifdef EXPANSIONMODAI
000624 |     eAIGroup group = eAIGroup.GetGroupByLeader(this, false);
000625 |     if (group)
000626 |         return group;
000627 |     #else
000628 |     for (int i = 0; i < eAIGroup.GROUPS.Count(); i++) {
000629 |         if (!eAIGroup.GROUPS[i]) continue;
000630 |         eAIBase GrpLeader = eAIGroup.GROUPS[i].GetLeader();
000631 |         if (GrpLeader && GrpLeader == this)
000632 |             return eAIGroup.GROUPS[i];
000633 |     }
000634 | #endif
000635 |
000636 |     if (!createIfNoneExists) return null;
000637 |
000638 |     #ifdef EXPANSIONMODAI
000639 |     eAIGroup newGroup = eAIGroup.CreateGroup();
000640 |     SetGroup(newGroup);
000641 |     #else
000642 |     eAIGroup newGroup = new eAIGroup();
000643 |     newGroup.SetLeader(this);
000644 |     eAIBase eAI_PB = eAIBase.Cast(this);
000645 |     eAI_PB.SetGroup(newGroup);
000646 | #endif
```

```
000647 |         return newGroup;
000648 |     }
000649 | #endif
000650 |
000651 | // -----
000652 | // PlayerBase OnExitZone, only server side
000653 | // -----
000654 | override void OnExitZone(ExpansionZoneType type)
000655 | {
000656 | #ifdef EXPANSIONTRACE
000657 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnExitZone");
000658 | #endif
000659 |
000660 |     if (type == ExpansionZoneType.SAFE)
000661 |     {
000662 |         if (g_Game.IsClient())
000663 |         {
000664 |             // OnLeftSafeZone needs to be called on client
000665 |             OnLeftSafeZone();
000666 |             return;
000667 |         }
000668 |
000669 |         m_Expansion_LeavingSafeZone = true;
000670 |
000671 |         if ( GetIdentity() )
000672 |             ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", "STR_EXPANSION_SAFEZONE_LEAVING", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFICATION_AMETHYST).Create(GetIdentity());
000673 |
000674 |         //TODO: expose to settings
000675 |
000676 |         //! Remove any previous call to OnLeftSafeZone from the queue
000677 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(OnLeftSafeZone);
000678 |
000679 |         //! Delay actually leaving the safezone by 10 seconds
000680 |         g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(OnLeftSafeZone, 10000, false);
000681 |     }
000682 | }
000683 |
000684 | override bool Expansion_HasAdminToolGodMode()
000685 | {
000686 |     bool godMode;
000687 | #ifdef JM_COT
000688 |     godMode |= COTHasGodMode();
000689 | #endif
000690 | #ifdef VPPADMINTOOLS
000691 |     godMode |= GodModeStatus();
000692 | #endif
000693 |     return godMode;
000694 | }
000695 |
000696 | override bool Expansion_HasAdminToolInvisibility()
000697 | {
000698 |     bool invisibility;
000699 | #ifdef JM_COT_INVISIBILITY
000700 |     invisibility |= COTIsInvisible();
000701 | #endif
000702 | #ifdef VPPADMINTOOLS
000703 |     invisibility |= InvisibilityStatus();
000704 | #endif
000705 |     return invisibility;
000706 | }
000707 |
```

```
000708 | /**
000709 |  * @brief Check if other player is considered a helper.
000710 |  */
000711 | bool Expansion_IsHelper(PlayerBase other, bool checkIfWeAreHelper = false)
000712 | {
000713 |     return false;
000714 | }
000715 |
000716 | /**
000717 |  * @brief Check if other player is considered friendly.
000718 |  */
000719 | bool Expansion_IsFriendly(PlayerBase other)
000720 | {
000721 |     if (Expansion_IsHelper(other, true))
000722 |         return true;
000723 |
000724 |     return false;
000725 | }
000726 |
000727 | // -----
000728 | // PlayerBase OnEnterSafeZone, server + client
000729 | // -----
000730 | void OnEnterSafeZone()
000731 | {
000732 |     //! Avoid exploit where you are just outside safezone, get shot uncon, fall backwards into safezone,
000733 |     //! then disconnect and reconnect to dupe your character
000734 |     //! (your other unconscious body will still be on the ground inside safezone due to having gained godmode from it)
000735 |     if (IsUnconscious())
000736 |         return;
000737 |
000738 |     EXPrint(ToString() + "::OnEnterSafeZone");
000739 |     Print(m_Expansion_LeavingSafeZone);
000740 |     Print(m_Expansion_IsInSafeZone);
000741 |     Print(m_Expansion_IsInSafeZoneSynchRemote);
000742 |
000743 |     m_Expansion_IsInSafeZone = true;
000744 |     m_Expansion_LeavingSafeZone = false;
000745 |
000746 |     #ifdef SERVER
000747 |     m_Expansion_IsInSafeZoneSynchRemote = true;
000748 |     SetSynchDirty();
000749 |     #endif
000750 |
000751 |     if (!GetIdentity())
000752 |     {
000753 |         //! If this is AI, we still want it to be able to raise hands in safezones so it can reload its weapon
000754 |         return;
000755 |     }
000756 |
000757 |     SetCanRaise(false);
000758 |
000759 |     if (g_Game.IsClient())
000760 |         return;
000761 |
000762 |     if (GetExpansionSettings().GetSafeZone().DisablePlayerCollision)
000763 |         PhysicsSetSolid(false);
000764 |
000765 |     if (IsRestrained())
000766 |     {
000767 |         SetRestrained(false);
000768 |
000769 |         EntityAI item_in_hands = GetItemInHands();
```

```
000770 |         if (item_in_hands)
000771 |             MiscGameplayFunctions.TransformRestrainedItem(item_in_hands, null, null, this);
000772 |     }
000773 |
000774 |     if ( GetIdentity() )
000775 |     {
000776 |         ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", "STR_EXPANSION_SAFEZONE_ENTER", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFICATION_A
METHYST).Create(GetIdentity());
000777 |
000778 |         if ( GetExpansionSettings().GetLog().Safezone )
000779 |             GetExpansionSettings().GetLog().PrintLog("[Safezone] Player \"{1:name}\" (id={1:id} pos={1:position}) entered the safezone", this);
000780 |     }
000781 | }
000782 |
000783 | // -----
000784 | // PlayerBase OnLeftSafeZone, server + client
000785 | // -----
000786 | void OnLeftSafeZone()
000787 | {
000788 | #ifdef EXPANSIONTRACE
000789 |     auto trace = CF_Trace_0(ExpansionTracing.PLAYER, this, "OnLeftSafeZone");
000790 | #endif
000791 |
000792 |     if (g_Game.IsClient())
000793 |     {
000794 |         m_Expansion_IsInSafeZone = false;
000795 |         SetCanRaise(true);
000796 |         return;
000797 |     }
000798 |
000799 |     if (!m_Expansion_LeavingSafeZone)
000800 |         return;
000801 |
000802 |     m_Expansion_LeavingSafeZone = false;
000803 |
000804 |     m_Expansion_IsInSafeZone = false;
000805 |
000806 |     #ifdef SERVER
000807 |         m_Expansion_IsInSafeZoneSynchRemote = false;
000808 |         SetSynchDirty();
000809 |     #endif
000810 |
000811 |     if (!GetIdentity())
000812 |     {
000813 |         return;
000814 |     }
000815 |
000816 |     SetCanRaise(true);
000817 |
000818 |     if (GetExpansionSettings().GetSafeZone().DisablePlayerCollision)
000819 |         PhysicsSetSolid(true);
000820 |
000821 |     if ( GetIdentity() )
000822 |     {
000823 |         ExpansionNotification("STR_EXPANSION_SAFEZONE_TITLE", "STR_EXPANSION_SAFEZONE_LEFT", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFICATION_AM
ETHYST).Create(GetIdentity());
000824 |
000825 |         if ( GetExpansionSettings().GetLog().Safezone )
000826 |             GetExpansionSettings().GetLog().PrintLog("[Safezone] Player \"{1:name}\" (id={1:id} pos={1:position}) left the safezone", this);
000827 |     }
000828 | }
000829 |
```

```
000830 | // -----
000831 | // PlayerBase SetCanRaise
000832 | // -----
000833 | void SetCanRaise(bool mode)
000834 | {
000835 |     HumanInputController hic = GetInputController();
000836 |     if (hic)
000837 |     {
000838 |         hic.OverrideRaise(!mode, false);
000839 |     }
000840 | }
000841 |
000842 | // -----
000843 | // PlayerBase EEKilled
000844 | // -----
000845 | override void EEKilled( Object killer )
000846 | {
000847 | #ifdef EXPANSIONMONITORMODULE
000848 |     ExpansionMonitorModule monitorModule = ExpansionMonitorModule.Cast(CF_ModuleCoreManager.Get(ExpansionMonitorModule));
000849 |     if (monitorModule && GetIdentity() != NULL)
000850 |     {
000851 |         string playerUID = GetIdentity().GetId();
000852 |         vector pos = GetPosition();
000853 |         monitorModule.AddLastPlayerDeathPos(playerUID, pos);
000854 |         if (g_Game.IsServer())
000855 |             monitorModule.SyncStatsToClient(this);
000856 |     }
000857 | #endif
000858 |     super.EEKilled(killer);
000859 | }
000860 |
000861 | override void OnVehicleSeatDriverEnter()
000862 | {
000863 |     super.OnVehicleSeatDriverEnter();
000864 |
000865 |     auto vehicle = ExpansionVehicle.Get(this);
000866 |     if (vehicle)
000867 |     {
000868 |         vehicle.SetLastDriverUID(this);
000869 |         if (IsMissionHost())
000870 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(vehicle.ResetLastDriverUIDSynch, 1000, false);
000871 |     }
000872 | }
000873 |
000874 | static void Expansion_RegisterInventoryItemType(typename type)
000875 | {
000876 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "PlayerBase::Expansion_RegisterInventoryItemType " + type.ToString());
000877 |     s_Expansion_RegisteredInventoryItemTypenames.Insert(type);
000878 | }
000879 |
000880 | static void Expansion_RegisterInventoryItemType(string type)
000881 | {
000882 |     typename typeName = type.ToType();
000883 |     if (typeName)
000884 |     {
000885 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "PlayerBase::Expansion_RegisterInventoryItemType " + typeName);
000886 |         s_Expansion_RegisteredInventoryItemTypenames.Insert(typeName);
000887 |     }
000888 |     else
000889 |     {
000890 |         type.ToLower();
000891 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "PlayerBase::Expansion_RegisterInventoryItemType " + type);
```

```
000892 |         s_Expansion_RegisteredInventoryItemTypes[type] = true;
000893 |     }
000894 | }
000895 |
000896 | /**
000897 |  * @brief Check if item class or any parent class is registered.
000898 |  *
000899 |  * @param item The item to be checked if its type name matches or inherits from any registered item type
000900 |  * @param registeredType Will be set to all lowercase item type name if registered
000901 |  *
000902 |  * @return bool True if registered, false if not
000903 |  */
000904 | static bool Expansion_IsInventoryItemTypeRegistered(ItemBase item, out string registeredType)
000905 | {
000906 |     //if (Expansion_IsInventoryItemTypeRegistered(item.Type(), registeredType))
000907 |         //return true;
000908 |
000909 |     if (Expansion_IsInventoryItemTypeRegistered(item.GetType(), registeredType))
000910 |         return true;
000911 |
000912 |     foreach (typename typeName: s_Expansion_RegisteredInventoryItemTypenames)
000913 |     {
000914 |         if (item.IsInherited(typeName))
000915 |         {
000916 |             registeredType = typeName.ToString();
000917 |             registeredType.ToLower();
000918 |             return true;
000919 |         }
000920 |     }
000921 |
000922 |     return false;
000923 | }
000924 |
000925 | //protected static bool Expansion_IsInventoryItemTypeRegistered(typename type, out string registeredType)
000926 | //{
000927 |     //if (s_Expansion_RegisteredInventoryItemTypenames.Find(type) > -1)
000928 |     //{
000929 |         //registeredType = type.ToString();
000930 |         //return true;
000931 |     //}
000932 |
000933 |     //return false;
000934 | //}
000935 |
000936 | /**
000937 |  * @brief Check if type name is registered.
000938 |  *
000939 |  * @param type Type name (case insensitive)
000940 |  * @param registeredType Will be set to all lowercase item type name if registered
000941 |  *
000942 |  * @return bool True if registered, false if not
000943 |  */
000944 | static bool Expansion_IsInventoryItemTypeRegistered(string type, out string registeredType)
000945 | {
000946 |     type.ToLower();
000947 |     if (s_Expansion_RegisteredInventoryItemTypes.Contains(type))
000948 |     {
000949 |         registeredType = type;
000950 |         return true;
000951 |     }
000952 |
000953 |     return false;
```

```

000954 |     }
000955 |
000956 |     void Expansion_OnInventoryUpdate(ItemBase item, bool inInventory = true, bool checkOnlyIfWorking = false)
000957 |     {
000958 | #ifdef EXTRACE_DIAG
000959 |         auto trace = EXTrace.Start0(ExpansionTracing.GENERAL_ITEMS, this, "Expansion_OnInventoryUpdate");
000960 |         EXTrace.Add(trace, item.ToString());
000961 |         EXTrace.Add(trace, inInventory);
000962 |         EXTrace.Add(trace, checkOnlyIfWorking);
000963 | #endif
000964 |
000965 |         string registeredType;
000966 |         ExpansionInventoryItemType itemType;
000967 |
000968 |         if (Expansion_IsInventoryItemTypeRegistered(item, registeredType))
000969 |             itemType = Expansion_OnInventoryUpdateEx(registeredType, item, inInventory, checkOnlyIfWorking);
000970 |
000971 | #ifdef EXTRACE_DIAG
000972 |         if (itemType)
000973 |         {
000974 |             EXTrace.Add(trace, itemType.Items.Count());
000975 |             EXTrace.Add(trace, itemType.WorkingCount);
000976 |         }
000977 | #endif
000978 |     }
000979 |
000980 |     /**
000981 |     * @brief Update inventory item type name to inventory item type instance mapping and return new or existing instance.
000982 |     *
000983 |     * @param registeredType Type name. Needs to be lowercase!
000984 |     * @param item Item the item to add or remove
000985 |     * @param inInventory Whether the item is in inventory
000986 |     * @param checkOnlyIfWorking If in inventory, only update whether the item's energy manager is currently working
000987 |     */
000988 |     protected ExpansionInventoryItemType Expansion_OnInventoryUpdateEx(string registeredType, ItemBase item, bool inInventory = true, bool checkOnlyIfWorking = fa
lse)
000989 |     {
000990 |         ExpansionInventoryItemType itemType;
000991 |
000992 |         bool found = m_Expansion_InventoryItemTypes.Find(registeredType, itemType);
000993 |
000994 |         if (inInventory)
000995 |         {
000996 |             if (!found)
000997 |             {
000998 |                 itemType = new ExpansionInventoryItemType;
000999 |                 m_Expansion_InventoryItemTypes[registeredType] = itemType;
001000 |             }
001001 |
001002 |             if (!checkOnlyIfWorking || !found)
001003 |             {
001004 |                 ///! Item entered inventory
001005 |                 itemType.Items.Insert(item);
001006 |             }
001007 |
001008 |             if (item.GetCompEM())
001009 |             {
001010 |                 if (item.GetCompEM().IsWorking())
001011 |                     itemType.WorkingCount++;
001012 |                 else if (found && checkOnlyIfWorking && itemType.WorkingCount > 0)
001013 |                     ///! Item already in inventory
001014 |                     itemType.WorkingCount--;

```

```
001015 |     }
001016 | }
001017 | else if (found)
001018 | {
001019 |     //! Item exited inventory
001020 |     if (itemType.Items.Count() > 1)
001021 |     {
001022 |         itemType.Items.RemoveItem(item);
001023 |
001024 |         if (item.GetCompEM() && item.GetCompEM().IsWorking() && itemType.WorkingCount > 0)
001025 |             itemType.WorkingCount--;
001026 |     }
001027 |     else
001028 |     {
001029 |         m_Expansion_InventoryItemTypes.Remove(registeredType);
001030 |         return null;
001031 |     }
001032 | }
001033 |
001034 | return itemType;
001035 | }
001036 |
001037 | int Expansion_GetInventoryCount(typename type, bool working = false)
001038 | {
001039 |     return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
001040 | }
001041 |
001042 | int Expansion_GetInventoryCount(string type, bool working = false)
001043 | {
001044 |     return Expansion_GetInventoryCount(Expansion_GetInventoryItemType(type), working);
001045 | }
001046 |
001047 | int Expansion_GetInventoryCount(ExpansionInventoryItemType itemType, bool working = false)
001048 | {
001049 |     if (itemType)
001050 |     {
001051 |         if (working)
001052 |             return itemType.WorkingCount;
001053 |         else
001054 |             return itemType.Items.Count();
001055 |     }
001056 |
001057 |     return 0;
001058 | }
001059 |
001060 | ExpansionInventoryItemType Expansion_GetInventoryItemType(typename type)
001061 | {
001062 |     return Expansion_GetInventoryItemType(type.ToString());
001063 | }
001064 |
001065 | ExpansionInventoryItemType Expansion_GetInventoryItemType(string type)
001066 | {
001067 |     type.ToLower();
001068 |     return m_Expansion_InventoryItemTypes[type];
001069 | }
001070 |
001071 | bool Expansion_PrepareTakeEntityToHands(EntityAI entity)
001072 | {
001073 |     if (!GetHumanInventory().CanAddEntityInHands(entity))
001074 |         return false;
001075 |
001076 |     if (!m_Expansion_EntityToBeTakenToHands)
```



```
001077 |         m_Expansion_EntityToBeTakenToHands = entity;
001078 |
001079 |         if (m_Expansion_EntityToBeTakenToHands == entity)
001080 |             return true;
001081 |
001082 |         return false;
001083 |     }
001084 |
001085 |     override void EEItemIntoHands(EntityAI item)
001086 |     {
001087 |         super.EEItemIntoHands(item);
001088 |
001089 |         if (m_Expansion_EntityToBeTakenToHands == item)
001090 |             m_Expansion_EntityToBeTakenToHands = null;
001091 |     }
001092 |
001093 |     override void OnRestrainedChangeClient()
001094 |     {
001095 |         super.OnRestrainedChangeClient();
001096 |
001097 |         if (m_Expansion_OnRestrainedStateChaged)
001098 |             m_Expansion_OnRestrainedStateChaged.Invoke(m_IsRestrained);
001099 |     }
001100 |
001101 |     ScriptInvoker Expansion_GetOnRestrainedStateChaged()
001102 |     {
001103 |         if (!m_Expansion_OnRestrainedStateChaged)
001104 |             m_Expansion_OnRestrainedStateChaged = new ScriptInvoker();
001105 |
001106 |         return m_Expansion_OnRestrainedStateChaged;
001107 |     }
001108 |
001109 | #ifdef EXPANSION_MODSTORAGE
001110 |     override void CF_OnStoreSave(CF_ModStorageMap storage)
001111 |     {
001112 |         super.CF_OnStoreSave(storage);
001113 |
001114 |         auto ctx = storage[DZ_Expansion_Core];
001115 |         if (!ctx) return;
001116 |
001117 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this))
001118 |             Expansion_OnEntityStorageSave(ctx);
001119 |     }
001120 |
001121 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
001122 |     {
001123 |         if (!super.CF_OnStoreLoad(storage))
001124 |         {
001125 |             EXPrint(this, "---- PlayerBase::CF_OnStoreLoad super failed ----");
001126 |             return false;
001127 |         }
001128 |
001129 |         auto ctx = storage[DZ_Expansion_Core];
001130 |         if (!ctx) return true;
001131 |
001132 |         if (ExpansionEntityStorageModule.IsCurrentRootEntity(this) && !Expansion_OnEntityStorageLoad(ctx))
001133 |             return false;
001134 |
001135 |         return true;
001136 |     }
001137 |
001138 |     void Expansion_OnEntityStorageSave(CF_ModStorage ctx)
```

```
001139 | {
001140 | #ifdef EXTRACE
001141 |     auto trace = EXTrace.Start(EXTrace.PLAYER, this);
001142 | #endif
001143 |
001144 |     if (!m_Expansion_Entity)
001145 |         m_Expansion_Entity = new ExpansionEntity(this);
001146 |
001147 |     m_Expansion_Entity.CF_OnStoreSave(ctx);
001148 |
001149 |     //!< HumanInventory is not moddable, but its OnStoreSave is a no-op in vanilla anyway (writes no data)
001150 |     //GetHumanInventory().OnStoreSave(ctx);
001151 |     CF_OnStoreSaveLifespan(ctx);
001152 |
001153 | #ifdef SERVER
001154 |     GetPlayerStats().CF_SaveStats(ctx);
001155 |     m_ModifiersManager.CF_OnStoreSave(ctx);
001156 |     m_AgentPool.CF_OnStoreSave(ctx);
001157 |     GetSymptomManager().CF_OnStoreSave(ctx);
001158 |     GetBleedingManagerServer().CF_OnStoreSave(ctx);
001159 |     m_PlayerStomach.CF_OnStoreSave(ctx);
001160 |     ctx.Write(GetBrokenLegs());
001161 |     CF_SaveAreaPersistenceFlag(ctx);
001162 |
001163 |     HumanCommandLadder ladder = GetCommand_Ladder();
001164 |     if (ladder)
001165 |     {
001166 |         ctx.Write(true);
001167 |         ctx.Write(ladder.GetLogoutPosition());
001168 |     }
001169 |     else
001170 |     {
001171 |         ctx.Write(false);
001172 |     }
001173 |
001174 |     ArrowManagerPlayer arrowManager = ArrowManagerPlayer.Cast(GetArrowManager());
001175 |     arrowManager.CF_Save(ctx);
001176 | #endif
001177 | }
001178 |
001179 | bool Expansion_OnEntityStorageLoad(CF_ModStorage ctx)
001180 | {
001181 |     if (!m_Expansion_Entity)
001182 |         m_Expansion_Entity = new ExpansionEntity(this);
001183 |
001184 |     if (!m_Expansion_Entity.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001185 |     {
001186 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load entity state ----");
001187 |         return false;
001188 |     }
001189 |
001190 |     //!< HumanInventory is not moddable, but its OnStoreLoad is a no-op in vanilla anyway (reads no data)
001191 |     //if (!GetHumanInventory().OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001192 |     //{
001193 |         //EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load inventory state ----");
001194 |         //return false;
001195 |     //}
001196 |
001197 |     if (!CF_OnStoreLoadLifespan(ctx, m_Expansion_StoreLoadedVersion))
001198 |     {
001199 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load lifespan state ----");
001200 |         return false;
```

```
001201 |     }
001202 |
001203 | #ifdef SERVER
001204 |     if (!GetPlayerStats().CF_LoadStats(ctx, m_Expansion_StoreLoadedVersion)) // load stats
001205 |     {
001206 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load PlayerStats ----");
001207 |         return false;
001208 |     }
001209 |
001210 |     if (!m_ModifiersManager.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001211 |     {
001212 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load ModifiersManager, read fail ----");
001213 |         return false;
001214 |     }
001215 |
001216 |     if (!m_AgentPool.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001217 |     {
001218 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load AgentPool, read fail ----");
001219 |         return false;
001220 |     }
001221 |
001222 |
001223 |     if (!GetSymptomManager().CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001224 |     {
001225 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load SymptomManager, read fail ----");
001226 |         return false;
001227 |     }
001228 |
001229 |     if (!GetBleedingManagerServer().CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001230 |     {
001231 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load BleedingManagerServer, read fail ----");
001232 |         return false;
001233 |     }
001234 |
001235 |     if (!m_PlayerStomach.CF_OnStoreLoad(ctx, m_Expansion_StoreLoadedVersion))
001236 |     {
001237 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load PlayerStomach, read fail ----");
001238 |         return false;
001239 |     }
001240 |
001241 |     if (!ctx.Read(m_BrokenLegState))
001242 |     {
001243 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load broken legs state ----");
001244 |         return false;
001245 |     }
001246 |
001247 |     if (!ctx.Read(m_PersistentFlags))
001248 |     {
001249 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load Persistent Flags, read fail ----");
001250 |         return false;
001251 |     }
001252 |
001253 |     bool onLadder;
001254 |     if (!ctx.Read(onLadder))
001255 |     {
001256 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load ladder state ----");
001257 |         return false;
001258 |     }
001259 |
001260 |     if (onLadder)
001261 |     {
001262 |         vector position;
```

```
001263 |         if (!ctx.Read(position))
001264 |         {
001265 |             EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load position on ladder ----");
001266 |             return false;
001267 |         }
001268 |
001269 |         Hive hive = GetHive();
001270 |         if (!hive || !hive.CharacterIsLoginPositionChanged(this))
001271 |             SetPosition(position);
001272 |     }
001273 |
001274 |     ArrowManagerPlayer arrowManager = ArrowManagerPlayer.Cast(GetArrowManager());
001275 |     if (!arrowManager.CF_Load(ctx))
001276 |     {
001277 |         EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad failed to load arrow manager state ----");
001278 |         return false;
001279 |     }
001280 | #endif
001281 |
001282 |     EXPrint(this, "---- PlayerBase::Expansion_OnEntityStorageLoad SUCCESS ----");
001283 |
001284 |     return true;
001285 | }
001286 |
001287 | void CF_OnStoreSaveLifespan(CF_ModStorage ctx)
001288 | {
001289 |     ctx.Write(m_LifeSpanState);
001290 |     ctx.Write(m_LastShavedSeconds);
001291 |     ctx.Write(m_HasBloodyHandsVisible);
001292 |     ctx.Write(m_HasBloodTypeVisible);
001293 |     ctx.Write(m_BloodType);
001294 | }
001295 |
001296 | bool CF_OnStoreLoadLifespan(CF_ModStorage ctx, int version)
001297 | {
001298 |     int lifespan_state = 0;
001299 |     if (!ctx.Read(lifespan_state))
001300 |         return false;
001301 |     m_LifeSpanState = lifespan_state;
001302 |
001303 |     int last_shaved = 0;
001304 |     if (!ctx.Read(last_shaved))
001305 |         return false;
001306 |     m_LastShavedSeconds = last_shaved;
001307 |
001308 |     int bloody_hands = 0;
001309 |     if (!ctx.Read(bloody_hands))
001310 |         return false;
001311 |     m_HasBloodyHandsVisible = bloody_hands;
001312 |
001313 |     bool blood_visible = false;
001314 |     if (!ctx.Read(blood_visible))
001315 |         return false;
001316 |     m_HasBloodTypeVisible = blood_visible;
001317 |
001318 |     int blood_type = 0;
001319 |     if (!ctx.Read(blood_type))
001320 |         return false;
001321 |     m_BloodType = blood_type;
001322 |
001323 |     return true;
001324 | }
```

```
001325 |  
001326 |     void CF_SaveAreaPersistenceFlag(CF_ModStorage ctx)  
001327 |     {  
001328 |         if (GetModifiersManager())  
001329 |             SetPersistentFlag(PersistentFlag.AREA_PRESENCE, GetModifiersManager().IsModifierActive(eModifiers.MDF_AREAEXPOSURE)); //set the flag for player's prese  
001330 |     nce in contaminated area  
001331 |         ctx.Write(m_PersistentFlags);  
001332 |     }  
001333 | #endif  
001334 | }
```

0291. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayZPlayerCamera3rdPerson.c
Size bytes: 851
SHA-256: 46107fbf10cc43f017c4fe1ff1a5c710734f4c8d7176ba27db0222cfa523487c
Decoded as: utf-8-sig
Line count shown: 29
Detected class declarations: 1
 L14: modded class DayZPlayerCamera3rdPerson
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L16: override void OnUpdate(float pDt, out DayZPlayerCameraResult pOutResult)

Full file content

```
000001 | /**
000002 |  * DayzPlayerCamera3rdPerson.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | modded class DayZPlayerCamera3rdPerson
000015 | {
000016 |     override void OnUpdate( float pDt, out DayZPlayerCameraResult pOutResult )
000017 |     {
000018 |         ExpansionScriptViewMenuBase viewMenu = GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu();
000019 |         //!< https://feedback.bistudio.com/T173348
000020 |         if (viewMenu && viewMenu.IsVisible())
000021 |             m_ExpansionIsScriptViewMenuVisible = true;
000022 |         else
000023 |             m_ExpansionIsScriptViewMenuVisible = false;
000024 |
000025 |         super.OnUpdate( pDt, pOutResult );
000026 |     }
000027 | }
000028 | #endif
000029 |
```

0292. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Players\Cameras\DayzPlayerCameraBase.c

Size bytes: 1307

SHA-256: 3719aa1197f81410bc4a5d035f21510f85a1c37e02418b7579d2cfb29dd5b7aa

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L13: modded class DayZPlayerCameraBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L17: override float UpdateUDAngle(out float pAngle, out float pAngleAdd, float pMin, float pMax, float pDt)

L25: override float UpdateLRAngle(float pAngle, float pMin, float pMax, float pDt)

L34: override void OnUpdate(float pDt, out DayZPlayerCameraResult pOutResult)

Full file content

```
000001 | /**
000002 |  * DayZPlayerCameraBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DayZPlayerCameraBase
000014 | {
000015 |     protected bool m_ExpansionIsScriptViewMenuVisible;
000016 |
000017 |     override float UpdateUDAngle(out float pAngle, out float pAngleAdd, float pMin, float pMax, float pDt)
000018 |     {
000019 |         if (m_ExpansionIsScriptViewMenuVisible)
000020 |             return pAngle;
000021 |
000022 |         return super.UpdateUDAngle(pAngle, pAngleAdd, pMin, pMax, pDt);
000023 |     }
000024 |
000025 |     override float UpdateLRAngle(float pAngle, float pMin, float pMax, float pDt)
000026 |     {
000027 |         if (m_ExpansionIsScriptViewMenuVisible)
000028 |             return pAngle;
000029 |
000030 |         return super.UpdateLRAngle(pAngle, pMin, pMax, pDt);
000031 |     }
000032 |
000033 | #ifdef EXPANSIONUI
000034 |     override void OnUpdate( float pDt, out DayZPlayerCameraResult pOutResult )
000035 |     {
000036 |         ExpansionScriptViewMenuBase viewMenu = GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu();
000037 |         if (viewMenu && viewMenu.IsVisible())
000038 |             m_ExpansionIsScriptViewMenuVisible = true;
000039 |         else
000040 |             m_ExpansionIsScriptViewMenuVisible = false;
000041 |
000042 |         super.OnUpdate( pDt, pOutResult );
000043 |     }
000044 | #endif
```

```
000045 | }  
000046 |
```


0293. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase.c

Size bytes: 97

SHA-256: 111bfb284ae398c146e4b887ebe7cf7e38fa5e11540ec41e2f2c9425b30c722e

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: modded class TrapBase

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L3: override bool Expansion_IsDanger()

 L5: return IsActive();

Full file content

```
000001 | modded class TrapBase
000002 | {
000003 |     override bool Expansion_IsDanger()
000004 |     {
000005 |         return IsActive();
000006 |     }
000007 | };
000008 |
```

0294. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Bear.c

Size bytes: 184

SHA-256: 5aa0924d4345a7ec01b41c8c72140742bbe7d155e6b566c3b044abc2e44f6606

Decoded as: utf-8-sig

Line count shown: 13

Detected class declarations: 1

 L1: modded class BearTrap

Detected enum declarations: 0

Detected function/method-like declarations: 2

 L3: override TStringArray Expansion_GetAmmoTypes()

 L8: override bool Expansion_IsMechanicalTrap()

Full file content

```
000001 | modded class BearTrap
000002 | {
000003 |     override TStringArray Expansion_GetAmmoTypes()
000004 |     {
000005 |         return {"BearTrapHit"};
000006 |     }
000007 |
000008 |     override bool Expansion_IsMechanicalTrap()
000009 |     {
000010 |         return true;
000011 |     }
000012 | }
000013 |
```

0295. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_LandMine.c

Size bytes: 153

SHA-256: 2a82ffd869e40cc8ee42dd40c9851e74abe05f91fb825c243bb6ba12c5ea987b

Decoded as: utf-8-sig

Line count shown: 9

Detected class declarations: 1

 L1: modded class LandMineTrap

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override bool Expansion_IsExplosive()

Full file content

```
000001 | modded class LandMineTrap
000002 | {
000003 |     //! Vanilla IsExplosive is only for Explosive_Base...
000004 |     override bool Expansion_IsExplosive()
000005 |     {
000006 |         return true;
000007 |     }
000008 | }
000009 |
```

0296. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\TrapBase\Trap_Tripwire.c
 Size bytes: 1085
 SHA-256: 88375a116d8cfe97cad2170aa282dcc105e98fa9b2c4dad35cc0324fbc313042
 Decoded as: utf-8-sig
 Line count shown: 44
 Detected class declarations: 1
 L1: modded class TripwireTrap
 Detected enum declarations: 0
 Detected function/method-like declarations: 5
 L5: override void EEItemAttached(EntityAI item, string slot_name)
 L14: override void EEItemDetached(EntityAI item, string slot_name)
 L23: override TStringArray Expansion_GetAmmoTypes()
 L31: override bool Expansion_IsMechanicalTrap()
 L36: override bool Expansion_IsExplosive()

Full file content

```
000001 | modded class TripwireTrap
000002 | {
000003 |     ItemBase m_Expansion_AttachedExplosive;
000004 |
000005 |     override void EEItemAttached(EntityAI item, string slot_name)
000006 |     {
000007 |         super.EEItemAttached(item, slot_name);
000008 |
000009 |         ItemBase itemBase;
000010 |         if (Class.CastTo(itemBase, item) && itemBase.Expansion_IsExplosive())
000011 |             m_Expansion_AttachedExplosive = itemBase;
000012 |     }
000013 |
000014 |     override void EEItemDetached(EntityAI item, string slot_name)
000015 |     {
000016 |         super.EEItemDetached(item, slot_name);
000017 |
000018 |         ItemBase itemBase;
000019 |         if (Class.CastTo(itemBase, item) && itemBase.Expansion_IsExplosive())
000020 |             m_Expansion_AttachedExplosive = null;
000021 |     }
000022 |
000023 |     override TStringArray Expansion_GetAmmoTypes()
000024 |     {
000025 |         if (m_Expansion_AttachedExplosive && !m_Expansion_AttachedExplosive.IsDamageDestroyed())
000026 |             return m_Expansion_AttachedExplosive.Expansion_GetAmmoTypes();
000027 |
000028 |         return {"TripWireHit"};
000029 |     }
000030 |
000031 |     override bool Expansion_IsMechanicalTrap()
000032 |     {
000033 |         return true;
000034 |     }
000035 |
000036 |     override bool Expansion_IsExplosive()
000037 |     {
000038 |         if (m_Expansion_AttachedExplosive && !m_Expansion_AttachedExplosive.IsDamageDestroyed())
000039 |             return true;
000040 |
000041 |         return false;
000042 |     }
```

```
000043 | }  
000044 |
```

0297. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\BoatScript.c
Size bytes: 7186
SHA-256: 4be2e307fa01cc028512b98ae6e25c9fb0a07b9df63dee34dd1bbf5d8e99befa
Decoded as: utf-8-sig
Line count shown: 337
Detected class declarations: 1
  L1: modded class BoatScript
Detected enum declarations: 0
Detected function/method-like declarations: 47
  L20: void BoatScript()
  L29: void ~BoatScript()
  L40: override void EEInit()
  L48: override void EECargoIn(EntityAI item)
  L55: override void EECargoOut(EntityAI item)
  L62: override void DeferredInit()
  L69: override void EEDelete(EntityAI parent)
  L76: override void EEKilled( Object killer )
  L83: override bool OnStoreLoad( ParamsReadContext ctx, int version )
  L91: override void CF_OnStoreSave(CF_ModStorageMap storage)
  L110: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
  L128: bool Expansion_IsStoreLoaded()
  L133: bool Expansion_IsStoreSaved()
  L138: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L155: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
  L163: override void OnCEUpdate()
  L171: override void SetActions()
  L178: void Expansion_AddAction(typename actionName)
  L183: ExpansionVehicle GetExpansionVehicle()
  L188: bool Expansion_IsBike()
  L193: bool Expansion_IsBoat()
  L198: bool Expansion_IsCar()
  L203: bool Expansion_IsHelicopter()
  L208: bool Expansion_IsPlane()
  L213: bool Expansion_IsDuck()
  L218: bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
  L223: bool Expansion_CanObjectAttach(Object obj)
  L226: return Expansion_CanPlayerAttach();
  L231: bool Expansion_CanPlayerAttach()
  L233: return ConfigGetFloat("animPhysDetachSpeed") > 0;
  L236: bool Expansion_EngineIsOn()
  L238: return EngineIsOn();
  L241: void Expansion_EngineStop()
  L246: float Expansion_GetThrottle()
  L248: return GetThrottle();
  L251: bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
  L280: string Expansion_GetAnimSourceFromSelection(string selection)
  L286: string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
  L292: string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
  L298: int Expansion_GetCarDoorsState(string slotType)
  L303: void OnEnterZone(ExpansionZoneType type)
  L308: void OnExitZone(ExpansionZoneType type)
  L313: void Expansion_CloseAllDoors()
  L318: void ExpansionSetSkin(int skinIndex)
  L322: bool ExpansionHasSkin(int skinIndex)
  L327: string ExpansionGetCurrentSkinName()
  L332: int ExpansionGetCurrentSkinIndex()
```

Full file content

```
000001 | modded class BoatScript
000002 | {
000003 |     static ref CF_DoublyLinkedNodes_WeakRef<BoatScript> s_Expansion_AllVehicles = new CF_DoublyLinkedNodes_WeakRef<BoatScript>();
000004 |
000005 |     ref CF_DoublyLinkedNode_WeakRef<BoatScript> m_Expansion_Node;
000006 |
000007 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<BoatScript>(this);
000008 |
000009 |     protected string m_Expansion_CurrentSkinName;
000010 |
000011 |     protected bool m_Expansion_IsStoreLoaded;
000012 |     protected bool m_Expansion_IsStoreSaved;
000013 |
000014 |     ref ExpansionGlobalID m_Expansion_GlobalID = new ExpansionGlobalID();
000015 |
000016 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000017 |
000018 |     ref ExpansionVehicle m_ExpansionVehicle = new ExpansionVehicleT<BoatScript>(this);
000019 |
000020 | void BoatScript()
000021 | {
000022 |     m_Expansion_Node = s_Expansion_AllVehicles.Add(this);
000023 |
000024 |     m_Expansion_RPCManager = new ExpansionRPCManager(this, BoatScript);
000025 |
000026 |     m_ExpansionVehicle.Init();
000027 | }
000028 |
000029 | void ~BoatScript()
000030 | {
000031 |     #ifndef DIAG_DEVELOPER
000032 |         if (!g_Game)
000033 |             return;
000034 |     #endif
000035 |
000036 |     if (s_Expansion_AllVehicles)
000037 |         s_Expansion_AllVehicles.Remove(m_Expansion_Node);
000038 | }
000039 |
000040 | override void EEInit()
000041 | {
000042 |     super.EEInit();
000043 |
000044 |     if (g_Game.IsServer() && GetExpansionSettings().GetSafeZone().Enabled)
000045 |         m_Expansion_SafeZoneInstance.Update();
000046 | }
000047 |
000048 | override void EECargoIn(EntityAI item)
000049 | {
000050 |     super.EECargoIn(item);
000051 |
000052 |     m_ExpansionVehicle.UpdateCargoCount(1);
000053 | }
000054 |
000055 | override void EECargoOut(EntityAI item)
000056 | {
000057 |     super.EECargoOut(item);
000058 |
000059 |     m_ExpansionVehicle.UpdateCargoCount(-1);
```

```
000060 | }
000061 |
000062 | override void DeferredInit()
000063 | {
000064 |     super.DeferredInit();
000065 |
000066 |     m_ExpansionVehicle.DeferredInit();
000067 | }
000068 |
000069 | override void EEDelete(EntityAI parent)
000070 | {
000071 |     super.EEDelete(parent);
000072 |
000073 |     m_ExpansionVehicle.OnDelete();
000074 | }
000075 |
000076 | override void EEKilled( Object killer )
000077 | {
000078 |     super.EEKilled( killer );
000079 |
000080 |     m_ExpansionVehicle.OnDestroyed(killer);
000081 | }
000082 |
000083 | override bool OnStoreLoad( ParamsReadContext ctx, int version )
000084 | {
000085 |     m_Expansion_IsStoreLoaded = true;
000086 |
000087 |     return super.OnStoreLoad( ctx, version );
000088 | }
000089 |
000090 | #ifdef EXPANSION_MODSTORAGE
000091 | override void CF_OnStoreSave(CF_ModStorageMap storage)
000092 | {
000093 |     super.CF_OnStoreSave(storage);
000094 |
000095 |     m_Expansion_IsStoreSaved = true;
000096 |
000097 |     auto ctx = storage[DZ_Expansion_Core];
000098 |     if (!ctx) return;
000099 |
000100 |     ctx.Write(m_Expansion_CurrentSkinName);
000101 |
000102 | #ifdef SERVER
000103 |     if (!m_Expansion_GlobalID.m_IsSet)
000104 |         m_Expansion_GlobalID.Acquire();
000105 | #endif
000106 |
000107 |     m_Expansion_GlobalID.OnStoreSave(ctx);
000108 | }
000109 |
000110 | override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000111 | {
000112 |     if (!super.CF_OnStoreLoad(storage))
000113 |         return false;
000114 |
000115 |     auto ctx = storage[DZ_Expansion_Core];
000116 |     if (!ctx) return true;
000117 |
000118 |     if (!ctx.Read(m_Expansion_CurrentSkinName))
000119 |         return false;
000120 |
000121 |     if (!m_Expansion_GlobalID.OnStoreLoad(ctx))
```



```
000122 |         return false;
000123 |
000124 |         return true;
000125 |     }
000126 | #endif
000127 |
000128 |     bool Expansion_IsStoreLoaded()
000129 |     {
000130 |         return m_Expansion_IsStoreLoaded;
000131 |     }
000132 |
000133 |     bool Expansion_IsStoreSaved()
000134 |     {
000135 |         return m_Expansion_IsStoreSaved;
000136 |     }
000137 |
000138 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos
s, float speedCoef)
000139 |     {
000140 |         if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000141 |             return false;
000142 |
000143 |         if (!m_ExpansionVehicle.CanBeDamaged())
000144 |             return false;
000145 |
000146 |         if (damageType == DT_EXPLOSION)
000147 |         {
000148 |             if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000149 |                 return false;
000150 |         }
000151 |
000152 |         return true;
000153 |     }
000154 |
000155 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000156 |     {
000157 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000158 |
000159 |         if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000160 |             ExpansionDamageSystem.OnExplosionHit(source, this, ammo);
000161 |     }
000162 |
000163 |     override void OnCEUpdate()
000164 |     {
000165 |         super.OnCEUpdate();
000166 |
000167 |         m_ExpansionVehicle.SafeZoneCleanup(m_ElapsedSinceLastUpdate);
000168 |         m_ExpansionVehicle.OnCEUpdate();
000169 |     }
000170 |
000171 |     override void SetActions()
000172 |     {
000173 |         super.SetActions();
000174 |
000175 |         m_ExpansionVehicle.SetActions();
000176 |     }
000177 |
000178 |     void Expansion_AddAction(typename actionName)
000179 |     {
000180 |         AddAction(actionName);
000181 |     }
```

```
000182 |
000183 | ExpansionVehicle GetExpansionVehicle()
000184 | {
000185 |     return m_ExpansionVehicle;
000186 | }
000187 |
000188 | bool Expansion_IsBike()
000189 | {
000190 |     return false;
000191 | }
000192 |
000193 | bool Expansion_IsBoat()
000194 | {
000195 |     return true;
000196 | }
000197 |
000198 | bool Expansion_IsCar()
000199 | {
000200 |     return false;
000201 | }
000202 |
000203 | bool Expansion_IsHelicopter()
000204 | {
000205 |     return false;
000206 | }
000207 |
000208 | bool Expansion_IsPlane()
000209 | {
000210 |     return false;
000211 | }
000212 |
000213 | bool Expansion_IsDuck()
000214 | {
000215 |     return false;
000216 | }
000217 |
000218 | bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
000219 | {
000220 |     return true;
000221 | }
000222 |
000223 | bool Expansion_CanObjectAttach(Object obj)
000224 | {
000225 |     if (obj.IsMan())
000226 |         return Expansion_CanPlayerAttach();
000227 |
000228 |     return false;
000229 | }
000230 |
000231 | bool Expansion_CanPlayerAttach()
000232 | {
000233 |     return ConfigGetFloat("animPhysDetachSpeed") > 0;
000234 | }
000235 |
000236 | bool Expansion_EngineIsOn()
000237 | {
000238 |     return EngineIsOn();
000239 | }
000240 |
000241 | void Expansion_EngineStop()
000242 | {
000243 |     EngineStop();
```

```
000244 | }
000245 |
000246 | float Expansion_GetThrottle()
000247 | {
000248 |     return GetThrottle();
000249 | }
000250 |
000251 | bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
000252 | {
000253 |     if (IsDamageDestroyed())
000254 |         return false;
000255 |
000256 |     if (GetFluidFraction(BoatFluid.FUEL) <= 0)
000257 |     {
000258 |         if (missingComponents)
000259 |             missingComponents.Insert(BoatFluid);
000260 |         return false;
000261 |     }
000262 |
000263 |     EntityAI item;
000264 |
000265 |     if (IsVitalSparkPlug())
000266 |     {
000267 |         item = FindAttachmentBySlotName("SparkPlug");
000268 |         if (!item || item.IsRuined())
000269 |         {
000270 |             if (missingComponents)
000271 |                 missingComponents.Insert(SparkPlug);
000272 |             return false;
000273 |         }
000274 |     }
000275 |
000276 |     return true;
000277 | }
000278 |
000279 | ///! @note if GetAnimSourceFromSelection is ever added to BoatScript in vanilla, this should call it and return the result
000280 | string Expansion_GetAnimSourceFromSelection(string selection)
000281 | {
000282 |     return "";
000283 | }
000284 |
000285 | ///! @note if GetDoorInvSlotNameFromSeatPos is ever added to BoatScript in vanilla, this should call it and return the result
000286 | string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
000287 | {
000288 |     return "";
000289 | }
000290 |
000291 | ///! @note if GetDoorSelectionNameFromSeatPos is ever added to BoatScript in vanilla, this should call it and return the result
000292 | string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
000293 | {
000294 |     return "";
000295 | }
000296 |
000297 | ///! @note if GetCarDoorsState is ever added to BoatScript in vanilla, this should call it and return the result
000298 | int Expansion_GetCarDoorsState(string slotType)
000299 | {
000300 |     return 0;
000301 | }
000302 |
000303 | void OnEnterZone(ExpansionZoneType type)
000304 | {
000305 |     m_ExpansionVehicle.OnEnterZone(type);
```

```
000306 |     }
000307 |
000308 |     void OnExitZone(ExpansionZoneType type)
000309 |     {
000310 |         m_ExpansionVehicle.OnExitZone(type);
000311 |     }
000312 |
000313 |     void Expansion_CloseAllDoors()
000314 |     {
000315 |         m_ExpansionVehicle.SetAllDoorsAnimationPhase(0.0);
000316 |     }
000317 |
000318 |     void ExpansionSetSkin(int skinIndex)
000319 |     {
000320 |     }
000321 |
000322 |     bool ExpansionHasSkin(int skinIndex)
000323 |     {
000324 |         return false;
000325 |     }
000326 |
000327 |     string ExpansionGetCurrentSkinName()
000328 |     {
000329 |         return m_Expansion_CurrentSkinName;
000330 |     }
000331 |
000332 |     int ExpansionGetCurrentSkinIndex()
000333 |     {
000334 |         return 0;
000335 |     }
000336 | }
000337 |
```

0298. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Entities\Vehicles\CarScript.c
Size bytes: 12388
SHA-256: 6adc5b803558049e14413752f077a45ca5968854cbf50fe22544adfe83b6af8c
Decoded as: utf-8-sig
Line count shown: 533
Detected class declarations: 1
  L16: modded class CarScript
Detected enum declarations: 0
Detected function/method-like declarations: 66
  L38: void CarScript()
  L50: void ~CarScript()
  L61: override void SetActions()
  L68: void Expansion_AddAction(typename actionName)
  L73: ExpansionVehicle GetExpansionVehicle()
  L78: bool Expansion_IsBike()
  L83: bool Expansion_IsBoat()
  L88: bool Expansion_IsCar()
  L93: bool Expansion_IsHelicopter()
  L98: bool Expansion_IsPlane()
  L103: bool Expansion_IsDuck()
  L108: override void DeferredInit()
  L115: override bool OnStoreLoad( ParamsReadContext ctx, int version )
  L126: static set< CarScript > GetAll()
  L139: array< ExpansionSkin > ExpansionGetSkins()
  L144: bool ExpansionHasSkin( int skinIndex )
  L149: void ExpansionSetSkin( int skinIndex )
  L153: string ExpansionGetCurrentSkinName()
  L158: int ExpansionGetCurrentSkinIndex()
  L163: bool IsInSafeZone()
  L170: bool Expansion_IsInSafeZone()
  L177: bool CanBeDamaged()
  L185: void OnEnterZone(ExpansionZoneType type)
  L190: override void OnCEUpdate()
  L198: void ExpansionCreateCleanup()
  L206: void OnExitZone(ExpansionZoneType type)
  L211: void Expansion_ResetSZParkingTime()
  L216: void SetLockedState(ExpansionVehicleLockState newLockState)
  L222: ExpansionVehicleLockState GetLockedState()
  L228: void Expansion_SetAllDoorsAnimationPhase(float phase)
  L234: void Expansion_CloseAllDoors()
  L241: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
  L258: bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
  L263: bool Expansion_CanObjectAttach(Object obj)
  L266: return Expansion_CanPlayerAttach();
  L271: bool Expansion_CanPlayerAttach()
  L273: return ConfigGetFloat("animPhysDetachSpeed") > 0;
  L276: float Expansion_GetThrottle()
  L278: return GetThrottle();
  L281: bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
  L342: string Expansion_GetAnimSourceFromSelection(string selection)
  L344: return GetAnimSourceFromSelection(selection);
  L347: string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
  L349: return GetDoorInvSlotNameFromSeatPos(posIdx);
  L352: string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
  L354: return GetDoorSelectionNameFromSeatPos(posIdx);
  L357: int Expansion_GetCarDoorsState(string slotType)
  L359: return GetCarDoorsState(slotType);
  L362: override void EEInit()
```

```

L370: override void EECargoIn(EntityAI item)
L377: override void EECargoOut(EntityAI item)
L384: override void EEDelete(EntityAI parent)
L391: override void DamageCrew(float dmg)
L400: override void CF_OnStoreSave(CF_ModStorageMap storage)
L419: override bool CF_OnStoreLoad(CF_ModStorageMap storage)
L440: bool Expansion_IsStoreLoaded()
L445: bool Expansion_IsStoreSaved()
L450: override void OnVariablesSynchronized()
L457: void ExpansionSetLastDriverUID(PlayerBase player)
L463: void ExpansionResetLastDriverUIDSynch()
L469: string ExpansionGetLastDriverUID()
L475: set<Human> Expansion_GetVehicleCrew(bool playersOnly = true, bool includeAttached = true)
L481: void Expansion_ForceCrewGetOut()
L487: float Expansion_GetFuelAmmount()
L492: void Expansion_EstimateTransform(float pDt, inout vector mat[4])
L526: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo

```

Full file content

```

000001 | /*
000002 |  * CarScript.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      CarScript
000014 |  * @brief
000015 |  */
000016 | modded class CarScript
000017 | {
000018 |     static ref CF_DoublyLinkedNodes_WeakRef<CarScript> s_Expansion_AllVehicles = new CF_DoublyLinkedNodes_WeakRef<CarScript>();
000019 |
000020 |     ref CF_DoublyLinkedNode_WeakRef<CarScript> m_Expansion_Node;
000021 |
000022 |     protected autoptr ExpansionZoneActor m_Expansion_SafeZoneInstance = new ExpansionZoneEntity<CarScript>(this);
000023 |
000024 |     protected string m_CurrentSkinName;
000025 |
000026 |     protected bool m_Expansion_IsStoreLoaded;
000027 |     protected bool m_Expansion_IsStoreSaved;
000028 |
000029 |     ref ExpansionGlobalID m_Expansion_GlobalID = new ExpansionGlobalID();
000030 |
000031 |     ref ExpansionRPCManager m_Expansion_RPCManager;
000032 |
000033 |     ref ExpansionVehicle m_ExpansionVehicle = new ExpansionVehicleT<CarScript>(this);
000034 |
000035 |     // -----
000036 |     // Constructor
000037 |     // -----
000038 |     void CarScript()
000039 |     {
000040 |         m_Expansion_Node = s_Expansion_AllVehicles.Add(this);
000041 |
000042 |         m_Expansion_RPCManager = new ExpansionRPCManager(this, CarScript);

```

```
000043 |  
000044 |     m_ExpansionVehicle.Init();  
000045 | }  
000046 |  
000047 | // -----  
000048 | // Destructor  
000049 | // -----  
000050 | void ~CarScript()  
000051 | {  
000052 |     #ifndef DIAG_DEVELOPER  
000053 |         if (!g_Game)  
000054 |             return;  
000055 |     #endif  
000056 |  
000057 |     if (s_Expansion_AllVehicles)  
000058 |         s_Expansion_AllVehicles.Remove(m_Expansion_Node);  
000059 | }  
000060 |  
000061 | override void SetActions()  
000062 | {  
000063 |     super.SetActions();  
000064 |  
000065 |     m_ExpansionVehicle.SetActions();  
000066 | }  
000067 |  
000068 | void Expansion_AddAction(typename actionName)  
000069 | {  
000070 |     AddAction(actionName);  
000071 | }  
000072 |  
000073 | ExpansionVehicle GetExpansionVehicle()  
000074 | {  
000075 |     return m_ExpansionVehicle;  
000076 | }  
000077 |  
000078 | bool Expansion_IsBike()  
000079 | {  
000080 |     return false;  
000081 | }  
000082 |  
000083 | bool Expansion_IsBoat()  
000084 | {  
000085 |     return false;  
000086 | }  
000087 |  
000088 | bool Expansion_IsCar()  
000089 | {  
000090 |     return true;  
000091 | }  
000092 |  
000093 | bool Expansion_IsHelicopter()  
000094 | {  
000095 |     return false;  
000096 | }  
000097 |  
000098 | bool Expansion_IsPlane()  
000099 | {  
000100 |     return false;  
000101 | }  
000102 |  
000103 | bool Expansion_IsDuck()  
000104 | {
```

```
000105 |         return false;
000106 |     }
000107 |
000108 |     override void DeferredInit()
000109 |     {
000110 |         super.DeferredInit();
000111 |
000112 |         m_ExpansionVehicle.DeferredInit();
000113 |     }
000114 |
000115 |     override bool OnStoreLoad( ParamsReadContext ctx, int version )
000116 |     {
000117 | #ifdef EXPANSIONTRACE
000118 |         auto trace = EXTrace.Start(ExpansionTracing.VEHICLES, this);
000119 | #endif
000120 |
000121 |         m_Expansion_IsStoreLoaded = true;
000122 |
000123 |         return super.OnStoreLoad( ctx, version );
000124 |     }
000125 |
000126 |     static set< CarScript > GetAll()
000127 |     {
000128 |         Error("DEPRECATED - please use linked list s_Expansion_AllVehicles");
000129 |         set<CarScript> allVehicles = new set<CarScript>;
000130 |         auto node = s_Expansion_AllVehicles.m_Head;
000131 |         while (node)
000132 |         {
000133 |             allVehicles.Insert(node.m_Value);
000134 |             node = node.m_Next;
000135 |         }
000136 |         return allVehicles;
000137 |     }
000138 |
000139 |     array< ExpansionSkin > ExpansionGetSkins()
000140 |     {
000141 |         return NULL;
000142 |     }
000143 |
000144 |     bool ExpansionHasSkin( int skinIndex )
000145 |     {
000146 |         return false;
000147 |     }
000148 |
000149 |     void ExpansionSetSkin( int skinIndex )
000150 |     {
000151 |     }
000152 |
000153 |     string ExpansionGetCurrentSkinName()
000154 |     {
000155 |         return "";
000156 |     }
000157 |
000158 |     int ExpansionGetCurrentSkinIndex()
000159 |     {
000160 |         return 0;
000161 |     }
000162 |
000163 |     bool IsInSafeZone()
000164 |     {
000165 |         EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().IsInSafeZone");
000166 |         return m_ExpansionVehicle.IsInSafeZone();
```



```
000167 | }
000168 |
000169 | // -----
000170 | bool Expansion_IsInSafeZone()
000171 | {
000172 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().IsInSafeZone");
000173 |     return m_ExpansionVehicle.IsInSafeZone();
000174 | }
000175 |
000176 | // -----
000177 | bool CanBeDamaged()
000178 | {
000179 |     return m_ExpansionVehicle.CanBeDamaged();
000180 | }
000181 |
000182 | // -----
000183 | // Called only server side
000184 | // -----
000185 | void OnEnterZone(ExpansionZoneType type)
000186 | {
000187 |     m_ExpansionVehicle.OnEnterZone(type);
000188 | }
000189 |
000190 | override void OnCEUpdate()
000191 | {
000192 |     super.OnCEUpdate();
000193 |
000194 |     m_ExpansionVehicle.SafeZoneCleanup(m_ElapsedSinceLastUpdate);
000195 |     m_ExpansionVehicle.OnCEUpdate();
000196 | }
000197 |
000198 | void ExpansionCreateCleanup()
000199 | {
000200 |     EXError.Error(this, "DEPRECATED");
000201 | }
000202 |
000203 | // -----
000204 | // Called only server side
000205 | // -----
000206 | void OnExitZone(ExpansionZoneType type)
000207 | {
000208 |     m_ExpansionVehicle.OnExitZone(type);
000209 | }
000210 |
000211 | void Expansion_ResetSZParkingTime()
000212 | {
000213 |     EXError.Error(this, "DEPRECATED");
000214 | }
000215 |
000216 | void SetLockedState(ExpansionVehicleLockState newLockState)
000217 | {
000218 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().SetLockState");
000219 |     m_ExpansionVehicle.SetLockState(newLockState);
000220 | }
000221 |
000222 | ExpansionVehicleLockState GetLockedState()
000223 | {
000224 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().GetLockState");
000225 |     return m_ExpansionVehicle.GetLockState();
000226 | }
000227 |
000228 | void Expansion_SetAllDoorsAnimationPhase(float phase)
```

```
000229 | {
000230 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().SetAllDoorsAnimationPhase");
000231 |     m_ExpansionVehicle.SetAllDoorsAnimationPhase(phase);
000232 | }
000233 |
000234 | void Expansion_CloseAllDoors()
000235 | {
000236 |     ForceUpdateLightsStart();
000237 |     m_ExpansionVehicle.SetAllDoorsAnimationPhase(0.0);
000238 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(ForceUpdateLightsEnd, 500);
000239 | }
000240 |
000241 | override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000242 | {
000243 |     if (!super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef))
000244 |         return false;
000245 |
000246 |     if (!m_ExpansionVehicle.CanBeDamaged())
000247 |         return false;
000248 |
000249 |     if (damageType == DT_EXPLOSION)
000250 |     {
000251 |         if (!ExpansionDamageSystem.OnExplosionDamageCalculated(damageResult, source, this, component, dmgZone, ammo, modelPos, speedCoef, true))
000252 |             return false;
000253 |     }
000254 |
000255 |     return true;
000256 | }
000257 |
000258 | bool Expansion_CanGetInSeat(PlayerBase player, int seatIdx)
000259 | {
000260 |     return true;
000261 | }
000262 |
000263 | bool Expansion_CanObjectAttach(Object obj)
000264 | {
000265 |     if (obj.IsMan())
000266 |         return Expansion_CanPlayerAttach();
000267 |
000268 |     return false;
000269 | }
000270 |
000271 | bool Expansion_CanPlayerAttach()
000272 | {
000273 |     return ConfigGetFloat("animPhysDetachSpeed") > 0;
000274 | }
000275 |
000276 | float Expansion_GetThrottle()
000277 | {
000278 |     return GetThrottle();
000279 | }
000280 |
000281 | bool Expansion_IsVehicleFunctional(bool checkOptionalParts = false, set<typename> missingComponents = null)
000282 | {
000283 |     if (IsDamageDestroyed())
000284 |         return false;
000285 |
000286 |     if (GetFluidFraction(CarFluid.FUEL) <= 0)
000287 |     {
000288 |         if (missingComponents)
000289 |             missingComponents.Insert(CarFluid);
```

```
000290 |         return false;
000291 |     }
000292 |
000293 |     EntityAI item;
000294 |
000295 |     if (IsVitalCarBattery() || IsVitalTruckBattery())
000296 |     {
000297 |         item = GetBattery();
000298 |         if (!item || item.IsRuined() || item.GetCompEM().GetEnergy() < m_BatteryEnergyStartMin)
000299 |         {
000300 |             if (missingComponents)
000301 |                 missingComponents.Insert(VehicleBattery);
000302 |             return false;
000303 |         }
000304 |     }
000305 |
000306 |     TStringArray plugSlotsToCheck = {};
000307 |
000308 |     if (IsVitalSparkPlug())
000309 |         plugSlotsToCheck.Insert("SparkPlug");
000310 |
000311 |     if (IsVitalGlowPlug())
000312 |         plugSlotsToCheck.Insert("GlowPlug");
000313 |
000314 |     foreach (string plugSlotName: plugSlotsToCheck)
000315 |     {
000316 |         item = FindAttachmentBySlotName(plugSlotName);
000317 |         if (!item || item.IsRuined())
000318 |         {
000319 |             if (missingComponents)
000320 |                 missingComponents.Insert(SparkPlug);
000321 |             return false;
000322 |         }
000323 |     }
000324 |
000325 |     if (checkOptionalParts)
000326 |     {
000327 |         if (IsVitalRadiator())
000328 |         {
000329 |             item = GetRadiator();
000330 |             if (!item || item.IsRuined())
000331 |             {
000332 |                 if (missingComponents)
000333 |                     missingComponents.Insert(CarRadiator);
000334 |                 return false;
000335 |             }
000336 |         }
000337 |     }
000338 |
000339 |     return true;
000340 | }
000341 |
000342 | string Expansion_GetAnimSourceFromSelection(string selection)
000343 | {
000344 |     return GetAnimSourceFromSelection(selection);
000345 | }
000346 |
000347 | string Expansion_GetDoorInvSlotNameFromSeatPos(int posIdx)
000348 | {
000349 |     return GetDoorInvSlotNameFromSeatPos(posIdx);
000350 | }
000351 |
```

```
000352 | string Expansion_GetDoorSelectionNameFromSeatPos(int posIdx)
000353 | {
000354 |     return GetDoorSelectionNameFromSeatPos(posIdx);
000355 | }
000356 |
000357 | int Expansion_GetCarDoorsState(string slotType)
000358 | {
000359 |     return GetCarDoorsState(slotType);
000360 | }
000361 |
000362 | override void EEInit()
000363 | {
000364 |     super.EEInit();
000365 |
000366 |     if (IsMissionHost() && GetExpansionSettings().GetSafeZone().Enabled)
000367 |         m_Expansion_SafeZoneInstance.Update();
000368 | }
000369 |
000370 | override void EECargoIn(EntityAI item)
000371 | {
000372 |     super.EECargoIn(item);
000373 |
000374 |     m_ExpansionVehicle.UpdateCargoCount(1);
000375 | }
000376 |
000377 | override void EECargoOut(EntityAI item)
000378 | {
000379 |     super.EECargoOut(item);
000380 |
000381 |     m_ExpansionVehicle.UpdateCargoCount(-1);
000382 | }
000383 |
000384 | override void EEDelete(EntityAI parent)
000385 | {
000386 |     super.EEDelete(parent);
000387 |
000388 |     m_ExpansionVehicle.OnDelete();
000389 | }
000390 |
000391 | override void DamageCrew(float dmg)
000392 | {
000393 |     if (m_ExpansionVehicle.IsInSafeZone())
000394 |         return;
000395 |
000396 |     super.DamageCrew(dmg);
000397 | }
000398 |
000399 | #ifdef EXPANSION_MODSTORAGE
000400 | override void CF_OnStoreSave(CF_ModStorageMap storage)
000401 | {
000402 |     super.CF_OnStoreSave(storage);
000403 |
000404 |     m_Expansion_IsStoreSaved = true;
000405 |
000406 |     auto ctx = storage[DZ_Expansion_Core];
000407 |     if (!ctx) return;
000408 |
000409 |     ctx.Write(m_CurrentSkinName);
000410 |
000411 |     #ifdef SERVER
000412 |     if (!m_Expansion_GlobalID.m_IsSet)
000413 |         m_Expansion_GlobalID.Acquire();
```

```
000414 |         #endif
000415 |
000416 |         m_Expansion_GlobalID.OnStoreSave(ctx);
000417 |     }
000418 |
000419 |     override bool CF_OnStoreLoad(CF_ModStorageMap storage)
000420 |     {
000421 |         if (!super.CF_OnStoreLoad(storage))
000422 |             return false;
000423 |
000424 |         auto ctx = storage[DZ_Expansion_Core];
000425 |         if (!ctx) return true;
000426 |
000427 |         if (!ctx.Read(m_CurrentSkinName))
000428 |             return false;
000429 |
000430 |         if (ctx.GetVersion() < 41)
000431 |             return true;
000432 |
000433 |         if (!m_Expansion_GlobalID.OnStoreLoad(ctx))
000434 |             return false;
000435 |
000436 |         return true;
000437 |     }
000438 | #endif
000439 |
000440 | bool Expansion_IsStoreLoaded()
000441 | {
000442 |     return m_Expansion_IsStoreLoaded;
000443 | }
000444 |
000445 | bool Expansion_IsStoreSaved()
000446 | {
000447 |     return m_Expansion_IsStoreSaved;
000448 | }
000449 |
000450 | override void OnVariablesSynchronized()
000451 | {
000452 |     super.OnVariablesSynchronized();
000453 |
000454 |     m_ExpansionVehicle.OnVariablesSynchronized();
000455 | }
000456 |
000457 | void ExpansionSetLastDriverUID(PlayerBase player)
000458 | {
000459 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().SetLastDriverUID");
000460 |     m_ExpansionVehicle.SetLastDriverUID(player);
000461 | }
000462 |
000463 | void ExpansionResetLastDriverUIDSynch()
000464 | {
000465 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().ResetLastDriverUIDSynch");
000466 |     m_ExpansionVehicle.ResetLastDriverUIDSynch();
000467 | }
000468 |
000469 | string ExpansionGetLastDriverUID()
000470 | {
000471 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().GetLastDriverUID");
000472 |     return m_ExpansionVehicle.GetLastDriverUID();
000473 | }
000474 |
000475 | set<Human> Expansion_GetVehicleCrew(bool playersOnly = true, bool includeAttached = true)
```

```
000476 | {
000477 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().GetCrew");
000478 |     return m_ExpansionVehicle.GetCrew(playersOnly, includeAttached);
000479 | }
000480 |
000481 | void Expansion_ForceCrewGetOut()
000482 | {
000483 |     EXError.Error(this, "DEPRECATED, use GetExpansionVehicle().ForceCrewGetOut");
000484 |     m_ExpansionVehicle.ForceCrewGetOut();
000485 | }
000486 |
000487 | float Expansion_GetFuelAmmount()
000488 | {
000489 |     return m_FuelAmmount;
000490 | }
000491 |
000492 | void Expansion_EstimateTransform(float pDt, inout vector mat[4])
000493 | {
000494 |     vector transform[4];
000495 |     GetTransform(transform);
000496 |
000497 |     vector velocity = GetVelocity(this);
000498 |     vector angularVelocity = dBodyGetAngularVelocity(this);
000499 |
000500 |     vector futureAngularVelocity = (angularVelocity * pDt);
000501 |
000502 |     mat[0][0] = 0.0;
000503 |     mat[1][1] = 0.0;
000504 |     mat[2][2] = 0.0;
000505 |
000506 |     mat[0][1] = -futureAngularVelocity[2];
000507 |     mat[1][0] = futureAngularVelocity[2];
000508 |     mat[2][0] = -futureAngularVelocity[1];
000509 |     mat[0][2] = futureAngularVelocity[1];
000510 |     mat[1][2] = -futureAngularVelocity[0];
000511 |     mat[2][1] = futureAngularVelocity[0];
000512 |
000513 |     Math3D.MatrixInvMultiply3(mat, transform, mat);
000514 |
000515 |     mat[0] = transform[0] + mat[0];
000516 |     mat[1] = transform[1] + mat[1];
000517 |     mat[2] = transform[2] + mat[2];
000518 |
000519 |     mat[0].Normalize();
000520 |     mat[1].Normalize();
000521 |     mat[2].Normalize();
000522 |
000523 |     mat[3] = transform[3] + (velocity * pDt);
000524 | }
000525 |
000526 | override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float speedCoef)
000527 | {
000528 |     super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000529 |
000530 |     if (damageType == DT_EXPLOSION && ExpansionDamageSystem.IsEnabledForExplosionTarget(this))
000531 |         ExpansionDamageSystem.OnExplosionHit(source, this, ammo);
000532 | }
000533 | };
```

0299. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionObjectSet.c

Size bytes: 1326

SHA-256: c5d3e07e88a177019eef09ad2d6210c2c556197b95a1599085207cd3ef753b76

Decoded as: utf-8-sig

Line count shown: 62

Detected class declarations: 1

L13: class ExpansionObjectSet

Detected enum declarations: 0

Detected function/method-like declarations: 5

L20: void ExpansionObjectSet(string filePath, string fileName)

L26: void ~ExpansionObjectSet()

L31: void Delete()

L41: void SpawnObjects()

L51: string GetFilePath()

Full file content

```
000001 | /**
000002 |  * ExpansionObjectSet.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionObjectSet
000014 | {
000015 |     private string m_FileName;
000016 |     private string m_FilePath;
000017 |     //! All objects from the loaded file that got created
000018 |     private ref array<Object> m_Objects = new array<Object>;
000019 |
000020 |     void ExpansionObjectSet(string filePath, string fileName)
000021 |     {
000022 |         m_FilePath = filePath;
000023 |         m_FileName = fileName;
000024 |     }
000025 |
000026 |     void ~ExpansionObjectSet()
000027 |     {
000028 |         Delete();
000029 |     }
000030 |
000031 |     void Delete()
000032 |     {
000033 |         foreach (Object obj: m_Objects)
000034 |         {
000035 |             g_Game.ObjectDelete(obj);
000036 |         }
000037 |
000038 |         m_Objects.Clear();
000039 |     }
000040 |
000041 |     void SpawnObjects()
000042 |     {
```

```
000043 |         string filePath = GetFilePath();
000044 |
000045 |         if (!FileExist(filePath))
000046 |             return;
000047 |
000048 |         ExpansionObjectSpawnTools.LoadObjectsFile(filePath, m_Objects);
000049 |     }
000050 |
000051 |     string GetFilePath()
000052 |     {
000053 |         int trimSize = m_FileName.Length() - EXPANSION_MAPPING_EXT.Length();
000054 |         string fileformat = EXPANSION_MAPPING_EXT;
000055 |
000056 |         if( m_FileName.IndexOf(EXPANSION_MAPPING_EXT) == trimSize )
000057 |             fileformat = "";
000058 |
000059 |         return m_FilePath + m_FileName + fileformat;
000060 |     }
000061 | };
000062 |
```


0300. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionStaticObjectBase.c

Size bytes: 605

SHA-256: e7684b9e6bfb04d87a6648eff3d69c2d7a4880aa08de54ec83f460cfcf0d3e5c

Decoded as: utf-8-sig

Line count shown: 24

Detected class declarations: 1

L16: class ExpansionStaticObjectBase: BuildingSuper

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: void ExpansionStaticObjectBase()

Full file content

```
000001 | /**
000002 |  * ExpansionStaticObjectBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionStaticObjectBase
000014 |  * @brief      This class handles static interactable objects
000015 |  **/
000016 | class ExpansionStaticObjectBase: BuildingSuper
000017 | {
000018 |     void ExpansionStaticObjectBase()
000019 |     {
000020 |         if (IsMissionHost())
000021 |             SetAllowDamage(false);
000022 |     }
000023 | };
000024 |
```

0301. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorld.c
Size bytes: 13398
SHA-256: 354ce679084fd4c24af17ef8269b20de8d8455625d503d77165d5144222288
Decoded as: utf-8-sig
Line count shown: 469
Detected class declarations: 1
  L13: class ExpansionWorld: ExpansionGame
Detected enum declarations: 0
Detected function/method-like declarations: 34
  L20: void ExpansionWorld()
  L40: void ~ExpansionWorld()
  L50: override string GetPlayerID(Man player)
  L63: override string GetPlayerName(Man player)
  L76: override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exit
  L114: override void WriteRemovedWorldObjects(ParamsReadContext ctx)
  L119: override void ReadRemovedWorldObjects(ParamsReadContext ctx)
  L124: override void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
  L129: override void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
  L134: static void CheckTreeContact( IEntity other, float impulse, bool sendToClient = false)
  L174: static void FellPlant(Plant plant, bool sendToClient = false)
  L183: static void PlayFellPlantSound(Object plant, bool sendToClient = false)
  L196: else if (plant.IsInherited(TreeSoft))
  L198: else if (plant.IsInherited(BushHard))
  L200: else if (plant.IsInherited(BushSoft))
  L211: static typename GetModdableRootType(EntityAI entity)
  L215: else if (entity.IsInherited(AnimalBase))
  L217: else if (entity.IsInherited(BuildingBase))
  L219: else if (entity.IsInherited(CarScript))
  L221: else if (entity.IsInherited(BoatScript))
  L223: else if (entity.IsInherited(DayZPlayerImplement))
  L227: else if (entity.IsInherited(ItemBase))
  L229: else if (entity.IsInherited(ZombieBase))
  L238: static string GetLiquidDisplayName(int liquidType, bool upperCase = true, out int color = 0)
  L332: override void Lobotomize(DayZCreatureAI creature)
  L352: else if (Class.CastTo(zombie, creature))
  L398: else if (zombie)
  L407: override void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)
  L423: void RPC_LobotomySync(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L441: else if (Class.CastTo(zombie, target))
  L445: static bool IsStoreLoaded(EntityAI entity)
  L451: else if (ExpansionVehicle.Get(vehicle, entity))
  L457: static bool IsStoreSaved(EntityAI entity)
  L463: else if (ExpansionVehicle.Get(vehicle, entity))

```

Full file content

```

000001 | /**
000002 |  * ExpansionWorld.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionWorld: ExpansionGame

```

```
000014 | {
000015 |     static ref ExpansionSoundSet s_Expansion_BushFallHard_SoundSet;
000016 |     static ref ExpansionSoundSet s_Expansion_BushFallSoft_SoundSet;
000017 |     static ref ExpansionSoundSet s_Expansion_TreeFallHard_SoundSet;
000018 |     static ref ExpansionSoundSet s_Expansion_TreeFallSoft_SoundSet;
000019 |
000020 |     void ExpansionWorld()
000021 |     {
000022 | #ifdef EXTRACE_DIAG
000023 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000024 | #endif
000025 |
000026 |         s_Expansion_BushFallHard_SoundSet = ExpansionSoundSet.Register("hardBushFall_SoundSet");
000027 |         s_Expansion_BushFallSoft_SoundSet = ExpansionSoundSet.Register("softBushFall_SoundSet");
000028 |         s_Expansion_TreeFallHard_SoundSet = ExpansionSoundSet.Register("hardTreeFall_SoundSet");
000029 |         s_Expansion_TreeFallSoft_SoundSet = ExpansionSoundSet.Register("softTreeFall_SoundSet");
000030 |
000031 |         ExpansionSoundSet.Register("cartent_deploy_SoundSet");
000032 |         ExpansionSoundSet.Register("GoatBleat_A_SoundSet");
000033 |         ExpansionSoundSet.Register("GoatBleat_E_SoundSet");
000034 |
000035 |         GetPermissionsManager().RegisterPermission("Expansion.Creature.Lobotomize");
000036 |
000037 |         m_RPCManager.RegisterClient("RPC_LobotomySync");
000038 |     }
000039 |
000040 |     void ~ExpansionWorld()
000041 |     {
000042 |         if (!g_Game)
000043 |             return;
000044 |
000045 | #ifdef DIAG_DEVELOPER
000046 |         Print("~ExpansionWorld");
000047 | #endif
000048 |     }
000049 |
000050 |     override string GetPlayerID(Man player)
000051 |     {
000052 |         PlayerIdentity identity = player.GetIdentity();
000053 |         if (identity)
000054 |             return identity.GetId();
000055 |
000056 |         PlayerBase pb;
000057 |         if (Class.CastTo(pb, player))
000058 |             return pb.GetCachedID();
000059 |
000060 |         return string.Empty;
000061 |     }
000062 |
000063 |     override string GetPlayerName(Man player)
000064 |     {
000065 |         PlayerIdentity identity = player.GetIdentity();
000066 |         if (identity)
000067 |             return identity.GetName();
000068 |
000069 |         PlayerBase pb;
000070 |         if (Class.CastTo(pb, player))
000071 |             return pb.GetCachedName();
000072 |
000073 |         return string.Empty;
000074 |     }
000075 | }
```

```
000076 |     override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal, vector exitPos, vector inSpee
000077 |     d, vector outSpeed, bool isWater, bool deflected, string ammoType)
000078 |     {
000079 |     #ifdef DIAG_DEVELOPER
000080 |         if (EXTrace.WEAPONS)
000081 |         {
000082 |             string msg = "::FirearmEffects ";
000083 |             msg += "" + source + " ";
000084 |             msg += "" + directHit + " ";
000085 |             msg += "" + componentIndex + " ";
000086 |             msg += "" + surface + " ";
000087 |             msg += "" + pos + " ";
000088 |             msg += "" + surfNormal + " ";
000089 |             msg += "" + exitPos + " ";
000090 |             msg += "" + inSpeed.Length() + " ";
000091 |             msg += "" + outSpeed.Length() + " ";
000092 |             msg += "" + isWater + " ";
000093 |             msg += "" + deflected + " ";
000094 |             msg += "" + ammoType;
000095 |             EXTrace.Print(true, this, msg);
000096 |         }
000097 |     #endif
000098 |
000099 |     if (g_Game.IsServer())
000100 |     {
000101 |         if (source && source.ShootsExplosiveAmmo() && !deflected && outSpeed == vector.Zero)
000102 |         {
000103 |             if (GetExpansionSettings().GetDamageSystem().Enabled)
000104 |             {
000105 |                 string explosionAmmoType = GetExpansionSettings().GetDamageSystem().ExplosiveProjectiles[ammoType];
000106 |                 if (explosionAmmoType)
000107 |                     ExpansionDamageSystem.OnBeforeExplode(EntityAI.Cast(source), DT_EXPLOSION, explosionAmmoType, pos);
000108 |             }
000109 |         }
000110 |
000111 |         super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000112 |     }
000113 |
000114 |     override void WriteRemovedWorldObjects(ParamsReadContext ctx)
000115 |     {
000116 |         ExpansionWorldObjectsModule.WriteRemovedObjects(ctx);
000117 |     }
000118 |
000119 |     override void ReadRemovedWorldObjects(ParamsReadContext ctx)
000120 |     {
000121 |         ExpansionWorldObjectsModule.RPC_RemoveObjects(null, null, ctx);
000122 |     }
000123 |
000124 |     override void Expansion_SendFar(ExpansionScriptRPC rpc, vector position, Object target = null, bool guaranteed = false)
000125 |     {
000126 |         PlayerBase.Expansion_SendFar(rpc, position, target, guaranteed);
000127 |     }
000128 |
000129 |     override void Expansion_SendNear(ExpansionScriptRPC rpc, vector position, float distance, Object target = null, bool guaranteed = false)
000130 |     {
000131 |         PlayerBase.Expansion_SendNear(rpc, position, distance, target, guaranteed);
000132 |     }
000133 |
000134 |     static void CheckTreeContact(IEntity other, float impulse, bool sendToClient = false)
000135 |     {
000136 |         //! Impulse examples:
```

```
000137 |      //!< ~15000 = Offroadhatchback at ~40 km/h
000138 |      //!< ~24000 = OffroadHatchback at ~70 km/h
000139 |      //!< ~75000 = MH6 at ~160 km/h
000140 |      //!< ~200000-300000 = Merlin at ~160 km/h
000141 |
000142 |      if (impulse < 7500)
000143 |          return;
000144 |
000145 |      Plant plant;
000146 |      if (!Plant.CastTo(plant, other) || plant.IsDamageDestroyed())
000147 |          return;
000148 |
000149 |      vector minMax[2];
000150 |      if (plant.GetCollisionBox(minMax))
000151 |      {
000152 |          float height = minMax[1][1] - minMax[0][1];
000153 |
000154 |          //!< Tree tiers:
000155 |          //!< _1s/_1sb ~4 m
000156 |          //!< _1f ~8 m
000157 |          //!< _2d ~16 m
000158 |          //!< _2s ~17 m
000159 |          //!< _2sb ~18 m
000160 |          //!< _3d ~24 m
000161 |          //!< _3s ~26 m
000162 |          //!< _3f ~28 m
000163 |
000164 |          //!< Require a minimum impulse based on tree height. E.g. a 5 m tree will require an impulse of 15k to be felled.
000165 |          if (impulse < height * 3000)
000166 |              return;
000167 |      }
000168 |
000169 |      //!< @note server segfault under DayZ 1.28 Experimental if setting plant health to zero in same frame as contact event, so defer using Call
000170 |      if (g_Game.IsServer())
000171 |          g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(FellPlant, plant, sendToClient);
000172 |  }
000173 |
000174 |  static void FellPlant(Plant plant, bool sendToClient = false)
000175 |  {
000176 |      if (plant && !plant.IsDamageDestroyed())
000177 |      {
000178 |          PlayFellPlantSound(plant, sendToClient);
000179 |          plant.SetHealth(0);
000180 |      }
000181 |  }
000182 |
000183 |  static void PlayFellPlantSound(Object plant, bool sendToClient = false)
000184 |  {
000185 |      #ifdef TRACE_DIAG
000186 |          auto trace = EXTrace.Start(EXTrace.SOUND, ExpansionWorld, "" + sendToClient);
000187 |      #endif
000188 |
000189 |      #ifdef SERVER
000190 |          if (!sendToClient)
000191 |              return;
000192 |      #endif
000193 |
000194 |      if (plant.IsInherited(TreeHard))
000195 |          s_Expansion_TreeFallHard_SoundSet.Play(plant.GetPosition());
000196 |      else if (plant.IsInherited(TreeSoft))
000197 |          s_Expansion_TreeFallSoft_SoundSet.Play(plant.GetPosition());
000198 |      else if (plant.IsInherited(BushHard))
```

```
000199 |         s_Expansion_BushFallHard_SoundSet.Play(plant.GetPosition());
000200 |     else if (plant.IsInherited(BushSoft))
000201 |         s_Expansion_BushFallSoft_SoundSet.Play(plant.GetPosition());
000202 | }
000203 |
000204 | /**
000205 |  * @brief get moddable root type of entity
000206 |  *
000207 |  * @param entity Entity to get moddable root type of
000208 |  *
000209 |  * @return typename
000210 |  */
000211 | static typename GetModdableRootType(EntityAI entity)
000212 | {
000213 |     if (entity.IsInherited(AdvancedCommunication))
000214 |         return AdvancedCommunication;
000215 |     else if (entity.IsInherited(AnimalBase))
000216 |         return AnimalBase;
000217 |     else if (entity.IsInherited(BuildingBase))
000218 |         return BuildingBase;
000219 |     else if (entity.IsInherited(CarScript))
000220 |         return CarScript;
000221 |     else if (entity.IsInherited(BoatScript))
000222 |         return BoatScript;
000223 |     else if (entity.IsInherited(DayZPlayerImplement))
000224 |         return DayZPlayerImplement;
000225 |     //else if (entity.IsInherited(HelicopterScript))
000226 |         //return HelicopterScript;
000227 |     else if (entity.IsInherited(ItemBase))
000228 |         return ItemBase;
000229 |     else if (entity.IsInherited(ZombieBase))
000230 |         return ZombieBase;
000231 |
000232 |     typename type;
000233 |     return type;
000234 | }
000235 |
000236 | ///! @note would make more sense to have this on `Liquid` but due to `GetLiquidConfigProperty` being private
000237 | ///! (although it's not used directly by this) it would result in a compile error :-(
000238 | static string GetLiquidDisplayName(int liquidType, bool upperCase = true, out int color = 0)
000239 | {
000240 |     auto nutritionalProfile = Liquid.GetNutritionalProfileByType(liquidType);
000241 |     if (!nutritionalProfile || !nutritionalProfile.IsLiquid())
000242 |         return "ERROR";
000243 |
000244 |     string clsName = nutritionalProfile.GetLiquidClassname();
000245 |     string underscored = ExpansionString.CamelCaseToWords(clsName, "_");
000246 |     string displayName;
000247 |     g_Game.ConfigGetTextRaw("CfgLiquidDefinitions " + clsName + " displayName", displayName);
000248 |     g_Game.FormatRawConfigStringKeys(displayName);
000249 |
000250 |     string translated;
000251 |     if (displayName.IndexOf("#") == 0)
000252 |         translated = Widget.TranslateString(displayName);
000253 |     else
000254 |         translated = displayName;
000255 |
000256 |     ///! Fix up vanilla liquid display name
000257 |     if (displayName.IndexOf("#STR_cfgLiquidDefinitions_") == 0 && translated.IndexOf("$UNT$") == 0)
000258 |         translated = Widget.TranslateString("#inv_inspect_" + underscored);
000259 |
000260 |     if (upperCase)
```

```
000261 |         translated.ToUpper();
000262 |
000263 |         color = Colors.COLOR_LIQUID;
000264 |
000265 | #ifdef EXPANSION_INSPECT_MENU_NEW_ENABLE
000266 |     if (GetExpansionClientSettings().EnableLiquidTypeColors)
000267 |     {
000268 |         string colorPath = "CfgLiquidDefinitions " + clsName + " color";
000269 |
000270 |         color = g_Game.ConfigGetInt(colorPath);
000271 |
000272 |         if (!color)
000273 |         {
000274 |             string colorConstantName;
000275 |             g_Game.ConfigGetTextRaw(colorPath, colorConstantName);
000276 |
000277 |             if (!colorConstantName)
000278 |             {
000279 |                 //! Fallback to liquid classname, all uppercase
000280 |                 colorConstantName = clsName;
000281 |                 colorConstantName.ToUpper();
000282 |             }
000283 |
000284 |             bool found = ExpansionStatic.StringToEnumEx(Colors, colorConstantName, color);
000285 |
000286 |             if (!found)
000287 |             {
000288 |                 if (!colorConstantName.Contains("LIQUID"))
000289 |                 {
000290 |                     colorConstantName += "LIQUID"; //! e.g. RaG_Liquid_Framework
000291 |                     found = ExpansionStatic.StringToEnumEx(Colors, colorConstantName, color);
000292 |                 }
000293 |
000294 |                 if (!found)
000295 |                 {
000296 |                     //! Fallback to liquid classname, all uppercase, words delimited by underscore
000297 |                     colorConstantName = underscored;
000298 |                     colorConstantName.ToUpper();
000299 |
000300 |                     if (!ExpansionStatic.StringToEnumEx(Colors, colorConstantName, color))
000301 |                     {
000302 |                         switch (liquidType)
000303 |                         {
000304 |                             case LIQUID_BEER:
000305 |                                 color = Colors.ORANGE;
000306 |                                 break;
000307 |                             case LIQUID_DIESEL:
000308 |                             case LIQUID_GASOLINE:
000309 |                                 color = Colors.YELLOW;
000310 |                                 break;
000311 |                             case LIQUID_DISINFECTANT:
000312 |                             case LIQUID_VODKA:
000313 |                                 color = Colors.GRAY;
000314 |                                 break;
000315 |                             default:
000316 |                                 color = Colors.COLOR_LIQUID;
000317 |                                 break;
000318 |                         }
000319 |                     }
000320 |                 }
000321 |             }
000322 |         }
```

```
000323 |     }
000324 | #endif
000325 |
000326 |     return translated;
000327 | }
000328 |
000329 | /**
000330 |  * @brief Lobotomize/unlobotomize creature
000331 |  */
000332 | override void Lobotomize(DayZCreatureAI creature)
000333 | {
000334 | #ifdef EXTRACE_DIAG
000335 |     auto trace = EXTrace.Start(EXTrace.MISC, this, "" + creature, "" + creature.GetAIAgent());
000336 | #endif
000337 |
000338 |     if (!creature || !creature.IsAlive())
000339 |         return;
000340 |
000341 |     bool isLobotomyInProgress;
000342 |     bool isLobotomized;
000343 |
000344 |     AnimalBase animal;
000345 |     ZombieBase zombie;
000346 |
000347 |     if (Class.CastTo(animal, creature))
000348 |     {
000349 |         isLobotomyInProgress = animal.m_Expansion_LobotomyInProgress;
000350 |         isLobotomized = animal.Expansion_IsLobotomized();
000351 |     }
000352 |     else if (Class.CastTo(zombie, creature))
000353 |     {
000354 |         isLobotomyInProgress = zombie.m_Expansion_LobotomyInProgress;
000355 |         isLobotomized = zombie.Expansion_IsLobotomized();
000356 |     }
000357 |
000358 |     if (creature.GetAIAgent() && !isLobotomized)
000359 |     {
000360 |         if (!isLobotomyInProgress)
000361 |         {
000362 |             Error(string.Format("Cannot lobotomize, use %1::Expansion_StartLobotomy first", creature));
000363 |             return;
000364 |         }
000365 |
000366 |         #ifdef DIAG_DEVELOPER
000367 |             EXTrace.Print(EXTrace.MISC, this, "Lobotomizing " + creature);
000368 |         #endif
000369 |
000370 |         creature.GetAIAgent().SetKeepInIdle(true);
000371 |     }
000372 |     else
000373 |     {
000374 |         if (!creature.GetAIAgent())
000375 |         {
000376 |             string templateName = creature.ConfigGetString("aiAgentTemplate");
000377 |             AIWorld aiWorld = g_Game.GetWorld().GetAIWorld();
000378 |             #ifdef DIAG_DEVELOPER
000379 |                 EXTrace.Print(EXTrace.MISC, this, "Creating AI group " + templateName);
000380 |             #endif
000381 |             AIGroup aiGroup = aiWorld.CreateGroup(templateName);
000382 |             #ifdef DIAG_DEVELOPER
000383 |                 EXTrace.Print(EXTrace.MISC, this, "Initializing AI agent " + aiGroup);
000384 |             #endif
```



```
000385 |         creature.InitAIAgent(aiGroup);
000386 |     }
000387 |     else
000388 |     {
000389 |         creature.GetAIAgent().SetKeepInIdle(false);
000390 |     }
000391 | }
000392 |
000393 | if (animal)
000394 | {
000395 |     animal.Expansion_SetLobotomized(!isLobotomized);
000396 |     animal.Expansion_EndLobotomy();
000397 | }
000398 | else if (zombie)
000399 | {
000400 |     zombie.Expansion_SetLobotomized(!isLobotomized);
000401 |     zombie.Expansion_EndLobotomy();
000402 | }
000403 |
000404 | LobotomySync(creature, !isLobotomized);
000405 | }
000406 |
000407 | override void LobotomySync(DayZCreatureAI creature, bool isLobotomized = false)
000408 | {
000409 | #ifdef EXTRACE_DIAG
000410 |     auto trace = EXTrace.Start(EXTrace.MISC, this, "" + creature, "" + creature.GetAIAgent());
000411 | #endif
000412 |
000413 |     auto rpc = m_RPCManager.CreateRPC("RPC_LobotomySync");
000414 |
000415 |     if (!creature.GetAIAgent())
000416 |         isLobotomized = true;
000417 |
000418 |     rpc.Write(isLobotomized);
000419 |
000420 |     Expansion_SendFar(rpc, creature.GetPosition(), creature, true);
000421 | }
000422 |
000423 | void RPC_LobotomySync(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000424 | {
000425 | #ifdef EXTRACE_DIAG
000426 |     auto trace = EXTrace.Start(EXTrace.MISC, this);
000427 | #endif
000428 |
000429 |     bool isLobotomized;
000430 |     if (!ctx.Read(isLobotomized))
000431 |         return;
000432 |
000433 | #ifdef EXTRACE_DIAG
000434 |     EXTrace.Add(trace, isLobotomized);
000435 | #endif
000436 |
000437 |     AnimalBase animal;
000438 |     ZombieBase zombie;
000439 |     if (Class.CastTo(animal, target))
000440 |         animal.Expansion_SetLobotomized(isLobotomized);
000441 |     else if (Class.CastTo(zombie, target))
000442 |         zombie.Expansion_SetLobotomized(isLobotomized);
000443 | }
000444 |
000445 | static bool IsStoreLoaded(EntityAI entity)
000446 | {
```

```
000447 |         ItemBase item;
000448 |         ExpansionVehicle vehicle;
000449 |         if (Class.CastTo(item, entity))
000450 |             return item.Expansion_IsStoreLoaded();
000451 |         else if (ExpansionVehicle.Get(vehicle, entity))
000452 |             return vehicle.IsStoreLoaded();
000453 |
000454 |         return false;
000455 |     }
000456 |
000457 |     static bool IsStoreSaved(EntityAI entity)
000458 |     {
000459 |         ItemBase item;
000460 |         ExpansionVehicle vehicle;
000461 |         if (Class.CastTo(item, entity))
000462 |             return item.Expansion_IsStoreSaved();
000463 |         else if (ExpansionVehicle.Get(vehicle, entity))
000464 |             return vehicle.IsStoreSaved();
000465 |
000466 |         return false;
000467 |     }
000468 | };
000469 |
```

0302. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\ExpansionWorldObjectsModule.c
Size bytes: 27526
SHA-256: f34df624638b42470a964fe47a843d3f67ed1b822ea74d3099ed0acce19a290
Decoded as: utf-8-sig
Line count shown: 997
Detected class declarations: 3
  L13: class ExpansionRemovedObject: OLinkT
  L78: class ExpansionRemovedObjects
  L114: class ExpansionWorldObjectsModule: CF_ModuleWorld
Detected enum declarations: 0
Detected function/method-like declarations: 48
  L19: void ExpansionRemovedObject(Object init)
  L51: void ~ExpansionRemovedObject()
  L71: override void Release()
  L82: void Set(Object obj, ExpansionRemovedObject removedObject)
  L87: bool Get(Object obj)
  L102: int Count()
  L107: void Clear()
  L121: override void OnInit()
  L137: override void OnMissionStart(Class sender, CF_EventArgs args)
  L157: override void OnMissionFinish(Class sender, CF_EventArgs args)
  L169: static void RestoreRemovedObjects()
  L178: override void OnInvokeConnect(Class sender, CF_EventArgs args)
  L208: static void WriteRemovedObjects(ParamsWriteContext ctx)
  L223: static void RPC_RemoveObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L243: static void DeleteFireplaces()
  L254: static void FindMissionFiles(string missionFolder, bool loadObjects, bool loadTraders)
  L259: static void FindMissionFiles(bool loadObjects, bool loadTraders)
  L302: static void LoadMissionObjects( array<string> files )
  L313: static void LoadMissionObjectsFile( string name )
  L321: static void LoadObjects(array<string> files, bool addExtension = false)
  L331: static void LoadObjectsFile(string filePath, array<Object> createdObjects = NULL)
  L382: static Object SpawnObject(string className, vector position, vector rotation, bool special = false, bool takeable = true)
  L414: static array<Object> FindObjects(string className, vector position, float radius = 0.1)
  L438: else if (index == className.Length() - 1)
  L489: static Object FindObject(ExpansionHash hash, vector position, float radius = 0.1)
  L509: static void RemoveObjects(string className, vector position, float radius = 0.1)
  L524: static void RemoveObject(ExpansionHash hash, vector position, float radius = 0.1)
  L533: static void RemoveObject(Object obj)
  L545: static void ProcessObject(Object obj)
  L563: else if (obj.IsInherited(FireplaceBase))
  L569: else if (obj.IsInherited(Roadflare))
  L582: else if (obj.IsInherited(BuildingWithFireplace))
  L592: else if (Class.CastTo(barel_2, obj))
  L594: else if (Class.CastTo(barel_3, obj))
  L596: else if (Class.CastTo(barel_4, obj))
  L627: static void ProcessFireplace(Object obj, bool addStones = true)
  L661: static void ProcessGear(EntityAI entity, string gear)
  L719: else if (Class.CastTo(building, entity))
  L726: else if (Class.CastTo(zombie, entity))
  L733: else if (Class.CastTo(animal, entity))
  L769: static bool GetObjectFromFile( FileHandle file, out string name, out vector position, out vector rotation, out bool special = false, out boo
  L811: static void LoadMissionTraders( array<string> files )
  L822: static void LoadMissionTradersFile( string name )
  L836: static void LoadTradersFile( string filePath )
  L908: else if ( Class.CastTo( traderStatic, obj ) )
  L910: else if ( Class.CastTo( traderZombie, obj ) )
  L913: else if ( Class.CastTo( traderAI, obj ) )
```

```
L954: static bool GetTraderFromMissionFile( FileHandle file, out string name, out array<vector> positions, out vector rotation, out string gear )
```

Full file content

```
000001 | /**
000002 |  * ExpansionWorldObjectsModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionRemovedObject: OLinkT
000014 | {
000015 |     ref ExpansionHash m_Expansion_Hash;
000016 |     vector m_Position;
000017 |     bool m_IsSolid;
000018 |
000019 |     void ExpansionRemovedObject(Object init)
000020 |     {
000021 |         string type = init.GetType();
000022 |         if (!type)
000023 |             type = init.GetShapeName();
000024 |         type.ToLower();
000025 |
000026 |         m_Expansion_Hash = new ExpansionHash(type);
000027 |
000028 |         m_Position = init.GetPosition();
000029 |
000030 |         init.SetPosition(m_Position - Vector(0, 1000, 0));
000031 |
000032 |         init.Update();
000033 |
000034 |         m_IsSolid = dBodyIsSolid(init);
000035 |         if (m_IsSolid)
000036 |         {
000037 |             dBodySetSolid(init, false);
000038 |
000039 |             #ifdef DIAG_DEVELOPER
000040 |                 EXTrace.Print(EXTrace.MAPPING, this, init.GetDebugName() + " solid true -> false");
000041 |             #endif
000042 |         }
000043 |
000044 |         //! Use of IsServer is intended here, makes it work in offline/SP as well
000045 |         if (g_Game.IsServer() && init.CanAffectPathgraph())
000046 |             g_Game.GetWorld().MarkObjectForPathgraphUpdate(init);
000047 |
000048 |         EXTrace.Print(EXTrace.MAPPING, this, "Removed object " + init.GetDebugName() + " at " + m_Position);
000049 |     }
000050 |
000051 |     void ~ExpansionRemovedObject()
000052 |     {
000053 |         Object obj = Get();
000054 |         if (obj)
000055 |         {
000056 |             obj.SetPosition(m_Position);
000057 |
000058 |             obj.Update();
```

```
000059 |
000060 |         if (m_IsSolid)
000061 |             dBodySetSolid(obj, true);
000062 |
000063 |         //!< Use of IsDedicatedServer is intended here, no need to do anything in offline/SP
000064 |         if (g_Game.IsDedicatedServer() && obj.CanAffectPathgraph())
000065 |             g_Game.GetWorld().MarkObjectForPathgraphUpdate(obj);
000066 |
000067 |         EXTrace.Print(EXTrace.MAPPING, this, "Restored object " + obj.GetDebugName() + " at " + m_Position);
000068 |     }
000069 | }
000070 |
000071 | override void Release()
000072 | {
000073 |     super.Release();
000074 |     EXTrace.Print(EXTrace.MAPPING, this, "Released");
000075 | }
000076 | }
000077 |
000078 | class ExpansionRemovedObjects
000079 | {
000080 |     ref map<Object, ref ExpansionRemovedObject> m_RemovedObjects = new map<Object, ref ExpansionRemovedObject>;
000081 |
000082 |     void Set(Object obj, ExpansionRemovedObject removedObject)
000083 |     {
000084 |         m_RemovedObjects[obj] = removedObject;
000085 |     }
000086 |
000087 |     bool Get(Object obj)
000088 |     {
000089 |         //!< Check if object has been removed by Expansion
000090 |         if (m_RemovedObjects.Contains(obj))
000091 |             return true;
000092 |
000093 |         //!< Check if object has been hidden by zeroing first three transform vectors
000094 |         vector transform[4];
000095 |         obj.GetTransform(transform);
000096 |         if (transform[0] == vector.Zero && transform[1] == vector.Zero && transform[2] == vector.Zero)
000097 |             return true;
000098 |
000099 |         return false;
000100 |     }
000101 |
000102 |     int Count()
000103 |     {
000104 |         return m_RemovedObjects.Count();
000105 |     }
000106 |
000107 |     void Clear()
000108 |     {
000109 |         m_RemovedObjects.Clear();
000110 |     }
000111 | }
000112 |
000113 | [CF_RegisterModule(ExpansionWorldObjectsModule)]
000114 | class ExpansionWorldObjectsModule: CF_ModuleWorld
000115 | {
000116 |     static ref array<Object> s_FirePlacesToDelete = new array<Object>;
000117 |
000118 |     static ref ExpansionRemovedObjects s_RemovedObjects = new ExpansionRemovedObjects;
000119 |     static bool s_RemovedObjectsReceived;
000120 | }
```

```
000121 |         override void OnInit()
000122 |         {
000123 | #ifdef EXTRACE
000124 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000125 | #endif
000126 |
000127 |         super.OnInit();
000128 |
000129 |         EnableMissionStart();
000130 |         EnableMissionFinish();
000131 |         EnableInvokeConnect();
000132 |         Expansion_EnableRPCManager();
000133 |
000134 |         Expansion_RegisterClientRPC("RPC_RemoveObjects");
000135 |     }
000136 |
000137 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000138 |     {
000139 | #ifdef EXTRACE
000140 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000141 | #endif
000142 |
000143 |         super.OnMissionStart(sender, args);
000144 |
000145 |         if (!g_Game.IsServer())
000146 |             return;
000147 |
000148 |         bool loadTraderNPCs;
000149 |
000150 |         #ifdef EXPANSIONMODMARKET
000151 |         loadTraderNPCs = GetExpansionSettings().GetMarket().MarketSystemEnabled;
000152 |         #endif
000153 |
000154 |         FindMissionFiles(true, loadTraderNPCs);
000155 |     }
000156 |
000157 |     override void OnMissionFinish(Class sender, CF_EventArgs args)
000158 |     {
000159 | #ifdef EXTRACE
000160 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000161 | #endif
000162 |
000163 |         super.OnMissionFinish(sender, args);
000164 |
000165 |         RestoreRemovedObjects();
000166 |         DeleteFireplaces();
000167 |     }
000168 |
000169 |     static void RestoreRemovedObjects()
000170 |     {
000171 | #ifdef EXTRACE
000172 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000173 | #endif
000174 |
000175 |         s_RemovedObjects.Clear();
000176 |     }
000177 |
000178 |     override void OnInvokeConnect(Class sender, CF_EventArgs args)
000179 |     {
000180 | #ifdef EXTRACE
000181 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, this);
000182 | #endif
```

```
000183 |
000184 |         super.OnInvokeConnect(sender, args);
000185 |
000186 |     ///! If Expansion Main is loaded, removed objects are sent as part of general settings RPC to avoid race conditions (building interiors checks if object was remove
d)
000187 |     #ifndef EXPANSIONMOD
000188 |         if (!g_Game.IsServer())
000189 |             return;
000190 |
000191 |         auto cArgs = CF_EventPlayerArgs.Cast(args);
000192 |
000193 |         if (!cArgs.Identity)
000194 |             return;
000195 |
000196 |         ///! If this is a respawn, need to do nothing of the below
000197 |         if (SyncEvents.s_Expansion_RespawningUIDs[cArgs.Identity.GetId()])
000198 |             return;
000199 |
000200 |         EXTrace.Add(trace, cArgs.Identity.GetId());
000201 |
000202 |         auto rpc = Expansion_CreateRPC("RPC_RemoveObjects");
000203 |         WriteRemovedObjects(rpc);
000204 |         rpc.Expansion_Send(true, cArgs.Identity);
000205 |     #endif
000206 |     }
000207 |
000208 |     static void WriteRemovedObjects(ParamsWriteContext ctx)
000209 |     {
000210 |     #ifdef EXTRACE
000211 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000212 |     #endif
000213 |
000214 |         ctx.Write(s_RemovedObjects.Count());
000215 |         foreach (Object obj, ExpansionRemovedObject removedObj: s_RemovedObjects.m_RemovedObjects)
000216 |         {
000217 |             removedObj.m_Expansion_Hash.Write(ctx);
000218 |             ctx.Write(removedObj.m_Position);
000219 |         }
000220 |     }
000221 |
000222 |     ///! Client only!
000223 |     static void RPC_RemoveObjects(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000224 |     {
000225 |     #ifdef EXTRACE
000226 |         auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000227 |     #endif
000228 |
000229 |         int count;
000230 |         ctx.Read(count);
000231 |         while (count-->0)
000232 |         {
000233 |             ExpansionHash hash = new ExpansionHash();
000234 |             if (!hash.Read(ctx))
000235 |                 break;
000236 |             vector position;
000237 |             if (!ctx.Read(position))
000238 |                 break;
000239 |             RemoveObject(hash, position);
000240 |         }
000241 |     }
000242 |
000243 |     static void DeleteFireplaces()
```

```
000244 | {
000245 |     Print("Clear up static fireplaces: " + s_FirePlacesToDelete.Count());
000246 |     foreach (Object fireplace: s_FirePlacesToDelete)
000247 |     {
000248 |         g_Game.ObjectDelete(fireplace);
000249 |     }
000250 |     s_FirePlacesToDelete.Clear();
000251 | }
000252 |
000253 | //! @note No-op, only kept for backwards compat with old init files
000254 | static void FindMissionFiles(string missionFolder, bool loadObjects, bool loadTraders)
000255 | {
000256 |     Print("DEPRECATED - calling FindMissionFiles from init.c is no longer needed");
000257 | }
000258 |
000259 | static void FindMissionFiles(bool loadObjects, bool loadTraders)
000260 | {
000261 |     array<string> objectFiles;
000262 |     array<string> traderFiles;
000263 |
000264 |     if ( loadObjects )
000265 |     {
000266 |         if (FileExist( EXPANSION_MISSION_OBJECTS_FOLDER ))
000267 |         {
000268 |             objectFiles = ExpansionStatic.FindFilesInLocation(EXPANSION_MISSION_OBJECTS_FOLDER, EXPANSION_MAPPING_EXT);
000269 |             if (objectFiles.Count() >= 0)
000270 |             {
000271 |                 LoadMissionObjects(objectFiles);
000272 |             }
000273 |         }
000274 |         else
000275 |         {
000276 |             ExpansionStatic.MakeDirectoryRecursive(EXPANSION_MISSION_OBJECTS_FOLDER);
000277 |         }
000278 |     }
000279 |
000280 | #ifdef EXPANSIONMODMARKET
000281 |     if ( loadTraders )
000282 |     {
000283 |         if (FileExist( EXPANSION_MISSION_TRADERS_FOLDER ))
000284 |         {
000285 |             traderFiles = ExpansionStatic.FindFilesInLocation(EXPANSION_MISSION_TRADERS_FOLDER, EXPANSION_MAPPING_EXT);
000286 |             if (traderFiles.Count() >= 0)
000287 |             {
000288 |                 LoadMissionTraders(traderFiles);
000289 |             }
000290 |         }
000291 |         else
000292 |         {
000293 |             ExpansionStatic.MakeDirectoryRecursive(EXPANSION_MISSION_TRADERS_FOLDER);
000294 |         }
000295 |     }
000296 | #endif
000297 | }
000298 |
000299 | // -----
000300 | // Expansion LoadMissionObjects
000301 | // -----
000302 | static void LoadMissionObjects( array<string> files )
000303 | {
000304 |     for ( int i = 0; i < files.Count(); i++ )
000305 |     {
```



```
000306 |         LoadMissionObjectsFile( files[i] );
000307 |     }
000308 | }
000309 |
000310 | // -----
000311 | // Expansion LoadMissionObjectsFile
000312 | // -----
000313 | static void LoadMissionObjectsFile( string name )
000314 | {
000315 |     string filePath = EXPANSION_MISSION_OBJECTS_FOLDER + name;
000316 |     LoadObjectsFile(filePath);
000317 |
000318 |     CF_Log.Debug( "Created all objects from mission object file: " + filePath );
000319 | }
000320 |
000321 | static void LoadObjects(array<string> files, bool addExtension = false)
000322 | {
000323 |     foreach (string filePath: files)
000324 |     {
000325 |         if (addExtension && !ExpansionString.EndsWithIgnoreCase(filePath, EXPANSION_MAPPING_EXT))
000326 |             filePath += EXPANSION_MAPPING_EXT;
000327 |         LoadObjectsFile(filePath);
000328 |     }
000329 | }
000330 |
000331 | static void LoadObjectsFile(string filePath, array<Object> createdObjects = NULL)
000332 | {
000333 | #ifdef EXTRACE
000334 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule, filePath);
000335 | #endif
000336 |
000337 |     FileHandle file = OpenFile( filePath, FileMode.READ );
000338 |     if ( !file )
000339 |         return;
000340 |
000341 |     Object obj;
000342 |     string className;
000343 |     vector position;
000344 |     vector rotation;
000345 |     bool special;
000346 |     bool takeable;
000347 |     bool shouldRemove;
000348 |     float radius;
000349 |     string attachments;
000350 |
000351 |     while ( GetObjectFromFile( file, className, position, rotation, special, takeable, shouldRemove, radius, attachments ) )
000352 |     {
000353 |         if (shouldRemove)
000354 |         {
000355 |             CF_Log.Debug( "Attempt to remove object " + className + " at " + position + " from file:" + filePath + ".");
000356 |
000357 |             RemoveObjects(className, position, radius);
000358 |         }
000359 |         else
000360 |         {
000361 |             CF_Log.Debug( "Attempt to create object " + className + " at " + position + " from file:" + filePath + ".");
000362 |
000363 |             obj = SpawnObject(className, position, rotation, special, takeable);
000364 |
000365 |             if (attachments)
000366 |             {
000367 |                 EntityAI itemWithAttachment = EntityAI.Cast(obj);
```

```
000368 |         if (itemWithAttachment)
000369 |             ProcessGear(itemWithAttachment, attachments);
000370 |     }
000371 |
000372 |     if (obj && createdObjects)
000373 |         createdObjects.Insert(obj);
000374 |     }
000375 | }
000376 |
000377 | CloseFile( file );
000378 |
000379 | g_Game.GetWorld().ProcessMarkedObjectsForPathgraphUpdate();
000380 | }
000381 |
000382 | static Object SpawnObject(string className, vector position, vector rotation, bool special = false, bool takeable = true)
000383 | {
000384 |     int flags = ECE_CREATEPHYSICS | ECE_NOLIFETIME | ECE_KEEPEIGHT | ECE_DYNAMIC_PERSISTENCY;
000385 |
000386 |     Object obj = g_Game.CreateObjectEx( className, position, flags );
000387 |     if ( !obj )
000388 |         return NULL;
000389 |
000390 |     obj.SetFlags(EntityFlags.STATIC, false);
000391 |
000392 |     obj.SetOrientation( rotation );
000393 |     obj.SetAffectPathgraph( true, false );
000394 |     obj.Update();
000395 |
000396 |     if ( obj.CanAffectPathgraph() )
000397 |     {
000398 |         g_Game.GetWorld().MarkObjectForPathgraphUpdate(obj);
000399 |     }
000400 |
000401 |     if (!takeable)
000402 |     {
000403 |         ItemBase item = ItemBase.Cast( obj );
000404 |         if (item)
000405 |             item.Expansion_SetLootable(false);
000406 |     }
000407 |
000408 |     if (special)
000409 |         ProcessObject( obj );
000410 |
000411 |     return obj;
000412 | }
000413 |
000414 | static array<Object> FindObjects(string className, vector position, float radius = 0.1)
000415 | {
000416 |     array<Object> objects = {};
000417 |     g_Game.GetObjectsAtPosition3D(position, radius, objects, null);
000418 |
000419 |     if (className == "")
000420 |         return objects;
000421 |
000422 |     className.ToLower();
000423 |
000424 |     int doPartialMatch;
000425 |     string classNameStart;
000426 |     string classNameEnd;
000427 |
000428 |     int index = className.IndexOf("");
000429 | }
```

```
000430 |         if (index > -1)
000431 |         {
000432 |             if (index == 0)
000433 |             {
000434 |                 //! Ends with
000435 |                 doPartialMatch = 1;
000436 |                 className = className.Substring(1, className.Length() - 1);
000437 |             }
000438 |             else if (index == className.Length() - 1)
000439 |             {
000440 |                 //! Starts with
000441 |                 doPartialMatch = 2;
000442 |                 className = className.Substring(0, index);
000443 |             }
000444 |             else
000445 |             {
000446 |                 //! Starts/ends with
000447 |                 doPartialMatch = 3;
000448 |                 classNameStart = className.Substring(0, index);
000449 |                 classNameEnd = className.Substring(index + 1, className.Length() - 1 - index);
000450 |             }
000451 |         }
000452 |
000453 |         array<Object> filteredObjects = {};
000454 |         foreach (Object obj: objects)
000455 |         {
000456 |             string type;
000457 |             g_Game.ObjectGetType(obj, type);
000458 |             if (!type)
000459 |                 type = obj.GetShapeName();
000460 |             type.ToLower();
000461 |             ExpansionString exType = type;
000462 |             bool match = false;
000463 |             switch (doPartialMatch)
000464 |             {
000465 |                 case 0:
000466 |                     if (type == className)
000467 |                         match = true;
000468 |                     break;
000469 |                 case 1:
000470 |                     if (exType.EndsWith(className))
000471 |                         match = true;
000472 |                     break;
000473 |                 case 2:
000474 |                     if (exType.StartsWith(className))
000475 |                         match = true;
000476 |                     break;
000477 |                 case 3:
000478 |                     if (exType.StartsWith(classNameStart) && exType.EndsWith(classNameEnd))
000479 |                         match = true;
000480 |                     break;
000481 |             }
000482 |             if (match)
000483 |                 filteredObjects.Insert(obj);
000484 |         }
000485 |
000486 |         return filteredObjects;
000487 |     }
000488 |
000489 |     static Object FindObject(ExpansionHash hash, vector position, float radius = 0.1)
000490 |     {
000491 |         array<Object> objects = {};
```

```
000492 |         g_Game.GetObjectsAtPosition3D(position, radius, objects, null);
000493 |
000494 |         foreach (Object obj: objects)
000495 |         {
000496 |             string type;
000497 |             g_Game.ObjectGetType(obj, type);
000498 |             if (!type)
000499 |                 type = obj.GetShapeName();
000500 |             type.ToLower();
000501 |
000502 |             if (hash.IsEqual(new ExpansionHash(type)))
000503 |                 return obj;
000504 |         }
000505 |
000506 |         return null;
000507 |     }
000508 |
000509 |     static void RemoveObjects(string className, vector position, float radius = 0.1)
000510 |     {
000511 |         array<Object> objects = FindObjects(className, position, radius);
000512 |         if (!objects.Count())
000513 |         {
000514 |             EXPrint("[ExpansionWorldObjectsModule::RemoveObject] Warning: Object " + className + " not found at " + position);
000515 |             return;
000516 |         }
000517 |
000518 |         foreach (Object obj: objects)
000519 |         {
000520 |             RemoveObject(obj);
000521 |         }
000522 |     }
000523 |
000524 |     static void RemoveObject(ExpansionHash hash, vector position, float radius = 0.1)
000525 |     {
000526 |         Object obj = FindObject(hash, position, radius);
000527 |         if (!obj)
000528 |             EXPrint("[ExpansionWorldObjectsModule::RemoveObject] Warning: Object with hash {" + hash.m_HashA + ", " + hash.m_HashB + "} not found at " + position);
000529 |     };
000530 |     else
000531 |         RemoveObject(obj);
000532 | }
000533 |
000534 | static void RemoveObject(Object obj)
000535 | {
000536 |     if (!s_RemovedObjects[obj])
000537 |     {
000538 |         s_RemovedObjects[obj] = new ExpansionRemovedObject(obj);
000539 |     }
000540 |     else
000541 |     {
000542 |         EXError.Warn(null, "RemoveObject called on already removed object " + obj.GetDebugName() + " at " + obj.GetPosition());
000543 |     }
000544 | }
000545 |
000546 | static void ProcessObject(Object obj)
000547 | {
000548 | #ifdef EXTRACE
000549 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000550 | #endif
000551 |     CF_Log.Debug("Try to process mapping object: " + obj.ClassName());
000552 | }
```

```
000553 |         if (obj.IsInherited(ExpansionPointLight))
000554 |         {
000555 |             ExpansionPointLight light = ExpansionPointLight.Cast(obj);
000556 |             if (light)
000557 |             {
000558 |                 light.SetDiffuseColor(1,0,0);
000559 |             }
000560 |
000561 |             CF_Log.Debug("Processed mapping object: " + obj.ClassName() + "!");
000562 |         }
000563 |     else if (obj.IsInherited(FireplaceBase))
000564 |     {
000565 |         ProcessFireplace(obj);
000566 |
000567 |         CF_Log.Debug("Processed mapping object: " + obj.ClassName() + "!");
000568 |     }
000569 |     else if (obj.IsInherited(Roadflare))
000570 |     {
000571 |         Roadflare flare = Roadflare.Cast( obj );
000572 |         if (flare)
000573 |         {
000574 |             flare.GetCompEM().SetEnergy(999999);
000575 |             flare.GetCompEM().SwitchOn();
000576 |             flare.SwitchLight(false); //! Flickering
000577 |         }
000578 |
000579 |         CF_Log.Debug( "Processed mapping object: " + obj.ClassName() + "!" );
000580 |     }
000581 | #ifdef EXPANSIONMODMAPASSETS
000582 |     else if (obj.IsInherited(BuildingWithFireplace))
000583 |     {
000584 |         BuildingWithFireplace buildingWithFireplace;
000585 |         bldr_land_misc_barel_fire_1 barel_1;
000586 |         bldr_land_misc_barel_fire_2 barel_2;
000587 |         bldr_land_misc_barel_fire_3 barel_3;
000588 |         bldr_land_misc_barel_fire_4 barel_4;
000589 |
000590 |         if (Class.CastTo(barel_1, obj))
000591 |             buildingWithFireplace = barel_1;
000592 |         else if (Class.CastTo(barel_2, obj))
000593 |             buildingWithFireplace = barel_2;
000594 |         else if (Class.CastTo(barel_3, obj))
000595 |             buildingWithFireplace = barel_3;
000596 |         else if (Class.CastTo(barel_4, obj))
000597 |             buildingWithFireplace = barel_4;
000598 |
000599 |         if (buildingWithFireplace)
000600 |         {
000601 |             int fire_point_index = 1;
000602 |             vector fire_place_pos = buildingWithFireplace.GetSelectionPositionMS(FireplaceIndoor.FIREPOINT_FIRE_POSITION + fire_point_index.ToString());
000603 |             vector fire_place_pos_world = buildingWithFireplace.ModelToWorld(fire_place_pos);
000604 |             vector smoke_point_pos = buildingWithFireplace.GetSelectionPositionMS(FireplaceIndoor.FIREPOINT_SMOKE_POSITION + fire_point_index.ToString());
000605 |             vector smoke_point_pos_world = buildingWithFireplace.ModelToWorld(smoke_point_pos);
000606 |             vector smokePos = smoke_point_pos_world;
000607 |
000608 |             int flags = ECE_PLACE_ON_SURFACE | ECE_NOLIFETIME | ECE_NOPERSISTENCY_WORLD;
000609 |             Object obj_fireplace = g_Game.CreateObjectEx("bldr_fireplace", fire_place_pos_world, flags);
000610 |             s_FirePlacesToDelete.Insert(obj_fireplace);
000611 |
000612 |             ProcessFireplace(obj_fireplace, false);
000613 |         }
000614 |     }
```

```
000615 |         CF_Log.Debug("Processed mapping object: " + obj.ClassName() + "!");
000616 |     }
000617 | #endif
000618 | #ifdef NAMALSK_SURVIVAL
000619 | vfx_the_thing theThing;
000620 | if (Class.CastTo(theThing, obj))
000621 | {
000622 |     theThing.SetStable(true);
000623 | }
000624 | #endif
000625 | }
000626 |
000627 | static void ProcessFireplace(Object obj, bool addStones = true)
000628 | {
000629 |     FireplaceBase fireplace = FireplaceBase.Cast(obj);
000630 |     if (fireplace)
000631 |     {
000632 |         ItemBase item;
000633 |
000634 |         ///! Need to open barrel first, otherwise can't add items
000635 |         if (fireplace.IsInherited(BarrelHoles_ColorBase))
000636 |             fireplace.Open();
000637 |
000638 |         if (fireplace.GetType() == "bldr_fireplace" && addStones)
000639 |         {
000640 |             ///! Add stones
000641 |             item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("Stone"));
000642 |             item.SetQuantity(16);
000643 |             fireplace.SetStoneCircleState(true);
000644 |         }
000645 |
000646 |         ///! Add bark
000647 |         item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("Bark_Oak"));
000648 |         item.SetQuantity(8);
000649 |         ///! Add firewood
000650 |         item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("Firewood"));
000651 |         item.SetQuantity(6); ///! Can only increase stack over 1 AFTER it has been attached because stack max depends on slot!
000652 |         ///! Add sticks
000653 |         item = ItemBase.Cast(fireplace.GetInventory().CreateAttachment("WoodenStick"));
000654 |         item.SetQuantity(10); ///! Can only increase stack over 5 AFTER it has been attached because stack max depends on slot!
000655 |
000656 |         fireplace.StartFire();
000657 |         fireplace.RefreshFireplaceVisuals();
000658 |     }
000659 | }
000660 |
000661 | static void ProcessGear(EntityAI entity, string gear)
000662 | {
000663 |     TStringArray tokens = {};
000664 |     gear.Split(",", tokens);
000665 |
000666 |     DayZPlayerImplement ai;
000667 |     BuildingBase building;
000668 |     ZombieBase zombie;
000669 |     AnimalBase animal;
000670 |
000671 |     foreach (string token: tokens)
000672 |     {
000673 | #ifdef EXPANSIONMODAI
000674 |         if (token.IndexOf("faction:") == 0)
000675 |         {
000676 |             if (Class.CastTo(ai, entity))
```

```
000677 |         {
000678 |             string factionName = token.Substring(8, token.Length() - 8);
000679 |             eAIFaction faction = eAIFaction.Create(factionName);
000680 |             if (faction)
000681 |             {
000682 |                 EXTrace.Print(EXTrace.AI, ai, "Setting faction " + faction.ToString());
000683 |                 eAIGroup group = eAIGroup.GetGroupByLeader(ai, true, faction);
000684 |                 if (group.GetFaction().Type() != faction.Type())
000685 |                     group.SetFaction(faction);
000686 |                 ai.eAI_SetPassive(false);
000687 |             }
000688 |         }
000689 |         continue;
000690 |     }
000691 | #endif
000692 |
000693 |     if (token == "canbelooted:false" || token == "canbelooted:0")
000694 |     {
000695 |         if (Class.CastTo(ai, entity))
000696 |         {
000697 |             ai.Expansion_SetCanBeLooted(false);
000698 |         }
000699 |         continue;
000700 |     }
000701 |
000702 |     if (token.IndexOf("loadout:") == 0)
000703 |     {
000704 |         string loadout = token.Substring(8, token.Length() - 8);
000705 |         ExpansionHumanLoadout.Apply(entity, loadout);
000706 |         continue;
000707 |     }
000708 |
000709 |     if (token.IndexOf("name:") == 0)
000710 |     {
000711 |         string name = token.Substring(5, token.Length() - 5);
000712 |         if (Class.CastTo(ai, entity))
000713 |         {
000714 |             if (!ai.m_Expansion_NetsyncData)
000715 |                 ai.m_Expansion_NetsyncData = new ExpansionNetsyncData(ai);
000716 |
000717 |             ai.m_Expansion_NetsyncData.Set(0, name);
000718 |         }
000719 |         else if (Class.CastTo(building, entity))
000720 |         {
000721 |             if (!building.m_Expansion_NetsyncData)
000722 |                 building.m_Expansion_NetsyncData = new ExpansionNetsyncData(building);
000723 |
000724 |             building.m_Expansion_NetsyncData.Set(0, name);
000725 |         }
000726 |         else if (Class.CastTo(zombie, entity))
000727 |         {
000728 |             if (!zombie.m_Expansion_NetsyncData)
000729 |                 zombie.m_Expansion_NetsyncData = new ExpansionNetsyncData(zombie);
000730 |
000731 |             zombie.m_Expansion_NetsyncData.Set(0, name);
000732 |         }
000733 |         else if (Class.CastTo(animal, entity))
000734 |         {
000735 |             if (!animal.m_Expansion_NetsyncData)
000736 |                 animal.m_Expansion_NetsyncData = new ExpansionNetsyncData(animal);
000737 |
000738 |             animal.m_Expansion_NetsyncData.Set(0, name);
```

```

000739 |         }
000740 |         continue;
000741 |     }
000742 |
000743 |     array<string> items = new array<string>;
000744 |     token.Split("+", items);
000745 |     EntityAI itemEnt = NULL;
000746 |     //! Spawn weapon in hands
000747 |     if ( entity.IsInherited( Man ) && g_Game.ConfigIsExisting( "CfgVehicles " + items[0] + " suicideAnim" ) || g_Game.IsKindOf( items[0], "Rifle_Base" ) |
| g_Game.IsKindOf( items[0], "Pistol_Base" ) || g_Game.IsKindOf( items[0], "Archery_Base" ) || g_Game.IsKindOf( items[0], "Launcher_Base" ) )
000748 |         itemEnt = Man.Cast( entity ).GetHumanInventory().CreateInHands( items[0] );
000749 |     //! Spawn everything else in inventory
000750 |     if ( !itemEnt )
000751 |         itemEnt = ExpansionItemSpawnHelper.CreateInInventoryEx(entity, items[0] );
000752 |     ItemBase itemBase = ItemBase.Cast( itemEnt );
000753 |     if ( itemEnt )
000754 |     {
000755 |         for ( int j = 1; j < items.Count(); j++ )
000756 |         {
000757 |             if ( itemBase )
000758 |                 itemBase.ExpansionCreateInInventory( items[j] );
000759 |             else
000760 |                 itemEnt.GetInventory().CreateInInventory( items[j] );
000761 |         }
000762 |     }
000763 | }
000764 | }
000765 |
000766 | // -----
000767 | // Expansion GetObjectFromFile
000768 | // -----
000769 | static bool GetObjectFromFile( FileHandle file, out string name, out vector position, out vector rotation, out bool special = false, out bool takeable = true,
| out bool shouldRemove = false, out float radius = 0.1, out string attachments = "" )
000770 | {
000771 |     string line;
000772 |     int lineSize = FGets( file, line );
000773 |
000774 |     if ( lineSize < 1 )
000775 |         return false;
000776 |
000777 |     TStringArray tokens = new TStringArray;
000778 |     line.Split( "|", tokens );
000779 |
000780 |     name = tokens.Get( 0 );
000781 |     position = tokens.Get( 1 ).ToVector();
000782 |     shouldRemove = name[0] == "-";
000783 |     if (shouldRemove)
000784 |     {
000785 |         name = name.Substring(1, name.Length() - 1);
000786 |         radius = tokens.Get( 2 ).ToFloat();
000787 |         if (!radius)
000788 |             radius = 0.1;
000789 |     }
000790 |     else
000791 |     {
000792 |         rotation = tokens.Get( 2 ).ToVector();
000793 |         special = tokens.Get( 3 ) == "true";
000794 |         string token = tokens[4];
000795 |         takeable = token != "false";
000796 |         if (token == "false" || token == "true")
000797 |             token = token[5];
000798 |         if (token)

```



```
000799 |         attachments = token;
000800 |     else
000801 |         attachments = "";
000802 |     }
000803 |
000804 |     return true;
000805 | }
000806 |
000807 | #ifdef EXPANSIONMODMARKET
000808 | // -----
000809 | // Expansion LoadMissionTraders
000810 | // -----
000811 | static void LoadMissionTraders( array<string> files )
000812 | {
000813 |     for ( int i = 0; i < files.Count(); i++ )
000814 |     {
000815 |         LoadMissionTradersFile( files[i] );
000816 |     }
000817 | }
000818 |
000819 | // -----
000820 | // Expansion LoadMissionTradersFile
000821 | // -----
000822 | static void LoadMissionTradersFile( string name )
000823 | {
000824 | #ifdef EXTRACE
000825 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule);
000826 | #endif
000827 |
000828 |     CF_Log.Debug( "Attempting to load mission trader file: " + name );
000829 |
000830 |     string filePath = EXPANSION_MISSION_TRADERS_FOLDER + name;
000831 |     LoadTradersFile(filePath);
000832 |
000833 |     CF_Log.Debug( "Created all traders from mission trader file: " + filePath );
000834 | }
000835 |
000836 | static void LoadTradersFile( string filePath )
000837 | {
000838 | #ifdef EXTRACE
000839 |     auto trace = EXTrace.Start(ExpansionTracing.MAPPING, ExpansionWorldObjectsModule, filePath);
000840 | #endif
000841 |
000842 |     FileHandle file = OpenFile( filePath, FileMode.READ );
000843 |     if ( !file )
000844 |         return;
000845 |
000846 |     Object obj;
000847 |     EntityAI trader;
000848 |     string traderName;
000849 |     string className;
000850 |     string fileName;
000851 |     array<vector> positions;
000852 |     vector position;
000853 |     vector rotation;
000854 |     string gear;
000855 |
000856 |     int i, j;
000857 |
000858 |     while ( GetTraderFromMissionFile( file, traderName, positions, rotation, gear ) )
000859 |     {
000860 |         array<string> parts = new array<string>;
```

```
000861 |         traderName.Split(".", parts);
000862 |         className = parts[0];
000863 |         fileName = parts[1];
000864 |         position = positions[0];
000865 |
000866 |         CF_Log.Debug( "Attempt to create mission trader " + className + " at " + position + " from file:" + filePath + ".");
000867 |
000868 |         int flags = ECE_CREATEPHYSICS;
000869 |
000870 |         if (g_Game.IsKindOf(className, "DZ_LightAI"))
000871 |             flags |= ECE_INITAI;
000872 |         else
000873 |             flags |= ECE_NOLIFETIME | ECE_DYNAMIC_PERSISTENCY;
000874 |
000875 |         obj = ExpansionGame.CreateObjectExSafe(className, position, flags);
000876 |         if (!obj)
000877 |             continue;
000878 |
000879 |         obj.SetOrientation( rotation );
000880 |         obj.SetAffectPathgraph( true, false );
000881 |         obj.Update();
000882 |
000883 |         if ( obj.CanAffectPathgraph() )
000884 |         {
000885 |             g_Game.GetWorld().MarkObjectForPathgraphUpdate(obj);
000886 |         }
000887 |
000888 |         trader = EntityAI.Cast( obj );
000889 |         if ( trader )
000890 |         {
000891 |             if ( gear )
000892 |             {
000893 |                 ProcessGear(trader, gear);
000894 |             }
000895 |
000896 |             ExpansionTraderNPCBase traderNPC;
000897 |             ExpansionTraderStaticBase traderStatic;
000898 |             ExpansionTraderZombieBase traderZombie;
000899 |             #ifdef ENFUSION_AI_PROJECT
000900 |             ExpansionTraderAIBase traderAI;
000901 |             #endif
000902 |             if (fileName == string.Empty)
000903 |                 EXError.Warn(null, string.Format("Entity %1 from file %2 has no associated trader filename", className, filePath), {});
000904 |             else
000905 |                 EXPrint("LoadMissionTradersFile trader " + trader + " fileName " + fileName);
000906 |             if ( Class.CastTo( traderNPC, obj ) )
000907 |                 traderNPC.LoadTrader(fileName);
000908 |             else if ( Class.CastTo( traderStatic, obj ) )
000909 |                 traderStatic.LoadTrader(fileName);
000910 |             else if ( Class.CastTo( traderZombie, obj ) )
000911 |                 traderZombie.LoadTrader(fileName);
000912 |             #ifdef ENFUSION_AI_PROJECT
000913 |             else if ( Class.CastTo( traderAI, obj ) )
000914 |             {
000915 |                 traderAI.LoadTrader(fileName);
000916 |
000917 |                 eAIGroup ownerGrp = traderAI.GetGroup();
000918 |                 for ( j = 0; j < positions.Count(); j++ )
000919 |                 {
000920 |                     EXPrint("Adding waypoint " + positions[j]);
000921 |                     ownerGrp.AddWaypoint( positions[j] );
000922 |                 }
000922 |             }
```

```
000923 |
000924 |         ownerGrp.SetWaypointBehaviour(eAIWaypointBehavior.ALTERNATE);
000925 |     }
000926 | #endif
000927 | else
000928 | {
000929 |     ExpansionMarketModule.s_Instance.AddCustomTrader(trader, fileName); //! Support any networked entity as trader
000930 |
000931 |     trader.SetAllowDamage(false);
000932 |
000933 |     ItemBase item = ItemBase.Cast(trader);
000934 |     if (item)
000935 |         item.Expansion_SetLootable(false);
000936 | }
000937 |
000938 | CF_Log.Debug( " Created" );
000939 | }
000940 | else
000941 | {
000942 |     EXError.Error(null, string.Format("Object %1 from file %2 is not a valid trader classname", className, filePath), {});
000943 | }
000944 | }
000945 |
000946 | CloseFile( file );
000947 |
000948 | g_Game.GetWorld().ProcessMarkedObjectsForPathgraphUpdate();
000949 | }
000950 |
000951 | // -----
000952 | // Expansion GetTraderFromMissionFile
000953 | // -----
000954 | static bool GetTraderFromMissionFile( FileHandle file, out string name, out array<vector> positions, out vector rotation, out string gear )
000955 | {
000956 |     string line;
000957 |     int lineSize = FGets( file, line );
000958 |
000959 |     if ( lineSize < 1 )
000960 |         return false;
000961 |
000962 |     TStringArray tokens = new TStringArray;
000963 |     line.Split( "|", tokens );
000964 |
000965 |     name = tokens.Get( 0 );
000966 |     TStringArray positionTokens = new TStringArray;
000967 |     tokens.Get( 1 ).Split( ",", positionTokens );
000968 |     positions = new array<vector>;
000969 |     vector coordinate;
000970 |     foreach (string positionToken : positionTokens)
000971 |     {
000972 |         TStringArray coordinateTokens = new TStringArray;
000973 |         positionToken.Split( " ", coordinateTokens );
000974 |         if ( coordinateTokens.Count() == 2 )
000975 |         {
000976 |             coordinate = Vector( 0, 0, 0 );
000977 |             coordinate[0] = coordinateTokens[0].ToFloat();
000978 |             coordinate[2] = coordinateTokens[1].ToFloat();
000979 |             coordinate[1] = g_Game.SurfaceY( coordinate[0], coordinate[2] );
000980 |         }
000981 |         else
000982 |         {
000983 |             coordinate = positionToken.ToVector();
000984 |         }
000985 |     }
000986 | }
```

```
000985 |         positions.Insert( coordinate );
000986 |     }
000987 |     rotation = tokens.Get( 2 ).ToVector();
000988 |
000989 |     gear = tokens.Get( 3 );
000990 |
000991 |     return true;
000992 | }
000993 | #endif
000994 | }
000995 |
000996 | typedef ExpansionWorldObjectsModule ExpansionObjectSpawnTools;
000997 |
```

0303. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionBlinkLight.c

Size bytes: 519

SHA-256: 7aab194218ecdd772c5849c0eae4ef9ae3f9c47218276e70f85fb96004d7f6d6

Decoded as: utf-8-sig

Line count shown: 23

Detected class declarations: 1

L16: class ExpansionBlinkLight: ExpansionPointLight

Detected enum declarations: 0

Detected function/method-like declarations: 1

L18: void ExpansionBlinkLight()

Full file content

```
000001 | /**
000002 |  * ExpansionBlinkLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionBlinkingLight
000014 |  * @brief
000015 |  **/
000016 | class ExpansionBlinkLight: ExpansionPointLight
000017 | {
000018 |     void ExpansionBlinkLight()
000019 |     {
000020 |         SetBlinkingSpeed(3.0);
000021 |     }
000022 | };
000023 |
```

0304. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionLighthouseLampLight.c

Size bytes: 1417

SHA-256: 3e8ebd067287adc1be7059d49c642786a34567fa3ab78c840cd783b2516f2f62

Decoded as: utf-8-sig

Line count shown: 63

Detected class declarations: 3

L13: class ExpansionLighthouseLampLight_Base: SpotLightBase

L44: class ExpansionLighthouseLampLight_Inner: ExpansionLighthouseLampLight_Base

L54: class ExpansionLighthouseLampLight_Outer: ExpansionLighthouseLampLight_Base

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: void ExpansionLighthouseLampLight_Base()

L31: void ~ExpansionLighthouseLampLight_Base()

L39: override void CheckIfParentIsInCargo()

L46: void ExpansionLighthouseLampLight_Inner()

L56: void ExpansionLighthouseLampLight_Outer()

Full file content

```
000001 | /**
000002 |  * ExpansionLighthouseLampLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLighthouseLampLight_Base: SpotLightBase
000014 | {
000015 |     void ExpansionLighthouseLampLight_Base()
000016 |     {
000017 | #ifdef EXPANSIONTRACE
000018 |         auto trace = EXTrace.Start(ExpansionTracing.LIGHTHOUSE, this);
000019 | #endif
000020 |
000021 |         SetVisibleDuringDaylight( false );
000022 |         SetCastShadow( false );
000023 |         SetDiffuseColor( 1, 1, 0.8 );
000024 |         SetAmbientColor( 1, 1, 0.8 );
000025 |         SetAmbientAlpha( 1 );
000026 |         SetEnabled( true );
000027 |         SetFlareVisible( true );
000028 |         FadeIn(0.3);
000029 |     }
000030 |
000031 |     void ~ExpansionLighthouseLampLight_Base()
000032 |     {
000033 | #ifdef EXPANSIONTRACE
000034 |         auto trace = EXTrace.Start(ExpansionTracing.LIGHTHOUSE, this);
000035 | #endif
000036 |
000037 |     }
000038 |
000039 |     override void CheckIfParentIsInCargo()
000040 |     {
```

```
000041 |     }
000042 | }
000043 |
000044 | class ExpansionLighthouseLampLight_Inner: ExpansionLighthouseLampLight_Base
000045 | {
000046 |     void ExpansionLighthouseLampLight_Inner()
000047 |     {
000048 |         SetRadiusTo(2);
000049 |         SetSpotLightAngle(100);
000050 |         SetBrightnessTo(20);
000051 |     }
000052 | };
000053 |
000054 | class ExpansionLighthouseLampLight_Outer: ExpansionLighthouseLampLight_Base
000055 | {
000056 |     void ExpansionLighthouseLampLight_Outer()
000057 |     {
000058 |         SetRadiusTo(500);
000059 |         SetSpotLightAngle(50);
000060 |         SetBrightnessTo(1.2);
000061 |     }
000062 | };
000063 |
```

0305. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionPointLight.c

Size bytes: 1563

SHA-256: ef226b528cf0e1522e9bda217bb09beb096981a53d9d0e23f6d63a79225ca6b0

Decoded as: utf-8-sig

Line count shown: 65

Detected class declarations: 1

L16: class ExpansionPointLight: PointLightBase

Detected enum declarations: 0

Detected function/method-like declarations: 4

L25: void ExpansionPointLight()

L45: void ~ExpansionPointLight()

L54: bool ExpansionGetEnabled()

L59: void ExpansionSetEnabled(bool enabled)

Full file content

```

000001 | /**
000002 |  * ExpansionPointLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionPointLight
000014 |  * @brief
000015 |  */
000016 | class ExpansionPointLight: PointLightBase
000017 | {
000018 |     float m_Val;
000019 |
000020 |     bool m_Enabled = true;
000021 |
000022 |     // -----
000023 |     // Constructor
000024 |     // -----
000025 |     void ExpansionPointLight()
000026 |     {
000027 | #ifdef EXPANSIONTRACE
000028 |         auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "ExpansionPointLight");
000029 | #endif
000030 |
000031 |         SetVisibleDuringDaylight(false);
000032 |         SetCastShadow(false);
000033 |         SetFlareVisible(true);
000034 |         SetRadiusTo( 10 );
000035 |         SetBrightnessTo(1);
000036 |         SetDiffuseColor(1,1,0.5);
000037 |
000038 |         EnableSpecular(false);
000039 |         EnableLinear(true);
000040 |     }
000041 |
000042 |     // -----
000043 |     // Destructor

```



```
000044 | // -----
000045 | void ~ExpansionPointLight()
000046 | {
000047 | #ifdef EXPANSIONTRACE
000048 |     auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "~ExpansionPointLight");
000049 | #endif
000050 |
000051 | }
000052 |
000053 | //! @note this exists because EntityLightSource::IsEnabled always return true...
000054 | bool ExpansionGetEnabled()
000055 | {
000056 |     return m_Enabled;
000057 | }
000058 |
000059 | void ExpansionSetEnabled( bool enabled )
000060 | {
000061 |     m_Enabled = enabled;
000062 |
000063 |     SetEnabled( enabled );
000064 | }
000065 | }
```

0306. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Lights\ExpansionStreetLight.c

Size bytes: 1457

SHA-256: 6ed799d8ae14bb4f194b8f95fe160d5601678b5dc63b965ea452256b01314aa0

Decoded as: utf-8-sig

Line count shown: 56

Detected class declarations: 1

L16: class ExpansionStreetLight: SpotLightBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L21: void ExpansionStreetLight()

L47: void ~ExpansionStreetLight()

L55: override void CheckIfParentIsInCargo() {};

Full file content

```

000001 | /**
000002 |  * ExpansionStreetLight.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      ExpansionStreetLight
000014 |  * @brief
000015 |  */
000016 | class ExpansionStreetLight: SpotLightBase
000017 | {
000018 |     // -----
000019 |     // Constructor
000020 |     // -----
000021 |     void ExpansionStreetLight()
000022 |     {
000023 | #ifdef EXPANSIONTRACE
000024 |         auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "ExpansionStreetLight");
000025 | #endif
000026 |
000027 |         SetVisibleDuringDaylight( false );
000028 |
000029 |         SetSpotLightAngle(120);
000030 |         SetCastShadow( true );
000031 |         SetFlareVisible( true );
000032 |         SetFadeOutTime(0.15);
000033 |
000034 |         SetRadiusTo( 15 );
000035 |         SetBrightnessTo( 2.5 );
000036 |         SetFadeOutTime( 0.15 );
000037 |         SetAmbientColor( 1.0, 0.85, 0.75 );
000038 |         SetDiffuseColor( 1, 1, 0.5 );
000039 |
000040 |         EnableSpecular( true );
000041 |         EnableLinear(true);
000042 |     }
000043 |
000044 |     // -----

```

```
000045 | // Destructor
000046 | // -----
000047 | void ~ExpansionStreetLight()
000048 | {
000049 | #ifdef EXPANSIONTRACE
000050 |     auto trace = CF_Trace_0(ExpansionTracing.LIGHTS, this, "~ExpansionStreetLight");
000051 | #endif
000052 |
000053 | }
000054 |
000055 | override void CheckIfParentIsInCargo() {};
000056 | }
```

0307. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionItemSpawnHelper.c
Size bytes: 26147
SHA-256: 095c97a6a4ebc121cdb89d8048233a8c3d34cd447fb4d4ef896a1012126fd6a2
Decoded as: utf-8-sig
Line count shown: 766
Detected class declarations: 1
  L13: class ExpansionItemSpawnHelper
Detected enum declarations: 0
Detected function/method-like declarations: 29
  L20: static Object SpawnOnParent(string className, PlayerBase player, inout EntityAI parent, out int remainingAmount, int quantityPercent = -1, T
  L64: else if (remainingAmount == -1)
  L68: else if (item.IsAmmoPile())
  L79: else if (!maxAmmo)
  L90: else if (item.IsMagazine())
  L102: else if (!item.IsInherited(Edible_Base) && item.Expansion_IsStackable())
  L112: else if (!max)
  L151: static EntityAI SpawnInInventorySecure(string className, notnull PlayerBase player, inout EntityAI parent, int skinIndex = -1, bool forceChe
  L221: static void TemporaryStorageNotification(notnull PlayerIdentity identity)
  L230: static void SpawnAttachments(TStringArray attachments, EntityAI parent, int skinIndex = -1)
  L239: static void SpawnAttachments(TStringArray attachments, PlayerBase player, EntityAI parent, int quantityPercent = -1, int skinIndex = -1, boo
  L254: static EntityAI SpawnInInventory(string name, EntityAI parent, int skinIndex = -1, bool attachOnly = false, bool forceCheckCanReceiveItem =
  L264: else if (attachOnly)
  L281: static EntityAI CreateInInventoryEx(EntityAI parent, string type, bool forceCheckCanReceiveItem = false)
  L308: else if (g_Game.ConfigIsExisting(CFG_WEAPONSPATH + " " + type))
  L310: else if (g_Game.ConfigIsExisting(CFG_VEHICLESPATH + " " + type))
  L360: static EntityAI CreateAndMoveToInventory(EntityAI parent, string type)
  L391: else if (obj)
  L401: static EntityAI SpawnAttachment(string name, EntityAI parent, int skinIndex = -1)
  L403: return SpawnInInventory(name, parent, skinIndex, true);
  L406: static bool IsSpawnPositionFree(vector position, vector orientation, string className, out Object blockingObject = NULL)
  L465: static Object GetObjectBlockingPosition(vector position, vector orientation, vector size, array<Object> excluded_objects = null)
  L493: static Object SpawnVehicle( string className, PlayerBase player, inout EntityAI parent, vector position, vector orientation, out int remaini
  L547: else if (Class.CastTo(hypeTrain, obj))
  L581: protected static void ISHDebugPrint(string text)
  L585: static string DumpLocationToString(InventoryLocation loc)
  L593: static EntityAI Clone(EntityAI src, bool recursively = true, InventoryLocation location = null, bool keepUnlootable = false)
  L645: InventoryLocation cLocation();
  L646: InventoryLocation dLocation();
```

Full file content

```
000001 | /**
000002 |  * ExpansionItemSpawnHelper.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | class ExpansionItemSpawnHelper
000014 | {
000015 |     static ref map<string, vector> s_VehicleSizes = new map<string, vector>;
000016 |
000017 |     // -----
000018 |     // Expansion Object SpawnOnParent
```

```
000019 | // -----
000020 | static Object SpawnOnParent(string className, PlayerBase player, inout EntityAI parent, out int remainingAmount, int quantityPercent = -1, TStringArray attach
ments = NULL, int skinIndex = -1, bool magFillAmmo = true, inout bool attachmentNotAttached = false)
000021 | {
000022 | #ifdef EXPANSIONTRACE
000023 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "ExpansionItemSpawnHelper", "SpawnOnParent");
000024 | #endif
000025 |
000026 |     if (quantityPercent < 0)
000027 |         quantityPercent = 100;
000028 |
000029 |     ///! Try to spawn in inventory first
000030 |     Object obj = SpawnInInventorySecure(className, player, parent, skinIndex, true);
000031 |
000032 |     ItemBase item;
000033 |     if (!Class.CastTo(item, obj))
000034 |     {
000035 |         ///! NULL or not an item
000036 |
000037 |         remainingAmount--;
000038 |
000039 |         if (obj)
000040 |         {
000041 |             ///! Not an item, but was spawned in inventory. Get rid of it.
000042 |             ///! TODO: This is just here for historical reasons, do we really need it?
000043 |
000044 |             g_Game.ObjectDelete(obj);
000045 |
000046 |             return NULL;
000047 |         }
000048 |
000049 |         ///! Spawn on ground
000050 |         obj = g_Game.CreateObject(className, parent.GetPosition(), false, g_Game.IsKindOf(className, "DZ_LightAI"));
000051 |         if (!Class.CastTo(item, obj))
000052 |         {
000053 |             if (obj)
000054 |             {
000055 |                 return obj;
000056 |             }
000057 |
000058 |             return NULL;
000059 |         }
000060 |
000061 |         if (skinIndex > -1 && item.ExpansionHasSkin(skinIndex))
000062 |             item.ExpansionSetSkin(skinIndex);
000063 |     }
000064 |     else if (remainingAmount == -1)
000065 |     {
000066 |         ///! Ignore remaining amount
000067 |     }
000068 |     else if (item.IsAmmoPile())
000069 |     {
000070 |         ///! Ammo/Bullets
000071 |         Ammunition_Base ammo = Ammunition_Base.Cast(item);
000072 |         int maxAmmo = ammo.GetAmmoMax();
000073 |
000074 |         if (remainingAmount < maxAmmo)
000075 |         {
000076 |             ammo.ServerSetAmmoCount(remainingAmount);
000077 |             remainingAmount = 0;
000078 |         }
000079 |         else if (!maxAmmo)
```

```
000080 |         {
000081 |             Error("Error: " + className + " max ammo count is zero! Faulty config.cpp");
000082 |             remainingAmount = 0;
000083 |         }
000084 |     else
000085 |     {
000086 |         ammo.ServerSetAmmoCount(maxAmmo);
000087 |         remainingAmount -= maxAmmo;
000088 |     }
000089 | }
000090 | else if (item.IsMagazine())
000091 | {
000092 |     //! Magazines
000093 |     Magazine mag = Magazine.Cast(item);
000094 |
000095 |     remainingAmount--;
000096 |
000097 |     if (mag.FillAmmo)
000098 |         mag.ServerSetAmmoCount(Math.Round(mag.GetAmmoMax() * quantityPercent / 100));
000099 |     else
000100 |         mag.ServerSetAmmoCount(0);
000101 | }
000102 | else if (!item.IsInherited(Edible_Base) && item.Expansion_IsStackable())
000103 | {
000104 |     //! Stackable items
000105 |     int max = item.GetQuantityMax();
000106 |
000107 |     if (remainingAmount < max)
000108 |     {
000109 |         item.SetQuantity(remainingAmount);
000110 |         remainingAmount = 0;
000111 |     }
000112 |     else if (!max)
000113 |     {
000114 |         Error("Error: " + className + " max quantity/stack is zero! Faulty config.cpp");
000115 |         remainingAmount = 0;
000116 |     }
000117 |     else
000118 |     {
000119 |         item.SetQuantity(max);
000120 |         remainingAmount -= max;
000121 |     }
000122 | }
000123 | else
000124 | {
000125 |     //! Everything else
000126 |
000127 |     remainingAmount--;
000128 |
000129 |     if (item.HasQuantity())
000130 |     {
000131 |         float itemQuantity = item.GetQuantityMax() * quantityPercent / 100;
000132 |         if (item.Expansion_IsStackable())
000133 |             itemQuantity = Math.Round(itemQuantity);
000134 |         item.SetQuantity(itemQuantity);
000135 |
000136 |         if (item.GetCompEM())
000137 |             item.GetCompEM().SetEnergy0To1(quantityPercent / 100);
000138 |     }
000139 | }
000140 |
000141 | if (item.CanBeDisinfected())
```

```
000142 |         item.SetCleanness(1);
000143 |
000144 |         if (attachments)
000145 |             SpawnAttachments( attachments, player, item, quantityPercent, skinIndex, magFillAmmo, attachmentNotAttached );
000146 |
000147 |         return obj;
000148 |     }
000149 |
000150 |     ///! Spawn in parent inventory, use player-owned temporary storage container if inventory full
000151 |     static EntityAI SpawnInInventorySecure(string className, notnull PlayerBase player, inout EntityAI parent, int skinIndex = -1, bool forceCheckCanReceiveItem =
false)
000152 |     {
000153 |     #ifdef EXPANSIONTRACE
000154 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "ExpansionItemSpawnHelper", "SpawnInInventorySecure");
000155 |     #endif
000156 |
000157 |         bool canSpawnInInventory = ExpansionStatic.IsInventoryItem(className);
000158 |
000159 |         if (!canSpawnInInventory)
000160 |         {
000161 |             Error("Not an inventory item: " + className);
000162 |             return NULL;
000163 |         }
000164 |
000165 |         EntityAI entity;
000166 |         ExpansionTemporaryOwnedContainer newStorage;
000167 |         ExpansionTemporaryOwnedContainer existingPlayerStorage = player.Expansion_GetTemporaryOwnedContainer();
000168 |         ExpansionTemporaryOwnedContainer playerStorage = existingPlayerStorage;
000169 |         ExpansionTemporaryOwnedContainer storage;
000170 |
000171 |         /**
000172 |          * To spawn in inventory, we try in order:
000173 |          *
000174 |          * 1. In parent inventory
000175 |          * 2. In player's existing temporary container, if any
000176 |          * 3. In new temporary container
000177 |          */
000178 |         while (true)
000179 |         {
000180 |             if (Class.CastTo(storage, parent))
000181 |                 storage.ExpansionSetCanReceiveItems(true);
000182 |
000183 |             entity = SpawnInInventory(className, parent, skinIndex, false, forceCheckCanReceiveItem);
000184 |
000185 |             if (storage)
000186 |                 storage.ExpansionSetCanReceiveItems(false);
000187 |
000188 |             ///! If entity couldn't be spawned but we have a new temporary container, sth definitely is wrong and we need to abort
000189 |             if (entity || newStorage)
000190 |                 break;
000191 |
000192 |             ///! If it's an inventory item and couldn't be spawned in parent inventory (likely because it's full),
000193 |             ///! use existing player temporary container or create new temporary storage container and set as parent
000194 |             if (playerStorage)
000195 |             {
000196 |                 parent = playerStorage;
000197 |                 playerStorage = null; ///! null it so next iteration of the while loop we create a new one
000198 |             }
000199 |             else
000200 |             {
000201 |                 if (!Class.CastTo(newStorage, g_Game.CreateObjectEx("ExpansionTemporaryOwnedContainer", player.GetPosition(), ECE_PLACE_ON_SURFACE)))
000202 |                 {
```

```
000203 |         Error("Failed to create temporary storage container!");
000204 |
000205 |         return NULL;
000206 |     }
000207 |
000208 |     player.Expansion_SetTemporaryOwnedContainer(newStorage);
000209 |
000210 |     parent = newStorage;
000211 |     playerStorage = newStorage;
000212 | }
000213 |
000214 |
000215 | if (storage && !existingPlayerStorage)
000216 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(TemporaryStorageNotification, player.GetIdentity());
000217 |
000218 |     return entity;
000219 | }
000220 |
000221 | static void TemporaryStorageNotification(notnull PlayerIdentity identity)
000222 | {
000223 |     ExpansionNotification("STR_EXPANSION_TEMPORARY_STORAGE", "STR_EXPANSION_TEMPORARY_STORAGE_INFO", EXPANSION_NOTIFICATION_ICON_INFO, COLOR_EXPANSION_NOTIFIC
000224 | ATION_SUCCESS, 6, ExpansionNotificationType.TOAST).Create(identity);
000225 | }
000226 | // -----
000227 | // Expansion SpawnAttachments
000228 | // -----
000229 | //! Use this form when spawning locally (e.g. only client-side)
000230 | static void SpawnAttachments(TStringArray attachments, EntityAI parent, int skinIndex = -1)
000231 | {
000232 |     foreach (string attachmentName: attachments)
000233 |     {
000234 |         SpawnInInventory(attachmentName, parent, skinIndex);
000235 |     }
000236 | }
000237 |
000238 | //! Use this form when spawning normally (makes sure items get spawned when they don't fit in inventory)
000239 | static void SpawnAttachments(TStringArray attachments, PlayerBase player, EntityAI parent, int quantityPercent = -1, int skinIndex = -1, bool magFillAmmo = tr
000240 | ue, inout bool attachmentNotAttached = false)
000241 | {
000242 |     int remainingAmount = -1;
000243 |     foreach (string attachmentName: attachments)
000244 |     {
000245 |         EntityAI attachmentParent = parent;
000246 |         SpawnOnParent(attachmentName, player, attachmentParent, remainingAmount, quantityPercent, NULL, skinIndex, magFillAmmo);
000247 |         if (attachmentParent != parent)
000248 |             attachmentNotAttached = true;
000249 |     }
000250 | }
000251 | // -----
000252 | // Expansion EntityAI SpawnInInventory
000253 | // -----
000254 | static EntityAI SpawnInInventory(string name, EntityAI parent, int skinIndex = -1, bool attachOnly = false, bool forceCheckCanReceiveItem = false)
000255 | {
000256 |     EntityAI entity;
000257 |
000258 |     if (parent.GetInventory())
000259 |     {
000260 |         ItemBase parentItem = ItemBase.Cast(parent);
000261 |
000262 |         if (parentItem)
```



```
000263 |         entity = parentItem.ExpansionCreateInInventory(name, attachOnly);
000264 |     else if (attachOnly)
000265 |         entity = parent.GetInventory().CreateAttachment(name);
000266 |     else
000267 |         entity = CreateInInventoryEx(parent, name, forceCheckCanReceiveItem);
000268 |
000269 |     if (entity)
000270 |     {
000271 |         ItemBase item = ItemBase.Cast(entity);
000272 |
000273 |         if (item && skinIndex > -1 && item.ExpansionHasSkin(skinIndex))
000274 |             item.ExpansionSetSkin(skinIndex);
000275 |     }
000276 | }
000277 |
000278 |     return entity;
000279 | }
000280 |
000281 | static EntityAI CreateInInventoryEx(EntityAI parent, string type, bool forceCheckCanReceiveItem = false)
000282 | {
000283 |     EntityAI newEntity;
000284 |
000285 |     ///! First, we try to spawn item in parent inventory directly.
000286 |     ///! This can fail if parent is player even if player has clothing that still has enough space, so, ...
000287 |     if (forceCheckCanReceiveItem)
000288 |         newEntity = CreateAndMoveToInventory(parent, type);
000289 |     else
000290 |         newEntity = parent.GetInventory().CreateInInventory(type);
000291 |
000292 |     if (!newEntity)
000293 |     {
000294 |         ///! ...second, we check if the item would fit in cargo by creating it locally
000295 |         ///! (unlike CreateInInventory/FindFirstFreeLocationForNewEntity, this deals with rotating the item if it doesn't fit otherwise)
000296 |         ///! @note since this uses CreateAndMoveToInventory, we only need to do this if forceCheckCanReceiveItem is false,
000297 |         ///! else it will already have been done above
000298 |         if (!forceCheckCanReceiveItem)
000299 |         {
000300 |             CargoBase cargo = parent.GetInventory().GetCargo();
000301 |             if (cargo)
000302 |             {
000303 |                 TIntArray itemSize = {};
000304 |
000305 |                 string path;
000306 |                 if (g_Game.ConfigIsExisting(CFG_MAGAZINESPATH + " " + type))
000307 |                     path = CFG_MAGAZINESPATH;
000308 |                 else if (g_Game.ConfigIsExisting(CFG_WEAPONSPATH + " " + type))
000309 |                     path = CFG_WEAPONSPATH;
000310 |                 else if (g_Game.ConfigIsExisting(CFG_VEHICLESPATH + " " + type))
000311 |                     path = CFG_VEHICLESPATH;
000312 |                 else
000313 |                     return null;
000314 |
000315 |                 g_Game.ConfigGetIntArray(path + " " + type + " itemSize", itemSize);
000316 |
000317 |                 int cargoMax = Math.Max(cargo.GetWidth(), cargo.GetHeight());
000318 |                 int cargoMin = Math.Min(cargo.GetWidth(), cargo.GetHeight());
000319 |                 int itemMax = Math.Max(itemSize[0], itemSize[1]);
000320 |                 int itemMin = Math.Min(itemSize[0], itemSize[1]);
000321 |
000322 |                 ///! We don't even attempt to create the item if it wouldn't fit anyway due to size
000323 |                 if (cargoMax >= itemMax && cargoMin >= itemMin)
000324 |                 {
```

```

000325 |         newEntity = CreateAndMoveToInventory(parent, type);
000326 |         if (newEntity)
000327 |             return newEntity;
000328 |     }
000329 | }
000330 | }
000331 |
000332 |     ///! ...third, if all else failed, we look through all attachments manually to see if item can be created.
000333 |     ///! We deliberately ignore items in cargo even if they could receive items because having to dig through
000334 |     ///! inventories of items in clothing to find (e.g.) sth you have just purchased at a trader is annoying for players.
000335 |     for (int i = 0; i < parent.GetInventory().AttachmentCount(); i++)
000336 |     {
000337 |         EntityAI att = parent.GetInventory().GetAttachmentFromIndex(i);
000338 |         newEntity = CreateInInventoryEx(att, type, forceCheckCanReceiveItem);
000339 |         if (newEntity)
000340 |         {
000341 |             #ifdef DIAG_DEVELOPER
000342 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::CreateInInventoryEx - created " + newEntity + " on " + parent);
000343 |             #endif
000344 |             break;
000345 |         }
000346 |     }
000347 | }
000348 |
000349 |     return newEntity;
000350 | }
000351 |
000352 |     ///! Unlike GameInventory::CreateInInventory, this deals with rotating the item if it doesn't fit otherwise
000353 |     ///! and checks if parent can actually receive the created item
000354 |     ///! @note Implementation notes:
000355 |     ///! Moving the created temporary entity to the found inventory location (using TakeToDst) WILL NOT WORK because it's buggy as hell when
000356 |     ///! called several times in the same server tick with different entities, because FindFreeLocationFor will find the same location and the
000357 |     ///! entities created after the 1st one will just fail to be moved silently (TakeToDst will still return true).
000358 |     ///! Instead, we just discard the temporary entity, and create a fresh one directly at the found location. This works even if called
000359 |     ///! multiple times in the same server tick (e.g. in market).
000360 |     static EntityAI CreateAndMoveToInventory(EntityAI parent, string type)
000361 |     {
000362 |         EntityAI tmpEntity;
000363 |         EntityAI newEntity;
000364 |
000365 |         Object obj = g_Game.CreateObjectEx(type, "0 0 0", ECE_LOCAL);
000366 |         if (Class.CastTo(tmpEntity, obj))
000367 |         {
000368 |             auto src = new InventoryLocation();
000369 |             auto dst = new InventoryLocation();
000370 |
000371 |             if (tmpEntity.GetInventory().GetCurrentInventoryLocation(src) && parent.GetInventory().FindFreeLocationFor(tmpEntity, FindInventoryLocationType.ATTACH
MENT | FindInventoryLocationType.CARGO | FindInventoryLocationType.HANDS, dst))
000372 |             {
000373 |                 ///! @note for ATTACHMENT and CARGO, dst.GetParent() will be whatever item on parent (or parent itself) can receive the tmp entity
000374 |                 ///! Only for HANDS will parent and dst.GetParent() always be the same (i.e. the player)
000375 |                 switch (dst.GetType())
000376 |                 {
000377 |                     case InventoryLocationType.ATTACHMENT:
000378 |                         newEntity = GameInventory.LocationCreateEntity(dst, type, ECE_IN_INVENTORY, RF_DEFAULT);
000379 |                         break;
000380 |
000381 |                     case InventoryLocationType.CARGO:
000382 |                         newEntity = dst.GetParent().GetInventory().CreateEntityInCargoEx(type, dst.GetIdx(), dst.GetRow(), dst.GetCol(), dst.GetFlip()); ///! Only
way to get flip correct
000383 |                         break;
000384 |

```

```
000385 |         case InventoryLocationType.HANDS:
000386 |             newEntity = GameInventory.LocationCreateEntity(dst, type, ECE_IN_INVENTORY, RF_DEFAULT);
000387 |             break;
000388 |         }
000389 |     }
000390 | }
000391 | else if (obj)
000392 | {
000393 |     Error(obj.ToString() + " is not EntityAI");
000394 | }
000395 |
000396 | g_Game.ObjectDelete(obj);
000397 |
000398 | return newEntity;
000399 | }
000400 |
000401 | static EntityAI SpawnAttachment(string name, EntityAI parent, int skinIndex = -1)
000402 | {
000403 |     return SpawnInInventory(name, parent, skinIndex, true);
000404 | }
000405 |
000406 | static bool IsSpawnPositionFree(vector position, vector orientation, string className, out Object blockingObject = NULL)
000407 | {
000408 | #ifdef EXPANSIONTRACE
000409 |     auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, ExpansionItemSpawnHelper);
000410 | #endif
000411 |
000412 |     //className.ToLower();
000413 |
000414 |     vector size;
000415 |     if (!s_VehicleSizes.Find(className, size))
000416 |     {
000417 |         vector minMax[2];
000418 |         if (ExpansionStatic.GetCollisionBox(className, minMax))
000419 |         {
000420 |             size = Vector(minMax[1][0] - minMax[0][0], minMax[1][1] - minMax[0][1], minMax[1][2] - minMax[0][2]);
000421 |
000422 |             #ifdef DIAG_DEVELOPER
000423 |             Object debugBox;
000424 |
000425 |             //! Bottom left
000426 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Blue", position, ECE_NOLIFETIME);
000427 |             debugBox.SetOrientation(orientation);
000428 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(-size[0] / 2, 0, -size[2] / 2)));
000429 |
000430 |             //! Bottom right
000431 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Orange", position, ECE_NOLIFETIME);
000432 |             debugBox.SetOrientation(orientation);
000433 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(size[0] / 2, 0, -size[2] / 2)));
000434 |
000435 |             //! Top right
000436 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Red", position, ECE_NOLIFETIME);
000437 |             debugBox.SetOrientation(orientation);
000438 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(size[0] / 2, size[1], size[2] / 2)));
000439 |
000440 |             //! Top left
000441 |             debugBox = g_Game.CreateObjectEx("ExpansionDebugBox_Purple", position, ECE_NOLIFETIME);
000442 |             debugBox.SetOrientation(orientation);
000443 |             debugBox.SetPosition(debugBox.ModelToWorld(Vector(-size[0] / 2, size[1], size[2] / 2)));
000444 |             #endif
000445 |         }
000446 |     }
    else
```

```
000447 |         {
000448 |             //! Fallback just in case
000449 |             size = "5 5 10";
000450 |         }
000451 |         s_VehicleSizes.Insert(className, size);
000452 |     }
000453 |
000454 |     //! Reduce check dimensions by 5% so we don't get blocked by objects the vehicle may stand on
000455 |     vector checkDimensions = Vector(size[0] * 0.95, size[1] * 0.95, size[2] * 0.95);
000456 |     vector checkPosition = Vector(position[0], position[1] + size[1] * 0.05, position[2]);
000457 |
000458 |     blockingObject = GetObjectBlockingPosition(checkPosition, orientation, checkDimensions);
000459 |
000460 |     CF_Log.Debug("IsVehicleSpawnPositionFree " + className + " size " + size + " pos " + position + " ori " + orientation + " blocking " + blockingObject);
000461 |
000462 |     return blockingObject == NULL;
000463 | }
000464 |
000465 | static Object GetObjectBlockingPosition(vector position, vector orientation, vector size, array<Object> excluded_objects = null)
000466 | {
000467 | #ifdef EXPANSIONTRACE
000468 |     auto trace = EXTrace.Start(ExpansionTracing.GENERAL_ITEMS, ExpansionItemSpawnHelper);
000469 | #endif
000470 |
000471 |     array<Object> objects = new array<Object>;
000472 |
000473 |     if (!g_Game.IsBoxColliding( position + Vector(0, size[1] / 2, 0), orientation, size, excluded_objects, objects))
000474 |         return NULL;
000475 |
000476 |     foreach (Object obj: objects)
000477 |     {
000478 |         bool match = false;
000479 |         //! https://feedback.bistudio.com/T173348
000480 |         if (obj.IsInherited(Man) || (obj.IsInherited(ItemBase) && obj.ConfigGetString("physLayer") == "item_large") || ExpansionVehicle.Get(obj))
000481 |             match = true;
000482 |
000483 |         if (match)
000484 |             return obj;
000485 |     }
000486 |
000487 |     return NULL;
000488 | }
000489 |
000490 | // -----
000491 | // Expansion Object SpawnVehicle
000492 | // -----
000493 | static Object SpawnVehicle( string className, PlayerBase player, inout EntityAI parent, vector position, vector orientation, out int remainingAmount, TStringA
rray attachments = NULL, int skinIndex = -1, string carKeyName = "", inout bool attachmentNotAttached = false )
000494 | {
000495 | #ifdef EXPANSIONTRACE
000496 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, "ExpansionItemSpawnHelper", "SpawnVehicle");
000497 | #endif
000498 |
000499 |     int flags = ECE_CREATEPHYSICS|ECE_UPDATEPATHGRAPH;
000500 |
000501 |     bool placeOnSurface;
000502 |     //! https://feedback.bistudio.com/T173348
000503 |     if (!g_Game.IsKindOf(className, "ExpansionBoatScript") && !g_Game.IsKindOf(className, "ExpansionVehicleBoatBase"))
000504 |         placeOnSurface = true;
000505 |     if (placeOnSurface)
000506 |         flags |= ECE_TRACE;
000507 | }
```

```
000508 |         Object obj = g_Game.CreateObjectEx(className, position, flags);
000509 |
000510 |         remainingAmount--;
000511 |
000512 |         ExpansionVehicle vehicle;
000513 |         ItemBase keyb;
000514 |         #ifdef EXPANSIONMODVEHICLE
000515 |         ExpansionCarKey expkey;
000516 |         #endif
000517 |         #ifdef HypeTrain
000518 |         HypeTrain_PartBase hypeTrain;
000519 |         #endif
000520 |         if (ExpansionVehicle.Get(vehicle, obj))
000521 |         {
000522 |             vehicle.FillFluids();
000523 |
000524 |             if (skinIndex > -1)
000525 |                 vehicle.SetSkin(skinIndex);
000526 |
000527 |             if (carKeyName != "")
000528 |             {
000529 |                 Class.CastTo(keyb, SpawnInInventorySecure(carKeyName, player, parent));
000530 |
000531 |                 #ifdef EXPANSIONMODVEHICLE
000532 |                 if (Class.CastTo(expkey, keyb) && vehicle.CanBeLocked())
000533 |                 {
000534 |                     vehicle.PairKey(expkey);
000535 |                     vehicle.Lock(expkey);
000536 |                 }
000537 |                 #endif
000538 |             }
000539 |
000540 |             #ifdef EXPANSIONMODVEHICLE
000541 |             float dist = vehicle.GetModelZeroPointDistanceFromGround();
000542 |             if (placeOnSurface && position[1] + dist > vehicle.GetPosition()[1])
000543 |                 vehicle.GetEntity().SetPosition(position + Vector(0, dist, 0));
000544 |             #endif
000545 |         }
000546 |         #ifdef HypeTrain
000547 |         else if (Class.CastTo(hypeTrain, obj))
000548 |         {
000549 |             if (hypeTrain.GetLiquidQuantityMax())
000550 |                 hypeTrain.SetLiquidQuantity(hypeTrain.GetLiquidQuantityMax());
000551 |         }
000552 |         #endif
000553 |         else
000554 |         {
000555 |             if (obj)
000556 |             {
000557 |                 g_Game.ObjectDelete(obj);
000558 |             }
000559 |
000560 |             return NULL;
000561 |         }
000562 |
000563 |         #ifdef EXPANSIONMODVEHICLE
000564 |         //! Prevent boat getting flung in the air or stuck on ground due to random physics interaction
000565 |         if (obj.IsInherited(ExpansionBoatScript))
000566 |         {
000567 |             SetVelocity( obj, Vector( 0, 0, 0 ) );
000568 |             dBodySetAngularVelocity( obj, Vector( 0, 0, 0 ) );
000569 |             dBodyActive( obj, ActiveState.INACTIVE ); //! Boat physics will get reactivated by its DeferredInit
```

```

000570 |     }
000571 |     #endif
000572 |
000573 |     obj.SetOrientation(orientation);
000574 |
000575 |     if (attachments)
000576 |         SpawnAttachments(attachments, player, EntityAI.Cast(obj), skinIndex, false, attachmentNotAttached);
000577 |
000578 |     return obj;
000579 | }
000580 |
000581 | protected static void ISHDebugPrint(string text)
000582 | {
000583 | }
000584 |
000585 | static string DumpLocationToString(InventoryLocation loc)
000586 | {
000587 |     EXError.WarnOnce(null, "DEPRECATED, use ExpansionStatic::DumpToString");
000588 |
000589 |     return ExpansionStatic.DumpToString(loc);
000590 | }
000591 |
000592 | //! https://pastebin.com/FFuaPFiT, except without bugs :P
000593 | static EntityAI Clone(EntityAI src, bool recursively = true, InventoryLocation location = null, bool keepUnlootable = false)
000594 | {
000595 |     int i;
000596 |
000597 |     //! 1\) create entity at location
000598 |     EntityAI dst;
000599 |     switch (location.GetType())
000600 |     {
000601 |         case InventoryLocationType.GROUND:
000602 |             int flags = ECE_OBJECT_SWAP;
000603 |             if (src.IsKindOf("DZ_LightAI"))
000604 |                 flags |= ECE_INITAI;
000605 |             //! XXX: LocationCreateEntity with ECE\_PLACE\_ON\_SURFACE broke somewhere around 1.20 \(object rotation isn't applied\)
000606 |             //dst = GameInventory.LocationCreateEntity\(location, src.GetType\(\), flags, RF\_DEFAULT\);
000607 |             dst = EntityAI.Cast(g_Game.CreateObjectEx(src.GetType(), location.GetPos(), flags));
000608 |             if (dst && !src.GetHierarchyParent())
000609 |                 dst.SetOrientation(src.GetOrientation());
000610 |             break;
000611 |         case InventoryLocationType.ATTACHMENT:
000612 |             dst = GameInventory.LocationCreateEntity(location, src.GetType(), ECE_IN_INVENTORY, RF_DEFAULT);
000613 |             int slotId = location.GetSlot();
000614 |             if (location.GetParent() && src.GetHierarchyParent())
000615 |                 location.GetParent().GetInventory().SetSlotLock(slotId, src.GetHierarchyParent().GetInventory().GetSlotLock(slotId));
000616 |             break;
000617 |         case InventoryLocationType.HANDS:
000618 |             dst = GameInventory.LocationCreateEntity(location, src.GetType(), ECE_IN_INVENTORY, RF_DEFAULT);
000619 |             break;
000620 |         case InventoryLocationType.CARGO:
000621 |             case InventoryLocationType.PROXYCARGO:
000622 |                 dst = location.GetParent().GetInventory().CreateEntityInCargoEx(src.GetType(), location.GetIdx(), location.GetRow(), location.GetCol(), location.G
000623 | etFlip()); //! Only way to get flip correct
000624 |                 break;
000625 |             default:
000626 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::Clone - unknown location type " + location.GetType());
000627 |                 return null;
000628 |     }
000629 |     if (!dst)
000630 |     {

```

```
000631 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::Clone - failed to create " + src.GetType() + " at location " + ExpansionStatic.DumpT
oString(location));
000632 |             return null;
000633 |         }
000634 |
000635 |         location.SetItem(dst);
000636 |
000637 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionItemSpawnHelper, "::Clone - created " + Object.GetDebugName(dst) + " at location " + ExpansionStatic.DumpToS
tring(location));
000638 |
000639 |         ///! @note order of operations matters! DO NOT CHANGE!
000640 |
000641 |         ///! 2) attachments + cargo
000642 |         if (recursively)
000643 |         {
000644 |             EntityAI cSrc;
000645 |             InventoryLocation cLocation();
000646 |             InventoryLocation dLocation();
000647 |             for (i = 0; i < src.GetInventory().AttachmentCount(); i++)
000648 |             {
000649 |                 cSrc = src.GetInventory().GetAttachmentFromIndex(i);
000650 |                 cSrc.GetInventory().GetCurrentInventoryLocation(cLocation);
000651 |                 dLocation.SetAttachment(dst, null, cLocation.GetSlot());
000652 |                 Clone(cSrc, recursively, dLocation);
000653 |             }
000654 |
000655 |             if (src.GetInventory().GetCargo())
000656 |             {
000657 |                 for (i = 0; i < src.GetInventory().GetCargo().GetItemCount(); i++)
000658 |                 {
000659 |                     cSrc = src.GetInventory().GetCargo().GetItem(i);
000660 |                     cSrc.GetInventory().GetCurrentInventoryLocation(cLocation);
000661 |                     dLocation.SetCargo(dst, null, cLocation.GetIdx(), cLocation.GetRow(), cLocation.GetCol(), cLocation.GetFlip());
000662 |                     Clone(cSrc, recursively, dLocation);
000663 |                 }
000664 |             }
000665 |
000666 |             if (src.IsMan())
000667 |             {
000668 |                 Man player = Man.Cast(src);
000669 |                 EntityAI entityInHands = player.GetHumanInventory().GetEntityInHands();
000670 |                 if (entityInHands)
000671 |                 {
000672 |                     dLocation.SetHands(dst, null);
000673 |                     Clone(entityInHands, recursively, dLocation);
000674 |                 }
000675 |             }
000676 |         }
000677 |
000678 |         ///! 3) special treatment for weapons
000679 |         Weapon_Base srcWeapon;
000680 |         Weapon_Base dstWeapon;
000681 |         if (Class.CastTo(srcWeapon, src) && Class.CastTo(dstWeapon, dst))
000682 |         {
000683 |             float ammoDamage;
000684 |             string ammoTypeName;
000685 |
000686 |             for (int mi = 0; mi < srcWeapon.GetMuzzleCount(); ++mi)
000687 |             {
000688 |                 if (!srcWeapon.IsChamberEmpty(mi))
000689 |                 {
000690 |                     if (srcWeapon.GetCartridgeInfo(mi, ammoDamage, ammoTypeName))
```

```
000691 |         {
000692 |             dstWeapon.PushCartridgeToChamber(mi, ammoDamage, ammoTypeName);
000693 |         }
000694 |     }
000695 |
000696 |     for (int ci = 0; ci < srcWeapon.GetInternalMagazineCartridgeCount(mi); ++ci)
000697 |     {
000698 |         if (srcWeapon.GetInternalMagazineCartridgeInfo(mi, ci, ammoDamage, ammoTypeName))
000699 |         {
000700 |             dstWeapon.PushCartridgeToInternalMagazine(mi, ammoDamage, ammoTypeName);
000701 |         }
000702 |     }
000703 | }
000704 | }
000705 |
000706 | ///! 4) storesave/storeload
000707 | ScriptReadWriteContext ctx = new ScriptReadWriteContext();
000708 | src.OnStoreSave(ctx.GetWriteContext());
000709 | dst.OnStoreLoad(ctx.GetReadContext(), g_Game.SaveVersion());
000710 |
000711 | if (dstWeapon)
000712 |     dstWeapon.Expansion_ResetMuzzleModes();
000713 |
000714 | ///! 4b) Volatile variables
000715 | ItemBase srcItem;
000716 | ItemBase dstItem;
000717 | if (Class.CastTo(srcItem, src) && Class.CastTo(dstItem, dst))
000718 | {
000719 |     if (!srcItem.Expansion_IsLootable() && keepUnlootable)
000720 |         dstItem.Expansion_SetLootable(false);
000721 |     dstItem.m_Expansion_PreviousOwner = srcItem.m_Expansion_CurrentOwner;
000722 | }
000723 |
000724 | ///! 5) special treatment for mags
000725 | Magazine srcMag;
000726 | Magazine dstMag;
000727 | if (Class.CastTo(srcMag, src) && Class.CastTo(dstMag, dst))
000728 | {
000729 |     float damage; ///! @note damage is the damage of the cartridge itself (0..1), NOT the damage it inflicts!
000730 |     string cartTypeName;
000731 |     dstMag.ServerSetAmmoCount(0);
000732 |     for (i = 0; i < srcMag.GetAmmoCount(); i++)
000733 |     {
000734 |         srcMag.GetCartridgeAtIndex(i, damage, cartTypeName);
000735 |         dstMag.ServerStoreCartridge(damage, cartTypeName);
000736 |     }
000737 | }
000738 |
000739 | ///! 6) Special treatment for vehicles (no special treatment needed for ExpansionVehicleBase since it inherits from ItemBase)
000740 | ExpansionVehicle srcVehicle;
000741 | ExpansionVehicle dstVehicle;
000742 | if (ExpansionVehicle.Get(srcVehicle, src) && ExpansionVehicle.Get(dstVehicle, dst))
000743 | {
000744 |     srcVehicle.CloneFluidsTo(dstVehicle);
000745 | }
000746 |
000747 | ///! 7) global health and damage zones
000748 | TStringArray dmgZones = {};
000749 | src.GetDamageZones(dmgZones);
000750 | dst.SetHealth(src.GetHealth());
000751 | foreach (string dmgZone: dmgZones)
000752 | {
```



```
000753 |         dst.SetHealth(dmgZone, "Health", src.GetHealth(dmgZone, "Health"));
000754 |     }
000755 |
000756 |     //! FINAL
000757 |     dst.AfterStoreLoad();
000758 |     dst.SetSynchDirty();
000759 |     if (dstWeapon)
000760 |         dstWeapon.Synchronize();
000761 |     g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(dst.EE0nAfterLoad);  //! Make sure EE0nAfterLoad gets called AFTER whole hierarchy has loaded
000762 |
000763 |     return dst;
000764 | }
000765 | }
000766 |
```

0308. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\ExpansionTransferInventory.c
Size bytes: 4483
SHA-256: 333420fa48aacd016057e7c0d74c30518257341d7bdb237b7199808a39d61eb6
Decoded as: utf-8-sig
Line count shown: 161
Detected class declarations: 0
Detected enum declarations: 0
Detected function/method-like declarations: 2
  L13: static TransferInventoryResult ExpansionTransferInventory(EntityAI sourceItem, EntityAI targetItem, bool dropUsingPhysics = false)
  L87: static void Expansion_PhysicsDropAttachments(EntityAI parent)
```

Full file content

```
000001 | /**
000002 |  * ExpansionTransferInventory.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | static TransferInventoryResult ExpansionTransferInventory(EntityAI sourceItem, EntityAI targetItem, bool dropUsingPhysics = false)
000014 | {
000015 |     TransferInventoryResult result = TransferInventoryResult.Ok;
000016 |
000017 |     array<EntityAI> children = new array<EntityAI>;
000018 |     children.Reserve(sourceItem.GetInventory().CountInventory());
000019 |
000020 |     sourceItem.GetInventory().EnumerateInventory(InventoryTraversalType.LEVELORDER, children);
000021 |
000022 |     for (int i = 0; i < children.Count(); i++)
000023 |     {
000024 |         auto child = children[i];
000025 |         if (!child)
000026 |             continue;
000027 |
000028 |         InventoryLocation child_src = new InventoryLocation;
000029 |         child.GetInventory().GetCurrentInventoryLocation(child_src);
000030 |
000031 |         InventoryLocation child_dst = new InventoryLocation;
000032 |         if (child_src.GetType() != InventoryLocationType.HANDS)
000033 |         {
000034 |             child_dst.Copy(child_src);
000035 |             child_dst.SetParent(targetItem);
000036 |         }
000037 |
000038 |         float health;
000039 |
000040 |         if (g_Game.IsServer())
000041 |         {
000042 |             health = child.GetHealth();
000043 |             child.SetHealth(child.GetMaxHealth()); //! Set item to max health, so we can move ruined items
000044 |         }
000045 |
000046 |         if (child_src.GetType() != InventoryLocationType.HANDS && GameInventory.LocationCanAddEntity(child_dst))
```

```
000047 |     {
000048 |         if (g_Game.IsMultiplayer())
000049 |             sourceItem.GetInventory().TakeToDst(InventoryMode.SERVER, child_src, child_dst);
000050 |         else
000051 |             sourceItem.GetInventory().TakeToDst(InventoryMode.LOCAL, child_src, child_dst);
000052 |     }
000053 |     else
000054 |     {
000055 |         if (dropUsingPhysics)
000056 |         {
000057 |             vector mat[4];
000058 |             child.GetTransform(mat);
000059 |             child_dst.SetGround(child, mat);
000060 |
000061 |             if (g_Game.IsMultiplayer())
000062 |                 sourceItem.GetInventory().TakeToDst(InventoryMode.SERVER, child_src, child_dst);
000063 |             else
000064 |                 sourceItem.GetInventory().TakeToDst(InventoryMode.LOCAL, child_src, child_dst);
000065 |
000066 |             child.CreateDynamicPhysics(PhxInteractionLayers.DYNAMICITEM);
000067 |             child.EnableDynamicCCD(true);
000068 |             child.SetDynamicPhysicsLifeTime(20);
000069 |         }
000070 |         else
000071 |         {
000072 |             if (g_Game.IsMultiplayer())
000073 |                 sourceItem.GetInventory().DropEntity(InventoryMode.SERVER, sourceItem, child);
000074 |             else
000075 |                 sourceItem.GetInventory().DropEntity(InventoryMode.LOCAL, sourceItem, child);
000076 |         }
000077 |
000078 |         result = TransferInventoryResult.DroppedSome;
000079 |     }
000080 |
000081 |     if (g_Game.IsServer())
000082 |         child.SetHealth(health);
000083 | }
000084 | return result;
000085 | }
000086 |
000087 | static void Expansion_PhysicsDropAttachments(EntityAI parent)
000088 | {
000089 |     if (!g_Game.IsServer())
000090 |         return;
000091 |
000092 |     InventoryMode invMode = InventoryMode.SERVER;
000093 |     if (!g_Game.IsMultiplayer())
000094 |         invMode = InventoryMode.LOCAL;
000095 |
000096 |     bool exploded;
000097 |     bool hasFakeWheels;
000098 |     #ifdef EXPANSIONMODVEHICLE
000099 |         ExpansionVehicle vehicle;
000100 |         if (ExpansionVehicle.Get(vehicle, parent))
000101 |         {
000102 |             if (vehicle.IsExploded())
000103 |                 exploded = true;
000104 |
000105 |             if (!vehicle.IsCar() && !vehicle.IsDuck())
000106 |                 hasFakeWheels = true;
000107 |         }
000108 |     #endif
```

```
000109 |  
000110 |    /// Popping attachments off changes attachment count, so do this in reverse order  
000111 |    for (int i = parent.GetInventory().AttachmentCount() - 1; i >= 0; i--)  
000112 |    {  
000113 |        EntityAI entity = parent.GetInventory().GetAttachmentFromIndex(i);  
000114 |  
000115 |        if (entity.Type() == HatchbackWheel && hasFakeWheels)  
000116 |            continue;  
000117 |  
000118 |        vector transform[4];  
000119 |        entity.GetTransform(transform);  
000120 |  
000121 |        ItemBase ib;  
000122 |        Class.CastTo(ib, entity);  
000123 |  
000124 |        vector velocity = dBodyGetVelocityAt(parent, transform[3]);  
000125 |        float mass = dBodyGetMass(entity);  
000126 |        if (!mass && ib)  
000127 |            mass = ib.GetWeight() / 1000;  
000128 |        vector force = velocity * mass;  
000129 |  
000130 |    #ifdef EXPANSIONMODVEHICLE  
000131 |        /// If parent is exploded vehicle, make parts fly off violently  
000132 |        if (exploded)  
000133 |        {  
000134 |            if (!force.Length())  
000135 |                force = entity.GetDirection(); /// If vehicle is standing still, use direction vector instead of velocity  
000136 |            force = force.Normalized() * 500;  
000137 |        }  
000138 |    #endif  
000139 |  
000140 |        if (ib)  
000141 |        {  
000142 |            InventoryLocation src = new InventoryLocation;  
000143 |            ib.GetInventory().GetCurrentInventoryLocation(src);  
000144 |            InventoryLocation dst = new InventoryLocation;  
000145 |            dst.SetGround(ib, transform);  
000146 |  
000147 |            if (ib.GetInventory().TakeToDst(invMode, src, dst))  
000148 |            {  
000149 |                ib.ThrowPhysically(null, force);  
000150 |            }  
000151 |        }  
000152 |    else  
000153 |    {  
000154 |        if (entity.GetInventory().DropEntity(invMode, entity.GetHierarchyRoot(), entity))  
000155 |        {  
000156 |            dBodyApplyImpulse(entity, force);  
000157 |        }  
000158 |    }  
000159 | }  
000160 | }  
000161 |
```

0309. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\Static\MiscGameplayFunctions.c
 Size bytes: 9515
 SHA-256: 6ca457bc22dc6c7ccb1c7c463cc0d003d545fb6f42e4491f7e7ce2efb22066a6
 Decoded as: utf-8-sig
 Line count shown: 342
 Detected class declarations: 1
 L13: modded class MiscGameplayFunctions
 Detected enum declarations: 0
 Detected function/method-like declarations: 9
 L18: static bool Expansion_IsLooseEntity(EntityAI item, bool checkIfRuined = false)
 L72: static bool Expansion_ItemCheck(EntityAI item, TStringArray excludedClassNames = null)
 L124: static array<EntityAI> Expansion_GetItems(EntityAI item)
 L154: static bool Expansion_HasAnyCargo(EntityAI item)
 L185: static int Expansion_CountCargo(EntityAI entity)
 L215: static array<EntityAI> Expansion_GetCargoItems(EntityAI entity, bool includeAttachments = false)
 L245: static bool Expansion_MoveCargo(EntityAI src, EntityAI dst, InventoryMode mode = InventoryMode.SERVER)
 L304: static int Expansion_TransferCartridges(Magazine src, Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
 L329: static array<EntityAI> Expansion_GetAttachments(EntityAI entity)

Full file content

```
000001 | /**
000002 |  * MiscGameplayFunctions.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class MiscGameplayFunctions
000014 | {
000015 |     ///! @brief generic function to check if entity is "loose", i.e. has no cargo, can be released/removed if attached,
000016 |     ///! has no crew if it's a vehicle, and is not a master key.
000017 |     ///! @note if checkIfRuined is set to true, will return false if entity is ruined.
000018 |     static bool Expansion_IsLooseEntity(EntityAI item, bool checkIfRuined = false)
000019 |     {
000020 |         if (checkIfRuined && item.IsRuined())
000021 |             return false;
000022 |
000023 |         #ifdef EXPANSIONMODVEHICLE
000024 |             ///! If this is a master key of a vehicle, don't allow to be included
000025 |             ExpansionCarKey key;
000026 |             if (Class.CastTo(key, item) && key.IsMaster())
000027 |                 return false;
000028 |         #endif
000029 |
000030 |         #ifdef EXPANSIONMODQUESTS
000031 |             ItemBase itemBase;
000032 |             if (Class.CastTo(itemBase, item))
000033 |             {
000034 |                 if (itemBase.Expansion_IsQuestItem())
000035 |                     return false;
000036 |             }
000037 |         #endif
000038 |     }
```

```
000039 |         if (item.GetInventory())
000040 |         {
000041 |             //! Check if the item has a container and any items in it
000042 |             if (Expansion_HasAnyCargo(item))
000043 |                 return false;
000044 |
000045 |             //! Check if item is attachment that can be released
000046 |             if (item.GetInventory().IsAttachment())
000047 |             {
000048 |                 if (item.IsMagazine())
000049 |                     return false;
000050 |                 EntityAI parent = item.GetHierarchyParent();
000051 |                 if (!item.CanDetachAttachment(parent))
000052 |                     return false;
000053 |                 if (!parent.CanReleaseAttachment(item))
000054 |                     return false;
000055 |                 if (!parent.GetInventory().CanRemoveAttachment(item))
000056 |                     return false;
000057 |                 return true;
000058 |             }
000059 |         }
000060 |
000061 |         ExpansionVehicle vehicle = ExpansionVehicle.Get(item);
000062 |         if (vehicle)
000063 |         {
000064 |             if (vehicle.GetCrew().Count() > 0)
000065 |                 return false;
000066 |         }
000067 |
000068 |         return true;
000069 |     }
000070 |
000071 |     //! Used by p2p market and personal storage, couldn't think of a better name/place for it
000072 |     static bool Expansion_ItemCheck(EntityAI item, TStringArray excludedClassNames = null)
000073 |     {
000074 |     #ifdef EXTRACE_DIAG
000075 |         auto trace = EXTrace.StartStack(EXTrace.GENERAL_ITEMS, MiscGameplayFunctions);
000076 |     #endif
000077 |
000078 |         if (item.IsRuined())
000079 |             return false;
000080 |
000081 |         if (!item.CanPutInCargo(null))
000082 |             return false;
000083 |
000084 |         if (excludedClassNames && ExpansionStatic.IsAnyOf(item, excludedClassNames))
000085 |             return false;
000086 |
000087 |         //! Don't add rotten food items
000088 |         Edible_Base foodItem;
000089 |         if (Class.CastTo(foodItem, item) && foodItem.HasFoodStage())
000090 |         {
000091 |             FoodStage foodStage = foodItem.GetFoodStage();
000092 |             FoodStageType foodStageType = foodStage.GetFoodStageType();
000093 |             if (foodStageType == FoodStageType.ROTTEN || foodStageType == FoodStageType.BURNED)
000094 |                 return false;
000095 |         }
000096 |
000097 |         ExplosivesBase explosive;
000098 |         if (Class.CastTo(explosive, item) && explosive.Expansion_IsLive())
000099 |             return false;
000100 |     }
```

```
000101 |     #ifdef WRDG_DOGTAGS
000102 |     //! Don't add players own dogtag
000103 |     if (item.IsInherited(Dogtag_Base))
000104 |     {
000105 |         if (!Expansion_IsLooseEntity(item, true))
000106 |             return false;
000107 |     }
000108 |     #endif
000109 |
000110 |     #ifdef EXPANSIONMODQUESTS
000111 |     //! Don't add quest items
000112 |     ItemBase itemIB;
000113 |     if (Class.CastTo(itemIB, item))
000114 |     {
000115 |         if (itemIB.Expansion_IsQuestItem() || itemIB.Expansion_IsQuestGiver())
000116 |             return false;
000117 |     }
000118 |     #endif
000119 |
000120 |     return true;
000121 | }
000122 |
000123 | //! @brief returns the direct children (attachments/cargo)
000124 | static array<EntityAI> Expansion_GetItems(EntityAI item)
000125 | {
000126 |     array<EntityAI> items = {};
000127 |     GameInventory inventory = item.GetInventory();
000128 |
000129 |     if (inventory)
000130 |     {
000131 |         int i;
000132 |
000133 |         for (i = 0; i < inventory.AttachmentCount(); ++i)
000134 |         {
000135 |             items.Insert(inventory.GetAttachmentFromIndex(i));
000136 |         }
000137 |
000138 |         CargoBase cargo = inventory.GetCargo();
000139 |         if (cargo)
000140 |         {
000141 |             for (i = 0; i < cargo.GetItemCount(); ++i)
000142 |             {
000143 |                 items.Insert(cargo.GetItem(i));
000144 |             }
000145 |         }
000146 |     }
000147 |
000148 |     return items;
000149 | }
000150 |
000151 | //! @brief check if entity or any attachment has cargo, use this instead of entity.HasAnyCargo()
000152 | //! because the latter will return false on client if inventory has not been initialized yet
000153 | //! @note uninitialized inventory currently only dealt with if entity is a vehicle
000154 | static bool Expansion_HasAnyCargo(EntityAI item)
000155 | {
000156 |     if (item.HasAnyCargo())
000157 |         return true;
000158 |
000159 |     if (!item.GetHierarchyParent())
000160 |     {
000161 |         auto vehicle = ExpansionVehicle.Get(item);
000162 |         if (vehicle)
```

```
000163 |         {
000164 |             if (vehicle.GetCargoCount() > 0)
000165 |                 return true;
000166 |         }
000167 |     }
000168 |
000169 |     //! Check if any of the item's attachments has any cargo
000170 |     for (int i = 0; i < item.GetInventory().AttachmentCount(); i++)
000171 |     {
000172 |         EntityAI attachment = item.GetInventory().GetAttachmentFromIndex(i);
000173 |         if (attachment && attachment.HasAnyCargo())
000174 |             return true;
000175 |     }
000176 |
000177 |     return false;
000178 | }
000179 |
000180 | /**
000181 |  * @brief count items in cargo of entity and in cargo of attachments
000182 |  *
000183 |  * @note does NOT include count of items in cargo of items that are themselves in cargo
000184 |  */
000185 | static int Expansion_CountCargo(EntityAI entity)
000186 | {
000187 |     int cargoCount;
000188 |
000189 |     ExpansionVehicle vehicle;
000190 |     if (!entity.GetHierarchyParent() && ExpansionVehicle.Get(vehicle, entity))
000191 |     {
000192 |         cargoCount = vehicle.GetCargoCount();
000193 |     }
000194 |     else
000195 |     {
000196 |         CargoBase cargo = entity.GetInventory().GetCargo();
000197 |         if (cargo)
000198 |             cargoCount = cargo.GetItemCount();
000199 |     }
000200 |
000201 |     for (int i = 0; i < entity.GetInventory().AttachmentCount(); i++)
000202 |     {
000203 |         EntityAI attachment = entity.GetInventory().GetAttachmentFromIndex(i);
000204 |         cargoCount += Expansion_CountCargo(attachment);
000205 |     }
000206 |
000207 |     return cargoCount;
000208 | }
000209 |
000210 | /**
000211 |  * @brief recursively get items in cargo of entity, in cargo of items in cargo, and in cargo of attachments
000212 |  *
000213 |  * @param includeAttachments if true, includes attachments themselves as well, not just their cargo
000214 |  */
000215 | static array<EntityAI> Expansion_GetCargoItems(EntityAI entity, bool includeAttachments = false)
000216 | {
000217 |     array<EntityAI> cargoItems = {};
000218 |
000219 |     int i;
000220 |
000221 |     CargoBase cargo = entity.GetInventory().GetCargo();
000222 |
000223 |     if (cargo)
000224 |     {
```



```
000225 |         int cargoCount = cargo.GetItemCount();
000226 |         for (i = 0; i < cargoCount; i++)
000227 |         {
000228 |             EntityAI cargoItem = cargo.GetItem(i);
000229 |             cargoItems.Insert(cargoItem);
000230 |             cargoItems.InsertAll(Expansion_GetCargoItems(cargoItem));
000231 |         }
000232 |     }
000233 |
000234 |     for (i = 0; i < entity.GetInventory().AttachmentCount(); i++)
000235 |     {
000236 |         EntityAI attachment = entity.GetInventory().GetAttachmentFromIndex(i);
000237 |         if (includeAttachments)
000238 |             cargoItems.Insert(attachment);
000239 |         cargoItems.InsertAll(Expansion_GetCargoItems(attachment));
000240 |     }
000241 |
000242 |     return cargoItems;
000243 | }
000244 |
000245 | static bool Expansion_MoveCargo(EntityAI src, EntityAI dst, InventoryMode mode = InventoryMode.SERVER)
000246 | {
000247 | #ifdef EXTRACE_DIAG
000248 |     auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, MiscGameplayFunctions);
000249 | #endif
000250 |
000251 |     if (!src.GetInventory() || !dst.GetInventory())
000252 |         return false;
000253 |
000254 |     CargoBase cargo = src.GetInventory().GetCargo();
000255 |     if (!cargo)
000256 |         return false;
000257 |
000258 |     int cargoCount = cargo.GetItemCount();
000259 |     if (!cargoCount)
000260 |         return false;
000261 |
000262 |     CargoBase dstCargo = dst.GetInventory().GetCargo();
000263 |     if (!dstCargo)
000264 |         return false;
000265 |
000266 | #ifdef DIAG_DEVELOPER
000267 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Moving " + cargoCount + " cargo items to " + dst);
000268 | #endif
000269 |
000270 |     auto srcLoc = new InventoryLocation;
000271 |     auto dstLoc = new InventoryLocation;
000272 |
000273 |     int moved;
000274 |     for (int i = cargoCount - 1; i >= 0; i--)
000275 |     {
000276 |         EntityAI item = cargo.GetItem(i);
000277 |         item.GetInventory().GetCurrentInventoryLocation(srcLoc);
000278 |         dstLoc.SetCargo(dst, item, srcLoc.GetIdx(), srcLoc.GetRow(), srcLoc.GetCol(), srcLoc.GetFlip());
000279 |         if (!dstLoc.IsValid() || !item.GetInventory().TakeToDst(mode, srcLoc, dstLoc))
000280 |             break;
000281 |         moved++;
000282 | #ifdef DIAG_DEVELOPER
000283 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Moved " + item + " to " + dst);
000284 | #endif
000285 |     }
000286 | }
```

```
000287 |         #ifdef DIAG_DEVELOPER
000288 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, null, "Moved " + moved + "/" + cargoCount + " cargo items to " + dst);
000289 |         #endif
000290 |
000291 |         return true;
000292 |     }
000293 |
000294 | /**
000295 |  * @brief Transfer <amount> catridges from this mag to destination mag
000296 |  *
000297 |  * @param dst mag to transfer cartridges to
000298 |  * @param amount Number of cartridges to transfer
000299 |  * @param resetDstAmmoCount Reset destination ammo count to zero before transfer
000300 |  * @param totalDamage Will be set to total cartridge damage of all successfully transferred cartridges
000301 |  *
000302 |  * @return Number of successfully transferred cartridges
000303 |  */
000304 | static int Expansion_TransferCartridges(Magazine src, Magazine dst, int amount, bool resetDstAmmoCount = true, out float totalDamage = 0.0)
000305 | {
000306 |     if (resetDstAmmoCount)
000307 |         dst.ServerSetAmmoCount(0);
000308 |
000309 |     amount = Math.Min(amount, Math.Min(src.GetAmmoCount(), dst.GetAmmoMax() - dst.GetAmmoCount()));
000310 |
000311 |     int numberOfTransferredCartridges;
000312 |     for (int i = 0; i < amount; ++i)
000313 |     {
000314 |         float damage;
000315 |         string cartrige_name;
000316 |         if (src.ServerAcquireCartridge(damage, cartrige_name) && dst.ServerStoreCartridge(damage, cartrige_name))
000317 |         {
000318 |             numberOfTransferredCartridges++;
000319 |             totalDamage += damage;
000320 |         }
000321 |     }
000322 |
000323 |     dst.SetSynchDirty();
000324 |     src.SetSynchDirty();
000325 |
000326 |     return numberOfTransferredCartridges;
000327 | }
000328 |
000329 | static array<EntityAI> Expansion_GetAttachments(EntityAI entity)
000330 | {
000331 |     array<EntityAI> attachments = {};
000332 |     for (int i = 0; i < entity.GetInventory().AttachmentCount(); ++i)
000333 |     {
000334 |         EntityAI attachment = entity.GetInventory().GetAttachmentFromIndex(i);
000335 |         if (attachment)
000336 |             attachments.Insert(attachment);
000337 |     }
000338 |
000339 |     return attachments;
000340 | }
000341 | }
000342 |
```

0310. PBO TEXT FILE

```

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\ExpansionInventoryTools.c
Size bytes: 13241
SHA-256: f97b7b8ae1ecf33cc9de688990dc29b2a9860707ca7482a155e837165cc3eb60
Decoded as: utf-8-sig
Line count shown: 514
Detected class declarations: 1
  L1: class ExpansionInventoryTools
Detected enum declarations: 0
Detected function/method-like declarations: 16
  L9: private void ExpansionInventoryTools()
  L15: static ExpansionInventoryTools GetInstance()
  L20: static bool IsTidyInProgress(EntityAI entity)
  L34: static bool Tidy(notnull EntityAI owner, bool recursive = false, bool sync = true)
  L64: static bool Tidy(notnull GameInventory inventory, bool recursive = false, bool sync = true)
  L94: static bool Tidy(notnull CargoBase cargo, bool recursive = false, bool sync = true)
  L134: return Tidy(cargo.GetCargoOwner(), items, recursive, sync);
  L145: static bool Tidy(EntityAI parent, array<ItemBase> items, bool recursive = false, bool sync = true)
  L224: else if (!GameInventory.LocationAddEntity(srcLoc))
  L269: static void CombineStacks(TStringArray types, map<string, ref array<ItemBase>> stacks, array<ItemBase> items)
  L287: static void CombineStacks(array<ItemBase> stacks, array<ItemBase> items)
  L316: else if (other.Expansion_GetStackAmount() == other.Expansion_GetStackMin())
  L339: protected static void SyncLocations(EntityAI parent, TIntArray srcIndexes, array<ref InventoryLocation> locs)
  L366: protected void RPC_SyncLocations(PlayerIdentity sender, Object target, ParamsReadContext ctx)
  L464: static void RequestTidy(EntityAI parent, bool recursive = false)
  L475: void RPC_Tidy(PlayerIdentity sender, Object target, ParamsReadContext ctx)

```

Full file content

```

000001 | class ExpansionInventoryTools
000002 | {
000003 |     protected static ref ExpansionInventoryTools s_Instance = new ExpansionInventoryTools();
000004 |
000005 |     protected static EntityAI s_TidyInProgress;
000006 |
000007 |     protected ref ExpansionRPCManager m_RPCManager = new ExpansionRPCManager(this);
000008 |
000009 |     private void ExpansionInventoryTools()
000010 |     {
000011 |         m_RPCManager.RegisterClient("RPC_SyncLocations");
000012 |         m_RPCManager.RegisterBoth("RPC_Tidy");
000013 |     }
000014 |
000015 |     static ExpansionInventoryTools GetInstance()
000016 |     {
000017 |         return s_Instance;
000018 |     }
000019 |
000020 |     static bool IsTidyInProgress(EntityAI entity)
000021 |     {
000022 |         return s_TidyInProgress == entity;
000023 |     }
000024 |
000025 | /**
000026 |  * @brief Tidy cargo to maximize free space and combine stacks
000027 |  *
000028 |  * @param owner
000029 |  * @param recursive
000030 |  * @param sync sync to client
000031 |  *

```

```
000032 |     * @return true if successful
000033 |     */
000034 | static bool Tidy(notnull EntityAI owner, bool recursive = false, bool sync = true)
000035 | {
000036 |     if (s_TidyInProgress == owner)
000037 |         return false;
000038 |
000039 |     GameInventory inventory = owner.GetInventory();
000040 |
000041 |     if (!inventory)
000042 |         return false;
000043 |
000044 |     if (!s_TidyInProgress)
000045 |         s_TidyInProgress = owner;
000046 |
000047 |     bool result = Tidy(inventory, recursive, sync);
000048 |
000049 |     if (s_TidyInProgress == owner)
000050 |         s_TidyInProgress = null;
000051 |
000052 |     return result;
000053 | }
000054 |
000055 | /**
000056 |  * @brief Tidy cargo to maximize free space and combine stacks
000057 |  *
000058 |  * @param inventory
000059 |  * @param recursive
000060 |  * @param sync sync to client
000061 |  *
000062 |  * @return true if successful
000063 |  */
000064 | static bool Tidy(notnull GameInventory inventory, bool recursive = false, bool sync = true)
000065 | {
000066 |     bool result;
000067 |
000068 |     CargoBase cargo = inventory.GetCargo();
000069 |
000070 |     if (cargo)
000071 |         result |= Tidy(cargo, recursive, sync);
000072 |
000073 |     if (recursive)
000074 |     {
000075 |         for (int i = 0; i < inventory.AttachmentCount(); ++i)
000076 |         {
000077 |             EntityAI attachment = inventory.GetAttachmentFromIndex(i);
000078 |             result |= Tidy(attachment, true, sync);
000079 |         }
000080 |     }
000081 |
000082 |     return result;
000083 | }
000084 |
000085 | /**
000086 |  * @brief Tidy cargo to maximize free space and combine stacks
000087 |  *
000088 |  * @param cargo
000089 |  * @param recursive
000090 |  * @param sync sync to client
000091 |  *
000092 |  * @return true if successful
000093 |  */
```

```

000094 | static bool Tidy(notnull CargoBase cargo, bool recursive = false, bool sync = true)
000095 | {
000096 | #ifdef EXTRACE
000097 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, string.Format("Tidy(%1, recursive = %2, sync = %3)", cargo, recursive.ToString
000098 | ), sync.ToString()));
000099 | #endif
000100 |
000101 |     TStringArray types = {};
000102 |     map<string, ref array<ItemBase>> stacks = new map<string, ref array<ItemBase>>;
000103 |     array<ItemBase> items = {};
000104 |     bool isServer = g_Game.IsServer();
000105 |
000106 |     for (int i = 0; i < cargo.GetItemCount(); ++i)
000107 |     {
000108 |         ItemBase item;
000109 |         if (Class.CastTo(item, cargo.GetItem(i)))
000110 |         {
000111 |             if (isServer && item.Expansion_GetStackAmount() < item.Expansion_GetStackMax())
000112 |             {
000113 |                 string type = item.GetType();
000114 |                 array<ItemBase> typeStacks;
000115 |
000116 |                 if (!stacks.Find(type, typeStacks))
000117 |                 {
000118 |                     types.Insert(type);
000119 |                     typeStacks = {};
000120 |                     stacks[type] = typeStacks;
000121 |                 }
000122 |                 typeStacks.Insert(item);
000123 |             }
000124 |             else
000125 |             {
000126 |                 items.Insert(item);
000127 |             }
000128 |         }
000129 |     }
000130 |
000131 |     if (isServer)
000132 |         CombineStacks(types, stacks, items);
000133 |
000134 |     return Tidy(cargo.GetCargoOwner(), items, recursive, sync);
000135 | }
000136 |
000137 | /**
000138 |  * @brief Tidy cargo to maximize free space
000139 |  *
000140 |  * @param parent
000141 |  * @param items
000142 |  * @param recursive
000143 |  * @param sync sync to client
000144 |  */
000145 | static bool Tidy(EntityAI parent, array<ItemBase> items, bool recursive = false, bool sync = true)
000146 | {
000147 | #ifdef EXTRACE
000148 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, string.Format("Tidy(%1, items(%2), recursive = %3, sync = %4)", parent, items.
000149 | Count(), recursive.ToString(), sync.ToString()));
000150 | #endif
000151 |
000152 |     bool result;
000153 |
000154 |     map<int, ref array<ref InventoryLocation>> largestDimensionToLocs = new map<int, ref array<ref InventoryLocation>>;

```

```
000154 |     TIntArray largestDimensions = {};
000155 |     int largestDimension;
000156 |     array<ref InventoryLocation> srcLocs;
000157 |
000158 |     foreach (ItemBase item: items)
000159 |     {
000160 |         InventoryLocation currentLoc = new InventoryLocation();
000161 |
000162 |         if (item.GetInventory().GetCurrentInventoryLocation(currentLoc))
000163 |         {
000164 |             if (GameInventory.LocationRemoveEntity(currentLoc))
000165 |             {
000166 |                 vector itemSize = item.ConfigGetVector("itemSize");
000167 |                 largestDimension = itemSize[0] * itemSize[1];
000168 |
000169 |                 if (!largestDimensionToLocs.Find(largestDimension, srcLocs))
000170 |                 {
000171 |                     srcLocs = {};
000172 |                     largestDimensionToLocs[largestDimension] = srcLocs;
000173 |                     largestDimensions.Insert(largestDimension);
000174 |                 }
000175 |
000176 |                 srcLocs.Insert(currentLoc);
000177 |             }
000178 |             else
000179 |             {
000180 |                 CF.FormatError("Couldn't remove %1", item.ToString());
000181 |             }
000182 |         }
000183 |         else
000184 |         {
000185 |             CF.FormatError("Couldn't get current inventory location %1", item.ToString());
000186 |         }
000187 |     }
000188 |
000189 |     largestDimensions.Sort();
000190 |
000191 |     GameInventory parentInventory = parent.GetInventory();
000192 |     TIntArray srcIndexes;
000193 |     array<ref InventoryLocation> locsToSync;
000194 |
000195 |     if (g_Game.IsDedicatedServer() && sync)
000196 |     {
000197 |         //srcIndexes = {};
000198 |         locsToSync = {};
000199 |     }
000200 |
000201 |     for (int i = largestDimensions.Count() - 1; i >= 0; --i)
000202 |     {
000203 |         largestDimension = largestDimensions[i];
000204 |         srcLocs = largestDimensionToLocs[largestDimension];
000205 |
000206 |         foreach (InventoryLocation srcLoc: srcLocs)
000207 |         {
000208 |             EntityAI entity = srcLoc.GetItem();
000209 |
000210 |             InventoryLocation newLoc = new InventoryLocation();
000211 |             bool foundFreeLoc = parentInventory.FindFreeLocationFor(entity, FindInventoryLocationType.CARGO, newLoc);
000212 |             bool moveEntity = foundFreeLoc && (!srcLoc.CompareLocationOnly(newLoc) || srcLoc.GetFlip() != newLoc.GetFlip());
000213 |
000214 |             if (moveEntity && GameInventory.LocationAddEntity(newLoc))
000215 |             {
```

```

000216 |         if (locsToSync)
000217 |         {
000218 |             //srcIndexes.Insert(srcLoc.GetIdx());
000219 |             locsToSync.Insert(newLoc);
000220 |         }
000221 |
000222 |         result |= true;
000223 |     }
000224 |     else if (!GameInventory.LocationAddEntity(srcLoc))
000225 |     {
000226 |         if (GameInventory.SetGroundPosByOwner(entity.GetHierarchyRoot(), entity, newLoc))
000227 |         {
000228 |             if (GameInventory.LocationAddEntity(newLoc))
000229 |             {
000230 |                 if (locsToSync)
000231 |                 {
000232 |                     //srcIndexes.Insert(srcLoc.GetIdx());
000233 |                     locsToSync.Insert(newLoc);
000234 |                 }
000235 |             }
000236 |             else
000237 |             {
000238 |                 CF.FormatError("Couldn't drop %1", entity.ToString());
000239 |             }
000240 |         }
000241 |         else
000242 |         {
000243 |             CF.FormatError("Couldn't set ground pos by owner for %1", entity.ToString());
000244 |         }
000245 |     }
000246 |
000247 |     if (recursive)
000248 |         result |= Tidy(entity, true, sync);
000249 | }
000250 |
000251 |
000252 | if (locsToSync && locsToSync.Count() > 0)
000253 |     SyncLocations(parent, srcIndexes, locsToSync);
000254 | //else if (result && sync && g_Game.IsClient())
000255 |     //RequestTidy(parent, recursive);
000256 |
000257 | //if (result && sync && g_Game.IsMultiplayer())
000258 |     //RequestTidy(parent, recursive);
000259 |
000260 | return result;
000261 | }
000262 |
000263 | /**
000264 | * @brief Combine stacks
000265 | *
000266 | * @param stacks lookup table of item type to stackable items
000267 | * @param items array to insert combined items into
000268 | */
000269 | static void CombineStacks(TStringArray types, map<string, ref array<ItemBase>> stacks, array<ItemBase> items)
000270 | {
000271 | #ifdef EXTRACE
000272 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "CombineStacks(stacks, items)");
000273 | #endif
000274 |
000275 |     foreach (string type: types)
000276 |     {
000277 |         CombineStacks(stacks[type], items);

```

```
000278 |     }
000279 | }
000280 |
000281 | /**
000282 |  * @brief Combine stacks
000283 |  *
000284 |  * @param stacks  stackable items
000285 |  * @param items  array to insert combined items into
000286 |  */
000287 | static void CombineStacks(array<ItemBase> stacks, array<ItemBase> items)
000288 | {
000289 | #ifdef EXTRACE
000290 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "CombineStacks(typeStacks, items)");
000291 |     int n;
000292 | #endif
000293 |
000294 |     for (int i = 0; i < stacks.Count(); ++i)
000295 |     {
000296 |         ItemBase item = stacks[i];
000297 |
000298 |         for (int j = i + 1; j < stacks.Count(); ++j)
000299 |         {
000300 |             ItemBase other = stacks[j];
000301 |
000302 |             other.Expansion_SuppressDelete(true);
000303 |             item.CombineItems(other);
000304 |             if (other)
000305 |                 other.Expansion_SuppressDelete(false);
000306 |
000307 |             #ifdef EXTRACE
000308 |                 ++n;
000309 |             #endif
000310 |
000311 |             //! Ammo stack deletion when count reaches zero is handled by the game engine, other stacks we handle ourselves
000312 |             if (!other || other.ToDelete())
000313 |             {
000314 |                 ++i;
000315 |             }
000316 |             else if (other.Expansion_GetStackAmount() == other.Expansion_GetStackMin())
000317 |             {
000318 |                 ++i;
000319 |
000320 |                 if (other.ConfigGetBool("varQuantityDestroyOnMin"))
000321 |                 {
000322 |                     //! Instantly remove item from location to free up space for tidy
000323 |                     g_Game.ObjectDelete(other);
000324 |                 }
000325 |             }
000326 |
000327 |             if (item.Expansion_GetStackAmount() == item.Expansion_GetStackMax())
000328 |                 break;
000329 |         }
000330 |
000331 |         items.Insert(item);
000332 |     }
000333 |
000334 | #ifdef EXTRACE
000335 |     EXTrace.Add(trace, n);
000336 | #endif
000337 | }
000338 |
000339 | protected static void SyncLocations(EntityAI parent, TIntArray srcIndexes, array<ref InventoryLocation> locs)
```



```
000340 | {
000341 | #ifdef EXTRACE
000342 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "SyncLocations");
000343 | #endif
000344 |
000345 |     auto rpc = s_Instance.m_RPCManager.CreateRPC("RPC_SyncLocations");
000346 |
000347 |     rpc.WriteUInt(locs.Count(), 16);
000348 |     foreach (int i, InventoryLocation loc: locs)
000349 |     {
000350 |         //PrintFormat("srcIndex %1 %2", srcIndexes[i], loc.GetItem());
000351 |         //rpc.WriteUInt(srcIndexes[i], 16);
000352 |         int low, high;
000353 |         loc.GetItem().GetNetworkID(low, high);
000354 |         rpc.Write(low, 32);
000355 |         rpc.Write(high, 32);
000356 |         //PrintFormat("dstIndex %1 %2", loc.GetIdx(), loc.GetItem());
000357 |         //rpc.WriteUInt(loc.GetIdx(), 16);
000358 |         rpc.WriteUInt(loc.GetRow(), 16);
000359 |         rpc.WriteUInt(loc.GetCol(), 4);
000360 |         rpc.WriteBool(loc.GetFlip());
000361 |     }
000362 |
000363 |     PlayerBase.Expansion_Send(rpc, parent, true);
000364 | }
000365 |
000366 | protected void RPC_SyncLocations(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000367 | {
000368 | #ifdef EXTRACE
000369 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "RPC_SyncLocations");
000370 | #endif
000371 |
000372 |     EntityAI parent;
000373 |     if (!Class.CastTo(parent, target))
000374 |         return;
000375 |
000376 |     GameInventory inventory = parent.GetInventory();
000377 |     if (!inventory)
000378 |         return;
000379 |
000380 |     CargoBase cargo = inventory.GetCargo();
000381 |     if (!cargo)
000382 |         return;
000383 |
000384 |     ExpansionBitStreamReader reader = m_RPCManager.GetReader(ctx);
000385 |
000386 |     int count;
000387 |     if (!reader.ReadUInt(count, 16) || count < 0)
000388 |         return;
000389 |
000390 |     array<ref InventoryLocation> newLocs = {};
000391 |
000392 |     while (count--)
000393 |     {
000394 |         //int srcIdx;
000395 |         //if (!reader.ReadUInt(srcIdx, 16))
000396 |             //return;
000397 |
000398 |         int low, high;
000399 |         if (!reader.Read(low, 32))
000400 |             return;
000401 |         if (!reader.Read(high, 32))
```

```
000402 |         return;
000403 |
000404 |         int idx;
000405 |         //if (!reader.ReadUInt(idx, 16))
000406 |             //return;
000407 |
000408 |         int row;
000409 |         if (!reader.ReadUInt(row, 16))
000410 |             return;
000411 |
000412 |         int col;
000413 |         if (!reader.ReadUInt(col, 4))
000414 |             return;
000415 |
000416 |         bool flip;
000417 |         if (!reader.ReadBool(flip))
000418 |             return;
000419 |
000420 |         //EntityAI item = cargo.GetItem(srcIdx);
000421 |         //if (!item)
000422 |             //continue;
000423 |
000424 |         //PrintFormat("srcIndex %1 %2", srcIdx, item);
000425 |
000426 |         EntityAI item;
000427 |         if (!Class.CastTo(item, g_Game.GetObjectByNetworkId(low, high)))
000428 |             continue;
000429 |
000430 |         InventoryLocation currentLoc = new InventoryLocation();
000431 |         if (!item.GetInventory().GetCurrentInventoryLocation(currentLoc))
000432 |         {
000433 |             CF.FormatError("Couldn't get current inventory location %1", item.ToString());
000434 |             continue;
000435 |         }
000436 |
000437 |         if (!GameInventory.LocationRemoveEntity(currentLoc))
000438 |         {
000439 |             CF.FormatError("Couldn't remove %1", item.ToString());
000440 |             continue;
000441 |         }
000442 |
000443 |         InventoryLocation newLoc = new InventoryLocation();
000444 |         newLoc.SetCargo(parent, item, idx, row, col, flip);
000445 |         newLocs.Insert(newLoc);
000446 |     }
000447 |
000448 |     foreach (InventoryLocation loc: newLocs)
000449 |     {
000450 |         if (!GameInventory.LocationAddEntity(loc))
000451 |         {
000452 |             CF.FormatError("Couldn't move %1", loc.GetItem().ToString());
000453 |             continue;
000454 |         }
000455 |         #ifdef DIAG_DEVELOPER
000456 |             else
000457 |             {
000458 |                 EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "Moved " + loc.GetItem());
000459 |             }
000460 |         #endif
000461 |     }
000462 | }
000463 |
```

```
000464 | static void RequestTidy(EntityAI parent, bool recursive = false)
000465 | {
000466 | #ifdef EXTRACE
000467 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "RequestTidy", "" + parent);
000468 | #endif
000469 |
000470 |     auto rpc = s_Instance.m_RPCManager.CreateRPC("RPC_Tidy");
000471 |     rpc.Write(recursive);
000472 |     rpc.Expansion_Send(parent, true);
000473 | }
000474 |
000475 | void RPC_Tidy(PlayerIdentity sender, Object target, ParamsReadContext ctx)
000476 | {
000477 | #ifdef EXTRACE
000478 |     auto trace = EXTrace.Start0(EXTrace.GENERAL_ITEMS, ExpansionInventoryTools, "RPC_Tidy", "" + target);
000479 | #endif
000480 |
000481 |     EntityAI parent;
000482 |     if (!Class.CastTo(parent, target))
000483 |         return;
000484 |
000485 |     if (g_Game.IsDedicatedServer())
000486 |     {
000487 |         Man senderPlayer = sender.GetPlayer();
000488 |         Man rootPlayer = parent.GetHierarchyRootPlayer();
000489 |
000490 |         if (senderPlayer != rootPlayer)
000491 |         {
000492 |             //! Do not allow tidying other player's inventory unless restrained or uncon
000493 |             DayZPlayerImplement rootPlayerImpl;
000494 |             if (Class.CastTo(rootPlayerImpl, rootPlayer))
000495 |             {
000496 |                 if (!rootPlayerImpl.IsRestrained() && !rootPlayerImpl.IsUnconscious() && !rootPlayerImpl.Expansion_IsAI())
000497 |                     return;
000498 |             }
000499 |
000500 |             //! Do not allow tidying inventory if not in vicinity
000501 |             float maxDistSq = UAMaxDistances.DEFAULT * UAMaxDistances.DEFAULT;
000502 |             if (vector.DistanceSq(senderPlayer.GetPosition(), parent.GetPosition()) > maxDistSq)
000503 |                 return;
000504 |         }
000505 |     }
000506 |
000507 |     bool recursive;
000508 |     if (!ctx.Read(recursive))
000509 |         return;
000510 |
000511 |     Tidy(parent, recursive, g_Game.IsDedicatedServer());
000512 | }
000513 | }
000514 |
```

0311. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Loot\ExpansionLootSpawner.c
Size bytes: 8235
SHA-256: 9315a215b3cb9dccc40c87974f2886a7a1fb68aa42b0f45dd2d5a5bf2903fa3c
Decoded as: utf-8-sig
Line count shown: 274
Detected class declarations: 1
  L13: class ExpansionLootSpawner
Detected enum declarations: 0
Detected function/method-like declarations: 8
  L15: static void AddItem(EntityAI container, ExpansionLoot loot, array<EntityAI> spawnedEntities = null, map<string, int> spawnedEntitiesMap = nu
  L68: static void Spawn( string className, EntityAI parent, int quantityPercent, array<ref ExpansionLootVariant> attachments = null, array<EntityA
  L101: else if (quantityPercent == -2)
  L131: else if ( item.HasQuantity() )
  L188: static void SpawnLoot(EntityAI container, array < ref ExpansionLoot > loot, int itemCount, array<EntityAI> spawnedEntities = null, map<strin
  L243: static bool IsPlayerNearby(EntityAI container, float radius)
  L245: return IsPlayerNearby(container.GetPosition(), radius);
  L248: static bool IsPlayerNearby(vector pos, float radius)
```

Full file content

```
000001 | /**
000002 |  * ExpansionLootSpawner.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionLootSpawner
000014 | {
000015 |     static void AddItem(EntityAI container, ExpansionLoot loot, array<EntityAI> spawnedEntities = null, map<string, int> spawnedEntitiesMap = null, bool spawnOnGr
ound = false, float damagePercentMin = 0, float damagePercentMax = 0)
000016 |     {
000017 |         string className = loot.Name;
000018 |
000019 |         array<ref ExpansionLootVariant> attachments = loot.Attachments;
000020 |
000021 |         if ( loot.Variants && loot.Variants.Count() > 0 )
000022 |         {
000023 |             array< float > chances = new array< float >;
000024 |
000025 |             int count = loot.Variants.Count();
000026 |             float chance;
000027 |             float chancesSum;
000028 |
000029 |             foreach (ExpansionLootVariant variant: loot.Variants)
000030 |             {
000031 |                 chance = variant.Chance;
000032 |                 chances.Insert( chance );
000033 |                 chancesSum += chance;
000034 |             }
000035 |
000036 |             //! Determine chance for parent item
000037 |             if ( chancesSum < 1.0 )
000038 |             {
```

```
000039 |         //! Chances are treated as actual chances here, i.e. total sum is 1.0
000040 |         chance = 1.0 - chancesSum;
000041 |     } else
000042 |     {
000043 |         //! Just give parent item a 1.0 chance
000044 |         chance = 1.0;
000045 |     }
000046 |
000047 |     chances.Insert( chance );
000048 |
000049 |     int index = ExpansionStatic.GetWeightedRandom( chances );
000050 |
000051 |     if ( index > -1 && index < count )
000052 |     {
000053 |         className = loot.Variants[index].Name;
000054 |         if ( loot.Variants[index].Attachments && loot.Variants[index].Attachments.Count() > 0 )
000055 |             attachments = loot.Variants[index].Attachments;
000056 |     }
000057 | }
000058 |
000059 | if ( loot.m_Remaining > 0 )
000060 |     loot.m_Remaining--;
000061 |
000062 | if ( loot.m_Remaining == 0 )
000063 |     loot.m_RemainingChance = 0;
000064 |
000065 | Spawn( className, container, loot.QuantityPercent, attachments, spawnedEntities, spawnedEntitiesMap, spawnOnGround, damagePercentMin, damagePercentMax );
000066 | }
000067 |
000068 | static void Spawn( string className, EntityAI parent, int quantityPercent, array<ref ExpansionLootVariant> attachments = null, array<EntityAI> spawnedEntities
= null, map<string, int> spawnedEntitiesMap = null, bool spawnOnGround = false, float damagePercentMin = 0, float damagePercentMax = 0 )
000069 | {
000070 |     ItemBase itemParent;
000071 |     ItemBase item;
000072 |
000073 |     if ( !spawnOnGround )
000074 |     {
000075 |         if ( Class.CastTo( itemParent, parent ) )
000076 |         {
000077 |             item = ItemBase.Cast( itemParent.ExpansionCreateInInventory( className ) );
000078 |         }
000079 |         else
000080 |         {
000081 |             item = ItemBase.Cast( parent.GetInventory().CreateInInventory( className ) );
000082 |         }
000083 |     }
000084 |     else
000085 |     {
000086 |         vector spawnPos = ExpansionMath.GetRandomPointInRing(parent.GetWorldPosition(), 3, 5);
000087 |         item = ItemBase.Cast(g_Game.CreateObjectEx(className, spawnPos, ECE_PLACE_ON_SURFACE));
000088 |     }
000089 |
000090 |     if ( item )
000091 |     {
000092 |         Magazine_Base mag;
000093 |
000094 |         float quantity;
000095 |         float quantity01;
000096 |
000097 |         if (quantityPercent > 0)
000098 |         {
000099 |             quantity01 = quantityPercent / 100;
```

```
000100 |     }
000101 |     else if (quantityPercent == -2)
000102 |     {
000103 |         CEItemProfile profile = item.GetEconomyProfile();
000104 |
000105 |         if (profile)
000106 |         {
000107 |             float quantityMin01 = profile.GetQuantityMin();
000108 |             float quantityMax01 = profile.GetQuantityMax();
000109 |
000110 |             if (quantityMin01 >= 0 && quantityMax01 > 0)
000111 |                 quantity01 = Math.RandomFloatInclusive( quantityMin01, quantityMax01 );
000112 |             else
000113 |                 quantityPercent = -1;
000114 |         }
000115 |     }
000116 |
000117 |     if ( Class.CastTo( mag, item ) )
000118 |     {
000119 |         //! Ammo/magazines
000120 |
000121 |         if (quantityPercent == -1)
000122 |             quantity = mag.GetAmmoMax();
000123 |         else
000124 |             quantity = Math.Round( mag.GetAmmoMax() * quantity01 );
000125 |
000126 |         if (!quantity && item.IsAmmoPile())
000127 |             quantity = 1;
000128 |
000129 |         mag.ServerSetAmmoCount( quantity );
000130 |     }
000131 |     else if ( item.HasQuantity() )
000132 |     {
000133 |         if (quantityPercent == -1)
000134 |             quantity = item.GetQuantityInit();
000135 |         else
000136 |             quantity = Math.Round( item.GetQuantityMax() * quantity01 );
000137 |
000138 |         item.SetQuantity( quantity );
000139 |     }
000140 |
000141 |     if ( attachments )
000142 |     {
000143 |         //! Need to copy the attachments array because passing in NULL in the recursive call below
000144 |         //! nulls our original attachments array in caller :-(
000145 |         //! https://feedback.bistudio.com/T173458
000146 |         array<ref ExpansionLootVariant> attachmentsTmp = {};
000147 |         foreach (ExpansionLootVariant attachment: attachments)
000148 |         {
000149 |             if ( Math.AbsFloat(attachment.Chance) == 1.0 || attachment.Chance > Math.RandomFloat(0.0, 1.0) )
000150 |                 attachmentsTmp.Insert(attachment);
000151 |         }
000152 |
000153 |         foreach ( ExpansionLootVariant attachmentTmp: attachmentsTmp )
000154 |         {
000155 |             //! Need to pass in spawnedEntities and spawnedEntitiesMap due to T173458 as well
000156 |             Spawn( attachmentTmp.Name, item, quantityPercent, NULL, spawnedEntities, spawnedEntitiesMap, false, damagePercentMin, damagePercentMax );
000157 |         }
000158 |     }
000159 |
000160 |     if (damagePercentMin > 0 || damagePercentMax > 0)
000161 |     {
```

```
000162 |         float maxHealth = item.GetMaxHealth("", "");
000163 |         float healthModifier = Math.RandomFloatInclusive(damagePercentMin, damagePercentMax);
000164 |         item.SetHealth("", "", maxHealth * healthModifier);
000165 |     }
000166 |
000167 |     if (spawnedEntitiesMap)
000168 |     {
000169 |         int current;
000170 |         if (spawnedEntitiesMap.Find(className, current))
000171 |             spawnedEntitiesMap.Set(className, current + item.Expansion_GetStackAmount());
000172 |         else
000173 |             spawnedEntitiesMap.Insert(className, item.Expansion_GetStackAmount());
000174 |     }
000175 |
000176 |     if (spawnedEntities)
000177 |         spawnedEntities.Insert(item);
000178 | }
000179 | else
000180 | {
000181 |     if (ExpansionStatic.ItemExists(className))
000182 |         EXPrint("ExpansionLootSpawner::Spawn - WARNING: Couldn't spawn " + className + " on " + parent);
000183 |     else
000184 |         Error("ExpansionLootSpawner::Spawn - ERROR: Couldn't spawn " + className + " - item with that classname does not exist!");
000185 | }
000186 | }
000187 |
000188 | static void SpawnLoot(EntityAI container, array < ref ExpansionLoot > loot, int itemCount, array<EntityAI> spawnedEntities = null, map<string, int> spawnedEnt
itiesMap = null, bool spawnOnGround = false, float damagePercentMin = 0, float damagePercentMax = 0 )
000189 | {
000190 |     #ifdef EXTRACE
000191 |         auto trace = EXTrace.Start(EXTrace.MISSIONS, ExpansionLootSpawner);
000192 |     #endif
000193 |
000194 |     if (itemCount < 0)
000195 |         itemCount = Math.RandomInt(1, -itemCount);
000196 |
000197 |     array< float > chances = new array< float >;
000198 |
000199 |     int lootItemsSpawned = 0;
000200 |
000201 |     //! Spawn min number of items first
000202 |     foreach (ExpansionLoot lootItem: loot)
000203 |     {
000204 |         lootItem.m_RemainingChance = lootItem.Chance;
000205 |         lootItem.m_Remaining = lootItem.Max;
000206 |
000207 |         int min = lootItem.Min;
000208 |         while (min > 0 && lootItemsSpawned < itemCount)
000209 |         {
000210 |             lootItemsSpawned++;
000211 |             min--;
000212 |
000213 |             AddItem( container, lootItem, spawnedEntities, spawnedEntitiesMap, spawnOnGround, damagePercentMin, damagePercentMax );
000214 |         }
000215 |
000216 |         chances.Insert(lootItem.m_RemainingChance);
000217 |     }
000218 |
000219 |     //! Spawn remaining items randomly (if any)
000220 |     while ( lootItemsSpawned < itemCount )
000221 |     {
000222 |         //! Chances are treated as weights here, otherwise it wouldn't make sense as we always want a fixed number of items
```

```
000223 |         int index = ExpansionStatic.GetWeightedRandom( chances );
000224 |
000225 |         if ( index > -1 )
000226 |         {
000227 |             lootItemsSpawned++;
000228 |
000229 |             ExpansionLoot randomLootItem = loot[index];
000230 |
000231 |             AddItem( container, randomLootItem, spawnedEntities, spawnedEntitiesMap, spawnOnGround, damagePercentMin, damagePercentMax );
000232 |
000233 |             if ( randomLootItem.m_Remaining == 0 )
000234 |                 chances[index] = 0;
000235 |         } else
000236 |         {
000237 |             Print("ExpansionLootSpawner::SpawnLoot couldn't select a loot item to spawn (all chances zero?) - items spawned : " + lootItemsSpawned);
000238 |             break;
000239 |         }
000240 |     }
000241 | }
000242 |
000243 | static bool IsPlayerNearby(EntityAI container, float radius)
000244 | {
000245 |     return IsPlayerNearby(container.GetPosition(), radius);
000246 | }
000247 |
000248 | static bool IsPlayerNearby(vector pos, float radius)
000249 | {
000250 |     if (GetCEApi())
000251 |         return !GetCEApi().AvoidPlayer(pos, radius);
000252 |
000253 |     array<Man> players = new array<Man>;
000254 |     g_Game.GetWorld().GetPlayerList(players);
000255 |     float distanceSq;
000256 |     float radiusSq = radius * radius;
000257 |
000258 |     for ( int i = 0; i < players.Count(); i++ )
000259 |     {
000260 |         Man player = players[i];
000261 |         if (!player) continue;
000262 |
000263 |         distanceSq = vector.DistanceSq( pos, player.GetPosition() );
000264 |
000265 |         if ( distanceSq <= radiusSq )
000266 |         {
000267 |             return true;
000268 |         }
000269 |     }
000270 |
000271 |     return false;
000272 | }
000273 | };
000274 |
```


0312. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationHUD.c
 Size bytes: 6738
 SHA-256: c8e7f099bd326d6a5348c3bd1b2b409905d903dc3860950ad40a3ece9c0737a9
 Decoded as: utf-8-sig
 Line count shown: 214
 Detected class declarations: 2
 L14: class ExpansionNotificationHUD: ExpansionScriptViewBase
 L205: class ExpansionNotificationHUDController: ExpansionViewController
 Detected enum declarations: 0
 Detected function/method-like declarations: 18
 L21: void ExpansionNotificationHUD()
 L27: void ~ExpansionNotificationHUD()
 L32: override typename GetControllerType()
 L37: override string GetLayoutFile()
 L42: void AddNotificationToastsElement(ExpansionNotificationViewToast element)
 L50: void RemoveNotificationToastElement(ExpansionNotificationViewToast element)
 L61: void AddNotificationBaguetteElement(ExpansionNotificationViewBaguette element)
 L69: void RemoveNotificationBaguetteElement(ExpansionNotificationViewBaguette element)
 L80: void HideBaguetteElements()
 L92: void AddNotificationActivityElement(ExpansionNotificationViewActivity element)
 L100: void RemoveNotificationActivityElement(ExpansionNotificationViewActivity element)
 L111: void HideActivityElements()
 L123: void AddNotificationKillfeedElement(ExpansionNotificationViewKillfeed element)
 L131: void RemoveNotificationKillfeedElement(ExpansionNotificationViewKillfeed element)
 L142: void AddNotificationMarketElement(ExpansionNotificationViewMarket element)
 L150: void RemoveNotificationMarketElement(ExpansionNotificationViewMarket element)
 L161: void AddNotificationGarageElement(ExpansionNotificationViewGarage element)
 L181: void RemoveNotificationGarageElement(ExpansionNotificationViewGarage element)

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationHUD.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionNotificationHUD: ExpansionScriptViewBase
000015 | {
000016 |     protected ExpansionNotificationHUDController m_NotificationHUDController;
000017 |
000018 |     protected Widget MarketContent;
000019 |     protected bool m_ElementPosAdjustment = false;
000020 |
000021 |     void ExpansionNotificationHUD()
000022 |     {
000023 |         if (!m_NotificationHUDController)
000024 |             m_NotificationHUDController = ExpansionNotificationHUDController.Cast(GetController());
000025 |     }
000026 |
000027 |     void ~ExpansionNotificationHUD()
000028 |     {
```

```
000029 |
000030 | }
000031 |
000032 | override typename GetControllerType()
000033 | {
000034 |     return ExpansionNotificationHUDController;
000035 | }
000036 |
000037 | override string GetLayoutFile()
000038 | {
000039 |     return "DayZExpansion/Core/GUI/layouts/expansion_notification_hud.layout";
000040 | }
000041 |
000042 | void AddNotificationToastsElemement(ExpansionNotificationViewToast element)
000043 | {
000044 |     if (!m_NotificationHUDController)
000045 |         return;
000046 |
000047 |     m_NotificationHUDController.NotificationToastElements.Insert(element);
000048 | }
000049 |
000050 | void RemoveNotificationToastElemement(ExpansionNotificationViewToast element)
000051 | {
000052 |     if (!m_NotificationHUDController)
000053 |         return;
000054 |
000055 |     int index = -1;
000056 |     index = m_NotificationHUDController.NotificationToastElements.Find(element);
000057 |     if (index > -1)
000058 |         m_NotificationHUDController.NotificationToastElements.Remove(index);
000059 | }
000060 |
000061 | void AddNotificationBaguetteElemement(ExpansionNotificationViewBaguette element)
000062 | {
000063 |     if (!m_NotificationHUDController)
000064 |         return;
000065 |
000066 |     m_NotificationHUDController.NotificationBaguetteElements.Insert(element);
000067 | }
000068 |
000069 | void RemoveNotificationBaguetteElemement(ExpansionNotificationViewBaguette element)
000070 | {
000071 |     if (!m_NotificationHUDController)
000072 |         return;
000073 |
000074 |     int index = -1;
000075 |     index = m_NotificationHUDController.NotificationBaguetteElements.Find(element);
000076 |     if (index > -1)
000077 |         m_NotificationHUDController.NotificationBaguetteElements.Remove(index);
000078 | }
000079 |
000080 | void HideBaguetteElements()
000081 | {
000082 |     if (!m_NotificationHUDController)
000083 |         return;
000084 |
000085 |     for (int i = 0; i < m_NotificationHUDController.NotificationBaguetteElements.Count(); i++)
000086 |     {
000087 |         ExpansionNotificationViewBaguette view = m_NotificationHUDController.NotificationBaguetteElements[i];
000088 |         view.GetLayoutRoot().Show(false);
000089 |     }
000090 | }
```

```
000091 |
000092 | void AddNotificationActivityElemement(ExpansionNotificationViewActivity element)
000093 | {
000094 |     if (!m_NotificationHUDController)
000095 |         return;
000096 |
000097 |     m_NotificationHUDController.NotificationActivityElements.Insert(element);
000098 | }
000099 |
000100 | void RemoveNotificationActivityElemement(ExpansionNotificationViewActivity element)
000101 | {
000102 |     if (!m_NotificationHUDController)
000103 |         return;
000104 |
000105 |     int index = -1;
000106 |     index = m_NotificationHUDController.NotificationActivityElements.Find(element);
000107 |     if (index > -1)
000108 |         m_NotificationHUDController.NotificationActivityElements.Remove(index);
000109 | }
000110 |
000111 | void HideActivityElements()
000112 | {
000113 |     if (!m_NotificationHUDController)
000114 |         return;
000115 |
000116 |     for (int i = 0; i < m_NotificationHUDController.NotificationActivityElements.Count(); i++)
000117 |     {
000118 |         ExpansionNotificationViewActivity view = m_NotificationHUDController.NotificationActivityElements[i];
000119 |         view.GetLayoutRoot().Show(false);
000120 |     }
000121 | }
000122 |
000123 | void AddNotificationKillfeedElemement(ExpansionNotificationViewKillfeed element)
000124 | {
000125 |     if (!m_NotificationHUDController)
000126 |         return;
000127 |
000128 |     m_NotificationHUDController.NotificationKillfeedElements.Insert(element);
000129 | }
000130 |
000131 | void RemoveNotificationKillfeedElemement(ExpansionNotificationViewKillfeed element)
000132 | {
000133 |     if (!m_NotificationHUDController)
000134 |         return;
000135 |
000136 |     int index = -1;
000137 |     index = m_NotificationHUDController.NotificationKillfeedElements.Find(element);
000138 |     if (index > -1)
000139 |         m_NotificationHUDController.NotificationKillfeedElements.Remove(index);
000140 | }
000141 |
000142 | void AddNotificationMarketElemement(ExpansionNotificationViewMarket element)
000143 | {
000144 |     if (!m_NotificationHUDController)
000145 |         return;
000146 |
000147 |     m_NotificationHUDController.NotificationMarketElements.Insert(element);
000148 | }
000149 |
000150 | void RemoveNotificationMarketElemement(ExpansionNotificationViewMarket element)
000151 | {
000152 |     if (!m_NotificationHUDController)
```

```
000153 |         return;
000154 |
000155 |         int index = -1;
000156 |         index = m_NotificationHUDController.NotificationMarketElements.Find(element);
000157 |         if (index > -1)
000158 |             m_NotificationHUDController.NotificationMarketElements.Remove(index);
000159 |     }
000160 |
000161 |     void AddNotificationGarageElemement(ExpansionNotificationViewGarage element)
000162 |     {
000163 |         if (!m_NotificationHUDController)
000164 |             return;
000165 |
000166 |         if (!m_ElementPosAdjustment)
000167 |         {
000168 |             Print(ToString() + "::AddNotificationGarageElemement - Adjust element position!");
000169 |
000170 |             float x1, y1;
000171 |             Widget content = Widget.Cast(GetLayoutRoot().FindAnyWidget("MarketContent"));
000172 |             content.GetPos(x1, y1);
000173 |             float yNew1 = y1 + 80.0;
000174 |             content.SetPos(x1, yNew1);
000175 |             m_ElementPosAdjustment = true;
000176 |         }
000177 |
000178 |         m_NotificationHUDController.NotificationMarketElements.Insert(element);
000179 |     }
000180 |
000181 |     void RemoveNotificationGarageElemement(ExpansionNotificationViewGarage element)
000182 |     {
000183 |         if (!m_NotificationHUDController)
000184 |             return;
000185 |
000186 |         int index = -1;
000187 |         index = m_NotificationHUDController.NotificationMarketElements.Find(element);
000188 |         if (index > -1)
000189 |             m_NotificationHUDController.NotificationMarketElements.Remove(index);
000190 |
000191 |         if (m_ElementPosAdjustment)
000192 |         {
000193 |             Print(ToString() + "::RemoveNotificationGarageElemement - Adjust element position!");
000194 |
000195 |             float x1, y1;
000196 |             Widget content = Widget.Cast(GetLayoutRoot().FindAnyWidget("MarketContent"));
000197 |             content.GetPos(x1, y1);
000198 |             float yNew1 = y1 - 80.0;
000199 |             content.SetPos(x1, yNew1);
000200 |             m_ElementPosAdjustment = false;
000201 |         }
000202 |     }
000203 | }
000204 |
000205 | class ExpansionNotificationHUDController: ExpansionViewController
000206 | {
000207 |     ref ObservableCollection<ref ExpansionNotificationViewToast> NotificationToastElements = new ObservableCollection<ref ExpansionNotificationViewToast>(this);
000208 |     ref ObservableCollection<ref ExpansionNotificationViewBaguette> NotificationBaguetteElements = new ObservableCollection<ref ExpansionNotificationViewBaguette>
000209 | (this);
000209 |     ref ObservableCollection<ref ExpansionNotificationViewActivity> NotificationActivityElements = new ObservableCollection<ref ExpansionNotificationViewActivity>
000210 | (this);
000210 |     ref ObservableCollection<ref ExpansionNotificationViewKillfeed> NotificationKillfeedElements = new ObservableCollection<ref ExpansionNotificationViewKillfeed>
000211 | (this);
000211 |     ref ObservableCollection<ref ExpansionNotificationViewMarket> NotificationMarketElements = new ObservableCollection<ref ExpansionNotificationViewMarket>(this)
```

```
000212 | ;  
000212 | }  
000213 | #endif  
000214 |
```

0313. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationModule.c
 Size bytes: 8214
 SHA-256: 6724c60e6a6e814c2805973464092f29001f481d01bf059e4c536bed000089f6
 Decoded as: utf-8-sig
 Line count shown: 273
 Detected class declarations: 1
 L18: class ExpansionNotificationModule: CF_ModuleWorld
 Detected enum declarations: 0
 Detected function/method-like declarations: 15
 L26: void ExpansionNotificationModule()
 L37: void ~ExpansionNotificationModule()
 L49: override void OnInit()
 L62: override bool IsServer()
 L68: int GetNotificationsCount()
 L74: void AddNotification(NotificationRuntimeData data)
 L123: void AddNotificationElement(ExpansionNotificationView notificationElement, ExpansionNotificationType type)
 L156: void RemoveNotification(NotificationRuntimeData data)
 L172: void HideNotification(int index)
 L193: void RemovingNotification(ExpansionNotificationView notif)
 L204: void RemoveNotificationView(ExpansionNotificationView notif)
 L223: override void OnUpdate(Class sender, CF_EventArgs args)
 L243: void SetExpansionNotificationHUD(ExpansionNotificationHUD notificationHUD)
 L248: override void OnMissionStart(Class sender, CF_EventArgs args)
 L261: override void OnMissionLoaded(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      ExpansionNotificationModule
000014 |  * @brief      This class handle notification toasts system
000015 |  */
000016 | #ifndef EXPANSIONUI
000017 | [CF_RegisterModule(ExpansionNotificationModule)]
000018 | class ExpansionNotificationModule: CF_ModuleWorld
000019 | {
000020 |     ref array<ref ExpansionNotificationView> m_Notifications;
000021 |     ref array<ref NotificationRuntimeData> m_NotificationData;
000022 |     ref ExpansionNotificationHUD m_NotificationHUD;
000023 |     bool m_Expansion_Bind;
000024 |
000025 |     // -----
000026 |     void ExpansionNotificationModule()
000027 |     {
000028 | #ifdef EXPANSIONTRACE
000029 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "ExpansionNotificationModule");
000030 | #endif
000031 |
000032 |         m_Notifications = new array<ref ExpansionNotificationView>;
```

```
000033 |         m_NotificationData = new array<ref NotificationRuntimeData>;
000034 |     }
000035 |
000036 |     // -----
000037 |     void ~ExpansionNotificationModule()
000038 |     {
000039 | #ifdef EXPANSIONTRACE
000040 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "~ExpansionNotificationModule");
000041 | #endif
000042 |
000043 |         if (IsMissionClient())
000044 |         {
000045 |             m_NotificationHUD = NULL;
000046 |         }
000047 |     }
000048 |
000049 |     override void OnInit()
000050 |     {
000051 | #ifdef EXPANSIONTRACE
000052 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "OnInit");
000053 | #endif
000054 |
000055 |         super.OnInit();
000056 |
000057 |         EnableMissionLoaded();
000058 |         EnableMissionStart();
000059 |         EnableUpdate();
000060 |     }
000061 |
000062 |     override bool IsServer()
000063 |     {
000064 |         return false;
000065 |     }
000066 |
000067 |     // -----
000068 |     int GetNotificationsCount()
000069 |     {
000070 |         return m_Notifications.Count();
000071 |     }
000072 |
000073 |     // -----
000074 |     void AddNotification(NotificationRuntimeData data)
000075 |     {
000076 | #ifdef EXPANSIONTRACE
000077 |         auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "AddNotification");
000078 | #endif
000079 |
000080 |         if (GetExpansionClientSettings() && GetExpansionClientSettings().ShowNotifications)
000081 |         {
000082 |             if (!data)
000083 |                 return;
000084 |
000085 |             if (!m_NotificationHUD)
000086 |                 return;
000087 |
000088 |             ExpansionNotificationView notificationElement;
000089 |             switch (data.GetType())
000090 |             {
000091 |                 case ExpansionNotificationType.TOAST:
000092 |                     notificationElement = new ExpansionNotificationViewToast(data, this, m_NotificationHUD);
000093 |                     break;
000094 |                 case ExpansionNotificationType.BAGUETTE:
```

```
000095 |         notificationElement = new ExpansionNotificationViewBaguette(data, this, m_NotificationHUD);
000096 |         break;
000097 |     case ExpansionNotificationType.ACTIVITY:
000098 |         notificationElement = new ExpansionNotificationViewActivity(data, this, m_NotificationHUD);
000099 |         break;
000100 |     case ExpansionNotificationType.KILLFEED:
000101 |         notificationElement = new ExpansionNotificationViewKillfeed(data, this, m_NotificationHUD);
000102 |         break;
000103 |     case ExpansionNotificationType.MARKET:
000104 |         notificationElement = new ExpansionNotificationViewMarket(data, this, m_NotificationHUD);
000105 |         break;
000106 |     case ExpansionNotificationType.GARAGE:
000107 |         notificationElement = new ExpansionNotificationViewGarage(data, this, m_NotificationHUD);
000108 |         break;
000109 |     default:
000110 |         notificationElement = new ExpansionNotificationViewToast(data, this, m_NotificationHUD);
000111 |         break;
000112 |     }
000113 |
000114 |     AddNotificationElement(notificationElement, data.GetType());
000115 |     m_Notifications.InsertAt(notificationElement, 0);
000116 |
000117 |     m_NotificationData.InsertAt(data, 0);
000118 |     m_Notifications[0].ShowNotification();
000119 | }
000120 | }
000121 |
000122 | // -----
000123 | void AddNotificationElement(ExpansionNotificationView notificationElement, ExpansionNotificationType type)
000124 | {
000125 | #ifdef EXPANSIONTRACE
000126 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "AddNotificationElement");
000127 | #endif
000128 |
000129 |     switch (type)
000130 |     {
000131 |     case ExpansionNotificationType.TOAST:
000132 |         m_NotificationHUD.AddNotificationToastsElement(ExpansionNotificationViewToast.Cast(notificationElement));
000133 |         break;
000134 |     case ExpansionNotificationType.BAGUETTE:
000135 |         m_NotificationHUD.AddNotificationBaguetteElement(ExpansionNotificationViewBaguette.Cast(notificationElement));
000136 |         break;
000137 |     case ExpansionNotificationType.ACTIVITY:
000138 |         m_NotificationHUD.AddNotificationActivityElement(ExpansionNotificationViewActivity.Cast(notificationElement));
000139 |         break;
000140 |     case ExpansionNotificationType.KILLFEED:
000141 |         m_NotificationHUD.AddNotificationKillfeedElement(ExpansionNotificationViewKillfeed.Cast(notificationElement));
000142 |         break;
000143 |     case ExpansionNotificationType.MARKET:
000144 |         m_NotificationHUD.AddNotificationMarketElement(ExpansionNotificationViewMarket.Cast(notificationElement));
000145 |         break;
000146 |     case ExpansionNotificationType.GARAGE:
000147 |         m_NotificationHUD.AddNotificationGarageElement(ExpansionNotificationViewGarage.Cast(notificationElement));
000148 |         break;
000149 |     default:
000150 |         m_NotificationHUD.AddNotificationToastsElement(ExpansionNotificationViewToast.Cast(notificationElement));
000151 |         break;
000152 |     }
000153 | }
000154 |
000155 | // -----
000156 | void RemoveNotification(NotificationRuntimeData data)
```



```
000157 | {
000158 | #ifdef EXPANSIONTRACE
000159 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "RemoveNotification");
000160 | #endif
000161 |
000162 |     if (!data)
000163 |         return;
000164 |
000165 |     int index = m_NotificationData.Find(data);
000166 |
000167 |     if (index >= 0)
000168 |         HideNotification( index );
000169 | }
000170 |
000171 | // -----
000172 | void HideNotification(int index)
000173 | {
000174 | #ifdef EXPANSIONTRACE
000175 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "HideNotification");
000176 | #endif
000177 |
000178 |     if (g_Game.IsMultiplayer() && g_Game.IsServer())
000179 |         return;
000180 |
000181 |     if (index < 0)
000182 |         return;
000183 |
000184 |     if (index >= m_Notifications.Count())
000185 |         return;
000186 |
000187 |     m_Notifications[index].HideNotification();
000188 | }
000189 |
000190 | // -----
000191 | // DEPRECATED
000192 | // -----
000193 | void RemovingNotification(ExpansionNotificationView notif)
000194 | {
000195 | #ifdef EXPANSIONTRACE
000196 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "RemovingNotification");
000197 | #endif
000198 |
000199 |     if (!notif)
000200 |         return;
000201 | }
000202 |
000203 | // -----
000204 | void RemoveNotificationView(ExpansionNotificationView notif)
000205 | {
000206 | #ifdef EXPANSIONTRACE
000207 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "RemoveNotificationView");
000208 | #endif
000209 |
000210 |     if (!notif)
000211 |         return;
000212 |
000213 |     int index = m_Notifications.Find(notif);
000214 |
000215 |     if (index > -1)
000216 |     {
000217 |         m_Notifications.RemoveOrdered(index);
000218 |         m_NotificationData.RemoveOrdered(index);
```

```
000219 |     }
000220 | }
000221 |
000222 | // -----
000223 | override void OnUpdate(Class sender, CF_EventArgs args)
000224 | {
000225 | #ifdef EXPANSIONTRACE
000226 |     auto trace = CF_Trace_0(ExpansionTracing.NOTIFICATIONS, this, "OnUpdate");
000227 | #endif
000228 |
000229 |     super.OnUpdate(sender, args);
000230 |
000231 |     auto update = CF_EventUpdateArgs.Cast(args);
000232 |
000233 |     for (int i = 0; i < m_Notifications.Count(); i++)
000234 |     {
000235 |         if (!m_Notifications[i])
000236 |             continue;
000237 |
000238 |         m_Notifications[i].AnimateNotification(update.DeltaTime);
000239 |     }
000240 | }
000241 |
000242 | // -----
000243 | void SetExpansionNotificationHUD(ExpansionNotificationHUD notificationHUD)
000244 | {
000245 |     m_NotificationHUD = notificationHUD;
000246 | }
000247 |
000248 | override void OnMissionStart(Class sender, CF_EventArgs args)
000249 | {
000250 |     super.OnMissionStart(sender, args);
000251 |
000252 |     if (!m_Expansion_Bind)
000253 |     {
000254 |         m_Expansion_Bind = true;
000255 |         NotificationSystem.GetInstance().m_OnNotificationAdded.Insert(AddNotification);
000256 |         NotificationSystem.GetInstance().m_OnNotificationRemoved.Insert(RemoveNotification);
000257 |     }
000258 | }
000259 |
000260 | // -----
000261 | override void OnMissionLoaded(Class sender, CF_EventArgs args)
000262 | {
000263 |     super.OnMissionLoaded(sender, args);
000264 |
000265 |     //! TODO: Why not use existing one?
000266 |     if (m_NotificationHUD)
000267 |         m_NotificationHUD.Destroy();
000268 |
000269 |     m_NotificationHUD = new ExpansionNotificationHUD;
000270 | }
000271 | };
000272 | #endif
000273 |
```

0314. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 4_World\DayZExpansion_Core\System\Notifications\ExpansionNotificationView.c
Size bytes: 9777
SHA-256: 14248a86ea8271bbae6d9d1fe8a07ff241596904fbf9fe65b76ef5c3d62a8c16
Decoded as: utf-8-sig
Line count shown: 357
Detected class declarations: 13
  L14: class ExpansionNotificationView: ScriptView
  L272: class ExpansionNotificationViewController: ExpansionViewController
  L279: class ExpansionNotificationViewToast: ExpansionNotificationView
  L291: class ExpansionNotificationViewToastController: ExpansionNotificationViewController {};
  L293: class ExpansionNotificationViewBaguette: ExpansionNotificationView
  L305: class ExpansionNotificationViewBaguetteController: ExpansionNotificationViewController {};
  L307: class ExpansionNotificationViewActivity: ExpansionNotificationView
  L321: class ExpansionNotificationViewActivityController: ExpansionNotificationViewController {};
  L323: class ExpansionNotificationViewKillfeed: ExpansionNotificationView
  L337: class ExpansionNotificationViewKillfeedController: ExpansionNotificationViewController {};
  L339: class ExpansionNotificationViewMarket: ExpansionNotificationView
  L351: class ExpansionNotificationViewMarketController: ExpansionNotificationViewController {};
  L353: class ExpansionNotificationViewGarage: ExpansionNotificationViewMarket
Detected enum declarations: 0
Detected function/method-like declarations: 26
  L45: void ExpansionNotificationView(NotificationRuntimeData data, ExpansionNotificationModule module, ExpansionNotificationHUD notificationHUD)
  L61: void HideNotification()
  L67: void ShowNotification()
  L80: void PlaySound()
  L89: string GetSoundSet()
  L94: override typename GetControllerType()
  L99: void SetView()
  L133: void AnimateShowNotification(float timeslice)
  L145: void AnimateHideNotification(float timeslice)
  L162: void SetSlide(float timeslice)
  L170: void SetHideAlpha(float timeslice)
  L225: void RemoveNotificationElement()
  L253: void AnimateNotification(float timeslice)
  L266: NotificationRuntimeData GetNotificationData()
  L281: override typename GetControllerType()
  L286: override string GetLayoutFile()
  L295: override typename GetControllerType()
  L300: override string GetLayoutFile()
  L309: override typename GetControllerType()
  L314: override void PlaySound() {}
  L316: override string GetLayoutFile()
  L325: override typename GetControllerType()
  L330: override void PlaySound() {}
  L332: override string GetLayoutFile()
  L341: override typename GetControllerType()
  L346: override string GetLayoutFile()
```

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationView.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
```

```
000010 | *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionNotificationView: ScriptView
000015 | {
000016 |     ExpansionNotificationViewController m_NotificationViewController;
000017 |     NotificationRuntimeData m_Data;
000018 |     ExpansionNotificationModule m_NotificationModule;
000019 |     ExpansionNotificationHUD m_NotificationHUD;
000020 |
000021 |     protected bool m_Showing;
000022 |     protected bool m_Hiding;
000023 |
000024 |     protected float m_ShowUpdateTime;
000025 |     protected float m_HideUpdateTime;
000026 |
000027 |     protected float m_TotalShowUpdateTime;
000028 |     protected float m_TotalHideUpdateTime;
000029 |
000030 |     protected AbstractWave m_Sound;
000031 |
000032 |     protected Widget Notification;
000033 |     protected Widget NotificationColorSpacer
000034 |     protected Widget NotificationColor;
000035 |     protected ImageWidget NotificationIcon;
000036 |     protected RichTextWidget NotificationTitle;
000037 |     protected RichTextWidget NotificationText;
000038 |     protected GridSpacerWidget NotificationElement;
000039 |
000040 |     protected Widget PreviewSpacer;
000041 |     protected ItemPreviewWidget NotificationPreview;
000042 |
000043 |     string m_LayoutPath;
000044 |
000045 |     void ExpansionNotificationView(NotificationRuntimeData data, ExpansionNotificationModule module, ExpansionNotificationHUD notificationHUD)
000046 |     {
000047 |         m_Data = data;
000048 |         m_NotificationModule = module;
000049 |         m_NotificationHUD = notificationHUD;
000050 |
000051 |         if (!m_NotificationViewController)
000052 |             m_NotificationViewController = ExpansionNotificationViewController.Cast(GetController());
000053 |
000054 |         m_TotalShowUpdateTime = m_Data.GetTime() / 2;
000055 |         m_TotalHideUpdateTime = m_Data.GetTime() / 2;
000056 |
000057 |         m_Hiding = false;
000058 |         m_Showing = false;
000059 |     }
000060 |
000061 |     void HideNotification()
000062 |     {
000063 |         m_Hiding = true;
000064 |         m_HideUpdateTime = 0;
000065 |     }
000066 |
000067 |     void ShowNotification()
000068 |     {
000069 |         if (GetExpansionClientSettings().ShowNotifications && GetExpansionClientSettings().NotificationSound )
000070 |             PlaySound();
000071 |     }
```

```
000072 |         GetLayoutRoot().Show(true);
000073 |
000074 |         m_Showing = true;
000075 |         m_ShowUpdateTime = 0;
000076 |
000077 |         SetView();
000078 |     }
000079 |
000080 |     void PlaySound()
000081 |     {
000082 |         if ( g_Game && g_Game.GetPlayer() && (!m_Data.m_LeaveJoinNotif || (m_Data.m_LeaveJoinNotif && GetExpansionClientSettings().NotificationSoundLeaveJoin) ))
000083 |         {
000084 |             if (g_Game.ConfigIsExisting("CfgSoundSets "+ GetSoundSet())) //! Hint sound is part of Licensed
000085 |                 SEffectManager.PlaySoundOnObject(GetSoundSet(), g_Game.GetPlayer(), 0, 0.15, false);
000086 |         }
000087 |     }
000088 |
000089 |     string GetSoundSet()
000090 |     {
000091 |         return "Expansion_Hint_Sound_SoundSet";
000092 |     }
000093 |
000094 |     override typename GetControllerType()
000095 |     {
000096 |         return ExpansionNotificationViewController;
000097 |     }
000098 |
000099 |     void SetView()
000100 |     {
000101 |         array<string> propertiesToChange = new array<string>;
000102 |
000103 |         if (m_Data.GetIcon())
000104 |         {
000105 |             m_NotificationViewController.NotificationIcon = m_Data.GetIcon();
000106 |             propertiesToChange.Insert("NotificationIcon");
000107 |         }
000108 |
000109 |         if (m_Data.GetTitleText() != "")
000110 |         {
000111 |             m_NotificationViewController.NotificationTitle = m_Data.GetTitleText();
000112 |             propertiesToChange.Insert("NotificationTitle");
000113 |         }
000114 |
000115 |         if (m_Data.GetDetailText() != "")
000116 |         {
000117 |             m_NotificationViewController.NotificationText = m_Data.GetDetailText();
000118 |             propertiesToChange.Insert("NotificationText");
000119 |         }
000120 |
000121 |         if (m_Data.GetColor())
000122 |         {
000123 |             if (NotificationColor)
000124 |                 NotificationColor.SetColor(m_Data.GetColor());
000125 |
000126 |             if (NotificationIcon)
000127 |                 NotificationIcon.SetColor(m_Data.GetColor());
000128 |         }
000129 |
000130 |         m_NotificationViewController.NotifyPropertiesChanged(propertiesToChange);
000131 |     }
000132 |
000133 |     void AnimateShowNotification(float timeslice)
```

```
000134 | {
000135 |     m_ShowUpdateTime += timeslice;
000136 |
000137 |     if (m_ShowUpdateTime >= m_TotalShowUpdateTime)
000138 |     {
000139 |         m_Showing = false;
000140 |         m_Data.m_HasShown = true;
000141 |         m_Data.m_NotificationTime = g_Game.GetTickTime() + m_Data.GetTime();
000142 |     }
000143 | }
000144 |
000145 | void AnimateHideNotification(float timeslice)
000146 | {
000147 |     m_HideUpdateTime += timeslice;
000148 |
000149 |     SetHideAlpha(timeslice);
000150 |
000151 |     if (m_HideUpdateTime >= m_TotalHideUpdateTime)
000152 |     {
000153 |         if (GetLayoutRoot() && GetLayoutRoot().IsVisible())
000154 |             GetLayoutRoot().Show(false);
000155 |
000156 |         m_NotificationModule.RemoveNotificationView(this);
000157 |         RemoveNotificationElement();
000158 |         m_Hiding = false;
000159 |     }
000160 | }
000161 |
000162 | void SetSlide(float timeslice)
000163 | {
000164 |     float currentX;
000165 |     float currentY;
000166 |
000167 |     GetLayoutRoot().GetPos(currentX, currentY);
000168 | }
000169 |
000170 | void SetHideAlpha(float timeslice)
000171 | {
000172 |     float currentAlpha;
000173 |     float newAlpha;
000174 |
000175 |     if (GetLayoutRoot())
000176 |     {
000177 |         currentAlpha = GetLayoutRoot().GetAlpha();
000178 |         newAlpha = Math.Clamp(GetLayoutRoot().GetAlpha() - timeslice / m_TotalHideUpdateTime, 0, 1);
000179 |         GetLayoutRoot().SetAlpha(newAlpha);
000180 |     }
000181 |
000182 |     if (Notification)
000183 |     {
000184 |         currentAlpha = Notification.GetAlpha();
000185 |         newAlpha = Math.Clamp(Notification.GetAlpha() - timeslice / m_TotalHideUpdateTime, 0, 1);
000186 |         Notification.SetAlpha(newAlpha);
000187 |     }
000188 |
000189 |     if (NotificationColor)
000190 |     {
000191 |         currentAlpha = NotificationColor.GetAlpha();
000192 |         newAlpha = Math.Clamp(NotificationColor.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000193 |         NotificationColor.SetAlpha(newAlpha);
000194 |     }
000195 | }
```

```
000196 |         if (NotificationIcon)
000197 |         {
000198 |             currentAlpha = NotificationIcon.GetAlpha();
000199 |             newAlpha = Math.Clamp(NotificationIcon.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000200 |             NotificationIcon.SetAlpha(newAlpha);
000201 |         }
000202 |
000203 |         if (NotificationTitle)
000204 |         {
000205 |             currentAlpha = NotificationTitle.GetAlpha();
000206 |             newAlpha = Math.Clamp(NotificationTitle.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000207 |             NotificationTitle.SetAlpha(newAlpha);
000208 |         }
000209 |
000210 |         if (NotificationText)
000211 |         {
000212 |             currentAlpha = NotificationText.GetAlpha();
000213 |             newAlpha = Math.Clamp(NotificationText.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000214 |             NotificationText.SetAlpha(newAlpha);
000215 |         }
000216 |
000217 |         if (NotificationElement)
000218 |         {
000219 |             currentAlpha = NotificationElement.GetAlpha();
000220 |             newAlpha = Math.Clamp(NotificationElement.GetAlpha() - timeslice / m_TotalShowUpdateTime, 0, 1);
000221 |             NotificationElement.SetAlpha(newAlpha);
000222 |         }
000223 |     }
000224 |
000225 | void RemoveNotificationElement()
000226 | {
000227 |     if (!m_Data || !m_Data.GetType())
000228 |         return;
000229 |
000230 |     switch (m_Data.GetType())
000231 |     {
000232 |         case ExpansionNotificationType.TOAST:
000233 |             m_NotificationHUD.RemoveNotificationToastElement(ExpansionNotificationViewToast.Cast(this));
000234 |             break;
000235 |         case ExpansionNotificationType.BAGUETTE:
000236 |             m_NotificationHUD.RemoveNotificationBaguetteElement(ExpansionNotificationViewBaguette.Cast(this));
000237 |             break;
000238 |         case ExpansionNotificationType.ACTIVITY:
000239 |             m_NotificationHUD.RemoveNotificationActivityElement(ExpansionNotificationViewActivity.Cast(this));
000240 |             break;
000241 |         case ExpansionNotificationType.KILLFEED:
000242 |             m_NotificationHUD.RemoveNotificationKillfeedElement(ExpansionNotificationViewKillfeed.Cast(this));
000243 |             break;
000244 |         case ExpansionNotificationType.MARKET:
000245 |             m_NotificationHUD.RemoveNotificationMarketElement(ExpansionNotificationViewMarket.Cast(this));
000246 |             break;
000247 |         case ExpansionNotificationType.GARAGE:
000248 |             m_NotificationHUD.RemoveNotificationGarageElement(ExpansionNotificationViewGarage.Cast(this));
000249 |             break;
000250 |     }
000251 | }
000252 |
000253 | void AnimateNotification(float timeslice)
000254 | {
000255 |     if (m_Hiding)
000256 |     {
000257 |         AnimateHideNotification(timeslice);
```

```
000258 |     }
000259 |
000260 |     if (m_Showing)
000261 |     {
000262 |         AnimateShowNotification(timeslice);
000263 |     }
000264 | }
000265 |
000266 | NotificationRuntimeData GetNotificationData()
000267 | {
000268 |     return m_Data;
000269 | }
000270 | };
000271 |
000272 | class ExpansionNotificationViewController: ExpansionViewController
000273 | {
000274 |     string NotificationIcon;
000275 |     string NotificationTitle;
000276 |     string NotificationText;
000277 | };
000278 |
000279 | class ExpansionNotificationViewToast: ExpansionNotificationView
000280 | {
000281 |     override typename GetControllerType()
000282 |     {
000283 |         return ExpansionNotificationViewToastController;
000284 |     }
000285 |
000286 |     override string GetLayoutFile()
000287 |     {
000288 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_toast.layout";
000289 |     }
000290 | };
000291 | class ExpansionNotificationViewToastController: ExpansionNotificationViewController {};
000292 |
000293 | class ExpansionNotificationViewBaguette: ExpansionNotificationView
000294 | {
000295 |     override typename GetControllerType()
000296 |     {
000297 |         return ExpansionNotificationViewBaguetteController;
000298 |     }
000299 |
000300 |     override string GetLayoutFile()
000301 |     {
000302 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_baguette.layout";
000303 |     }
000304 | };
000305 | class ExpansionNotificationViewBaguetteController: ExpansionNotificationViewController {};
000306 |
000307 | class ExpansionNotificationViewActivity: ExpansionNotificationView
000308 | {
000309 |     override typename GetControllerType()
000310 |     {
000311 |         return ExpansionNotificationViewActivityController;
000312 |     }
000313 |
000314 |     override void PlaySound() {}
000315 |
000316 |     override string GetLayoutFile()
000317 |     {
000318 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_activity.layout";
000319 |     }
000319 | }
```



```
000320 | };
000321 | class ExpansionNotificationViewActivityController: ExpansionNotificationViewController {};
000322 |
000323 | class ExpansionNotificationViewKillfeed: ExpansionNotificationView
000324 | {
000325 |     override typename GetControllerType()
000326 |     {
000327 |         return ExpansionNotificationViewKillfeedController;
000328 |     }
000329 |
000330 |     override void PlaySound() {}
000331 |
000332 |     override string GetLayoutFile()
000333 |     {
000334 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_killfeed.layout";
000335 |     }
000336 | };
000337 | class ExpansionNotificationViewKillfeedController: ExpansionNotificationViewController {};
000338 |
000339 | class ExpansionNotificationViewMarket: ExpansionNotificationView
000340 | {
000341 |     override typename GetControllerType()
000342 |     {
000343 |         return ExpansionNotificationViewMarketController;
000344 |     }
000345 |
000346 |     override string GetLayoutFile()
000347 |     {
000348 |         return "DayZExpansion/Core/GUI/layouts/expansion_notification_market.layout";
000349 |     }
000350 | };
000351 | class ExpansionNotificationViewMarketController: ExpansionNotificationViewController {};
000352 |
000353 | class ExpansionNotificationViewGarage: ExpansionNotificationViewMarket
000354 | {
000355 | };
000356 | #endif
000357 |
```

0315. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ESP\ExpansionESPModificationModule.c
Size bytes: 1008
SHA-256: b1fd2f815738076f75d8b426bde1619ec31eb810c6459d047192330f4fce8359
Decoded as: utf-8-sig
Line count shown: 45
Detected class declarations: 2
 L15: modded class JMESPModule
 L24: class ExpansionESPModificationModule : CF_ModuleGame
Detected enum declarations: 0
Detected function/method-like declarations: 3
 L17: JMESPMeta EXP_GetMeta(Object target)
 L28: override void OnInit()
 L36: override void OnMissionStart(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionESPModificationModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef JM_COT
000014 | #ifdef EXPANSIONCOTESPMODULE
000015 | modded class JMESPModule
000016 | {
000017 |     JMESPMeta EXP_GetMeta( Object target )
000018 |     {
000019 |         return m_MappedESPObjects.Get( target );
000020 |     }
000021 | };
000022 |
000023 | [CF_RegisterModule(ExpansionESPModificationModule)]
000024 | class ExpansionESPModificationModule : CF_ModuleGame
000025 | {
000026 |     private JMESPModule m_BaseModule;
000027 |
000028 |     override void OnInit()
000029 |     {
000030 |         super.OnInit();
000031 |
000032 |         EnableMissionStart();
000033 |         Expansion_EnableRPCManager();
000034 |     }
000035 |
000036 |     override void OnMissionStart(Class sender, CF_EventArgs args)
000037 |     {
000038 |         super.OnMissionStart(sender, args);
000039 |
000040 |         m_BaseModule = JMESPModule.Cast( CF_ModuleCoreManager.Get( JMESPModule ) );
000041 |     }
000042 | };
000043 | #endif
```

```
000044 | #endif
000045 |
```

0316. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\ExpansionClientSettingsModule.c

Size bytes: 992

SHA-256: 3acbe5f5bd3bb622228c7e713ac36de51869ee4d8effcefa9a8e6bbc06cf8c9c

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L14: class ExpansionClientSettingsModule : CF_ModuleWorld

Detected enum declarations: 0

Detected function/method-like declarations: 4

L18: override void OnInit()

L27: override bool IsServer()

L32: override bool IsClient()

L37: override void OnInvokeConnect(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionClientSettingsModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | [CF_RegisterModule(ExpansionClientSettingsModule)]
000014 | class ExpansionClientSettingsModule : CF_ModuleWorld
000015 | {
000016 |     static ref ScriptInvoker m_SettingChanged = new ScriptInvoker;
000017 |
000018 |     override void OnInit()
000019 |     {
000020 |         super.OnInit();
000021 |
000022 |         EnableClientLogout();
000023 |         EnableInvokeConnect();
000024 |         EnableSettingsChanged();
000025 |     }
000026 |
000027 |     override bool IsServer()
000028 |     {
000029 |         return false;
000030 |     }
000031 |
000032 |     override bool IsClient()
000033 |     {
000034 |         return true;
000035 |     }
000036 |
000037 |     override void OnInvokeConnect(Class sender, CF_EventArgs args)
000038 |     {
000039 |         super.OnInvokeConnect(sender, args);
000040 |
000041 |         auto cArgs = CF_EventPlayerArgs.Cast(args);
000042 |
000043 |         OnSettingsChanged(this, CF_EventArgs.Empty);
```

```
000044 |      }  
000045 |    };  
000046 |
```

0317. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Classes\Modules\JMModuleConstructor.c

Size bytes: 612

SHA-256: 03d63e7cd42a5698a79fa5d8571805faa24d314b45423f15882234295a1f5a16

Decoded as: utf-8-sig

Line count shown: 26

Detected class declarations: 1

L13: modded class JMModuleConstructor

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override void RegisterModules(out TTypeNameArray modules)

Full file content

```
000001 | /**
000002 |  * JMModuleConstructor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class JMModuleConstructor
000014 | {
000015 |     override void RegisterModules( out TTypeNameArray modules )
000016 |     {
000017 | #ifdef JM_COT
000018 | #ifdef EXPANSIONCOTESPMODULE
000019 |         modules.Insert( ExpansionESPModificationModule );
000020 | #endif
000021 | #endif
000022 |
000023 |         super.RegisterModules( modules );
000024 |     }
000025 | }
000026 |
```

0318. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\DayZExpansion.c

Size bytes: 3226

SHA-256: 3c2970b9cb757e77a2ad6434676f6a68805aad643456c44994b6a5e3180eda12

Decoded as: utf-8-sig

Line count shown: 136

Detected class declarations: 1

L16: class DayZExpansion: ExpansionWorld

Detected enum declarations: 0

Detected function/method-like declarations: 9

L27: void DayZExpansion()

L40: void ~DayZExpansion()

L53: void Expansion_LoadVersion()

L80: string GetVersion()

L85: override void OnLoaded()

L95: override void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)

L107: static DayZExpansion GetDayZExpansion()

L117: static void CreateDayZExpansion()

L129: static void DestroyDayZExpansion()

Full file content

```
000001 | /**
000002 |  * DayZExpansion.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | /**@class      DayZExpansion
000014 |  * @brief
000015 |  */
000016 | class DayZExpansion: ExpansionWorld
000017 | {
000018 |     protected string m_Version;
000019 |
000020 |     protected int m_MajorVersion;
000021 |     protected int m_MinorVersion;
000022 |     protected int m_BuildVersion;
000023 |
000024 |     // -----
000025 |     // DayZExpansion Constructor
000026 |     // -----
000027 |     void DayZExpansion()
000028 |     {
000029 | #ifdef EXTRACE_DIAG
000030 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000031 | #endif
000032 |
000033 |         //! Version checking
000034 |         Expansion_LoadVersion();
000035 |
000036 |         //! Initialize settings
000037 |         GetExpansionSettings();
000038 |     }
```

```
000039 |
000040 |     void ~DayZExpansion()
000041 |     {
000042 |         if (!g_Game)
000043 |             return;
000044 |
000045 |     #ifdef DIAG_DEVELOPER
000046 |         Print("~DayZExpansion");
000047 |     #endif
000048 |     }
000049 |
000050 |     // -----
000051 |     // Expansion_LoadVersion
000052 |     // -----
000053 |     void Expansion_LoadVersion()
000054 |     {
000055 |     #ifdef EXTRACE_DIAG
000056 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000057 |     #endif
000058 |
000059 |         m_Version = GetDayZGame().GetExpansionClientVersion();
000060 |
000061 |         array<string> values = new array<string>();
000062 |         m_Version.Split( ".", values );
000063 |         if ( values.Count() == 3 )
000064 |         {
000065 |             m_MajorVersion = values[0].ToInt();
000066 |             m_MinorVersion = values[1].ToInt();
000067 |             m_BuildVersion = values[2].ToInt();
000068 |
000069 |             Print( "Expansion version: " + m_MajorVersion + "." + m_MinorVersion + "." + m_BuildVersion );
000070 |         }
000071 |
000072 |         //string versionTest;
000073 |         //g_Game.ConfigGetText( "CfgMods DZ_Expansion version", versionTest );
000074 |         //Print( versionTest );
000075 |     }
000076 |
000077 |     // -----
000078 |     // Expansion_GetVersion
000079 |     // -----
000080 |     string GetVersion()
000081 |     {
000082 |         return m_Version;
000083 |     }
000084 |
000085 |     override void OnLoaded()
000086 |     {
000087 |         if ( IsMissionHost() )
000088 |         {
000089 |             ExpansionSettings.SI_SafeZone.Invoke();
000090 |         }
000091 |
000092 |         super.OnLoaded();
000093 |     }
000094 |
000095 |     override void OnSyncJuncture(Object target, int junctureID, ParamsReadContext ctx)
000096 |     {
000097 |         DayZPlayerImplement player;
000098 |         if (Class.CastTo(player, target))
000099 |             player.Expansion_OnSyncJuncture(junctureID, ctx);
000100 |         else
```



```
000101 |         EXError.Error(this, string.Format("Expansion Sync Juncture %1 received, but target %2 is not a player", junctureID, target));
000102 |     }
000103 | }
000104 |
000105 | static ref DayZExpansion g_exDayZ; ///! Legacy, do not use!
000106 |
000107 | static DayZExpansion GetDayZExpansion()
000108 | {
000109 |     DayZExpansion expansion;
000110 |
000111 |     if (Class.CastTo(expansion, GetDayZGame().GetExpansionGame()))
000112 |         return expansion;
000113 |
000114 |     return null;
000115 | }
000116 |
000117 | static void CreateDayZExpansion()
000118 | {
000119 |     #ifdef EXTRACE_DIAG
000120 |         auto trace = EXTrace.Start(EXTrace.MISC);
000121 |     #endif
000122 |
000123 |     if (GetDayZGame().GetExpansionGame())
000124 |         return;
000125 |
000126 |     GetDayZGame().SetExpansionGame(new DayZExpansion);
000127 | }
000128 |
000129 | static void DestroyDayZExpansion()
000130 | {
000131 |     #ifdef EXTRACE_DIAG
000132 |         auto trace = EXTrace.Start(EXTrace.MISC);
000133 |     #endif
000134 |
000135 |     GetDayZGame().SetExpansionGame(null);
000136 | }
```

0319. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapMarkerPlayerArrow.c

Size bytes: 2520

SHA-256: 4a97500c27b306d389fc4e5ab828e9d3fd7aed05641ce6053e03740828b1e9fa

Decoded as: utf-8-sig

Line count shown: 92

Detected class declarations: 1

L13: class ExpansionMapMarkerPlayerArrow : ExpansionMapWidgetBase

Detected enum declarations: 0

Detected function/method-like declarations: 7

L15: void ExpansionMapMarkerPlayerArrow(Widget parent, MapWidget mapWidget, bool autoInit = true)

L26: void ~ExpansionMapMarkerPlayerArrow()

L31: void SetPlayerArrowColor()

L69: override void Update(float pDt)

L78: private int GetMapDirection()

L83: override bool IsEditButton(Widget w)

L88: override bool CanDrag()

Full file content

```
000001 | /**
000002 |  * ExpansionMapMarkerPlayerArrow.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionMapMarkerPlayerArrow : ExpansionMapWidgetBase
000014 | {
000015 |     void ExpansionMapMarkerPlayerArrow(Widget parent, MapWidget mapWidget, bool autoInit = true)
000016 |     {
000017 |         SetIgnorePointer(true);
000018 |         SetIcon(EXPANSION_ICON_POSITION);
000019 |         SetPlayerArrowColor();
000020 |         //! Do NOT show by default, otherwise it'll pop up on the load screen in the top left corner at the end of the loading progress
000021 |         Hide();
000022 |
000023 |         GetExpansionClientSettings().SI_UpdateSetting.Insert(SetPlayerArrowColor);
000024 |     }
000025 |
000026 |     void ~ExpansionMapMarkerPlayerArrow()
000027 |     {
000028 |         GetExpansionClientSettings().SI_UpdateSetting.Remove(SetPlayerArrowColor);
000029 |     }
000030 |
000031 |     void SetPlayerArrowColor()
000032 |     {
000033 |         switch (GetExpansionClientSettings().PlayerArrowColor)
000034 |         {
000035 |             case ExpansionClientUIPlayerArrowColor.GREY:
000036 |                 SetPrimaryColor(-8421505);
000037 |                 break;
000038 |             case ExpansionClientUIPlayerArrowColor.BLACK:
000039 |                 SetPrimaryColor(-14803426);
000040 |                 break;
```

```
000041 |
000042 |         case ExpansionClientUIPlayerArrowColor.RED:
000043 |             SetPrimaryColor(-3657166);
000044 |             break;
000045 |         case ExpansionClientUIPlayerArrowColor.GREEN:
000046 |             SetPrimaryColor(-10178716);
000047 |             break;
000048 |         case ExpansionClientUIPlayerArrowColor.BLUE:
000049 |             SetPrimaryColor(-13487416);
000050 |             break;
000051 |
000052 |         case ExpansionClientUIPlayerArrowColor.CYAN:
000053 |             SetPrimaryColor(-16715536);
000054 |             break;
000055 |         case ExpansionClientUIPlayerArrowColor.MAGENTA:
000056 |             SetPrimaryColor(-1048336);
000057 |             break;
000058 |         case ExpansionClientUIPlayerArrowColor.YELLOW:
000059 |             SetPrimaryColor(-987136);
000060 |             break;
000061 |
000062 |         case ExpansionClientUIPlayerArrowColor.WHITE:
000063 |         default:
000064 |             SetPrimaryColor(-1644826);
000065 |             break;
000066 |     }
000067 | }
000068 |
000069 | override void Update(float pDt)
000070 | {
000071 |     float x, y;
000072 |     vector mapPos = GetMapWidget().MapToScreen(g_Game.GetCurrentCameraPosition());
000073 |     GetLayoutRoot().GetParent().GetScreenPos(x, y);
000074 |     GetLayoutRoot().SetPos(mapPos[0] - x, mapPos[1] - y, true);
000075 |     GetDragWidget().SetRotation(0, 0, GetMapDirection(), true);
000076 | }
000077 |
000078 | private int GetMapDirection()
000079 | {
000080 |     return Math.Round(Math.NormalizeAngle(g_Game.GetCurrentCameraDirection().VectorToAngles()[0]));
000081 | }
000082 |
000083 | override bool IsEditButton( Widget w )
000084 | {
000085 |     return false;
000086 | }
000087 |
000088 | override bool CanDrag()
000089 | {
000090 |     return false;
000091 | }
000092 | };
```

0320. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\ExpansionMapWidgetBase.c

Size bytes: 7192

SHA-256: 491a7c32cab429c7c3c846c78a7a97b5a8f4f5f7e6bd96a6106d95fc85b45960

Decoded as: utf-8-sig

Line count shown: 352

Detected class declarations: 1

L13: class ExpansionMapWidgetBase: ScriptedWidgetEventHandler

Detected enum declarations: 0

Detected function/method-like declarations: 41

L37: void ExpansionMapWidgetBase(Widget parent, MapWidget mapWidget, bool autoInit = true)

L47: void ~ExpansionMapWidgetBase()

L53: bool HasBeenInitialized()

L58: void Init()

L64: Widget GetLayoutRoot()

L69: MapWidget GetMapWidget()

L74: string GetLayoutPath()

L79: string GetDropSoundEffect()

L84: bool IsEditButton(Widget w)

L89: bool IsDragWidget(Widget w)

L94: bool IsDragging()

L99: protected void OnInit(Widget layoutRoot)

L112: void Update(float pDt)

L121: override bool OnClick(Widget w, int x, int y, int button)

L131: override bool OnDrag(Widget w, int x, int y)

L145: override bool OnDragging(Widget w, int x, int y, Widget reciever)

L155: override bool OnDrop(Widget w, int x, int y, Widget reciever)

L166: void SetPosition(int x, int y, bool performDropEvent = false)

L174: void SetPosition(vector position, bool performDropEvent = false)

L185: vector GetPosition()

L190: void OnMarkerClick()

L194: void OnDrop()

L202: void Show()

L207: void Show(bool show)

L217: void Hide()

L222: void SetName(StringLocaliser name)

L229: void SetName(string name)

L236: string GetName()

L241: void SetIcon(ExpansionIcon icon)

L250: void SetIcon(string icon)

L264: void SetPrimaryColor(int color)

L275: int GetPrimaryColor()

L280: void SetHoverColour(int color)

L285: int GetHoverColor()

L290: bool IsMouseHovering()

L295: ImageWidget GetIconWidget()

L300: Widget GetDragWidget()

L305: void SetIgnorePointer(bool state)

L321: override bool OnMouseEnter(Widget w, int x, int y)

L334: override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)

L347: bool CanDrag()

Full file content

```
000001 | /**
000002 |  * ExpansionMapWidgetBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
```

```
000007 | *
000008 | * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 | * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 | *
000011 | */
000012 |
000013 | class ExpansionMapWidgetBase: ScriptedWidgetEventHandler
000014 | {
000015 |     reference string MapWidgetName;
000016 |     protected MapWidget m_MapWidget;
000017 |     protected Widget m_LayoutRoot;
000018 |     protected Widget m_Frame;
000019 |     protected TextWidget m_Name;
000020 |     protected EditBoxWidget m_EditName;
000021 |     protected string m_MarkerName;
000022 |     protected ImageWidget m_Icon;
000023 |     protected ButtonWidget m_EditButton;
000024 |     protected Widget m_DragWidget;
000025 |
000026 |     protected ExpansionIcon m_CurrentExpansionIcon;
000027 |     protected string m_CurrentIcon;
000028 |     protected vector m_WorldPosition;
000029 |     protected bool m_Dragging;
000030 |     protected float m_DragOffsetX;
000031 |     protected float m_DragOffsetY;
000032 |     protected bool m_Initialized;
000033 |     protected int m_PrimaryColor;
000034 |     protected int m_HoverColor;
000035 |     protected bool m_MouseHover;
000036 |
000037 |     void ExpansionMapWidgetBase(Widget parent, MapWidget mapWidget, bool autoInit = true)
000038 |     {
000039 |         m_LayoutRoot = g_Game.GetWorkspace().CreateWidgets(GetLayoutPath(), parent);
000040 |         m_MapWidget = mapWidget;
000041 |         if (autoInit)
000042 |             OnInit(m_LayoutRoot);
000043 |
000044 |         m_LayoutRoot.SetHandler(this);
000045 |     }
000046 |
000047 |     void ~ExpansionMapWidgetBase()
000048 |     {
000049 |         if (m_LayoutRoot)
000050 |             m_LayoutRoot.Unlink();
000051 |     }
000052 |
000053 |     bool HasBeenInitialized()
000054 |     {
000055 |         return m_Initialized;
000056 |     }
000057 |
000058 |     void Init()
000059 |     {
000060 |         m_Initialized = true;
000061 |         OnInit(m_LayoutRoot);
000062 |     }
000063 |
000064 |     Widget GetLayoutRoot()
000065 |     {
000066 |         return m_LayoutRoot;
000067 |     }
000068 | }
```

```
000069 | MapWidget GetMapWidget()
000070 | {
000071 |     return m_MapWidget;
000072 | }
000073 |
000074 | string GetLayoutPath()
000075 | {
000076 |     return "DayZExpansion/Core/GUI/layouts/map/expansion_map_marker.layout";
000077 | }
000078 |
000079 | string GetDropSoundEffect()
000080 | {
000081 |     return "Expansion_Draws_SoundSet";
000082 | }
000083 |
000084 | bool IsEditButton(Widget w)
000085 | {
000086 |     return w == m_EditButton;
000087 | }
000088 |
000089 | bool IsDragWidget(Widget w)
000090 | {
000091 |     return w == m_EditButton;
000092 | }
000093 |
000094 | bool IsDragging()
000095 | {
000096 |     return m_Dragging;
000097 | }
000098 |
000099 | protected void OnInit(Widget layoutRoot)
000100 | {
000101 |     Class.CastTo(m_Frame, layoutRoot.FindAnyWidget("marker_frame"));
000102 |     Class.CastTo(m_Name, layoutRoot.FindAnyWidget("marker_name"));
000103 |     Class.CastTo(m_EditName, layoutRoot.FindAnyWidget("marker_edit_name"));
000104 |     Class.CastTo(m_Icon, layoutRoot.FindAnyWidget("marker_icon"));
000105 |     Class.CastTo(m_EditButton, layoutRoot.FindAnyWidget("marker_button"));
000106 |     Class.CastTo(m_DragWidget, layoutRoot.FindAnyWidget("marker_icon_panel"));
000107 |
000108 |     m_Frame.SetColor(ARGB(0, 0, 0, 0));
000109 |     m_PrimaryColor = ARGB(220, 220, 220, 220);
000110 | }
000111 |
000112 | void Update(float pDt)
000113 | {
000114 |     if (!m_Dragging)
000115 |     {
000116 |         vector position = m_MapWidget.MapToScreen(m_WorldPosition);
000117 |         m_LayoutRoot.SetPos(position[0], position[1], true);
000118 |     }
000119 | }
000120 |
000121 | override bool OnClick(Widget w, int x, int y, int button)
000122 | {
000123 |     if (w != NULL && IsEditButton(w) && button == MouseState.LEFT)
000124 |     {
000125 |         OnMarkerClick();
000126 |         return true;
000127 |     }
000128 |     return false;
000129 | }
000130 |
```

```
000131 | override bool OnDrag(Widget w, int x, int y)
000132 | {
000133 |     if (w != NULL && IsDragWidget(w) && CanDrag())
000134 |     {
000135 |         m_LayoutRoot.GetPos(m_DragOffsetX, m_DragOffsetY);
000136 |         m_DragOffsetX = x - m_DragOffsetX;
000137 |         m_DragOffsetY = y - m_DragOffsetY;
000138 |         m_Dragging = true;
000139 |         return true;
000140 |     }
000141 |
000142 |     return false;
000143 | }
000144 |
000145 | override bool OnDragging(Widget w, int x, int y, Widget reciever)
000146 | {
000147 |     if (w != NULL && IsDragWidget(w) && CanDrag())
000148 |     {
000149 |         SetPosition(x - m_DragOffsetX, y - m_DragOffsetY);
000150 |         return true;
000151 |     }
000152 |     return false;
000153 | }
000154 |
000155 | override bool OnDrop(Widget w, int x, int y, Widget reciever)
000156 | {
000157 |     if (w != NULL && IsDragWidget(w) && CanDrag())
000158 |     {
000159 |         SetPosition(x - m_DragOffsetX, y - m_DragOffsetY, true);
000160 |         m_Dragging = false;
000161 |         return true;
000162 |     }
000163 |     return false;
000164 | }
000165 |
000166 | void SetPosition(int x, int y, bool performDropEvent = false)
000167 | {
000168 |     m_LayoutRoot.SetPos(x, y, true);
000169 |     vector newPos = m_MapWidget.ScreenToMap(Vector(x, y, 0));
000170 |     newPos[1] = g_Game.SurfaceY(newPos[0], newPos[2]) + 1.0;
000171 |     SetPosition(newPos, performDropEvent);
000172 | }
000173 |
000174 | void SetPosition(vector position, bool performDropEvent = false)
000175 | {
000176 |     m_WorldPosition = position;
000177 |     vector mPos = m_MapWidget.MapToScreen(m_WorldPosition);
000178 |     m_LayoutRoot.SetPos(mPos[0], mPos[1], true);
000179 |     if (performDropEvent)
000180 |     {
000181 |         OnDrop();
000182 |     }
000183 | }
000184 |
000185 | vector GetPosition()
000186 | {
000187 |     return m_WorldPosition;
000188 | }
000189 |
000190 | void OnMarkerClick()
000191 | {
000192 | }
```

```
000193 |  
000194 | void OnDrop()  
000195 | {  
000196 |     if (IsMissionClient() && GetDropSoundEffect() != "")  
000197 |     {  
000198 |         SEffectManager.PlaySound(GetDropSoundEffect(), g_Game.GetPlayer().GetPosition());  
000199 |     }  
000200 | }  
000201 |  
000202 | void Show()  
000203 | {  
000204 |     Show(true);  
000205 | }  
000206 |  
000207 | void Show(bool show)  
000208 | {  
000209 |     if (show)  
000210 |     {  
000211 |         m_Name.SetColor(m_PrimaryColor);  
000212 |         m_Icon.SetColor(m_PrimaryColor);  
000213 |     }  
000214 |     m_LayoutRoot.Show(show);  
000215 | }  
000216 |  
000217 | void Hide()  
000218 | {  
000219 |     Show(false);  
000220 | }  
000221 |  
000222 | void SetName(StringLocaliser name)  
000223 | {  
000224 |     m_MarkerName = name.Format();  
000225 |     m_Name.SetText(name.Format());  
000226 |     m_EditName.SetText(name.Format());  
000227 | }  
000228 |  
000229 | void SetName(string name)  
000230 | {  
000231 |     m_MarkerName = name;  
000232 |     m_Name.SetText(name);  
000233 |     m_EditName.SetText(name);  
000234 | }  
000235 |  
000236 | string GetName()  
000237 | {  
000238 |     return m_MarkerName;  
000239 | }  
000240 |  
000241 | void SetIcon(ExpansionIcon icon)  
000242 | {  
000243 |     m_CurrentExpansionIcon = icon;  
000244 |     if (!m_CurrentExpansionIcon)  
000245 |         return;  
000246 |  
000247 |     m_Icon.LoadImageFile(0, m_CurrentExpansionIcon.IconPath);  
000248 | }  
000249 |  
000250 | void SetIcon(string icon)  
000251 | {  
000252 |     ExpansionIcon expIcon = ExpansionIcons.Get(icon);  
000253 |     if (expIcon)  
000254 |     {
```



```
000255 |         SetIcon(expIcon);
000256 |     }
000257 |     else
000258 |     {
000259 |         m_CurrentIcon = icon;
000260 |         m_Icon.LoadImageFile(0, m_CurrentIcon);
000261 |     }
000262 | }
000263 |
000264 | void SetPrimaryColor(int color)
000265 | {
000266 |     m_PrimaryColor = color;
000267 |
000268 |     if (!m_MouseHover)
000269 |     {
000270 |         m_Name.SetColor(m_PrimaryColor);
000271 |         m_Icon.SetColor(m_PrimaryColor);
000272 |     }
000273 | }
000274 |
000275 | int GetPrimaryColor()
000276 | {
000277 |     return m_PrimaryColor;
000278 | }
000279 |
000280 | void SetHoverColour(int color)
000281 | {
000282 |     m_HoverColor = color;
000283 | }
000284 |
000285 | int GetHoverColor()
000286 | {
000287 |     return m_HoverColor;
000288 | }
000289 |
000290 | bool IsMouseHovering()
000291 | {
000292 |     return m_MouseHover;
000293 | }
000294 |
000295 | ImageWidget GetIconWidget()
000296 | {
000297 |     return m_Icon;
000298 | }
000299 |
000300 | Widget GetDragWidget()
000301 | {
000302 |     return m_DragWidget;
000303 | }
000304 |
000305 | void SetIgnorePointer(bool state)
000306 | {
000307 |     if (state)
000308 |     {
000309 |         GetLayoutRoot().SetFlags(WidgetFlags.IGNOREPOINTER);
000310 |         m_DragWidget.SetFlags(WidgetFlags.IGNOREPOINTER);
000311 |         m_EditButton.SetFlags(WidgetFlags.IGNOREPOINTER);
000312 |     }
000313 |     else
000314 |     {
000315 |         GetLayoutRoot().ClearFlags(WidgetFlags.IGNOREPOINTER);
000316 |         m_DragWidget.ClearFlags(WidgetFlags.IGNOREPOINTER);
```

```
000317 |         m_EditButton.ClearFlags(WidgetFlags.IGNOREPOINTER);
000318 |     }
000319 | }
000320 |
000321 | override bool OnMouseEnter(Widget w, int x, int y)
000322 | {
000323 |     if (w != NULL && IsEditButton(w))
000324 |     {
000325 |         m_MouseHover = true;
000326 |         m_Name.SetColor(m_HoverColor);
000327 |         m_Icon.SetColor(m_HoverColor);
000328 |         return true;
000329 |     }
000330 |
000331 |     return super.OnMouseEnter(w, x, y);
000332 | }
000333 |
000334 | override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)
000335 | {
000336 |     if (w != NULL && IsEditButton(w))
000337 |     {
000338 |         m_MouseHover = false;
000339 |         m_Name.SetColor(m_PrimaryColor);
000340 |         m_Icon.SetColor(m_PrimaryColor);
000341 |         return true;
000342 |     }
000343 |
000344 |     return super.OnMouseLeave(w, enterW, x, y);
000345 | }
000346 |
000347 | bool CanDrag()
000348 | {
000349 |     return true;
000350 | }
000351 | };
000352 |
```

0321. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ActionTargetsCursor.c

Size bytes: 994

SHA-256: 1840790fe85488acfa72a65e43d32aa76f837b56e8589fc8e62251a8ff6b02c5

Decoded as: utf-8-sig

Line count shown: 41

Detected class declarations: 1

L13: modded class ActionTargetsCursor

Detected enum declarations: 0

Detected function/method-like declarations: 2

L16: override void Update()

L31: override protected string GetActionDesc(ActionBase action)

Full file content

```
000001 | /**
000002 |  * ActionTargetsCursor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ActionTargetsCursor
000014 | {
000015 |     #ifdef EXPANSIONUI
000016 |         override void Update()
000017 |         {
000018 |             //! Don't show floating widget if any script view menu is opened
000019 |             ExpansionScriptViewMenu viewMenu = ExpansionScriptViewMenu.Cast(GetDayZExpansion().GetExpansionUIManager().GetMenu());
000020 |             if (viewMenu && viewMenu.IsVisible())
000021 |             {
000022 |                 HideWidget();
000023 |                 return;
000024 |             }
000025 |             super.Update();
000026 |         }
000027 |     #endif
000028 |
000029 |     #ifdef DIAG
000030 |         override protected string GetActionDesc(ActionBase action)
000031 |         {
000032 |             string desc = super.GetActionDesc(action);
000033 |
000034 |             if (action && EXTrace.ACTIONS)
000035 |                 return string.Format("%1 <%2>", desc, action.ClassName());
000036 |
000037 |             return desc;
000038 |         }
000039 |     #endif
000040 | };
000041 |
```

0322. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\CharacterCreation\CharacterCreationMenu.c

Size bytes: 507

SHA-256: f59148368764d2637249d96a42240d396d93153886213e2cc627c318019c9d5d

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class CharacterCreationMenu

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: override void Refresh()

Full file content

```
000001 | /**
000002 |  * CharacterCreationMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class CharacterCreationMenu
000014 | {
000015 |     override void Refresh()
000016 |     {
000017 |         super.Refresh();
000018 |
000019 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000020 |     }
000021 | };
000022 |
```

0323. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\DebugMonitor.c

Size bytes: 461

SHA-256: d4fd62dac9505661a561621a3aa42ca9529851d5aa7786e61866f813c04e0bb7

Decoded as: utf-8-sig

Line count shown: 22

Detected class declarations: 1

L13: modded class DebugMonitor

Detected enum declarations: 0

Detected function/method-like declarations: 1

L17: void DebugMonitor()

Full file content

```
000001 | /**
000002 |  * DebugMonitor.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class DebugMonitor
000014 | {
000015 |     static ref DebugMonitor Instance;
000016 |
000017 |     void DebugMonitor()
000018 |     {
000019 |         Instance = this;
000020 |     }
000021 | }
000022 |
```

0324. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHud.c

Size bytes: 1988

SHA-256: e5a14780fa01396c38c4b25b4bd119699c5f182527c2f8063559393922475637

Decoded as: utf-8-sig

Line count shown: 70

Detected class declarations: 1

L13: modded class IngameHud

Detected enum declarations: 0

Detected function/method-like declarations: 4

L19: static void Expansion_OverrideCanShowHUDElements(bool enable, bool value)

L26: override bool Expansion_CanShowHUDElements(DayZPlayer player = null)

L59: Widget Expansion_GetStancePanel()

L66: override bool Expansion_IsVisible()

Full file content

```
000001 | /**
000002 |  * IngameHud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class IngameHud
000014 | {
000015 | #ifdef DIAG_DEVELOPER
000016 |     static bool s_Expansion_OverrideCanShowHUDElements_Enabled;
000017 |     static bool s_Expansion_OverrideCanShowHUDElements_Value;
000018 |
000019 |     static void Expansion_OverrideCanShowHUDElements(bool enable, bool value)
000020 |     {
000021 |         s_Expansion_OverrideCanShowHUDElements_Enabled = enable;
000022 |         s_Expansion_OverrideCanShowHUDElements_Value = value;
000023 |     }
000024 | #endif
000025 |
000026 |     override bool Expansion_CanShowHUDElements(DayZPlayer player = null)
000027 |     {
000028 | #ifdef DIAG_DEVELOPER
000029 |         if (s_Expansion_OverrideCanShowHUDElements_Enabled)
000030 |             return s_Expansion_OverrideCanShowHUDElements_Value;
000031 | #endif
000032 |
000033 |         if (!super.Expansion_CanShowHUDElements(player))
000034 |             return false;
000035 |
000036 |         if (player && (player.GetPlayerState() != EPlayerStates.ALIVE || player.IsUnconscious()))
000037 |             return false;
000038 |
000039 |         if (g_Game.GetUIManager().GetMenu())
000040 |             return false;
000041 |
000042 | #ifdef EXPANSIONUI
000043 |         if (GetDayZExpansion().GetExpansionUIManager().GetMenu())
```

```
000044 |         return false;
000045 |     #endif
000046 |
000047 |         if (!m_HudVisibility)
000048 |             return false;
000049 |
000050 |         if (m_HudVisibility.IsContextFlagActive(EHudContextFlags.HUD_DISABLE) || m_HudVisibility.IsContextFlagActive(EHudContextFlags.HUD_HIDE))
000051 |             return false;
000052 |
000053 |         if (m_HudVisibility.IsContextFlagActive(EHudContextFlags.MENU_OPEN) || m_HudVisibility.IsContextFlagActive(EHudContextFlags.INVENTORY_OPEN))
000054 |             return false;
000055 |
000056 |         return true;
000057 |     }
000058 |
000059 | Widget Expansion_GetStancePanel()
000060 | {
000061 |     if (m_HudVisibility)
000062 |         return m_HudVisibility.Expansion_GetElementWidget(EHudElement.LHUD_STANCE);
000063 |     return null;
000064 | }
000065 |
000066 | override bool Expansion_IsVisible()
000067 | {
000068 |     return !m_HudVisibility.IsContextFlagActive(IngamedHudVisibility.HUD_HIDE_FLAGS);
000069 | }
000070 | }
```

0325. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\IngameHudVisibility.c

Size bytes: 138

SHA-256: 2716c15c3134db24a2c30ffadc122e6d7c1e56563b58053702736736157aa900

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: modded class IngameHudVisibility

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: Widget Expansion_GetElementWidget(EHudElement element)

Full file content

```
000001 | modded class IngameHudVisibility
000002 | {
000003 |     Widget Expansion_GetElementWidget(EHudElement element)
000004 |     {
000005 |         return m_ElementMap[element];
000006 |     }
000007 | }
000008 |
```


0326. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InGameMenu.c

Size bytes: 1421

SHA-256: e0825c9067a9f9e71e7a79dcb695a30cceb32534b4ff3649e5da9c64a35eb552

Decoded as: utf-8-sig

Line count shown: 59

Detected class declarations: 1

L13: modded class InGameMenu

Detected enum declarations: 0

Detected function/method-like declarations: 5

L15: void InGameMenu()

L21: void ~InGameMenu()

L27: override Widget Init()

L40: void OnSettingChanged()

L49: override protected void SetGameVersion()

Full file content

```
000001 | /**
000002 |  * InGameMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class InGameMenu
000014 | {
000015 |     void InGameMenu()
000016 |     {
000017 |         if (GetExpansionClientSettings())
000018 |             GetExpansionClientSettings().SI_UpdateSetting.Insert(OnSettingChanged);
000019 |     }
000020 |
000021 |     void ~InGameMenu()
000022 |     {
000023 |         if (GetExpansionClientSettings())
000024 |             GetExpansionClientSettings().SI_UpdateSetting.Remove(OnSettingChanged);
000025 |     }
000026 |
000027 |     override Widget Init()
000028 |     {
000029 |         layoutRoot = super.Init();
000030 |
000031 |         if (GetExpansionClientSettings().StreamerMode)
000032 |         {
000033 |             Widget serverInfo = layoutRoot.FindAnyWidget("server_info");
000034 |             serverInfo.Show(false);
000035 |         }
000036 |
000037 |         return layoutRoot;
000038 |     }
000039 |
000040 |     void OnSettingChanged()
000041 |     {
000042 |         if (GetExpansionClientSettings())
```

```
000043 |     {
000044 |         Widget serverInfo = layoutRoot.FindAnyWidget("server_info");
000045 |         serverInfo.Show(!GetExpansionClientSettings().StreamerMode);
000046 |     }
000047 | }
000048 |
000049 | override protected void SetGameVersion()
000050 | {
000051 |     #ifdef EXPANSIONTRACE
000052 |         auto trace = CF_Trace_0(ExpansionTracing.UI, this, "SetGameVersion");
000053 |     #endif
000054 |
000055 |     TextWidget version_widget = TextWidget.Cast(layoutRoot.FindAnyWidget("version"));
000056 |
000057 |     GetDayZGame().Expansion_SetGameVersionText(version_widget);
000058 | }
000059 | };
```

0327. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InspectMenuNew.c
Size bytes: 3325
SHA-256: 5fa6046ade62a54a3cb13a3d1b67bf3bc76d2cc507a406f43f700abff15501c8
Decoded as: utf-8-sig
Line count shown: 110
Detected class declarations: 1
L15: modded class InspectMenuNew
Detected enum declarations: 0
Detected function/method-like declarations: 3
L17: override static void UpdateItemInfoLiquidType(Widget root_widget, EntityAI item)
L50: else if(item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer())
L64: override static void WidgetTrySetText(Widget root_widget, string widget_name, string text, int color = 0)

Full file content

```
000001 | /**
000002 |  * InspectMenuNew.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSION_INSPECT_MENU_NEW_ENABLE
000014 | //! This is basically how vanilla SHOULD have done it
000015 | modded class InspectMenuNew
000016 | {
000017 |     override static void UpdateItemInfoLiquidType(Widget root_widget, EntityAI item)
000018 |     {
000019 | #ifdef EXPANSIONTRACE
000020 |         auto trace = CF_Trace_2(ExpansionTracing.UI, "InspectMenuNew", "UpdateItemInfoLiquidType").Add(root_widget).Add(item);
000021 | #endif
000022 |
000023 |         if ( item.IsInherited( ZombieBase ) || item.IsTransport() ) return;
000024 |
000025 |         ItemBase item_base = ItemBase.Cast( item );
000026 |
000027 |         int color;
000028 |
000029 |         if( item_base && item_base.GetQuantity() > 0 && item_base.IsBloodContainer() )
000030 |         {
000031 |             BloodContainerBase blood_container = BloodContainerBase.Cast( item_base );
000032 |
000033 |             if (GetExpansionClientSettings().EnableLiquidTypeColors)
000034 |                 color = Colors.RED;
000035 |             else
000036 |                 color = Colors.COLOR_LIQUID;
000037 |
000038 |             if( blood_container.GetBloodTypeVisible() )
000039 |             {
000040 |                 string type;
000041 |                 bool positive;
000042 |                 string blood_type_name = BloodTypes.GetBloodTypeName(blood_container.GetLiquidType(), type, positive);
000043 |                 WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", "#inv_inspect_blood: " + blood_type_name, color);
000044 |             }
000045 |         }
000046 |     }
000047 | }
```

```

000045 |         else
000046 |         {
000047 |             WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", "#inv_inspect_blood", color);
000048 |         }
000049 |     }
000050 |     else if( item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer() )
000051 |     {
000052 |         int liquid_type = item_base.GetLiquidType();
000053 |
000054 |         string text = ExpansionWorld.GetLiquidDisplayName(liquid_type, true, color);
000055 |
000056 |         WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", text, color);
000057 |     }
000058 |     else
000059 |     {
000060 |         WidgetTrySetText(root_widget, "ItemLiquidTypeWidget", "");
000061 |     }
000062 | }
000063 |
000064 | override static void WidgetTrySetText(Widget root_widget, string widget_name, string text, int color = 0)
000065 | {
000066 |     TextWidget widget = TextWidget.Cast( root_widget.FindAnyWidget(widget_name) );
000067 |     RichTextWidget rt_widget = RichTextWidget.Cast( root_widget.FindAnyWidget(widget_name) );
000068 |     if (widget)
000069 |     {
000070 |         widget.SetText(text);
000071 |         int textColor = COLOR_WHITE;
000072 |         if (color)
000073 |         {
000074 |             int a, r, g, b;
000075 |             ExpansionStatic.IntToARGB(color, a, r, g, b);
000076 |             if (a > 127)
000077 |             {
000078 |                 /// If it's a light color, change text to black
000079 |                 float lab_l, lab_a, lab_b;
000080 |                 ExpansionColor.sRGBToLab(r, g, b, lab_l, lab_a, lab_b);
000081 |                 #ifdef DIAG_DEVELOPER
000082 |                     EXTrace.Print(EXTrace.GENERAL_ITEMS, ExpansionColor, string.Format("sRGBToLab A %1 R %2 G %3 B %4 -> L* %5 a* %6 b* %7 %8 %9", a, r, g, b, lab
000083 | _l, lab_a, lab_b, widget_name, text));
000084 |                 #endif
000085 |                 if (lab_l > 90.0)
000086 |                     textColor = 0xFF000000;
000087 |             }
000088 |         }
000089 |         widget.SetColor(textColor);
000090 |         Widget widget_background = root_widget.FindAnyWidget(widget_name+"Background");
000091 |         if (widget_background)
000092 |         {
000093 |             if (color != 0)
000094 |             {
000095 |                 widget_background.Show( true );
000096 |                 widget_background.SetColor(color | 0x7F000000);
000097 |             }
000098 |             else
000099 |             {
000100 |                 widget_background.Show( false );
000101 |             }
000102 |         }
000103 |     }
000104 |     if( rt_widget )
000105 |     {
000106 |         rt_widget.Update();

```

```
000106 |      }
000107 |    }
000108 | };
000109 | #endif
000110 |
```

0328. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\ExpansionTidyPanel.c

Size bytes: 4510

SHA-256: cb05d4084c7ebf322cedf12856ea5cf8181899ffa788cf529f2c58444b2e8713

Decoded as: utf-8-sig

Line count shown: 204

Detected class declarations: 6

- L1: class ExpansionTidyPanel
- L132: modded class Header
- L145: modded class ClosableHeader
- L153: modded class Attachments
- L161: modded class AttachmentsWrapper
- L188: modded class HandsHeader

Detected enum declarations: 0

Detected function/method-like declarations: 15

- L10: void ExpansionTidyPanel(Managed owner, Widget parent)
- L27: void ~ExpansionTidyPanel()
- L43: void InsertCallbacks()
- L57: void RemoveCallbacks()
- L71: void SetEntity(EntityAI entity)
- L102: void UpdateVisibility()
- L115: void UpdateVisibilityEx(EntityAI entity)
- L121: void Tidy()
- L136: override void SetItemPreview(EntityAI entity_ai)
- L147: void ClosableHeader(LayoutHolder parent, string function_name)
- L155: EntityAI Expansion_GetEntity()
- L165: void AttachmentsWrapper(LayoutHolder parent)
- L171: override void SetParent(Attachments atts)
- L190: void HandsHeader(LayoutHolder parent, string function_name)
- L195: override void UpdateInterval()

Full file content

```

000001 | class ExpansionTidyPanel
000002 | {
000003 |     protected Managed m_Owner;
000004 |     protected EntityAI m_Entity;
000005 |     protected Widget m_Panel;
000006 |     protected ButtonWidget m_Btn;
000007 |     protected ImageWidget m_BtnIcon;
000008 |     protected bool m_HasCallbacks;
000009 |
000010 |     void ExpansionTidyPanel(Managed owner, Widget parent)
000011 |     {
000012 |         #ifdef DIAG_DEVELOPER
000013 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "ExpansionTidyPanel " + owner + " " + parent);
000014 |         #endif
000015 |
000016 |         if (parent)
000017 |         {
000018 |             m_Owner = owner;
000019 |             m_Panel = g_Game.GetWorkspace().CreateWidgets("DayZExpansion/Core/GUI/layouts/expansion_inventory_tidy.layout", parent);
000020 |             m_Btn = ButtonWidget.Cast(m_Panel.FindAnyWidget("TidyBtn"));
000021 |             m_BtnIcon = ImageWidget.Cast(m_Panel.FindAnyWidget("TidyBtnIcon"));
000022 |             WidgetEventHandler.GetInstance().RegisterOnClick(m_Btn, this, "Tidy");
000023 |             m_Panel.Show(false);
000024 |         }
000025 |     }
000026 |
000027 |     void ~ExpansionTidyPanel()

```

```
000028 | {
000029 | #ifdef EXTRACE
000030 |     EXTrace trace;
000031 | #endif
000032 |
000033 |     if (g_Game)
000034 |     {
000035 |         #ifdef EXTRACE
000036 |             trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this);
000037 |         #endif
000038 |
000039 |         RemoveCallbacks();
000040 |     }
000041 | }
000042 |
000043 | void InsertCallbacks()
000044 | {
000045 |     #ifdef DIAG_DEVELOPER
000046 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "InsertCallbacks " + m_Owner + " " + m_Entity + " " + m_HasCallbacks);
000047 |     #endif
000048 |
000049 |     if (!m_HasCallbacks)
000050 |     {
000051 |         ItemBase.s_Expansion_UpdateTidyPanelVisibilityExSI.Insert(UpdateVisibilityEx);
000052 |         ExpansionSettings.SI_Core.Insert(UpdateVisibility);
000053 |         m_HasCallbacks = true;
000054 |     }
000055 | }
000056 |
000057 | void RemoveCallbacks()
000058 | {
000059 |     #ifdef DIAG_DEVELOPER
000060 |         EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "RemoveCallbacks " + m_Owner + " " + m_Entity + " " + m_HasCallbacks);
000061 |     #endif
000062 |
000063 |     if (m_HasCallbacks)
000064 |     {
000065 |         ItemBase.s_Expansion_UpdateTidyPanelVisibilityExSI.Remove(UpdateVisibilityEx);
000066 |         ExpansionSettings.SI_Core.Remove(UpdateVisibility);
000067 |         m_HasCallbacks = false;
000068 |     }
000069 | }
000070 |
000071 | void SetEntity(EntityAI entity)
000072 | {
000073 |     #ifdef EXTRACE
000074 |         EXTrace trace;
000075 |     #endif
000076 |
000077 |     if (m_Entity != entity && m_Panel)
000078 |     {
000079 |         #ifdef EXTRACE
000080 |             trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, "" + entity);
000081 |         #endif
000082 |
000083 |         m_Entity = entity;
000084 |
000085 |         if (m_Entity)
000086 |         {
000087 |             CargoBase cargo = m_Entity.GetInventory().GetCargo();
000088 |             if (cargo && cargo.GetWidth() > 0 && cargo.GetHeight() > 0)
000089 |             {
```

```
000090 |         UpdateVisibility();
000091 |         InsertCallbacks();
000092 |     }
000093 |     else
000094 |     {
000095 |         m_Panel.Show(false);
000096 |         RemoveCallbacks();
000097 |     }
000098 | }
000099 | }
000100 | }
000101 |
000102 | void UpdateVisibility()
000103 | {
000104 | #ifdef DIAG_DEVELOPER
000105 |     EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "UpdateVisibility " + m_Owner + " " + m_Entity);
000106 | #endif
000107 |
000108 |     auto settings = GetExpansionSettings().GetCore(false);
000109 |     if (settings.IsLoaded())
000110 |         m_Panel.Show(settings.EnableInventoryCargoTidy);
000111 |
000112 |     m_Btn.Enable(true);
000113 | }
000114 |
000115 | void UpdateVisibilityEx(EntityAI entity)
000116 | {
000117 |     if (m_Entity == entity)
000118 |         UpdateVisibility();
000119 | }
000120 |
000121 | void Tidy()
000122 | {
000123 |     if (!m_Entity)
000124 |         return;
000125 |
000126 |     m_Btn.Enable(false);
000127 |
000128 |     ExpansionInventoryTools.RequestTidy(m_Entity, false);
000129 | }
000130 | }
000131 |
000132 | modded class Header
000133 | {
000134 |     protected ref ExpansionTidyPanel m_Expansion_TidyPanel;
000135 |
000136 |     override void SetItemPreview(EntityAI entity_ai)
000137 |     {
000138 |         super.SetItemPreview(entity_ai);
000139 |
000140 |         if (m_Expansion_TidyPanel)
000141 |             m_Expansion_TidyPanel.SetEntity(entity_ai);
000142 |     }
000143 | }
000144 |
000145 | modded class ClosableHeader
000146 | {
000147 |     void ClosableHeader(LayoutHolder parent, string function_name)
000148 |     {
000149 |         m_Expansion_TidyPanel = new ExpansionTidyPanel(this, m_PanelWidget);
000150 |     }
000151 | }
```



```
000152 |
000153 | modded class Attachments
000154 | {
000155 |     EntityAI Expansion_GetEntity()
000156 |     {
000157 |         return m_Entity;
000158 |     }
000159 | }
000160 |
000161 | modded class AttachmentsWrapper
000162 | {
000163 |     protected ref ExpansionTidyPanel m_Expansion_TidyPanel;
000164 |
000165 |     void AttachmentsWrapper(LayoutHolder parent)
000166 |     {
000167 |         ///! lol vanilla typos :>
000168 |         m_Expansion_TidyPanel = new ExpansionTidyPanel(this, m_RootWidget.FindAnyWidget("arrachments_wrapper_header"));
000169 |     }
000170 |
000171 |     override void SetParent(Attachments atts)
000172 |     {
000173 |         super.SetParent(atts);
000174 |
000175 |         if (m_Expansion_TidyPanel)
000176 |         {
000177 |             EntityAI entity = atts.Expansion_GetEntity();
000178 |             if (entity)
000179 |             {
000180 |                 EntityAI parent = entity.GetHierarchyParent();
000181 |                 if (parent && !parent.IsMan())
000182 |                     m_Expansion_TidyPanel.SetEntity(entity);
000183 |             }
000184 |         }
000185 |     }
000186 | }
000187 |
000188 | modded class HandsHeader
000189 | {
000190 |     void HandsHeader(LayoutHolder parent, string function_name)
000191 |     {
000192 |         m_Expansion_TidyPanel = new ExpansionTidyPanel(this, m_ItemHeader);
000193 |     }
000194 |
000195 |     override void UpdateInterval()
000196 |     {
000197 |         super.UpdateInterval();
000198 |
000199 |         DayZPlayer player = g_Game.GetPlayer();
000200 |         if (player)
000201 |             m_Expansion_TidyPanel.SetEntity(player.GetHumanInventory().GetEntityInHands());
000202 |     }
000203 | }
000204 |
```

0329. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\InventoryNew\Inherited\ContainerWithCargoAndAttachments.c
Size bytes: 996
SHA-256: 057c27145c87acb1c5485494e5131a2f569cc2b67734f0a175bd638dbf795aa7
Decoded as: utf-8-sig
Line count shown: 37
Detected class declarations: 1
  L13: modded class ContainerWithCargoAndAttachments
Detected enum declarations: 0
Detected function/method-like declarations: 3
  L15: override void OnShow()
  L21: override void SetOpenState(bool state)
  L29: override void SetEntity(EntityAI entity, bool immedUpdate = true)
```

Full file content

```
000001 | /**
000002 |  * ContainerWithCargoAndAttachments.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ContainerWithCargoAndAttachments
000014 | {
000015 |     override void OnShow()
000016 |     {
000017 |         if (!m_Entity || !m_Entity.IsInherited(ExpansionOwnedContainer) || m_Entity.CanDisplayCargo())
000018 |             super.OnShow();
000019 |     }
000020 |
000021 |     override void SetOpenState(bool state)
000022 |     {
000023 |         if (m_Entity && m_Entity.IsInherited(ExpansionOwnedContainer) && !m_Entity.CanDisplayCargo())
000024 |             state = false;
000025 |
000026 |         super.SetOpenState(state);
000027 |     }
000028 |
000029 |     override void SetEntity(EntityAI entity, bool immedUpdate = true)
000030 |     {
000031 |         if (entity && entity.IsInherited(ExpansionOwnedContainer) && !entity.CanDisplayCargo())
000032 |             m_Closed = true;
000033 |
000034 |         super.SetEntity(entity, immedUpdate);
000035 |     }
000036 | }
000037 |
```

0330. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\ItemActionsWidget.c

Size bytes: 291

SHA-256: cf6c8e4182919709dcccdbel75a759ef35948b14f4409efbc0e7255e4c75bc9

Decoded as: utf-8-sig

Line count shown: 15

Detected class declarations: 1

 L1: modded class ItemActionsWidget

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L4: override protected string GetActionDesc(ActionBase action)

Full file content

```
000001 | modded class ItemActionsWidget
000002 | {
000003 |     #ifdef DIAG
000004 |         override protected string GetActionDesc(ActionBase action)
000005 |         {
000006 |             string desc = super.GetActionDesc(action);
000007 |
000008 |             if (action && EXTrace.ACTIONS)
000009 |                 return string.Format("%1 <%2>", desc, action.ClassName());
000010 |
000011 |             return desc;
000012 |         }
000013 |     #endif
000014 | }
000015 |
```

0331. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\KeybindingsMenu\KeybindingsMenu.c

Size bytes: 627

SHA-256: 1bf3403a97d3b5b3cc04dadd76c61400f3481d0bba64f4f9043eead1d089a41b

Decoded as: utf-8-sig

Line count shown: 29

Detected class declarations: 1

L13: modded class KeybindingsMenu

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: override Widget Init()

L24: override void Refresh()

Full file content

```
000001 | /**
000002 |  * KeybindingsMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class KeybindingsMenu
000014 | {
000015 |     override Widget Init()
000016 |     {
000017 |         layoutRoot = super.Init();
000018 |
000019 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000020 |
000021 |         return layoutRoot;
000022 |     }
000023 |
000024 |     override void Refresh()
000025 |     {
000026 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000027 |     }
000028 | };
000029 |
```

0332. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\MainMenu\MainMenu.c

Size bytes: 624

SHA-256: df2b47b6b4f3d1c8291353ec373fafecbcfb120b8d8e5bb784132767ad21ccf0

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L13: modded class MainMenu

Detected enum declarations: 0

Detected function/method-like declarations: 2

L15: override Widget Init()

L22: override void Refresh()

Full file content

```
000001 | /**
000002 |  * MainMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class MainMenu
000014 | {
000015 |     override Widget Init()
000016 |     {
000017 |         layoutRoot = super.Init();
000018 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000019 |         return layoutRoot;
000020 |     }
000021 |
000022 |     override void Refresh()
000023 |     {
000024 |         super.Refresh();
000025 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);
000026 |     }
000027 | };
000028 |
```

0333. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\ExpansionOptionSettingWidget.c
Size bytes: 8303
SHA-256: 83dfa5e7fc7151c97e11910b9392220ac508edc0fce382a019569a4c73fa7369
Decoded as: utf-8-sig
Line count shown: 250
Detected class declarations: 1
  L13: class ExpansionOptionSettingWidget: ScriptedWidgetEventHandler
Detected enum declarations: 0
Detected function/method-like declarations: 15
  L33: void ExpansionOptionSettingWidget( Widget parent, notnull ExpansionSettingSerializationBase setting, OptionsMenuExpansion menu )
  L56: void ~ExpansionOptionSettingWidget()
  L64: void Apply()
  L72: bool ConstructToggle()
  L94: private void OnToggleOptionChanged( int selection )
  L102: private void OnApplySetting_Toggle()
  L117: bool ConstructSlider()
  L142: private void OnSliderOptionChanged( float value )
  L151: private void OnApplySetting_Slider()
  L163: bool ConstructEnum()
  L182: private void OnEnumOptionChanged( float value )
  L190: private void OnApplySetting_Enum()
  L202: override bool OnMouseEnter( Widget w, int x, int y )
  L225: override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
  L245: ExpansionSettingSerializationBase GetSetting()
```

Full file content

```
000001 | /**
000002 |  * ExpansionOptionSettingWidget.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionOptionSettingWidget: ScriptedWidgetEventHandler
000014 | {
000015 |     protected Widget layoutRoot;
000016 |     protected Widget selectWidget;
000017 |     protected Widget optionWidget;
000018 |     protected TextWidget settingLabel;
000019 |     protected ButtonWidget settingButton;
000020 |     protected TextWidget settingValue;
000021 |
000022 |     protected ExpansionSettingSerializationBase m_Setting;
000023 |
000024 |     protected ref OptionsMenuExpansion m_Menu;
000025 |     protected ref OptionSelectorMultistate m_Selector;
000026 |     protected ref OptionSelectorSlider m_Slider;
000027 |     protected ref ScriptInvoker m_ApplySetting = new ScriptInvoker;
000028 |
000029 |     // -----
000030 |     // ExpansionOptionSettingWidget Constructor
000031 |
000032 |     // -----
```

```
000033 | void ExpansionOptionSettingWidget( Widget parent, notnull ExpansionSettingSerializationBase setting, OptionsMenuExpansion menu )
000034 | {
000035 |     layoutRoot = Widget.Cast( g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/expansion_options_setting_new.layout", parent )
000036 | );
000037 |     m_Setting = setting;
000038 |     m_Menu = menu;
000039 |
000040 |     selectWidget = Widget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting" ) );
000041 |     settingLabel = TextWidget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_label" ) );
000042 |     settingLabel.SetText( m_Setting.m_Name );
000043 |     optionWidget = Widget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_option" ) );
000044 |     settingButton = ButtonWidget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_button" ) );
000045 |     settingValue = TextWidget.Cast( layoutRoot.FindAnyWidget( "expansion_options_setting_value" ) );
000046 |     settingValue.Show( false );
000047 |
000048 |     layoutRoot.SetHandler( this );
000049 |
000050 |     if ( !ConstructToggle() && !ConstructSlider() && !ConstructEnum() )
000051 |     {
000052 |         Error( "ExpansionOptionSettingWidget construction failed!" );
000053 |     }
000054 | }
000055 |
000056 | void ~ExpansionOptionSettingWidget()
000057 | {
000058 |     m_Menu = null;
000059 | }
000060 |
000061 | // -----
000062 | // ExpansionOptionSettingWidget Apply
000063 | // -----
000064 | void Apply()
000065 | {
000066 |     m_ApplySetting.Invoke();
000067 | }
000068 |
000069 | // -----
000070 | // ExpansionOptionSettingWidget ConstructToggle
000071 | // -----
000072 | bool ConstructToggle()
000073 | {
000074 |     ExpansionSettingSerializationToggle setting;
000075 |     if ( !Class.CastTo( setting, m_Setting ) )
000076 |         return false;
000077 |
000078 |     int selection = 0;
000079 |     if ( setting.GetValue() )
000080 |         selection = 1;
000081 |
000082 |     array<string> options = { "NO", "YES" };
000083 |     m_Selector = new OptionSelectorMultistate( optionWidget, selection, this, false, options );
000084 |     m_Selector.m_OptionChanged.Insert( OnToggleOptionChanged );
000085 |
000086 |     m_ApplySetting.Insert( OnApplySetting_Toggle );
000087 |
000088 |     return true;
000089 | }
000090 |
000091 | // -----
000092 | // ExpansionOptionSettingWidget OnToggleOptionChanged
000093 | // -----
```

```
000094 | private void OnToggleOptionChanged( int selection )
000095 | {
000096 |     m_Menu.SetChanged();
000097 | }
000098 |
000099 | // -----
000100 | // ExpansionOptionSettingWidget OnApplySetting_Toggle
000101 | // -----
000102 | private void OnApplySetting_Toggle()
000103 | {
000104 |     ExpansionSettingSerializationToggle setting;
000105 |     if ( !Class.CastTo( setting, m_Setting ) )
000106 |         return;
000107 |
000108 |     if ( m_Selector.GetValue() == 1 )
000109 |         setting.SetValue( true );
000110 |     else
000111 |         setting.SetValue( false );
000112 | }
000113 |
000114 | // -----
000115 | // ExpansionOptionSettingWidget ConstructSlider
000116 | // -----
000117 | bool ConstructSlider()
000118 | {
000119 |     ExpansionSettingSerializationSlider setting;
000120 |     if ( !Class.CastTo( setting, m_Setting ) )
000121 |         return false;
000122 |
000123 |     float value = setting.GetValue();
000124 |
000125 |     m_Slider = new OptionSelectorSlider( optionWidget, value, this, false, setting.m_Min, setting.m_Max );
000126 |     if (setting.m_Step)
000127 |         m_Slider.SetStep(setting.m_Step / (setting.m_Max - setting.m_Min));
000128 |     m_Slider.SetValue(value, false);
000129 |     m_Slider.Expansion_UpdateLastValue();
000130 |     m_Slider.m_OptionChanged.Insert( OnSliderOptionChanged );
000131 |     settingValue.Show( true );
000132 |     settingValue.SetText( m_Slider.GetValue().ToString() );
000133 |
000134 |     m_ApplySetting.Insert( OnApplySetting_Slider );
000135 |
000136 |     return true;
000137 | }
000138 |
000139 | // -----
000140 | // ExpansionOptionSettingWidget OnSliderOptionChanged
000141 | // -----
000142 | private void OnSliderOptionChanged( float value )
000143 | {
000144 |     m_Menu.SetChanged();
000145 |     settingValue.SetText( m_Slider.GetValue().ToString() );
000146 | }
000147 |
000148 | // -----
000149 | // ExpansionOptionSettingWidget OnApplySetting_Slider
000150 | // -----
000151 | private void OnApplySetting_Slider()
000152 | {
000153 |     ExpansionSettingSerializationSlider setting;
000154 |     if ( !Class.CastTo( setting, m_Setting ) )
000155 |         return;
```



```
000156 |         setting.SetValue( m_Slider.GetValue() );
000157 |     }
000158 |
000159 | // -----
000160 | // ExpansionOptionSettingWidget ConstructEnum
000161 | // -----
000162 | bool ConstructEnum()
000163 | {
000164 |     ExpansionSettingSerializationEnum setting;
000165 |     if ( !Class.CastTo( setting, m_Setting ) )
000166 |         return false;
000167 |
000168 |     int value = setting.GetValue();
000169 |
000170 |     m_Selector = new OptionSelectorMultistate( optionWidget, value, this, false, setting.m_Values );
000171 |     m_Selector.m_OptionChanged.Insert( OnEnumOptionChanged );
000172 |
000173 |     m_ApplySetting.Insert( OnApplySetting_Enum );
000174 |
000175 |     return true;
000176 | }
000177 |
000178 | // -----
000179 | // ExpansionOptionSettingWidget OnEnumOptionChanged
000180 | // -----
000181 | private void OnEnumOptionChanged( float value )
000182 | {
000183 |     m_Menu.SetChanged();
000184 | }
000185 |
000186 | // -----
000187 | // ExpansionOptionSettingWidget OnApplySetting_Enum
000188 | // -----
000189 | private void OnApplySetting_Enum()
000190 | {
000191 |     ExpansionSettingSerializationEnum setting;
000192 |     if ( !Class.CastTo( setting, m_Setting ) )
000193 |         return;
000194 |
000195 |     setting.SetValue( m_Selector.GetValue() );
000196 | }
000197 |
000198 | // -----
000199 | // ExpansionOptionSettingWidget OnMouseEnter
000200 | // -----
000201 | override bool OnMouseEnter( Widget w, int x, int y )
000202 | {
000203 | #ifdef EXPANSIONTRACE
000204 |     auto trace = CF_Trace_0(ExpansionTracing.UI, this, "OnMouseEnter");
000205 | #endif
000206 |
000207 |     if ( w == selectWidget )
000208 |     {
000209 |         m_Menu.ShowDetails( m_Setting.m_Name, m_Setting.m_DetailContent );
000210 |         selectWidget.SetColor( ARGB( 255, 0, 0, 0 ) );
000211 |         settingLabel.SetColor( ARGB( 255, 255, 0, 0 ) );
000212 |
000213 |         if ( m_Selector && m_Selector.GetOptionTextWidget() ) m_Selector.GetOptionTextWidget().SetColor( ARGB( 255, 255, 0, 0 ) );
000214 |
000215 |         return true;
000216 |     }
000217 | }
```

```
000218 |
000219 |     return super.OnMouseEnter( w, x, y );
000220 | }
000221 |
000222 | // -----
000223 | // ExpansionOptionSettingWidget OnMouseLeave
000224 | // -----
000225 | override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
000226 | {
000227 | #ifdef EXPANSIONTRACE
000228 |     auto trace = CF_Trace_0(ExpansionTracing.UI, this, "OnMouseLeave");
000229 | #endif
000230 |
000231 |     if ( w == selectWidget )
000232 |     {
000233 |         m_Menu.HideDetails();
000234 |         selectWidget.SetColor( ARGB( 0, 0, 0, 0 ) );
000235 |         settingLabel.SetColor( ARGB( 255, 255, 255, 255 ) );
000236 |
000237 |         if ( m_Selector && m_Selector.GetOptionTextWidget() ) m_Selector.GetOptionTextWidget().SetColor( ARGB( 255, 255, 255, 255 ) );
000238 |
000239 |         return true;
000240 |     }
000241 |
000242 |     return super.OnMouseLeave( w, enterW, x, y );
000243 | }
000244 |
000245 | ExpansionSettingSerializationBase GetSetting()
000246 | {
000247 |     return m_Setting;
000248 | }
000249 | };
000250 |
```

0334. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionSelectorSlider.c

Size bytes: 106

SHA-256: 11cf75cc4630c363d3750e7e35ee5c74d24fdf8b4fa772717cd0a70abe5feffb

Decoded as: utf-8-sig

Line count shown: 8

Detected class declarations: 1

 L1: modded class OptionSelectorSlider

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: void Expansion_UpdateLastValue()

Full file content

```
000001 | modded class OptionSelectorSlider
000002 | {
000003 |     void Expansion_UpdateLastValue()
000004 |     {
000005 |         m_LastValue = GetValue();
000006 |     }
000007 | }
000008 |
```

0335. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenu.c

Size bytes: 1251

SHA-256: 3112edb6fefcee8eebc84c1616a5a598df0a9a4598e65792315abacb2966388a

Decoded as: utf-8-sig

Line count shown: 59

Detected class declarations: 1

L13: modded class OptionsMenu

Detected enum declarations: 0

Detected function/method-like declarations: 5

L17: void ~OptionsMenu()

L23: override Widget Init()

L33: override void OnChanged()

L44: override void Apply()

L52: override void Refresh()

Full file content

```
000001 | /**
000002 |  * OptionsMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class OptionsMenu
000014 | {
000015 |     protected ref OptionsMenuExpansion m_ExpansionTab;
000016 |
000017 |     void ~OptionsMenu()
000018 |     {
000019 |         if (m_ExpansionTab)
000020 |             delete m_ExpansionTab;
000021 |     }
000022 |
000023 |     override Widget Init()
000024 |     {
000025 |         layoutRoot = super.Init();
000026 |
000027 |         int expansionTabIndex = m_Tabber.AddTab("EXPANSION");
000028 |         m_ExpansionTab = new OptionsMenuExpansion(layoutRoot.FindAnyWidget("Tab_" + expansionTabIndex), m_Details, m_Options, this);
000029 |
000030 |         return layoutRoot;
000031 |     }
000032 |
000033 |     override void OnChanged()
000034 |     {
000035 |         super.OnChanged();
000036 |
000037 |         if ( m_ExpansionTab && m_ExpansionTab.IsChanged() )
000038 |         {
000039 |             m_Apply.ClearFlags( WidgetFlags.IGNOREPOINTER );
000040 |             ColorNormal( m_Apply );
000041 |         }
000042 |     }
```

```
000043 |  
000044 |     override void Apply()  
000045 |     {  
000046 |         super.Apply();  
000047 |  
000048 |         if( m_ExpansionTab && m_ExpansionTab.IsChanged() )  
000049 |             m_ExpansionTab.Apply();  
000050 |     }  
000051 |  
000052 |     override void Refresh()  
000053 |     {  
000054 |         super.Refresh();  
000055 |  
000056 |         GetDayZGame().Expansion_SetGameVersionText(m_Version);  
000057 |     }  
000058 | }  
000059 |
```

0336. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\Options\OptionsMenuExpansion.c
Size bytes: 6712
SHA-256: 7064ee40caddff686318c61d55cb47d5d7ea75c7e59812da8d1414030d03bcc9
Decoded as: utf-8-sig
Line count shown: 227
Detected class declarations: 1
  L13: class OptionsMenuExpansion: ScriptedWidgetEventHandler
Detected enum declarations: 0
Detected function/method-like declarations: 14
  L31: void OptionsMenuExpansion( Widget parent, Widget details_root, GameOptions options, OptionsMenu menu )
  L70: void ~OptionsMenuExpansion()
  L87: bool IsChanged()
  L95: void SetChanged()
  L105: void Apply()
  L124: override bool OnMouseEnter( Widget w, int x, int y )
  L142: override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
  L155: override bool OnFocus( Widget w, int x, int y )
  L163: override bool OnFocusLost( Widget w, int x, int y )
  L171: bool IsFocusable( Widget w )
  L184: void ColorRed( Widget w )
  L198: void ColorWhite( Widget w, Widget enterW )
  L211: void ShowDetails( string title, string text )
  L221: void HideDetails()
```

Full file content

```
000001 | /**
000002 |  * OptionsMenuExpansion.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class OptionsMenuExpansion: ScriptedWidgetEventHandler
000014 | {
000015 |     protected Widget m_Root;
000016 |
000017 |     protected Widget m_DetailsRoot;
000018 |     protected TextWidget m_DetailsLabel;
000019 |     protected RichTextWidget m_DetailsText;
000020 |
000021 |     protected GameOptions m_Options;
000022 |     protected ref OptionsMenu m_Menu;
000023 |
000024 |     protected ref array<ref ExpansionOptionSettingWidget> m_OptionsWidgets;
000025 |
000026 |     protected bool m_IsChanged;
000027 |
000028 |     // -----
000029 |     // OptionsMenuExpansion Constructor
000030 |     // -----
000031 | void OptionsMenuExpansion( Widget parent, Widget details_root, GameOptions options, OptionsMenu menu )
000032 | {
000033 |     m_Root = g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/expansion_tab.layout", parent );
```

```
000034 |         m_Root.SetHandler( this );
000035 |
000036 |         if ( !m_OptionsWidgets )
000037 |             m_OptionsWidgets = new array<ref ExpansionOptionSettingWidget>;
000038 |         else
000039 |             m_OptionsWidgets.Clear();
000040 |
000041 |         m_DetailsRoot = details_root;
000042 |         m_DetailsLabel = TextWidget.Cast( m_DetailsRoot.FindAnyWidget( "details_label" ) );
000043 |         m_DetailsText = RichTextWidget.Cast( m_DetailsRoot.FindAnyWidget( "details_content" ) );
000044 |
000045 |         m_Options = options;
000046 |         m_Menu = menu;
000047 |
000048 |         Widget rootContent = Widget.Cast( m_Root.FindAnyWidget( "expansion_tab_content" ) );
000049 |
000050 |         for ( int i = 0; i < GetExpansionClientSettings().m_Categories.Count(); i++ )
000051 |         {
000052 |             ExpansionClientSettingCategory category = GetExpansionClientSettings().m_Categories[i];
000053 |             Widget categoryWidget = Widget.Cast( g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/expansion_options_category.layout
", rootContent ) );
000054 |             TextWidget categoryLabel = TextWidget.Cast( categoryWidget.FindAnyWidget( "expansion_options_category_header_text" ) );
000055 |             categoryLabel.SetText( category.m_DisplayName );
000056 |             GridSpacerWidget categoryGrid = GridSpacerWidget.Cast( categoryWidget.FindAnyWidget( "expansion_options_category_content" ) );
000057 |
000058 |             for ( int j = 0; j < category.m_Settings.Count(); j++ )
000059 |             {
000060 |                 ExpansionOptionSettingWidget setting = new ExpansionOptionSettingWidget( categoryGrid, category.m_Settings[j], this );
000061 |
000062 |                 if ( setting )
000063 |                 {
000064 |                     m_OptionsWidgets.Insert( setting );
000065 |                 }
000066 |             }
000067 |         }
000068 |     }
000069 |
000070 |     void ~OptionsMenuExpansion()
000071 |     {
000072 |         if ( m_OptionsWidgets )
000073 |         {
000074 |             foreach (auto w: m_OptionsWidgets)
000075 |             {
000076 |                 if (w)
000077 |                     delete w;
000078 |             }
000079 |
000080 |             m_OptionsWidgets.Clear();
000081 |         }
000082 |     }
000083 |
000084 |     // -----
000085 |     // OptionsMenuExpansion IsChanged
000086 |     // -----
000087 |     bool IsChanged()
000088 |     {
000089 |         return m_IsChanged;
000090 |     }
000091 |
000092 |     // -----
000093 |     // OptionsMenuExpansion SetChanged
000094 |     // -----
```

```
000095 | void SetChanged()
000096 | {
000097 |     m_IsChanged = true;
000098 |
000099 |     m_Menu.OnChanged();
000100 | }
000101 |
000102 | // -----
000103 | // OptionsMenuExpansion Apply
000104 | // -----
000105 | void Apply()
000106 | {
000107 |     if ( m_IsChanged )
000108 |     {
000109 |         m_IsChanged = false;
000110 |
000111 |         for ( int i = 0; i < m_OptionsWidgets.Count(); i++ )
000112 |         {
000113 |             m_OptionsWidgets[i].Apply();
000114 |         }
000115 |
000116 |         CF_ModuleCoreManager.OnSettingsChanged(this, CF_EventArgs.Empty);
000117 |         GetExpansionClientSettings().Save();
000118 |     }
000119 | }
000120 |
000121 | // -----
000122 | // OptionsMenuExpansion Override OnMouseEnter
000123 | // -----
000124 | override bool OnMouseEnter( Widget w, int x, int y )
000125 | {
000126 |     if ( w && w.IsInherited( ScrollWidget ) )
000127 |     {
000128 |         return false;
000129 |     }
000130 |
000131 |     if ( w && w.IsInherited( SliderWidget ) )
000132 |     {
000133 |         return false;
000134 |     }
000135 |
000136 |     return true;
000137 | }
000138 |
000139 | // -----
000140 | // OptionsMenuExpansion Override OnMouseLeave
000141 | // -----
000142 | override bool OnMouseLeave( Widget w, Widget enterW, int x, int y )
000143 | {
000144 |     if ( w && w.IsInherited( ScrollWidget ) )
000145 |     {
000146 |         return false;
000147 |     }
000148 |
000149 |     return true;
000150 | }
000151 |
000152 | // -----
000153 | // OptionsMenuExpansion Override OnFocus
000154 | // -----
000155 | override bool OnFocus( Widget w, int x, int y )
000156 | {
```



```
000157 |         return false;
000158 |     }
000159 |
000160 |     // -----
000161 |     // OptionsMenuExpansion Override OnFocusLost
000162 |     // -----
000163 |     override bool OnFocusLost( Widget w, int x, int y )
000164 |     {
000165 |         return false;
000166 |     }
000167 |
000168 |     // -----
000169 |     // OptionsMenuExpansion IsFocusable
000170 |     // -----
000171 |     bool IsFocusable( Widget w )
000172 |     {
000173 |         if ( w )
000174 |         {
000175 |             return true;
000176 |         }
000177 |
000178 |         return false;
000179 |     }
000180 |
000181 |     // -----
000182 |     // OptionsMenuExpansion ColorRed
000183 |     // -----
000184 |     void ColorRed( Widget w )
000185 |     {
000186 |         SetFocus( w );
000187 |         if( w.IsInherited( ButtonWidget ) )
000188 |         {
000189 |             ButtonWidget button = ButtonWidget.Cast( w );
000190 |             button.SetTextColor( ARGB( 255, 255, 0, 0 ) );
000191 |             button.SetAlpha( 0.9 );
000192 |         }
000193 |     }
000194 |
000195 |     // -----
000196 |     // OptionsMenuExpansion ColorWhite
000197 |     // -----
000198 |     void ColorWhite( Widget w, Widget enterW )
000199 |     {
000200 |         if( w.IsInherited( ButtonWidget ) )
000201 |         {
000202 |             ButtonWidget button = ButtonWidget.Cast( w );
000203 |             button.SetTextColor( ARGB( 255, 255, 255, 255 ) );
000204 |             button.SetAlpha( 0.75 );
000205 |         }
000206 |     }
000207 |
000208 |     // -----
000209 |     // OptionsMenuExpansion ShowDetails
000210 |     // -----
000211 |     void ShowDetails( string title, string text )
000212 |     {
000213 |         m_DetailsRoot.Show( true );
000214 |         m_DetailsLabel.SetText( title );
000215 |         m_DetailsText.SetText( text );
000216 |     }
000217 |
000218 |     // -----
```

```
000219 | // OptionsMenuExpansion ShowDetails
000220 | // -----
000221 | void HideDetails()
000222 | {
000223 |     m_DetailsRoot.Show( false );
000224 |     m_DetailsLabel.SetText( "" );
000225 |     m_DetailsText.SetText( "" );
000226 | }
000227 | }
```

0337. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\OptionSelectorMultistate.c

Size bytes: 468

SHA-256: 5bf446437db38fb19f0108651e5267ce963c3c1771e210fbc24fdbf16d19ce23

Decoded as: utf-8-sig

Line count shown: 19

Detected class declarations: 1

L13: modded class OptionSelectorMultistate

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: TextWidget GetOptionTextWidget()

Full file content

```
000001 | /**
000002 |  * OptionSelectorMultistate.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class OptionSelectorMultistate
000014 | {
000015 |     TextWidget GetOptionTextWidget()
000016 |     {
000017 |         return m_SelectedOption;
000018 |     }
000019 | };
```

0338. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\GUI\TabberPrefab\TabberUI.c

Size bytes: 1099

SHA-256: 3fc46185982f532fc5f9b79bf82e3637bc9b86868ae5b95a9ab2a05003de113f

Decoded as: utf-8-sig

Line count shown: 28

Detected class declarations: 1

L1: modded class TabberUI

Detected enum declarations: 0

Detected function/method-like declarations: 1

L3: override int AddTab(string name)

Full file content

```

000001 | modded class TabberUI
000002 | {
000003 |     override int AddTab( string name )
000004 |     {
000005 |         //!< Almost identical to vanilla AddTab, but we use our own tab control layout file just so title text size matches the rest of the tabs
000006 |
000007 |         int new_index = m_Tabs.Count();
000008 |         Widget tab = g_Game.GetWorkspace().CreateWidgets( "gui/layouts/new_ui/tabber_prefab/tab.layout", m_Root );
000009 |         Widget control = g_Game.GetWorkspace().CreateWidgets( "DayZExpansion/Core/GUI/layouts/ui/options/tab_control.layout", m_Root.FindAnyWidget( "Tab_Control_C
ontainer" ) );
000010 |         TextWidget control_text = TextWidget.Cast( control.FindAnyWidget( "Tab_Control_x_Title" ) );
000011 |
000012 |         tab.SetName( "Tab_" + new_index );
000013 |         control.SetName( "Tab_Control_" + new_index );
000014 |         control_text.SetName( "Tab_Control_" + new_index + "_Title" );
000015 |         control.FindAnyWidget( "Tab_Control_x_Background" ).SetName( "Tab_Control_" + new_index + "_Background" );
000016 |
000017 |         control_text.SetText( name );
000018 |
000019 |         control.SetHandler( this );
000020 |         m_TabControls.Insert( new_index, control );
000021 |         m_Tabs.Insert( new_index, tab );
000022 |
000023 |         AlignTabbers();
000024 |
000025 |         return new_index;
000026 |     }
000027 | }
000028 |

```

0339. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionBase.c
Size bytes: 1581
SHA-256: 32573fcc48f6635cdb9c5a9ca5344702cc8b5dedbf7580a13650b465974e814f
Decoded as: utf-8-sig
Line count shown: 69
Detected class declarations: 1
  L1: modded class MissionBase
Detected enum declarations: 0
Detected function/method-like declarations: 3
  L5: void MissionBase()
  L16: void ~MissionBase()
  L30: override void CF_OnUpdate(float timeslice)
```

Full file content

```
000001 | modded class MissionBase
000002 | {
000003 |     CF_EventUpdateArgs m_Expansion_CF_EventUpdateArgs = new CF_EventUpdateArgs;
000004 |
000005 |     void MissionBase()
000006 |     {
000007 | #ifdef EXTRACE_DIAG
000008 |         auto trace = EXTrace.Start(EXTrace.MISC, this);
000009 | #endif
000010 |
000011 |         GetDayZGame().Expansion_SetIsMissionMainMenu(IsInherited(MissionMainMenu));
000012 |
000013 |         CreateDayZExpansion();
000014 |     }
000015 |
000016 |     void ~MissionBase()
000017 |     {
000018 |         if (!g_Game)
000019 |             return;
000020 |
000021 |         DestroyDayZExpansion();
000022 |
000023 | #ifdef DIAG_DEVELOPER
000024 |         Print("[DayZ Expansion] ~MissionBase");
000025 | #endif
000026 |
000027 |         delete m_Expansion_CF_EventUpdateArgs;
000028 |     }
000029 |
000030 |     override void CF_OnUpdate(float timeslice)
000031 |     {
000032 | #ifdef SERVER
000033 |         float updateTime = g_Game.GetTickTime();
000034 |         float elapsed = updateTime - m_CF_UpdateTime;
000035 |         bool update = elapsed >= 0.025;
000036 |
000037 |         if (update)
000038 |         {
000039 |             m_CF_UpdateTime = updateTime;
000040 |         }
000041 | #endif
000042 |
000043 |         if (!m_bLoaded)
000044 |         {
```

```
000045 |         if (g_Game.IsLoading())
000046 |         {
000047 |             return;
000048 |         }
000049 |
000050 |         m_bLoaded = true;
000051 |         CF_ModuleGameManager.UpdateGameFlag(); //!< CF calls UpdateGameFlag each update loop which is redundant. Call it once when loaded instead. TODO: This
should be in CF.
000052 |         OnMissionLoaded();
000053 |     }
000054 |
000055 |     //!< CF creates a new CF_EventUpdateArgs instance each update loop. Instantiate once & reuse instead.
000056 |     //!< TODO: This should be in CF.
000057 | #ifdef SERVER
000058 |     if (update)
000059 |     {
000060 |         m_Expansion_CF_EventUpdateArgs.DeltaTime = elapsed;
000061 |         CF_ModuleCoreManager.s_Update.OnUpdate(this, m_Expansion_CF_EventUpdateArgs);
000062 |     }
000063 | #else
000064 |     m_Expansion_CF_EventUpdateArgs.DeltaTime = timeslice;
000065 |     CF_ModuleCoreManager.s_Update.OnUpdate(this, m_Expansion_CF_EventUpdateArgs);
000066 | #endif
000067 | }
000068 | };
000069 |
```

0340. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionGameplay.c
Size bytes: 8917
SHA-256: 4645c12a821f16ac3745609ac05b6e51bd9866a83ad848f8cd972e4ad1db8588
Decoded as: utf-8-sig
Line count shown: 321
Detected class declarations: 1
  L16: modded class MissionGameplay
Detected enum declarations: 0
Detected function/method-like declarations: 20
  L26: void ~MissionGameplay()
  L35: void Expansion_EnableAllInputs()
  L51: override void PlayerControlDisable(int mode)
  L73: override void OnUpdate(float timeslice)
  L110: void Expansion_OnUpdate(float timeslice, PlayerBase player, bool isAliveConscious, Input input, bool inputIsFocused, UIScriptedMenu menu, Ex
  L120: else if (m_EXItemInspection)
  L133: override void Pause()
  L144: override void CloseAllMenus()
  L156: bool IsMenuOpened()
  L166: override void OnMissionStart()
  L173: override void OnMissionLoaded()
  L185: override void OnMissionFinish()
  L203: static ExpansionItemTooltip Expansion_GetItemTooltip()
  L211: static void Expansion_DestroyItemTooltip()
  L221: static ExpansionItemTooltip SetItemTooltip(Object object)
  L235: static ExpansionItemTooltip SetItemTooltip(Object object, int healthLevel, int liquidType, bool isBloodContainer, int quantityType, float qu
  L263: static ExpansionItemInspection Expansion_GetItemInspection()
  L271: static void Expansion_DestroyItemInspection()
  L280: static ExpansionItemInspection InspectItem(ScriptView parentView, Object object)
  L294: static ExpansionItemInspection InspectItem(ScriptView parentView, Object object, int healthLevel, int liquidType, bool isBloodContainer, int
```

Full file content

```
000001 | /**
000002 |  * MissionGameplay.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      MissionGameplay
000014 |  * @brief
000015 |  **/
000016 | modded class MissionGameplay
000017 | {
000018 | #ifdef EXPANSIONUI
000019 |     protected static ref ExpansionItemTooltip m_EXItemTooltip;
000020 |     protected static ref ExpansionItemInspection m_EXItemInspection;
000021 | #endif
000022 |
000023 |     // -----
000024 |     // Destructor
000025 |     // -----
000026 |     void ~MissionGameplay()
000027 |     {
```

```
000028 | #ifdef EXPANSIONTRACE
000029 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "~MissionGameplay");
000030 | #endif
000031 |
000032 |     DestroyNotificationSystem();
000033 | }
000034 |
000035 | void Expansion_EnableAllInputs()
000036 | {
000037 |     TIntArray inputIDs = new TIntArray;
000038 |     GetUApi().GetActiveInputs(inputIDs);
000039 |
000040 |     foreach (int input : inputIDs)
000041 |     {
000042 |         GetUApi().GetInputByID(input).ForceDisable(false);
000043 |     }
000044 |
000045 |     GetUApi().UpdateControls();
000046 | }
000047 |
000048 | // -----
000049 | // Override PlayerControlDisable
000050 | // -----
000051 | override void PlayerControlDisable(int mode)
000052 | {
000053 | #ifdef EXPANSIONTRACE
000054 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "PlayerControlDisable");
000055 | #endif
000056 |
000057 |     switch (mode)
000058 |     {
000059 |     case INPUT_EXCLUDE_ALL:
000060 |     {
000061 |         GetUApi().ActivateExclude("menuexpansion");
000062 |         GetUApi().UpdateControls();
000063 |         break;
000064 |     }
000065 |     }
000066 |
000067 |     super.PlayerControlDisable(mode);
000068 | }
000069 |
000070 | // -----
000071 | // OnUpdate
000072 | // -----
000073 | override void OnUpdate(float timeslice)
000074 | {
000075 | #ifdef EXPANSIONTRACE
000076 |     auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnUpdate");
000077 | #endif
000078 |
000079 |     super.OnUpdate(timeslice);
000080 |
000081 |     if (!m_bLoaded)
000082 |     {
000083 |         return;
000084 |     }
000085 |
000086 |     PlayerBase player = PlayerBase.Cast(g_Game.GetPlayer());
000087 |
000088 |     bool isAliveConscious;
000089 |     if (player && player.GetPlayerState() == EPlayerStates.ALIVE && !player.IsUnconscious())
```



```
000090 |         isAliveConscious = true;
000091 |
000092 |         Input input = g_Game.GetInput();
000093 |
000094 |         //! Checking for keyboard focus
000095 |         Widget focus = GetFocus();
000096 |         bool inputIsFocused;
000097 |         if (focus && (focus.IsInherited(EditBoxWidget) || focus.IsInherited(MultilineEditBoxWidget)) && focus.IsVisible())
000098 |             inputIsFocused = true;
000099 |
000100 |         UIScriptedMenu menu = m_UIManager.GetMenu();
000101 | #ifdef EXPANSIONUI
000102 |         ExpansionScriptViewMenuBase viewMenu = GetDayZExpansion().GetExpansionUIManager().GetMenu();
000103 | #else
000104 |         ExpansionScriptViewMenuBase viewMenu;
000105 | #endif
000106 |
000107 |         Expansion_OnUpdate(timeslice, player, isAliveConscious, input, inputIsFocused, menu, viewMenu);
000108 |     }
000109 |
000110 |     void Expansion_OnUpdate(float timeslice, PlayerBase player, bool isAliveConscious, Input input, bool inputIsFocused, UIScriptedMenu menu, ExpansionScriptViewMenuBase viewMenu)
000111 |     {
000112 |         #ifdef EXPANSIONUI
000113 |             //! Close current opened expansion script view menu when ESC is pressed
000114 |             if (viewMenu && viewMenu.IsVisible() && input.LocalPress("UAUIBack", false))
000115 |             {
000116 |                 if (!m_EXItemInspection && viewMenu.CanClose())
000117 |                 {
000118 |                     GetDayZExpansion().GetExpansionUIManager().CloseMenu();
000119 |                 }
000120 |                 else if (m_EXItemInspection)
000121 |                 {
000122 |                     Expansion_DestroyItemInspection();
000123 |                     viewMenu.GetLayoutRoot().Show(true);
000124 |                 }
000125 |             }
000126 |         #endif
000127 |     }
000128 |
000129 | #ifdef EXPANSIONUI
000130 |     // -----
000131 |     // Pause
000132 |     // -----
000133 |     override void Pause()
000134 |     {
000135 |         if (GetDayZExpansion().GetExpansionUIManager().GetMenu())
000136 |             return;
000137 |
000138 |         super.Pause();
000139 |     }
000140 |
000141 |     // -----
000142 |     // Override CloseAllMenus
000143 |     // -----
000144 |     override void CloseAllMenus()
000145 |     {
000146 |         super.CloseAllMenus();
000147 |
000148 |         if (GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu())
000149 |             GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseAll();
000150 |     }
```

```
000151 | #endif
000152 |
000153 | // -----
000154 | // IsMenuOpened
000155 | // -----
000156 | bool IsMenuOpened()
000157 | {
000158 | #ifdef EXPANSIONUI
000159 |     if (GetDayZGame().GetExpansionGame().GetExpansionUIManager().GetMenu())
000160 |         return true;
000161 | #endif
000162 |
000163 |     return false;
000164 | }
000165 |
000166 | override void OnMissionStart()
000167 | {
000168 |     super.OnMissionStart();
000169 |
000170 |     GetDayZExpansion().OnStart();
000171 | }
000172 |
000173 | override void OnMissionLoaded()
000174 | {
000175 |     ExpansionGlobalID.s_IsMissionLoaded = true;
000176 |
000177 |     super.OnMissionLoaded();
000178 |
000179 |     GetDayZExpansion().OnLoaded();
000180 | }
000181 |
000182 | // -----
000183 | // OnMissionFinish
000184 | // -----
000185 | override void OnMissionFinish()
000186 | {
000187 |     super.OnMissionFinish();
000188 |
000189 | #ifdef EXPANSIONUI
000190 |     //! Close and destroy any ScriptViews
000191 |     ExpansionScriptViewBase.DestroyAll();
000192 | #endif
000193 |
000194 |     //! This will return control to the player and unlock all inputs
000195 |     Expansion_EnableAllInputs();
000196 |     if (PPEffects.m_BlurMenu > 0)
000197 |         PPEffects.SetBlurMenu(0.0);
000198 |
000199 |     GetDayZExpansion().OnFinish();
000200 | }
000201 |
000202 | #ifdef EXPANSIONUI
000203 | static ExpansionItemTooltip Expansion_GetItemTooltip()
000204 | {
000205 |     if (!m_EXItemTooltip)
000206 |         m_EXItemTooltip = new ExpansionItemTooltip();
000207 |
000208 |     return m_EXItemTooltip;
000209 | }
000210 |
000211 | static void Expansion_DestroyItemTooltip()
000212 | {
```

```
000213 |         if (m_EXItemTooltip)
000214 |         {
000215 |             m_EXItemTooltip.Hide();
000216 |             m_EXItemTooltip.Destroy();
000217 |             m_EXItemTooltip = null;
000218 |         }
000219 |     }
000220 |
000221 |     static ExpansionItemTooltip SetItemTooltip(Object object)
000222 |     {
000223 |         ExpansionItemTooltip itemTooltip = Expansion_GetItemTooltip();
000224 |         if (itemTooltip)
000225 |         {
000226 |             itemTooltip.SetItem(EntityAI.Cast(object));
000227 |             itemTooltip.SetShowItemPreview(true);
000228 |             itemTooltip.SetUpdateStatsOnShow(true);
000229 |             itemTooltip.Show();
000230 |         }
000231 |
000232 |         return itemTooltip;
000233 |     }
000234 |
000235 |     static ExpansionItemTooltip SetItemTooltip(Object object, int healthLevel, int liquidType, bool isBloodContainer, int quantityType, float quantity, int quantityMax, int foodStage, string className, int rarity = -1)
000236 |     {
000237 |         ExpansionItemTooltip itemTooltip = Expansion_GetItemTooltip();
000238 |         if (itemTooltip)
000239 |         {
000240 |             itemTooltip.SetItem(EntityAI.Cast(object));
000241 |             itemTooltip.SetShowItemPreview(true);
000242 |             itemTooltip.SetUpdateStatsOnShow(false);
000243 |             itemTooltip.UpdateItemInfoDamage(healthLevel);
000244 |             if (!object.IsTransport())
000245 |             {
000246 |                 itemTooltip.UpdateItemInfoLiquidType(liquidType, isBloodContainer);
000247 |                 itemTooltip.UpdateItemInfoQuantity(quantityType, quantity, quantityMax, false);
000248 |                 itemTooltip.UpdateItemInfoFoodStage(foodStage);
000249 |             }
000250 |             itemTooltip.UpdateItemInfoCargoSize();
000251 | #ifdef EXPANSIONMODHARDLINE
000252 |             if (GetExpansionSettings().GetHardline().EnableItemRarity && rarity != -1)
000253 |                 itemTooltip.UpdateItemRarityEx(rarity);
000254 | #endif
000255 |
000256 |             itemTooltip.Show();
000257 |         }
000258 |
000259 |         return itemTooltip;
000260 |     }
000261 |
000262 |
000263 |     static ExpansionItemInspection Expansion_GetItemInspection()
000264 |     {
000265 |         if (!m_EXItemInspection)
000266 |             m_EXItemInspection = new ExpansionItemInspection();
000267 |
000268 |         return m_EXItemInspection;
000269 |     }
000270 |
000271 |     static void Expansion_DestroyItemInspection()
000272 |     {
000273 |         if (m_EXItemInspection)
```

```
000274 |     {
000275 |         m_EXItemInspection.Destroy();
000276 |         m_EXItemInspection = null;
000277 |     }
000278 | }
000279 |
000280 | static ExpansionItemInspection InspectItem(ScriptView parentView, Object object)
000281 | {
000282 |     ExpansionItemInspection itemInspection = Expansion_GetItemInspection();
000283 |     if (itemInspection)
000284 |     {
000285 |         itemInspection.SetItem(object);
000286 |         itemInspection.UpdateItemStats();
000287 |         itemInspection.SetParentView(parentView);
000288 |         parentView.GetLayoutRoot().Show(false);
000289 |     }
000290 |
000291 |     return itemInspection;
000292 | }
000293 |
000294 | static ExpansionItemInspection InspectItem(ScriptView parentView, Object object, int healthLevel, int liquidType, bool isBloodContainer, int quantityType, flo
at quantity, int quantityMax, int foodStage, string className, int rarity = -1)
000295 | {
000296 |     ExpansionItemInspection itemInspection = Expansion_GetItemInspection();
000297 |     if (itemInspection)
000298 |     {
000299 |         itemInspection.SetItem(object);
000300 |         itemInspection.UpdateItemInfoDamage(healthLevel);
000301 |         if (!object.IsTransport())
000302 |         {
000303 |             itemInspection.UpdateItemInfoLiquidType(liquidType, isBloodContainer);
000304 |             itemInspection.UpdateItemInfoQuantity(quantityType, quantity, quantityMax, false);
000305 |             itemInspection.UpdateItemInfoFoodStage(foodStage);
000306 |         }
000307 |         itemInspection.UpdateItemInfoCargoSize();
000308 | #ifdef EXPANSIONMODHARDLINE
000309 |         if (GetExpansionSettings().GetHardline().EnableItemRarity && rarity != -1)
000310 |             itemInspection.UpdateItemRarityEx(rarity);
000311 | #endif
000312 |
000313 |         itemInspection.SetParentView(parentView);
000314 |         parentView.GetLayoutRoot().Show(false);
000315 |     }
000316 |
000317 |     return itemInspection;
000318 | }
000319 | #endif
000320 | };
000321 |
```

0341. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionMainMenu.c

Size bytes: 450

SHA-256: 08f6fc8db015e041c30207ebd73a64a8e216c5171e71d92612c4bb9783e71672

Decoded as: utf-8-sig

Line count shown: 20

Detected class declarations: 1

L13: modded class MissionMainMenu

Detected enum declarations: 0

Detected function/method-like declarations: 1

L15: void MissionMainMenu()

Full file content

```
000001 | /**
000002 |  * MissionMainMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class MissionMainMenu
000014 | {
000015 |     void MissionMainMenu()
000016 |     {
000017 |         GetExpansionSettings().GameInit();
000018 |     }
000019 | }
000020 |
```

0342. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\Mission\MissionServer.c

Size bytes: 9222

SHA-256: 32c1a6fbed8f912e239daff0f3860da2943b627523764d39e23caaca25f58eec

Decoded as: utf-8-sig

Line count shown: 290

Detected class declarations: 1

L16: modded class MissionServer

Detected enum declarations: 0

Detected function/method-like declarations: 13

L23: void ~MissionServer()

L32: override void HandleBody(PlayerBase player)

L47: override void OnMissionStart()

L67: override void OnMissionLoaded()

L89: override void OnMissionFinish()

L124: override void OnEvent(EventType eventId, Param params)

L166: override void OnClientRespawnEvent(PlayerIdentity identity, PlayerBase player)

L173: override void OnClientReadyEvent(PlayerIdentity identity, PlayerBase player)

L193: override void OnClientReconnectEvent(PlayerIdentity identity, PlayerBase player)

L203: override void InvokeOnConnect(PlayerBase player, PlayerIdentity identity)

L236: void Expansion_SendSettings(PlayerBase player)

L244: override void PlayerDisconnected(PlayerBase player, PlayerIdentity identity, string uid)

L262: void DumpClassNameJSON(string mustContain = "")

Full file content

```
000001 | /**
000002 |  * MissionServer.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | /**@class      MissionServer
000014 |  * @brief
000015 |  */
000016 | modded class MissionServer
000017 | {
000018 |     bool EXPANSION_CLASSNAME_DUMP = false;
000019 |
000020 |     // -----
000021 |     // MissionServer Destructor
000022 |     // -----
000023 |     void ~MissionServer()
000024 |     {
000025 | #ifdef EXPANSIONTRACE
000026 |         auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "~MissionServer");
000027 | #endif
000028 |
000029 |         DestroyNotificationSystem();
000030 |     }
000031 |
000032 |     override void HandleBody(PlayerBase player)
000033 |     {
000034 |         //! Avoid exploit where players that are given (temporary) godmode for any reason (e.g. through a 3rd party mod,
```

```
000035 |      //!< since Expansion no longer uses player godmode for anything),
000036 |      //!< can disconnect while uncon or restrained and reconnect to dupe their character and all their gear
000037 |      //!< (the other unconscious body will still be on the ground due to the game not being able to kill it)
000038 |      if (player.IsUnconscious() || player.IsRestrained())
000039 |          player.SetAllowDamage(true);
000040 |
000041 |      super.HandleBody(player);
000042 |  }
000043 |
000044 |      // -----
000045 |      // OnMissionStart
000046 |      // -----
000047 |      override void OnMissionStart()
000048 |      {
000049 |  #ifdef EXPANSIONTRACE
000050 |      auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnMissionStart");
000051 |  #endif
000052 |
000053 |      super.OnMissionStart();
000054 |
000055 |      GetDayZExpansion().OnStart();
000056 |
000057 |      if (EXPANSION_CLASSNAME_DUMP)
000058 |      {
000059 |          DumpClassNameJSON();
000060 |          DumpClassNameJSON("Expansion");
000061 |      }
000062 |  }
000063 |
000064 |      // -----
000065 |      // OnMissionLoaded
000066 |      // -----
000067 |      override void OnMissionLoaded()
000068 |      {
000069 |  #ifdef EXPANSIONTRACE
000070 |      auto trace = CF_Trace_0(ExpansionTracing.GLOBAL, this, "OnMissionLoaded");
000071 |  #endif
000072 |
000073 |      ExpansionGlobalID.s_IsMissionLoaded = true;
000074 |
000075 |      super.OnMissionLoaded();
000076 |
000077 |      GetDayZExpansion().OnLoaded();
000078 |
000079 |      CF_ModuleCoreManager.OnSettingsChanged(this, CF_EventArgs.Empty);
000080 |
000081 |      string exitAfter;
000082 |      if (GetCLIParam("exitAfter", exitAfter))
000083 |      {
000084 |          EXPrint(ToString() + " Command line parameter exitAfter found - exiting after " + exitAfter + " seconds");
000085 |          g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(g_Game.RequestExit, exitAfter.ToInt() * 1000, false, 0);
000086 |      }
000087 |  }
000088 |
000089 |      override void OnMissionFinish()
000090 |      {
000091 |          super.OnMissionFinish();
000092 |
000093 |          GetDayZExpansion().OnFinish();
000094 |      }
000095 |
000096 |      /**
```

```
000097 | * Order of player-related mission events
000098 | *
000099 | * On connect (new character):
000100 | * 1) OnClientPrepare
000101 | * 3) OnClientNew (calls CreateCharacter/EquipCharacter in vanilla)
000102 | * 3) InvokeOnConnect
000103 | *
000104 | * On connect (existing character):
000105 | * 1) OnClientPrepare
000106 | * 2) OnClientReady
000107 | * 3) InvokeOnConnect
000108 | *
000109 | * On respawn:
000110 | * 1) OnClientRespawn
000111 | * 2) OnClientPrepare
000112 | * 3) OnClientNew (calls CreateCharacter/EquipCharacter in vanilla)
000113 | * 4) InvokeOnConnect
000114 | *
000115 | * On logout:
000116 | * 1) OnClientDisconnectedEvent (calls OnClientLogout for CF modules)
000117 | * 2) OnEvent LogoutCancelEventTypeId (if player cancels logout countdown, calls OnClientLogoutCancelled for CF modules)
000118 | *
000119 | * On disconnect (if logout countdown runs out or player early disconnects):
000120 | * 1) PlayerDisconnected (calls OnClientDisconnect for CF modules)
000121 | * 2) InvokeOnDisconnect (called by PlayerDisconnected, only if player character not yet deleted)
000122 | */
000123 | #ifdef DIAG_DEVELOPER
000124 |     override void OnEvent(EventType eventId, Param params)
000125 |     {
000126 | #ifdef EXTRACE_DIAG
000127 |         EXTrace trace;
000128 |         if (EXTrace.PLAYER)
000129 |         {
000130 |             string eventIdString;
000131 |
000132 |             switch (eventId)
000133 |             {
000134 |                 case ClientPrepareEventTypeId:
000135 |                     eventIdString = "ClientPrepareEventTypeId";
000136 |                     break;
000137 |                 case ClientNewEventTypeId:
000138 |                     eventIdString = "ClientNewEventTypeId";
000139 |                     break;
000140 |                 case ClientReadyEventTypeId:
000141 |                     eventIdString = "ClientReadyEventTypeId";
000142 |                     break;
000143 |                 case ClientRespawnEventTypeId:
000144 |                     eventIdString = "ClientRespawnEventTypeId";
000145 |                     break;
000146 |                 case ClientReconnectEventTypeId:
000147 |                     eventIdString = "ClientReconnectEventTypeId";
000148 |                     break;
000149 |                 case ClientDisconnectedEventTypeId:
000150 |                     eventIdString = "ClientDisconnectedEventTypeId";
000151 |                     break;
000152 |                 case LogoutCancelEventTypeId:
000153 |                     eventIdString = "LogoutCancelEventTypeId";
000154 |                     break;
000155 |             }
000156 |
000157 |             if (eventIdString)
000158 |                 trace = EXTrace.Start(true, this, eventIdString);
```



```
000159 |     }
000160 | #endif
000161 |
000162 |     super.OnEvent(eventTypeId, params);
000163 | }
000164 | #endif
000165 |
000166 | override void OnClientRespawnEvent(PlayerIdentity identity, PlayerBase player)
000167 | {
000168 |     super.OnClientRespawnEvent(identity, player);
000169 |
000170 |     SyncEvents.s_Expansion_RespawningUIDs.Insert(identity.GetId(), true);
000171 | }
000172 |
000173 | override void OnClientReadyEvent( PlayerIdentity identity, PlayerBase player )
000174 | {
000175 |     super.OnClientReadyEvent( identity, player );
000176 |
000177 | ///! DON'T remove! Update this for the next version of DayZ when necessary.
000178 | #ifdef DAYZ_1_27
000179 |     string preferredVersion = "1.28";
000180 |     string version;
000181 |     GetDayZGame().GetVersion(version);
000182 |     string warningText = "This server is running an unsupported version of the game (" + version + ").";
000183 |     if (g_Game.ConfigIsExisting("CfgMods DZ_Expansion_Animations_Preload"))
000184 |         warningText += " Some player animations MAY not work correctly.";
000185 |     warningText += " Preferably, please use DayZ " + preferredVersion + " (Experimental or stable when available).";
000186 |     ExpansionNotification("WARNING", warningText, "Error", COLOR_EXPANSION_NOTIFICATION_ORANGE, 20).Create(identity);
000187 | #endif
000188 | }
000189 |
000190 | // -----
000191 | // OnClientReconnectEvent
000192 | // -----
000193 | override void OnClientReconnectEvent( PlayerIdentity identity, PlayerBase player )
000194 | {
000195 |     super.OnClientReconnectEvent( identity, player );
000196 |
000197 |     g_exGlobalSettings.Send( identity );
000198 | }
000199 |
000200 | // -----
000201 | // InvokeOnConnect
000202 | // -----
000203 | override void InvokeOnConnect( PlayerBase player, PlayerIdentity identity )
000204 | {
000205 |     string uid = identity.GetId();
000206 |     bool isRespawn = SyncEvents.s_Expansion_RespawningUIDs[uid];
000207 |
000208 |     ///! Need to send settings BEFORE super so that modules come after
000209 |     if (!isRespawn)
000210 |     {
000211 |         ///! Only send settings if this is not a respawn
000212 |         #ifdef EXPANSION_SETTINGS_DELAY
000213 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_SendSettings, 20000, false, player);
000214 |         #else
000215 |             GetExpansionSettings().Send( identity );
000216 |         #endif
000217 |     }
000218 |
000219 |     PlayerBase.Expansion_AddPlayer( player, identity );
000220 | }
```

```
000221 |      //!< Do after, because some modules use PlayerIdentity setup inside AddPlayer of PlayerBase class
000222 |      super.InvokeOnConnect( player, identity );
000223 |
000224 |      PlayerBase.s_Expansion_SI_OnPlayerConnected.Invoke(player, identity);
000225 |
000226 |      if (isRespawn)
000227 |      {
000228 |          EXTrace.Print(EXTrace.PLAYER, this, "Client respawn");
000229 |          //!< Next call directly after InvokeOnConnect is SyncEvents.SendPlayerList which will reset s_Expansion_IsClientRespawn
000230 |          SyncEvents.s_Expansion_IsClientRespawn = true;
000231 |          //!< IMPORTANT: Remove respawning UID only AFTER super call so that modules still see it!
000232 |          SyncEvents.s_Expansion_RespawningUIDs.Remove(uid);
000233 |      }
000234 |  }
000235 |
000236 |  void Expansion_SendSettings(PlayerBase player)
000237 |  {
000238 |      GetExpansionSettings().Send(player.GetIdentity());
000239 |  }
000240 |
000241 |  // -----
000242 |  // PlayerDisconnected
000243 |  // -----
000244 |  override void PlayerDisconnected( PlayerBase player, PlayerIdentity identity, string uid )
000245 |  {
000246 |      PlayerBase.RemovePlayer( uid );
000247 |
000248 |      super.PlayerDisconnected( player, identity, uid );
000249 |
000250 |      PlayerBase.Expansion_RemovePlayerPlainID(uid);
000251 |
000252 |      if (SyncEvents.s_Expansion_RespawningUIDs[uid])
000253 |      {
000254 |          EXTrace.Print(EXTrace.PLAYER, this, "Client disconnected before respawn finished");
000255 |          SyncEvents.s_Expansion_RespawningUIDs.Remove(uid);
000256 |      }
000257 |  }
000258 |
000259 |  // -----
000260 |  // DumpClassNameJSON
000261 |  // -----
000262 |  void DumpClassNameJSON(string mustContain = "")
000263 |  {
000264 |      array<string> classNames = {};
000265 |      Paraml<array<string>> dump = new Paraml<array<string>>(classNames);
000266 |
000267 |      for (int i = 0; i < g_Game.ConfigGetChildrenCount("CfgVehicles"); i++)
000268 |      {
000269 |          string name;
000270 |          g_Game.ConfigGetChildName("CfgVehicles", i, name);
000271 |
000272 |          if (name == string.Empty)
000273 |              continue;
000274 |
000275 |          ExpansionString exName = name;
000276 |          if (exName.EndsWith("_Base"))
000277 |          {
000278 |              continue;
000279 |          }
000280 |
000281 |          if (mustContain && !name.Contains(mustContain))
000282 |              continue;
```

```
000283 |  
000284 |         classNames.Insert(name);  
000285 |     }  
000286 |  
000287 |     JsonFileLoader<Param1<array<string>>>.JsonSaveFile("$profile:\\\" + mustContain + \"ClassNames.json\", dump);  
000288 | }  
000289 | };  
000290 |
```

0343. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptView.c

Size bytes: 1303

SHA-256: 25e480844dcd6f0f643ea706eaa98f40091b564f54d2aeb9b89f280659b25eca

Decoded as: utf-8-sig

Line count shown: 74

Detected class declarations: 1

L14: class ExpansionScriptView: ExpansionScriptViewBase

Detected enum declarations: 0

Detected function/method-like declarations: 9

L18: void ExpansionScriptView()

L23: void ~ExpansionScriptView()

L28: override void Show(bool show)

L38: override void Show()

L43: override void Hide()

L48: float GetUpdateTickRate()

L53: protected void CreateUpdateTimer()

L62: protected void DestroyUpdateTimer()

L71: void Expansion_Update();

Full file content

```
000001 | /**
000002 |  * ExpansionScriptView.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptView: ExpansionScriptViewBase
000015 | {
000016 |     protected ref Timer m_UpdateTimer;
000017 |
000018 |     void ExpansionScriptView()
000019 |     {
000020 |         CreateUpdateTimer();
000021 |     }
000022 |
000023 |     void ~ExpansionScriptView()
000024 |     {
000025 |         DestroyUpdateTimer();
000026 |     }
000027 |
000028 |     override void Show(bool show)
000029 |     {
000030 |         SetIsVisible(show);
000031 |         GetLayoutRoot().Show(show);
000032 |         if (show)
000033 |             OnShow();
000034 |         else
000035 |             OnHide();
000036 |     }
000037 |
000038 |     override void Show()
```

```
000039 | {
000040 |     Show(true);
000041 | }
000042 |
000043 | override void Hide()
000044 | {
000045 |     Show(false);
000046 | }
000047 |
000048 | float GetUpdateTickRate()
000049 | {
000050 |     return -1;
000051 | }
000052 |
000053 | protected void CreateUpdateTimer()
000054 | {
000055 |     if (!m_UpdateTimer && GetUpdateTickRate() != -1)
000056 |     {
000057 |         m_UpdateTimer = new Timer(CALL_CATEGORY_GUI);
000058 |         m_UpdateTimer.Run(GetUpdateTickRate(), this, "Expansion_Update", NULL, true);
000059 |     }
000060 | }
000061 |
000062 | protected void DestroyUpdateTimer()
000063 | {
000064 |     if (m_UpdateTimer)
000065 |     {
000066 |         m_UpdateTimer.Stop();
000067 |         m_UpdateTimer = null;
000068 |     }
000069 | }
000070 |
000071 | void Expansion_Update();
000072 | }
000073 | #endif
000074 |
```

0344. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Bases\ExpansionScriptViewMenu.c

Size bytes: 3899

SHA-256: 69621093c9cfd79c92ada50a743e6833c3d23c7ecb9ad0c3ce0063dd2ce0abe8

Decoded as: utf-8-sig

Line count shown: 205

Detected class declarations: 1

L14: class ExpansionScriptViewMenu: ExpansionScriptViewMenuBase

Detected enum declarations: 0

Detected function/method-like declarations: 18

L19: void ExpansionScriptViewMenu()

L27: void ~ExpansionScriptViewMenu()

L33: override void Show()

L43: override void OnShow()

L54: override void Hide()

L61: override void OnHide()

L74: override void LockControls(bool lockMovement = true)

L82: override void UnlockControls()

L90: override void LockInputs(bool state, bool lockMovement = true)

L131: override void UnlockInputs()

L136: override void ShowHud(bool state)

L155: override void ShowUICursor(bool state)

L163: override bool CanShow()

L168: float GetUpdateTickRate()

L173: void CreateUpdateTimer()

L182: void DestroyUpdateTimer()

L191: override void CloseMenu()

L202: void Expansion_Update();

Full file content

```
000001 | /**
000002 |  * ExpansionScriptViewMenu.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionScriptViewMenu: ExpansionScriptViewMenuBase
000015 | {
000016 |     protected ref Timer m_UpdateTimer;
000017 |     protected bool m_MovementLocked;
000018 |
000019 |     void ExpansionScriptViewMenu()
000020 |     {
000021 |         if (GetLayoutRoot().IsVisible())
000022 |             SetIsVisible(true);
000023 |
000024 |         CreateUpdateTimer();
000025 |     }
000026 |
000027 |     void ~ExpansionScriptViewMenu()
000028 |     {
000029 |         EXPrint("~" + ToString());
```

```
000030 |         DestroyUpdateTimer();
000031 |     }
000032 |
000033 |     override void Show()
000034 |     {
000035 |         if (!CanShow())
000036 |             return;
000037 |
000038 |         SetIsVisible(true);
000039 |         GetLayoutRoot().Show(true);
000040 |         OnShow();
000041 |     }
000042 |
000043 |     override void OnShow()
000044 |     {
000045 |         super.OnShow();
000046 |
000047 |         LockControls();
000048 |
000049 |         PPEffects.SetBlurMenu(0.5);
000050 |         SetFocus(GetLayoutRoot());
000051 |         CreateUpdateTimer();
000052 |     }
000053 |
000054 |     override void Hide()
000055 |     {
000056 |         SetIsVisible(false);
000057 |         GetLayoutRoot().Show(false);
000058 |         OnHide();
000059 |     }
000060 |
000061 |     override void OnHide()
000062 |     {
000063 |         if (!g_Game)
000064 |             return;
000065 |
000066 |         super.OnHide();
000067 |
000068 |         PPEffects.SetBlurMenu(0.0);
000069 |         DestroyUpdateTimer();
000070 |
000071 |         UnlockControls();
000072 |     }
000073 |
000074 |     override void LockControls(bool lockMovement = true)
000075 |     {
000076 |         ShowHud(false);
000077 |         ShowUICursor(true);
000078 |
000079 |         LockInputs(true, lockMovement);
000080 |     }
000081 |
000082 |     override void UnlockControls()
000083 |     {
000084 |         ShowHud(true);
000085 |         ShowUICursor(false);
000086 |
000087 |         UnlockInputs();
000088 |     }
000089 |
000090 |     override void LockInputs(bool state, bool lockMovement = true)
000091 |     {
```

```
000092 |         m_MovementLocked = lockMovement;
000093 |
000094 |         TIntArray inputIDs = new TIntArray;
000095 |         GetUApi().GetActiveInputs(inputIDs);
000096 |
000097 |         TStringArray skip = new TStringArray;
000098 |         skip.Insert("UAUIBack");
000099 |
000100 |         if (!lockMovement)
000101 |         {
000102 |             //! Allow player movement
000103 |             skip.Insert("UAMoveForward");
000104 |             skip.Insert("UAMoveBack");
000105 |             skip.Insert("UAMoveLeft");
000106 |             skip.Insert("UAMoveRight");
000107 |             skip.Insert("UATurbo");
000108 |             skip.Insert("UAWalkRunTemp");
000109 |             skip.Insert("UAWalkRunToggle");
000110 |             skip.Insert("UALeanLeft");
000111 |             skip.Insert("UALeanRight");
000112 |         }
000113 |
000114 |         TIntArray skipIDs = new TIntArray;
000115 |         foreach (string inputName : skip)
000116 |         {
000117 |             skipIDs.Insert(GetUApi().GetInputByName(inputName).ID());
000118 |         }
000119 |
000120 |         foreach (int inputID : inputIDs)
000121 |         {
000122 |             if (skipIDs.Find(inputID) == -1)
000123 |             {
000124 |                 GetUApi().GetInputByID(inputID).ForceDisable(state);
000125 |             }
000126 |         }
000127 |
000128 |         GetUApi().UpdateControls();
000129 |     }
000130 |
000131 |     override void UnlockInputs()
000132 |     {
000133 |         LockInputs(false, m_MovementLocked);
000134 |     }
000135 |
000136 |     override void ShowHud(bool state)
000137 |     {
000138 |         super.ShowHud(state);
000139 |
000140 |         MissionGameplay mission = MissionGameplay.Cast(g_Game.GetMission());
000141 |
000142 |         IngameHud hud = IngameHud.Cast(mission.GetHud());
000143 |         if (!hud || !hud.GetHudPanelWidget())
000144 |             return;
000145 |
000146 |         hud.ShowQuickbarUI(state);
000147 |         hud.ShowHudUI(state);
000148 |
000149 |         if (state)
000150 |             hud.ShowCursor();
000151 |         else
000152 |             hud.HideCursor();
000153 |     }
```



```
000154 |  
000155 | override void ShowUICursor(bool state)  
000156 | {  
000157 |     super.ShowUICursor(state);  
000158 |  
000159 |     UIManager vanillaUIManager = g_Game.GetUIManager();  
000160 |     vanillaUIManager.ShowUICursor(state);  
000161 | }  
000162 |  
000163 | override bool CanShow()  
000164 | {  
000165 |     return true;  
000166 | }  
000167 |  
000168 | float GetUpdateTickRate()  
000169 | {  
000170 |     return -1;  
000171 | }  
000172 |  
000173 | void CreateUpdateTimer()  
000174 | {  
000175 |     if (!m_UpdateTimer && GetUpdateTickRate() != -1)  
000176 |     {  
000177 |         m_UpdateTimer = new Timer(CALL_CATEGORY_GUI);  
000178 |         m_UpdateTimer.Run(GetUpdateTickRate(), this, "Expansion_Update", NULL, true);  
000179 |     }  
000180 | }  
000181 |  
000182 | void DestroyUpdateTimer()  
000183 | {  
000184 |     if (m_UpdateTimer)  
000185 |     {  
000186 |         m_UpdateTimer.Stop();  
000187 |         m_UpdateTimer = null;  
000188 |     }  
000189 | }  
000190 |  
000191 | override void CloseMenu()  
000192 | {  
000193 |     if (!CanClose())  
000194 |         return;  
000195 |  
000196 |     if (GetDayZGame().GetExpansionGame().GetExpansionUIManager())  
000197 |     {  
000198 |         GetDayZGame().GetExpansionGame().GetExpansionUIManager().CloseMenu();  
000199 |     }  
000200 | }  
000201 |  
000202 | void Expansion_Update();  
000203 | }  
000204 | #endif  
000205 |
```

0345. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Buttons\ExpansionDialogButton_Text.c
Size bytes: 1580
SHA-256: 246b71640c96ba6f66903df756a8c2f2c6e05cac7bf36162bfe7d9546df7ea06
Decoded as: utf-8-sig
Line count shown: 77
Detected class declarations: 2
  L14: class ExpansionDialogButton_Text: ExpansionDialogButtonBase
  L72: class ExpansionDialogButton_TextController: ExpansionViewController
Detected enum declarations: 0
Detected function/method-like declarations: 9
  L23: void ExpansionDialogButton_Text(ExpansionDialogBase dialog)
  L31: override string GetLayoutFile()
  L36: override typename GetControllerType()
  L41: string GetButtonText()
  L46: void SetButtonText(string text)
  L51: void SetContent()
  L57: void OnButtonClick();
  L59: override void OnShow()
  L66: void SetTextColor(int color)
```

Full file content

```
000001 | /**
000002 |  * ExpansionDialogButton_Text.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogButton_Text: ExpansionDialogButtonBase
000015 | {
000016 |     ref ExpansionDialogButton_TextController m_TextButtonController;
000017 |
000018 |     string m_Text;
000019 |
000020 |     TextWidget dialog_text;
000021 |     ButtonWidget dialog_button;
000022 |
000023 |     void ExpansionDialogButton_Text(ExpansionDialogBase dialog)
000024 |     {
000025 |         m_Dialog = dialog;
000026 |
000027 |         if (!m_TextButtonController)
000028 |             m_TextButtonController = ExpansionDialogButton_TextController.Cast(GetController());
000029 |     }
000030 |
000031 |     override string GetLayoutFile()
000032 |     {
000033 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_button_text.layout";
000034 |     }
000035 |
000036 |     override typename GetControllerType()
000037 |     {
```

```
000038 |         return ExpansionDialogButton_TextController;
000039 |     }
000040 |
000041 |     string GetButtonText()
000042 |     {
000043 |         return m_Text;
000044 |     }
000045 |
000046 |     void SetButtonText(string text)
000047 |     {
000048 |         m_Text = text;
000049 |     }
000050 |
000051 |     void SetContent()
000052 |     {
000053 |         m_TextButtonController.ButtonText = GetButtonText();
000054 |         m_TextButtonController.NotifyPropertyChanged("ButtonText");
000055 |     }
000056 |
000057 |     void OnButtonClick();
000058 |
000059 |     override void OnShow()
000060 |     {
000061 |         super.OnShow();
000062 |
000063 |         SetContent();
000064 |     }
000065 |
000066 |     void SetTextColor(int color)
000067 |     {
000068 |         dialog_text.SetColor(color);
000069 |     }
000070 | };
000071 |
000072 | class ExpansionDialogButton_TextController: ExpansionViewController
000073 | {
000074 |     string ButtonText;
000075 | };
000076 | #endif
000077 |
```

0346. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Editbox.c
 Size bytes: 1324
 SHA-256: 190e07c31c348947d7d1b09f8fe4c00ea0e995aaab8a387413ccf7e3d8ba2fca
 Decoded as: utf-8-sig
 Line count shown: 59
 Detected class declarations: 2
 L14: class ExpansionDialogContent_Editbox: ExpansionDialogContentBase
 L54: class ExpansionDialogContent_EditboxController: ExpansionViewController
 Detected enum declarations: 0
 Detected function/method-like declarations: 6
 L20: void ExpansionDialogContent_Editbox(ExpansionDialogBase dialog)
 L28: override string GetLayoutFile()
 L33: override typename GetControllerType()
 L38: override void OnShow()
 L43: string GetEditboxText()
 L48: void SetEditboxText(string text)

Full file content

```
000001 | /**
000002 |  * ExpansionDialogContent_TextScroller.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContent_Editbox: ExpansionDialogContentBase
000015 | {
000016 |     ref ExpansionDialogContent_EditboxController m_EditboxController;
000017 |
000018 |     EditBoxWidget dialog_editbox;
000019 |
000020 |     void ExpansionDialogContent_Editbox(ExpansionDialogBase dialog)
000021 |     {
000022 |         m_Dialog = dialog;
000023 |
000024 |         if (!m_EditboxController)
000025 |             m_EditboxController = ExpansionDialogContent_EditboxController.Cast(GetController());
000026 |     }
000027 |
000028 |     override string GetLayoutFile()
000029 |     {
000030 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_editbox.layout";
000031 |     }
000032 |
000033 |     override typename GetControllerType()
000034 |     {
000035 |         return ExpansionDialogContent_EditboxController;
000036 |     }
000037 |
000038 |     override void OnShow()
000039 |     {
000040 |         super.OnShow();
```

```
000041 |     }
000042 |
000043 |     string GetEditboxText()
000044 |     {
000045 |         return dialog_editbox.GetText();
000046 |     }
000047 |
000048 |     void SetEditboxText(string text)
000049 |     {
000050 |         dialog_editbox.SetText(text);
000051 |     }
000052 | };
000053 |
000054 | class ExpansionDialogContent_EditboxController: ExpansionViewController
000055 | {
000056 |     string EditBox;
000057 | };
000058 | #endif
000059 |
```

0347. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_Text.c

Size bytes: 1451

SHA-256: dee27a2f7d3481b7e6836122a526cd70e7696908a5ece4162dac2d52b16025e0

Decoded as: utf-8-sig

Line count shown: 70

Detected class declarations: 2

L14: class ExpansionDialogContent_Text: ExpansionDialogContentBase

L65: class ExpansionDialogContent_TextController: ExpansionViewController

Detected enum declarations: 0

Detected function/method-like declarations: 7

L21: void ExpansionDialogContent_Text(ExpansionDialogBase dialog)

L31: override string GetLayoutFile()

L36: override typename GetControllerType()

L41: void SetText(string text)

L46: void SetContent()

L52: override void OnShow()

L59: void SetTextColor(int color)

Full file content

```
000001 | /**
000002 |  * ExpansionDialogContent_TextScroller.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContent_Text: ExpansionDialogContentBase
000015 | {
000016 |     ref ExpansionDialogContent_TextController m_TextController;
000017 |     private string m_Text;
000018 |
000019 |     MultilineTextWidget dialog_text;
000020 |
000021 |     void ExpansionDialogContent_Text(ExpansionDialogBase dialog)
000022 |     {
000023 |         m_Dialog = dialog;
000024 |
000025 |         if (!m_TextController)
000026 |             m_TextController = ExpansionDialogContent_TextController.Cast(GetController());
000027 |
000028 |         SetContent();
000029 |     }
000030 |
000031 |     override string GetLayoutFile()
000032 |     {
000033 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_text.layout";
000034 |     }
000035 |
000036 |     override typename GetControllerType()
000037 |     {
000038 |         return ExpansionDialogContent_TextController;
000039 |     }
000039 | }
```

```
000040 |  
000041 |     void SetText(string text)  
000042 |     {  
000043 |         m_Text = text;  
000044 |     }  
000045 |  
000046 |     void SetContent()  
000047 |     {  
000048 |         m_TextController.Text = m_Text;  
000049 |         m_TextController.NotifyPropertyChanged("Text");  
000050 |     }  
000051 |  
000052 |     override void OnShow()  
000053 |     {  
000054 |         super.OnShow();  
000055 |  
000056 |         SetContent();  
000057 |     }  
000058 |  
000059 |     void SetTextColor(int color)  
000060 |     {  
000061 |         dialog_text.SetColor(color);  
000062 |     }  
000063 | };  
000064 |  
000065 | class ExpansionDialogContent_TextController: ExpansionViewController  
000066 | {  
000067 |     string Text;  
000068 | };  
000069 | #endif  
000070 |
```

0348. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\Content\ExpansionDialogContent_WrapSpacer.c

Size bytes: 2584

SHA-256: 127ecef43111c62c323617fdcca54a96723953e122a6fee8a72fd09fd0eae0ba

Decoded as: utf-8-sig

Line count shown: 98

Detected class declarations: 4

L14: class ExpansionDialogContent_WrapSpacer: ExpansionDialogContentBase

L42: class ExpansionDialogContent_WrapSpacerController: ExpansionViewController

L47: class ExpansionDialogContent_WrapSpacer_Entry: ExpansionScriptView

L93: class ExpansionDialogContent_WrapSpacer_EntryController: ExpansionViewController

Detected enum declarations: 0

Detected function/method-like declarations: 10

L18: void ExpansionDialogContent_WrapSpacer(ExpansionDialogBase dialog)

L26: override string GetLayoutFile()

L31: override typename GetControllerType()

L36: void AddSpacerContent(ExpansionScriptView content)

L55: void ExpansionDialogContent_WrapSpacer_Entry(ExpansionDialogContent_WrapSpacer wrapSpacerElement, string text)

L66: override string GetLayoutFile()

L71: override typename GetControllerType()

L76: void SetView()

L82: ExpansionDialogContent_WrapSpacer GetWrapSpacerElement()

L87: void SetTextColor(int color)

Full file content

```

000001 | /**
000002 |  * ExpansionDialogContent_TextScroller.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContent_WrapSpacer: ExpansionDialogContentBase
000015 | {
000016 |     ref ExpansionDialogContent_WrapSpacerController m_WrapSpacerController;
000017 |
000018 |     void ExpansionDialogContent_WrapSpacer(ExpansionDialogBase dialog)
000019 |     {
000020 |         m_Dialog = dialog;
000021 |
000022 |         if (!m_WrapSpacerController)
000023 |             m_WrapSpacerController = ExpansionDialogContent_WrapSpacerController.Cast(GetController());
000024 |     }
000025 |
000026 |     override string GetLayoutFile()
000027 |     {
000028 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_wrapspacer.layout";
000029 |     }
000030 |
000031 |     override typename GetControllerType()
000032 |     {
000033 |         return ExpansionDialogContent_WrapSpacerController;
000034 |     }

```



```
000035 |
000036 |     void AddSpacerContent(ExpansionScriptView content)
000037 |     {
000038 |         m_WrapSpacerController.SpacerContent.Insert(content);
000039 |     }
000040 | };
000041 |
000042 | class ExpansionDialogContent_WrapSpacerController: ExpansionViewController
000043 | {
000044 |     ref ObservableCollection<ref ExpansionScriptView> SpacerContent = new ObservableCollection<ref ExpansionScriptView>(this);
000045 | }
000046 |
000047 | class ExpansionDialogContent_WrapSpacer_Entry: ExpansionScriptView
000048 | {
000049 |     ref ExpansionDialogContent_WrapSpacer_EntryController m_EntryController;
000050 |     ExpansionDialogContent_WrapSpacer m_WrapSpacerElement;
000051 |
000052 |     protected RichTextWidget entry;
000053 |     string m_Text;
000054 |
000055 |     void ExpansionDialogContent_WrapSpacer_Entry(ExpansionDialogContent_WrapSpacer wrapSpacerElement, string text)
000056 |     {
000057 |         m_WrapSpacerElement = wrapSpacerElement;
000058 |         m_Text = text;
000059 |
000060 |         if (!m_EntryController)
000061 |             m_EntryController = ExpansionDialogContent_WrapSpacer_EntryController.Cast(GetController());
000062 |
000063 |         SetView();
000064 |     }
000065 |
000066 |     override string GetLayoutFile()
000067 |     {
000068 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_wrapspace_entry.layout";
000069 |     }
000070 |
000071 |     override typename GetControllerType()
000072 |     {
000073 |         return ExpansionDialogContent_WrapSpacer_EntryController;
000074 |     }
000075 |
000076 |     void SetView()
000077 |     {
000078 |         m_EntryController.EntryText = m_Text;
000079 |         m_EntryController.NotifyPropertyChanged("EntryText");
000080 |     }
000081 |
000082 |     ExpansionDialogContent_WrapSpacer GetWrapSpacerElement()
000083 |     {
000084 |         return m_WrapSpacerElement;
000085 |     }
000086 |
000087 |     void SetTextColor(int color)
000088 |     {
000089 |         entry.SetColor(color);
000090 |     }
000091 | }
000092 |
000093 | class ExpansionDialogContent_WrapSpacer_EntryController: ExpansionViewController
000094 | {
000095 |     string EntryText;
000096 | };
```

```
000097 | #endif
000098 |
```

0349. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\Dialogs\ExpansionDialogBase.c

Size bytes: 3406

SHA-256: cd3fc7e6d0ea9ded53bf21566eb474aabfbd69c9841e1fb7ddacaa0aa649243e

Decoded as: utf-8-sig

Line count shown: 155

Detected class declarations: 5

L14: class ExpansionDialogContentSpacer: ExpansionDialogContentBase

L27: class ExpansionDialogBase: ExpansionScriptView

L118: class ExpansionDialogBaseController: ExpansionViewController

L125: class ExpansionDialogButtonBase: ExpansionScriptView

L140: class ExpansionDialogContentBase: ExpansionScriptView

Detected enum declarations: 0

Detected function/method-like declarations: 17

L16: void ExpansionDialogContentSpacer(ExpansionDialogBase dialog)

L21: override string GetLayoutFile()

L39: void ExpansionDialogBase(ScriptView parentView)

L49: override string GetLayoutFile()

L54: override typename GetControllerType()

L59: string GetDialogTitle()

L64: bool HasHeader()

L69: bool HasFooter()

L74: bool HasCloseButton()

L79: void SetBaseDialogView()

L101: void AddContent(ExpansionDialogContentBase content)

L107: void AddButton(ExpansionDialogButtonBase button)

L112: ScriptView GetParentView()

L129: void ExpansionDialogButtonBase(ExpansionDialogBase dialog)

L134: ExpansionDialogBase GetDialog()

L144: void ExpansionDialogContentBase(ExpansionDialogBase dialog)

L149: ExpansionDialogBase GetDialog()

Full file content

```

000001 | /**
000002 |  * ExpansionScriptView.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionDialogContentSpacer: ExpansionDialogContentBase
000015 | {
000016 |     void ExpansionDialogContentSpacer(ExpansionDialogBase dialog)
000017 |     {
000018 |         m_Dialog = dialog;
000019 |     }
000020 |
000021 |     override string GetLayoutFile()
000022 |     {
000023 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_content_spacer.layout";
000024 |     }
000025 | };
000026 |

```

```
000027 | class ExpansionDialogBase: ExpansionScriptView
000028 | {
000029 |     Widget dialog_base_header;
000030 |     TextWidget dialog_base_title;
000031 |     Widget dialog_base_footer;
000032 |     ButtonWidget dialog_close_button;
000033 |     ImageWidget dialog_base_background;
000034 |     WrapSpacerWidget dialog_body_content;
000035 |
000036 |     ref ScriptView m_ParentView;
000037 |     ref ExpansionDialogBaseController m_DialogBaseController;
000038 |
000039 |     void ExpansionDialogBase(ScriptView parentView)
000040 |     {
000041 |         m_ParentView = parentView;
000042 |
000043 |         if (!m_DialogBaseController)
000044 |             m_DialogBaseController = ExpansionDialogBaseController.Cast(GetController());
000045 |
000046 |         SetBaseDialogView();
000047 |     }
000048 |
000049 |     override string GetLayoutFile()
000050 |     {
000051 |         return "DayZExpansion/Core/GUI/layouts/mvc/dialogs/expansion_dialog_base.layout";
000052 |     }
000053 |
000054 |     override typename GetControllerType()
000055 |     {
000056 |         return ExpansionDialogBaseController;
000057 |     }
000058 |
000059 |     string GetDialogTitle()
000060 |     {
000061 |         return "";
000062 |     }
000063 |
000064 |     bool HasHeader()
000065 |     {
000066 |         return false;
000067 |     }
000068 |
000069 |     bool HasFooter()
000070 |     {
000071 |         return false;
000072 |     }
000073 |
000074 |     bool HasCloseButton()
000075 |     {
000076 |         return false;
000077 |     }
000078 |
000079 |     void SetBaseDialogView()
000080 |     {
000081 |         if (!HasHeader())
000082 |             dialog_base_header.Show(false);
000083 |
000084 |         if (!HasCloseButton() && HasHeader())
000085 |             dialog_close_button.Show(false);
000086 |
000087 |         if (GetDialogTitle() == "")
000088 |         {
```

```
000089 |         dialog_base_title.Show(false);
000090 |     }
000091 |     else
000092 |     {
000093 |         m_DialogBaseController.DialogTitle = GetDialogTitle();
000094 |         m_DialogBaseController.NotifyPropertyChanged("DialogTitle");
000095 |     }
000096 |
000097 |     if (!HasFooter())
000098 |         dialog_base_footer.Show(false);
000099 | }
000100 |
000101 | void AddContent(ExpansionDialogContentBase content)
000102 | {
000103 |     m_DialogBaseController.DialogContents.Insert(content);
000104 |     m_DialogBaseController.DialogContents.Insert(new ExpansionDialogContentSpacer(this));
000105 | }
000106 |
000107 | void AddButton(ExpansionDialogButtonBase button)
000108 | {
000109 |     m_DialogBaseController.DialogButtons.Insert(button);
000110 | }
000111 |
000112 | ScriptView GetParentView()
000113 | {
000114 |     return m_ParentView;
000115 | }
000116 | };
000117 |
000118 | class ExpansionDialogBaseController: ExpansionViewController
000119 | {
000120 |     ref ObservableCollection<ref ExpansionDialogContentBase> DialogContents = new ObservableCollection<ref ExpansionDialogContentBase>(this);
000121 |     ref ObservableCollection<ref ExpansionDialogButtonBase> DialogButtons = new ObservableCollection<ref ExpansionDialogButtonBase>(this);
000122 |     string DialogTitle;
000123 | };
000124 |
000125 | class ExpansionDialogButtonBase: ExpansionScriptView
000126 | {
000127 |     ref ExpansionDialogBase m_Dialog;
000128 |
000129 |     void ExpansionDialogButtonBase(ExpansionDialogBase dialog)
000130 |     {
000131 |         m_Dialog = dialog;
000132 |     }
000133 |
000134 |     ExpansionDialogBase GetDialog()
000135 |     {
000136 |         return m_Dialog;
000137 |     }
000138 | };
000139 |
000140 | class ExpansionDialogContentBase: ExpansionScriptView
000141 | {
000142 |     ref ExpansionDialogBase m_Dialog;
000143 |
000144 |     void ExpansionDialogContentBase(ExpansionDialogBase dialog)
000145 |     {
000146 |         m_Dialog = dialog;
000147 |     }
000148 |
000149 |     ExpansionDialogBase GetDialog()
000150 |     {
```

```
000151 |         return m_Dialog;
000152 |     }
000153 | };
000154 | #endif
000155 |
```

0350. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemInspection.c
Size bytes: 21205
SHA-256: ae1ce527f4b19363a078063cc079934d6f4b49e866c6635cfa80038e1f02e904
Decoded as: utf-8-sig
Line count shown: 809
Detected class declarations: 3
  L14: class ExpansionItemInspectionBase: ExpansionScriptView
  L567: class ExpansionItemInspection: ExpansionItemInspectionBase
  L792: class ExpansionItemInspectionController: ExpansionViewController
Detected enum declarations: 0
Detected function/method-like declarations: 60
  L22: void ExpansionItemInspectionBase()
  L27: void ~ExpansionItemInspectionBase()
  L32: override typename GetControllerType()
  L37: void UpdateItemInfoCargoSize()
  L65: protected void UpdateItemInfoCleanness()
  L80: protected void UpdateItemInfoDamage()
  L86: void UpdateItemInfoDamage(int damageLevel)
  L90: void UpdateItemInfoDamageEx(int damageLevel, out string text, out int color)
  L137: void UpdateItemInfoFoodStage(int food_stage_type)
  L188: protected void UpdateItemInfoFoodStage()
  L199: protected void UpdateItemInfoLiquidType()
  L220: else if (item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer())
  L228: void UpdateItemInfoLiquidType(int liquid_type, bool isBloodContainer = false)
  L243: else if (liquid_type == -1)
  L252: else if (liquid_type > -1)
  L261: void UpdateItemInfoQuantityEx(int quantityType, float quantity, int quantityMax, bool ratio = true, out string text = "", out int color = 0)
  L286: else if (quantityType == ExpansionItemQuantityType.PERCENTAGE)
  L291: else if (quantityType == ExpansionItemQuantityType.GRAM)
  L296: else if (quantityType == ExpansionItemQuantityType.MILLILITER)
  L301: else if (quantityType == ExpansionItemQuantityType.MAGAZINE)
  L306: else if (quantityType == ExpansionItemQuantityType.POWER)
  L321: else if ((quantity > GameConstants.HEATISO_THRESHOLD_BAD) && (quantity <= GameConstants.HEATISO_THRESHOLD_LOW))
  L326: else if ((quantity > GameConstants.HEATISO_THRESHOLD_LOW) && (quantity <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
  L331: else if ((quantity > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (quantity <= GameConstants.HEATISO_THRESHOLD_HIGH))
  L345: void UpdateItemInfoQuantityEx(out string text, out int color)
  L372: else if (stackedUnit == "percentage")
  L379: else if (stackedUnit == "g")
  L386: else if (stackedUnit == "ml")
  L393: else if (m_Item.IsInherited(Magazine))
  L420: else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_BAD) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_LOW))
  L425: else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_LOW) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
  L430: else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_HIGH))
  L445: protected void UpdateItemInfoTemperature()
  L475: protected void UpdateItemInfoWeightEx(out string text, out int color)
  L499: else if (weight >= 500)
  L504: else if (weight >= 250)
  L516: protected void UpdateItemInfoWetness()
  L531: else if (wetness >= GameConstants.STATE_DAMP && wetness < GameConstants.STATE_WET)
  L536: else if (wetness >= GameConstants.STATE_WET && wetness < GameConstants.STATE_SOAKING_WET)
  L541: else if (wetness >= GameConstants.STATE_SOAKING_WET && wetness < GameConstants.STATE_DRENCHED)
  L556: void UpdateItemStats()
  L581: void ExpansionItemInspection()
  L586: void ~ExpansionItemInspection()
  L595: override string GetLayoutFile()
  L600: void SetItem(Object item)
  L634: void SetParentView(ScriptView parentView)
  L643: override void UpdateItemInfoDamage(int damageLevel)
```

```
L653: void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
L661: void UpdateItemInfoQuantity()
L669: void UpdateItemInfoQuantity(string text, int color)
L678: protected void UpdateItemInfoWeight()
L688: override void OnShow()
L695: void OnBackButtonClick()
L706: override bool OnMouseEnter(Widget w, int x, int y)
L718: override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)
L730: override bool OnMouseButtonDown(Widget w, int x, int y, int button)
L741: void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
L755: override bool OnMouseWheel(Widget w, int x, int y, int wheel)
L766: void UpdateScale()
L786: ScriptInvoker GetCloseInspectionSI()
```

Full file content

```
000001 | /**
000002 |  * ExpansionItemInspection.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2025 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionItemInspectionBase: ExpansionScriptView
000015 | {
000016 |     protected ref ExpansionItemInspectionController m_ItemInspectionController;
000017 |
000018 |     protected Object m_Item;
000019 |
000020 |     protected MultilineTextWidget ItemDescWidget;
000021 |
000022 |     void ExpansionItemInspectionBase()
000023 |     {
000024 |         m_ItemInspectionController = ExpansionItemInspectionController.Cast(GetController());
000025 |     }
000026 |
000027 |     void ~ExpansionItemInspectionBase()
000028 |     {
000029 |         m_ItemInspectionController.ItemElements.Clear();
000030 |     }
000031 |
000032 |     override typename GetControllerType()
000033 |     {
000034 |         return ExpansionItemInspectionController;
000035 |     }
000036 |
000037 |     void UpdateItemInfoCargoSize()
000038 |     {
000039 |         EntityAI entity;
000040 |         if (!Class.CastTo(entity, m_Item))
000041 |             return;
000042 |
000043 |         GameInventory inventory = entity.GetInventory();
000044 |         if (!inventory)
000045 |             return;
000046 |     }
```



```
000047 |         CargoBase cargo = inventory.GetCargo();
000048 |         if (!cargo)
000049 |             return;
000050 |
000051 |         int width = cargo.GetWidth();
000052 |         int height = cargo.GetHeight();
000053 |
000054 |         if (width > 0 && height > 0)
000055 |         {
000056 |             EXTrace.Print(EXTrace.GENERAL_ITEMS, this, "::UpdateItemInfoCargoSize - " + m_Item.GetType() + " - storage space: " + width + "x" + height);
000057 |
000058 |             string text = "#STR_EXPANSION_INV_CARGO_SIZE " + width + "x" + height;
000059 |             int color = Colors.WHITEGRAY;
000060 |             ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000061 |             m_ItemInspectionController.ItemElements.Insert(element);
000062 |         }
000063 |     }
000064 |
000065 |     protected void UpdateItemInfoCleanness()
000066 |     {
000067 |         string text;
000068 |         int color;
000069 |         ItemBase ib = ItemBase.Cast(m_Item);
000070 |         if (ib && ib.m_Cleanness == 1)
000071 |         {
000072 |             text = "#inv_inspect_cleaned";
000073 |             color = Colors.WHITEGRAY;
000074 |
000075 |             ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000076 |             m_ItemInspectionController.ItemElements.Insert(element);
000077 |         }
000078 |     }
000079 |
000080 |     protected void UpdateItemInfoDamage()
000081 |     {
000082 |         int damageLevel = m_Item.GetHealthLevel();
000083 |         UpdateItemInfoDamage(damageLevel);
000084 |     }
000085 |
000086 |     void UpdateItemInfoDamage(int damageLevel)
000087 |     {
000088 |     }
000089 |
000090 |     void UpdateItemInfoDamageEx(int damageLevel, out string text, out int color)
000091 |     {
000092 |         switch (damageLevel)
000093 |         {
000094 |             case GameConstants.STATE_RUINED:
000095 |             {
000096 |                 text = "#inv_inspect_ruined";
000097 |                 color = Colors.COLOR_RUINED;
000098 |                 break;
000099 |             }
000100 |             case GameConstants.STATE_BADLY_DAMAGED:
000101 |             {
000102 |                 text = "#inv_inspect_badly";
000103 |                 color = Colors.COLOR_BADLY_DAMAGED;
000104 |                 break;
000105 |             }
000106 |
000107 |             case GameConstants.STATE_DAMAGED:
000108 |             {
```

```
000109 |         text = "#inv_inspect_damaged";
000110 |         color = Colors.COLOR_DAMAGED;
000111 |         break;
000112 |     }
000113 |
000114 |     case GameConstants.STATE_WORN:
000115 |     {
000116 |         text = "#inv_inspect_worn";
000117 |         color = Colors.COLOR_WORN;
000118 |         break;
000119 |     }
000120 |
000121 |     case GameConstants.STATE_PRISTINE:
000122 |     {
000123 |         text = "#inv_inspect_pristine";
000124 |         color = Colors.COLOR_PRISTINE;
000125 |         break;
000126 |     }
000127 |
000128 |     default:
000129 |     {
000130 |         text = "ERROR";
000131 |         color = Colors.COLOR_PRISTINE;
000132 |         break;
000133 |     }
000134 | }
000135 | }
000136 |
000137 | void UpdateItemInfoFoodStage(int food_stage_type)
000138 | {
000139 |     if (food_stage_type == -1)
000140 |         return;
000141 |
000142 |     string text;
000143 |     int color;
000144 |     switch (food_stage_type)
000145 |     {
000146 |     case FoodStageType.RAW:
000147 |     {
000148 |         text = "#inv_inspect_raw";
000149 |         color = Colors.COLOR_RAW;
000150 |         break;
000151 |     }
000152 |     case FoodStageType.BAKED:
000153 |     {
000154 |         text = "#inv_inspect_baked";
000155 |         color = Colors.COLOR_BAKED;
000156 |         break;
000157 |     }
000158 |     case FoodStageType.BOILED:
000159 |     {
000160 |         text = "#inv_inspect_boiled";
000161 |         color = Colors.COLOR_BOILED;
000162 |         break;
000163 |     }
000164 |     case FoodStageType.DRIED:
000165 |     {
000166 |         text = "#inv_inspect_dried";
000167 |         color = Colors.COLOR_DRIED;
000168 |         break;
000169 |     }
000170 |     case FoodStageType.BURNED:
```

```
000171 |         {
000172 |             text = "#inv_inspect_burned";
000173 |             color = Colors.COLOR_BURNED;
000174 |             break;
000175 |         }
000176 |         case FoodStageType.ROTTEN:
000177 |         {
000178 |             text = "#inv_inspect_rotten";
000179 |             color = Colors.COLOR_ROTTEN;
000180 |             break;
000181 |         }
000182 |     }
000183 |
000184 |     ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000185 |     m_ItemInspectionController.ItemElements.Insert(element);
000186 | }
000187 |
000188 | protected void UpdateItemInfoFoodStage()
000189 | {
000190 |     Edible_Base food_item = Edible_Base.Cast(m_Item);
000191 |     if (food_item && food_item.HasFoodStage())
000192 |     {
000193 |         FoodStage food_stage = food_item.GetFoodStage();
000194 |         FoodStageType food_stage_type = food_stage.GetFoodStageType();
000195 |         UpdateItemInfoFoodStage(food_stage_type);
000196 |     }
000197 | }
000198 |
000199 | protected void UpdateItemInfoLiquidType()
000200 | {
000201 |     string text;
000202 |     int color;
000203 |     ExpansionItemTooltipStatElement element;
000204 |     ItemBase item_base = ItemBase.Cast(m_Item);
000205 |     if (!item_base || item_base.GetQuantity() <= 0)
000206 |         return;
000207 |
000208 |     if (item_base.IsBloodContainer())
000209 |     {
000210 |         BloodContainerBase blood_container = BloodContainerBase.Cast(item_base);
000211 |         if (blood_container.GetBloodTypeVisible())
000212 |         {
000213 |             UpdateItemInfoLiquidType(blood_container.GetLiquidType(), true);
000214 |         }
000215 |         else
000216 |         {
000217 |             UpdateItemInfoLiquidType(-1, true);
000218 |         }
000219 |     }
000220 |     else if (item_base && item_base.GetQuantity() > 0 && item_base.IsLiquidContainer())
000221 |     {
000222 |         int liquid_type = -1;
000223 |         liquid_type = item_base.GetLiquidType();
000224 |         UpdateItemInfoLiquidType(liquid_type);
000225 |     }
000226 | }
000227 |
000228 | void UpdateItemInfoLiquidType(int liquid_type, bool isBloodContainer = false)
000229 | {
000230 |     string text;
000231 |     int color;
000232 |     ExpansionItemTooltipStatElement element;
```

```
000233 |         if (isBloodContainer)
000234 |         {
000235 |             if (liquid_type > -1)
000236 |             {
000237 |                 string type;
000238 |                 bool positive;
000239 |                 string blood_type_name = BloodTypes.GetBloodTypeName(liquid_type, type, positive);
000240 |                 text = "#inv_inspect_blood: " + blood_type_name;
000241 |                 color = Colors.COLOR_LIQUID;
000242 |             }
000243 |             else if (liquid_type == -1)
000244 |             {
000245 |                 text = "#inv_inspect_blood";
000246 |                 color = Colors.COLOR_LIQUID;
000247 |             }
000248 |
000249 |             element = new ExpansionItemTooltipStatElement(text, color);
000250 |             m_ItemInspectionController.ItemElements.Insert(element);
000251 |         }
000252 |         else if (liquid_type > -1)
000253 |         {
000254 |             text = ExpansionWorld.GetLiquidDisplayName(liquid_type, true, color);
000255 |
000256 |             element = new ExpansionItemTooltipStatElement(text, color);
000257 |             m_ItemInspectionController.ItemElements.Insert(element);
000258 |         }
000259 |     }
000260 |
000261 | void UpdateItemInfoQuantityEx(int quantityType, float quantity, int quantityMax, bool ratio = true, out string text = "", out int color = 0)
000262 | {
000263 |     string quantity_str;
000264 |     if (quantityMax > 0) // Some items, like books, have quantityMax set to 0 => division by ZERO error in quantity_ratio
000265 |     {
000266 |         float value;
000267 |         float quantity_ratio = Math.Round((quantity / quantityMax) * 100);
000268 |         if (ratio)
000269 |             value = quantity_ratio;
000270 |         else
000271 |             value = quantity;
000272 |
000273 |         if (quantityType == ExpansionItemQuantityType.PC)
000274 |         {
000275 |             if (quantity == 1)
000276 |             {
000277 |                 text = quantity.ToString() + " " + "#inv_inspect_piece";
000278 |                 color = ARGB(255, 255, 255, 255);
000279 |             }
000280 |             else
000281 |             {
000282 |                 text = quantity.ToString() + " " + "#inv_inspect_pieces";
000283 |                 color = ARGB(255, 255, 255, 255);
000284 |             }
000285 |         }
000286 |         else if (quantityType == ExpansionItemQuantityType.PERCENTAGE)
000287 |         {
000288 |             text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000289 |             color = ARGB(255, 149, 165, 166);
000290 |         }
000291 |         else if (quantityType == ExpansionItemQuantityType.GRAM)
000292 |         {
000293 |             text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000294 |             color = ARGB(255, 160, 223, 59);
```

```
000295 |     }
000296 |     else if (quantityType == ExpansionItemQuantityType.MILLILITER)
000297 |     {
000298 |         text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000299 |         color = ARGB(255, 52, 152, 219);
000300 |     }
000301 |     else if (quantityType == ExpansionItemQuantityType.MAGAZINE)
000302 |     {
000303 |         text = value.ToString() + " " + "#inv_inspect_piece";
000304 |         color = ARGB(255, 155, 89, 182);
000305 |     }
000306 |     else if (quantityType == ExpansionItemQuantityType.POWER)
000307 |     {
000308 |         text = "#inv_inspect_remaining " + value.ToString() + "#inv_inspect_percent";
000309 |         color = ARGB(255, 243, 156, 18);
000310 |     }
000311 | }
000312 | else
000313 | {
000314 |     if (quantityType == ExpansionItemQuantityType.HEATISOLATION)
000315 |     {
000316 |         if (quantity <= GameConstants.HEATISO_THRESHOLD_BAD)
000317 |         {
000318 |             text = "#inv_inspect_iso_bad";
000319 |             color = GetTemperatureColor(10) | 0x7F000000;
000320 |         }
000321 |         else if ((quantity > GameConstants.HEATISO_THRESHOLD_BAD) && (quantity <= GameConstants.HEATISO_THRESHOLD_LOW))
000322 |         {
000323 |             text = "#inv_inspect_iso_low";
000324 |             color = GetTemperatureColor(20) | 0x7F000000;
000325 |         }
000326 |         else if ((quantity > GameConstants.HEATISO_THRESHOLD_LOW) && (quantity <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
000327 |         {
000328 |             text = "#inv_inspect_iso_medium";
000329 |             color = GetTemperatureColor(30) | 0x7F000000;
000330 |         }
000331 |         else if ((quantity > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (quantity <= GameConstants.HEATISO_THRESHOLD_HIGH))
000332 |         {
000333 |             text = "#inv_inspect_iso_high";
000334 |             color = GetTemperatureColor(50) | 0x7F000000;
000335 |         }
000336 |         else
000337 |         {
000338 |             text = "#inv_inspect_iso_excel";
000339 |             color = GetTemperatureColor(70) | 0x7F000000;
000340 |         }
000341 |     }
000342 | }
000343 | }
000344 |
000345 | void UpdateItemInfoQuantityEx(out string text, out int color)
000346 | {
000347 |     ItemBase item_base = ItemBase.Cast(m_Item);
000348 |     if (item_base)
000349 |     {
000350 |         float item_quantity = item_base.GetQuantity();
000351 |         int max_quantity = item_base.GetQuantityMax();
000352 |
000353 |         float quantity_ratio;
000354 |
000355 |         if (max_quantity > 0) // Some items, like books, have max_quantity set to 0 => division by ZERO error in quantity_ratio
000356 |         {
```

```
000357 |         string quantity_str;
000358 |         string stackedUnit = m_Item.ConfigGetString("stackedUnit");
000359 |         if (stackedUnit == "pc." || stackedUnit == "pills")
000360 |         {
000361 |             if (item_quantity == 1)
000362 |             {
000363 |                 text = item_quantity.ToString() + " " + "#inv_inspect_piece";
000364 |                 color = Colors.COLOR_DEFAULT;
000365 |             }
000366 |             else
000367 |             {
000368 |                 text = item_quantity.ToString() + " " + "#inv_inspect_pieces";
000369 |                 color = Colors.COLOR_DEFAULT;
000370 |             }
000371 |         }
000372 |         else if (stackedUnit == "percentage")
000373 |         {
000374 |             quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
000375 |             quantity_str = "#inv_inspect_remaining " + quantity_ratio.ToString() + "#inv_inspect_percent";
000376 |             text = quantity_str;
000377 |             color = Colors.COLOR_DEFAULT;
000378 |         }
000379 |         else if (stackedUnit == "g")
000380 |         {
000381 |             quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
000382 |             quantity_str = "#inv_inspect_remaining " + quantity_ratio.ToString() + "#inv_inspect_percent";
000383 |             text = quantity_str;
000384 |             color = Colors.COLOR_DEFAULT;
000385 |         }
000386 |         else if (stackedUnit == "ml")
000387 |         {
000388 |             quantity_ratio = Math.Round((item_quantity / max_quantity) * 100);
000389 |             quantity_str = "#inv_inspect_remaining " + quantity_ratio.ToString() + "#inv_inspect_percent";
000390 |             text = quantity_str;
000391 |             color = Colors.COLOR_DEFAULT;
000392 |         }
000393 |         else if (m_Item.IsInherited(Magazine))
000394 |         {
000395 |             Magazine magazine_item;
000396 |             Class.CastTo(magazine_item, m_Item);
000397 |
000398 |             if (magazine_item.GetAmmoCount() == 1)
000399 |             {
000400 |                 text = magazine_item.GetAmmoCount().ToString() + " " + "#inv_inspect_piece";
000401 |                 color = Colors.COLOR_DEFAULT;
000402 |             }
000403 |             else
000404 |             {
000405 |                 text = magazine_item.GetAmmoCount().ToString() + " " + "#inv_inspect_pieces";
000406 |                 color = Colors.COLOR_DEFAULT;
000407 |             }
000408 |         }
000409 |     }
000410 |     else
000411 |     {
000412 |         if (m_Item.IsInherited(ClothingBase))
000413 |         {
000414 |             float heatIsolation = MiscGameplayFunctions.GetCurrentItemHeatIsolation(item_base);
000415 |             if (heatIsolation <= GameConstants.HEATISO_THRESHOLD_BAD)
000416 |             {
000417 |                 text = "#inv_inspect_iso_bad";
000418 |                 color = GetTemperatureColor(10);
```

```
000419 |         }
000420 |     else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_BAD) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_LOW))
000421 |     {
000422 |         text = "#inv_inspect_iso_low";
000423 |         color = GetTemperatureColor(20);
000424 |     }
000425 |     else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_LOW) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_MEDIUM))
000426 |     {
000427 |         text = "#inv_inspect_iso_medium";
000428 |         color = GetTemperatureColor(30);
000429 |     }
000430 |     else if ((heatIsolation > GameConstants.HEATISO_THRESHOLD_MEDIUM) && (heatIsolation <= GameConstants.HEATISO_THRESHOLD_HIGH))
000431 |     {
000432 |         text = "#inv_inspect_iso_high";
000433 |         color = GetTemperatureColor(50);
000434 |     }
000435 |     else
000436 |     {
000437 |         text = "#inv_inspect_iso_excel";
000438 |         color = GetTemperatureColor(70);
000439 |     }
000440 | }
000441 | }
000442 | }
000443 | }
000444 |
000445 | protected void UpdateItemInfoTemperature()
000446 | {
000447 |     string text;
000448 |     int color;
000449 |     float temperature;
000450 |     ItemBase item_base = ItemBase.Cast(m_Item);
000451 |     if (!item_base)
000452 |         return;
000453 |
000454 |     temperature = item_base.GetTemperature();
000455 |
000456 |     if (temperature > 30)
000457 |     {
000458 |         if (temperature > 100)
000459 |         {
000460 |             temperature = 100 * Math.Floor(temperature / 100.0);
000461 |         }
000462 |         else
000463 |         {
000464 |             temperature = 10 * Math.Floor(temperature / 10.0);
000465 |         }
000466 |
000467 |         text = "#inv_inspect_about " + temperature.ToString() + " " + "#inv_inspect_celsius";
000468 |         color = GetTemperatureColor(temperature);
000469 |
000470 |         ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000471 |         m_ItemInspectionController.ItemElements.Insert(element);
000472 |     }
000473 | }
000474 |
000475 | protected void UpdateItemInfoWeightEx(out string text, out int color)
000476 | {
000477 |     int weight;
000478 |     ItemBase item_IB = ItemBase.Cast(m_Item);
000479 |     if (item_IB)
000480 |     {
```

```
000481 |         weight = item_IB.GetWeight();
000482 |     }
000483 |     else
000484 |     {
000485 |         weight = dBodyGetMass(m_Item) * 1000;
000486 |     }
000487 |
000488 |     if (GetLayoutRoot().GetName() != "ExpansionItemTooltip")
000489 |     {
000490 |         weight = item_IB.GetSingleInventoryItemWeight();
000491 |     }
000492 |
000493 |     if (weight >= 1000)
000494 |     {
000495 |         int kilos = Math.Round(weight / 1000.0);
000496 |         text = "#inv_inspect_about" + " " + kilos.ToString() + " " + "#inv_inspect_kg";
000497 |         color = Colors.COLOR_DEFAULT;
000498 |     }
000499 |     else if (weight >= 500)
000500 |     {
000501 |         text = "#inv_inspect_under_1";
000502 |         color = Colors.COLOR_DEFAULT;
000503 |     }
000504 |     else if (weight >= 250)
000505 |     {
000506 |         text = "#inv_inspect_under_05";
000507 |         color = Colors.COLOR_DEFAULT;
000508 |     }
000509 |     else
000510 |     {
000511 |         text = "#inv_inspect_under_025";
000512 |         color = Colors.COLOR_DEFAULT;
000513 |     }
000514 | }
000515 |
000516 | protected void UpdateItemInfoWetness()
000517 | {
000518 |     string text;
000519 |     int color;
000520 |     float wetness = 0;
000521 |     ItemBase item_IB = ItemBase.Cast(m_Item);
000522 |     if (!item_IB)
000523 |         return;
000524 |
000525 |     wetness = item_IB.GetWet();
000526 |
000527 |     if (wetness < GameConstants.STATE_DAMP)
000528 |     {
000529 |         return;
000530 |     }
000531 |     else if (wetness >= GameConstants.STATE_DAMP && wetness < GameConstants.STATE_WET)
000532 |     {
000533 |         text = "#inv_inspcet_damp";
000534 |         color = Colors.COLOR_DAMP;
000535 |     }
000536 |     else if (wetness >= GameConstants.STATE_WET && wetness < GameConstants.STATE_SOAKING_WET)
000537 |     {
000538 |         text = "#inv_inspect_wet";
000539 |         color = Colors.COLOR_WET;
000540 |     }
000541 |     else if (wetness >= GameConstants.STATE_SOAKING_WET && wetness < GameConstants.STATE_DRENCHED)
000542 |     {
```



```
000543 |         text = "#inv_inspect_soaking_wet";
000544 |         color = Colors.COLOR_SOAKING_WET;
000545 |     }
000546 |     else
000547 |     {
000548 |         text = "#inv_inspect_drenched";
000549 |         color = Colors.COLOR_DRENCHED;
000550 |     }
000551 |
000552 |     ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000553 |     m_ItemInspectionController.ItemElements.Insert(element);
000554 | }
000555 |
000556 | void UpdateItemStats()
000557 | {
000558 |     UpdateItemInfoWetness();
000559 |     UpdateItemInfoTemperature();
000560 |     UpdateItemInfoLiquidType();
000561 |     UpdateItemInfoFoodStage();
000562 |     UpdateItemInfoCleanliness();
000563 |     UpdateItemInfoCargoSize();
000564 | }
000565 | }
000566 |
000567 | class ExpansionItemInspection: ExpansionItemInspectionBase
000568 | {
000569 |     ItemPreviewWidget ItemPreview;
000570 |     protected ButtonWidget BackButton;
000571 |     protected ImageWidget IconClose;
000572 |
000573 |     protected int m_CharacterRotationX;
000574 |     protected int m_CharacterRotationY;
000575 |     protected int m_CharacterScaleDelta;
000576 |     protected vector m_CharacterOrientation;
000577 |
000578 |     protected ScriptView m_ParentView;
000579 |     protected ref ScriptInvoker m_OnInspectCloseSI;
000580 |
000581 |     void ExpansionItemInspection()
000582 |     {
000583 |         m_OnInspectCloseSI = new ScriptInvoker();
000584 |     }
000585 |
000586 |     void ~ExpansionItemInspection()
000587 |     {
000588 |         if (m_OnInspectCloseSI)
000589 |         {
000590 |             m_OnInspectCloseSI.Clear();
000591 |             m_OnInspectCloseSI = null;
000592 |         }
000593 |     }
000594 |
000595 |     override string GetLayoutFile()
000596 |     {
000597 |         return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_inspection.layout";
000598 |     }
000599 |
000600 |     void SetItem(Object item)
000601 |     {
000602 |         m_Item = item;
000603 |
000604 |         if (!m_ItemInspectionController)
```

```
000605 |         m_ItemInspectionController = ExpansionItemInspectionController.Cast(GetController());
000606 |
000607 |         m_ItemInspectionController.ItemName = m_Item.GetDisplayName();
000608 |
000609 |         string itemDesc = ExpansionStatic.GetItemDescriptionWithType(m_Item.GetType());
000610 |         if (itemDesc.IndexOf("STR_") == 0)
000611 |             itemDesc = "";
000612 |
000613 |         m_ItemInspectionController.ItemDescription = itemDesc;
000614 |         ItemDescWidget.Update();
000615 |         m_ItemInspectionController.NotifyPropertiesChanged({"ItemDescription", "ItemName"});
000616 |
000617 |         if (!ItemPreview)
000618 |         {
000619 |             Widget preview_frame = GetLayoutRoot().FindAnyWidget("ItemPreview");
000620 |             if (preview_frame)
000621 |             {
000622 |                 ItemPreview = ItemPreviewWidget.Cast(preview_frame);
000623 |             }
000624 |         }
000625 |
000626 |         ItemPreview.SetItem(EntityAI.Cast(item));
000627 |         ItemBase itemIB = ItemBase.Cast(item);
000628 |         if (itemIB)
000629 |             ItemPreview.SetView(itemIB.GetViewIndex());
000630 |
000631 |         ItemPreview.SetModelPosition(Vector(0,0,1));
000632 |     }
000633 |
000634 |     void SetParentView(ScriptView parentView)
000635 |     {
000636 |         #ifdef EXTRACE
000637 |             auto trace = EXTrace.Start(EXTrace.GENERAL_ITEMS, this, "Parent view: " + parentView);
000638 |             #endif
000639 |
000640 |         m_ParentView = parentView;
000641 |     }
000642 |
000643 |     override void UpdateItemInfoDamage(int damageLevel)
000644 |     {
000645 |         string text;
000646 |         int color;
000647 |         UpdateItemInfoDamageEx(damageLevel, text, color);
000648 |
000649 |         ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000650 |         m_ItemInspectionController.ItemElements.Insert(element);
000651 |     }
000652 |
000653 |     void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
000654 |     {
000655 |         string text;
000656 |         int color;
000657 |         UpdateItemInfoQuantityEx(quantityType, quantity, quantityMax, ratio, text, color);
000658 |         UpdateItemInfoQuantity(text, color);
000659 |     }
000660 |
000661 |     void UpdateItemInfoQuantity()
000662 |     {
000663 |         string text;
000664 |         int color;
000665 |         UpdateItemInfoQuantityEx(text, color);
000666 |         UpdateItemInfoQuantity(text, color);
```

```
000667 | }
000668 |
000669 | void UpdateItemInfoQuantity(string text, int color)
000670 | {
000671 |     if (text != string.Empty)
000672 |     {
000673 |         ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000674 |         m_ItemInspectionController.ItemElements.Insert(element);
000675 |     }
000676 | }
000677 |
000678 | protected void UpdateItemInfoWeight()
000679 | {
000680 |     string text;
000681 |     int color;
000682 |     UpdateItemInfoWeightEx(text, color);
000683 |
000684 |     ExpansionItemTooltipStatElement element = new ExpansionItemTooltipStatElement(text, color);
000685 |     m_ItemInspectionController.ItemElements.Insert(element);
000686 | }
000687 |
000688 | override void OnShow()
000689 | {
000690 |     super.OnShow();
000691 |
000692 |     SetFocus(GetLayoutRoot());
000693 | }
000694 |
000695 | void OnBackButtonClick()
000696 | {
000697 |     if (m_ParentView)
000698 |         m_ParentView.GetLayoutRoot().Show(true);
000699 |
000700 |     if (m_OnInspectCloseSI)
000701 |         m_OnInspectCloseSI.Invoke(false);
000702 |
000703 |     MissionGameplay.Expansion_DestroyItemInspection();
000704 | }
000705 |
000706 | override bool OnMouseEnter(Widget w, int x, int y)
000707 | {
000708 |     if (w != NULL && w == BackButton)
000709 |     {
000710 |         BackButton.SetColor(ARGB(255, 255, 255, 255));
000711 |         IconClose.SetColor(ARGB(255, 0, 0, 0));
000712 |         return true;
000713 |     }
000714 |
000715 |     return false;
000716 | }
000717 |
000718 | override bool OnMouseLeave(Widget w, Widget enterW, int x, int y)
000719 | {
000720 |     if (w != NULL && w == BackButton)
000721 |     {
000722 |         BackButton.SetColor(ARGB(255, 0, 0, 0));
000723 |         IconClose.SetColor(ARGB(255, 255, 255, 255));
000724 |         return true;
000725 |     }
000726 |
000727 |     return false;
000728 | }
```

```
000729 |  
000730 | override bool OnMouseButtonDown(Widget w, int x, int y, int button)  
000731 | {  
000732 |     if (w == ItemPreview)  
000733 |     {  
000734 |         g_Game.GetDragQueue().Call(this, "UpdateRotation");  
000735 |         GetMousePos(m_CharacterRotationX, m_CharacterRotationY);  
000736 |         return true;  
000737 |     }  
000738 |     return false;  
000739 | }  
000740 |  
000741 | void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)  
000742 | {  
000743 |     vector o = m_CharacterOrientation;  
000744 |     o[0] = o[0] + (m_CharacterRotationY - mouse_y);  
000745 |     o[1] = o[1] - (m_CharacterRotationX - mouse_x);  
000746 |  
000747 |     ItemPreview.SetModelOrientation(o);  
000748 |  
000749 |     if (!is_dragging)  
000750 |     {  
000751 |         m_CharacterOrientation = o;  
000752 |     }  
000753 | }  
000754 |  
000755 | override bool OnMouseWheel(Widget w, int x, int y, int wheel)  
000756 | {  
000757 |     if (w == ItemPreview)  
000758 |     {  
000759 |         m_CharacterScaleDelta = wheel;  
000760 |         UpdateScale();  
000761 |     }  
000762 |  
000763 |     return false;  
000764 | }  
000765 |  
000766 | void UpdateScale()  
000767 | {  
000768 |     float w, h, x, y;  
000769 |     ItemPreview.GetPos(x, y);  
000770 |     ItemPreview.GetSize(w, h);  
000771 |     w = w + (m_CharacterScaleDelta / 4);  
000772 |     h = h + (m_CharacterScaleDelta / 4);  
000773 |     if (w > 0.5 && w < 3)  
000774 |     {  
000775 |         ItemPreview.SetSize(w, h);  
000776 |  
000777 |         // align to center  
000778 |         int screen_w, screen_h;  
000779 |         GetScreenSize(screen_w, screen_h);  
000780 |         float new_x = x - (m_CharacterScaleDelta / 8);  
000781 |         float new_y = y - (m_CharacterScaleDelta / 8);  
000782 |         ItemPreview.SetPos(new_x, new_y);  
000783 |     }  
000784 | }  
000785 |  
000786 | ScriptInvoker GetCloseInspectionSI()  
000787 | {  
000788 |     return m_OnInspectCloseSI;  
000789 | }  
000790 | };
```

```
000791 |  
000792 | class ExpansionItemInspectionController: ExpansionViewController  
000793 | {  
000794 |     ref ObservableCollection<ref ExpansionItemTooltipStatElement> ItemElements = new ObservableCollection<ref ExpansionItemTooltipStatElement>(this);  
000795 |  
000796 |     string ItemName;  
000797 |     string ItemDamage;  
000798 |     string ItemQuantity;  
000799 |     string ItemWeight;  
000800 |     string ItemWetness;  
000801 |     string ItemTemperature;  
000802 |     string ItemLiquidType;  
000803 |     string ItemFoodStage;  
000804 |     string ItemCleanness;  
000805 |     string ItemDescription;  
000806 |     Object ItemPreview;  
000807 | };  
000808 | #endif  
000809 |
```

0351. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionItemTooltip.c

Size bytes: 6321

SHA-256: fa6936853938724dd75049dbbe820998f67861a1c1a7bff90769f8f593a55872

Decoded as: utf-8-sig

Line count shown: 277

Detected class declarations: 5

```

L14: class ExpansionItemTooltip: ExpansionItemInspectionBase
L173: class ExpansionItemTooltipStatElement: ExpansionScriptView
L210: class ExpansionItemTooltipStatElementController: ExpansionViewController
L215: class ExpansionItemPreviewTooltip: ExpansionScriptView
L271: class ExpansionItemPreviewTooltipController: ExpansionViewController

```

Detected enum declarations: 0

Detected function/method-like declarations: 27

```

L30: override string GetLayoutFile()
L35: void SetItem(EntityAI item)
L40: protected void SetView()
L74: bool ShowContent()
L79: void SetShowContent(bool state)
L84: bool ShowItemPreview()
L89: void SetShowItemPreview(bool state)
L94: override void UpdateItemInfoDamage(int damageLevel)
L105: void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
L113: void UpdateItemInfoQuantity()
L121: void UpdateItemInfoQuantity(string text, int color)
L135: protected void UpdateItemInfoWeight()
L146: override void Show()
L152: void SetContentOffset(float x, float y)
L158: override void OnShow()
L167: void SetUpdateStatsOnShow(bool state)
L181: void ExpansionItemTooltipStatElement(string text, int color)
L192: override string GetLayoutFile()
L197: override typename GetControllerType()
L202: void SetView()
L223: void ExpansionItemPreviewTooltip(Object item)
L231: override string GetLayoutFile()
L236: override typename GetControllerType()
L241: void SetView()
L249: void SetContentOffset(float x, float y)
L255: override void Show()
L261: override void OnShow()

```

Full file content

```

000001 | /**
000002 |  * ExpansionItemTooltip.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionItemTooltip: ExpansionItemInspectionBase
000015 | {
000016 |     protected ItemPreviewWidget ItemFrameWidget;

```

```
000017 | protected ImageWidget ItemDamageWidgetBackground;
000018 | protected TextWidget ItemWeightWidget;
000019 | protected TextWidget ItemQuantityWidget;
000020 | protected GridSpacerWidget Content;
000021 |
000022 | protected bool m_ShowPreview = false;
000023 | protected bool m_ShowContent = true;
000024 |
000025 | protected float m_ContentOffsetX;
000026 | protected float m_ContentOffsetY;
000027 |
000028 | protected bool m_UpdateStatsOnShow;
000029 |
000030 | override string GetLayoutFile()
000031 | {
000032 |     return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_tooltip.layout";
000033 | }
000034 |
000035 | void SetItem(EntityAI item)
000036 | {
000037 |     m_Item = item;
000038 | }
000039 |
000040 | protected void SetView()
000041 | {
000042 |     if (!ShowItemPreview())
000043 |     {
000044 |         ItemFrameWidget.Show(false);
000045 |     }
000046 |     else
000047 |     {
000048 |         m_ItemInspectionController.ItemPreview = m_Item;
000049 |         m_ItemInspectionController.NotifyPropertyChanged("ItemPreview");
000050 |     }
000051 |
000052 |     if (!ShowContent())
000053 |         Content.Show(false);
000054 |
000055 |     m_ItemInspectionController.ItemName = m_Item.GetDisplayName();
000056 |
000057 |     string itemDesc = ExpansionStatic.GetItemDescriptionWithType(m_Item.GetType());
000058 |     if (itemDesc.IndexOf("STR_") == 0)
000059 |         itemDesc = "";
000060 |
000061 |     m_ItemInspectionController.ItemDescription = itemDesc;
000062 |     ItemDescWidget.Update();
000063 |     m_ItemInspectionController.NotifyPropertiesChanged({"ItemDescription", "ItemName"});
000064 |
000065 |     if (m_UpdateStatsOnShow)
000066 |     {
000067 |         UpdateItemStats();
000068 |         UpdateItemInfoDamage();
000069 |         UpdateItemInfoQuantity();
000070 |         UpdateItemInfoWeight();
000071 |     }
000072 | }
000073 |
000074 | bool ShowContent()
000075 | {
000076 |     return m_ShowContent;
000077 | }
000078 |
```

```
000079 | void SetShowContent(bool state)
000080 | {
000081 |     m_ShowContent = state;
000082 | }
000083 |
000084 | bool ShowItemPreview()
000085 | {
000086 |     return m_ShowPreview;
000087 | }
000088 |
000089 | void SetShowItemPreview(bool state)
000090 | {
000091 |     m_ShowPreview = state;
000092 | }
000093 |
000094 | override void UpdateItemInfoDamage(int damageLevel)
000095 | {
000096 |     string text;
000097 |     int color;
000098 |     UpdateItemInfoDamageEx(damageLevel, text, color);
000099 |
000100 |     m_ItemInspectionController.ItemDamage = text;
000101 |     m_ItemInspectionController.NotifyPropertyChanged("ItemDamage");
000102 |     ItemDamageWidgetBackground.SetColor(color | 0x7F000000);
000103 | }
000104 |
000105 | void UpdateItemInfoQuantity(int quantityType, float quantity, int quantityMax, bool ratio = true)
000106 | {
000107 |     string text;
000108 |     int color;
000109 |     UpdateItemInfoQuantityEx(quantityType, quantity, quantityMax, ratio, text, color);
000110 |     UpdateItemInfoQuantity(text, color);
000111 | }
000112 |
000113 | void UpdateItemInfoQuantity()
000114 | {
000115 |     string text;
000116 |     int color;
000117 |     UpdateItemInfoQuantityEx(text, color);
000118 |     UpdateItemInfoQuantity(text, color);
000119 | }
000120 |
000121 | void UpdateItemInfoQuantity(string text, int color)
000122 | {
000123 |     if (text != "")
000124 |     {
000125 |         m_ItemInspectionController.ItemQuantity = text;
000126 |         m_ItemInspectionController.NotifyPropertyChanged("ItemQuantity");
000127 |         ItemQuantityWidget.SetColor(color | 0x7F000000);
000128 |     }
000129 |     else
000130 |     {
000131 |         ItemQuantityWidget.Show(false);
000132 |     }
000133 | }
000134 |
000135 | protected void UpdateItemInfoWeight()
000136 | {
000137 |     string text;
000138 |     int color;
000139 |     UpdateItemInfoWeightEx(text, color);
000140 | }
```



```
000141 |         m_ItemInspectionController.ItemWeight = text;
000142 |         m_ItemInspectionController.NotifyPropertyChanged("ItemWeight");
000143 |         ItemWeightWidget.SetColor(color | 0x7F000000);
000144 |     }
000145 |
000146 |     override void Show()
000147 |     {
000148 |         super.Show();
000149 |         SetView();
000150 |     }
000151 |
000152 |     void SetContentOffset(float x, float y)
000153 |     {
000154 |         m_ContentOffsetX = x;
000155 |         m_ContentOffsetY = y;
000156 |     }
000157 |
000158 |     override void OnShow()
000159 |     {
000160 |         super.OnShow();
000161 |
000162 |         int x, y;
000163 |         GetMousePos(x, y);
000164 |         GetLayoutRoot().SetPos(x + m_ContentOffsetX, y + m_ContentOffsetY, true);
000165 |     }
000166 |
000167 |     void SetUpdateStatsOnShow(bool state)
000168 |     {
000169 |         m_UpdateStatsOnShow = state;
000170 |     }
000171 | };
000172 |
000173 | class ExpansionItemTooltipStatElement: ExpansionScriptView
000174 | {
000175 |     ref ExpansionItemTooltipStatElementController m_TooltipStatElementController;
000176 |     string m_Text;
000177 |     int m_Color;
000178 |
000179 |     protected ImageWidget Background;
000180 |
000181 |     void ExpansionItemTooltipStatElement(string text, int color)
000182 |     {
000183 |         m_Text = text;
000184 |         m_Color = color;
000185 |
000186 |         if (!m_TooltipStatElementController)
000187 |             m_TooltipStatElementController = ExpansionItemTooltipStatElementController.Cast(GetController());
000188 |
000189 |         SetView();
000190 |     }
000191 |
000192 |     override string GetLayoutFile()
000193 |     {
000194 |         return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_tooltip_stat_element.layout";
000195 |     }
000196 |
000197 |     override typename GetControllerType()
000198 |     {
000199 |         return ExpansionItemTooltipStatElementController;
000200 |     }
000201 |
000202 |     void SetView()
```

```
000203 |     {
000204 |         m_TooltipStatElementController.StatText = m_Text;
000205 |         m_TooltipStatElementController.NotifyPropertyChanged("StatText");
000206 |         Background.SetColor(m_Color | 0x7F000000);
000207 |     }
000208 | };
000209 |
000210 | class ExpansionItemTooltipStatElementController: ExpansionViewController
000211 | {
000212 |     string StatText;
000213 | };
000214 |
000215 | class ExpansionItemPreviewTooltip: ExpansionScriptView
000216 | {
000217 |     ref ExpansionItemPreviewTooltipController m_ItemInspectionController;
000218 |     Object m_Item;
000219 |
000220 |     private float m_ContentOffsetX;
000221 |     private float m_ContentOffsetY;
000222 |
000223 |     void ExpansionItemPreviewTooltip(Object item)
000224 |     {
000225 |         m_Item = item;
000226 |
000227 |         if (!m_ItemInspectionController)
000228 |             m_ItemInspectionController = ExpansionItemPreviewTooltipController.Cast(GetController());
000229 |     }
000230 |
000231 |     override string GetLayoutFile()
000232 |     {
000233 |         return "DayZExpansion/Core/GUI/layouts/mvc/expansion_item_preview_tooltip.layout";
000234 |     }
000235 |
000236 |     override typename GetControllerType()
000237 |     {
000238 |         return ExpansionItemPreviewTooltipController;
000239 |     }
000240 |
000241 |     void SetView()
000242 |     {
000243 |         m_ItemInspectionController.ItemPreview = m_Item;
000244 |         m_ItemInspectionController.NotifyPropertyChanged("ItemPreview");
000245 |         m_ItemInspectionController.ItemName = m_Item.GetDisplayName();
000246 |         m_ItemInspectionController.NotifyPropertyChanged("ItemName");
000247 |     }
000248 |
000249 |     void SetContentOffset(float x, float y)
000250 |     {
000251 |         m_ContentOffsetX = x;
000252 |         m_ContentOffsetY = y;
000253 |     }
000254 |
000255 |     override void Show()
000256 |     {
000257 |         super.Show();
000258 |         SetView();
000259 |     }
000260 |
000261 |     override void OnShow()
000262 |     {
000263 |         super.OnShow();
000264 |     }
```

```
000265 |         int x, y;
000266 |         GetMousePos(x, y);
000267 |         GetLayoutRoot().SetPos(x + m_ContentOffsetX, y + m_ContentOffsetY, true);
000268 |     }
000269 | };
000270 |
000271 | class ExpansionItemPreviewTooltipController: ExpansionViewController
000272 | {
000273 |     string ItemName;
000274 |     Object ItemPreview;
000275 | };
000276 | #endif
000277 |
```

0352. PBO TEXT FILE

```
Path: core pbo files expan/core_scripts.pbo :: 5_Mission\DayZExpansion_Core\MVC\ScriptViews\ExpansionPlayerPreview.c
Size bytes: 9689
SHA-256: 786eb07111d9eaeca1186a35f41aed8bf7c1e1b7161dcfaf4674fc87511460e6
Decoded as: utf-8-sig
Line count shown: 300
Detected class declarations: 1
  L14: class ExpansionPlayerPreview
Detected enum declarations: 0
Detected function/method-like declarations: 18
  L36: void ExpansionPlayerPreview(ExpansionScriptViewBase scriptView, PlayerPreviewWidget previewWidget)
  L42: void ~ExpansionPlayerPreview()
  L48: void Update(string previewClassName)
  L111: void CreateAttachments(EntityAI src, EntityAI dst)
  L133: void UpdateScale(int mouse_x, int mouse_y, bool is_dragging, int wheel)
  L157: void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
  L171: float GetPositionTargetY()
  L196: else if (isHeadSlot)
  L198: else if (isLegsSlot)
  L200: else if (isFeetSlot)
  L206: float GetPositionInterpolatedY(float w, float targetY)
  L218: void UpdatePosition(float y)
  L223: void UpdateLastPosition(float w)
  L230: int AnimatePosition(int animID = 0, int frameNumber = 1)
  L238: else if (m_PlayerPosCurrentAnimID != animID)
  L270: bool OnMouseButtonDown(Widget w, int x, int y, int button)
  L277: bool OnMouseWheel(Widget w, int x, int y, int wheel)
  L284: bool OnItemSelected(Widget w, int x, int y, int row, int column, int oldRow, int oldColumn)
```

Full file content

```
000001 | /**
000002 |  * ExpansionPlayerPreview.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | #ifdef EXPANSIONUI
000014 | class ExpansionPlayerPreview
000015 | {
000016 |     protected static const float POSITION_PLAYER_PREVIEW_W_THRESHOLD_MIN = 1.5;
000017 |     protected static const float POSITION_PLAYER_PREVIEW_W_THRESHOLD_MAX = 4;
000018 |     protected static const float POSITION_PLAYER_PREVIEW_Y_OFFSET = -0.125;
000019 |     protected static const float POSITION_PLAYER_PREVIEW_ANIMATION_DURATION = 0.5;
000020 |
000021 |     protected ExpansionScriptViewBase m_ParentView;
000022 |     protected PlayerBase m_PlayerPreview;
000023 |     protected PlayerPreviewWidget m_PreviewWidget;
000024 |
000025 |     protected vector m_CharacterOrientation;
000026 |     protected int m_CharacterRotationX;
000027 |     protected int m_CharacterRotationY;
000028 |     protected int m_CharacterScaleDelta;
000029 | }
```

```
000030 | protected int m_SelectedItemSlot;
000031 | protected float m_LastPositionW;
000032 | protected float m_LastPositionY;
000033 | protected int m_PlayerPosCurrentAnimID;
000034 | protected bool m_PlayerPosAnimRunning;
000035 |
000036 | void ExpansionPlayerPreview(ExpansionScriptViewBase scriptView, PlayerPreviewWidget previewWidget)
000037 | {
000038 |     m_ParentView = scriptView;
000039 |     m_PreviewWidget = previewWidget;
000040 | }
000041 |
000042 | void ~ExpansionPlayerPreview()
000043 | {
000044 |     if (m_PlayerPreview)
000045 |         g_Game.ObjectDelete(m_PlayerPreview);
000046 | }
000047 |
000048 | void Update(string previewClassName)
000049 | {
000050 |     Man player = g_Game.GetPlayer();
000051 |
000052 |     if (!m_PlayerPreview)
000053 |     {
000054 |         ///! Oh fml... of all the things I tried to get the player preview face texture to render,
000055 |         ///! it turns out the preview entity needs to be close to the player's viewport. Go figure.
000056 |         ///! Just spawn it behind the player camera so it won't be seen under normal circumstances.
000057 |         vector dir = g_Game.GetCurrentCameraDirection();
000058 |         dir.Normalize();
000059 |         vector pos = g_Game.GetCurrentCameraPosition() - dir * 0.5;
000060 |         pos[1] = player.GetPosition()[1];
000061 |         m_PlayerPreview = PlayerBase.Cast(g_Game.CreateObjectEx(player.GetType(), pos, ECE_LOCAL|ECE_NOLIFETIME));
000062 |         m_PlayerPreview.SetOrientation(player.GetOrientation());
000063 |
000064 |         m_ParentView.UpdatePlayerPreviewObject(m_PlayerPreview);
000065 |     }
000066 |     else
000067 |     {
000068 |         ///! Remove existing attachments on player preview
000069 |         array<ItemBase> previewAttachments = new array<ItemBase>;
000070 |         for (int i = 0; i < m_PlayerPreview.GetInventory().AttachmentCount(); i++)
000071 |         {
000072 |             ItemBase previewItem = ItemBase.Cast(m_PlayerPreview.GetInventory().GetAttachmentFromIndex(i));
000073 |             ///! Removing the attachment here would change attachment count, so add it to a temp array for later removal
000074 |             if (previewItem)
000075 |                 previewAttachments.Insert(previewItem);
000076 |         }
000077 |         foreach (ItemBase previewAttachment: previewAttachments)
000078 |         {
000079 |             m_PlayerPreview.GetInventory().LocalDestroyEntity(previewAttachment);
000080 |         }
000081 |     }
000082 |
000083 |     ///! Add selected item first to override any current player attachment on same slot
000084 |     EntityAI item = m_PlayerPreview.GetInventory().CreateAttachment(previewClassName);
000085 |     m_ParentView.SpawnPlayerPreviewAttachments(item);
000086 |
000087 |     m_ParentView.SetCurrentPreviewObject(item);
000088 |
000089 |     ///! Get slot (for dynamic preview focus)
000090 |     m_SelectedItemSlot = -1;
000091 |     if (item)
```

```
000092 |     {
000093 |         InventoryLocation loc = new InventoryLocation;
000094 |         item.GetInventory().GetCurrentInventoryLocation(loc);
000095 |         if (loc)
000096 |             m_SelectedItemSlot = loc.GetSlot();
000097 |     }
000098 |
000099 |     //! Add player's current attachments to player preview
000100 |     CreateAttachments(player, m_PlayerPreview);
000101 |
000102 |     if (!m_LastPositionW)
000103 |         UpdateLastPosition(1.0);
000104 |     else
000105 |         m_LastPositionY = m_PreviewWidget.GetModelPosition()[1];
000106 |
000107 |     AnimatePosition();
000108 | }
000109 |
000110 | //! Create all attachments from src in dst
000111 | void CreateAttachments(EntityAI src, EntityAI dst)
000112 | {
000113 |     if (!src.GetInventory())
000114 |         return;
000115 |
000116 |     for (int i = 0; i < src.GetInventory().AttachmentCount(); i++)
000117 |     {
000118 |         ItemBase srcAttachment = ItemBase.Cast(src.GetInventory().GetAttachmentFromIndex(i));
000119 |         if (srcAttachment)
000120 |         {
000121 |             //! Create attachment
000122 |             EntityAI dstAttachment;
000123 |             if (dst.IsInherited(Weapon_Base))
000124 |                 dstAttachment = Weapon_Base.Cast(dst).ExpansionCreateInInventory(srcAttachment.GetType());
000125 |             else
000126 |                 dstAttachment = dst.GetInventory().CreateAttachment(srcAttachment.GetType());
000127 |             if (dstAttachment)
000128 |                 CreateAttachments(srcAttachment, dstAttachment); //! Create attachments of attachment
000129 |         }
000130 |     }
000131 | }
000132 |
000133 | void UpdateScale(int mouse_x, int mouse_y, bool is_dragging, int wheel)
000134 | {
000135 |     float w, h, x, y;
000136 |     m_PreviewWidget.GetPos(x, y);
000137 |     m_PreviewWidget.GetSize(w,h);
000138 |     w = w + (m_CharacterScaleDelta / 8);
000139 |     h = h + (m_CharacterScaleDelta / 8);
000140 |     if ( w > 0.5 && w < 6 )
000141 |     {
000142 |         m_PreviewWidget.SetSize(w, h);
000143 |
000144 |         //! Align to center
000145 |         int screen_w, screen_h;
000146 |         GetScreenSize(screen_w, screen_h);
000147 |         float new_x = x - (m_CharacterScaleDelta / 16);
000148 |         float new_y = y - (m_CharacterScaleDelta / 16);
000149 |         m_PreviewWidget.SetPos(new_x, new_y);
000150 |
000151 |         UpdateLastPosition(w);
000152 |         if (!m_PlayerPosAnimRunning)
000153 |             UpdatePosition(m_LastPositionY);
```

```
000154 |     }
000155 | }
000156 |
000157 | void UpdateRotation(int mouse_x, int mouse_y, bool is_dragging)
000158 | {
000159 |     vector o = m_CharacterOrientation;
000160 |     o[2] = o[2] + (m_CharacterRotationY - mouse_y);
000161 |     o[1] = o[1] - (m_CharacterRotationX - mouse_x);
000162 |
000163 |     m_PreviewWidget.SetModelOrientation(o);
000164 |
000165 |     if (!is_dragging)
000166 |     {
000167 |         m_CharacterOrientation = o;
000168 |     }
000169 | }
000170 |
000171 | float GetPositionTargetY()
000172 | {
000173 |     //! Keep focus on item slot when zooming in
000174 |     bool isVestSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Vest");
000175 |     bool isBodySlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Body");
000176 |     bool isBackSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Back");
000177 |     bool isHipsSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Hips");
000178 |     bool isLegsSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Legs");
000179 |     bool isFeetSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Feet");
000180 |     bool isHeadgearSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Headgear");
000181 |     bool isMaskSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Mask");
000182 |     bool isEyewearSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Eyewear");
000183 |     bool isArmbandSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Armband");
000184 |     bool isGlovesSlot = m_SelectedItemSlot == InventorySlots.GetSlotIdFromString("Gloves");
000185 |     bool isTopSlot;
000186 |     //! https://feedback.bistudio.com/T173348
000187 |     if (isVestSlot || isBodySlot || isBackSlot || isArmbandSlot)
000188 |         isTopSlot = true;
000189 |     bool isHeadSlot;
000190 |     if (isHeadgearSlot || isMaskSlot || isEyewearSlot)
000191 |         isHeadSlot = true;
000192 |
000193 |     float v = POSITION_PLAYER_PREVIEW_Y_OFFSET;
000194 |     if (isTopSlot)
000195 |         v = -0.4375;
000196 |     else if (isHeadSlot)
000197 |         v = -0.75;
000198 |     else if (isLegsSlot)
000199 |         v = 0.275;
000200 |     else if (isFeetSlot)
000201 |         v = 0.625;
000202 |
000203 |     return v;
000204 | }
000205 |
000206 | float GetPositionInterpolatedY(float w, float targetY)
000207 | {
000208 |     //! Normalize to 0..1
000209 |     float normalized = ExpansionMath.LinearConversion(POSITION_PLAYER_PREVIEW_W_THRESHOLD_MIN, POSITION_PLAYER_PREVIEW_W_THRESHOLD_MAX, w);
000210 |     //! Smooth normalized value
000211 |     float smooth = ExpansionMath.SmoothStep(normalized, 2);
000212 |     //! Interpolate to targetY
000213 |     float y = ExpansionMath.LinearConversion(0, 1, smooth, POSITION_PLAYER_PREVIEW_Y_OFFSET, targetY);
000214 |
000215 |     return y;
```

```
000216 |     }
000217 |
000218 |     void UpdatePosition(float y)
000219 |     {
000220 |         m_PreviewWidget.SetModelPosition(Vector(0, y, 0));
000221 |     }
000222 |
000223 |     void UpdateLastPosition(float w)
000224 |     {
000225 |         m_LastPositionW = w;
000226 |         if (!m_PlayerPosAnimRunning)
000227 |             m_LastPositionY = GetPositionInterpolatedY(w, GetPositionTargetY());
000228 |     }
000229 |
000230 |     int AnimatePosition(int animID = 0, int frameNumber = 1)
000231 |     {
000232 |         if (!animID)
000233 |         {
000234 |             m_PlayerPosAnimRunning = true;
000235 |             m_PlayerPosCurrentAnimID++;
000236 |             animID = m_PlayerPosCurrentAnimID;
000237 |         }
000238 |         else if (m_PlayerPosCurrentAnimID != animID)
000239 |             return 0;
000240 |
000241 |         float targetInterpolatedY = GetPositionInterpolatedY(m_LastPositionW, GetPositionTargetY());
000242 |
000243 |         int fps = 60;
000244 |         float frames = fps * POSITION_PLAYER_PREVIEW_ANIMATION_DURATION;
000245 |         float step = (targetInterpolatedY - m_LastPositionY) / frames * frameNumber;
000246 |         float currentY = m_LastPositionY + step;
000247 |
000248 |         float smooth;
000249 |
000250 |         if (targetInterpolatedY != m_LastPositionY) //! Prevent division by zero
000251 |             smooth = ExpansionMath.SmoothStep(currentY, 2, m_LastPositionY, targetInterpolatedY);
000252 |         else
000253 |             smooth = currentY;
000254 |
000255 |         UpdatePosition(smooth);
000256 |
000257 |         if (currentY != targetInterpolatedY && frameNumber < frames)
000258 |         {
000259 |             g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY).CallLater(AnimatePosition, Math.Round(1000 / fps), false, animID, frameNumber + 1);
000260 |         }
000261 |         else
000262 |         {
000263 |             m_PlayerPosAnimRunning = false;
000264 |             m_LastPositionY = currentY;
000265 |         }
000266 |
000267 |         return animID;
000268 |     }
000269 |
000270 |     bool OnMouseButtonDown(Widget w, int x, int y, int button)
000271 |     {
000272 |         g_Game.GetDragQueue().Call(this, "UpdateRotation");
000273 |         GetMousePos(m_CharacterRotationX, m_CharacterRotationY);
000274 |         return true;
000275 |     }
000276 |
000277 |     bool OnMouseWheel(Widget w, int x, int y, int wheel)
```



```
000278 | {
000279 |     g_Game.GetDragQueue().Call(this, "UpdateScale");
000280 |     m_CharacterScaleDelta = wheel;
000281 |     return false;
000282 | }
000283 |
000284 | bool OnItemSelected(Widget w, int x, int y, int row, int column, int oldRow, int oldColumn)
000285 | {
000286 |     m_CharacterOrientation = vector.Zero;
000287 |
000288 |     m_PreviewWidget.SetModelPosition(Vector(0,0,0.5));
000289 |     m_PreviewWidget.SetModelOrientation(m_CharacterOrientation);
000290 |
000291 |     m_PreviewWidget.SetSize(1.5, 1.5);
000292 |
000293 |     //! Align to center
000294 |     m_PreviewWidget.SetPos(-0.225, -0.225);
000295 |
000296 |     return false;
000297 | }
000298 | }
000299 | #endif
000300 |
```

0353. PBO TEXT FILE

```
Path: core pbo files expan/definetest.pbo :: 5_Mission\Mission.c
Size bytes: 3376
SHA-256: 9db26514b34ee9be28d62d9a4a573181d01caaa06451132d05ba3c5214ef523f
Decoded as: utf-8-sig
Line count shown: 153
Detected class declarations: 2
  L134: modded class MissionServer
  L144: modded class MissionGameplay
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L13: static void Expansion_PrintLoadedMods()
  L43: static void Expansion_PrintDefines()
  L136: void MissionServer()
  L146: void MissionGameplay()
```

Full file content

```
000001 | /**
000002 |  * Mission.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | static void Expansion_PrintLoadedMods()
000014 | {
000015 |     Print("[DefineTest] CfgMods");
000016 |
000017 |     int mod_count = g_Game.ConfigGetChildrenCount("CfgMods");
000018 |     int i;
000019 |
000020 |     for (i = 0; i < mod_count; i++)
000021 |     {
000022 |         string mod_name;
000023 |         g_Game.ConfigGetChildName("CfgMods", i, mod_name);
000024 |
000025 |         Print("" + mod_name);
000026 |     }
000027 |
000028 |     #ifdef EXPANSION_LOADORDER_DEBUG
000029 |     Print("[DefineTest] CfgPatches");
000030 |
000031 |     int patch_count = g_Game.ConfigGetChildrenCount("CfgPatches");
000032 |
000033 |     for (i = 0; i < patch_count; i++)
000034 |     {
000035 |         string patch_name;
000036 |         g_Game.ConfigGetChildName("CfgPatches", i, patch_name);
000037 |
000038 |         Print("" + patch_name);
000039 |     }
000040 |     #endif
000041 | }
000042 |
```

```
000043 | static void Expansion_PrintDefines()
000044 | {
000045 |     #ifdef EXPANSIONMOD
000046 |     Print("[DefineTest] EXPANSIONMOD is defined");
000047 |     #endif
000048 |
000049 |     #ifdef EXPANSIONMODAI
000050 |     Print("[DefineTest] EXPANSIONMODAI is defined");
000051 |     #endif
000052 |
000053 |     #ifdef EXPANSIONMODANIMATIONS
000054 |     Print("[DefineTest] EXPANSIONMODANIMATIONS is defined");
000055 |     #endif
000056 |
000057 |     #ifdef EXPANSIONMODBASEBUILDING
000058 |     Print("[DefineTest] EXPANSIONMODBASEBUILDING is defined");
000059 |     #endif
000060 |
000061 |     #ifdef EXPANSIONMODBOOK
000062 |     Print("[DefineTest] EXPANSIONMODBOOK is defined");
000063 |     #endif
000064 |
000065 |     #ifdef EXPANSIONMODCHAT
000066 |     Print("[DefineTest] EXPANSIONMODCHAT is defined");
000067 |     #endif
000068 |
000069 |     #ifdef EXPANSIONMODCORE
000070 |     Print("[DefineTest] EXPANSIONMODCORE is defined");
000071 |     #endif
000072 |
000073 |     #ifdef EXPANSIONMODGARAGE
000074 |     Print("[DefineTest] EXPANSIONMODGARAGE is defined");
000075 |     #endif
000076 |
000077 |     #ifdef EXPANSIONMODGROUPS
000078 |     Print("[DefineTest] EXPANSIONMODGROUPS is defined");
000079 |     #endif
000080 |
000081 |     #ifdef EXPANSIONMODHARDLINE
000082 |     Print("[DefineTest] EXPANSIONMODHARDLINE is defined");
000083 |     #endif
000084 |
000085 |     #ifdef EXPANSIONMODKILLFEED
000086 |     Print("[DefineTest] EXPANSIONMODKILLFEED is defined");
000087 |     #endif
000088 |
000089 |     #ifdef EXPANSIONMODMAPASSETS
000090 |     Print("[DefineTest] EXPANSIONMODMAPASSETS is defined");
000091 |     #endif
000092 |
000093 |     #ifdef EXPANSIONMODMARKET
000094 |     Print("[DefineTest] EXPANSIONMODMARKET is defined");
000095 |     #endif
000096 |
000097 |     #ifdef EXPANSIONMODMISSIONS
000098 |     Print("[DefineTest] EXPANSIONMODMISSIONS is defined");
000099 |     #endif
000100 |
000101 |     #ifdef EXPANSIONMODNAMETAGS
000102 |     Print("[DefineTest] EXPANSIONMODNAMETAGS is defined");
000103 |     #endif
000104 |
```

```
000105 | #ifdef EXPANSIONMODNAVIGATION
000106 | Print("[DefineTest] EXPANSIONMODNAVIGATION is defined");
000107 | #endif
000108 |
000109 | #ifdef EXPANSIONMODP2PMARKET
000110 | Print("[DefineTest] EXPANSIONMODP2PMARKET is defined");
000111 | #endif
000112 |
000113 | #ifdef EXPANSIONMODPERSONALSTORAGE
000114 | Print("[DefineTest] EXPANSIONMODPERSONALSTORAGE is defined");
000115 | #endif
000116 |
000117 | #ifdef EXPANSIONMODQUESTS
000118 | Print("[DefineTest] EXPANSIONMODQUESTS is defined");
000119 | #endif
000120 |
000121 | #ifdef EXPANSIONMODSPAWNSELECTION
000122 | Print("[DefineTest] EXPANSIONMODSPAWNSELECTION is defined");
000123 | #endif
000124 |
000125 | #ifdef EXPANSIONMODVEHICLE
000126 | Print("[DefineTest] EXPANSIONMODVEHICLE is defined");
000127 | #endif
000128 |
000129 | #ifdef EXPANSIONMODWEAPONS
000130 | Print("[DefineTest] EXPANSIONMODWEAPONS is defined");
000131 | #endif
000132 | }
000133 |
000134 | modded class MissionServer
000135 | {
000136 |     void MissionServer()
000137 |     {
000138 |         Expansion_PrintDefines();
000139 |
000140 |         Expansion_PrintLoadedMods();
000141 |     }
000142 | }
000143 |
000144 | modded class MissionGameplay
000145 | {
000146 |     void MissionGameplay()
000147 |     {
000148 |         Expansion_PrintDefines();
000149 |
000150 |         Expansion_PrintLoadedMods();
000151 |     }
000152 | }
000153 |
```

0354. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\Expansion_NotificationScheduler_Constants.c
Size bytes: 497
SHA-256: 09fe8a913bbdd1904f4cc05b2ded057bf9f5dee244ce53db3eb61ec4332ce9f5
Decoded as: utf-8-sig
Line count shown: 13
Detected class declarations: 0
Detected enum declarations: 0
Detected function/method-like declarations: 0

Full file content

```
000001 | /**
000002 |  * Expansion_NotificationScheduler_Constants.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | static const string EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS = EXPANSION_SETTINGS_FOLDER + "NotificationSchedulerSettings.json";
```

0355. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerModule.c

Size bytes: 2810

SHA-256: ed6dcd26af2312807789e00973f78158991f86b8a0d2f13a8c32f12c6299983f

Decoded as: utf-8-sig

Line count shown: 100

Detected class declarations: 1

L14: class ExpansionNotificationSchedulerModule: CF_ModuleGame

Detected enum declarations: 0

Detected function/method-like declarations: 4

L20: override void OnInit()

L28: override bool IsClient()

L33: override void OnSettingsChanged(Class sender, CF_EventArgs args)

L40: override void OnUpdate(Class sender, CF_EventArgs args)

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationSchedulerModule.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | [CF_RegisterModule(ExpansionNotificationSchedulerModule)]
000014 | class ExpansionNotificationSchedulerModule: CF_ModuleGame
000015 | {
000016 |     private const float UPDATE_TICK_TIME = 0.5;
000017 |     private float m_UpdateTimer = 0;
000018 |     private bool m_Enabled;
000019 |
000020 |     override void OnInit()
000021 |     {
000022 |         super.OnInit();
000023 |
000024 |         EnableUpdate();
000025 |         EnableSettingsChanged();
000026 |     }
000027 |
000028 |     override bool IsClient()
000029 |     {
000030 |         return false;
000031 |     }
000032 |
000033 |     override void OnSettingsChanged(Class sender, CF_EventArgs args)
000034 |     {
000035 |         super.OnSettingsChanged(sender, args);
000036 |
000037 |         m_Enabled = GetExpansionSettings().GetNotificationScheduler().Enabled;
000038 |     }
000039 |
000040 |     override void OnUpdate(Class sender, CF_EventArgs args)
000041 |     {
000042 |         super.OnUpdate(sender, args);
000043 |     }
```

```
000044 |         if (!m_Enabled)
000045 |             return;
000046 |
000047 |         auto update = CF_EventUpdateArgs.Cast(args);
000048 |
000049 |         m_UpdateTimer += update.DeltaTime;
000050 |         if (m_UpdateTimer >= UPDATE_TICK_TIME)
000051 |         {
000052 |             bool useUTC = GetExpansionSettings().GetNotificationScheduler().UTC;
000053 |             bool useMissionTime = GetExpansionSettings().GetNotificationScheduler().UseMissionTime;
000054 |
000055 |             CF_Date now;
000056 |             if (!useMissionTime)
000057 |             {
000058 |                 now = CF_Date.Now(useUTC);
000059 |             }
000060 |             else
000061 |             {
000062 |                 int missionTime = g_Game.GetTime();
000063 |                 int seconds = (missionTime / 1000) % 60;
000064 |                 int minutes = ((missionTime / (1000*60)) % 60);
000065 |                 int hours = ((missionTime / (1000*60*60)) % 24);
000066 |
000067 |                 now = CF_Date.CreateTime(hours, minutes, seconds);
000068 |             }
000069 |
000070 |             int timestamp = now.DateToEpoch();
000071 |
000072 |             for (int i = 0; i < GetExpansionSettings().GetNotificationScheduler().Notifications.Count(); i++)
000073 |             {
000074 |                 ExpansionNotificationSchedule schedule = GetExpansionSettings().GetNotificationScheduler().Notifications[i];
000075 |                 if (!schedule || schedule.m_LastShownTimestamp == timestamp)
000076 |                     continue;
000077 |
000078 |                 if (schedule.Hour == now.GetHours() && schedule.Minute == now.GetMinutes() && schedule.Second == now.GetSeconds())
000079 |                 {
000080 |                     StringLocaliser title = new StringLocaliser(schedule.Title);
000081 |                     StringLocaliser text = new StringLocaliser(schedule.Text);
000082 |
000083 |                     ExpansionIcon icon;
000084 |                     string iconPath;
000085 |                     if (!Class.CastTo(icon, ExpansionIcons.Get(schedule.Icon)))
000086 |                         iconPath = schedule.Icon;
000087 |                     else
000088 |                         iconPath = icon.IconPath;
000089 |
000090 |                     ExpansionNotification(title, text, iconPath, schedule.m_Color.Get("Color"), 7, ExpansionNotificationType.BAGUETTE).Create();
000091 |
000092 |                     schedule.m_LastShownTimestamp = timestamp;
000093 |                 }
000094 |             }
000095 |
000096 |             m_UpdateTimer = 0.0;
000097 |         }
000098 |     }
000099 | }
000100 |
```

0356. PBO TEXT FILE

```
Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionNotificationSchedulerSettings.c
Size bytes: 4724
SHA-256: afe3cf6540c548019b31af2b407bb09155ff4a6a25b091eae6686fd42233f840
Decoded as: utf-8-sig
Line count shown: 206
Detected class declarations: 3
  L13: class ExpansionNotificationSchedule
  L44: class ExpansionNotificationScheduleColor: ExpansionColorSettingsBase
  L57: class ExpansionNotificationSchedulerSettings: ExpansionSettingBase
Detected enum declarations: 0
Detected function/method-like declarations: 13
  L29: void ExpansionNotificationSchedule()
  L34: void InitColor(string color = "")
  L47: override void Update()
  L69: override int Send( PlayerIdentity identity )
  L74: override bool Copy( ExpansionSettingBase setting )
  L88: private void CopyInternal( ExpansionNotificationSchedulerSettings s )
  L100: override bool IsLoaded()
  L105: override void Unload()
  L110: override bool OnLoad()
  L153: override bool OnSave()
  L164: override void Update( ExpansionSettingBase setting )
  L175: override void Defaults()
  L202: override string SettingName()
```

Full file content

```
000001 | /**
000002 |  * ExpansionNotificationSchedulerSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | class ExpansionNotificationSchedule
000014 | {
000015 |     int Hour;
000016 |     int Minute;
000017 |     int Second;
000018 |     string Title;
000019 |     string Text;
000020 |     string Icon;
000021 |     string Color;
000022 |
000023 |     [NonSerialized()]
000024 |     int m_LastShownTimestamp;
000025 |
000026 |     [NonSerialized()]
000027 |     ref ExpansionNotificationScheduleColor m_Color;
000028 |
000029 |     void ExpansionNotificationSchedule()
000030 |     {
000031 |         InitColor();
000032 |     }
```



```
000033 |
000034 |     void InitColor(string color = "")
000035 |     {
000036 |         m_Color = new ExpansionNotificationScheduleColor();
000037 |         if (color)
000038 |             m_Color.Set("Color", color);
000039 |         else
000040 |             m_Color.Update();
000041 |     }
000042 | }
000043 |
000044 | class ExpansionNotificationScheduleColor: ExpansionColorSettingsBase
000045 | {
000046 |     string Color;
000047 |     override void Update()
000048 |     {
000049 |         super.Update();
000050 |
000051 |         //! Make sure none of the colors are zero (all transparent) and set defaults
000052 |         if (!Get("Color"))
000053 |             Set("Color", COLOR_EXPANSION_NOTIFICATION_INFO);
000054 |     }
000055 | }
000056 |
000057 | class ExpansionNotificationSchedulerSettings: ExpansionSettingBase
000058 | {
000059 |     bool Enabled;
000060 |     bool UTC;
000061 |     bool UseMissionTime;
000062 |     ref array<ref ExpansionNotificationSchedule> Notifications = new array<ref ExpansionNotificationSchedule>;
000063 |
000064 |     static const int VERSION = 2;
000065 |
000066 |     [NonSerialized()]
000067 |     private bool m_IsLoaded;
000068 |
000069 |     override int Send( PlayerIdentity identity )
000070 |     {
000071 |         //! Not sent to client
000072 |     }
000073 |
000074 |     override bool Copy( ExpansionSettingBase setting )
000075 |     {
000076 |         #ifdef EXPANSIONTRACE
000077 |             auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Copy").Add(setting);
000078 |         #endif
000079 |
000080 |         ExpansionNotificationSchedulerSettings s;
000081 |         if ( !Class.CastTo( s, setting ) )
000082 |             return false;
000083 |
000084 |         CopyInternal( s );
000085 |         return true;
000086 |     }
000087 |
000088 |     private void CopyInternal( ExpansionNotificationSchedulerSettings s )
000089 |     {
000090 |         #ifdef EXPANSIONTRACE
000091 |             auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "CopyInternal").Add(s);
000092 |         #endif
000093 |
000094 |         Enabled = s.Enabled;
```

```
000095 |         UTC = s.UTC;
000096 |         UseMissionTime = s.UseMissionTime;
000097 |         Notifications = s.Notifications;
000098 |     }
000099 |
000100 |     override bool IsLoaded()
000101 |     {
000102 |         return m_IsLoaded;
000103 |     }
000104 |
000105 |     override void Unload()
000106 |     {
000107 |         m_IsLoaded = false;
000108 |     }
000109 |
000110 |     override bool OnLoad()
000111 |     {
000112 | #ifdef EXPANSIONTRACE
000113 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnLoad");
000114 | #endif
000115 |
000116 |         m_IsLoaded = true;
000117 |
000118 |         bool save;
000119 |
000120 |         bool settingsExist = FileExist(EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS);
000121 |
000122 |         if (settingsExist)
000123 |         {
000124 |             //CF_Log.Info("[ExpansionNotificationSchedulerSettings] Load existing setting file:" + EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS);
000125 |             JsonFileLoader<ExpansionNotificationSchedulerSettings>.JsonLoadFile(EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS, this);
000126 |
000127 |             foreach (ExpansionNotificationSchedule schedule: Notifications)
000128 |             {
000129 |                 schedule.InitColor(schedule.Color);
000130 |             }
000131 |
000132 |             if (m_Version < 2)
000133 |             {
000134 |                 UseMissionTime = false;
000135 |             }
000136 |         }
000137 |         else
000138 |         {
000139 |             //CF_Log.Info("[ExpansionNotificationSchedulerSettings] No existing setting file:" + EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS + ". Creating defaults!");
000140 |         };
000141 |
000142 |         Defaults();
000143 |         save = true;
000144 |     }
000145 |
000146 |     if (save)
000147 |     {
000148 |         Save();
000149 |     }
000150 |
000151 |     return settingsExist;
000152 | }
000153 |
000154 |     override bool OnSave()
000155 |     {
000156 | #ifdef EXPANSIONTRACE
```

```
000156 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "OnSave");
000157 |     #endif
000158 |
000159 |         JsonFileLoader<ExpansionNotificationSchedulerSettings>.JsonSaveFile( EXPANSION_NOTIFICATIONSCHEDULER_SETTINGS, this );
000160 |
000161 |         return true;
000162 |     }
000163 |
000164 |     override void Update( ExpansionSettingBase setting )
000165 |     {
000166 |     #ifdef EXPANSIONTRACE
000167 |         auto trace = CF_Trace_1(ExpansionTracing.SETTINGS, this, "Update").Add(setting);
000168 |     #endif
000169 |
000170 |         super.Update( setting );
000171 |
000172 |         ExpansionSettings.SI_NotificationScheduler.Invoke();
000173 |     }
000174 |
000175 |     override void Defaults()
000176 |     {
000177 |         m_Version = VERSION;
000178 |
000179 |         Enabled = false;
000180 |         UTC = false;
000181 |         UseMissionTime = false;
000182 |
000183 |         ExpansionNotificationSchedule schedule = new ExpansionNotificationSchedule();
000184 |         schedule.Hour = 22;
000185 |         schedule.Minute = 00;
000186 |         schedule.Second = 0;
000187 |         schedule.Title = "Notification Schedule Test 1";
000188 |         schedule.Text = "Lorem ipsum dolor sit amet";
000189 |         schedule.Icon = "Info";
000190 |         Notifications.Insert(schedule);
000191 |
000192 |         schedule = new ExpansionNotificationSchedule();
000193 |         schedule.Hour = 22;
000194 |         schedule.Minute = 01;
000195 |         schedule.Second = 0;
000196 |         schedule.Title = "Notification Schedule Test 2";
000197 |         schedule.Text = "Lorem ipsum dolor sit amet";
000198 |         schedule.Icon = "Info";
000199 |         Notifications.Insert(schedule);
000200 |     }
000201 |
000202 |     override string SettingName()
000203 |     {
000204 |         return "Notification Scheduler Settings";
000205 |     }
000206 | };
```

0357. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: 3_Game\DayZExpansion_NotificationScheduler\ExpansionSettings.c
Size bytes: 877
SHA-256: fa7ce8092f254e62b1bf4139270bcf20c9ab5fdffd919fb6043ea6b6805341fb
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L13: modded class ExpansionSettings
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L17: override void Init()
 L28: ExpansionNotificationSchedulerSettings GetNotificationScheduler(bool checkLoaded = true)

Full file content

```
000001 | /**
000002 |  * ExpansionSettings.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ExpansionSettings
000014 | {
000015 |     static ref ScriptInvoker SI_NotificationScheduler = new ScriptInvoker();
000016 |
000017 |     override void Init()
000018 |     {
000019 | #ifdef EXPANSIONTRACE
000020 |         auto trace = CF_Trace_0(ExpansionTracing.SETTINGS, this, "Init");
000021 | #endif
000022 |
000023 |         super.Init();
000024 |
000025 |         Init(ExpansionNotificationSchedulerSettings);
000026 |     }
000027 |
000028 |     ExpansionNotificationSchedulerSettings GetNotificationScheduler(bool checkLoaded = true)
000029 |     {
000030 |         return ExpansionNotificationSchedulerSettings.Cast(Get(ExpansionNotificationSchedulerSettings, checkLoaded));
000031 |     }
000032 | };
000033 |
```

0358. PBO TEXT FILE

```
Path: core pbo files expan/vanillafixes_scripts.pbo :: 3_Game\DayZExpansion_VanillaFixes\DayZGame.c
Size bytes: 4833
SHA-256: adcc16c4dfff05005601413fc6e840e2c97c39b7b1952419b888c6306591d5232
Decoded as: utf-8-sig
Line count shown: 171
Detected class declarations: 1
  L13: modded class DayZGame
Detected enum declarations: 0
Detected function/method-like declarations: 8
  L16: LoginTimeBase Expansion_GetLoginTimeScreen()
  L21: void Expansion_RestoreRespawnTimeScreen()
  L46: override void CancelLoginTimeCountdown()
  L74: private bool Expansion_UseMouse()
  L83: private bool Expansion_UseKeyboard()
  L92: private bool Expansion_UseGamepad()
  L97: private void Expansion_UnlockControls()
  L131: void Expansion_SuppressVanillaInvalidImpactSurfaceSpam(Object directHit, inout string surface, string ammoType)
```

Full file content

```
000001 | /**
000002 |  * DayZGame.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class DayZGame
000014 | {
000015 |     //! Workaround for respawn timer closing prematurely (see accompanying changes to OnPlayerLoaded in 4_World/DayZExpansion_VanillaFixes/PlayerBase.c)
000016 |     LoginTimeBase Expansion_GetLoginTimeScreen()
000017 |     {
000018 |         return m_LoginTimeScreen;
000019 |     }
000020 |
000021 |     void Expansion_RestoreRespawnTimeScreen()
000022 |     {
000023 |         if ((!m_LoginTimeScreen || m_LoginTimeScreen.IsClosing()) && m_LoginTime > 0)
000024 |         {
000025 |             if (m_LoginTimeScreen)
000026 |             {
000027 |                 UIMenuPanel parentUIMenuPanel = m_LoginTimeScreen.GetParentMenu();
000028 |                 EXError.Info(this, "Respawn time screen is closing, entering new using parent " + parentUIMenuPanel);
000029 |                 EnterLoginTime(parentUIMenuPanel);
000030 |             }
000031 |             else
000032 |             {
000033 |                 UIScriptedMenu parentUIScriptedMenu = GetUIManager().GetMenu();
000034 |                 EXError.Info(this, "Respawn time screen is null, entering new using parent " + parentUIScriptedMenu);
000035 |                 EnterLoginTime(parentUIScriptedMenu);
000036 |             }
000037 |
000038 |             m_LoginTimeScreen.SetRespawn(true);
000039 |             m_LoginTimeScreen.SetTime(m_LoginTime);
```

```
000040 |         m_LoginTimeScreen.Show();
000041 |     }
000042 | }
000043 |
000044 | #ifndef SERVER
000045 | ///! Fix for vehicle HUD being visible after connect due to vanilla sometimes not properly handling closing of login timer UI
000046 | override void CancelLoginTimeCountdown()
000047 | {
000048 |     super.CancelLoginTimeCountdown();
000049 |
000050 |     auto menu = GetUIManager().GetMenu();
000051 |     if (!menu)
000052 |         return;
000053 |
000054 |     auto loginTime = LoginTimeBase.Cast(menu);
000055 |     if (!loginTime)
000056 |         return;
000057 |
000058 |     EXLogPrint("Closing " + loginTime);
000059 |
000060 |     if (loginTime.IsStatic())
000061 |     {
000062 |         loginTime.Hide();
000063 |         delete loginTime;
000064 |     }
000065 |     else
000066 |     {
000067 |         loginTime.Close();
000068 |     }
000069 |
000070 |     Expansion_UnlockControls();
000071 | }
000072 | #endif
000073 |
000074 | private bool Expansion_UseMouse()
000075 | {
000076 |     #ifdef PLATFORM_CONSOLE
000077 |         return g_Game.GetInput().IsEnabledMouseAndKeyboardEvenOnServer();
000078 |     #else
000079 |         return true;
000080 |     #endif
000081 | }
000082 |
000083 | private bool Expansion_UseKeyboard()
000084 | {
000085 |     #ifdef PLATFORM_CONSOLE
000086 |         return g_Game.GetInput().IsEnabledMouseAndKeyboardEvenOnServer();
000087 |     #else
000088 |         return true;
000089 |     #endif
000090 | }
000091 |
000092 | private bool Expansion_UseGamepad()
000093 | {
000094 |     return true;
000095 | }
000096 |
000097 | private void Expansion_UnlockControls()
000098 | {
000099 |     if (Expansion_UseMouse())
000100 |     {
000101 |         GetInput().ChangeGameFocus(-1, INPUT_DEVICE_MOUSE);
```

```
000102 |     }
000103 |
000104 |     auto menu = GetUIManager().GetMenu();
000105 | #ifdef EXPANSIONUI
000106 |     auto scriptViewMenu = GetExpansionGame().GetExpansionUIManager().GetMenu();
000107 | #else
000108 |     bool scriptViewMenu;
000109 | #endif
000110 |
000111 |     if ((menu && menu.UseMouse()) || scriptViewMenu)
000112 |     {
000113 |         GetUIManager().ShowUICursor(true);
000114 |     }
000115 |     else
000116 |     {
000117 |         GetUIManager().ShowUICursor(false);
000118 |     }
000119 |
000120 |     if (Expansion_UseKeyboard())
000121 |     {
000122 |         GetInput().ChangeGameFocus(-1, INPUT_DEVICE_KEYBOARD);
000123 |     }
000124 |
000125 |     if (Expansion_UseGamepad())
000126 |     {
000127 |         GetInput().ChangeGameFocus(-1, INPUT_DEVICE_GAMEPAD);
000128 |     }
000129 | }
000130 |
000131 | void Expansion_SuppressVanillaInvalidImpactSurfaceSpam(Object directHit, inout string surface, string ammoType)
000132 | {
000133 |     if (!ImpactMaterials.GetImpactEffect(surface, ammoType))
000134 |     {
000135 |         if (directHit)
000136 |         {
000137 |             string object_type = directHit.GetType();
000138 |
000139 |             if ( object_type == "" )
000140 |                 object_type = "OBJECT_WITHOUT_CONFIG_CLASS";
000141 |
000142 |             if (surface == "")
000143 |                 EXError.ErrorOnce(this, string.Format("Object '%1' with model file: %2 has undefined 'Hit_...' material! Cannot play impact effect.", object_t
ype, directHit.GetShapeName()), {});
000144 |             else
000145 |                 EXError.WarnOnce(this, string.Format("Object '%1' with model file: %2 has unregistered surface impact material <%3>! Register this surface in
ImpactMaterials (Script).", object_type, directHit.GetShapeName(), surface), {});
000146 |         }
000147 |
000148 |         if (surface == "")
000149 |             surface = "Hit_ErrorNoMaterial";
000150 |         else
000151 |             surface = "Hit_Undefined";
000152 |     }
000153 | }
000154 |
000155 | override void FirearmEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,
000156 |     vector exitPos, vector inSpeed, vector outSpeed, bool isWater, bool deflected, string ammoType)
000157 | {
000158 |     Expansion_SuppressVanillaInvalidImpactSurfaceSpam(directHit, surface, ammoType);
000159 |
000160 |     super.FirearmEffects(source, directHit, componentIndex, surface, pos, surfNormal, exitPos, inSpeed, outSpeed, isWater, deflected, ammoType);
000161 | }
```

```
000162 |  
000163 |     override void CloseCombatEffects(Object source, Object directHit, int componentIndex, string surface, vector pos, vector surfNormal,  
000164 |         bool isWater, string ammoType)  
000165 |     {  
000166 |         Expansion_SuppressVanillaInvalidImpactSurfaceSpam(directHit, surface, ammoType);  
000167 |  
000168 |         super.CloseCombatEffects(source, directHit, componentIndex, surface, pos, surfNormal, isWater, ammoType);  
000169 |     }  
000170 | }  
000171 |
```


0359. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\EmoteManager.c
Size bytes: 404
SHA-256: bdcca9259939a7428d6d257e7d479b0743bad20d4666891c8431566c87136fe5
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L1: modded class EmoteManager
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override bool PlayEmote(int id)

Full file content

```
000001 | modded class EmoteManager
000002 | {
000003 |     //!< Restore emote logging behavior to 1.23 (https://feedback.bistudio.com/T179312)
000004 |     override bool PlayEmote(int id)
000005 |     {
000006 |         PluginAdminLog adminLog;
000007 |
000008 |         if (m_AdminLog && !LogManager.IsActionLogEnable())
000009 |         {
000010 |             adminLog = m_AdminLog;
000011 |             m_AdminLog = null;
000012 |         }
000013 |
000014 |         bool ret = super.PlayEmote(id);
000015 |
000016 |         if (adminLog)
000017 |             m_AdminLog = adminLog;
000018 |
000019 |         return ret;
000020 |     }
000021 | }
000022 |
```

0360. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\SoundEvents\InfectedSoundEvents\InfectedSoundEventBase.c
Size bytes: 586
SHA-256: 750fc507f84473a6bfe5afb77b67e1a6141886ab21c914ec4dcb6d4f0e032c31
Decoded as: utf-8-sig
Line count shown: 21
Detected class declarations: 1
 L2: modded class InfectedSoundEventBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: void ~InfectedSoundEventBase()

Full file content

```
000001 | //! Fix vanilla not removing PosUpdate from call queue if InfectedSoundEventBase::Stop was never called
000002 | modded class InfectedSoundEventBase
000003 | {
000004 |     void ~InfectedSoundEventBase()
000005 |     {
000006 |         if (!g_Game)
000007 |             return;
000008 |
000009 |         ScriptCallQueue callQueue = g_Game.GetCallQueue(CALL_CATEGORY_GAMEPLAY);
000010 |         int remaining = callQueue.GetRemainingTimeByName(this, "PosUpdate");
000011 |         if (remaining > -1)
000012 |         {
000013 |             #ifdef DIAG_DEVELOPER
000014 |                 EXTrace.Print(EXTrace.AI, this, "~InfectedSoundEventBase PosUpdate remaining time " + remaining);
000015 |             #endif
000016 |
000017 |             callQueue.RemoveByName(this, "PosUpdate");
000018 |         }
000019 |     }
000020 | }
000021 |
```

0361. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionDigOutStash.c
Size bytes: 612
SHA-256: ff1993b12e7fd50c46f912d518f60d3fe55f96fdfe5828e4971a08be66b625f3
Decoded as: utf-8-sig
Line count shown: 25
Detected class declarations: 1
 L2: modded class DigOutStashLambda
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void Execute(HumanInventoryWithFSM fsm_to_notify = null)

Full file content

```
000001 | ///! Fix vanilla unnecessarily creating network overhead for what should be a simple move operation
000002 | modded class DigOutStashLambda
000003 | {
000004 |     override void Execute(HumanInventoryWithFSM fsm_to_notify = null)
000005 |     {
000006 |         array<EntityAI> children = new array<EntityAI>;
000007 |         m_OldItem.GetInventory().EnumerateInventory(InventoryTraversalType.LEVELORDER, children);
000008 |         foreach (EntityAI child : children)
000009 |         {
000010 |             if (child)
000011 |             {
000012 |                 if (!m_OldItem.GetInventory().DropEntity(InventoryMode.SERVER, m_OldItem, child))
000013 |                 {
000014 |                     OnAbort();
000015 |                     return;
000016 |                 }
000017 |             }
000018 |         }
000019 |
000020 |         DeleteOldEntity();
000021 |
000022 |         OnSuccess(null);
000023 |     }
000024 | }
000025 |
```

0362. PBO TEXT FILE

```

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionRepairPart.c
Size bytes: 1230
SHA-256: db01d137c10b8ec7de18f43effc399a8c8277c7816a41d65d522b937528b0c8a
Decoded as: utf-8-sig
Line count shown: 38
Detected class declarations: 1
  L13: modded class ActionRepairPart
Detected enum declarations: 0
Detected function/method-like declarations: 1
  L16: override protected bool RepairCondition(PlayerBase player, ActionTarget target, ItemBase item, bool camera_check)

```

Full file content

```

000001 | /**
000002 |  * ActionRepairPart.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class ActionRepairPart
000014 | {
000015 |     ///! Fix for T166880: Check if the part is even built before offering it for repair
000016 |     override protected bool RepairCondition(PlayerBase player, ActionTarget target, ItemBase item, bool camera_check)
000017 |     {
000018 |         if (!super.RepairCondition(player, target, item, camera_check))
000019 |             return false;
000020 |
000021 |         Object target_object = target.GetObject();
000022 |
000023 |         BaseBuildingBase base_building;
000024 |         if ( target_object && target_object.CanUseConstruction() && Class.CastTo(base_building, target_object) )
000025 |         {
000026 |             string part_name = target_object.GetActionComponentName( target.GetComponentIndex() );
000027 |
000028 |             Construction construction = base_building.GetConstruction();
000029 |             ConstructionPart construction_part = construction.GetConstructionPart( part_name );
000030 |
000031 |             if ( construction_part && !construction_part.IsBuilt() )
000032 |                 return false;
000033 |         }
000034 |
000035 |         return true;
000036 |     }
000037 | }
000038 |

```

0363. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Classes\UserActionsComponent\Actions\Continuous\ActionUnrestrainTarget.c
 Size bytes: 1153
 SHA-256: 27aa989428a6b94061e753ea4293bca88dba8327a3a2b0a9a59a079132e576df
 Decoded as: utf-8-sig
 Line count shown: 32
 Detected class declarations: 1
 L13: modded class ReplaceAndDestroyLambda
 Detected enum declarations: 0
 Detected function/method-like declarations: 1
 L15: override void CopyOldPropertiesToNew(notnull EntityAI old_item, EntityAI new_item)

Full file content

```
000001 | /**
000002 |  * ReplaceAndDestroyLambda.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 |  */
000012 |
000013 | modded class ReplaceAndDestroyLambda
000014 | {
000015 |     override void CopyOldPropertiesToNew(notnull EntityAI old_item, EntityAI new_item)
000016 |     {
000017 |         if (old_item && new_item && m_TransferAgents && m_TransferVariables && !m_ExcludeQuantity)
000018 |         {
000019 |             EXPrint(ToString() + "::CopyOldPropertiesToNew " + old_item + " " + new_item);
000020 |
000021 |             //! Properly transfer all data associated with old item
000022 |             ScriptReadWriteContext ctx = new ScriptReadWriteContext;
000023 |             old_item.OnStoreSave(ctx.GetWriteContext());
000024 |             new_item.OnStoreLoad(ctx.GetReadContext(), g_Game.SaveVersion());
000025 |             new_item.AfterStoreLoad();
000026 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Call(new_item.EEOnAfterLoad);  //! Make sure EEOnAfterLoad gets called AFTER whole hierarchy has loaded
000027 |         }
000028 |
000029 |         super.CopyOldPropertiesToNew(old_item, new_item);
000030 |     }
000031 | }
000032 |
```

0364. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Creatures\Animals\AnimalBase.c
 Size bytes: 4994
 SHA-256: dee3f800d40ab206e28cf96d9350e37a36e5c514ba330c468e97a7c958291c00
 Decoded as: utf-8-sig
 Line count shown: 155
 Detected class declarations: 1
 L1: modded class AnimalBase
 Detected enum declarations: 0
 Detected function/method-like declarations: 10
 L10: void AnimalBase()
 L19: void ~AnimalBase()
 L34: override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string am
 L49: override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector mo
 L57: override void EEKilled(Object killer)
 L66: override void EEDelete(EntityAI parent)
 L74: void Expansion_CheckCreateNavmeshCarver()
 L85: void Expansion_CreateNavmeshCarver()
 L133: override void SetAsSkinned()
 L141: override void OnVariablesSynchronized()

Full file content

```
000001 | modded class AnimalBase
000002 | {
000003 |     EntityAI m_Expansion_LastDamageSource;
000004 |
000005 |     ExpansionNavmeshCarver m_Expansion_NavmeshCarver;
000006 |
000007 |     protected int m_Expansion_NavmeshCarverNetIdLow;
000008 |     protected int m_Expansion_NavmeshCarverNetIdHigh;
000009 |
000010 |     void AnimalBase()
000011 |     {
000012 |         if (ConfigGetBool("useExpansionNavMeshCarver"))
000013 |         {
000014 |             RegisterNetSyncVariableInt("m_Expansion_NavmeshCarverNetIdLow");
000015 |             RegisterNetSyncVariableInt("m_Expansion_NavmeshCarverNetIdHigh");
000016 |         }
000017 |     }
000018 |
000019 |     void ~AnimalBase()
000020 |     {
000021 |         if (!g_Game)
000022 |             return;
000023 |
000024 |         if (g_Game.IsServer() && ConfigGetBool("useExpansionNavMeshCarver"))
000025 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_CheckCreateNavmeshCarver);
000026 |     }
000027 |
000028 |     /// Workaround for vanilla passing killed entity as killer to EEKilled since 1.20
000029 |     /// Just check if killer is killed entity in EEKilled and then use m_Expansion_LastDamageSource instead of killer
000030 |     /// Vanilla events are fired in this order for each hit:
000031 |     /// EEOnDamageCalculated
000032 |     /// EEHitBy (IsAlive() still true)
000033 |     /// EEKilled (within EEHitBy)
000034 |     override bool EEOnDamageCalculated(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPo
000035 | s, float speedCoef)
000036 |     {
000037 |         bool applyDamage = super.EEOnDamageCalculated(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
```

```
000037 |
000038 | #ifdef DIAG_DEVELOPER
000039 |     EXTrace.PrintHit(EXTrace.MISC, this, "EEOnDamageCalculated - apply damage? " + applyDamage, damageResult, damageType, source, component, dmgZone, ammo, mo
delPos, speedCoef);
000040 | #endif
000041 |
000042 |     if (applyDamage)
000043 |         m_Expansion_LastDamageSource = source;
000044 |
000045 |     return applyDamage;
000046 | }
000047 |
000048 | #ifdef DIAG_DEVELOPER
000049 |     override void EEHitBy(TotalDamageResult damageResult, int damageType, EntityAI source, int component, string dmgZone, string ammo, vector modelPos, float spee
dCoef)
000050 |     {
000051 |         EXTrace.PrintHit(EXTrace.MISC, this, "EEHitBy", damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000052 |
000053 |         super.EEHitBy(damageResult, damageType, source, component, dmgZone, ammo, modelPos, speedCoef);
000054 |     }
000055 | #endif
000056 |
000057 |     override void EEKilled(Object killer)
000058 |     {
000059 |         super.EEKilled(killer);
000060 |
000061 |         //! Since some dead animals have collision, carve navmesh so AI don't get stuck
000062 |         if (g_Game.IsServer() && ConfigGetBool("useExpansionNavMeshCarver"))
000063 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).CallLater(Expansion_CheckCreateNavmeshCarver, 100, true);
000064 |     }
000065 |
000066 |     override void EEDelete(EntityAI parent)
000067 |     {
000068 |         super.EEDelete(parent);
000069 |
000070 |         if (m_Expansion_NavmeshCarver)
000071 |             g_Game.ObjectDelete(m_Expansion_NavmeshCarver);
000072 |     }
000073 |
000074 |     void Expansion_CheckCreateNavmeshCarver()
000075 |     {
000076 |         //! Wait until ragdoll finished
000077 |         if (!dBodyIsActive(this))
000078 |         {
000079 |             g_Game.GetCallQueue(CALL_CATEGORY_SYSTEM).Remove(Expansion_CheckCreateNavmeshCarver);
000080 |
000081 |             Expansion_CreateNavmeshCarver();
000082 |         }
000083 |     }
000084 |
000085 |     void Expansion_CreateNavmeshCarver()
000086 |     {
000087 |         vector pos;
000088 |         vector dir;
000089 |
000090 |         int idx1;
000091 |         int idx2;
000092 |         int idx3;
000093 |
000094 |         idx1 = GetBoneIndexByName("head");
000095 |         idx2 = GetBoneIndexByName("pelvis");
000096 |         idx3 = GetBoneIndexByName("rbleg2");
```

```

000097 |
000098 |     if (idx1 > -1 && idx2 > -1 && idx3 > -1)
000099 |     {
000100 |         vector pos1 = GetBonePositionWS(idx1);
000101 |         vector pos2 = GetBonePositionWS(idx2);
000102 |         vector pos3 = GetBonePositionWS(idx3);
000103 |
000104 |         pos3[1] = pos2[1];
000105 |
000106 |         dir = vector.Direction(pos1, pos3);
000107 |
000108 |         EXTrace.Print(EXTrace.MISC, this, string.Format("head to back leg %1 m", dir.Length()));
000109 |
000110 |         //!< Animal_UrsusArctos = ~1.7..1.8 m
000111 |         //!< Animal_BosTaurus = ~2.1 m
000112 |         if (dir.Length() < 1.7) //!< Not a large animal
000113 |             return;
000114 |
000115 |         pos = pos1 + dir * 0.55;
000116 |         pos[1] = GetPosition()[1];
000117 |     }
000118 |     else
000119 |     {
000120 |         dir = GetDirection();
000121 |         pos = GetPosition();
000122 |     }
000123 |
000124 |     EXTrace.Print(EXTrace.MISC, this, "Creating navmesh carver at " + pos);
000125 |     if (Class.CastTo(m_Expansion_NavmeshCarver, g_Game.CreateObjectEx("ExpansionLargeAnimalNavmeshCarver", pos, ECE_CREATEPHYSICS | ECE_NOLIFETIME | ECE_KEEPEIGHT)))
000126 |     {
000127 |         m_Expansion_NavmeshCarver.SetDirection(dir);
000128 |         m_Expansion_NavmeshCarver.Expansion_SetAssociatedObject(this);
000129 |         m_Expansion_NavmeshCarver.GetNetworkID(m_Expansion_NavmeshCarverNetIdLow, m_Expansion_NavmeshCarverNetIdHigh);
000130 |     }
000131 | }
000132 |
000133 | override void SetAsSkinned()
000134 | {
000135 |     if (m_Expansion_NavmeshCarver)
000136 |         m_Expansion_NavmeshCarver.SetPosition(vector.Zero); //!< So skinned items are not placed on top of navmesh carver
000137 |
000138 |     super.SetAsSkinned();
000139 | }
000140 |
000141 | override void OnVariablesSynchronized()
000142 | {
000143 |     super.OnVariablesSynchronized();
000144 |
000145 |     if (!m_Expansion_NavmeshCarver && (m_Expansion_NavmeshCarverNetIdLow != 0 || m_Expansion_NavmeshCarverNetIdHigh != 0))
000146 |     {
000147 |         if (Class.CastTo(m_Expansion_NavmeshCarver, g_Game.GetObjectByNetworkId(m_Expansion_NavmeshCarverNetIdLow, m_Expansion_NavmeshCarverNetIdHigh)))
000148 |         {
000149 |             EXTrace.Print(EXTrace.MISC, this, "OnVariablesSynchronized - navmesh carver " + m_Expansion_NavmeshCarver);
000150 |             m_Expansion_NavmeshCarver.Expansion_SetAssociatedObject(this);
000151 |         }
000152 |     }
000153 | }
000154 | }
000155 |

```


0365. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Grenade_Base\SmokeGrenadeBase.c
Size bytes: 930
SHA-256: a48bb91a7707dd8a0fb8009eabb4d72b54e7fcfaa6af2835af5f9d6848b56104
Decoded as: utf-8-sig
Line count shown: 33
Detected class declarations: 1
 L1: modded class SmokeGrenadeBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L9: override protected void OnExplode()

Full file content

```
000001 | modded class SmokeGrenadeBase
000002 | {
000003 |     ///! SmokeGrenadeBase inherits from Grenade_Base which inherits from ExplosivesBase
000004 |     ///! SmokeGrenadeBase calls DestroySmokeGrenade in OnWorkStop, which sets grenade health to zero,
000005 |     ///! which in turn causes ExplosivesBase::EEKilled to fire, which calls InitiateExplosion -> OnExplode,
000006 |     ///! which starts a timer to call DeleteSafe, which deletes the grenade and makes the smoke particle stop abruptly.
000007 |     ///! Prevent this by turning OnExplode into a no-op for chemical and nonlethal smoke grenades w/o defined ammo.
000008 |     ///! https://feedback.bistudio.com/T189673
000009 |     override protected void OnExplode()
000010 |     {
000011 |         switch (GetGrenadeType())
000012 |         {
000013 |             case EGrenadeType.CHEMICAL:
000014 |             case EGrenadeType.NON_LETHAL:
000015 |                 bool hasAmmo;
000016 |
000017 |                 foreach (string ammoType: m_AmmoTypes)
000018 |                 {
000019 |                     if (ammoType)
000020 |                     {
000021 |                         hasAmmo = true;
000022 |                         break;
000023 |                     }
000024 |                 }
000025 |
000026 |                 if (!hasAmmo)
000027 |                     return;
000028 |             }
000029 |
000030 |             super.OnExplode();
000031 |         }
000032 |     }
000033 | }
```

0366. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase.c

Size bytes: 1811

SHA-256: c12ca86cb99f18b0b9f93247838ffae8941f5a90bd3b5b5543647f4870a92b6c

Decoded as: utf-8-sig

Line count shown: 57

Detected class declarations: 1

L1: modded class ItemBase

Detected enum declarations: 0

Detected function/method-like declarations: 3

L9: override int GetLiquidType()

L17: override void EEOnCECreate()

L31: override void OnCEUpdate()

Full file content

```
000001 | modded class ItemBase
000002 | {
000003 |     float m_Expansion_CECreationTimestamp;
000004 |
000005 | #ifdef EXPANSION_DEBUG_LIFETIME
000006 |     bool m_Expansion_PrintCELifetime;
000007 | #endif
000008 |
000009 |     override int GetLiquidType()
000010 |     {
000011 |         if (m_VarLiquidType != LIQUID_NONE && !Liquid.m_LiquidInfosByType[m_VarLiquidType])
000012 |             EXError.ErrorOnce(this, "Item " + GetType() + " is misconfigured - liquid type " + m_VarLiquidType + " is not in CfgLiquidDefinitions!", {});
000013 |
000014 |         return super.GetLiquidType();
000015 |     }
000016 |
000017 |     override void EEOnCECreate()
000018 |     {
000019 |         super.EEOnCECreate();
000020 |
000021 |         ///! @note lifetime for newly created items will always be zero in EEOnCECreate
000022 |         ///! and set to a higher value by the game afterwards as a means of staggered de- and respawning
000023 |         ///! (see https://feedback.bistudio.com/T194225#2873138 for likely explanation)
000024 |         ///! To truly override the initial lifetime, we need to wait for the 1st OnCEUpdate after creation
000025 |         ///! (lifetime will still tick down slightly too slowly, but we're not attempting to fix that
000026 |         ///! since it could interfere with lifetime being adjusted by other means)
000027 |         if (GetExpansionSettings().GetCore().ForceExactCEItemLifetime)
000028 |             m_Expansion_CECreationTimestamp = g_Game.GetTickTime();
000029 |     }
000030 |
000031 |     override void OnCEUpdate()
000032 |     {
000033 |         super.OnCEUpdate();
000034 |
000035 |         if (m_Expansion_CECreationTimestamp > 0)
000036 |         {
000037 |             float elapsed = g_Game.GetTickTime() - m_Expansion_CECreationTimestamp;
000038 |
000039 |             m_Expansion_CECreationTimestamp = 0;
000040 |
000041 |             float lifetimeMax = GetLifetimeMax();
000042 |
000043 |             if (GetLifetime() > lifetimeMax)
000044 |                 SetLifetime(lifetimeMax - elapsed);
```

```
000045 |  
000046 |     #ifdef EXPANSION_DEBUG_LIFETIME  
000047 |         m_Expansion_PrintCELifetime = true;  
000048 |     #endif  
000049 |     }  
000050 |  
000051 |     #ifdef EXPANSION_DEBUG_LIFETIME  
000052 |         if (m_Expansion_PrintCELifetime)  
000053 |             EXTrace.Print(EXTrace.CE, this, string.Format("OnCEUpdate lifetime %1", GetLifetime()));  
000054 |     #endif  
000055 |     }  
000056 | }  
000057 |
```

0367. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\EasterEgg.c
Size bytes: 449
SHA-256: 6954543e9c737b8f3e7ba5f8a5076f7e7ff4a8e578a7fc47f3b6cecd883d4d15
Decoded as: utf-8-sig
Line count shown: 21
Detected class declarations: 1
 L1: modded class EasterEgg
Detected enum declarations: 0
Detected function/method-like declarations: 2
 L4: override void OnInventoryEnter(Man player)
 L13: override void OnInventoryExit(Man player)

Full file content

```
000001 | modded class EasterEgg
000002 | {
000003 |     //! Vanilla doesn't call super >:(
000004 |     override void OnInventoryEnter(Man player)
000005 |     {
000006 |         super.OnInventoryEnter(player);
000007 |
000008 |         if (m_Expansion_CurrentOwner != player)
000009 |             Expansion_OnInventoryEnter(player);
000010 |     }
000011 |
000012 |     //! Vanilla doesn't call super >:(
000013 |     override void OnInventoryExit(Man player)
000014 |     {
000015 |         super.OnInventoryExit(player);
000016 |
000017 |         if (m_Expansion_CurrentOwner == player)
000018 |             Expansion_OnInventoryExit(player);
000019 |     }
000020 | }
000021 |
```

0368. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\FireworksBase.c
Size bytes: 244
SHA-256: 08807e83727b500dd1c249b4f3faf3eef39bc9a26df202884dea4614fed30920
Decoded as: utf-8-sig
Line count shown: 12
Detected class declarations: 1
 L1: modded class FireworksBase
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void OnInventoryEnter(Man player)

Full file content

```
000001 | modded class FireworksBase
000002 | {
000003 |     //! Vanilla doesn't call super >:(
000004 |     override void OnInventoryEnter(Man player)
000005 |     {
000006 |         super.OnInventoryEnter(player);
000007 |
000008 |         if (m_Expansion_CurrentOwner != player)
000009 |             Expansion_OnInventoryEnter(player);
000010 |     }
000011 | }
000012 |
```

0369. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ItemBase\Trap_TripWire.c
Size bytes: 243
SHA-256: 1f8fc1e1cd56c924b6feee6fb95524b14e346700a8d59dbd03845beaf672aaa4
Decoded as: utf-8-sig
Line count shown: 12
Detected class declarations: 1
 L1: modded class TripwireTrap
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L4: override void OnInventoryEnter(Man player)

Full file content

```
000001 | modded class TripwireTrap
000002 | {
000003 |     //! Vanilla doesn't call super >:(
000004 |     override void OnInventoryEnter(Man player)
000005 |     {
000006 |         super.OnInventoryEnter(player);
000007 |
000008 |         if (m_Expansion_CurrentOwner != player)
000009 |             Expansion_OnInventoryEnter(player);
000010 |     }
000011 | }
000012 |
```

0370. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\ManBase\PlayerBase.c

Size bytes: 1416

SHA-256: 8fc3ad9f984f0fc987749130e2ad0f031e9b2dcd7b41aa08bb53ce91598da79b

Decoded as: utf-8-sig

Line count shown: 46

Detected class declarations: 1

L14: modded class PlayerBase

Detected enum declarations: 0

Detected function/method-like declarations: 1

L16: override void OnPlayerLoaded()

Full file content

```
000001 | /**
000002 |  * PlayerBase.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | #ifndef SERVER
000014 | modded class PlayerBase
000015 | {
000016 |     override void OnPlayerLoaded()
000017 |     {
000018 | #ifdef TRACE
000019 |         auto trace = EXTrace.Start(ExpansionTracing.RESPAWN, this);
000020 | #endif
000021 |
000022 |         //! Workaround for vanilla timing bug. It's basically chance if OnPlayerLoaded gets called before or after OnRespawnEvent is received on client,
000023 |         //! which has the effect that if a server is using respawnTime > 0 and OnRespawnEvent is received before OnPlayerLoaded is called,
000024 |         //! then the respawn timer screen may be closed before the countdown finishes due to the call to g_Game.GetUIManager().CloseAll() in OnPlayerLoaded.
000025 |
000026 |         bool hasRespawnTimeScreen;
000027 |
000028 |         if (IsControlledPlayer() && m_Hud)
000029 |         {
000030 |             LoginTimeBase loginTimeScreen = GetDayZGame().Expansion_GetLoginTimeScreen();
000031 |             if (loginTimeScreen && loginTimeScreen.IsRespawn() && loginTimeScreen.IsVisible() && !loginTimeScreen.IsClosing())
000032 |             {
000033 |                 hasRespawnTimeScreen = true;
000034 |             }
000035 |         }
000036 |
000037 |         super.OnPlayerLoaded();
000038 |
000039 |         if (hasRespawnTimeScreen)
000040 |         {
000041 |             GetDayZGame().Expansion_RestoreRespawnTimeScreen();
000042 |         }
000043 |     }
000044 | };
000045 | #endif
000046 |
```

0371. PBO TEXT FILE

```
Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Entities\Vehicles\CarScript.c
Size bytes: 3062
SHA-256: 29ad4063e0204d7aabdf81ad54c1c9d555081e73ebfa175268b4ba966878alca
Decoded as: utf-8-sig
Line count shown: 96
Detected class declarations: 1
  L1: modded class CarScript
Detected enum declarations: 0
Detected function/method-like declarations: 4
  L6: override bool IsAreaAtDoorFree( int currentSeat, float maxAllowedObjHeight, inout vector extents, out vector transform[4] )
  L57: override bool IsAreaAtDoorFree( int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.7 )
  L69: return IsAreaAtDoorFree( currentSeat, maxAllowedObjHeight, extents, transform );
  L72: override Shape DebugFreeAreaAtDoor( int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.
```

Full file content

```
000001 | modded class CarScript
000002 | {
000003 |     ///! Prevent being able to glitch through base walls etc when getting out vehicle
000004 |     ///! Mostly a verbatim copy of vanilla IsAreaAtDoorFree, but stretches the extents so that the whole area from door to
000005 |     ///! get out position is checked, and has exception for our BB because it has no collision box (TODO: why?! we should fix this)
000006 |     override bool IsAreaAtDoorFree( int currentSeat, float maxAllowedObjHeight, inout vector extents, out vector transform[4] )
000007 |     {
000008 |         GetTransform(transform);
000009 |
000010 |         vector crewPos;
000011 |         vector crewDir;
000012 |         CrewEntry( currentSeat, crewPos, crewDir );
000013 |
000014 |         ///! Adjust bbox depth so it stretches to the vehicle
000015 |         extents[2] = extents[2] + crewDir.Length();
000016 |
000017 |         vector entry[4];
000018 |         entry[2] = crewDir;
000019 |         entry[0] = vector.Up * crewDir;
000020 |         entry[1] = entry[2] * entry[0];
000021 |         entry[3] = crewPos + crewDir * 0.5;    ///! Adjust bbox position for altered depth
000022 |
000023 |         Math3D.MatrixMultiply4( transform, entry, transform );
000024 |
000025 |         vector position = transform[3];
000026 |         vector orientation = Math3D.MatrixToAngles(transform);
000027 |
000028 |         position[1] = position[1] + maxAllowedObjHeight + (extents[1] * 0.5);
000029 |
000030 |         array<Object> excluded = new array<Object>;
000031 |         array<Object> collided = new array<Object>;
000032 |
000033 |         excluded.Insert(this);
000034 |
000035 |         g_Game.IsBoxColliding(position, orientation, extents, excluded, collided);
000036 |
000037 |         orientation.RotationMatrixFromAngles(transform);
000038 |         transform[3] = position;
000039 |
000040 |         foreach (Object o : collided)
000041 |         {
000042 |             EntityAI e = EntityAI.Cast(o);
000043 |             if (IsIgnoredObject(o))
```



```
000044 |         continue;
000045 |
000046 |         vector minmax[2];
000047 |         if (o.GetCollisionBox(minmax))
000048 |             return false;
000049 |
000050 |         if (o.IsInherited(ExpansionBaseBuilding))
000051 |             return false;
000052 |     }
000053 |
000054 |     return true;
000055 | }
000056 |
000057 | override bool IsAreaAtDoorFree( int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.7 )
000058 | {
000059 |     vector transform[4];
000060 |     vector extents;
000061 |
000062 |     extents[0] = horizontalExtents;
000063 |     if (playerHeight > maxAllowedObjHeight)
000064 |         extents[1] = playerHeight - maxAllowedObjHeight; //! extents height needs to be adjusted for maxAllowedObjHeight
000065 |     else
000066 |         extents[1] = playerHeight;
000067 |     extents[2] = horizontalExtents;
000068 |
000069 |     return IsAreaAtDoorFree( currentSeat, maxAllowedObjHeight, extents, transform );
000070 | }
000071 |
000072 | override Shape DebugFreeAreaAtDoor( int currentSeat, float maxAllowedObjHeight = 0.5, float horizontalExtents = 0.5, float playerHeight = 1.7 )
000073 | {
000074 |     int color = ARGB(20, 0, 255, 0);
000075 |
000076 |     vector transform[4];
000077 |     vector extents;
000078 |
000079 |     extents[0] = horizontalExtents;
000080 |     if (playerHeight > maxAllowedObjHeight)
000081 |         extents[1] = playerHeight - maxAllowedObjHeight; //! extents height needs to be adjusted for maxAllowedObjHeight
000082 |     else
000083 |         extents[1] = playerHeight;
000084 |     extents[2] = horizontalExtents;
000085 |
000086 |     if (!IsAreaAtDoorFree( currentSeat, maxAllowedObjHeight, extents, transform ))
000087 |     {
000088 |         color = ARGB(20, 255, 0, 0);
000089 |     }
000090 |
000091 |     Shape shape = Debug.DrawBox(-extents * 0.5, extents * 0.5, color);
000092 |     shape.SetMatrix(transform);
000093 |     return shape;
000094 | }
000095 | }
000096 |
```

0372. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 4_World\DayZExpansion_VanillaFixes\Plugins\PluginManager.c
Size bytes: 631
SHA-256: 800c2c56fd6068539f6f672fc434e4ed93f431327b32dabfc60b98418161888f
Decoded as: utf-8-sig
Line count shown: 18
Detected class declarations: 1
 L3: modded class PluginManager
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L5: override protected void RegisterPluginDebug(string plugin_class_name, bool reg_on_client, bool reg_on_server)

Full file content

```
000001 | #ifndef DAYZ_1_28
000002 | #ifdef DIAG
000003 | modded class PluginManager
000004 | {
000005 |     override protected void RegisterPluginDebug(string plugin_class_name, bool reg_on_client, bool reg_on_server)
000006 |     {
000007 |         //!< Fix NULL ptr errors related to hand events under diag 1.29 due to PluginInventoryDebug not getting registered under diag
000008 |         //!< by forcing reg_on_release to true
000009 |         //!< https://feedback.bistudio.com/T195696
000010 |         if (plugin_class_name == "PluginInventoryDebug")
000011 |             RegisterPlugin(plugin_class_name, reg_on_client, reg_on_server, true);
000012 |         else
000013 |             super.RegisterPluginDebug(plugin_class_name, reg_on_client, reg_on_server);
000014 |     }
000015 | }
000016 | #endif
000017 | #endif
000018 |
```

0373. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\DebugMonitor.c
Size bytes: 116
SHA-256: 500a90799647ea18c949ef50ae423a581912c0c62cefa0d8098ba38a730d075d
Decoded as: utf-8-sig
Line count shown: 8
Detected class declarations: 1
 L1: modded class DebugMonitor
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L3: void DebugMonitor()

Full file content

```
000001 | modded class DebugMonitor
000002 | {
000003 |     void DebugMonitor()
000004 |     {
000005 |         m_WidgetRoot.SetFlags(WidgetFlags.IGNOREPOINTER);
000006 |     }
000007 | }
000008 |
```

0374. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\IngameHUD.c

Size bytes: 964

SHA-256: 9c70f1e659c5c4643999a95038e39edb2250b0d5a48aa98bf683c6f3455ab91e

Decoded as: utf-8-sig

Line count shown: 27

Detected class declarations: 1

L13: modded class IngameHud

Detected enum declarations: 0

Detected function/method-like declarations: 1

L20: override void SetLeftStatsVisibility(bool visible)

Full file content

```
000001 | /**
000002 |  * IngameHud.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | modded class IngameHud
000014 | {
000015 |     ///! @note DayZ Experimental 1.19 update from 2022-10-24 made a not-modding-friendly change
000016 |     ///! that introduced the bug of always showing vehicle HUD (even vanilla) in inventory menu.
000017 |     ///! In the *hopefully* (AHM) unlekliy event that this bug makes it to DayZ stable (AHM),
000018 |     ///! just uncomment the below commented out code and REMOVE the super.
000019 |     ///! 2022-10-26: Bug made it to stable :/
000020 |     override void SetLeftStatsVisibility(bool visible)
000021 |     {
000022 |         //super.SetLeftStatsVisibility(visible); ///! REMOVE this super call if uncommenting below code
000023 |
000024 |         m_LeftHudPanelWidget.Show(visible);
000025 |     }
000026 | }
000027 |
```

0375. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\GUI\InventoryNew\VicinityItemManager.c

Size bytes: 254

SHA-256: fb15ebe76fd0f8b4e56a5a0a6761c2365b8af636143852099f4fe4808b69cbf0

Decoded as: utf-8-sig

Line count shown: 15

Detected class declarations: 1

 L1: modded class VicinityItemManager

Detected enum declarations: 0

Detected function/method-like declarations: 1

 L3: override void AddVicinityItems(Object object)

Full file content

```
000001 | modded class VicinityItemManager
000002 | {
000003 |     override void AddVicinityItems(Object object)
000004 |     {
000005 |         int count = m_VicinityItems.Count();
000006 |
000007 |         super.AddVicinityItems(object);
000008 |
000009 |         if (m_VicinityItems.Count() != count)
000010 |         {
000011 |             m_VicinityItems.Sort();
000012 |         }
000013 |     }
000014 | }
000015 |
```

0376. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: 5_Mission\DayZExpansion_VanillaFixes\NewUI\Keybindings\KeybindingElementNew.c
Size bytes: 718
SHA-256: ef57538a4eb72f9b706e0d8ecd7929ce14d8d1598f17375a3ee52547436effd6
Decoded as: utf-8-sig
Line count shown: 22
Detected class declarations: 1
 L15: modded class KeybindingElementNew
Detected enum declarations: 0
Detected function/method-like declarations: 1
 L17: override string GetLayoutName()

Full file content

```
000001 | /**
000002 |  * KeybindingElementNew.c
000003 |  *
000004 |  * DayZ Expansion Mod
000005 |  * www.dayzexpansion.com
000006 |  * © 2022 DayZ Expansion Mod Team
000007 |  *
000008 |  * This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.
000009 |  * To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-nd/4.0/.
000010 |  *
000011 | */
000012 |
000013 | ///! Fix controller buttons not being removable or reassignable with DayZ 1.18
000014 | ///! Remove this and the accompanying layout file again when this gets fixed in vanilla DayZ
000015 | modded class KeybindingElementNew
000016 | {
000017 |     override string GetLayoutName()
000018 |     {
000019 |         return "DayZExpansion/VanillaFixes/GUI/layouts/new_ui/options/keybindings_selectors/keybinding_option.layout";
000020 |     }
000021 | }
000022 |
```

0377. PBO TEXT FILE

Path: core pbo files expan/0_core_preload.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0378. PBO TEXT FILE

Path: core pbo files expan/0_modstorage_preload.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0379. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0380. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: fonts\etelkatextpro.xml
Size bytes: 94
SHA-256: ebbef9c95f6eb959ade8ab635353832b1549a22ae985b4d13c337b3df3e5e31d
Decoded as: utf-8-sig
Line count shown: 4

Full file content

```
000001 | <?xml version="1.0" encoding="UTF-8" ?>
000002 | <fontGenerator>
000003 |     <font size="24"/>
000004 | </fontGenerator>
```

0381. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: fonts\etelkatextpro24.edds.meta

Size bytes: 351

SHA-256: 300ac3c66c84cdbf69328af0e5d562134833741e2cb759f18bc9cc71ec55303e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{7C6DFE7911E24B27}DayZExpansion/Core/GUI/fonts/etelkatextpro24.edds"
000003 |   Author "desktop-9st395p"
000004 |   ChangeDate -479532850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "etelkatextpro24.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0382. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\2D_64x64.edds.meta
Size bytes: 341
SHA-256: 89cee6e817340e0bd6ffa159e68672e08eedc71a51a8d3d67c590385237d3f28
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EB6926CA09F2CE8C}DayZExpansion/Core/GUI/icons/hud/2D_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1903553282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "2D_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0383. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\2D_off_64x64.edds.meta
Size bytes: 349
SHA-256: 7fb200f7abd679d992b823ce3649c267aa42106898f6e73d8fe60c60abef4b79
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9D924DD3310DF339}DayZExpansion/Core/GUI/icons/hud/2D_off_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2004216578  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "2D_off_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0384. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\3D_64x64.edds.meta
Size bytes: 339
SHA-256: 54a983372b5aab1c5bb7b009a6d6bf095f95f664ecf8b71c158a3a172fc7b689
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{D4F648A81FFE6071}DayZExpansion/Core/GUI/icons/hud/3D_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 58583810  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "3D_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0385. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\3D_off_64x64.edds.meta

Size bytes: 348

SHA-256: 7c66e477e6c665b5b253f3321a5bab1bbe7f953481232f35e746ee9dd68867e6

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D32B7574E35A8737}DayZExpansion/Core/GUI/icons/hud/3D_off_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 159247106
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "3D_off_64x64.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0386. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\arrow_64x64.edds.meta

Size bytes: 345

SHA-256: 3d98e1aba13f109eb0e3fe1a380354730d9c77ba361ba8a1ff5a7e17a58ed2a4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{EB294B6B8215EC25}DayZExpansion/Core/GUI/icons/hud/arrow_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 16640770
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "arrow_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0387. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_empty_64x64.edds.meta
Size bytes: 362
SHA-256: 0994663aa0d9a0efd78c627ed5121641e787d6b30e8908763c4839c307b1dc11
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B73A1C1C8F941C87}DayZExpansion/Core/GUI/icons/hud/battery_empty_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 184412930  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "battery_empty_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0388. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_high_64x64.edds.meta

Size bytes: 360

SHA-256: 367701298ea5ada3e6218b0290ed3563fab064dec8b0ecd063c8edb250fe6460

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{DD239853F4BDB336}DayZExpansion/Core/GUI/icons/hud/battery_high_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 385739522
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "battery_high_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0389. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_low_64x64.edds.meta

Size bytes: 358

SHA-256: 64ed5bf80bacec86cb37f78305def9923baed226cb6f76f249d9d03783a72ecc

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0E9DB249FDADF2CC}DayZExpansion/Core/GUI/icons/hud/battery_low_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 452848386
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "battery_low_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0390. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\battery_med_64x64.edds.meta

Size bytes: 358

SHA-256: 909183f55e1665fa2ff761381d21d28e4f7987b9a4b9feb74ffacd08d8e99abd

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{87EF56F7278C57F3}DayZExpansion/Core/GUI/icons/hud/battery_med_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 553511682
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "battery_med_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0391. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\bear_64x64.edds.meta

Size bytes: 344

SHA-256: 72f7f919ca886258a8b5b78618a36bd7b964874e49047d58cc97105b1ac6ae36

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{98CED5F8D0DB1EF3}DayZExpansion/Core/GUI/icons/hud/bear_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 687729410
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "bear_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0392. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\book_1_64x64.edds.meta

Size bytes: 348

SHA-256: fadb38c592e93b935f9355b7a49b95d09f42b436df7fd08fab783a710e943a49

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{EE64F7740EB83376}DayZExpansion/Core/GUI/icons/hud/book_1_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 788392706
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "book_1_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0393. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\book_2_64x64.edds.meta
Size bytes: 348
SHA-256: 7fb8b09573332980b04b0367e077afebf80a12d3f4aef2fd1e273dcfa520042
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{11BEAA208E4CA330}DayZExpansion/Core/GUI/icons/hud/book_2_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 821947138  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "book_2_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0394. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\car_64x64.edds.meta
Size bytes: 343
SHA-256: 260098da634221873b49bad03fb2c7fe9a9c38f10e978109a32b0bdf513eb679
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0571DC389F5A9623}DayZExpansion/Core/GUI/icons/hud/car_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1090382594  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "car_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0395. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\cargo_64x64.edds.meta

Size bytes: 347

SHA-256: 36055650f17a3ec554b3e6bd9562939cbd54d3b0e9529954b7aeee9e3db11f5d

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{187546038B5DD1C2}DayZExpansion/Core/GUI/icons/hud/cargo_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1503391116
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "cargo_64x64.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0396. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\claw_64x64.edds.meta
Size bytes: 345
SHA-256: beb9360dee78474e484a46072f06fd3779f4c634ea467c1505b85b0ae3cadb8f
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8B2977014EAA5D07}DayZExpansion/Core/GUI/icons/hud/claw_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1358818050  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "claw_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0397. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\connection_lost.edds.meta

Size bytes: 348

SHA-256: 87806f2c806c21070e05d58928ad6be4cd952615d3c0befa9798db82ccd436c5

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{206DBEAC9C7AD942}DayZExpansion/Core/GUI/icons/hud/connection_lost.edds"
000003 |   Author "monolith"
000004 |   ChangeDate 1171500587
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "connection_lost.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0398. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\craft_64x64.edds.meta

Size bytes: 347

SHA-256: 9d60143caad8fbb240cd4aac6edfd04a35e2d558a9516617d188ba50568287a5

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C40010DED8D8E535}DayZExpansion/Core/GUI/icons/hud/craft_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1425926914
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "craft_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0399. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\cross_64x64.edds.meta
Size bytes: 345
SHA-256: 3183580cf4326e660eec382d30db98ebe24e730725194278bbb5dd149a1849f9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EC53856041985A10}DayZExpansion/Core/GUI/icons/hud/cross_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 84273922  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "cross_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0400. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\drip_64x64.edds.meta

Size bytes: 344

SHA-256: 570dac909cf4dc5adc0ef03c9d320ad7a2589fe3f5f38c9dfd6cade4afe4e3eb

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{E71ED2A913D78209}DayZExpansion/Core/GUI/icons/hud/drip_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 218491650
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "drip_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0401. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\ear_64x64.edds.meta
Size bytes: 342
SHA-256: 2706a9fbeafd2b830217f8ded588fde3eb7807368c6f2672b07044c8a8fad8d4
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F21E94676064DA7D}DayZExpansion/Core/GUI/icons/hud/ear_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 386263810  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "ear_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0402. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\ellipse_64x64.edds.meta

Size bytes: 350

SHA-256: 75d102e6a7ea1061526dd0029c6ca720f4dbf9acde9ac4015a6265455b0c92db

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0FCACAAF0A99273C}DayZExpansion/Core/GUI/icons/hud/ellipse_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 486927106
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "ellipse_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0403. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\ellipse_out_64x64.edds.meta

Size bytes: 358

SHA-256: 2d37e820b536f8a4997b44d7a53169bb3af6ff59ea8881b40a02853c97ca460e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{DDEDAF5A8B34B62D}DayZExpansion/Core/GUI/icons/hud/ellipse_out_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 554035970
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "ellipse_out_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0404. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\exclamationmark_64x64.edds.meta

Size bytes: 366

SHA-256: 9185aa311c4687d8748a49bbb82d57d4510fe7521c8e2e741fd0e4304f92693a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{1595828A6EA76F98}DayZExpansion/Core/GUI/icons/hud/exclamationmark_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 654699266
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "exclamationmark_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0405. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\eye_64x64.edds.meta
Size bytes: 342
SHA-256: ea6e3ffef264d79ec8c35fb5b7b741187d3ea5e23a7d746288729544359915c0
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{C5A0666669DF90D2}DayZExpansion/Core/GUI/icons/hud/eye_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 956689154  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "eye_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0406. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\fireplace_64x64.edds.meta

Size bytes: 356

SHA-256: d253b454c25fd0789e2867c436bdee9e4ccf1bceb1fdb548439be138bc047377

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B10CD0326D973C71}DayZExpansion/Core/GUI/icons/hud/fireplace_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1123685630
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "fireplace_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0407. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\grab_64x64.edds.meta
Size bytes: 345
SHA-256: 05ba5932b588df487cf450699e818e8c51a818086dced86af3f271b4accc929a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3E48A8FF8ABCF88F}DayZExpansion/Core/GUI/icons/hud/grab_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1124461314  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "grab_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0408. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\hand_open_64x64.edds.meta

Size bytes: 355

SHA-256: bf46a89a416f60d5b17f5811d02933fb771606ac048620c12813cef51dbae4e3

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B87040D3C344F388}DayZExpansion/Core/GUI/icons/hud/hand_open_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -955913470
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "hand_open_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0409. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\health_64x64.edds.meta
Size bytes: 349
SHA-256: 51076da2a3589d877ac92c92818b49664d155f412d5a4f592a4a653302be682b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3471A150E0D6B5D0}DayZExpansion/Core/GUI/icons/hud/health_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1292233474  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "health_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0410. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\heart_64x64.edds.meta
Size bytes: 347
SHA-256: e484d821f56178cac060607e5949e480a2e0bad59da1d37483b219a431d0a218
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{E7E4748A2F097694}DayZExpansion/Core/GUI/icons/hud/heart_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1829104386  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "heart_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0411. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\hook_64x64.edds.meta
Size bytes: 343
SHA-256: 11edc75483a2e914cb3775f83873f19cbd809be5fa07bd35c938154cf7bf9042
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B0A741F8CA2EA4D5}DayZExpansion/Core/GUI/icons/hud/hook_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 84798210  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "hook_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0412. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\info_64x64.edds.meta
Size bytes: 344
SHA-256: 3521aab3da93023199cbf3e5fa61d272e60185d0bd205c1d39d926bb7643046b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{BFA98ACC416B4CAF}DayZExpansion/Core/GUI/icons/hud/info_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 151907074  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "info_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0413. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\knife_64x64.edds.meta

Size bytes: 348

SHA-256: c88e3351e56218076b0861a68d0114ae10f438d351b67c779b2293d492aeb072

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{7966AC8E752ED62C}DayZExpansion/Core/GUI/icons/hud/knife_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1894913278
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "knife_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0414. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\map_64x64.edds.meta
Size bytes: 342
SHA-256: e8e93a442b169cd7bb14433b402ab87808fda03c1f25aea23fc210d86e0588e0
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{90B95C67FA270E33}DayZExpansion/Core/GUI/icons/hud/map_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 319679234  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "map_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0415. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\marker_64x64.edds.meta

Size bytes: 348

SHA-256: 41d9982b83747620d5516e4533f41aad2243b1618ca0ac339a5a4b593733dea8

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B1E5566B0FA239A4}DayZExpansion/Core/GUI/icons/hud/marker_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 688777986
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "marker_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0416. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\menu_64x64.edds.meta
Size bytes: 346
SHA-256: fdc939acb92658e3963eac318de60b3be6034b0eb783eb14e15643234e8c52ca
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EC8EDC01E1CEFBB0}DayZExpansion/Core/GUI/icons/hud/menu_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1324487934  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "menu_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0417. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\minus_64x64.edds.meta
Size bytes: 348
SHA-256: 4e33f281a3c2a4ba50251cb80639b9594cc2ae366d7ee3b2090430ac1b24ad19
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{A6E3961A93ADF526}DayZExpansion/Core/GUI/icons/hud/minus_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1943884404  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "minus_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0418. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\moon_64x64.edds.meta
Size bytes: 344
SHA-256: 71672f5fa0a64efbf20cdaa6563014673d2544f45fcefe2de7009d53392b00eb
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{077A78E12C461220}DayZExpansion/Core/GUI/icons/hud/moon_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 923659010  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "moon_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0419. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\note_64x64.edds.meta
Size bytes: 345
SHA-256: 0bdb53f6d72ee3e35f47fa9cb08e85ff6a466f81b8bcf80261acace32c5944ec
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{447CB144FEE1872D}DayZExpansion/Core/GUI/icons/hud/note_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1024322306  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "note_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0420. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\orientation_64x64.edds.meta
Size bytes: 360
SHA-256: 50322e428381468ecc4081db110d3201d74e23e7c6625edeae470b5bded19d5d
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{72435269FFFB471}DayZExpansion/Core/GUI/icons/hud/orientation_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1022498046  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "orientation_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0421. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\pen_64x64.edds.meta
Size bytes: 343
SHA-256: cae7096felledbdeb60178ac95ff5692f2cea07871180d6932ace2d0d202782
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3504FF43FFA8963E}DayZExpansion/Core/GUI/icons/hud/pen_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1225648898  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "pen_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0422. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\persona_64x64.edds.meta

Size bytes: 351

SHA-256: c72a6ac1631dacaba0d70790f2609fd46f63555de30fe65e8f324433a48dad16

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{287CF3AEB0F2A6E7}DayZExpansion/Core/GUI/icons/hud/persona_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -854725886
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "persona_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0423. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\pill_64x64.edds.meta
Size bytes: 345
SHA-256: 373edd0d2b99af1447b20a93ebd99a75d8209734e94bd1b4ab2541b1616aef11
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F372BF72A7296C57}DayZExpansion/Core/GUI/icons/hud/pill_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -754062590  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "pill_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0424. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\plus_64x64.edds.meta
Size bytes: 346
SHA-256: 8280bc0863eb4ed4f4b9fe9dfdfdd6b6e5187b2fdc0639c39c7eb4caf202b2a6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{998BF58C71D1E333}DayZExpansion/Core/GUI/icons/hud/plus_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1641894516  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "plus_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0425. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\questionmark_2_64x64.edds.meta

Size bytes: 366

SHA-256: f10f07bdc2435c7c464adb49024ba8737f2ab0ae3d014c0a31cb4d9f2c5b3fca

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2F55C3FCBE849589}DayZExpansion/Core/GUI/icons/hud/questionmark_2_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1088918372
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "questionmark_2_64x64.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0426. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\questionmark_64x64.edds.meta
Size bytes: 361
SHA-256: ebcf8ae0037d3d295a6a11f58ab2c537aced2b03958402905e9cc58d99791cb2
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{0B87C4277EE0CE08}DayZExpansion/Core/GUI/icons/hud/questionmark_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -653399294  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "questionmark_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0427. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\radio_64x64.edds.meta

Size bytes: 347

SHA-256: f74785c1d6e76f7361be22fd9360a66c8b67cf7b10854ff7ed33da472de62d6b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{F3235A34820AC9C9}DayZExpansion/Core/GUI/icons/hud/radio_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -552735998
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "radio_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0428. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\refresh_64x64.edds.meta
Size bytes: 351
SHA-256: 77c7eb04b64c5236131df300f6408e46d3ef7f80d3c436b5312a709dae42c717
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{BC4B024D9C0F3A9F}DayZExpansion/Core/GUI/icons/hud/refresh_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -384963838  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "refresh_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0429. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\Reputation-Stars.edds.meta

Size bytes: 348

SHA-256: 02baa7c47d18b2ed42ac69af5782421a239d6bf1e86e8a10104a4bff99812a35

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5A608B8E5F095FC6}DayZExpansion/Core/GUI/icons/hud/Reputation-Stars.png"
000003 |   Author "monolith"
000004 |   ChangeDate 862252412
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "Reputation-Stars.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0430. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\shield_64x64.edds.meta
Size bytes: 349
SHA-256: 53d4043072fd6d15e480c660a0784a774f58a357649fffface89cf97c10439216
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{4FE21B47020414D0}DayZExpansion/Core/GUI/icons/hud/shield_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1896737538  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "shield_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0431. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\skull_1_64x64.edds.meta

Size bytes: 349

SHA-256: 6334b3b0dc366dc0b360873f6f0d161365d5ce6fe5b84381f16af54c18c97c7

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{22E22FBC3B2196C4}DayZExpansion/Core/GUI/icons/hud/skull_1_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 18213634
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "skull_1_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0432. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\skull_2_64x64.edds.meta

Size bytes: 350

SHA-256: d3a85b83ec65d849623f8b38ec6704b6dfec901505f97156e8a5e2e03c38ae74

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{DD3872E8BBD50682}DayZExpansion/Core/GUI/icons/hud/skull_2_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 118876930
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "skull_2_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0433. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\snow_64x64.edds.meta
Size bytes: 346
SHA-256: e8a87bc28c06d7639c21f6500ad77d053f94c2bf0416eb084a5e9c44075a3a15
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{706A9FBB668869E2}DayZExpansion/Core/GUI/icons/hud/snow_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1860834558  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "snow_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0434. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\sort_simple_64x64.edds.meta

Size bytes: 360

SHA-256: d9b937055978980bcd7dfb2e4ddc0e13ad6ece3cc30907d54901bb2bf7482b5

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{27505255AD921029}DayZExpansion/Core/GUI/icons/hud/sort_simple_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1419235739
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "sort_simple_64x64.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0435. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\sorting_64x64.edds.meta
Size bytes: 351
SHA-256: 211485f27b995e9eca03af0440e25d98c47f083535b986bde4f9f32c319836a6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5FCA8EED8BEE731E}DayZExpansion/Core/GUI/icons/hud/sorting_64x64.tga"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1906479757  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sorting_64x64.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0436. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\square_64x64.edds.meta
Size bytes: 350
SHA-256: 217866b94de1c4c2c55c487670e678765db3782ef1cc31b26dff504db84b6c9e
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{F1B32F84AA4AEEDB}DayZExpansion/Core/GUI/icons/hud/square_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1760171262  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "square_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0437. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\star_64x64.edds.meta

Size bytes: 346

SHA-256: 9f7dc5417769580f77e3e18309919b11042c15ae9a5f9c9772fccdd811c69b65

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{45CAA938FF619C9}DayZExpansion/Core/GUI/icons/hud/star_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1592399102
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "star_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0438. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\sun_64x64.edds.meta
Size bytes: 344
SHA-256: 27ca456613df9f283563e93ad5317de7a867d6d7b66de5ae63e8f3b1654ae7f4
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{70549F719AC30474}DayZExpansion/Core/GUI/icons/hud/sun_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1357518078  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sun_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0439. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\switch_64x64.edds.meta

Size bytes: 348

SHA-256: 2798eeefc63ad11db438cbe739681ccee970d810feab18c663298350651bc2e8

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D0E77EED879A438F}DayZExpansion/Core/GUI/icons/hud/switch_64x64.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 892726018
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "switch_64x64.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0440. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\tent_64x64.edds.meta
Size bytes: 346
SHA-256: 13651bbe55672f3199fb257f9f88840835c2a5ce918ec6d59b92e78f9a9a9c04
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{D45EBAFB00509B87}DayZExpansion/Core/GUI/icons/hud/tent_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -1122637054  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "tent_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0441. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\thermometer_1_64x64.edds.meta
Size bytes: 363
SHA-256: 46cf37509c6e67374377cae756518be70c6c040c78bdc5da7e310c264ec44531
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8A2EAD121359D944}DayZExpansion/Core/GUI/icons/hud/thermometer_1_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -988419326  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "thermometer_1_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0442. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\toothwheel_64x64.edds.meta
Size bytes: 357
SHA-256: d4764b3fdece1692c94cd7e3d647d4f01af3315331000f2ddd17106da80d44a7
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{31AC353A0750528D}DayZExpansion/Core/GUI/icons/hud/toothwheel_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -887756030  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "toothwheel_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0443. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\toothwheels_64x64.edds.meta
Size bytes: 359
SHA-256: ccb36c5215048ced0f3ef7bb39d54243d04cd7e96519d184a8a1811d8055a1ec
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{98C99355690E7EAB}DayZExpansion/Core/GUI/icons/hud/toothwheels_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -787092734  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "toothwheels_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0444. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\under-roof.edds.meta

Size bytes: 336

SHA-256: 3d79ee120faf43fc4886d68cef00b510b1d44743492297c54c2998a3da216100

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{A86A06F14A0DABC8}DayZExpansion/Core/GUI/icons/hud/under-roof.png"
000003 |   Author "monolith"
000004 |   ChangeDate 142421381
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "under-roof.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0445. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\hud\water_64x64.edds.meta
Size bytes: 347
SHA-256: 281df5f60880a4806e117e84688be8d4958a7e619085ab0e9f6921e6d59a8b3a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5C48C2BB02F99EAC}DayZExpansion/Core/GUI/icons/hud/water_64x64.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -719983870  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "water_64x64.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0446. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\coinstack2_64x64.edds.meta
Size bytes: 363
SHA-256: 0f1dff245f29e6004b432d4155464f8145911a2e14e2cb1f2f5426e37035e43b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5F2743E5F6F4DF0D}DayZExpansion/Core/GUI/icons/misc/coinstack2_64x64.edds"  
000003 |   Author "LAVA (liquidrock)"  
000004 |   ChangeDate -2139444505  
000005 |   Configurations {  
000006 |     PAAResourceClass PC {  
000007 |       SourceFile "coinstack2_64x64.paa"  
000008 |     }  
000009 |     PAAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PAAResourceClass PS4 : PC {  
000012 |     }  
000013 |     PAAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0447. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\coinstack_64x64.edds.meta
Size bytes: 361
SHA-256: 70fcdd79e7d6fa45aee6a208cd7aece7be6d0a1801394c4811803f516037ee56
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{059D7B34FB0EB730}DayZExpansion/Core/GUI/icons/misc/coinstack_64x64.edds"  
000003 |   Author "LAVA (liquidrock)"  
000004 |   ChangeDate -1636128025  
000005 |   Configurations {  
000006 |     PAAResourceClass PC {  
000007 |       SourceFile "coinstack_64x64.paa"  
000008 |     }  
000009 |     PAAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PAAResourceClass PS4 : PC {  
000012 |     }  
000013 |     PAAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0448. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\sold_icon.edds.meta
Size bytes: 344
SHA-256: 3e81ccdba402d2f06edb9335a3c15503867c3a5505a592978f0bf7a88a47437c
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{4A3B668D00794D5F}DayZExpansion/Core/GUI/icons/misc/sold_icon.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -947065458  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "sold_icon.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0449. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Ambush_256x256.edds.meta

Size bytes: 358

SHA-256: 6ebdce2b0c6c07f9521cb3211d179fe37b1c111cbfece3d3c3c07e489c61968c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{44711043367C607B}DayZExpansion/Core/GUI/icons/misc/T_Ambush_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1332964659
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Ambush_256x256.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0450. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Animal_Skull_256x256.edds.meta
Size bytes: 370
SHA-256: fa1d1623c69aec0e3a17a52f44489bd2ed9feeae55dc65595431f6a761354e24
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EA414A3711C2DA2C}DayZExpansion/Core/GUI/icons/misc/T_Animal_Skull_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1939204866  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Animal_Skull_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0451. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_256x256.edds.meta
Size bytes: 356
SHA-256: d489adba9f59fccbbc66ce6def3d8318047b0a3dcb5b740e03a8fbd9b83185e6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{7FCDFC3029B80B69}DayZExpansion/Core/GUI/icons/misc/T_Apple_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1939204866  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Apple_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0452. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Apple_Core_256x256.edds.meta

Size bytes: 366

SHA-256: 66e12f0a15945b51b16b2560a4f463e658bec3669fbdbbd519f93ff6f2918fd8

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{53F704C6DEE6BA88}DayZExpansion/Core/GUI/icons/misc/T_Apple_Core_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Apple_Core_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0453. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Arrows_256x256.edds.meta

Size bytes: 358

SHA-256: aba6875c701803515a2a8c35cb1f5f0cf6f2d28c16b97dcab525e5eb086bb830

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0AD14F88A398FC82}DayZExpansion/Core/GUI/icons/misc/T_Arrows_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -208278782
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Arrows_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0454. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Axe_256x256.edds.meta

Size bytes: 352

SHA-256: d917b8f4ceef535aed6499b818d576bdf22b4bc46060a79914fcf79b71869c4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{97D7285C74F5B505}DayZExpansion/Core/GUI/icons/misc/T_Axe_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Axe_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0455. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_BagPack_256x256.edds.meta

Size bytes: 360

SHA-256: fa9e24c53c9f5fe9beb8e3281ddbb0e1961d12441904d162fdc5dfb4519db864

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C8B1F254399D471F}DayZExpansion/Core/GUI/icons/misc/T_BagPack_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1939204866
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_BagPack_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0456. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bandage_256x256.edds.meta

Size bytes: 360

SHA-256: 4b859465f49c998af78ad11e1d1c3b442870b043847fcf849c27f487be17cb03

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FB0AE68995F7538A}DayZExpansion/Core/GUI/icons/misc/T_Bandage_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bandage_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0457. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bandit_256x256.edds.meta

Size bytes: 359

SHA-256: 0c12e9a8a9fa8b94fd56c8a60ddb62c9c94eb07953240ceb48b5d5240dcec949

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{F2433CDEB4D94F4E}DayZExpansion/Core/GUI/icons/misc/T_Bandit_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -1257067211
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bandit_256x256.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0458. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Batteries_256x256.edds.meta

Size bytes: 364

SHA-256: 44fa2462a0c0d8e5e7e68d02f1dcf267943b057656796e7df57c944a5d0b9c1c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2B45B59C1191F7B1}DayZExpansion/Core/GUI/icons/misc/T_Batteries_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Batteries_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0459. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Berries_256x256.edds.meta

Size bytes: 360

SHA-256: 75fc74fcdb4eeda035c8869a741b9c8d0b09ee16810610c926f9622ed9de7bdc

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{7659DE8BADA30484}DayZExpansion/Core/GUI/icons/misc/T_Berries_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Berries_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0460. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Big_Kitchen_Knife_256x256.edds.meta
Size bytes: 380
SHA-256: ae23a80b5390bb26caaded1b1f1109d633626b5dd8652bcc0087c7eacacd6427
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5855E8342815980F}DayZExpansion/Core/GUI/icons/misc/T_Big_Kitchen_Knife_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1972759298  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Big_Kitchen_Knife_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0461. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Binoculars_256x256.edds.meta

Size bytes: 366

SHA-256: e79c95a56e8a0c430cbb715979caae113c9688f85213cf5bcf7855ebed69fe2f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3B344AB8A695E26A}DayZExpansion/Core/GUI/icons/misc/T_Binoculars_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1972759298
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Binoculars_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0462. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bolt_256x256.edds.meta
Size bytes: 354
SHA-256: f2d306d23a83589c232a805875ff02a3c011e463fcdecd1de23c6acf25cfcd14
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3864B5C77F91CFCE}DayZExpansion/Core/GUI/icons/misc/T_Bolt_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 1972759298  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Bolt_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0463. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bonfire_256x256.edds.meta

Size bytes: 360

SHA-256: ed413f6e6bb8c2b131f10e3603fe8b82f5488c51e8616bbc577a6cf0324bf5bb

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6332F8D8FB6A5E2F}DayZExpansion/Core/GUI/icons/misc/T_Bonfire_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -174724350
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bonfire_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0464. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bottle_256x256.edds.meta
Size bytes: 358
SHA-256: b930803c1282dc0c753795e41c7705cfbc9d4c5568e0b30de95698d9811e6250
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5CE7D4BEF825CC7C}DayZExpansion/Core/GUI/icons/misc/T_Bottle_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate -141169918  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Bottle_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0465. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Bow_256x256.edds.meta

Size bytes: 352

SHA-256: b00efd477b645ae965f044c511c9b64355afc3aelf38941006333acf3c88a4c1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D2DA8481550E2FAD}DayZExpansion/Core/GUI/icons/misc/T_Bow_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Bow_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0466. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_BrokenLighter_256x256.edds.meta

Size bytes: 372

SHA-256: 1ae03cc08750fe3bb9bb261ddf8cae0012c15a6d66d37c7ddf69f34723dfe750

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3D4B4301A567B442}DayZExpansion/Core/GUI/icons/misc/T_BrokenLighter_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_BrokenLighter_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0467. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Big_256x256.edds.meta

Size bytes: 378

SHA-256: 761ef1a15008a02a4062dc00b41398e0d2657216d95ff8ec74e0949e11a7c51f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8DF37D77CBE2609C}DayZExpansion/Core/GUI/icons/misc/T_Can_of_Beans_Big_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Can_of_Beans_Big_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0468. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Can_of_Beans_Small_256x256.edds.meta

Size bytes: 382

SHA-256: 0d14b22ced05ff574bc1f88f677cd3b1034c00c0242d2099f420112ede6c341a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{A4055A9190B014C4}DayZExpansion/Core/GUI/icons/misc/T_Can_of_Beans_Small_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Can_of_Beans_Small_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0469. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Car_Keys_256x256.edds.meta
Size bytes: 362
SHA-256: a7cf7314eb2808eb19d951d1f01f92257772c13413eaad1e72b295c8412402e3
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{E5DAE92F4A54D5A9}DayZExpansion/Core/GUI/icons/misc/T_Car_Keys_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 2006313730  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Car_Keys_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0470. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Carrot_256x256.edds.meta

Size bytes: 358

SHA-256: e887ffd4b0fc18efad3c7903053a552dd47c5e7e6d16f129bf0583b1524be855

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C2C6A6CDFC0C11B6}DayZExpansion/Core/GUI/icons/misc/T_Carrot_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Carrot_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0471. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Chain_Saw_256x256.edds.meta

Size bytes: 364

SHA-256: 394d2343b6d158588204c4b56502e8c4cc57e52fff28470be2bfff1199b328415

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B27B2E119D42D1A3}DayZExpansion/Core/GUI/icons/misc/T_Chain_Saw_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Chain_Saw_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0472. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Chicken_256x256.edds.meta

Size bytes: 360

SHA-256: 2403e4023f40c1d34417e9332db59613e3a34d320bf9a6c4d8c499bfe08d5303

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{AA9900D80BA66007}DayZExpansion/Core/GUI/icons/misc/T_Chicken_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 2006313730
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Chicken_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0473. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Chocolate_bar_256x256.edds.meta

Size bytes: 370

SHA-256: 09b235aecbeab51d3efba4ad4329892180fa8c7d90112e5306d212675dfc0329

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2C9A79E888C7892B}DayZExpansion/Core/GUI/icons/misc/T_Chocolate_bar_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Chocolate_bar_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0474. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cigarets_256x256.edds.meta
Size bytes: 360
SHA-256: 48e326d9d0f4da2599707b4c4060c82db1773c70f2c6850d299ca905df4f3a59
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B50A4EA0B113C69E}DayZExpansion/Core/GUI/icons/misc/T_Cigarets_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 27126530  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Cigarets_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0475. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cloth_256x256.edds.meta

Size bytes: 354

SHA-256: 6c7c753d3cebcbfa295f877102a2f9830a3f617843ea16cfc39cd007e60595b1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{EB489F499750C72F}DayZExpansion/Core/GUI/icons/misc/T_Cloth_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Cloth_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0476. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_of_bolts_256x256.edds.meta
Size bytes: 382
SHA-256: 6bce5622e4b002cad927ce184bc2115c0e201f8cfe53ac6650520b96306a0a8d
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{FF5AD0BE0D24450D}DayZExpansion/Core/GUI/icons/misc/T_Collection_of_bolts_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 27126530  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Collection_of_bolts_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0477. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_0f_Sticks_01_256x256.edds.meta

Size bytes: 390

SHA-256: 7a7baaf1c62d857f7174813cf5151c6d8e9d386f70a797f4772800856d6dbe64

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{73DFC2C207A5C2A7}DayZExpansion/Core/GUI/icons/misc/T_Collection_0f_Sticks_01_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_0f_Sticks_01_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0478. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_0f_Sticks_02_256x256.edds.meta

Size bytes: 390

SHA-256: d6811c025877e0bce7a7526deblaa34eecf9324ea3f9aaa3bc4dc90ed168dce1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{086866EDF83AE488}DayZExpansion/Core/GUI/icons/misc/T_Collection_0f_Sticks_02_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_0f_Sticks_02_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0479. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_0f_Sticks_03_256x256.edds.meta
Size bytes: 390
SHA-256: 3119e60c6b8fe0333b40aaa2163b648983f81994e7d476b7f9eba4fb8cfa7ef6
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{21050508AD4FF96D}DayZExpansion/Core/GUI/icons/misc/T_Collection_0f_Sticks_03_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 27126530  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Collection_0f_Sticks_03_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0480. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Collection_Of_Sticks_04_256x256.edds.meta

Size bytes: 390

SHA-256: 85d186d43fdca7cfdca22c579ccd18acf0610082f7b32f642dec29a1ca2b2ed4c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FF072EB20704A8D6}DayZExpansion/Core/GUI/icons/misc/T_Collection_Of_Sticks_04_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 27126530
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Collection_Of_Sticks_04_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0481. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Compass_256x256.edds.meta

Size bytes: 358

SHA-256: a12e44f62842412821e571c0a461d1e82be734d347753b2b440622fa8e02c59f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{75008B65CB769884}DayZExpansion/Core/GUI/icons/misc/T_Compass_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 60680962
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Compass_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0482. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_01_256x256.edds.meta

Size bytes: 372

SHA-256: 5dee0de962435ba84c5d0d025e6707fb703cc7c6df4ce4d7c87b21ed2da7ad43

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3AC2F4EA9F023686}DayZExpansion/Core/GUI/icons/misc/T_Cooked_Meat_01_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 60680962
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Cooked_Meat_01_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0483. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_02_256x256.edds.meta

Size bytes: 372

SHA-256: aa24dbbaf0e9359d0c7290bebc8c215d615ab91a6e1e078f0871f9ade42f2dd2

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{417550C5609D10A9}DayZExpansion/Core/GUI/icons/misc/T_Cooked_Meat_02_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 60680962
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Cooked_Meat_02_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0484. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cooked_Meat_03_256x256.edds.meta

Size bytes: 372

SHA-256: f710553940ed71c5ab101fcbf773566e70b24fdcc5206fa04e59b041e3ac2c89

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6818332035E80D4C}DayZExpansion/Core/GUI/icons/misc/T_Cooked_Meat_03_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 60680962
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Cooked_Meat_03_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0485. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Corn_256x256.edds.meta

Size bytes: 352

SHA-256: 96a78bc311714853b9d52856859d3efa25885219f181fc8d033c6fda1976f8e2

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{84C0081EF57D2409}DayZExpansion/Core/GUI/icons/misc/T_Corn_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Corn_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0486. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Cow_256x256.edds.meta

Size bytes: 350

SHA-256: 070502daf261d2ab4854bd552310282bac25cd27dd92e8aeb187f4485c6e216b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6F51259E16AB4520}DayZExpansion/Core/GUI/icons/misc/T_Cow_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Cow_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0487. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Crowbar_256x256.edds.meta

Size bytes: 358

SHA-256: d0a8f2f76dcd85616338bda93c5917048c78cac2ee22ff2217b31419501bb772

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8750610EBB450636}DayZExpansion/Core/GUI/icons/misc/T_Crowbar_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Crowbar_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0488. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Dinosaur_Skull_256x256.edds.meta

Size bytes: 372

SHA-256: ba2f84ac4d1da65ecaf6a0c0ac965e2697ea45bca039433cfbf493e46779db0a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8B3AAE73B07356FB}DayZExpansion/Core/GUI/icons/misc/T_Dinosaur_Skull_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Dinosaur_Skull_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0489. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Dry_Wood_256x256.edds.meta
Size bytes: 360
SHA-256: 7e5cc4f5927b3b0c4014726d2968c4746d836d9e8a66d6fed2488ad6937adbee
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{ECEE28DEFFE844C}DayZExpansion/Core/GUI/icons/misc/T_Dry_Wood_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 94235394  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Dry_Wood_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0490. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_EatableFlowers_256x256.edds.meta

Size bytes: 372

SHA-256: 4530339e0024f29221fc1626f9823f27161aedf6cb735d4fd0ac5553afafc698

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{ED5CBF95027C685F}DayZExpansion/Core/GUI/icons/misc/T_EatableFlowers_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_EatableFlowers_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0491. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_ElectricalTape_256x256.edds.meta

Size bytes: 372

SHA-256: 2172e70c51d8e33271e0b41804f58c710bb93688b8a13435f7b68dc8ffff1ac9e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{03887CB7EB68B1DF}DayZExpansion/Core/GUI/icons/misc/T_ElectricalTape_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 94235394
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_ElectricalTape_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0492. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Empty_Can_256x256.edds.meta

Size bytes: 363

SHA-256: 9008e04f9e6ed21de8484aa95ef7fff898cd9a06949f40a7cb725b77624fe61f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{BD7070ABAC11556A}DayZExpansion/Core/GUI/icons/misc/T_Empty_Can_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 127789826
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Empty_Can_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0493. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Fish_256x256.edds.meta

Size bytes: 353

SHA-256: 54116efed7017e686f9a571971309fe53b04b34eb3c7ed2bdc67845f29b64ec8

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{7EA5A626AAF3DF9A}DayZExpansion/Core/GUI/icons/misc/T_Fish_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 295561986
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Fish_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0494. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Flare_256x256.edds.meta
Size bytes: 355
SHA-256: 23ceeba572451ada3ca8a67e39b247d771e05e2d0640343333ebe384b24b5cca
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6FC16C20BCBB462B}DayZExpansion/Core/GUI/icons/misc/T_Flare_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 295561986  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Flare_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0495. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGun_256x256.edds.meta

Size bytes: 361

SHA-256: a821674b75939378c9e8a7b01fdf97cd11e04a7b5501d629e6af271b14f0999a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{01DAB72250DB0942}DayZExpansion/Core/GUI/icons/misc/T_FlareGun_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 295561986
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_FlareGun_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0496. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_FlareGunAmmo_256x256.edds.meta

Size bytes: 369

SHA-256: cec90a9944039e3b87b3e23ca36aa7bb6a5fb8cd077a177c0419a1001edbe409

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{CB6BB8B6BCB6FD5E}DayZExpansion/Core/GUI/icons/misc/T_FlareGunAmmo_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 295561986
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_FlareGunAmmo_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0497. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Flashlight_256x256.edds.meta

Size bytes: 365

SHA-256: 6cb98921ce92dbd7ae442a4f35440bb9adb29fd9a718db40f709f4cbf205c843

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{F63A0715C0B3863D}DayZExpansion/Core/GUI/icons/misc/T_Flashlight_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Flashlight_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0498. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Fox_256x256.edds.meta

Size bytes: 351

SHA-256: b7d4e38e336ece9f72b40689d74aa55e96ebe193463101ae7e817a5a03a4e678

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{768C1650A04660BF}DayZExpansion/Core/GUI/icons/misc/T_Fox_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Fox_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0499. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Frying_Pan_256x256.edds.meta

Size bytes: 365

SHA-256: 043f7228a708a08cf83734443a8fd7bdcab527b229d9e7715592826a9368f5a9

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{332F9D408900FCD3}DayZExpansion/Core/GUI/icons/misc/T_Frying_Pan_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Frying_Pan_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0500. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Gas_256x256.edds.meta

Size bytes: 351

SHA-256: 1fc4a4b023b74fd6eff17cbe8024e3f39068e5b88e4d44a0c1553071908fc46b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{9591749105C49332}DayZExpansion/Core/GUI/icons/misc/T_Gas_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Gas_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0501. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_GasMask_256x256.edds.meta

Size bytes: 359

SHA-256: 5d529642a073426901892dfe3b5d4e254f83fbd532d76dc9d36871db11dac06b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{60A693297833627B}DayZExpansion/Core/GUI/icons/misc/T_GasMask_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_GasMask_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0502. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Golf_club_256x256.edds.meta

Size bytes: 363

SHA-256: afe6cedb1f71827b8a87b03a6ce640da62b4b390ffc2533d51db9013ba6b9a8e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{07BAF017F363923C}DayZExpansion/Core/GUI/icons/misc/T_Golf_club_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 329116418
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Golf_club_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0503. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Goose_256x256.edds.meta
Size bytes: 355
SHA-256: 533dea297da9fd9713f040a5be8cd2fa10934c47fd65b2b1af52bba8cb2380b1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5DBABBF71E9A061D}DayZExpansion/Core/GUI/icons/misc/T_Goose_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 329116418  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Goose_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0504. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Grenade_256x256.edds.meta

Size bytes: 359

SHA-256: b4e74f2ec9770ee19dbe513b6b386d8b2c7476b097ea42bcd22f0cd07cee92ed

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{24B849B678C32834}DayZExpansion/Core/GUI/icons/misc/T_Grenade_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Grenade_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0505. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Guitar_256x256.edds.meta
Size bytes: 357
SHA-256: 84156acb8b204e46f419f3d673539dd0ec38a2e2700aee64f82cb6c93615bce8
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{568B58EF6B19E823}DayZExpansion/Core/GUI/icons/misc/T_Guitar_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Guitar_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0506. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_256x256.edds.meta
Size bytes: 351
SHA-256: c6d0e3bbf59e80f1a7887d2c01b110e3ba21fbb39c34590b3cfd74d4b24b99e3
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{11F845A1C3E00A8B}DayZExpansion/Core/GUI/icons/misc/T_Gun_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Gun_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0507. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Gun_Bullets_256x256.edds.meta

Size bytes: 367

SHA-256: dc0108fbbbf794bdcf81294e336cba1053fe73f5189e239b837373d89a145be0

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6D98A799CB94A4BD}DayZExpansion/Core/GUI/icons/misc/T_Gun_Bullets_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Gun_Bullets_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0508. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Hammer_256x256.edds.meta

Size bytes: 357

SHA-256: 3d6d17d0daffede8c51983d28c0a6103127b4431f001b9881ba26ac75733d9e0

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{AF494AB01BD41798}DayZExpansion/Core/GUI/icons/misc/T_Hammer_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Hammer_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0509. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_HerbalMedicine_256x256.edds.meta
Size bytes: 373
SHA-256: a34499ec71739a093f23168d42f93b816ac11f0b67d64fbeb02e5cfd5899813
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{B7D985761AA69644}DayZExpansion/Core/GUI/icons/misc/T_HerbalMedicine_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 362670850  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_HerbalMedicine_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0510. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_HomeMadeGrenade_256x256.edds.meta

Size bytes: 375

SHA-256: 4f75fd129182d15e6738068cc84b0a8937e77f4f791ed63f6337c2297a767366

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{AB2A236385C6CF6A}DayZExpansion/Core/GUI/icons/misc/T_HomeMadeGrenade_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_HomeMadeGrenade_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0511. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_HumanSkull_256x256.edds.meta

Size bytes: 365

SHA-256: 158cbba91cb1bd3d17b3b7daa380df084f5fe3f8942e55a90b45376ba3f5b4ed

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{75E7657AE95B0EB6}DayZExpansion/Core/GUI/icons/misc/T_HumanSkull_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 362670850
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_HumanSkull_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0512. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Insect_256x256.edds.meta

Size bytes: 357

SHA-256: 1b37cbc3d46391ee7022f5b50d8105226a877030abadc9ceb3636f0fdd7cc4d3

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{CBA99CD1A09FA48D}DayZExpansion/Core/GUI/icons/misc/T_Insect_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Insect_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0513. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Kitchen_Knife_256x256.edds.meta

Size bytes: 371

SHA-256: 2adce7587ecef156c142a28e3bb4730d80870fdf78b0596794190254e6247cb1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{54AE64B62E6AC456}DayZExpansion/Core/GUI/icons/misc/T_Kitchen_Knife_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Kitchen_Knife_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0514. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Ladder_256x256.edds.meta

Size bytes: 357

SHA-256: dc6955755b3999af81490e0004ef18c9357303ca671338ee9a4da94116c316b7

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2694EE02A7FDB043}DayZExpansion/Core/GUI/icons/misc/T_Ladder_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Ladder_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0515. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Lantern_256x256.edds.meta

Size bytes: 359

SHA-256: 944176731c72eaff2a574d537c6cb820a04cd996dbbb502141cb04df83c74582

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C9D67647A886769B}DayZExpansion/Core/GUI/icons/misc/T_Lantern_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Lantern_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0516. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Lighter_256x256.edds.meta
Size bytes: 359
SHA-256: 61ff6e24708259163ce2cdd327fa54a4584e0b7c84f77e8c5f5c7625713d9d02
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{A51DFB93957439A9}DayZExpansion/Core/GUI/icons/misc/T_Lighter_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 396225282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Lighter_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0517. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Lizard_256x256.edds.meta

Size bytes: 357

SHA-256: cc596ac28e4d58c913b9dca113e3e01230dd8b56cb6f64f645553443db31ff61

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{955436CB47C19BE9}DayZExpansion/Core/GUI/icons/misc/T_Lizard_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Lizard_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0518. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Machette_256x256.edds.meta

Size bytes: 361

SHA-256: 73fd93d0f141efcb703c7687bb75cbcd178e1b20ff711a71db5494888de80340

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{76F6D5B6F28D7797}DayZExpansion/Core/GUI/icons/misc/T_Machette_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 396225282
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Machette_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0519. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Map_256x256.edds.meta
Size bytes: 351
SHA-256: d7f499e8d3b566e1150741e6d61854dd09b3c312a1ad3b30f1fd0d6e4341f02e
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{305FFC3F6E78D8B0}DayZExpansion/Core/GUI/icons/misc/T_Map_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 396225282  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_Map_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0520. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Matches_256x256.edds.meta

Size bytes: 359

SHA-256: 1a43c466f1b5b85440a8c44fd9b935329fd9a0c1f6b7d1f275573b6d42f35da3

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{508C889A25E7DB58}DayZExpansion/Core/GUI/icons/misc/T_Matches_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Matches_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0521. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Medic_Box_256x256.edds.meta

Size bytes: 363

SHA-256: 6fce8690d834e9e21504179e7c422330ab537a998f0fe976ea71cdb85b4625b4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6EF3E2A48F572E68}DayZExpansion/Core/GUI/icons/misc/T_Medic_Box_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Medic_Box_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0522. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Molotov_256x256.edds.meta

Size bytes: 359

SHA-256: 093ab15bc392cb58a757aldcea20275ac77fe8ca1ff8f4110d874eb609153893

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D5F7A66A291EFD7F}DayZExpansion/Core/GUI/icons/misc/T_Molotov_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Molotov_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0523. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Mushrooms_256x256.edds.meta

Size bytes: 363

SHA-256: bcd47080cd1bb9b3a7502f8e995ba5e13c9a4fca65dffe744deee5ccd5ab295d

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6C510660279C3173}DayZExpansion/Core/GUI/icons/misc/T_Mushrooms_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Mushrooms_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0524. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Nails_256x256.edds.meta

Size bytes: 355

SHA-256: 45da241a955d6ec9cdaf1645998d594dbf0ec6e98953e3d2282f2c0c6bd7c80b

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{BE57AD70B32B2BC9}DayZExpansion/Core/GUI/icons/misc/T_Nails_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Nails_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0525. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Paper_256x256.edds.meta

Size bytes: 355

SHA-256: 520e7603002db663bcc2f5d3d972d4a83983df5750ad6b56acce35967e4ab92a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{46020823AE913E16}DayZExpansion/Core/GUI/icons/misc/T_Paper_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 429779714
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Paper_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0526. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Pills_256x256.edds.meta

Size bytes: 355

SHA-256: afb86d70214e452038fbc3524715e7121b1927d95f9805f5c9ce94bd4e013dfc

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{BC3C8F3B17A3D896}DayZExpansion/Core/GUI/icons/misc/T_Pills_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Pills_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0527. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Pipe_wrench_256x256.edds.meta

Size bytes: 367

SHA-256: d681054f115b7d022a0e9ebdd6e69938ce602426b6f5daaa337ccd3fc159e6c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8A20F244723DD920}DayZExpansion/Core/GUI/icons/misc/T_Pipe_wrench_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Pipe_wrench_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0528. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Powder_256x256.edds.meta

Size bytes: 357

SHA-256: cd164a60a43c657e7a84d94335d561fd820327375caad3bb0a9076df5578bbb9

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{340988E9B0D6EE88}DayZExpansion/Core/GUI/icons/misc/T_Powder_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Powder_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0529. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Pumpkin_256x256.edds.meta

Size bytes: 359

SHA-256: 59a28b2dcd1ccb797190b06ef34128e99a8eb9b8f5a29b4a0b740a1c7d2a9948

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{29E25F1F9FF91D6B}DayZExpansion/Core/GUI/icons/misc/T_Pumpkin_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Pumpkin_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0530. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rabbit_256x256.edds.meta

Size bytes: 357

SHA-256: 5e61be5214aecbeb5359b8b299ea7c16745a375adb785a1aa022f510be936944

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C7C1EE0A17D59E13}DayZExpansion/Core/GUI/icons/misc/T_Rabbit_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Rabbit_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0531. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Raccoon_256x256.edds.meta

Size bytes: 357

SHA-256: 70127b88cecb05756f95463da45b99b61375a18dc2faa6cc5c0dd57ec793db99

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8F060E962184AA18}DayZExpansion/Core/GUI/icons/misc/T_Raccoon_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 463334146
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Raccoon_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0532. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Radio_256x256.edds.meta

Size bytes: 355

SHA-256: 1e4a7615824e6bc311bdc615c93368323be48971f26f86512dba754062a461b2

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{9AC32CE009D558C1}DayZExpansion/Core/GUI/icons/misc/T_Radio_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Radio_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0533. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rat_256x256.edds.meta

Size bytes: 351

SHA-256: ac4f8d1dc8aa5d812428c2a75dd58d4645f1a726aa5b7af16aff3810dc6b671e

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{081A46DC6D8645CD}DayZExpansion/Core/GUI/icons/misc/T_Rat_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Rat_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0534. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_01_256x256.edds.meta

Size bytes: 359

SHA-256: cd2aac1949fe6d2e799f9c5d3e5527cb39af6bfbal180147ff4abd7cb8c4d803

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{1732461615DBB967}DayZExpansion/Core/GUI/icons/misc/T_Rock_01_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Rock_01_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0535. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rock_02_256x256.edds.meta

Size bytes: 359

SHA-256: 844d77738c36fb9e37e70c0f78eaacd03a9e56f9326cec2561a51b1bf4e30f20

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6C85E239EA449F48}DayZExpansion/Core/GUI/icons/misc/T_Rock_02_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Rock_02_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0536. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Rope_256x256.edds.meta

Size bytes: 353

SHA-256: c3c1a955ab397422f6a9409fbaf90d797c46f7850301ed322916e274f5d52bd4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{F9EBF5F832A0004A}DayZExpansion/Core/GUI/icons/misc/T_Rope_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Rope_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0537. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Saw_256x256.edds.meta

Size bytes: 351

SHA-256: beeeb304b21160a7aaef003f65768ba55524c107578c2f2ccfb78a72eeaad891

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{CE2643ECD1BC096F}DayZExpansion/Core/GUI/icons/misc/T_Saw_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 496888578
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Saw_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0538. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Scrap_Metal_256x256.edds.meta

Size bytes: 367

SHA-256: eeca8bfbb13fa9320100551f7a54bc4024f423e55e66ab51c6b97d7d139d2c43

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{21C667622C569283}DayZExpansion/Core/GUI/icons/misc/T_Scrap_Metal_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Scrap_Metal_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0539. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Screwdriver_256x256.edds.meta

Size bytes: 367

SHA-256: 80819aa6fd345735425a533fd5380c7b7b79a8bd73d510f09ec03670b7c93584

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{C8227E23EC775D27}DayZExpansion/Core/GUI/icons/misc/T_Screwdriver_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Screwdriver_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0540. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_256x256.edds.meta

Size bytes: 359

SHA-256: 945707fe20e2a5c8da0e7298b7ee3cf1c8b07ed0d5fcdd53f1215f028692a7a1

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B2FB00D851963324}DayZExpansion/Core/GUI/icons/misc/T_Shotgun_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Shotgun_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0541. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Shotgun_Bullets_256x256.edds.meta

Size bytes: 375

SHA-256: bed8161cbd2cd4b75625c854eb780c017a206e17c461356f62b47aac4aa3025c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2A28860D8B455262}DayZExpansion/Core/GUI/icons/misc/T_Shotgun_Bullets_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Shotgun_Bullets_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0542. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Shovel_256x256.edds.meta
Size bytes: 357
SHA-256: 0cb5854b62dd985042aef6194e9999544c96d40cf37660342bd9a7b3462e1fb0
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0357D42F0F6B3CEE}DayZExpansion/Core/GUI/icons/misc/T_Shovel_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Shovel_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0543. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Sleeping_Bag_256x256.edds.meta

Size bytes: 369

SHA-256: e295fcc1cbfe37de0927e1d1142c06cdf0c9dc32caafa2733ff8474d35eb8fdd

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{34565E58ABE52491}DayZExpansion/Core/GUI/icons/misc/T_Sleeping_Bag_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 530443010
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Sleeping_Bag_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0544. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Slingshot_256x256.edds.meta

Size bytes: 363

SHA-256: cbcbbd18d3d254dffe7268e41f3d76cdb079bfa32b1c35cca9ffb2f7a85dale

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{005E7775B78915A3}DayZExpansion/Core/GUI/icons/misc/T_Slingshot_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Slingshot_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0545. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Soda_256x256.edds.meta

Size bytes: 353

SHA-256: 28f817fc4979d4b92d8160592a99407d8681c6de29553912210e494bc6ed7bae

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{00FA9CC975619AD5}DayZExpansion/Core/GUI/icons/misc/T_Soda_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Soda_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0546. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Soldier_256x256.edds.meta

Size bytes: 360

SHA-256: 32fa7762df0fe4ed46a9058dedalec472edc4e309b36a596dbef1e25e5e77be4

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{3364F58EF7F7FBE3}DayZExpansion/Core/GUI/icons/misc/T_Soldier_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1270574387
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Soldier_256x256.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0547. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Tent_256x256.edds.meta

Size bytes: 353

SHA-256: ec3b4bb053a16e604722146a5f7893f1f35c6e1894b18efc0298bac4195a7cc7

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{42C574D247FC030D}DayZExpansion/Core/GUI/icons/misc/T_Tent_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Tent_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0548. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Three_Stick_256x256.edds.meta

Size bytes: 367

SHA-256: a0e1b13462f80f8764dbf9a8a03f16c00cece45a293b49f62e4fc39a506ddf4c

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6F0F5345206847F0}DayZExpansion/Core/GUI/icons/misc/T_Three_Stick_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Three_Stick_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0549. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Wakie-Talkie_256x256.edds.meta

Size bytes: 369

SHA-256: 2f0f8ade56ce70f0ba0519d94b5d314e0884fdeaaae2fb4e5e12f401154cf141

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0A89BEAE6091772B}DayZExpansion/Core/GUI/icons/misc/T_Wakie-Talkie_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Wakie-Talkie_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0550. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_WaterJug_256x256.edds.meta

Size bytes: 361

SHA-256: fb60a9204318280c7309a1d24f3abd4d0289c0bfd49c15ad4baa3ed53e5ee6d9

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{8E55FD6657E8AAF4}DayZExpansion/Core/GUI/icons/misc/T_WaterJug_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 563997442
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_WaterJug_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0551. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_WildPork_256x256.edds.meta
Size bytes: 361
SHA-256: 6a2e0ff5d1127f48763ad9806543df8f18f6b7f5894eb101f32e652f3f
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{99903F0C31821F80}DayZExpansion/Core/GUI/icons/misc/T_WildPork_256x256.edds"  
000003 |   Author "desktop-e8g26fa"  
000004 |   ChangeDate 563997442  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "T_WildPork_256x256.TGA"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0552. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\T_Worms_256x256.edds.meta

Size bytes: 355

SHA-256: b1a69151aafbd012db43d01a771f8e95c9443a39fbf0556b26a86bb1a5fd745a

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{B81336BD53B413AE}DayZExpansion/Core/GUI/icons/misc/T_Worms_256x256.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 597551874
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "T_Worms_256x256.TGA"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0553. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\trashcan.edds.meta
Size bytes: 335
SHA-256: c2e719170e3a8e2a3ce6e37e635875c1a4a243d5a88f70d30184ab6252c04a54
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{29CDD06CB5E01B7B}DayZExpansion/Core/GUI/icons/misc/trashcan.edds"  
000003 |   Author "monolith"  
000004 |   ChangeDate -428610446  
000005 |   Configurations {  
000006 |     PNGResourceClass PC {  
000007 |       SourceFile "trashcan.png"  
000008 |     }  
000009 |     PNGResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     PNGResourceClass PS4 : PC {  
000012 |     }  
000013 |     PNGResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0554. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: icons\misc\trashcan_checkmark.edds.meta

Size bytes: 356

SHA-256: a0eda798cd04c1f42d2657ac45385b0b5cbe9a2a26cd0c657d326b5f6bb92330

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{6BB6176A8A8FF22D}DayZExpansion/Core/GUI/icons/misc/trashcan_checkmark.edds"
000003 |   Author "monolith"
000004 |   ChangeDate -1223938958
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "trashcan_checkmark.png"
000008 |     }
000009 |     PNGResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```


0555. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\arrows.edds.meta
Size bytes: 340
SHA-256: e5f8413dec4dbffcaccc5b4ac427796be3da131c2d8c78871ecc7702950205e9
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{274CA77753CBE9CB}DayZExpansion/Core/GUI/imagesets/arrows.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate 1285924496  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "arrows.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0556. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_gui.edds.meta
Size bytes: 355
SHA-256: 9a49e9b9535919dc76257385384477e8c1b06ded9d195d92f1d895658964cb21
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5FEBF09F339EDD88}DayZExpansion/Core/GUI/imagesets/expansion_gui.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate -1932843632  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "expansion_gui.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0557. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_iconset.edds.meta

Size bytes: 429

SHA-256: 8cdb6c39e708b0306ebbb4c4769d9ff6295712bf74330d82565aea5151b13e79

Decoded as: utf-8-sig

Line count shown: 19

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5A5F526F8FCAD6DC}DayZExpansion/Core/GUI/imagesets/expansion_iconset.tga"
000003 |   Author "Steve aka Salutesh"
000004 |   ChangeDate -1196774520
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "expansion_iconset.tga"
000008 |       FormatCompress Copy
000009 |       ConversionQuality 1
000010 |       TiledTexture 0
000011 |     }
000012 |     TGAResourceClass XBOX_ONE : PC {
000013 |     }
000014 |     TGAResourceClass PS4 : PC {
000015 |     }
000016 |     TGAResourceClass LINUX : PC {
000017 |     }
000018 |   }
000019 | }
```

0558. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_inventory.edds.meta

Size bytes: 362

SHA-256: f9ad2ab7df3bac5692d0df3da6cb8301a4cc00c3ebef4c7ca1d82f1ea2e6cddb

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{2BC6CC987430C5AA}DayZExpansion/Core/GUI/imagesets/expansion_inventory.tga"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate -517263741
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "expansion_inventory.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0559. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_mod_imageset.edds.meta

Size bytes: 369

SHA-256: 41af7045774f4e1f55deea332bc0c7b3807472e8a248ee3d516293095f46fa3f

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{FB43C9E1B3773EF1}DayZExpansion/Core/GUI/imagesets/expansion_mod_imageset.edds"
000003 |   Author "desktop-e8g26fa"
000004 |   ChangeDate 1022717077
000005 |   Configurations {
000006 |     PNGResourceClass PC {
000007 |       SourceFile "expansion_mod_imageset.png"
000008 |     }
000009 |     PNGResourceClass XBOX_ONE : PC {
000010 |     }
000011 |     PNGResourceClass PS4 : PC {
000012 |     }
000013 |     PNGResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0560. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_notification_iconset.edds.meta

Size bytes: 387

SHA-256: f0888c5f9779478b689b0d4a15de7000de7a5117a28d15baea2ec8dec8cdc3df

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{750E47D66C23ECD8}DayZExpansion/Core/GUI/imagesets/expansion_notification_iconset.edds"
000003 |   Author "Steve aka Salutesh"
000004 |   ChangeDate 652928858
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "expansion_notification_iconset.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0561. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: imagesets\expansion_widgets.edds.meta

Size bytes: 360

SHA-256: 3caa61ca210000885440e8e2faa1be380436ecb32cb0f18bf79087584e7f6c6d

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{D3F379EEE4E42B33}DayZExpansion/Core/GUI/imagesets/expansion_widgets.edds"
000003 |   Author "Steve aka Salutesh"
000004 |   ChangeDate 75361004
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "expansion_widgets.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0562. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_debug.layout
Size bytes: 293
SHA-256: 58c81f0c50267585319787d8476d3896112119f19c71334e133c4facda202452
Decoded as: utf-8-sig
Line count shown: 17

Full file content

```
000001 | TextWidgetClass expansion_debug_text {  
000002 |   clipchildren 0  
000003 |   ignorepointer 1  
000004 |   size 0 16  
000005 |   hexactpos 1  
000006 |   vexactpos 1  
000007 |   hexactsiz 1  
000008 |   vexactsiz 1  
000009 |   priority 1  
000010 |   style Normal  
000011 |   text " "  
000012 |   font "gui/fonts/system"  
000013 |   "exact text" 1  
000014 |   "size to text h" 0  
000015 |   "size to text v" 0  
000016 |   "text valign" center  
000017 | }
```


0563. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_inventory_tidy.layout
Size bytes: 815
SHA-256: 5d33696763091941e4673cc7efb8b51ce20f6b08a577cec1e889a9615565ce3a
Decoded as: utf-8-sig
Line count shown: 44

Full file content

```
000001 | PanelWidgetClass TidyPanel {
000002 |   ignorepointer 1
000003 |   position 43 0
000004 |   size 29 29
000005 |   halign right_ref
000006 |   valign center_ref
000007 |   hexactpos 1
000008 |   vexactpos 1
000009 |   hexactsize 1
000010 |   vexactsize 1
000011 |   style blank
000012 | {
000013 |   ButtonWidgetClass TidyBtn {
000014 |     position 0 0
000015 |     size 1 1
000016 |     halign right_ref
000017 |     valign center_ref
000018 |     hexactpos 1
000019 |     vexactpos 1
000020 |     hexactsize 0
000021 |     vexactsize 0
000022 |     style Empty
000023 |     {
000024 |       ImageWidgetClass TidyBtnIcon {
000025 |         ignorepointer 1
000026 |         position 0 0
000027 |         size 17 17
000028 |         halign center_ref
000029 |         valign center_ref
000030 |         hexactpos 1
000031 |         vexactpos 1
000032 |         hexactsize 1
000033 |         vexactsize 1
000034 |         imageTexture "{27505255AD921029}DayZExpansion/Core/GUI/icons/hud/sort_simple_64x64.edds"
000035 |         mode blend
000036 |         "src alpha" 1
000037 |         "clamp mode" clamp
000038 |         "stretch mode" stretch_w_h
000039 |       }
000040 |     }
000041 |   }
000042 | }
000043 | }
000044 | }
```

0564. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_activity.layout

Size bytes: 5324

SHA-256: 8044a2ede67bac6470775a27971fc01976d74294f5ac8c6c23d9b29cb32c7492

Decoded as: utf-8-sig

Line count shown: 242

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewActivity {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.25 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsize 0
000012 |     vexactsize 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewActivityController"
000017 |     style Colorable
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsize 0
000032 |             vexactsize 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationElement {
000044 |                     inheritalpha 0
000045 |                     ignorepointer 1
000046 |                     keepsafezone 0
000047 |                     position 0 0
000048 |                     size 1 1
000049 |                     hexactpos 1
000050 |                     vexactpos 1
000051 |                     hexactsize 0
```

```
000052 | vexactsize 0
000053 | scaled 1
000054 | draggable 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | "Size To Content H" 1
000060 | "Size To Content V" 1
000061 | content_valign center
000062 | Columns 1
000063 | {
000064 |   GridSpacerWidgetClass TopSpacer {
000065 |     inheritalpha 0
000066 |     ignorepointer 1
000067 |     position 0 0
000068 |     size 1 0.08
000069 |     hexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     style Empty
000074 |     Padding 0
000075 |     Margin 0
000076 |     "Size To Content H" 1
000077 |     "Size To Content V" 1
000078 |     Columns 2
000079 |     Rows 1
000080 |     {
000081 |       PanelWidgetClass NotificationIconPanel {
000082 |         ignorepointer 1
000083 |         position 10 10
000084 |         size 26 26
000085 |         hexactpos 1
000086 |         vexactpos 1
000087 |         hexactsize 1
000088 |         vexactsize 1
000089 |         "no focus" 1
000090 |         {
000091 |           ImageWidgetClass NotificationIcon {
000092 |             visible 1
000093 |             ignorepointer 1
000094 |             position 0 0
000095 |             size 24 24
000096 |             halign center_ref
000097 |             valign center_ref
000098 |             hexactpos 1
000099 |             vexactpos 1
000100 |             hexactsize 1
000101 |             vexactsize 1
000102 |             fixaspect fixwidth
000103 |             scriptclass "ViewBinding"
000104 |             image0 ""
000105 |             mode blend
000106 |             "src alpha" 1
000107 |             "clamp mode" clamp
000108 |             "stretch mode" stretch_w_h
000109 |             {
000110 |               ScriptParamsClass {
000111 |                 Binding_Name "NotificationIcon"
000112 |               }
000113 |             }
```

```
000114 |     }
000115 |     }
000116 | }
000117 | RichTextWidgetClass NotificationTitle {
000118 |     visible 1
000119 |     inheritalpha 0
000120 |     ignorepointer 1
000121 |     position 0 0
000122 |     size 1 1
000123 |     hexactpos 1
000124 |     vexactpos 1
000125 |     hexactsize 0
000126 |     vexactsize 0
000127 |     scriptclass "ViewBinding"
000128 |     style DayZNormal
000129 |     font "gui/fonts/sdf_MetronBook24"
000130 |     "bold text" 1
000131 |     "exact text" 1
000132 |     "exact text size" 14
000133 |     "size to text h" 1
000134 |     "size to text v" 1
000135 |     "text valign" center
000136 |     wrap 1
000137 |     {
000138 |         ScriptParamsClass {
000139 |             Binding_Name "NotificationTitle"
000140 |         }
000141 |     }
000142 | }
000143 | }
000144 | }
000145 | GridSpacerWidgetClass NotificationColorSpacer {
000146 |     visible 1
000147 |     disabled 1
000148 |     inheritalpha 0
000149 |     ignorepointer 1
000150 |     keepsafezone 0
000151 |     position 0 0
000152 |     size 1 2
000153 |     hexactpos 1
000154 |     vexactpos 1
000155 |     hexactsize 0
000156 |     vexactsize 1
000157 |     style Empty
000158 |     "no focus" 1
000159 |     Padding 0
000160 |     Margin 0
000161 |     Columns 1
000162 |     Rows 1
000163 |     {
000164 |         PanelWidgetClass NotificationColor {
000165 |             visible 1
000166 |             disabled 1
000167 |             ignorepointer 1
000168 |             color 1 1 1 0.4706
000169 |             position 5 0
000170 |             size 1 1
000171 |             hexactpos 1
000172 |             vexactpos 1
000173 |             hexactsize 0
000174 |             vexactsize 0
000175 |             scaled 1
```

```
000176 |         fixaspect fixwidth
000177 |         style rover_sim_colorable
000178 |     }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |     visible 1
000183 |     ignorepointer 1
000184 |     color 1 1 1 0.9961
000185 |     position 0 0
000186 |     size 1 0.08
000187 |     hexactpos 1
000188 |     vexactpos 1
000189 |     hexactsize 0
000190 |     vexactsize 0
000191 |     style Empty
000192 |     "no focus" 1
000193 |     Padding 0
000194 |     Margin 0
000195 |     "Size To Content H" 1
000196 |     "Size To Content V" 1
000197 |     Columns 2
000198 |     Rows 1
000199 |     {
000200 |         WrapSpacerWidgetClass NotificationTextSpacer {
000201 |             visible 1
000202 |             ignorepointer 1
000203 |             position 0 0
000204 |             size 26 1
000205 |             hexactpos 1
000206 |             vexactpos 1
000207 |             hexactsize 1
000208 |             vexactsize 1
000209 |             style Empty
000210 |         }
000211 |         RichTextWidgetClass NotificationText {
000212 |             visible 1
000213 |             inheritalpha 0
000214 |             ignorepointer 1
000215 |             position 0 0
000216 |             size 1 1
000217 |             hexactpos 1
000218 |             vexactpos 1
000219 |             hexactsize 0
000220 |             vexactsize 0
000221 |             scriptclass "ViewBinding"
000222 |             font "gui/fonts/sdf_MetronBook24"
000223 |             "exact text" 1
000224 |             "exact text size" 14
000225 |             "size to text h" 1
000226 |             "size to text v" 1
000227 |             "text valign" center
000228 |             wrap 1
000229 |             {
000230 |                 ScriptParamsClass {
000231 |                     Binding_Name "NotificationText"
000232 |                 }
000233 |             }
000234 |         }
000235 |     }
000236 | }
000237 | }
```

```
000238 |    }
000239 |    }
000240 |    }
000241 |    }
000242 | }
```

0565. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_baguette.layout
Size bytes: 5873
SHA-256: a39fef349f5b93970f110496b8c40cdd803d8729e07dd4cf9e5ace73b2ba0d85
Decoded as: utf-8-sig
Line count shown: 266

Full file content

```
000001 | GridSpacerWidgetClass ExpansionNotificationViewBaguette {
000002 |   inheritalpha 0
000003 |   color 0.1059 0.1059 0.1059 0.4706
000004 |   position 0 0
000005 |   size 1 32
000006 |   hexactpos 1
000007 |   vexactpos 1
000008 |   hexactsize 0
000009 |   vexactsize 1
000010 |   scriptclass "ExpansionNotificationViewBaguetteController"
000011 |   style Colorable
000012 |   Padding 0
000013 |   Margin 0
000014 |   "Size To Content V" 1
000015 |   Columns 1
000016 |   Rows 1
000017 |   {
000018 |     GridSpacerWidgetClass Notification {
000019 |       inheritalpha 0
000020 |       ignorepointer 1
000021 |       keepsafezone 0
000022 |       position 0 0
000023 |       size 1 1
000024 |       hexactpos 1
000025 |       vexactpos 1
000026 |       hexactsize 0
000027 |       vexactsize 0
000028 |       scaled 1
000029 |       draggable 0
000030 |       style Empty
000031 |       "no focus" 1
000032 |       Padding 0
000033 |       Margin 0
000034 |       "Size To Content H" 1
000035 |       "Size To Content V" 1
000036 |       Rows 1
000037 |       {
000038 |         GridSpacerWidgetClass NotificationElement {
000039 |           inheritalpha 0
000040 |           ignorepointer 1
000041 |           keepsafezone 0
000042 |           position 0 0
000043 |           size 1 1
000044 |           hexactpos 1
000045 |           vexactpos 1
000046 |           hexactsize 0
000047 |           vexactsize 0
000048 |           scaled 1
000049 |           draggable 0
000050 |           style Empty
000051 |           "no focus" 1
```

```
000052 | Padding 0
000053 | Margin 0
000054 | "Size To Content H" 1
000055 | "Size To Content V" 1
000056 | content_valign center
000057 | Columns 1
000058 | {
000059 |   GridSpacerWidgetClass TopSpacer {
000060 |     inheritalpha 0
000061 |     ignorepointer 1
000062 |     position 0 0
000063 |     size 1 0.08
000064 |     hexactpos 1
000065 |     vexactpos 1
000066 |     hexactsize 0
000067 |     vexactsize 0
000068 |     style Empty
000069 |     Padding 0
000070 |     Margin 0
000071 |     "Size To Content H" 1
000072 |     "Size To Content V" 1
000073 |     Columns 2
000074 |     Rows 1
000075 |     {
000076 |       PanelWidgetClass NotificationIconPanel {
000077 |         ignorepointer 1
000078 |         position 10 10
000079 |         size 34 34
000080 |         hexactpos 1
000081 |         vexactpos 1
000082 |         hexactsize 1
000083 |         vexactsize 1
000084 |         "no focus" 1
000085 |         {
000086 |           ImageWidgetClass NotificationIcon {
000087 |             visible 1
000088 |             ignorepointer 1
000089 |             position 0 0
000090 |             size 32 32
000091 |             halign center_ref
000092 |             valign center_ref
000093 |             hexactpos 1
000094 |             vexactpos 1
000095 |             hexactsize 1
000096 |             vexactsize 1
000097 |             fixaspect fixwidth
000098 |             scriptclass "ViewBinding"
000099 |             image0 ""
000100 |             mode blend
000101 |             "src alpha" 1
000102 |             "clamp mode" clamp
000103 |             "stretch mode" stretch_w_h
000104 |             {
000105 |               ScriptParamsClass {
000106 |                 Binding_Name "NotificationIcon"
000107 |               }
000108 |             }
000109 |           }
000110 |         }
000111 |       }
000112 |     }
000113 |   RichTextWidgetClass NotificationTitle {
000114 |     visible 1
```



```
000114 |         inheritalpha 0
000115 |         ignorepointer 1
000116 |         position 0 0
000117 |         size 1 1
000118 |         hexactpos 1
000119 |         vexactpos 1
000120 |         hexactsize 0
000121 |         vexactsize 0
000122 |         scriptclass "ViewBinding"
000123 |         style DayZNormal
000124 |         font "gui/fonts/sdf_MetronBook24"
000125 |         "bold text" 1
000126 |         "exact text" 1
000127 |         "exact text size" 20
000128 |         "size to text h" 1
000129 |         "size to text v" 1
000130 |         "text valign" center
000131 |         wrap 1
000132 |         {
000133 |             ScriptParamsClass {
000134 |                 Binding_Name "NotificationTitle"
000135 |             }
000136 |         }
000137 |     }
000138 | }
000139 | }
000140 | GridSpacerWidgetClass NotificationColorSpacer {
000141 |     visible 1
000142 |     disabled 1
000143 |     inheritalpha 0
000144 |     ignorepointer 1
000145 |     keepsafezone 0
000146 |     position 0 0
000147 |     size 1 5
000148 |     hexactpos 1
000149 |     vexactpos 1
000150 |     hexactsize 0
000151 |     vexactsize 1
000152 |     style Empty
000153 |     "no focus" 1
000154 |     Padding 0
000155 |     Margin 0
000156 |     Columns 1
000157 |     Rows 1
000158 |     {
000159 |         PanelWidgetClass NotificationColor {
000160 |             visible 1
000161 |             disabled 1
000162 |             ignorepointer 1
000163 |             color 1 1 1 0.4706
000164 |             position 5 0
000165 |             size 1 1
000166 |             hexactpos 1
000167 |             vexactpos 1
000168 |             hexactsize 0
000169 |             vexactsize 0
000170 |             scaled 1
000171 |             fixaspect fixwidth
000172 |             style rover_sim_colorable
000173 |         }
000174 |     }
000175 | }
```

```
000176 | GridSpacerWidgetClass BottomSpacer {
000177 |     visible 1
000178 |     ignorepointer 1
000179 |     color 1 1 1 0.9961
000180 |     position 0 0
000181 |     size 1 0.08
000182 |     hexactpos 1
000183 |     vexactpos 1
000184 |     hexactsize 0
000185 |     vexactsize 0
000186 |     style Empty
000187 |     "no focus" 1
000188 |     Padding 0
000189 |     Margin 0
000190 |     "Size To Content H" 1
000191 |     "Size To Content V" 1
000192 |     Columns 2
000193 |     Rows 1
000194 |     {
000195 |         WrapSpacerWidgetClass NotificationTextSpacer {
000196 |             visible 1
000197 |             ignorepointer 1
000198 |             position 0 0
000199 |             size 34 1
000200 |             hexactpos 1
000201 |             vexactpos 1
000202 |             hexactsize 1
000203 |             vexactsize 0
000204 |             style Empty
000205 |         }
000206 |         RichTextWidgetClass NotificationText {
000207 |             visible 1
000208 |             inheritalpha 0
000209 |             ignorepointer 1
000210 |             position 0 0
000211 |             size 1 1
000212 |             hexactpos 1
000213 |             vexactpos 1
000214 |             hexactsize 0
000215 |             vexactsize 0
000216 |             scriptclass "ViewBinding"
000217 |             font "gui/fonts/sdf_MetronBook24"
000218 |             "exact text" 1
000219 |             "exact text size" 16
000220 |             "size to text h" 1
000221 |             "size to text v" 1
000222 |             "text valign" center
000223 |             wrap 1
000224 |             {
000225 |                 ScriptParamsClass {
000226 |                     Binding_Name "NotificationText"
000227 |                 }
000228 |             }
000229 |         }
000230 |     }
000231 | }
000232 | WrapSpacerWidgetClass FotterSpacer {
000233 |     visible 1
000234 |     ignorepointer 1
000235 |     color 1 1 1 0.9961
000236 |     position 0 0
000237 |     size 1 0.116
```

```
000238 |      hexactpos 1
000239 |      vexactpos 1
000240 |      hexactsize 0
000241 |      vexactsize 0
000242 |      style Empty
000243 |      "no focus" 1
000244 |      Padding 0
000245 |      Margin 0
000246 |      "Size To Content H" 1
000247 |      "Size To Content V" 1
000248 |      {
000249 |      PanelWidgetClass Spacer1 {
000250 |      ignorepointer 1
000251 |      position 11 6
000252 |      size 1 5
000253 |      hexactpos 1
000254 |      vexactpos 1
000255 |      hexactsize 0
000256 |      vexactsize 1
000257 |      "no focus" 1
000258 |      }
000259 |      }
000260 |      }
000261 |      }
000262 |      }
000263 |      }
000264 |      }
000265 |      }
000266 |      }
```

0566. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_hud.layout
Size bytes: 4254
SHA-256: a82cf581cfca0a507f9eea49635475272d098270d34a1225a6eb1600b120bbbe
Decoded as: utf-8-sig
Line count shown: 230

Full file content

```
000001 | PanelWidgetClass ExpansionNotificationHUD {
000002 |     visible 1
000003 |     disabled 0
000004 |     clipchildren 1
000005 |     inheritalpha 0
000006 |     ignorepointer 1
000007 |     keepsafezone 1
000008 |     position 0 0
000009 |     size 1 1
000010 |     halign center_ref
000011 |     valign center_ref
000012 |     hexactpos 1
000013 |     vexactpos 1
000014 |     hexactsize 0
000015 |     vexactsize 0
000016 |     scaled 1
000017 |     priority 900
000018 |     draggable 0
000019 |     scriptclass "ExpansionNotificationHUDController"
000020 | {
000021 |     PanelWidgetClass ToastsContent {
000022 |         visible 1
000023 |         disabled 0
000024 |         clipchildren 1
000025 |         inheritalpha 0
000026 |         ignorepointer 1
000027 |         keepsafezone 1
000028 |         position 52 36
000029 |         size 0.25 0.9
000030 |         hexactpos 1
000031 |         vexactpos 1
000032 |         hexactsize 0
000033 |         vexactsize 0
000034 |         scaled 1
000035 |         draggable 0
000036 |         "no focus" 1
000037 |     {
000038 |         WrapSpacerWidgetClass ToastsGrid {
000039 |             clipchildren 1
000040 |             ignorepointer 1
000041 |             keepsafezone 1
000042 |             position 0 0
000043 |             size 1 1
000044 |             hexactpos 1
000045 |             vexactpos 1
000046 |             hexactsize 0
000047 |             vexactsize 0
000048 |             scriptclass "ViewBinding"
000049 |             style Empty
000050 |             "no focus" 1
000051 |             Padding 5
```

```
000052 |     Margin 0
000053 |     "Size To Content V" 1
000054 |     {
000055 |         ScriptParamsClass {
000056 |             Binding_Name "NotificationToastElements"
000057 |         }
000058 |     }
000059 | }
000060 | }
000061 | }
000062 | PanelWidgetClass BaguetteContent {
000063 |     visible 1
000064 |     disabled 0
000065 |     clipchildren 1
000066 |     inheritalpha 0
000067 |     ignorepointer 1
000068 |     keepsafezone 1
000069 |     position 0 102
000070 |     size 0.4 0.9
000071 |     halign center_ref
000072 |     hexactpos 1
000073 |     vexactpos 1
000074 |     hexactsize 0
000075 |     vexactsize 0
000076 |     scaled 1
000077 |     draggable 0
000078 |     "no focus" 1
000079 |     {
000080 |         WrapSpacerWidgetClass BaguetteGrid {
000081 |             clipchildren 1
000082 |             ignorepointer 1
000083 |             keepsafezone 1
000084 |             position 0 0
000085 |             size 1 1
000086 |             hexactpos 1
000087 |             vexactpos 1
000088 |             hexactsize 0
000089 |             vexactsize 0
000090 |             scriptclass "ViewBinding"
000091 |             style Colorable
000092 |             "no focus" 1
000093 |             {
000094 |                 ScriptParamsClass {
000095 |                     Binding_Name "NotificationBaguetteElements"
000096 |                 }
000097 |             }
000098 |         }
000099 |     }
000100 | }
000101 | PanelWidgetClass KillfeedsContent {
000102 |     visible 1
000103 |     disabled 0
000104 |     clipchildren 1
000105 |     inheritalpha 0
000106 |     ignorepointer 1
000107 |     keepsafezone 1
000108 |     position 52 36
000109 |     size 0.25 0.9
000110 |     halign right_ref
000111 |     hexactpos 1
000112 |     vexactpos 1
000113 |     hexactsize 0
```

```
000114 | vexactsize 0
000115 | scaled 1
000116 | draggable 0
000117 | "no focus" 1
000118 | {
000119 |   WrapSpacerWidgetClass KillfeedsGrid {
000120 |     clipchildren 1
000121 |     ignorepointer 1
000122 |     keepsafezone 1
000123 |     position 0 0
000124 |     size 1 1
000125 |     halign right_ref
000126 |     hexactpos 1
000127 |     vexactpos 1
000128 |     hexactsize 0
000129 |     vexactsize 0
000130 |     scriptclass "ViewBinding"
000131 |     style Empty
000132 |     "no focus" 1
000133 |     Padding 5
000134 |     Margin 0
000135 |     "Size To Content V" 1
000136 |     {
000137 |       ScriptParamsClass {
000138 |         Binding_Name "NotificationKillfeedElements"
000139 |       }
000140 |     }
000141 |   }
000142 | }
000143 | }
000144 | PanelWidgetClass MarketContent {
000145 |   visible 1
000146 |   disabled 0
000147 |   clipchildren 1
000148 |   inheritalpha 0
000149 |   ignorepointer 1
000150 |   keepsafezone 1
000151 |   position 15 345
000152 |   size 0.2 0.31
000153 |   halign right_ref
000154 |   hexactpos 1
000155 |   vexactpos 1
000156 |   hexactsize 0
000157 |   vexactsize 0
000158 |   scaled 1
000159 |   draggable 0
000160 |   "no focus" 1
000161 |   {
000162 |     WrapSpacerWidgetClass MarketGrid {
000163 |       clipchildren 1
000164 |       ignorepointer 1
000165 |       keepsafezone 1
000166 |       position 0 0
000167 |       size 1 3.89025
000168 |       hexactpos 1
000169 |       vexactpos 1
000170 |       hexactsize 0
000171 |       vexactsize 0
000172 |       scriptclass "ViewBinding"
000173 |       style Empty
000174 |       "no focus" 1
000175 |       Padding 5
```

```
000176 |      Margin 0
000177 |      "Size To Content V" 1
000178 |      {
000179 |          ScriptParamsClass {
000180 |              Binding_Name "NotificationMarketElements"
000181 |          }
000182 |      }
000183 |  }
000184 | }
000185 | }
000186 | PanelWidgetClass ActivityContent {
000187 |     visible 1
000188 |     disabled 0
000189 |     clipchildren 1
000190 |     inheritalpha 0
000191 |     ignorepointer 1
000192 |     keepsafezone 1
000193 |     position 28 130
000194 |     size 0.15 0.8
000195 |     halign right_ref
000196 |     valign bottom_ref
000197 |     hexactpos 1
000198 |     vexactpos 1
000199 |     hexactsize 0
000200 |     vexactsize 0
000201 |     scaled 1
000202 |     draggable 0
000203 |     "no focus" 1
000204 |     {
000205 |         WrapSpacerWidgetClass ActivityGrid {
000206 |             clipchildren 1
000207 |             ignorepointer 1
000208 |             keepsafezone 1
000209 |             size 1 1
000210 |             valign bottom_ref
000211 |             hexactpos 1
000212 |             vexactpos 1
000213 |             hexactsize 0
000214 |             vexactsize 0
000215 |             scriptclass "ViewBinding"
000216 |             style Empty
000217 |             "no focus" 1
000218 |             Padding 5
000219 |             Margin 0
000220 |             content_valign bottom
000221 |             {
000222 |                 ScriptParamsClass {
000223 |                     Binding_Name "NotificationActivityElements"
000224 |                 }
000225 |             }
000226 |         }
000227 |     }
000228 | }
000229 | }
000230 | }
```

0567. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_killfeed.layout
Size bytes: 5915
SHA-256: 639db0b65dfe5230626637c233f3362a6eb6bc70c6842901e631fdaa9415ebdf
Decoded as: utf-8-sig
Line count shown: 274

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewKillfeed {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.25 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsiz 0
000012 |     vexactsiz 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewKillfeedController"
000017 |     style DayZDefaultPanelRight
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsiz 0
000032 |             vexactsiz 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationColorSpacer {
000044 |                     visible 1
000045 |                     disabled 1
000046 |                     inheritalpha 0
000047 |                     ignorepointer 1
000048 |                     keepsafezone 0
000049 |                     position 0 0
000050 |                     size 0.01 1
000051 |                     hexactpos 1
```



```
000052 | vexactpos 1
000053 | hexactsize 0
000054 | vexactsize 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | Columns 1
000060 | Rows 1
000061 | {
000062 |   PanelWidgetClass NotificationColor {
000063 |     visible 1
000064 |     disabled 1
000065 |     ignorepointer 1
000066 |     color 1 1 1 0.4706
000067 |     position 5 0
000068 |     size 1 1
000069 |     vexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     scaled 1
000074 |     fixaspect fixwidth
000075 |     style rover_sim_colorable
000076 |   }
000077 | }
000078 | }
000079 | GridSpacerWidgetClass NotificationElement {
000080 |   inheritalpha 0
000081 |   ignorepointer 1
000082 |   keepsafezone 0
000083 |   position 0 0
000084 |   size 0.98 1
000085 |   vexactpos 1
000086 |   vexactpos 1
000087 |   hexactsize 0
000088 |   vexactsize 0
000089 |   scaled 1
000090 |   draggable 0
000091 |   style Empty
000092 |   "no focus" 1
000093 |   Padding 0
000094 |   Margin 0
000095 |   "Size To Content H" 1
000096 |   "Size To Content V" 1
000097 |   content_valign center
000098 |   Columns 1
000099 | {
000100 |   GridSpacerWidgetClass TopSpacer {
000101 |     inheritalpha 0
000102 |     ignorepointer 1
000103 |     position 0 0
000104 |     size 1 0.08
000105 |     vexactpos 1
000106 |     vexactpos 1
000107 |     hexactsize 0
000108 |     vexactsize 0
000109 |     style Empty
000110 |     Padding 0
000111 |     Margin 0
000112 |     "Size To Content H" 1
000113 |     "Size To Content V" 1
```

```
000114 | Columns 2
000115 | Rows 1
000116 | {
000117 |   PanelWidgetClass NotificationIconPanel {
000118 |     ignorepointer 1
000119 |     position 10 10
000120 |     size 34 34
000121 |     hexactpos 1
000122 |     vexactpos 1
000123 |     hexactsize 1
000124 |     vexactsize 1
000125 |     "no focus" 1
000126 |     {
000127 |       ImageWidgetClass NotificationIcon {
000128 |         visible 1
000129 |         ignorepointer 1
000130 |         position 0 0
000131 |         size 32 32
000132 |         halign center_ref
000133 |         valign center_ref
000134 |         hexactpos 1
000135 |         vexactpos 1
000136 |         hexactsize 1
000137 |         vexactsize 1
000138 |         fixaspect fixwidth
000139 |         scriptclass "ViewBinding"
000140 |         image0 ""
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         {
000146 |           ScriptParamsClass {
000147 |             Binding_Name "NotificationIcon"
000148 |           }
000149 |         }
000150 |       }
000151 |     }
000152 |   }
000153 |   RichTextWidgetClass NotificationTitle {
000154 |     visible 1
000155 |     inheritalpha 0
000156 |     ignorepointer 1
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsize 0
000162 |     vexactsize 0
000163 |     scriptclass "ViewBinding"
000164 |     style DayZNormal
000165 |     font "gui/fonts/sdf_MetronBook24"
000166 |     "bold text" 1
000167 |     "exact text" 1
000168 |     "exact text size" 20
000169 |     "size to text h" 1
000170 |     "size to text v" 1
000171 |     "text valign" center
000172 |     wrap 1
000173 |     {
000174 |       ScriptParamsClass {
000175 |         Binding_Name "NotificationTitle"
```

```
000176 |     }
000177 |   }
000178 | }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |   visible 1
000183 |   ignorepointer 1
000184 |   color 1 1 1 0.9961
000185 |   position 0 0
000186 |   size 1 0.08
000187 |   hexactpos 1
000188 |   vexactpos 1
000189 |   hexactsize 0
000190 |   vexactsize 0
000191 |   style Empty
000192 |   "no focus" 1
000193 |   Padding 0
000194 |   Margin 0
000195 |   "Size To Content H" 1
000196 |   "Size To Content V" 1
000197 |   Columns 2
000198 |   Rows 1
000199 |   {
000200 |     WrapSpacerWidgetClass NotificationTextSpacer {
000201 |       visible 1
000202 |       ignorepointer 1
000203 |       position 0 0
000204 |       size 34 1
000205 |       hexactpos 1
000206 |       vexactpos 1
000207 |       hexactsize 1
000208 |       vexactsize 0
000209 |     }
000210 |     RichTextWidgetClass NotificationText {
000211 |       visible 1
000212 |       inheritalpha 0
000213 |       ignorepointer 1
000214 |       position 0 0
000215 |       size 1 1
000216 |       hexactpos 1
000217 |       vexactpos 1
000218 |       hexactsize 0
000219 |       vexactsize 0
000220 |       scriptclass "ViewBinding"
000221 |       font "gui/fonts/sdf_MetronBook24"
000222 |       "exact text" 1
000223 |       "exact text size" 16
000224 |       "size to text h" 1
000225 |       "size to text v" 1
000226 |       "text valign" center
000227 |       wrap 1
000228 |       {
000229 |         ScriptParamsClass {
000230 |           Binding_Name "NotificationText"
000231 |         }
000232 |       }
000233 |     }
000234 |   }
000235 | }
000236 | WrapSpacerWidgetClass FotterSpacer {
000237 |   visible 1
```

```
000238 |      ignorepointer 1
000239 |      color 1 1 1 0.9961
000240 |      position 0 0
000241 |      size 1 0.116
000242 |      hexactpos 1
000243 |      vexactpos 1
000244 |      hexactsize 0
000245 |      vexactsize 0
000246 |      style Empty
000247 |      "no focus" 1
000248 |      Padding 0
000249 |      Margin 0
000250 |      "Size To Content H" 1
000251 |      "Size To Content V" 1
000252 |      {
000253 |      PanelWidgetClass Spacer1 {
000254 |          ignorepointer 1
000255 |          position 11 6
000256 |          size 1 5
000257 |          hexactpos 1
000258 |          vexactpos 1
000259 |          hexactsize 0
000260 |          vexactsize 1
000261 |          "no focus" 1
000262 |      }
000263 |  }
000264 |  }
000265 |  }
000266 |  }
000267 |  }
000268 |  }
000269 |  }
000270 |  {
000271 |      ScriptParamsClass {
000272 |      }
000273 |  }
000274 | }
```

0568. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_market.layout
Size bytes: 5910
SHA-256: 2bd7b1f739902e20b2a0f2c8b51384d89134c379387884163a824063386619dd
Decoded as: utf-8-sig
Line count shown: 274

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewMarket {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.2 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsize 0
000012 |     vexactsize 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewMarketController"
000017 |     style DayZDefaultPanelRight
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsize 0
000032 |             vexactsize 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationColorSpacer {
000044 |                     visible 1
000045 |                     disabled 1
000046 |                     inheritalpha 0
000047 |                     ignorepointer 1
000048 |                     keepsafezone 0
000049 |                     position 0 0
000050 |                     size 0.01 1
000051 |                     hexactpos 1
```

```
000052 | vexactpos 1
000053 | hexactsize 0
000054 | vexactsize 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | Columns 1
000060 | Rows 1
000061 | {
000062 |   PanelWidgetClass NotificationColor {
000063 |     visible 1
000064 |     disabled 1
000065 |     ignorepointer 1
000066 |     color 1 1 1 0.4706
000067 |     position 5 0
000068 |     size 1 1
000069 |     vexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     scaled 1
000074 |     fixaspect fixwidth
000075 |     style rover_sim_colorable
000076 |   }
000077 | }
000078 | }
000079 | GridSpacerWidgetClass NotificationElement {
000080 |   inheritalpha 0
000081 |   ignorepointer 1
000082 |   keepsafezone 0
000083 |   position 0 0
000084 |   size 0.98 1
000085 |   vexactpos 1
000086 |   vexactpos 1
000087 |   hexactsize 0
000088 |   vexactsize 0
000089 |   scaled 1
000090 |   draggable 0
000091 |   style Empty
000092 |   "no focus" 1
000093 |   Padding 0
000094 |   Margin 0
000095 |   "Size To Content H" 1
000096 |   "Size To Content V" 1
000097 |   content_valign center
000098 |   Columns 1
000099 | {
000100 |   GridSpacerWidgetClass TopSpacer {
000101 |     inheritalpha 0
000102 |     ignorepointer 1
000103 |     position 0 0
000104 |     size 1 0.08
000105 |     vexactpos 1
000106 |     vexactpos 1
000107 |     hexactsize 0
000108 |     vexactsize 0
000109 |     style Empty
000110 |     Padding 0
000111 |     Margin 0
000112 |     "Size To Content H" 1
000113 |     "Size To Content V" 1
```

```
000114 | Columns 2
000115 | Rows 1
000116 | {
000117 |   PanelWidgetClass NotificationIconPanel {
000118 |     ignorepointer 1
000119 |     position 10 10
000120 |     size 34 34
000121 |     hexactpos 1
000122 |     vexactpos 1
000123 |     hexactsize 1
000124 |     vexactsize 1
000125 |     "no focus" 1
000126 |     {
000127 |       ImageWidgetClass NotificationIcon {
000128 |         visible 1
000129 |         ignorepointer 1
000130 |         position 0 0
000131 |         size 32 32
000132 |         halign center_ref
000133 |         valign center_ref
000134 |         hexactpos 1
000135 |         vexactpos 1
000136 |         hexactsize 1
000137 |         vexactsize 1
000138 |         fixaspect fixwidth
000139 |         scriptclass "ViewBinding"
000140 |         image0 ""
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         {
000146 |           ScriptParamsClass {
000147 |             Binding_Name "NotificationIcon"
000148 |           }
000149 |         }
000150 |       }
000151 |     }
000152 |   }
000153 |   RichTextWidgetClass NotificationTitle {
000154 |     visible 1
000155 |     inheritalpha 0
000156 |     ignorepointer 1
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsize 0
000162 |     vexactsize 0
000163 |     scriptclass "ViewBinding"
000164 |     style DayZNormal
000165 |     font "gui/fonts/sdf_MetronBook24"
000166 |     "bold text" 1
000167 |     "exact text" 1
000168 |     "exact text size" 20
000169 |     "size to text h" 1
000170 |     "size to text v" 1
000171 |     "text valign" center
000172 |     wrap 1
000173 |     {
000174 |       ScriptParamsClass {
000175 |         Binding_Name "NotificationTitle"
```

```
000176 |     }
000177 |   }
000178 | }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |   visible 1
000183 |   ignorepointer 1
000184 |   color 1 1 1 0.9961
000185 |   position 0 0
000186 |   size 1 0.08
000187 |   hexactpos 1
000188 |   vexactpos 1
000189 |   hexactsize 0
000190 |   vexactsize 0
000191 |   style Empty
000192 |   "no focus" 1
000193 |   Padding 0
000194 |   Margin 0
000195 |   "Size To Content H" 1
000196 |   "Size To Content V" 1
000197 |   Columns 2
000198 |   Rows 1
000199 |   {
000200 |     WrapSpacerWidgetClass NotificationTextSpacer {
000201 |       visible 1
000202 |       ignorepointer 1
000203 |       position 0 0
000204 |       size 34 1
000205 |       hexactpos 1
000206 |       vexactpos 1
000207 |       hexactsize 1
000208 |       vexactsize 0
000209 |     }
000210 |     RichTextWidgetClass NotificationText {
000211 |       visible 1
000212 |       inheritalpha 0
000213 |       ignorepointer 1
000214 |       position 0 0
000215 |       size 1 1
000216 |       hexactpos 1
000217 |       vexactpos 1
000218 |       hexactsize 0
000219 |       vexactsize 0
000220 |       scriptclass "ViewBinding"
000221 |       font "gui/fonts/sdf_MetronBook24"
000222 |       "exact text" 1
000223 |       "exact text size" 16
000224 |       "size to text h" 1
000225 |       "size to text v" 1
000226 |       "text valign" center
000227 |       wrap 1
000228 |       {
000229 |         ScriptParamsClass {
000230 |           Binding_Name "NotificationText"
000231 |         }
000232 |       }
000233 |     }
000234 |   }
000235 | }
000236 | WrapSpacerWidgetClass FotterSpacer {
000237 |   visible 1
```



```
000238 |      ignorepointer 1
000239 |      color 1 1 1 0.9961
000240 |      position 0 0
000241 |      size 1 0.116
000242 |      hexactpos 1
000243 |      vexactpos 1
000244 |      hexactsize 0
000245 |      vexactsize 0
000246 |      style Empty
000247 |      "no focus" 1
000248 |      Padding 0
000249 |      Margin 0
000250 |      "Size To Content H" 1
000251 |      "Size To Content V" 1
000252 |      {
000253 |      PanelWidgetClass Spacer1 {
000254 |          ignorepointer 1
000255 |          position 11 6
000256 |          size 1 5
000257 |          hexactpos 1
000258 |          vexactpos 1
000259 |          hexactsize 0
000260 |          vexactsize 1
000261 |          "no focus" 1
000262 |      }
000263 |  }
000264 |  }
000265 |  }
000266 |  }
000267 |  }
000268 |  }
000269 |  }
000270 |  {
000271 |      ScriptParamsClass {
000272 |      }
000273 |  }
000274 | }
```

0569. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\expansion_notification_toast.layout
Size bytes: 5873
SHA-256: cd90909835fc351c6326512ad02a2d353a3fa86b21425fa431c491fe227fd03d
Decoded as: utf-8-sig
Line count shown: 270

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionNotificationViewToast {
000002 |     visible 1
000003 |     disabled 0
000004 |     inheritalpha 0
000005 |     ignorepointer 1
000006 |     keepsafezone 1
000007 |     color 0.1059 0.1059 0.1059 0.4706
000008 |     size 0.25 0
000009 |     hexactpos 1
000010 |     vexactpos 1
000011 |     hexactsiz 0
000012 |     vexactsiz 0
000013 |     scaled 1
000014 |     priority 1000
000015 |     draggable 0
000016 |     scriptclass "ExpansionNotificationViewToastController"
000017 |     style DayZDefaultPanelRight
000018 |     "no focus" 1
000019 |     Padding 0
000020 |     Margin 0
000021 |     "Size To Content V" 1
000022 |     {
000023 |         GridSpacerWidgetClass Notification {
000024 |             inheritalpha 0
000025 |             ignorepointer 1
000026 |             keepsafezone 0
000027 |             position 0 0
000028 |             size 1 1
000029 |             hexactpos 1
000030 |             vexactpos 1
000031 |             hexactsiz 0
000032 |             vexactsiz 0
000033 |             scaled 1
000034 |             draggable 0
000035 |             style Empty
000036 |             "no focus" 1
000037 |             Padding 0
000038 |             Margin 0
000039 |             "Size To Content H" 1
000040 |             "Size To Content V" 1
000041 |             Rows 1
000042 |             {
000043 |                 GridSpacerWidgetClass NotificationColorSpacer {
000044 |                     visible 1
000045 |                     disabled 1
000046 |                     inheritalpha 0
000047 |                     ignorepointer 1
000048 |                     keepsafezone 0
000049 |                     position 0 0
000050 |                     size 0.01 1
000051 |                     hexactpos 1
```

```
000052 | vexactpos 1
000053 | hexactsize 0
000054 | vexactsize 0
000055 | style Empty
000056 | "no focus" 1
000057 | Padding 0
000058 | Margin 0
000059 | Columns 1
000060 | Rows 1
000061 | {
000062 |   PanelWidgetClass NotificationColor {
000063 |     visible 1
000064 |     disabled 1
000065 |     ignorepointer 1
000066 |     color 1 1 1 0.4706
000067 |     position 5 0
000068 |     size 1 1
000069 |     hexactpos 1
000070 |     vexactpos 1
000071 |     hexactsize 0
000072 |     vexactsize 0
000073 |     scaled 1
000074 |     fixaspect fixwidth
000075 |     style rover_sim_colorable
000076 |   }
000077 | }
000078 | }
000079 | GridSpacerWidgetClass NotificationElement {
000080 |   inheritalpha 0
000081 |   ignorepointer 1
000082 |   keepsafezone 0
000083 |   position 0 0
000084 |   size 0.98 1
000085 |   hexactpos 1
000086 |   vexactpos 1
000087 |   hexactsize 0
000088 |   vexactsize 0
000089 |   scaled 1
000090 |   draggable 0
000091 |   style Empty
000092 |   "no focus" 1
000093 |   Padding 0
000094 |   Margin 0
000095 |   "Size To Content H" 1
000096 |   "Size To Content V" 1
000097 |   content_valign center
000098 |   Columns 1
000099 | {
000100 |   GridSpacerWidgetClass TopSpacer {
000101 |     inheritalpha 0
000102 |     ignorepointer 1
000103 |     position 0 0
000104 |     size 1 0.08
000105 |     hexactpos 1
000106 |     vexactpos 1
000107 |     hexactsize 0
000108 |     vexactsize 0
000109 |     style Empty
000110 |     Padding 0
000111 |     Margin 0
000112 |     "Size To Content H" 1
000113 |     "Size To Content V" 1
```

```
000114 | Columns 2
000115 | Rows 1
000116 | {
000117 |   PanelWidgetClass NotificationIconPanel {
000118 |     ignorepointer 1
000119 |     position 10 10
000120 |     size 34 34
000121 |     hexactpos 1
000122 |     vexactpos 1
000123 |     hexactsize 1
000124 |     vexactsize 1
000125 |     "no focus" 1
000126 |     {
000127 |       ImageWidgetClass NotificationIcon {
000128 |         visible 1
000129 |         ignorepointer 1
000130 |         position 0 0
000131 |         size 32 32
000132 |         halign center_ref
000133 |         valign center_ref
000134 |         hexactpos 1
000135 |         vexactpos 1
000136 |         hexactsize 1
000137 |         vexactsize 1
000138 |         fixaspect fixwidth
000139 |         scriptclass "ViewBinding"
000140 |         image0 ""
000141 |         mode blend
000142 |         "src alpha" 1
000143 |         "clamp mode" clamp
000144 |         "stretch mode" stretch_w_h
000145 |         {
000146 |           ScriptParamsClass {
000147 |             Binding_Name "NotificationIcon"
000148 |           }
000149 |         }
000150 |       }
000151 |     }
000152 |   }
000153 |   RichTextWidgetClass NotificationTitle {
000154 |     visible 1
000155 |     inheritalpha 0
000156 |     ignorepointer 1
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsize 0
000162 |     vexactsize 0
000163 |     scriptclass "ViewBinding"
000164 |     style DayZNormal
000165 |     font "gui/fonts/sdf_MetronBook24"
000166 |     "bold text" 1
000167 |     "exact text" 1
000168 |     "exact text size" 20
000169 |     "size to text h" 1
000170 |     "size to text v" 1
000171 |     "text valign" center
000172 |     wrap 1
000173 |     {
000174 |       ScriptParamsClass {
000175 |         Binding_Name "NotificationTitle"
```

```
000176 |     }
000177 |   }
000178 | }
000179 | }
000180 | }
000181 | GridSpacerWidgetClass BottomSpacer {
000182 |   visible 1
000183 |   ignorepointer 1
000184 |   color 1 1 1 0.9961
000185 |   position 0 0
000186 |   size 1 0.08
000187 |   hexactpos 1
000188 |   vexactpos 1
000189 |   hexactsize 0
000190 |   vexactsize 0
000191 |   style Empty
000192 |   "no focus" 1
000193 |   Padding 0
000194 |   Margin 0
000195 |   "Size To Content H" 1
000196 |   "Size To Content V" 1
000197 |   Columns 2
000198 |   Rows 1
000199 |   {
000200 |     WrapSpacerWidgetClass NotificationTextSpacer {
000201 |       visible 1
000202 |       ignorepointer 1
000203 |       position 0 0
000204 |       size 34 1
000205 |       hexactpos 1
000206 |       vexactpos 1
000207 |       hexactsize 1
000208 |       vexactsize 0
000209 |     }
000210 |     RichTextWidgetClass NotificationText {
000211 |       visible 1
000212 |       inheritalpha 0
000213 |       ignorepointer 1
000214 |       position 0 0
000215 |       size 1 1
000216 |       hexactpos 1
000217 |       vexactpos 1
000218 |       hexactsize 0
000219 |       vexactsize 0
000220 |       scriptclass "ViewBinding"
000221 |       font "gui/fonts/sdf_MetronBook24"
000222 |       "exact text" 1
000223 |       "exact text size" 16
000224 |       "size to text h" 1
000225 |       "size to text v" 1
000226 |       "text valign" center
000227 |       wrap 1
000228 |       {
000229 |         ScriptParamsClass {
000230 |           Binding_Name "NotificationText"
000231 |         }
000232 |       }
000233 |     }
000234 |   }
000235 | }
000236 | WrapSpacerWidgetClass FotterSpacer {
000237 |   visible 1
```

```
000238 |      ignorepointer 1
000239 |      color 1 1 1 0.9961
000240 |      position 0 0
000241 |      size 1 0.116
000242 |      hexactpos 1
000243 |      vexactpos 1
000244 |      hexactsize 0
000245 |      vexactsize 0
000246 |      style Empty
000247 |      "no focus" 1
000248 |      Padding 0
000249 |      Margin 0
000250 |      "Size To Content H" 1
000251 |      "Size To Content V" 1
000252 |      {
000253 |          PanelWidgetClass Spacer1 {
000254 |              ignorepointer 1
000255 |              position 11 6
000256 |              size 1 5
000257 |              hexactpos 1
000258 |              vexactpos 1
000259 |              hexactsize 0
000260 |              vexactsize 1
000261 |              "no focus" 1
000262 |          }
000263 |      }
000264 |  }
000265 | }
000266 | }
000267 | }
000268 | }
000269 | }
000270 | }
```

0570. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_canvaslayout.layout

Size bytes: 382

SHA-256: 8f160af1210fdbd9cfb5a5e87d7c669e06265b79a07e661a93821c6a96e34d75

Decoded as: utf-8-sig

Line count shown: 22

Full file content

```
000001 | FrameWidgetClass rootFrame {
000002 |   ignorepointer 1
000003 |   position 10 10
000004 |   size 1680.52002 1032.78992
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 1
000008 |   vexactsize 1
000009 |   priority 1000
000010 |   {
000011 |     CanvasWidgetClass CanvasWidget {
000012 |       ignorepointer 1
000013 |       position 4.71739 4.42375
000014 |       size 1667.33008 1012.91003
000015 |       hexactpos 1
000016 |       vexactpos 1
000017 |       hexactsize 1
000018 |       vexactsize 1
000019 |       priority 1000
000020 |     }
000021 |   }
000022 | }
```

0571. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\map\expansion_map_marker.layout
Size bytes: 2903
SHA-256: 50788007ac8e267e69d79be2b2d6192872eed07152221aa5705c72c3b9302ef9
Decoded as: utf-8-sig
Line count shown: 133

Full file content

```
000001 | FrameWidgetClass ExpansionMapMarker {
000002 |   clipchildren 0
000003 |   ignorepointer 0
000004 |   size 1 1
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 1
000008 |   vexactsize 1
000009 | {
000010 |   GridSpacerWidgetClass marker_frame {
000011 |     clipchildren 0
000012 |     ignorepointer 1
000013 |     color 0.1961 0.1961 0.1961 0.7843
000014 |     position -25 -25
000015 |     size 500 1
000016 |     hexactpos 1
000017 |     vexactpos 1
000018 |     hexactsize 1
000019 |     vexactsize 0
000020 |     priority 100
000021 |     style DayZDefaultPanelLeft
000022 |     Padding 0
000023 |     Margin 0
000024 |     "Size To Content H" 1
000025 |     "Size To Content V" 1
000026 |     Columns 1
000027 |     Rows 2
000028 |     {
000029 |       PanelWidgetClass marker_panel {
000030 |         ignorepointer 1
000031 |         position 1 1
000032 |         size 1 50
000033 |         hexactpos 0
000034 |         vexactpos 0
000035 |         hexactsize 0
000036 |         vexactsize 1
000037 |         {
000038 |           PanelWidgetClass marker_icon_panel {
000039 |             ignorepointer 0
000040 |             keepsafezone 0
000041 |             color 1 1 1 0
000042 |             position 0 0
000043 |             size 50 50
000044 |             valign center_ref
000045 |             hexactpos 0
000046 |             vexactpos 0
000047 |             hexactsize 1
000048 |             vexactsize 1
000049 |             draggable 0
000050 |             style blank
000051 |             {
```



```
000052 |         ImageWidgetClass marker_icon {
000053 |             clipchildren 1
000054 |             ignorepointer 1
000055 |             keepsafezone 0
000056 |             size 32 32
000057 |             halign center_ref
000058 |             valign center_ref
000059 |             hexactpos 0
000060 |             vexactpos 0
000061 |             hexactsize 1
000062 |             vexactsize 1
000063 |             image0 "set:expansion_notification_iconset image:icon_marker"
000064 |             mode blend
000065 |             "src alpha" 1
000066 |             "no wrap" 1
000067 |             stretch 1
000068 |             filter 1
000069 |             nocache 0
000070 |             pivot 0 0
000071 |             "Transition width" 0
000072 |             Progress 0
000073 |         }
000074 |         ButtonWidgetClass marker_button {
000075 |             ignorepointer 0
000076 |             size 1 1
000077 |             halign center_ref
000078 |             valign center_ref
000079 |             hexactpos 0
000080 |             vexactpos 0
000081 |             hexactsize 0
000082 |             vexactsize 0
000083 |             priority 900
000084 |             draggable 1
000085 |             style Empty
000086 |         }
000087 |     }
000088 | }
000089 | TextWidgetClass marker_name {
000090 |     ignorepointer 1
000091 |     keepsafezone 0
000092 |     position 5 0
000093 |     size 440 25
000094 |     halign right_ref
000095 |     valign center_ref
000096 |     hexactpos 1
000097 |     vexactpos 1
000098 |     hexactsize 1
000099 |     vexactsize 1
000100 |     style Normal
000101 |     text "MARKER NAME"
000102 |     font "gui/fonts/sdf_MetronBook24"
000103 |     "shadow size" 1
000104 |     "shadow color" 0 0 0 1
000105 |     "shadow offset" 1 1
000106 |     "exact text" 1
000107 |     "exact text size" 16
000108 |     "size to text h" 0
000109 |     "size to text v" 0
000110 |     "text valign" center
000111 | }
000112 | EditTextWidgetClass marker_edit_name {
000113 |     visible 0
```

```
000114 |      position 5 0
000115 |      size 440 25
000116 |      halign right_ref
000117 |      valign center_ref
000118 |      hexactpos 1
000119 |      vexactpos 1
000120 |      hexactsiz 1
000121 |      vexactsiz 1
000122 |      style DefaultBorder
000123 |      "Use default text" 0
000124 |      font "gui/fonts/MetronBook"
000125 |      "exact text" 1
000126 |      "exact text size" 16
000127 |    }
000128 |  }
000129 | }
000130 | }
000131 | }
000132 | }
000133 | }
```

0572. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_base.layout

Size bytes: 5851

SHA-256: 2afd9476d0f7a0cdccaf2763727e428d06860b1c0d662a3ef403ca5494ca82e5

Decoded as: utf-8-sig

Line count shown: 254

Full file content

```
000001 | PanelWidgetClass ExpansionDialogBase {
000002 |   ignorepointer 0
000003 |   color 0.1176 0.1176 0.1176 0.7059
000004 |   size 1 1
000005 |   halign center_ref
000006 |   valign center_ref
000007 |   hexactpos 0
000008 |   vexactpos 0
000009 |   hexactsize 0
000010 |   vexactsize 0
000011 |   priority 900
000012 |   scriptclass "ExpansionDialogBaseController"
000013 |   style rover_sim_colorable
000014 |   {
000015 |     WrapSpacerWidgetClass dialog_base {
000016 |       color 0.1176 0.1176 0.1176 0.7059
000017 |       size 0.3 0.1
000018 |       halign center_ref
000019 |       valign center_ref
000020 |       hexactpos 0
000021 |       vexactpos 0
000022 |       hexactsize 0
000023 |       vexactsize 0
000024 |       priority 1000
000025 |       scriptclass ""
000026 |       style Colorable
000027 |       Padding 0
000028 |       Margin 0
000029 |       "Size To Content H" 1
000030 |       "Size To Content V" 1
000031 |       content_halign center
000032 |       content_valign center
000033 |     {
000034 |       WrapSpacerWidgetClass dialog_base_spacer {
000035 |         ignorepointer 1
000036 |         color 0.8627 0.8627 0.8627 1
000037 |         size 1 1
000038 |         halign center_ref
000039 |         valign center_ref
000040 |         hexactpos 0
000041 |         vexactpos 0
000042 |         hexactsize 0
000043 |         vexactsize 0
000044 |         style Outline
000045 |         Padding 0
000046 |         Margin 0
000047 |         "Size To Content V" 1
000048 |         content_halign center
000049 |         content_valign center
000050 |       {
000051 |         PanelWidgetClass dialog_base_header {
```

```
000052 |         visible 1
000053 |         ignorepointer 1
000054 |         position 0 0
000055 |         size 1 30
000056 |         hexactpos 0
000057 |         vexactpos 0
000058 |         hexactsize 0
000059 |         vexactsize 1
000060 |     {
000061 |         ButtonWidgetClass dialog_close_button {
000062 |             position 10 0
000063 |             size 25 25
000064 |             halign right_ref
000065 |             valign center_ref
000066 |             hexactpos 1
000067 |             vexactpos 1
000068 |             hexactsize 1
000069 |             vexactsize 1
000070 |         {
000071 |             ImageWidgetClass dialog_close_button_icon {
000072 |                 ignorepointer 1
000073 |                 size 1 1
000074 |                 hexactpos 0
000075 |                 vexactpos 0
000076 |                 hexactsize 0
000077 |                 vexactsize 0
000078 |                 imageTexture "{986F135C99A8DCDA}DayZExpansion/Core/GUI/icons/hud/cross_64x64.edds"
000079 |                 mode blend
000080 |                 "src alpha" 1
000081 |                 stretch 1
000082 |             }
000083 |         }
000084 |     }
000085 | }
000086 |
000087 | PanelWidgetClass dialog__base_title_spacer {
000088 |     visible 1
000089 |     position 0 0
000090 |     size 0.95 16
000091 |     halign center_ref
000092 |     hexactpos 1
000093 |     vexactpos 1
000094 |     hexactsize 0
000095 |     vexactsize 1
000096 |     scaled 1
000097 |     style blank
000098 | }
000099 | TextWidgetClass dialog_base_title {
000100 |     visible 1
000101 |     clipchildren 0
000102 |     color 0.8627 0.8627 0.8627 1
000103 |     size 1 30
000104 |     halign center_ref
000105 |     hexactpos 0
000106 |     vexactpos 0
000107 |     hexactsize 0
000108 |     vexactsize 1
000109 |     scriptclass "ViewBinding"
000110 |     text "TITLE"
000111 |     font "gui/fonts/etelkatextpro22"
000112 |     "text color" 1 1 1 1
000113 |     "exact text" 1
```

```
000114 | "size to text h" 1
000115 | "size to text v" 1
000116 | "text halign" center
000117 | "text valign" center
000118 | {
000119 |     ScriptParamsClass {
000120 |         Debug_Logging 0
000121 |         Binding_Name "DialogTitle"
000122 |     }
000123 | }
000124 | }
000125 | WrapSpacerWidgetClass dialog_body_spacer {
000126 |     visible 1
000127 |     ignorepointer 1
000128 |     position 0 0
000129 |     size 1 150
000130 |     hexactpos 1
000131 |     vexactpos 1
000132 |     hexactsize 0
000133 |     vexactsize 1
000134 |     Padding 0
000135 |     Margin 0
000136 |     "Size To Content V" 1
000137 |     content_halign center
000138 |     content_valign center
000139 | {
000140 |     PanelWidgetClass dialog_seperator1 {
000141 |         visible 1
000142 |         color 0.8627 0.8627 0.8627 1
000143 |         position 0 0
000144 |         size 0.95 2.5
000145 |         halign center_ref
000146 |         hexactpos 1
000147 |         vexactpos 1
000148 |         hexactsize 0
000149 |         vexactsize 1
000150 |         scaled 1
000151 |         style rover_sim_colorable
000152 |     }
000153 |     PanelWidgetClass dialog_spacer1 {
000154 |         visible 1
000155 |         position 0 0
000156 |         size 0.95 16
000157 |         halign center_ref
000158 |         hexactpos 1
000159 |         vexactpos 1
000160 |         hexactsize 0
000161 |         vexactsize 1
000162 |         scaled 1
000163 |         style blank
000164 |     }
000165 |     WrapSpacerWidgetClass dialog_body_content {
000166 |         visible 1
000167 |         ignorepointer 1
000168 |         position 0 0
000169 |         size 0.95 150
000170 |         hexactpos 1
000171 |         vexactpos 1
000172 |         hexactsize 0
000173 |         vexactsize 1
000174 |         scriptclass "ViewBinding"
000175 |         Padding 0
```

```
000176 |         Margin 0
000177 |         "Size To Content V" 1
000178 |         content_halign center
000179 |         content_valign center
000180 |         {
000181 |             ScriptParamsClass {
000182 |                 Debug_Logging 0
000183 |                 Binding_Name "DialogContent"
000184 |             }
000185 |         }
000186 |     }
000187 |     PanelWidgetClass dialog_spacer2 {
000188 |         visible 1
000189 |         position 0 0
000190 |         size 0.95 16
000191 |         halign center_ref
000192 |         hexactpos 1
000193 |         vexactpos 1
000194 |         hexactsize 0
000195 |         vexactsize 1
000196 |         scaled 1
000197 |         style blank
000198 |     }
000199 |     PanelWidgetClass dialog_seperator2 {
000200 |         visible 1
000201 |         color 0.8627 0.8627 0.8627 1
000202 |         position 0 0
000203 |         size 0.95 2.5
000204 |         halign center_ref
000205 |         hexactpos 1
000206 |         vexactpos 1
000207 |         hexactsize 0
000208 |         vexactsize 1
000209 |         scaled 1
000210 |         style rover_sim_colorable
000211 |     }
000212 | }
000213 | }
000214 | GridSpacerWidgetClass dialog_buttons_grid {
000215 |     visible 1
000216 |     ignorepointer 1
000217 |     position 0 0
000218 |     size 500 48
000219 |     hexactpos 1
000220 |     vexactpos 1
000221 |     hexactsize 1
000222 |     vexactsize 1
000223 |     scriptclass "ViewBinding"
000224 |     Padding 50
000225 |     Margin 0
000226 |     "Size To Content H" 1
000227 |     "Size To Content V" 1
000228 |     content_halign center
000229 |     content_valign center
000230 |     Columns 2
000231 |     Rows 1
000232 |     {
000233 |         ScriptParamsClass {
000234 |             Debug_Logging 0
000235 |             Binding_Name "DialogButtons"
000236 |         }
000237 |     }
```

```
000238 |     }
000239 |     PanelWidgetClass dialog_base_footer {
000240 |         visible 1
000241 |         ignorepointer 1
000242 |         position 0 0
000243 |         size 1 25
000244 |         hexactpos 0
000245 |         vexactpos 0
000246 |         hexactsiz 0
000247 |         vexactsiz 1
000248 |     }
000249 | }
000250 | }
000251 | }
000252 | }
000253 | }
000254 | }
```

0573. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_button_text.layout
Size bytes: 927
SHA-256: d93cfc28deda0dfa9fac82c66a8de21b29e7f35bf9d967707c3b3227553b7a55
Decoded as: utf-8-sig
Line count shown: 51

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionDialogButtonText {
000002 |   position 0 0
000003 |   size 200 50
000004 |   hexactpos 0
000005 |   vexactpos 0
000006 |   hexactsize 1
000007 |   vexactsize 1
000008 |   scriptclass "ExpansionDialogButton_TextController"
000009 |   {
000010 |     ButtonWidgetClass dialog_button {
000011 |       position 0.05 0.2
000012 |       size 1 1
000013 |       hexactpos 0
000014 |       vexactpos 0
000015 |       hexactsize 0
000016 |       vexactsize 0
000017 |       scriptclass "ViewBinding"
000018 |       {
000019 |         TextWidgetClass dialog_text {
000020 |           ignorepointer 1
000021 |           size 1 1
000022 |           hexactpos 0
000023 |           vexactpos 0
000024 |           hexactsize 0
000025 |           vexactsize 0
000026 |           scriptclass "ViewBinding"
000027 |           text "Test"
000028 |           font "gui/fonts/etelkatextpro22"
000029 |           "text halign" center
000030 |           "text valign" center
000031 |           {
000032 |             ScriptParamsClass {
000033 |               Debug_Logging 0
000034 |               Binding_Name "ButtonText"
000035 |             }
000036 |           }
000037 |         }
000038 |       }
000039 |     {
000040 |       ScriptParamsClass {
000041 |         Relay_Command "OnButtonClick"
000042 |       }
000043 |     }
000044 |   }
000045 | }
000046 | {
000047 |   ScriptParamsClass {
000048 |     Debug_Logging 0
000049 |   }
000050 | }
000051 | }
```


0574. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_spacer.layout
Size bytes: 152
SHA-256: 8e3376ba7af3d86c61e6ce3c210c543641b0bb3d61a9838045ed4679d62d4418
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | FrameWidgetClass ExpansionDialogContentSpacer {  
000002 |   position 0 0  
000003 |   size 1 15  
000004 |   hexactpos 0  
000005 |   vexactpos 0  
000006 |   hexactsize 0  
000007 |   vexactsize 1  
000008 |   scriptclass ""  
000009 | }
```

0575. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_content_textscroller.layout

Size bytes: 883

SHA-256: e44b53bdd302169737c4df7f09eda0b1bf070dd6f1bc4091f190c8935bb7157f

Decoded as: utf-8-sig

Line count shown: 39

Full file content

```
000001 | ScrollWidgetClass ExpansionDialogTextScroller {
000002 |   position 0 0
000003 |   size 0.95 150
000004 |   hexactpos 0
000005 |   vexactpos 0
000006 |   hexactsize 0
000007 |   vexactsize 1
000008 |   scriptclass "ExpansionDialogContent_TextScrollerController"
000009 |   {
000010 |     RichTextWidgetClass dialog_scroller_text {
000011 |       clipchildren 1
000012 |       ignorepointer 1
000013 |       color 1 1 1 1
000014 |       position 0 0
000015 |       size 1 1
000016 |       hexactpos 0
000017 |       vexactpos 0
000018 |       hexactsize 0
000019 |       vexactsize 0
000020 |       scriptclass "ViewBinding"
000021 |       text "Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptu
a. At vero eos et accusam et"
000022 |       font "gui/fonts/etelkatextpro22"
000023 |       "exact text" 1
000024 |       "size to text h" 0
000025 |       "size to text v" 1
000026 |       wrap 1
000027 |       {
000028 |         ScriptParamsClass {
000029 |           Debug_Logging 0
000030 |           Binding_Name "DialogText"
000031 |         }
000032 |       }
000033 |     }
000034 |   }
000035 |   {
000036 |     ScriptParamsClass {
000037 |     }
000038 |   }
000039 | }
```

0576. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_editbox.layout

Size bytes: 698

SHA-256: 05c003d604ee264a952f5751b5aefd799703e925e7d653b2a909c153a6d1c103

Decoded as: utf-8-sig

Line count shown: 37

Full file content

```
000001 | FrameWidgetClass ExpansionDialogEditbox {
000002 |   size 0.95 32
000003 |   hexactpos 1
000004 |   vexactpos 1
000005 |   hexactsize 0
000006 |   vexactsize 1
000007 |   priority 1
000008 |   scriptclass "ExpansionDialogContent_EditboxController"
000009 |   {
000010 |     PanelWidgetClass dialog_editbox_background {
000011 |       color 0.1176 0.1176 0.1176 0.549
000012 |       size 1 1
000013 |       hexactpos 0
000014 |       vexactpos 0
000015 |       hexactsize 0
000016 |       vexactsize 0
000017 |       style rover_sim_colorable
000018 |     }
000019 |     EditBoxWidgetClass dialog_editbox {
000020 |       size 1 1
000021 |       hexactpos 0
000022 |       vexactpos 0
000023 |       hexactsize 0
000024 |       vexactsize 0
000025 |       scriptclass ""
000026 |       style EditorProperty
000027 |       "Use default text" 0
000028 |       "exact text" 1
000029 |       font "gui/fonts/etelkatextpro22"
000030 |     }
000031 |   }
000032 |   {
000033 |     ScriptParamsClass {
000034 |       Debug_Logging 0
000035 |     }
000036 |   }
000037 | }
```

0577. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_text.layout
Size bytes: 899
SHA-256: ae3005b8f3a600b4e3dc142d323225edc5aa7910027a8850ef747d23fb595921
Decoded as: utf-8-sig
Line count shown: 45

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionDialogText {
000002 |   size 0.95 1
000003 |   hexactpos 1
000004 |   vexactpos 1
000005 |   hexactsize 0
000006 |   vexactsize 0
000007 |   scriptclass "ExpansionDialogContent_TextController"
000008 |   Padding 0
000009 |   Margin 0
000010 |   "Size To Content H" 1
000011 |   "Size To Content V" 1
000012 |   content_halign center
000013 |   content_valign center
000014 |   {
000015 |     MultilineTextWidgetClass dialog_text {
000016 |       keepsafezone 1
000017 |       size 0.97 1
000018 |       hexactpos 0
000019 |       vexactpos 0
000020 |       hexactsize 0
000021 |       vexactsize 0
000022 |       scriptclass "ViewBinding"
000023 |       style DayZNormal
000024 |       text "Test Test"
000025 |       font "gui/fonts/etelkatextpro22"
000026 |       "text color" 0 0 0 1
000027 |       "exact text" 1
000028 |       "exact text size" 22
000029 |       "size to text h" 0
000030 |       "size to text v" 1
000031 |       "text halign" center
000032 |       "text valign" center
000033 |       wrap 1
000034 |       "condense whitespace" 1
000035 |       "strip newlines" 1
000036 |       {
000037 |         ScriptParamsClass {
000038 |           Debug_Logging 0
000039 |           Binding_Name "Text"
000040 |           Two_Way_Binding 0
000041 |         }
000042 |       }
000043 |     }
000044 |   }
000045 | }
```

0578. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer.layout
Size bytes: 672
SHA-256: f8efal0cb3be23e9478cbfea2b2ae52e77736f5259b71c9ecd1b64947293529e
Decoded as: utf-8-sig
Line count shown: 38

Full file content

```
000001 | GridSpacerWidgetClass ExpansioDialogWrapSpacer {  
000002 |   clipchildren 1  
000003 |   position 0 0  
000004 |   size 0.95 5  
000005 |   hexactpos 0  
000006 |   vexactpos 0  
000007 |   hexactsize 0  
000008 |   vexactsize 1  
000009 |   scriptclass "ExpansionDialogContent_WrapSpacerController"  
000010 |   Padding 0  
000011 |   Margin 0  
000012 |   "Size To Content H" 1  
000013 |   "Size To Content V" 1  
000014 |   Columns 1  
000015 |   Rows 1  
000016 |   {  
000017 |     GridSpacerWidgetClass content {  
000018 |       ignorepointer 1  
000019 |       size 0.95 0  
000020 |       hexactpos 0  
000021 |       vexactpos 0  
000022 |       hexactsize 0  
000023 |       vexactsize 1  
000024 |       scriptclass "ViewBinding"  
000025 |       Padding 0  
000026 |       Margin 0  
000027 |       "Size To Content H" 1  
000028 |       "Size To Content V" 1  
000029 |       Columns 1  
000030 |       Rows 100  
000031 |       {  
000032 |         ScriptParamsClass {  
000033 |           Binding_Name "SpacerContent"  
000034 |         }  
000035 |       }  
000036 |     }  
000037 |   }  
000038 | }
```

0579. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\dialogs\expansion_dialog_wrapspacer_entry.layout
Size bytes: 820
SHA-256: 0f63f0e205a87667fa51f0f7a34aea8af8c6d3f2e643f7a7608a462517b15b56
Decoded as: utf-8-sig
Line count shown: 43

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionDialogWrapSpacerEntry {  
000002 |   clipchildren 0  
000003 |   ignorepointer 1  
000004 |   size 0.95 32  
000005 |   hexactpos 1  
000006 |   vexactpos 1  
000007 |   hexactsize 0  
000008 |   vexactsize 1  
000009 |   priority 101  
000010 |   scriptclass "ExpansionDialogContent_WrapSpacer_EntryController"  
000011 |   style Colorable  
000012 |   Padding 0  
000013 |   Margin 0  
000014 |   "Size To Content V" 1  
000015 |   {  
000016 |     RichTextWidgetClass entry {  
000017 |       clipchildren 0  
000018 |       ignorepointer 1  
000019 |       position 20 0  
000020 |       size 0.8 32  
000021 |       halign right_ref  
000022 |       valign center_ref  
000023 |       hexactpos 1  
000024 |       vexactpos 1  
000025 |       hexactsize 0  
000026 |       vexactsize 1  
000027 |       priority 100  
000028 |       scriptclass "ViewBinding"  
000029 |       font "gui/fonts/etelkatextpro22"  
000030 |       "exact text" 1  
000031 |       "size to text h" 1  
000032 |       "size to text v" 0  
000033 |       "text valign" center  
000034 |       wrap 1  
000035 |       "strip newlines" 1  
000036 |       {  
000037 |         ScriptParamsClass {  
000038 |           Binding_Name "EntryText"  
000039 |         }  
000040 |       }  
000041 |     }  
000042 |   }  
000043 | }
```

0580. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_inspection.layout
Size bytes: 6725
SHA-256: 29b93c7827d9965f52cc54402e2805dd737a37383da21460330dc50d4c054f26
Decoded as: utf-8-sig
Line count shown: 278

Full file content

```
000001 | FrameWidgetClass ExpansionItemInspection {
000002 |   clipchildren 1
000003 |   ignorepointer 1
000004 |   color 0.8824 0.8824 0.8824 0.8824
000005 |   size 1 1
000006 |   hexactpos 0
000007 |   vexactpos 0
000008 |   hexactsize 0
000009 |   vexactsize 0
000010 |   priority 952
000011 |   scriptclass "ExpansionItemInspectionController"
000012 |   {
000013 |     FrameWidgetClass WindowWidget {
000014 |       ignorepointer 1
000015 |       position 0 0
000016 |       size 1 1
000017 |       halign center_ref
000018 |       valign center_ref
000019 |       hexactpos 0
000020 |       vexactpos 0
000021 |       hexactsize 0
000022 |       vexactsize 0
000023 |       priority 1
000024 |       {
000025 |         FrameWidgetClass BackPanelWidget {
000026 |           visible 1
000027 |           position 0 0
000028 |           size 1.6 0.9
000029 |           halign center_ref
000030 |           valign center_ref
000031 |           hexactpos 0
000032 |           vexactpos 0
000033 |           hexactsize 0
000034 |           vexactsize 0
000035 |           fixaspect inside
000036 |           priority 1
000037 |           {
000038 |             PanelWidgetClass ItemFramePanel {
000039 |               visible 1
000040 |               position 0.1592 0.095
000041 |               size 0.60163 0.85
000042 |               halign center_ref
000043 |               hexactpos 0
000044 |               vexactpos 0
000045 |               hexactsize 0
000046 |               vexactsize 0
000047 |               priority 2
000048 |               {
000049 |                 ItemPreviewWidgetClass ItemPreview {
000050 |                   position 0 0
000051 |                   size 1 1
```

```
000052 |         halign center_ref
000053 |         valign center_ref
000054 |         hexactpos 1
000055 |         vexactpos 1
000056 |         hexactsize 0
000057 |         vexactsize 0
000058 |         priority 201
000059 |         scriptclass ""
000060 |         "force flip enable" 1
000061 |     }
000062 | }
000063 | }
000064 | PanelWidgetClass InventoryInfoPanelWidget {
000065 |     visible 1
000066 |     clipchildren 0
000067 |     inheritalpha 1
000068 |     color 0 0 0 0.8627
000069 |     position 0 0.095
000070 |     size 0.92 0.85
000071 |     halign center_ref
000072 |     hexactpos 0
000073 |     vexactpos 0
000074 |     hexactsize 0
000075 |     vexactsize 0
000076 |     style DayZDefaultPanel
000077 | {
000078 |     ScrollWidgetClass ItemScroller {
000079 |         ignorepointer 0
000080 |         position 0.025 0.02
000081 |         size 0.31 0.95
000082 |         hexactpos 0
000083 |         vexactpos 0
000084 |         hexactsize 0
000085 |         vexactsize 0
000086 |         style Colorable
000087 |         "Scrollbar V" 1
000088 |     {
000089 |         WrapSpacerWidgetClass WrapSpacerWidget0 {
000090 |             ignorepointer 1
000091 |             size 1 1
000092 |             hexactpos 0
000093 |             vexactpos 0
000094 |             hexactsize 0
000095 |             vexactsize 0
000096 |             Padding 10
000097 |             Margin 0
000098 |             "Size To Content H" 1
000099 |             "Size To Content V" 1
000100 |             content_halign center
000101 |         {
000102 |             GridSpacerWidgetClass ItemStatsContent {
000103 |                 visible 1
000104 |                 ignorepointer 1
000105 |                 size 1 0.16
000106 |                 hexactpos 0
000107 |                 vexactpos 0
000108 |                 hexactsize 0
000109 |                 vexactsize 0
000110 |                 scriptclass "ViewBinding"
000111 |                 style Colorable
000112 |                 Padding 5
000113 |                 Margin 5
```



```
000114 |         "Size To Content V" 1
000115 |         Columns 2
000116 |         Rows 4
000117 |         {
000118 |             ScriptParamsClass {
000119 |                 Binding_Name "ItemElements"
000120 |             }
000121 |         }
000122 |     }
000123 |     MultilineTextWidgetClass ItemDescWidget {
000124 |         clipchildren 0
000125 |         size 1 0.8
000126 |         valign bottom_ref
000127 |         hexactpos 0
000128 |         vexactpos 0
000129 |         hexactsize 0
000130 |         vexactsize 0
000131 |         priority 1
000132 |         scriptclass "ViewBinding"
000133 |         style None
000134 |         text "A box of large kitchen matches. Contains 250 matches. Store in dry place and keep away from children."
000135 |         font "gui/fonts/sdf_MetronLight24"
000136 |         "exact text" 1
000137 |         "exact text size" 24
000138 |         "size to text h" 0
000139 |         "size to text v" 0
000140 |         wrap 1
000141 |         "condense whitespace" 1
000142 |         {
000143 |             ScriptParamsClass {
000144 |                 Binding_Name "ItemDescription"
000145 |             }
000146 |         }
000147 |     }
000148 | }
000149 | }
000150 | }
000151 | }
000152 | }
000153 | }
000154 | ImageWidgetClass ItemNameBackground {
000155 |     visible 1
000156 |     clipchildren 0
000157 |     ignorepointer 1
000158 |     keepsafezone 0
000159 |     color 0 0 0 0.9412
000160 |     position 0 0.05
000161 |     size 0.92 0.045
000162 |     halign center_ref
000163 |     hexactpos 0
000164 |     vexactpos 0
000165 |     hexactsize 0
000166 |     vexactsize 0
000167 |     priority 1
000168 |     draggable 0
000169 |     image0 "set:dayz_gui image:inv_header_3"
000170 |     mode blend
000171 |     "src alpha" 1
000172 |     "no wrap" 1
000173 |     stretch 1
000174 |     {
000175 |         TextWidgetClass ItemNameWidget {
```

```
000176 |         ignorepointer 1
000177 |         position 0 0
000178 |         size 1 1
000179 |         halign center_ref
000180 |         hexactpos 0
000181 |         vexactpos 0
000182 |         hexactsize 0
000183 |         vexactsize 0
000184 |         priority 1
000185 |         scriptclass "ViewBinding"
000186 |         style Normal
000187 |         text "Bullet Tuna"
000188 |         font "gui/fonts/sdf_MetronBook24"
000189 |         "text offset" 10 0
000190 |         "exact text" 0
000191 |         text_proportion 0.55
000192 |         "text halign" center
000193 |         "text valign" center
000194 |     {
000195 |         ButtonWidgetClass BackButton {
000196 |             visible 1
000197 |             disabled 0
000198 |             clipchildren 1
000199 |             inheritalpha 0
000200 |             ignorepointer 0
000201 |             keepsafezone 0
000202 |             color 1 1 1 0
000203 |             position 0.01 0
000204 |             size 0.5 0.5
000205 |             halign right_ref
000206 |             valign center_ref
000207 |             hexactpos 0
000208 |             vexactpos 0
000209 |             hexactsize 0
000210 |             vexactsize 0
000211 |             fixaspect fixwidth
000212 |             priority 1
000213 |             userID 2
000214 |             scriptclass "ViewBinding"
000215 |             style Default
000216 |             "no focus" 1
000217 |             text_offset 1 1
000218 |             text_halign center
000219 |             "text color" 1 1 1 1
000220 |             switch normal
000221 |         {
000222 |             ImageWidgetClass IconClose {
000223 |                 visible 1
000224 |                 ignorepointer 1
000225 |                 size 1 1
000226 |                 halign center_ref
000227 |                 valign center_ref
000228 |                 hexactpos 0
000229 |                 vexactpos 0
000230 |                 hexactsize 0
000231 |                 vexactsize 0
000232 |                 priority 2
000233 |                 image0 "set:dayz_gui image:icon_x"
000234 |                 mode additive
000235 |                 "src alpha" 1
000236 |             }
000237 |         }
```

```
000238 |         {
000239 |             ScriptParamsClass {
000240 |                 Relay_Command "OnBackButtonClick"
000241 |             }
000242 |         }
000243 |     }
000244 | }
000245 | {
000246 |     ScriptParamsClass {
000247 |         Binding_Name "ItemName"
000248 |     }
000249 | }
000250 | }
000251 | }
000252 | }
000253 | }
000254 | }
000255 | }
000256 | }
000257 | ImageWidgetClass vignette {
000258 |     visible 1
000259 |     ignorepointer 0
000260 |     color 0 0 0 0.7843
000261 |     position 0 0
000262 |     size 1.6 0.9
000263 |     halign center_ref
000264 |     hexactpos 1
000265 |     vexactpos 1
000266 |     hexactsize 0
000267 |     vexactsize 0
000268 |     fixaspect outside
000269 |     imageTexture "{E6B3EF816E067499}Gui/textures/inventory_bgvignette.edds"
000270 |     mode blend
000271 |     "src alpha" 1
000272 |     "no wrap" 1
000273 |     stretch 1
000274 |     filter 0
000275 |     nocache 1
000276 | }
000277 | }
000278 | }
```

0581. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_preview_tooltip.layout
Size bytes: 2480
SHA-256: 842d5f451c1312fefa77eb0f2519646c7206c968bb77d4fca52285df2d63d61b
Decoded as: utf-8-sig
Line count shown: 128

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionItemPreviewTooltip {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     ignorepointer 1
000005 |     position 0 0
000006 |     size 250 250
000007 |     hexactpos 1
000008 |     vexactpos 1
000009 |     hexactsize 1
000010 |     vexactsize 1
000011 |     priority 952
000012 |     scriptclass "ExpansionItemPreviewTooltipController"
000013 |     style Colorable
000014 |     Padding 0
000015 |     Margin 0
000016 |     "Size To Content V" 1
000017 |     {
000018 |         ImageWidgetClass HeaderWidget {
000019 |             clipchildren 1
000020 |             ignorepointer 1
000021 |             color 0 0 0 0.9412
000022 |             size 1 40
000023 |             hexactpos 0
000024 |             vexactpos 0
000025 |             hexactsize 0
000026 |             vexactsize 1
000027 |             image0 "set:dayz_gui image:inv_header_3"
000028 |             mode blend
000029 |             "src alpha" 1
000030 |             "no wrap" 1
000031 |             stretch 1
000032 |             {
000033 |                 ImageWidgetClass ItemDamageWidgetBackground {
000034 |                     visible 1
000035 |                     clipchildren 0
000036 |                     inheritalpha 0
000037 |                     ignorepointer 1
000038 |                     color 0 1 0 1
000039 |                     position 6 0
000040 |                     size 24 24
000041 |                     valign center_ref
000042 |                     hexactpos 1
000043 |                     vexactpos 0
000044 |                     hexactsize 1
000045 |                     vexactsize 1
000046 |                     image0 ""
000047 |                     imageTexture "{0FCACAAf0A99273C}DayZExpansion/Core/GUI/icons/hud/ellipse_64x64.edds"
000048 |                     mode additive
000049 |                     "src alpha" 1
000050 |                     "no wrap" 1
000051 |                     stretch 1
```

```
000052 |     filter 1
000053 | }
000054 | TextWidgetClass ItemNameWidget {
000055 |     clipchildren 0
000056 |     ignorepointer 1
000057 |     position 35 0
000058 |     size 210.84 16
000059 |     valign center_ref
000060 |     hexactpos 1
000061 |     vexactpos 1
000062 |     hexactsize 1
000063 |     vexactsize 1
000064 |     priority 1
000065 |     scriptclass "ViewBinding"
000066 |     style Normal
000067 |     text " "
000068 |     font "gui/fonts/sdf_MetronBook24"
000069 |     "exact text" 1
000070 |     "exact text size" 16
000071 |     "size to text h" 0
000072 |     "size to text v" 0
000073 |     "text valign" center
000074 |     {
000075 |         ScriptParamsClass {
000076 |             Binding_Name "ItemName"
000077 |         }
000078 |     }
000079 | }
000080 | }
000081 | }
000082 | GridSpacerWidgetClass Content {
000083 |     visible 1
000084 |     clipchildren 1
000085 |     ignorepointer 1
000086 |     color 0 0 0 0.8627
000087 |     position 0 40
000088 |     size 1 1
000089 |     hexactpos 1
000090 |     vexactpos 1
000091 |     hexactsize 0
000092 |     vexactsize 0
000093 |     style Colorable
000094 |     Padding 0
000095 |     Margin 0
000096 |     "Size To Content H" 1
000097 |     "Size To Content V" 1
000098 |     Columns 2
000099 |     Rows 1
000100 |     {
000101 |         ItemPreviewWidgetClass ItemFrameWidget {
000102 |             visible 1
000103 |             clipchildren 1
000104 |             ignorepointer 1
000105 |             position 0 0
000106 |             size 250 200
000107 |             hexactpos 0
000108 |             vexactpos 0
000109 |             hexactsize 1
000110 |             vexactsize 1
000111 |             fixaspect fixwidth
000112 |             priority 201
000113 |             scriptclass "ViewBinding"
```

```
000114 |      "force flip enable" 1
000115 |      {
000116 |          ScriptParamsClass {
000117 |              Binding_Name "ItemPreview"
000118 |          }
000119 |      }
000120 |  }
000121 |  }
000122 |  }
000123 |  }
000124 |  {
000125 |      ScriptParamsClass {
000126 |      }
000127 |  }
000128 |  }
```

0582. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip.layout
Size bytes: 6664
SHA-256: 1c290078537ac6a3d7cd848541f1b8a04571537b8ae31b9a11b60e5b0b667054
Decoded as: utf-8-sig
Line count shown: 285

Full file content

```
000001 | WrapSpacerWidgetClass ExpansionItemTooltip {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     ignorepointer 1
000005 |     position 0 0
000006 |     size 550 195
000007 |     hexactpos 1
000008 |     vexactpos 1
000009 |     hexactsize 1
000010 |     vexactsize 1
000011 |     priority 952
000012 |     scriptclass "ExpansionItemInspectionController"
000013 |     style Colorable
000014 |     Padding 0
000015 |     Margin 0
000016 |     "Size To Content V" 1
000017 |     {
000018 |         ImageWidgetClass HeaderWidget {
000019 |             clipchildren 1
000020 |             ignorepointer 1
000021 |             color 0 0 0 0.9412
000022 |             size 1 40
000023 |             hexactpos 0
000024 |             vexactpos 0
000025 |             hexactsize 0
000026 |             vexactsize 1
000027 |             image0 "set:dayz_gui image:inv_header_3"
000028 |             mode blend
000029 |             "src alpha" 1
000030 |             "no wrap" 1
000031 |             stretch 1
000032 |             {
000033 |                 ImageWidgetClass ItemDamageWidgetBackground {
000034 |                     visible 1
000035 |                     clipchildren 0
000036 |                     inheritalpha 0
000037 |                     ignorepointer 1
000038 |                     color 0 1 0 1
000039 |                     position 6 0
000040 |                     size 24 24
000041 |                     valign center_ref
000042 |                     hexactpos 1
000043 |                     vexactpos 0
000044 |                     hexactsize 1
000045 |                     vexactsize 1
000046 |                     image0 ""
000047 |                     imageTexture "{0FCACAAAF0A99273C}DayZExpansion/Core/GUI/icons/hud/ellipse_64x64.edds"
000048 |                     mode additive
000049 |                     "src alpha" 1
000050 |                     "no wrap" 1
000051 |                     stretch 1
```

```
000052 |     filter 1
000053 | }
000054 | TextWidgetClass ItemNameWidget {
000055 |     clipchildren 0
000056 |     ignorepointer 1
000057 |     position 36 3
000058 |     size 258 16
000059 |     hexactpos 1
000060 |     vexactpos 1
000061 |     hexactsize 1
000062 |     vexactsize 1
000063 |     priority 1
000064 |     scriptclass "ViewBinding"
000065 |     style Normal
000066 |     text " "
000067 |     font "gui/fonts/sdf_MetronBook24"
000068 |     "exact text" 1
000069 |     "exact text size" 16
000070 |     "size to text h" 0
000071 |     "size to text v" 0
000072 |     "text valign" center
000073 |     {
000074 |         ScriptParamsClass {
000075 |             Binding_Name "ItemName"
000076 |         }
000077 |     }
000078 | }
000079 | TextWidgetClass ItemDamageWidget {
000080 |     clipchildren 0
000081 |     ignorepointer 1
000082 |     position 36 3
000083 |     size 258 16
000084 |     valign bottom_ref
000085 |     hexactpos 1
000086 |     vexactpos 1
000087 |     hexactsize 1
000088 |     vexactsize 1
000089 |     scriptclass "ViewBinding"
000090 |     style Normal
000091 |     text "#layout_tooltip_damage"
000092 |     font "gui/fonts/sdf_MetronLight24"
000093 |     "text color" 1 1 1 1
000094 |     "text spacing" 2 0
000095 |     "exact text" 1
000096 |     "exact text size" 16
000097 |     "size to text h" 0
000098 |     "size to text v" 0
000099 |     "text valign" center
000100 |     {
000101 |         ScriptParamsClass {
000102 |             Binding_Name "ItemDamage"
000103 |         }
000104 |     }
000105 | }
000106 | TextWidgetClass ItemQuantityWidget {
000107 |     clipchildren 0
000108 |     ignorepointer 1
000109 |     position 16 3
000110 |     size 240 16
000111 |     halign right_ref
000112 |     valign bottom_ref
000113 |     hexactpos 1
```



```
000114 | vexactpos 1
000115 | hexactsize 1
000116 | vexactsize 1
000117 | scriptclass "ViewBinding"
000118 | style Normal
000119 | text "#layout_tooltip_quantity"
000120 | font "gui/fonts/sdf_MetronLight24"
000121 | "text color" 1 1 1 1
000122 | "exact text" 1
000123 | "exact text size" 16
000124 | "size to text h" 0
000125 | "size to text v" 0
000126 | "text halign" right
000127 | "text valign" center
000128 | {
000129 |     ScriptParamsClass {
000130 |         Binding_Name "ItemQuantity"
000131 |     }
000132 | }
000133 | }
000134 | TextWidgetClass ItemWeightWidget {
000135 |     clipchildren 0
000136 |     ignorepointer 1
000137 |     position 16 3
000138 |     size 240 16
000139 |     halign right_ref
000140 |     vexactpos 1
000141 |     vexactpos 1
000142 |     hexactsize 1
000143 |     vexactsize 1
000144 |     scriptclass "ViewBinding"
000145 |     style Normal
000146 |     text "#layout_tooltip_weight"
000147 |     font "gui/fonts/sdf_MetronLight24"
000148 |     "text color" 1 1 1 1
000149 |     "exact text" 1
000150 |     "exact text size" 16
000151 |     "size to text h" 0
000152 |     "size to text v" 0
000153 |     "text halign" right
000154 |     "text valign" center
000155 |     {
000156 |         ScriptParamsClass {
000157 |             Binding_Name "ItemWeight"
000158 |         }
000159 |     }
000160 | }
000161 | }
000162 | }
000163 | GridSpacerWidgetClass Content {
000164 |     visible 1
000165 |     clipchildren 1
000166 |     ignorepointer 1
000167 |     color 0 0 0 0.8627
000168 |     position 0 40
000169 |     size 1 1
000170 |     vexactpos 1
000171 |     vexactpos 1
000172 |     hexactsize 0
000173 |     vexactsize 0
000174 |     style Colorable
000175 |     Padding 0
```

```
000176 | Margin 0
000177 | "Size To Content H" 1
000178 | "Size To Content V" 1
000179 | Columns 2
000180 | Rows 1
000181 | {
000182 |   ItemPreviewWidgetClass ItemFrameWidget {
000183 |     visible 1
000184 |     clipchildren 1
000185 |     ignorepointer 1
000186 |     position 0 0
000187 |     size 156 156
000188 |     hexactpos 0
000189 |     vexactpos 0
000190 |     hexactsize 1
000191 |     vexactsize 1
000192 |     fixaspect fixwidth
000193 |     priority 201
000194 |     scriptclass "ViewBinding"
000195 |     "force flip enable" 1
000196 |     {
000197 |       ScriptParamsClass {
000198 |         Binding_Name "ItemPreview"
000199 |       }
000200 |     }
000201 |   }
000202 |   GridSpacerWidgetClass GridSpacerWidget1 {
000203 |     ignorepointer 1
000204 |     position 0 0
000205 |     size 1 0
000206 |     hexactpos 1
000207 |     vexactpos 1
000208 |     hexactsize 0
000209 |     vexactsize 1
000210 |     priority 202
000211 |     style Colorable
000212 |     Padding 10
000213 |     Margin 0
000214 |     "Size To Content V" 1
000215 |     Columns 1
000216 |     Rows 2
000217 |     {
000218 |       GridSpacerWidgetClass ItemStatsContent {
000219 |         visible 1
000220 |         ignorepointer 1
000221 |         position 0 0
000222 |         size 0.98 0
000223 |         hexactpos 1
000224 |         vexactpos 1
000225 |         hexactsize 0
000226 |         vexactsize 1
000227 |         scriptclass "ViewBinding"
000228 |         style Colorable
000229 |         Padding 4
000230 |         Margin 0
000231 |         "Size To Content H" 1
000232 |         "Size To Content V" 1
000233 |         Columns 2
000234 |         Rows 2
000235 |         {
000236 |           ScriptParamsClass {
000237 |             Binding_Name "ItemElements"
```

```
000238 |     }
000239 | }
000240 | }
000241 | WrapSpacerWidgetClass WrapSpacerWidget0 {
000242 |     visible 1
000243 |     ignorepointer 1
000244 |     position 10 10
000245 |     size 48 48
000246 |     hexactpos 1
000247 |     vexactpos 1
000248 |     hexactsize 1
000249 |     vexactsize 1
000250 |     "Size To Content H" 1
000251 |     "Size To Content V" 1
000252 |     content_halign center
000253 | {
000254 |     RichTextWidgetClass ItemDescWidget {
000255 |         clipchildren 1
000256 |         ignorepointer 1
000257 |         size 0.98 1
000258 |         halign center_ref
000259 |         hexactpos 0
000260 |         vexactpos 0
000261 |         hexactsize 0
000262 |         vexactsize 0
000263 |         scriptclass "ViewBinding"
000264 |         style DayZNormal
000265 |         text "Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet. Lorem ipsum dolor sit amet, consetetur sadipscing elitr, sed diam nonumy eirmod tempor invidunt ut labore et dolore magna aliquyam erat, sed diam voluptua. At vero eos et accusam et justo duo dolores et ea rebum. Stet clita kasd gubergren, no sea takimata sanctus est Lorem ipsum dolor sit amet."
000266 |         font "gui/fonts/sdf_MetronLight24"
000267 |         "exact text" 1
000268 |         "exact text size" 16
000269 |         "size to text h" 1
000270 |         "size to text v" 1
000271 |         wrap 1
000272 |         {
000273 |             ScriptParamsClass {
000274 |                 Binding_Name "ItemDescription"
000275 |             }
000276 |         }
000277 |     }
000278 | }
000279 | }
000280 | }
000281 | }
000282 | }
000283 | }
000284 | }
000285 | }
```

0583. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\mvc\expansion_item_tooltip_stat_element.layout

Size bytes: 1157

SHA-256: 7e8b6eab0ba07fd8e901dd93ad4f40d0046dfcd10d11led26448b6b86cf46fee

Decoded as: utf-8-sig

Line count shown: 61

Full file content

```
000001 | PanelWidgetClass ExpansionItemTooltipStatElement {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     ignorepointer 1
000005 |     position 0 0
000006 |     size 160 20
000007 |     hexactpos 1
000008 |     vexactpos 1
000009 |     hexactsize 1
000010 |     vexactsize 1
000011 |     scriptclass "ExpansionItemTooltipStatElementController"
000012 |     style blank
000013 |     {
000014 |         TextWidgetClass Text {
000015 |             clipchildren 0
000016 |             ignorepointer 1
000017 |             position 0 0
000018 |             size 1 1
000019 |             halign center_ref
000020 |             valign center_ref
000021 |             hexactpos 0
000022 |             vexactpos 0
000023 |             hexactsize 0
000024 |             vexactsize 0
000025 |             priority 1
000026 |             scriptclass "ViewBinding"
000027 |             style Normal
000028 |             font "gui/fonts/sdf_MetronLight24"
000029 |             "text color" 1 1 1 1
000030 |             "exact text" 0
000031 |             text_proportion 0.75
000032 |             "size to text h" 0
000033 |             "size to text v" 1
000034 |             "text halign" center
000035 |             "text valign" center
000036 |             {
000037 |                 ScriptParamsClass {
000038 |                     Binding_Name "StatText"
000039 |                 }
000040 |             }
000041 |         }
000042 |         ImageWidgetClass Background {
000043 |             visible 1
000044 |             clipchildren 0
000045 |             inheritalpha 0
000046 |             ignorepointer 1
000047 |             color 1 1 1 0
000048 |             position 0 0
000049 |             size 160 20
000050 |             halign center_ref
000051 |             hexactpos 1
```

```
000052 | vexactpos 1
000053 | hexactsize 1
000054 | vexactsize 1
000055 | image0 "set:dayz_gui image:ColorableBar"
000056 | mode blend
000057 | "src alpha" 0
000058 | filter 1
000059 | }
000060 | }
000061 | }
```

0584. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_category.layout

Size bytes: 1251

SHA-256: 745457890b36bcd960f59ed9d8275f2fc7e534f3702bec86d5146f7079c890d

Decoded as: utf-8-sig

Line count shown: 66

Full file content

```
000001 | WrapSpacerWidgetClass expansion_options_category_root {
000002 |     visible 1
000003 |     ignorepointer 1
000004 |     position 0 0
000005 |     size 1 473
000006 |     hexactpos 1
000007 |     vexactpos 1
000008 |     hexactsize 0
000009 |     vexactsize 1
000010 |     "no focus" 1
000011 |     Padding 0
000012 |     Margin 0
000013 |     "Size To Content H" 1
000014 |     "Size To Content V" 1
000015 |     {
000016 |         PanelWidgetClass expansion_options_category_header {
000017 |             visible 1
000018 |             ignorepointer 1
000019 |             color 0 0 0 1
000020 |             position 0 0
000021 |             size 1 36
000022 |             hexactpos 1
000023 |             vexactpos 1
000024 |             hexactsize 0
000025 |             vexactsize 1
000026 |             style DayZDefaultPanel
000027 |             "no focus" 1
000028 |             {
000029 |                 TextWidgetClass expansion_options_category_header_text {
000030 |                     visible 1
000031 |                     ignorepointer 1
000032 |                     position 0 0
000033 |                     size 1 0.5
000034 |                     valign center_ref
000035 |                     hexactpos 1
000036 |                     vexactpos 1
000037 |                     hexactsize 0
000038 |                     vexactsize 0
000039 |                     style Normal
000040 |                     text ""
000041 |                     font "gui/fonts/sdf_MetronLight72"
000042 |                     "exact text" 0
000043 |                     "text halign" center
000044 |                     "text valign" center
000045 |                 }
000046 |             }
000047 |         }
000048 |         GridSpacerWidgetClass expansion_options_category_content {
000049 |             ignorepointer 1
000050 |             color 0 0 0 0.549
000051 |             position 0 0
```

```
000052 | size 1 1
000053 | hexactpos 1
000054 | vexactpos 1
000055 | hexactsize 0
000056 | vexactsize 0
000057 | style DayZDefaultPanel
000058 | "no focus" 1
000059 | Padding 0
000060 | Margin 0
000061 | "Size To Content V" 1
000062 | Columns 1
000063 | Rows 1
000064 | }
000065 | }
000066 | }
```

0585. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_options_setting_new.layout

Size bytes: 2062

SHA-256: 4b4eca70be0da0d0c939dc2e9f23d01a32371d0d8972769410bae12d95fd23de

Decoded as: utf-8-sig

Line count shown: 99

Full file content

```
000001 | PanelWidgetClass expansion_options_setting_root {
000002 |   ignorepointer 0
000003 |   position 0 0
000004 |   size 1 30
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 0
000008 |   vexactsize 1
000009 |   scriptclass ""
000010 |   style blank
000011 | {
000012 |   GridSpacerWidgetClass expansion_options_setting {
000013 |     ignorepointer 1
000014 |     color 0 0 0 0
000015 |     position 0 0
000016 |     size 1 30
000017 |     hexactpos 1
000018 |     vexactpos 1
000019 |     hexactsize 0
000020 |     vexactsize 1
000021 |     style DayZDefaultPanel
000022 |     "no focus" 1
000023 |     Padding 0
000024 |     Margin 0
000025 |     "Size To Content H" 1
000026 |     Columns 2
000027 |     Rows 1
000028 |     {
000029 |       FrameWidgetClass expansion_options_setting_panel {
000030 |         ignorepointer 1
000031 |         position 0 0
000032 |         size 0.5 0.6
000033 |         hexactpos 1
000034 |         vexactpos 1
000035 |         hexactsize 0
000036 |         vexactsize 0
000037 |         {
000038 |           TextWidgetClass expansion_options_setting_label {
000039 |             clipchildren 0
000040 |             ignorepointer 1
000041 |             size 1 0.6
000042 |             valign center_ref
000043 |             hexactpos 1
000044 |             vexactpos 1
000045 |             hexactsize 0
000046 |             vexactsize 0
000047 |             text "THIS IS A SETTING"
000048 |             font "gui/fonts/sdf_MetronLight24"
000049 |             "text offset" 8 0
000050 |             "exact text" 0
000051 |             "exact text size" 18
```



```
000052 |         "text valign" center
000053 |     }
000054 | }
000055 | }
000056 | FrameWidgetClass expansion_options_setting_option {
000057 |     ignorepointer 1
000058 |     position 0 0
000059 |     size 0.5 1
000060 |     hexactpos 1
000061 |     vexactpos 1
000062 |     hexactsize 0
000063 |     vexactsize 0
000064 |     {
000065 |         TextWidgetClass expansion_options_setting_value {
000066 |             clipchildren 0
000067 |             ignorepointer 1
000068 |             size 1 0.6
000069 |             valign center_ref
000070 |             hexactpos 1
000071 |             vexactpos 1
000072 |             hexactsize 0
000073 |             vexactsize 0
000074 |             text ""
000075 |             font "gui/fonts/sdf_MetronLight24"
000076 |             "text offset" 8 0
000077 |             "exact text" 1
000078 |             "exact text size" 12
000079 |             "text halign" center
000080 |             "text valign" center
000081 |         }
000082 |     }
000083 | }
000084 | }
000085 | }
000086 | PanelWidgetClass expansion_options_setting_disable {
000087 |     visible 0
000088 |     ignorepointer 1
000089 |     color 0.1569 0.1569 0.1569 0.902
000090 |     position 0 0
000091 |     size 1 1
000092 |     hexactpos 1
000093 |     vexactpos 1
000094 |     hexactsize 0
000095 |     vexactsize 0
000096 |     style rover_sim_colorable
000097 | }
000098 | }
000099 | }
```

0586. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\expansion_tab.layout
Size bytes: 764
SHA-256: f03d22e983bcdd8fb246d895bc74097285a333827e10f9b746f7c721dce36c65
Decoded as: utf-8-sig
Line count shown: 44

Full file content

```
000001 | FrameWidgetClass expansion_tab_root {  
000002 |   ignorepointer 0  
000003 |   position 0 0  
000004 |   size 1 1  
000005 |   hexactpos 1  
000006 |   vexactpos 1  
000007 |   hexactsize 0  
000008 |   vexactsize 0  
000009 | {  
000010 |   ScrollWidgetClass expansion_settings_scroll {  
000011 |     ignorepointer 0  
000012 |     color 0 0 0 1  
000013 |     position 0 0  
000014 |     size 600 1  
000015 |     hexactpos 1  
000016 |     vexactpos 1  
000017 |     hexactsize 1  
000018 |     vexactsize 0  
000019 |     style blank  
000020 |     "Scrollbar V" 1  
000021 |   {  
000022 |     GridSpacerWidgetClass expansion_tab_content {  
000023 |       visible 1  
000024 |       ignorepointer 0  
000025 |       color 0 0 0 0  
000026 |       position 0 0  
000027 |       size 1 1  
000028 |       hexactpos 1  
000029 |       vexactpos 1  
000030 |       hexactsize 0  
000031 |       vexactsize 0  
000032 |       priority 3  
000033 |       "no focus" 1  
000034 |       Padding 8  
000035 |       Margin 0  
000036 |       "Size To Content H" 1  
000037 |       "Size To Content V" 1  
000038 |       Columns 1  
000039 |       Rows 1  
000040 |     }  
000041 |   }  
000042 | }  
000043 | }  
000044 | }
```

0587. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: layouts\ui\options\tab_control.layout
Size bytes: 1032
SHA-256: 3e172c60b508704ad7b3457a06dd3f82f4a1f7a155f2ad89c280dc3e81bac023
Decoded as: utf-8-sig
Line count shown: 56

Full file content

```
000001 | PanelWidgetClass Tab_Control_x {
000002 |     visible 1
000003 |     clipchildren 1
000004 |     color 0 0 0 0
000005 |     size 160 1
000006 |     hexactpos 1
000007 |     vexactpos 1
000008 |     hexactsize 1
000009 |     vexactsize 0
000010 |     priority 200
000011 |     userID 0
000012 |     style DayZDefaultPanel
000013 |     "no focus" 1
000014 |     "next down" "XComboBoxWidget1"
000015 |     {
000016 |         TextWidgetClass Tab_Control_x_Title {
000017 |             ignorepointer 1
000018 |             position 0 0
000019 |             size 1 0.42
000020 |             halign center_ref
000021 |             valign center_ref
000022 |             hexactpos 1
000023 |             vexactpos 1
000024 |             hexactsize 0
000025 |             vexactsize 0
000026 |             priority 250
000027 |             text ""
000028 |             font "gui/fonts/sdf_MetronLight72"
000029 |             "text halign" center
000030 |             "text valign" center
000031 |         }
000032 |         ImageWidgetClass Tab_Control_x_Background {
000033 |             visible 0
000034 |             disabled 0
000035 |             inheritalpha 0
000036 |             ignorepointer 1
000037 |             color 1 1 1 0.7843
000038 |             position 0 0
000039 |             size 710 1
000040 |             hexactpos 1
000041 |             vexactpos 1
000042 |             hexactsize 1
000043 |             vexactsize 0
000044 |             draggable 0
000045 |             imageTexture "{5A89D58DD2276E85}Gui/textures/SerratedBlack2.edds"
000046 |             mode blend
000047 |             "src alpha" 1
000048 |             "no wrap" 1
000049 |             stretch 1
000050 |             "flip u" 0
000051 |             "flip v" 0
```

```
000052 | filter 1
000053 | nocache 0
000054 | }
000055 | }
000056 | }
```

0588. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: looknfeel\expansion_widgets.styles

Size bytes: 9667

SHA-256: 7c4c810898069c2b7faaec2596a2186e75fdf62f115dd6485d3e9dcd92a2f52f

Decoded as: utf-8-sig

Line count shown: 198

Full file content

```
000001 | <WidgetStyles>
000002 |     <Widget Name="CheckBoxWidget">
000003 |         <Style Name="Expansion_01" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000004 |             <State Name="Normal">
000005 |                 <Item Name="CheckBox" Image="CheckboxHover" />
000006 |             </State>
000007 |             <State Name="Disabled">
000008 |                 <Item Name="CheckBox" Image="" />
000009 |             </State>
000010 |             <State Name="Mark">
000011 |                 <Item Name="CheckBox" Image="CheckboxMark" />
000012 |             </State>
000013 |             <State Name="Highlight">
000014 |                 <Item Name="CheckBox" Image="CheckboxHover" />
000015 |             </State>
000016 |         </Style>
000017 |         <Style Name="Expansion_02" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000018 |             <State Name="Normal">
000019 |                 <Item Name="CheckBox" Image="CheckboxScrapsHover" />
000020 |             </State>
000021 |             <State Name="Disabled">
000022 |                 <Item Name="CheckBox" Image="" />
000023 |             </State>
000024 |             <State Name="Mark">
000025 |                 <Item Name="CheckBox" Image="CheckboxScrapsMark" />
000026 |             </State>
000027 |             <State Name="Highlight">
000028 |                 <Item Name="CheckBox" Image="CheckboxScrapsHover" />
000029 |             </State>
000030 |         </Style>
000031 |         <Style Name="Expansion_03" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000032 |             <State Name="Normal">
000033 |                 <Item Name="CheckBox" Image="CheckboxSquareHover" />
000034 |             </State>
000035 |             <State Name="Disabled">
000036 |                 <Item Name="CheckBox" Image="" />
000037 |             </State>
000038 |             <State Name="Mark">
000039 |                 <Item Name="CheckBox" Image="CheckboxMark" />
000040 |             </State>
000041 |             <State Name="Highlight">
000042 |                 <Item Name="CheckBox" Image="CheckboxSquareHover" />
000043 |             </State>
000044 |         </Style>
000045 |         <Style Name="Expansion_04" Font="gui/fonts/metron" ImageSet="expansion_widgets" Color="4294967295">
000046 |             <State Name="Normal">
000047 |                 <Item Name="CheckBox" Image="CheckboxScrapsSquareHover" />
000048 |             </State>
000049 |             <State Name="Disabled">
000050 |                 <Item Name="CheckBox" Image="" />
000051 |             </State>
```

```
000052 |         <State Name="Mark">
000053 |             <Item Name="CheckBox" Image="CheckboxScrapsMark" />
000054 |         </State>
000055 |         <State Name="Highlight">
000056 |             <Item Name="CheckBox" Image="CheckboxScrapsSquareHover" />
000057 |         </State>
000058 |     </Style>
000059 | </Widget>
000060 | <Widget Name="ButtonWidget">
000061 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="4043309055">
000062 |         <State Name="Disabled">
000063 |             <Item Name="Bottom" Image="" />
000064 |             <Item Name="Center" Image="" />
000065 |             <Item Name="Left" Image="" />
000066 |             <Item Name="LeftBottom" Image="" />
000067 |             <Item Name="LeftTop" Image="" />
000068 |             <Item Name="Right" Image="" />
000069 |             <Item Name="RightBottom" Image="" />
000070 |             <Item Name="RightTop" Image="" />
000071 |             <Item Name="Top" Image="" />
000072 |         </State>
000073 |         <State Name="Focus">
000074 |             <Item Name="Bottom" Image="" />
000075 |             <Item Name="Center" Image="" />
000076 |             <Item Name="Left" Image="" />
000077 |             <Item Name="LeftBottom" Image="" />
000078 |             <Item Name="LeftTop" Image="" />
000079 |             <Item Name="Right" Image="" />
000080 |             <Item Name="RightBottom" Image="" />
000081 |             <Item Name="RightTop" Image="" />
000082 |             <Item Name="Top" Image="" />
000083 |         </State>
000084 |         <State Name="Highlight">
000085 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000086 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000087 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000088 |             <Item Name="LeftBottom" Image="" />
000089 |             <Item Name="LeftTop" Image="" />
000090 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000091 |             <Item Name="RightBottom" Image="" />
000092 |             <Item Name="RightTop" Image="" />
000093 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000094 |         </State>
000095 |         <State Name="Normal">
000096 |             <Item Name="Bottom" Image="" />
000097 |             <Item Name="Center" Image="" />
000098 |             <Item Name="Left" Image="" />
000099 |             <Item Name="LeftBottom" Image="" />
000100 |             <Item Name="LeftTop" Image="" />
000101 |             <Item Name="Right" Image="" />
000102 |             <Item Name="RightBottom" Image="" />
000103 |             <Item Name="RightTop" Image="" />
000104 |             <Item Name="Top" Image="" />
000105 |         </State>
000106 |         <State Name="Pushed">
000107 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000108 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000109 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000110 |             <Item Name="LeftBottom" Image="" />
000111 |             <Item Name="LeftTop" Image="" />
000112 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000113 |             <Item Name="RightBottom" Image="" />
```

```
000114 |         <Item Name="RightTop" Image="" />
000115 |         <Item Name="Top" Image="UIPanelHorizontalTop" />
000116 |     </State>
000117 | </Style>
000118 | </Widget>
000119 | <Widget Name="GridSpacerWidget">
000120 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="16777215">
000121 |         <State Name="Disabled">
000122 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000123 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000124 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000125 |             <Item Name="LeftBottom" Image="" />
000126 |             <Item Name="LeftTop" Image="" />
000127 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000128 |             <Item Name="RightBottom" Image="" />
000129 |             <Item Name="RightTop" Image="" />
000130 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000131 |         </State>
000132 |         <State Name="Normal">
000133 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000134 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000135 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000136 |             <Item Name="LeftBottom" Image="" />
000137 |             <Item Name="LeftTop" Image="" />
000138 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000139 |             <Item Name="RightBottom" Image="" />
000140 |             <Item Name="RightTop" Image="" />
000141 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000142 |         </State>
000143 |     </Style>
000144 | </Widget>
000145 | <Widget Name="WrapSpacerWidget">
000146 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="16777215">
000147 |         <State Name="Disabled">
000148 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000149 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000150 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000151 |             <Item Name="LeftBottom" Image="" />
000152 |             <Item Name="LeftTop" Image="" />
000153 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000154 |             <Item Name="RightBottom" Image="" />
000155 |             <Item Name="RightTop" Image="" />
000156 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000157 |         </State>
000158 |         <State Name="Normal">
000159 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000160 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
000161 |             <Item Name="Left" Image="UIPanelHorizontalLeft" />
000162 |             <Item Name="LeftBottom" Image="" />
000163 |             <Item Name="LeftTop" Image="" />
000164 |             <Item Name="Right" Image="UIPanelHorizontalRight" />
000165 |             <Item Name="RightBottom" Image="" />
000166 |             <Item Name="RightTop" Image="" />
000167 |             <Item Name="Top" Image="UIPanelHorizontalTop" />
000168 |         </State>
000169 |     </Style>
000170 | </Widget>
000171 | <Widget Name="PanelWidget">
000172 |     <Style Name="Expansion_01" Font="gui/fonts/AmorSerifPro-Bold" ImageSet="dayz_gui" Color="16777215">
000173 |         <State Name="Disabled">
000174 |             <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000175 |             <Item Name="Center" Image="UIPanelHorizontalCenter" />
```

```
000176 |         <Item Name="Left" Image="UIPanelHorizontalLeft" />
000177 |         <Item Name="LeftBottom" Image="" />
000178 |         <Item Name="LeftTop" Image="" />
000179 |         <Item Name="Right" Image="UIPanelHorizontalRight" />
000180 |         <Item Name="RightBottom" Image="" />
000181 |         <Item Name="RightTop" Image="" />
000182 |         <Item Name="Top" Image="UIPanelHorizontalTop" />
000183 |     </State>
000184 |     <State Name="Normal">
000185 |         <Item Name="Bottom" Image="UIPanelHorizontalLeft" />
000186 |         <Item Name="Center" Image="UIPanelHorizontalCenter" />
000187 |         <Item Name="Left" Image="UIPanelHorizontalLeft" />
000188 |         <Item Name="LeftBottom" Image="" />
000189 |         <Item Name="LeftTop" Image="" />
000190 |         <Item Name="Right" Image="UIPanelHorizontalRight" />
000191 |         <Item Name="RightBottom" Image="" />
000192 |         <Item Name="RightTop" Image="" />
000193 |         <Item Name="Top" Image="UIPanelHorizontalTop" />
000194 |     </State>
000195 | </Style>
000196 | </Widget>
000197 | </WidgetStyles>
000198 |
```


0589. PBO TEXT FILE

Path: core pbo files expan/core_gui.pbo :: textures\expansion_icon.edds.meta
Size bytes: 356
SHA-256: 7f177655350e58558645695c52dd472911e7e59487ac89e14b318c6cc0f69287
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{83F4855ACB544999}DayZExpansion/Core/GUI/textures/expansion_icon.edds"  
000003 |   Author "Steve aka Salutesh"  
000004 |   ChangeDate -1224890795  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "expansion_icon.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0590. PBO TEXT FILE

Path: core pbo files expan/core_objects_bases.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0591. PBO TEXT FILE

Path: core pbo files expan/core_objects_briefcase.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0592. PBO TEXT FILE

Path: core pbo files expan/core_objects_briefcase.pbo :: data\Briefcase.rvmat

Size bytes: 1474

SHA-256: 80c42ce871e2c9af6d760e23688f9442d0508b6056ed3243a2ec50c4e1f4ff53

Decoded as: utf-8-sig

Line count shown: 86

Full file content

```
000001 | ambient[]={1,1,1,1};
000002 | diffuse[]={1,1,1,1};
000003 | forcedDiffuse[]={0,0,0,0};
000004 | emmissive[]={0,0,0,1};
000005 | specular[]={1,1,1,1};
000006 | specularPower=100;
000007 | PixelShaderID="Super";
000008 | VertexShaderID="Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\Briefcase\data\briefcase_nohq.paa";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture="DayZExpansion\Core\Objects\Briefcase\data\briefcase_as.paa";
000048 |     uvSource="tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[]={1,0,0};
```

```
000052 |         up[]={0,1,0};
000053 |         dir[]={0,0,0};
000054 |         pos[]={0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\Briefcase\data\briefcase_smdi.paa";
000060 |     uvSource="tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[]={1,0,0};
000064 |         up[]={0,1,0};
000065 |         dir[]={0,0,0};
000066 |         pos[]={0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000072 |     uvSource="none";
000073 | };
000074 | class Stage7
000075 | {
000076 |     texture="dz\data\data\env_land_co.paa";
000077 |     uvSource="tex";
000078 |     class uvTransform
000079 |     {
000080 |         aside[]={1,0,0};
000081 |         up[]={0,1,0};
000082 |         dir[]={0,0,0};
000083 |         pos[]={0,0,0};
000084 |     };
000085 | };
000086 |
```

0593. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0594. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board.rvmat

Size bytes: 1468

SHA-256: d0de8fa6d0db25ee7eced139571f12c67ac27dcbb142160ad45fba46586e19a7

Decoded as: utf-8-sig

Line count shown: 86

Full file content

```
000001 | ambient[]={1,1,1,1};
000002 | diffuse[]={1,1,1,1};
000003 | forcedDiffuse[]={0,0,0,0};
000004 | emmissive[]={0,0,0,1};
000005 | specular[]={0.5,0.5,0.5,0.5};
000006 | specularPower=100;
000007 | PixelShaderID="Super";
000008 | VertexShaderID="Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_nohq.paa";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture="#(argb,8,8,3)color(1,1,1,1,AS)";
000048 |     uvSource="tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[]={1,0,0};
```

```
000052 |         up[]={0,1,0};
000053 |         dir[]={0,0,0};
000054 |         pos[]={0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_smdi.paa";
000060 |     uvSource="tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[]={1,0,0};
000064 |         up[]={0,1,0};
000065 |         dir[]={0,0,0};
000066 |         pos[]={0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000072 |     uvSource="none";
000073 | };
000074 | class Stage7
000075 | {
000076 |     texture="dz\data\data\env_land_co.paa";
000077 |     uvSource="tex";
000078 |     class uvTransform
000079 |     {
000080 |         aside[]={1,0,0};
000081 |         up[]={0,1,0};
000082 |         dir[]={0,0,0};
000083 |         pos[]={0,0,0};
000084 |     };
000085 | };
000086 |
```


0595. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_damage.rvmat
Size bytes: 1670
SHA-256: 83f74b65576fef84477db71885ef808951ad5d3c991a03b680f4e854b444075f
Decoded as: utf-8-sig
Line count shown: 93

Full file content

```
000001 | ambient[] = {1,1,1,1};
000002 | diffuse[] = {1,1,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.08,0.1,0.1,1};
000006 | specularPower = 250;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,0};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {0,0,0};
000028 |         up[] = {0,0,0};
000029 |         dir[] = {0,0,0};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "dz\characters\data\generic_damage_mc.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {3,0,0};
000040 |         up[] = {0,3,0};
000041 |         dir[] = {0,0,0};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture = "#(argb,8,8,3)color(1,1,1,1,AS)";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,0};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_smdi.paa";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,0};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture = "#(ai,64,64,1)fresnel(0.4,0.7)";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,0};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 | class Stage7
000082 | {
000083 |     texture="dz\data\data\env_land_co.paa";
000084 |     uvSource = "tex";
000085 |     class uvTransform
000086 |     {
000087 |         aside[] = {1,0,0};
000088 |         up[] = {0,1,0};
000089 |         dir[] = {0,0,0};
000090 |         pos[] = {0,0,0};
000091 |     };
000092 | };
000093 |
```

0596. PBO TEXT FILE

Path: core pbo files expan/core_objects_circuitboard.pbo :: data\circuit_board_destruct.rvmat
Size bytes: 1678
SHA-256: 2e9feab75316523978ffccadb27df5a7ac70ac4581dc24e985b82cd3c2cc1d2c
Decoded as: utf-8-sig
Line count shown: 93

Full file content

```
000001 | ambient[] = {1,1,1,1};
000002 | diffuse[] = {1,1,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.02,0.02,0.02,1};
000006 | specularPower = 250;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,0};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {0,0,0};
000028 |         up[] = {0,0,0};
000029 |         dir[] = {0,0,0};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "dz\characters\data\generic_destruct_mc.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {3,0,0};
000040 |         up[] = {0,3,0};
000041 |         dir[] = {0,0,0};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage4
000046 | {
000047 |     texture = "#(argb,8,8,3)color(1,1,1,1,AS)";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,0};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage5
000058 | {
000059 |     texture="DayZExpansion\Core\Objects\CircuitBoard\data\circuit_board_smdi.paa";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,0};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage6
000070 | {
000071 |     texture = "#(ai,64,64,1)fresnel(0.4,0.7)";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,0};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 | class Stage7
000082 | {
000083 |     texture = "#(argb,8,8,3)color(0,0,0,1,C0)";
000084 |     uvSource = "tex";
000085 |     class uvTransform
000086 |     {
000087 |         aside[] = {1,0,0};
000088 |         up[] = {0,1,0};
000089 |         dir[] = {0,0,0};
000090 |         pos[] = {0,0,0};
000091 |     };
000092 | };
000093 |
```

0597. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0598. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\gold.rvmat
Size bytes: 1538
SHA-256: e987e6de3feb0650f4c32a4b371e4a81b352815f1ab9a6e144abf2cb6660a2a2
Decoded as: utf-8-sig
Line count shown: 81

Full file content

```
000001 | ambient[] = {1,0.9999999,1,1};
000002 | diffuse[] = {1,0.9999999,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.952,0.96199995,1.1,1};
000006 | specularPower = 200;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture = "DayZExpansion\Core\Objects\Currencies\data\gold_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,1};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#{argb,8,8,3}color(0.1,0.1,0.1,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {-2.447838e-007,5.6,0};
000028 |         up[] = {-7,-3.059797e-007,0};
000029 |         dir[] = {0,0,7};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "DayZExpansion\Core\Objects\Currencies\data\gold_co.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {1,0,0};
000040 |         up[] = {0,1,0};
000041 |         dir[] = {0,0,1};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage5
000046 | {
000047 |     texture = "DayZExpansion\Core\Objects\Currencies\data\gold_smdi.paa";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,1};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage6
000058 | {
000059 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,1};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage7
000070 | {
000071 |     texture = "dz\weapons\pistols\de\data\env_gold_co.paa";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,1};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 |
```

0599. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\nugget_gold.rvmat

Size bytes: 1089

SHA-256: 9b67fd34734ded41f317ab9670736944e5ae3ae5b8a6806681d7ffd934473f4b

Decoded as: utf-8-sig

Line count shown: 62

Full file content

```
000001 | ambient[] = {1,1,1,1};
000002 | diffuse[] = {1,1,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[]={2,2,2,1};
000006 | specularPower = 100;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage2
000010 | {
000011 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage3
000022 | {
000023 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage5
000034 | {
000035 |     texture="DayZExpansion\Core\Objects\Currencies\data\nugget_gold_smdi.paa";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage6
000046 | {
000047 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000048 |     uvSource="none";
000049 | };
000050 | class Stage7
000051 | {
```



```
000052 | texture = "dz\weapons\pistols\de\data\env_gold_co.paa";
000053 | uvSource = "tex";
000054 | class uvTransform
000055 | {
000056 |     aside[] = {1,0,0};
000057 |     up[] = {0,1,0};
000058 |     dir[] = {0,0,1};
000059 |     pos[] = {0,0,0};
000060 | };
000061 | };
000062 |
```

0600. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\nugget_silver.rvmat
Size bytes: 1062
SHA-256: f2a049644190772d84731f3bed78d018f0f1c923b4c742e0934d872645e538a1
Decoded as: utf-8-sig
Line count shown: 62

Full file content

```
000001 | ambient[]={1,1,1,1};
000002 | diffuse[]={1,1,1,1};
000003 | forcedDiffuse[]={0,0,0,0};
000004 | emmissive[]={0,0,0,1};
000005 | specular[]={1,1,1,1};
000006 | specularPower=25;
000007 | PixelShaderID="Super";
000008 | VertexShaderID="Super";
000009 | class Stage2
000010 | {
000011 |     texture="#(argb,8,8,3)color(0.5,0.5,0.5,1,DT)";
000012 |     uvSource="tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[]={1,0,0};
000016 |         up[]={0,1,0};
000017 |         dir[]={0,0,0};
000018 |         pos[]={0,0,0};
000019 |     };
000020 | };
000021 | class Stage3
000022 | {
000023 |     texture="#(argb,8,8,3)color(0,0,0,0,MC)";
000024 |     uvSource="tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[]={1,0,0};
000028 |         up[]={0,1,0};
000029 |         dir[]={0,0,0};
000030 |         pos[]={0,0,0};
000031 |     };
000032 | };
000033 | class Stage5
000034 | {
000035 |     texture="DayZExpansion\Core\Objects\Currencies\data\nugget_gold_smdi.paa";
000036 |     uvSource="tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[]={1,0,0};
000040 |         up[]={0,1,0};
000041 |         dir[]={0,0,0};
000042 |         pos[]={0,0,0};
000043 |     };
000044 | };
000045 | class Stage6
000046 | {
000047 |     texture="#(ai,64,64,1)fresnel(1.82,0.71)";
000048 |     uvSource="none";
000049 | };
000050 | class Stage7
000051 | {
```

```
000052 | texture = "dz\data\data\env_chrome_co.paa";
000053 | uvSource = "tex";
000054 | class uvTransform
000055 | {
000056 |     aside[] = {1,0,0};
000057 |     up[] = {0,1,0};
000058 |     dir[] = {0,0,1};
000059 |     pos[] = {0,0,0};
000060 | };
000061 | };
000062 |
```

0601. PBO TEXT FILE

Path: core pbo files expan/core_objects_currencies.pbo :: data\silver.rvmat

Size bytes: 1533

SHA-256: 36a4ea2ecc2a722bed47f63797a31c83459554934d6e50569f53edb20eab8c35

Decoded as: utf-8-sig

Line count shown: 81

Full file content

```
000001 | ambient[] = {1,0.9999999,1,1};
000002 | diffuse[] = {1,0.9999999,1,1};
000003 | forcedDiffuse[] = {0,0,0,0};
000004 | emmissive[] = {0,0,0,1};
000005 | specular[] = {0.952,0.96199995,1.1,1};
000006 | specularPower = 100;
000007 | PixelShaderID = "Super";
000008 | VertexShaderID = "Super";
000009 | class Stage1
000010 | {
000011 |     texture = "DayZExpansion\Core\Objects\Currencies\data\silver_nohq.paa";
000012 |     uvSource = "tex";
000013 |     class uvTransform
000014 |     {
000015 |         aside[] = {1,0,0};
000016 |         up[] = {0,1,0};
000017 |         dir[] = {0,0,1};
000018 |         pos[] = {0,0,0};
000019 |     };
000020 | };
000021 | class Stage2
000022 | {
000023 |     texture = "#{argb,8,8,3}color(0.1,0.1,0.1,1,DT)";
000024 |     uvSource = "tex";
000025 |     class uvTransform
000026 |     {
000027 |         aside[] = {-2.447838e-007,5.6,0};
000028 |         up[] = {-7,-3.059797e-007,0};
000029 |         dir[] = {0,0,7};
000030 |         pos[] = {0,0,0};
000031 |     };
000032 | };
000033 | class Stage3
000034 | {
000035 |     texture = "DayZExpansion\Core\Objects\Currencies\data\silver_co.paa";
000036 |     uvSource = "tex";
000037 |     class uvTransform
000038 |     {
000039 |         aside[] = {1,0,0};
000040 |         up[] = {0,1,0};
000041 |         dir[] = {0,0,1};
000042 |         pos[] = {0,0,0};
000043 |     };
000044 | };
000045 | class Stage5
000046 | {
000047 |     texture = "DayZExpansion\Core\Objects\Currencies\data\silver_smdi.paa";
000048 |     uvSource = "tex";
000049 |     class uvTransform
000050 |     {
000051 |         aside[] = {1,0,0};
```

```
000052 |         up[] = {0,1,0};
000053 |         dir[] = {0,0,1};
000054 |         pos[] = {0,0,0};
000055 |     };
000056 | };
000057 | class Stage6
000058 | {
000059 |     texture = "#(ai,24,1,1)fresnel(0.46,0.22)";
000060 |     uvSource = "tex";
000061 |     class uvTransform
000062 |     {
000063 |         aside[] = {1,0,0};
000064 |         up[] = {0,1,0};
000065 |         dir[] = {0,0,1};
000066 |         pos[] = {0,0,0};
000067 |     };
000068 | };
000069 | class Stage7
000070 | {
000071 |     texture = "dz\data\data\env_chrome_co.paa";
000072 |     uvSource = "tex";
000073 |     class uvTransform
000074 |     {
000075 |         aside[] = {1,0,0};
000076 |         up[] = {0,1,0};
000077 |         dir[] = {0,0,1};
000078 |         pos[] = {0,0,0};
000079 |     };
000080 | };
000081 |
```

0602. PBO TEXT FILE

Path: core pbo files expan/core_objects_navmeshcarvers.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0603. PBO TEXT FILE

Path: core pbo files expan/core_objects_temporaryownedcontainer.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0604. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0605. PBO TEXT FILE

Path: core pbo files expan/core_scripts.pbo :: Data\Credits.json
Size bytes: 11828
SHA-256: 665f9d5db6af97cc2b785ae197f739266f2b84ca71251cc634b78327fc88cf8d
Decoded as: utf-8-sig
Line count shown: 316

Full file content

```
000001 | {
000002 |     "Departments": [{
000003 |         "DepartmentName": "DAYZ EXPANSION",
000004 |         "Sections": [{
000005 |             "SectionName": "",
000006 |             "SectionLines": []
000007 |         }]
000008 |     },
000009 |     {
000010 |         "DepartmentName": "",
000011 |         "Sections": [{
000012 |             "SectionName": "#STR_EXPANSION_CREDITS_SCRIPTERS",
000013 |             "SectionLines": [
000014 |                 "Stephan Moser - Steve aka Salutesh",
000015 |                 "Guillaume Jouve - LieutenantMaster",
000016 |                 "Ruslans Aleksejevs - CAMINOonPC",
000017 |                 "Jesse Ficarra - Not A Banana",
000018 |                 "George Thurston - Thurston",
000019 |                 "Jacob Kumar - Jacob_Mango",
000020 |                 "Tyler Paul - InclementDab",
000021 |                 "Rémi Simonin - NiiRoZz",
000022 |                 "liquidrock",
000023 |                 "Cooltrain",
000024 |                 "Wardog",
000025 |                 "Niphoria",
000026 |                 "Ralian",
000027 |                 "Darc"
000028 |             ]
000029 |         }]
000030 |     },
000031 |     {
000032 |         "DepartmentName": "",
000033 |         "Sections": [{
000034 |             "SectionName": "#STR_EXPANSION_CREDITS_PROGRAMMERS",
000035 |             "SectionLines": [
000036 |                 "Miroslav Maněna - @DayZ"
000037 |             ]
000038 |         }]
000039 |     },
000040 |     {
000041 |         "DepartmentName": "",
000042 |         "Sections": [{
000043 |             "SectionName": "#STR_EXPANSION_CREDITS_MAPPING",
000044 |             "SectionLines": [
000045 |                 "Florian Pelloux - DanceOfJesus"
000046 |             ]
000047 |         }]
000048 |     },
000049 |     {
000050 |         "DepartmentName": "",
000051 |         "Sections": [{
```

```
000052 |         "SectionName": "#STR_EXPANSION_CREDITS_3DARTISTS",
000053 |         "SectionLines": [
000054 |             "Jesse Ficarra - Not A Banana",
000055 |             "ComatoseBadger",
000056 |             "m_kola",
000057 |             "Helion4",
000058 |             "ZeRoY"
000059 |         ]
000060 |     }],
000061 | },
000062 | {
000063 |     "DepartmentName": "",
000064 |     "Sections": [{
000065 |         "SectionName": "#STR_EXPANSION_CREDITS_COMMUNITY_MANAGER",
000066 |         "SectionLines": [
000067 |             "George Thurston - Thurston"
000068 |         ]
000069 |     }]
000070 | },
000071 | {
000072 |     "DepartmentName": "",
000073 |     "Sections": [{
000074 |         "SectionName": "#STR_EXPANSION_CREDITS_MOVIES",
000075 |         "SectionLines": [
000076 |             "Ayano",
000077 |             "SepticFalcon"
000078 |         ]
000079 |     }]
000080 | },
000081 | {
000082 |     "DepartmentName": "",
000083 |     "Sections": [{
000084 |         "SectionName": "#STR_EXPANSION_CREDITS_TRANSLATORS",
000085 |         "SectionLines": [
000086 |             "Stephan Moser - Steve aka Salutesh",
000087 |             "Guillaume Jouve - LieutenantMaster",
000088 |             "Billy Herrington",
000089 |             "liquidrock",
000090 |             "Adam Francu",
000091 |             "Wayward son",
000092 |             "GUGUGUBEAR",
000093 |             "GrosTon1",
000094 |             "Catzf19",
000095 |             "MPH2210",
000096 |             "□□□□",
000097 |             "Jeremy",
000098 |             "Kalmar",
000099 |             "Vernon",
000100 |             "Inkota",
000101 |             "Polak",
000102 |             "Creep",
000103 |             "NDRW",
000104 |             "Hugo",
000105 |             "Js",
000106 |             "Losco Nosciuto",
000107 |             "Ninjin",
000108 |             "Yuki",
000109 |             "Xiaomu",
000110 |             "BlackMetasequoia"
000111 |         ]
000112 |     }]
000113 | },
```

```
000114 | {
000115 |     "DepartmentName": "",
000116 |     "Sections": [{
000117 |         "SectionName": "#STR_EXPANSION_CREDITS_SPECIAL_THANKS",
000118 |         "SectionLines": [
000119 |             "Miroslav Maněna",
000120 |             "Adam Franců",
000121 |             "rVn",
000122 |             "Eugen Harton",
000123 |             "",
000124 |             "Jamesjwgallagher",
000125 |             "SuperTrottoir",
000126 |             "DeanosBeano",
000127 |             "DivineFury",
000128 |             "Credidred",
000129 |             "DrDeSync",
000130 |             "Arkensor",
000131 |             "Shedmon",
000132 |             "Cleetus",
000133 |             "MoonDC",
000134 |             "Niphoria (Semi Automatic shotgun behavior)",
000135 |             "Def (Mapping converter tool 'DayZPosConv')",
000136 |             "DaemonForge (ExpansionCodeLockExpanded)",
000137 |             "MarioE",
000138 |             "Hlynge",
000139 |             "Zedmag",
000140 |             "",
000141 |             "You"
000142 |         ]
000143 |     }]
000144 | },
000145 | {
000146 |     "DepartmentName": "",
000147 |     "Sections": [{
000148 |         "SectionName": "#STR_EXPANSION_CREDITS_SUPPORTERS",
000149 |         "SectionLines": [
000150 |             "Matthew Salsamendi",
000151 |             "",
000152 |             "",
000153 |             "Js",
000154 |             "GL",
000155 |             "MK",
000156 |             "Shu",
000157 |             "KAZ",
000158 |             "OSH",
000159 |             "NDRW",
000160 |             "Jinx",
000161 |             "Phil",
000162 |             "Zisb",
000163 |             "Coma",
000164 |             "TomZF",
000165 |             "1312K",
000166 |             "Ondra",
000167 |             "BeeRz",
000168 |             "Kedzi",
000169 |             "Muzzy",
000170 |             "Gabba",
000171 |             "Tuuzza",
000172 |             "Wydox",
000173 |             "Se7en",
000174 |             "Neojr",
000175 |         ]
000176 |     }]
000177 | }
```

000176	"Volym",
000177	"Fozzie",
000178	"Square",
000179	"Deceit",
000180	"Hunter",
000181	"RIPx47",
000182	"Wardog",
000183	"Zombie",
000184	"Syntax",
000185	"Caesar",
000186	"Khubba",
000187	"Jfetko",
000188	"Juanky",
000189	"SmashT",
000190	"Nazzgy",
000191	"Paunae",
000192	"Kongur",
000193	"Boothy",
000194	"BigDad",
000195	"LaGTek",
000196	"ReVive",
000197	"LucyLu",
000198	"F3tt4ct",
000199	"Kopareo",
000200	"Daruman",
000201	"Progger",
000202	"Killjoy",
000203	"YaseSki",
000204	"Sabione",
000205	"RanCove",
000206	"Stricken",
000207	"Bierbaer",
000208	"Crocodoc",
000209	"Peresvet",
000210	"Asmodeus",
000211	"MrTedNRW",
000212	"Triforce",
000213	"Lionclaw",
000214	"GrosTon1",
000215	"Stardawg",
000216	"DjCtavia",
000217	"KingMike",
000218	"WiiDevil",
000219	"Lunchbox",
000220	"VonNeuman",
000221	"Lordcashy",
000222	"Cooltrain",
000223	"LabelFive",
000224	"Nightbird",
000225	"JoeyDaddy",
000226	"CTremblay",
000227	"JonAngelo",
000228	"SleepyDuck",
000229	"Jackouille",
000230	"MadStalk3r",
000231	"FutureSixx",
000232	"Stairus0SX",
000233	"WhiskyBlues",
000234	"KeiraStokes",
000235	"TommyBruise",
000236	"AlfredHagen",
000237	"ModernKilla",

```
000238 |         "KrakenSkulls",
000239 |         "KeganHollern",
000240 |         "EinfachRobin",
000241 |         "RubberbandMan",
000242 |         "PhillipeCartel",
000243 |         "AntiSocialYogg",
000244 |         "CaptainCuddles",
000245 |         "ThatProfileName",
000246 |         "ChainsawSquirrel",
000247 |         "Meeoowtaastiic"
000248 |     ]
000249 | }]}
000250 | },
000251 | {
000252 |     "DepartmentName": "#legal_notices",
000253 |     "Sections": [{
000254 |         "SectionName": "",
000255 |         "SectionLines": [
000256 |             "Our work in DayZ Expansion (unless otherwise noted) is licensed under:",
000257 |             "Attribution-NonCommercial-NoDerivatives 4.0 International (CC BY-NC-ND 4.0)"
000258 |         ]
000259 |     },
000260 |     {
000261 |         "SectionName": "DayZ Expansion Licensed",
000262 |         "SectionLines": [
000263 |             "DayZ Expansion Licensed contains material from Bohemia Interactive that has been licensed under ADPL-SA."
000264 |         ]
000265 |     },
000266 |     {
000267 |         "SectionName": "Font Awesome",
000268 |         "SectionLines": [
000269 |             "© Fonticons, Inc."
000270 |         ]
000271 |     },
000272 |     {
000273 |         "SectionName": "Flaticon",
000274 |         "SectionLines": [
000275 |             "Some icons used are made by Pixel perfect from www.flaticon.com",
000276 |             "Copyright © 2013-2021 Freepik Company S.L. All rights reserved."
000277 |         ]
000278 |     },
000279 |     {
000280 |         "SectionName": "Allegorithmic",
000281 |         "SectionLines": [
000282 |             "Copyright © 2022 Adobe. All rights reserved."
000283 |         ]
000284 |     },
000285 |     {
000286 |         "SectionName": "Enfusion AI",
000287 |         "SectionLines": [
000288 |             "Copyright © 2021"
000289 |         ]
000290 |     },
000291 |     {
000292 |         "SectionName": "Recast Navigation",
000293 |         "SectionLines": [
000294 |             "Copyright (c) 2009-2010 Mikko Mononen memon@inside.org"
000295 |         ]
000296 |     },
000297 |     {
000298 |         "SectionName": "3D Models",
000299 |         "SectionLines": [
```

```
000300 | "RPG-7 by Ranger_08 and from https://sketchfab.com/3d-models/rpg-7-625b550f52a04068b943837558b5a582",
000301 | "M72 Law by Rectus and from https://sketchfab.com/3d-models/m72-law-rocket-launcher-3ecb3657d37645e996513965b81a16a1",
000302 | "MP5SD by Yksnawel and from https://sketchfab.com/3d-models/mp5sd-70a471fa71be44b1807e5a877b09e88d",
000303 | "Swamp Boat by Thunder and from https://sketchfab.com/3d-models/swamp-boat-4bb3cd708c0a4034bd3923234f7b6ab3",
000304 | "Claymore by Aleksandr Goncharov and from https://sketchfab.com/3d-models/claymore-mine-m18-m18a1-04019c9f8f4341d8bda1296f286fa6fb",
000305 | "Stick Fence by Thunder and from https://sketchfab.com/3d-models/modular-stick-fence-86d57667b8d94169a8ccd3d6106a2f3f",
000306 | "Trailer Kzap Прицеп K3АП 8140 by gooooddenis and from https://sketchfab.com/3d-models/trailer-kzap-8140-31244d0da06243fe82fd4ad1828231c9",
000307 | "Trailer Generator by ananthswamy and from https://sketchfab.com/3d-models/generator-8e80addcf52f4880b9414c3fadc3c850",
000308 | "Fuel trailer by Paule Gennadievich and from https://sketchfab.com/3d-models/barrel-trailer-kvass-d066c57c95f54ffb9cd119690b32a7d0",
000309 | "Wooden Ladder by ArcheoteryxFr and from https://sketchfab.com/3d-models/medieval-wooden-ladder-07e0e9c82e8b4768ab634cbf4f24626a",
000310 | "Tow rope by Vinny Passmore and from https://sketchfab.com/3d-models/wire-tow-rope-bd14cb0da756411f8594ce42011e4dc9"
000311 | ]
000312 | }
000313 | ]
000314 | }
000315 | ]
000316 | }
```

0606. PBO TEXT FILE

Path: core pbo files expan/core_stub.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0607. PBO TEXT FILE

Path: core pbo files expan/definetest.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0608. PBO TEXT FILE

Path: core pbo files expan/dta_core.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0609. PBO TEXT FILE

Path: core pbo files expan/dta_game.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0610. PBO TEXT FILE

Path: core pbo files expan/languagecore_core.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0611. PBO TEXT FILE

Path: core pbo files expan/languagecore_core.pbo :: stringtable.csv
Size bytes: 203556
SHA-256: 58531d4b2eb3efc17caf2d3865ed7b268eb849b3b711c9cd66707daebc7a6887
Decoded as: utf-8-sig
Line count shown: 318

Full file content

```
000001 | "Language", "original", "english", "czech", "german", "russian", "polish", "hungarian", "italian", "spanish", "french", "chinese", "japanese", "portuguese", "chinesesimp",
000002 | "STR_EXPANSION_ACCEPT", "ACCEPT", "ACCEPT", "PRIJMOUT", "AKZEPTIEREN", "ПРИНЯТЬ", "ACCEPT", "ACCEPT", "ACCETTA", "ACEPTAR", "ACCEPTER", "□□", "ACCEPT", "ACCEPT", "□□",
000003 | "STR_EXPANSION_ACTION_RESTORE", "Restore", "Restore", "Restore", "Obnovit", "Wiederherstellen", "Восстановить", "Restore", "Restore", "Ripristina", "Restaurar", "Restaurer", "□□", "Rest
ore", "Restore", "□□",
000004 | "STR_EXPANSION_ACTION_STORE", "Store", "Store", "Uložit", "Einlagern", "Хранить", "Store", "Store", "Immagazzina", "Almacenar", "Ranger", "□□", "Store", "Store", "□□",
000005 | "STR_EXPANSION_ADMIN", "Admin", "Admin", "Admin", "Admin", "Administrator", "Админ", "Admin", "Admin", "Amministratore", "Administrador", "Administrateur", "□□□", "Admin", "Admin", "□□"
,
000006 | "STR_EXPANSION_BANKNOTES_EURO", "Euro Banknotes Stack", "Euro Banknotes Stack", "Baliček euro bankovek", "Euro Banknoten", "Пачка банкнот евро", "Euro Banknotes Stack",
"Euro Banknotes Stack", "Mazzetto di Euro in Banconota", "Euro Banknotes Stack", "Pile de billets en Euros", "□□□□□□", "Euro Banknotes Stack", "Euro Banknotes Stack", "□
□",
000007 | "STR_EXPANSION_BANKNOTES_EURO_DESC", "A stack of Euro Banknotes", "A stack of Euro Banknotes", "Baliček euro bankovek", "Ein Stapel Euro Banknoten", "Пачка банкнот евр
o", "A stack of Euro Banknotes", "A stack of Euro Banknotes", "Un Mazzettod di Euro in Carta", "A stack of Euro Banknotes", "Une pile de billets en Euros", "□□□□□□□", "A
stack of Euro Banknotes", "A stack of Euro Banknotes", "□□□□□□",
000008 | "STR_EXPANSION_BANKNOTES_HRYVNIA", "Hryvnia Banknotes Stack", "Hryvnia Banknotes Stack", "Baliček hřivenních bankovek", "Hryvnia Banknoten", "Пачка гривневых банкнот",
"Hryvnia Banknotes Stack", "Hryvnia Banknotes Stack", "Mazzetto di Hryvnia in Banconota", "Hryvnia Banknotes Stack", "Pile de billets en Hryvnia", "HRYVNIA□□□□", "Hryvn
ia Banknotes Stack", "Hryvnia Banknotes Stack", "□□",
000009 | "STR_EXPANSION_BANKNOTES_HRYVNIA_DESC", "A stack of Hryvnia Banknotes", "A stack of Hryvnia Banknotes", "Baliček hřivenních bankovek", "Ein Stapel Hryvnia Banknoten",
"Пачка гривневых банкнот", "A stack of Hryvnia Banknotes", "A stack of Hryvnia Banknotes", "Un Mazzetto di Hryvnia in Carta", "A stack of Hryvnia Banknotes", "Une pile
de billets en Hryvnia", "HRYVNIA□□□□□", "A stack of Hryvnia Banknotes", "A stack of Hryvnia Banknotes", "□□□□□□",
000010 | "STR_EXPANSION_BANKNOTES_USD", "USD Banknotes Stack", "USD Banknotes Stack", "Baliček USD bankovek", "US Dollar Banknoten", "Пачка банкнот доллара США", "USD Banknotes
Stack", "USD Banknotes Stack", "Mazzetto di Dollari in Banconota", "USD Banknotes Stack", "Pile de billets en Dollars américains", "□□□□□□", "USD Banknotes Stack", "USD
Banknotes Stack", "□□",
000011 | "STR_EXPANSION_BANKNOTES_USD_DESC", "A stack of USD Banknotes", "A stack of USD Banknotes", "Baliček USD bankovek", "Ein Stapel US Dollar Banknoten", "Пачка банкнот до
лларов США", "A stack of USD Banknotes", "A stack of USD Banknotes", "Un mazzetto di Dollari in carta", "A stack of USD Banknotes", "Une pile de billets en Dollars amé
ricains", "□□□□□□□", "A stack of USD Banknotes", "A stack of USD Banknotes", "□□□□□□",
000012 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_DAYS", "Days", "Days", "Dny", "Tage", "Дней", "Days", "Days", "Giorni", "Dias", "Jours", "□", "Days", "Days", "□",
000013 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_GRAMS", "Grams", "Grams", "Gramy", "Gramm", "Граммы", "Grams", "Grams", "Grammi", "Gramos", "Grammes", "□", "Grams", "Grams", "□",
000014 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_HOURS", "Hours", "Hours", "Hodiny", "Stunden", "Часов", "Hours", "Hours", "Ore", "Horas", "Heures", "□□", "Hours", "Hours", "□□",
000015 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KG", "Kg", "Kg", "Kg", "Kilogramm", "Kr", "Kg", "Kg", "Kg", "Kg", "Kg", "□□", "Kg", "Kg", "□□",
000016 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KILLS", "Kills", "Kills", "Zabití", "Kills", "Убийства", "Kills", "Kills", "Uccisioni", "Muertes", "Tués", "□□□", "Kills", "Kills", "
□□",
000017 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_KM", "Km", "Km", "Km", "Kilometer", "Km", "Km", "Km", "Km", "Km", "Km", "□□", "Km", "Km", "□□",
000018 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_METERS", "Meters", "Meters", "Metř", "Meter", "Метров", "Meters", "Meters", "Metri", "Metros", "Mètres", "□□", "Meters", "Meters", "
□",
000019 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_MINUTES", "Minutes", "Minutes", "Minut", "Minuten", "Минут", "Minutes", "Minutes", "Minuti", "Minutos", "Minutes", "□□", "Minutes",
"Minutes", "□□",
000020 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STATS_SECONDS", "Seconds", "Seconds", "Sekund", "Sekunden", "Секунд", "Seconds", "Seconds", "Secondi", "Segundos", "Secondes", "□", "Seco
nds", "Seconds", "□",
000021 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_AI_KILLS", "AI KILLS:", "AI KILLS:", "AI KILLS:", "AI KILLS:", "УБИТО ИИ:", "AI KILLS:", "AI KILLS:", "AI KILLS:", "AI KILLS:", "A
I TUÉS:", "AI KILLS:", "AI KILLS:", "AI KILLS:", "□□AI□□",
000022 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_ANIMAL_KILLS", "ANIMAL KILLS:", "ANIMAL KILLS:", "ZABITÁ ZVÍŘATA:", "GETÖTETE TIERE:", "УБИТО ЖИВОТНЫХ:", "ZABITE ZWIERZĘTA:",
"ANIMAL KILLS:", "UCCISIONI DI ANIMALI:", "ANIMALES MUERTOS", "ANIMAUX TUÉS:", "□□□□□□", "ANIMAL KILLS:", "ANIMAIS MORTOS:", "□□□□□",
000023 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_BLOODTYPE", "BLOOD TYPE:", "BLOOD TYPE:", "KREVNÍ SKUPINA:", "BLUTGRUPPE:", "ТИП КРОВИ:", "BLOOD TYPE:", "BLOOD TYPE:", "GRUPPO
SANGUIGNO:", "BLOOD TYPE:", "GROUPE SANGUIN :", "□□□", "BLOOD TYPE:", "BLOOD TYPE:", "□□□",
000024 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_PLAYER_DISTANCE", "DISTANCE TRAVELLED:", "DISTANCE TRAVELLED:", "PŘEKONANÁ VZDÁLENOST:", "ZURÜCKGELEGTE STRECKE:", "ПРОЙДЕНО:
", "PRZEBYTY DYSTANS:", "DISTANCE TRAVELLED:", "DISTANZA PERCORSA:", "DISTANCIA RECORRIDA", "DISTANCE PARCOURUE:", "□□□□□", "DISTANCE TRAVELLED:", "DISTANCIA PERCORRIDA:
", "□□□□□",
000025 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_PLAYER_FACTION", "FACTION:", "FACTION:", "FRAKCE:", "FRAKTION:", "ФРАКЦИЯ:", "FACTION:", "FACTION:", "FAZIONE:", "FACTION:", "FACT
ION:", "□□□", "FACTION:", "FACTION:", "□□□",
000026 | "STR_EXPANSION_BOOK_STATUS_CHARACTER_STAT_PLAYER_KILLS", "PLAYER KILLS:", "PLAYER KILLS:", "ZABITÍ HRÁČI:", "GETÖTETE SPIELER:", "УБИТО ИГРОКОВ:", "ZABICI GRACZE:", "PLA
YER KILLS:", "UCCISIONI DI GIOCATORI:", "JUGADORES ASESINADOS", "JOUEURS TUÉS:", "□□□□□□", "□□□□□□□□□", "PLAYERS MORTOS:", "□□□□□",
```



```

000118 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPLAYERMARKERS","SHOW PLAYER 2D MARKERS","SHOW PLAYER 2D MARKERS","ZOBRAZIT HRÁČSKÉ 2D ZNAČKY","ZEIGE SPIELER-2D-MARKER","
2D METKI IГPOKOB","POKAŽ ZNACZNIKI 2D GRACZA","SHOW 2D PLAYER MARKERS","MOSTRA MARCATORI 2D DEI GIOCATORI","Mostrar la vista de los marcadores 2D del Jugador","AF
FICHER MARQUEURS 2D JOUEURS","0000 2D 0000","SHOW 2D PLAYER MARKERS","MOSTRAR MARCADORES 2D DOS JOGADORES","00002D00",
000119 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW2DPLAYERMARKERS_DESC","Toggle the view of all group member 2D markers.", "Toggle the view of all group member 2D markers.", "
Přepnout všechny hráčské 2D značky.", "Schalte die Anzeige von 2D Gruppen Spieler-Marierungen um.", "Вкл/Выкл отображение всех 2D меток игроков.", "Włącz widok wszys
tkich ustawionych znaczników osobowych 2D na mapie.", "Toggle the view of all 2D party player markers.", "Abilita / Disabilita la visione dei marcatori 2D dei gioca
tori nel gruppo", "Activar marcadores 2D del Grupo", "Bascule l'affichage des marqueurs 2D des membres de groupes.", "000000 2D 00000000", "Toggle the view of all 2D
party player markers.", "Alterne a visualização de todos os marcadores de jogadores em 2D.", "00000002D000000000",
000120 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DCLIENTMARKERS","SHOW PERSONAL 3D MARKERS","SHOW PERSONAL 3D MARKERS","ZOBRAZIT OSOBNÍ 3D ZNAČKY","ZEIGE PERSÖNLICHE 3D MA
RKER","3D ЛИЧНЫЕ МЕТКИ","POKAŽ MOJE ZNACZNIKI 3D","SHOW 3D PERSONAL MARKERS","MOSTRA MARCATORI PERSONALI 3D","Mostrar Marcadores 3D Personales","AFFICHER MARQUEUR
S 3D PERSONO.", "0000 3D 0000","SHOW 3D PERSONAL MARKERS","MOSTRAR MARCADORES PESSOAIS 3D","00003D00",
000121 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DCLIENTMARKERS_DESC","Toggle the view of all personal 3D markers.", "Toggle the view of all personal 3D markers.", "Přepnout
všechny osobní 3D značky.", "Schalte die Anzeige von allen persönlichen 3D Karten-Markierungen um.", "Вкл/Выкл отображение всех личных 3D меток.", "Włącz widok wszy
stkich moich ustawionych znaczników 3D na mapie.", "Toggle the view of all personal 3D map markers.", "Abilita / Disabilita la visione dei marcatori personali 3D in
mappa", "Activar la vista de tus marcadores 3D en el mapa", "Bascule l'affichage des marqueurs 3D personnels.", "00000000 3D 000000", "Toggle the view of all personal
3D map markers.", "Alterne a exibição de todos os marcadores de mapa 3D pessoais.", "00000003D000000000",
000122 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DGLOBALMARKERS","SHOW SERVER 3D MARKERS","SHOW SERVER 3D MARKERS","ZOBRAZIT SERVEROVÉ 3D ZNAČKY","ZEIGE SERVER-3D-MARKER",
"3D СЕРВЕРНЫЕ МЕТКИ","POKAŽ ZNACZNIKI 3D SERWERA","SHOW 3D SERVER MARKERS","MOSTRA MARCATORI 3D DEL SERVER","Mostrar marcadores 3D del servidor", "AFFICHER MARQUEU
RS 3D SERVEUR", "00000 3D 0000", "000000 3D 00000000", "MOSTRAR MARCAÇÃO 3D DO SERVIDOR", "000003D00",
000123 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DGLOBALMARKERS_DESC","Toggle the view of all server 3D markers.", "Toggle the view of all server 3D markers.", "Přepnout vše
chny serverové 3D značky.", "Schalte die Anzeige von allen globalen 3D Server Markierungen um.", "Вкл/Выкл отображение всех глобальных 3D меток сервера.", "Włącz wid
ok wszystkich ustawionych serwerowych znaczników 3D na mapie.", "Toggle the view of all global 3D server markers.", "Abilita / Disabilita la visione dei marcatori 3
D creati per il server", "Activar la vista de todos los marcadores 3D globales", "Bascule l'affichage des marqueurs 3D du serveur.", "00000000 3D 00000000", "00000 3D
00000000000000", "Alterne a exibição de todos os marcadores globais de servidor 3D.", "00000003D000000000",
000124 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DMARKERS","SHOW 3D MARKERS","SHOW 3D MARKERS","ZOBRAZIT 3D ZNAČKY","ZEIGE 3D MARKIERUNGEN","3D МЕТКИ","POKAŽ ZNACZNIKI 3D"
,"SHOW 3D MARKERS","MOSTRA MARCATORI 3D","MOSTRAR MARCADOR 3D","AFFICHER MARQUEURS 3D","00 3D 0000","3D 00000000","MOSTRAR MARCAÇÃO 3D","003D00",
000125 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DMARKERS_DESC","Toggle the view of all your 3D markers.", "Toggle the view of all your 3D markers.", "Přepnout všechny 3D zn
ačky.", "Schalte die Anzeige von allen 3D Karten-Markierungen um.", "Вкл/Выкл отображение всех ваших 3D меток.", "Włącz widok wszystkich ustawionych znaczników 3D na
mapie.", "Toggle the view of all your 3D map markers.", "Abilita / Disabilita la visione dei marcatori 3D in mappa", "Activar la vista de tus marcadores 3D", "Bascul
e l'affichage de tous les marqueurs carte 3D.", "000000 3D 000000","3D 0000000000000000", "Acesse a visualização de todos os seus marcadores de mapa 3D.", "00003D00000
000",
000126 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMARKERS","SHOW GROUP 3D MARKERS","SHOW GROUP 3D MARKERS","ZOBRAZIT 3D ZNAČKY SKUPINY","ZEIGE GRUPPEN-3D-MARKER","3D
МЕТКИ ГРУППЫ","POKAŽ ZNACZNIKI 3D GRUPY","SHOW 3D PARTY MARKERS","MOSTRA MARCATORI 3D DI GRUPPO","Mostrar marcadores 3D del grupo", "AFFICHER MARQUEURS 3D GROUPE",
"0000 3D 0000","SHOW 3D PARTY MARKERS","EXIBIR MARCADORES DO GRUPO 3D","00003D00",
000127 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMARKERS_DESC","Toggle the view of all group 3D markers.", "Toggle the view of all group 3D markers.", "Přepnout všehn
y skupinové 3D značky.", "Schalte die Anzeige von allen 3D Gruppen Karten-Markierungen um.", "Вкл/Выкл отображение всех меток карты 3D группы.", "Włącz widok wszystk
ich ustawionych znaczników grupowych 3D na mapie.", "Toggle the view of all 3D party map markers.", "Abilita / Disabilita la visione dei marcatori 3D di gruppo", "Ac
tivar la vista de todos los marcadores 3D globales", "Bascule l'affichage des marqueurs 3D du groupe.", "000000 3D 00000000", "Toggle the view of all 3D party map mar
kers.", "Exibir a visualização de todos os marcadores de mapa em 3D.", "0000003D0000000000",
000128 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMEMBERICON","SHOW PLAYER MARKER ICON","SHOW PLAYER MARKER ICON","ZOBRAZIT IKONU 3D ČLENA SKUPINY","SPIELER-3D-MARKER
-SYMBOL","3D ЗНАЧОК ЧЛЕНА ГРУППЫ","SHOW 3D PARTY MEMBER MARKER ICON","SHOW 3D PARTY MEMBER MARKER ICON","MOSTRA ICONA MARCATORE 3D DEI MEMBRI DEL GRUPPO","SHOW 3D
PARTY MEMBER MARKER ICON","AFFICHER ICÔNE MARQUEUR MEMBRE 3D GROUPE","00 3D 0000000000","SHOW 3D PARTY MEMBER MARKER ICON","SHOW 3D PARTY MEMBER MARKER ICON","00
000000",
000129 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPARTYMEMBERICON_DESC","Toggle the view of the icon that gets displayed next to party member 3D markers.", "Toggle the view
of the icon that gets displayed next to party member 3D markers.", "Přepnout zobrazení ikony, která se zobrazuje vedle značek 3D členů skupiny.", "Schaltet die Ans
icht des Symbols um, das neben den 3D-Markierungen der Gruppenmitglieder angezeigt wird.", "Вкл/Выкл отображение значка, который отображается рядом с 3D-меткой чле
нов группы над головой.", "Toggle the view of the icon that gets displayed next to party member 3D markers.", "Toggle the view of the icon that gets displayed next
to party member 3D markers.", "Abilita / Disabilita la visione dei marcatori 3D visualizzati vicino ai giocatori del gruppo", "Toggle the view of the icon that gets
displayed next to party member 3D markers.", "Bascule la vue de l'icône qui s'affiche à côté des marqueurs 3D des membres du groupe.", "0000000000 3D 000000000000", "
Toggle the view of the icon that gets displayed next to party member 3D markers.", "Toggle the view of the icon that gets displayed next to party member 3D markers
.", "00000000003D00000000",
000130 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPLAYERMARKERS","SHOW PLAYER 3D MARKERS","SHOW PLAYER 3D MARKERS","ZOBRAZIT ZNAČKY HRÁČŮ V 3D","ZEIGE SPIELER-3D-MARKER",
"3D МЕТКИ IГPOKOB","POKAŽ ZNACZNIKI 3D GRACZA","SHOW 3D PLAYER MARKERS","MOSTRA MARCATORI 3D DEI GIOCATORI","Mostrar marcadores 3D del Jugador", "AFFICHER MARQUEURS
3D JOUEURS", "0000 3D 0000","SHOW 3D PLAYER MARKERS","MOSTRAR MARCADORES DE JOGADORES 3D","00003D00",
000131 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOW3DPLAYERMARKERS_DESC","Toggle the view of all group member 3D markers.", "Toggle the view of all group member 3D markers.", "
Přepnout zobrazení všech značek hráčů v režimu 3D.", "Schalte die Anzeige von 3D Gruppenmitglieder-Marierungen um.", "Вкл/Выкл отображение всех 3D меток игроков.", "
Włącz widok wszystkich ustawionych znaczników osobowych 3D na mapie.", "Toggle the view of all 3D party player markers.", "Abilita / Disabilita la visione dei marca
tori 3D dei giocatori nel gruppo", "Activar marcadores 3D del grupo", "Bascule l'affichage des marqueurs 3D des membres de groupes.", "00000000 3D 000000", "Toggle the
view of all 3D party player markers.", "Alterne a visualização de todos os marcadores de jogadores do grupo 3D", "000000000003D0000",
000132 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR","APPLY MARKER TEXT COLOR","APPLY MARKER TEXT COLOR","SHOW MARKER TEXT COLOR","MARKER-TEXT EINFÄRBen","ПОКА
ЗЫВАТЬ ЦВЕТ ТЕКСТА МЕТКИ","SHOW MARKER TEXT COLOR","SHOW MARKER TEXT COLOR","SHOW MARKER TEXT COLOR","SHOW MARKER TEXT COLOR","AFFICHER TEXTE MARQUEUR EN COULEUR"
,"SHOW MARKER TEXT COLOR","SHOW MARKER TEXT COLOR","SHOW MARKER TEXT COLOR","00000000",

```

000133 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_SHOWMARKERTEXTCOLOR_DESC","The marker name and distance will be colored if enabled","The marker name and distance will be color
ed if enabled","The Marker name and distance will also be colored if enabled","Der Marker-Name und die Entfernung werden mit der Farbe des Symbols eingefärbt.", "H
азвание метки и расстояние будут окрашены, если функция включена","The Marker name and distance will also be colored if enabled","The Marker name and distance will
also be colored if enabled","The Marker name and distance will also be colored if enabled","The Marker name and distance will also be colored if enabled","Le no
m du marqueur et la distance seront également colorés si l'option est activée.", "The Marker name and distance will also be colored if enabled","The Marker name an
d distance will also be colored if enabled","The Marker name and distance will also be colored if enabled", "00000000000000000000",
000134 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE","PERSONAL 3D MARKER DISTANCE","PERSONAL 3D MARKER DISTANCE","3D PERSONAL MAX VIEW DIST","PERSÖNL. 3D MARKER D
ISTANZ","3D ЛИЧНЫЕ ВИДИМОЕ РАССТОЯНИЕ","3D PERSONAL MAX VIEW DIST","3D PERSONAL MAX VIEW DIST","3D PERSONAL MAX VIEW DIST","3D PERSONAL MAX VIEW DIST","DISTANCE V
UE MAX MARQUEUR 3D PERSON.", "3D PERSONAL MAX VIEW DIST","3D PERSONAL MAX VIEW DIST","3D PERSONAL MAX VIEW DIST","3D PERSONAL MAX VIEW DIST", "003D0000",
000135 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_CLIENT3DDISTANCE_DESC","The distance at which personal 3D markers begin to slowly fade out.", "The distance at which personal 3D
markers begin to slowly fade out.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "Die maximale Renderdistanz für persönliche 3D-M
arkierungen.", "Макс. дистанция, на которой Личный 3D-маркер начинает постепенно исчезать.", "The maximum range before the 3D Personal marker begins to slowly disap
pear.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "The maximum range before the 3D Personal marker begins to slowly disappear.",
", "The maximum range before the 3D Personal marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D personnel ne commence à disparaître le
ntement.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "The maximum range before the 3D Personal marker begins to slowly disappea
r.", "The maximum range before the 3D Personal marker begins to slowly disappear.", "003D0000000000000000",
000136 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE","PLAYER 3D MARKER DISTANCE","PLAYER 3D MARKER DISTANCE","3D PLAYER MAX VIEW DIST","SPIELER-3D-MARKER DISTANZ"
", "3D ИГРОКОВ ВИДИМОЕ РАССТОЯНИЕ","3D PLAYER MAX VIEW DIST","3D PLAYER MAX VIEW DIST","3D PLAYER MAX VIEW DIST","3D PLAYER MAX VIEW DIST","DISTANCE VUE MAX MARQUEU
R 3D JOUEUR", "3D PLAYER MAX VIEW DIST","3D PLAYER MAX VIEW DIST","3D PLAYER MAX VIEW DIST","3D PLAYER MAX VIEW DIST", "003D0000",
000137 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PLAYER3DDISTANCE_DESC","The distance at which player 3D markers begin to slowly fade out.", "The distance at which player 3D mar
kers begin to slowly fade out.", "The maximum range before the 3D Player marker begins to slowly disappear.", "Die maximale Renderdistanz für 3D-Gruppenmitgliederna
rkierungen.", "Макс. дистанция, на которой 3D-маркер игроков начинает постепенно исчезать.", "The maximum range before the 3D Player marker begins to slowly disappe
ar.", "The maximum range before the 3D Player marker begins to slowly disappear.", "The maximum range before the 3D Player marker begins to slowly disappear.", "The
maximum range before the 3D Player marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D du joueur ne commence à disparaître lentement.
", "The maximum range before the 3D Player marker begins to slowly disappear.", "The maximum range before the 3D Player marker begins to slowly disappear.", "The max
imum range before the 3D Player marker begins to slowly disappear.", "003D0000000000000000",
000138 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE","GROUP 3D MARKER DISTANCE","GROUP 3D MARKER DISTANCE","3D PARTY MAX VIEW DIST","GRUPPEN-3D-MARKER DISTANZ", "3D
ГРУППЫ МАХ ВИДИМОЕ РАССТОЯНИЕ", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "DISTANCE VUE MAX MARQUEUR 3D
GROUPE", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "3D PARTY MAX VIEW DIST", "003D0000",
000139 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_PARTY3DDISTANCE_DESC","The distance at which group 3D markers begin to slowly fade out.", "The distance at which group 3D marker
s begin to slowly fade out.", "The maximum range before the 3D Party marker begins to slowly disappear.", "Die maximale Renderdistanz für 3D-Gruppenmarkierungen.", "Макс.
дистанция, на которой 3D-маркер группы начинает постепенно исчезать.", "The maximum range before the 3D Party marker begins to slowly disappear.", "The maximum
m range before the 3D Party marker begins to slowly disappear.", "The maximum range before the 3D Party marker begins to slowly disappear.", "The maximum range befo
re the 3D Party marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D de groupe ne commence à disparaître lentement.", "The maximum rang
e before the 3D Party marker begins to slowly disappear.", "The maximum range before the 3D Party marker begins to slowly disappear.", "The maximum range before the
3D Party marker begins to slowly disappear.", "003D0000000000000000",
000140 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE","SERVER 3D MARKER DISTANCE","SERVER 3D MARKER DISTANCE","3D SERVER MAX VIEW DIST","SERVER-3D-MARKER DISTANZ",
"3D СЕРВЕРНЫЕ ВИДИМОЕ РАССТОЯНИЕ", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "DISTANCE VUE MAX MARQUEU
R 3D SERVEUR", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "3D SERVER MAX VIEW DIST", "003D0000",
000141 | "STR_EXPANSION_SETTINGS_CLIENT_MAP_GLOBAL3DDISTANCE_DESC","The distance at which server 3D markers begin to slowly fade out.", "The distance at which server 3D mar
kers begin to slowly fade out.", "The maximum range before the 3D Server marker begins to slowly disappear.", "Die maximale Renderdistanz für 3D-Servermarkierungen.
", "Макс. дистанция, на которой 3D-маркер сервера начинает постепенно исчезать.", "The maximum range before the 3D Server marker begins to slowly disappear.", "The m
aximum range before the 3D Server marker begins to slowly disappear.", "The maximum range before the 3D Server marker begins to slowly disappear.", "The maximum ran
ge before the 3D Server marker begins to slowly disappear.", "La portée maximale avant que le marqueur 3D de serveur ne commence à disparaître lentement.", "The max
imum range before the 3D Server marker begins to slowly disappear.", "The maximum range before the 3D Server marker begins to slowly disappear.", "The maximum range
before the 3D Server marker begins to slowly disappear.", "003D0000000000000000",
000142 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET","MARKET SETTINGS","MARKET SETTINGS","NASTAVENÍ TRHU","MARKT-EINSTELLUNGEN","ПАРАМЕТРЫ РЫНКА","MARKET SETTINGS","MARKET SETT
INGS", "IMPOSTAZIONI MERCATO", "OPCIONES DEL MERCADO", "PARAMÈTRES DU MARCHÉ", "0000", "MARKET SETTINGS", "MARKET SETTINGS", "000000",
000143 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGORIES_TOGGLE_STATE","EXPAND ALL CATEGORIES","EXPAND ALL CATEGORIES","EXPAND ALL CATEGORIES","EXPAND ALL CATEGORIES","EXPAND ALL CA
TEGORIES", "РАСКРЫТЬ ВСЕ КАТЕГОРИИ", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "VOIR TOUTES CATÉGORIES", "EXPAND ALL CA
TEGORIES", "EXPAND ALL CATEGORIES", "EXPAND ALL CATEGORIES", "000000",
000144 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_CATEGORIES_TOGGLE_STATE_DESC","Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Au
tomatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNING: Pe
rformance hit!)", "Automatisch alle Kategorien ausklappen, wenn das Händler-Menü geöffnet wird (WARNUNG: Leistungseinbußen!)", "Автоматически раскрывать все категор
ии в торговом меню (ВНИМАНИЕ: Сильно бьет по производительности игры!)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)",
", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNING
: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Développer automatiquement toutes les catégories
à l'ouverture du menu trader (ATTENTION : impact sur les performances !)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!
)", "Automatically expand all categories when opening trader menu (WARNING: Performance hit!)", "Automatically expand all categories when opening trader menu (WARNI
NG: Performance hit!)", "00000000000000000000000000000000",
000145 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS","DISABLE SUCCESS NOTIF.", "DISABLE SUCCESS NOTIF.", "DISABLE SUCCESS NOTIFICATIONS", "ERFOLGS-BE
NACHR. DEAKT.", "УВЕДОМЛЕНИЯ (УСПЕХ)", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATION

000146 | S", "DÉSACTIVER NOTIFICATIONS RÉUSSITE", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "DISABLE SUCCESS NOTIFICATIONS", "000000",
 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_DISABLE_SUCCESS_NOTIFICATIONS_DESC", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchases and sales.", "Deaktiviert Benachrichtigungen für erfolgreiche Käufe und Verkäufe.",
 | "Отключает уведомления после успешной покупки/продажи.", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchase
 | s and sales.", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchases and sales.", "Désactiver les notification
 | s pour les achats et les ventes réussis.", "Disable notifications for successful purchases and sales.", "Disable notifications for successful purchases and sales.",
 | "Disable notifications for successful purchases and sales.", "0000000000000000",
 000147 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "KAUFBARES ANZEIGEN", "ПОКАЗЫВАТЬ ДОСТУПН
 | OE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "MONTRER ACHETABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "SHOW PURCHASABLE", "0000
 | 000",
 000148 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_PURCHASABLES_FILTER_STATE_DESC", "Show puchasable items by default (enough money to buy the respective items needs to be in y
 | our inventory).", "Show puchasable items by default (enough money to buy the respective items needs to be in your inventory).", "Show puchasable items by default (e
 | nough money to buy the respective items needs to be in your inventory).", "Zeigt standardmäßig kaufbare Objekte an (es muss genug Geld für das jeweilige Objekt in
 | deinem Inventar vorhanden sein).", "Позволяет по-умолчанию отображать предметы доступные для Покупки (в инвентаре должно быть достаточно денег для покупки).", "Show
 | puchasable items by default (enough money to buy the respective items needs to be in your inventory).", "Show puchasable items by default (enough money to buy the
 | respective items needs to be in your inventory).", "Show puchasable items by default (enough money to buy the respective items needs to be in your inventory).", "S
 | how puchasable items by default (enough money to buy the respective items needs to be in your inventory).", "Afficher les objets pouvant être achetés par défaut (v
 | ous devez disposer de suffisamment d'argent dans votre inventaire pour acheter les objets correspondants).", "Show puchasable items by default (enough money to buy
 | the respective items needs to be in your inventory).", "Show puchasable items by default (enough money to buy the respective items needs to be in your inventory).
 | ", "Show puchasable items by default (enough money to buy the respective items needs to be in your inventory).", "0000000000000000000000000000000000",
 000149 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "VERKAUFBARES ANZEIGEN", "ПОКАЗЫВАТЬ ПРОДАВАЕМОЕ", "SH
 | OW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "MONTRER VENDABLE", "SHOW SELLABLE", "SHOW SELLABLE", "SHOW SELLABLE", "00000000",
 000150 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SELLABLES_FILTER_STATE_DESC", "Show sellable items by default.", "Show sellable items by default.", "Show sellable items by def
 | ault.", "Zeigt standardmäßig verkaufbare Objekte an.", "Позволяет по-умолчанию отобразить предметы доступные для Продажи.", "Show sellable items by default.", "Show s
 | ellable items by default.", "Show sellable items by default.", "Show sellable items by default.", "Afficher les articles vendables par défaut.", "Show sellable items
 | by default.", "Show sellable items by default.", "Show sellable items by default.", "0000000000",
 000151 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SHOWCURRENCYDENOMS", "SHOW CURRENCY DENOMINATIONS", "SHOW CURRENCY DENOMINATIONS", "ZOBRAZIT HODNOTY MĚNY", "SHOW CURRENCY DENOM
 | INATIONS", "НОМИНАЛЫ ВАЛЮТ", "SHOW CURRENCY DENOMINATIONS", "SHOW CURRENCY DENOMINATIONS", "MOSTRA DENOMINAZIONI DI VALUTA", "MOSTRAR DENOMINACIONES DE MONEDA", "AFFICH
 | ER DÉNOMINATIONS DES MONNAIES", "000000", "SHOW CURRENCY DENOMINATIONS", "SHOW CURRENCY DENOMINATIONS", "000000",
 000152 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SHOWCURRENCYDENOMS_DESC", "When enabled, this displays the price of a market item with all its denominations under the total
 | price in the detailed item section of the market menu.", "When enabled, this displays the price of a market item with all its denominations under the total price i
 | n the detailed item section of the market menu.", "Pokud je povoleno, zobrazí cenu tržní položky s všemi jejími hodnotami pod celkovou cenou v detailní sekci polož
 | ky v nabídce trhu.", "Wenn diese Option aktiviert ist, wird der Preis eines Marktartikels mit all seinen Stückelungen unter dem Gesamtpreis im detaillierten Artike
 | labschnitt des Marktmenüs angezeigt.", "Включение этого параметра отображает цену рыночного товара со всеми его номиналами под общей ценой в разделе "Подробная ин
 | формации о товаре".", "When enabled, this displays the price of a market item with all its denominations under the total price in the detailed item s
 | ection of the market menu.", "When enabled, this displays the price of a market item with all its denominations under the total price in the detailed item section
 | of the market menu.", "Quando abilitato mostra sotto al prezzo totale, il prezzo con tutte le denominazioni di valuta", "Cuando está habilitado, muestra el precio d
 | e un artículo de mercado con todas sus denominaciones bajo el precio total en la sección detallada del artículo.", "Lorsqu'il est activé, cela affiche le prix d'un
 | article du marché avec toutes ses dénominations sous le prix total dans la section détaillée de l'article du menu du marché.", "0000000000000000000000000000000000",
 | "When enabled, this displays the price of a market item with all its denominations under the total price in the detailed item section of the market menu.", "When
 | enabled, this displays the price of a market item with all its denominations under the total price in the detailed item section of the market menu.", "000000000000
 | 0000000000000000000000000000000000",
 000153 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "BESTÄTIGUNGEN DEAKTIVIEREN", "ПРОПУСК ПОД
 | ТВЕРЖДЕНИЯ", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS", "IGNORER CONFIRMATIONS", "SKIP CONFIRMATIONS", "SKIP CONFIRMATIONS",
 | "SKIP CONFIRMATIONS", "000000",
 000154 | "STR_EXPANSION_SETTINGS_CLIENT_MARKET_SKIP_CONFIRMATIONS_DESC", "Skip most confirmations when buying/selling.", "Skip most confirmations when buying/selling.", "Skip
 | most confirmations when buying/selling.", "Deaktiviert die meisten Bestätigungen beim Kauf/Verkauf.", "Отключает окно подтверждения при Покупке/Продаже.", "Skip mos
 | t confirmations when buying/selling.", "Skip most confirmations when buying/selling.", "Skip most confirmations when buying/selling.", "Skip most confirmations when
 | buying/selling.", "Ignorer la plupart des confirmations lors de l'achat/la vente.", "Skip most confirmations when buying/selling.", "Skip most confirmations when buy
 | ing/selling.", "Skip most confirmations when buying/selling.", "0000000000000000",
 000155 | "STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD", "SHOW GROUP HUD", "SHOW GROUP HUD", "ZOBRAZIT SKUPINOVÝ HUD", "GRUPPEN-HUD ANZEIGEN", "HUD ГРУППЫ", "SHOW PART
 | Y HUD", "SHOW PARTY HUD", "MOSTRA HUD GRUPPO", "SHOW PARTY HUD", "AFFICHER GROUPE HUD", "0000HUD", "SHOW PARTY HUD", "SHOW PARTY HUD", "0000HUD",
 000156 | "STR_EXPANSION_SETTINGS_CLIENT_PARTY_SHOWPARTYMEMBERHUD_DESC", "Toggle the view of the Party HUD", "Toggle the view of the Party HUD", "Přepnout zobrazení skupinovéh
 | o HUD.", "Schaltet die Ansicht des Gruppen-HUD um", "Вкл/Выкл отображение HUD группы", "Toggle the view of the Party HUD", "Toggle the view of the Party HUD", "Abilita
 | / Disabilita la visione dell'HUD di gruppo", "Toggle the view of the Party HUD", "Basculer la vue du Groupe HUD", "000000HUD", "Toggle the view of the Party HUD", "T
 | oggle the view of the Party HUD", "0000HUD0000",
 000157 | "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES", "VEHICLE SETTINGS", "VEHICLE SETTINGS", "NASTAVENÍ VOZIDEL", "FAHRZEUG-EINSTELLUNGEN", "НАСТРОЙКИ ВЕРТОЛЁТА", "USTAWIENIA HELI
 | KOPTERA", "VEHICLE SETTINGS", "IMPOSTAZIONI VEICOLO", "AJUSTES DE HELICOPTERO", "OPTIONS DES HÉLICOPTÈRES", "0000", "0000", "OPÇÕES DE HELICÓPTERO", "0000",
 000158 | "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "KAMERA-ENTFERNUNGS-MULT.", "KAMEP
 | A (ДИСТАНЦИЯ МНОЖ.)", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.
 | .", "CAMERA DISTANCE MULT.", "CAMERA DISTANCE MULT.", "00000000",
 000159 | "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_CAMERA_DISTANCE_DESC", "Multiplicator for the distance of the 3rd person camera to the vehicle", "Multiplicator for the dist

raton esta encendido","Inverse les commandes de tangage lorsque les commandes de la souris sont activées.", "Inverts pitch controls when mouse co
ntrols are enabled.", "Inverte os controles dos veículos quando os controles do mouse estão ativados.", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_MOUSE_CONTROL_INVERTED", "INVERTED MOUSE CONTROL", "INVERTED MOUSE CONTROL", "OBRÁCENÝ POHYB MYŠI", "INVERTIERTE MAUSSTEUERUNG
", "ИНВЕРТИРОВАТЬ УПРАВЛЕНИЕ МЫШЬЮ", "ODWRÓCONA KONTROLA MYSZY", "INVERTED MOUSE CONTROL", "CONTROLLI MOUSE INVERTITI", "Control con raton invertido", "CONTRÔLE DE SOUR
IS INVERSÉ", "INVERTED MOUSE CONTROL", "INVENTER CONTROLE POR MOUSE", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_PLANE_MOUSE_CONTROL", "PLANE MOUSE CONTROL", "PLANE MOUSE CONTROL", "OVLÁDÁNÍ LETADEL MYŠÍ", "EBENE MAUSSTEUERUNG", "САМОЛЁТ УП
РАВЛЕНИЕ МЫШЬЮ", "Sterowania Samolotu Mysza", "PLANE MOUSE CONTROL", "CONTROLLA AEREO CON IL MOUSE", "control de avión con ratón", "CONTRÔLE AVION À LA SOURIS", "PLANE MOUSE CONTROL", "AVIÃO - CONTROLE POR MOUSE", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_PLANE_MOUSE_CONTROL_DESC", "Pозволяет управлять креном и наклоном самолета с помощью мыши.", "te permite controlar el
avion con un ratón", "Permite controlar veículos aéreos com o mouse.", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_RESYNC_TIMEOUT", "VEHICLE RESYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "RESYNC-ZEITÜBERSCHREITUNG", "BP
ЕМЯ ДО СИНХРОНИЗАЦИИ", "VEHICLE RESYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "DÉLAI RECONNEXION VÉHICULE", "VEHICLE RE
SYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "VEHICLE RESYNC TIMEOUT", "STR_EXPANSION_SETTINGS_CLIENT_VEHICLES_RESYNC_TIMEOUT_DESC", "How long after desync and no resync has occurred vehicle physics updates are halted and position is
restored to last known from server.", "How long after desync and no resync has occurred vehicle physics updates are halted and position is restored to last known f
rom server.", "How long after desync and no resync has occurred vehicle physics updates are halted and position is restored to last known from server.", "Findet nac
h einem Desync kein Resync innerhalb der angegebenen Zeit statt, wird die Fahrzeug-Physik angehalten und die zuletzt bekannte Position wieder
hergestellt.", "Через сколько секунд после рассинхронизации транспорт синхронизируется с серверной позицией.", "How long after desync and no resync has occurred vehi
cle physics updates are halted and position is restored to last known from server.", "How long after desync and no resync has occurred vehicle physics updates are
halted and position is restored to last known from server.", "How long after desync and no resync has occurred vehicle physics updates are halted and position is r
estored to last known from server.", "How long after desync and no resync has occurred vehicle physics updates are halted and position is restored to last known fr
om server.", "Combien de temps après une désynchronisation et en l'absence de resynchronisation les mises à jour physiques du véhicule sont-elles interrompues et l
a position est-elle rétablie à la dernière position connue du serveur ?", "How long after desync and no resync has occurred vehicle physics updates are halted and
position is restored to last known from server.", "How long after desync and no resync has occurred vehicle physics updates are halted and position is restored to
last known from server.", "How long after desync and no resync has occurred vehicle physics updates are halted and position is restored to last known from server.",
STR_EXPANSION_SETTINGS_CLIENT_VIDEO", "VIDEO SETTINGS", "GRAFICKÉ NASTAVENÍ", "VIDEOEINSTELLUNGEN", "НАСТРОЙКИ ВИДЕО", "USTAWIENIA WIDEO", "VIDEO SETT
INGS", "IMPOSTAZIONI VIDEO", "Ajustes Graficos", "OPTIONS VIDEOS", "VIDEO SETTINGS", "OPÇÕES DE VIDEO", "RADING", "COLOR GRADING", "COLOR GRADING", "KOREKCE BAREV", "FARBKORREKTUR", "ЦВЕТОВОЙ ГРАДИЕНТ", "GRADACJA KOLORÓW", "COLOR G
RADING", "COLOR GRADING", "Graduado del color", "CALIBRATION COULEUR", "COLOR GRADING", "GRADAÇÃO DE CORES", "STR_EXPANSION_SETTINGS_CLIENT_VIDEO_COLORGRADING_DESC", "When enabled, increasing saturation of the game.", "Zvý
ší barevnost hry.", "Wenn aktiviert, wird die Sättigung des Spiels erhöht.", "Увеличивается насыщенность игры.", "Po włączeniu zwiększa nasycenie gry.", "When enabled
, increasing saturation of the game.", "Se abilitato, aumenta la saturazione nel gioco", "Cuando esta activado incrementa la saturación del juego", "Lorsqu'il est ac
tivé, augmente la saturation du jeu.", "When enabled, increasing saturation of the game.", "Quando ativado, aumenta a saturação do jogo.", "STR_EXPANSION_SETTINGS_CLIENT_VIDEO_COLORVIGNETTE", "COLOR VIGNETTE", "COLOR VIGNETTE", "BAREVNÁ VINĚTA", "FARBVIGNETTE", "ВИНЬЕТКА", "WINIĘTA", "COLOR VIGNETTE", "VIGNE
TTA", "Viñeta del color", "COULEUR VIGNETTE", "PRÍDÁ VINĚTU NA KAMEŘE.", "Wenn aktiviert, wird der Vignetteneffekt auf die Kamera angewendet.", "Применяет эффект виньетки к камере.", "Po włączeniu stosuje e
fekt winiety na kamerze.", "When enabled, applies vignette effect on the camera.", "Se abilitato, applica un effetto vignettatura alla telecamera", "Cuando esta acti
vado aplica el efecto viñeta a la camara", "Lorsqu'il est activé, applique un effet de vignette sur la caméra.", "When enabled, applies vignette
effect on the camera.", "Quando ativado, aplica o efeito de vinheta na câmera.", "STR_EXPANSION_SETTINGS_CLIENT_VIDEO_DRAWDISTANCE", "DRAW DISTANCE", "DRAW DISTANCE", "VZDÁLENOST DOHLEDU", "ZEICHENABSTAND", "ДИСТАНЦИЯ ПРОРИСОВКИ", "DYSTANS ŁADOWANIA
TERENU", "DRAW DISTANCE", "DISTANZA DI RENDERING", "Distancia de Dibujado", "DISTANCE D'AFFICHAGE", "DRAW DISTANCE", "CAMPO DE VISÃO", "STR_EXPANSION_SETTINGS_CLIENT_VIDEO_DRAWDISTANCE_DESC", "Increase or normalize draw distance.", "Zvýši či normalizuje vzdá
lost, na kterou lze dohlédnout.", "Zeichnungsabstand erhöhen oder normalisieren.", "Увеличьте или восстановите по умолчанию расстояние прорисовки.", "Zwiększ lub zno
rmalizuj odległość ładowania terenu.", "Increase or normalize draw distance.", "Aumenta o normalizza la distanza di Rendering", "Incrementar o normalizar la distanci
a de dibujado", "Increase or normalize draw distance.", "Increase or normalize draw distance.", "Aumente ou normalize a distância da visão.", "STR_EXPANSION_SETTINGS_CLIENT_VIDEO_LIGHTSHADOWS", "CAST SHADOWS", "CAST SHADOWS", "VRHÁNÍ STÍNŮ", "SCHLAGSCHATTEN", "АКТИВНЫЕ ТЕНИ", "RZUCANIE CIENI", "CAST SHADOWS", "P
ROJETTA OMBRE", "Mostrar Sombras", "AFFICHER LES OMBRES", "CAST SHADOWS", "PROJETAR SOMBRAS", "STR_EXPANSION_SETTINGS_CLIENT_VIDEO_LIGHTSHADOWS_DESC", "Toggles the casting of shadows for the street lig
hts.", "Zapne vrhání stínů u lamp.", "Schaltet das Werfen von Schatten für die Straßenlaternen ein.", "Включает отбрасывание теней для уличных фонарей.", "Przełącza r
zucanie cieni na światła uliczne.", "Toggles the casting of shadows for the street lights.", "Abilita / Disabilita la proiezione delle ombre dalle luci in strada", "A
ctiva las sombras con luz de las farolas", "Bascule la projection d'ombres pour les lampadaires.", "Toggles the casting of shadows for the street light
s.", "Alterna a projeção de sombras para as luzes da rua.", "STR_EXPANSION_SETTINGS_CLIENT_VIEWDISTANCE", "VIEW DISTANCE", "VIEW DISTANCE", "VIEW DISTANCE", "VIEW DISTANCE", "ДИСТАНЦИЯ ВИДИМОСТИ", "VIEW DISTANCE", "VIEW DISTANCE", "VIEW DISTANCE", "DISTANCE DE VUE", "VIEW DISTANCE", "VIEW DISTANCE", "STR_EXPANSION_SETTINGS_CLIENT_VIEWDISTANCE_DESC", "How far will the terrain be visible. To use defaults, set to 0 and restart the game.", "How far will the terrain
be visible. To use defaults, set to 0 and restart the game.", "How far will the terrain be visible. To use defaults, set to 0 and restart the game.", "Sichtweite d
es Terrains. Auf 0 setzen und Spiel neustarten, um Standardwert zu benutzen.", "Как далеко будет видна местность (В метрах). Чтобы использовать по умолчанию, устан
овите значение 0 и перезапустите игру.", "How far will the terrain be visible. To use defaults, set to 0 and restart the game.", "How far will the terrain be visibl

e. To use defaults, set to 0 and restart the game.", "How far will the terrain be visible. To use defaults, set to 0 and restart the game.", "How far will the terra
in be visible. To use defaults, set to 0 and restart the game.", "Jusqu'à quelle distance le terrain sera-t-il visible. Pour utiliser les valeurs par défaut, mette
z-les à 0 et redémarrez le jeu.", "00000000", "How far will the terrain be visible. To use defaults, set to 0 and restart the game.", "How far will the terrain be vi
sible. To use defaults, set to 0 and restart the game.", "000000000000000000000000",

000198 "STR_EXPANSION_SETTINGS_CLIENT_OBJECTVIEWDISTANCE", "OBJECT VIEW DISTANCE", "OBJECT VIEW DISTANCE", "OBJECT VIEW DISTANCE", "OBJECT VIEW DISTANCE", "ДИСТАНЦИЯ ОБЪЕКТОВ
", "OBJECT VIEW DISTANCE", "OBJECT VIEW DISTANCE", "OBJECT VIEW DISTANCE", "OBJECT VIEW DISTANCE", "DISTANCE DE VUE OBJECT", "000000", "OBJECT VIEW DISTANCE", "OBJEC
W DISTANCE", "000000",

000199 "STR_EXPANSION_SETTINGS_CLIENT_OBJECTVIEWDISTANCE_DESC", "How far will objects (like trees) be visible. To use defaults, set to 0 and restart the game.", "How far w
ill objects (like trees) be visible. To use defaults, set to 0 and restart the game.", "How far will objects (like trees) be visible. To use defaults, set to 0 and
restart the game.", "Sichtweite von Objekten (z.B. Bäume). Auf 0 setzen und Spiel neustarten, um Standardwert zu benutzen.", "Как далеко будут видны объекты (В мет
рах). Чтобы использовать по умолчанию, установите значение 0 и перезапустите игру.", "How far will objects (like trees) be visible. To use defaults, set to 0 and r
estart the game.", "How far will objects (like trees) be visible. To use defaults, set to 0 and restart the game.", "How far will objects (like trees) be visible. T
o use defaults, set to 0 and restart the game.", "How far will objects (like trees) be visible. To use defaults, set to 0 and restart the game.", "Jusqu'à quelle di
stance les objets (comme les arbres) seront visibles. Pour utiliser les valeurs par défaut, mettez-les à 0 et redémarrez le jeu.", "00000000", "How far will objects
(like trees) be visible. To use defaults, set to 0 and restart the game.", "How far will objects (like trees) be visible. To use defaults, set to 0 and restart th
e game.", "0000000000000000000000000000000000",

000200 "STR_EXPANSION_SETTINGS_BASEBUILDING", "BASEBUILDING SETTINGS", "BASEBUILDING SETTINGS", "BASEBUILDING SETTINGS", "BASENBAU-EINSTELLUNGEN", "НАСТРОЙКИ BASEBUILDING", "B
ASEBUILDING SETTINGS", "BASEBUILDING SETTINGS", "BASEBUILDING SETTINGS", "BASEBUILDING SETTINGS", "OPTIONS CONSTRUCTION DE BASE", "000000", "BASEBUILDING SETTINGS", "BAS
EBUILDING SETTINGS", "000000",

000201 "STR_EXPANSION_SETTINGS_AUTOOPEN_CODELOCK_PLACING", "CODELOCK MENU AFTER ATTACH", "CODELOCK MENU AFTER ATTACH", "CODELOCK MENU AFTER ATTACH", "AUTOM. CODELOCK-MENÜ", "К
ОДОВЫЙ ЗАМОК МЕНЮ", "CODELOCK MENU AFTER ATTACH", "CODELOCK MENU AFTER ATTACH", "CODELOCK MENU AFTER ATTACH", "CODELOCK MENU AFTER ATTACH", "MENU CODELOCK APRÈS ATTAC
HER", "000000CodeLock", "CODELOCK MENU AFTER ATTACH", "CODELOCK MENU AFTER ATTACH", "0000000000",

000202 "STR_EXPANSION_SETTINGS_AUTOOPEN_CODELOCK_PLACING_DESC", "Automatically opens the codeLock's menu after being attached.", "Automatically opens the codeLock's menu a
fter being attached.", "Opens automatically the CodeLock menu after being attached.", "Öffnet nach Anbringen eines CodeLocks automatisch dessen Menü zur Eingabe ein
er PIN.", "Автоматически открывать меню Кодового замка после того как он был прикреплен.", "Opens automatically the CodeLock menu after being attached.", "Opens auto
matically the CodeLock menu after being attached.", "Opens automatically the CodeLock menu after being attached.", "Opens automatically the CodeLock menu after bein
g attached.", "Ouvre automatiquement le menu CodeLock après avoir été attaché.", "000000CodeLock", "Opens automatically the CodeLock menu after being attached.",
"Opens automatically the CodeLock menu after being attached.", "0000000000000000000000000000000000",

000203 "STR_EXPANSION_SETTINGS_ENABLE_LIQUID_TYPE_COLORS", "ENABLE LIQUID TYPE COLORS", "ENABLE LIQUID TYPE COLORS", "POVOLIT BARVY KAPALNÉHO TYPU", "FARBKODIERTE FLÜSSIGKEI
TEN", "ЦВЕТ ДЛЯ ЖИДКОСТЕЙ", "ENABLE LIQUID TYPE COLORS", "ENABLE LIQUID TYPE COLORS", "ENABLE LIQUID TYPE COLORS", "ENABLE LIQUID TYPE COLORS", "ACTIVER COULEURS DES LI
QUIDES", "00000000", "ENABLE LIQUID TYPE COLORS", "ENABLE LIQUID TYPE COLORS", "00000000",

000204 "STR_EXPANSION_SETTINGS_ENABLE_LIQUID_TYPE_COLORS_DESC", "Shows different colors for different liquids in inspect menu and on tooltips.", "Shows different colors fo
r different liquids in inspect menu and on tooltips.", "Zobrazuje různé barvy pro různé kapaliny v menu kontroly a na nápovědách.", "Zeigt im Inspektionsmenü und in
den Tooltips unterschiedliche Farben für unterschiedliche Flüssigkeiten an.", "Вкл/Выкл разные цвета для разных жидкостей в меню предпросмотра, в инвентаре и во в
сплывающих подсказках.", "Shows different colors for different liquids in inspect menu and on tooltips.", "Shows different colors for different liquids in inspect m
enu and on tooltips.", "Shows different colors for different liquids in inspect menu and on tooltips.", "Shows different colors for different liquids in inspect men
u and on tooltips.", "Affiche des couleurs différentes pour les différents liquides dans le menu d'inspection et dans les infobulles.", "0000000000000000000000000000000000", "S
hows different colors for different liquids in inspect menu and on tooltips.", "Shows different colors for different liquids in inspect menu and on tooltips.", "000
0000000000000000000000000000000000",

000205 "STR_EXPANSION_SETTINGS_GEN_NEEDGPSITEMFORKEYBINDING", "Require GPS item", "Require GPS item", "Vyžadovat GPS položku pro klávesové zkratky", "Benötigt ein GPS", "ТРЕБ
ОВАТЬ GPS", "Require GPS item", "Require GPS item", "Richiedere GPS", "Requerir item GPS", "Nécessite le GPS", "00GPS", "Require GPS item", "Require GPS item", "00GPS"

000206 "STR_EXPANSION_SETTINGS_GEN_NEEDGPSITEMFORKEYBINDING_DESC", "Require GPS item to show the GPS HUD", "Require GPS item to show the GPS HUD", "Vyžadovat GPS položku pr
o zobrazení GPS HUD", "Benötigt ein GPS, um das GPS-HUD anzuzeigen", "Требуется предмет GPS, чтобы показать GPS.", "Require GPS item to show the GPS HUD", "Require GP
S item to show the GPS HUD", "Richiedere l'oggetto GPS per mostrare la schermata GPS", "Requiere el item GPS para mostrar el GPS en pantalla.", "Nécessite l'objet GP
S soit sur vous pour afficher le GPS", "00GPS000000GPS HUD", "Require GPS item to show the GPS HUD", "Require GPS item to show the GPS HUD", "000GPS000000GPSHUD",

000207 "STR_EXPANSION_SETTINGS_GEN_NEEDMAPITEMFORKEYBINDING", "Require Map item", "Require Map item", "Vyžadovat Mapu", "Benötigt eine Karte", "ТРЕБОВАТЬ КАРТУ", "Require Map
item", "Require Map item", "Richiedi Mappa", "Requerir item Mapa", "Nécessite la Carte", "000000", "Require Map item", "Require Map item", "000000",

000208 "STR_EXPANSION_SETTINGS_GEN_NEEDMAPITEMFORKEYBINDING_DESC", "Require Map or GPS item to show the map", "Require Map or GPS item to show the map", "Vyžadovat Mapu neb
o GPS položku pro zobrazení mapy", "Benötigt eine Karte oder ein GPS, um die erweiterte Karte anzuzeigen", "Требуется предмет Карта, чтобы показать карту.", "Require
Map or GPS item to show the map", "Require Map or GPS item to show the map", "Richiedi l'oggetto Mappa per abilitare la mappa Ingame", "Requiere el item mapa para m
ostrar el mapa.", "Nécessite l'objet Carte soit sur vous pour afficher la Carte", "000000GPS0000000000", "Require Map or GPS item to show the map", "Require Map or GPS
item to show the map", "000000GPS0000000000",

000209 "STR_EXPANSION_SETTINGS_GPS_AUTO_UPDATE_STATE_PREFERENCE", "TOGGLE GPS AUTO ZOOM", "TOGGLE GPS AUTO ZOOM", "ZAPNOUT AUTOMATICKÉ ZOOMOVÁNÍ GPS", "GPS AUTO-ZOOM EINSCHA
LTEN", "АВТОМАТИЧЕСКИЙ МАСШТАБ GPS", "TOGGLE GPS AUTO ZOOM", "TOGGLE GPS AUTO ZOOM", "ATTIVA / DISATTIVA ZOOM AUTOMATICO GPS", "TOGGLE GPS AUTO ZOOM", "BASCULER ZOOM AU
TO GPS", "00GPS", "TOGGLE GPS AUTO ZOOM", "TOGGLE GPS AUTO ZOOM", "GPS000000",

000210 "STR_EXPANSION_SETTINGS_GPS_AUTO_UPDATE_STATE_PREFERENCE_DESC", "Toggle automatic GPS zoom based on the speed of the vehicle", "Toggle automatic GPS zoom based on t
he speed of the vehicle", "Přepíná automatické zvětšování GPS na základě rychlosti vozidla", "Automatischen GPS-Zoom in Abhängigkeit von der Geschwindigkeit des Fah
rzeugs einschalten", "Вкл/Выкл автоматическое масштабирование GPS в зависимости от скорости транспортного средства.", "Toggle automatic GPS zoom based on the speed
of the vehicle", "Toggle automatic GPS zoom based on the speed of the vehicle", "Attiva / Disattiva lo zoom del GPS basato sulla velocità del veicolo.", "Toggle auto
matic GPS zoom based on the speed of the vehicle", "Basculer le zoom GPS automatique en fonction de la vitesse du véhicule", "0000000000GPS", "Toggle automatic GP
S zoom based on the speed of the vehicle", "Toggle automatic GPS zoom based on the speed of the vehicle", "0000000000GPS000000",

zelené barvy na značce.", "Ändern der Grünstufe der Markierung für das Gruppenmitglied", "Изменить уровень зелёного для меток группы.", "Zmień zielony poziom znacznika dla członka grupy", "Change green level of marker for party member", "Cambia il livello di Verde nei marcatori dei giocatori nel gruppo.", "Cambiar marcador verde para miembro del grupo", "Changer le niveau de vert du marqueur pour les membres du groupe", "Change green level of marker for party member", "Altera r o nível verde de marcador para membro do grupo.", "0000000000",

000247 "STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER", "RED MARKER PARTY MEMBER", "RED MARKER PARTY MEMBER", "ČERVENÁ ČÁST PARTY ZNAČKY", "ROTE MARKIERUNG DES GRUPPENMITGLIEDS", "УРОВЕНЬ КРАСНОГО ДЛЯ МЕТОК ГРУППЫ", "CZERWIEŃ ZNACZNIKA CZŁONKA GRUPY", "RED MARKER PARTY MEMBER", "ROSSO MARCATORI DEI GIOCATORI", "Marcador rojo para miembro del grupo", "MEMBRE DU GROUPE AVEC MARQUEUR ROUGE", "00000000", "RED MARKER PARTY MEMBER", "MARCAÇÃO VERMELHA DO MEMBRO DO GRUPO.", "00000000",

000248 "STR_EXPANSION_SETTINGS_HUD_RED_HEAD_PLAYER_DESC", "Change red level of marker for party member", "Change red level of marker for party member", "Změnit podíl červené barvy na značce.", "Rotes Level der Markierung für das Gruppenmitglied ändern", "Изменить уровень красного для меток группы.", "Zmień czerwony poziom znacznika dla członka grupy", "Change red level of marker for party member", "Cambia il livello di Rosso nei marcatori dei giocatori nel gruppo.", "Cambiar marcador rojo para miembro del grupo", "Changer le niveau de rouge du marqueur pour les membres du groupe", "000000000000", "Change red level of marker for party member", "Alterar o nível vermelho de marcador para membro do grupo", "000000000000",

000249 "STR_EXPANSION_SETTINGS_HUD_SHOW_CLOCK", "SHOW CLOCK", "SHOW CLOCK", "UKÁZAT HODINY", "ZEIGE UHR", "HUD ЧАСЫ", "POKAŽ ZEGAR", "SHOW CLOCK", "MOSTRA OROLOGIO", "MOSTRAR RELÓJ", "AFFICHER L'HORLOGE", "0000", "000000", "MOSTRAR RELÓGIO", "0000",

000250 "STR_EXPANSION_SETTINGS_HUD_SHOW_CLOCK_DESC", "Toggle the view of the clock in the main user interface.", "Toggle the view of the clock in the main user interface.", "Přepnout hodiny v rámci UI.", "Schalte die Ansicht der Uhr im Benutzerfeld um.", "Вкл/Выкл отображение часов на интерфейсе.", "Włącz widok zegara w głównym interfejsie", "Toggle the view of the clock in the main user interface.", "Abilita / Disabilita la visione nell'interfaccia", "Selecione la vista del reloj en la interfaz de usuario.", "Bascule l'affichage de l'horloge dans l'interface utilisateur principale.", "0000000000000000", "000000000000", "Altera a visão do relógio no usuário principal.", "0000000000000000",

000251 "STR_EXPANSION_SETTINGS_HUD_SHOW_GPS", "SHOW GPS", "SHOW GPS", "UKÁZAT GPS", "ZEIGE DAS GPS", "HUD ЧАСЫ", "POKAŽ GPS", "SHOW GPS", "MOSTRA GPS", "MOSTRAR GPS", "AFFICHER GPS", "00GPS", "SHOW GPS", "MOSTRAR GPS", "00GPS",

000252 "STR_EXPANSION_SETTINGS_HUD_SHOW_GPS_DESC", "Toggle the view of the GPS.", "Toggle the view of the GPS.", "Přepnout náhled do GPS.", "Schalte die Ansicht des GPS um.", "Вкл/Выкл отображение GPS на интерфейсе.", "Przełącz widoczność GPS", "Toggle the view of the GPS.", "Abilita / Disabilita la visione del GPS", "Activar la visión de l GPS", "Bascule l'affichage du GPS", "00GPS0000", "Toggle the view of the GPS.", "Ativa a visão do GPS.", "00GPS0000",

000253 "STR_EXPANSION_SETTINGS_INVENTORY", "INVENTORY SETTINGS", "INVENTORY SETTINGS", "INVENTORY", "INVENTAR-EINSTELLUNGEN", "ИНВЕНТАРЬ", "INVENTORY", "INVENTORY", "INVENTORY", "INVENTORY", "INVENTAIRE", "INVENTORY", "INVENTORY", "INVENTORY", "0000",

000254 "STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "SELTENHEITS-FARBE", "ПОКАЗЫВАТЬ РЕДКОСТЬ", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "COULEUR RARETÉ", "RARITY COLOR", "RARITY COLOR", "RARITY COLOR", "000000",

000255 "STR_EXPANSION_SETTINGS_INVENTORY_RARITY_COLOR_TOGGLE_DESC", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Zeigt die Seltenheitsfarbe auf den Hintergründen von Slot- und Inventargegenständen an.", "Показывает цвет редкости на слотах и фоне предметов в инвентаре.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Afficher la couleur de rareté sur les arrière-plans des emplacements et des objets en inventaire.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "Display rarity color on slot and inventory item backgrounds.", "000000000000000000000000",

000256 "STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "VÝCHOZÍ ZOBRAZENÍ SEZNAMU ZNAČEK", "MARKER-LISTE A USKLÄPPEN", "СПИСОК-МЕТОК", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "MOSTRA LISTA MARCATORI DI DEFAULT", "MOSTRAR LISTA DE MARCADORES POR DEFECTO", "AFFICHER LISTE DES MARQUEURS", "0000000000", "SHOW MARKERLIST BY DEFAULT", "SHOW MARKERLIST BY DEFAULT", "0000000000",

000257 "STR_EXPANSION_SETTINGS_MAPMENULIST_STATE_PREFERENCE_DESC", "Expand the marker list when opening the map menu.", "Expand the marker list when opening the map menu.", "Rozbalí seznam značek při otevření mapy.", "Klappt die Markerliste beim Öffnen des Kartenmenüs standardmäßig aus.", "Вкл/Выкл этого параметра будет отображать/скрывать ""Список меток"" при открытии карты.", "Expand the marker list when opening the map menu.", "Expand the marker list when opening the map menu.", "Espande la lista marcatori quando si apre il Menu Mappa", "Expand the marker list when opening the map menu.", "Développez la liste des marqueurs lors de l'ouverture du menu de la carte.", "000000000000000000000000", "Expand the marker list when opening the map menu.", "Expand the marker list when opening the map menu.", "000000000000000000000000",

000258 "STR_EXPANSION_SETTINGS_MARKER_SIZE", "MARKER ICON SIZE", "MARKER ICON SIZE", "VELIKOST IKON ZNAČEK", "MARKERSYMBOL-GRÖSSE", "РАЗМЕР ЗНАЧКОВ И МЕТОК", "MARKER ICON SIZE", "MARKER ICON SIZE", "DIMENSIONE ICONE MARCATORI", "TAMAÑO DEL ICONO DE MARCADOR", "TAILLE DE L'ICÔNE DU MARQUEUR", "000000", "MARKER ICON SIZE", "MARKER ICON SIZE", "000000",

000259 "STR_EXPANSION_SETTINGS_MARKER_SIZE_DESC", "Change the map and world marker icon size.", "Change the map and world marker icon size.", "Změní velikost ikon značek na mapě a ve světě.", "Ändert die Größe des Karten- und Weltmarkierungssymbols.", "Измените размер значков карты и метков. Verysmall - Очень маленький. Small - Маленький. Medium - Средний. Large - Большой.", "Change the map and world marker icon size.", "Change the map and world marker icon size.", "Cambia le icone di mappa e marcatori", "Cambia el tamaño de marcadores en el mapa y HUD.", "Modifiez la taille de l'icône du marqueur de carte et du monde.", "000000000000000000000000", "Change the map and world marker icon size.", "Change the map and world marker icon size.", "000000000000000000000000",

000260 "STR_EXPANSION_SETTINGS_NOTIFICATIONS", "NOTIFICATION SETTINGS", "NOTIFICATION SETTINGS", "NASTAVENÍ OZNÁMENÍ", "BENACHRICHTIGUNGSEINSTELLUNGEN", "НАСТРОЙКИ УВЕДОМЛЕНИЙ", "USTAWIENIA POWIADOMIEŃ", "NOTIFICATION SETTINGS", "IMPOSTAZIONI DELLE NOTIFICHE", "AJUSTES DE NOTIFICACIONES", "OPTIONS DES NOTIFICATIONS", "0000", "0000", "OPÇÕES DE NOTIFICAÇÃO", "0000",

000261 "STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY", "DISPLAY NOTIFICATIONS", "DISPLAY NOTIFICATIONS", "ZOBRAZIT OZNÁMENÍ", "BENACHRICHTIGUNGEN", "ТЕКСТОВЫЕ УВЕДОМЛЕНИЯ", "POWIADOMIENIA NA WYŚWIETLACZU", "DISPLAY NOTIFICATIONS", "MOSTRA NOTIFICHE", "Mostrar Notificaciones", "AFFICHAGE DES NOTIFICATIONS", "0000", "DISPLAY NOTIFICATIONS", "MOSTRAR NOTIFICAÇÕES", "0000",

000262 "STR_EXPANSION_SETTINGS_NOTIFICATIONS_DISPLAY_DESC", "Toggle all notifications.", "Toggle all notifications.", "Zobrazit všechny oznámení.", "Alle Benachrichtigungen umschalten.", "Вкл/Выкл текстовые уведомления.", "Przełącz wszystkie powiadomienia.", "Toggle all notifications.", "Abilita / Disabilita tutte le notifiche", "Toggle all notifications.", "Bascule l'affichage des notifications.", "00000000", "Toggle all notifications.", "Ativa todas as notificações.", "000000000000000000000000",

000263 "STR_EXPANSION_SETTINGS_NOTIFICATIONS_JOIN", "SHOW PLAYERS JOINING", "SHOW PLAYERS JOINING", "ZOBRAZIT PŘIPOJUJÍCÍ SE HRÁČE", "ZEIGE BETRETENDE SPIELER", "ВХОД ИГРОКОВ", "POKAŽ DOŁĄCZAJĄCYCH GRACZY", "SHOW PLAYERS JOINING", "MOSTRA GIOCATORI ENTRANTI", "MOSTRAR JUGADORES UNIÉNDOSE", "NOTIFICATIONS JOUEURS QUI REJOignent", "000000", "000000000000000000000000", "MOSTRAR JOGADORES ENTRANDO", "00000000",

000278 | "STR_EXPANSION_SETTINGS_PARTY_QUICK_MARKER_NAME_DESC", "Toggle the display of group members names on their quick marker.", "Toggle the display of group members name
s on their quick marker.", "Přepnout zobrazení jmen členů skupiny na jejich rychlé značce.", "Schaltet die Anzeige der Namen der Gruppenmitglieder auf den Schnellma
rkern um.", "Вкл/Выкл отображение имен членов группы на быстрой метке.", "Toggle the display of party members names on there quick marker.", "Toggle the display of p
arty members names on there quick marker.", "Attiva o disattiva la visualizzazione dei nomi dei compagni sui loro marcatori", "Alternar la visualización de los nomb
res de los miembros del grupo en su marcador rápido.", "Bascule l'affichage des noms des membres du groupe sur leur marqueur rapide.", "XXXXXXXXXXXXXXXXXXXX", "Toggle t
he display of party members names on there quick marker.", "Toggle the display of party members names on there quick marker.", "XXXXXXXXXXXXXXXXXXXX",
000279 | "STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR", "PLAYER ARROW COLOR", "PLAYER ARROW COLOR", "BARVA IKONY HRÁČE", "FARBE DES SPIELERPFELS", "ЦВЕТ СТРЕЛКИ ИГРОКА", "PLAYER A
RROW COLOR", "PLAYER ARROW COLOR", "COLORE FRECCIA GIOCATORE", "PLAYER ARROW COLOR", "COULEUR FLÈCHE DU JOUEUR", "XXXXXX", "PLAYER ARROW COLOR", "PLAYER ARROW COLOR", "XXX
XXX",
000280 | "STR_EXPANSION_SETTINGS_PLAYERARROW_COLOR_DESC", "Color of the player arrow on the map.", "Color of the player arrow on the map.", "Barva ikony hráče na mapě.", "Farb
e des Spielerpfeils auf der Karte.", "Цвет стрелки игрока на карте.", "Color of the player arrow on the map.", "Color of the player arrow on the map.", "Colore della
freccia del giocatore sulla mappa", "Color of the player arrow on the map.", "Couleur de la flèche du joueur sur la carte.", "XXXXXXXXXXXX", "Color of the player arrow
on the map.", "Color of the player arrow on the map.", "XXXXXXXXXXXX",
000281 | "STR_EXPANSION_SETTINGS_P_MAXINPARTY", "Max. Party Size", "Max. Party Size", "Max. Velikost Skupiny", "Max. Gruppen-Größe", "Размер группы", "Max. Party Size", "Max. Par
ty Size", "Dimensione del Gruppo", "Tamaño de grupo.", "Taille de groupe", "XXXXXX", "Max. Party Size", "Max. Party Size", "XXXXXX",
000282 | "STR_EXPANSION_SETTINGS_P_MAXINPARTY_DESC", "Maximum players allowed in a Party", "Maximum players allowed in a Party", "Maximální povolený počet hráčů ve skupině.",
"Maximale Spieleranzahl in einer Gruppe", "Максимальное количество игроков в группе", "Maximum players allowed in a Party", "Maximum players allowed in a Party", "Mas
simo dei giocatori ammessi in un gruppo", "Cantidad maxima de miembros en un grupo.", "Nombre maximum de joueurs autorisés dans un groupe", "XXXXXXXXXXXX", "Maximum p
layers allowed in a Party", "Maximum players allowed in a Party", "XXXXXXXXXXXX",
000283 | "STR_EXPANSION_SETTINGS_P_USEWHOLEMAPFORINVITELIST", "Can invite anywhere", "Can invite anywhere", "Lze pozvat kdekoli", "Kann überall einladen", "Можно пригласить кор
о угодно", "Can invite anywhere", "Can invite anywhere", "Invito da dovunque", "Invitar desde cualquier lugar", "Peut inviter n'importe où", "XXXXXXXXXX", "Can invite anyw
here", "Can invite anywhere", "XXXXXXXXXX",
000284 | "STR_EXPANSION_SETTINGS_P_USEWHOLEMAPFORINVITELIST_DESC", "You can invite anyone regardless of their distance", "You can invite anyone regardless of their distance"
", "Můžeš pozvat kohokoli bez ohledu na vzdálenost.", "Du kannst jeden einladen, egal wie weit diese entfernt sind.", "Вы можете пригласить любого игрока, независимо
от его расстояния", "You can invite anyone regardless of their distance", "You can invite anyone regardless of their distance", "Permette di invitare chiunque indipe
ndentemente dalla distanza", "Poder invitar a cualquier jugador desde cualquier lugar del mapa.", "Vous pouvez inviter n'importe qui, quelle que soit sa distance", "
XXXXXXXXXXXXXXXXXXXX", "You can invite anyone regardless of their distance", "You can invite anyone regardless of their distance", "XXXXXXXXXXXXXXXXXXXX",
000285 | "STR_EXPANSION_SETTINGS_STREAMER_MODE", "MISC SETTINGS", "MISC SETTINGS", "STREAMEROVSKÉ NASTAVENÍ", "SONSTIGE EINSTELLUNGEN", "ПРОЧИЕ НАСТРОЙКИ", "POZOSTAŁE USTAWIENIA
", "MISC SETTINGS", "IMPOSTAZIONI VARIE", "OTRAS CONFIGURACIONES", "OPTIONS DIVERSES", "XXXX", "XXXX", "OPÇÕES DIVERSAS", "XXXX",
000286 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION", "STREAMER MODE", "STREAMER MODE", "STREAMER MODE", "STREAMEROVSKÝ MÓD", "STREAMER-MODUS", "РЕЖИМ СТРИМЕРА", "TRYB STREAMERA", "STREAMER MOD
E", "MODALITA' STREAMER", "MODO STREAMER", "MODE STREAMEUR", "XXXX", "XXXXXXXXXX", "MODO STREAMER", "XXXX",
000287 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_OPTION_DESC", "Enables the streamer mode that will allow you to hide several inputs that you dont want to be shown to the pub
lic (e.g. server info).", "Enables the streamer mode that will allow you to hide several inputs that you dont want to be shown to the public (e.g. server info).", "
Streamer mód skryje určité prvky v uživatelském rozhraní, které by mohly prozradit server.", "Ermöglicht es dir den Streamer-Modus einzuschalten, um gewisse Inform
ation der Öffentlichkeit nicht anzuzeigen (z.B. Serverinfos).", "Вкл/Выкл режим стримера, что позволяет скрыть определенные вещи, которые вы не хотите показывать."
", "Włącza tryb streamera, który pozwoli ci na ukrycie kilku elementów, których nie chcesz pokazywać publiczności.", "Enables the streamer mode that will allow you t
o hide several inputs that you dont want to be shown to the public.", "Abilita la modalità Streamer, che ti permette di nascondere diversi input vuoi non far veder
e ad altri.", "Habilita el modo streamer que te permite esconder entradas que no quieres que el publico vea.", "Active le mode streameur qui te permettra de cacher
des informations dont tu ne veux pas qu'elles soient montrées en public.", "XXXXXXXXXXXXXXXXXXXXXXXXXXXX", "XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX", "Ativa o modo de st
ream que permite ocultar várias entradas que você não deseja que sejam exibidas ao público.", "XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX",
000288 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE", "SHOW PINCODES", "SHOW PINCODES", "ZOBRAZIT KÓDY PIN", "PINCODES ANZEIGEN", "ПОКАЗАТЬ PIN-КОДЫ", "POKAŻ KODY", "SHO
W PINCODES", "MOSTRA PIN", "Mostrar codigos PIN", "AFFICHER LES CODES PIN", "XXXX", "SHOW PINCODES", "MOSTRAR SENHAS", "PINPIN",
000289 | "STR_EXPANSION_SETTINGS_STREAMER_MODE_SHOW_PIN_CODE_DESC", "Toggles the display of pincodes in game and replaces the real characters with star characters.", "Toggle
s the display of pincodes in game and replaces the real characters with star characters.", "Přepnout zobrazení kódů PIN (nahradí za *).", "Schaltet die Anzeige von
Pincodes im Spiel um und ersetzt die echten Zeichen durch Sternzeichen.", "Вкл/Выкл отображение PIN-кодов в игре и заменяет на звёзды.", "Przełącza wyświetlanie kod
ów PIN w grze i zastępuje prawdziwe postacie gwiazdami.", "Toggles the display of pincodes in game and replaces the real characters with star characters.", "Abilita
/ Disabilita la visualizzazione dei PIN ingame, all'occorrenza nascondendoli e mostrando asterischi anziché ciò che diti", "Alterna la visualización de códigos
PIN en el juego y reemplaza los personajes reales con personajes estrella.", "Bascule l'affichage des codes pin en jeu et remplace les vrai caractères par des étoi
les.", "XXXXXXXXXXXXXXXXXXXXXXXXXXXX", "Toggles the display of pincodes in game and replaces the real characters with star characters.", "Alterna a exibição de códigos
PIN no jogo e os substitui por estrelas.", "XXXXXXXXPINXXXXXXXXXXXXXXXXXXXX",
000290 | "STR_EXPANSION_SILVER_BAR", "Silver Bar", "Silver Bar", "Stříbrný prut", "Silberbarren", "Серебрянный слиток", "Sztabka Srebra", "Silver Bar", "Lingotto di Argento", "Ling
ote de plata", "Lingot d'argent", "XX", "XXXX", "Barra de Prata", "XX",
000291 | "STR_EXPANSION_SILVER_BAR_DESC", "A silver bar, also called silver bullion or a silver ingot, is a quantity of refined metallic silver of any shape that is made by
a bar producer meeting standard conditions of manufacture, labeling, and record keeping. Larger silver bars that are produced by pouring the molten metal into mo
lds are called ingots.", "A silver bar, also called silver bullion or a silver ingot, is a quantity of refined metallic silver of any shape that is made by a bar p
roducer meeting standard conditions of manufacture, labeling, and record keeping. Larger silver bars that are produced by pouring the molten metal into molds are
called ingots.", "Stříbrný prut, také nazývaný stříbrný prut nebo stříbrný ingot, je množství rafinovaného kovového stříbra jakéhokoli tvaru, které vyrábí výrobce
prutů splňující standardní podmínky výroby, označování a vedení záznamů. Větší stříbrné tyče, které se vyrábějí nalitím roztaveného kovu do forem, se nazývají ing
oty.", "Ein Silberbarren ist eine Anhäufung von raffiniertem Silber, welche in einen Barren geschmolzen wurden.", "Представляет собой некое количество чистого сере
бра определенной формы с маркировкой. Производится путём заливки расплавленного металла.", "Sztabka Srebra to ilość rafinowanego metalicznego srebra o dowolnym kształ
cie, wytwarzana przez producenta sztabki spełniającego standardowe warunki produkcji, etykietowania i prowadzenia dokumentacji. Większe sztabki srebra wytwarzan
e przez wlewanie stopionego metalu do form nazywane są wlewkami.", "A silver bar, also called silver bullion or a silver ingot, is a quantity of refined metallic s

[illegible]

0612. PBO TEXT FILE

Path: core pbo files expan/modstorage_scripts.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0613. PBO TEXT FILE

Path: core pbo files expan/notificationscheduler_scripts.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0614. PBO TEXT FILE

Path: core pbo files expan/objects_gear_spraycans.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0615. PBO TEXT FILE

Path: core pbo files expan/objects_structures_debug.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0616. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0617. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Blast.emat
Size bytes: 253
SHA-256: ad39cc235825bd32dca0ee9fc3d36f8485f682ce19fd256dd84eadda3f976021
Decoded as: utf-8-sig
Line count shown: 10

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{8E840AC8F535971E}DayZExpansion/Particles/Sprites/blast.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   ReceiveShadow 1  
000009 |   BlendMode Additive_AlphaModulate  
000010 | }
```

0618. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Explosion.emat
Size bytes: 267
SHA-256: 2fcf68c8624bc86230eecbca1e941d0cbcd7860002e231802f605a972507817
Decoded as: utf-8-sig
Line count shown: 12

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{6CAFE54454CEBE09}DayZExpansion/Particles/Sprites/explosion.edds"  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   AlphaTest 0  
000009 |   BlendMode Additive_AlphaModulate  
000010 |   TileU 6  
000011 |   TileV 5  
000012 | }
```

0619. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Fire.emat
Size bytes: 278
SHA-256: 9d66452831186b5527c131e7e25de291916a689aec0f3454d412a3aa9db7034a
Decoded as: utf-8-sig
Line count shown: 13

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{8CD12DAA2613A121}DayZExpansion/Particles/Sprites/fire.edds"  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   AlphaTest 0  
000009 |   BlendMode Additive_AlphaModulate  
000010 |   TileU 8  
000011 |   TileV 4  
000012 |   Softness 0.25  
000013 | }
```


0620. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Inferno.emat
Size bytes: 253
SHA-256: 01308d2302b6638e69a4882a1f75f59c3284cda03c78387e49a250b4a9800f27
Decoded as: utf-8-sig
Line count shown: 10

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{9AE939087240FB68}DayZExpansion/Particles/Sprites/inferno.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   BlendMode Additive_AlphaModulate  
000009 |   Softness 0.25  
000010 | }
```

0621. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Metal.emat
Size bytes: 178
SHA-256: 8846b124a47cf090647057e185d90023a4b382bb359e03d6669bd67de2c7ebbf
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{2AF527D91EE689A4}DayZExpansion/Particles/Sprites/metal.edds"  
000003 |   Diffuse 0 0 0 0  
000004 |   Ambient 0 0 0 1  
000005 |   Sort translucent  
000006 |   AlphaTest 0  
000007 |   TileU 3  
000008 |   TileV 3  
000009 | }
```

0622. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Shot.emat

Size bytes: 235

SHA-256: eedbf810dad44d8f46b6b6444fad27cb47acbf486683a7715ce50406efd948d5

Decoded as: utf-8-sig

Line count shown: 11

Full file content

```
000001 | Particle {
000002 |   AlbedoMap "{5C963A1618B4CD72}DayZExpansion/Particles/Sprites/shot.edds" alpha
000003 |   Color 0 0 0 1
000004 |   Diffuse 0 0 0 1
000005 |   Emissive 1 1 1 0
000006 |   Sort translucent
000007 |   AlphaTest 0
000008 |   BlendMode Additive_AlphaModulate
000009 |   TileU 8
000010 |   TileV 4
000011 | }
```

0623. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Smoke.emat
Size bytes: 303
SHA-256: ac3cd2b631008ba5884ceb3e45f55578f6fd2a097e4d2f4559b2ac7fef3b88b6
Decoded as: utf-8-sig
Line count shown: 12

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{CCC2BDC4ED4BE73C}DayZExpansion/Particles/Sprites/smoke.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0 0 0 0  
000005 |   Ambient 0 0 0 1  
000006 |   NormalMap "{CE09BDE242263A16}DayZExpansion/Particles/Sprites/Normals/smoke.edds"  
000007 |   AlphaTest 0  
000008 |   TileU 2  
000009 |   TileV 2  
000010 |   DepthScale 4  
000011 |   CameraBlendFar 0.001  
000012 | }
```

0624. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Snow.emat
Size bytes: 234
SHA-256: 13bc458b15705862f49d88d1cecb80b40a7ac84bc4720db778af73226fff6740
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{DF7C29C342EF81B1}DayZExpansion/Particles/Sprites/snow.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   BlendMode Additive_AlphaModulate  
000009 | }
```

0625. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Spark.emat
Size bytes: 235
SHA-256: f603e37706ccbeddd268c943487e10483c8c0056ce6a233db936051359fbc02b
Decoded as: utf-8-sig
Line count shown: 9

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{3D62DF5BA328C034}DayZExpansion/Particles/Sprites/spark.edds" alpha  
000003 |   Color 0 0 0 1  
000004 |   Diffuse 0.5255 0.5255 0.5255 1  
000005 |   Ambient 0 0 0 1  
000006 |   Emissive 1 1 1 0  
000007 |   Sort translucent  
000008 |   BlendMode Additive_AlphaModulate  
000009 | }
```

0626. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Explosions\Expansion_Material_Splash.emat
Size bytes: 167
SHA-256: 6b8619a2fe2c1d81f7061ce46c9bef5e9140627fcad70f2786dfc5334c42e4bb
Decoded as: utf-8-sig
Line count shown: 6

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{9BDE476E53F3C7AA}DayZExpansion/Particles/Sprites/splash.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Emissive 1 1 1 0  
000005 |   Sort translucent  
000006 | }
```

0627. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Drips.emat
Size bytes: 199
SHA-256: 82d7614246feb7a231e6d426742ec47d60d2c5ccc0f7e54cc3049e358b568d5e
Decoded as: utf-8-sig
Line count shown: 7

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{EE3CC94548E6DBC7}DayZExpansion/Particles/Sprites/drop.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 |   BlendMode Additive_AlphaModulate  
000007 | }
```


0628. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Dust.emat
Size bytes: 164
SHA-256: 909c5ad4abb62cd86f73f71aebf8c3ab67f600d636b3f4bf0a424c6335b7173f
Decoded as: utf-8-sig
Line count shown: 6

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{DCC3BDC4ED4BE73C}DayZExpansion/Particles/Sprites/dust.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 | }
```

0629. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Gravel.emat
Size bytes: 166
SHA-256: ef6c458f8de8972cc097e560148168b18999d2e2fb44693d2491f5ee29e2040f
Decoded as: utf-8-sig
Line count shown: 6

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{67179320079DBDB0}DayZExpansion/Particles/Sprites/gravel.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 | }
```

0630. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Splash.emat
Size bytes: 201
SHA-256: a786fc7edef73c5cc37250595eddf6b616cb052f3227134502e413c60a41dec2
Decoded as: utf-8-sig
Line count shown: 7

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{9BDE476E53F3C7AA}DayZExpansion/Particles/Sprites/splash.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 |   BlendMode Additive_AlphaModulate  
000007 | }
```

0631. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\Helicopter\Expansion_Material_Water.emat
Size bytes: 200
SHA-256: e8415f271c1dd2ffa9dcb53cece60385ee2d7b30a796c0bdded93e937556f038
Decoded as: utf-8-sig
Line count shown: 7

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{16E1385AEC17A4AC}DayZExpansion/Particles/Sprites/water.edds" alpha  
000003 |   Diffuse 0.5255 0.5255 0.5255 1  
000004 |   Sort translucent  
000005 |   ReceiveShadow 1  
000006 |   BlendMode Additive_AlphaModulate  
000007 | }
```

0632. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.emat
Size bytes: 301
SHA-256: 5f966b9694470d3a5aad7dc5e340243bc0175063a27e278931040a6503311ee2
Decoded as: utf-8-sig
Line count shown: 17

Full file content

```
000001 | MatWaterPool {  
000002 |   Color 0 0 0 0  
000003 |   ZWrite 0  
000004 |   OceanScatteringColor 0 0 0 0  
000005 |   NormalPower 0.01  
000006 |   NormalMapping 0.005  
000007 |   SunPower 2  
000008 |   SunInfluence 0  
000009 |   SunNormalMul 0.01  
000010 |   WaterExtinction 100  
000011 |   RefractScale 0.4  
000012 |   ChromAberation 0.15  
000013 |   WindInfl 0  
000014 |   WetFloor 2  
000015 |   ReflectionColor 0 0 0 0  
000016 |   StreamTransform 0  
000017 | }
```

0633. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Data\Expansion_Material_Antiwater.rvmat
Size bytes: 51
SHA-256: fb937768745b10ce5872d5fb9a4a55e7c21981b8c978ad5349281d67e0fac0d6
Decoded as: utf-8-sig
Line count shown: 2

Full file content

```
000001 | PixelShaderID = "Super";  
000002 | VertexShaderID = "Super";
```

0634. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat
Size bytes: 328
SHA-256: 9c5be97e142a90cc69cd67dac923841453d0ff81b504a9241f3744200963cc4f
Decoded as: utf-8-sig
Line count shown: 11

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{B73AEC2B027D4D00}graphics/Particles/sprites/cloud_01_b_df.edds"  
000003 |   Diffuse 0.7216 0.7216 0.7216 1  
000004 |   Ambient 0.3922 0.3922 0.3922 1  
000005 |   NormalMap "{94ACD68D2987BFA2}graphics/Particles/sprites/cloud_01_b_nm.edds"  
000006 |   BlendMode Additive_AlphaModulate  
000007 |   TileU 2  
000008 |   TileV 2  
000009 |   Softness 2  
000010 |   CameraBlendFar 0.001  
000011 | }
```

0635. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Cloud.emat.meta

Size bytes: 327

SHA-256: 29cae4a9f04e3bc773a7048932789813eecbd7878b28d28949f22cfcaba036b6

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{0105FA7C516744F7}DayZExpansion/Particles/Materials/World/Expansion_Material_Cloud.emat"
000003 |   Author "3112"
000004 |   ChangeDate 1111680636
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```


0636. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat
Size bytes: 114
SHA-256: 37c8b852d00d8435bef744875bb6fb4b7175f0fda9bbd40ea6987bab88e2d111
Decoded as: utf-8-sig
Line count shown: 4

Full file content

```
000001 | Particle {  
000002 |   AlbedoMap "{41028461BB7B744E}DayZExpansion/Particles/Sprites/white.edds" alpha  
000003 |   Sort translucent  
000004 | }
```

0637. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Fog.emat.meta

Size bytes: 337

SHA-256: 326279848ae1a192b9d982f3880f9a59462e0dd14b7fb97c0dcef27fa3d34fd7

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{520BE503B06E1FC5}DayZExpansion/Particles/Materials/World/Expansion_Material_Fog.emat"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate -1965725561
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```

0638. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat
Size bytes: 810
SHA-256: 4758f233c8b5989d1ae1800a42efbda3d37dd98b3a29d4ef11b213cd59512be0
Decoded as: utf-8-sig
Line count shown: 28

Full file content

```
000001 | MatOceanOld {  
000002 |   Color 0.04 0.1 0.12 0  
000003 |   DeepMap "{0DE9ACA1E3D366FB}graphics/Textures/Water/sat_co.edds"  
000004 |   DeepMapCoord 0 0 15384 15384  
000005 |   DepthScattering 0.8  
000006 |   NormalMap "{00043BD4DA5F1244}graphics/Textures/Water/dayzwater1_no.edds"  
000007 |   NormalPower 0.25  
000008 |   NormalMapping 0.01  
000009 |   SunPower 256  
000010 |   SunInfluence 4  
000011 |   SunNormalMul 0.4  
000012 |   WaterExtinction 15  
000013 |   RefractScale 0.5  
000014 |   ChromAberation 0.1  
000015 |   CausticMap "{EA764AD7A6112284}graphics/Textures/Water/caustic.edds"  
000016 |   Caustic 0.5  
000017 |   WetFloor 0.5  
000018 |   EnvironmentMap "{C458941836528F9F}graphics/Textures/Water/env0cean_co.edds"  
000019 |   ReflectionColor 0.1 0.15 0.2 0.5  
000020 |   Fresnel 0.05  
000021 |   FresnelRange 0.44  
000022 |   FoamMap "{A3B149218D8C5200}graphics/Textures/Water/foam.edds"  
000023 |   FoamTerrainBlend 0.5  
000024 |   FoamMapping 0.5  
000025 |   FoamMove 0.05  
000026 |   FoamPower 0.64  
000027 |   FoamColor 0.2667 0.2667 0.251 1  
000028 | }
```

0639. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean.emat.meta

Size bytes: 337

SHA-256: 2e9ea6409b77633b2c802dba90372a3a75461fb6360353c19403ea80facfd243

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{5DCC3416E18F592C}DayZExpansion/Particles/Materials/World/Expansion_Material_Ocean.emat"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate 518908047
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```

0640. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat
Size bytes: 871
SHA-256: 85e180155f9225f8172565ab4941c9cb5d56923e700c932fdf89079680278ebd
Decoded as: utf-8-sig
Line count shown: 32

Full file content

```
000001 | MatOceanOld {  
000002 |   Color 0.04 0.1 0.12 0  
000003 |   Sort translucent  
000004 |   CastShadow 1  
000005 |   ReceiveShadow 1  
000006 |   DeepMap "{0DE9ACA1E3D366FB}graphics/Textures/Water/sat_co.edds"  
000007 |   DeepMapCoord 0 0 15384 15384  
000008 |   DepthScattering 0.75  
000009 |   NormalMap "{00043BD4DA5F1244}graphics/Textures/Water/dayzwater1_no.edds"  
000010 |   NormalPower 0.25  
000011 |   NormalMapping 0.01  
000012 |   SunPower 512  
000013 |   SunInfluence 4  
000014 |   SunNormalMul 0.4  
000015 |   WaterExtinction 15  
000016 |   GeometryBlend 1  
000017 |   RefractScale 0.5  
000018 |   ChromAberation 0.1  
000019 |   CausticMap "{EA764AD7A6112284}graphics/Textures/Water/caustic.edds" alpha  
000020 |   Caustic 3  
000021 |   WetFloor 2  
000022 |   EnvironmentMap "{C458941836528F9F}graphics/Textures/Water/envOcean_co.edds"  
000023 |   ReflectionColor 0.1 0.15 0.2 0.5  
000024 |   Fresnel 0.3  
000025 |   FresnelRange 0.5  
000026 |   FoamMap "{A3B149218D8C5200}graphics/Textures/Water/foam.edds"  
000027 |   FoamMapping 0.5  
000028 |   FoamMove 0.05  
000029 |   FoamPower 2  
000030 |   FoamColor 0.2667 0.2667 0.251 1  
000031 |   TimeMul 0.525  
000032 | }
```

0641. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Nice.emat.meta

Size bytes: 342

SHA-256: 309492f538f205c1321c4041f8a4c1384b71c3a5cb38971a638f7517b5eede98

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{71A6259AA29D1AFA}DayZExpansion/Particles/Materials/World/Expansion_Material_Ocean_Nice.emat"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate 586016911
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |       }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |       }
000010 |     EMATResourceClass PS4 : PC {
000011 |       }
000012 |     EMATResourceClass LINUX : PC {
000013 |       }
000014 |   }
000015 | }
```

0642. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat
Size bytes: 786
SHA-256: b9bf4825c7264d9075a82ca10ccdbba5ce83fe107b752ab854d8e0ab020fae81
Decoded as: utf-8-sig
Line count shown: 27

Full file content

```
000001 | MatOceanOld {  
000002 |   Color 0.03 0.03 0.03 0  
000003 |   DeepMap "{0DE9ACA1E3D366FB}graphics/Textures/Water/sat_co.edds"  
000004 |   DeepMapCoord 0 0 15384 15384  
000005 |   DepthScattering 0.5  
000006 |   NormalMap "{00043BD4DA5F1244}graphics/Textures/Water/dayzwater1_no.edds"  
000007 |   NormalPower 0.25  
000008 |   NormalMapping 0.01  
000009 |   SunPower 512  
000010 |   SunInfluence 1  
000011 |   SunNormalMul 0.4  
000012 |   WaterExtinction 5  
000013 |   RefractScale 0.5  
000014 |   ChromAberation 0.02  
000015 |   CausticMap "{EA764AD7A6112284}graphics/Textures/Water/caustic.edds"  
000016 |   Caustic 0.15  
000017 |   WetFloor 0.5  
000018 |   EnvironmentMap "{C458941836528F9F}graphics/Textures/Water/env0cean_co.edds"  
000019 |   ReflectionColor 0.1 0.1 0.1 0.5  
000020 |   Fresnel 0.05  
000021 |   FresnelRange 0.44  
000022 |   GreyModifier 0.8  
000023 |   FoamMap "{A3B149218D8C5200}graphics/Textures/Water/foam.edds"  
000024 |   FoamMove 0.05  
000025 |   FoamPower 3  
000026 |   FoamColor 0.2667 0.2667 0.251 1  
000027 | }
```

0643. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Materials\World\Expansion_Material_Ocean_Storm.emat.meta

Size bytes: 343

SHA-256: cbc3e6ee2f3589358a5fddee3914f7dbccb763cc605d733a0a20b6e60dd4c76b

Decoded as: utf-8-sig

Line count shown: 15

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{52820612B43B2E7B}DayZExpansion/Particles/Materials/World/Expansion_Material_Ocean_Storm.emat"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate 653125775
000005 |   Configurations {
000006 |     EMATResourceClass PC {
000007 |     }
000008 |     EMATResourceClass XBOX_ONE : PC {
000009 |     }
000010 |     EMATResourceClass PS4 : PC {
000011 |     }
000012 |     EMATResourceClass LINUX : PC {
000013 |     }
000014 |   }
000015 | }
```


0644. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\blast.edds.meta
Size bytes: 344
SHA-256: c4bd086b3ae0e4dae2c3ed9d4b65cec1ba5d6209d2c6bb212b749334dc72701b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8E840AC8F535971E}DayZExpansion/Particles/Sprites/blast_wave.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1772464246  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "blast_wave.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0645. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\drop.edds.meta
Size bytes: 336
SHA-256: a58e7bdca6ac1bb26733b83095c54dbc974a8f69579e31d34a05641dec8751d1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{EE3CC94548E6DBC7}DayZExpansion/Particles/Sprites/drop01.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -666589066  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "drop01.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0646. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\dust.edds.meta
Size bytes: 332
SHA-256: 103e8c3f0e7f43d4ff711424086c8db6a6f493f5c84d280974361467de4147bf
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{DCC3BDC4ED4BE73C}DayZExpansion/Particles/Sprites/dust.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1492478070  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "dust.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0647. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\explosion.edds.meta
Size bytes: 349
SHA-256: b5928fc95fd9e95f35300ea06038652b179ebd369cfc7a3c095a64d26a6175ca
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{6CAFE54454CEBE09}DayZExpansion/Particles/Sprites/explosionsoft.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 777021559  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "explosionsoft.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0648. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\fire.edds.meta
Size bytes: 333
SHA-256: 4de0e039b3cd0d691e6cfedfbb6ff3820d0d43e40dbf0a94a7a658f07ab15068
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{8CD12DAA2613A121}DayZExpansion/Particles/Sprites/fire.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -1116018569  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "fire.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0649. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\gravel.edds.meta
Size bytes: 336
SHA-256: 1c5504b19c1661f2a33b63246b5b8e5823fc78f42521eb03f874d7976dc63d3b
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{67179320079DBDB0}DayZExpansion/Particles/Sprites/gravel.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1334667382  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "gravel.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0650. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\inferno.edds.meta
Size bytes: 338
SHA-256: 88df845fd2883d0f3b55d231e7ff0afa8e45caaaf728cce0c2c5fc2799f0356a
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9AE939087240FB68}DayZExpansion/Particles/Sprites/inferno.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1345710198  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "inferno.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0651. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\metal.edds.meta
Size bytes: 334
SHA-256: 966f38fece6b6d2f23c82f0b5553501a42ccd87416c0706adfc51d0320f9f34
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{2AF527D91EE689A4}DayZExpansion/Particles/Sprites/metal.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -591206281  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "metal.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0652. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\Normals\smoke.edds.meta

Size bytes: 347

SHA-256: 2a564cb1dfc93467fbf18e476b7fe4f1559b76ac27cadbc3f0e4c29421a6c221

Decoded as: utf-8-sig

Line count shown: 16

Full file content

```
000001 | MetaFileClass {
000002 |   Name "{CE09BDE242263A16}DayZExpansion/Particles/Sprites/smoke2_nohq.edds"
000003 |   Author "desktop-795a08b"
000004 |   ChangeDate -1390909321
000005 |   Configurations {
000006 |     TGAResourceClass PC {
000007 |       SourceFile "smoke2_nohq.tga"
000008 |     }
000009 |     TGAResourceClass XB0X_ONE : PC {
000010 |     }
000011 |     TGAResourceClass PS4 : PC {
000012 |     }
000013 |     TGAResourceClass LINUX : PC {
000014 |     }
000015 |   }
000016 | }
```

0653. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\shot.edds.meta
Size bytes: 352
SHA-256: a5ea3922b9a980103badba54947eb8c7a168bb02ad8bbbed6a95c2578378853e7
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{5C963A1618B4CD72}DayZExpansion/Particles/Sprites/fire_billowing.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1833298038  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "fire_billowing.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0654. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\smoke.edds.meta
Size bytes: 416
SHA-256: 573efefdd68852ec7353f74375179ae30597919cf2ea744f8353d5c72670dce8
Decoded as: utf-8-sig
Line count shown: 19

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{CCC2BDC4ED4BE73C}DayZExpansion/Particles/Sprites/smoke.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1981098117  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "smoke.tga"  
000008 |       FormatCompress Copy  
000009 |       ConversionQuality 1  
000010 |       Swizzling TerrainLayerTexture  
000011 |     }  
000012 |     TGAResourceClass XBOX_ONE : PC {  
000013 |     }  
000014 |     TGAResourceClass PS4 : PC {  
000015 |     }  
000016 |     TGAResourceClass LINUX : PC {  
000017 |     }  
000018 |   }  
000019 | }
```

0655. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\snow.edds.meta
Size bytes: 342
SHA-256: b6a5b19fbb2ba182286038e6c0dd253d491432b4082c2914def0856fdd5930d1
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{DF7C29C342EF81B1}DayZExpansion/Particles/Sprites/snowdense.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1570105462  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "snowdense.tga"  
000008 |     }  
000009 |     TGAResourceClass XBOX_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0656. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\spark.edds.meta
Size bytes: 334
SHA-256: 089cd9288438685e9fa45bd2299a934179b85868e87d629b0722ff976d93c04c
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{3D62DF5BA328C034}DayZExpansion/Particles/Sprites/spark.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 1083041910  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "spark.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0657. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\splash.edds.meta
Size bytes: 335
SHA-256: eca6f9ef04cff601773f70d8680f29886aa38e65a2fc94ad0fce23072d10f734
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{9BDE476E53F3C7AA}DayZExpansion/Particles/Sprites/splash.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate 330049655  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "splash.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0658. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\water.edds.meta
Size bytes: 335
SHA-256: 1823b6ac6ac62da057344b11523c862e84f5ed5da449c1a86029f4a56069abe3
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{16E1385AEC17A4AC}DayZExpansion/Particles/Sprites/water.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -2106808202  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "water.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```

0659. PBO TEXT FILE

Path: core pbo files expan/particles.pbo :: Sprites\white.edds.meta
Size bytes: 334
SHA-256: 04289268064b4ffbbe4f8c2aa54a2e840b95763a2f4695f281dfc3158a4b8f85
Decoded as: utf-8-sig
Line count shown: 16

Full file content

```
000001 | MetaFileClass {  
000002 |   Name "{41028461BB7B744E}DayZExpansion/Particles/Sprites/white.edds"  
000003 |   Author "desktop-795a08b"  
000004 |   ChangeDate -654481273  
000005 |   Configurations {  
000006 |     TGAResourceClass PC {  
000007 |       SourceFile "white.tga"  
000008 |     }  
000009 |     TGAResourceClass XB0X_ONE : PC {  
000010 |     }  
000011 |     TGAResourceClass PS4 : PC {  
000012 |     }  
000013 |     TGAResourceClass LINUX : PC {  
000014 |     }  
000015 |   }  
000016 | }
```


0660. PBO TEXT FILE

Path: core pbo files expan/sounds_items_spraycan.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0661. PBO TEXT FILE

Path: core pbo files expan/sounds_ui.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0662. PBO TEXT FILE

Path: core pbo files expan/structures_industrial_misc.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0663. PBO TEXT FILE

Path: core pbo files expan/structures_industrial_power.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0664. PBO TEXT FILE

Path: core pbo files expan/structures_residential_misc.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0665. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_animals.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0666. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_gui.pbo :: CORE

Size bytes: 0

SHA-256: e3b0c44298fc1c149afbf4c8996fb92427ae41e4649b934ca495991b7852b855

Decoded as: empty

Line count shown: 0

Full file content

000001 |

0667. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_gui.pbo :: layouts\new_ui\options\keybindings_selectors\keybinding_option.layout
Size bytes: 3592
SHA-256: 4a54df91d51a216f6abb926929a9bebf9dab130e6cf966a57e18d8db5543bcf
Decoded as: utf-8-sig
Line count shown: 167

Full file content

```
000001 | FrameWidgetClass container {
000002 |   ignorepointer 1
000003 |   position 0 0
000004 |   size 1 30
000005 |   hexactpos 1
000006 |   vexactpos 1
000007 |   hexactsize 0
000008 |   vexactsize 1
000009 | {
000010 |   GridSpacerWidgetClass setting {
000011 |     ignorepointer 1
000012 |     position 0 0
000013 |     size 1 30
000014 |     hexactpos 1
000015 |     vexactpos 1
000016 |     hexactsize 0
000017 |     vexactsize 1
000018 |     "no focus" 1
000019 |     Padding 8
000020 |     Margin 0
000021 |     "Size To Content H" 1
000022 |     Columns 2
000023 |     Rows 1
000024 |     {
000025 |       FrameWidgetClass setting_panel {
000026 |         clipchildren 0
000027 |         ignorepointer 1
000028 |         position 0 0
000029 |         size 0.35 0.6
000030 |         hexactpos 1
000031 |         vexactpos 1
000032 |         hexactsize 0
000033 |         vexactsize 0
000034 |         {
000035 |           TextWidgetClass setting_label {
000036 |             clipchildren 0
000037 |             ignorepointer 1
000038 |             position 4 0
000039 |             size 0.97 0.6
000040 |             valign center_ref
000041 |             hexactpos 1
000042 |             vexactpos 1
000043 |             hexactsize 0
000044 |             vexactsize 0
000045 |             font "gui/fonts/sdf_MetronLight24"
000046 |             "exact text" 0
000047 |             "exact text size" 18
000048 |             "text valign" center
000049 |           }
000050 |           TextWidgetClass modifier_label {
000051 |             clipchildren 0
```



```
000052 |         ignorepointer 1
000053 |         position 4 0
000054 |         size 0.3 0.6
000055 |         halign right_ref
000056 |         valign center_ref
000057 |         hexactpos 1
000058 |         vexactpos 1
000059 |         hexactsize 0
000060 |         vexactsize 0
000061 |         font "gui/fonts/sdf_MetronLight24"
000062 |         "exact text" 0
000063 |         "exact text size" 18
000064 |         "text halign" right
000065 |         "text valign" center
000066 |     }
000067 | }
000068 | }
000069 | FrameWidgetClass setting_option {
000070 |     ignorepointer 1
000071 |     position 0 0
000072 |     size 0.65 1
000073 |     hexactpos 1
000074 |     vexactpos 1
000075 |     hexactsize 0
000076 |     vexactsize 0
000077 | {
000078 |     ButtonWidgetClass primary_bind {
000079 |         color 0 0 0 0.8627
000080 |         position 0 0
000081 |         size 0.49 1
000082 |         hexactpos 1
000083 |         vexactpos 1
000084 |         hexactsize 0
000085 |         vexactsize 0
000086 |         style Colorable
000087 |         "no focus" 1
000088 |         text "0"
000089 |         text_offset 16 0
000090 |         text_proportion 0.55
000091 |         text_halign left
000092 |         font "gui/fonts/sdf_MetronBook24"
000093 |     {
000094 |         TextWidgetClass primary_clear {
000095 |             visible 0
000096 |             position 2 0
000097 |             size 30 1
000098 |             halign right_ref
000099 |             valign center_ref
000100 |             hexactpos 1
000101 |             vexactpos 1
000102 |             hexactsize 1
000103 |             vexactsize 0
000104 |             text "X"
000105 |             font "gui/fonts/sdf_MetronLight24"
000106 |             text_proportion 0.55
000107 |             "text halign" center
000108 |             "text valign" center
000109 |         }
000110 |     }
000111 | }
000112 | ButtonWidgetClass alternative_bind {
000113 |     visible 1
```

```
000114 |         color 0 0 0 0.8627
000115 |         position 0 0
000116 |         size 0.49 1
000117 |         halign right_ref
000118 |         hexactpos 0
000119 |         vexactpos 1
000120 |         hexactsiz 0
000121 |         vexactsiz 0
000122 |         style Colorable
000123 |         "no focus" 1
000124 |         text_offset 16 0
000125 |         text_proportion 0.55
000126 |         text_halign left
000127 |         font "gui/fonts/sdf_MetronBook24"
000128 |         {
000129 |             TextWidgetClass alternative_clear {
000130 |                 visible 0
000131 |                 clipchildren 1
000132 |                 position 2 0
000133 |                 size 30 1
000134 |                 halign right_ref
000135 |                 valign center_ref
000136 |                 hexactpos 1
000137 |                 vexactpos 1
000138 |                 hexactsiz 1
000139 |                 vexactsiz 0
000140 |                 text "X"
000141 |                 font "gui/fonts/sdf_MetronBook24"
000142 |                 "text offset" -1 0
000143 |                 text_proportion 0.5
000144 |                 "text halign" center
000145 |                 "text valign" center
000146 |             }
000147 |         }
000148 |     }
000149 | }
000150 | }
000151 | }
000152 | }
000153 | PanelWidgetClass setting_disable {
000154 |     visible 0
000155 |     ignorepointer 1
000156 |     color 0.1569 0.1569 0.1569 0.902
000157 |     position 0 0
000158 |     size 1 1
000159 |     hexactpos 1
000160 |     vexactpos 1
000161 |     hexactsiz 0
000162 |     vexactsiz 0
000163 |     style rover_sim_colorable
000164 |     "no focus" 1
000165 | }
000166 | }
000167 | }
```

0668. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_scripts.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |

0669. PBO TEXT FILE

Path: core pbo files expan/vanillafixes_sounds.pbo :: CORE
Size bytes: 0
SHA-256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Decoded as: empty
Line count shown: 0

Full file content

000001 |